

# [MS-EDCSOM]: eDiscovery Client-Side Object Model Protocol Specification

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

**Preliminary Documentation.** This Open Specification provides documentation for past and current releases and/or for the pre-release (beta) version of this technology. This Open Specification is final documentation for past or current releases as specifically noted in the document, as applicable; it is preliminary documentation for the pre-release (beta) versions. Microsoft will release final documentation in connection with the commercial release of the updated or new version of this technology. As the documentation may change between this preliminary version and the final version of this technology, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

## Revision Summary

Date	Revision History	Revision Class	Comments
01/20/2012	0.1	New	Released new document.
04/11/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
09/12/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.

# Table of Contents

<b>1 Introduction .....</b>	<b>8</b>
1.1 Glossary .....	8
1.2 References.....	8
1.2.1 Normative References.....	8
1.2.2 Informative References .....	9
1.3 Overview .....	9
1.4 Relationship to Other Protocols.....	9
1.5 Prerequisites/Preconditions .....	10
1.6 Applicability Statement.....	10
1.7 Versioning and Capability Negotiation.....	10
1.8 Vendor-Extensible Fields.....	10
1.9 Standards Assignments .....	10
<b>2 Messages.....</b>	<b>11</b>
2.1 Transport.....	11
2.2 Message Syntax .....	11
2.2.1 Common Exceptions .....	11
<b>3 Protocol Details .....</b>	<b>12</b>
3.1 Server Details .....	12
3.1.1 Abstract Data Model .....	12
3.1.2 Timers .....	12
3.1.3 Initialization .....	12
3.1.4 Higher-Layer Triggered Events.....	12
3.1.5 Message Processing Events and Sequencing Rules.....	12
3.1.5.1 Microsoft.Office.RecordsManagement.InformationPolicy.ProjectPolicy .....	12
3.1.5.1.1 Properties .....	13
3.1.5.1.1.1 Scalar Properties .....	13
3.1.5.1.1.2 ObjectPath Properties.....	13
3.1.5.1.2 Methods.....	13
3.1.5.1.2.1 Scalar Methods.....	13
3.1.5.1.2.1.1 DoesProjectHavePolicy.....	13
3.1.5.1.2.1.2 GetProjectCloseDate.....	13
3.1.5.1.2.1.3 GetProjectExpirationDate .....	14
3.1.5.1.2.1.4 IsProjectClosed .....	14
3.1.5.1.2.2 ObjectPath Methods.....	14
3.1.5.2 Microsoft.Office.Server.Discovery.Case.....	15
3.1.5.2.1 Properties .....	15
3.1.5.2.1.1 Scalar Properties .....	15
3.1.5.2.1.1.1 CaseClosed .....	15
3.1.5.2.1.1.2 ClosedDate.....	15
3.1.5.2.1.1.3 ConsoleId.....	15
3.1.5.2.1.1.4 Id .....	15
3.1.5.2.1.2 ObjectPath Properties.....	15
3.1.5.2.1.2.1 Custodians .....	15
3.1.5.2.1.2.2 Exports .....	16
3.1.5.2.1.2.3 SavedSearches .....	16
3.1.5.2.1.2.4 SourceGroups.....	16
3.1.5.2.1.2.5 Sources .....	16
3.1.5.2.2 Methods.....	16

3.1.5.2.2.1	Scalar Methods.....	16
3.1.5.2.2.1.1	CloseCase .....	16
3.1.5.2.2.2	ObjectPath Methods.....	16
3.1.5.2.2.2.1	CreateCustodian .....	16
3.1.5.2.2.2.2	CreateExport .....	17
3.1.5.2.2.2.3	CreateLocation.....	17
3.1.5.2.2.2.4	CreateMailbox.....	17
3.1.5.2.2.2.5	CreateSavedSearch .....	17
3.1.5.2.2.2.6	CreateSourceGroup .....	17
3.1.5.2.2.2.7	CSOM Constructor.....	17
3.1.5.3	Microsoft.Office.Server.Discovery.Custodian.....	18
3.1.5.3.1	Properties .....	18
3.1.5.3.1.1	Scalar Properties .....	18
3.1.5.3.1.1.1	Id .....	18
3.1.5.3.1.1.2	LoginName.....	18
3.1.5.3.1.1.3	Name .....	18
3.1.5.3.1.1.4	Notes .....	18
3.1.5.3.1.2	ObjectPath Properties.....	18
3.1.5.3.2	Methods.....	18
3.1.5.3.2.1	Scalar Methods.....	18
3.1.5.3.2.1.1	Update .....	18
3.1.5.3.2.2	ObjectPath Methods.....	19
3.1.5.3.2.2.1	CSOM Constructor.....	19
3.1.5.4	Microsoft.Office.Server.Discovery.CustodianCollection .....	19
3.1.5.4.1	Properties .....	19
3.1.5.4.1.1	Scalar Properties .....	19
3.1.5.4.1.2	ObjectPath Properties.....	19
3.1.5.4.2	Methods.....	19
3.1.5.4.2.1	Scalar Methods.....	19
3.1.5.4.2.2	ObjectPath Methods.....	19
3.1.5.5	Microsoft.Office.Server.Discovery.Export .....	19
3.1.5.5.1	Properties .....	20
3.1.5.5.1.1	Scalar Properties .....	20
3.1.5.5.1.1.1	DownloadLink .....	20
3.1.5.5.1.1.2	EstimatedItems .....	20
3.1.5.5.1.1.3	EstimatedSize.....	20
3.1.5.5.1.1.4	ExportStructure .....	20
3.1.5.5.1.1.5	IncludeVersions .....	20
3.1.5.5.1.1.6	Name .....	20
3.1.5.5.1.1.7	ResultLink .....	20
3.1.5.5.1.1.8	RightsManagement.....	21
3.1.5.5.1.1.9	Status .....	21
3.1.5.5.1.1.10	IncludeNonSearchableItems .....	21
3.1.5.5.1.2	ObjectPath Properties.....	21
3.1.5.5.2	Methods.....	21
3.1.5.5.2.1	Scalar Methods.....	21
3.1.5.5.2.1.1	AddSearch .....	21
3.1.5.5.2.1.2	DeleteExport .....	21
3.1.5.5.2.1.3	Update .....	22
3.1.5.5.2.1.4	GetExportContent .....	22
3.1.5.5.2.2	ObjectPath Methods.....	24
3.1.5.5.2.2.1	CSOM Constructor.....	24
3.1.5.6	Microsoft.Office.Server.Discovery.ExportCollection .....	24

3.1.5.6.1	Properties .....	24
3.1.5.6.1.1	Scalar Properties .....	24
3.1.5.6.1.2	ObjectPath Properties.....	24
3.1.5.6.2	Methods.....	24
3.1.5.6.2.1	Scalar Methods.....	24
3.1.5.6.2.2	ObjectPath Methods.....	24
3.1.5.7	Microsoft.Office.Server.Discovery.ExportStatus .....	25
3.1.5.7.1	Field Values.....	25
3.1.5.7.1.1	Started.....	25
3.1.5.7.1.2	Complete.....	25
3.1.5.7.1.3	Failed.....	25
3.1.5.7.1.4	NotStarted.....	25
3.1.5.8	Microsoft.Office.Server.Discovery.SavedSearch .....	25
3.1.5.8.1	Properties .....	25
3.1.5.8.1.1	Scalar Properties .....	25
3.1.5.8.1.1.1	DateEndFilter.....	25
3.1.5.8.1.1.2	DateStartFilter.....	26
3.1.5.8.1.1.3	EXFilters .....	26
3.1.5.8.1.1.4	EXRefinements .....	26
3.1.5.8.1.1.5	ItemCount.....	26
3.1.5.8.1.1.6	Name .....	26
3.1.5.8.1.1.7	Query .....	26
3.1.5.8.1.1.8	SourceGroupIds.....	26
3.1.5.8.1.1.9	SourceIds .....	27
3.1.5.8.1.1.10	SourceManagement.....	27
3.1.5.8.1.1.11	SPFilters.....	27
3.1.5.8.1.1.12	SPRefinements.....	27
3.1.5.8.1.1.13	TotalSize .....	27
3.1.5.8.1.2	ObjectPath Properties.....	27
3.1.5.8.2	Methods.....	27
3.1.5.8.2.1	Scalar Methods.....	27
3.1.5.8.2.1.1	DeleteSavedSearch .....	27
3.1.5.8.2.1.2	GetEffectiveQuery .....	28
3.1.5.8.2.1.3	Update .....	28
3.1.5.8.2.1.4	UpdateStatistics.....	28
3.1.5.8.2.2	ObjectPath Methods.....	28
3.1.5.8.2.2.1	Copy .....	28
3.1.5.9	Microsoft.Office.Server.Discovery.SavedSearchCollection.....	28
3.1.5.9.1	Properties .....	28
3.1.5.9.1.1	Scalar Properties .....	28
3.1.5.9.1.2	ObjectPath Properties.....	28
3.1.5.9.2	Methods.....	29
3.1.5.9.2.1	Scalar Methods.....	29
3.1.5.9.2.2	ObjectPath Methods.....	29
3.1.5.10	Microsoft.Office.Server.Discovery.Source .....	29
3.1.5.10.1	Properties.....	29
3.1.5.10.1.1	Scalar Properties .....	29
3.1.5.10.1.1.1	ContainerId .....	29
3.1.5.10.1.1.2	CrawlErrorPercent .....	29
3.1.5.10.1.1.3	DisplayId.....	29
3.1.5.10.1.1.4	FederationId .....	29
3.1.5.10.1.1.5	IsLocation .....	30
3.1.5.10.1.1.6	IsMailbox .....	30

3.1.5.10.1.1.7	ItemErrors.....	30
3.1.5.10.1.1.8	LastIndexedTime.....	30
3.1.5.10.1.1.9	Name.....	30
3.1.5.10.1.1.10	PreservationHistory.....	30
3.1.5.10.1.1.11	PreservationStatus .....	30
3.1.5.10.1.1.12	SharePointSiteErrors .....	31
3.1.5.10.1.1.13	SourceId .....	31
3.1.5.10.1.1.14	SourceTypeDisplayName .....	31
3.1.5.10.1.1.15	WebId.....	31
3.1.5.10.1.2	ObjectPath Properties.....	31
3.1.5.10.1.2.1	Custodians .....	31
3.1.5.10.2	Methods.....	31
3.1.5.10.2.1	Scalar Methods.....	31
3.1.5.10.2.1.1	AddCustodian .....	31
3.1.5.10.2.1.2	DeleteSource .....	32
3.1.5.10.2.1.3	Update.....	32
3.1.5.10.2.1.4	UpdateErrorInfo .....	32
3.1.5.10.2.2	ObjectPath Methods .....	32
3.1.5.10.2.2.1	GetSource .....	32
3.1.5.10.2.2.2	CSOM Constructor .....	32
3.1.5.11	Microsoft.Office.Server.Discovery.SourceCollection .....	33
3.1.5.11.1	Properties.....	33
3.1.5.11.1.1	Scalar Properties .....	33
3.1.5.11.1.2	ObjectPath Properties.....	33
3.1.5.11.2	Methods.....	33
3.1.5.11.2.1	Scalar Methods.....	33
3.1.5.11.2.2	ObjectPath Methods .....	33
3.1.5.12	Microsoft.Office.Server.Discovery.SourceGroup.....	33
3.1.5.12.1	Properties.....	33
3.1.5.12.1.1	Scalar Properties .....	33
3.1.5.12.1.1.1	DateEndFilter.....	33
3.1.5.12.1.1.2	DateStartFilter .....	33
3.1.5.12.1.1.3	HoldId .....	34
3.1.5.12.1.1.4	Items.....	34
3.1.5.12.1.1.5	Name.....	34
3.1.5.12.1.1.6	Preserve.....	34
3.1.5.12.1.1.7	Query .....	34
3.1.5.12.1.1.8	Size.....	34
3.1.5.12.1.2	ObjectPath Properties.....	35
3.1.5.12.1.2.1	Sources.....	35
3.1.5.12.2	Methods.....	35
3.1.5.12.2.1	Scalar Methods.....	35
3.1.5.12.2.1.1	AddSource.....	35
3.1.5.12.2.1.2	ClearSources .....	35
3.1.5.12.2.1.3	DeleteSourceGroup .....	35
3.1.5.12.2.1.4	GetEffectiveQuery .....	35
3.1.5.12.2.1.5	RemoveSource.....	35
3.1.5.12.2.1.6	Update.....	36
3.1.5.12.2.1.7	UpdateStatistics .....	36
3.1.5.12.2.2	ObjectPath Methods .....	36
3.1.5.13	Microsoft.Office.Server.Discovery.SourceGroupCollection .....	36
3.1.5.13.1	Properties.....	36
3.1.5.13.1.1	Scalar Properties .....	36

3.1.5.13.1.2	ObjectPath Properties.....	36
3.1.5.13.2	Methods.....	36
3.1.5.13.2.1	Scalar Methods.....	36
3.1.5.13.2.2	ObjectPath Methods.....	36
3.1.5.14	Microsoft.Office.Server.Discovery.SourceManagementType .....	37
3.1.5.14.1	Field Values .....	37
3.1.5.14.1.1	AllContent.....	37
3.1.5.14.1.2	SourceGroup .....	37
3.1.5.14.1.3	Source .....	37
3.1.5.15	Microsoft.Office.Server.Discovery.SourceType .....	37
3.1.5.15.1	Field Values .....	37
3.1.5.15.1.1	Exchange.....	37
3.1.5.15.1.2	SharePoint.....	37
3.1.5.15.1.3	FileShare .....	37
3.1.6	Timer Events .....	38
3.1.7	Other Local Events .....	38
<b>4</b>	<b>Protocol Examples.....</b>	<b>39</b>
4.1	Get a Discovery Case .....	39
4.2	Create a Source.....	40
4.3	Create and Preserve a Discovery Source Group .....	41
4.4	Create a Query .....	42
<b>5</b>	<b>Security.....</b>	<b>44</b>
5.1	Security Considerations for Implementers.....	44
5.2	Index of Security Parameters .....	44
<b>6</b>	<b>Appendix A: Product Behavior.....</b>	<b>45</b>
<b>7</b>	<b>Change Tracking.....</b>	<b>46</b>
<b>8</b>	<b>Index .....</b>	<b>47</b>

# 1 Introduction

The eDiscovery Client-Side Object Model Protocol provides types, methods, and properties to enable a protocol client to perform operations to manage **legal holds**.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

### UncPath

The following terms are defined in [\[MS-OFCGLOS\]](#):

**crawl log**  
**CSOM Boolean**  
**CSOM DateTime**  
**CSOM GUID**  
**CSOM Int32**  
**CSOM Int64**  
**CSOM Object**  
**CSOM String**  
**custodian**  
**discovery case**  
**discovery source**  
**Information Rights Management (IRM)**  
**legal hold**  
**list item**  
**policy**  
**query refinement**  
**search query**  
**site**  
**Uniform Resource Locator (URL)**  
**website**

The following terms are specific to this document:

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We



will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-CSOM] Microsoft Corporation, "[SharePoint Client Query Protocol Specification](#)".

[MS-FQL2] Microsoft Corporation, "[Fast Query Language Version 2 Protocol Specification](#)".

[MS-KQL] Microsoft Corporation, "[Keyword Query Language Structure Protocol Specification](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[RFC4627] Crockford, D., "The application/json Media Type for Javascript Object Notation (JSON)", RFC 4627, July 2006, <http://www.ietf.org/rfc/rfc4627.txt>

### 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".


[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

## 1.3 Overview

This protocol defines types, methods, and properties that a protocol client uses to manage a **discovery case**. For example, the protocol enables a protocol client to retrieve a discovery case from the protocol server, retrieve the associated **discovery sources**, and perform such operations as initiating a legal hold on those discovery sources.

## 1.4 Relationship to Other Protocols

The eDiscovery Client-Side Object Model protocol is a set of types, properties, and methods that can be accessed by using the SharePoint Client Query protocol as described in [\[MS-CSOM\]](#). This protocol uses JSON as described in [\[RFC4627\]](#) to format data returned to a protocol client. This protocol also uses HTTP, as described in [\[RFC2616\]](#), and HTTPS, as described in [\[RFC2818\]](#). The dependencies for this protocol are shown in the following layering diagram.



**Figure 1: This protocol in relation to other protocols**

## **1.5 Prerequisites/Preconditions**

This protocol assumes that authentication has been performed by underlying protocols.

## **1.6 Applicability Statement**

This protocol is optimized to enable a protocol client to specify the exact set of data and operations to perform in a single batch, making it suitable for situations where the connection speed between the protocol client and the protocol server can be slow.

This protocol is not suitable and is inefficient if both the protocol client and protocol server are on the same computer. In this case, the client should use an API that does not require communication over a network.

## **1.7 Versioning and Capability Negotiation**

None.

## **1.8 Vendor-Extensible Fields**

None.

## **1.9 Standards Assignments**

None.

## 2 Messages

### 2.1 Transport

Messages are transported by using the SharePoint Client Query Protocol, as specified in [\[MS-CSOM\]](#).

### 2.2 Message Syntax

None.

#### 2.2.1 Common Exceptions

The protocol server MUST validate the request from the protocol client. When a protocol server processes a CSOM operation in the request, the following table lists common exceptions that could occur when accessing or updating a property or invoking a method.

Error Code	Error Type Name	Condition
- 2147024891	System.UnauthorizedAccessException	The user does not have permission to access a property, update a property, or call a method.

Besides the preceding exceptions and the exceptions that are listed for the specific properties or methods, the protocol server can return other exceptions to the protocol client, for which the protocol client could use the error message for display purpose but could not use the error code or error type to determine the causes of the exception.

Exceptions listed for the specific properties are thrown for both read and write operations, unless otherwise specified.

## 3 Protocol Details

### 3.1 Server Details

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

The protocol server maintains a multiple collections of discovery cases, for example lawsuits for 2005-2010 and lawsuits for 2000-2005.

For each case, the protocol server maintains a list of discovery sources that are applicable to the scope of the discovery case. For example, if a case were about Contoso vs. Fabrikam, an exemplary discovery source might be the email mailbox for the executives of Contoso. Discovery sources can be organized in groups, such as locations associated with a given person, that is **custodian**. The protocol server also maintains internal state about actions that need to be performed for discovery sources, such as when a given discovery source should be placed on legal hold, as well as the status of whether those actions have been performed.

In addition, the protocol server maintains a list of search queries applicable to the discovery sources of a given case, as well as metadata about when those search queries have been exported, that is downloaded.

The protocol server also maintains a directory of valid email mailboxes and **Web sites** that can be used as discovery sources. In addition, the protocol server maintains a set of **policies** that can be associated with the location, as well as state whether the location allows further editing or is in archival (closed).

This protocol shares the abstract data model used by the SharePoint Client Query protocol as described in [\[MS-CSOM\]](#) section 3.1.1 to communicate with the protocol server.

#### 3.1.2 Timers

None.

#### 3.1.3 Initialization

None.

#### 3.1.4 Higher-Layer Triggered Events

None.

#### 3.1.5 Message Processing Events and Sequencing Rules

##### 3.1.5.1 Microsoft.Office.RecordsManagement.InformationPolicy.ProjectPolicy

**TypeId:** {EC5E0A70-0CC3-408F-A4DC-1BB3495AAC75}

**ShortName:** Microsoft.Office.RecordsManagement.InformationPolicy.ProjectPolicy

A policy associated with a Web site or email mailbox.

### 3.1.5.1.1 Properties

#### 3.1.5.1.1.1 Scalar Properties

None.

#### 3.1.5.1.1.2 ObjectPath Properties

None.

### 3.1.5.1.2 Methods

#### 3.1.5.1.2.1 Scalar Methods

##### 3.1.5.1.2.1.1 DoesProjectHavePolicy

This method is a static CSOM method.

**Return Type:** CSOM Boolean

Checks whether the Web site has an associated policy.

**Parameters:**

*web*: The **site (2)**.

Type: Microsoft.SharePoint.Client.Web

It MUST NOT be NULL.

**Exceptions:**

Error Code	Error Type Name	Condition
-2147467261	System.ArgumentNullException	Web is null.

##### 3.1.5.1.2.1.2 GetProjectCloseDate

This method is a static CSOM method.

**Return Type:** CSOM DateTime

Gets the date the Web site was archived (closed). If the Web site is not closed, the protocol server returns an implementation specific default value that is less than 1970.

**Parameters:**

*web*: The site (2).

Type: Microsoft.SharePoint.Client.Web

It MUST NOT be NULL.

**Exceptions:**

Error Code	Error Type Name	Condition
-2147467261	System.ArgumentNullException	Web is null.

### 3.1.5.1.2.1.3 GetProjectExpirationDate

This method is a static CSOM method.

**Return Type:** CSOM DateTime

Gets the expiration date of the Web site according to its associated policy. If there is no associated expiration date, the protocol server returns an implementation specific default value that is less than 1970.

**Parameters:**

*web*: The site (2).

Type: Microsoft.SharePoint.Client.Web

It MUST NOT be NULL.

**Exceptions:**

Error Code	Error Type Name	Condition
-2147467261	System.ArgumentNullException	Web is null.

### 3.1.5.1.2.1.4 IsProjectClosed

This method is a static CSOM method.

**Return Type:** CSOM Boolean

Checks whether the Web site is in archival (closed).

**Parameters:**

*web*: The site (2).

Type: Microsoft.SharePoint.Client.Web

It MUST NOT be NULL.

**Exceptions:**

Error Code	Error Type Name	Condition
-2147467261	System.ArgumentNullException	Web is null.

### 3.1.5.1.2.2 ObjectPath Methods

None.

### 3.1.5.2 Microsoft.Office.Server.Discovery.Case

**TypeId:** {DF6AC2D8-CD50-4CF4-BC52-F61766F2E005}

**ShortName:** Microsoft.Office.Server.Discovery.Case

A discovery case.

#### 3.1.5.2.1 Properties

##### 3.1.5.2.1.1 Scalar Properties

###### 3.1.5.2.1.1.1 CaseClosed

**Type:** CSOM Boolean

**Accessibility:** Read Only

Specifies whether the discovery case is closed.

###### 3.1.5.2.1.1.2 ClosedDate

**Type:** CSOM DateTime

**Accessibility:** Read Only

The date the discovery case was closed. If the discovery case is not closed, the protocol server returns an implementation specific default value that is less than 1970.

###### 3.1.5.2.1.1.3 ConsoleId

**Type:** CSOM GUID

**Accessibility:** Read Only

The identifier of the group to which this discovery case belongs.

###### 3.1.5.2.1.1.4 Id

**Type:** CSOM GUID

**Accessibility:** Read Only

The identifier of the discovery case.

##### 3.1.5.2.1.2 ObjectPath Properties

###### 3.1.5.2.1.2.1 Custodians

**Type:** Microsoft.Office.Server.Discovery.CustodianCollection

**Accessibility:** Read Only

The custodians associated with the discovery case.

### 3.1.5.2.1.2.2 Exports

**Type:** Microsoft.Office.Server.Discovery.ExportCollection

**Accessibility:** Read Only

The exports of **search queries** associated with the discovery case.

### 3.1.5.2.1.2.3 SavedSearches

**Type:** Microsoft.Office.Server.Discovery.SavedSearchCollection

**Accessibility:** Read Only

The search queries associated with the discovery case.

### 3.1.5.2.1.2.4 SourceGroups

**Type:** Microsoft.Office.Server.Discovery.SourceGroupCollection

**Accessibility:** Read Only

The groups of discovery sources associated with the case.

### 3.1.5.2.1.2.5 Sources

**Type:** Microsoft.Office.Server.Discovery.SourceCollection

**Accessibility:** Read Only

The discovery sources associated with the case.

## 3.1.5.2.2 Methods

### 3.1.5.2.2.1 Scalar Methods

#### 3.1.5.2.2.1.1 CloseCase

**Return Type:** None

Performs implementation-specific operations to end (close) the discovery case, such as setting metadata of the date of closure as well as initiating release of legal holds associated with the discovery case.

**Parameters:** None

### 3.1.5.2.2.2 ObjectPath Methods

#### 3.1.5.2.2.2.1 CreateCustodian

**Return Type:** Microsoft.Office.Server.Discovery.Custodian

Creates a new custodian. The new custodian is not added until the

**Microsoft.Office.Server.Discovery.Custodian Update** method is called (section [3.1.5.3.2.1.1](#)).

**Parameters:** None



### 3.1.5.2.2.2.2 CreateExport

**Return Type:** Microsoft.Office.Server.Discovery.Export

Creates a new export. The new export is not added until the **Microsoft.Office.Server.Discovery.Export Update** method is called (section [3.1.5.5.2.1.3](#)).

**Parameters:** None

### 3.1.5.2.2.2.3 CreateLocation

**Return Type:** Microsoft.Office.Server.Discovery.Source

Creates a new discovery source that for a Web site. The new discovery source is not added until the **Microsoft.Office.Server.Discovery.Source Update** method is called (section [3.1.5.10.2.1.3](#)).

**Parameters:** None

### 3.1.5.2.2.2.4 CreateMailbox

**Return Type:** Microsoft.Office.Server.Discovery.Source

Creates a new discovery source that for an email mailbox. The new discovery source is not added until the **Microsoft.Office.Server.Discovery.Source Update** method is called (section [3.1.5.10.2.1.3](#)).

**Parameters:** None

### 3.1.5.2.2.2.5 CreateSavedSearch

**Return Type:** Microsoft.Office.Server.Discovery.SavedSearch

Creates a new search query. The new search query is not added until the **Microsoft.Office.Server.Discovery.SavedSearch Update** method is called (section [3.1.5.8.2.1.3](#)).

**Parameters:** None

### 3.1.5.2.2.2.6 CreateSourceGroup

**Return Type:** Microsoft.Office.Server.Discovery.SourceGroup

Creates a new group of discovery sources. The new group is not added until the **Microsoft.Office.Server.Discovery.SourceGroup Update** method is called (section [3.1.5.12.2.1.6](#)).

**Parameters:** None

### 3.1.5.2.2.2.7 CSOM Constructor

Constructs a discovery case **CSOM Object**.

**Parameters:**

*web*: The site (2) that represents a discovery case.

Type: Microsoft.SharePoint.Client.Web

### 3.1.5.3 Microsoft.Office.Server.Discovery.Custodian

**TypeId:** {F90F468A-0422-4CB7-9796-5B4F8717D727}

**ShortName:** Microsoft.Office.Server.Discovery.Custodian

A custodian associated with a discovery case.

#### 3.1.5.3.1 Properties

##### 3.1.5.3.1.1 Scalar Properties

###### 3.1.5.3.1.1.1 Id

**Type:** CSOM Int32

**Accessibility:** Read Only

The identifier of the custodian.

###### 3.1.5.3.1.1.2 LoginName

**Type:** CSOM String

**Accessibility:** Read/Write

The login name of the custodian.

###### 3.1.5.3.1.1.3 Name

**Type:** CSOM String

**Accessibility:** Read/Write

The name of the custodian.

###### 3.1.5.3.1.1.4 Notes

**Type:** CSOM String

**Accessibility:** Read/Write

The description of the custodian.

##### 3.1.5.3.1.2 ObjectPath Properties

None.

#### 3.1.5.3.2 Methods

##### 3.1.5.3.2.1 Scalar Methods

###### 3.1.5.3.2.1.1 Update

**Return Type:** None

Updates or adds the custodian in a discovery case.

**Parameters:** None

### 3.1.5.3.2.2 ObjectPath Methods

#### 3.1.5.3.2.2.1 CSOM Constructor

Constructs a custodian CSOM Object.

**Parameters:**

*item*: The **list item** that represents a custodian.

Type: Microsoft.SharePoint.Client.ListItem

### 3.1.5.4 Microsoft.Office.Server.Discovery.CustodianCollection

**TypeId:** {6B5101B9-64B2-4DFF-A753-270C6996C75B}

**ShortName:** Microsoft.Office.Server.Discovery.CustodianCollection

A collection of custodians.

#### 3.1.5.4.1 Properties

##### 3.1.5.4.1.1 Scalar Properties

None.

##### 3.1.5.4.1.2 ObjectPath Properties

None.

#### 3.1.5.4.2 Methods

##### 3.1.5.4.2.1 Scalar Methods

None.

##### 3.1.5.4.2.2 ObjectPath Methods

None.

### 3.1.5.5 Microsoft.Office.Server.Discovery.Export

**TypeId:** {A0C1EA79-9E20-4F8E-96B7-B18956A5CFFB}

**ShortName:** Microsoft.Office.Server.Discovery.Export

An export associated with a discovery case.

### **3.1.5.5.1 Properties**

#### **3.1.5.5.1.1 Scalar Properties**

##### **3.1.5.5.1.1.1 DownloadLink**

**Type:** CSOM String

**Accessibility:** Read Only

A URL from which users can download the items.

##### **3.1.5.5.1.1.2 EstimatedItems**

**Type:** CSOM Int32

**Accessibility:** Read Only

The estimated number of items in the export.

##### **3.1.5.5.1.1.3 EstimatedSize**

**Type:** CSOM Int32

**Accessibility:** Read Only

The estimated size of the export.

##### **3.1.5.5.1.1.4 ExportStructure**

**Type:** CSOM Boolean

**Accessibility:** Read Only

Whether to remove duplicated content from the export.

##### **3.1.5.5.1.1.5 IncludeVersions**

**Type:** CSOM Boolean

**Accessibility:** Read Only

Whether historical versions of content are included in the export.

##### **3.1.5.5.1.1.6 Name**

**Type:** CSOM String

**Accessibility:** Read/Write

The name of the export.

##### **3.1.5.5.1.1.7 ResultLink**

**Type:** CSOM String

**Accessibility:** Read Only

A URL from which users can download a report of which items are included in the export.

#### **3.1.5.5.1.1.8 RightsManagement**

**Type:** CSOM Boolean

**Accessibility:** Read Only

Whether to remove **Information Rights Management (IRM)** encryption from content in the export.

#### **3.1.5.5.1.1.9 Status**

**Type:** Microsoft.Office.Server.Discovery.ExportStatus

**Accessibility:** Read/Write

The status of the export; which MUST be a value as specified in section [3.1.5.7](#).

#### **3.1.5.5.1.1.10 IncludeNonSearchableItems**

**Type:** CSOM Boolean

**Accessibility:** Read Only

Whether to include content that cannot be found by the implementation's search functionality in the export.

#### **3.1.5.5.1.2 ObjectPath Properties**

None.

#### **3.1.5.5.2 Methods**

##### **3.1.5.5.2.1 Scalar Methods**

##### **3.1.5.5.2.1.1 AddSearch**

**Return Type:** None

Adds the search query to the export.

**Parameters:**

*search:* The search query.

Type: Microsoft.Office.Server.Discovery.SavedSearch

##### **3.1.5.5.2.1.2 DeleteExport**

**Return Type:** None

Deletes the export.

**Parameters:** None

### 3.1.5.5.2.1.3 Update

**Return Type:** None

Updates or adds the export in a discovery case.

**Parameters:** None

### 3.1.5.5.2.1.4 GetExportContent

**Return Type:** CSOM String

Returns the export configuration, which MUST conform to the following schema:

```
<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://schemas.microsoft.com/Discovery/ExportConfigSchema"
  targetNamespace="http://schemas.microsoft.com/Discovery/ExportConfigSchema"
  elementFormDefault="qualified"
>
  <xs:element name="Export">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="Metadata" minOccurs="1" maxOccurs="1" type="xsi:metadata"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:complexType name="metadata">
    <xs:sequence>
      <xs:element name="CaseName" type="xs:string" minOccurs="1" maxOccurs="1" />
      <xs:element name="CaseId" type="xs:string" minOccurs="1" maxOccurs="1" />
      <xs:element name="CaseURL" type="xs:string" minOccurs="1" maxOccurs="1" />
      <xs:element name="ExportURL" type="xs:string" minOccurs="1" maxOccurs="1" />
      <xs:element name="ExportName" type="xs:string" minOccurs="1" maxOccurs="1" />
      <xs:element name="ExportId" type="xs:string" minOccurs="1" maxOccurs="1" />
      <xs:element name="RemoveDuplicates" type="xs:boolean" minOccurs="1" maxOccurs="1" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="RemoveRms" type="xs:boolean" minOccurs="1" maxOccurs="1" />
  <xs:element name="IncludeVersions" type="xs:boolean" minOccurs="1" maxOccurs="1" />
  <xs:element name="EstimatedItems" type="xs:int" minOccurs="1" maxOccurs="1" />
  <xs:element name="EstimatedSize" type="xs:unsignedLong" minOccurs="1"
maxOccurs="1" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="sources">
  <xs:sequence>
    <xs:element name="Source" type="xsi:source" minOccurs="0" maxOccurs="unbounded"
/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="source">
  <xs:sequence>
    <xs:element name="Id" type="xs:string" minOccurs="1" maxOccurs="1" />
  </xs:sequence>
</xs:complexType>
```

```

        <xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />
        <xs:element name="ServerSourceId" type="xs:string" minOccurs="1" maxOccurs="1" />
        <xs:element name="SourceFilter" type="xs:string" minOccurs="1" maxOccurs="1" />
        <xs:element name="Type" type="xs:string" minOccurs="1" maxOccurs="1" />
        <xs:element name="Endpoint" type="xs:string" minOccurs="0" maxOccurs="1" />
        <xs:element name="Custodians" type="xsi:custodians" minOccurs="1" maxOccurs="1"
    />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="custodians">
    <xs:sequence>
        <xs:element name="Custodian" type="xsi:custodian" minOccurs="0"
maxOccurs="unbounded" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="custodian">
    <xs:sequence>
        <xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />
        <xs:element name="Id" type="xs:int" minOccurs="1" maxOccurs="1" />
    </xs:sequence>
</xs:complexType>
</xs:schema>

```

The elements are defined as follows:

- **Metadata:** Metadata associated with the export.
  - **CaseName:** The name of the discovery case.
  - **CaseId:** The identifier of the discovery case.
  - **CaseUrl:** The **URL** of the discovery case.
  - **ExportUrl:** The URL of the export.
  - **ExportName:** The name of the export.
  - **ExportId:** The identifier of the export.
  - **RemoveDuplicates:** Whether duplicate content should be removed from the content.
  - **RemoveRms:** Whether Information Rights Management (IRM) encryption should be removed from the exported content.
  - **IncludeVersions:** Whether versions of content should be included in the export.
  - **EstimatedItems:** The estimated number of items in the export.
  - **EstimatedSize:** The estimated size of the content to be downloaded.
- **Sources:** The discovery sources associated with the export.
  - **Id:** The identifier of the discovery source.
  - **Name:** The name of the discovery source.
  - **ServerSourceId:** The identifier of the discovery source.

- **SourceFilter:** A search query associated with the discovery source.
- **Type:** The type of discovery source.
- **Endpoint:** The URL of the discovery source.
- **Custodians:** The custodians associated with the discovery source.
  - **Name:** The name of the custodian.
  - **Id:** The identifier of the custodian.

**Parameters:** None

### 3.1.5.5.2.2 ObjectPath Methods

#### 3.1.5.5.2.2.1 CSOM Constructor

Constructs a discovery export CSOM Object.

**Parameters:**

*item:* The list item that represents a discovery export.

Type: Microsoft.SharePoint.Client.ListItem

### 3.1.5.6 Microsoft.Office.Server.Discovery.ExportCollection

**TypeId:** {7BFE67B2-B9C9-4171-88D7-A17852CAB2EB}

**ShortName:** Microsoft.Office.Server.Discovery.ExportCollection

A collection of exports.

#### 3.1.5.6.1 Properties

##### 3.1.5.6.1.1 Scalar Properties

None.

##### 3.1.5.6.1.2 ObjectPath Properties

None.

#### 3.1.5.6.2 Methods

##### 3.1.5.6.2.1 Scalar Methods

None.

##### 3.1.5.6.2.2 ObjectPath Methods

None.



### 3.1.5.7 Microsoft.Office.Server.Discovery.ExportStatus

**ShortName:** Microsoft.Office.Server.Discovery.ExportStatus

**Flag:** false

The status of an export.

#### 3.1.5.7.1 Field Values

##### 3.1.5.7.1.1 Started

**Value:** 1

Specifies that the export has started.

##### 3.1.5.7.1.2 Complete

**Value:** 2

Specifies that the export is complete.

##### 3.1.5.7.1.3 Failed

**Value:** 3

Specifies that the export failed.

##### 3.1.5.7.1.4 NotStarted

**Value:** 0

Specifies that the export has not yet started.

### 3.1.5.8 Microsoft.Office.Server.Discovery.SavedSearch

**TypeId:** {73FAB145-0B45-4DE8-B27F-4CDD9339E61F}

**ShortName:** Microsoft.Office.Server.Discovery.SavedSearch

A search query.

#### 3.1.5.8.1 Properties

##### 3.1.5.8.1.1 Scalar Properties

###### 3.1.5.8.1.1.1 DateEndFilter

**Type:** CSOM DateTime

**Accessibility:** Read/Write

An end date filter to associate with the search query.

#### 3.1.5.8.1.1.2 DateStartFilter

**Type:** CSOM DateTime

**Accessibility:** Read/Write

An start date filter to associate with the search query.

#### 3.1.5.8.1.1.3 EXFilters

**Type:** CSOM String

**Accessibility:** Read Only

A search query that applies to the discovery sources that are email mailboxes, which MUST conform to the syntax specified in [\[MS-KQL\]](#).

#### 3.1.5.8.1.1.4 EXRefinements

**Type:** CSOM String

**Accessibility:** Read/Write

A **query refinement** that applies to the discovery sources that are email mailboxes, which MUST conform to the syntax specified in [\[MS-FQL2\]](#).

#### 3.1.5.8.1.1.5 ItemCount

**Type:** **CSOM Int64**

**Accessibility:** Read/Write

The estimated number of items that match the search query.

#### 3.1.5.8.1.1.6 Name

**Type:** CSOM String

**Accessibility:** Read/Write

The name of the search query.

#### 3.1.5.8.1.1.7 Query

**Type:** CSOM String

**Accessibility:** Read/Write

The search query, which MUST conform to the syntax specified in [\[MS-KQL\]](#).

#### 3.1.5.8.1.1.8 SourceGroupIds

**Type:** CSOM Array

**Accessibility:** Read Only

The identifiers of one or more groups of discovery sources associated with the search query.

#### 3.1.5.8.1.1.9 SourceIds

**Type:** CSOM Array

**Accessibility:** Read Only

The identifiers of specific discovery sources associated with the search query.

#### 3.1.5.8.1.1.10 SourceManagement

**Type:** Microsoft.Office.Server.Discovery.SourceManagementType

**Accessibility:** Read/Write

Specifies the type of source management associated with the search query.

#### 3.1.5.8.1.1.11 SPFilters

**Type:** CSOM String

**Accessibility:** Read Only

A search query that applies to the discovery sources that are Web sites, which MUST conform to the syntax specified in [\[MS-KQL\]](#).

#### 3.1.5.8.1.1.12 SPRefinements

**Type:** CSOM String

**Accessibility:** Read/Write

A query refinement that applies to the discovery sources that are Web sites, which MUST conform to the syntax specified in [\[MS-FQL2\]](#).

#### 3.1.5.8.1.1.13 TotalSize

**Type:** CSOM Int64

**Accessibility:** Read/Write

The estimated size of the items that match the search query.

#### 3.1.5.8.1.2 ObjectPath Properties

None.

#### 3.1.5.8.2 Methods

##### 3.1.5.8.2.1 Scalar Methods

##### 3.1.5.8.2.1.1 DeleteSavedSearch

**Return Type:** None

Deletes the search query.

**Parameters:** None

#### **3.1.5.8.2.1.2 GetEffectiveQuery**

**Return Type:** CSOM String

Gets an implementation specific search query that finds all content from the discovery sources associated with the search query.

**Parameters:** None

#### **3.1.5.8.2.1.3 Update**

**Return Type:** None

Updates or adds the search query.

**Parameters:** None

#### **3.1.5.8.2.1.4 UpdateStatistics**

**Return Type:** None

Updates the estimated number and size of items that match the search query.

**Parameters:** None

#### **3.1.5.8.2.2 ObjectPath Methods**

##### **3.1.5.8.2.2.1 Copy**

**Return Type:** Microsoft.Office.Server.Discovery.SavedSearch

Copies the saved search, assigning it a unique item identifier.

**Parameters:** None

#### **3.1.5.9 Microsoft.Office.Server.Discovery.SavedSearchCollection**

**TypeId:** {01090900-B1B6-4980-A1DE-47B1A6839E3E}

**ShortName:** Microsoft.Office.Server.Discovery.SavedSearchCollection

A collection of search queries.

##### **3.1.5.9.1 Properties**

###### **3.1.5.9.1.1 Scalar Properties**

None.

###### **3.1.5.9.1.2 ObjectPath Properties**

None.

### 3.1.5.9.2 Methods

#### 3.1.5.9.2.1 Scalar Methods

None.

#### 3.1.5.9.2.2 ObjectPath Methods

None.

### 3.1.5.10 Microsoft.Office.Server.Discovery.Source

**TypeId:** {98B0FEBE-0B9D-448A-9B3D-84C16EEEE3FC}

**ShortName:** Microsoft.Office.Server.Discovery.Source

A discovery source.

#### 3.1.5.10.1 Properties

##### 3.1.5.10.1.1 Scalar Properties

###### 3.1.5.10.1.1.1 ContainerId

**Type:** CSOM String

**Accessibility:** Read/Write

The identifier of location for the discovery source.

###### 3.1.5.10.1.1.2 CrawlErrorPercent

**Type:** CSOM String

**Accessibility:** Read Only

The percentage of content that cannot be found by the implementation's search functionality.

###### 3.1.5.10.1.1.3 DisplayId

**Type:** CSOM String

**Accessibility:** Read/Write

The display name of the discovery source.

###### 3.1.5.10.1.1.4 FederationId

**Type:** CSOM GUID

**Accessibility:** Read/Write

The identifier of the system that contains the location for the discovery source.

#### **3.1.5.10.1.1.5 IsLocation**

**Type:** CSOM Boolean

**Accessibility:** Read Only

Whether the discovery source is a Web site.

#### **3.1.5.10.1.1.6 IsMailbox**

**Type:** CSOM Boolean

**Accessibility:** Read Only

Whether the discovery source is an email mailbox.

#### **3.1.5.10.1.1.7 ItemErrors**

**Type:** CSOM String

**Accessibility:** Read Only

Errors from the **crawl log** for items contained in the location associated with the discovery source.

#### **3.1.5.10.1.1.8 LastIndexedTime**

**Type:** CSOM DateTime

**Accessibility:** Read Only

Specifies the time when the location associated with the discovery source was processed by the implementation's search functionality. If the location has never been processed, this is an implementation specific default value that is less than 1970.

#### **3.1.5.10.1.1.9 Name**

**Type:** CSOM String

**Accessibility:** Read/Write

The name of the discovery source.

#### **3.1.5.10.1.1.10 PreservationHistory**

**Type:** CSOM String

**Accessibility:** Read Only

A history of actions that have been performed on the discovery source in human-readable form, for example, the history of when the discovery source was placed on legal hold.

#### **3.1.5.10.1.1.11 PreservationStatus**

**Type:** CSOM String

**Accessibility:** Read Only

The status of the discovery source, that is, whether it is on legal hold.

#### **3.1.5.10.1.1.12 SharePointSiteErrors**

**Type:** CSOM String

**Accessibility:** Read Only

Errors from the crawl log for the Web site associated with the discovery source.

#### **3.1.5.10.1.1.13 SourceId**

**Type:** CSOM GUID

**Accessibility:** Read Only

The identifier of the discovery source.

#### **3.1.5.10.1.1.14 SourceTypeDisplayName**

**Type:** CSOM String

**Accessibility:** Read Only

The type of the discovery source.

#### **3.1.5.10.1.1.15 WebId**

**Type:** CSOM GUID

**Accessibility:** Read/Write

The identifier of the Web site for the discovery source.

### **3.1.5.10.1.2 ObjectPath Properties**

#### **3.1.5.10.1.2.1 Custodians**

**Type:** Microsoft.Office.Server.Discovery.CustodianCollection

**Accessibility:** Read Only

The custodians associated with the discovery source.

### **3.1.5.10.2 Methods**

#### **3.1.5.10.2.1 Scalar Methods**

##### **3.1.5.10.2.1.1 AddCustodian**

**Return Type:** None

Adds the custodian to the discovery source.

**Parameters:**

*custodianToAdd*: The custodian.

Type: Microsoft.Office.Server.Discovery.Custodian

#### **3.1.5.10.2.1.2 DeleteSource**

**Return Type:** None

Deletes the discovery source.

**Parameters:** None

#### **3.1.5.10.2.1.3 Update**

**Return Type:** None

Updates or adds the discovery source.

**Parameters:** None

#### **3.1.5.10.2.1.4 UpdateErrorInfo**

**Return Type:** None

Updates the error information for the discovery source.

**Parameters:** None

#### **3.1.5.10.2.2 ObjectPath Methods**

##### **3.1.5.10.2.2.1 GetSource**

This method is a static CSOM method.

**Return Type:** Microsoft.Office.Server.Discovery.Source

Gets a discovery source for a discovery case.

**Parameters:**

*currentCase*: The discovery case.

Type: Microsoft.Office.Server.Discovery.Case

*sourceType*: The type of discovery source.

Type: Microsoft.Office.Server.Discovery.SourceType

*filter*: A search query that identifies the discovery source.

Type: CSOM String

##### **3.1.5.10.2.2.2 CSOM Constructor**

Constructs a discovery source CSOM Object.

**Parameters:**



*item*: The list item that represents a discovery source.

Type: Microsoft.SharePoint.Client.ListItem

### **3.1.5.11 Microsoft.Office.Server.Discovery.SourceCollection**

**TypeId**: {D3B71CCC-95A9-47F9-A58B-29C07D4DAADC}

**ShortName**: Microsoft.Office.Server.Discovery.SourceCollection

A collection of discovery sources.

#### **3.1.5.11.1 Properties**

##### **3.1.5.11.1.1 Scalar Properties**

None.

##### **3.1.5.11.1.2 ObjectPath Properties**

None.

#### **3.1.5.11.2 Methods**

##### **3.1.5.11.2.1 Scalar Methods**

None.

##### **3.1.5.11.2.2 ObjectPath Methods**

None.

### **3.1.5.12 Microsoft.Office.Server.Discovery.SourceGroup**

**TypeId**: {5C9C4516-AC09-44EC-AF7D-8FA40D98FDF9}

**ShortName**: Microsoft.Office.Server.Discovery.SourceGroup

A group of discovery sources.

#### **3.1.5.12.1 Properties**

##### **3.1.5.12.1.1 Scalar Properties**

###### **3.1.5.12.1.1.1 DateEndFilter**

**Type**: CSOM DateTime

**Accessibility**: Read/Write

An end date filter to associate with the discovery sources.

###### **3.1.5.12.1.1.2 DateStartFilter**

**Type**: CSOM DateTime

**Accessibility:** Read/Write

A start date filter to associate with the discovery sources.

#### **3.1.5.12.1.1.3 HoldId**

**Type:** CSOM GUID

**Accessibility:** Read Only

The identifier of the legal hold associated with the discovery sources.

#### **3.1.5.12.1.1.4 Items**

**Type:** CSOM String

**Accessibility:** Read/Write

The identifiers of the discovery sources in the group.

#### **3.1.5.12.1.1.5 Name**

**Type:** CSOM String

**Accessibility:** Read/Write

The name of the group.

#### **3.1.5.12.1.1.6 Preserve**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

Whether the group has an associated legal hold.

#### **3.1.5.12.1.1.7 Query**

**Type:** CSOM String

**Accessibility:** Read/Write

A search query filter for the group.

#### **3.1.5.12.1.1.8 Size**

**Type:** CSOM String

**Accessibility:** Read/Write

The estimated size of the content in the discovery sources associated with the group.

### 3.1.5.12.1.2 ObjectPath Properties

#### 3.1.5.12.1.2.1 Sources

**Type:** Microsoft.Office.Server.Discovery.SourceCollection

**Accessibility:** Read Only

The discovery sources associated with the group.

#### 3.1.5.12.2 Methods

##### 3.1.5.12.2.1 Scalar Methods

###### 3.1.5.12.2.1.1 AddSource

**Return Type:** None

Adds a discovery source.

**Parameters:**

*sourceToAdd:* The discovery source.

Type: Microsoft.Office.Server.Discovery.Source

###### 3.1.5.12.2.1.2 ClearSources

**Return Type:** None

Removes all discovery sources from the group.

**Parameters:** None

###### 3.1.5.12.2.1.3 DeleteSourceGroup

**Return Type:** None

Deletes the group.

**Parameters:** None

###### 3.1.5.12.2.1.4 GetEffectiveQuery

**Return Type:** CSOM String

Gets an implementation specific search query that finds all content within discovery sources associated with the group.

**Parameters:** None

###### 3.1.5.12.2.1.5 RemoveSource

**Return Type:** None

Removes a discovery source from the discovery source group.

**Parameters:**

*sourceToRemove*: The discovery source.

Type: Microsoft.Office.Server.Discovery.Source

**3.1.5.12.2.1.6 Update**

**Return Type:** None

Updates or adds the group.

**Parameters:** None

**3.1.5.12.2.1.7 UpdateStatistics**

**Return Type:** None

Updates the estimated number and size of items that are contained in the discovery sources in the group.

**Parameters:** None

**3.1.5.12.2.2 ObjectPath Methods**

None.

**3.1.5.13 Microsoft.Office.Server.Discovery.SourceGroupCollection**

**TypeId:** {25B212A9-5E5D-4965-B834-C69573FBDF17}

**ShortName:** Microsoft.Office.Server.Discovery.SourceGroupCollection

A collection of groups of discovery sources.

**3.1.5.13.1 Properties**

**3.1.5.13.1.1 Scalar Properties**

None.

**3.1.5.13.1.2 ObjectPath Properties**

None.

**3.1.5.13.2 Methods**

**3.1.5.13.2.1 Scalar Methods**

None.

**3.1.5.13.2.2 ObjectPath Methods**

None.

### 3.1.5.14 Microsoft.Office.Server.Discovery.SourceManagementType

**ShortName:** Microsoft.Office.Server.Discovery.SourceManagementType

**Flag:** false

The scope of discovery sources associated with a search query.

#### 3.1.5.14.1 Field Values

##### 3.1.5.14.1.1 AllContent

**Value:** 0

The search query includes content from all discovery sources in the discovery case.

##### 3.1.5.14.1.2 SourceGroup

**Value:** 1

The search query includes content from discovery sources associated with one or more groups of discovery sources in the discovery case.

##### 3.1.5.14.1.3 Source

**Value:** 2

The search query includes content from one or more specific discovery sources in the discovery case.

### 3.1.5.15 Microsoft.Office.Server.Discovery.SourceType

**ShortName:** Microsoft.Office.Server.Discovery.SourceType

**Flag:** false

The type of discovery source.

#### 3.1.5.15.1 Field Values

##### 3.1.5.15.1.1 Exchange

**Value:** 0

The discovery source is an email mailbox.

##### 3.1.5.15.1.2 SharePoint

**Value:** 1

The discovery source is a Web site.

##### 3.1.5.15.1.3 FileShare

**Value:** 2

The discovery source is a **UncPath**.

### **3.1.6 Timer Events**

None.

### **3.1.7 Other Local Events**

None.

## 4 Protocol Examples

The following examples show some common scenarios for working with a discovery case.

- Getting a discovery case
- Creating a discovery source
- Creating and preserving a group of discovery sources
- Creating a search query

### 4.1 Get a Discovery Case

In this example, an existing discovery case named "case1" is requested as follows by the protocol client:

```
<Request AddExpandFieldTypeSuffix="true" SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0"
ApplicationName=".NET Library"
xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009">
  <Actions>
    <ObjectPath Id="2" ObjectPathId="1" />
    <ObjectPath Id="4" ObjectPathId="3" />
    <Query Id="5" ObjectPathId="3">
      <Query SelectAllProperties="true">
        <Properties />
      </Query>
    </Query>
    <ObjectPath Id="7" ObjectPathId="6" />
    <ObjectIdentityQuery Id="8" ObjectPathId="6" />
    <Query Id="9" ObjectPathId="6">
      <Query SelectAllProperties="true">
        <Properties />
      </Query>
    </Query>
    <ObjectPath Id="11" ObjectPathId="10" />
    <Query Id="12" ObjectPathId="10">
      <Query SelectAllProperties="true">
        <Properties />
      </Query>
    </Query>
  </Actions>
  <ObjectPaths>
    <StaticProperty Id="1" TypeId="{3747adcd-a3c3-41b9-bfab-4a64dd2f1e0a}" Name="Current" />
    <Property Id="3" ParentId="1" Name="Site" />
    <Method Id="6" ParentId="3" Name="OpenWeb">
      <Parameters>
        <Parameter Type="String">case1</Parameter>
      </Parameters>
    </Method>
    <Constructor Id="10" TypeId="{df6ac2d8-cd50-4cf4-bc52-f61766f2e005}">
      <Parameters>
        <Parameter ObjectPathId="6" />
      </Parameters>
    </Constructor>
  </ObjectPaths>
</Request>
```

The protocol server responds as follows:

```
[
{
  "SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3326.1000","ErrorInfo":null
},2,{
  "IsNull":false
},4,{
  "IsNull":false
},5,{
  "_ObjectType_":"SP.Site","_ObjectIdentity_":"740c6a0b-85e2-48a0-a494-
e0f1759d4aa7:site:4380e80d-45f1-4075-b30e-
2d1e64719aad","AllowDesigner":true,"AllowMasterPageEditing":false,"AllowRevertFromTemplate":f
alse,"CompatibilityLevel":15,"Id":"\\Guid(4380e80d-45f1-4075-b30e-
2d1e64719aad)\\","LockIssue":null,"MaxItemsPerThrottledOperation":5000,"ReadOnly":false,"Serv
erRelativeUrl":"\\u002fsites\\u002fdiscovery","ShowUrlStructure":false,"UIVersionConfigurationE
nabled":false,"Url":"http:\\u002f\\u002fecmdiscovery\\u002fsites\\u002fdiscovery"
},7,{
  "IsNull":false
},8,{
  "_ObjectIdentity_":"740c6a0b-85e2-48a0-a494-e0f1759d4aa7:web:17fcfbd0-da19-4c47-bbf2-
3460ef498e2a"
},9,{
  "_ObjectType_":"SP.Web","_ObjectIdentity_":"740c6a0b-85e2-48a0-a494-
e0f1759d4aa7:web:17fcfbd0-da19-4c47-bbf2-
3460ef498e2a","AllowMasterPageEditingForCurrentUser":true,"AllowRevertFromTemplateForCurrentU
ser":true,"AllowRssFeeds":true,"Created":"\\Date(1317508226000)\\","CustomMasterUrl":"\\u002fs
ites\\u002fdiscovery\\u002fcase1\\u002f_catalogs\\u002fmasterpage\\u002fv15.master","Description":
"", "EnableMinimalDownload":false,"Id":"\\Guid(17fcfbd0-da19-4c47-bbf2-
3460ef498e2a)\\","Language":1033,"LastItemModifiedDate":"\\Date(1318357858000)\\","MasterUrl"
:"\\u002fsites\\u002fdiscovery\\u002fcase1\\u002f_catalogs\\u002fmasterpage\\u002fv15.master","Pare
ntWeb":{
  "_ObjectType_":"SP.WebInformation","Created":"\\Date(1317496560000)\\","Description":"","Id":
"\\Guid(2c45c1c6-0cf9-43b4-86bf-
17889568d004)\\","Language":1033,"LastItemModifiedDate":"\\Date(1317508239000)\\","Title":"Di
scovery Center","WebTemplateId":0
}, "QuickLaunchEnabled":true,"RecycleBinEnabled":true,"ServerRelativeUrl":"\\u002fsites\\u002fdi
scovery\\u002fcase1","ShowUrlStructureForCurrentUser":true,"SiteClientTag":0,"SyndicationEnabl
ed":true,"Title":"case1","TreeViewEnabled":false,"UIVersion":15,"UIVersionConfigurationEnabl
ed":false,"Url":"http:\\u002f\\u002fecmdiscovery\\u002fsites\\u002fdiscovery\\u002fcase1"
},11,{
  "IsNull":false
},12,{
  "_ObjectType_":"Microsoft.Office.Server.Discovery.Case","CaseClosed":false,"ClosedDate":"\\Da
te(1,0,1,0,0,0,0)\\","ConsoleId":"\\Guid(4380e80d-45f1-4075-b30e-
2d1e64719aad)\\","Id":"\\Guid(17fcfbd0-da19-4c47-bbf2-
3460ef498e2a)\\","PreservedItems":0,"PreservedSize":0,"TotalItems":0,"TotalSize":0
}
]
```

## 4.2 Create a Source

In this example, the protocol client creates a new discovery source for the discovery case created in section 4.1 by sending the request as follows:

```
<Request AddExpandoFieldTypeSuffix="true" SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0"
ApplicationName=".NET Library"
xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009">
  <Actions><ObjectPath Id="17" ObjectPathId="16" />
    <SetProperty Id="18" ObjectPathId="16" Name="DisplayId">
```



```

    <Parameter Type="String">17fcfbd0-da19-4c47-bbf2-3460ef498e2a</Parameter>
  </SetProperty>
  <SetProperty Id="19" ObjectPathId="16" Name="Name">
    <Parameter Type="String">case1</Parameter>
  </SetProperty>
  <SetProperty Id="20" ObjectPathId="16" Name="ContainerId">
    <Parameter Type="String">17fcfbd0-da19-4c47-bbf2-3460ef498e2a</Parameter>
  </SetProperty>
  <SetProperty Id="21" ObjectPathId="16" Name="WebId">
    <Parameter Type="Guid">{17fcfbd0-da19-4c47-bbf2-3460ef498e2a}</Parameter>
  </SetProperty>
  <Method Name="Update" Id="22" ObjectPathId="16" />
</Actions>
<ObjectPaths>
  <Method Id="16" ParentId="10" Name="CreateLocation" />
  <Constructor Id="10" TypeId="{df6ac2d8-cd50-4cf4-bc52-f61766f2e005}">
    <Parameters>
      <Parameter ObjectPathId="6" />
    </Parameters>
  </Constructor>
  <Identity Id="6" Name="740c6a0b-85e2-48a0-a494-e0f1759d4aa7:web:17fcfbd0-da19-4c47-bbf2-3460ef498e2a" />
</ObjectPaths>
</Request>

```

The protocol server responds as follows:

```

[
{
  "SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3326.1000","ErrorInfo":null
},17,{
  "IsNull":false
}
]

```

### 4.3 Create and Preserve a Discovery Source Group

In this example, a new group of discovery sources with the name "Case Sources" is created and placed on legal hold by sending the request as follows:

```

<Request AddExpandoFieldTypeSuffix="true" SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0"
ApplicationName=".NET Library"
xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009">
  <Actions>
    <ObjectPath Id="17" ObjectPathId="16" />
    <SetProperty Id="18" ObjectPathId="16" Name="Name">
      <Parameter Type="String">Case Sources</Parameter>
    </SetProperty>
    <SetProperty Id="19" ObjectPathId="16" Name="Preserve">
      <Parameter Type="Boolean">true</Parameter>
    </SetProperty>
    <Method Name="Update" Id="20" ObjectPathId="16" />
  </Actions>
  <ObjectPaths>
    <Method Id="16" ParentId="10" Name="CreateSourceGroup" />
  </ObjectPaths>
</Request>

```

```

    <Constructor Id="10" TypeId="{df6ac2d8-cd50-4cf4-bc52-f61766f2e005}">
      <Parameters>
        <Parameter ObjectPathId="6" />
      </Parameters>
    </Constructor>
    <Identity Id="6" Name="740c6a0b-85e2-48a0-a494-e0f1759d4aa7:web:17fcfbd0-da19-4c47-bbf2-3460ef498e2a" />
  </ObjectPaths>
</Request>

```

The protocol server responds as follows:

```

[
{
  "SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3326.1000","ErrorInfo":null
},17,{
  "IsNull":false
}
]

```

## 4.4 Create a Query

In this example, a new search query "contoso AND fabrikam" is created and named "New Query" by sending the request as follows:

```

<Request AddExpandFieldTypeSuffix="true" SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0"
ApplicationName=".NET Library"
xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009">
  <Actions>
    <ObjectPath Id="17" ObjectPathId="16" />
    <SetProperty Id="18" ObjectPathId="16" Name="Name">
      <Parameter Type="String">New Query</Parameter>
    </SetProperty>
    <SetProperty Id="19" ObjectPathId="16" Name="Query">
      <Parameter Type="String">contoso AND fabrikam</Parameter>
    </SetProperty>
    <Method Name="Update" Id="20" ObjectPathId="16" />
  </Actions>
  <ObjectPaths>
    <Method Id="16" ParentId="10" Name="CreateSavedSearch" />
    <Constructor Id="10" TypeId="{df6ac2d8-cd50-4cf4-bc52-f61766f2e005}">
      <Parameters>
        <Parameter ObjectPathId="6" />
      </Parameters>
    </Constructor>
    <Identity Id="6" Name="740c6a0b-85e2-48a0-a494-e0f1759d4aa7:web:17fcfbd0-da19-4c47-bbf2-3460ef498e2a" />
  </ObjectPaths>
</Request>

```

The protocol server responds as follows:

```

[
{
  "SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3326.1000","ErrorInfo":null
},17,{
  "IsNull":false
}
]

```

}  
]

Preliminary

## **5 Security**

### **5.1 Security Considerations for Implementers**

None.

### **5.2 Index of Security Parameters**

None.

## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® SharePoint® Server 2013 Preview

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

## 7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 8 Index

### A

Abstract data model  
    [server](#) 12  
[Applicability](#) 10

### C

[Capability negotiation](#) 10  
[Case object](#) 15  
[Change tracking](#) 46  
[Common Exceptions message](#) 11  
[Create a query example](#) 42  
[Create a source example](#) 40  
[Create and preserve a discovery source group example](#) 41  
[Custodian object](#) 18  
[CustodianCollection object](#) 19

### D

Data model - abstract  
    [server](#) 12

### E

Examples  
    [create a query](#) 42  
    [create a source](#) 40  
    [create and preserve a discovery source group](#) 41  
    [get a discovery case](#) 39  
    [overview](#) 39  
[Export object](#) 19  
[ExportCollection object](#) 24  
[ExportStatus object](#) 25

### F

[Fields - vendor-extensible](#) 10

### G

[Get a discovery case example](#) 39  
[Glossary](#) 8

### H

Higher-layer triggered events  
    [server](#) 12

### I

[Implementer - security considerations](#) 44  
[Index of security parameters](#) 44  
[Informative references](#) 9  
Initialization  
    [server](#) 12  
[Introduction](#) 8

### M

Messages  
    [Common Exceptions](#) 11  
    [transport](#) 11

### N

[Normative references](#) 8

### O

Objects  
    [Case](#) 15  
    [Custodian](#) 18  
    [CustodianCollection](#) 19  
    [Export](#) 19  
    [ExportCollection](#) 24  
    [ExportStatus](#) 25  
    [ProjectPolicy](#) 12  
    [SavedSearch](#) 25  
    [SavedSearchCollection](#) 28  
    [Source](#) 29  
    [SourceCollection](#) 33  
    [SourceGroup](#) 33  
    [SourceGroupCollection](#) 36  
    [SourceManagementType](#) 37  
    [SourceType](#) 37  
Other local events  
    [server](#) 38  
    [Overview \(synopsis\)](#) 9

### P

[Parameters - security index](#) 44  
[Preconditions](#) 10  
[Prerequisites](#) 10  
[Product behavior](#) 45  
[ProjectPolicy object](#) 12  
[Protocol examples](#) 39

### R

[References](#) 8  
    [informative](#) 9  
    [normative](#) 8  
[Relationship to other protocols](#) 9

### S

[SavedSearch object](#) 25  
[SavedSearchCollection object](#) 28  
Security  
    [implementer considerations](#) 44  
    [parameter index](#) 44  
Server  
    [abstract data model](#) 12  
    [higher-layer triggered events](#) 12

[initialization](#) 12  
[other local events](#) 38  
[timer events](#) 38  
[timers](#) 12  
[Source object](#) 29  
[SourceCollection object](#) 33  
[SourceGroup object](#) 33  
[SourceGroupCollection object](#) 36  
[SourceManagementType object](#) 37  
[SourceType object](#) 37  
[Standards assignments](#) 10

## T

Timer events  
[server](#) 38  
Timers  
[server](#) 12  
[Tracking changes](#) 46  
[Transport](#) 11  
Triggered events - higher-layer  
[server](#) 12

## V

[Vendor-extensible fields](#) 10  
[Versioning](#) 10