

Preliminary

1 / 37

[MS-EDINTWS] — v20120411
eDiscovery Internal Web Service Protocol Specification

Copyright © 2012 Microsoft Corporation.

Release: Wednesday, April 11, 2012

[MS-EDINTWS]: eDiscovery Internal Web Service Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Preliminary Documentation. This Open Specification provides documentation for past and current releases and/or for the pre-release (beta) version of this technology. This Open Specification is final documentation for past or current releases as specifically noted in the document, as applicable; it is

preliminary documentation for the pre-release (beta) versions. Microsoft will release final documentation in connection with the commercial release of the updated or new version of this technology. As the documentation may change between this preliminary version and the final version of this technology, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Revision Summary

Date	Revision History	Revision Class	Comments
01/20/2012	0.1	New	Released new document.
04/11/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1.1 Glossary	5
1.2 References.....	6
1.2.1 Normative References.....	6
1.2.2 Informative References	7
1.3 Overview	7
1.4 Relationship to Other Protocols.....	7
1.5 Prerequisites/Preconditions	7
1.6 Applicability Statement.....	7
1.7 Versioning and Capability Negotiation.....	8
1.8 Vendor-Extensible Fields.....	8
1.9 Standards Assignments	8
2 Messages.....	9
2.1 Transport.....	9
2.2 Common Message Syntax	9
2.2.1 Namespaces	9
2.2.2 Messages	9
2.2.3 Elements	10
2.2.4 Complex Types	10
2.2.5 Simple Types	10
2.2.6 Attributes	10
2.2.7 Groups.....	10
2.2.8 Attribute Groups	10
3 Protocol Details	11
3.1 Server Details	11
3.1.1 Abstract Data Model	11
3.1.2 Timers	11
3.1.3 Initialization	12
3.1.4 Message Processing Events and Sequencing Rules.....	12
3.1.4.1 ValidateSource	12

3.1.4.1.1	Messages	13
3.1.4.1.1.1	ValidateSourceSoapIn	13
3.1.4.1.1.2	ValidateSourceSoapOut	13
3.1.4.1.2	Elements.....	13
3.1.4.1.2.1	ValidateSource	13
3.1.4.1.2.2	ValidateSourceResponse.....	14
3.1.4.1.3	Complex Types	14
3.1.4.1.3.1	SourceValidation	14
3.1.4.1.4	Simple Types	15
3.1.4.1.4.1	guid.....	15
3.1.4.1.5	Attributes.....	16
3.1.4.1.6	Groups.....	16
3.1.4.1.7	Attribute Groups	16
3.1.4.2	CopySavedSearch.....	16
3.1.4.2.1	Messages	16
3.1.4.2.1.1	CopySavedSearchSoapIn	16
3.1.4.2.1.2	CopySavedSearchSoapOut.....	17
3.1.4.2.2	Elements.....	17
3.1.4.2.2.1	CopySavedSearch.....	17
3.1.4.2.2.2	CopySavedSearchResponse	17
3.1.4.2.3	Complex Types	18
3.1.4.2.4	Simple Types	18
3.1.4.2.5	Attributes	18
3.1.4.2.6	Groups.....	18
3.1.4.2.7	Attribute Groups	18
3.1.4.3	ParseKQLQueryForStats.....	18
3.1.4.3.1	Messages	18
3.1.4.3.1.1	ParseKQLQueryForStatsSoapIn.....	19
3.1.4.3.1.2	ParseKQLQueryForStatsSoapOut	19
3.1.4.3.2	Elements.....	19
3.1.4.3.2.1	ParseKQLQueryForStats	19
3.1.4.3.2.2	ParseKQLQueryForStatsResponse	19
3.1.4.3.3	Complex Types	20
3.1.4.3.3.1	ArrayOfString.....	20
3.1.4.3.4	Simple Types	20
3.1.4.3.5	Attributes	20
3.1.4.3.6	Groups.....	20
3.1.4.3.7	Attribute Groups	20
3.1.4.4	UpdateSourceErrorInfo.....	20
3.1.4.4.1	Messages	21
3.1.4.4.1.1	UpdateSourceErrorInfoSoapIn	21
3.1.4.4.1.2	UpdateSourceErrorInfoSoapOut.....	21
3.1.4.4.2	Elements.....	21
3.1.4.4.2.1	UpdateSourceErrorInfo	22
3.1.4.4.2.2	UpdateSourceErrorInfoResponse	22
3.1.4.4.3	Complex Types	22
3.1.4.4.4	Simple Types	22
3.1.4.4.5	Attributes	22
3.1.4.4.6	Groups.....	22
3.1.4.4.7	Attribute Groups	22
3.1.4.5	UpdateStatistics	23
3.1.4.5.1	Messages	23
3.1.4.5.1.1	UpdateStatisticsSoapIn	23

3.1.4.5.1.2	UpdateStatisticsSoapOut	23
3.1.4.5.2	Elements.....	23
3.1.4.5.2.1	UpdateStatistics	24
3.1.4.5.2.2	UpdateStatisticsResponse	24
3.1.4.5.3	Complex Types	24
3.1.4.5.4	Simple Types.....	24
3.1.4.5.5	Attributes.....	24
3.1.4.5.6	Groups.....	24
3.1.4.5.7	Attribute Groups	25
3.1.5	Timer Events	25
3.1.6	Other Local Events	25
4	Protocol Examples.....	26
4.1	Validate Source	26
5	Security.....	27
5.1	Security Considerations for Implementers.....	27
5.2	Index of Security Parameters	27
6	Appendix A: Full WSDL	28
7	Appendix B: Product Behavior	34
8	Change Tracking.....	35
9	Index	36

1 Introduction

The eDiscovery Internal Web Service Protocol enables a protocol client to perform UI interaction operations in support of an eDiscovery application.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

GUID

The following terms are defined in [\[MS-OFCGLOS\]](#):

crawl log

discovery case

discovery source

e-mail address

legal hold

membership group

search query

Simple Object Access Protocol (SOAP)

site

SOAP action

SOAP body
SOAP envelope
SOAP fault
Uniform Resource Locator (URL)
Web Services Description Language (WSDL)
Web site
WSDL message
WSDL operation
XML namespace
XML namespace prefix
XML schema

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[SOAP1.2/1] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 1: Messaging Framework", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part1-20030624>

[SOAP1.2/2] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 2: Adjuncts", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part2-20030624>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Ed., Beech, D., Ed., Maloney, M., Ed., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

1.3 Overview

This protocol enables a protocol client to perform UI interaction operations in support of an application that manages a **discovery case**. For example, it enables a protocol client to validate whether the identifier of a location that a user has entered is a valid location to use as a **discovery source** or to update statistics for the discovery case once a discovery source is added.

1.4 Relationship to Other Protocols

The eDiscovery Internal Web Service Protocol uses **Simple Object Access Protocol (SOAP)** over HTTP, as described in [\[RFC2616\]](#), and SOAP over HTTPS, as described in [\[RFC2818\]](#), as shown in the following layering diagram.




Figure 1: This protocol in relation to other protocols.

1.5 Prerequisites/Preconditions

This protocol operates against a site that is identified by a **URL** that is known by protocol clients. The protocol server endpoint is formed by appending "/_vti_bin/discoveryinternalservice.asmx" to the URL of the **site**, for example http://contoso.com/Repository/_vti_bin/discoveryinternalservice.asmx.

The protocol assumes that authentication has been performed by the underlying protocols.

1.6 Applicability Statement

This protocol is designed to be used in low throughput, that is RPS is less than one, situations by protocol clients that provide an appropriate asynchronous UI experience.

1.7 Versioning and Capability Negotiation

This document covers versioning issues in the following areas:

- **Supported Transports:** This protocol can be implemented by using transports that support sending SOAP (Simple Object Access Protocol) messages, as specified in section 2.1.
- **Protocol Versions:** This protocol is not versioned.

Capability Negotiation: This protocol does not support version negotiation.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

Protocol servers MUST support Simple Object Access Protocol (SOAP) over HTTP. Protocol servers SHOULD additionally support SOAP over HTTPS for securing communication with clients.

Protocol messages MUST be formatted as specified either in [\[SOAP1.1\]](#) (Section 4, **SOAP envelope**) or in [\[SOAP1.2/1\]](#) (Section 5, SOAP Message Construct). Protocol server faults MUST be returned either using HTTP status codes as specified in [\[RFC2616\]](#) (Section 10, Status Code Definitions) or using **SOAP faults** as specified either in [\[SOAP1.1\]](#) (Section 4.4, SOAP Fault) or in [\[SOAP1.2/1\]](#) (Section 5.4 SOAP Fault).

2.2 Common Message Syntax

This section contains common definitions used by this protocol. The syntax of the definitions uses **XML schema** as defined in [\[XMLSHEMA1\]](#) and [\[XMLSHEMA2\]](#), and **WSDL** as defined in [\[WSDL\]](#).

This section contains common definitions that are used by this protocol. The syntax of the definitions uses XML schema, as specified in [\[XMLSHEMA1\]](#) and [\[XMLSHEMA2\]](#), and WSDL, as specified in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various **XML namespaces** using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific **XML namespace prefix** for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

Prefix	Namespace URI	Reference
http	http://schemas.xmlsoap.org/wsdl/http/	
s1	http://microsoft.com/wsdl/types/	
soap	http://schemas.xmlsoap.org/wsdl/soap/	[SOAP1.1]
soap12	http://schemas.xmlsoap.org/wsdl/soap12/	[SOAP1.2/1] [SOAP1.2/2]
tns	http://schemas.microsoft.com/sharepoint/discovery/soap/	
wsdl	http://schemas.xmlsoap.org/wsdl/	[WSDL]
xs	http://www.w3.org/2001/XMLSchema	[XMLSHEMA1] [XMLSHEMA2]

2.2.2 Messages

This specification does not define any common XML schema message definitions.

2.2.3 Elements

This specification does not define any common XML schema element definitions.

2.2.4 Complex Types

This specification does not define any common XML schema complex type definitions.

2.2.5 Simple Types

This specification does not define any common XML schema simple type definitions.

2.2.6 Attributes

This specification does not define any common XML schema attribute definitions.

2.2.7 Groups

This specification does not define any common XML schema group definitions.

2.2.8 Attribute Groups

This specification does not define any common XML schema attribute group definitions.

3 Protocol Details

In the following sections, the schema definition might be less restrictive than the processing rules imposed by the protocol. The WSDL in this specification matches the WSDL that shipped with the product and provides a base description of the schema. The text that introduces the WSDL specifies additional restrictions that reflect actual Microsoft product behavior. For example, the schema definition might allow for an element to be empty, null, or not present but the behavior of the protocol as specified restricts the same elements to being non-empty, not null and present.

Except where specified, protocol clients SHOULD interpret HTTP status codes returned by the protocol server as specified in [\[RFC2616\]](#) (Section 10, Status Code Definitions).

This protocol allows protocol servers to notify protocol clients of application-level faults using SOAP faults. Except where specified, these SOAP faults are not significant for interoperability, and protocol clients can interpret them in an implementation-specific manner.

This protocol allows protocol servers to perform implementation-specific authorization checks and notify protocol clients of authorization faults either using HTTP status codes or using SOAP faults as specified previously in this section.

3.1 Server Details

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

The protocol server maintains a multiple collections of discovery cases, for example lawsuits for 2005-2010 and lawsuits for 2000-2005.

For each case, the protocol server maintains a list of discovery sources, that are applicable to the scope of the discovery case. For example, if a case were about Contoso vs. Fabrikam, an exemplary discovery source might be the email mailbox for the executives of Contoso. The protocol server also maintains internal state about actions that need to be performed for discovery sources, such as when a given discovery source should be placed on **legal hold**, as well as the status of whether those actions have been performed.

In addition, the protocol server maintains a list of **search queries** applicable to the discovery sources of a given case, as well as metadata about when those search queries have been exported, that is downloaded.

The protocol server maintains a set of statistics, such as the number of items and the size of those items, that apply to the entire discovery sources, as well as the size when filtered using the list of applicable search queries.

The protocol server also maintains a directory of valid email mailboxes.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

The following table summarizes the list of operations as defined by this specification:

Operation	Description
CopySavedSearch	This operation is used by the protocol client to copy a search query within a discovery case.
ParseKQLQueryForStats	This operation is used by the protocol client to get a list of component search queries for a given search query.
UpdateSourceErrorInfo	This operation is used by the protocol client to update status info for discovery sources in a discovery case.
UpdateStatistics	This operation is used by the protocol client to update the statistics for search queries in a discovery case.
ValidateSource	This operation is used by the protocol clients to verify whether the provided location can be used as a discovery source or not.

3.1.4.1 ValidateSource

This operation is used by the protocol clients to verify whether the provided location can be used as a discovery source or not.

```
<wsdl:operation name="ValidateSource" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input message="tns:ValidateSourceSoapIn"/>
  <wsdl:output message="tns:ValidateSourceSoapOut"/>
</wsdl:operation>
```

The protocol client sends a **ValidateSourceSoapIn** (section [3.1.4.1.1.1](#)) request message and the protocol server responds with a **ValidateSourceSoapOut** (section [3.1.4.1.1.2](#)) response message as follows:

- If **location** is empty, the protocol server sets **IsValid** to true and returns.
- If **isLocation** is true, the protocol server determines whether the **location** is a **Web site** that the protocol server can use as a discovery source.
- Otherwise, the protocol server determines whether the **location** is a valid email mailbox that the protocol server can use as a discovery source.
- The protocol server sets the value of **IsValid** accordingly.
- If **IsValid** is true, the protocol server provides additional metadata that identifies the location.

3.1.4.1.1 Messages

The following table summarizes the set of **WSDL message** definitions that are specific to this operation.

Message	Description
ValidateSourceSoapIn	The request WSDL message for the ValidateSource WSDL operation .
ValidateSourceSoapOut	The response WSDL message for the ValidateSource WSDL operation.

3.1.4.1.1.1 ValidateSourceSoapIn

The request WSDL message for the **ValidateSource** WSDL operation.

The **SOAP action** value is:

`http://schemas.microsoft.com/sharepoint/discovery/soap/ValidateSource`

The **SOAP body** contains the **ValidateSource** element.

3.1.4.1.1.2 ValidateSourceSoapOut

The response WSDL message for the **ValidateSource** WSDL operation.

The SOAP body contains the **ValidateSourceResponse** element.

3.1.4.1.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
ValidateSource	The input data for the ValidateSource WSDL operation.
ValidateSourceResponse	The result data for the ValidateSource WSDL operation.

3.1.4.1.2.1 ValidateSource

The input data for the **ValidateSource** WSDL operation.

```
<xs:element name="ValidateSource" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="location" type="xs:string"/>
      <xs:element minOccurs="1" maxOccurs="1" name="isLocation" type="xs:boolean"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

location: The location to verify.

isLocation: If true, the protocol server determines whether the **location** is a Web site. Otherwise, it determines whether the **location** is an email mailbox.

3.1.4.1.2.2 ValidateSourceResponse

The result data for the **ValidateSource** WSDL operation.

```
<xs:element name="ValidateSourceResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="ValidateSourceResult"
        type="tns:SourceValidation"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

ValidateSourceResult: The result of source validation.

3.1.4.1.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
SourceValidation	The result of source validation.

3.1.4.1.3.1 SourceValidation

Namespace: <http://schemas.microsoft.com/sharepoint/discovery/soap/>

The **SourceValidation** complex type contains information about source validation of a location to verify if it can be used as a discovery source or not. For valid sources, it additionally contains metadata about the location that can be used to identify it as a discovery source.

```
<xs:complexType name="SourceValidation" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="1" maxOccurs="1" name="WebId"
      xmlns:s1="http://microsoft.com/wsdl/types/" type="s1:guid"/>
    <xs:element minOccurs="1" maxOccurs="1" name="FederationId"
      xmlns:s1="http://microsoft.com/wsdl/types/" type="s1:guid"/>
    <xs:element minOccurs="1" maxOccurs="1" name="ExternalFederationId"
      xmlns:s1="http://microsoft.com/wsdl/types/" type="s1:guid"/>
    <xs:element minOccurs="0" maxOccurs="1" name="SmtpAddress" type="xs:string"/>
    <xs:element minOccurs="0" maxOccurs="1" name="ContainerId" type="xs:string"/>
    <xs:element minOccurs="1" maxOccurs="1" name="IsValid" type="xs:boolean"/>
    <xs:element minOccurs="0" maxOccurs="1" name="Query" type="xs:string"/>
    <xs:element minOccurs="1" maxOccurs="1" name="IsLocation" type="xs:boolean"/>
    <xs:element minOccurs="1" maxOccurs="1" name="IsMembershipGroup" type="xs:boolean"/>
    <xs:element minOccurs="0" maxOccurs="1" name="ValidationText" type="xs:string"/>
    <xs:element minOccurs="0" maxOccurs="1" name="Title" type="xs:string"/>
    <xs:element minOccurs="0" maxOccurs="1" name="DisplayId" type="xs:string"/>
    <xs:element minOccurs="0" maxOccurs="1" name="InputText" type="xs:string"/>
  </xs:sequence>
```

```
</xs:complexType>
```

WebId: The identifier of the Web site. MUST be non-empty if **IsLocation** is true; otherwise, MUST be ignored.

FederationId: The identifier of the system that contains the discovery source.

ExternalFederationId: The identifier of the external system that can perform actions on the discovery source. MUST be non-empty if **IsLocation** is false; otherwise, MUST be ignored.

SmtpAddress: The SMTP **e-mail address** of an email inbox. MUST be non-empty if **IsLocation** is false; otherwise, MUST be ignored.

ContainerId: The identifier of the location. MUST be a non-empty URL if **IsLocation** is true; otherwise, MUST be a non-empty identifier of the email mailbox.

IsValid: Whether the location is valid or not. Note that all other values MUST be ignored if **IsValid** is false.

Query: Reserved. MUST be ignored.

IsLocation: If true, the location is a Web site. Otherwise, the location is an email mailbox.

IsMembershipGroup: If **IsLocation** is false, specifies whether the location is a **membership group**. Otherwise, MUST be ignored.

ValidationText: A human-readable string that provides more information about the validation of the discovery source. For example, if there was an error during the validation process, this string gives more detail about the problem.

Title: The title of the discovery source.

DisplayId: The display name of the discovery source.

InputText: The string used to search for the location.

3.1.4.1.4 Simple Types

The following table summarizes the XML schema simple type definitions that are specific to this operation.

Simple type	Description
guid	Represents a GUID .

3.1.4.1.4.1 guid

Namespace: <http://microsoft.com/wsdl/types/>

The **guid** simple type contains a GUID.

```
<xs:simpleType name="guid" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:restriction base="xs:string">
```

```

<xs:pattern value="[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-
F]{12}" />
</xs:restriction>
</xs:simpleType>

```

3.1.4.1.5 Attributes

None.

3.1.4.1.6 Groups

None.

3.1.4.1.7 Attribute Groups

None.

3.1.4.2 CopySavedSearch

This operation is used by the protocol client to copy a search query within a discovery case.

```

<wsdl:operation name="CopySavedSearch" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input message="tns:CopySavedSearchSoapIn"/>
  <wsdl:output message="tns:CopySavedSearchSoapOut"/>
</wsdl:operation>

```

The protocol client sends a **CopySavedSearchSoapIn** (section [3.1.4.2.1.1](#)) request message and the protocol server responds with a **CopySavedSearchSoapOut** (section [3.1.4.2.1.2](#)) response message as follows:

- The protocol server copies the search query identified by the specified **selectedId** and persists a copy.

3.1.4.2.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
CopySavedSearchSoapIn	The request WSDL message for the CopySavedSearch WSDL operation.
CopySavedSearchSoapOut	The response WSDL message for the CopySavedSearch WSDL operation.

3.1.4.2.1.1 CopySavedSearchSoapIn

The request WSDL message for the **CopySavedSearch** WSDL operation.

The SOAP action value is:

<http://schemas.microsoft.com/sharepoint/discovery/soap/CopySavedSearch>

The SOAP body contains the **CopySavedSearch** element.

3.1.4.2.1.2 CopySavedSearchSoapOut

The response WSDL message for the **CopySavedSearch** WSDL operation.

The SOAP body contains the **CopySavedSearchResponse** element.

3.1.4.2.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
CopySavedSearch	The input data for the CopySavedSearch WSDL operation.
CopySavedSearchResponse	The result data for the CopySavedSearch WSDL operation.

3.1.4.2.2.1 CopySavedSearch

The input data for the **CopySavedSearch** WSDL operation.

```
<xs:element name="CopySavedSearch" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="1" maxOccurs="1" name="selectedId" type="xs:int"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

selectedId: The identifier of the search query.

3.1.4.2.2.2 CopySavedSearchResponse

The result data for the **CopySavedSearch** WSDL operation.

```
<xs:element name="CopySavedSearchResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="CopySavedSearchResult" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

CopySavedSearchResult: A human readable success or failure message.

3.1.4.2.3 Complex Types

None.

3.1.4.2.4 Simple Types

None.

3.1.4.2.5 Attributes

None.

3.1.4.2.6 Groups

None.

3.1.4.2.7 Attribute Groups

None.

3.1.4.3 ParseKQLQueryForStats

This operation is used by the protocol client to get a list of component search queries for a given search query.

```
<wsdl:operation name="ParseKQLQueryForStats" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input message="tns:ParseKQLQueryForStatsSoapIn"/>
  <wsdl:output message="tns:ParseKQLQueryForStatsSoapOut"/>
</wsdl:operation>
```

The protocol client sends a **ParseKQLQueryForStatsSoapIn** (section [3.1.4.3.1.1](#)) request message and the protocol server responds with a **ParseKQLQueryForStatsSoapOut** (section [3.1.4.3.1.2](#)) response message as follows:

- The protocol server verifies whether the **query** is empty; if so, it returns no components.
- Otherwise, the protocol server parses the query into a tree based on the Boolean operators in the **query**. It returns the top-level components of that tree. For example, if the **query** is "abc OR (def AND deg)", components may include "abc" and "def AND deg".

3.1.4.3.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
ParseKQLQueryForStatsSoapIn	The request WSDL message for the ParseKQLQueryForStats WSDL operation.
ParseKQLQueryForStatsSoapOut	The response WSDL message for the ParseKQLQueryForStats WSDL operation.

3.1.4.3.1.1 ParseKQLQueryForStatsSoapIn

The request WSDL message for the **ParseKQLQueryForStats** WSDL operation.

The SOAP action value is:

<http://schemas.microsoft.com/sharepoint/discovery/soap/ParseKQLQueryForStats>

The SOAP body contains the **ParseKQLQueryForStats** element.

3.1.4.3.1.2 ParseKQLQueryForStatsSoapOut

The response WSDL message for the **ParseKQLQueryForStats** WSDL operation.

The SOAP body contains the **ParseKQLQueryForStatsResponse** element.

3.1.4.3.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
ParseKQLQueryForStats	The input data for the ParseKQLQueryForStats WSDL operation.
ParseKQLQueryForStatsResponse	The result data for the ParseKQLQueryForStats WSDL operation.

3.1.4.3.2.1 ParseKQLQueryForStats

The input data for the **ParseKQLQueryForStats** WSDL operation.

```
<xs:element name="ParseKQLQueryForStats" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="query" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

query: The search query.

3.1.4.3.2.2 ParseKQLQueryForStatsResponse

The result data for the **ParseKQLQueryForStats** WSDL operation.

```
<xs:element name="ParseKQLQueryForStatsResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="ParseKQLQueryForStatsResult"
        type="tns:ArrayOfString"/>
    </xs:sequence>
  </xs:complexType>
```

```
</xs:element>
```

ParseKQLQueryForStatsResult: A list of query components.

3.1.4.3.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
ArrayOfString	A list of strings.

3.1.4.3.3.1 ArrayOfString

Namespace: <http://schemas.microsoft.com/sharepoint/discovery/soap/>

The **ArrayOfString** complex type represents a list of strings.

```
<xs:complexType name="ArrayOfString" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="string" nillable="true"
      type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

string: A string value.

3.1.4.3.4 Simple Types

None.

3.1.4.3.5 Attributes

None.

3.1.4.3.6 Groups

None.

3.1.4.3.7 Attribute Groups

None.

3.1.4.4 UpdateSourceErrorInfo

This operation is used by the protocol client to update status info for discovery sources in a discovery case.

```
<wsdl:operation name="UpdateSourceErrorInfo" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input message="tns:UpdateSourceErrorInfoSoapIn"/>
```

```

<wsdl:output message="tns:UpdateSourceErrorInfoSoapOut"/>
</wsdl:operation>

```

The protocol client sends a **UpdateSourceErrorInfoSoapIn** (section [3.1.4.4.1.1](#)) request message and the protocol server responds with a **UpdateSourceErrorInfoSoapOut** (section [3.1.4.4.1.2](#)) response message as follows:

- For each discovery source corresponding to the specified **selectedIds**, the protocol server determines the status. For example, the protocol server examines the **crawl log** to determine whether there were errors processing the discovery source.

3.1.4.4.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
UpdateSourceErrorInfoSoapIn	The request WSDL message for the UpdateSourceErrorInfo WSDL operation.
UpdateSourceErrorInfoSoapOut	The response WSDL message for the UpdateSourceErrorInfo WSDL operation.

3.1.4.4.1.1 UpdateSourceErrorInfoSoapIn

The request WSDL message for the **UpdateSourceErrorInfo** WSDL operation.

The SOAP action value is:

`http://schemas.microsoft.com/sharepoint/discovery/soap/UpdateSourceErrorInfo`

The SOAP body contains the **UpdateSourceErrorInfo** element.

3.1.4.4.1.2 UpdateSourceErrorInfoSoapOut

The response WSDL message for the **UpdateSourceErrorInfo** WSDL operation.

The SOAP body contains the **UpdateSourceErrorInfoResponse** element.

3.1.4.4.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
UpdateSourceErrorInfo	The input data for the UpdateSourceErrorInfo WSDL operation.
UpdateSourceErrorInfoResponse	The result data for the UpdateSourceErrorInfo WSDL operation.

3.1.4.4.2.1 UpdateSourceErrorInfo

The input data for the **UpdateSourceErrorInfo** WSDL operation.

```
<xs:element name="UpdateSourceErrorInfo" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="selectedIds" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

selectedIds: The list of identifiers for discovery sources, delimited by the character '|'.

3.1.4.4.2.2 UpdateSourceErrorInfoResponse

The result data for the **UpdateSourceErrorInfo** WSDL operation.

```
<xs:element name="UpdateSourceErrorInfoResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="UpdateSourceErrorInfoResult" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

UpdateSourceErrorInfoResult: A human readable success or failure message.

3.1.4.4.3 Complex Types

None.

3.1.4.4.4 Simple Types

None.

3.1.4.4.5 Attributes

None.

3.1.4.4.6 Groups

None.

3.1.4.4.7 Attribute Groups

None.

3.1.4.5 UpdateStatistics

This operation is used by the protocol client to update the statistics for search queries in a discovery case.

```
<wsdl:operation name="UpdateStatistics" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input message="tns:UpdateStatisticsSoapIn"/>
  <wsdl:output message="tns:UpdateStatisticsSoapOut"/>
</wsdl:operation>
```

The protocol client sends a **UpdateStatisticsSoapIn** (section [3.1.4.5.1.1](#)) request message and the protocol server responds with a **UpdateStatisticsSoapOut** (section [3.1.4.5.1.2](#)) response message as follows:

- For each search query corresponding to the specified **selectedIds**, the protocol server performs the search query and persists the updated statistics, such as the number of items and their size.

3.1.4.5.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
UpdateStatisticsSoapIn	The request WSDL message for the UpdateStatistics WSDL operation.
UpdateStatisticsSoapOut	The response WSDL message for the UpdateStatistics WSDL operation.

3.1.4.5.1.1 UpdateStatisticsSoapIn

The request WSDL message for the **UpdateStatistics** WSDL operation.

The SOAP action value is:

`http://schemas.microsoft.com/sharepoint/discovery/soap/UpdateStatistics`

The SOAP body contains the **UpdateStatistics** element.

3.1.4.5.1.2 UpdateStatisticsSoapOut

The response WSDL message for the **UpdateStatistics** WSDL operation.

The SOAP body contains the **UpdateStatisticsResponse** element.

3.1.4.5.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
UpdateStatistics	The input data for the UpdateStatistics WSDL operation.
UpdateStatisticsResponse	The result data for the UpdateStatistics WSDL operation.

3.1.4.5.2.1 UpdateStatistics

The input data for the **UpdateStatistics** WSDL operation.

```
<xs:element name="UpdateStatistics" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="selectedIds" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

selectedIds: The list of identifiers for search queries, delimited by the character '|'.

3.1.4.5.2.2 UpdateStatisticsResponse

The result data for the **UpdateStatistics** WSDL operation.

```
<xs:element name="UpdateStatisticsResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="UpdateStatisticsResult" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

UpdateStatisticsResult: A human readable success or failure message.

3.1.4.5.3 Complex Types

None.

3.1.4.5.4 Simple Types

None.

3.1.4.5.5 Attributes

None.

3.1.4.5.6 Groups

None.

3.1.4.5.7 Attribute Groups

None.

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

4.1 Validate Source

In this example the protocol client sends the following request to validate a location with the URL <http://contoso.com>:

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:soap="http://www.w3.org/2003/05/soap-
    envelope">
    <soap:Body>
        <ValidateSource xmlns="http://schemas.microsoft.com/sharepoint/discovery/soap/">
            <location>http://contoso.com</location>
            <isLocation>true</isLocation>
        </ValidateSource>
    </soap:Body>
</soap:Envelope>
```

The protocol server responds as follows:

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:soap="http://www.w3.org/2003/05/soap-
    envelope">
    <soap:Body>
        <ValidateSourceResponse xmlns="http://schemas.microsoft.com/sharepoint/discovery/soap/">
            <ValidateSourceResult>
                <WebId>1bcd3e3a-ba41-49f7-b0a7-1291732e23ea</WebId>
                <FederationId>00000000-0000-0000-0000-000000000000</FederationId>
                <ExternalFederationId></ExternalFederationId>
                <SmtpAddress></SmtpAddress>
                <ContainerId>http://contoso.com</ContainerId>
                <IsValid>true</IsValid>
                <Query> </Query>
                <IsLocation>true</IsLocation>
                <ValidationText>Validated</ValidationText>
                <Title>Contoso</Title>
            </ValidateSourceResult>
        </ValidateSourceResponse>
    </soap:Body>
</soap:Envelope>
```

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

For ease of implementation, the full WSDL is provided in this appendix.

```
<?xml version="1.0"?>
<wsdl:definitions xmlns:tns="http://schemas.microsoft.com/sharepoint/discovery/soap/" xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:s1="http://microsoft.com/wsdl/types/"
  xmlns=http="http://schemas.xmlsoap.org/wsdl/http/"
  targetNamespace="http://schemas.microsoft.com/sharepoint/discovery/soap/"
  xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:documentation>This web service is designed for the source picker control</wsdl:documentation>
  <wsdl:types>
    <xsschema elementFormDefault="qualified"
      targetNamespace="http://schemas.microsoft.com/sharepoint/discovery/soap/">
      <xss:import namespace="http://microsoft.com/wsdl/types/" />
      <xss:element name="ValidateSource">
        <xss:complexType>
          <xss:sequence>
            <xss:element minOccurs="0" maxOccurs="1" name="location" type="xs:string"/>
            <xss:element minOccurs="1" maxOccurs="1" name="isLocation" type="xs:boolean"/>
          </xss:sequence>
        </xss:complexType>
      </xss:element>
      <xss:element name="ValidateSourceResponse">
        <xss:complexType>
          <xss:sequence>
            <xss:element minOccurs="0" maxOccurs="1" name="ValidateSourceResult"
              type="tns:SourceValidation"/>
          </xss:sequence>
        </xss:complexType>
      </xss:element>
      <xss:complexType name="SourceValidation">
        <xss:sequence>
          <xss:element minOccurs="1" maxOccurs="1" name="WebId" type="s1:guid"/>
          <xss:element minOccurs="1" maxOccurs="1" name="FederationId" type="s1:guid"/>
          <xss:element minOccurs="1" maxOccurs="1" name="ExternalFederationId"
            type="s1:guid"/>
          <xss:element minOccurs="0" maxOccurs="1" name="SmtpAddress" type="xs:string"/>
          <xss:element minOccurs="0" maxOccurs="1" name="ContainerId" type="xs:string"/>
          <xss:element minOccurs="1" maxOccurs="1" name="IsValid" type="xs:boolean"/>
          <xss:element minOccurs="0" maxOccurs="1" name="Query" type="xs:string"/>
          <xss:element minOccurs="1" maxOccurs="1" name="IsLocation" type="xs:boolean"/>
          <xss:element minOccurs="1" maxOccurs="1" name="IsMembershipGroup"
            type="xs:boolean"/>
          <xss:element minOccurs="0" maxOccurs="1" name="ValidationText" type="xs:string"/>
          <xss:element minOccurs="0" maxOccurs="1" name="Title" type="xs:string"/>
          <xss:element minOccurs="0" maxOccurs="1" name="DisplayId" type="xs:string"/>
          <xss:element minOccurs="0" maxOccurs="1" name="InputText" type="xs:string"/>
        </xss:sequence>
      </xss:complexType>
      <xss:element name="CopySavedSearch">
        <xss:complexType>
          <xss:sequence>
            <xss:element minOccurs="1" maxOccurs="1" name="selectedId" type="xs:int"/>
          </xss:sequence>
        </xss:complexType>
      </xss:element>
    </xsschema>
  </wsdl:types>
```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="CopySavedSearchResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="CopySavedSearchResult"
type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="UpdateStatistics">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="selectedIds" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="UpdateStatisticsResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="UpdateStatisticsResult"
type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="UpdateSourceErrorInfo">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="selectedIds" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="UpdateSourceErrorInfoResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="UpdateSourceErrorInfoResult"
type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ParseKQLQueryForStats">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="query" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ParseKQLQueryForStatsResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="1" name="ParseKQLQueryForStatsResult"
type="tns:ArrayOfString"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:complexType name="ArrayOfString">

```

```

<xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="string" nillable="true"
type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:schema>
<xs:schema elementFormDefault="qualified"
targetNamespace="http://microsoft.com/wsdl/types/">
    <xss:simpleType name="guid">
        <xss:restriction base="xs:string">
            <xss:pattern value="[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-
9a-fA-F]{12}" />
        </xss:restriction>
    </xss:simpleType>
</xs:schema>
</wsdl:types>
<wsdl:message name="ValidateSourceSoapIn">
    <wsdl:part name="parameters" element="tns:ValidateSource"/>
</wsdl:message>
<wsdl:message name="ValidateSourceSoapOut">
    <wsdl:part name="parameters" element="tns:ValidateSourceResponse"/>
</wsdl:message>
<wsdl:message name="CopySavedSearchSoapIn">
    <wsdl:part name="parameters" element="tns:CopySavedSearch"/>
</wsdl:message>
<wsdl:message name="CopySavedSearchSoapOut">
    <wsdl:part name="parameters" element="tns:CopySavedSearchResponse"/>
</wsdl:message>
<wsdl:message name="UpdateStatisticsSoapIn">
    <wsdl:part name="parameters" element="tns:UpdateStatistics"/>
</wsdl:message>
<wsdl:message name="UpdateStatisticsSoapOut">
    <wsdl:part name="parameters" element="tns:UpdateStatisticsResponse"/>
</wsdl:message>
<wsdl:message name="UpdateSourceErrorInfoSoapIn">
    <wsdl:part name="parameters" element="tns:UpdateSourceErrorInfo"/>
</wsdl:message>
<wsdl:message name="UpdateSourceErrorInfoSoapOut">
    <wsdl:part name="parameters" element="tns:UpdateSourceErrorInfoResponse"/>
</wsdl:message>
<wsdl:message name="ParseKQLQueryForStatsSoapIn">
    <wsdl:part name="parameters" element="tns:ParseKQLQueryForStats"/>
</wsdl:message>
<wsdl:message name="ParseKQLQueryForStatsSoapOut">
    <wsdl:part name="parameters" element="tns:ParseKQLQueryForStatsResponse"/>
</wsdl:message>
<wsdl:portType name="Discovery_x0020_internal_x0020_web_x0020_serviceSoap">
    <wsdl:operation name="ValidateSource">
        <wsdl:input message="tns:ValidateSourceSoapIn"/>
        <wsdl:output message="tns:ValidateSourceSoapOut"/>
    </wsdl:operation>
    <wsdl:operation name="CopySavedSearch">
        <wsdl:input message="tns:CopySavedSearchSoapIn"/>
        <wsdl:output message="tns:CopySavedSearchSoapOut"/>
    </wsdl:operation>
    <wsdl:operation name="UpdateStatistics">
        <wsdl:input message="tns:UpdateStatisticsSoapIn"/>

```

```
<wsdl:output message="tns:UpdateStatisticsSoapOut"/>
</wsdl:operation>
<wsdl:operation name="UpdateSourceErrorInfo">
  <wsdl:input message="tns:UpdateSourceErrorInfoSoapIn"/>
  <wsdl:output message="tns:UpdateSourceErrorInfoSoapOut"/>
</wsdl:operation>
<wsdl:operation name="ParseKQLQueryForStats">
  <wsdl:input message="tns:ParseKQLQueryForStatsSoapIn"/>
  <wsdl:output message="tns:ParseKQLQueryForStatsSoapOut"/>
</wsdl:operation>
</wsdl:portType>
<wsdl:binding name="Discovery_x0020_internal_x0020_web_x0020_serviceSoap"
type="tns:Discovery_x0020_internal_x0020_web_x0020_serviceSoap">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl:operation name="ValidateSource">
    <soap:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/ValidateSource"
      style="document"/>
    <wsdl:input>
      <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="CopySavedSearch">
    <soap:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/CopySavedSearch"
      style="document"/>
    <wsdl:input>
      <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="UpdateStatistics">
    <soap:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/UpdateStatistics"
      style="document"/>
    <wsdl:input>
      <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="UpdateSourceErrorInfo">
    <soap:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/UpdateSourceErrorInfo"
      style="document"/>
    <wsdl:input>
      <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
</wsdl:binding>
```

```
<wsdl:operation name="ParseKQLQueryForStats">
  <soap:operation
    soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/ParseKQLQueryForStats"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
</wsdl:binding>
<wsdl:binding name="Discovery_x0020_internal_x0020_web_x0020_serviceSoap12"
  type="tns:Discovery_x0020_internal_x0020_web_x0020_serviceSoap">
  <soap12:binding transport="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl:operation name="ValidateSource">
    <soap12:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/ValidateSource"
      style="document"/>
    <wsdl:input>
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap12:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="CopySavedSearch">
    <soap12:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/CopySavedSearch"
      style="document"/>
    <wsdl:input>
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap12:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="UpdateStatistics">
    <soap12:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/UpdateStatistics"
      style="document"/>
    <wsdl:input>
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap12:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="UpdateSourceErrorInfo">
    <soap12:operation
      soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/UpdateSourceErrorInfo"
      style="document"/>
    <wsdl:input>
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap12:body use="literal"/>
    </wsdl:output>
```

```
</wsdl:operation>
<wsdl:operation name="ParseKQLQueryForStats">
  <soap12:operation
    soapAction="http://schemas.microsoft.com/sharepoint/discovery/soap/ParseKQLQueryForStats"
    style="document"/>
  <wsdl:input>
    <soap12:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap12:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
</wsdl:binding>
</wsdl:definitions>
```

Preliminary

33 / 37

[MS-EDINTWS] — v20120411
eDiscovery Internal Web Service Protocol Specification

Copyright © 2012 Microsoft Corporation.

Release: Wednesday, April 11, 2012

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® SharePoint® Server 15 Technical Preview

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

8 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

Preliminary

9 Index

A

Abstract data model
[server](#) 11
[Applicability](#) 7
[Attribute groups](#) 10
[Attributes](#) 10

C

[Capability negotiation](#) 8
[Change tracking](#) 35
[Complex types](#) 10

D

Data model - abstract
[server](#) 11

E

Events
[local - server](#) 25
[timer - server](#) 25

F

[Fields - vendor-extensible](#) 8
[Full WSDL](#) 28

G

[Glossary](#) 5
[Groups](#) 10

I

[Implementer - security considerations](#) 27
[Index of security parameters](#) 27
[Informative references](#) 7
Initialization
[server](#) 12
[Introduction](#) 5

L

Local events
[server](#) 25

M

Message processing
[server](#) 12
Messages
[attribute groups](#) 10
[attributes](#) 10
[complex types](#) 10

[elements](#) 10
[enumerated](#) 9
[groups](#) 10
[namespaces](#) 9
[simple types](#) 10
[syntax](#) 9
[transport](#) 9

N

[Namespaces](#) 9
[Normative references](#) 6

O

Operations
[CopySavedSearch](#) 16
[ParseKQLQueryForStats](#) 18
[UpdateSourceErrorInfo](#) 20
[UpdateStatistics](#) 23
[ValidateSource](#) 12
[Overview \(synopsis\)](#) 7

P

[Parameters - security index](#) 27
[Preconditions](#) 7
[Prerequisites](#) 7
[Product behavior](#) 34

R

[References](#) 6
[informative](#) 7
[normative](#) 6
[Relationship to other protocols](#) 7

S

Security
[implementer considerations](#) 27
[parameter index](#) 27
Sequencing rules
[server](#) 12
Server
[abstract data model](#) 11
[CopySavedSearch operation](#) 16
[initialization](#) 12
[local events](#) 25
[message processing](#) 12
[ParseKQLQueryForStats operation](#) 18
[sequencing rules](#) 12
[timer events](#) 25
[timers](#) 11
[UpdateSourceErrorInfo operation](#) 20
[UpdateStatistics operation](#) 23
[ValidateSource operation](#) 12

[Simple types](#) 10
[Standards assignments](#) 8
Syntax
[messages - overview](#) 9

T

Timer events
[server](#) 25
Timers
[server](#) 11
[Tracking changes](#) 35
[Transport](#) 9
Types
[complex](#) 10
[simple](#) 10

V

[Vendor-extensible fields](#) 8
[Versioning](#) 8

W

[WSDL](#) 28