

[MS-IMESYN]: IMESync Syntax Structure

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability
06/27/2008	1.0	Major	Revised and edited the technical content
12/12/2008	1.01	Editorial	Revised and edited the technical content
07/13/2009	1.02	Major	Changes made for template compliance
08/28/2009	1.03	Editorial	Revised and edited the technical content
11/06/2009	1.04	Editorial	Revised and edited the technical content
02/19/2010	2.0	Editorial	Revised and edited the technical content
03/31/2010	2.01	Editorial	Revised and edited the technical content
04/30/2010	2.02	Editorial	Revised and edited the technical content
06/07/2010	2.03	Editorial	Revised and edited the technical content
06/29/2010	2.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	2.05	Minor	Clarified the meaning of the technical content.
09/27/2010	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	2.05	No change	No changes to the meaning, language, or formatting of the technical content.
01/20/2012	2.6	Minor	Clarified the meaning of the technical content.
04/11/2012	2.6	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	2.6	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	2.6	No change	No changes to the meaning, language, or formatting of the technical content.
02/11/2013	2.6	No change	No changes to the meaning, language, or formatting of the technical content.

Date	Revision History	Revision Class	Comments
07/30/2013	2.7	Minor	Clarified the meaning of the technical content.

Table of Contents

1 Introduction	5
1.1 Glossary	5
1.2 References	5
1.2.1 Normative References	5
1.2.2 Informative References	6
1.3 Overview	6
1.4 Relationship to Protocols and Other Structures	6
1.5 Applicability Statement	6
1.6 Versioning and Localization	6
1.7 Vendor-Extensible Fields	6
2 Structures	7
2.1 IMESync	7
2.2 Remote List Item Scheme	7
3 Structure Examples	9
4 Security	10
4.1 Security Considerations for Implementers	10
4.2 Index of Security Parameters	10
5 Appendix A: Product Behavior	11
6 Change Tracking	12
7 Index	14

1 Introduction

This document specifies the IMESync Syntax Structure that specifies a compact string format, and the scheme of a **list item**. The string format is used to locate a remote list using [\[MS-LISTSWS\]](#). The remote list is used to define a custom word list used by an on-screen editor. The string format extends [\[RFC3986\]](#).

Sections 1.7 and 2 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

ASCII
Augmented Backus-Naur Form (ABNF)
GUID
SOAP message

The following terms are defined in [\[MS-OFCGLOS\]](#):

IME
Input Method Editor (IME)
list item
site
Uniform Resource Identifier (URI)
Uniform Resource Locator (URL)

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-LISTSWS] Microsoft Corporation, "[Lists Web Service Protocol](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>

[RFC5234] Crocker, D., Ed., and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", STD 68, RFC 5234, January 2008, <http://www.rfc-editor.org/rfc/rfc5234.txt>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

1.3 Overview

The IMESync syntax structure provides a syntax for the "imesync" scheme of **URIs**. This structure encapsulates the parameters required to use the [\[MS-LISTSWS\]](#) protocol to access data from a remote list residing on a server. The server produces an IMESync syntax structure URI for a list and transmits this URI to the clients. When a client processes the URI it has all the information required to communicate with the server using the [\[MS-LISTSWS\]](#) protocol.

1.4 Relationship to Protocols and Other Structures

This structure provides a means to encapsulate the parameters necessary to access a remote list using the [\[MS-LISTSWS\]](#) protocol.

1.5 Applicability Statement

This structure is implemented by servers and clients that implement the [\[MS-LISTSWS\]](#) protocol. This structure is used when a remote list using the [\[MS-LISTSWS\]](#) protocol specifies a custom word list used by the **Input Method Editor (IME)**.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

None.

2 Structures

2.1 IMESync

This structure specifies the syntax of the "imesync" URI scheme. This structure **MUST** be able to be represented as an **ASCII** string.

The string **MUST** begin with imesync: followed by a string enclosed with the tags <IME> and </IME>. The <IME> string range **MUST** contain two sub string ranges enclosed with the tags <URL> and </URL>, and <List> and </List>.

<URL> string range and <List> string range specify properties about a remote list accessible via the [\[MS-LISTSWS\]](#) protocol. Valid fields are as follows:

- **URL:** A **URL** to the **site (2)** that contains the remote list.
- **List:** A **GUID** that uniquely identifies the remote list. **MUST** be of the format "{XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX}", where X represents a hexadecimal character.

Encoding of characters in this structure **MUST** be represented consistent with the URI specification ([\[RFC3986\]](#) section 2). Any characters that do not belong to the limited set of unreserved characters **MUST** be encoded using the percent-encoding mechanism, as specified in [\[RFC3986\]](#) section 2.1.

An "imesync" URI is specified by the following **Augmented Backus-Naur Form (ABNF)** ([\[RFC5234\]](#)):

```
imesyncuri = scheme ":" schemepart
scheme     = "imesync"
schemepart = "<IME>" (urlpart listpart / listpart urlpart) "</IME>"
urlpart    = "<URL>" urlvalue "</URL>"
listpart   = "<List>" guidvalue "</List>"
urlvalue   = *uchar
uchar      = escape / ALPHA / DIGIT / punctuation
escape     = "%" 2HEXDIG
punctuation = "*" / "(" / ")" / "_" / "+" / ":" / "/" / "#" / "[" / "]" /
             "@" / "!" / "$" / "\" / "."
guidvalue  = "{" 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 12HEXDIG
             "}"
```

ALPHA, DIGIT, and HEXDIG are used as specified in [\[RFC5234\]](#) Appendix B.1.

2.2 Remote List Item Scheme

To form a custom word list used by an **IME**, a remote list item **MUST** have the scheme that is described in the following table. The table identifies each field in the list item by its name and type.

Field Name	Field type	Field Description
Title	Text	A string that specifies the pronunciation of the word. In Japanese, the pronunciation is represented by Hiragana. In other languages, the representation is undefined.
IMEDisplay	Text	A string that represents the word.

Field Name	Field type	Field Description
IMEComment1	Text	(optional) A string that describes the word.
IMEComment2	Text	(optional) A string that describes the word.
IMEComment3	Text	(optional) A string that describes the word.
IMEUrl	URL	(optional) A URL that will be shown with the word.

3 Structure Examples

Example 1

This URI represents the remote list located at <http://contoso.com/lists/example/> with a list GUID of "{891e5acc-c099-4777-93f8-5aaf53240c8b}".

```
imesync:<IME><URL>http://contoso.com/lists/example</URL><List>{891e5acc-c099-4777-93f8-5aaf53240c8b}</List></IME>
```

Example 2

The following **SOAP messages** create a remote list as specified in [\[MS-LISTSWS\]](#), and then create required fields in the remote list to form a custom word list used by an IME.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"> <soap:Body> <AddList
xmlns="http://schemas.microsoft.com/sharepoint/soap/"> <listName>IME Dictionary
Sample</listName> <templateID>100</templateID> </AddList>
</soap:Body></soap:Envelope>
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <UpdateList xmlns="http://schemas.microsoft.com/sharepoint/soap/">
      <listName>IME Dictionary Sample</listName>
      <newFields>
        <Fields>
          <Method ID="1"><Field Type="Text" Name="IMEDisplay" DisplayName="IMEDisplay"
Required="TRUE"></Field></Method>
          <Method ID="2"><Field Type="Text" Name="IMEComment1"
DisplayName="IMEComment1"></Field></Method>
          <Method ID="3"><Field Type="Text" Name="IMEComment2"
DisplayName="IMEComment2"></Field></Method>
          <Method ID="4"><Field Type="Text" Name="IMEComment3"
DisplayName="IMEComment3"></Field></Method>
          <Method ID="5"><Field Type="URL" Name="IMEUrl"
DisplayName="IMEUrl"></Field></Method>
        </Fields>
      </newFields>
    </UpdateList>
  </soap:Body>
</soap:Envelope>
```

4 Security

4.1 Security Considerations for Implementers

Protocol URIs can be contained in mediums that are not trusted, for example, in the body of an e-mail message or on a Web page. Clients invoked when the user activates a protocol URI could be presented with malicious data intended to initiate unwanted actions when the client processes the URI.

4.2 Index of Security Parameters

None.

5 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- The 2007 Microsoft Office system JPN LANGPAK
- Microsoft Office 2010 JPN LANGPAK
- Microsoft Office SharePoint Server 2007 CHT, CHS, KOR, JPN LANGPAK
- Microsoft SharePoint Server 2010 JPN, KOR, CHT, CHS LANGPAK
- Microsoft Office 2013 JPN LANGPAK
- Microsoft SharePoint Server 2013 JPN, KOR, CHT, CHS LANGPAK

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

6 Change Tracking

This section identifies changes that were made to the [MS-IMESYN] protocol document between the February 2013 and July 2013 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- The removal of a document from the documentation set.
- Changes made for template compliance.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.

- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type **Editorially updated**.

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
1 Introduction	Formatted "list item" as glossary style.	N	Editorially updated.
2.1 IMESync	Formatted "site" as glossary style and added (2) for it.	N	Editorially updated.
2.1 IMESync	Formatted 'Augmented Backus-Naur form (ABNF)' as glossary style.	N	Editorially updated.
2.2 Remote List Item Scheme	Formatted "list item" as glossary style.	N	Editorially updated.

7 Index

A

[Applicability](#) 6

C

[Change tracking](#) 12

E

[Examples](#) 9
[overview](#) 9

F

[Fields - vendor-extensible](#) 6

G

[Glossary](#) 5

I

[IMESync structure](#) 7
[Implementer - security considerations](#) 10
[Index of security parameters](#) 10
[Informative references](#) 6
[Introduction](#) 5

L

[Localization](#) 6

N

[Normative references](#) 5

O

[Overview \(synopsis\)](#) 6

P

[Parameters - security index](#) 10
[Product behavior](#) 11

R

[References](#) 5
[informative](#) 6
[normative](#) 5
[Relationship to protocols and other structures](#) 6
[Remote list item scheme](#) 7

S

Security
[implementer considerations](#) 10

[parameter index](#) 10

Structures

[IMESync](#) 7

[Remote list item scheme](#) 7

T

[Tracking changes](#) 12

V

[Vendor-extensible fields](#) 6

[Versioning](#) 6