

[MS-MCI]: MCI Compression and Decompression

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.
Microsoft Corporation	August 6, 2008	1.01	Revised and edited technical content.
Microsoft Corporation	September 3, 2008	1.02	Revised and edited technical content.

Table of Contents

1	<i>Introduction</i>	3
1.1	Glossary	3
1.2	References	3
1.2.1	Normative References	3
1.2.2	Informative References	3
1.3	Structure Overview	4
1.4	Relationship to Protocols and Other Structures	4
1.5	Applicability Statement.....	4
1.6	Versioning and Localization.....	4
1.7	Vendor-Extensible Fields	4
2	<i>Structures</i>	4
3	<i>Structure Examples</i>	4
4	<i>Security Considerations</i>	5
5	<i>Appendix A: Office/Exchange Behavior</i>	5
	<i>Index</i>	6

1 Introduction

This document specifies the format of MSZIP compressed data as used in the MSZIP compression mode of Microsoft's cabinet files. The purpose of this specification is to allow anyone to encode or decode MSZIP compressed data.

This document covers the following APIs:

- **MCICreateCompression:** Initializes an MCI_CONTEXT structure (described later in this specification).
- **MCICompress:** Calls a standard implementation of the deflate() function, as specified in [RFC1951].
- **MCIDestroyCompression:** Frees the MCI_CONTEXT structure.
- **MDICreateDecompression:** Initializes an MDI_CONTEXT structure, as specified later in this document).
- **MDIDecompress:** Source code for a sample decompressor is in <ftp://ftp.uu.net/pub/archiving/zip/zlib/zlib113.zip>.
- **MDIDestroyDecompression:** Frees the MDI_CONTEXT structure.

1.1 Glossary

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXGLOS] Microsoft Corporation, "Exchange Server Protocols Master Glossary", June 2008.

[RFC1951] Deutsch, P., "DEFLATE Compressed Data Format Specification version 1.3", RFC 1951, May 1996, <http://www.ietf.org/rfc/rfc1951.txt>.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

MSZIP compression has only minor variations from Phil Katz's DEFLATE method. For more information on the DEFLATE method, see [RFC1951]. Some DEFLATE implementations MAY contain extensions to the original specifications, but MSZIP uses only the three basic modes of deflate: stored, fixed Huffman tree, and dynamic Huffman tree.

Each MSZIP data block is the result of a complete "deflate" compression operation. Each block is flushed out of the compressor before the next block begins, so the last sub-block in each block will be marked as the "end" of the stream. Any decoding trees are discarded after each block, with only the history buffer surviving from one block to the next. Each data block represents 32k uncompressed, except that the last block in a folder may be smaller. A 2-byte MSZIP signature precedes the compressed encoding in each block, consisting of the bytes 0x43 and 0x4B.

The maximum compressed size of each MSZIP block is 32k + 12 bytes. This allows for the data to be passed as two separate "stored" sub-blocks, which each have a 5-byte overhead, plus the 2-byte signature. The Microsoft MSZIP compressor will emit "stored" sub-blocks with a length of exactly 32k, while some implementations do not exceed 32k - 1. MSZIP uses a compression window of size 32KB.

Whenever a cabinet folder boundary is reached, the compression history is discarded, so that decoding any folder does not require any prior data.

1.4 Relationship to Protocols and Other Structures

None.

1.5 Applicability Statement

None.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

None.

2 Structures

None.

3 Structure Examples

None.

4 Security Considerations

None.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Index

- Applicability statement, 4
- Glossary, 3
- Informative references, 3
- Introduction, 3
- Normative references, 3
- Office/Exchange behavior, 5
- Overview, 4
- References, 3
 - Informative references, 3
 - Normative references, 3
- Relationship to protocols and other structures, 4
- Security considerations, 5
- Structure examples, 4
- Structures, 4
- Vendor-extensible fields, 4
- Versioning and localization, 4