

[MS-MCI]: MCI Compression and Decompression

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.msp>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability.
06/27/2008	1.0		Initial Release.
08/06/2008	1.01		Revised and edited technical content.
09/03/2008	1.02		Revised and edited technical content.
12/03/2008	1.03		Revised and edited technical content.
03/04/2009	1.04		Revised and edited technical content.
04/10/2009	2.0		Updated technical content and applicable product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	3.1.0	Minor	Updated the technical content.
02/10/2010	3.1.0	None	Version 3.1.0 release
05/05/2010	4.0.0	Major	Updated and revised the technical content.
08/04/2010	4.0.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/03/2010	4.0.0	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	5.0	Major	Significantly changed the technical content.

Table of Contents

1 Introduction	4
1.1 Glossary	4
1.2 References	4
1.2.1 Normative References	4
1.2.2 Informative References	4
1.3 Overview	4
1.4 Relationship to Protocols and Other Structures	4
1.5 Applicability Statement	4
1.6 Versioning and Localization	5
1.7 Vendor-Extensible Fields	5
2 Structures	6
3 Structure Examples	7
4 Security Considerations	8
4.1 Security Considerations for Implementers	8
4.2 Index of Security Fields	8
5 Appendix A: Product Behavior	9
6 Change Tracking	10
7 Index	13

1 Introduction

MCI compression and decompression and the MSZIP structure enable anyone to encode or decode MSZIP compressed data.

Sections 1.7 and 2 of this specification are normative and contain RFC 2119 language. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

stream

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[RFC1951] Deutsch, P., "DEFLATE Compressed Data Format Specification version 1.3", RFC 1951, May 1996, <http://www.ietf.org/rfc/rfc1951.txt>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

1.2.2 Informative References

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

1.3 Overview

MSZIP compression is a derivative of Phil Katz's DEFLATE Compressed Data Format. For more information about the DEFLATE Compressed Data Format, see [\[RFC1951\]](#). MSZIP uses only the three basic modes of deflate: no compression, compressed with fixed Huffman codes, and compressed with dynamic Huffman codes.

1.4 Relationship to Protocols and Other Structures

None.

1.5 Applicability Statement

The MSZIP structure is applicable to protocols or structures that are designed to use [\[RFC1951\]](#) to compress or decompress data.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

None.

2 Structures

Each MSZIP block MUST consist of a 2-byte MSZIP signature and one or more RFC 1951 blocks. The 2-byte MSZIP signature MUST consist of the bytes 0x43 and 0x4B. The MSZIP signature MUST be the first 2 bytes in the MSZIP block. The MSZIP signature is shown in the following packet diagram.



MSZIP signature **Byte 0 (1 byte)**: The first byte of the MSZIP signature MUST be 0x43.

MSZIP signature **Byte 1 (1 byte)**: The second byte of the MSZIP signature MUST be 0x4B.

Each MSZIP block is the result of a single deflate compression operation, as defined in [\[RFC1951\]](#). The compressor that performs the compression operation MUST generate one or more RFC 1951 blocks, as defined in [\[RFC1951\]](#). The number, deflation mode, and type of RFC 1951 blocks in each MSZIP block is determined by the compressor, as defined in [\[RFC1951\]](#). The last RFC 1951 block in each MSZIP block MUST be marked as the "end" of the **stream**, as defined by [\[RFC1951\]](#) section 3.2.3. Decoding trees MUST be discarded after each RFC 1951 block, but the history buffer MUST be maintained. Each MSZIP block MUST represent no more than 32 KB of uncompressed data.

The maximum compressed size of each MSZIP block is 32 KB + 12 bytes. This enables the MSZIP block to contain 32 KB of data split between two noncompressed RFC 1951 blocks, each of which has a value of BTYPE=00.

3 Structure Examples

The MSZIP block structure shown in the following diagram contains a single compressed RFC 1951 block.

<=(32 KB + 12 bytes)	
0x43 0x4B	Generated by single "deflate" compression operation
2-Byte MSZIP Signature	RFC 1951 Block

The MSZIP block structure shown in the following diagram contains two RFC 1951 blocks.

<=(32 KB + 12 bytes)		
0x43 0x4B	Generated by single "deflate" compression operation	
2-Byte MSZIP Signature	RFC 1951 Block	RFC 1951 Block

4 Security Considerations

4.1 Security Considerations for Implementers

None.

4.2 Index of Security Fields

None.

5 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® Exchange Server 2003
- Microsoft® Exchange Server 2007
- Microsoft® Exchange Server 2010
- Microsoft® Office Outlook® 2003
- Microsoft® Office Outlook® 2007
- Microsoft® Outlook® 2010

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

6 Change Tracking

This section identifies changes that were made to the [MS-MCI] protocol document between the November 2010 and March 2011 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- The removal of a document from the documentation set.
- Changes made for template compliance.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.

- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type **Editorially updated**.

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
1 Introduction	Added information about which sections of the specification are normative and can contain RFC 2119 language.	Y	New content added for template compliance.
1 Introduction	Updated introduction.	N	Content updated for template compliance.
1.5 Applicability Statement	Added applicability information about the MSZIP structure.	N	Content updated.
2 Structures	Removed the terms "MSZIP block", "MSZIP signature", and "RFC 1951 blocks".	N	Content removed.
2 Structures	Updated the MSZIP signature structure diagram.	N	Content updated.
3 Structure Examples	Updated the MSZIP block structure example diagrams.	N	Content updated.
4.1 Security Considerations for Implementers	Added section.	Y	New content added for template compliance.
4.2 Index of Security Fields	Added section.	Y	New content added for template compliance.
5 Appendix A: Product	Added the applicable product names.	Y	New content added.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
Behavior			

7 Index

A

[Applicability](#) 4

C

[Change tracking](#) 10

[Common data types and fields](#) 6

D

[Data types and fields - common](#) 6

Details

[common data types and fields](#) 6

E

[Examples](#) 7

F

[Fields - vendor-extensible](#) 5

G

[Glossary](#) 4

I

[Implementer - security considerations](#) 8

[Informative references](#) 4

[Introduction](#) 4

L

[Localization](#) 5

N

[Normative references](#) 4

O

[Overview](#) 4

P

[Product behavior](#) 9

R

References

[informative](#) 4

[normative](#) 4

[Relationship to protocols and other structures](#) 4

S

Security

[implementer considerations](#) 8

[index of security fields](#) 8

Structures

[overview](#) 6

T

[Tracking changes](#) 10

V

[Vendor-extensible fields](#) 5

[Versioning](#) 5