

[MS-NOTESWS]: MS Search Lotus Notes Web Service Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Preliminary Documentation. This Open Specification provides documentation for past and current releases and/or for the pre-release (beta) version of this technology. This Open Specification is final

documentation for past or current releases as specifically noted in the document, as applicable; it is preliminary documentation for the pre-release (beta) versions. Microsoft will release final documentation in connection with the commercial release of the updated or new version of this technology. As the documentation may change between this preliminary version and the final version of this technology, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Revision Summary

Date	Revision History	Revision Class	Comments
07/13/2009	0.1	Major	Initial Availability
08/28/2009	0.2	Editorial	Revised and edited the technical content
11/06/2009	0.3	Editorial	Revised and edited the technical content
02/19/2010	1.0	Editorial	Revised and edited the technical content
03/31/2010	1.01	Editorial	Revised and edited the technical content
04/30/2010	1.02	Editorial	Revised and edited the technical content
06/07/2010	1.03	Editorial	Revised and edited the technical content
06/29/2010	1.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	1.05	Minor	Clarified the meaning of the technical content.
09/27/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	1.06	Editorial	Changed language and formatting in the technical content.
03/18/2011	1.06	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	1.06	No change	No changes to the meaning, language, or formatting of the technical content.
01/20/2012	2.0	Major	Significantly changed the technical content.
04/11/2012	2.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	2.0	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1 Introduction	7
1.1 Glossary	7
1.2 References	7
1.2.1 Normative References	7
1.2.2 Informative References	8
1.3 Protocol Overview (Synopsis)	8
1.4 Relationship to Other Protocols	9
1.5 Prerequisites/Preconditions	9
1.6 Applicability Statement	10
1.7 Versioning and Capability Negotiation	10
1.8 Vendor-Extensible Fields	10
1.9 Standards Assignments	10
2 Messages	11
2.1 Transport	11
2.2 Common Message Syntax	11
2.2.1 Namespaces	11
2.2.2 Messages	12
2.2.3 Elements	12
2.2.4 Complex Types	12
2.2.4.1 ArrayOfNOTESATTACHMENTID	12
2.2.4.2 ArrayOfPROPERTY	13
2.2.4.3 INDEXABLECONTENT	13
2.2.4.4 NOTESATTACHMENTID	13
2.2.4.5 NOTESITEM	14
2.2.4.6 PROPERTY	14
2.2.4.7 SecurityDescriptor	15
2.2.4.8 SERVERITEM	15
2.2.5 Simple Types	15
2.2.6 Attributes	16
2.2.7 Groups	16
2.2.8 Attribute Groups	16
2.2.9 Common Data Structures	16
3 Protocol Details	17
3.1 Server Details	17
3.1.1 Abstract Data Model	17
3.1.1.1 Object Hierarchy	18
3.1.1.2 Server	18
3.1.1.3 Database	18
3.1.1.4 Item	19
3.1.1.5 Attachment	19
3.1.2 Timers	19
3.1.3 Initialization	19
3.1.4 Message Processing Events and Sequencing Rules	19
3.1.4.1 EnumerateDatabases	20
3.1.4.1.1 Messages	20
3.1.4.1.1.1 INotesWebServiceApplication_EnumerateDatabases_InputMessage	21
3.1.4.1.1.2 INotesWebServiceApplication_EnumerateDatabases_OutputMessage	21
3.1.4.1.2 Elements	21

3.1.4.1.2.1	EnumerateDatabases	21
3.1.4.1.2.2	EnumerateDatabasesResponse	22
3.1.4.1.3	Complex Types	22
3.1.4.1.3.1	ArrayOfDATABASEITEMID	22
3.1.4.1.3.2	DATABASEITEMID	22
3.1.4.1.4	Simple Types	23
3.1.4.1.5	Attributes	23
3.1.4.1.6	Groups	23
3.1.4.1.7	Attribute Groups	23
3.1.4.2	EnumerateItems	23
3.1.4.2.1	Messages	24
3.1.4.2.1.1	INotesWebServiceApplication_EnumerateItems_InputMessage	24
3.1.4.2.1.2	INotesWebServiceApplication_EnumerateItems_OutputMessage	24
3.1.4.2.2	Elements	24
3.1.4.2.2.1	EnumerateItems	24
3.1.4.2.2.2	EnumerateItemsResponse	25
3.1.4.2.3	Complex Types	25
3.1.4.2.3.1	ArrayOfNOTESITEM	25
3.1.4.2.4	Simple Types	26
3.1.4.2.5	Attributes	26
3.1.4.2.6	Groups	26
3.1.4.2.7	Attribute Groups	26
3.1.4.3	EnumerateServers	26
3.1.4.3.1	Messages	26
3.1.4.3.1.1	INotesWebServiceApplication_EnumerateServers_InputMessage	26
3.1.4.3.1.2	INotesWebServiceApplication_EnumerateServers_OutputMessage	27
3.1.4.3.2	Elements	27
3.1.4.3.2.1	EnumerateServers	27
3.1.4.3.2.2	EnumerateServersResponse	27
3.1.4.3.3	Complex Types	28
3.1.4.3.3.1	ArrayOfSERVERITEM	28
3.1.4.3.4	Simple Types	28
3.1.4.3.5	Attributes	28
3.1.4.3.6	Groups	28
3.1.4.3.7	Attribute Groups	28
3.1.4.4	FetchAttachment	28
3.1.4.4.1	Messages	29
3.1.4.4.1.1	INotesWebServiceApplication_FetchAttachment_InputMessage	29
3.1.4.4.1.2	INotesWebServiceApplication_FetchAttachment_OutputMessage	29
3.1.4.4.2	Elements	29
3.1.4.4.2.1	FetchAttachment	29
3.1.4.4.2.2	FetchAttachmentResponse	30
3.1.4.4.3	Complex Types	30
3.1.4.4.3.1	NOTESATTACHMENT	30
3.1.4.4.4	Simple Types	31
3.1.4.4.5	Attributes	31
3.1.4.4.6	Groups	31
3.1.4.4.7	Attribute Groups	31
3.1.4.5	FetchItem	31
3.1.4.5.1	Messages	31
3.1.4.5.1.1	INotesWebServiceApplication_FetchItem_InputMessage	32
3.1.4.5.1.2	INotesWebServiceApplication_FetchItem_OutputMessage	32
3.1.4.5.2	Elements	32

3.1.4.5.2.1	FetchItem.....	32
3.1.4.5.2.2	FetchItemResponse	32
3.1.4.5.3	Complex Types	33
3.1.4.5.4	Simple Types.....	33
3.1.4.5.5	Attributes.....	33
3.1.4.5.6	Groups.....	33
3.1.4.5.7	Attribute Groups	33
3.1.4.6	GetDatabase	33
3.1.4.6.1	Messages	34
3.1.4.6.1.1	INotesWebServiceApplication_GetDatabase_InputMessage	34
3.1.4.6.1.2	INotesWebServiceApplication_GetDatabase_OutputMessage	34
3.1.4.6.2	Elements.....	34
3.1.4.6.2.1	GetDatabase.....	34
3.1.4.6.2.2	GetDatabaseResponse.....	35
3.1.4.6.3	Complex Types	35
3.1.4.6.3.1	DATABASEITEM.....	35
3.1.4.6.4	Simple Types.....	36
3.1.4.6.5	Attributes.....	36
3.1.4.6.6	Groups.....	36
3.1.4.6.7	Attribute Groups	36
3.1.4.7	GetServer.....	36
3.1.4.7.1	Messages	36
3.1.4.7.1.1	INotesWebServiceApplication_GetServer_InputMessage	36
3.1.4.7.1.2	INotesWebServiceApplication_GetServer_OutputMessage.....	37
3.1.4.7.2	Elements.....	37
3.1.4.7.2.1	GetServer.....	37
3.1.4.7.2.2	GetServerResponse	37
3.1.4.7.3	Complex Types	37
3.1.4.7.4	Simple Types.....	38
3.1.4.7.5	Attributes.....	38
3.1.4.7.6	Groups.....	38
3.1.4.7.7	Attribute Groups	38
3.1.5	Timer Events	38
3.1.6	Other Local Events	38
4	Protocol Examples.....	39
4.1	Identifying Servers and Databases.....	39
4.1.1	EnumerateServers.....	39
4.1.2	GetDatabase.....	40
4.2	Retrieving Items from the Database.....	41
4.2.1	EnumerateItems	42
4.2.2	FetchItem	44
4.2.3	FetchAttachment.....	48
5	Security.....	50
5.1	Security Considerations for Implementers.....	50
5.2	Index of Security Parameters	50
6	Appendix A: Full WSDL.....	51
7	Appendix B: Full XML Schema	55
7.1	http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration Schema	55

7.2	http://schemas.microsoft.com/2003/10/Serialization/Arrays Schema	57
7.3	http://schemas.microsoft.com/2003/10/Serialization/ Schema	59
7.4	http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission Schema	60
7.5	http://schemas.microsoft.com/Message Schema	66
7.6	http://tempuri.org/ Schema	66
8	Appendix C: Product Behavior	69
9	Change Tracking	70
10	Index	71

Preliminary

1 Introduction

This document specifies the MS Search Lotus Notes Web Service Protocol. This protocol enables a client to query a Lotus Notes application to discover Domino servers available, discover databases available on those Domino servers, and pull content and properties from those databases.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

Hypertext Transfer Protocol (HTTP)
Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS) server

The following terms are defined in [\[MS-OFCGLOS\]](#):

crawled property
display URL
endpoint
file extension
item
security descriptor
Simple Object Access Protocol (SOAP)
SOAP action
SOAP body
SOAP fault
Uniform Resource Identifier (URI)
Web Services Description Language (WSDL)
WSDL message
WSDL operation
XML namespace
XML namespace prefix
XML schema

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We

will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-DOC] Microsoft Corporation, "[Word Binary File Format \(.doc\) Structure Specification](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[SOAP1.2/1] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 1: Messaging Framework", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part1-20030624>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Ed., Beech, D., Ed., Maloney, M., Ed., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

[MS-SPSTWS] Microsoft Corporation, "[SharePoint Security Token Service Web Service Protocol Specification](#)".

[MS-SPTWS] Microsoft Corporation, "[Service Platform Topology Web Service Protocol Specification](#)".

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[SOAP1.2/2] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 2: Adjuncts", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part2-20030624>

1.3 Protocol Overview (Synopsis)

The Lotus Notes Web Service enables a protocol client to query a Lotus Notes Client application to discover Domino servers available, discover databases available on those Domino servers, and pull content and properties from those databases.

A typical scenario for using this protocol involves two stages. First, a Domino server and database are identified. This step typically involves the following sequence:

- The protocol client gets the list of servers.
- Choose a server.
- For that specific Domino server, the protocol client gets the list of databases.
- For each database, the protocol client gets the properties of that database.
- Choose a database.

The second step, after a specific database is chosen, is to retrieve items from that database. This step typically involves the following sequence:

- For that specific database, the protocol client gets the list of **items**.
- For each item, the protocol client gets the content and properties of that item.
- If an item has attachments, for each attachment, the protocol client gets the contents and properties of that attachment.

1.4 Relationship to Other Protocols

This protocol uses the **SOAP** message protocol for formatting request and response messages, as described in [\[SOAP1.1\]](#), [\[SOAP1.2/1\]](#) and [\[SOAP1.2/2\]](#). It transmits those messages by using **HTTP**, as described in [\[RFC2616\]](#), or **Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)**, as described in [\[RFC2818\]](#).

The following diagram shows the underlying messaging and transport stack that is used by the protocol:




Figure 1: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

This protocol operates against a protocol server that exposes one or more **endpoint (4) URIs** that are known by protocol clients. The endpoint (4) URI of the protocol server and the transport that is used by the protocol server are either known by the protocol client or obtained by using the discovery mechanism that is described in [\[MS-SPTWS\]](#).

The protocol client obtains the requisite ApplicationClassId and ApplicationVersion values and the endpoint (4) URI of the protocol server that provides the discovery mechanism, as described in [\[MS-SPTWS\]](#), by means that are independent of either protocol.

This protocol requires the protocol client to have appropriate permission to call the methods on the protocol server.

The protocol client implements the token-based security mechanisms that are required by the protocol server and related security protocols, as described in [\[MS-SPSTWS\]](#).

1.6 Applicability Statement

This protocol was designed to allow a client to discover **Domino Servers**, discover databases on those **servers**, and retrieve indexable content, **crawled properties**, and attachments from **Lotus Notes items** on those databases. It is intended to be used as a means to crawl content on **Domino Servers**. This protocol was designed to return 10,000 or less items per call and support a minimum crawl speed of 10 items per second.

1.7 Versioning and Capability Negotiation

This document covers versioning issues in the following areas:

- **Supported Transports:** This protocol can be implemented by using transports that support sending Simple Object Access Protocol (SOAP) messages, as specified in section 2.1.
- **Protocol Versions:** This protocol is not versioned.

Capability Negotiation: This protocol does not support version negotiation.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

In the following sections, the schema definition might differ from the processing rules imposed by the protocol. The **WSDL** in this specification matches the WSDL that shipped with the product and provides a base description of the schema. The text that introduces the WSDL might specify differences that reflect actual Microsoft product behavior. For example, the schema definition might allow for an element to be **empty**, **null**, or **not present** but the behavior of the protocol as specified restricts the same elements to being **non-empty**, **present**, and **not null**.

2.1 Transport

Protocol servers **MUST** support SOAP over HTTP. Protocol servers **SHOULD** additionally support SOAP over HTTPS for securing communication with protocol clients.

Protocol messages **MUST** be formatted as specified either in [\[SOAP1.1\]](#), Section 4 or in [\[SOAP1.2/1\]](#), Section 5. Protocol server faults **MUST** be returned either using HTTP Status Codes as specified in [\[RFC2616\]](#), Section 10 or using **SOAP faults** as specified either in [\[SOAP1.1\]](#), (Section 4.4) or in [\[SOAP1.2/1\]](#), (Section 5.4, SOAP Fault).

2.2 Common Message Syntax

This section contains common definitions that are used by this protocol. The syntax of the definitions uses **XML schema**, as specified in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and WSDL, as specified in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various **XML namespaces** using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific **XML namespace prefix** for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

Prefix	Namespace URI	Reference
q4	http://schemas.microsoft.com/Message	
ser	http://schemas.microsoft.com/2003/10/Serialization/	
soap	http://schemas.xmlsoap.org/wsdl/soap/	[SOAP1.1]
tns	http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration	
tns1	http://schemas.microsoft.com/2003/10/Serialization/Arrays	
tns2	http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission	
tns3	http://tempuri.org/	
tns4	http://tempuri.org/Imports	
wsaw	http://www.w3.org/2006/05/addressing/wsdl	
wsdl	http://schemas.xmlsoap.org/wsdl/	[WSDL]
xs	http://www.w3.org/2001/XMLSchema	[XMLSCHEMA1]

Prefix	Namespace URI	Reference
		1 [XMLSCHEMA2] 1

2.2.2 Messages

This specification does not define any common WSDL message definitions.

2.2.3 Elements

This specification does not define any common XML schema element definitions.

2.2.4 Complex Types

The following table summarizes the set of common XML schema complex type definitions defined by this specification. XML schema complex type definitions that are specific to a particular operation are described with the operation.

Complex Type	Description
ArrayOfNOTESATTACHMENTID	This type represents an array of NOTESATTACHMENTID values. Every NOTESATTACHMENTID.attachmentName MUST be a unique value within this array.
ArrayOfPROPERTY	This type represents an array of arbitrary PROPERTY values.
INDEXABLECONTENT	This type contains the content of the Lotus Notes item or the content of an attachment of a Lotus Notes Item .
NOTESATTACHMENTID	This type contains the unique identifier of an attachment in a Lotus Notes document.
NOTESITEM	This type contains the crawled properties, indexable content, security descriptor, display URL and attachment ids of a Lotus Notes item .
PROPERTY	This type contains the crawled property of a Lotus Notes Item .
SecurityDescriptor	This type contains the security descriptor of a Lotus Notes item .
SERVERITEM	This type contains the unique identifier and display URL of the Domino server .

2.2.4.1 ArrayOfNOTESATTACHMENTID

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type represents an array of NOTESATTACHMENTID values. Every **NOTESATTACHMENTID.attachmentName** MUST be a unique value within this array.

```
<xs:complexType name="ArrayOfNOTESATTACHMENTID" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
```

```

    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESATTACHMENTID"
type="tns:NOTESATTACHMENTID"/>
  </xs:sequence>
</xs:complexType>

```

NOTESATTACHMENTID: The **NOTESATTACHMENTID** element contains the unique identifier of an attachment in a Lotus Notes document.

2.2.4.2 ArrayOfPROPERTY

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type represents an array of arbitrary **PROPERTY** values.

```

<xs:complexType name="ArrayOfPROPERTY" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="PROPERTY" type="tns:PROPERTY"/>
  </xs:sequence>
</xs:complexType>

```

PROPERTY: The **PROPERTY** element contains a name/value pair.

2.2.4.3 INDEXABLECONTENT

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the content of the **Lotus Notes item** or the content of an attachment of a **Lotus Notes Item**.

```

<xs:complexType name="INDEXABLECONTENT" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="content" nillable="true" type="xs:base64Binary"/>
    <xs:element minOccurs="0" name="contentType" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="extension" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

```

content: Specifies the content of a **Lotus Notes Item** or the content of an attachment of a **Lotus Notes Item**.

contentType: It is currently unused and its contents MUST be ignored by the protocol client.

extension: Specifies the **file extension** of the data specified in the **content** element. If the content is of a specific file format such as Word (specified in [\[MS-DOC\]](#)) document then the extension of that specific format MUST be specified. If the data is a string then the extension 'txt' MUST be specified. The extension MUST be specified without a leading period.

2.2.4.4 NOTESATTACHMENTID

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the unique identifier of an attachment in a Lotus Notes document.

```
<xs:complexType name="NOTESATTACHMENTID" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

attachmentName: Specifies the unique identifier of the attachment in a **Lotus Notes item**.

itemId: A string value that uniquely identifies the **Lotus Notes item** that contains the attachment.

2.2.4.5 NOTESITEM

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the crawled properties, indexable content, security descriptor, display URL and attachment ids of a **Lotus Notes item**.

```
<xs:complexType name="NOTESITEM" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentId" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID"/>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemContent" type="tns:INDEXABLECONTENT"/>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemProps" nillable="true" type="tns:ArrayOfPROPERTY"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor"/>
  </xs:sequence>
</xs:complexType>
```

attachmentId: Specifies the list of unique identifiers of the attachments.

displayUrl: Specifies the display URL of the **Lotus Notes item**.

itemContent: Specifies the content of the **Lotus Notes Item**.

itemId: Specifies the unique identifier of the **Lotus Notes item**. MUST be unique across **Domino Servers**.

itemProps: Specifies the list of crawled properties for the **Lotus Notes item**.

lastModifiedTime: Specifies the time at which the **Lotus Notes item** was last modified.

securityDesc: Specifies the security descriptor of the **Lotus Notes item**.

2.2.4.6 PROPERTY

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the crawled property of a **Lotus Notes Item**.

```

<xs:complexType name="PROPERTY" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="Value" nillable="true" type="xs:anyType"/>
  </xs:sequence>
</xs:complexType>

```

Name: Specifies the name of the crawled property.

Value: Specifies the value of the crawled property. This MUST be of type xs:string, xs:integer or xs:dateTime.

2.2.4.7 SecurityDescriptor

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the security descriptor of a **Lotus Notes item**.

```

<xs:complexType name="SecurityDescriptor" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="SD" nillable="true" type="xs:base64Binary"/>
    <xs:element minOccurs="0" name="isNTSD" type="xs:boolean"/>
  </xs:sequence>
</xs:complexType>

```

SD: Specifies the security descriptor of the **Lotus Notes item**.

isNTSD: MUST always be set to true if the value of **SecurityDescriptor.SD** is not NULL. If the value of **SecurityDescriptor.SD** is NULL then **isNTSD** MUST be set to false.

2.2.4.8 SERVERITEM

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the unique identifier and display URL of the **Domino server**.

```

<xs:complexType name="SERVERITEM" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="serverId" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

```

displayUrl: Specifies the display URL of the **Domino server**.

serverId: Specifies the unique identifier of the **Domino server**.

2.2.5 Simple Types

This specification does not define any common XML schema simple type definitions.

2.2.6 Attributes

This specification does not define any common XML schema attribute definitions.

2.2.7 Groups

This specification does not define any common XML schema group definitions.

2.2.8 Attribute Groups

This specification does not define any common XML schema attribute group definitions.

2.2.9 Common Data Structures

This specification does not define any common XML schema data structures.

Preliminary

3 Protocol Details

In the following sections, the schema definition might differ from the processing rules imposed by the protocol. The WSDL in this specification matches the WSDL that shipped with the product and provides a base description of the schema. The text that introduces the WSDL might specify differences that reflect actual Microsoft product behavior. For example, the schema definition might allow for an element to be **empty**, **null**, or **not present** but the behavior of the protocol as specified restricts the same elements to being **non-empty**, **present**, and **not null**.

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport, and the results returned by the transport are passed directly back to the higher-layer protocol or application.

Except where specified, protocol clients SHOULD interpret HTTP Status Codes returned by the protocol server as specified in [RFC2616](#), Section 10.

This protocol allows protocol servers to notify protocol clients of application-level faults using SOAP faults. Except where specified, these SOAP faults are not significant for interoperability, and protocol clients can interpret them in an implementation-specific manner.

3.1 Server Details

The Server role is described in this section.

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.




Figure 2: Object Hierarchy

3.1.1.1 Object Hierarchy

The protocol server maintains a hierarchy of objects representing state of the Lotus Notes Web Service protocol. The properties of these objects affect the information returned from queries to the server.

3.1.1.2 Server

There MAY be zero or more server objects.

displayURL: The display URL associated with the Domino server this object represents

serverId: The unique identifier for this server.

3.1.1.3 Database

Each server has zero or more databases associated with it. This object represents a database that can be queried for items.

databaseId: Unique identifier for this database in the server.

displayURL: The display URL associated with the database this object represents.

lastModifiedTime: Timestamp indicating the last time this database was changed.

securityDesc: The security descriptor for the database.

3.1.1.4 Item

Each database has zero or more items associated with it.

displayURL: The display URL for the item this object represents.

itemContent: The indexable content of this item.

itemId: Unique identifier for this item in the database.

itemProps: An array consisting of zero or more name/value pairs. These pairs make up the crawled properties for this item.

lastModifiedTime: The timestamp representing the last time this item changed.

securityDesc: The security descriptor for this item.

3.1.1.5 Attachment

Each item has zero or more attachments associated with it.

attachmentID: The unique identifier for the attachment.

attachmentContent: The indexable content of the attachment.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

The following table summarizes the list of operations as defined by this specification:

Operation	Description
EnumerateDatabases	This operation is used by the protocol client to retrieve the list of all the Lotus Notes databases in a Domino server. If the value of lastSeenDatabase element is an empty string, this operation MUST return all the Lotus Notes databases in the Domino server . If the value of lastSeenDatabase element is the value of the DATABASEITEMID.databaseId element, this operation MUST return all the Lotus Notes databases in the Domino server whose databaseId is greater than DATABASEITEMID.databaseId .
EnumerateItems	This operation is used by the protocol client to retrieve the list of all the Lotus Notes items in a Lotus Notes database.
EnumerateServers	This operation is used by the protocol client to retrieve all the available Domino servers .
FetchAttachment	This operation is used by the protocol client to retrieve an attachment of a Lotus Notes item .

Operation	Description
FetchItem	This operation is used by the protocol client to retrieve the crawled properties, indexable content, security descriptor, display URL and attachment ids of the Lotus Notes item .
GetDatabase	This operation is used by the protocol client to retrieve the unique identifier, display URL, last modified time and security descriptor of a Lotus Notes database.
GetServer	This operation is not used and MUST NOT be invoked.

3.1.4.1 EnumerateDatabases

This operation is used by the protocol client to retrieve the list of all the Lotus Notes databases in a Domino server.

If the value of **lastSeenDatabase** element is an empty string, this operation MUST return all the **Lotus Notes databases** in the **Domino server**.

If the value of **lastSeenDatabase** element is the value of the **DATABASEITEMID.databaseId** element, this operation MUST return all the **Lotus Notes databases** in the **Domino server** whose **databaseId** is greater than **DATABASEITEMID.databaseId**.

```
<wsdl:operation name="EnumerateDatabases" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
    message="tns3:INotesWebServiceApplication_EnumerateDatabases_InputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
    wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabasesResponse"
    message="tns3:INotesWebServiceApplication_EnumerateDatabases_OutputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication EnumerateDatabases InputMessage](#) request message, and the protocol server responds with an [INotesWebServiceApplication EnumerateDatabases OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the list of Lotus Notes databases in the Domino server.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.1.1 Messages

The following table summarizes the set of **WSDL message** definitions that are specific to this operation.

Message	Description
INotesWebServiceApplication_EnumerateDatabases_InputMessage	The request WSDL message for the EnumerateDatabases WSDL operation .
INotesWebServiceApplication_EnumerateDatabases_OutputMessage	The response WSDL message for the EnumerateDatabases WSDL

Message	Description
	operation.

3.1.4.1.1.1 INotesWebServiceApplication_EnumerateDatabases_InputMessage

The request WSDL message for the **EnumerateDatabases** WSDL operation.

The **SOAP action** value is:

```
http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases
```

The **SOAP body** contains the **EnumerateDatabases** element.

3.1.4.1.1.2 INotesWebServiceApplication_EnumerateDatabases_OutputMessage

The response WSDL message for the **EnumerateDatabases** WSDL operation.

The SOAP body contains the **EnumerateDatabasesResponse** element.

3.1.4.1.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
EnumerateDatabases	The input data for the EnumerateDatabases WSDL operation.
EnumerateDatabasesResponse	The result data for the EnumerateDatabases WSDL operation.

3.1.4.1.2.1 EnumerateDatabases

The input data for the **EnumerateDatabases** WSDL operation.

```
<xs:element name="EnumerateDatabases" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="lastSeenDatabase" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

serverName: Specifies the unique identifier of the **Domino server**. This MUST be the value of the **SERVERITEM.serverId** element returned by the [GetServer](#) operation.

lastSeenDatabase: Specifies the unique identifier of the **Lotus Notes database**. This MUST be an empty string or the value of the **DATABASEITEMID.databaseId** element returned by a previous call to **EnumerateDatabases** operation.

- If this is an empty string, the **EnumerateDatabases** operation MUST return all the **Lotus Notes databases** in the **Domino Server**.

- If this is the value of a **DATABASEITEMID.databaseId** element, the **EnumerateDatabases** operation MUST return all the **Lotus Notes databases** in the **Domino Server** whose **databaseId** is greater than **DATABASEITEMID.databaseId**.

3.1.4.1.2.2 EnumerateDatabasesResponse

The result data for the **EnumerateDatabases** WSDL operation.

```
<xs:element name="EnumerateDatabasesResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration" minOccurs="0" name="EnumerateDatabasesResult" nillable="true"
        type="tns:ArrayOfDATABASEITEMID"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

EnumerateDatabasesResult: This contains the list of **Lotus Notes databases** in the Domino server.

3.1.4.1.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
ArrayOfDATABASEITEMID	Represents an array of arbitrary DATABASEITEMID values.
DATABASEITEMID	Contains the unique identifier of a Lotus Notes database .

3.1.4.1.3.1 ArrayOfDATABASEITEMID

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type represents an array of arbitrary DATABASEITEMID values.

```
<xs:complexType name="ArrayOfDATABASEITEMID" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="DATABASEITEMID"
      type="tns:DATABASEITEMID"/>
  </xs:sequence>
</xs:complexType>
```

DATABASEITEMID: The **DATABASEITEMID** contains the unique identifier of a **Lotus Notes database**.

3.1.4.1.3.2 DATABASEITEMID

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the unique identifier of a **Lotus Notes database**.

```
<xs:complexType name="DATABASEITEMID" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
  </xs:sequence>
</xs:complexType>
```

databaseId: Specifies the unique identifier of the **Lotus Notes database**.

lastModifiedTime: Specifies the time at which the **Lotus Notes database** was last modified.

3.1.4.1.4 Simple Types

None.

3.1.4.1.5 Attributes

None.

3.1.4.1.6 Groups

None.

3.1.4.1.7 Attribute Groups

None.

3.1.4.2 EnumerateItems

This operation is used by the protocol client to retrieve the list of all the Lotus Notes items in a Lotus Notes database.

```
<wsdl:operation name="EnumerateItems" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItems"
  message="tns3:INotesWebServiceApplication_EnumerateItems_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
  wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItemsResponse"
  message="tns3:INotesWebServiceApplication_EnumerateItems_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication EnumerateItems InputMessage](#) request message, and the protocol server responds with an [INotesWebServiceApplication EnumerateItems OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the list of Lotus Notes items in the Lotus Notes database.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.2.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
INotesWebServiceApplication_EnumerateItems_InputMessage	The request WSDL message for the EnumerateItems WSDL operation.
INotesWebServiceApplication_EnumerateItems_OutputMessage	The response WSDL message for the EnumerateItems WSDL operation.

3.1.4.2.1.1 INotesWebServiceApplication_EnumerateItems_InputMessage

The request WSDL message for the **EnumerateItems** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/EnumerateItems
```

The SOAP body contains the **EnumerateItems** element.

3.1.4.2.1.2 INotesWebServiceApplication_EnumerateItems_OutputMessage

The response WSDL message for the **EnumerateItems** WSDL operation.

The SOAP body contains the **EnumerateItemsResponse** element.

3.1.4.2.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
EnumerateItems	The input data for the EnumerateItems WSDL operation.
EnumerateItemsResponse	The result data for the EnumerateItems WSDL operation.

3.1.4.2.2.1 EnumerateItems

The input data for the **EnumerateItems** WSDL operation.

```
<xs:element name="EnumerateItems" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="databasePath" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="lastSeenItem" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```


databasePath: Specifies the unique identifier of the **Lotus Notes database**. This MUST be the value of the **DATABASEITEM.databaseId** element returned by [GetDatabase](#) operation.

lastSeenItem: Specifies the unique identifier of a **Lotus Notes item**. This MUST be an empty string or the value of the **NOTESITEM.itemId** element returned by a previous call to **EnumerateItems** operation.

- If this is an empty string then the **EnumerateItems** operation MUST return all the **Lotus Notes items** in the **Lotus Notes database**.
- If this is the value of a **NOTESITEM.itemId** element then the **EnumerateItems** operation MUST return all the **Lotus Notes items** in the **Lotus Notes database** whose **ItemId** is greater than **NOTESITEM.itemId**.

3.1.4.2.2 EnumerateItemsResponse

The result data for the **EnumerateItems** WSDL operation.

```
<xs:element name="EnumerateItemsResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration" minOccurs="0" name="EnumerateItemsResult" nillable="true" type="tns:ArrayOfNOTESITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

EnumerateItemsResult: This contains the list of **Lotus Notes items** in the **Lotus Notes database**.

3.1.4.2.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
ArrayOfNOTESITEM	Represents an array of NOTESITEM values.

3.1.4.2.3.1 ArrayOfNOTESITEM

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type represents an array of **NOTESITEM** values.

```
<xs:complexType name="ArrayOfNOTESITEM" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESITEM" type="tns:NOTESITEM"/>
  </xs:sequence>
</xs:complexType>
```

NOTESITEM: The **NOTESITEM** element contains the content of a **Lotus Notes item**.

3.1.4.2.4 Simple Types

None.

3.1.4.2.5 Attributes

None.

3.1.4.2.6 Groups

None.

3.1.4.2.7 Attribute Groups

None.

3.1.4.3 EnumerateServers

This operation is used by the protocol client to retrieve all the available **Domino servers**.

```
<wsdl:operation name="EnumerateServers" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServers"
  message="tns3:INotesWebServiceApplication_EnumerateServers_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
  wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServersResponse"
  message="tns3:INotesWebServiceApplication_EnumerateServers_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication_EnumerateServers_InputMessage](#) request, message and the protocol server responds with an [INotesWebServiceApplication_EnumerateServers_OutputMessage](#) response message, as follows.

- The protocol server MUST return the list of Domino servers.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.3.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
INotesWebServiceApplication_EnumerateServers_InputMessage	The request WSDL message for the EnumerateServers WSDL operation.
INotesWebServiceApplication_EnumerateServers_OutputMessage	The response WSDL message for the EnumerateServers WSDL operation.

3.1.4.3.1.1 INotesWebServiceApplication_EnumerateServers_InputMessage

The request WSDL message for the **EnumerateServers** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/EnumerateServers
```

The SOAP body contains the **EnumerateServers** element.

3.1.4.3.1.2 INotesWebServiceApplication_EnumerateServers_OutputMessage

The response WSDL message for the **EnumerateServers** WSDL operation.

The SOAP body contains the **EnumerateServersResponse** element.

3.1.4.3.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
EnumerateServers	The input data for the EnumerateServers WSDL operation.
EnumerateServersResponse	The result data for the EnumerateServers WSDL operation.

3.1.4.3.2.1 EnumerateServers

The input data for the **EnumerateServers** WSDL operation.

```
<xs:element name="EnumerateServers" xmlns:xs="http://www.w3.org/2001/XMLSchema">  
  <xs:complexType>  
    <xs:sequence/>  
  </xs:complexType>  
</xs:element>
```

3.1.4.3.2.2 EnumerateServersResponse

The result data for the **EnumerateServers** WSDL operation.

```
<xs:element name="EnumerateServersResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">  
  <xs:complexType>  
    <xs:sequence>  
      <xs:element  
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat  
ion" minOccurs="0" name="EnumerateServersResult" nillable="true"  
        type="tns:ArrayOfSERVERITEM"/>  
    </xs:sequence>  
  </xs:complexType>  
</xs:element>
```

EnumerateServersResult: This contains the list of **Domino servers**.

3.1.4.3.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
ArrayOfSERVERITEM	Represents an array of arbitrary SERVERITEM values.

3.1.4.3.3.1 ArrayOfSERVERITEM

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type represents an array of arbitrary **SERVERITEM** values.

```
<xs:complexType name="ArrayOfSERVERITEM" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="SERVERITEM" type="tns:SERVERITEM"/>
  </xs:sequence>
</xs:complexType>
```

SERVERITEM: The **SERVERITEM** element contains the unique identifier and display URL of a **Domino server**.

3.1.4.3.4 Simple Types

None.

3.1.4.3.5 Attributes

None.

3.1.4.3.6 Groups

None.

3.1.4.3.7 Attribute Groups

None.

3.1.4.4 FetchAttachment

This operation is used by the protocol client to retrieve an attachment of a **Lotus Notes item**.

```
<wsdl:operation name="FetchAttachment" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachment"
  message="tns3:INotesWebServiceApplication_FetchAttachment_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
  wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachmentResponse"
  message="tns3:INotesWebServiceApplication_FetchAttachment_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication_FetchAttachment_InputMessage](#) request, message and the protocol server responds with an [INotesWebServiceApplication_FetchAttachment_OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the attachment of a Lotus Notes item.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.4.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
<code>INotesWebServiceApplication_FetchAttachment_InputMessage</code>	The request WSDL message for the FetchAttachment WSDL operation.
<code>INotesWebServiceApplication_FetchAttachment_OutputMessage</code>	The response WSDL message for the FetchAttachment WSDL operation.

3.1.4.4.1.1 INotesWebServiceApplication_FetchAttachment_InputMessage

The request WSDL message for the **FetchAttachment** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/FetchAttachment
```

The SOAP body contains the **FetchAttachment** element.

3.1.4.4.1.2 INotesWebServiceApplication_FetchAttachment_OutputMessage

The response WSDL message for the **FetchAttachment** WSDL operation.

The SOAP body contains the **FetchAttachmentResponse** element.

3.1.4.4.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
<code>FetchAttachment</code>	The input data for the FetchAttachment WSDL operation.
<code>FetchAttachmentResponse</code>	The result data for the FetchAttachment WSDL operation.

3.1.4.4.2.1 FetchAttachment

The input data for the **FetchAttachment** WSDL operation.

```
<xs:element name="FetchAttachment" xmlns:xs="http://www.w3.org/2001/XMLSchema">
```

```

<xs:complexType>
  <xs:sequence>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
</xs:element>

```

itemId: Specifies the unique identifier of the **Lotus Notes item** that contains the attachment. This MUST be the value of the **NOTESITEM.NOTESATTACHMENTID.itemId** element returned by the [FetchItem](#) operation.

attachmentName: Specifies the unique identifier of the attachment in a **Lotus Notes item**. This MUST be the value of the **NOTESITEM.NOTESATTACHMENTID.attachmentName** element returned by the [FetchItem](#) operation.

3.1.4.4.2 FetchAttachmentResponse

The result data for the **FetchAttachment** WSDL operation.

```

<xs:element name="FetchAttachmentResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration"
        minOccurs="0" name="FetchAttachmentResult" type="tns:NOTESATTACHMENT"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

FetchAttachmentResult: Contains the attachment of a **Lotus Notes item**.

3.1.4.4.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
NOTESATTACHMENT	Contains the contents of an attachment in a Lotus Notes item .

3.1.4.4.3.1 NOTESATTACHMENT

Namespace:

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration>

This type contains the contents of an attachment in a **Lotus Notes item**.

```

<xs:complexType name="NOTESATTACHMENT" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentContent" type="tns:INDEXABLECONTENT"/>
    <xs:element minOccurs="0" name="attachmentId" type="tns:NOTESATTACHMENTID"/>
  </xs:sequence>

```

</xs:complexType>

attachmentContent: Specifies the indexable content of the attachment of a **Lotus Notes Item**.

attachmentId: Specifies the unique identifier of the attachment of a **Lotus Notes item**.

3.1.4.4.4 Simple Types

None.

3.1.4.4.5 Attributes

None.

3.1.4.4.6 Groups

None.

3.1.4.4.7 Attribute Groups

None.

3.1.4.5 FetchItem

This operation is used by the protocol client to retrieve the crawled properties, indexable content, security descriptor, display URL and attachment ids of the **Lotus Notes item**.

```
<wsdl:operation name="FetchItem" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItem"
  message="tns3:INotesWebServiceApplication_FetchItem_InputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItemResponse"
  message="tns3:INotesWebServiceApplication_FetchItem_OutputMessage"
  xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

The protocol client sends an [INotesWebServiceApplication_FetchItem_InputMessage](#) request message, and the protocol server responds with an [INotesWebServiceApplication_FetchItem_OutputMessage](#) response message, as follows.

- On success, the protocol server MUST return the crawled properties, indexable content, security descriptor and attachment IDs of the Lotus Notes item.
- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.5.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
INotesWebServiceApplication_FetchItem_InputMessage	The request WSDL message for the

Message	Description
	FetchItem WSDL operation.
INotesWebServiceApplication_FetchItem_OutputMessage	The response WSDL message for the FetchItem WSDL operation.

3.1.4.5.1.1 INotesWebServiceApplication_FetchItem_InputMessage

The request WSDL message for the **FetchItem** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/FetchItem
```

The SOAP body contains the **FetchItem** element.

3.1.4.5.1.2 INotesWebServiceApplication_FetchItem_OutputMessage

The response WSDL message for the **FetchItem** WSDL operation.

The SOAP body contains the **FetchItemResponse** element.

3.1.4.5.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
FetchItem	The input data for the FetchItem WSDL operation.
FetchItemResponse	The result data for the FetchItem WSDL operation.

3.1.4.5.2.1 FetchItem

The input data for the **FetchItem** WSDL operation.

```
<xs:element name="FetchItem" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

itemId: Specifies the unique identifier of the **Lotus Notes item**. This MUST be the value of one of the **NOTESITEM.itemId** elements returned by the [EnumerateItems](#) operation.

3.1.4.5.2.2 FetchItemResponse

The result data for the **FetchItem** WSDL operation.


```

<xs:element name="FetchItemResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
        ion" minOccurs="0" name="FetchItemResult" type="tns:NOTESITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

FetchItemResult: This contains the content of the **Lotus Notes item**.

3.1.4.5.3 Complex Types

None.

3.1.4.5.4 Simple Types

None.

3.1.4.5.5 Attributes

None.

3.1.4.5.6 Groups

None.

3.1.4.5.7 Attribute Groups

None.

3.1.4.6 GetDatabase

This operation is used by the protocol client to retrieve the unique identifier, display URL, last modified time and security descriptor of a Lotus Notes database.

```

<wsdl:operation name="GetDatabase" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabase"
    message="tns3:INotesWebServiceApplication_GetDatabase_InputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output
    wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabaseResponse"
    message="tns3:INotesWebServiceApplication_GetDatabase_OutputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>

```

The protocol client sends an **INotesWebServiceApplication_GetDatabase_InputMessage** (section [3.1.4.6.1.1](#)) request message, and the protocol server responds with an **INotesWebServiceApplication_GetDatabase_OutputMessage** (section [3.1.4.6.1.2](#)) response message, as follows.

- On success, the protocol server MUST return the unique identifier, display URL, last modified time and security descriptor of the Lotus Notes database.

- On error, the protocol server MUST send a `FaultException<ExceptionDetail>` message to the protocol client.

3.1.4.6.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
<code>INotesWebServiceApplication_GetDatabase_InputMessage</code>	The request WSDL message for the GetDatabase WSDL operation.
<code>INotesWebServiceApplication_GetDatabase_OutputMessage</code>	The response WSDL message for the GetDatabase WSDL operation.

3.1.4.6.1.1 INotesWebServiceApplication_GetDatabase_InputMessage

The request WSDL message for the **GetDatabase** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/GetDatabase
```

The SOAP body contains the **GetDatabase** element.

3.1.4.6.1.2 INotesWebServiceApplication_GetDatabase_OutputMessage

The response WSDL message for the **GetDatabase** WSDL operation.

The SOAP body contains the **GetDatabaseResponse** element.

3.1.4.6.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
<code>GetDatabase</code>	The input data for the GetDatabase WSDL operation.
<code>GetDatabaseResponse</code>	The result data for the GetDatabase WSDL operation.

3.1.4.6.2.1 GetDatabase

The input data for the **GetDatabase** WSDL operation.

```
<xs:element name="GetDatabase" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="databaseName" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
```

```
</xs:element>
```

databaseName: Specifies the unique identifier of the **Lotus Notes database**. This MUST be the value of one of the **DATABASEITEM.databaseId** elements returned by [EnumerateDatabases](#) operation.

3.1.4.6.2.2 GetDatabaseResponse

The result data for the **GetDatabase** WSDL operation.

```
<xs:element name="GetDatabaseResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration"
        minOccurs="0" name="GetDatabaseResult" type="tns:DATABASEITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

GetDatabaseResult: This contains the unique identifier, display URL, last modified time and security descriptor of the **Lotus Notes database**.

3.1.4.6.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

Complex type	Description
DATABASEITEM	Contains the unique identifier, display URL, last modified time and security descriptor of a Lotus Notes database .

3.1.4.6.3.1 DATABASEITEM

Namespace:

http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration

This type contains the unique identifier, display URL, last modified time and security descriptor of a **Lotus Notes database**.

```
<xs:complexType name="DATABASEITEM" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:sequence>
    <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor"/>
  </xs:sequence>
</xs:complexType>
```

databaseId: Specifies the unique identifier of the **Lotus Notes database**.

displayUrl: Specifies the display URL of the **Lotus Notes database**.

lastModifiedTime: Specifies the time at which the **Lotus Notes database** was last modified.

securityDesc: Specifies the security descriptor of the **Lotus Notes database**.

3.1.4.6.4 Simple Types

None.

3.1.4.6.5 Attributes

None.

3.1.4.6.6 Groups

None.

3.1.4.6.7 Attribute Groups

None.

3.1.4.7 GetServer

This operation is not used and MUST NOT be invoked.

```
<wsdl:operation name="GetServer" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetServer"
    message="tns3:INotesWebServiceApplication_GetServer_InputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
  <wsdl:output wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetServerResponse"
    message="tns3:INotesWebServiceApplication_GetServer_OutputMessage"
    xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
</wsdl:operation>
```

3.1.4.7.1 Messages

The following table summarizes the set of WSDL message definitions that are specific to this operation.

Message	Description
INotesWebServiceApplication_GetServer_InputMessage	The request WSDL message for the GetServer WSDL operation.
INotesWebServiceApplication_GetServer_OutputMessage	The response WSDL message for the GetServer WSDL operation.

3.1.4.7.1.1 INotesWebServiceApplication_GetServer_InputMessage

The request WSDL message for the **GetServer** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/INotesWebServiceApplication/GetServer
```

The SOAP body contains the **GetServer** element.

3.1.4.7.1.2 INotesWebServiceApplication_GetServer_OutputMessage

The response WSDL message for the **GetServer** WSDL operation.

The SOAP body contains the **GetServerResponse** element.

3.1.4.7.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

Element	Description
GetServer	The input data for the GetServer WSDL operation.
GetServerResponse	The result data for the GetServer WSDL operation.

3.1.4.7.2.1 GetServer

The input data for the **GetServer** WSDL operation.

```
<xs:element name="GetServer" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

serverName:

3.1.4.7.2.2 GetServerResponse

The result data for the **GetServer** WSDL operation.

```
<xs:element name="GetServerResponse" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType>
    <xs:sequence>
      <xs:element
        xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration"
        minOccurs="0" name="GetServerResult" type="tns:SERVERITEM"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

GetServerResult:

3.1.4.7.3 Complex Types

None.

3.1.4.7.4 Simple Types

None.

3.1.4.7.5 Attributes

None.

3.1.4.7.6 Groups

None.

3.1.4.7.7 Attribute Groups

None.

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

4.1 Identifying Servers and Databases

To enumerate servers, databases and to get properties for a database, the protocol client sends the following messages to the protocol server.

4.1.1 EnumerateServers

To enumerate the available Domino servers, the protocol client sends the following message:

Request message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/EnumerateServers
    </a:Action>
    <a:MessageID>
      urn:uuid:73bf4a5d-4c0b-4d61-b621-e255a45c5f4d
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        b14b0e1c-f5a5-4b96-bd92-2936264a5e5a
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId>
        00000000-0000-0000-0000-000000000000
      </siteSubscriptionId>
    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <EnumerateServers xmlns="http://tempuri.org/">
    </EnumerateServers>
  </s:Body>
</s:Envelope>
```

Response message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
```

```

xmlns:a="http://www.w3.org/2005/08/addressing"
xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
<s:Header>
  <a:Action s:mustUnderstand="1">
    http://tempuri.org/INotesWebServiceApplication/EnumerateServersResponse
  </a:Action>
  <a:RelatesTo>
    urn:uuid:73bf4a5d-4c0b-4d61-b621-e255a45c5f4d
  </a:RelatesTo>
</s:Header>
<s:Body>
  <EnumerateServersResponse xmlns="http://tempuri.org/">
    <EnumerateServersResult

xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    <b:SERVERITEM>
      <b:displayUrl>http://servernotes1</b:displayUrl>
      <b:serverId>servernotes1</b:serverId>
    </b:SERVERITEM>
    <b:SERVERITEM>
      <b:displayUrl>http://servernotes2</b:displayUrl>
      <b:serverId>servernotes2</b:serverId>
    </b:SERVERITEM>
  </EnumerateServersResult>
</EnumerateServersResponse>
</s:Body>
</s:Envelope>

```

4.1.2 GetDatabase

To get the properties for a specific database, the protocol client sends the following message:

Request message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/GetDatabase
    </a:Action>
    <a:MessageID>
      urn:uuid:c7f4e90c-2c6f-4d43-983e-a52a8a2d35a7
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>

```



```

    00000000-0000-0000-0000-000000000000
  </correlationId>
  <language>en-US</language>
  <region>en-US</region>
  <siteSubscriptionId i:nil="true"></siteSubscriptionId>
</ServiceContext>
<a:To s:mustUnderstand="1" u:Id="_1">
  http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
</a:To>
</s:Header>
<s:Body>
  <GetDatabase xmlns="http://tempuri.org/">
    <databaseName>servernotes1\database.nsf</databaseName>
  </GetDatabase>
</s:Body>
</s:Envelope>

```

Response message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/GetDatabaseResponse
    </a:Action>
    <a:RelatesTo>
      urn:uuid:c7f4e90c-2c6f-4d43-983e-a52a8a2d35a7
    </a:RelatesTo>
  </s:Header>
  <s:Body>
    <GetDatabaseResponse xmlns="http://tempuri.org/">
      <GetDatabaseResult
        xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
        xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
          <b:databaseId>servernotes1\database.nsf</b:databaseId>
          <b:displayUrl>http://servernotes1/database.nsf/</b:displayUrl>
          <b:lastModifiedTime>2009-12-28T15:12:16</b:lastModifiedTime>
          <b:securityDesc>
            <b:SD>security_desc_value</b:SD>
            <b:isNTSD>true</b:isNTSD>
          </b:securityDesc>
        </GetDatabaseResult>
      </GetDatabaseResponse>
    </s:Body>
  </s:Envelope>

```

4.2 Retrieving Items from the Database

To retrieve items from the database, the protocol client sends the following messages to the protocol server:

4.2.1 EnumerateItems

To enumerate the available items in a specific database, the protocol client sends the following message:

Request message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/EnumerateItems
    </a:Action>
    <a:MessageID>
      urn:uuid:6d826f02-57ea-464a-b579-cb4cb4b199d0
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        00000000-0000-0000-0000-000000000000
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId i:nil="true"></siteSubscriptionId>
    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <EnumerateItems xmlns="http://tempuri.org/">
      <databasePath>servernotes1\database.nsf</databasePath>
      <lastSeenItem></lastSeenItem>
    </EnumerateItems>
  </s:Body>
</s:Envelope>
```

Response message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/EnumerateItemsResponse
    </a:Action>
    <a:RelatesTo>
```

```

    urn:uuid:6d826f02-57ea-464a-b579-cb4cb4b199d0
  </a:RelatesTo>
</s:Header>
<s:Body>
  <EnumerateItemsResponse xmlns="http://tempuri.org/">
    <EnumerateItemsResult

xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <b:NOTESITEM>
        <b:attachmentId i:nil="true"></b:attachmentId>
        <b:displayUrl>
          http://servernotes1/database.nsf/$DEFAULTVIEW/1f8e15d909ded77188256f4e0083811b
        </b:displayUrl>
        <b:itemContent>
          <b:content i:nil="true"></b:content>
          <b:contentType i:nil="true"></b:contentType>
          <b:extension i:nil="true"></b:extension>
        </b:itemContent>
        <b:itemId>
          servernotes1\database.nsf\1f8e15d909ded77188256f4e0083811b
        </b:itemId>
        <b:itemProps i:nil="true"></b:itemProps>
        <b:lastModifiedTime>2004-12-05T17:52:57</b:lastModifiedTime>
        <b:securityDesc>
          <b:SD i:nil="true"></b:SD>
          <b:isNTSD>>false</b:isNTSD>
        </b:securityDesc>
      </b:NOTESITEM>
      <b:NOTESITEM>
        <b:attachmentId i:nil="true"></b:attachmentId>
        <b:displayUrl>
          http://servernotes1/database.nsf/$DEFAULTVIEW/9a903eb367b0c32788256f4f00000fa7
        </b:displayUrl>
        <b:itemContent>
          <b:content i:nil="true"></b:content>
          <b:contentType i:nil="true"></b:contentType>
          <b:extension i:nil="true"></b:extension>
        </b:itemContent>
        <b:itemId>
          servernotes1\database.nsf\9a903eb367b0c32788256f4f00000fa7
        </b:itemId>
        <b:itemProps i:nil="true"></b:itemProps>
        <b:lastModifiedTime>2004-12-05T17:52:57</b:lastModifiedTime>
        <b:securityDesc>
          <b:SD i:nil="true"></b:SD>
          <b:isNTSD>>false</b:isNTSD>
        </b:securityDesc>
      </b:NOTESITEM>
      <b:NOTESITEM>
        <b:attachmentId i:nil="true"></b:attachmentId>
        <b:displayUrl>
          http://servernotes1/database.nsf/$DEFAULTVIEW/2f774d849acbe245882570c1000634d4
        </b:displayUrl>
        <b:itemContent>
          <b:content i:nil="true"></b:content>
          <b:contentType i:nil="true"></b:contentType>
          <b:extension i:nil="true"></b:extension>

```

```

        </b:itemContent>
        <b:itemId>
            servernotes1\database.nsf\2f774d849acbe245882570c1000634d4
        </b:itemId>
        <b:itemProps i:nil="true"></b:itemProps>
        <b:lastModifiedTime>2005-11-21T17:09:41</b:lastModifiedTime>
        <b:securityDesc>
            <b:SD i:nil="true"></b:SD>
            <b:isNTSD>>false</b:isNTSD>
        </b:securityDesc>
    </b:NOTESITEM>
</EnumerateItemsResult>
</EnumerateItemsResponse>
</s:Body>
</s:Envelope>

```

4.2.2 FetchItem

To retrieve the properties for a specific item, the protocol client sends the following message:

Request message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchItem
    </a:Action>
    <a:MessageID>
      urn:uuid:675c026d-f85f-425c-bf31-dc74c22a6fd8
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        00000000-0000-0000-0000-000000000000
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId i:nil="true"></siteSubscriptionId>
    </ServiceContext>
    <a:To s:mustUnderstand="1" u:Id="_1">
      http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
    </a:To>
  </s:Header>
  <s:Body>
    <FetchItem xmlns="http://tempuri.org/">
      <itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</itemId>
    </FetchItem>
  </s:Body>
</s:Envelope>

```

```
</s:Body>
</s:Envelope>
```

Response message:

```
<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchItemResponse
    </a:Action>
    <a:RelatesTo>
      urn:uuid:675c026d-f85f-425c-bf31-dc74c22a6fd8
    </a:RelatesTo>
  </s:Header>
  <s:Body>
    <FetchItemResponse xmlns="http://tempuri.org/">
      <FetchItemResult

xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
n"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    <b:attachmentId>
      <b:NOTESATTACHMENTID>
        <b:attachmentName>EXT07956</b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
      <b:NOTESATTACHMENTID>
        <b:attachmentName i:nil="true"></b:attachmentName>
        <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
      </b:NOTESATTACHMENTID>
    </b:attachmentId>
    <b:displayUrl>http://servernotes1/database.nsf/$DEFAULTVIEW/2f774d849acbe245882570c1000634d4<
/b:displayUrl>
    <b:itemContent>
      <b:content>IA==</b:content>
      <b:contentType i:nil="true"></b:contentType>
      <b:extension>txt</b:extension>
```

```

</b:itemContent>
<b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
<b:itemProps>
  <b:PROPERTY>
    <b>Name>Author</b>Name>
    <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">Author</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Comments</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Company</b>Name>
    <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">Microsoft</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Keywords</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Subject</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>Title</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>DateCreated</b>Name>
    <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:08:00</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>LastSavedBy</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>LastSavedDate</b>Name>
    <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:08:00</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>LinksUpToDate</b>Name>
    <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>NameOfApplication</b>Name>
    <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"> </b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>NumberOfCharacters</b>Name>
    <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">12</b:Value>
  </b:PROPERTY>
  <b:PROPERTY>
    <b>Name>NumberOfCharactersWithSpaces</b>Name>
    <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">13</b:Value>
  </b:PROPERTY>

```

```

<b:PROPERTY>
  <b:Name>NumberOfLines</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>NumberOfPages</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>NumberOfParagraphs</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>NumberOfRevisions</b:Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema">1</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>NumberOfWords</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">2</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>Template</b:Name>
  <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">Normal.dot</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>TotalEditingTime</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>ScaleOrCrop</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>Security</b:Name>
  <b:Value i:type="c:long" xmlns:c="http://www.w3.org/2001/XMLSchema">0</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>DocumentClass</b:Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>FORM</b:Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>embedTitle</b:Name>
  <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>$UpdatedBy</b:Name>
  <b:Value i:type="c:string"
xmlns:c="http://www.w3.org/2001/XMLSchema">CN=username/O=domain</b:Value>
</b:PROPERTY>
<b:PROPERTY>
  <b:Name>$Revisions</b:Name>
  <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:09:26</b:Value>
</b:PROPERTY>

```

```

    <b:PROPERTY>
      <b>Name>Author</b>Name>
      <b:Value i:type="c:string" xmlns:c="http://www.w3.org/2001/XMLSchema"></b:Value>
    </b:PROPERTY>
    <b:PROPERTY>
      <b>Name>lastaccessed</b>Name>
      <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:09:41</b:Value>
    </b:PROPERTY>
    <b:PROPERTY>
      <b>Name>creationdate</b>Name>
      <b:Value i:type="c:dateTime" xmlns:c="http://www.w3.org/2001/XMLSchema">2005-11-
21T17:07:47</b:Value>
    </b:PROPERTY>
  </b:itemProps>
  <b:lastModifiedTime>2005-11-21T17:09:41</b:lastModifiedTime>
  <b:securityDesc>
    <b:SD>security_desc_value</b:SD>
    <b:isNTSD>true</b:isNTSD>
  </b:securityDesc>
</FetchItemResult>
</FetchItemResponse>
</s:Body>
</s:Envelope>

```

4.2.3 FetchAttachment

To retrieve a specific attachment, the protocol client sends the following message:

Request message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchAttachment
    </a:Action>
    <a:MessageID>
      urn:uuid:8f720c2c-b4c4-4925-966d-33e74a577ede
    </a:MessageID>
    <a:ReplyTo>
      <a:Address>
        http://www.w3.org/2005/08/addressing/anonymous
      </a:Address>
    </a:ReplyTo>
    <ServiceContext
      xmlns="http://schemas.microsoft.com/sharepoint/servicecontext"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
      <correlationId>
        00000000-0000-0000-0000-000000000000
      </correlationId>
      <language>en-US</language>
      <region>en-US</region>
      <siteSubscriptionId i:nil="true"></siteSubscriptionId>
    </ServiceContext>
  </s:Header>

```



```

</ServiceContext>
<a:To s:mustUnderstand="1" u:Id="_1">
  http://example.com:32843/088ec4ed4144457bb36088e0b5c0bea8/NotesWebService.svc
</a:To>
</s:Header>
<s:Body>
  <FetchAttachment xmlns="http://tempuri.org/">
    <itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</itemId>
    <attachmentName>EXT07956</attachmentName>
  </FetchAttachment>
</s:Body>
</s:Envelope>

```

Response message:

```

<s:Envelope
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <a:Action s:mustUnderstand="1">
      http://tempuri.org/INotesWebServiceApplication/FetchAttachmentResponse
    </a:Action>
    <a:RelatesTo>
      urn:uuid:8f720c2c-b4c4-4925-966d-33e74a577ede
    </a:RelatesTo>
  </s:Header>
  <s:Body>
    <FetchAttachmentResponse xmlns="http://tempuri.org/">
      <FetchAttachmentResult
        xmlns:b="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administratio
        n"
        xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
          <b:attachmentContent>
            <b:content></b:content>
            <b:contentType i:nil="true"></b:contentType>
            <b:extension>0\Data\NotesAttachment\2f774d849acbe245882570c1000634d4-
            EXT07956</b:extension>
          </b:attachmentContent>
          <b:attachmentId>
            <b:attachmentName>EXT07956</b:attachmentName>
            <b:itemId>servernotes1\database.nsf\2f774d849acbe245882570c1000634d4</b:itemId>
          </b:attachmentId>
        </FetchAttachmentResult>
      </FetchAttachmentResponse>
    </s:Body>
  </s:Envelope>

```

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

Preliminary

6 Appendix A: Full WSDL

For ease of implementation, the full WSDL is provided in this appendix.

```
<?xml version="1.0"?>
<wsdl:definitions xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl" xmlns:tns3="http://tempuri.org/"
targetNamespace="http://tempuri.org/" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:types>
    <xs:schema xmlns:tns4="http://tempuri.org/Imports"
targetNamespace="http://tempuri.org/Imports">
      <xs:import namespace="http://tempuri.org/" />
      <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
      <xs:import
namespace="http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission"/>
      <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
      <xs:import namespace="http://schemas.microsoft.com/Message" />
      <xs:import
namespace="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" />
    </xs:schema>
  </wsdl:types>
  <wsdl:message name="INotesWebServiceApplication_EnumerateServers_InputMessage">
    <wsdl:part name="parameters" element="tns3:EnumerateServers" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateServers_OutputMessage">
    <wsdl:part name="parameters" element="tns3:EnumerateServersResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetServer_InputMessage">
    <wsdl:part name="parameters" element="tns3:GetServer" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetServer_OutputMessage">
    <wsdl:part name="parameters" element="tns3:GetServerResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateDatabases_InputMessage">
    <wsdl:part name="parameters" element="tns3:EnumerateDatabases" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateDatabases_OutputMessage">
    <wsdl:part name="parameters" element="tns3:EnumerateDatabasesResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetDatabase_InputMessage">
    <wsdl:part name="parameters" element="tns3:GetDatabase" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_GetDatabase_OutputMessage">
    <wsdl:part name="parameters" element="tns3:GetDatabaseResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateItems_InputMessage">
    <wsdl:part name="parameters" element="tns3:EnumerateItems" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_EnumerateItems_OutputMessage">
    <wsdl:part name="parameters" element="tns3:EnumerateItemsResponse" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_FetchItem_InputMessage">
    <wsdl:part name="parameters" element="tns3:FetchItem" />
  </wsdl:message>
  <wsdl:message name="INotesWebServiceApplication_FetchItem_OutputMessage">
    <wsdl:part name="parameters" element="tns3:FetchItemResponse" />
  </wsdl:message>

```

```

<wsdl:message name="INotesWebServiceApplication_FetchAttachment_InputMessage">
  <wsdl:part name="parameters" element="tns3:FetchAttachment"/>
</wsdl:message>
<wsdl:message name="INotesWebServiceApplication_FetchAttachment_OutputMessage">
  <wsdl:part name="parameters" element="tns3:FetchAttachmentResponse"/>
</wsdl:message>
<wsdl:portType name="INotesWebServiceApplication">
  <wsdl:operation name="EnumerateServers">
    <wsdl:input
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServers"
message="tns3:INotesWebServiceApplication_EnumerateServers_InputMessage"/>
    <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateServersResponse"
message="tns3:INotesWebServiceApplication_EnumerateServers_OutputMessage"/>
    </wsdl:operation>
    <wsdl:operation name="GetServer">
      <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetServer"
message="tns3:INotesWebServiceApplication_GetServer_InputMessage"/>
      <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetServerResponse"
message="tns3:INotesWebServiceApplication_GetServer_OutputMessage"/>
      </wsdl:operation>
      <wsdl:operation name="EnumerateDatabases">
        <wsdl:input
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
message="tns3:INotesWebServiceApplication_EnumerateDatabases_InputMessage"/>
        <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabasesResponse"
message="tns3:INotesWebServiceApplication_EnumerateDatabases_OutputMessage"/>
        </wsdl:operation>
        <wsdl:operation name="GetDatabase">
          <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabase"
message="tns3:INotesWebServiceApplication_GetDatabase_InputMessage"/>
          <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/GetDatabaseResponse"
message="tns3:INotesWebServiceApplication_GetDatabase_OutputMessage"/>
          </wsdl:operation>
          <wsdl:operation name="EnumerateItems">
            <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItems"
message="tns3:INotesWebServiceApplication_EnumerateItems_InputMessage"/>
            <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/EnumerateItemsResponse"
message="tns3:INotesWebServiceApplication_EnumerateItems_OutputMessage"/>
            </wsdl:operation>
            <wsdl:operation name="FetchItem">
              <wsdl:input wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItem"
message="tns3:INotesWebServiceApplication_FetchItem_InputMessage"/>
              <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchItemResponse"
message="tns3:INotesWebServiceApplication_FetchItem_OutputMessage"/>
              </wsdl:operation>
              <wsdl:operation name="FetchAttachment">
                <wsdl:input
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachment"
message="tns3:INotesWebServiceApplication_FetchAttachment_InputMessage"/>
                <wsdl:output
wsaw:Action="http://tempuri.org/INotesWebServiceApplication/FetchAttachmentResponse"
message="tns3:INotesWebServiceApplication_FetchAttachment_OutputMessage"/>
                </wsdl:operation>
              </wsdl:portType>

```

```

    <wsdl:binding name="DefaultBinding_INotesWebServiceApplication"
type="tns3:INotesWebServiceApplication">
      <soap:binding transport="http://schemas.xmlsoap.org/soap/http"/>
      <wsdl:operation name="EnumerateServers">
        <soap:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateServers"
style="document"/>
        <wsdl:input>
          <soap:body use="literal"/>
        </wsdl:input>
        <wsdl:output>
          <soap:body use="literal"/>
        </wsdl:output>
      </wsdl:operation>
      <wsdl:operation name="GetServer">
        <soap:operation soapAction="http://tempuri.org/INotesWebServiceApplication/GetServer"
style="document"/>
        <wsdl:input>
          <soap:body use="literal"/>
        </wsdl:input>
        <wsdl:output>
          <soap:body use="literal"/>
        </wsdl:output>
      </wsdl:operation>
      <wsdl:operation name="EnumerateDatabases">
        <soap:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateDatabases"
style="document"/>
        <wsdl:input>
          <soap:body use="literal"/>
        </wsdl:input>
        <wsdl:output>
          <soap:body use="literal"/>
        </wsdl:output>
      </wsdl:operation>
      <wsdl:operation name="GetDatabase">
        <soap:operation soapAction="http://tempuri.org/INotesWebServiceApplication/GetDatabase"
style="document"/>
        <wsdl:input>
          <soap:body use="literal"/>
        </wsdl:input>
        <wsdl:output>
          <soap:body use="literal"/>
        </wsdl:output>
      </wsdl:operation>
      <wsdl:operation name="EnumerateItems">
        <soap:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/EnumerateItems" style="document"/>
        <wsdl:input>
          <soap:body use="literal"/>
        </wsdl:input>
        <wsdl:output>
          <soap:body use="literal"/>
        </wsdl:output>
      </wsdl:operation>
      <wsdl:operation name="FetchItem">
        <soap:operation soapAction="http://tempuri.org/INotesWebServiceApplication/FetchItem"
style="document"/>
        <wsdl:input>
          <soap:body use="literal"/>
        </wsdl:input>
      </wsdl:operation>

```

```
</wsdl:input>
<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="FetchAttachment">
  <soap:operation
soapAction="http://tempuri.org/INotesWebServiceApplication/FetchAttachment"
style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
</wsdl:binding>
</wsdl:definitions>
```

7 Appendix B: Full XML Schema

For ease of implementation, the following sections provide the full XML schema for this protocol.

Schema name	Prefix	Section
http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration	tns	7.1
http://schemas.microsoft.com/2003/10/Serialization/Arrays	tns1	7.2
http://schemas.microsoft.com/2003/10/Serialization/	ser	7.3
http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission	tns2	7.4
http://schemas.microsoft.com/Message	q4	7.5
http://tempuri.org/	tns3	7.6

7.1

<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration> Schema

```
<?xml version="1.0"?>
<xs:schema
  xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration"
  elementFormDefault="qualified"
  targetNamespace="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
  <xs:complexType name="ArrayOfSERVERITEM">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="SERVERITEM"
        type="tns:SERVERITEM" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfSERVERITEM" nillable="true" type="tns:ArrayOfSERVERITEM" />
  <xs:complexType name="SERVERITEM">
    <xs:sequence>
      <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string" />
      <xs:element minOccurs="0" name="serverId" nillable="true" type="xs:string" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="SERVERITEM" nillable="true" type="tns:SERVERITEM" />
  <xs:complexType name="ArrayOfDATABASEITEMID">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="DATABASEITEMID"
        type="tns:DATABASEITEMID" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfDATABASEITEMID" nillable="true" type="tns:ArrayOfDATABASEITEMID" />
  <xs:complexType name="DATABASEITEMID">
    <xs:sequence>
      <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string" />
      <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime" />
    </xs:sequence>
  </xs:complexType>
```

```

<xs:element name="DATABASEITEMID" nillable="true" type="tns:DATABASEITEMID"/>
<xs:complexType name="DATABASEITEM">
  <xs:sequence>
    <xs:element minOccurs="0" name="databaseId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="DATABASEITEM" nillable="true" type="tns:DATABASEITEM"/>
<xs:complexType name="SecurityDescriptor">
  <xs:sequence>
    <xs:element minOccurs="0" name="SD" nillable="true" type="xs:base64Binary"/>
    <xs:element minOccurs="0" name="isNTSD" type="xs:boolean"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="SecurityDescriptor" nillable="true" type="tns:SecurityDescriptor"/>
<xs:complexType name="ArrayOfNOTESITEM">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESITEM" type="tns:NOTESITEM"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfNOTESITEM" nillable="true" type="tns:ArrayOfNOTESITEM"/>
<xs:complexType name="NOTESITEM">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentId" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID"/>
    <xs:element minOccurs="0" name="displayUrl" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemContent" type="tns:INDEXABLECONTENT"/>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemProps" nillable="true" type="tns:ArrayOfPROPERTY"/>
    <xs:element minOccurs="0" name="lastModifiedTime" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="securityDesc" type="tns:SecurityDescriptor"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="NOTESITEM" nillable="true" type="tns:NOTESITEM"/>
<xs:complexType name="ArrayOfNOTESATTACHMENTID">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="NOTESATTACHMENTID"
type="tns:NOTESATTACHMENTID"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfNOTESATTACHMENTID" nillable="true"
type="tns:ArrayOfNOTESATTACHMENTID"/>
<xs:complexType name="NOTESATTACHMENTID">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="NOTESATTACHMENTID" nillable="true" type="tns:NOTESATTACHMENTID"/>
<xs:complexType name="INDEXABLECONTENT">
  <xs:sequence>
    <xs:element minOccurs="0" name="content" nillable="true" type="xs:base64Binary"/>
    <xs:element minOccurs="0" name="contentType" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="extension" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="INDEXABLECONTENT" nillable="true" type="tns:INDEXABLECONTENT"/>

```



```

<xs:complexType name="ArrayOfPROPERTY">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="PROPERTY" type="tns:PROPERTY"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfPROPERTY" nillable="true" type="tns:ArrayOfPROPERTY"/>
<xs:complexType name="PROPERTY">
  <xs:sequence>
    <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="Value" nillable="true" type="xs:anyType"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="PROPERTY" nillable="true" type="tns:PROPERTY"/>
<xs:complexType name="NOTESATTACHMENT">
  <xs:sequence>
    <xs:element minOccurs="0" name="attachmentContent" type="tns:INDEXABLECONTENT"/>
    <xs:element minOccurs="0" name="attachmentId" type="tns:NOTESATTACHMENTID"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="NOTESATTACHMENT" nillable="true" type="tns:NOTESATTACHMENT"/>
</xs:schema>

```

7.2 <http://schemas.microsoft.com/2003/10/Serialization/Arrays> Schema

```

<?xml version="1.0"?>
<xs:schema xmlns:ser="http://schemas.microsoft.com/2003/10/Serialization/"
  xmlns:tns1="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
  elementFormDefault="qualified"
  targetNamespace="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
  <xs:complexType name="ArrayOfKeyValueOfstringanyType">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="KeyValueOfstringanyType">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Key" nillable="true" type="xs:string"/>
            <xs:element name="Value" nillable="true" type="xs:anyType"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfKeyValueOfstringanyType" nillable="true"
  type="tns1:ArrayOfKeyValueOfstringanyType"/>
  <xs:complexType name="ArrayOfstring">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="string" nillable="true"
  type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfstring" nillable="true" type="tns1:ArrayOfstring"/>
  <xs:complexType name="ArrayOfdateTime">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="dateTime" type="xs:dateTime"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfdateTime" nillable="true" type="tns1:ArrayOfdateTime"/>

```

```

<xs:complexType name="ArrayOflong">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="long" type="xs:long"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOflong" nillable="true" type="tns1:ArrayOflong"/>
<xs:complexType name="ArrayOffloat">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="float" type="xs:float"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOffloat" nillable="true" type="tns1:ArrayOffloat"/>
<xs:complexType name="ArrayOfint">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="int" type="xs:int"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfint" nillable="true" type="tns1:ArrayOfint"/>
<xs:complexType name="ArrayOfdouble">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="double" type="xs:double"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfdouble" nillable="true" type="tns1:ArrayOfdouble"/>
<xs:complexType name="ArrayOfbase64Binary">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="base64Binary" nillable="true"
type="xs:base64Binary"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfbase64Binary" nillable="true" type="tns1:ArrayOfbase64Binary"/>
<xs:complexType name="ArrayOfdecimal">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="decimal" type="xs:decimal"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfdecimal" nillable="true" type="tns1:ArrayOfdecimal"/>
<xs:complexType name="ArrayOfKeyValueOfstringstring">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="KeyValueOfstringstring">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="Key" nillable="true" type="xs:string"/>
          <xs:element name="Value" nillable="true" type="xs:string"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfKeyValueOfstringstring" nillable="true"
type="tns1:ArrayOfKeyValueOfstringstring"/>
<xs:complexType name="ArrayOfboolean">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="boolean" type="xs:boolean"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfboolean" nillable="true" type="tns1:ArrayOfboolean"/>
<xs:complexType name="ArrayOfguid">
  <xs:sequence>

```

```

    <xs:element minOccurs="0" maxOccurs="unbounded" name="guid" type="ser:guid"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfguid" nillable="true" type="tns:ArrayOfguid"/>
</xs:schema>

```

7.3 http://schemas.microsoft.com/2003/10/Serialization/ Schema

```

<?xml version="1.0"?>
<xs:schema xmlns:ser="http://schemas.microsoft.com/2003/10/Serialization/"
  attributeFormDefault="qualified" elementFormDefault="qualified"
  targetNamespace="http://schemas.microsoft.com/2003/10/Serialization/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="anyType" nillable="true" type="xs:anyType"/>
  <xs:element name="anyURI" nillable="true" type="xs:anyURI"/>
  <xs:element name="base64Binary" nillable="true" type="xs:base64Binary"/>
  <xs:element name="boolean" nillable="true" type="xs:boolean"/>
  <xs:element name="byte" nillable="true" type="xs:byte"/>
  <xs:element name="dateTime" nillable="true" type="xs:dateTime"/>
  <xs:element name="decimal" nillable="true" type="xs:decimal"/>
  <xs:element name="double" nillable="true" type="xs:double"/>
  <xs:element name="float" nillable="true" type="xs:float"/>
  <xs:element name="int" nillable="true" type="xs:int"/>
  <xs:element name="long" nillable="true" type="xs:long"/>
  <xs:element name="QName" nillable="true" type="xs:QName"/>
  <xs:element name="short" nillable="true" type="xs:short"/>
  <xs:element name="string" nillable="true" type="xs:string"/>
  <xs:element name="unsignedByte" nillable="true" type="xs:unsignedByte"/>
  <xs:element name="unsignedInt" nillable="true" type="xs:unsignedInt"/>
  <xs:element name="unsignedLong" nillable="true" type="xs:unsignedLong"/>
  <xs:element name="unsignedShort" nillable="true" type="xs:unsignedShort"/>
  <xs:element name="char" nillable="true" type="ser:char"/>
  <xs:simpleType name="char">
    <xs:restriction base="xs:int"/>
  </xs:simpleType>
  <xs:element name="duration" nillable="true" type="ser:duration"/>
  <xs:simpleType name="duration">
    <xs:restriction base="xs:duration">
      <xs:pattern value="\-?P(\d*D)?(T(\d*H)?(\d*M)?(\d*(\.\d*)?S)?)?"/>
      <xs:minInclusive value="-P10675199DT2H48M5.4775808S"/>
      <xs:maxInclusive value="P10675199DT2H48M5.4775807S"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:element name="guid" nillable="true" type="ser:guid"/>
  <xs:simpleType name="guid">
    <xs:restriction base="xs:string">
      <xs:pattern value="[\da-fA-F]{8}-[\da-fA-F]{4}-[\da-fA-F]{4}-[\da-fA-F]{4}-[\da-fA-F]{12}"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:attribute name="FactoryType" type="xs:QName"/>
  <xs:attribute name="Id" type="xs:ID"/>
  <xs:attribute name="Ref" type="xs:IDREF"/>
</xs:schema>

```

7.4

http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission Schema

```
<?xml version="1.0"?>
<xs:schema
  xmlns:tns2="http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission"
  xmlns:ser="http://schemas.microsoft.com/2003/10/Serialization/"
  elementFormDefault="qualified"
  targetNamespace="http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/Arrays"/>
  <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/">
  <xs:import namespace="http://schemas.microsoft.com/Message"/>
  <xs:complexType name="FeedingDocument">
    <xs:sequence>
      <xs:element minOccurs="0" name="OperationId" type="xs:int"/>
      <xs:element xmlns:tns1="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
        minOccurs="0" name="Values" nillable="true" type="tns1:ArrayOfKeyValueOfstringanyType"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="FeedingDocument" nillable="true" type="tns2:FeedingDocument"/>
  <xs:complexType name="ArrayOfFeedingDocument">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="FeedingDocument" nillable="true"
        type="tns2:FeedingDocument"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfFeedingDocument" nillable="true"
    type="tns2:ArrayOfFeedingDocument"/>
  <xs:element name="CreateSession">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" name="settings" nillable="true"
          type="tns2:FeedingSessionSettings"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:complexType name="FeedingSessionSettings">
    <xs:sequence>
      <xs:element minOccurs="0" name="CallbackLevel" type="tns2:CallbackLevel"/>
      <xs:element minOccurs="0" name="Causality" type="tns2:Causality"/>
      <xs:element minOccurs="0" name="DebugFlow" type="xs:boolean"/>
      <xs:element minOccurs="0" name="DocumentIdField" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="Flow" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="FlowInput" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="MaxLatency" type="ser:duration"/>
      <xs:element minOccurs="0" name="NodeSet" nillable="true" type="xs:string"/>
      <xs:element minOccurs="0" name="PerformancePolicy" type="tns2:PerformancePolicy"/>
      <xs:element xmlns:tns1="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
        minOccurs="0" name="Properties" nillable="true" type="tns1:ArrayOfKeyValueOfstringstring"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="FeedingSessionSettings" nillable="true"
    type="tns2:FeedingSessionSettings"/>
  <xs:simpleType name="CallbackLevel">
    <xs:restriction base="xs:string">
      <xs:enumeration value="None"/>
      <xs:enumeration value="Received"/>
      <xs:enumeration value="Full"/>
    </xs:restriction>
  </xs:simpleType>
</xs:schema>
```

```

    </xs:restriction>
  </xs:simpleType>
  <xs:element name="CallbackLevel" nillable="true" type="tns2:CallbackLevel"/>
  <xs:simpleType name="Causality">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Session"/>
      <xs:enumeration value="Document"/>
      <xs:enumeration value="Unconstrained"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:element name="Causality" nillable="true" type="tns2:Causality"/>
  <xs:simpleType name="PerformancePolicy">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Balanced"/>
      <xs:enumeration value="HighThroughput"/>
      <xs:enumeration value="LowLatency"/>
      <xs:enumeration value="RealTime"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:element name="PerformancePolicy" nillable="true" type="tns2:PerformancePolicy"/>
  <xs:element name="CreateSessionResponse">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" name="CreateSessionResult" nillable="true"
type="tns2:FeedingSession"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:complexType name="FeedingSession">
    <xs:sequence>
      <xs:element minOccurs="0" name="Callbacks" nillable="true"
type="tns2:ArrayOfCallbackType"/>
      <xs:element minOccurs="0" name="SessionId" type="ser:guid"/>
      <xs:element minOccurs="0" name="SupportedOperations" nillable="true"
type="tns2:ArrayOfOperationInfo"/>
      <xs:element minOccurs="0" name="SupportsAtomicGrouping" type="xs:boolean"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="FeedingSession" nillable="true" type="tns2:FeedingSession"/>
  <xs:complexType name="ArrayOfCallbackType">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="CallbackType" nillable="true"
type="tns2:CallbackType"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="ArrayOfCallbackType" nillable="true" type="tns2:ArrayOfCallbackType"/>
  <xs:complexType name="CallbackType">
    <xs:sequence>
      <xs:element minOccurs="0" name="Id" type="xs:int"/>
      <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
  <xs:element name="CallbackType" nillable="true" type="tns2:CallbackType"/>
  <xs:complexType name="ArrayOfOperationInfo">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="OperationInfo" nillable="true"
type="tns2:OperationInfo"/>
    </xs:sequence>
  </xs:complexType>

```

```

<xs:element name="ArrayOfOperationInfo" nillable="true" type="tns2:ArrayOfOperationInfo"/>
<xs:complexType name="OperationInfo">
  <xs:sequence>
    <xs:element minOccurs="0" name="Description" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="Name" nillable="true" type="xs:string"/>
    <xs:element minOccurs="0" name="OperationId" type="xs:int"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="OperationInfo" nillable="true" type="tns2:OperationInfo"/>
<xs:element name="RefreshSession">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="sessionId" type="ser:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="RefreshSessionResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="RefreshSessionResult" nillable="true"
type="tns2:FeedingSession"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="CloseSession">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="sessionId" type="ser:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="SubmitContent">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="sessionId" type="ser:guid"/>
      <xs:element minOccurs="0" name="feedingGroups" nillable="true"
type="tns2:ArrayOfFeedingGroup"/>
      <xs:element minOccurs="0" name="completeFeedingGroup" type="xs:boolean"/>
      <xs:element minOccurs="0" name="piggybackCallbacks" type="xs:boolean"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:complexType name="ArrayOfFeedingGroup">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="FeedingGroup" nillable="true"
type="tns2:FeedingGroup"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfFeedingGroup" nillable="true" type="tns2:ArrayOfFeedingGroup"/>
<xs:complexType name="FeedingGroup">
  <xs:sequence>
    <xs:element minOccurs="0" name="Documents" nillable="true"
type="tns2:ArrayOfFeedingDocument"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="FeedingGroup" nillable="true" type="tns2:FeedingGroup"/>
<xs:element name="SubmitContentResponse">
  <xs:complexType>
    <xs:sequence>

```

```

        <xs:element minOccurs="0" name="SubmitContentResult" nillable="true"
type="tns2:SubmitResult"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:complexType name="SubmitResult">
    <xs:sequence>
        <xs:element minOccurs="0" name="Callbacks" nillable="true"
type="tns2:ArrayOfCallback"/>
        <xs:element minOccurs="0" name="FirstFeedingGroupId" type="xs:long"/>
        <xs:element minOccurs="0" name="LastFeedingGroupId" type="xs:long"/>
        <xs:element xmlns:tns1="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
minOccurs="0" name="Results" nillable="true" type="tns1:ArrayOfboolean"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="SubmitResult" nillable="true" type="tns2:SubmitResult"/>
<xs:complexType name="ArrayOfCallback">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="Callback" nillable="true"
type="tns2:Callback"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfCallback" nillable="true" type="tns2:ArrayOfCallback"/>
<xs:complexType name="Callback">
    <xs:sequence>
        <xs:element minOccurs="0" name="CallbackTypeId" type="xs:int"/>
        <xs:element minOccurs="0" name="CorrelationId" nillable="true" type="ser:guid"/>
        <xs:element minOccurs="0" name="ErrorId" type="xs:int"/>
        <xs:element minOccurs="0" name="FeedingGroupId" type="xs:long"/>
        <xs:element minOccurs="0" name="HostName" nillable="true" type="xs:string"/>
        <xs:element minOccurs="0" name="Messages" nillable="true" type="tns2:ArrayOfMessage"/>
        <xs:element minOccurs="0" name="NodeName" nillable="true" type="xs:string"/>
        <xs:element minOccurs="0" name="PartitionId" nillable="true" type="ser:guid"/>
        <xs:element minOccurs="0" name="SessionId" type="ser:guid"/>
        <xs:element minOccurs="0" name="TransienceLevel" type="tns2:TransienceLevel"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="Callback" nillable="true" type="tns2:Callback"/>
<xs:complexType name="ArrayOfMessage">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="Message" nillable="true"
type="tns2:Message"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfMessage" nillable="true" type="tns2:ArrayOfMessage"/>
<xs:complexType name="Message">
    <xs:sequence>
        <xs:element minOccurs="0" name="CustomInfo" nillable="true" type="xs:string"/>
        <xs:element minOccurs="0" name="MessageText" nillable="true" type="xs:string"/>
        <xs:element minOccurs="0" name="MessageType" type="tns2:MessageType"/>
    </xs:sequence>
</xs:complexType>
<xs:element name="Message" nillable="true" type="tns2:Message"/>
<xs:simpleType name="MessageType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="Info"/>
        <xs:enumeration value="Warning"/>
        <xs:enumeration value="Error"/>
    </xs:restriction>

```

```

</xs:simpleType>
<xs:element name="MessageType" nillable="true" type="tns2:MessageType"/>
<xs:simpleType name="TransienceLevel">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Permanent"/>
    <xs:enumeration value="Retryable"/>
  </xs:restriction>
</xs:simpleType>
<xs:element name="TransienceLevel" nillable="true" type="tns2:TransienceLevel"/>
<xs:element name="SubmitStreamMessage">
  <xs:complexType>
    <xs:sequence>
      <xs:element xmlns:q4="http://schemas.microsoft.com/Message" name="Stream"
type="q4:StreamBody"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:complexType name="SubmitStreamInfo">
  <xs:sequence>
    <xs:element name="SessionId" type="ser:guid"/>
    <xs:element name="Document" nillable="true" type="tns2:FeedingDocument"/>
    <xs:element name="StartNewFeedingGroup" type="xs:boolean"/>
    <xs:element name="CompleteFeedingGroup" type="xs:boolean"/>
    <xs:element name="StreamFieldName" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="SubmitStreamInfo" nillable="true" type="tns2:SubmitStreamInfo"/>
<xs:element name="ContentInfo" nillable="true" type="tns2:SubmitStreamInfo"/>
<xs:element name="PollCallbacks">
  <xs:complexType>
    <xs:sequence>
      <xs:element xmlns:tns1="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
minOccurs="0" name="sessionsToPoll" nillable="true" type="tns1:ArrayOfguid"/>
      <xs:element minOccurs="0" name="timeout" type="ser:duration"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="PollCallbacksResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="PollCallbacksResult" nillable="true"
type="tns2:ArrayOfCallback"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="WaitForCallback">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="callbackRequest" nillable="true"
type="tns2:CallbackRequest"/>
      <xs:element minOccurs="0" name="timeout" type="ser:duration"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:complexType name="CallbackRequest">
  <xs:sequence>
    <xs:element minOccurs="0" name="FeedingGroupId" type="xs:long"/>
    <xs:element minOccurs="0" name="SessionId" type="ser:guid"/>
  </xs:sequence>
</xs:complexType>

```



```

</xs:complexType>
<xs:element name="CallbackRequest" nillable="true" type="tns2:CallbackRequest"/>
<xs:element name="WaitForCallbackResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="WaitForCallbackResult" nillable="true"
type="tns2:Callback"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="RequestStatus">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="callbackRequests" nillable="true"
type="tns2:ArrayOfCallbackRequest"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:complexType name="ArrayOfCallbackRequest">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="CallbackRequest" nillable="true"
type="tns2:CallbackRequest"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ArrayOfCallbackRequest" nillable="true"
type="tns2:ArrayOfCallbackRequest"/>
<xs:element name="RequestStatusResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="RequestStatusResult" nillable="true"
type="tns2:ArrayOfCallback"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="GetMetadata">
  <xs:complexType>
    <xs:sequence/>
  </xs:complexType>
</xs:element>
<xs:element name="GetMetadataResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="GetMetadataResult" nillable="true"
type="tns2:ContentSubmissionMetadata"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:complexType name="ContentSubmissionMetadata">
  <xs:sequence>
    <xs:element minOccurs="0" name="SupportsStreaming" type="xs:boolean"/>
  </xs:sequence>
</xs:complexType>
<xs:element name="ContentSubmissionMetadata" nillable="true"
type="tns2:ContentSubmissionMetadata"/>
</xs:schema>

```

7.5 http://schemas.microsoft.com/Message Schema

```
<?xml version="1.0"?>
<xs:schema elementFormDefault="qualified"
targetNamespace="http://schemas.microsoft.com/Message"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:simpleType name="StreamBody">
    <xs:restriction base="xs:base64Binary"/>
  </xs:simpleType>
</xs:schema>
```

7.6 http://tempuri.org/ Schema

```
<?xml version="1.0"?>
<xs:schema elementFormDefault="qualified" targetNamespace="http://tempuri.org/"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:import
namespace="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion"/>
  <xs:element name="EnumerateServers">
    <xs:complexType>
      <xs:sequence/>
    </xs:complexType>
  </xs:element>
  <xs:element name="EnumerateServersResponse">
    <xs:complexType>
      <xs:sequence>
        <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="EnumerateServersResult" nillable="true"
type="tns:ArrayOfSERVERITEM"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="GetServer">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="GetServerResponse">
    <xs:complexType>
      <xs:sequence>
        <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="GetServerResult" type="tns:SERVERITEM"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="EnumerateDatabases">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" name="serverName" nillable="true" type="xs:string"/>
        <xs:element minOccurs="0" name="lastSeenDatabase" nillable="true" type="xs:string"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="EnumerateDatabasesResponse">
```

```

    <xs:complexType>
      <xs:sequence>
        <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="EnumerateDatabasesResult" nillable="true"
type="tns:ArrayOfDATABASEITEMID"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="GetDatabase">
      <xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="0" name="databaseName" nillable="true" type="xs:string"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="GetDatabaseResponse">
      <xs:complexType>
        <xs:sequence>
          <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="GetDatabaseResult" type="tns:DATABASEITEM"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="EnumerateItems">
      <xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="0" name="databasePath" nillable="true" type="xs:string"/>
          <xs:element minOccurs="0" name="lastSeenItem" nillable="true" type="xs:string"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="EnumerateItemsResponse">
      <xs:complexType>
        <xs:sequence>
          <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="EnumerateItemsResult" nillable="true" type="tns:ArrayOfNOTESITEM"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="FetchItem">
      <xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="FetchItemResponse">
      <xs:complexType>
        <xs:sequence>
          <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="FetchItemResult" type="tns:NOTESITEM"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="FetchAttachment">
      <xs:complexType>

```

```
<xs:sequence>
  <xs:element minOccurs="0" name="itemId" nillable="true" type="xs:string"/>
  <xs:element minOccurs="0" name="attachmentName" nillable="true" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="FetchAttachmentResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element
xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administrat
ion" minOccurs="0" name="FetchAttachmentResult" type="tns:NOTESATTACHMENT"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:schema>
```

8 Appendix C: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® FAST™ Search Server 2010
- Microsoft® SharePoint® Server 2010
- Microsoft® SharePoint® Server 2013 Preview

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

9 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

Preliminary

10 Index

A

Abstract data model
[attachment](#) 19
[database](#) 18
[item](#) 19
[object hierarchy](#) 18
server ([section 3.1.1](#) 17, [section 3.1.1.2](#) 18)
[Applicability](#) 10
[ArrayOfNOTESATTACHMENTID complex type](#) 12
[ArrayOfPROPERTY complex type](#) 13
[Attribute groups](#) 16
[Attributes](#) 16

C

[Capability negotiation](#) 10
[Change tracking](#) 70
Client
[overview](#) 17
Common data structures ([section 2.2.9](#) 16, [section 2.2.9](#) 16)
[Complex types](#) 12
[ArrayOfNOTESATTACHMENTID](#) 12
[ArrayOfPROPERTY](#) 13
[INDEXABLECONTENT](#) 13
[NOTESATTACHMENTID](#) 13
[NOTESITEM](#) 14
[PROPERTY](#) 14
[SecurityDescriptor](#) 15
[SERVERITEM](#) 15

D

Data model - abstract
[server](#) 17
Databases
[Retrieving items from](#) 41

E

[EnumerateItems example](#) 42
[EnumerateServers example](#) 39
Events
[local - server](#) 38
[timer - server](#) 38
[Examples](#) 41
[EnumerateItems](#) 42
[EnumerateServers](#) 39
[FetchAttachment](#) 48
[FetchItem](#) 44
[GetDatabase](#) 40
[Identifying Servers and Databases](#) 39
[Retrieving items from the database](#) 41

F

[FetchAttachment example](#) 48
[FetchItem example](#) 44

[Fields - vendor-extensible](#) 10
[Full WSDL](#) 51
[Full XML Schema](#) 55
[http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration.Schema](#) 55
[http://schemas.microsoft.com/2003/10/Serialization/Schema](#) 59
[http://schemas.microsoft.com/2003/10/Serialization/Arrays Schema](#) 57
[http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission Schema](#) 60
[http://schemas.microsoft.com/Message Schema](#) 66
[http://tempuri.org/Schema](#) 66

G

[GetDatabase example](#) 40
[Glossary](#) 7
[Groups](#) 16

I

Identifying Servers and Databases
[Example](#) 39
[Implementer - security considerations](#) 50
[Index of security parameters](#) 50
[INDEXABLECONTENT complex type](#) 13
[Informative references](#) 8
Initialization
[server](#) 19
[Introduction](#) 7

L

Local events
[server](#) 38

M

Message processing
[server](#) 19
Messages
[ArrayOfNOTESATTACHMENTID complex type](#) 12
[ArrayOfPROPERTY complex type](#) 13
[attribute groups](#) 16
[attributes](#) 16
common data structures ([section 2.2.9](#) 16, [section 2.2.9](#) 16)
[complex types](#) 12
[elements](#) 12
[enumerated](#) 12
[groups](#) 16
[INDEXABLECONTENT complex type](#) 13
[namespaces](#) 11
[NOTESATTACHMENTID complex type](#) 13
[NOTESITEM complex type](#) 14
[PROPERTY complex type](#) 14

[SecurityDescriptor complex type](#) 15
[SERVERITEM complex type](#) 15
[simple types](#) 15
[syntax](#) 11
[transport](#) 11

N

[Namespaces](#) 11
[Normative references](#) 7
[NOTESATTACHMENTID complex type](#) 13
[NOTESITEM complex type](#) 14

O

Operations
[EnumerateDatabases](#) 20
[EnumerateItems](#) 23
[EnumerateServers](#) 26
[FetchAttachment](#) 28
[FetchItem](#) 31
[GetDatabase](#) 33
[GetServer](#) 36
[Overview \(synopsis\)](#) 8

P

[Parameters - security index](#) 50
[Preconditions](#) 9
[Prerequisites](#) 9
[Product behavior](#) 69
[PROPERTY complex type](#) 14

R

[References](#) 7
[informative](#) 8
[normative](#) 7
[Relationship to other protocols](#) 9
Retrieving items from the database
[Example](#) 41

S

Security
[implementer considerations](#) 50
[parameter index](#) 50
[SecurityDescriptor complex type](#) 15
Sequencing rules
[server](#) 19
Server
[abstract data model](#) 17
[EnumerateDatabases operation](#) 20
[EnumerateItems operation](#) 23
[EnumerateServers operation](#) 26
[FetchAttachment operation](#) 28
[FetchItem operation](#) 31
[GetDatabase operation](#) 33
[GetServer operation](#) 36
[initialization](#) 19
[local events](#) 38
[message processing](#) 19

[overview](#) 17
[sequencing rules](#) 19
[timer events](#) 38
[timers](#) 19
[SERVERITEM complex type](#) 15
Servers and Databases
[Identifying](#) 39
[Simple types](#) 15
[Standards assignments](#) 10
Syntax
[messages - overview](#) 11

T

Timer events
[server](#) 38
Timers
[server](#) 19
[Tracking changes](#) 70
[Transport](#) 11
Types
[complex](#) 12
[simple](#) 15

V

[Vendor-extensible fields](#) 10
[Versioning](#) 10

W

[WSDL](#) 51

X

[XML Schema](#) 55
<http://schemas.datacontract.org/2004/07/Microsoft.Office.Server.Search.Administration.Schema> 55
<http://schemas.microsoft.com/2003/10/Serialization/Schema> 59
<http://schemas.microsoft.com/2003/10/Serialization/Arrays.Schema> 57
<http://schemas.microsoft.com/ceres/contenttransformation/2009/11/submission.Schema> 60
<http://schemas.microsoft.com/Message.Schema> 66
<http://tempuri.org/Schema> 66