

# [MS-OFFMACRO2]: Office Macro-Enabled File Format Version 2

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
07/13/2009	0.1	Major	Initial Availability
08/28/2009	0.2	Editorial	Revised and edited the technical content
11/06/2009	0.3	Editorial	Revised and edited the technical content
02/19/2010	1.0	Minor	Updated the technical content
03/31/2010	1.01	Editorial	Revised and edited the technical content
04/30/2010	1.02	Editorial	Revised and edited the technical content
06/07/2010	1.03	Editorial	Revised and edited the technical content
06/29/2010	1.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
09/27/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
01/20/2012	1.5	Minor	Clarified the meaning of the technical content.
04/11/2012	1.5	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	1.6	Minor	Clarified the meaning of the technical content.
10/08/2012	1.7	Minor	Clarified the meaning of the technical content.
02/11/2013	1.7	No change	No changes to the meaning, language, or formatting of the technical content.

# Table of Contents

<b>1 Introduction</b>	<b>5</b>
1.1 Glossary	5
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	6
1.3 Structure Overview	7
1.4 Relationship to Protocols and Other Structures	7
1.5 Applicability Statement	7
1.6 Versioning and Localization	7
1.7 Vendor-Extensible Fields	7
<b>2 Structures</b>	<b>8</b>
2.1 Macro-enabled WordprocessingML Structures	8
2.1.1 Part Enumeration	8
2.1.1.1 Main Document	8
2.1.1.2 VBA Project	8
2.1.1.3 VBA Supplemental Data	9
2.1.2 Extensions	9
2.1.3 Global Elements	9
2.1.3.1 vbaSuppData	9
2.1.4 Global Attributes	9
2.1.5 Complex Types	9
2.1.5.1 CT_DocEvents	9
2.1.5.2 CT_Mcd	11
2.1.5.3 CT_McDs	11
2.1.5.4 CT_VbaSuppData	12
2.1.6 Simple Types	12
2.2 Macro-enabled SpreadsheetML structures	12
2.2.1 Part Enumeration	12
2.2.1.1 International Macro Sheet	12
2.2.1.2 Macro Sheet	13
2.2.1.3 VBA Project	13
2.2.1.4 Workbook	14
2.2.2 Excel Extensions	14
2.2.2.1 Extensions by Part	14
2.2.2.1.1 Workbook	14
2.2.3 Global Elements	15
2.2.3.1 macrosheet	15
2.2.3.2 definedNames	15
2.2.4 Global Attributes	15
2.2.5 Complex Types	15
2.2.5.1 CT_Worksheet	15
2.2.5.2 CT_DefinedNames	18
2.2.5.3 CT_DefinedName	18
2.2.5.4 CT_DefinedNameArgumentDescriptions	19
2.2.5.5 CT_DefinedNameArgumentDescription	20
2.2.6 Simple Types	20
2.2.7 Formulas	20
2.3 Macro-Enabled PresentationML Structures	20
2.3.1 Part Enumeration	20

2.3.1.1	Presentation .....	21
2.3.1.2	VBA Project.....	21
2.3.2	Extensions.....	21
2.3.3	Global Elements .....	21
2.3.4	Global Attributes .....	21
2.3.5	Complex Types .....	21
2.3.5.1	CT_SlideMasterIdListEntry .....	21
2.3.6	Simple Types.....	22
<b>3</b>	<b>Structure Examples .....</b>	<b>23</b>
3.1	VBA Supplemental Data Part .....	23
3.2	Macro Sheet Part.....	23
<b>4</b>	<b>Security Considerations.....</b>	<b>25</b>
4.1	Security Considerations for Implementers.....	25
4.2	Index of Security Fields .....	25
<b>5</b>	<b>Appendix A: Full XML Schemas.....</b>	<b>26</b>
5.1	<a href="http://schemas.microsoft.com/office/word/2006/wordml">http://schemas.microsoft.com/office/word/2006/wordml</a> .....	26
5.2	<a href="http://schemas.microsoft.com/office/excel/2006/main">http://schemas.microsoft.com/office/excel/2006/main</a> .....	27
5.3	<a href="http://schemas.microsoft.com/office/excel/2008/2/main">http://schemas.microsoft.com/office/excel/2008/2/main</a> .....	28
<b>6</b>	<b>Appendix B: Product Behavior .....</b>	<b>29</b>
<b>7</b>	<b>Change Tracking.....</b>	<b>30</b>
<b>8</b>	<b>Index .....</b>	<b>31</b>

# 1 Introduction

This document specifies the Office Macro-Enabled File Format Version 2. This file format specifies the structures of macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats that are either not present in or modified from non-macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats described in [\[ISO/IEC29500:2011\]](#). The macro-enabled file formats consist of the non-macro-enabled file formats described in [\[ISO/IEC29500:2011\]](#) and the XML structures, XML, and non-XML parts described in this document.

Sections 1.7 and 2 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

### XML

The following terms are defined in [\[MS-OFCGLOS\]](#):

**AutoFilter**  
**conditional formatting**  
**data consolidation**  
**document**  
**embedded object**  
**Hypertext Markup Language (HTML)**  
**locale**  
**macro**  
**macro sheet**  
**page break**  
**phonetic information**  
**presentation**  
**protection**  
**range**  
**sheet**  
**sheet view**  
**sort condition**  
**table**  
**Visual Basic for Applications (VBA)**  
**VML**  
**workbook**  
**worksheet**

The following terms are specific to this document:

**page margin:** The white space at the top, bottom, and sides of a document when a document is printed.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[ISO/IEC29500:2011] ISO/IEC, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Parts 1-4", ISO/IEC 29500-1:2011, 2011, [http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=59575](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=59575)

[ISO/IEC29500-1:2011] ISO/IEC, "Information Technology -- Document description and processing languages -- Office Open XML File Formats -- Part 1: Fundamentals and Markup Language Reference", ISO/IEC 29500-1:2011, 2011, [http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=59575](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=59575)

[ISO/IEC29500-3:2011] ISO/IEC, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Part 3: Markup Compatibility and Extensibility", ISO/IEC 29500-3:2011, 2011, [http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=59577](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=59577)

[ISO/IEC29500-4:2011] ISO/IEC, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Part 4: Transitional Migration Features", ISO/IEC 29500-4:2011, 2011, [http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=59577](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=59577)

[MS-OVBA] Microsoft Corporation, "[Office VBA File Format Structure](#)".

[MS-XLSX] Microsoft Corporation, "[Excel Extensions to the Office Open XML SpreadsheetML File Format \(.xlsx\) Specification](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[XMLSCHEMA1] Thompson, H.S., Beech, D., Maloney, M., Eds., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

### 1.2.2 Informative References

[ISO/IEC29500-2:2011] ISO/IEC, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Part 2: Open Packaging Conventions", ISO/IEC 29500-2:2011, 2011, [http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=59576](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=59576)

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

### 1.3 Structure Overview

This file format specifies structures of macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats that are either not present in or modified from non-macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats described in [\[ISO/IEC29500:2011\]](#). **Document**, **Workbook**, and **Presentation** data are each contained in a compressed file (.zip) package conforming to the Open Packaging Conventions as described in [\[ISO/IEC29500-2:2011\]](#). Individual files stored in a ZIP package, called parts ([\[ISO/IEC29500-1:2011\]](#)), contain information about the content and structure of a document, workbook, or presentation. Some parts store information using **XML** and other parts store information by using binary data.

### 1.4 Relationship to Protocols and Other Structures

The structures specified in section [2](#) are dependent on the structures and concepts defined in the following references:

- [\[ISO/IEC29500-1:2011\]](#) for baseline WordprocessingML, SpreadsheetML, and PresentationML persistence formats.
- [\[ISO/IEC29500-2:2011\]](#) for open packaging conventions.
- [\[ISO/IEC29500-3:2011\]](#) for markup compatibility and extensibility.
- [\[ISO/IEC29500-4:2011\]](#) for backward compatibility considerations.

### 1.5 Applicability Statement

This document specifies a persistence format for structures either not present in or modified from the structures described in [\[ISO/IEC29500:2011\]](#) for WordprocessingML, SpreadsheetML, and PresentationML documents. The structures specified in this document are not applicable as a stand-alone file format. Each structure specified in this document is integrated with [\[ISO/IEC29500:2011\]](#) WordprocessingML, SpreadsheetML, or PresentationML documents in a particular way, as specified in the section for that structure.

### 1.6 Versioning and Localization

None.

### 1.7 Vendor-Extensible Fields

None.

## 2 Structures

All global elements, global attributes, complex types, and simple types not defined in [\[ISO/IEC29500:2011\]](#) and not defined in the following target namespaces are extensions that use conventions specified in [\[ISO/IEC29500-3:2011\]](#):

- <http://schemas.microsoft.com/office/word/2006/wordml>
- <http://schemas.microsoft.com/office/excel/2006/main>
- <http://schemas.openxmlformats.org/presentationml/2006/main>

### 2.1 Macro-enabled WordprocessingML Structures

#### 2.1.1 Part Enumeration

This section specifies the parts ([\[ISO/IEC29500-1:2011\]](#)) of the macro-enabled WordprocessingML file format that are different from the parts of the non-macro-enabled WordprocessingML file format specified in [\[ISO/IEC29500-1:2011\]](#) section 11.3. These parts and their relationships are summarized in the following table.

Part	Relationship target
Main Document (section <a href="#">2.1.1.1</a> )	WordprocessingML Package ( <a href="#">[ISO/IEC29500-1:2011]</a> section 11.2)
VBA Project (section <a href="#">2.1.1.2</a> )	Main Document (section <a href="#">2.1.1.1</a> )
VBA Supplemental Data (section <a href="#">2.1.1.3</a> )	VBA Project (section <a href="#">2.1.1.2</a> )

##### 2.1.1.1 Main Document

**Content Types:**

- application/vnd.ms-word.document.macroEnabled.main+xml
- application/vnd.ms-word.template.macroEnabledTemplate.main+xml

**Root Namespace:** <http://schemas.openxmlformats.org/wordprocessingml/2006/main>

**Source Relationship:**

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument>

The part is modified from the Main Document specified in [\[ISO/IEC29500-1:2011\]](#) Part 1, section 11.3.10.

A Main Document part is permitted to have an implicit relationship to the VBA Project part.

##### 2.1.1.2 VBA Project

**Content Type:** application/vnd.ms-office.vbaProject

**Root Namespace:** Not applicable

**Source Relationship:** <http://schemas.microsoft.com/office/2006/relationships/vbaProject>

This part is specified in [\[MS-OVBA\]](#).

A package MUST contain at most one VBA Project part, which MUST be the target of an implicit relationship from the **main document** part (section [2.1.1.1](#)).

A VBA Project part MUST have an implicit relationship to the **VBA Supplemental Data** part.

A VBA Project part MUST NOT have implicit or explicit relationships to any other part specified by this document or any part specified in [\[ISO/IEC29500-1:2011\]](#).

### 2.1.1.3 VBA Supplemental Data

**Content Type:** application/vnd.ms-word.vbaData+xml

**Root Namespace:** <http://schemas.microsoft.com/office/word/2006/wordml>

**Source Relationship:** <http://schemas.microsoft.com/office/2006/relationships/wordVbaData>

An instance of this part type specifies **Visual Basic for Applications (VBA)** supplemental Data.

A VBA Supplemental Data part MUST be the target of an implicit relationship from the **VBA Project** part (section [2.1.1.2](#)).

A VBA Supplemental Data part MUST NOT have implicit or explicit relationships to any other part specified by this document or any part specified in [\[ISO/IEC29500-1:2011\]](#).

The root element for a part of this content type MUST be **vbaSuppData** (section [2.1.3.1](#)).

### 2.1.2 Extensions

None.

### 2.1.3 Global Elements

#### 2.1.3.1 vbaSuppData

*Target namespace:* <http://schemas.microsoft.com/office/word/2006/wordml>

A **CT\_VbaSuppData** element (section [2.1.5.4](#)) that specifies supplemental Visual Basic for Applications (VBA) data.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this element.

```
<xsd:element name="vbaSuppData" type="CT_VbaSuppData"/>
```

### 2.1.4 Global Attributes

None.

### 2.1.5 Complex Types

#### 2.1.5.1 CT\_DocEvents

*Target namespace:* <http://schemas.microsoft.com/office/word/2006/wordml>

Referenced by: [CT\\_VbaSuppData](#)

A complex type that specifies a container of document events that are active for this document.

*Child Elements:*

**eventDocNew:** An element that specifies that the **New** event is active.

**eventDocOpen:** An element that specifies that the **Open** event is active.

**eventDocClose:** An element that specifies that the **Close** event is active.

**eventDocSync:** An element that specifies that the **Sync** event is active.

**eventDocXmlAfterInsert:** An element that specifies that the **XmlAfterInsert** event is active.

**eventDocXmlBeforeDelete:** An element that specifies that the **XmlBeforeDelete** event is active.

**eventDocContentControlAfterInsert:** An element that specifies that the **ContentControlAfterInsert** event is active.

**eventDocContentControlBeforeDelete:** An element that specifies that the **ContentControlBeforeDelete** event is active.

**eventDocContentControlOnExit:** An element that specifies that the **ContentControlOnExit** event is active.

**eventDocContentControlOnEnter:** An element that specifies that the **ContentControlOnEnter** event is active.

**eventDocStoreUpdate:** An element that specifies that the **StoreUpdate** event is active.

**eventDocContentControlContentUpdate:** An element that specifies that the **ContentControlContentUpdate** event is active.

**eventDocBuildingBlockAfterInsert:** An element that specifies that the **BuildingBlockAfterInsert** event is active.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_DocEvents">
  <xsd:sequence>
    <xsd:element name="eventDocNew" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocOpen" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocClose" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocSync" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocXmlAfterInsert" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocXmlBeforeDelete" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlAfterInsert" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlBeforeDelete" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlOnExit" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlOnEnter" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocStoreUpdate" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlContentUpdate" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocBuildingBlockAfterInsert" minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>
```

### 2.1.5.2 CT\_Mcd

*Target namespace:* <http://schemas.microsoft.com/office/word/2006/wordml>

*Referenced by:* [CT\\_Mcdfs](#)

A complex type that specifies a macro.

*Attributes:*

**macroName:** An **ST\_String** attribute ([\[ISO/IEC29500-1:2011\]](#) section 22.9.2.13) that MUST equal the **name** attribute with every character set to uppercase.

**name:** An **ST\_String** attribute ([\[ISO/IEC29500-1:2011\]](#) section 22.9.2.13) that specifies the name of the **macro**. This attribute MUST NOT exceed 255 characters.

**menuHelp:** An **ST\_String** attribute ([\[ISO/IEC29500-1:2011\]](#) section 22.9.2.13) that MUST be ignored.

**bEncrypt:** An **ST\_UcharHexNumber** attribute ([\[ISO/IEC29500-1:2011\]](#) section 17.18.98) that MUST be 0.

**cmg:** An **ST\_UcharHexNumber** attribute ([\[ISO/IEC29500-1:2011\]](#) section 17.18.98) that MUST be 56.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_Mcd">
  <xsd:attribute name="macroName" type="w:ST_String" use="optional"/>
  <xsd:attribute name="name" type="w:ST_String" use="optional"/>
  <xsd:attribute name="menuHelp" type="w:ST_String" use="optional"/>
  <xsd:attribute name="bEncrypt" type="w:ST_UcharHexNumber"/>
  <xsd:attribute name="cmg" type="w:ST_UcharHexNumber"/>
</xsd:complexType>
```

### 2.1.5.3 CT\_Mcdfs

*Target namespace:* <http://schemas.microsoft.com/office/word/2006/wordml>

*Referenced by:* [CT\\_VbaSuppData](#)

A complex type that specifies a collection of macros.

*Child Elements:*

**mcd:** A **CT\_Mcd** element (section [2.1.5.2](#)) that specifies a macro.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_Mcdfs">
  <xsd:sequence>
    <xsd:element name="mcd" type="CT_Mcd" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
</xsd:complexType>
```

#### 2.1.5.4 CT\_VbaSuppData

*Target namespace:* <http://schemas.microsoft.com/office/word/2006/wordml>

*Referenced by:* [vbaSuppData](#)

A complex type that specifies document events and macro information for the VBA project.

*Child Elements:*

**docEvents:** A **CT\_DocEvents** element (section [2.1.5.1](#)) that specifies a container of document events that are active for this document.

**mcDs:** A **CT\_McDs** element (section [2.1.5.3](#)) that specifies a collection of macros stored in the VBA project.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_VbaSuppData">
  <xsd:sequence>
    <xsd:element name="docEvents" type="CT_DocEvents" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="mcDs" type="CT_McDs" minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>
```

#### 2.1.6 Simple Types

None.

### 2.2 Macro-enabled SpreadsheetML structures

#### 2.2.1 Part Enumeration

This section specifies the parts ([\[ISO/IEC29500-1:2011\]](#)) of the macro-enabled SpreadsheetML file format that are different from the parts of the non-macro-enabled SpreadsheetML file format specified in [\[ISO/IEC29500-1:2011\]](#) section 12.3. These parts and their relationships are summarized in the following table.

Part	Relationship target
International Macro Sheet (section <a href="#">2.2.1.1</a> )	Workbook (section <a href="#">2.2.1.4</a> )
Macro Sheet (section <a href="#">2.2.1.2</a> )	Workbook (section <a href="#">2.2.1.4</a> )
VBA Project (section <a href="#">2.2.1.3</a> )	Workbook (section <a href="#">2.2.1.4</a> )
Workbook (section <a href="#">2.2.1.4</a> )	SpreadsheetML Package ( <a href="#">[ISO/IEC29500-1:2011]</a> section 12.2)

##### 2.2.1.1 International Macro Sheet

**Content Type:** application/vnd.ms-excel.intlmacrosheet+xml

**Root Namespace:** <http://schemas.microsoft.com/office/excel/2006/main>

**Source Relationship:** <http://schemas.microsoft.com/office/2006/relationships/xlIntlMacrosheet>

An instance of this part type specifies the same information as a **Macro Sheet** part type (section [2.2.1.2](#)). When this part type is present, the associated **macro sheet** will display and operate with the US English **locale**, regardless of what the product locale, user locale, or system locale is. This will maximize compatibility when running under various locales.

### 2.2.1.2 Macro Sheet

**Content Type:** application/vnd.ms-excel.macrosheet+xml

**Root Namespace:** <http://schemas.microsoft.com/office/excel/2006/main>

**Source Relationship:** <http://schemas.microsoft.com/office/2006/relationships/xlMacrosheet>

An instance of this part type specifies a macro sheet. References to the macro sheet part in this document include **international macro sheets** (section [2.2.1.1](#)) as well.

A macro sheet part MUST be the target of an explicit relationship from the **workbook** part (section [2.2.1.4](#)).

The root element for a part of this content type MUST be **macrosheet** (section [2.2.3.1](#)).

A macro sheet part is permitted to have implicit relationships to the following parts specified in [\[ISO/IEC29500-1:2011\]](#):

- Comments
- Macro Sheet Binary Index
- Sort Map

A macro sheet part is permitted to have explicit relationships to the following parts specified in [\[ISO/IEC29500-1:2011\]](#):

- Custom Property
- Drawings
- OLE Object
- OLE Package
- Images
- Printer Settings
- **VML** Drawing

A macro sheet part MUST NOT have implicit or explicit relationships to any other part specified in [\[ISO/IEC29500-1:2011\]](#).

A formula ([\[ISO/IEC29500-1:2011\]](#) section 18.17) in a macro sheet is specified by **Formulas** (section [2.2.7](#)), which is an extension of the definition in [\[MS-XLSX\]](#) section 2.2.2.

### 2.2.1.3 VBA Project

**Content Type:** application/vnd.ms-office.vbaProject

**Root Namespace:** Not applicable

**Source Relationship:** <http://schemas.microsoft.com/office/2006/relationships/vbaProject>

This part is specified in [\[MS-OVBA\]](#).

A package MUST contain at most one VBA Project part, which MUST be the target of an implicit relationship from the **workbook** part (section [2.2.1.4](#)).

A VBA Project part MUST NOT have implicit or explicit relationships to any other part specified by this document or any other part specified in [\[ISO/IEC29500-1:2011\]](#).

#### 2.2.1.4 Workbook

**Content Types:**

- application/vnd.ms-excel.sheet.macroEnabled.main+xml
- application/vnd.ms-excel.template.macroEnabled.main+xml

**Root Namespace:** <http://schemas.openxmlformats.org/spreadsheetml/2006/main>

**Source Relationship:**

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument>

This part is modified from the part specified in [\[ISO/IEC29500-1:2011\]](#) Part1, section 12.3.23.

A Workbook part is permitted to have an implicit relationship to the **VBA Project** (section [2.2.1.3](#)), **Macro Sheet** (section [2.2.1.2](#)), and **International Macro Sheet** (section [2.2.1.1](#)) parts.

#### 2.2.2 Excel Extensions

Extensions are specified by using conventions provided by [\[ISO/IEC29500-3:2011\]](#).

##### 2.2.2.1 Extensions by Part

This section specifies the elements from [\[ISO/IEC29500-1:2011\]](#) that are extended by this format. Either the **Ignorable** attribute ([\[ISO/IEC29500-3:2011\]](#) section 10.1.1), **AlternateContent** element ([\[ISO/IEC29500-3:2011\]](#) section 10.2.1), or **extLst** element ([\[ISO/IEC29500-1:2011\]](#) section 18.2.10) MUST be used to maintain compatibility with ISO/IEC-29500 implementations.

##### 2.2.2.1.1 Workbook

The **extLst** ([\[ISO/IEC29500-1:2011\]](#) section 18.2.10) child element of the workbook ([\[ISO/IEC29500-1:2011\]](#) section 18.2.27) element is extended by the addition of new child **ext** ([\[ISO/IEC29500-1:2011\]](#) section 18.2.7) elements, whose structure is specified in the following table.

Ext uri	Child element
{8193D73E-4604-4355-AFF4-8A2333D13BE4}	<b>definedNames</b> (section <a href="#">2.2.3.2</a> )

For more information about how extension lists are used, see [\[ISO/IEC29500-3:2011\]](#) section 10.1.2.

## 2.2.3 Global Elements

### 2.2.3.1 macrosheet

*Target namespace:* <http://schemas.microsoft.com/office/excel/2006/main>

A **CT\_Worksheet** element (section [2.2.5.1](#)) that specifies a macro sheet.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this element.

```
<xsd:element name="macrosheet" type="CT_Worksheet"/>
```

### 2.2.3.2 definedNames

*Target namespace:* <http://schemas.microsoft.com/office/excel/2008/2/main>

A **CT\_DefinedNames** element (section [2.2.5.2](#)) that specifies additional properties for macros.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this element.

```
<xsd:element name="definedNames" type="CT_DefinedNames"/>
```

## 2.2.4 Global Attributes

None.

## 2.2.5 Complex Types

### 2.2.5.1 CT\_Worksheet

*Target namespace:* <http://schemas.microsoft.com/office/excel/2006/main>

*Referenced by:* [macrosheet](#)

A complex type that specifies properties for a macro sheet.

*Child Elements:*

**sheetPr:** A **CT\_SheetPr** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies sheet-level properties.

**dimension:** A **CT\_SheetDimension** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies the used **range** of the **worksheet**.

**sheetViews:** A **CT\_SheetViews** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **sheet view** information.

**sheetFormatPr:** A **CT\_SheetFormatPr** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **sheet (2)** formatting properties.

**cols:** A **CT\_Cols** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies information about whole columns of the worksheet.

**sheetData:** A **CT\_SheetData** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies the Worksheet ([\[ISO/IEC29500-1:2011\]](#) section 18.3) cell table.

**sheetCalcPr:** This element MUST be ignored in a macro sheet.

**sheetProtection:** A **CT\_SheetProtection** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies sheet (2) **protection** options.

**protectedRanges:** This element MUST be ignored in a macro sheet.

**scenarios:** This element MUST be ignored in a macro sheet.

**autoFilter:** A **CT\_AutoFilter** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **AutoFilter** settings.

**sortState:** A **CT\_SortState** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies the different **sort conditions** that apply to a range.

**dataConsolidate:** A **CT\_DataConsolidate** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **data consolidation** settings.

**customSheetViews:** A **CT\_CustomSheetViews** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies custom sheet views.

**mergeCells:** This element MUST be ignored in a macro sheet.

**phoneticPr:** A **CT\_PhoneticPr** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies default **phonetic information**.

**conditionalFormatting:** A **CT\_ConditionalFormatting** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **conditional formatting** rules.

**dataValidations:** This element MUST be ignored in a macro sheet.

**hyperlinks:** This element MUST be ignored in a macro sheet.

**printOptions:** A **CT\_PrintOptions** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies print options for the sheet (2).

**pageMargins:** A **CT\_PageMargins** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **page margins** for the sheet (2).

**pageSetup:** A **CT\_PageSetup** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies page setup settings for the sheet (2).

**headerFooter:** A **CT\_HeaderFooter** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies header and footer settings.

**rowBreaks:** A **CT\_PageBreak** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies horizontal **page break (2)** information.

**colBreaks:** A **CT\_PageBreak** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies vertical page break (2) information.

**customProperties:** A **CT\_CustomProperties** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies references to binary parts containing arbitrary user-defined data.

**cellWatches:** This element MUST be ignored in a macro sheet.

**ignoredErrors:** This element MUST be ignored in a macro sheet.

**smartTags:** This element MUST be ignored in a macro sheet.

**drawing:** A **CT\_Drawing** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies a reference to a drawing part ([\[ISO/IEC29500-1:2011\]](#) section 12.3.8) containing one or more drawing ([\[ISO/IEC29500-1:2011\]](#) section 20.5) elements.

**picture:** A **CT\_SheetBackgroundPicture** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies a background image of a sheet (2).

**oleObjects:** A **CT\_OleObjects** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies **embedded objects** in the sheet (2).

**controls:** This element MUST be ignored in a macro sheet.

**webPublishItems:** A **CT\_WebPublishItems** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies individual objects that have been published to **HTML**.

**tableParts:** A **CT\_TableParts** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies references to parts specifying every **table** on the sheet (2).

**extLst:** A **CT\_ExtensionList** element ([\[ISO/IEC29500-1:2011\]](#) section A.2) that specifies future extensions to this format.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_Worksheet">
  <xsd:sequence>
    <xsd:element name="sheetPr" type="x:CT_SheetPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="dimension" type="x:CT_SheetDimension" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sheetViews" type="x:CT_SheetViews" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sheetFormatPr" type="x:CT_SheetFormatPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="cols" type="x:CT_Cols" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="sheetData" type="x:CT_SheetData" minOccurs="1" maxOccurs="1"/>
    <xsd:element name="sheetCalcPr" type="x:CT_SheetCalcPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sheetProtection" type="x:CT_SheetProtection" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="protectedRanges" type="x:CT_ProtectedRanges" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="scenarios" type="x:CT_Scenarios" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="autoFilter" type="x:CT_AutoFilter" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sortState" type="x:CT_SortState" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="dataConsolidate" type="x:CT_DataConsolidate" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="customSheetViews" type="x:CT_CustomSheetViews" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="mergeCells" type="x:CT_MergeCells" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="phoneticPr" type="x:CT_PhoneticPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="conditionalFormatting" type="x:CT_ConditionalFormatting" minOccurs="0"
maxOccurs="unbounded"/>
    <xsd:element name="dataValidations" type="x:CT_DataValidations" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="hyperlinks" type="x:CT_Hyperlinks" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="printOptions" type="x:CT_PrintOptions" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="pageMargins" type="x:CT_PageMargins" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="pageSetup" type="x:CT_PageSetup" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="headerFooter" type="x:CT_HeaderFooter" minOccurs="0" maxOccurs="1"/>
  
```

```

<xsd:element name="rowBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
<xsd:element name="colBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
<xsd:element name="customProperties" type="x:CT_CustomProperties" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="cellWatches" type="x:CT_CellWatches" minOccurs="0" maxOccurs="1"/>
<xsd:element name="ignoredErrors" type="x:CT_IgnoredErrors" minOccurs="0" maxOccurs="1"/>
<xsd:element name="smartTags" type="x:CT_SmartTags" minOccurs="0" maxOccurs="1"/>
<xsd:element name="drawing" type="x:CT_Drawing" minOccurs="0" maxOccurs="1"/>
<xsd:element name="picture" type="x:CT_SheetBackgroundPicture" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="oleObjects" type="x:CT_OleObjects" minOccurs="0" maxOccurs="1"/>
<xsd:element name="controls" type="x:CT_Controls" minOccurs="0" maxOccurs="1"/>
<xsd:element name="webPublishItems" type="x:CT_WebPublishItems" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="tableParts" type="x:CT_TableParts" minOccurs="0" maxOccurs="1"/>
<xsd:element name="extLst" type="x:CT_ExtensionList" minOccurs="0" maxOccurs="1"/>
</xsd:sequence>
</xsd:complexType>

```

### 2.2.5.2 CT\_DefinedNames

*Target namespace:* <http://schemas.microsoft.com/office/excel/2008/2/main>

*Referenced by:* [definedNames](#)

A complex type that specifies a group of additional properties for macros.

*Child Elements:*

**definedName:** A **CT\_DefinedName** element (section [2.2.5.3](#)) that specifies additional properties for a particular macro.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```

<xsd:complexType name="CT_DefinedNames">
  <xsd:sequence>
    <xsd:element name="definedName" type="CT_DefinedName" minOccurs="1"
maxOccurs="unbounded"/>
  </xsd:sequence>
</xsd:complexType>

```

### 2.2.5.3 CT\_DefinedName

*Target namespace:* <http://schemas.microsoft.com/office/excel/2008/2/main>

*Referenced by:* [CT\\_DefinedNames](#)

A complex type that specifies additional properties for a macro named **name**.

*Child Elements:*

**argumentDescriptions:** A **CT\_DefinedNameArgumentDescriptions** element (section [2.2.5.4](#)) that specifies a group of descriptions for the macro arguments if the macro has arguments.

*Attributes:*

**name:** An **ST\_Xstring** attribute ([\[ISO/IEC29500-1:2011\]](#) section 22.9.2.19) that specifies the name of a macro. The **name** attribute value MUST be unique for each **CT\_DefinedName** element inside the **CT\_DefinedNames** element (section [2.2.5.2](#)). At least one of the following conditions MUST be true: There exists a **CT\_DefinedName** ([\[ISO/IEC29500-1:2011\]](#) section A.2) element with a **name** attribute equal to this value and either the **vbProcedure** attribute or the **xlm** attribute is equal to 1, or there exists a Visual Basic for Applications (VBA) macro having a name equal to this value.

The string MUST adhere to the **name** grammar as specified in [\[MS-XLSX\]](#) section 2.2.2.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_DefinedName">
  <xsd:sequence>
    <xsd:element name="argumentDescriptions" type="CT_DefinedNameArgumentDescriptions"
minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
  <xsd:attribute name="name" type="x:ST_Xstring" use="required"/>
</xsd:complexType>
```

#### 2.2.5.4 CT\_DefinedNameArgumentDescriptions

*Target namespace:* <http://schemas.microsoft.com/office/excel/2008/2/main>

*Referenced by:* [CT\\_DefinedName](#)

A complex type that specifies a group of argument descriptions for a particular macro.

*Child Elements:*

**argumentDescription:** A **CT\_DefinedNameArgumentDescription** element (section [2.2.5.5](#)) that specifies an argument description for a particular macro. Each **index** attribute of these child elements MUST be unique for all **CT\_DefinedNameArgumentDescription** elements (section [2.2.5.5](#)) within this **CT\_DefinedNameArgumentDescriptions** element.

*Attributes:*

**count:** An **unsignedInt** attribute ([\[XMLSCHEMA2\]](#) section 3.3.22) that specifies the number of **CT\_DefinedNameArgumentDescription** child elements (section [2.2.5.5](#)) of this element and specifies the number of argument descriptions of the associated macro. MUST be greater than or equal to 1 and MUST be less than or equal to 60.

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_DefinedNameArgumentDescriptions">
  <xsd:sequence>
    <xsd:element name="argumentDescription" type="CT_DefinedNameArgumentDescription"
minOccurs="1" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="count" type="xsd:unsignedInt" use="optional"/>
</xsd:complexType>
```

## 2.2.5.5 CT\_DefinedNameArgumentDescription

*Target namespace:* <http://schemas.microsoft.com/office/excel/2008/2/main>

*Referenced by:* [CT\\_DefinedNameArgumentDescriptions](#)

A complex type that specifies an argument description for a particular argument of a macro. The length of the ST\_Xstring ([\[ISO/IEC29500-1:2011\]](#) section 22.9.2.19) MUST be less than or equal to 255.

*Attributes:*

**index:** An **unsignedInt** attribute ([\[XMLSCHEMA2\]](#) section 3.3.22) that specifies the zero-based index referring to the argument at position **index** of the associated macro. MUST be less than the **count** attribute value in the parent **CT\_DefinedNameArgumentDescription** element (section [2.2.5.5](#)).

The following W3C XML Schema ([\[XMLSCHEMA1\]](#) section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_DefinedNameArgumentDescription">
  <xsd:simpleContent>
    <xsd:extension base="x:ST_Xstring">
      <xsd:attribute name="index" type="xsd:unsignedInt" use="required"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

## 2.2.6 Simple Types

None.

## 2.2.7 Formulas

```
function-call =/ (macro-function-call / command-function-call)
```

## 2.3 Macro-Enabled PresentationML Structures

### 2.3.1 Part Enumeration

This section specifies the parts ([\[ISO/IEC29500-1:2011\]](#)) of the macro-enabled PresentationML file format that are different from the parts of the non-macro-enabled PresentationML file format specified in [\[ISO/IEC29500-1:2011\]](#) section 13.3. These parts and their relationships are summarized in the following table.

Part	Relationship target
Presentation (section <a href="#">2.3.1.1</a> )	PresentationML Package ( <a href="#">[ISO/IEC29500-1:2011]</a> section 13.2)
VBA Project (section <a href="#">2.3.1.2</a> )	Presentation (section <a href="#">2.3.1.1</a> )

### 2.3.1.1 Presentation

**Content Types:**

- application/vnd.ms-powerpoint.presentation.macroEnabled.main+xml
- application/vnd.ms-powerpoint.slideshow.macroEnabled.main+xml
- application/vnd.ms-powerpoint.template.macroEnabled.main+xml

**Root Namespace:** <http://schemas.openxmlformats.org/presentationml/2006/main>

**Source Relationship:**

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument>

This part is modified from the presentation part specified in [\[ISO/IEC29500-1:2011\]](#) Part 1, section 13.3.6. presentation part is permitted to have an implicit relationship to the VBA Project part.

### 2.3.1.2 VBA Project

**Content Type:** application/vnd.ms-office.vbaProject

**Root Namespace:** Not applicable

**Source Relationship:** <http://schemas.microsoft.com/office/2006/relationships/vbaProject>

This part is specified in [\[MS-OVBA\]](#).

A package MUST contain at most one VBA Project part, which MUST be the target of an implicit relationship from the **presentation** part (section [2.3.1.1](#)).

A VBA Project part MUST NOT have implicit or explicit relationships to any other part specified by this document or any part specified in [\[ISO/IEC29500-1:2011\]](#).

### 2.3.2 Extensions

None.

### 2.3.3 Global Elements

None.

### 2.3.4 Global Attributes

None.

### 2.3.5 Complex Types

#### 2.3.5.1 CT\_SlideMasterIdListEntry

*Target namespace:* <http://schemas.openxmlformats.org/presentationml/2006/main>

This element specifies a slide master that is available within the corresponding presentation. A slide master is a slide that is specifically designed to be a template for all related child layout slides.

This complex type is modified from the **CT\_SlideMasterIdListEntry** specified in [\[ISO/IEC29500-1:2011\]](#), section 19.2.1.37.

The **id** attribute of this part MUST be present in the macro-enabled PresentationML format.

### **2.3.6 Simple Types**

None.

## 3 Structure Examples

### 3.1 VBA Supplemental Data Part

This example shows a usage of a Word **VBA Supplemental Data** part (section [2.1.1.3](#)). Consider the following XML, showing the complete contents of the **VBA Supplemental Data** part (section [2.1.1.3](#)) of a word-processing document.

```
<wne:vbaSuppData
  xmlns:ve="http://schemas.openxmlformats.org/markup-compatibility/2006"
  xmlns:o="urn:schemas-microsoft-com:office:office"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
  xmlns:m="http://schemas.openxmlformats.org/officeDocument/2006/math"
  xmlns:v="urn:schemas-microsoft-com:vml"
  xmlns:wp="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawing"
  xmlns:w10="urn:schemas-microsoft-com:office:word"
  xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
  xmlns:wne="http://schemas.microsoft.com/office/word/2006/wordml">
  <wne:docEvents>
    <wne:eventDocOpen/>
    <wne:eventDocXmlAfterInsert/>
  </wne:docEvents>
  <wne:mcds>
    <wne:mcd wne:macroName="PROJECT.NEWMACROS.MACRO1" wne:name="Project.NewMacros.Macro1"
wne:bEncrypt="00" wne:cmg="56"/>
  </wne:mcds>
</wne:vbaSuppData>
```

The **docEvents** child of the **vbaSuppData** element (section [2.1.3.1](#)) specifies that both the Open event and the XMLAfterInsert event are active for this document. The **mcds** element of the **vbaSuppData** element (section [2.1.3.1](#)) contains an **mcd** element that specifies macro information for the "Project.NewMacros.Macro1" macro.

### 3.2 Macro Sheet Part

This example shows a usage of an Excel **macro sheet** part (section [2.2.1.2](#)). Consider the following XML, showing the complete contents of a **macro sheet** part (section [2.2.1.2](#)) of a workbook.

```
<xm:macrosheet
  xmlns="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
  xmlns:xm="http://schemas.microsoft.com/office/excel/2006/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships">
  <dimension ref="A1"/>
  <sheetViews>
    <sheetView showFormulas="1" tabSelected="1" workbookViewId="0">
      <selection activeCell="A2" sqref="A2"/>
    </sheetView>
  </sheetViews>
  <sheetFormatPr defaultRowHeight="15"/>
  <sheetData>
    <row r="1" spans="1:1">
      <c r="A1" t="b">
        <f>ACTIVATE ()</f>
        <v>0</v>
      </c>
    </row>
```

```
</sheetData>  
<pageMargins left="0.7" right="0.7" top="0.75" bottom="0.75" header="0.3" footer="0.3"/>  
</xm:macrosheet>
```

The **macrosheet** element (section [2.2.3.1](#)) specifies the macro sheet. A formula following the grammar specified in section [2.2.7](#) is specified by the **f** element ([\[ISO/IEC29500-1:2011\]](#) section 18.17).

## **4 Security Considerations**

### **4.1 Security Considerations for Implementers**

None.

### **4.2 Index of Security Fields**

None.

## 5 Appendix A: Full XML Schemas

For ease of implementation, this section provides the full W3C XML Schemas for the new elements, attributes, complex types, and simple types specified in the preceding sections. Any schema references to namespaces included in [\[ISO/IEC29500:2011\]](#) refer specifically to the transitional schemas as specified in [\[ISO/IEC29500-4:2011\]](#).

### 5.1 <http://schemas.microsoft.com/office/word/2006/wordml>

```
<xsd:schema elementFormDefault="qualified"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
xmlns="http://schemas.microsoft.com/office/word/2006/wordml"
targetNamespace="http://schemas.microsoft.com/office/word/2006/wordml">
  <xsd:import namespace="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
schemaLocation="word12.xsd" />
  <xsd:import id="rel"
namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
schemaLocation="orel.xsd" />
  <xsd:element name="vbaSuppData" type="CT_VbaSuppData"/>
  <xsd:complexType name="CT_DocEvents">
    <xsd:sequence>
      <xsd:element name="eventDocNew" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocOpen" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocClose" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocSync" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocXmlAfterInsert" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocXmlBeforeDelete" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlAfterInsert" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlBeforeDelete" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlOnExit" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlOnEnter" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocStoreUpdate" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlContentUpdate" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocBuildingBlockAfterInsert" minOccurs="0" maxOccurs="1"/>
    </xsd:sequence>
  </xsd:complexType>
  <xsd:complexType name="CT_Mcd">
    <xsd:attribute name="macroName" type="w:ST_String" use="optional"/>
    <xsd:attribute name="name" type="w:ST_String" use="optional"/>
    <xsd:attribute name="menuHelp" type="w:ST_String" use="optional"/>
    <xsd:attribute name="bEncrypt" type="w:ST_UcharHexNumber"/>
    <xsd:attribute name="cmg" type="w:ST_UcharHexNumber"/>
  </xsd:complexType>
  <xsd:complexType name="CT_McDs">
    <xsd:sequence>
      <xsd:element name="mcd" type="CT_Mcd" minOccurs="0" maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
  <xsd:complexType name="CT_VbaSuppData">
    <xsd:sequence>
      <xsd:element name="docEvents" type="CT_DocEvents" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="mcDs" type="CT_McDs" minOccurs="0" maxOccurs="1"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:schema>
```

## 5.2 http://schemas.microsoft.com/office/excel/2006/main

```
<xsd:schema elementFormDefault="qualified" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/office/excel/2006/main"
xmlns:x="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
targetNamespace="http://schemas.microsoft.com/office/excel/2006/main"
<xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlsheet.xsd" />
<xsd:import
namespace="http://schemas.microsoft.com/office/excel/2006/main"
schemaLocation="xlmacrosheet.xsd" />
<xsd:element name="macrosheet" type="CT_Worksheet"/>
<xsd:complexType name="CT_Worksheet">
<xsd:sequence>
<xsd:element name="sheetPr" type="x:CT_SheetPr" minOccurs="0" maxOccurs="1"/>
<xsd:element name="dimension" type="x:CT_SheetDimension" minOccurs="0" maxOccurs="1"/>
<xsd:element name="sheetViews" type="x:CT_SheetViews" minOccurs="0" maxOccurs="1"/>
<xsd:element name="sheetFormatPr" type="x:CT_SheetFormatPr" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="cols" type="x:CT_Cols" minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="sheetData" type="x:CT_SheetData" minOccurs="1" maxOccurs="1"/>
<xsd:element name="sheetCalcPr" type="x:CT_SheetCalcPr" minOccurs="0" maxOccurs="1"/>
<xsd:element name="sheetProtection" type="x:CT_SheetProtection" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="protectedRanges" type="x:CT_ProtectedRanges" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="scenarios" type="x:CT_Scenarios" minOccurs="0" maxOccurs="1"/>
<xsd:element name="autoFilter" type="x:CT_AutoFilter" minOccurs="0" maxOccurs="1"/>
<xsd:element name="sortState" type="x:CT_SortState" minOccurs="0" maxOccurs="1"/>
<xsd:element name="dataConsolidate" type="x:CT_DataConsolidate" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="customSheetViews" type="x:CT_CustomSheetViews" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="mergeCells" type="x:CT_MergeCells" minOccurs="0" maxOccurs="1"/>
<xsd:element name="phoneticPr" type="x:CT_PhoneticPr" minOccurs="0" maxOccurs="1"/>
<xsd:element name="conditionalFormatting" type="x:CT_ConditionalFormatting"
minOccurs="0" maxOccurs="unbounded"/>
<xsd:element name="dataValidations" type="x:CT_DataValidations" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="hyperlinks" type="x:CT_Hyperlinks" minOccurs="0" maxOccurs="1"/>
<xsd:element name="printOptions" type="x:CT_PrintOptions" minOccurs="0" maxOccurs="1"/>
<xsd:element name="pageMargins" type="x:CT_PageMargins" minOccurs="0" maxOccurs="1"/>
<xsd:element name="pageSetup" type="x:CT_PageSetup" minOccurs="0" maxOccurs="1"/>
<xsd:element name="headerFooter" type="x:CT_HeaderFooter" minOccurs="0" maxOccurs="1"/>
<xsd:element name="rowBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
<xsd:element name="colBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
<xsd:element name="customProperties" type="x:CT_CustomProperties" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="cellWatches" type="x:CT_CellWatches" minOccurs="0" maxOccurs="1"/>
<xsd:element name="ignoredErrors" type="x:CT_IgnoredErrors" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="smartTags" type="x:CT_SmartTags" minOccurs="0" maxOccurs="1"/>
<xsd:element name="drawing" type="x:CT_Drawing" minOccurs="0" maxOccurs="1"/>
<xsd:element name="picture" type="x:CT_SheetBackgroundPicture" minOccurs="0"
maxOccurs="1"/>
<xsd:element name="oleObjects" type="x:CT_OleObjects" minOccurs="0" maxOccurs="1"/>
<xsd:element name="controls" type="x:CT_Controls" minOccurs="0" maxOccurs="1"/>
<xsd:element name="webPublishItems" type="x:CT_WebPublishItems" minOccurs="0"
maxOccurs="1"/>
```

```

    <xsd:element name="tableParts" type="x:CT_TableParts" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="extLst" type="x:CT_ExtensionList" minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>
</xsd:schema>

```

### 5.3 <http://schemas.microsoft.com/office/excel/2008/2/main>

```

<xsd:schema elementFormDefault="qualified"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
xmlns="http://schemas.microsoft.com/office/excel/2008/2/main"
xmlns:x="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
xmlns:xm="http://schemas.microsoft.com/office/excel/2006/main"
targetNamespace="http://schemas.microsoft.com/office/excel/2008/2/main">
  <xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlbasictypes.xsd" />
  <xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlsheet.xsd" />
  <xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlpivot.xsd" />
  <xsd:import namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
schemaLocation="orel.xsd" />
  <xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlworkbook.xsd" />
  <xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlsupbook.xsd" />
  <xsd:element name="macrosheet" type="CT_Worksheet"/>
  <xsd:complexType name="CT_DefinedName">
    <xsd:sequence>
      <xsd:element name="argumentDescriptions" type="CT_DefinedNameArgumentDescriptions"
minOccurs="0" maxOccurs="1"/>
    </xsd:sequence>
    <xsd:attribute name="name" type="x:ST_Xstring" use="required"/>
  </xsd:complexType>
  <xsd:complexType name="CT_DefinedNameArgumentDescription">
    <xsd:simpleContent>
      <xsd:extension base="x:ST_Xstring">
        <xsd:attribute name="index" type="xsd:unsignedInt" use="required"/>
      </xsd:extension>
    </xsd:simpleContent>
  </xsd:complexType>
  <xsd:complexType name="CT_DefinedNameArgumentDescriptions">
    <xsd:sequence>
      <xsd:element name="argumentDescription" type="CT_DefinedNameArgumentDescription"
minOccurs="1" maxOccurs="unbounded"/>
    </xsd:sequence>
    <xsd:attribute name="count" type="xsd:unsignedInt" use="optional"/>
  </xsd:complexType>
  <xsd:complexType name="CT_DefinedNames">
    <xsd:sequence>
      <xsd:element name="definedName" type="CT_DefinedName" minOccurs="1"
maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:schema>

```

## 6 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft Office 2010 suites
- Microsoft Office 2013
- Microsoft Visual Basic for Applications 6.0 (VBA 6.0)
- Microsoft Visual Basic for Applications 7.0 (VBA 7.0)

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

## 7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 8 Index

### A

[Applicability](#) 7

### C

[Change tracking](#) 30

Common data types and fields ([section 2 8](#), [section 2 8](#))

Complex types

[CT\\_DefinedName](#) 18

[CT\\_DefinedNameArgumentDescription](#) 20

[CT\\_DefinedNameArgumentDescriptions](#) 19

[CT\\_DefinedNames](#) 18

[CT\\_DocEvents](#) 9

[CT\\_Mcd](#) 11

[CT\\_McDs](#) 11

[CT\\_SlideMasterIdListEntry](#) 21

[CT\\_VbaSuppData](#) 12

[CT\\_Worksheet](#) 15

[CT\\_DefinedName – complex type](#) 18

[CT\\_DefinedNameArgumentDescription – complex type](#) 20

[CT\\_DefinedNameArgumentDescriptions – complex type](#) 19

[CT\\_DefinedNames – complex type](#) 18

[CT\\_DocEvents – complex type](#) 9

[CT\\_Mcd – complex type](#) 11

[CT\\_McDs – complex type](#) 11

[CT\\_SlideMasterIdListEntry – complex type](#) 21

[CT\\_VbaSuppData – complex type](#) 12

[CT\\_Worksheet – complex type](#) 15

### D

Data types and fields - common ([section 2 8](#), [section 2 8](#))

[definedNames – global element](#) 15

Details

common data types and fields ([section 2 8](#), [section 2 8](#))

[CT\\_DefinedName – complex type](#) 18

[CT\\_DefinedNameArgumentDescription – complex type](#) 20

[CT\\_DefinedNameArgumentDescriptions – complex type](#) 19

[CT\\_DefinedNames – complex type](#) 18

[CT\\_DocEvents – complex type](#) 9

[CT\\_Mcd – complex type](#) 11

[CT\\_McDs – complex type](#) 11

[CT\\_SlideMasterIdListEntry – complex type](#) 21

[CT\\_VbaSuppData – complex type](#) 12

[CT\\_Worksheet – complex type](#) 15

[definedNames – global element](#) 15

[Excel extensions – macro-enabled SpreadsheetML structures](#) 14

[extensions – macro-enabled PresentationML structures](#) 21

[extensions – macro-enabled WordprocessingML structures](#) 9

[extensions by part – Excel extensions](#) 14

[global attributes – macro-enabled PresentationML structures](#) 21

[global attributes – macro-enabled SpreadsheetML structures](#) 15

[global attributes – macro-enabled WordprocessingML structures](#) 9

[global elements – macro-enabled PresentationML structures](#) 21

[International Macro Sheet – part enumeration](#) 12

[Macro Sheet – part enumeration](#) 13

[macrosheet – global element](#) 15

[main document – part enumeration](#) 8

[part enumeration – macro-enabled](#)

[PresentationML structures](#) 20

[part enumeration – macro-enabled](#)

[SpreadsheetML structures](#) 12

[part enumeration – macro-enabled](#)

[WordprocessingML structures](#) 8

[Presentation – part enumeration](#) 21

[simple types – macro-enabled PresentationML structures](#) 22

[simple types – macro-enabled SpreadsheetML structures](#) 20

[simple types – macro-enabled WordprocessingML structures](#) 12

VBA Project – part enumeration ([section 2.1.1.2 8](#), [section 2.2.1.3 13](#), [section 2.3.1.2 21](#))

[VBA Supplemental Data – part enumeration](#) 9

[vbaSuppData – global element](#) 9

[Workbook – part enumeration](#) 14

### E

Examples

[Macro Sheet Part](#) 23

[VBA Supplemental Data Part](#) 23

Excel extensions

[extensions by part](#) 14

[Excel extensions – macro-enabled SpreadsheetML structures](#) 14

[Extensions – macro-enabled PresentationML structures](#) 21

[Extensions – macro-enabled WordprocessingML structures](#) 9

[Extensions by part – Excel extensions](#) 14

### F

[Fields – vendor-extensible](#) 7

[Full XML schema](#) 26

### G

[Global attributes – macro-enabled PresentationML structures](#) 21

[Global attributes – macro-enabled SpreadsheetML structures](#) 15  
[Global attributes – macro-enabled WordprocessingML structures](#) 9  
Global elements  
[definedNames](#) 15  
[macrosheet](#) 15  
[vbaSuppData](#) 9  
[Global elements – macro-enabled PresentationML structures](#) 21  
[Glossary](#) 5

## I

[Implementer - security considerations](#) 25  
[Informative references](#) 6  
[International Macro Sheet - part enumeration](#) 12  
[Introduction](#) 5

## L

[Localization](#) 7

## M

[Macro Sheet - part enumeration](#) 13  
[Macro Sheet Part example](#) 23  
[macrosheet – global element](#) 15  
[Main document - part enumeration](#) 8

## N

[Normative references](#) 6

## O

[Overview \(synopsis\)](#) 7

## P

Part enumeration  
[International Macro Sheet](#) 12  
[Macro Sheet](#) 13  
[main document](#) 8  
[Presentation](#) 21  
VBA Project ([section 2.1.1.2](#) 8, [section 2.2.1.3](#) 13, [section 2.3.1.2](#) 21)  
[VBA Supplemental Data](#) 9  
[Workbook](#) 14  
[Part enumeration – macro-enabled PresentationML structures](#) 20  
[Part enumeration – macro-enabled SpreadsheetML structures](#) 12  
[Part enumeration – macro-enabled WordprocessingML structures](#) 8  
[Presentation - part enumeration](#) 21  
[Product behavior](#) 29

## R

[References](#) 6  
[informative](#) 6

[normative](#) 6  
[Relationship to protocols and other structures](#) 7

## S

Security  
[implementer considerations](#) 25  
[index of security fields](#) 25  
[Simple types – macro-enabled PresentationML structures](#) 22  
[Simple types – macro-enabled SpreadsheetML structures](#) 20  
[Simple types – macro-enabled WordprocessingML structures](#) 12  
Structures  
overview ([section 2](#) 8, [section 2](#) 8)  
Structures – macro-enabled PresentationML  
[CT\\_SlideMasterIdListEntry – complex type](#) 21  
[extensions](#) 21  
[global attributes](#) 21  
[global elements](#) 21  
[part enumeration](#) 20  
[Presentation - part enumeration](#) 21  
[simple types](#) 22  
[VBA Project - part enumeration](#) 21  
Structures – macro-enabled SpreadsheetML  
[CT\\_DefinedName – complex type](#) 18  
[CT\\_DefinedNameArgumentDescription – complex type](#) 20  
[CT\\_DefinedNameArgumentDescriptions – complex type](#) 19  
[CT\\_DefinedNames – complex type](#) 18  
[CT\\_Worksheet – complex type](#) 15  
[definedNames – global element](#) 15  
[Excel extensions](#) 14  
[extensions by part - Excel extensions](#) 14  
[global attributes](#) 15  
[International Macro Sheet - part enumeration](#) 12  
[Macro Sheet - part enumeration](#) 13  
[macrosheet – global element](#) 15  
[part enumeration](#) 12  
[simple types](#) 20  
[VBA Project - part enumeration](#) 13  
[Workbook - part enumeration](#) 14  
Structures – macro-enabled WordprocessingML  
[CT\\_DocEvents – complex type](#) 9  
[CT\\_Mcd – complex type](#) 11  
[CT\\_McDs – complex type](#) 11  
[CT\\_VbaSuppData – complex type](#) 12  
[extensions](#) 9  
[global attributes](#) 9  
[main document - part enumeration](#) 8  
[part enumeration](#) 8  
[simple types](#) 12  
[VBA Project - part enumeration](#) 8  
[VBA Supplemental Data - part enumeration](#) 9  
[vbaSuppData – global element](#) 9

## T

[Tracking changes](#) 30

## **V**

VBA Project - part enumeration ([section 2.1.1.2](#) 8,  
[section 2.2.1.3](#) 13, [section 2.3.1.2](#) 21)  
[VBA Supplemental Data - part enumeration](#) 9  
[VBA Supplemental Data Part example](#) 23  
[vbaSuppData – global element](#) 9  
[Vendor-extensible fields](#) 7  
[Versioning](#) 7

## **W**

[Workbook - part enumeration](#) 14

## **X**

[XML schema](#) 26