

[MS-OODF3]: Office Implementation Information for ODF 1.2 Standards Support

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
01/20/2012	0.1	New	Released new document.
04/11/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	1.0	Major	Significantly changed the technical content.
02/11/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/30/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/18/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/10/2014	1.0	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1 Introduction	29
1.1 Glossary	29
1.2 References	29
1.2.1 Normative References	29
1.2.2 Informative References	30
1.3 Microsoft Implementations	30
2 Conformance Statements	31
2.1 Normative Variations	31
2.1.1 Part 1 Section 3.1.2, office:document	31
2.1.2 Part 1 Section 3.1.3.2, office:document-content	31
2.1.3 Part 1 Section 3.1.3.3, office:document-styles	31
2.1.4 Part 1 Section 3.1.3.4, office:document-meta	32
2.1.5 Part 1 Section 3.1.3.5, office:document-settings	32
2.1.6 Part 1 Section 3.5, office:drawing	33
2.1.7 Part 1 Section 3.6, office:presentation	33
2.1.8 Part 1 Section 3.7, office:spreadsheet	33
2.1.9 Part 1 Section 3.8, office:chart	33
2.1.10 Part 1 Section 3.9, office:image	34
2.1.11 Part 1 Section 3.10, office:settings	34
2.1.12 Part 1 Section 3.10.2, config:config-item-set	34
2.1.13 Part 1 Section 3.10.3, config:config-item	34
2.1.14 Part 1 Section 3.10.4, config:config-item-map-indexed	34
2.1.15 Part 1 Section 3.10.5, config:config-item-map-entry	34
2.1.16 Part 1 Section 3.10.6, config:config-item-map-named	34
2.1.17 Part 1 Section 3.11, Cursor Position Setting	35
2.1.18 Part 1 Section 3.13, office:script	35
2.1.19 Part 1 Section 3.14, office:font-face-decls	35
2.1.20 Part 1 Section 3.15.2, office:styles	36
2.1.21 Part 1 Section 3.15.3, office:automatic-styles	37
2.1.22 Part 1 Section 3.15.4, office:master-styles	37
2.1.23 Part 1 Section 4.3.2.8, meta:printed-by	37
2.1.24 Part 1 Section 4.3.2.10, dc:date	37
2.1.25 Part 1 Section 4.3.2.11, meta:print-date	38
2.1.26 Part 1 Section 4.3.2.12, meta:template	38
2.1.27 Part 1 Section 4.3.2.13, meta:auto-reload	38
2.1.28 Part 1 Section 4.3.2.14, meta:hyperlink-behaviour	38
2.1.29 Part 1 Section 4.3.2.15, dc:language	38
2.1.30 Part 1 Section 4.3.3, meta:user-defined	39
2.1.31 Part 1 Section 5.1.2, text:h	39
2.1.32 Part 1 Section 5.1.3, text:p	41
2.1.33 Part 1 Section 5.2, text:page-sequence	44
2.1.34 Part 1 Section 5.2.2, text:page	44
2.1.35 Part 1 Section 5.3.1, text:list	44
2.1.36 Part 1 Section 5.3.3, text:list-header	45
2.1.37 Part 1 Section 5.3.6, text:numbered-paragraph	46
2.1.38 Part 1 Section 5.4, text:section	46
2.1.39 Part 1 Section 5.4.2, text:section-source	47
2.1.40 Part 1 Section 5.5.1, text:tracked-changes	48
2.1.41 Part 1 Section 5.5.2, text:changed-region	48

2.1.42	Part 1 Section 5.5.3, text:insertion	48
2.1.43	Part 1 Section 5.5.4, text:deletion	49
2.1.44	Part 1 Section 5.5.5, text:format-change.....	49
2.1.45	Part 1 Section 5.5.6, office:change-info.....	49
2.1.46	Part 1 Section 5.5.7.2, text:change-start.....	49
2.1.47	Part 1 Section 5.5.7.3, text:change-end	49
2.1.48	Part 1 Section 5.5.7.4, text:change	49
2.1.49	Part 1 Section 5.6, text:soft-page-break.....	50
2.1.50	Part 1 Section 6.1.3, text:s.....	52
2.1.51	Part 1 Section 6.1.4, text:tab.....	53
2.1.52	Part 1 Section 6.1.5, text:line-break	54
2.1.53	Part 1 Section 6.1.7, text:span.....	55
2.1.54	Part 1 Section 6.1.8, text:a	56
2.1.55	Part 1 Section 6.1.10, text:number.....	56
2.1.56	Part 1 Section 6.2.1.2, text:bookmark	58
2.1.57	Part 1 Section 6.2.1.3, text:bookmark-start.....	59
2.1.58	Part 1 Section 6.2.1.4, text:bookmark-end	60
2.1.59	Part 1 Section 6.2.2.2, text:reference-mark.....	61
2.1.60	Part 1 Section 6.2.2.3, text:reference-mark-start.....	62
2.1.61	Part 1 Section 6.2.2.4, text:reference-mark-end	62
2.1.62	Part 1 Section 6.3.2, text:note	63
2.1.63	Part 1 Section 6.3.3, text:note-citation	64
2.1.64	Part 1 Section 6.3.4, text:note-body	65
2.1.65	Part 1 Section 6.4, text:ruby.....	66
2.1.66	Part 1 Section 6.4.3, text:ruby-text	67
2.1.67	Part 1 Section 7.3.5, text:page-continuation.....	67
2.1.68	Part 1 Section 7.3.6.2, text:sender-firstname	67
2.1.69	Part 1 Section 7.3.6.3, text:sender-lastname	67
2.1.70	Part 1 Section 7.3.6.4, text:sender-initials.....	67
2.1.71	Part 1 Section 7.3.6.5, text:sender-title	68
2.1.72	Part 1 Section 7.3.6.6, text:sender-position	68
2.1.73	Part 1 Section 7.3.6.7, text:sender-email	68
2.1.74	Part 1 Section 7.3.6.8, text:sender-phone-private	68
2.1.75	Part 1 Section 7.3.6.9, text:sender-fax	68
2.1.76	Part 1 Section 7.3.6.10, text:sender-company	68
2.1.77	Part 1 Section 7.3.6.11, text:sender-phone-work	69
2.1.78	Part 1 Section 7.3.6.12, text:sender-street.....	69
2.1.79	Part 1 Section 7.3.6.13, text:sender-city	69
2.1.80	Part 1 Section 7.3.6.14, text:sender-postal-code.....	69
2.1.81	Part 1 Section 7.3.6.15, text:sender-country	69
2.1.82	Part 1 Section 7.3.6.16, text:sender-state-or-province.....	69
2.1.83	Part 1 Section 7.3.7.1, text:author-name	70
2.1.84	Part 1 Section 7.3.7.2, text:author-initials	70
2.1.85	Part 1 Section 7.3.8, text:chapter.....	70
2.1.86	Part 1 Section 7.3.9, text:file-name	70
2.1.87	Part 1 Section 7.3.10, text:template-name	70
2.1.88	Part 1 Section 7.3.11, text:sheet-name.....	70
2.1.89	Part 1 Section 7.4.2, text:variable-decls	70
2.1.90	Part 1 Section 7.4.3, text:variable-decl	71
2.1.91	Part 1 Section 7.4.4, text:variable-set.....	71
2.1.92	Part 1 Section 7.4.5, text:variable-get	71
2.1.93	Part 1 Section 7.4.6, text:variable-input.....	71
2.1.94	Part 1 Section 7.4.7, text:user-field-decls.....	71

2.1.95	Part 1 Section 7.4.8, text:user-field-decl	71
2.1.96	Part 1 Section 7.4.9, text:user-field-get	72
2.1.97	Part 1 Section 7.4.10, text:user-field-input	72
2.1.98	Part 1 Section 7.4.11, text:sequence-decls	72
2.1.99	Part 1 Section 7.4.12, text:sequence-decl	72
2.1.100	Part 1 Section 7.4.13, text:sequence	72
2.1.101	Part 1 Section 7.4.14, text:expression	72
2.1.102	Part 1 Section 7.4.15, text:text-input	73
2.1.103	Part 1 Section 7.5.2, text:initial-creator	73
2.1.104	Part 1 Section 7.5.3, text:creation-date	73
2.1.105	Part 1 Section 7.5.4, text:creation-time	73
2.1.106	Part 1 Section 7.5.5, text:description	73
2.1.107	Part 1 Section 7.5.6, text:user-defined	74
2.1.108	Part 1 Section 7.5.7, text:print-time	74
2.1.109	Part 1 Section 7.5.8, text:print-date	74
2.1.110	Part 1 Section 7.5.9, text:printed-by	74
2.1.111	Part 1 Section 7.5.10, text:title	74
2.1.112	Part 1 Section 7.5.11, text:subject	74
2.1.113	Part 1 Section 7.5.12, text:keywords	74
2.1.114	Part 1 Section 7.5.13, text:editing-cycles	75
2.1.115	Part 1 Section 7.5.14, text:editing-duration	75
2.1.116	Part 1 Section 7.5.15, text:modification-time	75
2.1.117	Part 1 Section 7.5.16, text:modification-date	75
2.1.118	Part 1 Section 7.5.17, text:creator	75
2.1.119	Part 1 Section 7.5.18.2, text:page-count	75
2.1.120	Part 1 Section 7.5.18.3, text:paragraph-count	75
2.1.121	Part 1 Section 7.5.18.4, text:word-count	76
2.1.122	Part 1 Section 7.5.18.5, text:character-count	76
2.1.123	Part 1 Section 7.5.18.6, text:table-count	76
2.1.124	Part 1 Section 7.5.18.7, text:image-count	76
2.1.125	Part 1 Section 7.5.18.8, text:object-count	76
2.1.126	Part 1 Section 7.6.2, form:connection-resource	77
2.1.127	Part 1 Section 7.6.3, text:database-display	78
2.1.128	Part 1 Section 7.6.4, text:database-next	78
2.1.129	Part 1 Section 7.6.5, text:database-row-select	78
2.1.130	Part 1 Section 7.6.6, text:database-row-number	78
2.1.131	Part 1 Section 7.6.7, text:database-name	78
2.1.132	Part 1 Section 7.7.1.2, text:page-variable-set	78
2.1.133	Part 1 Section 7.7.1.3, text:page-variable-get	78
2.1.134	Part 1 Section 7.7.2, text:placeholder	78
2.1.135	Part 1 Section 7.7.3, text:conditional-text	79
2.1.136	Part 1 Section 7.7.4, text:hidden-text	79
2.1.137	Part 1 Section 7.7.5, text:reference-ref	79
2.1.138	Part 1 Section 7.7.6, text:bookmark-ref	79
2.1.139	Part 1 Section 7.7.7, text:note-ref	79
2.1.140	Part 1 Section 7.7.8, text:sequence-ref	79
2.1.141	Part 1 Section 7.7.9, text:script	80
2.1.142	Part 1 Section 7.7.10, text:execute-macro	80
2.1.143	Part 1 Section 7.7.11, text:hidden-paragraph	80
2.1.144	Part 1 Section 7.7.12, text:dde-connection	80
2.1.145	Part 1 Section 7.7.13, text:measure	80
2.1.146	Part 1 Section 7.7.14, text:table-formula	80
2.1.147	Part 1 Section 8.1.2, text:toc-mark-start	81

2.1.148	Part 1 Section 8.1.3, text:toc-mark-end	81
2.1.149	Part 1 Section 8.1.4, text:toc-mark.....	81
2.1.150	Part 1 Section 8.1.5, text:user-index-mark-start	81
2.1.151	Part 1 Section 8.1.6, text:user-index-mark-end.....	81
2.1.152	Part 1 Section 8.1.7, text:user-index-mark	82
2.1.153	Part 1 Section 8.1.8, text:alphabetical-index-mark-start.....	82
2.1.154	Part 1 Section 8.1.9, text:alphabetical-index-mark-end	82
2.1.155	Part 1 Section 8.1.10, text:alphabetical-index-mark.....	82
2.1.156	Part 1 Section 8.1.11, text:bibliography-mark	82
2.1.157	Part 1 Section 8.2.2, text:index-body	82
2.1.158	Part 1 Section 8.2.3, text:index-title	83
2.1.159	Part 1 Section 8.3, text:table-of-content.....	83
2.1.160	Part 1 Section 8.3.3, text:table-of-content-entry-template.....	83
2.1.161	Part 1 Section 8.4, text:illustration-index.....	83
2.1.162	Part 1 Section 8.4.2, text:illustration-index-source	83
2.1.163	Part 1 Section 8.4.3, text:illustration-index-entry-template.....	84
2.1.164	Part 1 Section 8.5, text:table-index	84
2.1.165	Part 1 Section 8.5.2, text:table-index-source	84
2.1.166	Part 1 Section 8.5.3, text:table-index-entry-template	84
2.1.167	Part 1 Section 8.6, text:object-index	84
2.1.168	Part 1 Section 8.6.2, text:object-index-source.....	84
2.1.169	Part 1 Section 8.6.3, text:object-index-entry-template.....	84
2.1.170	Part 1 Section 8.7, text:user-index	85
2.1.171	Part 1 Section 8.7.2, text:user-index-source	85
2.1.172	Part 1 Section 8.7.3, text:user-index-entry-template	85
2.1.173	Part 1 Section 8.8, text:alphabetical-index.....	85
2.1.174	Part 1 Section 8.8.3, text:alphabetical-index-auto-mark-file.....	85
2.1.175	Part 1 Section 8.8.4, text:alphabetical-index-entry-template.....	85
2.1.176	Part 1 Section 8.9, text:bibliography	85
2.1.177	Part 1 Section 8.9.2, text:bibliography-source	86
2.1.178	Part 1 Section 8.9.3, text:bibliography-entry-template	86
2.1.179	Part 1 Section 8.10, text:index-source-styles	86
2.1.180	Part 1 Section 8.12, text:index-title-template.....	86
2.1.181	Part 1 Section 8.13.1, text:index-entry-chapter.....	86
2.1.182	Part 1 Section 8.13.2, text:index-entry-text	86
2.1.183	Part 1 Section 8.13.3, text:index-entry-page-number	86
2.1.184	Part 1 Section 8.13.4, text:index-entry-span.....	87
2.1.185	Part 1 Section 8.13.5, text:index-entry-bibliography	87
2.1.186	Part 1 Section 8.13.6, text:index-entry-tab-stop	87
2.1.187	Part 1 Section 8.13.7, text:index-entry-link-start.....	87
2.1.188	Part 1 Section 8.13.8, text:index-entry-link-end	87
2.1.189	Part 1 Section 9.1.2, table:table	87
2.1.190	Part 1 Section 9.1.3, table:table-row	89
2.1.191	Part 1 Section 9.1.5, table:covered-table-cell	90
2.1.192	Part 1 Section 9.1.6, table:table-column.....	90
2.1.193	Part 1 Section 9.1.7, table:table-header-rows	90
2.1.194	Part 1 Section 9.1.8, table:table-rows	90
2.1.195	Part 1 Section 9.1.9, table:table-row-group	91
2.1.196	Part 1 Section 9.1.10, table:table-column-group.....	91
2.1.197	Part 1 Section 9.1.11, table:table-header-columns.....	91
2.1.198	Part 1 Section 9.1.12, table:table-columns	91
2.1.199	Part 1 Section 9.1.13, table:title	92
2.1.200	Part 1 Section 9.1.14, table:desc	92

2.1.201	Part 1 Section 9.2.6, table:table-source.....	92
2.1.202	Part 1 Section 9.2.7, table:scenario	92
2.1.203	Part 1 Section 9.2.8, table:shapes	92
2.1.204	Part 1 Section 9.3.1, table:cell-range-source.....	93
2.1.205	Part 1 Section 9.3.2, table:detective	93
2.1.206	Part 1 Section 9.3.3, table:operation.....	93
2.1.207	Part 1 Section 9.3.4, table:highlighted-range	93
2.1.208	Part 1 Section 9.4.8, table:error-macro	93
2.1.209	Part 1 Section 9.4.9, table:label-range	93
2.1.210	Part 1 Section 9.4.10, table:label-ranges	93
2.1.211	Part 1 Section 9.4.11, table:named-expressions	93
2.1.212	Part 1 Section 9.5.3, table:filter-and	94
2.1.213	Part 1 Section 9.5.4, table:filter-or	94
2.1.214	Part 1 Section 9.5.6, table:filter-set-item.....	94
2.1.215	Part 1 Section 9.6.6, table:source-service.....	94
2.1.216	Part 1 Section 9.7, table:consolidation	94
2.1.217	Part 1 Section 9.8, table:dde-links	94
2.1.218	Part 1 Section 9.9.2, table:tracked-changes.....	94
2.1.219	Part 1 Section 9.9.15, table:target-range-address	94
2.1.220	Part 1 Section 10.2.1, style:handout-master	95
2.1.221	Part 1 Section 10.2.3, draw:layer	95
2.1.222	Part 1 Section 10.3.2, draw:rect.....	97
2.1.223	Part 1 Section 10.3.3, draw:line	99
2.1.224	Part 1 Section 10.3.4, draw:polyline	101
2.1.225	Part 1 Section 10.3.5, draw:polygon	102
2.1.226	Part 1 Section 10.3.6, draw:regular-polygon	104
2.1.227	Part 1 Section 10.3.7, draw:path	106
2.1.228	Part 1 Section 10.3.8, draw:circle	108
2.1.229	Part 1 Section 10.3.9, draw:ellipse	110
2.1.230	Part 1 Section 10.3.10, draw:connector.....	111
2.1.231	Part 1 Section 10.3.11, draw:caption	113
2.1.232	Part 1 Section 10.3.12, draw:measure	115
2.1.233	Part 1 Section 10.3.13, draw:control	117
2.1.234	Part 1 Section 10.3.14, draw:page-thumbnail	117
2.1.235	Part 1 Section 10.3.15, draw:g.....	117
2.1.236	Part 1 Section 10.3.16, draw:glue-point	119
2.1.237	Part 1 Section 10.3.17, svg:title	121
2.1.238	Part 1 Section 10.3.18, svg:desc	123
2.1.239	Part 1 Section 10.3.19, office:event-listeners	125
2.1.240	Part 1 Section 10.4.2, draw:frame	125
2.1.241	Part 1 Section 10.4.3, draw:text-box	125
2.1.242	Part 1 Section 10.4.4, draw:image.....	127
2.1.243	Part 1 Section 10.4.5, office:binary-data	127
2.1.244	Part 1 Section 10.4.6.3, draw:object-ole.....	129
2.1.245	Part 1 Section 10.4.7, draw:applet.....	129
2.1.246	Part 1 Section 10.4.8, draw:plugin.....	130
2.1.247	Part 1 Section 10.4.9, draw:param	130
2.1.248	Part 1 Section 10.4.10, draw:floating-frame.....	130
2.1.249	Part 1 Section 10.4.11.2, draw:contour-polygon	131
2.1.250	Part 1 Section 10.4.11.3, draw:contour-path.....	131
2.1.251	Part 1 Section 10.4.12, draw:a.....	132
2.1.252	Part 1 Section 10.4.13.2, draw:image-map.....	132
2.1.253	Part 1 Section 10.5.2, dr3d:scene.....	132

2.1.254	Part 1 Section 10.5.3, dr3d:light.....	132
2.1.255	Part 1 Section 10.5.4, dr3d:cube	133
2.1.256	Part 1 Section 10.5.5, dr3d:sphere	133
2.1.257	Part 1 Section 10.5.6, dr3d:extrude	133
2.1.258	Part 1 Section 10.5.7, dr3d:rotate	133
2.1.259	Part 1 Section 10.8.1, presentation:animations	134
2.1.260	Part 1 Section 10.8.2, presentation:sound	134
2.1.261	Part 1 Section 10.8.3, presentation:show-shape	134
2.1.262	Part 1 Section 10.8.4, presentation:show-text.....	134
2.1.263	Part 1 Section 10.8.5, presentation:hide-shape	134
2.1.264	Part 1 Section 10.8.6, presentation:hide-text	134
2.1.265	Part 1 Section 10.8.7, presentation:dim	135
2.1.266	Part 1 Section 10.8.8, presentation:play	135
2.1.267	Part 1 Section 10.8.9, presentation:animation-group	135
2.1.268	Part 1 Section 10.9.2, presentation:event-listener	135
2.1.269	Part 1 Section 10.9.3.1, presentation:header	135
2.1.270	Part 1 Section 10.9.3.2, presentation:header-decl	135
2.1.271	Part 1 Section 10.9.3.3, presentation:footer.....	135
2.1.272	Part 1 Section 10.9.3.4, presentation:footer-decl.....	136
2.1.273	Part 1 Section 10.9.3.5, presentation:date-time	136
2.1.274	Part 1 Section 10.9.3.6, presentation:date-time-decl	136
2.1.275	Part 1 Section 11.2.2, chart:subtitle.....	136
2.1.276	Part 1 Section 11.2.3, chart:footer.....	136
2.1.277	Part 1 Section 11.8, chart:axis	136
2.1.278	Part 1 Section 11.15, chart:mean-value	136
2.1.279	Part 1 Section 11.16, chart:error-indicator.....	137
2.1.280	Part 1 Section 11.17, chart:regression-curve	137
2.1.281	Part 1 Section 11.19, chart:stock-gain-marker	137
2.1.282	Part 1 Section 11.20, chart:stock-loss-marker.....	137
2.1.283	Part 1 Section 11.21, chart:stock-range-line	137
2.1.284	Part 1 Section 13.2, office:forms	138
2.1.285	Part 1 Section 13.3, form:form.....	138
2.1.286	Part 1 Section 13.4, xforms:model.....	138
2.1.287	Part 1 Section 13.5.2, form:text	138
2.1.288	Part 1 Section 13.5.3, form:textarea	138
2.1.289	Part 1 Section 13.5.4, form:password	139
2.1.290	Part 1 Section 13.5.5, form:file	139
2.1.291	Part 1 Section 13.5.6, form:formatted-text	139
2.1.292	Part 1 Section 13.5.7, form:number	139
2.1.293	Part 1 Section 13.5.8, form:date	139
2.1.294	Part 1 Section 13.5.9, form:time	139
2.1.295	Part 1 Section 13.5.10, form:fixed-text	140
2.1.296	Part 1 Section 13.5.11, form:combobox	140
2.1.297	Part 1 Section 13.5.12, form:item.....	140
2.1.298	Part 1 Section 13.5.13, form:listbox.....	140
2.1.299	Part 1 Section 13.5.14, form:option	140
2.1.300	Part 1 Section 13.5.15, form:button.....	140
2.1.301	Part 1 Section 13.5.16, form:image	140
2.1.302	Part 1 Section 13.5.17, form:checkbox	141
2.1.303	Part 1 Section 13.5.18, form:radio.....	141
2.1.304	Part 1 Section 13.5.19, form:frame.....	141
2.1.305	Part 1 Section 13.5.20, form:image-frame.....	141
2.1.306	Part 1 Section 13.5.21, form:hidden	141

2.1.307	Part 1 Section 13.5.22, form:grid	142
2.1.308	Part 1 Section 13.5.23, form:column.....	142
2.1.309	Part 1 Section 13.5.24, form:value-range	142
2.1.310	Part 1 Section 13.5.25, form:generic-control.....	142
2.1.311	Part 1 Section 13.7, form:properties	142
2.1.312	Part 1 Section 13.8, form:property	142
2.1.313	Part 1 Section 13.9, form:list-property	143
2.1.314	Part 1 Section 13.10, form:list-value.....	143
2.1.315	Part 1 Section 14.1, office:annotation	143
2.1.316	Part 1 Section 14.2, office:annotation-end	143
2.1.317	Part 1 Section 14.3, meta:date-string	143
2.1.318	Part 1 Section 14.4.2, script:event-listener	143
2.1.319	Part 1 Section 14.5, math:math	144
2.1.320	MathML 2.0, Section 3.2.3, Identifier (mi).....	145
2.1.321	MathML 2.0, Section 3.2.4, Number (mn)	150
2.1.322	MathML 2.0, Section 3.2.5, Operator, Fence, Separator or Accent (mo)	154
2.1.323	MathML 2.0, Section 3.2.6, Text (mtext)	162
2.1.324	MathML 2.0, Section 3.2.7, Space (mspace).....	167
2.1.325	MathML 2.0, Section 3.2.8, String Literal (ms).....	170
2.1.326	MathML 2.0, Section 3.2.9, Accessing glyphs for characters from MathML (mglyph)	175
2.1.327	MathML 2.0, Section 3.2.9.2, Accessing glyphs for characters from MathML (mglyph)	179
2.1.328	MathML 2.0, Section 3.3.1, Horizontally Group Sub-Expressions (mrow)	180
2.1.329	MathML 2.0, Section 3.3.2, Fractions (mfrac)	181
2.1.330	MathML 2.0, Section 3.3.3, Radicals (msqrt, mroot).....	183
2.1.331	MathML 2.0, Section 3.3.4, Style Change (mstyle).....	186
2.1.332	MathML 2.0, Section 3.3.5, Error Message (merror)	191
2.1.333	MathML 2.0, Section 3.3.6, Adjust Space Around Content (mpadded).....	192
2.1.334	MathML 2.0, Section 3.3.7, Making Sub-Expressions Invisible (mphantom)	196
2.1.335	MathML 2.0, Section 3.3.8, Expression Inside Pair of Fences (mfenced)	198
2.1.336	MathML 2.0, Section 3.3.9, Enclose Expression Inside Notation (menclose)	200
2.1.337	MathML 2.0, Section 3.4.1, Subscript (msub)	203
2.1.338	MathML 2.0, Section 3.4.2, Superscript (msup)	205
2.1.339	MathML 2.0, Section 3.4.3, Subscript-superscript Pair (msubsup)	206
2.1.340	MathML 2.0, Section 3.4.4, Underscript (munder)	208
2.1.341	MathML 2.0, Section 3.4.5, Overscript (mover).....	210
2.1.342	MathML 2.0, Section 3.4.6, Underscript-overscript Pair (munderover)	212
2.1.343	MathML 2.0, Section 3.4.7, Prescripts and Tensor Indices (mmultiscripts).....	214
2.1.344	MathML 2.0, Section 3.5.1, Table or Matrix (mtable)	216
2.1.345	MathML 2.0, Section 3.5.2, Row in Table or Matrix (mtr)	223
2.1.346	MathML 2.0, Section 3.5.3, Labeled Row in Table or Matrix (mlabeledtr)	225
2.1.347	MathML 2.0, Section 3.5.4, Entry in Table or Matrix (mtd)	226
2.1.348	MathML 2.0, Section 3.5.5.4, Specifying alignment points using malignmark	228
2.1.349	MathML 2.0, Section 3.6.1, Bind Action to Sub-Expression (maction)	231
2.1.350	Part 1 Section 14.6.2, text:dde-connection-decls.....	233
2.1.351	Part 1 Section 14.6.3, text:dde-connection-decl	234
2.1.352	Part 1 Section 14.6.5, office:dde-source	234
2.1.353	Part 1 Section 15.2.3, anim:animateTransform.....	235
2.1.354	Part 1 Section 15.2.6, anim:animateColor.....	235
2.1.355	Part 1 Section 15.5, anim:audio	235
2.1.356	Part 1 Section 15.6.1, anim:command.....	235
2.1.357	Part 1 Section 16.2, style:style.....	235

2.1.358	Part 1 Section 16.3, style:map	238
2.1.359	Part 1 Section 16.4, style:default-style.....	242
2.1.360	Part 1 Section 16.6, style:header-style.....	245
2.1.361	Part 1 Section 16.7, style:footer-style	245
2.1.362	Part 1 Section 16.8, style:default-page-layout.....	245
2.1.363	Part 1 Section 16.10, style:header.....	246
2.1.364	Part 1 Section 16.11, style:footer	246
2.1.365	Part 1 Section 16.12, style:header-left	246
2.1.366	Part 1 Section 16.13, style:footer-left	246
2.1.367	Part 1 Section 16.14, style:region-left	246
2.1.368	Part 1 Section 16.15, style:region-center.....	247
2.1.369	Part 1 Section 16.16, style:region-right.....	247
2.1.370	Part 1 Section 16.17, presentation:notes	248
2.1.371	Part 1 Section 16.18, table:table-template.....	248
2.1.372	Part 1 Section 16.19.2, table:first-row.....	248
2.1.373	Part 1 Section 16.19.3, table:last-row	248
2.1.374	Part 1 Section 16.19.4, table:first-column.....	248
2.1.375	Part 1 Section 16.19.5, table:last-column	249
2.1.376	Part 1 Section 16.19.6, table:body.....	249
2.1.377	Part 1 Section 16.19.7, table:even-rows.....	249
2.1.378	Part 1 Section 16.19.8, table:odd-rows	249
2.1.379	Part 1 Section 16.19.9, table:even-columns.....	249
2.1.380	Part 1 Section 16.19.10, table:odd-columns.....	249
2.1.381	Part 1 Section 16.20, table:background	249
2.1.382	Part 1 Section 16.21, style:font-face	249
2.1.383	Part 1 Section 16.22, svg:font-face-src	251
2.1.384	Part 1 Section 16.23, svg:font-face-name.....	251
2.1.385	Part 1 Section 16.24, svg:font-face-uri	251
2.1.386	Part 1 Section 16.25, svg:definition-src	251
2.1.387	Part 1 Section 16.26, svg:font-face-format	252
2.1.388	Part 1 Section 16.27.2, number:number-style	252
2.1.389	Part 1 Section 16.27.3, number:number.....	252
2.1.390	Part 1 Section 16.27.4, number:embedded-text	252
2.1.391	Part 1 Section 16.27.5, number:scientific-number	253
2.1.392	Part 1 Section 16.27.6, number:fraction	253
2.1.393	Part 1 Section 16.27.7, number:currency-style.....	253
2.1.394	Part 1 Section 16.27.8, number:currency-symbol	253
2.1.395	Part 1 Section 16.27.9, number:percentage-style	253
2.1.396	Part 1 Section 16.27.14, number:era	253
2.1.397	Part 1 Section 16.27.16, number:week-of-year	254
2.1.398	Part 1 Section 16.27.17, number:quarter	254
2.1.399	Part 1 Section 16.27.18, number:time-style.....	254
2.1.400	Part 1 Section 16.27.22, number:am-pm.....	254
2.1.401	Part 1 Section 16.27.23, number:boolean-style	255
2.1.402	Part 1 Section 16.27.24, number:boolean	255
2.1.403	Part 1 Section 16.27.25, number:text-style	255
2.1.404	Part 1 Section 16.27.26, number:text	255
2.1.405	Part 1 Section 16.27.27, number:text-content.....	256
2.1.406	Part 1 Section 16.27.28, style:text-properties	256
2.1.407	Part 1 Section 16.29.1, text:linenumbering-configuration	259
2.1.408	Part 1 Section 16.29.2, text:linenumbering-separator	260
2.1.409	Part 1 Section 16.29.3, text:notes-configuration.....	260
2.1.410	Part 1 Section 16.29.4, text:note-continuation-notice-forward.....	261

2.1.411	Part 1 Section 16.29.5, text:note-continuation-notice-backward	261
2.1.412	Part 1 Section 16.29.6, text:bibliography-configuration	261
2.1.413	Part 1 Section 16.30, text:list-style	261
2.1.414	Part 1 Section 16.32, text:list-level-style-number	263
2.1.415	Part 1 Section 16.34, text:outline-style	265
2.1.416	Part 1 Section 16.40.1, draw:gradient	265
2.1.417	Part 1 Section 16.40.2, svg:linearGradient	267
2.1.418	Part 1 Section 16.40.3, svg:radialGradient	268
2.1.419	Part 1 Section 16.40.5, draw:hatch	270
2.1.420	Part 1 Section 16.40.6, draw:fill-image	272
2.1.421	Part 1 Section 16.40.7, draw:opacity	273
2.1.422	Part 1 Section 16.40.8, draw:marker	276
2.1.423	Part 1 Section 16.40.9, draw:stroke-dash	277
2.1.424	Part 1 Section 16.41, style:presentation-page-layout	281
2.1.425	Part 1 Section 16.42, presentation:placeholder	281
2.1.426	Part 1 Section 17.2, style:page-layout-properties	281
2.1.427	Part 1 Section 17.3, style:background-image	283
2.1.428	Part 1 Section 17.4, style:footnote-sep	286
2.1.429	Part 1 Section 17.5, style:header-footer-properties	286
2.1.430	Part 1 Section 17.6, style:paragraph-properties	288
2.1.431	Part 1 Section 17.7, style:tab-stops	290
2.1.432	Part 1 Section 17.8, style:tab-stop	291
2.1.433	Part 1 Section 17.9, style:drop-cap	291
2.1.434	Part 1 Section 17.10, style:ruby-properties	293
2.1.435	Part 1 Section 17.11, style:section-properties	294
2.1.436	Part 1 Section 17.12, style:columns	296
2.1.437	Part 1 Section 17.13, style:column	299
2.1.438	Part 1 Section 17.14, style:column-sep	301
2.1.439	Part 1 Section 17.15, style:table-properties	302
2.1.440	Part 1 Section 17.16, style:table-column-properties	303
2.1.441	Part 1 Section 17.17, style:table-row-properties	305
2.1.442	Part 1 Section 17.18, style:table-cell-properties	307
2.1.443	Part 1 Section 17.19, style:list-level-properties	308
2.1.444	Part 1 Section 17.21, style:graphic-properties	313
2.1.445	Part 1 Section 18.2, W3C Schema Datatypes	316
2.1.446	Part 1 Section 18.3.2, anyIRI	316
2.1.447	Part 1 Section 18.3.16, language	316
2.1.448	Part 1 Section 18.3.25, points	317
2.1.449	Part 1 Section 18.3.27, relativeLength	317
2.1.450	Part 1 Section 18.3.34, targetFrameName	317
2.1.451	Part 1 Section 18.3.39, variableName	317
2.1.452	Part 1 Section 18.3.40, vector3D	317
2.1.453	Part 1 Section 19.4, anim:audio-level	317
2.1.454	Part 1 Section 19.6, anim:formula	317
2.1.455	Part 1 Section 19.7, anim:id	317
2.1.456	Part 1 Section 19.11, anim:sub-item	317
2.1.457	Part 1 Section 19.15, chart:class	318
2.1.458	Part 1 Section 19.16, chart:column-mapping	318
2.1.459	Part 1 Section 19.17, chart:data-source-has-labels	318
2.1.460	Part 1 Section 19.22, chart:legend-align	318
2.1.461	Part 1 Section 19.23, chart:legend-position	319
2.1.462	Part 1 Section 19.26, chart:row-mapping	319
2.1.463	Part 1 Section 19.37, db:catalog-name	319

2.1.464	Part 1 Section 19.68, db:max-row-count	319
2.1.465	Part 1 Section 19.92, dr3d:ambient-color	319
2.1.466	Part 1 Section 19.94, dr3d:diffuse-color	320
2.1.467	Part 1 Section 19.96, dr3d:distance	320
2.1.468	Part 1 Section 19.98, dr3d:focal-length	320
2.1.469	Part 1 Section 19.99, dr3d:lighting-mode	320
2.1.470	Part 1 Section 19.102, dr3d:projection	321
2.1.471	Part 1 Section 19.103, dr3d:shade-mode	321
2.1.472	Part 1 Section 19.104, dr3d:shadow-slant	323
2.1.473	Part 1 Section 19.107, dr3d:transform	323
2.1.474	Part 1 Section 19.108, dr3d:vpn	323
2.1.475	Part 1 Section 19.110, dr3d:vup	323
2.1.476	Part 1 Section 19.112, draw:angle	323
2.1.477	Part 1 Section 19.114, draw:border	325
2.1.478	Part 1 Section 19.115, draw:caption-id	327
2.1.479	Part 1 Section 19.116, draw:caption-point-x	328
2.1.480	Part 1 Section 19.117, draw:caption-point-y	329
2.1.481	Part 1 Section 19.118, draw:chain-next-name	329
2.1.482	Part 1 Section 19.120, draw:class-names	329
2.1.483	Part 1 Section 19.124, draw:concentric-gradient-fill-allowed	331
2.1.484	Part 1 Section 19.126, draw:copy-of	331
2.1.485	Part 1 Section 19.127, draw:corner-radius	331
2.1.486	Part 1 Section 19.129, draw:cx	332
2.1.487	Part 1 Section 19.130, draw:cy	333
2.1.488	Part 1 Section 19.131, draw:data	335
2.1.489	Part 1 Section 19.133, draw:display-name	335
2.1.490	Part 1 Section 19.134, draw:distance	341
2.1.491	Part 1 Section 19.135, draw:dots1	343
2.1.492	Part 1 Section 19.136, draw:dots1-length	345
2.1.493	Part 1 Section 19.137, draw:dots2	347
2.1.494	Part 1 Section 19.138, draw:dots2-length	349
2.1.495	Part 1 Section 19.141, draw:end-color	351
2.1.496	Part 1 Section 19.143, draw:end-intensity	352
2.1.497	Part 1 Section 19.145, draw:enhanced-path	354
2.1.498	Part 1 Section 19.146, draw:engine	354
2.1.499	Part 1 Section 19.148, draw:extrusion	355
2.1.500	Part 1 Section 19.149, draw:extrusion-allowed	355
2.1.501	Part 1 Section 19.150, draw:extrusion-brightness	355
2.1.502	Part 1 Section 19.151, draw:extrusion-color	356
2.1.503	Part 1 Section 19.152, draw:extrusion-depth	356
2.1.504	Part 1 Section 19.153, draw:extrusion-diffusion	356
2.1.505	Part 1 Section 19.154, draw:extrusion-first-light-direction	357
2.1.506	Part 1 Section 19.155, draw:extrusion-first-light-harsh	357
2.1.507	Part 1 Section 19.156, draw:extrusion-first-light-level	357
2.1.508	Part 1 Section 19.157, draw:extrusion-light-face	358
2.1.509	Part 1 Section 19.158, draw:extrusion-metal	358
2.1.510	Part 1 Section 19.159, draw:extrusion-number-of-line-segments	358
2.1.511	Part 1 Section 19.160, draw:extrusion-origin	358
2.1.512	Part 1 Section 19.161, draw:extrusion-rotation-angle	359
2.1.513	Part 1 Section 19.162, draw:extrusion-rotation-center	359
2.1.514	Part 1 Section 19.163, draw:extrusion-second-light-direction	359
2.1.515	Part 1 Section 19.164, draw:extrusion-second-light-harsh	360
2.1.516	Part 1 Section 19.165, draw:extrusion-second-light-level	360

2.1.517	Part 1 Section 19.166, draw:extrusion-shininess	360
2.1.518	Part 1 Section 19.167, draw:extrusion-skew	361
2.1.519	Part 1 Section 19.168, draw:extrusion-specularity	361
2.1.520	Part 1 Section 19.169, draw:extrusion-viewpoint	361
2.1.521	Part 1 Section 19.170, draw:filter-name	362
2.1.522	Part 1 Section 19.171, draw:formula	362
2.1.523	Part 1 Section 19.175, draw:glue-points	362
2.1.524	Part 1 Section 19.176, draw:handle-mirror-horizontal	363
2.1.525	Part 1 Section 19.177, draw:handle-mirror-vertical	363
2.1.526	Part 1 Section 19.179, draw:handle-position	363
2.1.527	Part 1 Section 19.182, draw:handle-range-x-maximum	364
2.1.528	Part 1 Section 19.183, draw:handle-range-x-minimum	364
2.1.529	Part 1 Section 19.184, draw:handle-range-y-maximum	365
2.1.530	Part 1 Section 19.185, draw:handle-range-y-minimum	365
2.1.531	Part 1 Section 19.186, draw:handle-switched	366
2.1.532	Part 1 Section 19.187, draw:id	366
2.1.533	Part 1 Section 19.190, draw:line-skew	368
2.1.534	Part 1 Section 19.196, draw:modifiers	368
2.1.535	Part 1 Section 19.197, draw:name	369
2.1.536	Part 1 Section 19.198, draw:nav-order	376
2.1.537	Part 1 Section 19.200, draw:notify-on-update-of-ranges	377
2.1.538	Part 1 Section 19.204, draw:path-stretchpoint-x	377
2.1.539	Part 1 Section 19.205, draw:path-stretchpoint-y	377
2.1.540	Part 1 Section 19.214, draw:start-color	378
2.1.541	Part 1 Section 19.216, draw:start-intensity	379
2.1.542	Part 1 Section 19.218, draw:style	381
2.1.543	Part 1 Section 19.219, draw:style-name	393
2.1.544	Part 1 Section 19.220, draw:text-areas	395
2.1.545	Part 1 Section 19.221, draw:text-path	395
2.1.546	Part 1 Section 19.222, draw:text-path-allowed	395
2.1.547	Part 1 Section 19.223, draw:text-path-mode	396
2.1.548	Part 1 Section 19.224, draw:text-path-same-letter-heights	396
2.1.549	Part 1 Section 19.225, draw:text-path-scale	396
2.1.550	Part 1 Section 19.226, draw:text-rotate-angle	397
2.1.551	Part 1 Section 19.227, draw:text-style-name	397
2.1.552	Part 1 Section 19.228, draw:transform	397
2.1.553	Part 1 Section 19.229, draw:type	408
2.1.554	Part 1 Section 19.231, draw:z-index	408
2.1.555	Part 1 Section 19.232, fo:column-count	410
2.1.556	Part 1 Section 19.233, fo:column-gap	410
2.1.557	Part 1 Section 19.234, fo:country	410
2.1.558	Part 1 Section 19.235, fo:end-indent	412
2.1.559	Part 1 Section 19.236, fo:language	412
2.1.560	Part 1 Section 19.237, fo:margin-left	414
2.1.561	Part 1 Section 19.238, fo:max-height	418
2.1.562	Part 1 Section 19.239, fo:max-width	419
2.1.563	Part 1 Section 19.240, fo:min-height	420
2.1.564	Part 1 Section 19.241, fo:min-width	421
2.1.565	Part 1 Section 19.242.2, text:alphabetical-index-source	421
2.1.566	Part 1 Section 19.243, fo:space-after	422
2.1.567	Part 1 Section 19.244, fo:space-before	422
2.1.568	Part 1 Section 19.245, fo:start-indent	422
2.1.569	Part 1 Section 19.246, fo:text-indent	422

2.1.570	Part 1 Section 19.247, form:allow-deletes	423
2.1.571	Part 1 Section 19.248, form:allow-inserts	424
2.1.572	Part 1 Section 19.249, form:allow-updates	424
2.1.573	Part 1 Section 19.251, form:apply-filter.....	424
2.1.574	Part 1 Section 19.254, form:bound-column.....	424
2.1.575	Part 1 Section 19.255, form:button-type	424
2.1.576	Part 1 Section 19.256, form:command	425
2.1.577	Part 1 Section 19.257, form:command-type.....	425
2.1.578	Part 1 Section 19.258, form:control-implementation	425
2.1.579	Part 1 Section 19.259, form:convert-empty-to-null.....	425
2.1.580	Part 1 Section 19.260, form:current-selected	425
2.1.581	Part 1 Section 19.262, form:current-value	425
2.1.582	Part 1 Section 19.263, form:data-field	426
2.1.583	Part 1 Section 19.264, form:datasource	426
2.1.584	Part 1 Section 19.267, form:detail-fields.....	426
2.1.585	Part 1 Section 19.268, form:disabled	426
2.1.586	Part 1 Section 19.269, form:dropdown	426
2.1.587	Part 1 Section 19.271, form:enctype.....	427
2.1.588	Part 1 Section 19.272, form:escape-processing	427
2.1.589	Part 1 Section 19.273, form:filter	427
2.1.590	Part 1 Section 19.275, form:for	427
2.1.591	Part 1 Section 19.276, form:id	427
2.1.592	Part 1 Section 19.277, form:ignore-result.....	427
2.1.593	Part 1 Section 19.278, form:image-align	428
2.1.594	Part 1 Section 19.279, form:image-data.....	428
2.1.595	Part 1 Section 19.280, form:image-position	428
2.1.596	Part 1 Section 19.282, form:label	428
2.1.597	Part 1 Section 19.285, form:list-source	428
2.1.598	Part 1 Section 19.286, form:list-source-type	428
2.1.599	Part 1 Section 19.287, form:master-fields	429
2.1.600	Part 1 Section 19.288, form:max-length.....	429
2.1.601	Part 1 Section 19.291, form:method	429
2.1.602	Part 1 Section 19.294, form:name	429
2.1.603	Part 1 Section 19.295, form:navigation-mode	429
2.1.604	Part 1 Section 19.296, form:order	430
2.1.605	Part 1 Section 19.299, form:printable	430
2.1.606	Part 1 Section 19.300, form:property-name.....	430
2.1.607	Part 1 Section 19.301, form:readonly.....	430
2.1.608	Part 1 Section 19.303, form:selected	430
2.1.609	Part 1 Section 19.304, form:size	430
2.1.610	Part 1 Section 19.309, form:tab-cycle	431
2.1.611	Part 1 Section 19.310, form:tab-index	431
2.1.612	Part 1 Section 19.311, form:tab-stop	431
2.1.613	Part 1 Section 19.313, form:title	431
2.1.614	Part 1 Section 19.316, form:value	431
2.1.615	Part 1 Section 19.317, form:visual-effect.....	431
2.1.616	Part 1 Section 19.326, meta:frame-count	432
2.1.617	Part 1 Section 19.327, meta:image-count.....	432
2.1.618	Part 1 Section 19.330, meta:object-count.....	432
2.1.619	Part 1 Section 19.332, meta:page-count	432
2.1.620	Part 1 Section 19.335, meta:sentence-count.....	432
2.1.621	Part 1 Section 19.336, meta:syllable-count.....	432
2.1.622	Part 1 Section 19.340, number:automatic-order.....	432

2.1.623	Part 1 Section 19.341, number:calendar.....	433
2.1.624	Part 1 Section 19.342, number:country	435
2.1.625	Part 1 Section 19.343, number:decimal-places.....	435
2.1.626	Part 1 Section 19.344, number:decimal-replacement	436
2.1.627	Part 1 Section 19.347, number:format-source	436
2.1.628	Part 1 Section 19.348, number:grouping	437
2.1.629	Part 1 Section 19.349, number:language.....	437
2.1.630	Part 1 Section 19.352, number:min-integer-digits	437
2.1.631	Part 1 Section 19.355, number:possessive-form	437
2.1.632	Part 1 Section 19.357, number:script	438
2.1.633	Part 1 Section 19.358, number:style	438
2.1.634	Part 1 Section 19.360, number:title	439
2.1.635	Part 1 Section 19.361, number:transliteration-country	440
2.1.636	Part 1 Section 19.362, number:transliteration-format	440
2.1.637	Part 1 Section 19.363, number:transliteration-language	441
2.1.638	Part 1 Section 19.364, number:transliteration-style	441
2.1.639	Part 1 Section 19.365, number:truncate-on-overflow	442
2.1.640	Part 1 Section 19.367, office:boolean-value	442
2.1.641	Part 1 Section 19.368, office:conversion-mode.....	443
2.1.642	Part 1 Section 19.369, office:currency	443
2.1.643	Part 1 Section 19.370, office:date-value	443
2.1.644	Part 1 Section 19.375, office:mimetype	444
2.1.645	Part 1 Section 19.376, office:name	444
2.1.646	Part 1 Section 19.379, office:string-value	445
2.1.647	Part 1 Section 19.380, office:target-frame	446
2.1.648	Part 1 Section 19.381, office:target-frame-name	446
2.1.649	Part 1 Section 19.382, office:time-value	447
2.1.650	Part 1 Section 19.383, office:title	447
2.1.651	Part 1 Section 19.384, office:value	448
2.1.652	Part 1 Section 19.385, office:value-type	449
2.1.653	Part 1 Section 19.386, office:version.....	450
2.1.654	Part 1 Section 19.387, presentation:action	451
2.1.655	Part 1 Section 19.389, presentation:class	451
2.1.656	Part 1 Section 19.390, presentation:class-names.....	451
2.1.657	Part 1 Section 19.392, presentation:direction	451
2.1.658	Part 1 Section 19.394, presentation:effect	452
2.1.659	Part 1 Section 19.396, presentation:full-screen	452
2.1.660	Part 1 Section 19.398, presentation:master-element.....	452
2.1.661	Part 1 Section 19.399, presentation:mouse-as-pen.....	452
2.1.662	Part 1 Section 19.400, presentation:mouse-visible.....	452
2.1.663	Part 1 Section 19.406, presentation:pause.....	452
2.1.664	Part 1 Section 19.409, presentation:presentation-page-layout-name	452
2.1.665	Part 1 Section 19.414, presentation:show-end-of-presentation-slide	453
2.1.666	Part 1 Section 19.415, presentation:show-logo.....	453
2.1.667	Part 1 Section 19.417, presentation:speed.....	453
2.1.668	Part 1 Section 19.418, presentation:start-scale	453
2.1.669	Part 1 Section 19.420, presentation:start-with-navigator.....	453
2.1.670	Part 1 Section 19.421, presentation:stay-on-top.....	453
2.1.671	Part 1 Section 19.422, presentation:style-name	453
2.1.672	Part 1 Section 19.423, presentation:transition-on-click.....	454
2.1.673	Part 1 Section 19.424, presentation:use-date-time-name	454
2.1.674	Part 1 Section 19.425, presentation:use-footer-name	454
2.1.675	Part 1 Section 19.426, presentation:use-header-name	454

2.1.676	Part 1 Section 19.427, presentation:user-transformed	455
2.1.677	Part 1 Section 19.429, script:event-name.....	455
2.1.678	Part 1 Section 19.430, script:language	455
2.1.679	Part 1 Section 19.431, script:macro-name	455
2.1.680	Part 1 Section 19.433, smil:accumulate.....	455
2.1.681	Part 1 Section 19.434, smil:additive.....	455
2.1.682	Part 1 Section 19.435, smil:attributeName.....	456
2.1.683	Part 1 Section 19.439, smil:calcMode	456
2.1.684	Part 1 Section 19.444, smil:endsync	456
2.1.685	Part 1 Section 19.445, smil:fadeColor	456
2.1.686	Part 1 Section 19.446, smil:fill	457
2.1.687	Part 1 Section 19.447, smil:fillDefault	457
2.1.688	Part 1 Section 19.449, smil:keySplines.....	457
2.1.689	Part 1 Section 19.454, smil:restart	457
2.1.690	Part 1 Section 19.455, smil:restartDefault	457
2.1.691	Part 1 Section 19.459, smil:type.....	457
2.1.692	Part 1 Section 19.461, style:adjustment.....	465
2.1.693	Part 1 Section 19.462, style:apply-style-name	465
2.1.694	Part 1 Section 19.463, style:auto-update.....	465
2.1.695	Part 1 Section 19.464, style:base-cell-address	469
2.1.696	Part 1 Section 19.465, style:char.....	469
2.1.697	Part 1 Section 19.466, style:class	470
2.1.698	Part 1 Section 19.467, style:color	473
2.1.699	Part 1 Section 19.468, style:condition	473
2.1.700	Part 1 Section 19.469, style:data-style-name.....	473
2.1.701	Part 1 Section 19.470, style:default-outline-level.....	473
2.1.702	Part 1 Section 19.471, style:display	474
2.1.703	Part 1 Section 19.472, style:display-name	474
2.1.704	Part 1 Section 19.473, style:distance	478
2.1.705	Part 1 Section 19.474, style:distance-before-sep	478
2.1.706	Part 1 Section 19.475, style:distance-after-sep	478
2.1.707	Part 1 Section 19.476, style:family	479
2.1.708	Part 1 Section 19.477, style:filter-name	497
2.1.709	Part 1 Section 19.478, style:font-adornments	497
2.1.710	Part 1 Section 19.479, style:font-charset.....	499
2.1.711	Part 1 Section 19.480, style:font-family-generic	503
2.1.712	Part 1 Section 19.481, style:font-pitch	506
2.1.713	Part 1 Section 19.482, style:height	509
2.1.714	Part 1 Section 19.483, style:leader-char.....	509
2.1.715	Part 1 Section 19.484, style:leader-color	509
2.1.716	Part 1 Section 19.485, style:leader-style	511
2.1.717	Part 1 Section 19.486, style:leader-text	513
2.1.718	Part 1 Section 19.487, style:leader-text-style	514
2.1.719	Part 1 Section 19.488, style:leader-type.....	515
2.1.720	Part 1 Section 19.489, style:leader-width	517
2.1.721	Part 1 Section 19.490, style:legend-expansion	518
2.1.722	Part 1 Section 19.491, style:legend-expansion-aspect-ratio	518
2.1.723	Part 1 Section 19.492, style:length	518
2.1.724	Part 1 Section 19.493, style:line-style	518
2.1.725	Part 1 Section 19.494, style:lines	518
2.1.726	Part 1 Section 19.496, style:list-style-name.....	518
2.1.727	Part 1 Section 19.497, style:master-page-name	519
2.1.728	Part 1 Section 19.498, style:name	519

2.1.729	Part 1 Section 19.499, style:next-style-name.....	525
2.1.730	Part 1 Section 19.500, style:num-format.....	526
2.1.731	Part 1 Section 19.501, style:num-letter-sync	539
2.1.732	Part 1 Section 19.502, style:num-prefix	543
2.1.733	Part 1 Section 19.503, style:num-suffix.....	547
2.1.734	Part 1 Section 19.504, style:page-layout-name	552
2.1.735	Part 1 Section 19.505, style:page-usage	552
2.1.736	Part 1 Section 19.506, style:parent-style-name.....	552
2.1.737	Part 1 Section 19.508, style:position	555
2.1.738	Part 1 Section 19.509, style:rel-height	557
2.1.739	Part 1 Section 19.510, style:rel-width	557
2.1.740	Part 1 Section 19.511, style:repeat.....	558
2.1.741	Part 1 Section 19.514, style:style-name	560
2.1.742	Part 1 Section 19.515, style:type.....	560
2.1.743	Part 1 Section 19.516, style:vertical-align.....	561
2.1.744	Part 1 Section 19.517, style:volatile.....	563
2.1.745	Part 1 Section 19.518, style:width	563
2.1.746	Part 1 Section 19.519, svg:accent-height	564
2.1.747	Part 1 Section 19.520, svg:alphabetic	564
2.1.748	Part 1 Section 19.521, svg:ascent	565
2.1.749	Part 1 Section 19.522, svg:bbox.....	565
2.1.750	Part 1 Section 19.523, svg:cap-height.....	565
2.1.751	Part 1 Section 19.527, svg:descent	565
2.1.752	Part 1 Section 19.528, svg:font-family	565
2.1.753	Part 1 Section 19.529, svg:font-size	566
2.1.754	Part 1 Section 19.530, svg:font-stretch	566
2.1.755	Part 1 Section 19.531, svg:font-style	567
2.1.756	Part 1 Section 19.532, svg:font-variant	567
2.1.757	Part 1 Section 19.533, svg:font-weight	567
2.1.758	Part 1 Section 19.538, svg:hanging	568
2.1.759	Part 1 Section 19.539, svg:height.....	568
2.1.760	Part 1 Section 19.540, svg:ideographic	572
2.1.761	Part 1 Section 19.541, svg:mathematical.....	572
2.1.762	Part 1 Section 19.542, svg:name	572
2.1.763	Part 1 Section 19.545, svg:overline-position	572
2.1.764	Part 1 Section 19.546, svg:overline-thickness	572
2.1.765	Part 1 Section 19.547, svg:panose-1.....	573
2.1.766	Part 1 Section 19.552, svg:slope	573
2.1.767	Part 1 Section 19.554, svg:stemh	573
2.1.768	Part 1 Section 19.555, svg:stemv	573
2.1.769	Part 1 Section 19.558, svg:strikethrough-position.....	573
2.1.770	Part 1 Section 19.559, svg:strikethrough-thickness	573
2.1.771	Part 1 Section 19.560, svg:string	574
2.1.772	Part 1 Section 19.562, svg:underline-position	574
2.1.773	Part 1 Section 19.563, svg:underline-thickness	574
2.1.774	Part 1 Section 19.564, svg:unicode-range	574
2.1.775	Part 1 Section 19.565, svg:units-per-em	574
2.1.776	Part 1 Section 19.566, svg:v-alphabetic	575
2.1.777	Part 1 Section 19.567, svg:v-hanging	575
2.1.778	Part 1 Section 19.568, svg:v-ideographic	575
2.1.779	Part 1 Section 19.569, svg:v-mathematical.....	575
2.1.780	Part 1 Section 19.570, svg:viewBox	575
2.1.781	Part 1 Section 19.571, svg:width	576

2.1.782	Part 1 Section 19.572, <i>svg:widths</i>	580
2.1.783	Part 1 Section 19.573, <i>svg:x</i>	580
2.1.784	Part 1 Section 19.576, <i>svg:x-height</i>	582
2.1.785	Part 1 Section 19.577, <i>svg:y</i>	582
2.1.786	Part 1 Section 19.584, <i>table:application-data</i>	584
2.1.787	Part 1 Section 19.585, <i>table:automatic-find-labels</i>	584
2.1.788	Part 1 Section 19.586, <i>table:base-cell-address</i>	584
2.1.789	Part 1 Section 19.587, <i>table:bind-styles-to-content</i>	584
2.1.790	Part 1 Section 19.588, <i>table:border-color</i>	585
2.1.791	Part 1 Section 19.589, <i>table:buttons</i>	585
2.1.792	Part 1 Section 19.590, <i>table:case-sensitive</i>	585
2.1.793	Part 1 Section 19.593, <i>table:cell-range-address</i>	585
2.1.794	Part 1 Section 19.596, <i>table:condition</i>	586
2.1.795	Part 1 Section 19.597, <i>table:condition-source</i>	586
2.1.796	Part 1 Section 19.598, <i>table:condition-source-range-address</i>	586
2.1.797	Part 1 Section 19.599, <i>table:contains-error</i>	586
2.1.798	Part 1 Section 19.601, <i>table:content-validation-name</i>	586
2.1.799	Part 1 Section 19.602, <i>table:copy-back</i>	587
2.1.800	Part 1 Section 19.603, <i>table:copy-formulas</i>	587
2.1.801	Part 1 Section 19.604, <i>table:copy-styles</i>	587
2.1.802	Part 1 Section 19.606, <i>table:country</i>	587
2.1.803	Part 1 Section 19.608, <i>table:data-cell-range-address</i>	587
2.1.804	Part 1 Section 19.609, <i>table:database-name</i>	587
2.1.805	Part 1 Section 19.611, <i>table:data-type</i>	588
2.1.806	Part 1 Section 19.614, <i>table:date-value</i>	588
2.1.807	Part 1 Section 19.615, <i>table:default-cell-style-name</i>	588
2.1.808	Part 1 Section 19.616, <i>table:direction</i>	589
2.1.809	Part 1 Section 19.617, <i>table:display</i>	589
2.1.810	Part 1 Section 19.618, <i>table:display-border</i>	589
2.1.811	Part 1 Section 19.619, <i>table:display-duplicates</i>	589
2.1.812	Part 1 Section 19.621, <i>table:display-list</i>	590
2.1.813	Part 1 Section 19.625, <i>table:enabled</i>	590
2.1.814	Part 1 Section 19.627, <i>table:end-cell-address</i>	590
2.1.815	Part 1 Section 19.632, <i>table:end-x</i>	590
2.1.816	Part 1 Section 19.633, <i>table:end-y</i>	591
2.1.817	Part 1 Section 19.637, <i>table:field-number</i>	591
2.1.818	Part 1 Section 19.638, <i>table:filter-name</i>	591
2.1.819	Part 1 Section 19.639, <i>table:filter-options</i>	591
2.1.820	Part 1 Section 19.642, <i>table:formula</i>	592
2.1.821	Part 1 Section 19.643, <i>table:function</i>	593
2.1.822	Part 1 Section 19.645, <i>table:group-by-field-number</i>	593
2.1.823	Part 1 Section 19.646, <i>table:grouped-by</i>	593
2.1.824	Part 1 Section 19.649, <i>table:identify-categories</i>	594
2.1.825	Part 1 Section 19.650, <i>table:ignore-empty-rows</i>	594
2.1.826	Part 1 Section 19.651, <i>table:index</i>	594
2.1.827	Part 1 Section 19.654, <i>table:is-selection</i>	594
2.1.828	Part 1 Section 19.655, <i>table:is-sub-table</i>	594
2.1.829	Part 1 Section 19.656, <i>table:label-cell-range-address</i>	594
2.1.830	Part 1 Section 19.657, <i>table:language</i>	594
2.1.831	Part 1 Section 19.663, <i>table:link-to-source-data</i>	595
2.1.832	Part 1 Section 19.664, <i>table:marked-invalid</i>	595
2.1.833	Part 1 Section 19.671, <i>table:mode</i>	595
2.1.834	Part 1 Section 19.673, <i>table:name</i>	595

2.1.835	Part 1 Section 19.675, table:number-columns-repeated	596
2.1.836	Part 1 Section 19.675.3, table:table-cell.....	596
2.1.837	Part 1 Section 19.676, table:number-columns-spanned	596
2.1.838	Part 1 Section 19.677, table:number-rows-repeated	597
2.1.839	Part 1 Section 19.678, table:number-rows-spanned.....	597
2.1.840	Part 1 Section 19.679, table:number-matrix-columns-spanned	597
2.1.841	Part 1 Section 19.680, table:number-matrix-rows-spanned	598
2.1.842	Part 1 Section 19.681, table:object-name.....	598
2.1.843	Part 1 Section 19.682, table:on-update-keep-size.....	598
2.1.844	Part 1 Section 19.684, table:operator.....	599
2.1.845	Part 1 Section 19.685, table:order	599
2.1.846	Part 1 Section 19.686, table:orientation	599
2.1.847	Part 1 Section 19.687, table:page-breaks-on-group-change.....	599
2.1.848	Part 1 Section 19.689, table:parse-sql-statement	600
2.1.849	Part 1 Section 19.690, table:password	600
2.1.850	Part 1 Section 19.693, table:print	600
2.1.851	Part 1 Section 19.694, table:print-ranges	600
2.1.852	Part 1 Section 19.695, table:protect.....	601
2.1.853	Part 1 Section 19.696, table:protected	601
2.1.854	Part 1 Section 19.696.4, table:table.....	601
2.1.855	Part 1 Section 19.696.5, table:table-cell	601
2.1.856	Part 1 Section 19.697, table:protection-key	601
2.1.857	Part 1 Section 19.698, table:protection-key-digest-algorithm	602
2.1.858	Part 1 Section 19.700, table:range-usable-as.....	602
2.1.859	Part 1 Section 19.701, table:refresh-delay.....	603
2.1.860	Part 1 Section 19.708, table:selected-page	603
2.1.861	Part 1 Section 19.711, table:show-filter-button	603
2.1.862	Part 1 Section 19.713, table:source-cell-range-addresses	604
2.1.863	Part 1 Section 19.715, table:source-name	604
2.1.864	Part 1 Section 19.726, table:style-name.....	604
2.1.865	Part 1 Section 19.728, table:table-background	605
2.1.866	Part 1 Section 19.730, table:target-cell-address	605
2.1.867	Part 1 Section 19.732, table:template-name	605
2.1.868	Part 1 Section 19.736, table:use-banding-columns-styles	605
2.1.869	Part 1 Section 19.737, table:use-banding-rows-styles	606
2.1.870	Part 1 Section 19.738, table:use-first-column-styles	606
2.1.871	Part 1 Section 19.739, table:use-first-row-styles	606
2.1.872	Part 1 Section 19.740, table:use-last-column-styles	606
2.1.873	Part 1 Section 19.741, table:use-last-row-styles.....	606
2.1.874	Part 1 Section 19.742, table:use-labels	606
2.1.875	Part 1 Section 19.743, table:use-regular-expressions.....	606
2.1.876	Part 1 Section 19.745, table:used-hierarchy.....	606
2.1.877	Part 1 Section 19.746, table:user-name	607
2.1.878	Part 1 Section 19.747, table:value	607
2.1.879	Part 1 Section 19.748, table:value-type.....	607
2.1.880	Part 1 Section 19.749, table:visibility	607
2.1.881	Part 1 Section 19.750, text:active.....	608
2.1.882	Part 1 Section 19.753, text:anchor-page-number	608
2.1.883	Part 1 Section 19.754, text:anchor-type	608
2.1.884	Part 1 Section 19.760, text:bullet-char.....	609
2.1.885	Part 1 Section 19.761, text:bullet-relative-size.....	611
2.1.886	Part 1 Section 19.762, text:capitalize-entries	612
2.1.887	Part 1 Section 19.763, text:c	612

2.1.888	Part 1 Section 19.770, text:class-names.....	613
2.1.889	Part 1 Section 19.772, text:combine-entries	615
2.1.890	Part 1 Section 19.773, text:combine-entries-with-dash	615
2.1.891	Part 1 Section 19.774, text:combine-entries-with-pp	616
2.1.892	Part 1 Section 19.775, text:comma-separated.....	616
2.1.893	Part 1 Section 19.776, text:cond-style-name	616
2.1.894	Part 1 Section 19.777, text:condition	617
2.1.895	Part 1 Section 19.779, text:consecutive-numbering	617
2.1.896	Part 1 Section 19.780, text:continue-list.....	618
2.1.897	Part 1 Section 19.781, text:continue-numbering.....	619
2.1.898	Part 1 Section 19.783, text:count-empty-lines	620
2.1.899	Part 1 Section 19.784, text:count-in-text-boxes	620
2.1.900	Part 1 Section 19.792, text:date-adjust.....	620
2.1.901	Part 1 Section 19.793, text:date-value	620
2.1.902	Part 1 Section 19.794, text:default-style-name	621
2.1.903	Part 1 Section 19.796, text:display	621
2.1.904	Part 1 Section 19.797, text:display-levels.....	622
2.1.905	Part 1 Section 19.803, text:fixed	624
2.1.906	Part 1 Section 19.805, text:formula	626
2.1.907	Part 1 Section 19.806, text:global.....	626
2.1.908	Part 1 Section 19.808, text:increment.....	626
2.1.909	Part 1 Section 19.809, text:id	626
2.1.910	Part 1 Section 19.812, text:index-scope	626
2.1.911	Part 1 Section 19.813, text:ignore-case.....	627
2.1.912	Part 1 Section 19.816, text:is-list-header	627
2.1.913	Part 1 Section 19.821, text:key1	627
2.1.914	Part 1 Section 19.822, text:key2	627
2.1.915	Part 1 Section 19.823, text:key1-phonetic	627
2.1.916	Part 1 Section 19.824, text:key2-phonetic	627
2.1.917	Part 1 Section 19.828, text:level	628
2.1.918	Part 1 Section 19.831, text:main-entry	632
2.1.919	Part 1 Section 19.832, text:main-entry-style-name	632
2.1.920	Part 1 Section 19.833, text:master-page-name	633
2.1.921	Part 1 Section 19.835, text:name	633
2.1.922	Part 1 Section 19.837, text:note-class.....	633
2.1.923	Part 1 Section 19.839, text:number-lines	633
2.1.924	Part 1 Section 19.840, text:number-position	634
2.1.925	Part 1 Section 19.844, text:outline-level.....	634
2.1.926	Part 1 Section 19.844.5, text:index-entry-chapter	635
2.1.927	Part 1 Section 19.845, text:page-adjust	635
2.1.928	Part 1 Section 19.849, text:protected.....	635
2.1.929	Part 1 Section 19.850, text:protection-key.....	635
2.1.930	Part 1 Section 19.851, text:protection-key-digest-algorithm	636
2.1.931	Part 1 Section 19.853, text:ref-name	636
2.1.932	Part 1 Section 19.854, text:reference-format	636
2.1.933	Part 1 Section 19.855, text:relative-tab-stop-position	637
2.1.934	Part 1 Section 19.857, text:restart-numbering	637
2.1.935	Part 1 Section 19.863, text:select-page.....	637
2.1.936	Part 1 Section 19.865, text:sort-algorithm	637
2.1.937	Part 1 Section 19.868, text:start-value.....	637
2.1.938	Part 1 Section 19.874, text:style-name	640
2.1.939	Part 1 Section 19.877, text:tab-ref	647
2.1.940	Part 1 Section 19.880, text:time-adjust.....	649

2.1.941	Part 1 Section 19.881, text:time-value	649
2.1.942	Part 1 Section 19.883, text:track-changes	649
2.1.943	Part 1 Section 19.892, text:use-keys-as-entries	650
2.1.944	Part 1 Section 19.901, text:visited-style-name	650
2.1.945	Part 1 Section 19.904, xforms:bind	651
2.1.946	Part 1 Section 19.905, XHTML:about	651
2.1.947	Part 1 Section 19.906, XHTML:content	652
2.1.948	Part 1 Section 19.907, XHTML:datatype	652
2.1.949	Part 1 Section 19.908, XHTML:property	653
2.1.950	Part 1 Section 19.909, xlink:actuate	654
2.1.951	Part 1 Section 19.910, xlink:href	656
2.1.952	Part 1 Section 19.911, xlink:show	660
2.1.953	Part 1 Section 19.913, xlink:type	664
2.1.954	Part 1 Section 19.914, XML:id	667
2.1.955	Part 1 Section 20.2, chart:angle-offset	668
2.1.956	Part 1 Section 20.7, chart:connect-bars	668
2.1.957	Part 1 Section 20.8, chart:data-label-number	668
2.1.958	Part 1 Section 20.9, chart:data-label-symbol	669
2.1.959	Part 1 Section 20.10, chart:data-label-text	669
2.1.960	Part 1 Section 20.11, chart:deep	669
2.1.961	Part 1 Section 20.12, chart:display-label	669
2.1.962	Part 1 Section 20.13, chart:error-category	669
2.1.963	Part 1 Section 20.14, chart:error-lower-indicator	670
2.1.964	Part 1 Section 20.15, chart:error-lower-limit	670
2.1.965	Part 1 Section 20.17, chart:error-margin	670
2.1.966	Part 1 Section 20.18, chart:error-percentage	670
2.1.967	Part 1 Section 20.19, chart:error-upper-indicator	670
2.1.968	Part 1 Section 20.20, chart:error-upper-limit	671
2.1.969	Part 1 Section 20.22, chart:gap-width	671
2.1.970	Part 1 Section 20.23, chart:group-bars-per-axis	671
2.1.971	Part 1 Section 20.26, chart:interpolation	671
2.1.972	Part 1 Section 20.27, chart:interval-major	671
2.1.973	Part 1 Section 20.28, chart:interval-minor-divisor	671
2.1.974	Part 1 Section 20.29, chart:japanese-candle-stick	672
2.1.975	Part 1 Section 20.30, chart:label-arrangement	672
2.1.976	Part 1 Section 20.32, chart:label-position-negative	672
2.1.977	Part 1 Section 20.33, chart:lines	672
2.1.978	Part 1 Section 20.34, chart:link-data-style-to-source	672
2.1.979	Part 1 Section 20.35, chart:logarithmic	672
2.1.980	Part 1 Section 20.36, chart:maximum	673
2.1.981	Part 1 Section 20.38, chart:minimum	673
2.1.982	Part 1 Section 20.39, chart:origin	673
2.1.983	Part 1 Section 20.40, chart:overlap	673
2.1.984	Part 1 Section 20.41, chart:pie-offset	673
2.1.985	Part 1 Section 20.42, chart:percentage	673
2.1.986	Part 1 Section 20.43, chart:regression-type	673
2.1.987	Part 1 Section 20.46, chart:scale-text	674
2.1.988	Part 1 Section 20.47, chart:series-source	674
2.1.989	Part 1 Section 20.48, chart:sort-by-x-values	674
2.1.990	Part 1 Section 20.50, chart:spline-order	674
2.1.991	Part 1 Section 20.51, chart:spline-resolution	674
2.1.992	Part 1 Section 20.52, chart:stacked	674
2.1.993	Part 1 Section 20.53, chart:symbol-height	674

2.1.994	Part 1 Section 20.54, chart:symbol-name	675
2.1.995	Part 1 Section 20.55, chart:symbol-type	676
2.1.996	Part 1 Section 20.56, chart:symbol-width	676
2.1.997	Part 1 Section 20.57, chart:text-overlap	676
2.1.998	Part 1 Section 20.58, chart:three-dimensional	677
2.1.999	Part 1 Section 20.59, chart:tick-marks-major-inner	677
2.1.1000	Part 1 Section 20.60, chart:tick-marks-major-outer	677
2.1.1001	Part 1 Section 20.61, chart:tick-marks-minor-inner	677
2.1.1002	Part 1 Section 20.62, chart:tick-marks-minor-outer	677
2.1.1003	Part 1 Section 20.63, chart:tick-mark-position	677
2.1.1004	Part 1 Section 20.65, chart:vertical	677
2.1.1005	Part 1 Section 20.66, chart:visible	677
2.1.1006	Part 1 Section 20.68, dr3d:back-scale	678
2.1.1007	Part 1 Section 20.69, dr3d:backface-culling	678
2.1.1008	Part 1 Section 20.70, dr3d:close-back	678
2.1.1009	Part 1 Section 20.71, dr3d:close-front	678
2.1.1010	Part 1 Section 20.72, dr3d:depth	679
2.1.1011	Part 1 Section 20.74, dr3d:edge-rounding	679
2.1.1012	Part 1 Section 20.75, dr3d:edge-rounding-mode	679
2.1.1013	Part 1 Section 20.76, dr3d:emissive-color	680
2.1.1014	Part 1 Section 20.77, dr3d:end-angle	680
2.1.1015	Part 1 Section 20.78, dr3d:horizontal-segments	680
2.1.1016	Part 1 Section 20.80, dr3d:normals-direction	680
2.1.1017	Part 1 Section 20.81, dr3d:normals-kind	681
2.1.1018	Part 1 Section 20.82, dr3d:shadow	681
2.1.1019	Part 1 Section 20.83, dr3d:shininess	681
2.1.1020	Part 1 Section 20.84, dr3d:specular-color	682
2.1.1021	Part 1 Section 20.85, dr3d:texture-filter	682
2.1.1022	Part 1 Section 20.86, dr3d:texture-kind	682
2.1.1023	Part 1 Section 20.87, dr3d:texture-mode	683
2.1.1024	Part 1 Section 20.88, dr3d:texture-generation-mode-x	683
2.1.1025	Part 1 Section 20.89, dr3d:texture-generation-mode-y	683
2.1.1026	Part 1 Section 20.90, dr3d:vertical-segments	683
2.1.1027	Part 1 Section 20.91, draw:auto-grow-height	684
2.1.1028	Part 1 Section 20.92, draw:auto-grow-width	685
2.1.1029	Part 1 Section 20.93, draw:background-size	687
2.1.1030	Part 1 Section 20.94, draw:blue	687
2.1.1031	Part 1 Section 20.95, draw:caption-angle	687
2.1.1032	Part 1 Section 20.96, draw:caption-angle-type	687
2.1.1033	Part 1 Section 20.97, draw:caption-escape	688
2.1.1034	Part 1 Section 20.98, draw:caption-escape-direction	688
2.1.1035	Part 1 Section 20.99, draw:caption-fit-line-length	688
2.1.1036	Part 1 Section 20.100, draw:caption-gap	689
2.1.1037	Part 1 Section 20.101, draw:caption-line-length	689
2.1.1038	Part 1 Section 20.102, draw:caption-type	689
2.1.1039	Part 1 Section 20.103, draw:color-inversion	689
2.1.1040	Part 1 Section 20.104, draw:color-mode	690
2.1.1041	Part 1 Section 20.105, draw:contrast	691
2.1.1042	Part 1 Section 20.106, draw:decimal-places	692
2.1.1043	Part 1 Section 20.107, draw:draw-aspect	692
2.1.1044	Part 1 Section 20.108, draw:end-guide	692
2.1.1045	Part 1 Section 20.109, draw:end-line-spacing-horizontal	693
2.1.1046	Part 1 Section 20.110, draw:end-line-spacing-vertical	693

2.1.1047	Part 1 Section 20.111, draw:fill	693
2.1.1048	Part 1 Section 20.112, draw:fill-color	702
2.1.1049	Part 1 Section 20.113, draw:fill-gradient-name.....	703
2.1.1050	Part 1 Section 20.114, draw:fill-hatch-name	705
2.1.1051	Part 1 Section 20.115, draw:fill-hatch-solid	706
2.1.1052	Part 1 Section 20.116, draw:fill-image-height.....	708
2.1.1053	Part 1 Section 20.117, draw:fill-image-name.....	710
2.1.1054	Part 1 Section 20.118, draw:fill-image-ref-point	711
2.1.1055	Part 1 Section 20.119, draw:fill-image-ref-point-x	713
2.1.1056	Part 1 Section 20.120, draw:fill-image-ref-point-y	714
2.1.1057	Part 1 Section 20.121, draw:fill-image-width.....	716
2.1.1058	Part 1 Section 20.122, draw:fit-to-contour	717
2.1.1059	Part 1 Section 20.123, draw:fit-to-size	719
2.1.1060	Part 1 Section 20.124, draw:frame-display-border	720
2.1.1061	Part 1 Section 20.125, draw:frame-margin-horizontal	720
2.1.1062	Part 1 Section 20.126, draw:frame-display-scrollbar	721
2.1.1063	Part 1 Section 20.127, draw:frame-margin-vertical	721
2.1.1064	Part 1 Section 20.128, draw:gamma	721
2.1.1065	Part 1 Section 20.129, draw:green.....	722
2.1.1066	Part 1 Section 20.130, draw:gradient-step-count	722
2.1.1067	Part 1 Section 20.131, draw:guide-distance	723
2.1.1068	Part 1 Section 20.132, draw:guide-overhang.....	724
2.1.1069	Part 1 Section 20.133, draw:image-opacity	724
2.1.1070	Part 1 Section 20.134, draw:line-distance	724
2.1.1071	Part 1 Section 20.135, draw:luminance	725
2.1.1072	Part 1 Section 20.136, draw:marker-end	725
2.1.1073	Part 1 Section 20.137, draw:marker-end-center	726
2.1.1074	Part 1 Section 20.138, draw:marker-end-width	726
2.1.1075	Part 1 Section 20.139, draw:marker-start.....	726
2.1.1076	Part 1 Section 20.140, draw:marker-start-center	727
2.1.1077	Part 1 Section 20.141, draw:marker-start-width	727
2.1.1078	Part 1 Section 20.142, draw:measure-align	727
2.1.1079	Part 1 Section 20.143, draw:measure-vertical-align	728
2.1.1080	Part 1 Section 20.144, draw:ole-draw-aspect	728
2.1.1081	Part 1 Section 20.146, draw:opacity-name.....	728
2.1.1082	Part 1 Section 20.147, draw:parallel.....	730
2.1.1083	Part 1 Section 20.148, draw:placing	730
2.1.1084	Part 1 Section 20.149, draw:red	730
2.1.1085	Part 1 Section 20.150, draw:secondary-fill-color.....	731
2.1.1086	Part 1 Section 20.151, draw:shadow	732
2.1.1087	Part 1 Section 20.152, draw:shadow-color	734
2.1.1088	Part 1 Section 20.153, draw:shadow-offset-x	735
2.1.1089	Part 1 Section 20.154, draw:shadow-offset-y	737
2.1.1090	Part 1 Section 20.155, draw:shadow-opacity	739
2.1.1091	Part 1 Section 20.156, draw:show-unit	741
2.1.1092	Part 1 Section 20.157, draw:start-guide	741
2.1.1093	Part 1 Section 20.158, draw:start-line-spacing-horizontal	741
2.1.1094	Part 1 Section 20.159, draw:start-line-spacing-vertical.....	742
2.1.1095	Part 1 Section 20.160, draw:stroke	742
2.1.1096	Part 1 Section 20.162, draw:stroke-dash-names.....	745
2.1.1097	Part 1 Section 20.163, draw:stroke-linejoin.....	746
2.1.1098	Part 1 Section 20.165, draw:symbol-color.....	759
2.1.1099	Part 1 Section 20.166, draw:textarea-horizontal-align	760

2.1.1100	Part 1 Section 20.167, draw:textarea-vertical-align.....	762
2.1.1101	Part 1 Section 20.168, draw:tile-repeat-offset	764
2.1.1102	Part 1 Section 20.169, draw:visible-area-height.....	765
2.1.1103	Part 1 Section 20.170, draw:visible-area-left.....	766
2.1.1104	Part 1 Section 20.171, draw:visible-area-top	766
2.1.1105	Part 1 Section 20.172, draw:visible-area-width.....	766
2.1.1106	Part 1 Section 20.173, draw:unit	766
2.1.1107	Part 1 Section 20.174, draw:wrap-influence-on-position	767
2.1.1108	Part 1 Section 20.175, fo:background-color.....	767
2.1.1109	Part 1 Section 20.176.2, fo:border	772
2.1.1110	Part 1 Section 20.176.3, fo:border-bottom.....	775
2.1.1111	Part 1 Section 20.176.4, fo:border-left	778
2.1.1112	Part 1 Section 20.176.5, fo:border-right	781
2.1.1113	Part 1 Section 20.176.6, fo:border-top	784
2.1.1114	Part 1 Section 20.177, fo:break-after	787
2.1.1115	Part 1 Section 20.178, fo:break-before	789
2.1.1116	Part 1 Section 20.179, fo:clip	791
2.1.1117	Part 1 Section 20.180, fo:color	792
2.1.1118	Part 1 Section 20.182, fo:font-family.....	794
2.1.1119	Part 1 Section 20.183, fo:font-size	795
2.1.1120	Part 1 Section 20.184, fo:font-style.....	797
2.1.1121	Part 1 Section 20.185, fo:font-variant	798
2.1.1122	Part 1 Section 20.186, fo:font-weight	800
2.1.1123	Part 1 Section 20.187, fo:height	803
2.1.1124	Part 1 Section 20.188, fo:hyphenate	804
2.1.1125	Part 1 Section 20.189, fo:hyphenation-keep.....	806
2.1.1126	Part 1 Section 20.190, fo:hyphenation-ladder-count.....	807
2.1.1127	Part 1 Section 20.191, fo:hyphenation-push-char-count	808
2.1.1128	Part 1 Section 20.192, fo:hyphenation-remain-char-count	810
2.1.1129	Part 1 Section 20.193, fo:keep-together	811
2.1.1130	Part 1 Section 20.194, fo:keep-with-next.....	813
2.1.1131	Part 1 Section 20.195, fo:language	814
2.1.1132	Part 1 Section 20.196, fo:letter-spacing.....	815
2.1.1133	Part 1 Section 20.197, fo:line-height	816
2.1.1134	Part 1 Section 20.198, fo:margin	818
2.1.1135	Part 1 Section 20.199, fo:margin-bottom	821
2.1.1136	Part 1 Section 20.201, fo:margin-right	824
2.1.1137	Part 1 Section 20.202, fo:margin-top	829
2.1.1138	Part 1 Section 20.207, fo:orphans.....	833
2.1.1139	Part 1 Section 20.208, fo:page-height	834
2.1.1140	Part 1 Section 20.209, fo:page-width	834
2.1.1141	Part 1 Section 20.210, fo:padding	835
2.1.1142	Part 1 Section 20.211, fo:padding-bottom.....	838
2.1.1143	Part 1 Section 20.212, fo:padding-left	841
2.1.1144	Part 1 Section 20.213, fo:padding-right	844
2.1.1145	Part 1 Section 20.214, fo:padding-top	847
2.1.1146	Part 1 Section 20.215, fo:script	850
2.1.1147	Part 1 Section 20.216, fo:text-align	850
2.1.1148	Part 1 Section 20.217, fo:text-align-last	853
2.1.1149	Part 1 Section 20.219, fo:text-shadow.....	857
2.1.1150	Part 1 Section 20.220, fo:text-transform	858
2.1.1151	Part 1 Section 20.221, fo:widows.....	860
2.1.1152	Part 1 Section 20.222, fo:width	861

2.1.1153	Part 1 Section 20.223, fo:wrap-option	863
2.1.1154	Part 1 Section 20.226, presentation:display-date-time	864
2.1.1155	Part 1 Section 20.227, presentation:display-footer.....	864
2.1.1156	Part 1 Section 20.228, presentation:display-header	865
2.1.1157	Part 1 Section 20.229, presentation:display-page-number	865
2.1.1158	Part 1 Section 20.231, presentation:transition-speed	865
2.1.1159	Part 1 Section 20.232, presentation:transition-style	865
2.1.1160	Part 1 Section 20.233, presentation:transition-type	869
2.1.1161	Part 1 Section 20.239, style:auto-text-indent	869
2.1.1162	Part 1 Section 20.240, style:background-transparency	870
2.1.1163	Part 1 Section 20.241, style:border-line-width.....	871
2.1.1164	Part 1 Section 20.242, style:border-line-width-bottom	873
2.1.1165	Part 1 Section 20.243, style:border-line-width-left	875
2.1.1166	Part 1 Section 20.244, style:border-line-width-right.....	878
2.1.1167	Part 1 Section 20.245, style:border-line-width-top	881
2.1.1168	Part 1 Section 20.246, style:cell-protect	883
2.1.1169	Part 1 Section 20.248, style:country-asian.....	883
2.1.1170	Part 1 Section 20.249, style:country-complex.....	885
2.1.1171	Part 1 Section 20.250, style:decimal-places	887
2.1.1172	Part 1 Section 20.251, style:diagonal-bl-tr	887
2.1.1173	Part 1 Section 20.252, style:diagonal-bl-tr-widths.....	888
2.1.1174	Part 1 Section 20.253, style:diagonal-tl-br	888
2.1.1175	Part 1 Section 20.254, style:diagonal-tl-br-widths.....	889
2.1.1176	Part 1 Section 20.255, style:direction	889
2.1.1177	Part 1 Section 20.256, style:dynamic-spacing	889
2.1.1178	Part 1 Section 20.257, style:editable	889
2.1.1179	Part 1 Section 20.258, style:first-page-number	890
2.1.1180	Part 1 Section 20.259, style:flow-with-text	890
2.1.1181	Part 1 Section 20.261, style:font-charset-asian	890
2.1.1182	Part 1 Section 20.262, style:font-charset-complex	892
2.1.1183	Part 1 Section 20.263, style:font-family-asian	893
2.1.1184	Part 1 Section 20.264, style:font-family-complex.....	895
2.1.1185	Part 1 Section 20.266, style:font-family-generic-asian.....	896
2.1.1186	Part 1 Section 20.267, style:font-family-generic-complex	898
2.1.1187	Part 1 Section 20.268, style:font-independent-line-spacing	899
2.1.1188	Part 1 Section 20.269, style:font-name	900
2.1.1189	Part 1 Section 20.270, style:font-name-asian	903
2.1.1190	Part 1 Section 20.271, style:font-name-complex.....	904
2.1.1191	Part 1 Section 20.273, style:font-pitch-asian	906
2.1.1192	Part 1 Section 20.274, style:font-pitch-complex.....	907
2.1.1193	Part 1 Section 20.275, style:font-relief	909
2.1.1194	Part 1 Section 20.276, style:font-size-asian	911
2.1.1195	Part 1 Section 20.277, style:font-size-complex	913
2.1.1196	Part 1 Section 20.278, style:font-size-rel	914
2.1.1197	Part 1 Section 20.279, style:font-size-rel-asian	916
2.1.1198	Part 1 Section 20.280, style:font-size-rel-complex	918
2.1.1199	Part 1 Section 20.281, style:font-style-asian	919
2.1.1200	Part 1 Section 20.282, style:font-style-complex.....	921
2.1.1201	Part 1 Section 20.283, style:font-style-name.....	922
2.1.1202	Part 1 Section 20.284, style:font-style-name-asian	924
2.1.1203	Part 1 Section 20.285, style:font-style-name-complex.....	925
2.1.1204	Part 1 Section 20.286, style:font-weight-asian	927
2.1.1205	Part 1 Section 20.287, style:font-weight-complex	928

2.1.1206	Part 1 Section 20.288, style:footnote-max-height	930
2.1.1207	Part 1 Section 20.289, style:glyph-orientation-vertical.....	930
2.1.1208	Part 1 Section 20.291, style:horizontal-rel	930
2.1.1209	Part 1 Section 20.292, style:join-border	932
2.1.1210	Part 1 Section 20.293, style:justify-single-word.....	932
2.1.1211	Part 1 Section 20.294, style:language-asian.....	933
2.1.1212	Part 1 Section 20.295, style:language-complex	936
2.1.1213	Part 1 Section 20.296, style:layout-grid-base-height	936
2.1.1214	Part 1 Section 20.298, style:layout-grid-color.....	936
2.1.1215	Part 1 Section 20.299, style:layout-grid-display.....	937
2.1.1216	Part 1 Section 20.300, style:layout-grid-lines	937
2.1.1217	Part 1 Section 20.301, style:layout-grid-mode.....	937
2.1.1218	Part 1 Section 20.302, style:layout-grid-print	937
2.1.1219	Part 1 Section 20.303, style:layout-grid-ruby-below.....	938
2.1.1220	Part 1 Section 20.304, style:layout-grid-ruby-height	938
2.1.1221	Part 1 Section 20.305, style:layout-grid-snap-to.....	938
2.1.1222	Part 1 Section 20.307, style:line-break.....	938
2.1.1223	Part 1 Section 20.308, style:letter-kerning.....	940
2.1.1224	Part 1 Section 20.309, style:line-height-at-least	941
2.1.1225	Part 1 Section 20.310, style:line-spacing	942
2.1.1226	Part 1 Section 20.311, style:may-break-between-rows	944
2.1.1227	Part 1 Section 20.312, style:min-row-height	944
2.1.1228	Part 1 Section 20.313, style:mirror	944
2.1.1229	Part 1 Section 20.318, style:number-wrapped-paragraphs	948
2.1.1230	Part 1 Section 20.319, style:overflow-behavior.....	948
2.1.1231	Part 1 Section 20.320, style:page-number	948
2.1.1232	Part 1 Section 20.321, style:paper-tray-name	950
2.1.1233	Part 1 Section 20.322, style:print	950
2.1.1234	Part 1 Section 20.323, style:print-content.....	951
2.1.1235	Part 1 Section 20.324, style:print-page-order.....	951
2.1.1236	Part 1 Section 20.325, style:print-orientation	951
2.1.1237	Part 1 Section 20.326, style:protect	952
2.1.1238	Part 1 Section 20.327, style:punctuation-wrap	957
2.1.1239	Part 1 Section 20.328, style:register-true	958
2.1.1240	Part 1 Section 20.329, style:register-truth-ref-style-name	959
2.1.1241	Part 1 Section 20.330, style:rel-column-width	960
2.1.1242	Part 1 Section 20.332.2, style:table-properties	960
2.1.1243	Part 1 Section 20.334, style:repeat-content	960
2.1.1244	Part 1 Section 20.338, style:rotation-align	960
2.1.1245	Part 1 Section 20.339, style:rotation-angle	961
2.1.1246	Part 1 Section 20.341, style:ruby-align.....	961
2.1.1247	Part 1 Section 20.342, style:ruby-position	962
2.1.1248	Part 1 Section 20.343, style:run-through	964
2.1.1249	Part 1 Section 20.344, style:scale-to	964
2.1.1250	Part 1 Section 20.345, style:scale-to-pages	964
2.1.1251	Part 1 Section 20.346, style:script-asian.....	965
2.1.1252	Part 1 Section 20.347, style:script-complex	965
2.1.1253	Part 1 Section 20.348, style:script-type.....	965
2.1.1254	Part 1 Section 20.349, style:shadow	967
2.1.1255	Part 1 Section 20.350, style:shrink-to-fit	969
2.1.1256	Part 1 Section 20.351, style:snap-to-layout-grid.....	970
2.1.1257	Part 1 Section 20.352, style:tab-stop-distance	971
2.1.1258	Part 1 Section 20.353, style:table-centering.....	972

2.1.1259	Part 1 Section 20.354, style:text-align-source	972
2.1.1260	Part 1 Section 20.355, style:text-autospace	973
2.1.1261	Part 1 Section 20.356, style:text-blinking	974
2.1.1262	Part 1 Section 20.357, style:text-combine	975
2.1.1263	Part 1 Section 20.358, style:text-combine-start-char	977
2.1.1264	Part 1 Section 20.359, style:text-combine-end-char.....	979
2.1.1265	Part 1 Section 20.360, style:text-emphasize	980
2.1.1266	Part 1 Section 20.361, style:text-line-through-color	982
2.1.1267	Part 1 Section 20.362, style:text-line-through-mode	984
2.1.1268	Part 1 Section 20.363, style:text-line-through-style	985
2.1.1269	Part 1 Section 20.364, style:text-line-through-text	988
2.1.1270	Part 1 Section 20.365, style:text-line-through-text-style	989
2.1.1271	Part 1 Section 20.366, style:text-line-through-type.....	991
2.1.1272	Part 1 Section 20.367, style:text-line-through-width	992
2.1.1273	Part 1 Section 20.368, style:text-outline.....	994
2.1.1274	Part 1 Section 20.369, style:text-overline-color	995
2.1.1275	Part 1 Section 20.370, style:text-overline-mode	995
2.1.1276	Part 1 Section 20.371, style:text-overline-style	995
2.1.1277	Part 1 Section 20.372, style:text-overline-type.....	996
2.1.1278	Part 1 Section 20.373, style:text-overline-width	996
2.1.1279	Part 1 Section 20.374, style:text-position	996
2.1.1280	Part 1 Section 20.375, style:text-rotation-angle	999
2.1.1281	Part 1 Section 20.376, style:text-rotation-scale	1001
2.1.1282	Part 1 Section 20.377, style:text-scale	1002
2.1.1283	Part 1 Section 20.378, style:text-underline-color	1004
2.1.1284	Part 1 Section 20.379, style:text-underline-mode	1005
2.1.1285	Part 1 Section 20.380, style:text-underline-style	1007
2.1.1286	Part 1 Section 20.381, style:text-underline-type.....	1010
2.1.1287	Part 1 Section 20.382, style:text-underline-width	1011
2.1.1288	Part 1 Section 20.383, style:use-optimal-column-width	1013
2.1.1289	Part 1 Section 20.384, style:use-optimal-row-height.....	1013
2.1.1290	Part 1 Section 20.385, style:use-window-font-color.....	1013
2.1.1291	Part 1 Section 20.387, style:vertical-pos.....	1015
2.1.1292	Part 1 Section 20.388, style:vertical-rel.....	1016
2.1.1293	Part 1 Section 20.389, style:width	1017
2.1.1294	Part 1 Section 20.390, style:wrap	1018
2.1.1295	Part 1 Section 20.391, style:wrap-contour	1018
2.1.1296	Part 1 Section 20.392, style:wrap-contour-mode	1018
2.1.1297	Part 1 Section 20.393, style:wrap-dynamic-threshold.....	1018
2.1.1298	Part 1 Section 20.394, style:writing-mode	1018
2.1.1299	Part 1 Section 20.394.6, style:table-cell-properties.....	1026
2.1.1300	Part 1 Section 20.395, style:writing-mode-automatic	1026
2.1.1301	Part 1 Section 20.396, svg:fill-rule.....	1028
2.1.1302	Part 1 Section 20.398, svg:stroke-color	1029
2.1.1303	Part 1 Section 20.399, svg:stroke-opacity.....	1031
2.1.1304	Part 1 Section 20.400, svg:stroke-width	1033
2.1.1305	Part 1 Section 20.402.2, style:list-level-properties	1035
2.1.1306	Part 1 Section 20.404, table:align	1035
2.1.1307	Part 1 Section 20.405, table:border-model.....	1035
2.1.1308	Part 1 Section 20.406, table:display	1035
2.1.1309	Part 1 Section 20.409, text:animation	1035
2.1.1310	Part 1 Section 20.410, text:animation-delay.....	1036
2.1.1311	Part 1 Section 20.411, text:animation-direction	1036

2.1.1312	Part 1 Section 20.412, text:animation-repeat.....	1036
2.1.1313	Part 1 Section 20.413, text:animation-start-inside	1036
2.1.1314	Part 1 Section 20.414, text:animation-steps.....	1036
2.1.1315	Part 1 Section 20.415, text:animation-stop-inside.....	1036
2.1.1316	Part 1 Section 20.418, text:don't-balance-text-columns	1036
2.1.1317	Part 1 Section 20.420, text:line-number	1038
2.1.1318	Part 1 Section 20.421, text:list-level-position-and-space-mode	1039
2.1.1319	Part 1 Section 20.422, text:min-label-distance	1039
2.1.1320	Part 1 Section 20.423, text:min-label-width	1040
2.1.1321	Part 1 Section 20.425, text:space-before	1042
2.1.1322	Part 3 Section 4.8.11, manifest:preferred-view-mode.....	1043
3	Change Tracking.....	1044
4	Index	1045

1 Introduction

In creating an interoperable implementation, it may be helpful to understand specific implementation choices made by other products implementing the same standard. For example, portions of the standard may provide only general guidance, leaving specific implementation choices up to the application implementer; in some circumstances, it may be helpful for other implementers to understand those choices. In addition, products often vary from or extend standards either because of application deviations or to allow for use scenarios not originally envisioned by the specifications. Documentation of those variations and/or extensions may also be helpful to other implementers.

The implementer notes contained in this document provide preliminary information about how Office implements new elements introduced in Open Document Format for Office Applications (OpenDocument) v1.2 [\[ODF1.2\]](#)

1.1 Glossary

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[ISO/IEC-29500:2008] International Organization for Standardization, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Parts 1-4", ISO/IEC 29500-1:2008,
http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=51463

[ISO/IEC-29500-1] International Organization for Standardization, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Part 1: Fundamentals and Markup Language Reference", ISO/IEC 29500-1:2008,
http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=51463

[MathML2.0] Ausbrooks, R., et al., "Mathematical Markup Language (MathML) Version 2.0 (Second Edition)", W3C Recommendation, October 2003, <http://www.w3.org/TR/2003/REC-MathML-20031021/>

[ODF1.2] OASIS, "Open Document Format for Office Applications (OpenDocument) Version 1.2", 29 September 2011, <http://docs.oasis-open.org/office/v1.2/os/OpenDocument-v1.2-os.html>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>

1.2.2 Informative References

None.

1.3 Microsoft Implementations

Microsoft Excel 2013

Microsoft PowerPoint 2013

Microsoft Word 2013

2 Conformance Statements

This section contains implementation information about how Microsoft Excel 2013, Microsoft PowerPoint 2013, and Microsoft Word 2013 implement Open Document Format for Office Applications (OpenDocument) v1.2. Unless otherwise specified, implementation information in this document pertains to both Client and Server implementations of Microsoft Office 2013.

2.1 Normative Variations

2.1.1 Part 1 Section 3.1.2, office:document

- a. *The standard defines the element <office:document>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:document>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <office:document>, contained within the parent element <draw:object>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <office:document>*

This element is not supported in PowerPoint 2013.

2.1.2 Part 1 Section 3.1.3.2, office:document-content

- a. *The standard defines the attribute office:mimetype, contained within the element <office:document-content>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:version, contained within the element <office:document-content>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:mimetype, contained within the element <office:document-content>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute office:version, contained within the element <office:document-content>*

This attribute is not supported in Excel 2013.

2.1.3 Part 1 Section 3.1.3.3, office:document-styles

- a. *The standard defines the attribute office:mimetype, contained within the element <office:document-styles>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:version, contained within the element <office:document-styles>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:mimetype, contained within the element <office:document-styles>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute office:version, contained within the element <office:document-styles>*

This attribute is not supported in Excel 2013.

2.1.4 Part 1 Section 3.1.3.4, office:document-meta

- a. *The standard defines the attribute office:mimetype, contained within the element <office:document-meta>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:version, contained within the element <office:document-meta>*

This attribute is supported in Word 2013.

On load, Word ignores this attribute.

On save, Word always writes a value of "1.2" for this attribute.

- c. *The standard defines the attribute office:mimetype, contained within the element <office:document-meta>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute office:version, contained within the element <office:document-meta>*

This attribute is supported in Excel 2013.

On load, Excel ignores this attribute.

On save, Excel always writes a value of "1.2" for this attribute.

2.1.5 Part 1 Section 3.1.3.5, office:document-settings

- a. *The standard defines the attribute office:mimetype, contained within the element <office:document-settings>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:version, contained within the element <office:document-settings>*

This attribute is supported in Word 2013.

On load, Word ignores this attribute.

On save, Word always writes a value of "1.2" for this attribute.

c. *The standard defines the element <office:document-settings>*

This element is not supported in Excel 2013.

d. *The standard defines the attribute office:version, contained within the element <office:document-settings>*

This attribute is supported in Excel 2013.

On load, Excel ignores this attribute.

On save, Excel always writes a value of "1.2" for this attribute.

e. *The standard defines the attribute office:version, contained within the element <office:document-settings>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint ignores this attribute.

On save, PowerPoint always writes a value of "1.2" for this attribute.

2.1.6 Part 1 Section 3.5, office:drawing

a. *The standard defines the element <office:drawing>*

This element is not supported in Word 2013.

b. *The standard defines the element <office:drawing>*

This element is not supported in Excel 2013.

c. *The standard defines the element <office:drawing>*

This element is not supported in PowerPoint 2013.

2.1.7 Part 1 Section 3.6, office:presentation

a. *The standard defines the element <office:presentation>*

This element is not supported in Word 2013.

2.1.8 Part 1 Section 3.7, office:spreadsheet

a. *The standard defines the element <office:spreadsheet>*

This element is not supported in Word 2013.

2.1.9 Part 1 Section 3.8, office:chart

a. *The standard defines the element <office:chart>*

This element is not supported in Word 2013.

2.1.10 Part 1 Section 3.9, office:image

- a. *The standard defines the element <office:image>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:image>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <office:image>*

This element is not supported in PowerPoint 2013.

2.1.11 Part 1 Section 3.10, office:settings

- a. *The standard defines the element <office:settings>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:settings>*

This element is not supported in PowerPoint 2013.

2.1.12 Part 1 Section 3.10.2, config:config-item-set

- a. *The standard defines the element <config:config-item-set>, contained within the parent element <office:settings>*

This element is not supported in Word 2013.

2.1.13 Part 1 Section 3.10.3, config:config-item

- a. *The standard defines the element <config:config-item>, contained within the parent element <office:settings>*

This element is not supported in Word 2013.

2.1.14 Part 1 Section 3.10.4, config:config-item-map-indexed

- a. *The standard defines the element <config:config-item-map-indexed>, contained within the parent element <office:settings>*

This element is not supported in Word 2013.

2.1.15 Part 1 Section 3.10.5, config:config-item-map-entry

- a. *The standard defines the element <config:config-item-map-entry>, contained within the parent element <office:settings>*

This element is not supported in Word 2013.

2.1.16 Part 1 Section 3.10.6, config:config-item-map-named

- a. *The standard defines the element <config:config-item-map-named>, contained within the parent element <office:settings>*

This element is not supported in Word 2013.

2.1.17 Part 1 Section 3.11, Cursor Position Setting

- a. *The standard defines the attribute Cursor Position Setting*

This attribute is not supported in Word 2013.

2.1.18 Part 1 Section 3.13, office:script

- a. *The standard defines the element <office:script>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:script>*

This element is not supported in PowerPoint 2013.

2.1.19 Part 1 Section 3.14, office:font-face-decls

- a. *The standard defines the element <office:font-face-decls>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels. On save, font face declarations are not written out. Instead, the fo:font-family property is used to specify font face.

- b. *The standard defines the element <office:font-face-decls>*

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, chart titles and labels. It is supported on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Font face declarations are only supported on read and are not written out. Instead, the fo:font-family property is used to specify font face on write.

- c. *The standard defines the element <office:font-face-decls>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

Font face declarations are supported only on read, and are not written out. Instead, the "fo:font-family" property is used to specify font face on write.

2.1.20 Part 1 Section 3.15.2, office:styles

- a. *The standard defines the element <office:styles>*

Word 2013 supports this element for <style:style> and <style:default-style> elements when the <style:family> attribute has a value of "graphic".

- b. *The standard defines the element <office:styles>*

Excel 2013 supports this element for <style:style> and <style:default-style> elements when the <style:family> attribute has a value of "graphic".

- c. *The standard defines the element <office:styles>*

This element is supported in PowerPoint 2013.

Only the default style and the presentation page layouts are stored here. All others are stored in automatic or master styles.

PowerPoint 2013 supports this element for <style:style> and <style:default-style> elements

when the `<style:family>` attribute has a value of "graphic".

2.1.21 Part 1 Section 3.15.3, office:automatic-styles

a. *The standard defines the element `<office:automatic-styles>`*

Word 2013 supports this element for `<style:style>` and `<style:default-style>` elements when the `<style:family>` attribute has a value of "graphic".

b. *The standard defines the element `<office:automatic-styles>`*

Excel 2013 supports this element for `<style:style>` and `<style:default-style>` elements when the `<style:family>` attribute has a value of "graphic".

c. *The standard defines the element `<office:automatic-styles>`*

This element is supported in PowerPoint 2013.

This element is used for all of the formatting styles in both the content and in the masters/layouts.

PowerPoint 2013 supports this element for `<style:style>` and `<style:default-style>` elements when the `<style:family>` attribute has a value of "graphic".

2.1.22 Part 1 Section 3.15.4, office:master-styles

a. *The standard defines the element `<office:master-styles>`*

This element is supported in PowerPoint 2013.

This location is used to store all of the master pages and layouts.

2.1.23 Part 1 Section 4.3.2.8, meta:printed-by

a. *The standard defines the element `<meta:printed-by>`*

This element is not supported in Word 2013.

Word does not save this property.

b. *The standard defines the element `<meta:printed-by>`*

This element is not supported in Excel 2013.

Excel does not save this property.

c. *The standard defines the element `<meta:printed-by>`*

This element is not supported in PowerPoint 2013.

PowerPoint does not save this property.

2.1.24 Part 1 Section 4.3.2.10, dc:date

a. *The standard defines the element `<dc:date>`*

This element is not supported in Excel 2013.

2.1.25 Part 1 Section 4.3.2.11, meta:print-date

a. *The standard defines the element <meta:print-date>*

This element is not supported in PowerPoint 2013.

2.1.26 Part 1 Section 4.3.2.12, meta:template

a. *The standard defines the element <meta:template>*

This element is not supported in PowerPoint 2013.

2.1.27 Part 1 Section 4.3.2.13, meta:auto-reload

a. *The standard defines the element <meta:auto-reload>*

This element is not supported in Word 2013.

Word does not save this property.

b. *The standard defines the element <meta:auto-reload>*

This element is not supported in Excel 2013.

Excel does not save this property.

c. *The standard defines the element <meta:auto-reload>*

This element is not supported in PowerPoint 2013.

PowerPoint does not save this property.

2.1.28 Part 1 Section 4.3.2.14, meta:hyperlink-behaviour

a. *The standard defines the element <meta:hyperlink-behaviour>*

This element is not supported in Word 2013.

Word does not save this property.

b. *The standard defines the element <meta:hyperlink-behaviour>*

This element is not supported in Excel 2013.

Excel does not save this property.

c. *The standard defines the element <meta:hyperlink-behaviour>*

This element is not supported in PowerPoint 2013.

PowerPoint does not save this property.

2.1.29 Part 1 Section 4.3.2.15, dc:language

a. *The standard defines the element <dc:language>, contained within the parent element <office:meta-data>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dc:language>*

This element is not supported in PowerPoint 2013.

2.1.30 Part 1 Section 4.3.3, meta:user-defined

- a. *The standard defines the element <meta:user-defined>*

This element is supported in Word 2013.

Word supports the creation of user defined metadata in the following variant types: string, float, date, and boolean.

- b. *The standard defines the element <meta:user-defined>*

This element is supported in Excel 2013.

Excel supports the creation of user defined metadata in the following variant types: string, float, date, and boolean.

- c. *The standard defines the element <meta:user-defined>*

This element is supported in PowerPoint 2013.

PowerPoint supports the creation of user defined metadata in the following variant types: string, float, date, and boolean.

2.1.31 Part 1 Section 5.1.2, text:h

- a. *The standard defines the element <text:h>*

This element is supported in Word 2013.

Word allows multiple styles to map to the same outline level. According to the ODF 1.1 spec, each outline level may only have one style associated with it.

On save, Word takes the following steps to determine which style should be included for each level under the outline style element:

First, Word looks for styles named "Heading 1" to "Heading 9" to see if any of them have numbering as a part of the style. If one of these styles has numbering, then that style is associated with the corresponding level in the outline style.

Next, Word looks for other styles to see if any of them have an outline level and numbering. If so, the first style that encountered with both a unique outline level and numbering is put into the outline-style.

On save, Word writes out text content within a <text:h> element under the following conditions:

- the paragraph has an outline level
- the paragraph's style is referenced by the outline style

On save, paragraphs with numbering, whose style is not in the outline-style but have a style:default-outline-level attribute in their paragraph style, are written out with <text:p> within a list.

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <text:h>*

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the element <text:h>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>  
<table:table-cell>
```

2.1.32 Part 1 Section 5.1.3, text:p

- a. *The standard defines the element <text:p>, contained within the parent element <draw:custom-shape>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:p>, contained within the parent element <text:list-item>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt.

- c. *The standard defines the element <text:p>, contained within the parent element <chart:title>*

This element is supported in Excel 2013.

Excel loads tags but does not save them.

- d. *The standard defines the element <text:p>, contained within the parent element <draw:connector>*

This element is not supported in Excel 2013.

- e. *The standard defines the element <text:p>, contained within the parent element <draw:image>*

This element is not supported in Excel 2013.

- f. *The standard defines the element <text:p>, contained within the parent element <draw:line>*

This element is not supported in Excel 2013.

- g. *The standard defines the element <text:p>, contained within the parent element <text:list-header>*

OfficeArt Math in Excel 2013 supports this element on save, for text in text boxes and shapes. It is supported on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

The `text:list-header` property is only supported on load and is not saved.

h. *The standard defines the element `<text:p>`, contained within the parent element `<text:list-item>`*

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes, shapes, and SmartArt. On load, it is supported for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

i. *The standard defines the element `<text:p>`, contained within the parent element `<draw:connector>`*

This element is not supported in PowerPoint 2013.

j. *The standard defines the element `<text:p>`, contained within the parent element `<draw:image>`*

This element is not supported in PowerPoint 2013.

k. *The standard defines the element `<text:p>`, contained within the parent element `<draw:line>`*

This element is not supported in PowerPoint 2013.

I. *The standard defines the element <text:p>, contained within the parent element <text:list-header>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

The "text:list-header" property is supported only on read and is not written out.

m. *The standard defines the element <text:p>, contained within the parent element <text:list-item>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

2.1.33 Part 1 Section 5.2, text:page-sequence

- a. *The standard defines the element <text:page-sequence>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:page-sequence>*

This element is not supported in PowerPoint 2013.

2.1.34 Part 1 Section 5.2.2, text:page

- a. *The standard defines the element <text:page>, contained within the parent element <text:page-sequence>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:page>*

This element is not supported in PowerPoint 2013.

2.1.35 Part 1 Section 5.3.1, text:list

- a. *The standard defines the element <text:list>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt.

- b. *The standard defines the element <text:list>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <text:list>, contained within the parent element <draw:connector>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <text:list>, contained within the parent element <draw:image>*

This element is not supported in Excel 2013.

- e. *The standard defines the element <text:list>, contained within the parent element <draw:line>*

This element is not supported in Excel 2013.

- f. *The standard defines the element <text:list>, contained within the parent element <draw:connector>*

This element is not supported in PowerPoint 2013.

- g. *The standard defines the element <text:list>, contained within the parent element <draw:image>*

This element is not supported in PowerPoint 2013.

h. *The standard defines the element <text:list>, contained within the parent element <draw:line>*

This element is not supported in PowerPoint 2013.

2.1.36 Part 1 Section 5.3.3, text:list-header

a. *The standard defines the element <text:list-header>, contained within the parent element <text:list>*

This element is not supported in Word 2013.

On load, Word drops the <text:list-header> element but retains the content of the tags as a paragraph.

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt.

b. *The standard defines the element <text:list-header>, contained within the parent element <text:list>*

OfficeArt Math in Excel 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes.

c. *The standard defines the element <text:list-header>, contained within the parent element <text:list>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

The "text:list-header" attribute is supported on load, but is not saved. To achieve the same effect on save, level 0 list items are saved as a regular paragraphs, that is <text:p> elements, and text greater than level 0 is assigned a list style with an empty "style:num-format" attribute (style:num-format=""").

2.1.37 Part 1 Section 5.3.6, text:numbered-paragraph

- The standard defines the element <text:numbered-paragraph>*

This element is not supported in Word 2013.

- The standard defines the element <text:numbered-paragraph>*

This element is not supported in Excel 2013.

2.1.38 Part 1 Section 5.4, text:section

- The standard defines the element <text:section>*

This element is supported in Word 2013.

On save, a continuous section in Word is mapped to the <text:section> element. The following properties are preserved: left and right margins, columns, and text direction.

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- The standard defines the element <text:section>, contained within the parent element <draw:text-box>*

This element is not supported in Word 2013.

- The standard defines the element <text:section>, contained within the parent element <style:drop-cap>*

This element is not supported in Word 2013.

- d. *The standard defines the element <text:section>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- e. *The standard defines the element <text:section>*

This element is not supported in PowerPoint 2013.

2.1.39 Part 1 Section 5.4.2, text:section-source

- a. *The standard defines the element <text:section-source>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:section-source>, contained within the parent element <text:section>*

This element is not supported in Word 2013.

- c. *The standard defines the element <text:section-source>*

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the element <text:section-source>*

This element is not supported in PowerPoint 2013.

2.1.40 Part 1 Section 5.5.1, text:tracked-changes

a. *The standard defines the element <text:tracked-changes>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:tracked-changes>*

This element is not supported in Excel 2013.

c. *The standard defines the element <text:tracked-changes>*

This element is not supported in PowerPoint 2013.

2.1.41 Part 1 Section 5.5.2, text:changed-region

a. *The standard defines the element <text:changed-region>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:changed-region>*

This element is not supported in PowerPoint 2013.

2.1.42 Part 1 Section 5.5.3, text:insertion

a. *The standard defines the element <text:insertion>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:insertion>*

This element is not supported in PowerPoint 2013.

2.1.43 Part 1 Section 5.5.4, text:deletion

- a. *The standard defines the element <text:deletion>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:deletion>*

This element is not supported in PowerPoint 2013.

2.1.44 Part 1 Section 5.5.5, text:format-change

- a. *The standard defines the element <text:format-change>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:format-change>*

This element is not supported in PowerPoint 2013.

2.1.45 Part 1 Section 5.5.6, office:change-info

- a. *The standard defines the element <office:change-info>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:change-info>*

This element is not supported in PowerPoint 2013.

2.1.46 Part 1 Section 5.5.7.2, text:change-start

- a. *The standard defines the element <text:change-start>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:change-start>*

This element is not supported in PowerPoint 2013.

2.1.47 Part 1 Section 5.5.7.3, text:change-end

- a. *The standard defines the element <text:change-end>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:change-end>*

This element is not supported in PowerPoint 2013.

2.1.48 Part 1 Section 5.5.7.4, text:change

- a. *The standard defines the element <text:change>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:change>*

This element is not supported in PowerPoint 2013.

2.1.49 Part 1 Section 5.6, `text:soft-page-break`

- a. *The standard defines the element <text:soft-page-break>*

This element is supported in Word 2013.

On save, Word puts a `<text:soft-page-break>` element everywhere it would normally mark a soft page break location for all of its other document formats. For ODF, this is only done if `<text:soft-page-break>` is allowed in that location by the ODF specification.

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:soft-page-break>, contained within the parent element <table:table>*

This element is supported in Word 2013.

Word writes out this element everywhere it would for all its other document formats, as long as it is allowed in that location by the ODF specification.

- c. *The standard defines the element <text:soft-page-break>, contained within the parent element <text:p>*

This element is supported in Word 2013.

On save, Word puts a `<text:soft-page-break>` element everywhere it would normally mark a soft page break location for all of its other document formats. For ODF, this is only done if `<text:soft-page-break>` is allowed in that location by the ODF specification.

- d. *The standard defines the attribute `text:soft-page-break`, contained within the element <table:table>, contained within the parent element <table:dde-link>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the element <text:soft-page-break>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
f. The standard defines the element <text:soft-page-break>, contained within the parent element
<text:p>
```

This element is not supported in Excel 2013.

g. The standard defines the element <text:soft-page-break>

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

h. The standard defines the element <text:soft-page-break>, contained within the parent element
<table:table>

This element is not supported in PowerPoint 2013.

i. The standard defines the element <text:soft-page-break>, contained within the parent element
<table:table-rows>

This element is not supported in PowerPoint 2013.

2.1.50 Part 1 Section 6.1.3, text:s

- a. *The standard defines the element <text:s>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:s>*

This element is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <text:s>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.51 Part 1 Section 6.1.4, **text:tab**

- a. *The standard defines the element <text:tab>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:tab>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <text:tab>, contained within the parent element <text:p>*

This element is supported in Excel 2013.

On load, Excel converts <tab> elements to spaces.

- d. *The standard defines the element <text:tab>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.52 Part 1 Section 6.1.5, text:line-break

- a. *The standard defines the element <text:line-break>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute text:line-break*

This attribute is not supported in Excel 2013.

- c. *The standard defines the element <text:line-break>*

This element is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>

d. The standard defines the element <text:line-break>, contained within the parent element <text:p>
```

This element is supported in Excel 2013.

On load, Excel converts the <text:line-break> element to a line feed character in the text. On save, if the parent element is <ruby-base> or , Excel converts the combination of line feed and return characters to a <text:line-break> element. If the parent element is <text:p> Excel closes the current <text:p> element, and begins a new <text:p> element.

e. The standard defines the element <text:line-break>

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.53 Part 1 Section 6.1.7, text:span

a. The standard defines the element <text:span>

This element is supported in Excel 2013.

On load, Excel reads the element <text:span> but does not write it on save.

OfficeArt Math in Excel 2013 does not support this element on save, for text in text boxes, shapes, SmartArt, and chart titles and labels. On load it is supported for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

The text:class-name attribute is always written as empty and is not supported on read.

2.1.54 Part 1 Section 6.1.8, text:a

a. *The standard defines the element <text:a>*

This element is supported in Excel 2013.

On load, Excel reads the element <text:a> but does not write it on save.

2.1.55 Part 1 Section 6.1.10, text:number

a. *The standard defines the attribute text:number, contained within the element <text:h>*

This attribute is not supported in Word 2013.

b. *The standard defines the element <text:number>, contained within the parent element <text:list-item>*

This element is not supported in Word 2013.

c. *The standard defines the element <text:number>, contained within the parent element <text:list-item>*

OfficeArt Math in Excel 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes.

d. *The standard defines the element <text:number>, contained within the parent element <text:list-item>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.56 Part 1 Section 6.2.1.2, text:bookmark

- a. *The standard defines the element <text:bookmark>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:bookmark>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <text:bookmark>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

2.1.57 Part 1 Section 6.2.1.3, text:bookmark-start

- a. *The standard defines the element <text:bookmark-start>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:bookmark-start>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

- c. *The standard defines the element <text:bookmark-start>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.58 Part 1 Section 6.2.1.4, text:bookmark-end

- a. *The standard defines the element <text:bookmark-end>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:bookmark-end>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <text:bookmark-end>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.59 Part 1 Section 6.2.2.2, text:reference-mark

a. *The standard defines the element <text:reference-mark>*

This element is supported in Word 2013.

On load, Word converts reference marks to bookmarks.

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <text:reference-mark>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes, shapes, SmartArt, chart titles and labels, On load, it is supported for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <text:reference-mark>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.60 Part 1 Section 6.2.2.3, text:reference-mark-start

- a. *The standard defines the element <text:reference-mark-start>*

This element is supported in Word 2013.

On load, Word converts reference marks to bookmarks.

- b. *The standard defines the element <text:reference-mark-start>*

This element is not supported in PowerPoint 2013.

2.1.61 Part 1 Section 6.2.2.4, text:reference-mark-end

- a. *The standard defines the element <text:reference-mark-end>*

This element is supported in Word 2013.

On load, Word converts reference marks to bookmarks.

- b. *The standard defines the element <text:reference-mark-end>*

This element is not supported in PowerPoint 2013.

2.1.62 Part 1 Section 6.3.2, text:note

- a. *The standard defines the element <text:note>*

This element is supported in Word 2013 Client.

On load, footnotes are dropped from headers, footers, textboxes, ,and annotations.

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:note>, contained within the parent element <draw:frame>*

This element is not supported in Word 2013.

- c. *The standard defines the element <text:note>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- d. *The standard defines the element <text:note>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.63 Part 1 Section 6.3.3, text:note-citation

- a. *The standard defines the element <text:note-citation>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:note-citation>, contained within the parent element <text:note>*

This element is supported in Word 2013.

Word always reads the contents of the element instead of the text:label attribute.

- c. *The standard defines the element <text:note-citation>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the element <text:note-citation>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.64 Part 1 Section 6.3.4, text:note-body

a. *The standard defines the element <text:note-body>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <text:note-body>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the element <text:note-body>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.65 Part 1 Section 6.4, text:ruby

a. *The standard defines the element <text:ruby>*

This element is supported in Excel 2013.

On load, Excel reads the element `<text:ruby>` but does not write it on save.

b. *The standard defines the element `<text:ruby>`*

This element is not supported in PowerPoint 2013.

2.1.66 Part 1 Section 6.4.3, `text:ruby-text`

a. *The standard defines the element `<text:ruby-text>`*

This element is not supported in Excel 2013.

2.1.67 Part 1 Section 7.3.5, `text:page-continuation`

a. *The standard defines the element `<text:page-continuation>`*

This element is not supported in Word 2013.

b. *The standard defines the element `<text:page-continuation>`*

This element is not supported in Excel 2013.

c. *The standard defines the element `<text:page-continuation>`*

This element is not supported in PowerPoint 2013.

2.1.68 Part 1 Section 7.3.6.2, `text:sender-filename`

a. *The standard defines the element `<text:sender-filename>`*

This element is not supported in Word 2013.

b. *The standard defines the element `<text:sender-filename>`*

This element is not supported in PowerPoint 2013.

2.1.69 Part 1 Section 7.3.6.3, `text:sender-lastname`

a. *The standard defines the element `<text:sender-lastname>`*

This element is not supported in Word 2013.

b. *The standard defines the element `<text:sender-lastname>`*

This element is not supported in PowerPoint 2013.

2.1.70 Part 1 Section 7.3.6.4, `text:sender-initials`

a. *The standard defines the element `<text:sender-initials>`*

This element is not supported in Word 2013.

b. *The standard defines the element `<text:sender-initials>`*

This element is not supported in PowerPoint 2013.

2.1.71 Part 1 Section 7.3.6.5, text:sender-title

- a. *The standard defines the element <text:sender-title>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-title>*

This element is not supported in PowerPoint 2013.

2.1.72 Part 1 Section 7.3.6.6, text:sender-position

- a. *The standard defines the element <text:sender-position>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-position>*

This element is not supported in PowerPoint 2013.

2.1.73 Part 1 Section 7.3.6.7, text:sender-email

- a. *The standard defines the element <text:sender-email>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-email>*

This element is not supported in PowerPoint 2013.

2.1.74 Part 1 Section 7.3.6.8, text:sender-phone-private

- a. *The standard defines the element <text:sender-phone-private>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-phone-private>*

This element is not supported in PowerPoint 2013.

2.1.75 Part 1 Section 7.3.6.9, text:sender-fax

- a. *The standard defines the element <text:sender-fax>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-fax>*

This element is not supported in PowerPoint 2013.

2.1.76 Part 1 Section 7.3.6.10, text:sender-company

- a. *The standard defines the element <text:sender-company>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-company>*

This element is not supported in PowerPoint 2013.

2.1.77 Part 1 Section 7.3.6.11, text:sender-phone-work

- a. *The standard defines the element <text:sender-phone-work>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-phone-work>*

This element is not supported in PowerPoint 2013.

2.1.78 Part 1 Section 7.3.6.12, text:sender-street

- a. *The standard defines the element <text:sender-street>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-street>*

This element is not supported in PowerPoint 2013.

2.1.79 Part 1 Section 7.3.6.13, text:sender-city

- a. *The standard defines the element <text:sender-city>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-city>*

This element is not supported in PowerPoint 2013.

2.1.80 Part 1 Section 7.3.6.14, text:sender-postal-code

- a. *The standard defines the element <text:sender-postal-code>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-postal-code>*

This element is not supported in PowerPoint 2013.

2.1.81 Part 1 Section 7.3.6.15, text:sender-country

- a. *The standard defines the element <text:sender-country>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sender-country>*

This element is not supported in PowerPoint 2013.

2.1.82 Part 1 Section 7.3.6.16, text:sender-state-or-province

- a. *The standard defines the element <text:sender-state-or-province>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:sender-state-or-province>*

This element is not supported in PowerPoint 2013.

2.1.83 Part 1 Section 7.3.7.1, text:author-name

a. *The standard defines the element <text:author-name>*

This element is not supported in PowerPoint 2013.

2.1.84 Part 1 Section 7.3.7.2, text:author initials

a. *The standard defines the element <text:author initials>*

This element is not supported in PowerPoint 2013.

2.1.85 Part 1 Section 7.3.8, text:chapter

a. *The standard defines the element <text:chapter>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:chapter>*

This element is not supported in PowerPoint 2013.

2.1.86 Part 1 Section 7.3.9, text:file-name

a. *The standard defines the element <text:file-name>*

This element is not supported in PowerPoint 2013.

2.1.87 Part 1 Section 7.3.10, text:template-name

a. *The standard defines the element <text:template-name>*

This element is not supported in PowerPoint 2013.

2.1.88 Part 1 Section 7.3.11, text:sheet-name

a. *The standard defines the element <text:sheet-name>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:sheet-name>*

This element is not supported in PowerPoint 2013.

2.1.89 Part 1 Section 7.4.2, text:variable-decls

a. *The standard defines the element <text:variable-decls>*

This element is not supported in Word 2013.

2.1.90 Part 1 Section 7.4.3, text:variable-decl

- a. *The standard defines the element <text:variable-decl>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:variable-decl>*

This element is not supported in PowerPoint 2013.

2.1.91 Part 1 Section 7.4.4, text:variable-set

- a. *The standard defines the element <text:variable-set>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:variable-set>*

This element is not supported in PowerPoint 2013.

2.1.92 Part 1 Section 7.4.5, text:variable-get

- a. *The standard defines the element <text:variable-get>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:variable-get>*

This element is not supported in PowerPoint 2013.

2.1.93 Part 1 Section 7.4.6, text:variable-input

- a. *The standard defines the element <text:variable-input>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:variable-input>*

This element is not supported in PowerPoint 2013.

2.1.94 Part 1 Section 7.4.7, text:user-field-decls

- a. *The standard defines the element <text:user-field-decls>*

This element is not supported in Word 2013.

2.1.95 Part 1 Section 7.4.8, text:user-field-decl

- a. *The standard defines the element <text:user-field-decl>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-field-decl>*

This element is not supported in PowerPoint 2013.

2.1.96 Part 1 Section 7.4.9, text:user-field-get

- a. *The standard defines the element <text:user-field-get>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-field-get>*

This element is not supported in PowerPoint 2013.

2.1.97 Part 1 Section 7.4.10, text:user-field-input

- a. *The standard defines the element <text:user-field-input>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-field-input>*

This element is not supported in PowerPoint 2013.

2.1.98 Part 1 Section 7.4.11, text:sequence-decls

- a. *The standard defines the element <text:sequence-decls>*

This element is not supported in Word 2013.

2.1.99 Part 1 Section 7.4.12, text:sequence-decl

- a. *The standard defines the element <text:sequence-decl>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sequence-decl>*

This element is not supported in PowerPoint 2013.

2.1.100 Part 1 Section 7.4.13, text:sequence

- a. *The standard defines the element <text:sequence>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:sequence>*

This element is not supported in PowerPoint 2013.

2.1.101 Part 1 Section 7.4.14, text:expression

- a. *The standard defines the element <text:expression>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:expression>*

This element is not supported in PowerPoint 2013.

2.1.102 Part 1 Section 7.4.15, text:text-input

- a. *The standard defines the element <text:text-input>*

This element is not supported in PowerPoint 2013.

2.1.103 Part 1 Section 7.5.2, text:initial-creator

- a. *The standard defines the element <text:initial-creator>*

This element is not supported in PowerPoint 2013.

2.1.104 Part 1 Section 7.5.3, text:creation-date

- a. *The standard defines the element <text:creation-date>*

This element is supported in Word 2013.

On load, Word always assumes that the <text:creation-date> element in the meta.xml is written in UTC (Coordinated Universal Time). On save, Word always saves the <text:creation-date> in the meta.xml as UTC by using the "Z" suffix in the time stamp.

- b. *The standard defines the element <text:creation-date>*

This element is not supported in PowerPoint 2013.

2.1.105 Part 1 Section 7.5.4, text:creation-time

- a. *The standard defines the element <text:creation-time>*

This element is supported in Word 2013.

On load, Word always assumes that the <text:creation-date> element in the meta.xml is written in UTC (Coordinated Universal Time). On save, Word always saves the <text:creation-date> in the meta.xml as UTC by using the "Z" suffix in the time stamp.

On load, Word converts <text:creation-time> elements to <text:creation-date> elements.

- b. *The standard defines the element <text:creation-time>*

This element is not supported in PowerPoint 2013.

2.1.106 Part 1 Section 7.5.5, text:description

- a. *The standard defines the attribute text:description*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:description*

This attribute is not supported in PowerPoint 2013.

- c. *The standard defines the element <text:description>*

This element is not supported in PowerPoint 2013.

2.1.107 Part 1 Section 7.5.6, text:user-defined

- a. *The standard defines the element <text:user-defined>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-defined>*

This element is not supported in PowerPoint 2013.

2.1.108 Part 1 Section 7.5.7, text:print-time

- a. *The standard defines the element <text:print-time>*

This element is supported in Word 2013.

On load, Word converts <text:print-time> elements to <text:print-date> elements.

- b. *The standard defines the element <text:print-time>*

This element is not supported in PowerPoint 2013.

2.1.109 Part 1 Section 7.5.8, text:print-date

- a. *The standard defines the element <text:print-date>*

This element is not supported in PowerPoint 2013.

2.1.110 Part 1 Section 7.5.9, text:printed-by

- a. *The standard defines the element <text:printed-by>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:printed-by>*

This element is not supported in PowerPoint 2013.

2.1.111 Part 1 Section 7.5.10, text:title

- a. *The standard defines the element <text:title>*

This element is not supported in PowerPoint 2013.

2.1.112 Part 1 Section 7.5.11, text:subject

- a. *The standard defines the element <text:subject>*

This element is not supported in PowerPoint 2013.

2.1.113 Part 1 Section 7.5.12, text:keywords

- a. *The standard defines the element <text:keywords>*

This element is not supported in PowerPoint 2013.

2.1.114 Part 1 Section 7.5.13, text:editing-cycles

- a. *The standard defines the element <text:editing-cycles>*

This element is not supported in PowerPoint 2013.

2.1.115 Part 1 Section 7.5.14, text:editing-duration

- a. *The standard defines the element <text:editing-duration>*

This element is not supported in PowerPoint 2013.

2.1.116 Part 1 Section 7.5.15, text:modification-time

- a. *The standard defines the element <text:modification-time>*

This element is supported in Word 2013.

On load, Word converts <text:modification-time> elements to <text:modification-date> elements.

- b. *The standard defines the element <text:modification-time>*

This element is not supported in PowerPoint 2013.

2.1.117 Part 1 Section 7.5.16, text:modification-date

- a. *The standard defines the element <text:modification-date>*

This element is supported in Word 2013.

On load, Word always assumes that the <text:modification-date> element in the meta.xml is written in UTC (Coordinated Universal Time). On save, Word always saves the <dc:date> in the meta.xml as UTC by using the "Z" suffix in the time stamp.

- b. *The standard defines the element <text:modification-date>*

This element is not supported in PowerPoint 2013.

2.1.118 Part 1 Section 7.5.17, text:creator

- a. *The standard defines the element <text:creator>*

This element is not supported in PowerPoint 2013.

2.1.119 Part 1 Section 7.5.18.2, text:page-count

- a. *The standard defines the element <text:page-count>*

This element is not supported in PowerPoint 2013.

2.1.120 Part 1 Section 7.5.18.3, text:paragraph-count

- a. *The standard defines the attribute text:paragraph-count*

This attribute is not supported in Excel 2013.

- b. *The standard defines the element <text:paragraph-count>*

This element is not supported in PowerPoint 2013.

2.1.121 Part 1 Section 7.5.18.4, text:word-count

- a. *The standard defines the attribute text:word-count*

This attribute is not supported in Excel 2013.

- b. *The standard defines the element <text:word-count>*

This element is not supported in PowerPoint 2013.

2.1.122 Part 1 Section 7.5.18.5, text:character-count

- a. *The standard defines the attribute text:character-count*

This attribute is not supported in Excel 2013.

- b. *The standard defines the element <text:character-count>*

This element is not supported in PowerPoint 2013.

2.1.123 Part 1 Section 7.5.18.6, text:table-count

- a. *The standard defines the element <text:table-count>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute text:table-count*

This attribute is not supported in Excel 2013.

- c. *The standard defines the element <text:table-count>*

This element is not supported in PowerPoint 2013.

2.1.124 Part 1 Section 7.5.18.7, text:image-count

- a. *The standard defines the element <text:image-count>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute text:image-count*

This attribute is not supported in Excel 2013.

- c. *The standard defines the element <text:image-count>*

This element is not supported in PowerPoint 2013.

2.1.125 Part 1 Section 7.5.18.8, text:object-count

- a. *The standard defines the element <text:object-count>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute text:object-count*

This attribute is not supported in Excel 2013.

c. *The standard defines the element <text:object-count>*

This element is not supported in PowerPoint 2013.

2.1.126 Part 1 Section 7.6.2, form:connection-resource

a. *The standard defines the element <form:connection-resource>*

This element is supported in Word 2013.

This implementer note references the following standards:

[\[ISO/IEC-29500:2008\]](#) International Organization for Standardization, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Parts 1-4", <http://standards.iso.org/ittf/PubliclyAvailableStandards/index.html>.

[\[RFC3986\]](#) Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", January 2005, <http://www.ietf.org/rfc/rfc3986.txt>.

Word can support only one database connection per document. On load Word uses the first <form:connection-resource> element in the document as the database connection for the entire document.

On save Word constructs a string that is the value for the xlink:href attribute for the form:connection-resource element from elements as specified in [\[ISO/IEC-29500:2008\]](#) part 1, section 17.14. The string is comprised of four different parts.

The last three parts of the string contain the properties required by Word to complete a mail merge connection. Each property is represented by a key/value pair that is linked by an equals sign ("="). Multiple properties are separated by an ampersand (denoted as "&").

Part 1

The first part contains the complete path of the data source, as specified in [\[RFC3986\]](#). This portion of the string is terminated by a number sign ("#"). The path comes directly from the dataType key as described in part 2 in this section. If the dataType key is empty, then the path will be empty also, and the xlink:href attribute's value starts from "#".

Part 2

The second part of the string contains keys as specified in mainDocumentType Key. The description for each of these keys matches that of an element in [\[ISO/IEC-29500:2008\]](#). The relevant section of the specification is identified with the name of the key.

mainDocumentType Key

The definition of the mainDocumentType key is specified in [\[ISO/IEC-29500:2008\]](#) section 17.14.22. The enumerations specified in [\[ISO/IEC-29500:2008\]](#) are represented by the following va

This element is not supported in Word 2013.

b. *The standard defines the element <form:connection-resource>*

This element is not supported in Excel 2013.

2.1.127 Part 1 Section 7.6.3, text:database-display

- a. *The standard defines the element <text:database-display>*

This element is not supported in PowerPoint 2013.

2.1.128 Part 1 Section 7.6.4, text:database-next

- a. *The standard defines the element <text:database-next>*

This element is not supported in Word 2013.

2.1.129 Part 1 Section 7.6.5, text:database-row-select

- a. *The standard defines the element <text:database-row-select>*

This element is not supported in Word 2013.

2.1.130 Part 1 Section 7.6.6, text:database-row-number

- a. *The standard defines the element <text:database-row-number>*

This element is not supported in Word 2013.

2.1.131 Part 1 Section 7.6.7, text:database-name

- a. *The standard defines the element <text:database-name>*

This element is not supported in Word 2013.

2.1.132 Part 1 Section 7.7.1.2, text:page-variable-set

- a. *The standard defines the element <text:page-variable-set>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:page-variable-set>*

This element is not supported in PowerPoint 2013.

2.1.133 Part 1 Section 7.7.1.3, text:page-variable-get

- a. *The standard defines the element <text:page-variable-get>*

This element is not supported in PowerPoint 2013.

2.1.134 Part 1 Section 7.7.2, text:placeholder

- a. *The standard defines the element <text:placeholder>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:placeholder>*

This element is not supported in PowerPoint 2013.

2.1.135 Part 1 Section 7.7.3, text:conditional-text

- a. *The standard defines the element <text:conditional-text>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:conditional-text>*

This element is not supported in PowerPoint 2013.

2.1.136 Part 1 Section 7.7.4, text:hidden-text

- a. *The standard defines the element <text:hidden-text>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:hidden-text>*

This element is not supported in PowerPoint 2013.

2.1.137 Part 1 Section 7.7.5, text:reference-ref

- a. *The standard defines the element <text:reference-ref>*

This element is supported in Word 2013.

On load, Word converts the element <text:reference-ref> to <text:bookmark-ref>.

On save, the hyperlink to the object being referenced is lost.

- b. *The standard defines the element <text:reference-ref>*

This element is not supported in PowerPoint 2013.

2.1.138 Part 1 Section 7.7.6, text:bookmark-ref

- a. *The standard defines the element <text:bookmark-ref>*

This element is not supported in PowerPoint 2013.

2.1.139 Part 1 Section 7.7.7, text:note-ref

- a. *The standard defines the element <text:note-ref>*

This element is not supported in Word 2013.

On load, Word ignores footnote references. On save, Word writes out footnote references.

- b. *The standard defines the element <text:note-ref>*

This element is not supported in PowerPoint 2013.

2.1.140 Part 1 Section 7.7.8, text:sequence-ref

- a. *The standard defines the element <text:sequence-ref>*

This element is not supported in Word 2013.

2.1.141 Part 1 Section 7.7.9, text:script

- a. *The standard defines the element <text:script>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:script>*

This element is not supported in PowerPoint 2013.

2.1.142 Part 1 Section 7.7.10, text:execute-macro

- a. *The standard defines the element <text:execute-macro>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:execute-macro>*

This element is not supported in PowerPoint 2013.

2.1.143 Part 1 Section 7.7.11, text:hidden-paragraph

- a. *The standard defines the element <text:hidden-paragraph>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:hidden-paragraph>*

This element is not supported in PowerPoint 2013.

2.1.144 Part 1 Section 7.7.12, text:dde-connection

- a. *The standard defines the element <text:dde-connection>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:dde-connection>*

This element is not supported in PowerPoint 2013.

2.1.145 Part 1 Section 7.7.13, text:measure

- a. *The standard defines the element <text:measure>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:measure>*

This element is not supported in PowerPoint 2013.

2.1.146 Part 1 Section 7.7.14, text:table-formula

- a. *The standard defines the element <text:table-formula>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:table-formula>*

This element is not supported in PowerPoint 2013.

2.1.147 Part 1 Section 8.1.2, text:toc-mark-start

- a. *The standard defines the element <text:toc-mark-start>*

This element is supported in Word 2013.

On load, Word collapses the range encapsulated by a <text:toc-mark-start> element and a <text:toc-mark-end> element to a single <text:toc-mark> element.

- b. *The standard defines the element <text:toc-mark-start>*

This element is not supported in PowerPoint 2013.

2.1.148 Part 1 Section 8.1.3, text:toc-mark-end

- a. *The standard defines the element <text:toc-mark-end>*

This element is supported in Word 2013.

On load, Word collapses the range encapsulated by a <text:toc-mark-start> element and a <text:toc-mark-end> element to a single <text:toc-mark> element.

- b. *The standard defines the element <text:toc-mark-end>*

This element is not supported in PowerPoint 2013.

2.1.149 Part 1 Section 8.1.4, text:toc-mark

- a. *The standard defines the element <text:toc-mark>*

This element is not supported in PowerPoint 2013.

2.1.150 Part 1 Section 8.1.5, text:user-index-mark-start

- a. *The standard defines the element <text:user-index-mark-start>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-index-mark-start>*

This element is not supported in PowerPoint 2013.

2.1.151 Part 1 Section 8.1.6, text:user-index-mark-end

- a. *The standard defines the element <text:user-index-mark-end>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-index-mark-end>*

This element is not supported in PowerPoint 2013.

2.1.152 Part 1 Section 8.1.7, text:user-index-mark

- a. *The standard defines the element <text:user-index-mark>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-index-mark>*

This element is not supported in PowerPoint 2013.

2.1.153 Part 1 Section 8.1.8, text:alphabetical-index-mark-start

- a. *The standard defines the element <text:alphabetical-index-mark-start>*

This element is supported in Word 2013.

On load, Word collapses the range encapsulated by a <text:alphabetical-index-mark-start> element and <text:alphabetical-index-mark-end> element to a single <text:alphabetical-index-mark> element.

- b. *The standard defines the element <text:alphabetical-index-mark-start>*

This element is not supported in PowerPoint 2013.

2.1.154 Part 1 Section 8.1.9, text:alphabetical-index-mark-end

- a. *The standard defines the element <text:alphabetical-index-mark-end>*

This element is supported in Word 2013.

On load, Word collapses the range encapsulated by a <text:alphabetical-index-mark-start> element and <text:alphabetical-index-mark-end> element to a single <text:alphabetical-index-mark> element.

- b. *The standard defines the element <text:alphabetical-index-mark-end>*

This element is not supported in PowerPoint 2013.

2.1.155 Part 1 Section 8.1.10, text:alphabetical-index-mark

- a. *The standard defines the element <text:alphabetical-index-mark>*

This element is not supported in PowerPoint 2013.

2.1.156 Part 1 Section 8.1.11, text:bibliography-mark

- a. *The standard defines the element <text:bibliography-mark>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:bibliography-mark>*

This element is not supported in PowerPoint 2013.

2.1.157 Part 1 Section 8.2.2, text:index-body

- a. *The standard defines the element <text:index-body>*

This element is not supported in PowerPoint 2013.

2.1.158 Part 1 Section 8.2.3, text:index-title

- a. *The standard defines the element <text:index-title>, contained within the parent element <text:index-body>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:index-title>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <text:index-title>*

This element is not supported in PowerPoint 2013.

2.1.159 Part 1 Section 8.3, text:table-of-content

- a. *The standard defines the element <text:table-of-content>*

This element is not supported in Excel 2013.

- b. *The standard defines the element <text:table-of-content>*

This element is not supported in PowerPoint 2013.

2.1.160 Part 1 Section 8.3.3, text:table-of-content-entry-template

- a. *The standard defines the element <text:table-of-content-entry-template>*

This element is not supported in Word 2013.

On load, Word ignores the table of contents style and uses a default table of contents style.

On save, Word writes out the style of the table of contents.

2.1.161 Part 1 Section 8.4, text:illustration-index

- a. *The standard defines the element <text:illustration-index>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:illustration-index>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <text:illustration-index>*

This element is not supported in PowerPoint 2013.

2.1.162 Part 1 Section 8.4.2, text:illustration-index-source

- a. *The standard defines the element <text:illustration-index-source>*

This element is not supported in Word 2013.

2.1.163 Part 1 Section 8.4.3, text:illustration-index-entry-template

- a. *The standard defines the element <text:illustration-index-entry-template>*

This element is not supported in Word 2013.

2.1.164 Part 1 Section 8.5, text:table-index

- a. *The standard defines the element <text:table-index>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:table-index>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <text:table-index>*

This element is not supported in PowerPoint 2013.

2.1.165 Part 1 Section 8.5.2, text:table-index-source

- a. *The standard defines the element <text:table-index-source>*

This element is not supported in Word 2013.

2.1.166 Part 1 Section 8.5.3, text:table-index-entry-template

- a. *The standard defines the element <text:table-index-entry-template>*

This element is not supported in Word 2013.

2.1.167 Part 1 Section 8.6, text:object-index

- a. *The standard defines the element <text:object-index>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:object-index>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <text:object-index>*

This element is not supported in PowerPoint 2013.

2.1.168 Part 1 Section 8.6.2, text:object-index-source

- a. *The standard defines the element <text:object-index-source>*

This element is not supported in Word 2013.

2.1.169 Part 1 Section 8.6.3, text:object-index-entry-template

- a. *The standard defines the element <text:object-index-entry-template>*

This element is not supported in Word 2013.

2.1.170 Part 1 Section 8.7, text:user-index

- a. *The standard defines the element <text:user-index>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:user-index>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <text:user-index>*

This element is not supported in PowerPoint 2013.

2.1.171 Part 1 Section 8.7.2, text:user-index-source

- a. *The standard defines the element <text:user-index-source>*

This element is not supported in Word 2013.

2.1.172 Part 1 Section 8.7.3, text:user-index-entry-template

- a. *The standard defines the element <text:user-index-entry-template>*

This element is not supported in Word 2013.

2.1.173 Part 1 Section 8.8, text:alphabetical-index

- a. *The standard defines the element <text:alphabetical-index>*

This element is not supported in Excel 2013.

- b. *The standard defines the element <text:alphabetical-index>*

This element is not supported in PowerPoint 2013.

2.1.174 Part 1 Section 8.8.3, text:alphabetical-index-auto-mark-file

- a. *The standard defines the element <text:alphabetical-index-auto-mark-file>*

This element is not supported in Word 2013.

2.1.175 Part 1 Section 8.8.4, text:alphabetical-index-entry-template

- a. *The standard defines the element <text:alphabetical-index-entry-template>*

This element is not supported in Word 2013.

2.1.176 Part 1 Section 8.9, text:bibliography

- a. *The standard defines the element <text:bibliography>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:bibliography>*

This element is not supported in Excel 2013.

c. *The standard defines the element <text:bibliography>*

This element is not supported in PowerPoint 2013.

2.1.177 Part 1 Section 8.9.2, text:bibliography-source

a. *The standard defines the element <text:bibliography-source>*

This element is not supported in Word 2013.

2.1.178 Part 1 Section 8.9.3, text:bibliography-entry-template

a. *The standard defines the element <text:bibliography-entry-template>*

This element is not supported in Word 2013.

2.1.179 Part 1 Section 8.10, text:index-source-styles

a. *The standard defines the element <text:index-source-styles>*

This element is not supported in PowerPoint 2013.

2.1.180 Part 1 Section 8.12, text:index-title-template

a. *The standard defines the element <text:index-title-template>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:index-title-template>*

This element is not supported in PowerPoint 2013.

2.1.181 Part 1 Section 8.13.1, text:index-entry-chapter

a. *The standard defines the element <text:index-entry-chapter>*

This element is not supported in Word 2013.

b. *The standard defines the element <text:index-entry-chapter>*

This element is not supported in PowerPoint 2013.

2.1.182 Part 1 Section 8.13.2, text:index-entry-text

a. *The standard defines the element <text:index-entry-text>*

This element is not supported in PowerPoint 2013.

2.1.183 Part 1 Section 8.13.3, text:index-entry-page-number

a. *The standard defines the element <text:index-entry-page-number>*

This element is not supported in PowerPoint 2013.

2.1.184 Part 1 Section 8.13.4, text:index-entry-span

- a. *The standard defines the element <text:index-entry-span>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:index-entry-span>*

This element is not supported in PowerPoint 2013.

2.1.185 Part 1 Section 8.13.5, text:index-entry-bibliography

- a. *The standard defines the element <text:index-entry-bibliography>*

This element is not supported in Word 2013.

- b. *The standard defines the element <text:index-entry-bibliography>*

This element is not supported in PowerPoint 2013.

2.1.186 Part 1 Section 8.13.6, text:index-entry-tab-stop

- a. *The standard defines the element <text:index-entry-tab-stop>*

This element is supported in Word 2013.

On load, Word ignores this element and uses a default style to format tables of contents and indexes. On save, Word saves this element for tables of contents, but not for indexes.

- b. *The standard defines the element <text:index-entry-tab-stop>*

This element is not supported in PowerPoint 2013.

2.1.187 Part 1 Section 8.13.7, text:index-entry-link-start

- a. *The standard defines the element <text:index-entry-link-start>*

This element is not supported in PowerPoint 2013.

2.1.188 Part 1 Section 8.13.8, text:index-entry-link-end

- a. *The standard defines the element <text:index-entry-link-end>*

This element is not supported in PowerPoint 2013.

2.1.189 Part 1 Section 9.1.2, table:table

- a. *The standard defines the element <table:table>*

This element is supported in Word 2013.

On save, Word converts floating tables to inline tables.

- b. *The standard defines the element <table:table>, contained within the parent element <draw:text-box>*

This element is supported in Word 2013.

On load, tables in textboxes are supported.

On save, a Word frame becomes an ODF textbox. If the Word frame contains a table, the frame content is saved but the frame itself is lost. If a Word textbox contains a table, then both the textbox contents and the table are saved.

- c. *The standard defines the element <table:table>, contained within the parent element <office:annotation>*

This element is not supported in Word 2013.

On load and save, Word does not support tables inside annotations. Word retains the contents of the table but loses the table structure.

- d. *The standard defines the element <table:table>*

This element is not supported in Excel 2013.

- e. *The standard defines the element <table:table>, contained within the parent element <chart:chart>*

This element is not supported in PowerPoint 2013.

- f. *The standard defines the element <table:table>, contained within the parent element <draw:textbox>*

This element is not supported in PowerPoint 2013.

- g. *The standard defines the element <table:table>, contained within the parent element <office:spreadsheet>*

This element is not supported in PowerPoint 2013.

- h. *The standard defines the element <table:table>, contained within the parent element <office:text>*

This element is not supported in PowerPoint 2013.

- i. *The standard defines the element <table:table>, contained within the parent element <style:footer>*

This element is not supported in PowerPoint 2013.

- j. *The standard defines the element <table:table>, contained within the parent element <style:footer-left>*

This element is not supported in PowerPoint 2013.

- k. *The standard defines the element <table:table>, contained within the parent element <style:header>*

This element is not supported in PowerPoint 2013.

- l. *The standard defines the element <table:table>, contained within the parent element <style:header-left>*

This element is not supported in PowerPoint 2013.

m. The standard defines the element `<table:table>`, contained within the parent element `<table:covered-table-cell>`

This element is not supported in PowerPoint 2013.

n. The standard defines the element `<table:table>`, contained within the parent element `<table:dde-link>`

This element is not supported in PowerPoint 2013.

o. The standard defines the element `<table:table>`, contained within the parent element `<table:table-cell>`

This element is not supported in PowerPoint 2013.

p. The standard defines the element `<table:table>`, contained within the parent element `<text:deletion>`

This element is not supported in PowerPoint 2013.

q. The standard defines the element `<table:table>`, contained within the parent element `<text:index-body>`

This element is not supported in PowerPoint 2013.

r. The standard defines the element `<table:table>`, contained within the parent element `<text:index-title>`

This element is not supported in PowerPoint 2013.

s. The standard defines the element `<table:table>`, contained within the parent element `<text:note-body>`

This element is not supported in PowerPoint 2013.

t. The standard defines the element `<table:table>`, contained within the parent element `<text:section>`

This element is not supported in PowerPoint 2013.

2.1.190 Part 1 Section 9.1.3, table:table-row

a. The standard defines the element `<table:table-row>`, contained within the parent element `<table:table-header-rows>`

This element is not supported in PowerPoint 2013.

b. The standard defines the element `<table:table-row>`, contained within the parent element `<table:table-row-group>`

This element is not supported in PowerPoint 2013.

c. The standard defines the element `<table:table-row>`, contained within the parent element `<table:table-rows>`

This element is not supported in PowerPoint 2013.

2.1.191 Part 1 Section 9.1.5, table:covered-table-cell

- a. *The standard defines the element <table:covered-table-cell>*

This element is not supported in Excel 2013.

- b. *The standard defines the element <table:covered-table-cell>*

This element is supported in PowerPoint 2013.

PowerPoint only writes out this element for cells spanning multiple rows/columns but does not read it on file open.

2.1.192 Part 1 Section 9.1.6, table:table-column

- a. *The standard defines the element <table:table-column>*

This element is supported in Word 2013.

Word does not support more than 63 columns. On load, any columns beyond this limit are dropped, along with their content.

- b. *The standard defines the element <table:table-column>*

This element is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- c. *The standard defines the element <table:table-column>*

This element is not supported in PowerPoint 2013.

2.1.193 Part 1 Section 9.1.7, table:table-header-rows

- a. *The standard defines the element <table:table-header-rows>*

This element is supported in Excel 2013.

On load, Excel reads this element and treats it as a regular row, but never writes it out on save.

This element is not supported in Excel 2013.

On load, Excel reads the element <table:table-header-rows> and treats it as a regular row, but on save, the element <table:table-header-rows> is never written.

- b. *The standard defines the element <table:table-header-rows>*

This element is not supported in PowerPoint 2013.

2.1.194 Part 1 Section 9.1.8, table:table-rows

- a. *The standard defines the element <table:table-rows>*

This element is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

This element is supported in Excel 2013.

On load, Excel reads this element, but does not write it on save.

2.1.195 Part 1 Section 9.1.9, table:table-row-group

a. *The standard defines the element <table:table-row-group>*

This element is not supported in Word 2013.

b. *The standard defines the element <table:table-row-group>*

This element is not supported in Excel 2013.

c. *The standard defines the element <table:table-row-group>*

This element is not supported in PowerPoint 2013.

2.1.196 Part 1 Section 9.1.10, table:table-column-group

a. *The standard defines the element <table:table-column-group>*

This element is not supported in Word 2013.

b. *The standard defines the element <table:table-column-group>*

This element is not supported in Excel 2013.

c. *The standard defines the element <table:table-column-group>*

This element is not supported in PowerPoint 2013.

2.1.197 Part 1 Section 9.1.11, table:table-header-columns

a. *The standard defines the element <table:table-header-columns>*

This element is not supported in Word 2013.

b. *The standard defines the element <table:table-header-columns>*

This element is supported in Excel 2013.

On load, Excel reads this element and treats it as a regular column, but never writes it out on save.

This element is not supported in Excel 2013.

On load, Excel reads this element and treats it as a regular column, but never writes it out on save.

c. *The standard defines the element <table:table-header-columns>*

This element is not supported in PowerPoint 2013.

2.1.198 Part 1 Section 9.1.12, table:table-columns

a. *The standard defines the element <table:table-columns>*

This element is not supported in PowerPoint 2013.

2.1.199 Part 1 Section 9.1.13, table:title

- a. *The standard defines the element <table:title>*

This element is not supported in PowerPoint 2013.

2.1.200 Part 1 Section 9.1.14, table:desc

- a. *The standard defines the element <table:desc>*

This element is not supported in PowerPoint 2013.

2.1.201 Part 1 Section 9.2.6, table:table-source

- a. *The standard defines the element <table:table-source>*

This element is not supported in Excel 2013.

- b. *The standard defines the element <table:table-source>, contained within the parent element <table:dde-link>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <table:table-source>, contained within the parent element <table:table>*

This element is not supported in PowerPoint 2013.

2.1.202 Part 1 Section 9.2.7, table:scenario

- a. *The standard defines the element <table:scenario>*

This element is not supported in Excel 2013.

This element is supported in Excel 2013.

Excel stores the scenario name in the table:name attribute of the parent table.

- b. *The standard defines the element <table:scenario>, contained within the parent element <table:dde-link>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <table:scenario>, contained within the parent element <table:table>*

This element is not supported in PowerPoint 2013.

2.1.203 Part 1 Section 9.2.8, table:shapes

- a. *The standard defines the element <table:shapes>*

This element is not supported in Excel 2013.

- b. *The standard defines the element <table:shapes>, contained within the parent element <table:dde-link>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <table:shapes>, contained within the parent element <table:table>*

This element is not supported in PowerPoint 2013.

2.1.204 Part 1 Section 9.3.1, table:cell-range-source

- a. *The standard defines the element <table:cell-range-source>*

This element is not supported in Excel 2013.

2.1.205 Part 1 Section 9.3.2, table:detective

- a. *The standard defines the element <table:detective>*

This element is not supported in Excel 2013.

2.1.206 Part 1 Section 9.3.3, table:operation

- a. *The standard defines the attribute table:operation, contained within the element <table:detective>*

This attribute is not supported in Excel 2013.

2.1.207 Part 1 Section 9.3.4, table:highlighted-range

- a. *The standard defines the attribute table:highlighted-range, contained within the element <table:detective>*

This attribute is not supported in Excel 2013.

2.1.208 Part 1 Section 9.4.8, table:error-macro

- a. *The standard defines the attribute table:error-macro, contained within the element <table:content-validation>*

This attribute is not supported in Excel 2013.

2.1.209 Part 1 Section 9.4.9, table:label-range

- a. *The standard defines the element <table:label-range>, contained within the parent element <table:label-ranges>*

This element is not supported in Excel 2013.

2.1.210 Part 1 Section 9.4.10, table:label-ranges

- a. *The standard defines the element <table:label-ranges>*

This element is not supported in Excel 2013.

2.1.211 Part 1 Section 9.4.11, table:named-expressions

- a. *The standard defines the element <table:named-expressions>, contained within the parent element <table:table>*

This element is not supported in PowerPoint 2013.

2.1.212 Part 1 Section 9.5.3, table:filter-and

- a. *The standard defines the element <table:filter-and>, contained within the parent element <table:filter>*

This element is supported in Excel 2013.

Some combinations of the elements <filter-and> and <filter-or> are not supported.

2.1.213 Part 1 Section 9.5.4, table:filter-or

- a. *The standard defines the element <table:filter-or>, contained within the parent element <table:filter>*

This element is supported in Excel 2013.

Some combinations of the elements <filter-and> and <filter-or> are not supported.

2.1.214 Part 1 Section 9.5.6, table:filter-set-item

- a. *The standard defines the attribute [all attributes], contained within the element <table:filter-set-item>*

This attribute is supported in Word 2013 Client.

2.1.215 Part 1 Section 9.6.6, table:source-service

- a. *The standard defines the element <table:source-service>, contained within the parent element <table:data-pilot-table>*

This element is not supported in Excel 2013.

2.1.216 Part 1 Section 9.7, table:consolidation

- a. *The standard defines the element <table:consolidation>*

This element is not supported in Excel 2013.

2.1.217 Part 1 Section 9.8, table:dde-links

- a. *The standard defines the element <text:dde-links>*

This element is not supported in PowerPoint 2013.

2.1.218 Part 1 Section 9.9.2, table:tracked-changes

- a. *The standard defines the element <table:tracked-changes>*

This element is not supported in Excel 2013.

2.1.219 Part 1 Section 9.9.15, table:target-range-address

- a. *The standard defines the attribute table:target-range-address, contained within the element <table:filter>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute `table:target-range-address`, contained within the element `<table:sort>`, contained within the parent element `<table:database-range>`*

This attribute is not supported in Excel 2013.

2.1.220 Part 1 Section 10.2.1, style:handout-master

- a. *The standard defines the element `<style:handout-master>`*

This element is not supported in Excel 2013.

- b. *The standard defines the element `<style:handout-master>`*

This element is supported in PowerPoint 2013.

Handouts are saved with 6 slides per page. However, PowerPoint does not read in the handout master style when loading a file as this property is not persisted.

2.1.221 Part 1 Section 10.2.3, draw:layer

- a. *The standard defines the attribute `draw:layer`*

Word 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- b. *The standard defines the attribute `draw:layer`, contained within the element `<office:annotation>`*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute draw:layer*

Excel 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the attribute draw:layer, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute draw:layer*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

f. *The standard defines the element <draw:layer>*

This element is supported in PowerPoint 2013.

This element is used to identify backgrounds inherited by layouts from masters. If a shape on a master-page is identified as a layout and the shape is on a layer that has a name in the form "<master-page-bg>", then these shapes are inherited from the slide master, and will not appear on the slide. Layers are also used to signify hidden/protected shapes. Beyond these uses, PowerPoint does not support a general concept of layers.

2.1.222 Part 1 Section 10.3.2, draw:rect

a. *The standard defines the element <draw:rect>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

b. *The standard defines the element <draw:rect>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:rect>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.223 Part 1 Section 10.3.3, draw:line

- a. *The standard defines the element <draw:line>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

- b. *The standard defines the element <draw:line>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:line>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.224 Part 1 Section 10.3.4, draw:polyline

- a. *The standard defines the element <draw:polyline>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

- b. *The standard defines the element <draw:polyline>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:polyline>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.225 Part 1 Section 10.3.5, draw:polygon

a. *The standard defines the element <draw:polygon>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

b. *The standard defines the element <draw:polygon>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:polygon>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.226 Part 1 Section 10.3.6, draw:regular-polygon

a. *The standard defines the element <draw:regular-polygon>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

b. *The standard defines the element <draw:regular-polygon>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:regular-polygon>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.227 Part 1 Section 10.3.7, draw:path

- a. *The standard defines the element <draw:path>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
```

```
<text:note-body>  
<office:annotation>  
b. The standard defines the element <draw:path>
```

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>  
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:custom-shape>  
<text:note-body>  
<office:annotation>
```

```
c. The standard defines the element <draw:path>
```

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>  
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation element>
<table:table-cell>
```

2.1.228 Part 1 Section 10.3.8, draw:circle

- a. *The standard defines the element <draw:circle>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

- b. *The standard defines the element <draw:circle>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:circle>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
```

```
<text:note-body>  
<office:annotation>  
<table:table-cell>
```

2.1.229 Part 1 Section 10.3.9, draw:ellipse

- a. *The standard defines the element <draw:ellipse>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>  
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:custom-shape>  
<text:note-body>  
<office:annotation>
```

- b. *The standard defines the element <draw:ellipse>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>  
<draw:rect>  
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

- c. *The standard defines the element <draw:ellipse>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.230 Part 1 Section 10.3.10, draw:connector

- a. *The standard defines the element <draw:connector>*

This element is supported in Word 2013.

This element is not supported, and will be lost, when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

b. *The standard defines the element <draw:connector>*

This element is supported in Excel 2013.

This element is not supported, and will be lost, when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
```

```
<text:note-body>  
<office:annotation>  
c. The standard defines the element <draw:connector>
```

This element is supported in PowerPoint 2013.

This element is not supported, and will be lost, when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>  
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:custom-shape>  
<text:note-body>  
<office:annotation>  
<table:table-cell>
```

2.1.231 Part 1 Section 10.3.11, draw:caption

a. The standard defines the element <draw:caption>

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>  
<draw:rect>  
<draw:polyline>  
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

b. *The standard defines the element <draw:caption>*

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. *The standard defines the element <draw:caption>*

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported, and will be lost, when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.232 Part 1 Section 10.3.12, draw:measure

- a. *The standard defines the element <draw:measure>*

This element is supported in Word 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:custom-shape>
<text:note-body>
<office:annotation>
b. The standard defines the element <draw:measure>
```

This element is supported in Excel 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported and will be lost when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

c. The standard defines the element <draw:measure>

This element is supported in PowerPoint 2013.

This element is converted on save to a <draw:custom-shape> element.

This element is not supported, and will be lost, when located inside a <text:p> element in one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

2.1.233 Part 1 Section 10.3.13, draw:control

- a. *The standard defines the element <draw:control>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:control>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <draw:control>*

This element is not supported in PowerPoint 2013.

2.1.234 Part 1 Section 10.3.14, draw:page-thumbnail

- a. *The standard defines the element <draw:page-thumbnail>, contained within the parent element <draw:handout-master>*

This element is supported in PowerPoint 2013.

PowerPoint writes out handout masters using this element, but does not read it in when loading a presentation.

- b. *The standard defines the element <draw:page-thumbnail>, contained within the parent element <draw:page>*

This element is not supported in PowerPoint 2013.

2.1.235 Part 1 Section 10.3.15, draw:g

- a. *The standard defines the element <draw:g>*

This element is supported in Word 2013.

This element is not supported and will be lost when contained within a <text:p> element that is contained within one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

If a group contains only one object, Word loads only the object, and the grouping is lost.

b. *The standard defines the element <draw:g>*

This element is supported in Excel 2013.

This element is not supported and will be lost when contained within a <text:p> element that is contained within one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
```

Excel cannot support certain types of objects being grouped together. An OLE object grouped with anything other than another OLE object will cause the group to be split into two groups: one containing the OLE objects and one containing all other objects. If a group contains only one object, Excel loads only the object, and the grouping is lost.

On save, Excel horizontally flips the position of objects in a group located on a right-to-left oriented worksheet.

c. *The standard defines the element <draw:g>*

This element is supported in PowerPoint 2013.

This element is not supported and will be lost when contained within a <text:p> element that is contained within one of the following elements:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<office:annotation>
<table:table-cell>
```

If a group contains only one object, then PowerPoint loads only the object, and loses the grouping.

2.1.236 Part 1 Section 10.3.16, draw:glue-point

a. *The standard defines the element <draw:glue-point>*

Word 2013 does not support this element for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:custom-shape>
```

b. *The standard defines the element <draw:glue-point>*

Excel 2013 does not support this element for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:custom-shape>
```

c. *The standard defines the element <draw:glue-point>*

PowerPoint 2013 does not support this element for the following elements:

```
<draw:rect>
```

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:custom-shape>
```

2.1.237 Part 1 Section 10.3.17, `svg:title`

- a. *The standard defines the attribute `svg:title`*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

b. *The standard defines the attribute svg:title*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

c. *The standard defines the attribute svg:title*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
```

```
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the attribute `svg:title`, contained within the element `<draw:layer>`*
This attribute is not supported in PowerPoint 2013.

2.1.238 Part 1 Section 10.3.18, `svg:desc`

a. *The standard defines the attribute `svg:desc`*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

b. *The standard defines the attribute `svg:desc`*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

c. *The standard defines the attribute `svg:desc`*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the attribute `svg:desc`, contained within the element `<draw:layer>`*

This attribute is not supported in PowerPoint 2013.

2.1.239 Part 1 Section 10.3.19, office:event-listeners

- a. *The standard defines the element <office:event-listeners>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:event-listeners>*

This element is not supported in Excel 2013.

- c. *The standard defines the attribute office:event-listeners, contained within the element <text:a>*

This attribute is not supported in Excel 2013.

2.1.240 Part 1 Section 10.4.2, draw:frame

- a. *The standard defines the element <draw:frame>*

This element is supported in Word 2013.

Word frames become textboxes after save.

This element is supported in Word 2013.

This element is not supported and will be lost when located inside a <text:p> element in an <office:annotation> element.

- b. *The standard defines the element <draw:frame>*

This element is supported in Excel 2013.

This element is not supported, and will be lost, when contained within a <text:p>, when that <text:p> is within an <office:annotation>.

- c. *The standard defines the element <draw:frame>*

This element is supported in PowerPoint 2013.

This element is not supported when located inside a <text:p> element in an <office:annotation> element, and will be lost.

- d. *The standard defines the element <draw:frame>, contained within the parent element <draw:a>*

This element is not supported in PowerPoint 2013.

PowerPoint creates hyperlinks on shapes using the event-listener mechanism. PowerPoint does not load frames in hyperlinks.

2.1.241 Part 1 Section 10.4.3, draw:text-box

- a. *The standard defines the element <draw:text-box>*

This element is supported in Word 2013.

A <draw:text-box> element located inside a <draw:frame> element in a <text:p> element in the following elements is not supported and will be lost:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
```

b. *The standard defines the element <draw:text-box>*

This element is supported in Excel 2013.

A <draw:text-box> element located inside a <draw:frame> element in a <text:p> element in the following elements is not supported and will be lost:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
```

c. *The standard defines the element <draw:text-box>*

This element is supported in PowerPoint 2013.

A `<draw:text-box>` element located inside a `<draw:frame>` element in a `<text:p>` element in the following elements is not supported and will be lost:

```
<draw:text-box>
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
<text:note-body>
<table:table-cell>
```

2.1.242 Part 1 Section 10.4.4, draw:image

- a. *The standard defines the element `<draw:image>`*

This element is supported in Word 2013.

Text on an image is not supported and on load, Word drops the text.

- b. *The standard defines the element `<draw:image>`*

This element is supported in Excel 2013.

Text on an image is not supported and on load, Excel drops the text.

- c. *The standard defines the element `<draw:image>`*

This element is supported in PowerPoint 2013.

Text on an image is not supported and on load, PowerPoint drops the text.

2.1.243 Part 1 Section 10.4.5, office:binary-data

- a. *The standard defines the element `<office:binary-data>`*

This element is not supported in Word 2013.

- b. *The standard defines the element `<office:binary-data>`, contained within the parent element `<draw:object-ole>`*

This element is not supported in Word 2013.

c. The standard defines the element `<office:binary-data>`, contained within the parent element `<text:list-level-style-image>`

This element is not supported in Word 2013.

d. The standard defines the attribute `office:binary-data`, contained within the element `<draw:object-ole>`

This attribute is not supported in Excel 2013.

e. The standard defines the element `<office:binary-data>`

This element is not supported in Excel 2013.

f. The standard defines the element `<office:binary-data>`, contained within the parent element `<style:background-image>`

This element is not supported in Excel 2013.

g. The standard defines the element `<office:binary-data>`, contained within the parent element `<text:list-level-style-image>`

OfficeArt Math in Excel 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

h. The standard defines the element `<office:binary-data>`

This element is not supported in PowerPoint 2013.

i. The standard defines the element `<office:binary-data>`, contained within the parent element `<text:list-level-style-image>`

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.244 Part 1 Section 10.4.6.3, draw:object-ole

- a. *The standard defines the element <draw:object-ole>*

This element is supported in Excel 2013.

Excel does not write a fill on OLE objects, so the background of a OLE object will appear transparent.

Excel only supports absolute paths for OLE links.

- b. *The standard defines the element <draw:object-ole>*

This element is supported in PowerPoint 2013.

PowerPoint does not read in OLE object names; it sets default values for these attributes on load.

2.1.245 Part 1 Section 10.4.7, draw:applet

- a. *The standard defines the element <draw:applet>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:applet>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <draw:applet>*

This element is not supported in PowerPoint 2013.

2.1.246 Part 1 Section 10.4.8, draw:plugin

- a. *The standard defines the element <draw:plugin>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:plugin>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <draw:plugin>*

This element is supported in PowerPoint 2013.

Plug-ins are used to load and save movies and sounds. PowerPoint accepts links to hrefs in the document package.

PowerPoint saves the mime-type of the media as one of the parameters, but ignores it on load.

PowerPoint will not be able to play any plug-ins that cannot be played back using the media pipeline in PowerPoint.

2.1.247 Part 1 Section 10.4.9, draw:param

- a. *The standard defines the element <draw:param>, contained within the parent element <draw:applet>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:param>, contained within the parent element <draw:plugin>*

This element is not supported in Word 2013.

- c. *The standard defines the element <draw:param>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <draw:param>*

This element is not supported in PowerPoint 2013.

2.1.248 Part 1 Section 10.4.10, draw:floating-frame

- a. *The standard defines the element <draw:floating-frame>*

This element is not supported in Word 2013.

On load, Word ignores the <draw:floating-frame> element and reads the contents of the floating frame as paragraph contents.

- b. *The standard defines the element <draw:floating-frame>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <draw:floating-frame>*

This element is not supported in PowerPoint 2013.

2.1.249 Part 1 Section 10.4.11.2, draw:contour-polygon

- a. *The standard defines the element <draw:contour>, contained within the parent element <draw:applet>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:contour>, contained within the parent element <draw:floating frame>*

This element is not supported in Word 2013.

- c. *The standard defines the element <draw:contour>, contained within the parent element <draw:image>*

This element is not supported in Word 2013.

- d. *The standard defines the element <draw:contour>, contained within the parent element <draw:object>*

This element is not supported in Word 2013.

- e. *The standard defines the element <draw:contour>, contained within the parent element <draw:object-ole>*

This element is not supported in Word 2013.

- f. *The standard defines the element <draw:contour>, contained within the parent element <draw:plugin>*

This element is not supported in Word 2013.

2.1.250 Part 1 Section 10.4.11.3, draw:contour-path

- a. *The standard defines the element <draw:contour-path>, contained within the parent element <draw:applet>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:contour-path>, contained within the parent element <draw:floating frame>*

This element is not supported in Word 2013.

- c. *The standard defines the element <draw:contour-path>, contained within the parent element <draw:image>*

This element is not supported in Word 2013.

- d. *The standard defines the element <draw:contour-path>, contained within the parent element <draw:object>*

This element is not supported in Word 2013.

- e. *The standard defines the element <draw:contour-path>, contained within the parent element <draw:object-ole>*

This element is not supported in Word 2013.

- f. *The standard defines the element <draw:contour-path>, contained within the parent element <draw:plugin>*

This element is not supported in Word 2013.

2.1.251 Part 1 Section 10.4.12, draw:a

- a. *The standard defines the element <draw:a>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:a>, contained within the parent element <text:p>*

This element is not supported in Word 2013.

- c. *The standard defines the element <draw:a>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <draw:a>*

This element is not supported in PowerPoint 2013.

2.1.252 Part 1 Section 10.4.13.2, draw:image-map

- a. *The standard defines the element <draw:image-map>*

This element is not supported in Word 2013.

- b. *The standard defines the element <draw:image-map>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <draw:image-map>*

This element is not supported in PowerPoint 2013.

2.1.253 Part 1 Section 10.5.2, dr3d:scene

- a. *The standard defines the element <dr3d:scene>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dr3d:scene>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <dr3d:scene>*

This element is not supported in PowerPoint 2013.

2.1.254 Part 1 Section 10.5.3, dr3d:light

- a. *The standard defines the element <dr3d:light>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dr3d:light>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <dr3d:light>, contained within the parent element <chart:plot-area>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <dr3d:light>*

This element is not supported in PowerPoint 2013.

2.1.255 Part 1 Section 10.5.4, dr3d:cube

- a. *The standard defines the element <dr3d:cube>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dr3d:cube>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <dr3d:cube>*

This element is not supported in PowerPoint 2013.

2.1.256 Part 1 Section 10.5.5, dr3d:sphere

- a. *The standard defines the element <dr3d:sphere>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dr3d:sphere>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <dr3d:sphere>*

This element is not supported in PowerPoint 2013.

2.1.257 Part 1 Section 10.5.6, dr3d:extrude

- a. *The standard defines the element <dr3d:extrude>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dr3d:extrude>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <dr3d:extrude>*

This element is not supported in PowerPoint 2013.

2.1.258 Part 1 Section 10.5.7, dr3d:rotate

- a. *The standard defines the element <dr3d:rotate>*

This element is not supported in Word 2013.

- b. *The standard defines the element <dr3d:rotate>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <dr3d:rotate>*

This element is not supported in PowerPoint 2013.

2.1.259 Part 1 Section 10.8.1, presentation:animations

- a. *The standard defines the element <presentation:animations>*

This element is not supported in PowerPoint 2013.

2.1.260 Part 1 Section 10.8.2, presentation:sound

- a. *The standard defines the element <presentation:sound>*

This element is not supported in PowerPoint 2013.

- b. *The standard defines the element <presentation:sound>, contained within the parent element <presentation:event-listener>*

This element is not supported in PowerPoint 2013.

- c. *The standard defines the attribute presentation:sound, contained within the element <style:drawing-page-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.261 Part 1 Section 10.8.3, presentation:show-shape

- a. *The standard defines the element <presentation:show-shape>*

This element is not supported in PowerPoint 2013.

2.1.262 Part 1 Section 10.8.4, presentation:show-text

- a. *The standard defines the element <presentation:show-text>*

This element is not supported in PowerPoint 2013.

2.1.263 Part 1 Section 10.8.5, presentation:hide-shape

- a. *The standard defines the element <presentation:hide-shape>*

This element is not supported in PowerPoint 2013.

2.1.264 Part 1 Section 10.8.6, presentation:hide-text

- a. *The standard defines the element <presentation:hide-text>*

This element is not supported in PowerPoint 2013.

2.1.265 Part 1 Section 10.8.7, presentation:dim

- a. *The standard defines the element <presentation:dim>*

This element is not supported in PowerPoint 2013.

2.1.266 Part 1 Section 10.8.8, presentation:play

- a. *The standard defines the element <presentation:play>*

This element is not supported in PowerPoint 2013.

2.1.267 Part 1 Section 10.8.9, presentation:animation-group

- a. *The standard defines the element <presentation:animation-group>*

This element is not supported in PowerPoint 2013.

2.1.268 Part 1 Section 10.9.2, presentation:event-listener

- a. *The standard defines the element <presentation:event-listener>*

This element is supported in PowerPoint 2013.

Shapes and text that link to actions use the <presentation:event-listener> element. Grouped shapes cannot have links to actions.

Actions that are set to happen when the mouse rests on an item, such as a button or link, use the <presentation:event-listener> element. Grouped shapes cannot have actions associated with the mouse resting on an item.

Text links to URLs use the <text:a> hyperlink tag.

2.1.269 Part 1 Section 10.9.3.1, presentation:header

- a. *The standard defines the element <presentation:header>*

This element is supported in PowerPoint 2013.

PowerPoint does not save this element, but does read it in on master-pages to determine the location of the header field.

2.1.270 Part 1 Section 10.9.3.2, presentation:header-decl

- a. *The standard defines the element <presentation:header-decl>*

This element is supported in PowerPoint 2013.

PowerPoint loads headers declared using this attribute, but saves them as textboxes with regular text.

2.1.271 Part 1 Section 10.9.3.3, presentation:footer

- a. *The standard defines the element <presentation:footer>*

This element is supported in PowerPoint 2013.

PowerPoint does not save this element, but does read it in on master-pages to determine the location of the footer field.

2.1.272 Part 1 Section 10.9.3.4, presentation:footer-decl

- a. *The standard defines the element <presentation:footer-decl>*

This element is supported in PowerPoint 2013.

PowerPoint loads footers declared using this attribute, but saves them as textboxes with regular text.

2.1.273 Part 1 Section 10.9.3.5, presentation:date-time

- a. *The standard defines the element <presentation:date-time>*

This element is supported in PowerPoint 2013.

PowerPoint does not save this element, but does read it in on master-pages to determine the location of the date-time field.

2.1.274 Part 1 Section 10.9.3.6, presentation:date-time-decl

- a. *The standard defines the element <presentation:date-time-decl>*

This element is supported in PowerPoint 2013.

PowerPoint loads dates/times declared using this attribute, but saves them as textboxes with regular text.

2.1.275 Part 1 Section 11.2.2, chart:subtitle

- a. *The standard defines the element <chart:subtitle>, contained within the parent element <chart:chart>*

This element is not supported in Excel 2013.

2.1.276 Part 1 Section 11.2.3, chart:footer

- a. *The standard defines the element <chart:footer>, contained within the parent element <chart:chart>*

This element is not supported in Excel 2013.

2.1.277 Part 1 Section 11.8, chart:axis

- a. *The standard defines the element <chart:axis>, contained within the parent element <chart:plot-area>*

This element is supported in Excel 2013.

Excel requires two (2) <chart:axis> elements on load.

2.1.278 Part 1 Section 11.15, chart:mean-value

- a. *The standard defines the attribute chart:mean-value*

This attribute is not supported in Excel 2013.

- b. *The standard defines the element <chart:mean-value>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <chart:mean-value>, contained within the parent element <chart:series>*

This element is not supported in Excel 2013.

2.1.279 Part 1 Section 11.16, chart:error-indicator

- a. *The standard defines the element <chart:error-indicator>*

This element is supported in Excel 2013.

Excel only supports this element when the series type is line, area, scatter, bar, stock, or bubble; and the chart is not three dimensional.

2.1.280 Part 1 Section 11.17, chart:regression-curve

- a. *The standard defines the element <chart:regression-curve>*

This element is supported in Excel 2013.

Excel only supports this element when the series type is line, area, scatter, bar, stock, or bubble; and the chart is not three dimensional.

2.1.281 Part 1 Section 11.19, chart:stock-gain-marker

- a. *The standard defines the element <chart:stock-gain-marker>*

This element is supported in Excel 2013.

Excel only supports this element when the series type is line or stock and the chart is not three dimensional.

2.1.282 Part 1 Section 11.20, chart:stock-loss-marker

- a. *The standard defines the element <chart:stock-loss-marker>*

This element is supported in Excel 2013.

Excel only supports this element when the series type is line or stock and the chart is not three dimensional.

2.1.283 Part 1 Section 11.21, chart:stock-range-line

- a. *The standard defines the element <chart:stock-range-line>*

This element is supported in Excel 2013.

Excel only supports this element when the series type is line or stock and the chart is not three dimensional.

2.1.284 Part 1 Section 13.2, office:forms

- a. *The standard defines the element <office:forms>*

This element is not supported in Word 2013.

- b. *The standard defines the element <office:forms>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <office:forms>, contained within the parent element <table:dde-link>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <office:forms>*

This element is not supported in PowerPoint 2013.

2.1.285 Part 1 Section 13.3, form:form

- a. *The standard defines the element <form:form>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:form>*

This element is not supported in Excel 2013.

2.1.286 Part 1 Section 13.4, xforms:model

- a. *The standard defines the element <xforms:model>*

This element is not supported in Word 2013.

- b. *The standard defines the element <xforms:model>*

This element is not supported in Excel 2013.

2.1.287 Part 1 Section 13.5.2, form:text

- a. *The standard defines the element <form:text>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:text>*

This element is not supported in Excel 2013.

2.1.288 Part 1 Section 13.5.3, form:textarea

- a. *The standard defines the element <form:textarea>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:textarea>*

This element is not supported in Excel 2013.

2.1.289 Part 1 Section 13.5.4, form:password

- a. *The standard defines the element <form:password>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:password>*

This element is not supported in Excel 2013.

2.1.290 Part 1 Section 13.5.5, form:file

- a. *The standard defines the element <form:file>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:file>*

This element is not supported in Excel 2013.

2.1.291 Part 1 Section 13.5.6, form:formatted-text

- a. *The standard defines the element <form:formatted-text>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:formatted-text>*

This element is not supported in Excel 2013.

2.1.292 Part 1 Section 13.5.7, form:number

- a. *The standard defines the element <form:number>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:number>*

This element is not supported in Excel 2013.

2.1.293 Part 1 Section 13.5.8, form:date

- a. *The standard defines the element <form:date>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:date>*

This element is not supported in Excel 2013.

2.1.294 Part 1 Section 13.5.9, form:time

- a. *The standard defines the element <form:time>*

This element is not supported in Excel 2013.

2.1.295 Part 1 Section 13.5.10, form:fixed-text

- a. *The standard defines the element <form:fixed-text>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:fixed-text>*

This element is not supported in Excel 2013.

2.1.296 Part 1 Section 13.5.11, form:combobox

- a. *The standard defines the element <form:combobox>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:combobox>*

This element is not supported in Excel 2013.

2.1.297 Part 1 Section 13.5.12, form:item

- a. *The standard defines the element <form:item>, contained within the parent element <form:combobox>*

This element is not supported in Word 2013.

2.1.298 Part 1 Section 13.5.13, form:listbox

- a. *The standard defines the element <form:listbox>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:listbox>*

This element is not supported in Excel 2013.

2.1.299 Part 1 Section 13.5.14, form:option

- a. *The standard defines the element <form:option>, contained within the parent element <form:listbox>*

This element is not supported in Word 2013.

2.1.300 Part 1 Section 13.5.15, form:button

- a. *The standard defines the element <form:button>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:button>*

This element is not supported in Excel 2013.

2.1.301 Part 1 Section 13.5.16, form:image

- a. *The standard defines the element <form:image>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:image>*

This element is not supported in Excel 2013.

2.1.302 Part 1 Section 13.5.17, form:checkbox

- a. *The standard defines the element <form:checkbox>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:checkbox>*

This element is not supported in Excel 2013.

2.1.303 Part 1 Section 13.5.18, form:radio

- a. *The standard defines the element <form:radio>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:radio>*

This element is not supported in Excel 2013.

2.1.304 Part 1 Section 13.5.19, form:frame

- a. *The standard defines the element <form:frame>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:frame>*

This element is not supported in Excel 2013.

2.1.305 Part 1 Section 13.5.20, form:image-frame

- a. *The standard defines the element <form:image-frame>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:image-frame>*

This element is not supported in Excel 2013.

2.1.306 Part 1 Section 13.5.21, form:hidden

- a. *The standard defines the element <form:hidden>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:hidden>*

This element is not supported in Excel 2013.

2.1.307 Part 1 Section 13.5.22, form:grid

- a. *The standard defines the element <form:grid>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:grid>*

This element is not supported in Excel 2013.

2.1.308 Part 1 Section 13.5.23, form:column

- a. *The standard defines the element <form:column>, contained within the parent element <form:grid>*

This element is not supported in Word 2013.

2.1.309 Part 1 Section 13.5.24, form:value-range

- a. *The standard defines the element <form:value-range>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:value-range>*

This element is not supported in Excel 2013.

2.1.310 Part 1 Section 13.5.25, form:generic-control

- a. *The standard defines the element <form:generic-control>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:generic-control>*

This element is not supported in Excel 2013.

2.1.311 Part 1 Section 13.7, form:properties

- a. *The standard defines the element <form:properties>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:properties>*

This element is not supported in Excel 2013.

2.1.312 Part 1 Section 13.8, form:property

- a. *The standard defines the element <form:property>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:property>*

This element is not supported in Excel 2013.

2.1.313 Part 1 Section 13.9, form:list-property

- a. *The standard defines the element <form:list-property>*

This element is not supported in Word 2013.

- b. *The standard defines the element <form:list-property>*

This element is not supported in Excel 2013.

2.1.314 Part 1 Section 13.10, form:list-value

- a. *The standard defines the attribute form:list-value*

This attribute is not supported in Word 2013.

2.1.315 Part 1 Section 14.1, office:annotation

- a. *The standard defines the element <office:annotation>*

This element is supported in Word 2013.

On load, annotations are dropped from headers, footers, footnotes, endnotes, and textboxes.

On save, annotations are dropped from equations.

- b. *The standard defines the element <office:annotation>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <office:annotation>*

This element is not supported in PowerPoint 2013.

2.1.316 Part 1 Section 14.2, office:annotation-end

- a. *The standard defines the element <office:annotation-end>*

This element is supported in Word 2013 Client.

On load, annotations are dropped from headers, footers, footnotes, endnotes, and textboxes.

On save, annotations are dropped from equations.

2.1.317 Part 1 Section 14.3, meta:date-string

- a. *The standard defines the element <meta:date-string>, contained within the parent element <office:annotation>*

This element is not supported in Word 2013.

- b. *The standard defines the element <meta:date-string>*

This element is not supported in Excel 2013.

2.1.318 Part 1 Section 14.4.2, script:event-listener

- a. *The standard defines the element <office:event-listeners>*

This element is not supported in Word 2013.

- b. *The standard defines the element <script:event-listener>*

This element is not supported in PowerPoint 2013.

2.1.319 Part 1 Section 14.5, math:math

- a. *The standard defines the attribute display, contained within the element <math>*

This attribute is supported in Word 2013.

On load, Word does not read the display attribute in a <math> element.

On save, Word writes the display attribute in a <math> element.

- b. *The standard defines the element <math:math>*

This element is supported in Word 2013.

On load, alignment of text around formula objects may be lost.

On load, the MathML namespace qualifier must be present for math elements, and may be present for attributes.

On save, only bold and italics text properties are supported.

On save, Word equations that contain images are lost, and their images are also lost.

On save, if a Word equation contains OLE objects, the Word equation and the OLE objects it contains are lost.

On save, Word writes the MathML namespace qualifier for elements but does not write the namespace qualifier for attributes.

This element is supported in Word 2013.

On load, Word reads only presentation MathML elements within the <math> element. Word does not read any of the attributes of the math element.

On save, Word writes only presentation MathML elements within the <math> element.

- c. *The standard defines the attribute display, contained within the element <math>*

This attribute is supported in Excel 2013.

On load, Excel does not read the display attribute in a <math> element.

On save, Excel writes the display attribute in a <math> element.

- d. *The standard defines the element <math:math>*

This element is supported in Excel 2013.

On load, Excel reads only presentation MathML elements within the <math> element. Excel does not read any of the attributes of the math element.

On save, Excel writes only presentation MathML elements within the $element.$

- e. *The standard defines the element <math:math>, contained within the parent element <draw:object>*

This element is not supported in Excel 2013.

- f. *The standard defines the attribute display, contained within the element <math>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint does not read the display attribute in a $element.$

On save, PowerPoint writes the display attribute in a $element.$

- g. *The standard defines the element <math:math>*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads only presentation MathML elements within the $element. PowerPoint does not read any of the attributes of the math element.$

On save, PowerPoint writes only presentation MathML elements within the $element.$

2.1.320 MathML 2.0, Section 3.2.3, Identifier (mi)

- a. *The standard defines the element <mi>*

This element is supported in MathML in Word 2013.

On load, MathML in Word recognizes MathML as a function if:

- (a) the parent wrapper is an $mrow$ element
- (b) there are three child elements, and
- (c) the second child element is an mo element that contains the function apply character, $<U+2061>$.

On save, MathML in Word separates the text that was contained in $element tags into single characters unless the identifier is a function name.$

This element is supported in OfficeArt Math in Word 2013.

- b. *The standard defines the attribute class, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- c. *The standard defines the attribute color, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the color attribute in an $element. On save, OfficeArt Math in Word does not write the color attribute in an <mi> element.$

d. *The standard defines the attribute fontfamily, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute fontsize, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute fontstyle, contained within the element <mi>*

This attribute is supported in Word 2013.

On load, Word reads the fontstyle attribute in an <mi> element. On save, Word does not write the fontstyle attribute in an <mi> element.

g. *The standard defines the attribute fontweight, contained within the element <mi>*

This attribute is supported in Word 2013.

On load, Word reads the fontweight attribute in an <mi> element. On save, Word does not write the fontweight attribute in an <mi> element.

h. *The standard defines the attribute id, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute mathbackground, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the attribute mathcolor, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathcolor attribute in an <mi> element. On save, OfficeArt Math in Word does not write the mathcolor attribute in an <mi> element.

k. *The standard defines the attribute mathsize, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

l. *The standard defines the attribute mathvariant, contained within the element <mi>*

This attribute is supported in Word 2013.

On load, Word reads the mathvariant attribute in an <mi> element.

On save, Word writes only the 'normal' value to distinguish upright characters from math italics. All math alphanumeric characters are written using Unicode code points.

m. *The standard defines the property "(everything else)", contained within the attribute mathvariant, contained within the element <mi>*

This property is supported in Word 2013.

On load, Word reads the mathvariant attribute in an <mi> element.

On save, Word does not write the mathvariant attribute in an <mi> element for the value of '(everything else)'.

n. *The standard defines the property "monospace", contained within the attribute mathvariant, contained within the element <mi>*

This property is not supported in Word 2013.

o. *The standard defines the attribute style, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

p. *The standard defines the attribute xref, contained within the element <mi>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

q. *The standard defines the element <mi>*

This element is supported in Excel 2013.

r. *The standard defines the attribute class, contained within the element <mi>*

This attribute is not supported in Excel 2013.

s. *The standard defines the attribute color, contained within the element <mi>*

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an <mi> element. On save, Excel does not write the color attribute in an <mi> element.

t. *The standard defines the attribute fontfamily, contained within the element <mi>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute fontsize, contained within the element <mi>*

This attribute is not supported in Excel 2013.

v. *The standard defines the attribute fontstyle, contained within the element <mi>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontstyle attribute in an <mi> element. On save, Excel does not write the fontstyle attribute in an <mi> element.

w. *The standard defines the attribute fontweight, contained within the element <mi>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontweight attribute in an <mi> element. On save, Excel does not write the fontweight attribute in an <mi> element.

x. *The standard defines the attribute id, contained within the element <mi>*

This attribute is not supported in Excel 2013.

y. *The standard defines the attribute mathbackground, contained within the element <mi>*

This attribute is not supported in Excel 2013.

z. *The standard defines the attribute mathcolor, contained within the element <mi>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an <mi> element. On save, Excel does not write the mathcolor attribute in an <mi> element.

aa. *The standard defines the attribute mathsize, contained within the element <mi>*

This attribute is not supported in Excel 2013.

bb. *The standard defines the attribute mathvariant, contained within the element <mi>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathvariant attribute in an <mi> element.

On save, Excel writes only the 'normal' value to distinguish upright characters from math italics. All math alphanumeric characters are written using Unicode code points.

cc. *The standard defines the property "(everything else)", contained within the attribute mathvariant, contained within the element <mi>*

This property is supported in Excel 2013.

On load, Excel reads the mathvariant attribute in an <mi> element.

On save, Excel does not write the mathvariant attribute in an <mi> element for the value of '(everything else)'.

dd. *The standard defines the attribute style, contained within the element <mi>*

This attribute is not supported in Excel 2013.

ee. *The standard defines the attribute xref, contained within the element <mi>*

This attribute is not supported in Excel 2013.

ff. *The standard defines the element <mi>*

This element is supported in PowerPoint 2013.

gg. *The standard defines the attribute class, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

hh. *The standard defines the attribute color, contained within the element <mi>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an <mi> element. On save, PowerPoint does not write the color attribute in an <mi> element.

ii. *The standard defines the attribute fontfamily, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

jj. *The standard defines the attribute fontsize, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

kk. *The standard defines the attribute fontstyle, contained within the element <mi>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontstyle attribute in an <mi> element. On save, PowerPoint does not write the fontstyle attribute in an <mi> element.

ll. *The standard defines the attribute fontweight, contained within the element <mi>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontweight attribute in an <mi> element. On save, PowerPoint does not write the fontweight attribute in an <mi> element.

mm. *The standard defines the attribute id, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

nn. *The standard defines the attribute mathbackground, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

oo. *The standard defines the attribute mathcolor, contained within the element <mi>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an <mi> element. On save, PowerPoint does not write the mathcolor attribute in an <mi> element.

pp. *The standard defines the attribute mathsize, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

qq. *The standard defines the attribute mathvariant, contained within the element <mi>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathvariant attribute in an <mi> element.

On save, PowerPoint writes only the 'normal' value to distinguish upright characters from math italics. All math alphanumeric characters are written using Unicode code points.

rr. *The standard defines the property "(everything else)", contained within the attribute mathvariant, contained within the element <mi>*

This property is supported in PowerPoint 2013.

On load, PowerPoint reads the mathvariant attribute in an <mi> element.

On save, PowerPoint does not write the mathvariant attribute in an <mi> element for the value of '(everything else)'.

ss. *The standard defines the property "normal", contained within the attribute mathvariant, contained within the element <mi>*

This property is supported in PowerPoint 2013.

tt. *The standard defines the attribute style, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

uu. *The standard defines the attribute xref, contained within the element <mi>*

This attribute is not supported in PowerPoint 2013.

2.1.321 MathML 2.0, Section 3.2.4, Number (mn)

a. *The standard defines the element <mn>*

This element is supported in MathML in Word 2013.

MathML in Word supports only numbers composed of the digits 0-9 for the <mn> element. On load, numbers containing other characters, such as roman numerals and hexadecimal numbers, may be interpreted differently than was intended.

On save, the <mn> element is used only for numbers that are composed of the digits 0-9. Periods and commas that are used as delimiters are also saved in the <mn> element.

This element is supported in OfficeArt Math in Word 2013.

b. *The standard defines the attribute class, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute color, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the color attribute in an <mn> element. On save, OfficeArt Math in Word does not write the color attribute in an <mn> element.

d. *The standard defines the attribute fontfamily, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute fontsize, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute fontstyle, contained within the element <mn>*

This attribute is supported in Word 2013.

On load, Word reads the fontstyle attribute in an <mn> element. On save, Word does not write the fontstyle attribute in an <mn> element.

g. *The standard defines the attribute fontweight, contained within the element <mn>*

This attribute is supported in Word 2013.

On load, Word reads the fontweight attribute in an <mn> element. On save, Word does not write the fontweight attribute in an <mn> element.

h. *The standard defines the attribute id, contained within the element <mn>*

This attribute is not supported in Word 2013.

i. *The standard defines the attribute mathbackground, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the attribute mathcolor, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathcolor attribute in an <mn> element. On save, OfficeArt Math in Word does not write the mathcolor attribute in an <mn> element.

k. *The standard defines the attribute mathsize, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

l. *The standard defines the attribute mathvariant, contained within the element <mn>*

This attribute is supported in MathML in Word 2013.

On load, MathML in Word reads the mathvariant attribute in an <mn> element.

On save, MathML in Word does not write the mathvariant attribute in an <mn> element.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathvariant attribute in an <mn> element.

On save, OfficeArt Math in Word does not write the mathvariant attribute in an <mn> element. All math alphanumeric characters are written using Unicode code points.

m. *The standard defines the property "monospace", contained within the attribute mathvariant, contained within the element <mn>*

This property is not supported in Word 2013.

n. *The standard defines the attribute style, contained within the element <mn>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

o. *The standard defines the attribute xref, contained within the element <mn>*

This attribute is not supported in Word 2013.

p. *The standard defines the element <mn>*

This element is supported in Excel 2013.

q. *The standard defines the attribute class, contained within the element <mn>*

This attribute is not supported in Excel 2013.

r. *The standard defines the attribute color, contained within the element <mn>*

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an <mn> element. On save, Excel does not write the color attribute in an <mn> element.

s. *The standard defines the attribute fontfamily, contained within the element <mn>*

This attribute is not supported in Excel 2013.

t. *The standard defines the attribute fontsize, contained within the element <mn>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute fontstyle, contained within the element <mn>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontstyle attribute in an <mn> element. On save, Excel does not write the fontstyle attribute in an <mn> element.

v. *The standard defines the attribute fontweight, contained within the element <mn>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontweight attribute in an <mn> element. On save, Excel does not write the fontweight attribute in an <mn> element.

w. *The standard defines the attribute id, contained within the element <mn>*

This attribute is not supported in Excel 2013.

x. *The standard defines the attribute mathbackground, contained within the element <mn>*

This attribute is not supported in Excel 2013.

y. *The standard defines the attribute mathcolor, contained within the element <mn>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an <mn> element. On save, Excel does not write the mathcolor attribute in an <mn> element.

z. *The standard defines the attribute mathsize, contained within the element <mn>*

This attribute is not supported in Excel 2013.

aa. *The standard defines the attribute mathvariant, contained within the element <mn>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathvariant attribute in an <mn> element.

On save, Excel does not write the mathvariant attribute in an <mn> element. All math alphanumeric characters are written using Unicode code points.

bb. *The standard defines the attribute style, contained within the element <mn>*

This attribute is not supported in Excel 2013.

cc. *The standard defines the attribute xref, contained within the element <mn>*

This attribute is not supported in Excel 2013.

dd. *The standard defines the element <mn>*

This element is supported in PowerPoint 2013.

ee. *The standard defines the attribute class, contained within the element <mn>*

This attribute is not supported in PowerPoint 2013.

ff. *The standard defines the attribute color, contained within the element <mn>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an <mn> element. On save, PowerPoint does not write the color attribute in an <mn> element.

gg. *The standard defines the attribute fontfamily, contained within the element <mn>*

This attribute is not supported in PowerPoint 2013.

hh. *The standard defines the attribute fontsize, contained within the element <mn>*

This attribute is not supported in PowerPoint 2013.

ii. *The standard defines the attribute fontstyle, contained within the element <mn>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontstyle attribute in an <mn> element. On save, PowerPoint does not write the fontstyle attribute in an <mn> element.

jj. *The standard defines the attribute fontweight, contained within the element <mn>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontweight attribute in an $<mn>$ element. On save, PowerPoint does not write the fontweight attribute in an $<mn>$ element.

kk. *The standard defines the attribute id, contained within the element $<mn>$*

This attribute is not supported in PowerPoint 2013.

II. *The standard defines the attribute mathbackground, contained within the element $<mn>$*

This attribute is not supported in PowerPoint 2013.

mm. *The standard defines the attribute mathcolor, contained within the element $<mn>$*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an $<mn>$ element. On save, PowerPoint does not write the mathcolor attribute in an $<mn>$ element.

nn. *The standard defines the attribute mathsize, contained within the element $<mn>$*

This attribute is not supported in PowerPoint 2013.

oo. *The standard defines the attribute mathvariant, contained within the element $<mn>$*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathvariant attribute in an $<mn>$ element.

On save, PowerPoint does not write the mathvariant attribute in an $<mn>$ element. All math alphanumeric characters are written using Unicode code points.

pp. *The standard defines the attribute style, contained within the element $<mn>$*

This attribute is not supported in PowerPoint 2013.

qq. *The standard defines the attribute xref, contained within the element $<mn>$*

This attribute is not supported in PowerPoint 2013.

2.1.322 MathML 2.0, Section 3.2.5, Operator, Fence, Separator or Accent (mo)

a. *The standard defines the element $<mo>$*

This element is supported in MathML in Word 2013.

On save, MathML in Word does not write out the mathvariant, fontweight, or fontstyle attributes for the $<mo>$ element.

On load, MathML in Word recognizes MathML $<mrow>$ elements as functions if the following are true:

There are three child elements.

The second child element is an $<mo>$ element that contains one character - the function apply character, $<U+2061>$.

On load, Nary operators with no limits defined are interpreted as regular operators.

MathML in Word may inconsistently apply italic formatting to operators.

On load, operators are always assumed to have italics applied unless mathvariant, fontweight, or fontstyle attributes are present and state otherwise. (For example, $<mo mathvariant="normal">+</mo>$). The values of the mathvariant, fontweight or fontstyle attributes are reflected on the format buttons on the MathML in Word user interface, but may not impact whether the operator renders in italics or non-italics.

This element is supported in OfficeArt Math in Word 2013.

b. *The standard defines the attribute accent, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the accent attribute in an $<mo>$ element.

On save, OfficeArt Math in Word does not write the accent attribute in an $<mo>$ element.

c. *The standard defines the attribute class, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute color, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the color attribute in an $<mo>$ element. On save, OfficeArt Math in Word does not write the color attribute in an $<mo>$ element.

e. *The standard defines the attribute fence, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

MathML in Word does not support this attribute. MathML in Word does support the $<mfence>$ element on load, which can be used instead.

This attribute is supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute fontfamily, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute fontsize, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the attribute fontstyle, contained within the element <mo>*

This attribute is supported in Word 2013.

On load, Word reads the fontstyle attribute in an $<mo>$ element. On save, Word does not write the fontstyle attribute in an $<mo>$ element.

- i. *The standard defines the attribute fontweight, contained within the element $<mo>$*

This attribute is supported in Word 2013.

On load, Word reads the fontweight attribute in an $<mo>$ element. On save, Word does not write the fontweight attribute in an $<mo>$ element.

- j. *The standard defines the attribute form, contained within the element $<mo>$*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

- k. *The standard defines the attribute id, contained within the element $<mo>$*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- l. *The standard defines the attribute largeop, contained within the element $<mo>$*

This attribute is not supported in Word 2013.

- m. *The standard defines the attribute lspace, contained within the element $<mo>$*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- n. *The standard defines the attribute mathbackground, contained within the element $<mo>$*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathbackground attribute in an $<mo>$ element. On save, OfficeArt Math in Word does not write the mathbackground attribute in an $<mo>$ element.

- o. *The standard defines the attribute mathcolor, contained within the element $<mo>$*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathcolor attribute in an $<mo>$ element. On save, OfficeArt Math in Word does not write the mathcolor attribute in an $<mo>$ element.

- p. *The standard defines the attribute mathsize, contained within the element $<mo>$*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- q. *The standard defines the attribute mathvariant, contained within the element $<mo>$*

This attribute is supported in Word 2013.

On load, Word reads the mathvariant attribute in an `<mo>` element.

On save, Word does not write the mathvariant attribute in an `<mo>` element. All math alphanumeric characters are written using Unicode code points.

r. *The standard defines the property "monospace", contained within the attribute mathvariant, contained within the element <mo>*

This property is supported in Word 2013.

On load, Word ignores the mathvariant attribute when it has a value of "monospace".

s. *The standard defines the attribute maxsize, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

t. *The standard defines the attribute minsize, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

u. *The standard defines the attribute movablelimits, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

v. *The standard defines the attribute rspace, contained within the element <mo>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

w. *The standard defines the attribute separator, contained within the element <mo>*

This attribute is not supported in Word 2013.

x. *The standard defines the attribute seperator, contained within the element <mo>*

This attribute is not supported in Word 2013.

Word does not support the "seperator" attribute of the `<mo>` element.. Word does support the `<mfence>` element on load, which can be used instead.

y. *The standard defines the attribute stretchy, contained within the element <mo>*

This attribute is supported in MathML in Word 2013.

ON SAVE, MathML in Word will emit stretchy for the following N-Ary operators: '∫', '∬', '∭', '∮', '∯', '∰', '∲', '∳', '∱', '∩', '∪', '∏', '∐', '∑', '⋀', '⋁', '⋂', '⋃'

ON LOAD, MathML in Word will respect the stretchy attribute for the following N-Ary operators:
'∫', '∬', '∭', '∮', '∯', '∰', '∲', '∳',
'∱', '∩', '∪', '∏', '∐', '∑', '⋀', '⋁',
'⋂', '⋃'

ON LOAD, if the stretchy attribute is absent then MathML in Word will interpret the stretchy attribute value to be TRUE for the following N-Ary operators: '∫', '∮', '∯',
'∲', '∳', '∩', '∪', '∏', '∑', '⋀', '⋁',
'⋂', '⋃'

And, MathML in Word will interpret the stretchy attribute value to be FALSE for the following N-Ary operators: '∬', '∭', '∰', '∱', '∐'

This attribute is supported in OfficeArt Math in Word 2013.

z. The standard defines the attribute style, contained within the element <mo>

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

aa. The standard defines the attribute symmetric, contained within the element <mo>

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

bb. The standard defines the attribute xref, contained within the element <mo>

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

cc. The standard defines the element <mo>

This element is supported in Excel 2013.

dd. The standard defines the attribute accent, contained within the element <mo>

This attribute is supported in Excel 2013.

On load, Excel reads the accent attribute in an <mo> element.

On save, Excel does not write the accent attribute in an <mo> element.

ee. The standard defines the attribute class, contained within the element <mo>

This attribute is not supported in Excel 2013.

ff. The standard defines the attribute color, contained within the element <mo>

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an <mo> element. On save, Excel does not write the color attribute in an <mo> element.

gg. The standard defines the attribute fence, contained within the element <mo>

This attribute is supported in Excel 2013.

hh. *The standard defines the attribute fontfamily, contained within the element <mo>*

This attribute is not supported in Excel 2013.

ii. *The standard defines the attribute fontsize, contained within the element <mo>*

This attribute is not supported in Excel 2013.

jj. *The standard defines the attribute fontstyle, contained within the element <mo>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontstyle attribute in an <mo> element. On save, Excel does not write the fontstyle attribute in an <mo> element.

kk. *The standard defines the attribute fontweight, contained within the element <mo>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontweight attribute in an <mo> element. On save, Excel does not write the fontweight attribute in an <mo> element.

ll. *The standard defines the attribute form, contained within the element <mo>*

This attribute is supported in Excel 2013.

mm. *The standard defines the attribute id, contained within the element <mo>*

This attribute is not supported in Excel 2013.

nn. *The standard defines the attribute lspace, contained within the element <mo>*

This attribute is not supported in Excel 2013.

oo. *The standard defines the attribute mathbackground, contained within the element <mo>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathbackground attribute in an <mo> element. On save, Excel does not write the mathbackground attribute in an <mo> element.

pp. *The standard defines the attribute mathcolor, contained within the element <mo>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an <mo> element. On save, Excel does not write the mathcolor attribute in an <mo> element.

qq. *The standard defines the attribute mathsize, contained within the element <mo>*

This attribute is not supported in Excel 2013.

rr. *The standard defines the attribute mathvariant, contained within the element <mo>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathvariant attribute in an <mo> element.

On save, Excel does not write the mathvariant attribute in an `<mo>` element. All math alphanumeric characters are written using Unicode code points.

ss. *The standard defines the attribute maxsize, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

tt. *The standard defines the attribute minsize, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

uu. *The standard defines the attribute movablelimits, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

vv. *The standard defines the attribute rspace, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

ww. *The standard defines the attribute separator, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

xx. *The standard defines the attribute stretchy, contained within the element `<mo>`*

This attribute is supported in Excel 2013.

yy. *The standard defines the attribute style, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

zz. *The standard defines the attribute symmetric, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

aaa. *The standard defines the attribute xref, contained within the element `<mo>`*

This attribute is not supported in Excel 2013.

bbb. *The standard defines the element `<mo>`*

This element is supported in PowerPoint 2013.

ccc. *The standard defines the attribute accent, contained within the element `<mo>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the accent attribute in an `<mo>` element.

On save, PowerPoint does not write the accent attribute in an `<mo>` element.

ddd. *The standard defines the attribute class, contained within the element `<mo>`*

This attribute is not supported in PowerPoint 2013.

eee. *The standard defines the attribute color, contained within the element `<mo>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an `<mo>` element. On save, PowerPoint does not write the color attribute in an `<mo>` element.

fff. The standard defines the attribute fence, contained within the element `<mo>`

This attribute is supported in PowerPoint 2013.

ggg. The standard defines the attribute fontfamily, contained within the element `<mo>`

This attribute is not supported in PowerPoint 2013.

hhh. The standard defines the attribute fontsize, contained within the element `<mo>`

This attribute is not supported in PowerPoint 2013.

iii. The standard defines the attribute fontstyle, contained within the element `<mo>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontstyle attribute in an `<mo>` element. On save, PowerPoint does not write the fontstyle attribute in an `<mo>` element.

jjj. The standard defines the attribute fontweight, contained within the element `<mo>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontweight attribute in an `<mo>` element. On save, PowerPoint does not write the fontweight attribute in an `<mo>` element.

kkk. The standard defines the attribute form, contained within the element `<mo>`

This attribute is supported in PowerPoint 2013.

III. The standard defines the attribute id, contained within the element `<mo>`

This attribute is not supported in PowerPoint 2013.

mmm. The standard defines the attribute lspace, contained within the element `<mo>`

This attribute is not supported in PowerPoint 2013.

nnn. The standard defines the attribute mathbackground, contained within the element `<mo>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathbackground attribute in an `<mo>` element. On save, PowerPoint does not write the mathbackground attribute in an `<mo>` element.

ooo. The standard defines the attribute mathcolor, contained within the element `<mo>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an `<mo>` element. On save, PowerPoint does not write the mathcolor attribute in an `<mo>` element.

ppp. The standard defines the attribute mathsizer, contained within the element `<mo>`

This attribute is not supported in PowerPoint 2013.

qqq. *The standard defines the attribute mathvariant, contained within the element <mo>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathvariant attribute in an <mo> element.

On save, PowerPoint does not write the mathvariant attribute in an <mo> element. All math alphanumerical characters are written using Unicode code points.

rrr. *The standard defines the attribute maxsize, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

sss. *The standard defines the attribute minsize, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

ttt. *The standard defines the attribute movablelimits, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

uuu. *The standard defines the attribute rspace, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

vvv. *The standard defines the attribute separator, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

www. *The standard defines the attribute stretchy, contained within the element <mo>*

This attribute is supported in PowerPoint 2013.

xxx. *The standard defines the attribute style, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

yyy. *The standard defines the attribute symmetric, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

zzz. *The standard defines the attribute xref, contained within the element <mo>*

This attribute is not supported in PowerPoint 2013.

2.1.323 MathML 2.0, Section 3.2.6, Text (mtext)

a. *The standard defines the element <mtext>*

This element is supported in Word 2013.

b. *The standard defines the attribute class, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute color, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the color attribute in an `<mtext>` element. On save, OfficeArt Math in Word does not write the color attribute in an `<mtext>` element.

d. *The standard defines the attribute fontfamily, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute fontsize, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute fontstyle, contained within the element <mtext>*

This attribute is supported in Word 2013.

On load, Word reads the fontstyle attribute in an `<mtext>` element. On save, Word does not write the fontstyle attribute in an `<mtext>` element.

g. *The standard defines the attribute fontweight, contained within the element <mtext>*

This attribute is supported in Word 2013.

On load, Word reads the fontweight attribute in an `<mtext>` element. On save, Word does not write the fontweight attribute in an `<mtext>` element.

h. *The standard defines the attribute id, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute mathbackground, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathbackground attribute in an `<mtext>` element. On save, OfficeArt Math in Word does not write the mathbackground attribute in an `<mtext>` element.

j. *The standard defines the attribute mathcolor, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathcolor attribute in an `<mtext>` element. On save, OfficeArt Math in Word does not write the mathcolor attribute in an `<mtext>` element.

k. *The standard defines the attribute mathsize, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute mathvariant, contained within the element <mtext>*

This attribute is supported in Word 2013.

On load, Word reads the mathvariant attribute in an <mtext> element.

On save, Word does not write the mathvariant attribute in an <mtext> element. All math alphanumeric characters are written using Unicode code points.

m. *The standard defines the property "monospace", contained within the attribute mathvariant, contained within the element <mtext>*

This property is supported in Word 2013.

On load, Word ignores the mathvariant attribute if the value is "monospace".

n. *The standard defines the attribute style, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

o. *The standard defines the attribute xref, contained within the element <mtext>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

p. *The standard defines the element <mtext>*

This element is supported in Excel 2013.

q. *The standard defines the attribute class, contained within the element <mtext>*

This attribute is not supported in Excel 2013.

r. *The standard defines the attribute color, contained within the element <mtext>*

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an <mtext> element. On save, Excel does not write the color attribute in an <mtext> element.

s. *The standard defines the attribute fontfamily, contained within the element <mtext>*

This attribute is not supported in Excel 2013.

t. *The standard defines the attribute fontsize, contained within the element <mtext>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute fontstyle, contained within the element <mtext>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontstyle attribute in an `<mtext>` element. On save, Excel does not write the fontstyle attribute in an `<mtext>` element.

v. *The standard defines the attribute fontweight, contained within the element `<mtext>`*

This attribute is supported in Excel 2013.

On load, Excel reads the fontweight attribute in an `<mtext>` element. On save, Excel does not write the fontweight attribute in an `<mtext>` element.

w. *The standard defines the attribute id, contained within the element `<mtext>`*

This attribute is not supported in Excel 2013.

x. *The standard defines the attribute mathbackground, contained within the element `<mtext>`*

This attribute is supported in Excel 2013.

On load, Excel reads the mathbackground attribute in an `<mtext>` element. On save, Excel does not write the mathbackground attribute in an `<mtext>` element.

y. *The standard defines the attribute mathcolor, contained within the element `<mtext>`*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an `<mtext>` element. On save, Excel does not write the mathcolor attribute in an `<mtext>` element.

z. *The standard defines the attribute mathsize, contained within the element `<mtext>`*

This attribute is not supported in Excel 2013.

aa. *The standard defines the attribute mathvariant, contained within the element `<mtext>`*

This attribute is supported in Excel 2013.

On load, Excel reads the mathvariant attribute in an `<mtext>` element.

On save, Excel does not write the mathvariant attribute in an `<mtext>` element. All math alphanumeric characters are written using Unicode code points.

bb. *The standard defines the attribute style, contained within the element `<mtext>`*

This attribute is not supported in Excel 2013.

cc. *The standard defines the attribute xref, contained within the element `<mtext>`*

This attribute is not supported in Excel 2013.

dd. *The standard defines the element `<mtext>`*

This element is supported in PowerPoint 2013.

ee. *The standard defines the attribute class, contained within the element `<mtext>`*

This attribute is not supported in PowerPoint 2013.

ff. *The standard defines the attribute color, contained within the element `<mtext>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an `<mtext>` element. On save, PowerPoint does not write the color attribute in an `<mtext>` element.

gg. *The standard defines the attribute fontfamily, contained within the element `<mtext>`*

This attribute is not supported in PowerPoint 2013.

hh. *The standard defines the attribute fontsize, contained within the element `<mtext>`*

This attribute is not supported in PowerPoint 2013.

ii. *The standard defines the attribute fontstyle, contained within the element `<mtext>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontstyle attribute in an `<mtext>` element. On save, PowerPoint does not write the fontstyle attribute in an `<mtext>` element.

jj. *The standard defines the attribute fontweight, contained within the element `<mtext>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontweight attribute in an `<mtext>` element. On save, PowerPoint does not write the fontweight attribute in an `<mtext>` element.

kk. *The standard defines the attribute id, contained within the element `<mtext>`*

This attribute is not supported in PowerPoint 2013.

ll. *The standard defines the attribute mathbackground, contained within the element `<mtext>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathbackground attribute in an `<mtext>` element. On save, PowerPoint does not write the mathbackground attribute in an `<mtext>` element.

mm. *The standard defines the attribute mathcolor, contained within the element `<mtext>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an `<mtext>` element. On save, PowerPoint does not write the mathcolor attribute in an `<mtext>` element.

nn. *The standard defines the attribute mathsize, contained within the element `<mtext>`*

This attribute is not supported in PowerPoint 2013.

oo. *The standard defines the attribute mathvariant, contained within the element `<mtext>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathvariant attribute in an `<mtext>` element.

On save, PowerPoint does not write the mathvariant attribute in an `<mtext>` element. All math alphanumeric characters are written using Unicode code points.

pp. *The standard defines the attribute style, contained within the element `<mtext>`*

This attribute is not supported in PowerPoint 2013.

qq. *The standard defines the attribute xref, contained within the element <mtext>*

This attribute is not supported in PowerPoint 2013.

2.1.324 MathML 2.0, Section 3.2.7, Space (mspace)

a. *The standard defines the element <mspace>*

This element is not supported in MathML in Word 2013.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the <mspace> element. On load, the <mspace> element is treated as a space character when width, height or depth are specified.

On save, OfficeArt Math in Word does not write the <mspace> element.

b. *The standard defines the attribute class, contained within the element <mspace>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute depth, contained within the element <mspace>*

This attribute is supported in Word 2013.

On load, Word reads the depth attribute in an <mspace> element. An ASCII space is inserted.

On save, Word does not write the <mspace> element.

d. *The standard defines the attribute height, contained within the element <mspace>*

This attribute is supported in Word 2013.

On load, Word reads the height attribute in an <mspace> element. An ASCII space is inserted.

On save, Word does not write the <mspace> element.

e. *The standard defines the attribute id, contained within the element <mspace>*

This attribute is not supported in Word 2013.

f. *The standard defines the attribute linebreak, contained within the element <mspace>*

This attribute is supported in Word 2013.

On load, Word reads the linebreak attribute in an <mspace> element. If the linebreak attribute has the value of "newline" or "indentingnewline" and the following element is <mo> then a break is inserted. Otherwise, the linebreak attribute is ignored.

On save, Word does not write the <mspace> element.

g. *The standard defines the property "auto | nobreak | goodbreak | badbreak", contained within the attribute linebreak, contained within the element <mspace>*

This property is not supported in Word 2013.

h. *The standard defines the attribute style, contained within the element <mspace>*

This attribute is not supported in Word 2013.

- i. *The standard defines the attribute width, contained within the element <mspace>*

This attribute is supported in Word 2013.

On load, Word reads the width attribute in an <mspace> element. An ASCII space is inserted.

On save, Word does not write the <mspace> element.

- j. *The standard defines the attribute xref, contained within the element <mspace>*

This attribute is not supported in Word 2013.

- k. *The standard defines the element <mspace>*

This element is supported in Excel 2013.

On load, Excel reads the <mspace> element. On load, the <mspace> element is treated as a space character when width, height or depth are specified.

On save, Excel does not write the <mspace> element.

- I. *The standard defines the attribute class, contained within the element <mspace>*

This attribute is not supported in Excel 2013.

- m. *The standard defines the attribute depth, contained within the element <mspace>*

This attribute is supported in Excel 2013.

On load, Excel reads the depth attribute in an <mspace> element. An ASCII space is inserted.

On save, Excel does not write the <mspace> element.

- n. *The standard defines the attribute height, contained within the element <mspace>*

This attribute is supported in Excel 2013.

On load, Excel reads the height attribute in an <mspace> element. An ASCII space is inserted.

On save, Excel does not write the <mspace> element.

- o. *The standard defines the attribute id, contained within the element <mspace>*

This attribute is not supported in Excel 2013.

- p. *The standard defines the attribute linebreak, contained within the element <mspace>*

This attribute is supported in Excel 2013.

On load, Excel reads the linebreak attribute in an <mspace> element. If the linebreak attribute has the value of "newline" or "indentingnewline" and the following element is <mo> then a break is inserted. Otherwise, the linebreak attribute is ignored.

On save, Excel does not write the <mspace> element.

- q. *The standard defines the property "auto | nobreak | goodbreak | badbreak", contained within the attribute linebreak, contained within the element <mspace>*

This property is not supported in Excel 2013.

- r. *The standard defines the attribute style, contained within the element <mspace>*

This attribute is not supported in Excel 2013.

- s. *The standard defines the attribute width, contained within the element <mspace>*

This attribute is supported in Excel 2013.

On load, Excel reads the width attribute in an <mspace> element. An ASCII space is inserted.

On save, Excel does not write the <mspace> element.

- t. *The standard defines the attribute xref, contained within the element <mspace>*

This attribute is not supported in Excel 2013.

- u. *The standard defines the element <mspace>*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads the <mspace> element. On load, the <mspace> element is treated as a space character when width, height, or depth are specified.

On save, PowerPoint does not write the <mspace> element.

- v. *The standard defines the attribute class, contained within the element <mspace>*

This attribute is not supported in PowerPoint 2013.

- w. *The standard defines the attribute depth, contained within the element <mspace>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the depth attribute in an <mspace> element. An ASCII space is inserted.

On save, PowerPoint does not write the <mspace> element.

- x. *The standard defines the attribute height, contained within the element <mspace>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the height attribute in an <mspace> element. An ASCII space is inserted.

On save, PowerPoint does not write the <mspace> element.

- y. *The standard defines the attribute id, contained within the element <mspace>*

This attribute is not supported in PowerPoint 2013.

- z. *The standard defines the attribute linebreak, contained within the element <mspace>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the linebreak attribute in an <mspace> element. If the linebreak attribute has the value of "newline" or "indentingnewline" and the following element is <mo>, then a break is inserted. Otherwise, the linebreak attribute is ignored.

On save, PowerPoint does not write the <mspace> element.

aa. *The standard defines the property "auto | nobreak | goodbreak | badbreak", contained within the attribute linebreak, contained within the element <mspace>*

This property is not supported in PowerPoint 2013.

bb. *The standard defines the attribute style, contained within the element <mspace>*

This attribute is not supported in PowerPoint 2013.

cc. *The standard defines the attribute width, contained within the element <mspace>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the width attribute in an <mspace> element. An ASCII space is inserted.

On save, PowerPoint does not write the <mspace> element.

dd. *The standard defines the attribute xref, contained within the element <mspace>*

This attribute is not supported in PowerPoint 2013.

2.1.325 MathML 2.0, Section 3.2.8, String Literal (ms)

a. *The standard defines the element <ms>*

This element is supported in MathML in Word 2013.

On save, MathML in Word saves previously loaded <ms> elements as one or more tokenized elements instead of as a single <ms> element.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the <ms> element.

On save, OfficeArt Math in Word does not write the <ms> element.

b. *The standard defines the attribute class, contained within the element <ms>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute color, contained within the element <ms>*

This attribute is supported in Word 2013.

On load, Word reads the color attribute in an <ms> element. On save, Word does not write the color attribute in an <ms> element.

d. *The standard defines the attribute fontfamily, contained within the element <ms>*

This attribute is not supported in Word 2013.

e. *The standard defines the attribute fontsize, contained within the element <ms>*

This attribute is not supported in Word 2013.

f. *The standard defines the attribute fontstyle, contained within the element <ms>*

This attribute is supported in Word 2013.

On load, Word reads the fontstyle attribute in an `<ms>` element. On save, Word does not write the fontstyle attribute in an `<ms>` element.

g. *The standard defines the attribute fontweight, contained within the element `<ms>`*

This attribute is supported in Word 2013.

On load, Word reads the fontweight attribute in an `<ms>` element. On save, Word does not write the fontweight attribute in an `<ms>` element.

h. *The standard defines the attribute id, contained within the element `<ms>`*

This attribute is not supported in Word 2013.

i. *The standard defines the attribute lquote, contained within the element `<ms>`*

This attribute is supported in Word 2013.

On load, Word reads the lquote attribute in an `<ms>` element.

On save, Word does not write the lquote attribute in an `<ms>` element.

j. *The standard defines the attribute mathbackground, contained within the element `<ms>`*

This attribute is supported in Word 2013.

On load, Word reads the mathbackground attribute in an `<ms>` element. On save, Word does not write the mathbackground attribute in an `<ms>` element.

k. *The standard defines the attribute mathcolor, contained within the element `<ms>`*

This attribute is supported in Word 2013.

On load, Word reads the mathcolor attribute in an `<ms>` element. On save, Word does not write the mathcolor attribute in an `<ms>` element.

l. *The standard defines the attribute mathsize, contained within the element `<ms>`*

This attribute is not supported in Word 2013.

m. *The standard defines the attribute mathvariant, contained within the element `<ms>`*

This attribute is supported in Word 2013.

On load, Word reads the mathvariant attribute in an `<ms>` element.

On save, Word does not write the mathvariant attribute in an `<ms>` element. All math alphanumeric characters are written using Unicode code points.

n. *The standard defines the attribute rquote, contained within the element `<ms>`*

This attribute is supported in Word 2013.

On load, Word reads the rquote attribute in an `<ms>` element.

On save, Word does not write the rquote attribute in an `<ms>` element.

o. *The standard defines the attribute style, contained within the element `<ms>`*

This attribute is not supported in Word 2013.

p. *The standard defines the attribute xref, contained within the element <ms>*

This attribute is not supported in Word 2013.

q. *The standard defines the element <ms>*

This element is supported in Excel 2013.

On load, Excel reads the <ms> element.

On save, Excel does not write the <ms> element.

r. *The standard defines the attribute class, contained within the element <ms>*

This attribute is not supported in Excel 2013.

s. *The standard defines the attribute color, contained within the element <ms>*

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an <ms> element. On save, Excel does not write the color attribute in an <ms> element.

t. *The standard defines the attribute fontfamily, contained within the element <ms>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute fontsize, contained within the element <ms>*

This attribute is not supported in Excel 2013.

v. *The standard defines the attribute fontstyle, contained within the element <ms>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontstyle attribute in an <ms> element. On save, Excel does not write the fontstyle attribute in an <ms> element.

w. *The standard defines the attribute fontweight, contained within the element <ms>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontweight attribute in an <ms> element. On save, Excel does not write the fontweight attribute in an <ms> element.

x. *The standard defines the attribute id, contained within the element <ms>*

This attribute is not supported in Excel 2013.

y. *The standard defines the attribute lquote, contained within the element <ms>*

This attribute is supported in Excel 2013.

On load, Excel reads the lquote attribute in an <ms> element.

On save, Excel does not write the lquote attribute in an <ms> element.

z. *The standard defines the attribute mathbackground, contained within the element <ms>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathbackground attribute in an `<ms>` element. On save, Excel does not write the mathbackground attribute in an `<ms>` element.

aa. *The standard defines the attribute mathcolor, contained within the element `<ms>`*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an `<ms>` element. On save, Excel does not write the mathcolor attribute in an `<ms>` element.

bb. *The standard defines the attribute mathsize, contained within the element `<ms>`*

This attribute is not supported in Excel 2013.

cc. *The standard defines the attribute mathvariant, contained within the element `<ms>`*

This attribute is supported in Excel 2013.

On load, Excel reads the mathvariant attribute in an `<ms>` element.

On save, Excel does not write the mathvariant attribute in an `<ms>` element. All math alphanumeric characters are written using Unicode code points.

dd. *The standard defines the attribute rquote, contained within the element `<ms>`*

This attribute is supported in Excel 2013.

On load, Excel reads the rquote attribute in an `<ms>` element.

On save, Excel does not write the rquote attribute in an `<ms>` element.

ee. *The standard defines the attribute style, contained within the element `<ms>`*

This attribute is not supported in Excel 2013.

ff. *The standard defines the attribute xref, contained within the element `<ms>`*

This attribute is not supported in Excel 2013.

gg. *The standard defines the element `<ms>`*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads the `<ms>` element.

On save, PowerPoint does not write the `<ms>` element.

hh. *The standard defines the attribute class, contained within the element `<ms>`*

This attribute is not supported in PowerPoint 2013.

ii. *The standard defines the attribute color, contained within the element `<ms>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an `<ms>` element. On save, PowerPoint does not write the color attribute in an `<ms>` element.

jj. *The standard defines the attribute fontfamily, contained within the element <ms>*

This attribute is not supported in PowerPoint 2013.

kk. *The standard defines the attribute fontsize, contained within the element <ms>*

This attribute is not supported in PowerPoint 2013.

ll. *The standard defines the attribute fontstyle, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontstyle attribute in an <ms> element. On save, PowerPoint does not write the fontstyle attribute in an <ms> element.

mm. *The standard defines the attribute fontweight, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontweight attribute in an <ms> element. On save, PowerPoint does not write the fontweight attribute in an <ms> element.

nn. *The standard defines the attribute id, contained within the element <ms>*

This attribute is not supported in PowerPoint 2013.

oo. *The standard defines the attribute lquote, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the lquote attribute in an <ms> element.

On save, PowerPoint does not write the lquote attribute in an <ms> element.

pp. *The standard defines the attribute mathbackground, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathbackground attribute in an <ms> element. On save, PowerPoint does not write the mathbackground attribute in an <ms> element.

qq. *The standard defines the attribute mathcolor, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an <ms> element. On save, PowerPoint does not write the mathcolor attribute in an <ms> element.

rr. *The standard defines the attribute mathsize, contained within the element <ms>*

This attribute is not supported in PowerPoint 2013.

ss. *The standard defines the attribute mathvariant, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathvariant attribute in an <ms> element.

On save, PowerPoint does not write the mathvariant attribute in an `<ms>` element. All math alphanumeric characters are written using Unicode code points.

tt. *The standard defines the attribute rquote, contained within the element <ms>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the rquote attribute in an `<ms>` element.

On save, PowerPoint does not write the rquote attribute in an `<ms>` element.

uu. *The standard defines the attribute style, contained within the element <ms>*

This attribute is not supported in PowerPoint 2013.

vv. *The standard defines the attribute xref, contained within the element <ms>*

This attribute is not supported in PowerPoint 2013.

2.1.326 MathML 2.0, Section 3.2.9, Accessing glyphs for characters from MathML (mglyph)

a. *The standard defines the element <mglyph>*

This element is supported in MathML in Word 2013.

ON SAVE, MathML in Word will never write `<mglyph>`.

ON LOAD, MathML in Word will replace the `<mglyph>` with the value of the alt attribute as normal text. The fontfamily and index attributes will be dropped.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word, reads content only from the alt attribute of the mglyph element. Specifying glyphs directly is not supported.

On save, OfficeArt Math in Word does not write the `<mglyph>` element.

b. *The standard defines the attribute alt, contained within the element <mglyph>*

This attribute is supported in Word 2013.

On load, Word reads the alt attribute in an `<mglyph>` element. The value of the alt attribute is inserted as text.

On save, Word does not write the alt attribute in an `<mglyph>` element.

c. *The standard defines the attribute class, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

d. *The standard defines the attribute color, contained within the element <mglyph>*

This attribute is supported in Word 2013.

On load, Word reads the color attribute in an `<mglyph>` element. On save, Word does not write the color attribute in an `<mglyph>` element.

e. *The standard defines the attribute fontfamily, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

f. *The standard defines the attribute fontsize, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

g. *The standard defines the attribute fontstyle, contained within the element <mglyph>*

This attribute is supported in Word 2013.

On load, Word reads the fontstyle attribute in an <mglyph> element. On save, Word does not write the fontstyle attribute in an <mglyph> element.

h. *The standard defines the attribute fontweight, contained within the element <mglyph>*

This attribute is supported in Word 2013.

On load, Word reads the fontweight attribute in an <mglyph> element. On save, Word does not write the fontweight attribute in an <mglyph> element.

i. *The standard defines the attribute id, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

j. *The standard defines the attribute index, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

k. *The standard defines the attribute mathbackground, contained within the element <mglyph>*

This attribute is supported in Word 2013.

On load, Word reads the mathbackground attribute in an <mglyph> element. On save, Word does not write the mathbackground attribute in an <mglyph> element.

l. *The standard defines the attribute mathcolor, contained within the element <mglyph>*

This attribute is supported in Word 2013.

On load, Word reads the mathcolor attribute in an <mglyph> element. On save, Word does not write the mathcolor attribute in an <mglyph> element.

m. *The standard defines the attribute mathsize, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

n. *The standard defines the attribute style, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

o. *The standard defines the attribute xref, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

p. *The standard defines the element <mglyph>*

This element is supported in Excel 2013.

On load, Excel reads content only from the alt attribute of the `mglyph` element. Specifying glyphs directly is not supported.

On save, Excel does not write the `<mglyph>` element.

q. *The standard defines the attribute alt, contained within the element <mglyph>*

This attribute is supported in Excel 2013.

On load, Excel reads the alt attribute in an `<mglyph>` element. The value of the alt attribute is inserted as text.

On save, Excel does not write the alt attribute in an `<mglyph>` element.

r. *The standard defines the attribute class, contained within the element <mglyph>*

This attribute is not supported in Excel 2013.

s. *The standard defines the attribute color, contained within the element <mglyph>*

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an `<mglyph>` element. On save, Excel does not write the color attribute in an `<mglyph>` element.

t. *The standard defines the attribute fontfamily, contained within the element <mglyph>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute fontsize, contained within the element <mglyph>*

This attribute is not supported in Excel 2013.

v. *The standard defines the attribute fontstyle, contained within the element <mglyph>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontstyle attribute in an `<mglyph>` element. On save, Excel does not write the fontstyle attribute in an `<mglyph>` element.

w. *The standard defines the attribute fontweight, contained within the element <mglyph>*

This attribute is supported in Excel 2013.

On load, Excel reads the fontweight attribute in an `<mglyph>` element. On save, Excel does not write the fontweight attribute in an `<mglyph>` element.

x. *The standard defines the attribute id, contained within the element <mglyph>*

This attribute is not supported in Excel 2013.

y. *The standard defines the attribute index, contained within the element <mglyph>*

This attribute is not supported in Excel 2013.

z. *The standard defines the attribute mathbackground, contained within the element <mglyph>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathbackground attribute in an `<mglyph>` element. On save, Excel does not write the mathbackground attribute in an `<mglyph>` element.

aa. *The standard defines the attribute mathcolor, contained within the element `<mglyph>`*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an `<mglyph>` element. On save, Excel does not write the mathcolor attribute in an `<mglyph>` element.

bb. *The standard defines the attribute mathsize, contained within the element `<mglyph>`*

This attribute is not supported in Excel 2013.

cc. *The standard defines the attribute mathvariant, contained within the element `<mglyph>`*

This attribute is supported in Excel 2013.

dd. *The standard defines the attribute style, contained within the element `<mglyph>`*

This attribute is not supported in Excel 2013.

ee. *The standard defines the attribute xref, contained within the element `<mglyph>`*

This attribute is not supported in Excel 2013.

ff. *The standard defines the element `<mglyph>`*

This element is supported in PowerPoint 2013.

On load, PowerPoint, reads content only from the alt attribute of the mglyph element. Specifying glyphs directly is not supported.

On save, PowerPoint does not write the `<mglyph>` element.

gg. *The standard defines the attribute alt, contained within the element `<mglyph>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the alt attribute in an `<mglyph>` element. The value of the alt attribute is inserted as text.

On save, PowerPoint does not write the alt attribute in an `<mglyph>` element.

hh. *The standard defines the attribute class, contained within the element `<mglyph>`*

This attribute is not supported in PowerPoint 2013.

ii. *The standard defines the attribute color, contained within the element `<mglyph>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an `<mglyph>` element. On save, PowerPoint does not write the color attribute in an `<mglyph>` element.

jj. *The standard defines the attribute fontfamily, contained within the element `<mglyph>`*

This attribute is not supported in PowerPoint 2013.

kk. *The standard defines the attribute fontsize, contained within the element <mglyph>*

This attribute is not supported in PowerPoint 2013.

ll. *The standard defines the attribute fontstyle, contained within the element <mglyph>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontstyle attribute in an <mglyph> element. On save, PowerPoint does not write the fontstyle attribute in an <mglyph> element.

mm. *The standard defines the attribute fontweight, contained within the element <mglyph>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the fontweight attribute in an <mglyph> element. On save, PowerPoint does not write the fontweight attribute in an <mglyph> element.

nn. *The standard defines the attribute id, contained within the element <mglyph>*

This attribute is not supported in PowerPoint 2013.

oo. *The standard defines the attribute index, contained within the element <mglyph>*

This attribute is not supported in PowerPoint 2013.

pp. *The standard defines the attribute mathbackground, contained within the element <mglyph>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathbackground attribute in an <mglyph> element. On save, PowerPoint does not write the mathbackground attribute in an <mglyph> element.

qq. *The standard defines the attribute mathcolor, contained within the element <mglyph>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an <mglyph> element. On save, PowerPoint does not write the mathcolor attribute in an <mglyph> element.

rr. *The standard defines the attribute mathsize, contained within the element <mglyph>*

This attribute is not supported in PowerPoint 2013.

ss. *The standard defines the attribute style, contained within the element <mglyph>*

This attribute is not supported in PowerPoint 2013.

tt. *The standard defines the attribute xref, contained within the element <mglyph>*

This attribute is not supported in PowerPoint 2013.

2.1.327 MathML 2.0, Section 3.2.9.2, Accessing glyphs for characters from MathML (mglyph)

a. *The standard defines the attribute fontfamily, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute index, contained within the element <mglyph>*

This attribute is not supported in Word 2013.

2.1.328 MathML 2.0, Section 3.3.1, Horizontally Group Sub-Expressions (mrow)

- a. *The standard defines the element <mrow>*

This element is supported in MathML in Word 2013.

On load, MathML in Word supports the use of the <mrow> element with or without attributes. MathML in Word ignores any attributes that are present.

On save, MathML in Word may write more <mrow> elements than are strictly necessary.

This element is supported in OfficeArt Math in Word 2013.

- b. *The standard defines the attribute class, contained within the element <mrow>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- c. *The standard defines the attribute id, contained within the element <mrow>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- d. *The standard defines the attribute style, contained within the element <mrow>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- e. *The standard defines the attribute xref, contained within the element <mrow>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- f. *The standard defines the element <mrow>*

This element is supported in Excel 2013.

- g. *The standard defines the attribute class, contained within the element <mrow>*

This attribute is not supported in Excel 2013.

- h. *The standard defines the attribute id, contained within the element <mrow>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style, contained within the element <mrow>*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute xref, contained within the element <mrow>*

This attribute is not supported in Excel 2013.

k. *The standard defines the element <mrow>*

This element is supported in PowerPoint 2013.

l. *The standard defines the attribute class, contained within the element <mrow>*

This attribute is not supported in PowerPoint 2013.

m. *The standard defines the attribute id, contained within the element <mrow>*

This attribute is not supported in PowerPoint 2013.

n. *The standard defines the attribute style, contained within the element <mrow>*

This attribute is not supported in PowerPoint 2013.

o. *The standard defines the attribute xref, contained within the element <mrow>*

This attribute is not supported in PowerPoint 2013.

2.1.329 MathML 2.0, Section 3.3.2, Fractions (mfrac)

a. *The standard defines the element <mfrac>*

This element is supported in Word 2013.

b. *The standard defines the attribute bevelled, contained within the element <mfrac>*

This attribute is supported in Word 2013.

c. *The standard defines the attribute class, contained within the element <mfrac>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute denomalign, contained within the element <mfrac>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute id, contained within the element <mfrac>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute linethickness, contained within the element <mfrac>*

This attribute is supported in MathML in Word 2013.

Fraction bars in MathML in Word are either displayed or not displayed.

On load, MathML in Word displays a fraction bar if the linethickness attribute has a value of "thin", "medium", "thick", any nonzero digit, or is empty. In all other cases, no fraction bar is displayed.

This attribute is supported in OfficeArt Math in Word 2013.

Fraction bars in OfficeArt Math in Word are either displayed or not displayed.

On load, OfficeArt Math in Word displays a fraction bar unless linethickness is zero and the fraction is not of the bevelled style.

On save, OfficeArt Math in Word either writes a value of '0' or omits this attribute.

g. *The standard defines the attribute numalign, contained within the element <mfrac>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the attribute style, contained within the element <mfrac>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute xref, contained within the element <mfrac>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the element <mfrac>*

This element is supported in Excel 2013.

k. *The standard defines the attribute bevelled, contained within the element <mfrac>*

This attribute is supported in Excel 2013.

l. *The standard defines the attribute class, contained within the element <mfrac>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute denomalign, contained within the element <mfrac>*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute id, contained within the element <mfrac>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute linethickness, contained within the element <mfrac>*

This attribute is supported in Excel 2013.

Fraction bars in Excel are either displayed or not displayed.

On load, Excel displays a fraction bar unless linethickness is zero and the fraction is not of the bevelled style.

On save, Excel either writes a value of '0' or omits this attribute.

p. The standard defines the attribute *numalign*, contained within the element `<mfrac>`

This attribute is not supported in Excel 2013.

q. The standard defines the attribute *style*, contained within the element `<mfrac>`

This attribute is not supported in Excel 2013.

r. The standard defines the attribute *xref*, contained within the element `<mfrac>`

This attribute is not supported in Excel 2013.

s. The standard defines the element `<mfrac>`

This element is supported in PowerPoint 2013.

t. The standard defines the attribute *bevelled*, contained within the element `<mfrac>`

This attribute is supported in PowerPoint 2013.

u. The standard defines the attribute *class*, contained within the element `<mfrac>`

This attribute is not supported in PowerPoint 2013.

v. The standard defines the attribute *denomalign*, contained within the element `<mfrac>`

This attribute is not supported in PowerPoint 2013.

w. The standard defines the attribute *id*, contained within the element `<mfrac>`

This attribute is not supported in PowerPoint 2013.

x. The standard defines the attribute *linethickness*, contained within the element `<mfrac>`

This attribute is supported in PowerPoint 2013.

Fraction bars in PowerPoint are either displayed or not displayed.

On load, PowerPoint displays a fraction bar unless the *linethickness* attribute is zero and the fraction is not of the bevelled style.

On save, PowerPoint either writes a value of '0' or omits this attribute.

y. The standard defines the attribute *numalign*, contained within the element `<mfrac>`

This attribute is not supported in PowerPoint 2013.

z. The standard defines the attribute *style*, contained within the element `<mfrac>`

This attribute is not supported in PowerPoint 2013.

aa. The standard defines the attribute *xref*, contained within the element `<mfrac>`

This attribute is not supported in PowerPoint 2013.

2.1.330 MathML 2.0, Section 3.3.3, Radicals (msqrt, mroot)

a. The standard defines the element `<mroot>`

This element is supported in Word 2013.

- b. *The standard defines the attribute class, contained within the element <mroot>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- c. *The standard defines the attribute id, contained within the element <mroot>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- d. *The standard defines the attribute style, contained within the element <mroot>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- e. *The standard defines the attribute xref, contained within the element <mroot>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- f. *The standard defines the element <msqrt>*

This element is supported in Word 2013.

- g. *The standard defines the attribute class, contained within the element <msqrt>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- h. *The standard defines the attribute id, contained within the element <msqrt>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- i. *The standard defines the attribute style, contained within the element <msqrt>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- j. *The standard defines the attribute xref, contained within the element <msqrt>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- k. *The standard defines the element <mroot>*

This element is supported in Excel 2013.

- l. *The standard defines the attribute class, contained within the element <mroot>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute id, contained within the element <mroot>*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute style, contained within the element <mroot>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute xref, contained within the element <mroot>*

This attribute is not supported in Excel 2013.

p. *The standard defines the element <msqrt>*

This element is supported in Excel 2013.

q. *The standard defines the attribute class, contained within the element <msqrt>*

This attribute is not supported in Excel 2013.

r. *The standard defines the attribute id, contained within the element <msqrt>*

This attribute is not supported in Excel 2013.

s. *The standard defines the attribute style, contained within the element <msqrt>*

This attribute is not supported in Excel 2013.

t. *The standard defines the attribute xref, contained within the element <msqrt>*

This attribute is not supported in Excel 2013.

u. *The standard defines the element <mroot>*

This element is supported in PowerPoint 2013.

v. *The standard defines the attribute class, contained within the element <mroot>*

This attribute is not supported in PowerPoint 2013.

w. *The standard defines the attribute id, contained within the element <mroot>*

This attribute is not supported in PowerPoint 2013.

x. *The standard defines the attribute style, contained within the element <mroot>*

This attribute is not supported in PowerPoint 2013.

y. *The standard defines the attribute xref, contained within the element <mroot>*

This attribute is not supported in PowerPoint 2013.

z. *The standard defines the element <msqrt>*

This element is supported in PowerPoint 2013.

aa. *The standard defines the attribute class, contained within the element <msqrt>*

This attribute is not supported in PowerPoint 2013.

bb. *The standard defines the attribute id, contained within the element <msqrt>*

This attribute is not supported in PowerPoint 2013.

cc. *The standard defines the attribute style, contained within the element <msqrt>*

This attribute is not supported in PowerPoint 2013.

dd. *The standard defines the attribute xref, contained within the element <msqrt>*

This attribute is not supported in PowerPoint 2013.

2.1.331 MathML 2.0, Section 3.3.4, Style Change (*mstyle*)

a. *The standard defines the element <mstyle>*

This element is supported in MathML in Word 2013.

MathML in Word supports only the scriptlevel attribute of the <mstyle> element.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the <mstyle> element.

On save, OfficeArt Math in Word does not write the <mstyle> element.

b. *The standard defines the attribute background, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute class, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute color, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the color attribute in an <mstyle> element. On save, OfficeArt Math in Word does not write the color attribute in an <mstyle> element.

e. *The standard defines the attribute displaystyle, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute id, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute mathcolor, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the mathcolor attribute in an `<mstyle>` element. On save, OfficeArt Math in Word does not write the mathcolor attribute in an `<mstyle>` element.

h. *The standard defines the attribute mediummathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute scriptlevel, contained within the element <mstyle>*

This attribute is not supported in Word 2013.

j. *The standard defines the attribute scriptminsize, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

k. *The standard defines the attribute scriptsizemultiplier, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

l. *The standard defines the attribute style, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

m. *The standard defines the attribute thickmathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

n. *The standard defines the attribute thinmathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

o. *The standard defines the attribute verythickmathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

p. *The standard defines the attribute verythinmathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

q. *The standard defines the attribute veryverythickmathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

r. *The standard defines the attribute veryverythinmathspace, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

s. *The standard defines the attribute xref, contained within the element <mstyle>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

t. *The standard defines the element <mstyle>*

This element is supported in Excel 2013.

On load, Excel reads the <mstyle> element.

On save, Excel does not write the <mstyle> element.

u. *The standard defines the attribute background, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

v. *The standard defines the attribute class, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

w. *The standard defines the attribute color, contained within the element <mstyle>*

This attribute is supported in Excel 2013.

On load, Excel reads the color attribute in an <mstyle> element. On save, Excel does not write the color attribute in an <mstyle> element.

x. *The standard defines the attribute displaystyle, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

y. *The standard defines the attribute id, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

z. *The standard defines the attribute mathcolor, contained within the element <mstyle>*

This attribute is supported in Excel 2013.

On load, Excel reads the mathcolor attribute in an <mstyle> element. On save, Excel does not write the mathcolor attribute in an <mstyle> element.

aa. *The standard defines the attribute mediummathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

bb. *The standard defines the attribute scriptlevel, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

cc. *The standard defines the attribute scriptminsize, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

dd. *The standard defines the attribute scriptsizemultiplier, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

ee. *The standard defines the attribute style, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

ff. *The standard defines the attribute thickmathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

gg. *The standard defines the attribute thinmathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

hh. *The standard defines the attribute verythickmathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

ii. *The standard defines the attribute verythinmathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

jj. *The standard defines the attribute veryverythickmathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

kk. *The standard defines the attribute veryverythinmathspace, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

ll. *The standard defines the attribute xref, contained within the element <mstyle>*

This attribute is not supported in Excel 2013.

mm. *The standard defines the element <mstyle>*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads the <mstyle> element.

On save, PowerPoint does not write the <mstyle> element.

nn. *The standard defines the attribute background, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

oo. *The standard defines the attribute class, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

pp. *The standard defines the attribute color, contained within the element <mstyle>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the color attribute in an <mstyle> element. On save, PowerPoint does not write the color attribute in an <mstyle> element.

qq. *The standard defines the attribute displaystyle, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

rr. *The standard defines the attribute id, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

ss. *The standard defines the attribute mathcolor, contained within the element <mstyle>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the mathcolor attribute in an <mstyle> element. On save, PowerPoint does not write the mathcolor attribute in an <mstyle> element.

tt. *The standard defines the attribute mediummathspace, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

uu. *The standard defines the attribute scriptlevel, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

vv. *The standard defines the attribute scriptminsize, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

ww. *The standard defines the attribute scriptsizemultiplier, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

xx. *The standard defines the attribute style, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

yy. *The standard defines the attribute thickmathspace, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

zz. *The standard defines the attribute thinmathspace, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

aaa. *The standard defines the attribute verythickmathspace, contained within the element <mstyle>*

This attribute is not supported in PowerPoint 2013.

bbb. *The standard defines the attribute `verythinmathspace`, contained within the element `<mstyle>`*
This attribute is not supported in PowerPoint 2013.

ccc. *The standard defines the attribute `veryverythickmathspace`, contained within the element `<mstyle>`*

This attribute is not supported in PowerPoint 2013.

ddd. *The standard defines the attribute `veryverythinmathspace`, contained within the element `<mstyle>`*

This attribute is not supported in PowerPoint 2013.

eee. *The standard defines the attribute `xref`, contained within the element `<mstyle>`*

This attribute is not supported in PowerPoint 2013.

2.1.332 MathML 2.0, Section 3.3.5, Error Message (`merror`)

a. *The standard defines the element `<merror>`*

This element is not supported in MathML in Word 2013.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the `<merror>` element. On save, OfficeArt Math in Word does not write the `<merror>` element.

b. *The standard defines the attribute `class`, contained within the element `<merror>`*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute `id`, contained within the element `<merror>`*

This attribute is not supported in Word 2013.

d. *The standard defines the attribute `style`, contained within the element `<merror>`*

This attribute is not supported in Word 2013.

e. *The standard defines the attribute `xref`, contained within the element `<merror>`*

This attribute is not supported in Word 2013.

f. *The standard defines the element `<merror>`*

This element is supported in Excel 2013.

On load, Excel reads the `<merror>` element. On save, Excel does not write the `<merror>` element.

g. *The standard defines the attribute `class`, contained within the element `<merror>`*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute `id`, contained within the element `<merror>`*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute style, contained within the element <merror>*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute xref, contained within the element <merror>*

This attribute is not supported in Excel 2013.

k. *The standard defines the element <merror>*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads the <merror> element. On save, PowerPoint does not write the <merror> element.

l. *The standard defines the attribute class, contained within the element <merror>*

This attribute is not supported in PowerPoint 2013.

m. *The standard defines the attribute id, contained within the element <merror>*

This attribute is not supported in PowerPoint 2013.

n. *The standard defines the attribute style, contained within the element <merror>*

This attribute is not supported in PowerPoint 2013.

o. *The standard defines the attribute xref, contained within the element <merror>*

This attribute is not supported in PowerPoint 2013.

2.1.333 MathML 2.0, Section 3.3.6, Adjust Space Around Content (mpadded)

a. *The standard defines the element <mpadded>*

This element is supported in MathML in Word 2013.

On save, to make a phantom visible, MathML in Word uses an <mpadded> element only (not <mphantom>). This is true whether the object is smashed or not.

On save, to make a phantom invisible with no smashing, MathML in Word uses an <mphantom> element only (not <mpadded>).

On save, to make a phantom invisible with smashing, MathML in Word uses an <mpadded> element nested inside an <mphantom> element.

On save, MathML in Word converts any smashing into the appropriate attribute for the <mpadded> element and sets the value of the attribute to "0in" (for example, the OXML construct <m:zeroWid m:val="on" /> maps to the MathML attribute width="0in").

On load, MathML in Word maps an <mphantom> element to an <omml:phant> element. Furthermore, if the <mphantom> element has exactly one child element and that child is an <mpadded> element, MathML in Word converts the <mpadded> element's attributes to the appropriate MathML in Word smash properties (zeroWid, zeroDesc, zeroAsc) as specified in Note 6).

On load, MathML in Word converts the width, height, and depth attributes of the `<mpadded>` element into MathML in Word phantom properties `zeroWid`, `zeroAsc`, and `zeroDesc`, respectively.

Unless an `<mpadded>` element is the sole child of an `<mphantom>` element (in which case it would be handled by note 5), MathML in Word maps it to a MathML in Word `<phant>` element with the `show` property set to true.

This element is supported in OfficeArt Math in Word 2013.

Padding in OfficeArt Math in Word is either normal or collapsed in any dimension.

On load, OfficeArt Math in Word displays elements with normal dimensions unless depth, height or width are set to '0', in which case they are collapsed in the corresponding dimension.

On save, OfficeArt Math in Word either writes a value of '0' or omits an attribute in the `<mpadded>` element.

b. *The standard defines the attribute class, contained within the element `<mpadded>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute depth, contained within the element `<mpadded>`*

This attribute is supported in MathML in Word 2013.

On load, MathML in Word uses the depth attribute to specify the vertical smashing below the baseline. Values containing one numeric digit, all of which are the digit zero, specify that smashing in this direction is on, otherwise smashing is off.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the depth attribute in an `<mpadded>` element.

On save, OfficeArt Math in Word either writes a value of '0' or omits the depth attribute in the `<mpadded>` element.

d. *The standard defines the attribute height, contained within the element `<mpadded>`*

This attribute is supported in MathML in Word 2013.

This attribute specifies vertical smashing above the baseline. A value of zero specifies that smashing has a value of "off", or the height dimension of the object has a value of zero. Nonzero values specify that smashing has a value of "on", or the height dimension of the object is nonzero.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the height attribute in an `<mpadded>` element.

On save, OfficeArt Math in Word either writes a value of '0' or omits the height attribute in the `<mpadded>` element.

e. *The standard defines the attribute id, contained within the element `<mpadded>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute lspace, contained within the element <mpadded>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute style, contained within the element <mpadded>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the attribute width, contained within the element <mpadded>*

This attribute is supported in MathML in Word 2013.

A value of zero specifies that smashing has a value of "off", or the width dimension of the object has a value of zero. Nonzero values specify that smashing has a value of "on", or the width dimension of the object is nonzero.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the width attribute in an <mpadded> element.

On save, OfficeArt Math in Word either writes a value of '0' or omits the width attribute in the <mpadded> element.

i. *The standard defines the attribute xref, contained within the element <mpadded>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the element <mpadded>*

This element is supported in Excel 2013.

Padding in Excel is either normal or collapsed in any dimension.

On load, Excel displays elements with normal dimensions unless depth, height or width are set to '0', in which case they are collapsed in the corresponding dimension.

On save, Excel either writes a value of '0' or omits an attribute in the <mpadded> element.

k. *The standard defines the attribute class, contained within the element <mpadded>*

This attribute is not supported in Excel 2013.

l. *The standard defines the attribute depth, contained within the element <mpadded>*

This attribute is supported in Excel 2013.

On load, Excel reads the depth attribute in an <mpadded> element.

On save, Excel either writes a value of '0' or omits the depth attribute in the <mpadded> element.

m. *The standard defines the attribute height, contained within the element <mpadded>*

This attribute is supported in Excel 2013.

On load, Excel reads the height attribute in an `<mpadded>` element.

On save, Excel either writes a value of '0' or omits the height attribute in the `<mpadded>` element.

n. *The standard defines the attribute id, contained within the element <mpadded>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute lspace, contained within the element <mpadded>*

This attribute is not supported in Excel 2013.

p. *The standard defines the attribute style, contained within the element <mpadded>*

This attribute is not supported in Excel 2013.

q. *The standard defines the attribute width, contained within the element <mpadded>*

This attribute is supported in Excel 2013.

On load, Excel reads the width attribute in an `<mpadded>` element.

On save, Excel either writes a value of '0' or omits the width attribute in the `<mpadded>` element.

r. *The standard defines the attribute xref, contained within the element <mpadded>*

This attribute is not supported in Excel 2013.

s. *The standard defines the element <mpadded>*

This element is supported in PowerPoint 2013.

Padding in PowerPoint is either normal or collapsed in any dimension.

On load, PowerPoint displays elements with normal dimensions unless depth, height or width are set to '0', in which case they are collapsed in the corresponding dimension.

On save, PowerPoint either writes a value of '0' or omits an attribute in the `<mpadded>` element.

t. *The standard defines the attribute class, contained within the element <mpadded>*

This attribute is not supported in PowerPoint 2013.

u. *The standard defines the attribute depth, contained within the element <mpadded>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the depth attribute in an `<mpadded>` element.

On save, PowerPoint either writes a value of '0' or omits the depth attribute in the `<mpadded>` element.

v. *The standard defines the attribute height, contained within the element <mpadded>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the height attribute in an `<mpadded>` element.

On save, PowerPoint either writes a value of '0' or omits the height attribute in the `<mpadded>` element.

w. *The standard defines the attribute id, contained within the element <mpadded>*

This attribute is not supported in PowerPoint 2013.

x. *The standard defines the attribute lspace, contained within the element <mpadded>*

This attribute is not supported in PowerPoint 2013.

y. *The standard defines the attribute style, contained within the element <mpadded>*

This attribute is not supported in PowerPoint 2013.

z. *The standard defines the attribute width, contained within the element <mpadded>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the width attribute in an <mpadded> element.

On save, PowerPoint either writes a value of '0' or omits the width attribute in the <mpadded> element.

aa. *The standard defines the attribute xref, contained within the element <mpadded>*

This attribute is not supported in PowerPoint 2013.

2.1.334 MathML 2.0, Section 3.3.7, Making Sub-Expressions Invisible (mphantom)

a. *The standard defines the element <mphantom>*

This element is supported in MathML in Word 2013.

On save, to make a phantom visible, MathML in Word uses an <mpadded> element only (not <mphantom>). This is true whether the object is smashed or not.

On save, to make a phantom invisible with no smashing, MathML in Word uses an <mphantom> element only (not <mpadded>).

On save, to make a phantom invisible with smashing, MathML in Word uses an <mpadded> element nested inside an <mphantom> element.

On save, MathML in Word converts any smashing into the appropriate attribute of an <mpadded> element and sets the value to "0in". (For example, the OOXML construct <m:zeroWid m:val="on" /> maps to the MathML attribute width="0in").

On load, MathML in Word maps an <mphantom> element to a MathML in Word <omml:phant> element. Furthermore, if the <mphantom> element has exactly one child element and that child is an <mpadded> element, MathML in Word converts the <mpadded> element's attributes into MathML in Word smash properties (zeroWid, zeroDesc, zeroAsc) as specified in Note 6.

On load, MathML in Word converts the width, height, and depth attributes of the <mpadded> element into MathML in Word phantom properties zeroWid, zeroAsc, and zeroDesc, respectively.

Unless an <mpadded> element is the sole child of an <mphantom> element (in which case it would be handled by note 5), MathML in Word maps it to a MathML in Word <phant> element with the show attribute set to true.

This element is supported in OfficeArt Math in Word 2013.

- b. *The standard defines the attribute class, contained within the element <mphantom>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- c. *The standard defines the attribute id, contained within the element <mphantom>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- d. *The standard defines the attribute style, contained within the element <mphantom>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- e. *The standard defines the attribute xref, contained within the element <mphantom>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- f. *The standard defines the element <mphantom>*

This element is supported in Excel 2013.

- g. *The standard defines the attribute class, contained within the element <mphantom>*

This attribute is not supported in Excel 2013.

- h. *The standard defines the attribute id, contained within the element <mphantom>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style, contained within the element <mphantom>*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute xref, contained within the element <mphantom>*

This attribute is not supported in Excel 2013.

- k. *The standard defines the element <mphantom>*

This element is supported in PowerPoint 2013.

- l. *The standard defines the attribute class, contained within the element <mphantom>*

This attribute is not supported in PowerPoint 2013.

- m. *The standard defines the attribute id, contained within the element <mphantom>*

This attribute is not supported in PowerPoint 2013.

- n. *The standard defines the attribute style, contained within the element <mphantom>*

This attribute is not supported in PowerPoint 2013.

- o. *The standard defines the attribute xref, contained within the element <mphantom>*

This attribute is not supported in PowerPoint 2013.

2.1.335 MathML 2.0, Section 3.3.8, Expression Inside Pair of Fences (mfenced)

- a. *The standard defines the element <mfenced>*

This element is supported in Word 2013.

- b. *The standard defines the attribute class, contained within the element <mfenced>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- c. *The standard defines the attribute close, contained within the element <mfenced>*

This attribute is supported in Word 2013.

- d. *The standard defines the attribute id, contained within the element <mfenced>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- e. *The standard defines the attribute open, contained within the element <mfenced>*

This attribute is supported in Word 2013.

- f. *The standard defines the attribute separators, contained within the element <mfenced>*

This attribute is supported in MathML in Word 2013.

On load, MathML in Word only uses the first separator that is specified and discards all others. On save, MathML in Word only writes out a single separator.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the separators attribute in an <mfenced> element and uses only the first separator.

On save, OfficeArt Math in Word writes the separators attribute with a single separator in an <mfenced> element.

- g. *The standard defines the attribute style, contained within the element <mfenced>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- h. *The standard defines the attribute xref, contained within the element <mfenced>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the element <mfenced>*

This element is supported in Excel 2013.

j. *The standard defines the attribute class, contained within the element <mfenced>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute close, contained within the element <mfenced>*

This attribute is supported in Excel 2013.

l. *The standard defines the attribute id, contained within the element <mfenced>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute open, contained within the element <mfenced>*

This attribute is supported in Excel 2013.

n. *The standard defines the attribute separators, contained within the element <mfenced>*

This attribute is supported in Excel 2013.

On load, Excel reads the separators attribute in an <mfenced> element and uses only the first separator.

On save, Excel writes the separators attribute with a single separator in an <mfenced> element.

o. *The standard defines the attribute style, contained within the element <mfenced>*

This attribute is not supported in Excel 2013.

p. *The standard defines the attribute xref, contained within the element <mfenced>*

This attribute is not supported in Excel 2013.

q. *The standard defines the element <mfenced>*

This element is supported in PowerPoint 2013.

r. *The standard defines the attribute class, contained within the element <mfenced>*

This attribute is not supported in PowerPoint 2013.

s. *The standard defines the attribute close, contained within the element <mfenced>*

This attribute is supported in PowerPoint 2013.

t. *The standard defines the attribute id, contained within the element <mfenced>*

This attribute is not supported in PowerPoint 2013.

u. *The standard defines the attribute open, contained within the element <mfenced>*

This attribute is supported in PowerPoint 2013.

v. *The standard defines the attribute separators, contained within the element <mfenced>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the separators attribute in an `<mfenced>` element and uses only the first separator.

On save, PowerPoint writes the separators attribute with a single separator in an `<mfenced>` element.

w. *The standard defines the attribute style, contained within the element <mfenced>*

This attribute is not supported in PowerPoint 2013.

x. *The standard defines the attribute xref, contained within the element <mfenced>*

This attribute is not supported in PowerPoint 2013.

2.1.336 MathML 2.0, Section 3.3.9, Enclose Expression Inside Notation (menclose)

a. *The standard defines the element <menclose>*

This element is supported in Word 2013.

b. *The standard defines the attribute class, contained within the element <menclose>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute id, contained within the element <menclose>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute notation, contained within the element <menclose>*

This attribute is supported in Word 2013.

e. *The standard defines the property "(everything else)", contained within the attribute notation, contained within the element <menclose>*

This property is supported in Word 2013.

f. *The standard defines the property "actuarial", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in MathML in Word 2013.

This property is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the property "circle", contained within the attribute notation, contained within the element <menclose>*

This property is supported in MathML in Word 2013.

On load, MathML in Word converts a value of "circle" to the value of "box".

This property is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the property "longdiv", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in MathML in Word 2013.

This property is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the property "none", contained within the attribute notation, contained within the element <menclose>*

This property is supported in Word 2013.

On load, Word reads the 'none' value of the notation attribute as a box with invisible borders.

On save, Word writes the notation, 'none' to denote a box with invisible borders.

j. *The standard defines the property "radical", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in Word 2013.

k. *The standard defines the property "roundedbox", contained within the attribute notation, contained within the element <menclose>*

This property is supported in MathML in Word 2013.

On load, MathML in Word converts the value "roundedbox" to the value "box".

This property is not supported in OfficeArt Math in Word 2013.

l. *The standard defines the attribute style, contained within the element <menclose>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

m. *The standard defines the attribute xref, contained within the element <menclose>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

n. *The standard defines the element <menclose>*

This element is supported in Excel 2013.

o. *The standard defines the attribute class, contained within the element <menclose>*

This attribute is not supported in Excel 2013.

p. *The standard defines the attribute id, contained within the element <menclose>*

This attribute is not supported in Excel 2013.

q. *The standard defines the attribute notation, contained within the element <menclose>*

This attribute is supported in Excel 2013.

r. *The standard defines the property "(everything else)", contained within the attribute notation, contained within the element <menclose>*

This property is supported in Excel 2013.

s. *The standard defines the property "actuarial", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in Excel 2013.

t. *The standard defines the property "circle", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in Excel 2013.

u. *The standard defines the property "longdiv", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in Excel 2013.

v. *The standard defines the property "none", contained within the attribute notation, contained within the element <menclose>*

This property is supported in Excel 2013.

On load, Excel reads the 'none' value of the notation attribute as a box with invisible borders.

On save, Excel writes the notation, 'none' to denote a box with invisible borders.

w. *The standard defines the property "radical", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in Excel 2013.

x. *The standard defines the property "roundedbox", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in Excel 2013.

y. *The standard defines the attribute style, contained within the element <menclose>*

This attribute is not supported in Excel 2013.

z. *The standard defines the attribute xref, contained within the element <menclose>*

This attribute is not supported in Excel 2013.

aa. *The standard defines the element <menclose>*

This element is supported in PowerPoint 2013.

bb. *The standard defines the attribute class, contained within the element <menclose>*

This attribute is not supported in PowerPoint 2013.

cc. *The standard defines the attribute id, contained within the element <menclose>*

This attribute is not supported in PowerPoint 2013.

dd. *The standard defines the attribute notation, contained within the element <menclose>*

This attribute is supported in PowerPoint 2013.

ee. *The standard defines the property "(everything else)", contained within the attribute notation, contained within the element <menclose>*

This property is supported in PowerPoint 2013.

ff. *The standard defines the property "actuarial", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in PowerPoint 2013.

gg. *The standard defines the property "circle", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in PowerPoint 2013.

hh. *The standard defines the property "longdiv", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in PowerPoint 2013.

ii. *The standard defines the property "none", contained within the attribute notation, contained within the element <menclose>*

This property is supported in PowerPoint 2013.

On load, PowerPoint reads the 'none' value of the notation attribute as a box with invisible borders.

On save, PowerPoint writes the notation, 'none' to denote a box with invisible borders.

jj. *The standard defines the property "radical", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in PowerPoint 2013.

On load, PowerPoint reads the 'radical' value of the notation attribute in an <menclose> element.

On save, PowerPoint does not write the 'radical' value of the notation attribute in an <menclose> element.

kk. *The standard defines the property "roundedbox", contained within the attribute notation, contained within the element <menclose>*

This property is not supported in PowerPoint 2013.

ll. *The standard defines the attribute style, contained within the element <menclose>*

This attribute is not supported in PowerPoint 2013.

mm. *The standard defines the attribute xref, contained within the element <menclose>*

This attribute is not supported in PowerPoint 2013.

2.1.337 MathML 2.0, Section 3.4.1, Subscript (msub)

a. *The standard defines the element <msub>*

This element is supported in Word 2013.

- b. *The standard defines the attribute class, contained within the element <msub>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- c. *The standard defines the attribute id, contained within the element <msub>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- d. *The standard defines the attribute style, contained within the element <msub>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- e. *The standard defines the attribute subscriptshift, contained within the element <msub>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- f. *The standard defines the attribute xref, contained within the element <msub>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- g. *The standard defines the element <msub>*

This element is supported in Excel 2013.

- h. *The standard defines the attribute class, contained within the element <msub>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute id, contained within the element <msub>*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute style, contained within the element <msub>*

This attribute is not supported in Excel 2013.

- k. *The standard defines the attribute subscriptshift, contained within the element <msub>*

This attribute is not supported in Excel 2013.

- l. *The standard defines the attribute xref, contained within the element <msub>*

This attribute is not supported in Excel 2013.

- m. *The standard defines the element <msub>*

This element is supported in PowerPoint 2013.

n. *The standard defines the attribute class, contained within the element <msub>*

This attribute is not supported in PowerPoint 2013.

o. *The standard defines the attribute id, contained within the element <msub>*

This attribute is not supported in PowerPoint 2013.

p. *The standard defines the attribute style, contained within the element <msub>*

This attribute is not supported in PowerPoint 2013.

q. *The standard defines the attribute subscriptshift, contained within the element <msub>*

This attribute is not supported in PowerPoint 2013.

r. *The standard defines the attribute xref, contained within the element <msub>*

This attribute is not supported in PowerPoint 2013.

2.1.338 MathML 2.0, Section 3.4.2, Superscript (msup)

a. *The standard defines the element <msup>*

This element is supported in Word 2013.

b. *The standard defines the attribute class, contained within the element <msup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute id, contained within the element <msup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute style, contained within the element <msup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute superscriptshift, contained within the element <msup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute xref, contained within the element <msup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the element <msup>*

This element is supported in Excel 2013.

h. *The standard defines the attribute class, contained within the element <msup>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute id, contained within the element <msup>*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute style, contained within the element <msup>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute superscriptshift, contained within the element <msup>*

This attribute is not supported in Excel 2013.

l. *The standard defines the attribute xref, contained within the element <msup>*

This attribute is not supported in Excel 2013.

m. *The standard defines the element <msup>*

This element is supported in PowerPoint 2013.

n. *The standard defines the attribute class, contained within the element <msup>*

This attribute is not supported in PowerPoint 2013.

o. *The standard defines the attribute id, contained within the element <msup>*

This attribute is not supported in PowerPoint 2013.

p. *The standard defines the attribute style, contained within the element <msup>*

This attribute is not supported in PowerPoint 2013.

q. *The standard defines the attribute superscriptshift, contained within the element <msup>*

This attribute is not supported in PowerPoint 2013.

r. *The standard defines the attribute xref, contained within the element <msup>*

This attribute is not supported in PowerPoint 2013.

2.1.339 MathML 2.0, Section 3.4.3, Subscript-superscript Pair (msubsup)

a. *The standard defines the element <msubsup>*

This element is supported in Word 2013.

b. *The standard defines the attribute class, contained within the element <msubsup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute id, contained within the element <msubsup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute style, contained within the element <msubsup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute subscriptshift, contained within the element <msubsup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute superscriptshift, contained within the element <msubsup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute xref, contained within the element <msubsup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the element <msubsup>*

This element is supported in Excel 2013.

i. *The standard defines the attribute class, contained within the element <msubsup>*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute id, contained within the element <msubsup>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute style, contained within the element <msubsup>*

This attribute is not supported in Excel 2013.

l. *The standard defines the attribute subscriptshift, contained within the element <msubsup>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute superscriptshift, contained within the element <msubsup>*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute xref, contained within the element <msubsup>*

This attribute is not supported in Excel 2013.

o. *The standard defines the element <msubsup>*

This element is supported in PowerPoint 2013.

p. *The standard defines the attribute class, contained within the element <msubsup>*

This attribute is not supported in PowerPoint 2013.

q. *The standard defines the attribute id, contained within the element <msubsup>*

This attribute is not supported in PowerPoint 2013.

r. *The standard defines the attribute style, contained within the element <msubsup>*

This attribute is not supported in PowerPoint 2013.

s. *The standard defines the attribute subscriptshift, contained within the element <msubsup>*

This attribute is not supported in PowerPoint 2013.

t. *The standard defines the attribute superscriptshift, contained within the element <msubsup>*

This attribute is not supported in PowerPoint 2013.

u. *The standard defines the attribute xref, contained within the element <msubsup>*

This attribute is not supported in PowerPoint 2013.

2.1.340 MathML 2.0, Section 3.4.4, Underscript (munder)

a. *The standard defines the element <munder>*

This element is supported in MathML in Word 2013.

On load, MathML in Word maps an <munder> element to one of four different elements: <nAry>, <underbar>, <groupChr>, or <limLow>. MathML in Word identifies the type of <munder> element using the following criteria:

MathML in Word maps an <munder> element to an <nAry> element when the following conditions are true:

- the accentunder attribute is false
- the first child of the <munder> element is an nAry operator.
- the operator is not contained inside any structure other than an <mml:mo>, <mml:mstyle>, or <mml:mrow> element

MathML in Word maps an <munder> element to an <underbar> element when the following conditions are true:

- the accentunder attribute is false
- the second child of an <munder> element is a <mo> element
- the operator of the second child equals 0x0332

MathML in Word maps an <munder> element to a <groupchr> element when the following conditions are true:

- when the accentunder attribute is false
- one child of the <munder> element is an <mrow> element and another child is a <mo> element

- the number of chars in the `<mo>` element is less than or equal to 1

Otherwise, MathML in Word maps the `<munder>` element to the `<limLow>` element.

This element is supported in OfficeArt Math in Word 2013.

- b. *The standard defines the attribute `accentunder`, contained within the element `<munder>`*

This attribute is supported in Word 2013.

- c. *The standard defines the attribute `class`, contained within the element `<munder>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- d. *The standard defines the attribute `id`, contained within the element `<munder>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- e. *The standard defines the attribute `style`, contained within the element `<munder>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- f. *The standard defines the attribute `xref`, contained within the element `<munder>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

- g. *The standard defines the element `<munder>`*

This element is supported in Excel 2013.

- h. *The standard defines the attribute `accentunder`, contained within the element `<munder>`*

This attribute is supported in Excel 2013.

- i. *The standard defines the attribute `class`, contained within the element `<munder>`*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute `id`, contained within the element `<munder>`*

This attribute is not supported in Excel 2013.

- k. *The standard defines the attribute `style`, contained within the element `<munder>`*

This attribute is not supported in Excel 2013.

- l. *The standard defines the attribute `xref`, contained within the element `<munder>`*

This attribute is not supported in Excel 2013.

- m. *The standard defines the element `<munder>`*

This element is supported in PowerPoint 2013.

n. *The standard defines the attribute accentunder, contained within the element <munder>*

This attribute is supported in PowerPoint 2013.

o. *The standard defines the attribute class, contained within the element <munder>*

This attribute is not supported in PowerPoint 2013.

p. *The standard defines the attribute id, contained within the element <munder>*

This attribute is not supported in PowerPoint 2013.

q. *The standard defines the attribute style, contained within the element <munder>*

This attribute is not supported in PowerPoint 2013.

r. *The standard defines the attribute xref, contained within the element <munder>*

This attribute is not supported in PowerPoint 2013.

2.1.341 MathML 2.0, Section 3.4.5, Overscript (mover)

a. *The standard defines the element <mover>*

This element is supported in MathML in Word 2013.

On load, MathML in Word maps a <mover> element to one of five different elements: <nAry>, <overbar>, <accent>, <groupChr>, or <limUpp>. MathML in Word identifies the type of <mover> element using the following criteria:

MathML in Word maps a <mover> element to an <nAry> element when the following conditions are true:

- the accent attribute is false
- the core of the <mover> element is an nAry operator
- the operator is not contained inside any structure other than an <mml:mo>, <mml:mstyle>, or <mml:mrow> element

MathML in Word maps a <mover> element to an <overbar> element when the following conditions are true:

- the accent attribute is false
- the second child of the <mover> element is a <mo> element
- the operator equals 0xAF

MathML in Word maps a <mover> element to an <accent> element when the following conditions are true:

- the accent attribute is true
- the second child of the <mover> element is a <mo> element
- the string-length of the operator is 1

MathML in Word maps a `<mover>` element to a `<groupChr>` element when the following conditions are true:

- the accent attribute is false
- one child of the `<mover>` element is an `<mrow>` element and another child is a `<mo>` element
- the number of characters in the `<mo>` element is less than or equal to 1

Otherwise, MathML in Word maps a `<mover>` element to a `<limUpp>` element.

This element is supported in OfficeArt Math in Word 2013.

b. *The standard defines the attribute accent, contained within the element <mover>*

This attribute is supported in Word 2013.

c. *The standard defines the attribute class, contained within the element <mover>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute id, contained within the element <mover>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute style, contained within the element <mover>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute xref, contained within the element <mover>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the element <mover>*

This element is supported in Excel 2013.

h. *The standard defines the attribute accent, contained within the element <mover>*

This attribute is supported in Excel 2013.

i. *The standard defines the attribute class, contained within the element <mover>*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute id, contained within the element <mover>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute style, contained within the element <mover>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute xref, contained within the element <mover>*

This attribute is not supported in Excel 2013.

- m. *The standard defines the element <mover>*

This element is supported in PowerPoint 2013.

- n. *The standard defines the attribute accent, contained within the element <mover>*

This attribute is supported in PowerPoint 2013.

- o. *The standard defines the attribute class, contained within the element <mover>*

This attribute is not supported in PowerPoint 2013.

- p. *The standard defines the attribute id, contained within the element <mover>*

This attribute is not supported in PowerPoint 2013.

- q. *The standard defines the attribute style, contained within the element <mover>*

This attribute is not supported in PowerPoint 2013.

- r. *The standard defines the attribute xref, contained within the element <mover>*

This attribute is not supported in PowerPoint 2013.

2.1.342 MathML 2.0, Section 3.4.6, Underscript-overscript Pair (*munderover*)

- a. *The standard defines the element <munderover>*

This element is supported in MathML in Word 2013.

On load, MathML in Word maps an *<munderover>* element to one of two different elements: an *<nAry>* element or a *<limLow>* element nested inside a *<limUpp>* element.

MathML in Word maps an *<munderover>* element to an *<nAry>* element when the following conditions are true:

- the accent attribute is false
- the first child of the *<munder>* element is an nAry operator
- the operator is not contained inside any elements other than an *<mml:mo>*, *<mml:mstyle>*, or *<mml:mrow>*

Otherwise, the *<munderover>* element is mapped to a *<limLow>* element that is nested inside a *<limUpp>* element.

This element is supported in OfficeArt Math in Word 2013.

- b. *The standard defines the attribute accent, contained within the element <munderover>*

This attribute is supported in Word 2013.

On load, Word reads the accent attribute in an *<munderover>* element.

On save, Word does not write the accent attribute in an `<munderover>` element.

c. *The standard defines the attribute accentunder, contained within the element `<munderover>`*

This attribute is supported in Word 2013.

On load, Word reads the accentunder attribute in an `<munderover>` element.

On save, Word does not write the accentunder attribute in an `<munderover>` element.

d. *The standard defines the attribute class, contained within the element `<munderover>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute id, contained within the element `<munderover>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute style, contained within the element `<munderover>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute xref, contained within the element `<munderover>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the element `<munderover>`*

This element is supported in Excel 2013.

i. *The standard defines the attribute accent, contained within the element `<munderover>`*

This attribute is supported in Excel 2013.

On load, Excel reads the accent attribute in an `<munderover>` element.

On save, Excel does not write the accent attribute in an `<munderover>` element.

j. *The standard defines the attribute accentunder, contained within the element `<munderover>`*

This attribute is supported in Excel 2013.

On load, Excel reads the accentunder attribute in an `<munderover>` element.

On save, Excel does not write the accentunder attribute in an `<munderover>` element.

k. *The standard defines the attribute class, contained within the element `<munderover>`*

This attribute is not supported in Excel 2013.

l. *The standard defines the attribute id, contained within the element `<munderover>`*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute style, contained within the element <munderover>*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute xref, contained within the element <munderover>*

This attribute is not supported in Excel 2013.

o. *The standard defines the element <munderover>*

This element is supported in PowerPoint 2013.

p. *The standard defines the attribute accent, contained within the element <munderover>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the accent attribute in an <munderover> element.

On save, PowerPoint does not write the accent attribute in an <munderover> element.

q. *The standard defines the attribute accentunder, contained within the element <munderover>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the accentunder attribute in an <munderover> element.

On save, PowerPoint does not write the accentunder attribute in an <munderover> element.

r. *The standard defines the attribute class, contained within the element <munderover>*

This attribute is not supported in PowerPoint 2013.

s. *The standard defines the attribute id, contained within the element <munderover>*

This attribute is not supported in PowerPoint 2013.

t. *The standard defines the attribute style, contained within the element <munderover>*

This attribute is not supported in PowerPoint 2013.

u. *The standard defines the attribute xref, contained within the element <munderover>*

This attribute is not supported in PowerPoint 2013.

2.1.343 MathML 2.0, Section 3.4.7, Prescripts and Tensor Indices (mmultiscripts)

a. *The standard defines the element <mmultiscripts>*

This element is supported in MathML in Word 2013.

On load, MathML in Word maps the <mmultiscripts> element to a combination of the following elements:

<sSubSup>

<sSub>

<sSup>

<sPre>

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the <mmultiscripts> element.

On save, OfficeArt Math in Word writes the <mmultiscripts> element if prescripts are present.

b. *The standard defines the attribute class, contained within the element <mmultiscripts>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute id, contained within the element <mmultiscripts>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute style, contained within the element <mmultiscripts>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute subscriptshift, contained within the element <mmultiscripts>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute superscriptshift, contained within the element <mmultiscripts>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute xref, contained within the element <mmultiscripts>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the element <mmultiscripts>*

This element is supported in Excel 2013.

On load, Excel reads the <mmultiscripts> element.

On save, Excel writes the <mmultiscripts> element if prescripts are present.

i. *The standard defines the attribute class, contained within the element <mmultiscripts>*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute id, contained within the element <mmultiscripts>*
This attribute is not supported in Excel 2013.
- k. *The standard defines the attribute style, contained within the element <mmultiscripts>*
This attribute is not supported in Excel 2013.
- l. *The standard defines the attribute subscriptshift, contained within the element <mmultiscripts>*
This attribute is not supported in Excel 2013.
- m. *The standard defines the attribute superscriptshift, contained within the element <mmultiscripts>*
This attribute is not supported in Excel 2013.
- n. *The standard defines the attribute xref, contained within the element <mmultiscripts>*
This attribute is not supported in Excel 2013.
- o. *The standard defines the element <mmultiscripts>*
This element is supported in PowerPoint 2013.
On load, PowerPoint reads the <mmultiscripts> element.
On save, PowerPoint writes the <mmultiscripts> element if prescripts are present.
- p. *The standard defines the attribute class, contained within the element <mmultiscripts>*
This attribute is not supported in PowerPoint 2013.
- q. *The standard defines the attribute id, contained within the element <mmultiscripts>*
This attribute is not supported in PowerPoint 2013.
- r. *The standard defines the attribute style, contained within the element <mmultiscripts>*
This attribute is not supported in PowerPoint 2013.
- s. *The standard defines the attribute subscriptshift, contained within the element <mmultiscripts>*
This attribute is not supported in PowerPoint 2013.
- t. *The standard defines the attribute superscriptshift, contained within the element <mmultiscripts>*
This attribute is not supported in PowerPoint 2013.
- u. *The standard defines the attribute xref, contained within the element <mmultiscripts>*
This attribute is not supported in PowerPoint 2013.

2.1.344 MathML 2.0, Section 3.5.1, Table or Matrix (mtable)

- a. *The standard defines the element <mtable>*
This element is supported in MathML in Word 2013.

On load, MathML in Word may transform a MathML `<mtable>` element into either an equation array (`<omml: eqArray>` element) or a matrix (`<omml: m>` element).

MathML in Word transforms an `<mtable>` element as an `<omml: eqArray>` element if the following conditions are true:

no frame lines

no column lines

no row lines

all rows have exactly one column

no labeled rows

Otherwise, MathML in Word transforms an `<mtable>` element as an `<omml: m>` element.

This element is supported in OfficeArt Math in Word 2013.

b. *The standard defines the attribute align, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute alignmentscope, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute class, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute columnalign, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute columnlines, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the columnlines attribute in an `<mtable>` element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, OfficeArt Math in Word does not write the columnlines attribute in an `<mtable>` element.

g. *The standard defines the attribute columnspacing, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the attribute columnwidth, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute displaystyle, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the attribute equalcolumns, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

k. *The standard defines the attribute equalrows, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

l. *The standard defines the attribute frame, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the frame attribute in an <table> element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, OfficeArt Math in Word does not write the frame attribute in an <table> element.

m. *The standard defines the attribute framespacing, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

n. *The standard defines the attribute groupalign, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the groupalign attribute in an <table> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, OfficeArt Math in Word does not write the groupalign attribute in an <table> element.

o. *The standard defines the attribute id, contained within the element <table>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

p. *The standard defines the attribute minlabelspacing, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

q. *The standard defines the attribute rowalign, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

r. *The standard defines the attribute rowlines, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the rowlines attribute in an <mtable> element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, OfficeArt Math in Word does not write the rowlines attribute in an <mtable> element.

s. *The standard defines the attribute rowspacing, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

t. *The standard defines the attribute side, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

u. *The standard defines the attribute style, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

v. *The standard defines the attribute width, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

w. *The standard defines the attribute xref, contained within the element <mtable>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

x. *The standard defines the element <mtable>*

This element is supported in Excel 2013.

y. *The standard defines the attribute align, contained within the element <mtable>*

This attribute is not supported in Excel 2013.

z. The standard defines the attribute alignmentscope, contained within the element <table>

This attribute is not supported in Excel 2013.

aa. The standard defines the attribute class, contained within the element <table>

This attribute is not supported in Excel 2013.

bb. The standard defines the attribute columnalign, contained within the element <table>

This attribute is not supported in Excel 2013.

cc. The standard defines the attribute columnlines, contained within the element <table>

This attribute is supported in Excel 2013.

On load, Excel reads the columnlines attribute in an <table> element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, Excel does not write the columnlines attribute in an <table> element.

dd. The standard defines the attribute columnspacing, contained within the element <table>

This attribute is not supported in Excel 2013.

ee. The standard defines the attribute columnwidth, contained within the element <table>

This attribute is not supported in Excel 2013.

ff. The standard defines the attribute displaystyle, contained within the element <table>

This attribute is not supported in Excel 2013.

gg. The standard defines the attribute equalcolumns, contained within the element <table>

This attribute is not supported in Excel 2013.

hh. The standard defines the attribute equalrows, contained within the element <table>

This attribute is not supported in Excel 2013.

ii. The standard defines the attribute frame, contained within the element <table>

This attribute is supported in Excel 2013.

On load, Excel reads the frame attribute in an <table> element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, Excel does not write the frame attribute in an <table> element.

jj. The standard defines the attribute framespacing, contained within the element <table>

This attribute is not supported in Excel 2013.

kk. The standard defines the attribute groupalign, contained within the element <table>

This attribute is supported in Excel 2013.

On load, Excel reads the groupalign attribute in an `<table>` element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, Excel does not write the groupalign attribute in an `<table>` element.

II. *The standard defines the attribute id, contained within the element <table>*

This attribute is not supported in Excel 2013.

mm. *The standard defines the attribute minlabelspacing, contained within the element <table>*

This attribute is not supported in Excel 2013.

nn. *The standard defines the attribute rowalign, contained within the element <table>*

This attribute is not supported in Excel 2013.

oo. *The standard defines the attribute rowlines, contained within the element <table>*

This attribute is supported in Excel 2013.

On load, Excel reads the rowlines attribute in an `<table>` element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, Excel does not write the rowlines attribute in an `<table>` element.

pp. *The standard defines the attribute rowspacing, contained within the element <table>*

This attribute is not supported in Excel 2013.

qq. *The standard defines the attribute side, contained within the element <table>*

This attribute is not supported in Excel 2013.

rr. *The standard defines the attribute style, contained within the element <table>*

This attribute is not supported in Excel 2013.

ss. *The standard defines the attribute width, contained within the element <table>*

This attribute is not supported in Excel 2013.

tt. *The standard defines the attribute xref, contained within the element <table>*

This attribute is not supported in Excel 2013.

uu. *The standard defines the element <table>*

This element is supported in PowerPoint 2013.

vv. *The standard defines the attribute align, contained within the element <table>*

This attribute is not supported in PowerPoint 2013.

ww. *The standard defines the attribute alignmentscope, contained within the element <table>*

This attribute is not supported in PowerPoint 2013.

xx. *The standard defines the attribute class, contained within the element <table>*

This attribute is not supported in PowerPoint 2013.

yy. The standard defines the attribute `columnalign`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

zz. The standard defines the attribute `columnlines`, contained within the element `<mtable>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the `columnlines` attribute in an `<mtable>` element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, PowerPoint does not write the `columnlines` attribute in an `<mtable>` element.

aaa. The standard defines the attribute `columnspacing`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

bbb. The standard defines the attribute `columnwidth`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

ccc. The standard defines the attribute `displaystyle`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

ddd. The standard defines the attribute `equalcolumns`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

eee. The standard defines the attribute `equalrows`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

fff. The standard defines the attribute `frame`, contained within the element `<mtable>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the `frame` attribute in an `<mtable>` element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, PowerPoint does not write the `frame` attribute in an `<mtable>` element.

ggg. The standard defines the attribute `framespacing`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

hhh. The standard defines the attribute `groupalign`, contained within the element `<mtable>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the `groupalign` attribute in an `<mtable>` element. Only the 'left' and 'right' values of the `groupalign` attribute are supported. On save, PowerPoint does not write the `groupalign` attribute in an `<mtable>` element.

iii. The standard defines the attribute `id`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

jjj. The standard defines the attribute `minlabelspacing`, contained within the element `<mtable>`

This attribute is not supported in PowerPoint 2013.

kkk. *The standard defines the attribute rowalign, contained within the element <mtable>*

This attribute is not supported in PowerPoint 2013.

III. *The standard defines the attribute rowlines, contained within the element <mtable>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the rowlines attribute in an <mtable> element. The presence of this attribute identifies the content in this element as a matrix, rather than an equation array.

On save, PowerPoint does not write the rowlines attribute in an <mtable> element.

mmm. *The standard defines the attribute rowspacing, contained within the element <mtable>*

This attribute is not supported in PowerPoint 2013.

nnn. *The standard defines the attribute side, contained within the element <mtable>*

This attribute is not supported in PowerPoint 2013.

ooo. *The standard defines the attribute style, contained within the element <mtable>*

This attribute is not supported in PowerPoint 2013.

ppp. *The standard defines the attribute width, contained within the element <mtable>*

This attribute is not supported in PowerPoint 2013.

qqq. *The standard defines the attribute xref, contained within the element <mtable>*

This attribute is not supported in PowerPoint 2013.

2.1.345 MathML 2.0, Section 3.5.2, Row in Table or Matrix (mtr)

a. *The standard defines the element <mtr>*

This element is supported in Word 2013.

b. *The standard defines the attribute class, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute columnalign, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute groupalign, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the groupalign attribute in an `<mtr>` element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, OfficeArt Math in Word does not write the groupalign attribute in an `<mtr>` element.

e. *The standard defines the attribute id, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute rowalign, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute style, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the attribute xref, contained within the element <mtr>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the element <mtr>*

This element is supported in Excel 2013.

j. *The standard defines the attribute class, contained within the element <mtr>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute columnalign, contained within the element <mtr>*

This attribute is not supported in Excel 2013.

l. *The standard defines the attribute groupalign, contained within the element <mtr>*

This attribute is supported in Excel 2013.

On load, Excel reads the groupalign attribute in an `<mtr>` element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, Excel does not write the groupalign attribute in an `<mtr>` element.

m. *The standard defines the attribute id, contained within the element <mtr>*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute rowalign, contained within the element <mtr>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute style, contained within the element <mtr>*

This attribute is not supported in Excel 2013.

p. *The standard defines the attribute xref, contained within the element <mtr>*

This attribute is not supported in Excel 2013.

q. *The standard defines the element <mtr>*

This element is supported in PowerPoint 2013.

r. *The standard defines the attribute class, contained within the element <mtr>*

This attribute is not supported in PowerPoint 2013.

s. *The standard defines the attribute columnalign, contained within the element <mtr>*

This attribute is not supported in PowerPoint 2013.

t. *The standard defines the attribute groupalign, contained within the element <mtr>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the groupalign attribute in an <mtr> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, PowerPoint does not write the groupalign attribute in an <mtr> element.

u. *The standard defines the attribute id, contained within the element <mtr>*

This attribute is not supported in PowerPoint 2013.

v. *The standard defines the attribute rowalign, contained within the element <mtr>*

This attribute is not supported in PowerPoint 2013.

w. *The standard defines the attribute style, contained within the element <mtr>*

This attribute is not supported in PowerPoint 2013.

x. *The standard defines the attribute xref, contained within the element <mtr>*

This attribute is not supported in PowerPoint 2013.

2.1.346 MathML 2.0, Section 3.5.3, Labeled Row in Table or Matrix (mlabeledtr)

a. *The standard defines the element <mlabeledtr>*

This element is supported in MathML in Word 2013.

On load, MathML in Word converts <mlabeldtr> elements into <mtr> elements.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the <mlabeledtr> element. The label argument is ignored, making an <mlabeledtr> element equivalent to an <mtr> element.

On save, OfficeArt Math in Word does not write the <mlabeledtr> element.

b. *The standard defines the element <mlabeledtr>*

This element is supported in Excel 2013.

On load, Excel reads the `<mlabeledtr>` element. The label argument is ignored, making an `<mlabeledtr>` element equivalent to an `<mtr>` element.

On save, Excel does not write the `<mlabeledtr>` element.

c. *The standard defines the element `<mlabeledtr>`*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads the `<mlabeledtr>` element. The label argument is ignored, making an `<mlabeledtr>` element equivalent to an `<mtr>` element.

On save, PowerPoint does not write the `<mlabeledtr>` element.

2.1.347 MathML 2.0, Section 3.5.4, Entry in Table or Matrix (`mtd`)

a. *The standard defines the element `<mtd>`*

This element is supported in Word 2013.

b. *The standard defines the attribute `class`, contained within the element `<mtd>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute `columnalign`, contained within the element `<mtd>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute `colspan`, contained within the element `<mtd>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute `groupalign`, contained within the element `<mtd>`*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the `groupalign` attribute in an `<mtd>` element. Only the 'left' and 'right' values of the `groupalign` attribute are supported. On save, OfficeArt Math in Word does not write the `groupalign` attribute in an `<mtd>` element.

f. *The standard defines the attribute `id`, contained within the element `<mtd>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute `rowalign`, contained within the element `<mtd>`*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the attribute rowspan, contained within the element <mtd>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute style, contained within the element <mtd>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the attribute xref, contained within the element <mtd>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

k. *The standard defines the element <mtd>*

This element is supported in Excel 2013.

l. *The standard defines the attribute class, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute columnalign, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute colspan, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute groupalign, contained within the element <mtd>*

This attribute is supported in Excel 2013.

On load, Excel reads the groupalign attribute in an <mtd> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, Excel does not write the groupalign attribute in an <mtd> element.

p. *The standard defines the attribute id, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

q. *The standard defines the attribute rowalign, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

r. *The standard defines the attribute rowspan, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

s. *The standard defines the attribute style, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

t. *The standard defines the attribute xref, contained within the element <mtd>*

This attribute is not supported in Excel 2013.

- u. *The standard defines the element <mtd>*

This element is supported in PowerPoint 2013.

- v. *The standard defines the attribute class, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- w. *The standard defines the attribute columnalign, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- x. *The standard defines the attribute colspan, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- y. *The standard defines the attribute groupalign, contained within the element <mtd>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the groupalign attribute in an <mtd> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, PowerPoint does not write the groupalign attribute in an <mtd> element.

- z. *The standard defines the attribute id, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- aa. *The standard defines the attribute rowalign, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- bb. *The standard defines the attribute rowspan, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- cc. *The standard defines the attribute style, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

- dd. *The standard defines the attribute xref, contained within the element <mtd>*

This attribute is not supported in PowerPoint 2013.

2.1.348 MathML 2.0, Section 3.5.5.4, Specifying alignment points using **malignmark**

- a. *The standard defines the element <maligngroup>*

This element is supported in MathML in Word 2013.

On load, MathML in Word ignores the <maligngroup> element when the element is not inside a table that MathML in Word interprets as an equation array.

This element is supported in OfficeArt Math in Word 2013.

- b. *The standard defines the attribute class, contained within the element <maligngroup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute groupalign, contained within the element <maligngroup>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the groupalign attribute in an <maligngroup> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, OfficeArt Math in Word does not write the groupalign attribute in an <maligngroup> element.

d. *The standard defines the attribute id, contained within the element <maligngroup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute style, contained within the element <maligngroup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

f. *The standard defines the attribute xref, contained within the element <maligngroup>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the element <malignmark>*

This element is supported in Word 2013.

On load, Word ignores the <malignmark> element when the element is not inside a table that Word interprets as an equation array.

h. *The standard defines the attribute class, contained within the element <malignmark>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute edge, contained within the element <malignmark>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

j. *The standard defines the attribute id, contained within the element <malignmark>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

k. *The standard defines the attribute style, contained within the element <malignmark>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

i. *The standard defines the attribute xref, contained within the element <malignmark>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

m. *The standard defines the element <maligngroup>*

This element is supported in Excel 2013.

n. *The standard defines the attribute class, contained within the element <maligngroup>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute groupalign, contained within the element <maligngroup>*

This attribute is supported in Excel 2013.

On load, Excel reads the groupalign attribute in an <maligngroup> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, Excel does not write the groupalign attribute in an <maligngroup> element.

p. *The standard defines the attribute id, contained within the element <maligngroup>*

This attribute is not supported in Excel 2013.

q. *The standard defines the attribute style, contained within the element <maligngroup>*

This attribute is not supported in Excel 2013.

r. *The standard defines the attribute xref, contained within the element <maligngroup>*

This attribute is not supported in Excel 2013.

s. *The standard defines the attribute class, contained within the element <malignmark>*

This attribute is not supported in Excel 2013.

t. *The standard defines the attribute edge, contained within the element <malignmark>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute id, contained within the element <malignmark>*

This attribute is not supported in Excel 2013.

v. *The standard defines the attribute style, contained within the element <malignmark>*

This attribute is not supported in Excel 2013.

w. *The standard defines the attribute xref, contained within the element <malignmark>*

This attribute is not supported in Excel 2013.

x. *The standard defines the element <maligngroup>*

This element is supported in PowerPoint 2013.

y. *The standard defines the attribute class, contained within the element <maligngroup>*

This attribute is not supported in PowerPoint 2013.

z. *The standard defines the attribute groupalign, contained within the element <maligngroup>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the groupalign attribute in an <maligngroup> element. Only the 'left' and 'right' values of the groupalign attribute are supported. On save, PowerPoint does not write the groupalign attribute in an <maligngroup> element.

aa. *The standard defines the attribute id, contained within the element <maligngroup>*

This attribute is not supported in PowerPoint 2013.

bb. *The standard defines the attribute style, contained within the element <maligngroup>*

This attribute is not supported in PowerPoint 2013.

cc. *The standard defines the attribute xref, contained within the element <maligngroup>*

This attribute is not supported in PowerPoint 2013.

dd. *The standard defines the attribute class, contained within the element <malignmark>*

This attribute is not supported in PowerPoint 2013.

ee. *The standard defines the attribute edge, contained within the element <malignmark>*

This attribute is not supported in PowerPoint 2013.

ff. *The standard defines the attribute id, contained within the element <malignmark>*

This attribute is not supported in PowerPoint 2013.

gg. *The standard defines the attribute style, contained within the element <malignmark>*

This attribute is not supported in PowerPoint 2013.

hh. *The standard defines the attribute xref, contained within the element <malignmark>*

This attribute is not supported in PowerPoint 2013.

2.1.349 MathML 2.0, Section 3.6.1, Bind Action to Sub-Expression (maction)

a. *The standard defines the element <maction>*

This element is not supported in MathML in Word 2013.

This element is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the <maction> element. Content other than the sub-expression identified by the selection attribute is ignored.

On save, OfficeArt Math in Word does not write the <maction> element.

b. *The standard defines the attribute actiontype, contained within the element <maction>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

c. *The standard defines the attribute class, contained within the element <maction>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

d. *The standard defines the attribute id, contained within the element <maction>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

e. *The standard defines the attribute selection, contained within the element <maction>*

This attribute is not supported in MathML in Word 2013.

This attribute is supported in OfficeArt Math in Word 2013.

On load, OfficeArt Math in Word reads the selection attribute in an <maction> element.

On save, OfficeArt Math in Word does not write the selection attribute in an <maction> element.

f. *The standard defines the attribute style, contained within the element <maction>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

g. *The standard defines the attribute xref, contained within the element <maction>*

This attribute is not supported in MathML in Word 2013.

This attribute is not supported in OfficeArt Math in Word 2013.

h. *The standard defines the element <maction>*

This element is supported in Excel 2013.

On load, Excel reads the <maction> element. Content other than the sub-expression identified by the selection attribute is ignored.

On save, Excel does not write the <maction> element.

i. *The standard defines the attribute actiontype, contained within the element <maction>*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute class, contained within the element <maction>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute id, contained within the element <maction>*

This attribute is not supported in Excel 2013.

l. *The standard defines the attribute selection, contained within the element <maction>*

This attribute is supported in Excel 2013.

On load, Excel reads the selection attribute in an `<maction>` element.

On save, Excel does not write the selection attribute in an `<maction>` element.

m. *The standard defines the attribute style, contained within the element `<maction>`*

This attribute is not supported in Excel 2013.

n. *The standard defines the attribute xref, contained within the element `<maction>`*

This attribute is not supported in Excel 2013.

o. *The standard defines the element `<maction>`*

This element is supported in PowerPoint 2013.

On load, PowerPoint reads the `<maction>` element. Content other than the sub-expression identified by the selection attribute is ignored.

On save, PowerPoint does not write the `<maction>` element.

p. *The standard defines the attribute actiontype, contained within the element `<maction>`*

This attribute is not supported in PowerPoint 2013.

q. *The standard defines the attribute class, contained within the element `<maction>`*

This attribute is not supported in PowerPoint 2013.

r. *The standard defines the attribute id, contained within the element `<maction>`*

This attribute is not supported in PowerPoint 2013.

s. *The standard defines the attribute selection, contained within the element `<maction>`*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint reads the selection attribute in an `<maction>` element.

On save, PowerPoint does not write the selection attribute in an `<maction>` element.

t. *The standard defines the attribute style, contained within the element `<maction>`*

This attribute is not supported in PowerPoint 2013.

u. *The standard defines the attribute xref, contained within the element `<maction>`*

This attribute is not supported in PowerPoint 2013.

2.1.350 Part 1 Section 14.6.2, `text:dde-connection-decls`

a. *The standard defines the element `<text:dde-connection-decls>`*

This element is not supported in Word 2013.

b. *The standard defines the element `<text:dde-connection-decls>`*

This element is not supported in Excel 2013.

c. *The standard defines the element <text:dde-connection-decl>*

This element is not supported in PowerPoint 2013.

2.1.351 Part 1 Section 14.6.3, text:dde-connection-decl

a. *The standard defines the element <text:dde-connection-decl>*

This element is not supported in Word 2013.

2.1.352 Part 1 Section 14.6.5, office:dde-source

a. *The standard defines the element <office:dde-source>*

This element is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <text:section-source-dde>, contained within the parent element <text:section>*

This element is not supported in Word 2013.

c. *The standard defines the element <office:dde-source>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- d. *The standard defines the element <office:dde-source>*

This element is not supported in PowerPoint 2013.

- e. *The standard defines the element <office:dde-source>, contained within the parent element <table:table>*

This element is not supported in PowerPoint 2013.

2.1.353 Part 1 Section 15.2.3, anim:animateTransform

- a. *The standard defines the element <anim:animateTransform>*

This element is not supported in PowerPoint 2013.

2.1.354 Part 1 Section 15.2.6, anim:animateColor

- a. *The standard defines the element <anim:animateColor>*

This element is not supported in PowerPoint 2013.

2.1.355 Part 1 Section 15.5, anim:audio

- a. *The standard defines the element <anim:audio>*

This element is not supported in PowerPoint 2013.

2.1.356 Part 1 Section 15.6.1, anim:command

- a. *The standard defines the property "custom", contained within the attribute anim:command*

This property is not supported in PowerPoint 2013.

- b. *The standard defines the property "stop-audio", contained within the attribute anim:command*

This property is not supported in PowerPoint 2013.

2.1.357 Part 1 Section 16.2, style:style

- a. *The standard defines the property "dashed", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Word 2013.

- b. *The standard defines the property "dot-dashed", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Word 2013.

- c. *The standard defines the property "dotted", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Word 2013.

- d. *The standard defines the element <style:style>*

Word 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

e. *The standard defines the element <anyAttListOrElements>*

This element is not supported in Excel 2013.

f. *The standard defines the element <anyElements>, contained within the parent element <anyAttListOrElements>*

This element is not supported in Excel 2013.

g. *The standard defines the property "dashed", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Excel 2013.

h. *The standard defines the property "dot-dashed", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Excel 2013.

i. *The standard defines the property "dotted", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Excel 2013.

j. *The standard defines the property "none", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Excel 2013.

k. *The standard defines the property "solid", contained within the attribute style:style, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This property is not supported in Excel 2013.

l. *The standard defines the element <style:style>*

This element is supported in Excel 2013.

On load, Excel maps the "default" style to its "normal" style. On save, Excel maps its "normal" style back to "default".

Excel 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

m. *The standard defines the element <style:style>*

PowerPoint 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.358 Part 1 Section 16.3, style:map

- a. *The standard defines the element <style:map>*

This element is not supported in Word 2013.

Word 2013 does not support this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
```

```
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <style:map>, contained within the parent element <number:currency-style>*

This element is not supported in Word 2013.

c. *The standard defines the element <style:map>, contained within the parent element <number:date-style>*

This element is not supported in Word 2013.

d. *The standard defines the element <style:map>, contained within the parent element <number:number-style>*

This element is not supported in Word 2013.

e. *The standard defines the element <style:map>, contained within the parent element <number:percentage-style>*

This element is not supported in Word 2013.

f. *The standard defines the element <style:map>, contained within the parent element <number:time-style>*

This element is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

g. *The standard defines the element <style:map>*

Excel 2013 does not support this element for a style applied to any of the following elements:

```
<draw:rect>  
<draw:line>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

h. *The standard defines the element <style:map>, contained within the parent element <number:boolean-style>*

This element is not supported in Excel 2013.

i. *The standard defines the element <style:map>*

This element is not supported in PowerPoint 2013.

PowerPoint 2013 does not support this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.359 Part 1 Section 16.4, style:default-style

- The standard defines the element <style:default-style>*

Word 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
```

```
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <style:default-style>*

Excel 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the element <style:default-style>, contained within the parent element <office:styles>*

This element is not supported in Excel 2013.

d. *The standard defines the element <style:default-style>*

PowerPoint 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.360 Part 1 Section 16.6, style:header-style

a. *The standard defines the element <style:header-style>*

This element is not supported in PowerPoint 2013.

2.1.361 Part 1 Section 16.7, style:footer-style

a. *The standard defines the element <style:footer-style>*

This element is not supported in PowerPoint 2013.

2.1.362 Part 1 Section 16.8, style:default-page-layout

a. *The standard defines the element <style:default-page-layout>*

This element is supported in Word 2013 Client.

On load, Word reads in the properties specified by style:default-page-layout but stores them in multiple different levels (page or section).

2.1.363 Part 1 Section 16.10, style:header

- a. *The standard defines the element <style:header>*

This element is not supported in PowerPoint 2013.

2.1.364 Part 1 Section 16.11, style:footer

- a. *The standard defines the element <style:footer>*

This element is not supported in PowerPoint 2013.

2.1.365 Part 1 Section 16.12, style:header-left

- a. *The standard defines the element <style:header-left>*

This element is not supported in PowerPoint 2013.

2.1.366 Part 1 Section 16.13, style:footer-left

- a. *The standard defines the element <style:footer-left>*

This element is not supported in PowerPoint 2013.

2.1.367 Part 1 Section 16.14, style:region-left

- a. *The standard defines the element <style:region-left>, contained within the parent element <style:footer>*

This element is not supported in Word 2013.

- b. *The standard defines the element <style:region-left>, contained within the parent element <style:footer-left>*

This element is not supported in Word 2013.

- c. *The standard defines the element <style:region-left>, contained within the parent element <style:footer-right>*

This element is not supported in Word 2013.

- d. *The standard defines the element <style:region-left>, contained within the parent element <style:header>*

This element is not supported in Word 2013.

- e. *The standard defines the element <style:region-left>, contained within the parent element <style:header-left>*

This element is not supported in Word 2013.

- f. *The standard defines the element <style:region-left>, contained within the parent element <style:header-right>*

This element is not supported in Word 2013.

2.1.368 Part 1 Section 16.15, style:region-center

- a. *The standard defines the element <style:region-center>, contained within the parent element <style:footer>*

This element is not supported in Word 2013.

- b. *The standard defines the element <style:region-center>, contained within the parent element <style:footer-left>*

This element is not supported in Word 2013.

- c. *The standard defines the element <style:region-center>, contained within the parent element <style:footer-right>*

This element is not supported in Word 2013.

- d. *The standard defines the element <style:region-center>, contained within the parent element <style:header>*

This element is not supported in Word 2013.

- e. *The standard defines the element <style:region-center>, contained within the parent element <style:header-left>*

This element is not supported in Word 2013.

- f. *The standard defines the element <style:region-center>, contained within the parent element <style:header-right>*

This element is not supported in Word 2013.

2.1.369 Part 1 Section 16.16, style:region-right

- a. *The standard defines the element <style:region-right>, contained within the parent element <style:footer>*

This element is not supported in Word 2013.

- b. *The standard defines the element <style:region-right>, contained within the parent element <style:footer-left>*

This element is not supported in Word 2013.

- c. *The standard defines the element <style:region-right>, contained within the parent element <style:footer-right>*

This element is not supported in Word 2013.

- d. *The standard defines the element <style:region-right>, contained within the parent element <style:header>*

This element is not supported in Word 2013.

- e. *The standard defines the element <style:region-right>, contained within the parent element <style:header-left>*

This element is not supported in Word 2013.

- f. *The standard defines the element <style:region-right>, contained within the parent element <style:header-right>*

This element is not supported in Word 2013.

2.1.370 Part 1 Section 16.17, presentation:notes

- a. *The standard defines the element <presentation:notes>*

This element is supported in PowerPoint 2013.

Certain OLE objects cannot be saved by PowerPoint when they exist in the notes section of a master page.

- b. *The standard defines the element <presentation:notes>, contained within the parent element <style:master-page>*

This element is supported in PowerPoint 2013.

Only the notes for the first master page will be loaded into PowerPoint as the master notes. All other <presentation:notes> elements for other master pages will be ignored.

If there are any <draw:object> child elements of the <presentation:notes> element for a master page, those elements will be lost.

2.1.371 Part 1 Section 16.18, table:table-template

- a. *The standard defines the element <table:table-template>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute table:table-template*

This attribute is not supported in PowerPoint 2013.

2.1.372 Part 1 Section 16.19.2, table:first-row

- a. *The standard defines the element <table:first-row>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.373 Part 1 Section 16.19.3, table:last-row

- a. *The standard defines the element <table:last-row>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.374 Part 1 Section 16.19.4, table:first-column

- a. *The standard defines the element <table:first-column>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.375 Part 1 Section 16.19.5, table:last-column

- a. *The standard defines the element <table:last-column>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.376 Part 1 Section 16.19.6, table:body

- a. *The standard defines the element <table:body>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.377 Part 1 Section 16.19.7, table:even-rows

- a. *The standard defines the element <table:even-rows>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.378 Part 1 Section 16.19.8, table:odd-rows

- a. *The standard defines the element <table:odd-rows>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.379 Part 1 Section 16.19.9, table:even-columns

- a. *The standard defines the element <table:even-columns>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.380 Part 1 Section 16.19.10, table:odd-columns

- a. *The standard defines the element <table:odd-columns>, contained within the parent element <table:table-template>*

This element is not supported in Word 2013.

2.1.381 Part 1 Section 16.20, table:background

- a. *The standard defines the element <table:background>*

This element is supported in Word 2013 Client.

2.1.382 Part 1 Section 16.21, style:font-face

- a. *The standard defines the element <style:font-face>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels. Font face declarations are not written. Instead, on save, the fo:font-family attribute specifies the font face.

b. *The standard defines the element <style:font-face>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Font face declarations are supported only on load and are not written. Instead, on save the fo:font-family attribute specifies the font face.

c. *The standard defines the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This element is not supported in Excel 2013.

On load, Excel ignores the <style:font-face> element, all attributes of the <style:font-face> element, and all child elements. Excel reads the <style:font-name> attribute to determine the font to apply.

On save, Excel writes out the <style:font-face> element, along with values for the <style:name> and <svg:font-family> attributes.

d. *The standard defines the element <style:font-face>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Font face declarations are supported only on load and are not written. Instead, on save the fo:font-family attribute specifies the font face.

2.1.383 Part 1 Section 16.22, svg:font-face-src

- a. *The standard defines the element <svg:font-face-src>, contained within the parent element <style:font-face>*

This element is not supported in Word 2013.

- b. *The standard defines the element <svg:font-face-src>, contained within the parent element <style:font-face>*

This element is not supported in Excel 2013.

2.1.384 Part 1 Section 16.23, svg:font-face-name

- a. *The standard defines the element <svg:font-face-name>, contained within the parent element <svg:font-face-src>*

This element is not supported in Word 2013.

- b. *The standard defines the element <svg:font-face-name>, contained within the parent element <svg:font-face-src>*

This element is not supported in Excel 2013.

2.1.385 Part 1 Section 16.24, svg:font-face-uri

- a. *The standard defines the element <svg:font-face-uri>, contained within the parent element <svg:font-face-src>*

This element is not supported in Word 2013.

2.1.386 Part 1 Section 16.25, svg:definition-src

- a. *The standard defines the element <svg:definition-src>, contained within the parent element <style:font-face>*

This element is not supported in Word 2013.

- b. *The standard defines the element <svg:definition-src>, contained within the parent element <style:font-face>*

This element is not supported in Excel 2013.

2.1.387 Part 1 Section 16.26, svg:font-face-format

- a. *The standard defines the element <svg:font-face-format>, contained within the parent element <svg:font-face-uri>*

This element is not supported in Word 2013.

- b. *The standard defines the element <svg:font-face-format>, contained within the parent element <svg:font-face-src>*

This element is not supported in Excel 2013.

2.1.388 Part 1 Section 16.27.2, number:number-style

- a. *The standard defines the element <number:number-style>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute style:name, contained within the element <number:number-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the element <number:number-style>*

This element is not supported in PowerPoint 2013.

2.1.389 Part 1 Section 16.27.3, number:number

- a. *The standard defines the element <number:number>, contained within the parent element <number:currency-style>*

This element is not supported in Word 2013.

- b. *The standard defines the element <number:number>, contained within the parent element <number:number-style>*

This element is not supported in Word 2013.

- c. *The standard defines the element <number:number>, contained within the parent element <number:percentage-style>*

This element is not supported in Word 2013.

2.1.390 Part 1 Section 16.27.4, number:embedded-text

- a. *The standard defines the element <number:embedded-text>, contained within the parent element <number:number>*

This element is not supported in Word 2013.

2.1.391 Part 1 Section 16.27.5, number:scientific-number

- a. *The standard defines the element <number:scientific-number>, contained within the parent element <number:number-style>*

This element is not supported in Word 2013.

2.1.392 Part 1 Section 16.27.6, number:fraction

- a. *The standard defines the element <number:fraction>, contained within the parent element <number:number-style>*

This element is not supported in Word 2013.

2.1.393 Part 1 Section 16.27.7, number:currency-style

- a. *The standard defines the element <number:currency-style>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute style:name, contained within the element <number:currency-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the element <number:currency-style>*

This element is not supported in PowerPoint 2013.

2.1.394 Part 1 Section 16.27.8, number:currency-symbol

- a. *The standard defines the element <number:currency-symbol>, contained within the parent element <number:currency-style>*

This element is not supported in Word 2013.

2.1.395 Part 1 Section 16.27.9, number:percentage-style

- a. *The standard defines the element <number:percentage-style>*

This element is not supported in Word 2013.

- b. *The standard defines the attribute style:name, contained within the element <number:percentage-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the element <number:percentage-style>*

This element is not supported in PowerPoint 2013.

2.1.396 Part 1 Section 16.27.14, number:era

- a. *The standard defines the element <number:era>, contained within the parent element <number:date-style>*

This element is not supported in PowerPoint 2013.

2.1.397 Part 1 Section 16.27.16, number:week-of-year

- a. *The standard defines the element <number:week-of-year>, contained within the parent element <number:date-style>*

This element is not supported in Word 2013.

- b. *The standard defines the element <number:week-of-year>, contained within the parent element <number:date-style>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <number:week-of-year>, contained within the parent element <number:date-style>*

This element is not supported in PowerPoint 2013.

2.1.398 Part 1 Section 16.27.17, number:quarter

- a. *The standard defines the element <number:quarter>, contained within the parent element <number:date-style>*

This element is not supported in Word 2013.

- b. *The standard defines the element <number:quarter>, contained within the parent element <number:date-style>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <number:quarter>, contained within the parent element <number:date-style>*

This element is not supported in PowerPoint 2013.

2.1.399 Part 1 Section 16.27.18, number:time-style

- a. *The standard defines the element <number:time-style>*

This element is supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- b. *The standard defines the attribute style:name, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

2.1.400 Part 1 Section 16.27.22, number:am-pm

- a. *The standard defines the element <number:am-pm>, contained within the parent element <number:time-style>*

This element is supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

2.1.401 Part 1 Section 16.27.23, number:boolean-style

a. *The standard defines the element `<number:boolean-style>`*

This element is not supported in Word 2013.

b. *The standard defines the attribute `style:name`, contained within the element `<number:boolean-style>`*

This attribute is not supported in Word 2013.

c. *The standard defines the element `<number:boolean-style>`*

This element is not supported in Excel 2013.

On load, Boolean styles are loaded; however, Excel does not have a number format token corresponding to the `<number:boolean-style>` element. Therefore, only the standard data style attributes are applied to specify the format. On save, Boolean styles are not saved.

d. *The standard defines the element `<number:boolean-style>`*

This element is not supported in PowerPoint 2013.

2.1.402 Part 1 Section 16.27.24, number:boolean

a. *The standard defines the element `<number:boolean>`, contained within the parent element `<number:boolean-style>`*

This element is not supported in Excel 2013.

2.1.403 Part 1 Section 16.27.25, number:text-style

a. *The standard defines the element `<number:text-style>`*

This element is not supported in Word 2013.

b. *The standard defines the attribute `style:name`, contained within the element `<number:text-style>`*

This attribute is not supported in Word 2013.

2.1.404 Part 1 Section 16.27.26, number:text

a. *The standard defines the element `<number:text>`, contained within the parent element `<number:currency-style>`*

This element is not supported in Word 2013.

b. *The standard defines the element `<number:text>`, contained within the parent element `<number:number-style>`*

This element is not supported in Word 2013.

- c. *The standard defines the element <number:text>, contained within the parent element <number:percentage-style>*

This element is not supported in Word 2013.

- d. *The standard defines the element <number:text>, contained within the parent element <number:text-style>*

This element is not supported in Word 2013.

- e. *The standard defines the element <number:text>, contained within the parent element <number:time-style>*

This element is supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- f. *The standard defines the element <number:text>, contained within the parent element <number:boolean-style>*

This element is not supported in Excel 2013.

2.1.405 Part 1 Section 16.27.27, number:text-content

- a. *The standard defines the element <number:text-content>, contained within the parent element <number:text-style>*

This element is not supported in Word 2013.

2.1.406 Part 1 Section 16.27.28, style:text-properties

- a. *The standard defines the element <style:text-properties>*

This element is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:text-properties>, contained within the parent element <number:currency-style>*

This element is not supported in Word 2013.

- c. *The standard defines the element <style:text-properties>, contained within the parent element <number:date-style>*

This element is not supported in Word 2013.

Word applies text properties to this element via a <text:span> around the object.

d. The standard defines the element `<style:text-properties>`, contained within the parent element `<number:number-style>`

This element is not supported in Word 2013.

e. The standard defines the element `<style:text-properties>`, contained within the parent element `<number:percentage-style>`

This element is not supported in Word 2013.

f. The standard defines the element `<style:text-properties>`, contained within the parent element `<number:time-style>`

This element is not supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

g. The standard defines the element `<style:text-properties>`

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

This element is supported in Excel 2013.

Excel uses text styles for headers and footers.

This element is supported in Excel 2013.

On load, Excel applies only the non-asian or non-complex version of the font property, if it is specified, for any font property that ends in "-asian" or "-complex". If the non-asian or non-complex version of the property is not specified, then Excel applies the font property that ends in "-asian" or "-complex", and that is read last.

On save, Excel writes the same value for all three types of these font properties. This is because Excel does not support dynamically selecting a different font based on evaluating UNICODE characters as either CJK, CTL, or other.

OfficeArt Math in Excel 2013 supports this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

h. *The standard defines the element <style:text-properties>, contained within the parent element <number:boolean-style>*

This element is not supported in Excel 2013.

i. *The standard defines the element <style:text-properties>, contained within the parent element <number:currency-style>*

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

j. *The standard defines the element <style:text-properties>, contained within the parent element <number:date-style>*

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

k. *The standard defines the element <style:text-properties>, contained within the parent element <number:number-style>*

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

l. *The standard defines the element <style:text-properties>, contained within the parent element <number:percentage-style>*

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

m. *The standard defines the element <style:text-properties>, contained within the parent element <number:text-style>*

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

n. *The standard defines the element <style:text-properties>, contained within the parent element <number:time-style>*

This element is supported in Excel 2013.

A subset of formatting can be applied through number formats. This subset of formatting is limited to colors.

o. *The standard defines the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.407 Part 1 Section 16.29.1, text:linenumbering-configuration

a. *The standard defines the element <text:linenumbering-configuration>, contained within the parent element <office:styles>*

This element is supported in Word 2013.

Word saves the line numbering configuration only if the following conditions are met:

All sections restart per page.

All sections start line numbering at 1.

All sections have the same distance between the line numbering and the text.

All sections have line numbering that increments by the same amount.

2.1.408 Part 1 Section 16.29.2, text:linenumbering-separator

- a. *The standard defines the element <text:linenumbering-separator>, contained within the parent element <text:linenumbering-configuration>*

This element is not supported in Word 2013.

2.1.409 Part 1 Section 16.29.3, text:notes-configuration

- a. *The standard defines the element <text:notes-configuration>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:notes-configuration>*

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <text:notes-configuration>, contained within the parent element <style:section-properties>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <text:notes-configuration>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.410 Part 1 Section 16.29.4, text:note-continuation-notice-forward

- a. *The standard defines the attribute text:note-continuation-notice-forward, contained within the element <text:notes-configuration>*

This attribute is not supported in Word 2013.

2.1.411 Part 1 Section 16.29.5, text:note-continuation-notice-backward

- a. *The standard defines the attribute text:note-continuation-notice-backward, contained within the element <text:notes-configuration>*

This attribute is not supported in Word 2013.

2.1.412 Part 1 Section 16.29.6, text:bibliography-configuration

- a. *The standard defines the element <text:bibliography-configuration>*

This element is not supported in Word 2013.

2.1.413 Part 1 Section 16.30, text:list-style

- a. *The standard defines the element <text:list-style>, contained within the parent element <style:graphic-properties>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <text:list-style>*

This element is not supported in Excel 2013.

c. *The standard defines the element <text:list-style>, contained within the parent element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

d. *The standard defines the element <text:list-style>, contained within the parent element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.414 Part 1 Section 16.32, text:list-level-style-number

a. *The standard defines the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in Excel 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes. (1) On save, Excel uses the following mappings between the "buAutoNum" string values and the style:num-prefix, style:num-suffix, style:num-format, and style:num-letter-sync attributes in ODF:

(1.1) The string value "buAutoNum" equals the value "arabicPlain" is written as style:num-format equals the value "1".

(1.2) The string value "buAutoNum" values "circleNumWdBlackPlain" and "circleNumWdWhitePlain" are written as style:num-format equals the value "1" and style:num-letter-sync equals the value "true".

(1.3) The string value "buAutoNum" equals the value "arabicParenR" is written as style:num-format equals the value "1" and style:num-suffix equals the value ")".

(1.4) The string value "buAutoNum" equals the value "arabicPeriod" is written as style:num-format equals the value "1" and style:num-suffix equals the value ".".

(1.5) The string value "buAutoNum" equals the value "arabicParenBoth" is written as style:num-format equals the value "1", style:num-prefix equals the value "(", and style:num-suffix equals the value ")".

(1.6) The string value "buAutoNum" equals the value "hindiNumParenR" is written as style:num-format equals the value "߰ , ߱ , ߲ , ...", style:num-suffix equals the value ")", and style:num-letter-sync equals the value "true".

(1.7) The string value "buAutoNum" equals the value "hindiNumPeriod" is written as style:num-format equals the value "߰ , ߱ , ߲ , ...", style:num-suffix equals the value ".", and style:num-letter-sync equals the value "true".

(1.8) The string value "buAutoNum" equals the value "arabicDbPlain" is written as style:num-format equals the value " 1 , 2 , 3 , ..." and style:num-letter-sync equals the value "true".

(1.9) The stri

b. *The standard defines the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

- On read, the style:num-format, style:num-prefix, and style:num-suffix attributes are considered together to determine the "buAutoNum" value to use in OOXML. style:num-

format is the key attribute and determines the default mapping if the prefix and suffix characters are not supported. The mapping is as follows:

1.1) For style:num-format equals the value "1":

If style:num-prefix equals the value "(" AND style:num-suffix equals the value ")", then "buAutoNum" equals the value "arabicParenBoth".

If style:num-prefix equals the value empty or missing AND style:num-suffix equals the value ")", then "buAutoNum" equals the value "arabicParenR".

If style:num-prefix equals the value empty or missing AND style:num-suffix equals the value ".", then "buAutoNum" equals the value "arabicPeriod".

In all other cases where style:num-format equals the value "1", then "buAutoNum" equals the value "arabicPlain".

1.2) For style:num-format equals the value "a":

If style:num-prefix equals the value "(" AND style:num-suffix equals the value ")", then "buAutoNum" equals the value "alphaLcParenBoth".

If style:num-prefix equals the value empty or missing AND style:num-suffix equals the value ")", then "buAutoNum" equals the value "alphaLcParenR".

In all other cases where style:num-format equals the value "a", then "buAutoNum" equals the value "alphaLcPeriod".

1.3) For style:num-format equals the value "A":

If style:num-prefix equals the value "(" AND style:num-suffix equals the value ")", then "buAutoNum" equals the value "alphaUcParenBoth".

If style:num-prefix equals the value empty or missing AND style:num-suffix equals the value ")", then "buAutoNum" equals the value "alphaUcParenR".

In all other cases where style:num-format equals the value

2.1.415 Part 1 Section 16.34, text:outline-style

a. *The standard defines the attribute text:outline-style*

This attribute is not supported in PowerPoint 2013.

2.1.416 Part 1 Section 16.40.1, draw:gradient

a. *The standard defines the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.417 Part 1 Section 16.40.2, **svg:linearGradient**

- a. *The standard defines the element <svg:linearGradient>, contained within the parent element <office:styles>*

Word 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- b. *The standard defines the element <svg:linearGradient>, contained within the parent element <office:styles>*

Excel 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. The standard defines the element `<svg:linearGradient>`, contained within the parent element `<office:styles>`

PowerPoint 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.418 Part 1 Section 16.40.3, `svg:radialGradient`

a. The standard defines the element `<svg:radialGradient>`, contained within the parent element `<office:styles>`

Word 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
b. The standard defines the element <svg:radialGradient>, contained within the parent element
<office:style>
```

Excel 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. The standard defines the element `<svg:radialGradient>`, contained within the parent element `<office:styles>`

PowerPoint 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.419 Part 1 Section 16.40.5, draw:hatch

a. The standard defines the element `<draw:hatch>`, contained within the parent element `<office:styles>`

Word 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
```

```
<draw:text-box>
```

```
<draw:custom-shape>
```

b. *The standard defines the element <draw:hatch>, contained within the parent element <office:styles>*

Excel 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:g>
```

```
<draw:image>
```

```
<draw:text-box>
```

```
<draw:custom-shape>
```

c. *The standard defines the element <draw:hatch>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:g>
```

```
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

2.1.420 Part 1 Section 16.40.6, draw:fill-image

- a. *The standard defines the element <draw:fill-image>, contained within the parent element <office:styles>*

Word 2013 supports this element for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

- b. *The standard defines the element <draw:fill-image>, contained within the parent element <office:styles>*

Excel 2013 supports this element for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>
```

```
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the element <draw:fill-image>, contained within the parent element
<office:styles>
```

PowerPoint 2013 supports this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.421 Part 1 Section 16.40.7, draw:opacity

a. The standard defines the element <draw:opacity>, contained within the parent element
<office:styles>

Word 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute `draw:opacity`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

c. *The standard defines the element `<draw:opacity>`, contained within the parent element `<office:styles>`*

Excel 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the attribute draw:opacity, contained within the element <style:background-image>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute draw:opacity, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

f. *The standard defines the element <draw:opacity>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this element for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

g. *The standard defines the attribute draw:opacity, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.422 Part 1 Section 16.40.8, draw:marker

a. *The standard defines the element <draw:marker>, contained within the parent element <office:styles>*

Word 2013 supports this element for a style applied to any of the following elements:

```
<draw:line>
<draw:connector>
```

```
<draw:measure>
```

Word interprets all marker styles as "solid arrow".

- b. *The standard defines the element <draw:marker>, contained within the parent element <office:styles>*

Excel 2013 supports this element for a style applied to any of the following elements:

```
<draw:line>
```

```
<draw:connector>
```

```
<draw:measure>
```

Excel interprets all marker styles as "solid arrow".

- c. *The standard defines the element <draw:marker>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this element for a style applied to any of the following elements:

```
<draw:line>
```

```
<draw:connector>
```

```
<draw:measure>
```

PowerPoint interprets all marker styles as "solid arrow".

2.1.423 Part 1 Section 16.40.9, draw:stroke-dash

- a. *The standard defines the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Word 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute `draw:stroke-dash`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

Dash styles that cannot be represented are converted to solid lines.

c. *The standard defines the element `<draw:stroke-dash>`, contained within the parent element `<office:styles>`*

Excel 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the attribute draw:stroke-dash, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>  
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
```

```
<draw:custom-shape>
```

Dash styles that cannot be represented are converted to solid lines.

e. *The standard defines the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

f. *The standard defines the attribute draw:stroke-dash, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element

```
<draw:custom-shape>
```

Dash styles that cannot be represented are converted to solid lines.

2.1.424 Part 1 Section 16.41, style:presentation-page-layout

- The standard defines the attribute style:name, contained within the element <style:presentation-page-layout>*

This attribute is not supported in Word 2013.

- The standard defines the element <style:presentation-page-layout>*

This element is supported in PowerPoint 2013.

On load, PowerPoint ignores presentation page layouts. On save, PowerPoint writes out presentation page layouts.

2.1.425 Part 1 Section 16.42, presentation:placeholder

- The standard defines the attribute presentation:placeholder*

This attribute is supported in PowerPoint 2013.

PowerPoint uses this attribute to describe placeholders that are empty. It is ignored on load.

2.1.426 Part 1 Section 17.2, style:page-layout-properties

- The standard defines the element <style:page-layout-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- The standard defines the element <style:page-layout-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the element <style:page-layout-properties>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.427 Part 1 Section 17.3, style:background-image

- a. *The standard defines the element <style:background-image>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:background-image>, contained within the parent element <style:header-footer-properties>*

This element is not supported in Word 2013.

- c. *The standard defines the element <style:background-image>, contained within the parent element <style:paragraph-properties>*

This element is not supported in Word 2013.

- d. *The standard defines the element <style:background-image>, contained within the parent element <style:section-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute style:background-image, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- f. *The standard defines the element <style:background-image>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

g. *The standard defines the element <style:background-image>, contained within the parent element <style:header-footer-properties>*

This element is not supported in Excel 2013.

h. *The standard defines the element <style:background-image>, contained within the parent element <style:section-properties>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

i. *The standard defines the element <style:background-image>, contained within the parent element <style:table-properties>*

This element is not supported in Excel 2013.

j. *The standard defines the attribute style:background-image, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

k. *The standard defines the attribute style:background-image, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

l. *The standard defines the element <style:background-image>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

m. *The standard defines the element <style:background-image>, contained within the parent element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- n. *The standard defines the element <style:background-image>, contained within the parent element <Style:table-cell-properties>*

This element is not supported in PowerPoint 2013.

- o. *The standard defines the element <style:background-image>, contained within the parent element <Style:table-row-properties>*

This element is not supported in PowerPoint 2013.

- p. *The standard defines the attribute style:background-image, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- q. *The standard defines the attribute style:background-image, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.428 Part 1 Section 17.4, style:footnote-sep

- a. *The standard defines the element <style:footnote-sep>*

This element is not supported in Excel 2013.

- b. *The standard defines the attribute style:footnote-sep, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the element <style:footnote-sep>, contained within the parent element <style:page-layout-properties>*

This element is not supported in PowerPoint 2013.

2.1.429 Part 1 Section 17.5, style:header-footer-properties

- a. *The standard defines the element <style:header-footer-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <style:header-footer-properties>*

This element is supported in Excel 2013.

On save, Excel does not write the header or footer information if the "Different First Page" option is selected for the worksheet.

Excel's maximum length for headers and footers is 255 characters.

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the element <style:header-footer-properties>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.430 Part 1 Section 17.6, style:paragraph-properties

- a. *The standard defines the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:paragraph-properties>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.431 Part 1 Section 17.7, style:tab-stops

- a. *The standard defines the element <style:tab-stops>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:tab-stops>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <style:tab-stops>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.432 Part 1 Section 17.8, style:tab-stop

- a. *The standard defines the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This element is not supported in Excel 2013.

2.1.433 Part 1 Section 17.9, style:drop-cap

- a. *The standard defines the element <style:drop-cap>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:drop-cap>, contained within the parent element <style:paragraph-properties>*

This element is supported in Word 2013.

On save, if a second frame is anchored to the paragraph inside a drop cap, Word will lose the <style:drop-cap> element but retain the contents contained within the element tags.

On save and load, if a paragraph is both right-to-left and has a drop cap applied, Word will lose the <style:drop-cap> element but retain the contents contained within the element tags.

On save and load, if a paragraph has both fo:break-before=column and a drop cap applied, Word will lose the <style:drop-cap> element but retain the contents contained within the element tags.

- c. *The standard defines the element <style:drop-cap>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the element <style:drop-cap>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

<draw:custom-shape>.

2.1.434 Part 1 Section 17.10, style:ruby-properties

- a. *The standard defines the element <style:ruby-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:ruby-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the element <style:ruby-properties>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.435 Part 1 Section 17.11, style:section-properties

a. *The standard defines the element <style:section-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <style:section-properties>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the element <style:section-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.436 Part 1 Section 17.12, style:columns

a. The standard defines the element `<style:columns>`, contained within the parent element `<style:graphic-properties>`

This element is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:columns>, contained within the parent element <style:section-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- c. *The standard defines the element <style:columns>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <style:columns>, contained within the parent element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. The standard defines the element `<style:columns>`, contained within the parent element `<style:page-layout-properties>`

This element is not supported in Excel 2013.

f. The standard defines the element `<style:columns>`, contained within the parent element `<style:section-properties>`

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

g. The standard defines the element `<style:columns>`, contained within the parent element `<style:graphic-properties>`

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

- h. *The standard defines the element <style:columns>, contained within the parent element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

- i. *The standard defines the attribute style:columns, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.437 Part 1 Section 17.13, style:column

- a. *The standard defines the element <style:column>, contained within the parent element <style:columns>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:column>, contained within the parent element <style:columns>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the element <style:column>, contained within the parent element <style:columns>
```

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.438 Part 1 Section 17.14, style:column-sep

- a. *The standard defines the element <style:column-sep>, contained within the parent element <style:columns>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:column-sep>, contained within the parent element <style:columns>*

This element is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this element on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the element <style:column-sep>, contained within the parent element <style:columns>*

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.439 Part 1 Section 17.15, style:table-properties

- a. *The standard defines the element <style:table-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:table-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the element <style:table-properties>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.440 Part 1 Section 17.16, style:table-column-properties

a. *The standard defines the element <style:table-column-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the property "style:use-optimal-column-width", contained within the attribute style:table-column-properties, contained within the element <style:style>*

This property is supported in Excel 2013.

On load, if the style:use-optimal-column-width attribute contains the value "true", then Excel may widen the column to fit the digits of a number value entered in the column.

On save, Excel writes the value "true" for the style:use-optimal-column-width attribute for columns that do not have a default width because they have been widened to fit an existing number value.

Excel writes the value "false" for the style:use-optimal-column-width attribute if the column has been set to a custom size or the column has not been automatically widened to fit an existing number value.

c. *The standard defines the property "style-properties-content", contained within the attribute style:table-column-properties, contained within the element <style:style>*

This property is not supported in Excel 2013.

d. *The standard defines the element <style:table-column-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the element <style:table-column-properties>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.441 Part 1 Section 17.17, style:table-row-properties

- a. *The standard defines the element <style:table-row-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "fo:background-color", contained within the attribute style:table-row-properties, contained within the element <style:style>*

This property is not supported in Excel 2013.

- c. *The standard defines the property "fo:break-before", contained within the attribute style:table-row-properties, contained within the element <style:style>*

This property is supported in Excel 2013.

On load, if the fo:break-after property is set to any value other than "auto", then Excel sets a page break after the corresponding row or column. If the fo:break-before property is set to any value other than "auto" and the fo:break-after property is not specified, or set to "auto", then Excel sets a page break before the corresponding row or column. If both the fo:break-before and fo:break-after properties have a value of "auto" or are not specified, then Excel does not set a page break for the corresponding row or column.

On save, Excel writes out the value "auto" for the fo:break-before property, and either nothing or "page" for the fo:break-after property.

- d. *The standard defines the property "fo:keep-together", contained within the attribute style:table-row-properties, contained within the element <style:style>*

This property is not supported in Excel 2013.

e. *The standard defines the property "style:background-image", contained within the attribute style:table-row-properties, contained within the element <style:style>*

This property is not supported in Excel 2013.

f. *The standard defines the element <style:table-row-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

g. *The standard defines the element <style:table-row-properties>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.442 Part 1 Section 17.18, style:table-cell-properties

- a. *The standard defines the element <style:table-cell-properties>*

OfficeArt Math in Word 2013 does not support this element on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the element <style:table-cell-properties>*

OfficeArt Math in Excel 2013 does not support this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
```

```
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the element <style:table-cell-properties>*

This element is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this element on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.443 Part 1 Section 17.19, style:list-level-properties

a. *The standard defines the element <style:list-level-properties>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt.

b. *The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-bullet>*

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt.

c. *The standard defines the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes, and for SmartArt.

d. *The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-bullet>*

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes and for SmartArt and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
e. The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-image>
```

OfficeArt Math in Excel 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes.

```
f. The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-number>
```

OfficeArt Math in Excel 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in text boxes and shapes.

g. *The standard defines the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

h. *The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-bullet>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

i. *The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-image>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

j. *The standard defines the element <style:list-level-properties>, contained within the parent element <text:list-level-style-number>*

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.444 Part 1 Section 17.21, style:graphic-properties

- a. *The standard defines the element <style:graphic-properties>*

Word 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Word 2013 supports this element on save for text in SmartArt and chart titles and labels.

b. *The standard defines the element <style:graphic-properties>*

Excel 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this element on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the element <style:graphic-properties>*

PowerPoint 2013 supports this element for a style applied to any of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 supports this element on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.445 Part 1 Section 18.2, W3C Schema Datatypes

- a. *The standard defines the element <base64Binary>*

This element is not supported in Excel 2013.

- b. *The standard defines the element <IDREF>*

This element is not supported in Excel 2013.

- c. *The standard defines the element <IDREFS>*

This element is not supported in Excel 2013.

- d. *The standard defines the element <formula>*

This element is not supported in Excel 2013.

2.1.446 Part 1 Section 18.3.2, anyIRI

- a. *The standard defines the element <anyIRI>, contained within the parent element <xlink:href>*

This element is not supported in Excel 2013.

2.1.447 Part 1 Section 18.3.16, language

- a. *The standard defines the element <language>*

This element is not supported in Excel 2013.

2.1.448 Part 1 Section 18.3.25, points

- a. *The standard defines the element <points>*

This element is not supported in Excel 2013.

2.1.449 Part 1 Section 18.3.27, relativeLength

- a. *The standard defines the element <relativeLength>*

This element is not supported in Excel 2013.

2.1.450 Part 1 Section 18.3.34, targetFrameName

- a. *The standard defines the element <targetFrameName>*

This element is not supported in Excel 2013.

2.1.451 Part 1 Section 18.3.39, variableName

- a. *The standard defines the element <variableName>*

This element is not supported in Excel 2013.

2.1.452 Part 1 Section 18.3.40, vector3D

- a. *The standard defines the element <vector3D>*

This element is not supported in Excel 2013.

2.1.453 Part 1 Section 19.4, anim:audio-level

- a. *The standard defines the attribute anim:audio-level, contained within the element <anim:audio>*

This attribute is not supported in PowerPoint 2013.

2.1.454 Part 1 Section 19.6, anim:formula

- a. *The standard defines the attribute anim:formula*

This attribute is supported in PowerPoint 2013.

On load, the entire animation will be lost if the operators "exp" or "log" are present. On save, the entire animation will be lost if any of the following elements are present in the native PowerPoint animation: "^", "?", "==" , ">=", "<=", "!=" , "!" .

2.1.455 Part 1 Section 19.7, anim:id

- a. *The standard defines the attribute anim:id*

This attribute is not supported in PowerPoint 2013.

2.1.456 Part 1 Section 19.11, anim:sub-item

- a. *The standard defines the attribute anim:sub-item*

This attribute is not supported in PowerPoint 2013.

- b. *The standard defines the property "background", contained within the attribute anim:sub-item*

This property is not supported in PowerPoint 2013.

- c. *The standard defines the property "text", contained within the attribute anim:sub-item*

This property is not supported in PowerPoint 2013.

- d. *The standard defines the property "whole", contained within the attribute anim:sub-item*

This property is not supported in PowerPoint 2013.

- e. *The standard defines the attribute anim:sub-item, contained within the element <anim:iterate>*

This attribute is not supported in PowerPoint 2013.

2.1.457 Part 1 Section 19.15, chart:class

- a. *The standard defines the property "gantt", contained within the attribute chart:class*

This property is not supported in Excel 2013.

- b. *The standard defines the property "minor", contained within the attribute chart:class*

This property is not supported in Excel 2013.

Excel saves the minor gridlines element on a category axis, but does not save it on a value axis.

- c. *The standard defines the property "stock", contained within the attribute chart:class*

This property is supported in Excel 2013.

Stock charts can have three (3) or more series.

2.1.458 Part 1 Section 19.16, chart:column-mapping

- a. *The standard defines the attribute chart:column-mapping*

This attribute is not supported in Excel 2013.

2.1.459 Part 1 Section 19.17, chart:data-source-has-labels

- a. *The standard defines the attribute chart:data-source-has-labels*

This attribute is supported in Excel 2013.

On load, this attribute is ignored. It is saved if the chart uses a local <table:table> element.

2.1.460 Part 1 Section 19.22, chart:legend-align

- a. *The standard defines the attribute chart:legend-align*

This attribute is not supported in Excel 2013.

On load, this attribute is ignored. On save, it takes on a value of "center" when a "chart:legend-position" attribute is saved.

2.1.461 Part 1 Section 19.23, chart:legend-position

- a. *The standard defines the property "bottom-end", contained within the attribute chart:legend-position*

This property is not supported in Excel 2013.

- b. *The standard defines the property "bottom-start", contained within the attribute chart:legend-position*

This property is not supported in Excel 2013.

- c. *The standard defines the property "top-end", contained within the attribute chart:legend-position*

This property is not supported in Excel 2013.

- d. *The standard defines the property "top-start", contained within the attribute chart:legend-position*

This property is not supported in Excel 2013.

2.1.462 Part 1 Section 19.26, chart:row-mapping

- a. *The standard defines the attribute chart:row-mapping*

This attribute is not supported in Excel 2013.

2.1.463 Part 1 Section 19.37, db:catalog-name

- a. *The standard defines the attribute office:date-value, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.464 Part 1 Section 19.68, db:max-row-count

- a. *The standard defines the attribute table:number-matrix-rows-spanned, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.465 Part 1 Section 19.92, dr3d:ambient-color

- a. *The standard defines the attribute dr3d:ambient-color, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:ambient-color, contained within the parent element <chart:plot-area>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:ambient-color, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute dr3d:ambient-color, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.466 Part 1 Section 19.94, dr3d:diffuse-color

- a. *The standard defines the attribute dr3d:diffuse-color, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:diffuse-color, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:diffuse-color, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.467 Part 1 Section 19.96, dr3d:distance

- a. *The standard defines the attribute dr3d:distance, contained within the parent element <chart:plot-area>*

This attribute is supported in Excel 2013.

Excel saves this element, but ignores it on load.

2.1.468 Part 1 Section 19.98, dr3d:focal-length

- a. *The standard defines the attribute dr3d:focal-length, contained within the parent element <chart:plot-area>*

This attribute is supported in Excel 2013.

Excel saves this element but ignores it on load.

2.1.469 Part 1 Section 19.99, dr3d:lighting-mode

- a. *The standard defines the attribute dr3d:lighting-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:lighting-mode, contained within the parent element <chart:plot-area>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:lighting-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute dr3d:lighting-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.470 Part 1 Section 19.102, dr3d:projection

- a. *The standard defines the attribute dr3d:projection, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the property "parallel", contained within the attribute dr3d:projection, contained within the parent element <chart:plot-area>*

This property is supported in Excel 2013.

Excel loads this element, but always saves it as perspective 0.1.

- c. *The standard defines the attribute dr3d:projection, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- d. *The standard defines the attribute dr3d:projection, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.471 Part 1 Section 19.103, dr3d:shade-mode

- a. *The standard defines the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the property "draft", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this enum for the <draw:custom-shape> element.

- c. *The standard defines the property "flat", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this enum for draw:custom-shape. Word changes this to gourard.

- d. *The standard defines the property "gourard", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this enum for the <draw:custom-shape> element.

- e. *The standard defines the property "phong", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this enum for draw:custom-shape. Word changes this to gourard.

f. *The standard defines the attribute dr3d:shade-mode, contained within the parent element <chart:plot-area>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

h. *The standard defines the property "draft", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this enum for the <draw:custom-shape> element.

i. *The standard defines the property "flat", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this enum for draw:custom-shape. Excel changes this to gourard.

j. *The standard defines the property "gourard", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this enum for the <draw:custom-shape> element.

k. *The standard defines the property "phong", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this enum for draw:custom-shape. Excel changes this to gourard.

l. *The standard defines the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

m. *The standard defines the property "draft", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this enum for the <draw:custom-shape> element.

n. *The standard defines the property "flat", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this enum for draw:custom-shape. PowerPoint changes this to gourard.

o. *The standard defines the property "gourard", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this enum for the <draw:custom-shape> element.

p. *The standard defines the property "phong", contained within the attribute dr3d:shade-mode, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this enum for draw:custom-shape. PowerPoint changes this to gourard.

2.1.472 Part 1 Section 19.104, dr3d:shadow-slant

- a. *The standard defines the attribute dr3d:shadow-slant, contained within the parent element <chart:plot-area>*

This attribute is not supported in Excel 2013.

2.1.473 Part 1 Section 19.107, dr3d:transform

- a. *The standard defines the attribute dr3d:transform, contained within the parent element <chart:plot-area>*

This attribute is supported in Excel 2013.

"matrix" is the only transform definition that Excel supports.

2.1.474 Part 1 Section 19.108, dr3d:vpn

- a. *The standard defines the attribute dr3d:vpn, contained within the parent element <chart:plot-area>*

This attribute is supported in Excel 2013.

Excel saves this element but ignores it on load.

2.1.475 Part 1 Section 19.110, dr3d:vup

- a. *The standard defines the attribute dr3d:vup, contained within the parent element <chart:plot-area>*

This attribute is supported in Excel 2013.

Excel saves this element on write, but ignores it on load.

2.1.476 Part 1 Section 19.112, draw:angle

- a. *The standard defines the attribute draw:angle, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

This attribute is supported in Word 2013.

The draw:angle attribute is only supported when draw:gradient-style attribute is set to "linear".

b. *The standard defines the attribute draw:angle, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

This attribute is supported in Excel 2013.

The draw:angle attribute is only supported when draw:gradient-style attribute is set to "linear".

c. *The standard defines the attribute draw:angle, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
<table:table-cell>
```

This attribute is supported in PowerPoint 2013.

The draw:angle attribute is only supported when draw:gradient-style attribute is set to "linear".

2.1.477 Part 1 Section 19.114, draw:border

a. *The standard defines the attribute draw:border, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:border, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:border, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.478 Part 1 Section 19.115, draw:caption-id

- a. *The standard defines the attribute draw:caption-id*

Word 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:caption-id*

Excel 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
```

```
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:custom-shape>
```

- c. *The standard defines the attribute draw:caption-id*

PowerPoint 2013 does not support this attribute for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:custom-shape>
```

2.1.479 Part 1 Section 19.116, draw:caption-point-x

- a. *The standard defines the attribute draw:caption-point-x, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-point-x, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.480 Part 1 Section 19.117, draw:caption-point-y

- a. *The standard defines the attribute draw:caption-point-y, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-point-y, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.481 Part 1 Section 19.118, draw:chain-next-name

- a. *The standard defines the attribute draw:chain-next-name, contained within the element <draw:text-box>*

This attribute is supported in Word 2013.

Text linking between text boxes in headers or footers are lost on load.

- b. *The standard defines the attribute draw:chain-next-name, contained within the element <draw:text-box>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:chain-next-name, contained within the element <draw:text-box>*

This attribute is not supported in PowerPoint 2013.

2.1.482 Part 1 Section 19.120, draw:class-names

- a. *The standard defines the attribute draw:class-names*

Word 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
```

```
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:class-names*

Excel 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:class-names*

This attribute is not supported in PowerPoint 2013.

PowerPoint does not support or preserve this element.

PowerPoint 2013 does not support this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

2.1.483 Part 1 Section 19.124, draw:concentric-gradient-fill-allowed

- a. *The standard defines the attribute draw:concentric-gradient-fill-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:concentric-gradient-fill-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:concentric-gradient-fill-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.484 Part 1 Section 19.126, draw:copy-of

- a. *The standard defines the attribute draw:copy-of, contained within the element <draw:frame>*

This attribute is not supported in Word 2013.

2.1.485 Part 1 Section 19.127, draw:corner-radius

- a. *The standard defines the attribute draw:corner-radius, contained within the element <draw:text-box>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:corner-radius, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute draw:corner-radius, contained within the element <draw:text-box>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute draw:corner-radius, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute draw:corner-radius, contained within the element <draw:text-box>*

This attribute is not supported in PowerPoint 2013.

2.1.486 Part 1 Section 19.129, draw:cx

- a. *The standard defines the attribute draw:cx, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:cx, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. The standard defines the attribute `draw:cx`, contained within the element `<draw:gradient>`, contained within the parent element `<office:styles>`

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.487 Part 1 Section 19.130, draw:cy

a. The standard defines the attribute `draw:cy`, contained within the element `<draw:gradient>`, contained within the parent element `<office:styles>`

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:cy, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:cy, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.488 Part 1 Section 19.131, draw:data

- a. *The standard defines the attribute draw:data, contained within the element <draw:custom-shape>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:data, contained within the element <draw:custom-shape>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:data, contained within the element <draw:custom-shape>*

This attribute is not supported in PowerPoint 2013.

2.1.489 Part 1 Section 19.133, draw:display-name

- a. *The standard defines the attribute draw:display-name, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:display-name, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:display-name, contained within the element <draw:marker>, contained within the parent element <office:styles>*

Word 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:line>
<draw:connector>
<draw:measure>
```

d. *The standard defines the attribute draw:display-name, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Word 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>

e. The standard defines the attribute draw:display-name, contained within the element <draw:fill-image>, contained within the parent element <office:styles>
```

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
```

```
<draw:text-box>
```

```
<draw:custom-shape>
```

f. The standard defines the attribute *draw:display-name*, contained within the element *<draw:gradient>*, contained within the parent element *<office:styles>*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:g>
```

```
<draw:image>
```

```
<draw:text-box>
```

```
<draw:custom-shape>
```

g. The standard defines the attribute *draw:display-name*, contained within the element *<draw:marker>*, contained within the parent element *<office:styles>*

Excel 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:line>
```

```
<draw:connector>
```

```
<draw:measure>
```

h. The standard defines the attribute *draw:display-name*, contained within the element *<draw:stroke-dash>*, contained within the parent element *<office:styles>*

Excel 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

i. *The standard defines the attribute draw:display-name, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute draw:display-name, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

k. *The standard defines the attribute draw:display-name, contained within the element <draw:marker>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:line>
<draw:connector>
<draw:measure>
```

I. *The standard defines the attribute draw:display-name, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.490 Part 1 Section 19.134, draw:distance

- a. *The standard defines the attribute `draw:distance`, contained within the element `<draw:stroke-dash>`, contained within the parent element `<office:styles>`*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

b. *The standard defines the attribute draw:distance, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:distance, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.491 Part 1 Section 19.135, draw:dots1

- a. *The standard defines the attribute draw:dots1, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

b. *The standard defines the attribute draw:dots1, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:dots1, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.492 Part 1 Section 19.136, draw:dots1-length

a. The standard defines the attribute `draw:dots1-length`, contained within the element `<draw:stroke-dash>`, contained within the parent element `<office:styles>`

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

b. *The standard defines the attribute draw:dots1-length, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:dots1-length, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.493 Part 1 Section 19.137, draw:dots2

- a. *The standard defines the attribute draw:dots2, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

b. *The standard defines the attribute draw:dots2, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:dots2, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.494 Part 1 Section 19.138, draw:dots2-length

- a. The standard defines the attribute `draw:dots2-length`, contained within the element `<draw:stroke-dash>`, contained within the parent element `<office:styles>`

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

b. *The standard defines the attribute draw:dots2-length, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:dots2-length, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.495 Part 1 Section 19.141, draw:end-color

- a. *The standard defines the attribute draw:end-color, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:end-color, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- c. The standard defines the attribute `draw:end-color`, contained within the element `<draw:gradient>`, contained within the parent element `<office:styles>`

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.496 Part 1 Section 19.143, draw:end-intensity

- a. The standard defines the attribute `draw:end-intensity`, contained within the element `<draw:gradient>`, contained within the parent element `<office:styles>`

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:end-intensity, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- c. The standard defines the attribute `draw:end-intensity`, contained within the element `<draw:gradient>`, contained within the parent element `<office:styles>`

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.497 Part 1 Section 19.145, draw:enhanced-path

- a. The standard defines the attribute `draw:enhanced-path`, contained within the element `<draw:enhanced-geometry>`

This attribute is supported in Word 2013.

On load, Word rounds floats to integers.

- b. The standard defines the attribute `draw:enhanced-path`, contained within the element `<draw:enhanced-geometry>`

This attribute is supported in Excel 2013.

On load, Excel rounds floats to integers.

- c. The standard defines the attribute `draw:enhanced-path`, contained within the element `<draw:enhanced-geometry>`

This attribute is supported in PowerPoint 2013.

On load, PowerPoint rounds floats to integers.

2.1.498 Part 1 Section 19.146, draw:engine

- a. The standard defines the attribute `draw:engine`, contained within the element `<draw:custom-shape>`

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:engine, contained within the element <draw:custom-shape>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:engine, contained within the element <draw:custom-shape>*

This attribute is not supported in PowerPoint 2013.

2.1.499 Part 1 Section 19.148, draw:extrusion

- a. *The standard defines the attribute draw:extrusion, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.500 Part 1 Section 19.149, draw:extrusion-allowed

- a. *The standard defines the attribute draw:extrusion-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:extrusion-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:extrusion-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.501 Part 1 Section 19.150, draw:extrusion-brightness

- a. *The standard defines the attribute draw:extrusion-brightness, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-brightness, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-brightness, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.502 Part 1 Section 19.151, draw:extrusion-color

- a. *The standard defines the attribute draw:extrusion-color, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-color, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-color, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.503 Part 1 Section 19.152, draw:extrusion-depth

- a. *The standard defines the attribute draw:extrusion-depth, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-depth, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-depth, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.504 Part 1 Section 19.153, draw:extrusion-diffusion

- a. *The standard defines the attribute draw:extrusion-diffusion, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for draw:custom-shape. Word always writes out the value 65.536% for this attribute.

- b. *The standard defines the attribute draw:extrusion-diffusion, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for draw:custom-shape. Excel always writes out the value 65.536% for this attribute.

- c. *The standard defines the attribute draw:extrusion-diffusion, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for draw:custom-shape. PowerPoint always writes out the value 65.536% for this attribute.

2.1.505 Part 1 Section 19.154, draw:extrusion-first-light-direction

a. *The standard defines the attribute draw:extrusion-first-light-direction, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for draw:custom-shape.

b. *The standard defines the attribute draw:extrusion-first-light-direction, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for draw:custom-shape.

c. *The standard defines the attribute draw:extrusion-first-light-direction, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for draw:custom-shape.

2.1.506 Part 1 Section 19.155, draw:extrusion-first-light-harsh

a. *The standard defines the attribute draw:extrusion-first-light-harsh, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for the <draw:custom-shape> element.

b. *The standard defines the attribute draw:extrusion-first-light-harsh, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for the <draw:custom-shape> element.

c. *The standard defines the attribute draw:extrusion-first-light-harsh, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for the <draw:custom-shape> element.

2.1.507 Part 1 Section 19.156, draw:extrusion-first-light-level

a. *The standard defines the attribute draw:extrusion-first-light-level, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for the <draw:custom-shape> element.

b. *The standard defines the attribute draw:extrusion-first-light-level, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for the <draw:custom-shape> element.

c. *The standard defines the attribute draw:extrusion-first-light-level, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for the <draw:custom-shape> element.

2.1.508 Part 1 Section 19.157, draw:extrusion-light-face

- a. *The standard defines the attribute draw:extrusion-light-face, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-light-face, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-light-face, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for the <draw:custom-shape> element.

2.1.509 Part 1 Section 19.158, draw:extrusion-metal

- a. *The standard defines the attribute draw:extrusion-metal, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-metal, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-metal, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.510 Part 1 Section 19.159, draw:extrusion-number-of-line-segments

- a. *The standard defines the attribute draw:extrusion-number-of-line-segments, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-number-of-line-segments, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-number-of-line-segments, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for the <draw:custom-shape> element.

2.1.511 Part 1 Section 19.160, draw:extrusion-origin

- a. *The standard defines the attribute draw:extrusion-origin, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for draw:custom-shape. Word always writes out (-0.5 0.5).

- b. *The standard defines the attribute draw:extrusion-origin, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for draw:custom-shape. Excel always writes out (-0.5 0.5).

- c. *The standard defines the attribute draw:extrusion-origin, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for draw:custom-shape. PowerPoint always writes out (-0.5 0.5).

2.1.512 Part 1 Section 19.161, draw:extrusion-rotation-angle

- a. *The standard defines the attribute draw:extrusion-rotation-angle, contained within the element <draw:enhanced-geometry>*

Word 2013 supports this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-rotation-angle, contained within the element <draw:enhanced-geometry>*

Excel 2013 supports this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-rotation-angle, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 supports this attribute for the <draw:custom-shape> element.

2.1.513 Part 1 Section 19.162, draw:extrusion-rotation-center

- a. *The standard defines the attribute draw:extrusion-rotation-center, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-rotation-center, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for the <draw:custom-shape> element.

- c. *The standard defines the attribute draw:extrusion-rotation-center, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for the <draw:custom-shape> element.

2.1.514 Part 1 Section 19.163, draw:extrusion-second-light-direction

- a. *The standard defines the attribute draw:extrusion-second-light-direction, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for draw:custom-shape. Word always writes out (-0.05468 0 0.01094).

- b. *The standard defines the attribute draw:extrusion-second-light-direction, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for draw:custom-shape. Excel always writes out (-0.05468 0 0.01094).

- c. *The standard defines the attribute draw:extrusion-second-light-direction, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for draw:custom-shape. PowerPoint always writes out (-0.05468 0 0.01094).

2.1.515 Part 1 Section 19.164, draw:extrusion-second-light-harsh

- a. *The standard defines the attribute draw:extrusion-second-light-harsh, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for draw:custom-shape. Word always writes out false.

- b. *The standard defines the attribute draw:extrusion-second-light-harsh, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for draw:custom-shape. Excel always writes out false.

- c. *The standard defines the attribute draw:extrusion-second-light-harsh, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for draw:custom-shape. PowerPoint always writes out false.

2.1.516 Part 1 Section 19.165, draw:extrusion-second-light-level

- a. *The standard defines the attribute draw:extrusion-second-light-level, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for draw:custom-shape. Word always writes out 37%.

- b. *The standard defines the attribute draw:extrusion-second-light-level, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for draw:custom-shape. Excel always writes out 37%.

- c. *The standard defines the attribute draw:extrusion-second-light-level, contained within the element <draw:enhanced-geometry>*

PowerPoint 2013 does not support this attribute for draw:custom-shape. PowerPoint always writes out 37%.

2.1.517 Part 1 Section 19.166, draw:extrusion-shininess

- a. *The standard defines the attribute draw:extrusion-shininess, contained within the element <draw:enhanced-geometry>*

Word 2013 does not support this attribute for the <draw:custom-shape> element.

- b. *The standard defines the attribute draw:extrusion-shininess, contained within the element <draw:enhanced-geometry>*

Excel 2013 does not support this attribute for the `<draw:custom-shape>` element.

- c. *The standard defines the attribute `draw:extrusion-shininess`, contained within the element `<draw:enhanced-geometry>`*

PowerPoint 2013 does not support this attribute for the `<draw:custom-shape>` element.

2.1.518 Part 1 Section 19.167, `draw:extrusion-skew`

- a. *The standard defines the attribute `draw:extrusion-skew`, contained within the element `<draw:enhanced-geometry>`*

Word 2013 does not support this attribute for `draw:custom-shape`.

- b. *The standard defines the attribute `draw:extrusion-skew`, contained within the element `<draw:enhanced-geometry>`*

Excel 2013 does not support this attribute for the `<draw:custom-shape>` element.

- c. *The standard defines the attribute `draw:extrusion-skew`, contained within the element `<draw:enhanced-geometry>`*

PowerPoint 2013 does not support this attribute for the `<draw:custom-shape>` element.

2.1.519 Part 1 Section 19.168, `draw:extrusion-specularity`

- a. *The standard defines the attribute `draw:extrusion-specularity`, contained within the element `<draw:enhanced-geometry>`*

Word 2013 does not support this attribute for `draw:custom-shape`. Word always writes out 80%.

- b. *The standard defines the attribute `draw:extrusion-specularity`, contained within the element `<draw:enhanced-geometry>`*

Excel 2013 does not support this attribute for `draw:custom-shape`. Excel always writes out 80%.

- c. *The standard defines the attribute `draw:extrusion-specularity`, contained within the element `<draw:enhanced-geometry>`*

PowerPoint 2013 does not support this attribute for `draw:custom-shape`. PowerPoint always writes out 80%.

2.1.520 Part 1 Section 19.169, `draw:extrusion-viewpoint`

- a. *The standard defines the attribute `draw:extrusion-viewpoint`, contained within the element `<draw:enhanced-geometry>`*

Word 2013 does not support this attribute for the `<draw:custom-shape>` element.

- b. *The standard defines the attribute `draw:extrusion-viewpoint`, contained within the element `<draw:enhanced-geometry>`*

Excel 2013 does not support this attribute for the `<draw:custom-shape>` element.

- c. *The standard defines the attribute `draw:extrusion-viewpoint`, contained within the element `<draw:enhanced-geometry>`*

PowerPoint 2013 does not support this attribute for the `<draw:custom-shape>` element.

2.1.521 Part 1 Section 19.170, draw:filter-name

- a. *The standard defines the attribute draw:filter-name, contained within the element <draw:image>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:filter-name, contained within the element <draw:image>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:filter-name, contained within the element <draw:image>*

This attribute is not supported in PowerPoint 2013.

2.1.522 Part 1 Section 19.171, draw:formula

- a. *The standard defines the attribute draw:formula, contained within the element <draw:equation>*

This attribute is supported in Word 2013.

Word does not support the identifiers 'logwidth' and 'logheight'.

- b. *The standard defines the attribute draw:formula, contained within the element <draw:equation>*

This attribute is supported in Excel 2013.

Excel does not support the identifiers 'logwidth' and 'logheight'.

- c. *The standard defines the attribute draw:formula, contained within the element <draw:equation>*

This attribute is supported in PowerPoint 2013.

PowerPoint does not support the identifiers "logwidth" and "logheight".

2.1.523 Part 1 Section 19.175, draw:glue-points

- a. *The standard defines the attribute draw:glue-points, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Word 2013.

On load, Word rounds floats to integers.

- b. *The standard defines the attribute draw:glue-points, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Excel 2013.

On load, Excel rounds floats to integers.

- c. *The standard defines the attribute draw:glue-points, contained within the element <draw:enhanced-geometry>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint rounds floats to integers.

2.1.524 Part 1 Section 19.176, draw:handle-mirror-horizontal

- a. *The standard defines the attribute draw:handle-mirror-horizontal, contained within the element <draw:handle>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:handle-mirror-horizontal, contained within the element <draw:handle>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:handle-mirror-horizontal, contained within the element <draw:handle>*

This attribute is not supported in PowerPoint 2013.

2.1.525 Part 1 Section 19.177, draw:handle-mirror-vertical

- a. *The standard defines the attribute draw:handle-mirror-vertical, contained within the element <draw:handle>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:handle-mirror-vertical, contained within the element <draw:handle>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:handle-mirror-vertical, contained within the element <draw:handle>*

This attribute is not supported in PowerPoint 2013.

2.1.526 Part 1 Section 19.179, draw:handle-position

- a. *The standard defines the attribute draw:handle-position, contained within the element <draw:handle>*

This attribute is supported in Word 2013.

Word does not support the identifiers 'logwidth' and 'logheight'.

- b. *The standard defines the attribute draw:handle-position, contained within the element <draw:handle>*

This attribute is supported in Excel 2013.

Excel does not support the identifiers 'logwidth' and 'logheight'.

- c. *The standard defines the attribute draw:handle-position, contained within the element <draw:handle>*

This attribute is supported in PowerPoint 2013.

PowerPoint does not support the identifiers "logwidth" and "logheight".

2.1.527 Part 1 Section 19.182, draw:handle-range-x-maximum

- a. *The standard defines the attribute draw:handle-range-x-maximum, contained within the element <draw:handle>*

This attribute is supported in Word 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- b. *The standard defines the attribute draw:handle-range-x-maximum, contained within the element <draw:handle>*

This attribute is supported in Excel 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- c. *The standard defines the attribute draw:handle-range-x-maximum, contained within the element <draw:handle>*

This attribute is supported in PowerPoint 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

2.1.528 Part 1 Section 19.183, draw:handle-range-x-minimum

- a. *The standard defines the attribute draw:handle-range-x-minimum, contained within the element <draw:handle>*

This attribute is supported in Word 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- b. *The standard defines the attribute draw:handle-range-x-minimum, contained within the element <draw:handle>*

This attribute is supported in Excel 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- c. *The standard defines the attribute draw:handle-range-x-minimum, contained within the element <draw:handle>*

This attribute is supported in PowerPoint 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

2.1.529 Part 1 Section 19.184, draw:handle-range-y-maximum

- a. *The standard defines the attribute draw:handle-range-y-maximum, contained within the element <draw:handle>*

This attribute is supported in Word 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- b. *The standard defines the attribute draw:handle-range-y-maximum, contained within the element <draw:handle>*

This attribute is supported in Excel 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- c. *The standard defines the attribute draw:handle-range-y-maximum, contained within the element <draw:handle>*

This attribute is supported in PowerPoint 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

2.1.530 Part 1 Section 19.185, draw:handle-range-y-minimum

- a. *The standard defines the attribute draw:handle-range-y-minimum, contained within the element <draw:handle>*

This attribute is supported in Word 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- b. *The standard defines the attribute draw:handle-range-y-minimum, contained within the element <draw:handle>*

This attribute is supported in Excel 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

- c. *The standard defines the attribute draw:handle-range-y-minimum, contained within the element <draw:handle>*

This attribute is supported in PowerPoint 2013.

If the formula that specifies this value contains a reference to the current value of the handle (either directly or by referencing another formula), a circular reference is created, and the range is lost. This may allow the user to move the adjustment handle outside of the specified range.

2.1.531 Part 1 Section 19.186, draw:handle-switched

- a. *The standard defines the attribute draw:handle-switched, contained within the element <draw:handle>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:handle-switched, contained within the element <draw:handle>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:handle-switched, contained within the element <draw:handle>*

This attribute is not supported in PowerPoint 2013.

2.1.532 Part 1 Section 19.187, draw:id

- a. *The standard defines the attribute draw:id*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:id, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute draw:id*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the attribute draw:id, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute draw:id*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
f. The standard defines the attribute draw:id, contained within the element <draw:page>
```

This attribute is not supported in PowerPoint 2013.

2.1.533 Part 1 Section 19.190, draw:line-skew

a. The standard defines the attribute draw:line-skew, contained within the element <draw:connector>

This attribute is not supported in Word 2013.

Non-default connector elbow positions revert to default positioning after save from Word.

b. The standard defines the attribute draw:line-skew, contained within the element <draw:connector>

This attribute is not supported in Excel 2013.

Non-default connector elbow positions revert to default positioning after save from Excel.

c. The standard defines the attribute draw:line-skew, contained within the element <draw:connector>

This attribute is not supported in PowerPoint 2013.

Non-default connector elbow positions revert to default positioning after save from PowerPoint.

2.1.534 Part 1 Section 19.196, draw:modifiers

a. The standard defines the attribute draw:modifiers, contained within the element <draw:enhanced-geometry>

This attribute is not supported in Word 2013.

b. The standard defines the attribute draw:modifiers, contained within the element <draw:enhanced-geometry>

This attribute is not supported in Excel 2013.

c. The standard defines the attribute draw:modifiers, contained within the element <draw:enhanced-geometry>

This attribute is not supported in PowerPoint 2013.

2.1.535 Part 1 Section 19.197, draw:name

- a. *The standard defines the attribute draw:name*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:name, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
```

```
<draw:image>
<draw:text-box>
<draw:custom-shape>

c. The standard defines the attribute draw:name, contained within the element <draw:gradient>, contained within the parent element <office:styles>
```

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>

d. The standard defines the attribute draw:name, contained within the element <draw:marker>, contained within the parent element <office:styles>
```

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:line>
<draw:connector>
<draw:measure>

e. The standard defines the attribute draw:name, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>
```

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

f. *The standard defines the attribute draw:name, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

g. *The standard defines the attribute draw:name*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>
<draw:frame>
<draw:custom-shape>

h. The standard defines the attribute draw:name, contained within the element <draw:fill-image>, contained within the parent element <office:styles>
```

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

i. The standard defines the attribute draw:name, contained within the element <draw:gradient>, contained within the parent element <office:styles>

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute draw:name, contained within the element <draw:marker>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:line>
<draw:connector>
<draw:measure>
```

k. *The standard defines the attribute draw:name, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

I. *The standard defines the attribute draw:name, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute draw:name*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

n. *The standard defines the attribute draw:name, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>

o. The standard defines the attribute draw:name, contained within the element <draw:gradient>, contained within the parent element <office:styles>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>

p. The standard defines the attribute draw:name, contained within the element <draw:marker>, contained within the parent element <office:styles>
```

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:line>
<draw:connector>
<draw:measure>

q. The standard defines the attribute draw:name, contained within the element <draw:object>
```

This attribute is supported in PowerPoint 2013.

PowerPoint does not read in OLE object names; it sets default values for these attributes on load.

This attribute is not supported in PowerPoint 2013.

PowerPoint does not read in OLE object names; it sets default values for these attributes on load.

r. *The standard defines the attribute draw:name, contained within the element <draw:object-ole>*

This attribute is supported in PowerPoint 2013.

PowerPoint does not read in OLE object names; it sets default values for these attributes on load.

s. *The standard defines the attribute draw:name, contained within the element <draw:page>*

This attribute is supported in PowerPoint 2013.

t. *The standard defines the attribute draw:name, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.536 Part 1 Section 19.198, draw:nav-order

a. *The standard defines the attribute draw:nav-order, contained within the element <draw:page>*

This attribute is not supported in PowerPoint 2013.

2.1.537 Part 1 Section 19.200, draw:notify-on-update-of-ranges

- a. *The standard defines the attribute draw:notify-on-update-of-ranges, contained within the element <draw:object>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute draw:notify-on-update-of-ranges, contained within the element <draw:object>*

This attribute is not supported in PowerPoint 2013.

- c. *The standard defines the attribute draw:notify-on-update-of-ranges, contained within the element <draw:object-ole>*

This attribute is not supported in PowerPoint 2013.

2.1.538 Part 1 Section 19.204, draw:path-stretchpoint-x

- a. *The standard defines the attribute draw:path-stretchpoint-x, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Word 2013.

The presence of this attribute is interpreted to mean that the application should maintain the aspect ratio of the shape's view box. The actual value of this attribute is ignored.

- b. *The standard defines the attribute draw:path-stretchpoint-x, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Excel 2013.

The presence of this attribute is interpreted to mean that the application should maintain the aspect ratio of the shape's view box. The actual value of this attribute is ignored.

- c. *The standard defines the attribute draw:path-stretchpoint-x, contained within the element <draw:enhanced-geometry>*

This attribute is supported in PowerPoint 2013.

The presence of this attribute is interpreted to mean that the application should maintain the aspect ratio of the shape's view box. The actual value of this attribute is ignored.

2.1.539 Part 1 Section 19.205, draw:path-stretchpoint-y

- a. *The standard defines the attribute draw:path-stretchpoint-y, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Word 2013.

The presence of this attribute is interpreted to mean that the application should maintain the aspect ratio of the shape's view box. The actual value of this attribute is ignored.

- b. *The standard defines the attribute draw:path-stretchpoint-y, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Excel 2013.

The presence of this attribute is interpreted to mean that the application should maintain the aspect ratio of the shape's view box. The actual value of this attribute is ignored.

- c. *The standard defines the attribute draw:path-stretchpoint-y, contained within the element <draw:enhanced-geometry>*

This attribute is supported in PowerPoint 2013.

The presence of this attribute is interpreted to mean that the application should maintain the aspect ratio of the shape's view box. The actual value of this attribute is ignored.

2.1.540 Part 1 Section 19.214, draw:start-color

- a. *The standard defines the attribute draw:start-color, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:start-color, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute draw:start-color, contained within the element <draw:gradient>, contained within the parent element <office:styles>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.541 Part 1 Section 19.216, draw:start-intensity

a. The standard defines the attribute draw:start-intensity, contained within the element <draw:gradient>, contained within the parent element <office:styles>

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:start-intensity, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:start-intensity, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.542 Part 1 Section 19.218, draw:style

a. *The standard defines the property "axial", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the property "ellipsoid", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

Word interprets this enumeration as "radial".

c. *The standard defines the property "linear", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the property "radial", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

e. *The standard defines the property "rectangular", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

Word interprets this enumeration as "square".

f. *The standard defines the property "square", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

g. *The standard defines the attribute draw:style, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
```

```
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

Word interprets all styles as "rect".

h. *The standard defines the property "axial", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

i. *The standard defines the property "ellipsoid", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

Excel interprets this enumeration as the value "radial".

j. *The standard defines the property "linear", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

k. *The standard defines the property "radial", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

I. *The standard defines the property "rectangular", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

Excel interprets this enumeration as "square".

m. *The standard defines the property "square", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

n. *The standard defines the attribute draw:style, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
```

```
<draw:text-box>  
<draw:custom-shape>
```

Excel interprets all styles as 'rect'.

- o. *The standard defines the property "axial", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

- p. *The standard defines the property "ellipsoid", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>
```

```
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

PowerPoint interprets this enumeration as "radial".

q. *The standard defines the property "linear", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

r. *The standard defines the property "radial", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

s. *The standard defines the property "rectangular", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

PowerPoint interprets this enumeration as "square".

t. *The standard defines the property "square", contained within the attribute draw:style, contained within the element <draw:gradient>, contained within the parent element <office:styles>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
u. The standard defines the attribute draw:style, contained within the element <draw:stroke-dash>, contained within the parent element <office:styles>
```

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

PowerPoint interprets all styles as "rect".

2.1.543 Part 1 Section 19.219, draw:style-name

- a. *The standard defines the attribute draw:style-name*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:style-name, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute draw:style-name, contained within the element <style:master-page>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute draw:style-name*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

e. *The standard defines the attribute draw:style-name, contained within the element <office:annotation>*

This attribute is supported in Excel 2013.

On load, Excel does not read in this attribute. On save, different BG colors and BG images on comments are not written to ODF.

f. *The standard defines the attribute draw:style-name, contained within the element <style:master-page>, contained within the parent element <office:master-styles>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute draw:style-name*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>
<draw:frame>
<draw:custom-shape>
h. The standard defines the attribute draw:style-name, contained within the element
<style:handout-master>
```

This attribute is supported in PowerPoint 2013.

Gradient backgrounds are not supported for handout masters.

2.1.544 Part 1 Section 19.220, draw:text-areas

a. The standard defines the attribute draw:text-areas, contained within the element
<draw:enhanced-geometry>

This attribute is supported in Word 2013.

Only one text area per drawing shape is supported.

b. The standard defines the attribute draw:text-areas, contained within the element
<draw:enhanced-geometry>

This attribute is supported in Excel 2013.

Only one text area per drawing shape is supported.

c. The standard defines the attribute draw:text-areas, contained within the element
<draw:enhanced-geometry>

This attribute is supported in PowerPoint 2013.

Only one text area per drawing shape is supported.

2.1.545 Part 1 Section 19.221, draw:text-path

a. The standard defines the attribute draw:text-path, contained within the element
<draw:enhanced-geometry>

This attribute is not supported in Excel 2013.

b. The standard defines the attribute draw:text-path, contained within the element
<draw:enhanced-geometry>

This attribute is not supported in PowerPoint 2013.

2.1.546 Part 1 Section 19.222, draw:text-path-allowed

a. The standard defines the attribute draw:text-path-allowed, contained within the element
<draw:enhanced-geometry>

This attribute is not supported in Word 2013.

b. The standard defines the attribute draw:text-path-allowed, contained within the element
<draw:enhanced-geometry>

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:text-path-allowed, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.547 Part 1 Section 19.223, draw:text-path-mode

- a. *The standard defines the attribute draw:text-path-mode, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Word 2013.

Word always sets the value of draw:text-path-mode to "shape".

- b. *The standard defines the attribute draw:text-path-mode, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:text-path-mode, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.548 Part 1 Section 19.224, draw:text-path-same-letter-heights

- a. *The standard defines the attribute draw:text-path-same-letter-heights, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:text-path-same-letter-heights, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:text-path-same-letter-heights, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.549 Part 1 Section 19.225, draw:text-path-scale

- a. *The standard defines the attribute draw:text-path-scale, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Word 2013.

Word only uses shape text path scaling.

- b. *The standard defines the attribute draw:text-path-scale, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Excel 2013.

c. *The standard defines the attribute draw:text-path-scale, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.550 Part 1 Section 19.226, draw:text-rotate-angle

a. *The standard defines the attribute draw:text-rotate-angle, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute draw:text-rotate-angle, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in Excel 2013.

c. *The standard defines the attribute draw:text-rotate-angle, contained within the element <draw:enhanced-geometry>*

This attribute is not supported in PowerPoint 2013.

2.1.551 Part 1 Section 19.227, draw:text-style-name

a. *The standard defines the attribute draw:text-style-name, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

On load, Excel does not read this attribute. On save, Excel does not write different text alignment to ODF.

2.1.552 Part 1 Section 19.228, draw:transform

a. *The standard defines the property "matrix(a b c d e f)", contained within the attribute draw:transform*

Word 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
```

```
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

b. *The standard defines the property "rotate(rotate-angle)", contained within the attribute draw:transform*

Word 2013 supports this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

Rotation is not supported for a <draw:frame> element that contains a <draw:object-ole> element.

c. *The standard defines the property "scale(sx [sy])", contained within the attribute draw:transform*

Word 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the property "skewX(skew-angle)", contained within the attribute draw:transform*

Word 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

e. *The standard defines the property "skewY(skew-angle)", contained within the attribute draw:transform*

Word 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
f. The standard defines the property "translate(tx [ty])", contained within the attribute draw:transform
```

Word 2013 supports this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>  
<draw:frame>  
<draw:custom-shape>
```

g. The standard defines the attribute `draw:transform`, contained within the element `<office:annotation>`

This attribute is not supported in Word 2013.

h. The standard defines the property "matrix(a b c d e f)", contained within the attribute `draw:transform`

Excel 2013 does not support this enum for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:custom-shape>
```

i. The standard defines the property "rotate(rotate-angle)", contained within the attribute `draw:transform`

Excel 2013 supports this enum for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

Rotation is not supported for a `<draw:frame>` element that contains a `<draw:object-ole>` element.

- j. *The standard defines the property "scale(sx [sy])", contained within the attribute draw:transform*
Excel 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- k. *The standard defines the property "skewX(skew-angle)", contained within the attribute draw:transform*

Excel 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

I. *The standard defines the property "skewY(skew-angle)", contained within the attribute draw:transform*

Excel 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

```
<draw:frame>
```

```
<draw:custom-shape>
```

m. *The standard defines the property "translate(tx [ty])", contained within the attribute draw:transform*

Excel 2013 supports this enum for the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:g>
```

```
<draw:frame>
```

```
<draw:custom-shape>
```

n. *The standard defines the attribute draw:transform, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

o. *The standard defines the property "matrix(a b c d e f)", contained within the attribute draw:transform*

PowerPoint 2013 does not support this enum for the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

p. *The standard defines the property "rotate(rotate-angle)", contained within the attribute draw:transform*

PowerPoint 2013 supports this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

Rotation is not supported for a <draw:frame> element that contains a <draw:object-ole> element.

q. *The standard defines the property "scale(sx [sy])", contained within the attribute draw:transform*

PowerPoint 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

r. *The standard defines the property "skewX(skew-angle)", contained within the attribute draw:transform*

PowerPoint 2013 does not support this enum for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

```
<draw:frame>
```

```
<draw:custom-shape>
```

s. *The standard defines the property "skewY(skew-angle)", contained within the attribute draw:transform*

PowerPoint 2013 does not support this enum for the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:g>
```

```
<draw:frame>
```

```
<draw:custom-shape>
```

t. *The standard defines the property "translate(tx [ty])", contained within the attribute draw:transform*

PowerPoint 2013 supports this enum for the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

2.1.553 Part 1 Section 19.229, draw:type

- a. *The standard defines the attribute draw:type, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Word 2013.

The enumeration "non-primitive" is supported. Any other value for the draw:type attribute is ignored.

- b. *The standard defines the attribute draw:type, contained within the element <draw:enhanced-geometry>*

This attribute is supported in Excel 2013.

The enumeration "non-primitive" is supported. Any other value for the draw:type attribute is ignored.

- c. *The standard defines the attribute draw:type, contained within the element <draw:enhanced-geometry>*

This attribute is supported in PowerPoint 2013.

The enumeration "non-primitive" is supported. Any other value for the draw:type attribute is ignored.

2.1.554 Part 1 Section 19.231, draw:z-index

- a. *The standard defines the attribute draw:z-index*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:z-index, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute draw:z-index*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the attribute draw:z-index, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute draw:z-index*

This attribute is not supported in PowerPoint 2013.

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

2.1.555 Part 1 Section 19.232, fo:column-count

- a. *The standard defines the attribute fo:column-count, contained within the element <style:columns>*

This attribute is not supported in Excel 2013.

2.1.556 Part 1 Section 19.233, fo:column-gap

- a. *The standard defines the attribute fo:column-gap, contained within the element <style:columns>*

This attribute is not supported in Excel 2013.

2.1.557 Part 1 Section 19.234, fo:country

- a. *The standard defines the attribute fo:country, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

On load, Word preserves the fo:country attribute as a part of a country language id (as specified by BCP 47) applied to the text range.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, OOXML's run properties "lang" and "altLang" are used to populate the ODF "fo:country", "style:country-asian" and "style:country-complex" text property attributes. First, "lang" is mapped to the corresponding attribute according to script type. Second, if "altLang" is a different script type than "lang", "altLang" is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If "altLang" is the same script type as "lang", it is not written and the remaining two ODF attributes are not written out. This method is also used to populate "fo:language", "fo:language-asian", and "fo:language-complex" attributes.

b. *The standard defines the attribute fo:country, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in Excel are used to populate the ODF fo:country, style:country-asian, and style:country-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:language, fo:language-asian, and fo:language-complex attributes.

On read, this attribute is dropped. The fo:language, fo:language-asian, and fo:language-complex attributes are used to populate the Excel lang property.

- c. The standard defines the attribute `fo:country`, contained within the element `<style:text-properties>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in PowerPoint are used to populate the ODF `fo:language`, `fo:language-asian`, and `fo:language-complex` text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the `fo:country`, `style:country-asian`, and `style:country-complex` attributes.

On read, this attribute is dropped. The `fo:language`, `fo:language-asian`, and `fo:language-complex` attributes are used to populate the PowerPoint lang property.

2.1.558 Part 1 Section 19.235, fo:end-indent

- a. The standard defines the attribute `fo:end-indent`, contained within the element `<style:column>`, contained within the parent element `<style:columns>`

This attribute is not supported in Excel 2013.

2.1.559 Part 1 Section 19.236, fo:language

- a. The standard defines the attribute `fo:language`, contained within the element `<style:text-properties>`

This attribute is supported in Word 2013.

On load, Word preserves the `fo:language` attribute as a part of a country language id (as specified by BCP 47) applied to the text range.

If the language is missing, Word ignores both the language and the country.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, OOXML's run properties "lang" and "altLang" are used to populate the ODF "fo:language", "fo:language-asian" and "fo:language-complex" text property attributes. First, "lang" is mapped to the corresponding attribute according to script type. Second, if "altLang" is a different script type than "lang", "altLang" is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If "altLang" is the same script type as "lang", it is not written and the remaining two ODF attributes are not written out. This method is also used to populate "fo:country", "style:country-asian", and "style:country-complex".

- b. *The standard defines the attribute fo:language, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute fo:language, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in PowerPoint are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex attributes.

On read, the script type for the first character of the run is used to determine which of the fo:language, fo:language-asian, or fo:language-complex attributes is used to populate the PowerPoint lang attribute. PowerPoint's altLang attribute is not populated on read.

2.1.560 Part 1 Section 19.237, fo:margin-left

- a. *The standard defines the attribute fo:margin-left, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:margin-left, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:margin-left, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:margin-left, contained within the element <style:section-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute fo:margin-left, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the attribute fo:margin-left, contained within the element <style:paragraph-properties>*

This attribute is supported in Excel 2013.

Excel maps this attribute to the indent value for text alignment.

On load, Excel only applies this attribute to the indent value for text alignment if the fo:text-align attribute is not specified, or either fo:margin-left has a value of "left" or fo:margin-right has a value of "right".

On save, Excel does not write this attribute if the alignment of the text is set to center or justified.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On read, percentage values are not supported.

g. *The standard defines the attribute fo:margin-left, contained within the element <style:section-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

h. *The standard defines the attribute fo:margin-left, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:margin-left, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

j. *The standard defines the attribute fo:margin-left, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

k. *The standard defines the attribute fo:margin-left, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On read, percentage values are not supported.

l. *The standard defines the attribute fo:margin-left, contained within the element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.561 Part 1 Section 19.238, fo:max-height

- a. *The standard defines the attribute fo:max-height, contained within the element <draw:text-box>*

This attribute is supported in Word 2013.

Word supports length but not percent for this attribute.

Word supports the fo:max-height attribute when the value is less than the value of the svg:height attribute on the text box's <draw:frame> parent element. For this case, Word uses the value specified in the fo:max-height attribute as the text box's height instead of the svg:height attribute and writes this value to the svg:height attribute on save.

- b. *The standard defines the attribute fo:max-height, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- c. *The standard defines the attribute fo:max-height, contained within the element <draw:text-box>*

This attribute is supported in Excel 2013.

Excel supports length but not percent for this attribute.

Excel supports the fo:max-height attribute when the value is less than the value for the svg:height attribute on the text box's <draw:frame> parent element. For this case, Excel uses the value specified in the fo:max-height attribute as the text box's height instead of the svg:height attribute and writes this value to the svg:height attribute on save.

- d. *The standard defines the attribute fo:max-height, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

- e. *The standard defines the attribute `fo:max-height`, contained within the element `<draw:text-box>`*

This attribute is supported in PowerPoint 2013.

PowerPoint supports length but not percent for this attribute.

PowerPoint supports the `fo:max-height` attribute when the value is less than the value for the `svg:height` attribute on the text box's `<draw:frame>` parent element. For this case, PowerPoint uses the value specified in the `fo:max-height` attribute as the text box's height instead of the `svg:height` attribute and writes this value to the `svg:height` attribute on save.

- f. *The standard defines the attribute `fo:max-height`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

2.1.562 Part 1 Section 19.239, `fo:max-width`

- a. *The standard defines the attribute `fo:max-width`, contained within the element `<draw:text-box>`*

This attribute is supported in Word 2013.

Word supports length but not percent for this attribute.

Word supports the `fo:max-width` attribute when the value is less than the value of the `svg:width` attribute on the text box's `<draw:frame>` parent element. For this case, Word uses the value specified in the `fo:max-width` attribute as the text box's width instead of the `svg:width` attribute, and Word writes this value to the `svg:width` attribute on save.

- b. *The standard defines the attribute `fo:max-width`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

- c. *The standard defines the attribute `fo:max-width`, contained within the element `<draw:text-box>`*

This attribute is supported in Excel 2013.

Excel supports length, but not percent for this attribute.

Excel supports the `fo:max-width` attribute when the value is less than the value for the `svg:width` attribute on the text box's `<draw:frame>` parent element. For this case, Excel uses the value specified in the `fo:max-width` attribute as the text box's width instead of the `svg:width` attribute and writes this value to the `svg:width` attribute on save.

- d. *The standard defines the attribute `fo:max-width`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

- e. *The standard defines the attribute `fo:max-width`, contained within the element `<draw:text-box>`*

This attribute is supported in PowerPoint 2013.

PowerPoint supports length but not percent for this attribute.

PowerPoint supports the fo:max-width attribute when the value is less than the value for the svg:width attribute on the text box's <draw:frame> parent element. For this case, PowerPoint uses the value specified in the fo:max-width attribute as the text box's width instead of the svg:width attribute and writes this value to the svg:width attribute on save.

f. *The standard defines the attribute fo:max-width, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

2.1.563 Part 1 Section 19.240, fo:min-height

a. *The standard defines the attribute fo:min-height, contained within the element <draw:text-box>*

This attribute is supported in Word 2013.

Word supports length but not percent for this attribute.

This attribute is used when the svg:height attribute on the text box's <draw:frame> parent element is missing. Otherwise, this attribute is ignored.

b. *The standard defines the attribute fo:min-height, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

c. *The standard defines the attribute fo:min-height, contained within the element <draw:text-box>*

This attribute is supported in Excel 2013.

Excel supports length but not percent for this attribute.

Excel uses the fo:min-height attribute when the svg:height attribute on the text box's <draw:frame> parent element is missing. Otherwise, Excel ignores this attribute.

d. *The standard defines the attribute fo:min-height, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

e. *The standard defines the attribute fo:min-height, contained within the element <draw:text-box>*

This attribute is supported in PowerPoint 2013.

PowerPoint supports length but not percent for this attribute.

PowerPoint uses the fo:min-height attribute when the svg:height attribute on the text box's <draw:frame> parent element is missing. Otherwise, PowerPoint ignores this attribute.

f. *The standard defines the attribute fo:min-height, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

2.1.564 Part 1 Section 19.241, fo:min-width

a. *The standard defines the attribute fo:min-width, contained within the element <draw:text-box>*

This attribute is supported in Word 2013.

Word supports length but not percent for this attribute.

Word uses the fo:min-width attribute when the svg:width attribute on the text box's <draw:frame> parent element is missing. Otherwise, Word ignores this attribute.

b. *The standard defines the attribute fo:min-width, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

c. *The standard defines the attribute fo:min-width, contained within the element <draw:text-box>*

This attribute is supported in Excel 2013.

Excel supports length, but not percent for this attribute.

Excel uses the fo:min-width attribute when the svg:width attribute on the text box's <draw:frame> parent element is missing. Otherwise, Excel ignores this attribute.

d. *The standard defines the attribute fo:min-width, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

e. *The standard defines the attribute fo:min-width, contained within the element <draw:text-box>*

This attribute is supported in PowerPoint 2013.

PowerPoint supports length, but not percent for this attribute.

PowerPoint uses the fo:min-width attribute when the svg:width attribute on the text box's <draw:frame> parent element is missing. Otherwise, PowerPoint ignores this attribute.

f. *The standard defines the attribute fo:min-width, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

2.1.565 Part 1 Section 19.242.2, text:alphabetical-index-source

a. *The standard defines the attribute fo:script, contained within the element <text:alphabetical-index-source>*

This attribute is supported in Word 2013 Client.

2.1.566 Part 1 Section 19.243, fo:space-after

- a. *The standard defines the attribute fo:space-after, contained within the element <style:column>, contained within the parent element <style:columns>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute fo:space-after, contained within the element <style:column>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

2.1.567 Part 1 Section 19.244, fo:space-before

- a. *The standard defines the attribute fo:space-before, contained within the element <style:column>, contained within the parent element <style:columns>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute fo:space-before, contained within the element <style:column>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

2.1.568 Part 1 Section 19.245, fo:start-indent

- a. *The standard defines the attribute fo:start-indent, contained within the element <style:column>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

2.1.569 Part 1 Section 19.246, fo:text-indent

- a. *The standard defines the attribute fo:text-indent, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:text-indent, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On read, percentage values are not supported.

- c. *The standard defines the attribute fo:text-indent, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On read, percentage values are not supported.

2.1.570 Part 1 Section 19.247, form:allow-deletes

- a. *The standard defines the attribute form:allow-deletes, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:allow-deletes, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.571 Part 1 Section 19.248, form:allow-inserts

- a. *The standard defines the attribute form:allow-inserts, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:allow-inserts, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.572 Part 1 Section 19.249, form:allow-updates

- a. *The standard defines the attribute form:allow-updates, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:allow-updates, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.573 Part 1 Section 19.251, form:apply-filter

- a. *The standard defines the attribute form:apply-filter, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:apply-filter, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.574 Part 1 Section 19.254, form:bound-column

- a. *The standard defines the attribute form:bound-column*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:bound-column*

This attribute is not supported in Excel 2013.

2.1.575 Part 1 Section 19.255, form:button-type

- a. *The standard defines the attribute form:button-type*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:button-type*

This attribute is not supported in Excel 2013.

2.1.576 Part 1 Section 19.256, form:command

a. *The standard defines the attribute form:command, contained within the element <form:form>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:command, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.577 Part 1 Section 19.257, form:command-type

a. *The standard defines the attribute form:command-type, contained within the element <form:form>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:command-type, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.578 Part 1 Section 19.258, form:control-implementation

a. *The standard defines the attribute form:control-implementation*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:control-implementation*

This attribute is not supported in Excel 2013.

2.1.579 Part 1 Section 19.259, form:convert-empty-to-null

a. *The standard defines the attribute form:convert-empty-to-null*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:convert-empty-to-null*

This attribute is not supported in Excel 2013.

2.1.580 Part 1 Section 19.260, form:current-selected

a. *The standard defines the attribute form:current-selected*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:current-selected*

This attribute is not supported in Excel 2013.

2.1.581 Part 1 Section 19.262, form:current-value

a. *The standard defines the attribute form:current-value*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:current-value*

This attribute is not supported in Excel 2013.

2.1.582 Part 1 Section 19.263, form:data-field

- a. *The standard defines the attribute form:data-field*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:data-field*

This attribute is not supported in Excel 2013.

2.1.583 Part 1 Section 19.264, form:datasource

- a. *The standard defines the attribute form:datasource, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:datasource, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.584 Part 1 Section 19.267, form:detail-fields

- a. *The standard defines the attribute form:detail-fields, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:detail-fields, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.585 Part 1 Section 19.268, form:disabled

- a. *The standard defines the attribute form:disabled*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:disabled*

This attribute is not supported in Excel 2013.

2.1.586 Part 1 Section 19.269, form:dropdown

- a. *The standard defines the attribute form:dropdown*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:dropdown*

This attribute is not supported in Excel 2013.

2.1.587 Part 1 Section 19.271, form:enctype

- a. *The standard defines the attribute form:enctype, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:enctype, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.588 Part 1 Section 19.272, form:escape-processing

- a. *The standard defines the attribute form:escape-processing, contained within the element <form:form>*

This attribute is not supported in Word 2013.

2.1.589 Part 1 Section 19.273, form:filter

- a. *The standard defines the attribute form:filter, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:filter, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.590 Part 1 Section 19.275, form:for

- a. *The standard defines the attribute form:for*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:for*

This attribute is not supported in Excel 2013.

2.1.591 Part 1 Section 19.276, form:id

- a. *The standard defines the attribute form:id*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:id*

This attribute is not supported in Excel 2013.

2.1.592 Part 1 Section 19.277, form:ignore-result

- a. *The standard defines the attribute form:ignore-result, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:ignore-result, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.593 Part 1 Section 19.278, form:image-align

a. *The standard defines the attribute form:image-align*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:image-align*

This attribute is not supported in Excel 2013.

2.1.594 Part 1 Section 19.279, form:image-data

a. *The standard defines the attribute form:image-data*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:image-data*

This attribute is not supported in Excel 2013.

2.1.595 Part 1 Section 19.280, form:image-position

a. *The standard defines the attribute form:image-position*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:image-position*

This attribute is not supported in Excel 2013.

2.1.596 Part 1 Section 19.282, form:label

a. *The standard defines the attribute form:label*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:label*

This attribute is not supported in Excel 2013.

2.1.597 Part 1 Section 19.285, form:list-source

a. *The standard defines the attribute form:list-source*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute form:list-source*

This attribute is not supported in Excel 2013.

2.1.598 Part 1 Section 19.286, form:list-source-type

a. *The standard defines the attribute form:list-source-type*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:list-source-type*

This attribute is not supported in Excel 2013.

2.1.599 Part 1 Section 19.287, form:master-fields

- a. *The standard defines the attribute form:master-fields, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:master-fields, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.600 Part 1 Section 19.288, form:max-length

- a. *The standard defines the attribute form:max-length*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:max-length*

This attribute is not supported in Excel 2013.

2.1.601 Part 1 Section 19.291, form:method

- a. *The standard defines the attribute form:method, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:method, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.602 Part 1 Section 19.294, form:name

- a. *The standard defines the attribute form:name*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:name*

This attribute is not supported in Excel 2013.

2.1.603 Part 1 Section 19.295, form:navigation-mode

- a. *The standard defines the attribute form:navigation-mode, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:navigation-mode, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.604 Part 1 Section 19.296, form:order

- a. *The standard defines the attribute form:order, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:order, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.605 Part 1 Section 19.299, form:printable

- a. *The standard defines the attribute form:printable*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:printable*

This attribute is not supported in Excel 2013.

2.1.606 Part 1 Section 19.300, form:property-name

- a. *The standard defines the attribute form:property-name, contained within the element <form:property>*

This attribute is not supported in Word 2013.

2.1.607 Part 1 Section 19.301, form:readonly

- a. *The standard defines the attribute form:readonly*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:readonly*

This attribute is not supported in Excel 2013.

2.1.608 Part 1 Section 19.303, form:selected

- a. *The standard defines the attribute form:selected*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:selected*

This attribute is not supported in Excel 2013.

2.1.609 Part 1 Section 19.304, form:size

- a. *The standard defines the attribute form:size*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:size*

This attribute is not supported in Excel 2013.

2.1.610 Part 1 Section 19.309, form:tab-cycle

- a. *The standard defines the attribute form:tab-cycle, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:tab-cycle, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.611 Part 1 Section 19.310, form:tab-index

- a. *The standard defines the attribute form:tab-index*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:tab-index*

This attribute is not supported in Excel 2013.

2.1.612 Part 1 Section 19.311, form:tab-stop

- a. *The standard defines the attribute form:tab-stop*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:tab-stop*

This attribute is not supported in Excel 2013.

2.1.613 Part 1 Section 19.313, form:title

- a. *The standard defines the attribute form:title*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:title*

This attribute is not supported in Excel 2013.

2.1.614 Part 1 Section 19.316, form:value

- a. *The standard defines the attribute form:value*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:value*

This attribute is not supported in Excel 2013.

2.1.615 Part 1 Section 19.317, form:visual-effect

- a. *The standard defines the attribute form:visual-effect*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute form:visual-effect*

This attribute is not supported in Excel 2013.

2.1.616 Part 1 Section 19.326, meta:frame-count

- a. *The standard defines the attribute meta:frame-count, contained within the element <meta:document-statistic>*

This attribute is supported in Word 2013 Client.

2.1.617 Part 1 Section 19.327, meta:image-count

- a. *The standard defines the attribute meta:image-count, contained within the element <meta:document-statistic>, contained within the parent element <office:meta-data>*

This attribute is not supported in Word 2013.

2.1.618 Part 1 Section 19.330, meta:object-count

- a. *The standard defines the attribute meta:object-count, contained within the element <meta:document-statistic>, contained within the parent element <office:meta-data>*

This attribute is not supported in Word 2013.

2.1.619 Part 1 Section 19.332, meta:page-count

- a. *The standard defines the attribute meta:page-count, contained within the element <meta:document-statistic>*

This attribute is not supported in PowerPoint 2013.

2.1.620 Part 1 Section 19.335, meta:sentence-count

- a. *The standard defines the attribute meta:sentence-count, contained within the element <meta:document-statistic>*

This attribute is supported in Word 2013 Client.

2.1.621 Part 1 Section 19.336, meta:syllable-count

- a. *The standard defines the attribute meta:syllable-count, contained within the element <meta:document-statistic>*

This attribute is supported in Word 2013 Client.

2.1.622 Part 1 Section 19.340, number:automatic-order

- a. *The standard defines the attribute number:automatic-order*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:automatic-order, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute number:automatic-order*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute number:automatic-order*

This attribute is not supported in PowerPoint 2013.

2.1.623 Part 1 Section 19.341, number:calendar

- a. *The standard defines the property "hanja", contained within the attribute number:calendar*

This property is not supported in Word 2013.

- b. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar*

This property is not supported in Word 2013.

- c. *The standard defines the property "ROC", contained within the attribute number:calendar*

This property is not supported in Word 2013.

- d. *The standard defines the property "hanja", contained within the attribute number:calendar, contained within the element <number:day>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

- e. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar, contained within the element <number:day>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

- f. *The standard defines the property "ROC", contained within the attribute number:calendar, contained within the element <number:day>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

- g. *The standard defines the property "hanja", contained within the attribute number:calendar, contained within the element <number:day-of-week>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

- h. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar, contained within the element <number:day-of-week>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

- i. *The standard defines the property "ROC", contained within the attribute number:calendar, contained within the element <number:day-of-week>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

j. *The standard defines the property "hanja", contained within the attribute number:calendar, contained within the element <number:era>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

k. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar, contained within the element <number:era>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

l. *The standard defines the property "ROC", contained within the attribute number:calendar, contained within the element <number:era>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

m. *The standard defines the property "hanja", contained within the attribute number:calendar, contained within the element <number:month>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

n. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar, contained within the element <number:month>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

o. *The standard defines the property "ROC", contained within the attribute number:calendar, contained within the element <number:month>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

p. *The standard defines the property "hanja", contained within the attribute number:calendar, contained within the element <number:year>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

q. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar, contained within the element <number:year>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

r. *The standard defines the property "ROC", contained within the attribute number:calendar, contained within the element <number:year>, contained within the parent element <number:date-style>*

This property is not supported in Word 2013.

s. *The standard defines the property "buddhist", contained within the attribute number:calendar*

This property is supported in Excel 2013.

This value corresponds to CAL_THAI in Excel.

t. *The standard defines the property "gengou", contained within the attribute number:calendar*

This property is supported in Excel 2013.

This value corresponds to CAL_JAPAN in Excel.

u. *The standard defines the property "hanja", contained within the attribute number:calendar*

This property is supported in Excel 2013.

This value corresponds to CAL_KOREA in Excel.

v. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar*

This property is not supported in Excel 2013.

w. *The standard defines the property "jewish", contained within the attribute number:calendar*

This property is supported in Excel 2013.

This value corresponds to CAL_HEBREW in Excel.

x. *The standard defines the property "ROC", contained within the attribute number:calendar*

This property is not supported in Excel 2013.

y. *The standard defines the property "hanja_yoil", contained within the attribute number:calendar*

This property is not supported in PowerPoint 2013.

z. *The standard defines the property "ROC", contained within the attribute number:calendar*

This property is not supported in PowerPoint 2013.

2.1.624 Part 1 Section 19.342, number:country

a. *The standard defines the attribute number:country, contained within the element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

b. *The standard defines the attribute number:country*

This attribute is not supported in PowerPoint 2013.

2.1.625 Part 1 Section 19.343, number:decimal-places

a. *The standard defines the attribute number:decimal-places*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:decimal-places, contained within the element <number:seconds>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute number:decimal-places, contained within the element <number:seconds>, contained within the parent element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- d. *The standard defines the attribute number:decimal-places, contained within the element <number:seconds>, contained within the parent element <number:date-style>*

This attribute is not supported in PowerPoint 2013.

2.1.626 Part 1 Section 19.344, number:decimal-replacement

- a. *The standard defines the attribute number:decimal-replacement, contained within the element <number:number>, contained within the parent element <number:number-style>*

This attribute is supported in Excel 2013.

If this attribute contains the empty string, Excel treats the values after the decimal as numeric instead of zero. On save, the attribute or empty string is saved only if all digits to the right of the decimal are insignificant digits.

2.1.627 Part 1 Section 19.347, number:format-source

- a. *The standard defines the attribute number:format-source*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:format-source, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute number:format-source, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- d. *The standard defines the property "fixed", contained within the attribute number:format-source*

This property is not supported in Excel 2013.

- e. *The standard defines the property "language", contained within the attribute number:format-source*

This property is not supported in Excel 2013.

- f. *The standard defines the attribute number:format-source*

This attribute is not supported in PowerPoint 2013.

2.1.628 Part 1 Section 19.348, number:grouping

- a. *The standard defines the attribute number:grouping*

This attribute is not supported in Word 2013.

2.1.629 Part 1 Section 19.349, number:language

- a. *The standard defines the attribute number:language, contained within the element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- b. *The standard defines the attribute number:language*

This attribute is not supported in PowerPoint 2013.

2.1.630 Part 1 Section 19.352, number:min-integer-digits

- a. *The standard defines the attribute number:min-integer-digits*

This attribute is not supported in Word 2013.

2.1.631 Part 1 Section 19.355, number:possessive-form

- a. *The standard defines the attribute number:possessive-form, contained within the element <number:month>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:possessive-form, contained within the element <number:month>, contained within the parent element <number:date-style>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute number:possessive-form, contained within the element <number:month>, contained within the parent element <number:date-style>*

This attribute is not supported in PowerPoint 2013.

2.1.632 Part 1 Section 19.357, number:script

- a. *The standard defines the attribute number:script, contained within the element <number:date-style>*

This attribute is supported in Word 2013 Client.

- b. *The standard defines the attribute number:script, contained within the element <number:time-style>*

This attribute is supported in Word 2013 Client.

2.1.633 Part 1 Section 19.358, number:style

- a. *The standard defines the attribute number:style, contained within the element <number:day>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:style, contained within the element <number:day-of-week>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute number:style, contained within the element <number:era>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute number:style, contained within the element <number:hours>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute number:style, contained within the element <number:hours>, contained within the parent element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- f. *The standard defines the attribute number:style, contained within the element <number:minutes>, contained within the parent element <number:date-style>*

This attribute is not supported in Word 2013.

- g. *The standard defines the attribute number:style, contained within the element <number:minutes>, contained within the parent element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

- h. *The standard defines the attribute `number:style`, contained within the element `<number:month>`, contained within the parent element `<number:date-style>`*

This attribute is not supported in Word 2013.

- i. *The standard defines the attribute `number:style`, contained within the element `<number:seconds>`, contained within the parent element `<number:date-style>`*

This attribute is not supported in Word 2013.

- j. *The standard defines the attribute `number:style`, contained within the element `<number:seconds>`, contained within the parent element `<number:time-style>`*

This attribute is supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

- k. *The standard defines the attribute `number:style`, contained within the element `<number:year>`, contained within the parent element `<number:date-style>`*

This attribute is not supported in Word 2013.

- l. *The standard defines the attribute `number:style`, contained within the element `<number:quarter>`, contained within the parent element `<number:date-style>`*

This attribute is not supported in Excel 2013.

- m. *The standard defines the property "long", contained within the attribute `number:style`, contained within the element `<number:quarter>`, contained within the parent element `<number:date-style>`*

This property is not supported in Excel 2013.

- n. *The standard defines the property "short", contained within the attribute `number:style`, contained within the element `<number:quarter>`, contained within the parent element `<number:date-style>`*

This property is not supported in Excel 2013.

- o. *The standard defines the attribute `number:style`, contained within the element `<number:quarter>`, contained within the parent element `<number:date-style>`*

This attribute is not supported in PowerPoint 2013.

2.1.634 Part 1 Section 19.360, `number:title`

- a. *The standard defines the attribute `number:title`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:title, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute number:title, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- d. *The standard defines the attribute number:title*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute number:title*

This attribute is not supported in PowerPoint 2013.

2.1.635 Part 1 Section 19.361, number:transliteration-country

- a. *The standard defines the attribute number:transliteration-country*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute number:transliteration-country, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute number:transliteration-country, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- d. *The standard defines the attribute number:transliteration-country*

This attribute is not supported in PowerPoint 2013.

2.1.636 Part 1 Section 19.362, number:transliteration-format

- a. *The standard defines the attribute number:transliteration-format, contained within the element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

2.1.637 Part 1 Section 19.363, number:transliteration-language

a. *The standard defines the attribute number:transliteration-language*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute number:transliteration-language, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute number:transliteration-language, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

d. *The standard defines the attribute number:transliteration-language*

This attribute is not supported in PowerPoint 2013.

2.1.638 Part 1 Section 19.364, number:transliteration-style

a. *The standard defines the attribute number:transliteration-style, contained within the element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the `<number:time-style>` element and converts it to the matching `<text:date-style>` element.

On save, Word does not write out time fields or time styles.

b. *The standard defines the property "long", contained within the attribute number:transliteration-style*

This property is supported in Excel 2013.

On load, Excel ignores this attribute. On save, Excel outputs this attribute in case of general format.

- c. *The standard defines the property "medium", contained within the attribute number:transliteration-style*

This property is not supported in Excel 2013.

2.1.639 Part 1 Section 19.365, number:truncate-on-overflow

- a. *The standard defines the attribute number:truncate-on-overflow, contained within the element <number:time-style>*

This attribute is supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- b. *The standard defines the attribute number:truncate-on-overflow*

This attribute is supported in Excel 2013.

If the attribute is true or not present, then the <number:hours>, <number:minutes>, or <number:seconds> child elements of the <number:time-style> element is truncated, which means hours do not exceed 24 and minutes and seconds do not exceed 60.

- c. *The standard defines the attribute number:truncate-on-overflow, contained within the element <number:time-style>, contained within the parent element <number:date-style>*

This attribute is not supported in PowerPoint 2013.

2.1.640 Part 1 Section 19.367, office:boolean-value

- a. *The standard defines the attribute office:boolean-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:boolean-value, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:boolean-value*

This attribute is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- d. *The standard defines the attribute office:boolean-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute office:boolean-value, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.641 Part 1 Section 19.368, office:conversion-mode

- a. *The standard defines the attribute office:conversion-mode, contained within the element <office:dde-source>*

This attribute is not supported in Excel 2013.

2.1.642 Part 1 Section 19.369, office:cURRENCY

- a. *The standard defines the attribute office:cURRENCY, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:cURRENCY, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:cURRENCY*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute office:cURRENCY, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute office:cURRENCY, contained within the element <table:table-cell>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute office:cURRENCY, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.643 Part 1 Section 19.370, office:date-value

- a. *The standard defines the attribute office:date-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:date-value, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:date-value*

This attribute is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- d. The standard defines the attribute `office:date-value`, contained within the element `<table:covered-table-cell>`

This attribute is not supported in Excel 2013.

2.1.644 Part 1 Section 19.375, office:mimetype

- a. The standard defines the attribute `office:mimetype`, contained within the element `<office:document-content>`

This attribute is not supported in PowerPoint 2013.

- b. The standard defines the attribute `office:mimetype`, contained within the element `<office:document-meta>`

This attribute is not supported in PowerPoint 2013.

- c. The standard defines the attribute `office:mimetype`, contained within the element `<office:document-settings>`

This attribute is not supported in PowerPoint 2013.

- d. The standard defines the attribute `office:mimetype`, contained within the element `<office:document-styles>`

This attribute is not supported in PowerPoint 2013.

2.1.645 Part 1 Section 19.376, office:name

- a. The standard defines the attribute `office:name`, contained within the element `<text:a>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `office:name`, contained within the element `<office:dde-source>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `office:name`, contained within the element `<text:a>`

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

- d. *The standard defines the attribute office:name, contained within the element <text:a>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.646 Part 1 Section 19.379, office:string-value

- a. *The standard defines the attribute office:string-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:string-value, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:string-value*

This attribute is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- d. *The standard defines the attribute office:string-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute office:string-value, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.647 Part 1 Section 19.380, office:target-frame

- a. *The standard defines the attribute office:target-frame*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:target-frame, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:target-frame*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute office:target-frame, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

2.1.648 Part 1 Section 19.381, office:target-frame-name

- a. *The standard defines the attribute office:target-frame-name, contained within the element <text:a>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute office:target-frame-name, contained within the element <text:a>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>



- PowerPoint uses a string value for this property. On write, if the PowerPoint string value matches one of the enumerations ("_self", "_blank", "_parent", or "_top"), then that enumeration is used. Otherwise, the string value is written to the ODF property.
- On read, all values for this property are written as string values to PowerPoint.

```

2.1.649 Part 1 Section 19.382, office:time-value

- a. *The standard defines the attribute office:time-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:time-value, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:time-value*

This attribute is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- d. *The standard defines the attribute office:time-value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute office:time-value, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.650 Part 1 Section 19.383, office:title

- a. *The standard defines the attribute office:title, contained within the element <text:a>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute, on load, for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

- b. *The standard defines the attribute office:title, contained within the element <text:a>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.651 Part 1 Section 19.384, office:value

- a. *The standard defines the attribute office:value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute office:value, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute office:value, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute office:value, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.652 Part 1 Section 19.385, office:value-type

- a. *The standard defines the attribute office:value-type, contained within the element <form:property>*

This attribute is not supported in Word 2013.

- b. *The standard defines the property "boolean", contained within the attribute office:value-type*

This property is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- c. *The standard defines the property "currency", contained within the attribute office:value-type*

This property is not supported in Excel 2013.

- d. *The standard defines the property "date", contained within the attribute office:value-type*

This property is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- e. *The standard defines the property "percentage", contained within the attribute office:value-type*

This property is not supported in Excel 2013.

- f. *The standard defines the property "time", contained within the attribute office:value-type*

This property is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

- g. *The standard defines the property "boolean", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

- h. *The standard defines the property "currency", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

i. *The standard defines the property "date", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

j. *The standard defines the property "float", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

k. *The standard defines the property "percentage", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

l. *The standard defines the property "string", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

m. *The standard defines the property "time", contained within the attribute office:value-type, contained within the element <table:covered-table-cell>*

This property is not supported in Excel 2013.

n. *The standard defines the attribute office:value-type*

This attribute is not supported in PowerPoint 2013.

2.1.653 Part 1 Section 19.386, office:version

a. *The standard defines the attribute office:version, contained within the element <office:document-content>*

This attribute is not supported in PowerPoint 2013.

b. *The standard defines the attribute office:version, contained within the element <office:document-meta>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint ignores this attribute.

On save, PowerPoint always writes a value of "1.1" for this attribute.

c. *The standard defines the attribute office:version, contained within the element <office:document-settings>*

This attribute is not supported in PowerPoint 2013.

d. *The standard defines the attribute office:version, contained within the element <office:document-styles>*

This attribute is not supported in PowerPoint 2013.

2.1.654 Part 1 Section 19.387, presentation:action

- a. *The standard defines the property "fade-out", contained within the attribute presentation:action, contained within the element <presentation:event-listener>*

This property is not supported in PowerPoint 2013.

- b. *The standard defines the property "hide", contained within the attribute presentation:action, contained within the element <presentation:event-listener>*

This property is not supported in PowerPoint 2013.

- c. *The standard defines the property "show", contained within the attribute presentation:action, contained within the element <presentation:event-listener>*

This property is supported in PowerPoint 2013.

PowerPoint does not support links to slides in other presentations.

- d. *The standard defines the property "sound", contained within the attribute presentation:action, contained within the element <presentation:event-listener>*

This property is not supported in PowerPoint 2013.

- e. *The standard defines the property "verb", contained within the attribute presentation:action, contained within the element <presentation:event-listener>*

This property is supported in PowerPoint 2013.

If this property is used but no presentation:verb attribute is present, PowerPoint replaces the slide with a blank slide.

2.1.655 Part 1 Section 19.389, presentation:class

- a. *The standard defines the attribute presentation:class*

This attribute is supported in PowerPoint 2013.

If an object placeholder exists on a slide, but PowerPoint finds no matching placeholder for that type of object in the layout, PowerPoint writes the placeholder out as a general object placeholder.

2.1.656 Part 1 Section 19.390, presentation:class-names

- a. *The standard defines the attribute presentation:class-names*

This attribute is not supported in PowerPoint 2013.

PowerPoint does not support or preserve this element.

2.1.657 Part 1 Section 19.392, presentation:direction

- a. *The standard defines the attribute presentation:direction, contained within the element <presentation:event-listener>*

This attribute is not supported in PowerPoint 2013.

2.1.658 Part 1 Section 19.394, presentation:effect

- a. *The standard defines the attribute presentation:effect, contained within the element <presentation:event-listener>*

This attribute is not supported in PowerPoint 2013.

2.1.659 Part 1 Section 19.396, presentation:full-screen

- a. *The standard defines the attribute presentation:full-screen, contained within the element <presentation:settings>*

This attribute is supported in PowerPoint 2013.

When this attribute value is False and the transition-on-click value is True, the presentation displays in a window. When this attribute value is True, the presentation shows in full slideshow or kiosk mode.

2.1.660 Part 1 Section 19.398, presentation:master-element

- a. *The standard defines the attribute presentation:master-element*

This attribute is not supported in PowerPoint 2013.

2.1.661 Part 1 Section 19.399, presentation:mouse-as-pen

- a. *The standard defines the attribute presentation:mouse-as-pen, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.662 Part 1 Section 19.400, presentation:mouse-visible

- a. *The standard defines the attribute presentation:mouse-visible, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.663 Part 1 Section 19.406, presentation:pause

- a. *The standard defines the attribute presentation:pause, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.664 Part 1 Section 19.409, presentation:presentation-page-layout-name

- a. *The standard defines the attribute presentation:presentation-page-layout-name, contained within the element <draw:page>*

This attribute is supported in PowerPoint 2013.

PowerPoint does not read this attribute when loading a slide.

- b. *The standard defines the attribute presentation:presentation-page-layout-name, contained within the element <style:handout-master>*

This attribute is not supported in PowerPoint 2013.

2.1.665 Part 1 Section 19.414, presentation:show-end-of-presentation-slide

- a. *The standard defines the attribute presentation:show-end-of-presentation-slide, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.666 Part 1 Section 19.415, presentation:show-logo

- a. *The standard defines the attribute presentation:show-logo, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.667 Part 1 Section 19.417, presentation:speed

- a. *The standard defines the attribute presentation:speed, contained within the element <presentation:event-listener>*

This attribute is not supported in PowerPoint 2013.

2.1.668 Part 1 Section 19.418, presentation:start-scale

- a. *The standard defines the attribute presentation:start-scale, contained within the element <presentation:event-listener>*

This attribute is not supported in PowerPoint 2013.

2.1.669 Part 1 Section 19.420, presentation:start-with-navigator

- a. *The standard defines the attribute presentation:start-with-navigator, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.670 Part 1 Section 19.421, presentation:stay-on-top

- a. *The standard defines the attribute presentation:stay-on-top, contained within the element <presentation:settings>*

This attribute is not supported in PowerPoint 2013.

2.1.671 Part 1 Section 19.422, presentation:style-name

- a. *The standard defines the attribute presentation:style-name*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint treats draw:style-name and presentation:style-name equivalently. On write, PowerPoint uses presentation style names for placeholder shapes.

2.1.672 Part 1 Section 19.423, presentation:transition-on-click

- a. *The standard defines the attribute presentation:transition-on-click, contained within the element <presentation:settings>*

This attribute is supported in PowerPoint 2013.

A value of True for this attribute and a value of True for presentation:full-screen shows the slideshow in regular full screen mode. A value of True for this attribute and a value of False for presentation:full-screen shows the slideshow in browsing (windowed) mode. A value of False for this attribute and a value of True for presentation:full-screen shows the slideshow in kiosk mode. A value of False for this attribute and a value of False for presentation:full-screen shows the slide show in regular full-screen slideshow mode.

2.1.673 Part 1 Section 19.424, presentation:use-date-time-name

- a. *The standard defines the attribute presentation:use-date-time-name, contained within the element <draw:page>*

This attribute is supported in PowerPoint 2013.

PowerPoint reads dates and times declared using this attribute, but writes them out as textboxes with regular text.

- b. *The standard defines the attribute presentation:use-date-time-name, contained within the element <style:handout-master>*

This attribute is not supported in PowerPoint 2013.

2.1.674 Part 1 Section 19.425, presentation:use-footer-name

- a. *The standard defines the attribute presentation:use-footer-name, contained within the element <draw:page>*

This attribute is supported in PowerPoint 2013.

PowerPoint reads footers declared using this attribute, but writes them out as textboxes with regular text.

- b. *The standard defines the attribute presentation:use-footer-name, contained within the element <style:handout-master>*

This attribute is not supported in PowerPoint 2013.

2.1.675 Part 1 Section 19.426, presentation:use-header-name

- a. *The standard defines the attribute presentation:use-header-name, contained within the element <draw:page>*

This attribute is supported in PowerPoint 2013.

PowerPoint reads headers declared using this attribute, but writes them out as textboxes with regular text.

- b. *The standard defines the attribute presentation:use-header-name, contained within the element <style:handout-master>*

This attribute is not supported in PowerPoint 2013.

2.1.676 Part 1 Section 19.427, presentation:user-transformed

- a. *The standard defines the attribute presentation:user-transformed*

This attribute is not supported in PowerPoint 2013.

2.1.677 Part 1 Section 19.429, script:event-name

- a. *The standard defines the attribute script:event-name, contained within the element <presentation:event-listener>*

This attribute is supported in PowerPoint 2013.

PowerPoint only supports the dom:click and dom:mouseover events.

This attribute is supported in PowerPoint 2013.

Only the dom:click and dom:mouseover events are loaded/saved by PowerPoint (See section 9.9). Other events are not supported.

- b. *The standard defines the property "dom:mouseover", contained within the attribute script:event-name, contained within the element <presentation:event-listener>*

This property is supported in PowerPoint 2013.

PowerPoint only supports this property on shapes. It is not supported on text.

2.1.678 Part 1 Section 19.430, script:language

- a. *The standard defines the attribute script:language, contained within the element <presentation:event-listener>*

This attribute is not supported in PowerPoint 2013.

2.1.679 Part 1 Section 19.431, script:macro-name

- a. *The standard defines the attribute script:macro-name, contained within the element <presentation:event-listener>*

This attribute is not supported in PowerPoint 2013.

2.1.680 Part 1 Section 19.433, smil:accumulate

- a. *The standard defines the attribute smil:accumulate*

This attribute is not supported in PowerPoint 2013.

2.1.681 Part 1 Section 19.434, smil:additive

- a. *The standard defines the attribute smil:additive*

This attribute is not supported in PowerPoint 2013.

2.1.682 Part 1 Section 19.435, smil:attributeName

- a. *The standard defines the property "charColor", contained within the attribute smil:attributeName*

This property is not supported in PowerPoint 2013.

PowerPoint disregards color animations for animations that use the AnimColor element.

- b. *The standard defines the property "charPosture", contained within the attribute smil:attributeName*

This property is not supported in PowerPoint 2013.

- c. *The standard defines the property "fillColor", contained within the attribute smil:attributeName*

This property is not supported in PowerPoint 2013.

PowerPoint disregards color animations for animations that use the AnimColor element.

- d. *The standard defines the property "lineColor", contained within the attribute smil:attributeName*

This property is not supported in PowerPoint 2013.

PowerPoint disregards color animations for animations that use the AnimColor element.

- e. *The standard defines the property "skewX", contained within the attribute smil:attributeName*

This property is not supported in PowerPoint 2013.

2.1.683 Part 1 Section 19.439, smil:calcMode

- a. *The standard defines the property "paced", contained within the attribute smil:calcMode*

This property is not supported in PowerPoint 2013.

- b. *The standard defines the property "spline", contained within the attribute smil:calcMode*

This property is not supported in PowerPoint 2013.

- c. *The standard defines the attribute smil:calcMode, contained within the element <anim:animateMotion>*

This attribute is supported in PowerPoint 2013.

PowerPoint supports the values "discrete" and "linear" for this attribute.

2.1.684 Part 1 Section 19.444, smil:endsync

- a. *The standard defines the attribute smil:endsync*

This attribute is not supported in PowerPoint 2013.

2.1.685 Part 1 Section 19.445, smil:fadeColor

- a. *The standard defines the attribute smil:fadeColor, contained within the element <anim:transitionFilter>*

This attribute is not supported in PowerPoint 2013.

- b. *The standard defines the attribute `smil:fadeColor`, contained within the element `<style:drawing-page-properties>`*

This attribute is not supported in PowerPoint 2013.

The `fadeColor` can only be black.

2.1.686 Part 1 Section 19.446, smil:fill

- a. *The standard defines the property "auto", contained within the attribute `smil:fill`*

This property is not supported in PowerPoint 2013.

- b. *The standard defines the property "default", contained within the attribute `smil:fill`*

This property is not supported in PowerPoint 2013.

- c. *The standard defines the property "freeze", contained within the attribute `smil:fill`*

This property is not supported in PowerPoint 2013.

- d. *The standard defines the property "transition", contained within the attribute `smil:fill`*

This property is not supported in PowerPoint 2013.

2.1.687 Part 1 Section 19.447, smil:fillDefault

- a. *The standard defines the attribute `smil:fillDefault`*

This attribute is not supported in PowerPoint 2013.

2.1.688 Part 1 Section 19.449, smil:keySplines

- a. *The standard defines the attribute `smil:keySplines`*

This attribute is not supported in PowerPoint 2013.

2.1.689 Part 1 Section 19.454, smil:restart

- a. *The standard defines the attribute `smil:restart`*

This attribute is not supported in PowerPoint 2013.

2.1.690 Part 1 Section 19.455, smil:restartDefault

- a. *The standard defines the attribute `smil:restartDefault`*

This attribute is not supported in PowerPoint 2013.

2.1.691 Part 1 Section 19.459, smil:type

- a. *The standard defines the property "arrowHeadWipe", contained within the attribute `smil:type`, contained within the element `<anim:transitionFilter>`*

This property is not supported in PowerPoint 2013.

- b. *The standard defines the property "barnDoorWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

Subtypes "vertical" and "horizontal" are supported in both forward and reverse directions.

- c. *The standard defines the property "barnVeeWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- d. *The standard defines the property "barnZigZagWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- e. *The standard defines the property "barWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- f. *The standard defines the property "bowTieWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- g. *The standard defines the property "boxSnakesWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- h. *The standard defines the property "clockWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

Only the "clockwiseTwelve" subtype in the forward direction is supported. All other subtypes and directions are mapped to this one.

- i. *The standard defines the property "diagonalWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- j. *The standard defines the property "doubleFanWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- k. *The standard defines the property "doubleSweepWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

- l. *The standard defines the property "ellipseWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

Only the "circle" subtype is supported. All other subtypes are mapped to this one.

m. *The standard defines the property "eyeWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

n. *The standard defines the property "fade", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

All fade wipes map to "crossfade".

o. *The standard defines the property "fanWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

Only the "centerTop" subtype in the forward direction is supported. All other fanwipe objects map to this one.

p. *The standard defines the property "fourBoxWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

The fourBoxWipe property in combination with direction "forward" maps to "cornersOut". The fourBoxWipe property in combination with direction "reverse" maps to "cornersIn".

q. *The standard defines the property "hexagonWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

r. *The standard defines the property "irisWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

Subtypes "rectangle" and "diamond" are supported in both forward and reverse directions.

s. *The standard defines the property "miscDiagonalWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

t. *The standard defines the property "miscShapeWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

u. *The standard defines the property "parallelSnakesWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

v. *The standard defines the property "pentagonWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

w. *The standard defines the property "pinWheelWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is supported in PowerPoint 2013.

Only the "twoBladeVertical" and the "fourBlade" subtypes in the forward directions are supported. All other subtypes and directions map to the clockWipe, single spoke transition on load in PowerPoint.

x. *The standard defines the property "pushWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

y. *The standard defines the property "roundRectWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

z. *The standard defines the property "saloonDoorWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

aa. *The standard defines the property "singleSweepWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

bb. *The standard defines the property "snakeWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

cc. *The standard defines the property "spiralWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

dd. *The standard defines the property "starWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

ee. *The standard defines the property "triangleWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

ff. *The standard defines the property "veeWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

gg. *The standard defines the property "waterfallWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

hh. *The standard defines the property "windshieldWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

ii. *The standard defines the property "zigZagWipe", contained within the attribute smil:type, contained within the element <anim:transitionFilter>*

This property is not supported in PowerPoint 2013.

jj. *The standard defines the attribute smil:type, contained within the element <style:drawing-page-properties>*

This attribute is supported in PowerPoint 2013.

In PowerPoint, if a slide has a transition that is not found in the ODF or SMiL spec, it will be saved with a fade transition, that is, smil:type="fade".

kk. *The standard defines the property "arrowHeadWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ll. *The standard defines the property "barnDoorWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

PowerPoint supports BarnDoorWipe subtypes "vertical" and "horizontal" in forward and reverse directions.

mm. *The standard defines the property "barnVeeWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

nn. *The standard defines the property "barnZigZagWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

oo. *The standard defines the property "barWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

PowerPoint supports BarWipe subtypes "topToBottom" and "leftToRight" in forward and reverse directions. All other subtype/direction combinations map to "topToBottom" in forward direction.

pp. *The standard defines the property "bowTieWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

qq. *The standard defines the property "boxSnakesWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

rr. *The standard defines the property "boxWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ss. *The standard defines the property "clockWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

PowerPoint only supports the clockwiseTwelve subtype in the forward direction. All other subtype/direction combinations are mapped to this one.

tt. *The standard defines the property "diagonalWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

uu. *The standard defines the property "doubleFanWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

vv. *The standard defines the property "doubleSweepWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ww. *The standard defines the property "ellipseWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

PowerPoint only supports the circular ellipseWipe subtype in the forward direction. All other subtype/direction combinations are mapped to this one.

xx. *The standard defines the property "eyeWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

yy. *The standard defines the property "fade", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

PowerPoint supports crossfade and fadeFromColor. All others map to "crossfade".

zz. *The standard defines the property "fanWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

PowerPoint only supports the centerTop fanWipe in the forward direction. All other subtype/direction combinations are mapped to this one.

aaa. The standard defines the property "fourBoxWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

bbb. The standard defines the property "hexagonWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

ccc. The standard defines the property "irisWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is supported in PowerPoint 2013.

PowerPoint supports the "rectangle" iriswipe subtype in both the forward and reverse directions. The "diamond" iriswipe subtype is only supported in the forward direction. All other subtype/direction combinations map to "rectangle" in the forward direction.

ddd. The standard defines the property "miscDiagonalWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

eee. The standard defines the property "miscShapeWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

fff. The standard defines the property "parallelSnakesWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

ggg. The standard defines the property "pentagonWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

hhh. The standard defines the property "pinWheelWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is supported in PowerPoint 2013.

PowerPoint makes the following mappings: pinWheelWipe subtypes "twoBladeVertical" and "twoBladeHorizontal" (in any direction) both map to "twoBladeVertical" forward. pinWheelWipe subtype "fourBlade" (in any direction) maps to "fourBlade" forward. All other subtypes map to the clockWipe transition.

iii. The standard defines the property "pushWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is supported in PowerPoint 2013.

PowerPoint supports pushWipes subtypes "fromTop", "fromBottom", "fromLeft" and fromRight" in the forward direction. Other subtypes and reverse pushWipes are mapped to "fromLeft" pushWipes in the forward direction.

jjj. The standard defines the property "roundRectWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

kkk. The standard defines the property "saloonDoorWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

III. The standard defines the property "singleSweepWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

mmm. The standard defines the property "slideWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is supported in PowerPoint 2013.

PowerPoint supports slideWipe subtypes "fromTop", "fromBottom", "fromLeft" and fromRight" in forward and reverse directions. All other slideWipe subtypes are mapped to "fromLeft" in forward or reverse direction.

nnn. The standard defines the property "snakeWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

ooo. The standard defines the property "spiralWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

ppp. The standard defines the property "starWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is supported in PowerPoint 2013.

PowerPoint only supports the four-point starWipe in the forward direction. All other subtype/direction combinations are mapped to this one.

qqq. The standard defines the property "triangleWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

rrr. The standard defines the property "veeWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

sss. The standard defines the property "waterfallWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

ttt. The standard defines the property "windshieldWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

uuu. The standard defines the property "zigZagWipe", contained within the attribute smil:type, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

2.1.692 Part 1 Section 19.461, style:adjustment

a. The standard defines the attribute style:adjustment, contained within the element <style:footnote-sep>

This attribute is not supported in Excel 2013.

2.1.693 Part 1 Section 19.462, style:apply-style-name

a. The standard defines the attribute style:apply-style-name, contained within the element <style:map>, contained within the parent element <style:style>

This attribute is supported in Excel 2013.

Excel conditional formatting does not support the following formatting:

alignment formatting

font size

font face

thick and double borders

diagonal borders

Excel does not save pattern fills.

2.1.694 Part 1 Section 19.463, style:auto-update

a. The standard defines the attribute style:auto-update, contained within the element <style:style>

Word 2013 does not support this attribute for a style applied to any of the following elements:

<draw:rect>

<draw:line>

<draw:polyline>

<draw:polygon>

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:auto-update, contained within the element <style:style>*

This attribute is not supported in Excel 2013.

Excel 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

```
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

- text boxes
- shapes
- SmartArt
- chart titles
- labels

c. *The standard defines the attribute style:auto-update, contained within the element <style:style>*

PowerPoint 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
```

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.695 Part 1 Section 19.464, style:base-cell-address

- a. *The standard defines the attribute style:base-cell-address, contained within the element <style:map>, contained within the parent element <style:style>*

This attribute is supported in Excel 2013.

The value of this attribute is the address of the upper-left cell of the conditional formatting's bounding reference. This attribute may be used in discontiguous ranges with conditional formatting.

2.1.696 Part 1 Section 19.465, style:char

- a. *The standard defines the attribute style:char, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:char, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:char, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:char, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.697 Part 1 Section 19.466, style:class

- a. *The standard defines the attribute style:class, contained within the element <style:style>*

This attribute is not supported in Word 2013.

Word 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:class, contained within the element <style:style>*

This attribute is not supported in Excel 2013.

Excel 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:class, contained within the element <style:style>*

PowerPoint 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.698 Part 1 Section 19.467, style:color

- a. *The standard defines the attribute style:color, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:color, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:color, contained within the element <style:footnote-sep>*

This attribute is not supported in Excel 2013.

2.1.699 Part 1 Section 19.468, style:condition

- a. *The standard defines the attribute style:condition, contained within the element <style:map>, contained within the parent element <style:style>*

This attribute is supported in Excel 2013.

2.1.700 Part 1 Section 19.469, style:data-style-name

- a. *The standard defines the attribute style:data-style-name, contained within the element <style:style>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:data-style-name, contained within the element <style:style>*

This attribute is not supported in PowerPoint 2013.

2.1.701 Part 1 Section 19.470, style:default-outline-level

- a. *The standard defines the attribute style:default-outline-level, contained within the element <style:style>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute style:default-outline-level, contained within the element <style:style>*

This attribute is not supported in PowerPoint 2013.

2.1.702 Part 1 Section 19.471, style:display

- a. *The standard defines the attribute style:display, contained within the element <style:footer>*

This attribute is not supported in Excel 2013.

On load, Excel drops this attribute, and causes a header or footer to be dropped completely if present.

- b. *The standard defines the attribute style:display, contained within the element <style:header>*

This attribute is not supported in Excel 2013.

On load, Excel drops this attribute, and causes a header or footer to be dropped completely if present.

2.1.703 Part 1 Section 19.472, style:display-name

- a. *The standard defines the attribute style:display-name*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:display-name, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:display-name, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- d. *The standard defines the attribute style:display-name, contained within the element <style:master-page>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute style:display-name, contained within the element <style:style>*

Word 2013 does not support this attribute for a style applied to any of the following elements:

<draw:rect>

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

f. *The standard defines the attribute style:display-name, contained within the element <text:list-style>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

g. *The standard defines the attribute style:display-name*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute style:display-name, contained within the element <style:master-page>, contained within the parent element <office:master-styles>*

This attribute is not supported in Excel 2013.

On load, Excel does not read or display a master style name.

i. *The standard defines the attribute style:display-name, contained within the element <style:style>*

This attribute is supported in Excel 2013.

On save, Excel determines if an Excel style's name is a valid RNG (Relax-NG) name. If it is, the Excel style's name will be output to the style:name attribute. If the Excel style's name is not a valid RNG name, the name will be modified to make it a valid RNG escaped name before being output to the style:name attribute. If the style name is an escaped name, the original name will be output to the style:display-name attribute.

Excel 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute style:display-name, contained within the element <text:list-style>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
```

```
<draw:text-box>  
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

k. *The standard defines the attribute style:display-name*

This attribute is not supported in PowerPoint 2013.

l. *The standard defines the attribute style:display-name, contained within the element <style:master-page>*

This attribute is not supported in PowerPoint 2013.

m. *The standard defines the attribute style:display-name, contained within the element <style:presentation-page-layout>*

This attribute is not supported in PowerPoint 2013.

n. *The standard defines the attribute style:display-name, contained within the element <style:style>*

PowerPoint 2013 does not support this attribute for a style applied to any of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

- o. The standard defines the attribute `style:display-name`, contained within the element `<text:list-style>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.704 Part 1 Section 19.473, style:distance

- a. The standard defines the attribute `style:distance`, contained within the element `<style:drop-cap>`

This attribute is not supported in Excel 2013.

2.1.705 Part 1 Section 19.474, style:distance-before-sep

- a. The standard defines the attribute `style:distance-before-sep`, contained within the element `<style:footnote-sep>`, contained within the parent element `<style:page-layout-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `style:distance-before-sep`, contained within the element `<style:footnote-sep>`

This attribute is not supported in Excel 2013.

2.1.706 Part 1 Section 19.475, style:distance-after-sep

- a. The standard defines the attribute `style:distance-after-sep`, contained within the element `<style:footnote-sep>`, contained within the parent element `<style:page-layout-properties>`

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:distance-after-sep, contained within the element <style:footnote-sep>*

This attribute is not supported in Excel 2013.

2.1.707 Part 1 Section 19.476, style:family

- a. *The standard defines the attribute style:family, contained within the element <style:default-style>*

This attribute is not supported in Word 2013.

- b. *The standard defines the property "chart", contained within the attribute style:family, contained within the element <style:default-style>*

This property is not supported in Word 2013.

- c. *The standard defines the property "control", contained within the attribute style:family, contained within the element <style:default-style>*

This property is not supported in Word 2013.

- d. *The standard defines the property "default", contained within the attribute style:family, contained within the element <style:default-style>*

This property is not supported in Word 2013.

- e. *The standard defines the property "drawing-page", contained within the attribute style:family, contained within the element <style:default-style>*

This property is not supported in Word 2013.

- f. *The standard defines the property "graphic", contained within the attribute style:family, contained within the element <style:default-style>*

Word 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
```

```
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

g. *The standard defines the property "paragraph", contained within the attribute style:family, contained within the element <style:default-style>*

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

h. *The standard defines the property "presentation", contained within the attribute style:family, contained within the element <style:default-style>*

This property is not supported in Word 2013.

i. *The standard defines the property "table-page", contained within the attribute style:family, contained within the element <style:default-style>*

This property is not supported in Word 2013.

j. *The standard defines the property "text", contained within the attribute style:family, contained within the element <style:default-style>*

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

k. *The standard defines the attribute style:family, contained within the element <style:style>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>
```

```
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- I. The standard defines the property "control", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Word 2013.

- m. The standard defines the property "default", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Word 2013.

- n. The standard defines the property "drawing-page", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Word 2013.

- o. The standard defines the property "graphic", contained within the attribute style:family, contained within the element <style:style>*

Word 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

p. *The standard defines the property "paragraph", contained within the attribute style:family, contained within the element <style:style>*

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

q. *The standard defines the property "presentation", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Word 2013.

r. *The standard defines the property "ruby", contained within the attribute style:family, contained within the element <style:style>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

s. *The standard defines the property "section", contained within the attribute style:family, contained within the element <style:style>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

t. *The standard defines the property "table-page", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Word 2013.

u. *The standard defines the property "text", contained within the attribute style:family, contained within the element <style:style>*

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

v. *The standard defines the attribute style:family*

This attribute is not supported in Excel 2013.

w. *The standard defines the attribute style:family, contained within the element <style:default-style>*

This attribute is not supported in Excel 2013.

x. *The standard defines the property "graphic", contained within the attribute style:family, contained within the element <style:default-style>*

Excel 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
```

```
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

y. *The standard defines the property "paragraph", contained within the attribute style:family, contained within the element <style:default-style>*

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

z. *The standard defines the property "text", contained within the attribute style:family, contained within the element <style:default-style>*

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

aa. *The standard defines the attribute style:family, contained within the element <style:style>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

bb. *The standard defines the property "drawing-page", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Excel 2013.

cc. *The standard defines the property "graphic", contained within the attribute style:family, contained within the element <style:style>*

Excel 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

```
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

dd. *The standard defines the property "paragraph", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

ee. The standard defines the property "presentation", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in Excel 2013.

ff. The standard defines the property "ruby", contained within the attribute style:family, contained within the element <style:style>

OfficeArt Math in Excel 2013 does not support this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

gg. The standard defines the property "section", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

hh. *The standard defines the property "text", contained within the attribute style:family, contained within the element <style:style>*

This property is supported in Excel 2013.

Excel uses text styles for headers, footers and Rich text formatting in cells.

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

ii. *The standard defines the attribute style:family, contained within the element <style:default-style>*

This attribute is not supported in PowerPoint 2013.

jj. *The standard defines the property "graphic", contained within the attribute style:family, contained within the element <style:default-style>*

PowerPoint 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

kk. *The standard defines the property "paragraph", contained within the attribute style:family, contained within the element <style:default-style>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

II. *The standard defines the property "text", contained within the attribute style:family, contained within the element <style:default-style>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

mm. *The standard defines the attribute style:family, contained within the element <style:style>*
PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

nn. *The standard defines the property "control", contained within the attribute style:family, contained within the element <style:style>*

This property is not supported in PowerPoint 2013.

oo. The standard defines the property "default", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

pp. The standard defines the property "graphic", contained within the attribute style:family, contained within the element <style:style>

PowerPoint 2013 supports this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

qq. The standard defines the property "paragraph", contained within the attribute style:family, contained within the element <style:style>

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

rr. The standard defines the property "ruby", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

ss. The standard defines the property "section", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

tt. The standard defines the property "table", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

uu. The standard defines the property "table-cell", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

vv. The standard defines the property "table-column", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

ww. The standard defines the property "table-page", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

xx. The standard defines the property "table-row", contained within the attribute style:family, contained within the element <style:style>

This property is not supported in PowerPoint 2013.

yy. The standard defines the property "text", contained within the attribute style:family, contained within the element <style:style>

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.708 Part 1 Section 19.477, style:filter-name

a. The standard defines the attribute style:filter-name, contained within the element <style:background-image>

This attribute is not supported in Excel 2013.

2.1.709 Part 1 Section 19.478, style:font-adornments

a. The standard defines the attribute style:font-adornments, contained within the element <style:font-face>

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels. On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

- b. *The standard defines the attribute style:font-adornments, contained within the element <style:font-face>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font face declarations. Font face declarations are not written.

- c. *The standard defines the attribute style:font-adornments, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:font-adornments, contained within the element <style:font-face>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in <the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

2.1.710 Part 1 Section 19.479, style:font-charset

a. *The standard defines the attribute style:font-charset, contained within the element <style:font-face>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels. On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

b. *The standard defines the attribute style:font-charset, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

c. *The standard defines the property "other", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

d. *The standard defines the property "x-symbol", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute style:font-charset, contained within the element <style:font-face>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font face declarations. Font face declarations are not written.

f. *The standard defines the attribute style:font-charset, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute style:font-charset, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

Excel supports only the value "x-symbol" to identify symbol fonts.

h. *The standard defines the property "character encoding", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

i. *The standard defines the property "other", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 does not support this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

j. *The standard defines the property "x-symbol", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

This property is supported in Excel 2013.

Excel supports only the value "x-symbol" to identify symbol fonts.

OfficeArt Math in Excel 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On load, this value of this attribute is used. It is not saved.

k. *The standard defines the attribute style:font-charset, contained within the element <style:font-face>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

I. *The standard defines the property "other", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

m. *The standard defines the property "x-symbol", contained within the attribute style:font-charset, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, this value is mapped. It is not written out.

2.1.711 Part 1 Section 19.480, style:font-family-generic

a. *The standard defines the attribute style:font-family-generic, contained within the element <style:font-face>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels. On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

b. *The standard defines the attribute style:font-family-generic, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

c. *The standard defines the attribute style:font-family-generic, contained within the element <style:font-face>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font face declarations. Font face declarations are not written.

d. *The standard defines the attribute style:font-family-generic, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute style:font-family-generic, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the attribute style:font-family-generic, contained within the element <style:font-face>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

```
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

g. *The standard defines the attribute style:font-family-generic, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.712 Part 1 Section 19.481, style:font-pitch

a. *The standard defines the attribute style:font-pitch, contained within the element <style:font-face>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels. On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

b. *The standard defines the attribute style:font-pitch, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

c. *The standard defines the attribute style:font-pitch, contained within the element <style:font-face>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font face declarations. Font face declarations are not written.

d. *The standard defines the attribute style:font-pitch, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute style:font-pitch, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the attribute style:font-pitch, contained within the element <style:font-face>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

g. *The standard defines the attribute style:font-pitch, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.713 Part 1 Section 19.482, style:height

- a. *The standard defines the attribute style:height, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:height, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

2.1.714 Part 1 Section 19.483, style:leader-char

- a. *The standard defines the attribute style:leader-char, contained within the element <text:index-entry-tab-stop>*

This attribute is supported in Word 2013.

On load, Word ignores this element and uses a default style to format tables of contents and indexes. On save, Word saves this element for tables of contents, but not for indexes.

2.1.715 Part 1 Section 19.484, style:leader-color

- a. *The standard defines the attribute style:leader-color, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:leader-color, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:leader-color, contained within the element <style:tab-stop>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- d. *The standard defines the attribute style:leader-color, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute style:leader-color, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.716 Part 1 Section 19.485, style:leader-style

- a. *The standard defines the attribute style:leader-style, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "dot-dash", contained within the attribute style:leader-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This property is supported in Word 2013.

On load, Word interprets the "dot-dash" value of style:leader-style as a dotted line style, similar to that of the "dotted" value for this attribute.

- c. *The standard defines the property "dot-dot-dash", contained within the attribute style:leader-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This property is supported in Word 2013.

On load, Word interprets the "dot-dash" value of style:leader-style as a dotted line style, similar to that of the "dotted" value for this attribute.

- d. *The standard defines the property "long-dash", contained within the attribute style:leader-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This property is not supported in Word 2013.

- e. *The standard defines the property "wave", contained within the attribute style:leader-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This property is not supported in Word 2013.

- f. *The standard defines the attribute style:leader-style, contained within the element <style:tab-stop>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

g. *The standard defines the attribute style:leader-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute style:leader-style, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.717 Part 1 Section 19.486, style:leader-text

- a. *The standard defines the attribute style:leader-text, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:leader-text, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is supported in Word 2013.

On load and save, Word supports the following characters for the style:leader-text attribute: ".", "-", "_", " ", plus locale-specific characters defined by the country/language pair of the surrounding text.

On load, if Word does not recognize the character used, then it reverts to a default of no leader text.

- c. *The standard defines the attribute style:leader-text, contained within the element <style:tab-stop>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- d. *The standard defines the attribute style:leader-text, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute style:leader-text, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.718 Part 1 Section 19.487, style:leader-text-style

- a. *The standard defines the attribute style:leader-text-style, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:leader-text-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:leader-text-style, contained within the element <style:tab-stop>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>

d. The standard defines the attribute style:leader-text-style, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>
```

This attribute is not supported in Excel 2013.

```
e. The standard defines the attribute style:leader-text-style, contained within the element <style:tab-stop>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.719 Part 1 Section 19.488, style:leader-type

```
a. The standard defines the attribute style:leader-type, contained within the element <style:tab-stop>
```

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. The standard defines the attribute `style:leader-type`, contained within the element `<style:tab-stop>`, contained within the parent element `<style:tab-stops>`

This attribute is not supported in Word 2013.

c. The standard defines the attribute `style:leader-type`, contained within the element `<style:tab-stop>`

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

d. The standard defines the attribute `style:leader-type`, contained within the element `<style:tab-stop>`, contained within the parent element `<style:tab-stops>`

This attribute is not supported in Excel 2013.

e. The standard defines the attribute `style:leader-type`, contained within the element `<style:tab-stop>`

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.720 Part 1 Section 19.489, style:leader-width

- a. *The standard defines the attribute style:leader-width, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:leader-width, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:leader-width, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:leader-width, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>.
```

2.1.721 Part 1 Section 19.490, style:legend-expansion

- a. *The standard defines the attribute style:legend-expansion*

This attribute is not supported in Excel 2013.

2.1.722 Part 1 Section 19.491, style:legend-expansion-aspect-ratio

- a. *The standard defines the attribute style:legend-expansion-aspect-ratio*

This attribute is not supported in Excel 2013.

2.1.723 Part 1 Section 19.492, style:length

- a. *The standard defines the attribute style:length, contained within the element <style:drop-cap>*

This attribute is not supported in Excel 2013.

2.1.724 Part 1 Section 19.493, style:line-style

- a. *The standard defines the attribute style:line-style, contained within the element <style:footnote-sep>, contained within the parent element <style:page-layout-properties>*

This attribute is supported in Word 2013.

On load and on save, Word supports the following line styles for the style:line-style attribute: "solid", "dotted", "dashed", and "none". All other line styles map to a default of "solid".

- b. *The standard defines the attribute style:line-style, contained within the element <style:footnote-sep>*

This attribute is not supported in Excel 2013.

2.1.725 Part 1 Section 19.494, style:lines

- a. *The standard defines the attribute style:lines, contained within the element <style:drop-cap>*

This attribute is not supported in Excel 2013.

2.1.726 Part 1 Section 19.496, style:list-style-name

- a. *The standard defines the attribute style:list-style-name, contained within the element <style:style>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute style:list-style-name, contained within the element <style:style>*

This attribute is not supported in PowerPoint 2013.

2.1.727 Part 1 Section 19.497, style:master-page-name

- a. *The standard defines the attribute style:master-page-name, contained within the element <style:style>*

This attribute is supported in Word 2013.

On load, Word reads in the master-page properties but store them in multiple different levels (page or section).

On load, if Word cannot find any references to master page styles, then it generates a new master-page and assigns it application default properties.

On save, Word creates a new master-page and associates it with a new application generated name.

- b. *The standard defines the attribute style:master-page-name, contained within the element <style:style>*

This attribute is not supported in PowerPoint 2013.

2.1.728 Part 1 Section 19.498, style:name

- a. *The standard defines the attribute style:name, contained within the element <style:font-face>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels. On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

- b. *The standard defines the attribute style:name, contained within the element <style:style>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
```

```
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

Word requires that a style name be unique not only within the same style:family attribute but within the entire file. If a style with a duplicate name exists, Word ignores the duplicate style.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

c. *The standard defines the attribute style:name, contained within the element <text:list-style>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

d. *The standard defines the attribute style:name, contained within the element <style:font-face>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font face declarations. Font face declarations are not written.

e. *The standard defines the attribute style:name, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

On load, Excel ignores the <style:font-face> element, all attributes of the <style:font-face> element, and all child elements. Excel reads the <style:font-name> attribute to determine the font to apply.

On save, Excel writes out the `<style:font-face>` element, along with values for the `<style:name>` and `<svg:font-family>` attributes.

f. *The standard defines the attribute style:name, contained within the element <style:style>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

Excel requires that a style name be unique not only within the same `style:family` attribute but within the entire file. If a style with a duplicate name exists, Excel ignores the duplicate style.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

g. *The standard defines the attribute style:name, contained within the element <text:list-style>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

h. *The standard defines the attribute style:name, contained within the element <style:font-face>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On save, this attribute is not supported in the context of font-face declarations. Font face declarations are not written.

- i. *The standard defines the attribute style:name, contained within the element <style:master-page>*

This attribute is supported in PowerPoint 2013.

PowerPoint has two levels of masters: masters and layouts. Masters have the naming convention "Master#[Master Name]" while layouts take the form "Master#[Layout#[Layout Name]]". On load, PowerPoint matches layout pages with their corresponding master pages (those having the same Master#), as one of the inheriting layouts. Master pages whose names do not conform to either of these formats, and layout pages that do not have a corresponding master, are treated as masters and are given the default PowerPoint layouts.

- j. *The standard defines the attribute style:name, contained within the element <style:style>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

PowerPoint requires that a style name be unique not only within the same style:family attribute but within the entire file. If a style with a duplicate name exists, PowerPoint ignores the duplicate style.

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

k. *The standard defines the attribute style:name, contained within the element <text:list-style>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.729 Part 1 Section 19.499, style:next-style-name

- a. *The standard defines the attribute style:next-style-name, contained within the element <style:master-page>*

This attribute is not supported in Word 2013.

On load, Word maintains the style:next-style-name attribute of the first page by allowing all subsequent pages to inherit their headers/footers from the style specified by the style:next-style-name attribute.

Word only saves the style:next-style-name attribute if the master page for the first page of the document differs from the second page.

- b. *The standard defines the attribute style:next-style-name, contained within the element <style:master-page>, contained within the parent element <office:master-styles>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:next-style-name, contained within the element <style:style>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:next-style-name, contained within the element <style:master-page>*

This attribute is not supported in PowerPoint 2013.

- e. *The standard defines the attribute style:next-style-name, contained within the element <style:style>*

This attribute is not supported in PowerPoint 2013.

2.1.730 Part 1 Section 19.500, style:num-format

- a. *The standard defines the attribute style:num-format*

This attribute is supported in Word 2013.

See Section 12.2.2 for supported formats.

- b. *The standard defines the property "[string]", contained within the attribute style:num-format*

This property is supported in Word 2013.

On load, numbering formats that are not familiar to Word are displayed using the Arabic numeral format (1, 2, 3...).

On save and load, the following strings are also supported by Word as numbering formats:

ア, イ, ウ, ...

ア, イ, ウ, ...

一, ニ, テ, ...

一, ニ, テ, ...

One, Two, Three, ...

*, †, ‡, ...

一, 十, 一〇 〇(简), ...

一, 十, 一百(简), ...

壹, 贰 叁, ...

一, 二, 三, ...

(1), (2), (3), ...

(1), (2), (3), ...

1., 2., 3., ...

(1), (2), (3), ...

1, 2, 3, ...

01, 02, 03, ...

가, 나, 다, ...

キ, ニ, テ, ...

キ, ニ, テ, ...

1, A, B, ...

अ, आ, इ, ...

एक, १०, १००, ...

१, २, ३, ...

क, ख, ग, ...

१, १०, १००, ...

(-), (०), (१), ...

壹, 贳, 參, ...

甲, 乙, 丙, ...

子, 丑, 寅, ...

甲子, 乙丑, 丙寅, ...

イ, ロ, ハ, ...

イ, ロ, ハ, ...

一, 二, 三 ...

一, 二, 三, 万, ...

壱, 弐, 参, ...

일, 이, 삼, ...

일, 일영, 일영영, ...

一, 一零, 一零零, ...

하나, 둘, 셋, ...

- 1 -, - 2 -, - 3 -, ...

1st, 2nd, 3rd, ...

First, Second, Third, ...

a, b, v, ...

A,B,B, ...

一, 十, 一〇〇(繁), ...

一, 十, 一百(繁), ...

一, 一〇, 一〇〇(繁), ...

□□□□□, ፩ ፻፻, ፩ ፻፻, ...

ໜ, ໂ, ໂ, ...

ଓ, ଡ, ଡ, ...

A, Ç, Ĝ, ...

a, ç, ĝ, ...

А, Џ, Ѓ, ...

а, џ, у, ...

A, B, Г, ...

a, β, γ, ...

001,002, 003, ...

0001,0002, 0003, ...

00001,00002, 00003, ...

c. *The standard defines the attribute style:num-format, contained within the element <text:linenumbering-configuration>*

This attribute is not supported in Word 2013.

All values for the style:num-format attribute revert to the Word default of Arabic numerals (1,2,3,...).

d. *The standard defines the attribute style:num-format, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

This attribute is supported in Word 2013.

On load, numbering formats that are not familiar to Word will be displayed using the Arabic numeral format (1, 2, 3...).

On save and load, the following strings are also supported by Word as numbering formats:

ア, イ, ウ, ...

ア, イ, ウ, ...

一, ヲ, ソ, ...

一, ヲ, ソ, ...

One, Two, Three, ...

*, †, ‡, ...

一, 十, 一〇 〇(简), ...

一, 十, 一百(简), ...

壹, 贰 叁, ...

一, ヲ, ソ, ...

(1),(2),(3), ...

(1), (2), (3), ...

1., 2., 3., ...

(1), (2), (3), ...

1, 2, 3, ...

01, 02, 03, ...

가, 나, 다, ...

ㄱ, ㄴ, ㄷ, ...

ㄱ, ㅋ, ㅌ, ...

1, A, B, ...

अ, आ, इ, ...

एक, □□, □□□, ...

१, २, ३, ...

क, ख, ग, ...

一, 一〇, 一〇〇, ...

(一), (二), (三), ...

壹, 贳, 參, ...

甲, 乙, 丙, ...

子, 丑, 寅, ...

甲子, 乙丑, 丙寅, ...

彳, 彂, 彌, ...

彳, 彑, 彂, ...

一, 二, 三 ...

一, 二, 三, 万, ...

壱, 弐, 参, ...

일, 이, 삼, ...

일, 일영, 일영영, ...

一, 一零, 一零零, ...

하나, 둘, 셋, ...

- 1 -, - 2 -, - 3 -, ...

1st, 2nd, 3rd, ...

First, Second, Third, ...

ا, ب, ...

أ, ب, ...

一, 十, 一〇〇 (繁), ...

一, 十, 一百 (繁), ...

一, 一〇, 一〇〇(繁), ...

□□□□□, ፩፪፪, ፩፭፭, ...

፩, ፪, ፫, ...

፩, ፪, ፫, ...

A, Ç, Ĝ, ...

ا, ç, ġ, ...

أ, ğ, ...

ا, ğ, ...

A, B, Γ, ...

ا, β, γ, ...

001,002, 003, ...

0001,0002, 0003, ...

00001,00002, 00003, ...

e. The standard defines the attribute style:num-format, contained within the element <text:notes-configuration>

This attribute is supported in Word 2013.

On load, numbering formats that are not familiar to Word will be displayed using the Arabic numeral format (1, 2, 3...).

On save and load, the following strings are also supported by Word as numbering formats:

٢, ٤, ٦, ...

أ, إ, و, ...

إ, ب, ج, ...

إ, ب, ث, ...

One, Two, Three, ...

*, †, ‡, ...

一, 十, 一〇〇(简), ...

一, 十, 一百(简), ...

壹, 贰 叁, ...

一, 二, 三, ...

(1), (2), (3), ...

(1), (2), (3), ...

1., 2., 3., ...

(1), (2), (3), ...

1, 2, 3, ...

01, 02, 03, ...

가, 나, 다, ...

ਕ, ਿ, ਿ, ...

ਕ, ਿ, ਿ, ...

1, A, B, ...

अ, आ, इ, ...

एक, ੱਕ, ੱਕੱਕ, ...

੧, ੨, ੩, ...

ਕ, ਖ, ਗ, ...

一, 一〇, 一〇〇, ...

(-), (=), (=), ...

壹, 贰, 叁, ...

甲, 乙, 丙, ...

子, 丑, 寅, ...

甲子, 乙丑, 丙寅, ...

𠂊, 𠂉, 𠂊, ...

イ, ロ, ハ, ...

一, 二, 三 ...

一, 二, 三, 万, ...

壹, 弐, 叁, ...

일, 이, 삼, ...

일, 일영, 일영영, ...

一, 一零, 一零零, ...

하나, 둘, 셋, ...

- 1 -, - 2 -, - 3 -, ...

1st, 2nd, 3rd, ...

First, Second, Third, ...

a, b, b, ...

A,B,B, ...

一, 十, 一〇〇(繁), ...

一, 十, 一百(繁), ...

一, 一〇, 一〇〇(繁), ...

□□□□□, ፩፻፻, ፩፻፻, ...

፩, ፪, ፫, ...

፩, ፪, ፫, ...

f. The standard defines the attribute `style:num-format`, contained within the element `<text:page-number>`

This attribute is supported in Word 2013.

On load, numbering formats that are not familiar to Word will be displayed using the Arabic numeral format (1, 2, 3...).

On save and load, the following strings are also supported by Word as numbering formats:

ア, イ, ウ, ...

ア, イ, ウ, ...

一, ヲ, ン, ...

一, ヲ, ン, ...

One, Two, Three, ...

*, †, ‡, ...

一, 十, 一〇〇(简), ...

一, 十, 一百(简), ...

壹, 贰 叁, ...

一, 二, 三, ...

(1), (2), (3), ...

(1), (2), (3), ...

1., 2., 3., ...

(1), (2), (3), ...

1, 2, 3, ...

01, 02, 03, ...

가, 나, 다, ...

ㄱ, ㄴ, ㄷ, ...

ㄱ, ㅋ, ㅌ, ...

1, A, B, ...

अ, आ, इ, ...

एक, ००, ०००, ...

१, २, ३, ...

क, ख, ग, ...

一, 一〇, 一〇〇, ...

(-), (⇒), (≡), ...

壹, 贳, 參, ...

甲, 乙, 丙, ...

子, 丑, 寅, ...

甲子, 乙丑, 丙寅, ...

イ, ロ, ハ, ...

イ, ロ, ハ, ...

一, 二, 三 ...

一, 二, 三, 万, ...

壱, 弐, 参, ...

일, 이, 삼, ...

일, 일영, 일영영, ...

一, 一零, 一零零, ...

하나, 둘, 셋, ...

- 1 -, - 2 -, - 3 -, ...

1st, 2nd, 3rd, ...

First, Second, Third, ...

a, b, c, ...

A,B,C, ...

一, 十, 一〇 〇 (繁), ...

一, 十, 一百 (繁), ...

一, 一〇, 一〇〇(繁), ...

□□□□□, 亂 亂 亂 , 亂 亂 亂 , ...

□, 亂, 亂, ...

◎, 亂, 亂, ...

g. *The standard defines the attribute style:num-format, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute style:num-format, contained within the element <text:list-level-style-number>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

i. The standard defines the attribute `style:num-format`, contained within the element `<text:list-level-style-number>`, contained within the parent element `<text:list-style>`

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes.

On load, the value of the `style:num-format` attribute is considered in combination with the values of the `style:num-prefix` and `style:num-suffix` attributes to determine the "buAutoNum" value used.

On save, the following "buAutoNum" values from OOXML are written as `style:num-format` equals the value "a":

- "alphaLcParenBoth"
- "alphaLcParenR"
- "alphaLcPeriod"

On save, the following "buAutoNum" values from OOXML are written as `style:num-format` equals the value "A":

- "alphaUcParenBoth"
- "AlphaUcParenR"
- "AlphaUcPeriod"

On save, the following "buAutoNum" values from OOXML are written as `style:num-format` equals the value "1":

- "arabicParenBoth"

- "arabicParenR"
- "arabicPeriod"
- "arabicPlain"
- "circleNumWdBlackPlain"
- "circleNumWdWhitePlain"

On save, the following "buAutoNum" values from OOXML are written as style:num-format equals the value "一, 二, 三, 四, ...":

- "ea1ChsPeriod"
- "ea1ChsPlain"
- "ea1ChtPeriod"
- "ea1ChtPlain"
- "ea1JpnChsDbPeriod"
- "ea1JpnKorPeriod"
- "ea1JpnKorPlain"

On save, "buAutoNum" equals the value "arabic1Minus" is written as style:num-format equals the value "١ , ٢ , ٣ , ...".

On save, "buAutoNum" equals the value "arabic2Minus" is written as style:num-format equals the value "١ , ٢ , ٣ , ...".

On save, "buAutoNum" equals the value "arabicDbPeriod" is written as style:num-format equals the value "1., 2., 3., ...".

On save, "buAutoNum" equals the value "arabicDbPlain" is written as style:num-format equals the value "1., 2., 3., ...".

On save, "buAutoNum" equals the value "circleNumDbPlain" is written as style:num-format equals the value "(1), (2), (3), ...".

On save, "buAutoNum" equ

j. *The standard defines the attribute style:num-format, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

k. *The standard defines the attribute style:num-format, contained within the element <text:list-level-style-number>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- I. *The standard defines the attribute style:num-format, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

- On read, the value of the style:num-format attribute is considered in combination with the values of the style:num-prefix and style:num-suffix attributes to determine the "buAutoNum" value used.
- On write, the following "buAutoNum" values from OOXML are written as style:num-format equals the value "a":
 - "alphaLcParenBoth"
 - "alphaLcParenR"

- "alphaLcPeriod"
- On write, the following "buAutoNum" values from OOXML are written as style:num-format equals the value "A":
 - "alphaUcParenBoth"
 - "AlphaUcParenR"
 - "AlphaUcPeriod"
- On write, the following "buAutoNum" values from OOXML are written as style:num-format equals the value "1":
 - "arabicParenBoth"
 - "arabicParenR"
 - "arabicPeriod"
 - "arabicPlain"
 - "circleNumWdBlackPlain"
 - "circleNumWdWhitePlain"
- On write, the following "buAutoNum" values from OOXML are written as style:num-format equals the value "一, 二, 三, 四, ...":
 - "ea1ChsPeriod"
 - "ea1ChsPlain"
 - "ea1ChtPeriod"
 - "ea1ChtPlain"
 - "ea1JpnChsDbPeriod"
 - "ea1JpnKorPeriod"
 - "ea1JpnKorPlain"
- On write, "buAutoNum" equals the value "arabic1Minus" is written as style:num-format equals the value "١ , ٢ , ٣ , ...".
- On write, "buAutoNum" equals the value "arabic2Minus" is written as style:num-format equals the value "١ , ٢ , ٤ , ...".
- On write, "buAutoNum" equals the value "arabicDbPeriod" is written as style:num-format equals the value "1., 2., 3., ...".
- On write, "buAutoNum" equals the value "arabicDbPlain" is written as style:num-format equals the value "1., 2., 3., ...".
- On write, "buAutoNum" equals the value "circleNumDbPlain" is written as style:num-format equals the value "(1), (2), (3), ...".
- On write, "buAutoNum" equals the value "hebrew2Minus" is written as s

2.1.731 Part 1 Section 19.501, style:num-letter-sync

- a. *The standard defines the attribute style:num-letter-sync, contained within the element <text:linenumbering-configuration>*

This attribute is not supported in Word 2013.

- b. *The standard defines the property "false", contained within the attribute style:num-letter-sync, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in Excel 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

- c. *The standard defines the property "true", contained within the attribute style:num-letter-sync, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in Excel 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes. 1) On load, this value is ignored.

On save, this value is written for the following "buAutoNum" values:

- "alphaLcParenBoth"
- "alphaLcParenR"
- "alphaLcPeriod"
- "alphaUcParenBoth"
- "alphaUcParenR"
- "alphaUcPeriod"
- "arabic1Minus"
- "arabic2Minus"
- "arabicDbPeriod"
- "arabicDbPlain"
- "circleNumDbPlain"
- "circleNumWdBlackPlain"
- "circleNumWdWhitePlain"
- "ea1ChsPeriod"
- "ea1ChsPlain"
- "ea1ChtPeriod"
- "ea1ChtPlain"
- "ea1JpnChsDbPeriod"
- "ea1JpnKorPeriod"
- "ea1JpnKorPlain"
- "hebrew2Minus"

- "hindiAlpha1Period"
- "hindiAlphaPeriod"
- "hindiNumParenR"
- "hindiNumPeriod"
- "thaiAlphaParenBoth"
- "thaiAlphaParenR"
- "thaiAlphaPeriod"
- "thaiNumParenBoth"
- "thaiNumParenR"
- "thaiNumPeriod"

d. *The standard defines the property "false", contained within the attribute style:num-letter-sync, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

e. *The standard defines the property "true", contained within the attribute style:num-letter-sync, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>

    ▪ On read, this property is ignored.

    ▪ On write, this property is written for the following "buAutoNum" values:
        ▪ "alphaLcParenBoth"
        ▪ "alphaLcParenR"
        ▪ "alphaLcPeriod"
        ▪ "alphaUcParenBoth"
        ▪ "alphaUcParenR"
        ▪ "alphaUcPeriod"
        ▪ "arabic1Minus"
        ▪ "arabic2Minus"
        ▪ "arabicDbPeriod"
        ▪ "arabicDbPlain"
        ▪ "circleNumDbPlain"
        ▪ "circleNumWdBlackPlain"
        ▪ "circleNumWdWhitePlain"
        ▪ "ea1ChsPeriod"
        ▪ "ea1ChsPlain"
        ▪ "ea1ChtPeriod"
```

- "ea1ChtPlain"
- "ea1JpnChsDbPeriod"
- "ea1JpnKorPeriod"
- "ea1JpnKorPlain"
- "hebrew2Minus"
- "hindiAlpha1Period"
- "hindiAlphaPeriod"
- "hindiNumParenR"
- "hindiNumPeriod"
- "thaiAlphaParenBoth"
- "thaiAlphaParenR"
- "thaiAlphaPeriod"
- "thaiNumParenBoth"
- "thaiNumParenR"
- "thaiNumPeriod"

2.1.732 Part 1 Section 19.502, style:num-prefix

a. *The standard defines the attribute style:num-prefix, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute style:num-prefix, contained within the element <text:list-level-style-bullet>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

c. *The standard defines the attribute style:num-prefix, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

d. *The standard defines the attribute style:num-prefix, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

<draw:rect>

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, and for SmartArt.

e. *The standard defines the attribute style:num-prefix, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes.

On load, the value of the style:num-prefix attribute is considered in combination with the values of the style:num-format and style:num-suffix attributes to determine the "buAutoNum" value used. The only prefix character that is converted is "(".

On save, the following "buAutoNum" values are written as style-num-prefix equals the value "(":

- "alphaLcParenBoth"
- "alphaUcParenBoth"
- "arabicParenBoth"
- "romanLcParenBoth"
- "romanUcParenBoth"
- "thaiAlphaParenBoth"
- "thaiNumParenBoth"

For all other values, style-num-prefix is not written.

f. *The standard defines the attribute style:num-prefix, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

g. *The standard defines the attribute style:num-prefix, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

h. The standard defines the attribute `style:num-prefix`, contained within the element `<text:list-level-style-number>`, contained within the parent element `<text:list-style>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On load, the value of the `style:num-prefix` attribute is considered in combination with values of the `style:num-format` and `style:num-suffix` attributes to determine the "buAutoNum" value used. The only prefix character that may be converted is "(".

On save, the following "buAutoNum" values from OOXML are written as `style-num-prefix` equals the value "(":

```
"alphaLcParenBoth"
"alphaUcParenBoth"
"arabicParenBoth"
"romanLcParenBoth"
"romanUcParenBoth"
"thaiAlphaParenBoth"
"thaiNumParenBoth"
```

For all other values, `style-num-prefix` is not written.

2.1.733 Part 1 Section 19.503, style:num-suffix

- a. *The standard defines the attribute style:num-suffix, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:num-suffix, contained within the element <text:list-level-style-bullet>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

- c. *The standard defines the attribute style:num-suffix, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:num-suffix, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, and for SmartArt.

- e. *The standard defines the attribute style:num-suffix, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes.

On load, the value of the style:num-suffix attribute is considered in combination with the values of the style:num-format and style:num-prefix attributes to determine the "buAutoNum" value used.

On save, the following "buAutoNum" values are written as style:num-suffix equals the value ")":

- "alphaLcParenBoth"
- "alphaLcParenR"
- "alphaUcParenBoth"
- "alphaUcParenR"
- "arabicParenBoth"
- "arabicParenR"
- "hindiNumParenR"
- "romanLcParenBoth"
- "romanLcParenR"
- "romanUcParenBoth"
- "romanUcParenR"
- "thaiAlphaParenBoth"
- "thaiAlphaParenR"
- "thaiNumParenBoth"

- "thaiNumParenR"

On save, the following "buAutoNum" values from OOXML are written as style:num-suffix equals the value ".":

- "alphaLcPeriod"
- "alphaUcPeriod"
- "arabicPeriod"
- "ea1ChsPeriod"
- "ea1ChtPeriod"
- "ea1ChtPlain"
- "ea1JpnKorPeriod"
- "hindiAlpha1Period"
- "hindiAlphaPeriod"
- "thaiNumPeriod"
- "hindiNumPeriod"
- "romanLcPeriod"
- "romanUcPeriod"
- "thaiAlphaPeriod"

On save, the following "buAutoNum" values from OOXML are written as style:num-suffix equals the value "-":

- "arabic1Minus"
- "arabic2Minus"
- "hebrew2Minus"

On save, "buAutoNum" equals the value "ea1JpnChsDbPeriod" is written as style:num-suffix equals the value ". " (double byte UNICODE character FF0E).

f. *The standard defines the attribute style:num-suffix, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

g. *The standard defines the attribute style:num-suffix, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

<draw:rect>

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

h. *The standard defines the attribute style:num-suffix, contained within the element <text:list-level-style-number>, contained within the parent element <text:list-style>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

- On write, the following "buAutoNum" values from OOXML are written as style:num-suffix equals the value ")":
 - "alphaLcParenBoth"
 - "alphaLcParenR"
 - "alphaUcParenBoth"

- "alphaUcParenR"
- "arabicParenBoth"
- "arabicParenR"
- "hindiNumParenR"
- "romanLcParenBoth"
- "romanLcParenR"
- "romanUcParenBoth"
- "romanUcParenR"
- "thaiAlphaParenBoth"
- "thaiAlphaParenR"
- "thaiNumParenBoth"
- "thaiNumParenR".
- On write, the following "buAutoNum" values from OOXML are written as style:num-suffix equals the value ".":
 - "alphaLcPeriod"
 - "alphaUcPeriod"
 - "arabicPeriod"
 - "ea1ChsPeriod"
 - "ea1ChtPeriod"
 - "ea1ChtPlain"
 - "ea1JpnKorPeriod"
 - "hindiAlpha1Period"
 - "hindiAlphaPeriod"
 - "thaiNumPeriod"
 - "hindiNumPeriod"
 - "romanLcPeriod"
 - "romanUcPeriod"
 - "thaiAlphaPeriod"
- On write, the following "buAutoNum" values from OOXML are written as style:num-suffix equals the value "-":
 - "arabic1Minus"

- "arabic2Minus"
- "hebrew2Minus"
- On write, value "buAutoNum" equals "ea1JpnChsDbPeriod" is written as style:num-suffix equals the value ". " (double byte UNICODE character FF0E).
- On read, the value of style:num-suffix is considered in combination with the values of the style:num-format and style:num-prefix attributes to determine the "buAutoNum" value used.

2.1.734 Part 1 Section 19.504, style:page-layout-name

- a. *The standard defines the attribute style:page-layout-name, contained within the element <style:master-page>*

This attribute is supported in PowerPoint 2013.

In PowerPoint, if different masters or pages have different size dimensions, they will all default to the dimensions of the last master that is not recognized to be a layout.

2.1.735 Part 1 Section 19.505, style:page-usage

- a. *The standard defines the attribute style:page-usage, contained within the element <style:page-layout>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:page-usage, contained within the element <style:page-layout>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:page-usage, contained within the element <style:page-layout>*

This attribute is not supported in PowerPoint 2013.

2.1.736 Part 1 Section 19.506, style:parent-style-name

- a. *The standard defines the attribute style:parent-style-name, contained within the element <style:style>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:parent-style-name, contained within the element <style:style>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:parent-style-name, contained within the element <style:style>*

PowerPoint 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.737 Part 1 Section 19.508, style:position

- The standard defines the attribute style:position, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- The standard defines the attribute style:position, contained within the element <text:index-entry-tab-stop>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:position, contained within the element <style:background-image>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:position, contained within the element <style:tab-stop>*

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- e. *The standard defines the attribute style:position, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute style:position, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.738 Part 1 Section 19.509, style:rel-height

- a. *The standard defines the attribute style:rel-height, contained within the element <draw:frame>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:rel-height, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- c. *The standard defines the attribute style:rel-height, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- d. *The standard defines the attribute style:rel-height, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

2.1.739 Part 1 Section 19.510, style:rel-width

- a. *The standard defines the attribute style:rel-width, contained within the element <draw:frame>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:rel-width, contained within the element <style:footnote-sep>, contained within the parent element <style:page-layout-properties>*

This attribute is supported in Word 2013.

On load, all values for the style:rel-width attribute map to a default footnote separator width.

- c. *The standard defines the attribute style:rel-width, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- d. *The standard defines the attribute style:rel-width, contained within the element <style:table-properties>*

This attribute is supported in Word 2013.

On load, if the width of the table is greater than can be supported by Word, the table will be automatically sized to fit the page.

- e. *The standard defines the attribute style:rel-width, contained within the element <style:column>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute style:rel-width, contained within the element <style:footnote-sep>*

This attribute is not supported in Excel 2013.

- g. *The standard defines the attribute style:rel-width, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- h. *The standard defines the attribute style:rel-width, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style:rel-width, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

2.1.740 Part 1 Section 19.511, style:repeat

- a. *The standard defines the attribute style:repeat, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
```

```
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>  
<draw:custom-shape>
```

b. *The standard defines the attribute style:repeat, contained within the element <style:background-image>*

This attribute is not supported in Excel 2013.

c. *The standard defines the attribute style:repeat, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>  
<draw:custom-shape>
```

d. *The standard defines the attribute style:repeat, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>
```

```
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.741 Part 1 Section 19.514, style:style-name

- a. *The standard defines the attribute style:style-name, contained within the element <style:drop-cap>, contained within the parent element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:style-name, contained within the element <style:drop-cap>*

This attribute is not supported in Excel 2013.

2.1.742 Part 1 Section 19.515, style:type

- a. *The standard defines the attribute style:type, contained within the element <style:tab-stop>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "char", contained within the attribute style:type, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This property is supported in Word 2013.

Word allows the character used here to be based on the country/language pair of the surrounding text. For example, U.S. English surrounding text would allow the use of "." as the tab character.

- c. *The standard defines the attribute style:type, contained within the element <text:index-entry-tab-stop>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute style:type, contained within the element <style:tab-stop>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On read, the enumerated value "char" is not supported.

e. *The standard defines the attribute style:type, contained within the element <style:tab-stop>, contained within the parent element <style:tab-stops>*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute style:type, contained within the element <style:tab-stop>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

On read, the enumerated value "char" is not supported.

2.1.743 Part 1 Section 19.516, style:vertical-align

a. *The standard defines the attribute style:vertical-align, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:vertical-align, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- c. *The standard defines the attribute style:vertical-align, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute style:vertical-align, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- e. *The standard defines the property "bottom", contained within the attribute style:vertical-align, contained within the element <style:table-cell-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the vertical alignment property to automatic.

- f. *The standard defines the attribute style:vertical-align, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.744 Part 1 Section 19.517, style:volatile

- a. *The standard defines the attribute style:volatile*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:volatile, contained within the element <number:date-style>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:volatile, contained within the element <number:time-style>*

This attribute is not supported in Word 2013.

On load, Word reads the <number:time-style> element and converts it to the matching <text:date-style> element.

On save, Word does not write out time fields or time styles.

- d. *The standard defines the attribute style:volatile*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute style:volatile*

This attribute is not supported in PowerPoint 2013.

2.1.745 Part 1 Section 19.518, style:width

- a. *The standard defines the attribute style:width, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:width, contained within the element <style:footnote-sep>, contained within the parent element <style:page-layout-properties>*

This attribute is supported in Word 2013.

On load, all values for the style:width attribute map to a default footnote separator width.

- c. *The standard defines the attribute style:width, contained within the element <style:table-properties>*

This attribute is supported in Word 2013.

On load, if the width of the table is greater than can be supported by Word, the table will be automatically sized to fit the page.

- d. *The standard defines the attribute style:width, contained within the element <style:column-sep>, contained within the parent element <style:columns>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute style:width, contained within the element <style:footnote-sep>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute style:width, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

2.1.746 Part 1 Section 19.519, svg:accent-height

- a. *The standard defines the attribute svg:accent-height, contained within the element <style:font-face>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute svg:accent-height, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

2.1.747 Part 1 Section 19.520, svg:alphabetic

- a. *The standard defines the attribute svg:alphabetic, contained within the element <style:font-face>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute svg:alphabetic, contained within the element <style:font-face>, contained within the parent element <office:font-face-decls>*

This attribute is not supported in Excel 2013.

2.1.748 Part 1 Section 19.521, svg:ascent

- a. *The standard defines the attribute `svg:ascent`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:ascent`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.749 Part 1 Section 19.522, svg:bbox

- a. *The standard defines the attribute `svg:bbox`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:bbox`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.750 Part 1 Section 19.523, svg:cap-height

- a. *The standard defines the attribute `svg:cap-height`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:cap-height`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.751 Part 1 Section 19.527, svg:descent

- a. *The standard defines the attribute `svg:descent`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:descent`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.752 Part 1 Section 19.528, svg:font-family

- a. *The standard defines the attribute `svg:font-family`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

On load, Excel ignores the `<style:font-face>` element, all attributes of the `<style:font-face>` element, and all child elements. Excel reads the `<style:font-name>` attribute to determine the font to apply.

On save, Excel writes out the `<style:font-face element>`, along with values for the `<style:name>` and `<svg:font-family>` attributes.

2.1.753 Part 1 Section 19.529, svg:font-size

a. *The standard defines the attribute `svg:font-size`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute `svg:font-size`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.754 Part 1 Section 19.530, svg:font-stretch

a. *The standard defines the attribute `svg:font-stretch`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

c. *The standard defines the property "condensed", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

d. *The standard defines the property "expanded", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

e. *The standard defines the property "extra-condensed", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

f. *The standard defines the property "extra-expanded", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

g. *The standard defines the property "normal", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

h. *The standard defines the property "semi-condensed", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

i. *The standard defines the property "semi-expanded", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

j. *The standard defines the property "ultra-condensed", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

k. *The standard defines the property "ultra-expanded", contained within the attribute `svg:font-stretch`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This property is not supported in Excel 2013.

2.1.755 Part 1 Section 19.531, `svg:font-style`

a. *The standard defines the attribute `svg:font-style`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute `svg:font-style`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.756 Part 1 Section 19.532, `svg:font-variant`

a. *The standard defines the attribute `svg:font-variant`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute `svg:font-variant`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.757 Part 1 Section 19.533, `svg:font-weight`

a. *The standard defines the attribute `svg:font-weight`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute `svg:font-weight`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.758 Part 1 Section 19.538, **svg:hanging**

a. *The standard defines the attribute `svg:hanging`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute `svg:hanging`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.759 Part 1 Section 19.539, **svg:height**

a. *The standard defines the attribute `svg:height`*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

b. *The standard defines the attribute `svg:height`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the attribute `svg:height`, contained within the element `<office:annotation>`*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute `svg:height`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

- e. *The standard defines the attribute `svg:height`*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

```
<draw:frame>  
<draw:custom-shape>
```

f. *The standard defines the attribute `svg:height`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

g. *The standard defines the attribute `svg:height`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

h. *The standard defines the attribute `svg:height`, contained within the element `<style:header-footer-properties>`*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute `svg:height`*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

j. *The standard defines the attribute `svg:height`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

k. *The standard defines the attribute `svg:height`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

2.1.760 Part 1 Section 19.540, svg:ideographic

- a. *The standard defines the attribute `svg:ideographic`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:ideographic`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.761 Part 1 Section 19.541, svg:mathematical

- a. *The standard defines the attribute `svg:mathematical`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:mathematical`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.762 Part 1 Section 19.542, svg:name

- a. *The standard defines the attribute `svg:name`, contained within the element `<svg:font-face-name>`, contained within the parent element `<svg:font-face-src>`*

This attribute is not supported in Excel 2013.

2.1.763 Part 1 Section 19.545, svg:overline-position

- a. *The standard defines the attribute `svg:overline-position`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:overline-position`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.764 Part 1 Section 19.546, svg:overline-thickness

- a. *The standard defines the attribute `svg:overline-thickness`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:overline-thickness`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.765 Part 1 Section 19.547, svg:panose-1

- a. *The standard defines the attribute `svg:panose-1`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.766 Part 1 Section 19.552, svg:slope

- a. *The standard defines the attribute `svg:slope`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:slope`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.767 Part 1 Section 19.554, svg:stemh

- a. *The standard defines the attribute `svg:stemh`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:stemh`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.768 Part 1 Section 19.555, svg:stemu

- a. *The standard defines the attribute `svg:stemu`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:stemu`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.769 Part 1 Section 19.558, svg:strikethrough-position

- a. *The standard defines the attribute `svg:strikethrough-position`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:strikethrough-position`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.770 Part 1 Section 19.559, svg:strikethrough-thickness

- a. *The standard defines the attribute `svg:strikethrough-thickness`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:strikethrough-thickness`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.771 Part 1 Section 19.560, `svg:string`

- a. *The standard defines the attribute `svg:string`, contained within the element `<svg:font-face-format>`, contained within the parent element `<svg:font-face-src>`*

This attribute is not supported in Excel 2013.

2.1.772 Part 1 Section 19.562, `svg:underline-position`

- a. *The standard defines the attribute `svg:underline-position`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:underline-position`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.773 Part 1 Section 19.563, `svg:underline-thickness`

- a. *The standard defines the attribute `svg:underline-thickness`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:underline-thickness`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.774 Part 1 Section 19.564, `svg:unicode-range`

- a. *The standard defines the attribute `svg:unicode-range`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:unicode-range`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.775 Part 1 Section 19.565, `svg:units-per-em`

- a. *The standard defines the attribute `svg:units-per-em`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `svg:units-per-em`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`

This attribute is not supported in Excel 2013.

2.1.776 Part 1 Section 19.566, `svg:v-alphabetic`

- a. The standard defines the attribute `svg:v-alphabetic`, contained within the element `<style:font-face>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `svg:v-alphabetic`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`

This attribute is not supported in Excel 2013.

2.1.777 Part 1 Section 19.567, `svg:v-hanging`

- a. The standard defines the attribute `svg:v-hanging`, contained within the element `<style:font-face>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `svg:v-hanging`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`

This attribute is not supported in Excel 2013.

2.1.778 Part 1 Section 19.568, `svg:v-ideographic`

- a. The standard defines the attribute `svg:v-ideographic`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`

This attribute is not supported in Excel 2013.

2.1.779 Part 1 Section 19.569, `svg:v-mathematical`

- a. The standard defines the attribute `svg:v-mathematical`, contained within the element `<style:font-face>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `svg:v-mathematical`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`

This attribute is not supported in Excel 2013.

2.1.780 Part 1 Section 19.570, `svg:viewBox`

- a. The standard defines the attribute `svg:viewBox`

Word 2013 supports this attribute for the following elements:

`<draw:polyline>`

```
<draw:polygon>  
<draw:path>
```

- b. *The standard defines the attribute svg:viewBox*

Excel 2013 supports this attribute for the following elements:

```
draw:polyline  
draw:polygon  
draw:path  
c. The standard defines the attribute svg:viewBox
```

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:polyline>  
<draw:polygon>  
<draw:path>
```

2.1.781 Part 1 Section 19.571, svg:width

- a. *The standard defines the attribute svg:width*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>
```

```
<draw:frame>  
<draw:custom-shape>
```

- b. *The standard defines the attribute `svg:width`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

- c. *The standard defines the attribute `svg:width`, contained within the element `<office:annotation>`*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute `svg:width`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute `svg:width`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

- f. *The standard defines the attribute `svg:width`*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

g. *The standard defines the attribute `svg:width`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

h. *The standard defines the attribute `svg:width`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

i. *The standard defines the attribute `svg:width`*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

j. *The standard defines the attribute `svg:width`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

- k. *The standard defines the attribute `svg:width`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

2.1.782 Part 1 Section 19.572, `svg:widths`

- a. *The standard defines the attribute `svg:widths`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.783 Part 1 Section 19.573, `svg:x`

- a. *The standard defines the attribute `svg:x`*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

- b. *The standard defines the attribute `svg:x`, contained within the element `<office:annotation>`*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute `svg:x`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in Word 2013.

d. *The standard defines the attribute svg:x*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

e. *The standard defines the attribute svg:x*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
```

```
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:custom-shape>
```

2.1.784 Part 1 Section 19.576, **svg:x-height**

- a. *The standard defines the attribute `svg:x-height`, contained within the element `<style:font-face>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `svg:x-height`, contained within the element `<style:font-face>`, contained within the parent element `<office:font-face-decls>`*

This attribute is not supported in Excel 2013.

2.1.785 Part 1 Section 19.577, **svg:y**

- a. *The standard defines the attribute `svg:y`*

Word 2013 supports this attribute for the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:custom-shape>
```

- b. *The standard defines the attribute `svg:y`, contained within the element `<draw:g>`*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute `svg:y`, contained within the element `<office:annotation>`*

This attribute is not supported in Word 2013.

d. *The standard defines the attribute `svg:y`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in Word 2013.

e. *The standard defines the attribute `svg:y`*

Excel 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

f. *The standard defines the attribute `svg:y`, contained within the element `<draw:g>`*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute `svg:y`*

PowerPoint 2013 supports this attribute for the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame>
<draw:custom-shape>
```

h. *The standard defines the attribute `svg:y`, contained within the element `<draw:g>`*

This attribute is not supported in PowerPoint 2013.

2.1.786 Part 1 Section 19.584, table:application-data

a. *The standard defines the attribute `table:application-data`, contained within the element `<table:data-pilot-table>`, contained within the parent element `<table:data-pilot-tables>`*

This attribute is not supported in Excel 2013.

2.1.787 Part 1 Section 19.585, table:automatic-find-labels

a. *The standard defines the attribute `table:automatic-find-labels`, contained within the element `<table:calculation-settings>`*

This attribute is not supported in Excel 2013.

2.1.788 Part 1 Section 19.586, table:base-cell-address

a. *The standard defines the attribute `table:base-cell-address`, contained within the element `<table:named-expression>`, contained within the parent element `<table:named-expressions>`*

This attribute is not supported in Excel 2013.

2.1.789 Part 1 Section 19.587, table:bind-styles-to-content

a. *The standard defines the attribute `table:bind-styles-to-content`, contained within the element `<table:sort>`*

This attribute is supported in Word 2013 Client.

b. *The standard defines the attribute `table:bind-styles-to-content`, contained within the element `<table:subtotal-rules>`*

This attribute is supported in Word 2013 Client.

- c. *The standard defines the attribute `table:bind-styles-to-content`, contained within the element `<table:sort>`, contained within the parent element `<table:database-range>`*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute `table:bind-styles-to-content`, contained within the element `<table:subtotal-rules>`*

This attribute is not supported in Excel 2013.

2.1.790 Part 1 Section 19.588, `table:border-color`

- a. *The standard defines the attribute `table:border-color`, contained within the element `<table:scenario>`*

This attribute is not supported in Excel 2013.

2.1.791 Part 1 Section 19.589, `table:buttons`

- a. *The standard defines the attribute `table:buttons`, contained within the element `<table:data-pilot-table>`, contained within the parent element `<table:data-pilot-tables>`*

This attribute is supported in Excel 2013.

The ODF specification does not specify DataPilot layout details.

On load, Excel uses button location information to help determine how to render the DataPilot, including page field locations, row and column headings, and data area.

On save, Excel writes button locations, based on how the DataPilot is positioned in Excel, so that other implementers can provide interactive buttons, if desired.

2.1.792 Part 1 Section 19.590, `table:case-sensitive`

- a. *The standard defines the attribute `table:case-sensitive`, contained within the element `<table:calculation-settings>`*

This attribute is supported in Excel 2013.

- b. *The standard defines the attribute `table:case-sensitive`, contained within the element `<table:filter-condition>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `table:case-sensitive`, contained within the element `<table:subtotal-rules>`*

This attribute is not supported in Excel 2013.

2.1.793 Part 1 Section 19.593, `table:cell-range-address`

- a. *The standard defines the attribute `table:cell-range-address`*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute `table:cell-range-address`, contained within the element `<table:detective>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `table:cell-range-address`, contained within the element `<table:named-range>`, contained within the parent element `<table:named-expressions>`*

This attribute is supported in Excel 2013.

2.1.794 Part 1 Section 19.596, `table:condition`

- a. *The standard defines the attribute `table:condition`, contained within the element `<table:content-validation>`*

This attribute is supported in Excel 2013.

Excel does not support the function `cell-content-is-text()`, and data validation is lost in this case.

2.1.795 Part 1 Section 19.597, `table:condition-source`

- a. *The standard defines the attribute `table:condition-source`, contained within the element `<table:filter>`*

This attribute is not supported in Excel 2013.

Excel assumes the default filter, "condition-source: self".

2.1.796 Part 1 Section 19.598, `table:condition-source-range-address`

- a. *The standard defines the attribute `table:condition-source-range-address`, contained within the element `<table:filter>`*

This attribute is not supported in Excel 2013.

2.1.797 Part 1 Section 19.599, `table:contains-error`

- a. *The standard defines the attribute `table:contains-error`, contained within the element `<table:detective>`*

This attribute is not supported in Excel 2013.

2.1.798 Part 1 Section 19.601, `table:content-validation-name`

- a. *The standard defines the attribute `table:content-validation-name`, contained within the element `<table:covered-table-cell>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `table:content-validation-name`, contained within the element `<table:table-cell>`*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute `table:content-validation-name`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.799 Part 1 Section 19.602, table:copy-back

- a. *The standard defines the attribute table:copy-back, contained within the element <table:scenario>*

This attribute is not supported in Excel 2013.

On load, Excel ignores this attribute. On save, Excel writes it out as false.

2.1.800 Part 1 Section 19.603, table:copy-formulas

- a. *The standard defines the attribute table:copy-formulas, contained within the element <table:scenario>*

This attribute is not supported in Excel 2013.

2.1.801 Part 1 Section 19.604, table:copy-styles

- a. *The standard defines the attribute table:copy-styles, contained within the element <table:scenario>*

This attribute is not supported in Excel 2013.

2.1.802 Part 1 Section 19.606, table:country

- a. *The standard defines the attribute table:country, contained within the element <table:sort>, contained within the parent element <table:database-range>*

This attribute is not supported in Excel 2013.

2.1.803 Part 1 Section 19.608, table:data-cell-range-address

- a. *The standard defines the attribute table:data-cell-range-address, contained within the element <table:label-range>, contained within the parent element <table:label-ranges>*

This attribute is not supported in Excel 2013.

2.1.804 Part 1 Section 19.609, table:database-name

- a. *The standard defines the attribute table:database-name, contained within the element <table:database-source-query>, contained within the parent element <table:database-range>*

This attribute is supported in Excel 2013.

Excel stores the connection string in the name attribute because it is the unique identifier.

- b. *The standard defines the attribute table:database-name, contained within the element <table:database-source-sql>, contained within the parent element <table:database-range>*

This attribute is supported in Excel 2013.

Excel stores the connection string in the name attribute because it is the unique identifier.

- c. *The standard defines the attribute table:database-name, contained within the element <table:database-source-table>, contained within the parent element <table:database-range>*

This attribute is supported in Excel 2013.

Excel stores the connection string in the name attribute because it is the unique identifier.

2.1.805 Part 1 Section 19.611, table:data-type

- a. *The standard defines the attribute table:data-type, contained within the element <table:filter-condition>*

This attribute is supported in Excel 2013.

Color, icon, and some dynamic filters are not saved.

- b. *The standard defines the attribute table:data-type, contained within the element <table:sort-by>, contained within the parent element <table:sort>*

This attribute is supported in Excel 2013.

For custom list sorts, Excel writes out the entire custom list.

Excel does not save color and icon sorts.

Excel does not write out the text or numeric types. It loads both as automatic.

- c. *The standard defines the attribute table:data-type, contained within the element <table:sort-groups>, contained within the parent element <table:subtotal-rules>*

This attribute is not supported in Excel 2013.

2.1.806 Part 1 Section 19.614, table:date-value

- a. *The standard defines the attribute table:date-value, contained within the element <table:null-date>, contained within the parent element <table:calculation-settings>*

This attribute is supported in Excel 2013.

Excel supports the table:date-value attribute for only the values "1899-12-30" and "1904-01-01".
Excel does not load the table:date-value attribute if it is set to other values.

2.1.807 Part 1 Section 19.615, table:default-cell-style-name

- a. *The standard defines the attribute table:default-cell-style-name, contained within the element <table:table-column>*

This attribute is supported in Word 2013.

On load, Word reads and respects this property. However, on save, Word writes out these properties as properties in the styles of individual cells.

- b. *The standard defines the attribute table:default-cell-style-name, contained within the element <table:table-row>*

This attribute is supported in Word 2013.

On load, Word reads and respects this property. However, on save, Word writes out these properties as properties in the styles of individual cells.

- c. *The standard defines the attribute table:default-cell-style-name*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute `table:default-cell-style-name`, contained within the element `<table:table-column>`*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute `table:default-cell-style-name`, contained within the element `<table:table-row>`*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute `table:style-name`, contained within the element `<table:table-row>`*

This attribute is not supported in PowerPoint 2013.

2.1.808 Part 1 Section 19.616, `table:direction`

- a. *The standard defines the attribute `table:direction`, contained within the element `<table:directive>`*

This attribute is not supported in Excel 2013.

2.1.809 Part 1 Section 19.617, `table:display`

- a. *The standard defines the attribute `table:display`, contained within the element `<style:table-properties>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `table:display`, contained within the element `<table:table-column-group>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `table:display`, contained within the element `<table:table-row-group>`*

This attribute is not supported in Excel 2013.

2.1.810 Part 1 Section 19.618, `table:display-border`

- a. *The standard defines the attribute `table:display-border`, contained within the element `<table:scenario>`*

This attribute is not supported in Excel 2013.

2.1.811 Part 1 Section 19.619, `table:display-duplicates`

- a. *The standard defines the attribute `table:display-duplicates`, contained within the element `<table:filter>`*

This attribute is not supported in Excel 2013.

2.1.812 Part 1 Section 19.621, table:display-list

- a. *The standard defines the attribute table:display-list, contained within the element <table:content-validation>*

This attribute is supported in Excel 2013.

If table:display-list is set to "sort-ascending", Excel loads and saves data as unsorted.

2.1.813 Part 1 Section 19.625, table:enabled

- a. *The standard defines the attribute table:enabled, contained within the element <table:data-pilot-display-info>, contained within the parent element <table:data-pilot-level>*

This attribute is supported in Excel 2013.

On load, if the attribute table:enabled is "false", then Excel ignores the TopN filter information. If the attribute table:enabled is "true", then Excel loads and applies the TopN filter.

On save, Excel always writes "true", and only writes this when there's a TopN filter or AutoShow filter.

2.1.814 Part 1 Section 19.627, table:end-cell-address

- a. *The standard defines the attribute table:end-cell-address, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- b. *The standard defines the element <table:end-cell-address>*

This element is not supported in Word 2013.

- c. *The standard defines the attribute table:end-cell-address*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:end-cell-address, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.815 Part 1 Section 19.632, table:end-x

- a. *The standard defines the attribute table:end-x, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- b. *The standard defines the element <table:end-x>*

This element is not supported in Word 2013.

- c. *The standard defines the attribute table:end-x*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:end-x, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.816 Part 1 Section 19.633, table:end-y

- a. *The standard defines the attribute table:end-y, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

- b. *The standard defines the element <table:end-y>*

This element is not supported in Word 2013.

- c. *The standard defines the attribute table:end-y*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:end-y, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.817 Part 1 Section 19.637, table:field-number

- a. *The standard defines the attribute table:field-number, contained within the element <table:sort-by>, contained within the parent element <table:sort>*

This attribute is supported in Excel 2013.

On save, Excel writes out a zero-based field number.

- b. *The standard defines the attribute table:field-number, contained within the element <table:subtotal-field>*

This attribute is not supported in Excel 2013.

2.1.818 Part 1 Section 19.638, table:filter-name

- a. *The standard defines the attribute table:filter-name, contained within the element <table:cell-range-source>, contained within the parent element <table:table-cell>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute table:filter-name, contained within the element <table:table-source>, contained within the parent element <table:table>*

This attribute is not supported in Excel 2013.

2.1.819 Part 1 Section 19.639, table:filter-options

- a. *The standard defines the attribute table:filter-options, contained within the element <table:cell-range-source>, contained within the parent element <table:table-cell>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute table:filter-options, contained within the element <table:table-source>, contained within the parent element <table:table>*

This attribute is not supported in Excel 2013.

2.1.820 Part 1 Section 19.642, table:formula

- a. *The standard defines the attribute table:formula, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:formula, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute table:formula, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:formula, contained within the element <table:table-cell>*

This attribute is supported in Excel 2013.

When saving the table:formula attribute, Excel precedes the formula string with the "of" namespace.

When saving the table:formula attribute, Excel saves a formula string that follows [Oasis ODF 1.2] part 2.

When loading the attribute table:formula, Excel first looks at the namespace. If the namespace is 'of' , 'msoxl' or not specified, Excel will attempt to load the value of table:formula as a formula in Excel.

Formulas using the 'of' namespace and those without a namespaces are expected to follow [Oasis ODF 1.2] part 2.

Formulas using the 'msoxl' namespace follow [\[ISO/IEC-29500-1\]](#) section 18.17, except workbook-names are written as literal values instead of tokens given the lack of a relationship part.

When loading the table:formula attribute, if the namespace is unknown, the table:formula attribute is not loaded, and the value "office:value" is used instead. If the result of the formula is an error, Excel loads the <text:p> element and maps the element to an Error data type. Error data types that Excel does not support are mapped to #VALUE!

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute table:formula, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.821 Part 1 Section 19.643, table:function

- a. *The standard defines the attribute table:function, contained within the element <table:consolidation>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the property "any string", contained within the attribute table:function, contained within the element <table:data-pilot-field>, contained within the parent element <table:data-pilot-table>*

This property is not supported in Excel 2013.

On load, string values that don't match the explicitly listed enumerated values are converted to "auto".

- c. *The standard defines the property "any string", contained within the attribute table:function, contained within the element <table:data-pilot-subtotal>, contained within the parent element <table:data-pilot-subtotals>*

This property is not supported in Excel 2013.

On load, string values that don't match the explicitly listed enumerated values are converted to "auto".

- d. *The standard defines the attribute table:function, contained within the element <table:subtotal-field>*

This attribute is not supported in Excel 2013.

2.1.822 Part 1 Section 19.645, table:group-by-field-number

- a. *The standard defines the attribute table:group-by-field-number, contained within the element <table:subtotal-rule>*

This attribute is not supported in Excel 2013.

2.1.823 Part 1 Section 19.646, table:grouped-by

- a. *The standard defines the property "days", contained within the attribute table:grouped-by, contained within the element <table:data-pilot-groups>, contained within the parent element <table:data-pilot-field>*

This property is supported in Excel 2013.

The RNG schema language specifies that the attributes table:end, table:step, and table:grouped-by are required. However, the text describing these attributes uses conditional language, such as "if", to specify when these attributes are needed.

Excel does not save these attributes when the "DataPilot" items are grouped manually, meaning that they are arranged by name. However, Excel saves these attributes when the "DataPilot" items are grouped automatically based on the "start", "end", "grouped-by", and "step" values.

Excel supports grouping by days but does not explicitly write grouped-by="days". Instead, Excel only writes the step value and date-start / date-end; therefore "days" is implied.

2.1.824 Part 1 Section 19.649, table:identify-categories

- a. *The standard defines the attribute table:identify-categories, contained within the element <table:data-pilot-table>, contained within the parent element <table:data-pilot-tables>*

This attribute is not supported in Excel 2013.

2.1.825 Part 1 Section 19.650, table:ignore-empty-rows

- a. *The standard defines the attribute table:ignore-empty-rows, contained within the element <table:data-pilot-table>, contained within the parent element <table:data-pilot-tables>*

This attribute is not supported in Excel 2013.

2.1.826 Part 1 Section 19.651, table:index

- a. *The standard defines the attribute table:index, contained within the element <table:operation>*

This attribute is not supported in Excel 2013.

2.1.827 Part 1 Section 19.654, table:is-selection

- a. *The standard defines the attribute table:is-selection, contained within the element <table:database-range>, contained within the parent element <table:database-ranges>*

This attribute is not supported in Excel 2013.

2.1.828 Part 1 Section 19.655, table:is-sub-table

- a. *The standard defines the attribute table:is-sub-table, contained within the element <table:table>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:is-sub-table, contained within the element <table:table>*

This attribute is not supported in PowerPoint 2013.

2.1.829 Part 1 Section 19.656, table:label-cell-range-address

- a. *The standard defines the attribute table:label-cell-range-address, contained within the element <table:label-range>, contained within the parent element <table:label-ranges>*

This attribute is not supported in Excel 2013.

2.1.830 Part 1 Section 19.657, table:language

- a. *The standard defines the attribute table:language, contained within the element <table:sort>, contained within the parent element <table:database-range>*

This attribute is not supported in Excel 2013.

2.1.831 Part 1 Section 19.663, table:link-to-source-data

- a. *The standard defines the attribute table:link-to-source-data, contained within the element <table:consolidation>*

This attribute is not supported in Excel 2013.

2.1.832 Part 1 Section 19.664, table:marked-invalid

- a. *The standard defines the attribute table:marked-invalid, contained within the element <table:detective>*

This attribute is not supported in Excel 2013.

2.1.833 Part 1 Section 19.671, table:mode

- a. *The standard defines the property "copy-all", contained within the attribute table:mode, contained within the element <table:table-source>, contained within the parent element <table:table>*

This property is not supported in Excel 2013.

On load, Excel reads the value of "copy-all" and maps it to copy-results-only. Excel does not write this property on save.

- b. *The standard defines the property "copy-results-only", contained within the attribute table:mode, contained within the element <table:table-source>, contained within the parent element <table:table>*

This property is supported in Excel 2013.

On load, Excel always reads table:mode as "copy-results-only". On save, Excel always writes this attribute as "copy-results-only".

2.1.834 Part 1 Section 19.673, table:name

- a. *The standard defines the attribute table:name, contained within the element <table:table>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:name, contained within the element <table:content-validation>*

This attribute is supported in Excel 2013.

The table:name attribute is required, Excel doesn't load the validation if this attribute is missing.

- c. *The standard defines the attribute table:name, contained within the element <table:operation>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:name, contained within the element <table:source-service>, contained within the parent element <table:data-pilot-table>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute `table:name`, contained within the element `<table:table>`, contained within the parent element `<office:spreadsheet>`*

This attribute is supported in Excel 2013.

Excel supports sheet names that are shorter than 32 characters.

- f. *The standard defines the attribute `table:name`, contained within the element `<table:table>`, contained within the parent element `<table:dde-link>`*

This attribute is not supported in Excel 2013.

2.1.835 Part 1 Section 19.675, `table:number-columns-repeated`

- a. *The standard defines the attribute `table:number-columns-repeated`, contained within the element `<table:covered-table-cell>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `table:number-columns-repeated`, contained within the element `<table:table-cell>`*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute `table:number-columns-repeated`, contained within the element `<table:table-cell>`*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute `table:number-columns-repeated`, contained within the element `<table:table-column>`*

This attribute is not supported in Excel 2013.

2.1.836 Part 1 Section 19.675.3, `table:table-cell`

- a. *The standard defines the attribute `table:number-columns-repeated`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.837 Part 1 Section 19.676, `table:number-columns-spanned`

- a. *The standard defines the attribute `table:number-columns-spanned`*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute `table:number-columns-spanned`, contained within the element `<table:covered-table-cell>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `table:number-columns-spanned`, contained within the element `<table:table-cell>`*

This attribute is not supported in Excel 2013.

2.1.838 Part 1 Section 19.677, table:number-rows-repeated

- a. *The standard defines the attribute table:number-rows-repeated, contained within the element <table:table-row>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:number-rows-repeated*

This attribute is supported in Excel 2013.

On load, Excel reads this attribute, but does not write it on save.

- c. *The standard defines the attribute table:number-rows-repeated, contained within the element <table:table-row>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:number-rows-repeated, contained within the element <table:table-row>*

This attribute is not supported in PowerPoint 2013.

2.1.839 Part 1 Section 19.678, table:number-rows-spanned

- a. *The standard defines the attribute table:number-rows-spanned*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute table:number-rows-spanned, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute table:number-rows-spanned, contained within the element <table:table-cell>*

This attribute is not supported in Excel 2013.

2.1.840 Part 1 Section 19.679, table:number-matrix-columns-spanned

- a. *The standard defines the attribute table:number-matrix-columns-spanned, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:number-matrix-columns-spanned, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute table:number-matrix-columns-spanned, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:number-matrix-columns-spanned, contained within the element <table:table-cell>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute `table:number-matrix-columns-spanned`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.841 Part 1 Section 19.680, `table:number-matrix-rows-spanned`

- a. *The standard defines the attribute `table:number-matrix-rows-spanned`, contained within the element `<table:covered-table-cell>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `table:number-matrix-rows-spanned`, contained within the element `<table:table-cell>`*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute `table:number-matrix-rows-spanned`, contained within the element `<table:covered-table-cell>`*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute `table:number-matrix-rows-spanned`, contained within the element `<table:table-cell>`*

This attribute is not supported in Excel 2013.

2.1.842 Part 1 Section 19.681, `table:object-name`

- a. *The standard defines the attribute `table:object-name`, contained within the element `<table:source-service>`, contained within the parent element `<table:data-pilot-table>`*

This attribute is not supported in Excel 2013.

2.1.843 Part 1 Section 19.682, `table:on-update-keep-size`

- a. *The standard defines the property "false", contained within the attribute `table:on-update-keep-size`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This property is supported in Excel 2013.

This value maps to "Insert/Delete" on refresh.

- b. *The standard defines the property "true", contained within the attribute `table:on-update-keep-size`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This property is supported in Excel 2013.

This value maps to "Overwrite/Clear" on refresh.

2.1.844 Part 1 Section 19.684, table:operator

- a. *The standard defines the attribute `table:operator`, contained within the element `<table:filter-condition>`*

This attribute is supported in Excel 2013.

Some operators are not supported for Pivot Table Filters, for example, "bottom values" and "top values".

2.1.845 Part 1 Section 19.685, table:order

- a. *The standard defines the attribute `table:order`, contained within the element `<table:sort-groups>`, contained within the parent element `<table:subtotal-rules>`*

This attribute is not supported in Excel 2013.

2.1.846 Part 1 Section 19.686, table:orientation

- a. *The standard defines the property "column", contained within the attribute `table:orientation`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This property is not supported in Excel 2013.

- b. *The standard defines the property "row", contained within the attribute `table:orientation`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This property is supported in Excel 2013.

The only orientation that Excel supports is row. Therefore, this is an optional attribute, and Excel neither reads nor writes it.

- c. *The standard defines the property "hidden", contained within the attribute `table:orientation`, contained within the element `<table:data-pilot-field>`, contained within the parent element `<table:data-pilot-table>`*

This property is supported in Excel 2013.

On save, for a range-based data source, Excel does not write fields that are not displayed on the "DataPilot". For external data sources, Excel writes out all fields, and marks those not in the "DataPilot" view as hidden.

- d. *The standard defines the attribute `table:orientation`, contained within the element `<table:label-range>`, contained within the parent element `<table:label-ranges>`*

This attribute is not supported in Excel 2013.

2.1.847 Part 1 Section 19.687, table:page-breaks-on-group-change

- a. *The standard defines the attribute `table:page-breaks-on-group-change`, contained within the element `<table:subtotal-rules>`*

This attribute is not supported in Excel 2013.

2.1.848 Part 1 Section 19.689, table:parse-sql-statement

- a. *The standard defines the attribute table:parse-sql-statement, contained within the element <table:database-source-sql>, contained within the parent element <table:database-range>*

This attribute is not supported in Excel 2013.

2.1.849 Part 1 Section 19.690, table:password

- a. *The standard defines the attribute table:password, contained within the element <table:source-service>, contained within the parent element <table:data-pilot-table>*

This attribute is not supported in Excel 2013.

2.1.850 Part 1 Section 19.693, table:print

- a. *The standard defines the attribute table:print, contained within the element <table:table>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:print*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute table:print, contained within the element <table:table>, contained within the parent element <office:spreadsheet>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:print, contained within the element <table:table>, contained within the parent element <table:dde-link>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute table:print, contained within the element <table:table>*

This attribute is not supported in PowerPoint 2013.

2.1.851 Part 1 Section 19.694, table:print-ranges

- a. *The standard defines the attribute table:print-ranges, contained within the element <table:table>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:print-ranges*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute table:print-ranges, contained within the element <table:table>, contained within the parent element <table:dde-link>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:print-ranges, contained within the element <table:table>*

This attribute is not supported in PowerPoint 2013.

2.1.852 Part 1 Section 19.695, table:protect

- a. *The standard defines the attribute table:protect*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute table:protect, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.853 Part 1 Section 19.696, table:protected

- a. *The standard defines the attribute table:protected, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:protected, contained within the element <table:table>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute table:protected, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute table:protected*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute table:protected, contained within the element <table:table>, contained within the parent element <table:dde-link>*

This attribute is not supported in Excel 2013.

2.1.854 Part 1 Section 19.696.4, table:table

- a. *The standard defines the attribute table:protected, contained within the element <table:table>*

This attribute is not supported in PowerPoint 2013.

2.1.855 Part 1 Section 19.696.5, table:table-cell

- a. *The standard defines the attribute table:protected, contained within the element <table:table-cell>*

This attribute is not supported in PowerPoint 2013.

2.1.856 Part 1 Section 19.697, table:protection-key

- a. *The standard defines the attribute table:protection-key, contained within the element <table:table>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:protection-key*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute table:protection-key, contained within the element <office:spreadsheet>*

This attribute is not supported in Excel 2013.

Excel does not load a workbook if a protection-key is specified.

- d. *The standard defines the attribute table:protection-key, contained within the element <table:table>*

This attribute is not supported in PowerPoint 2013.

2.1.857 Part 1 Section 19.698, table:protection-key-digest-algorithm

- a. *The standard defines the attribute table:protection-key-digest-algorithm, contained within the element <table:table>*

This attribute is supported in Word 2013 Client.

- b. *The standard defines the attribute table:protection-key-digest-algorithm, contained within the element <table:table>*

This attribute is not supported in PowerPoint 2013.

2.1.858 Part 1 Section 19.700, table:range-usable-as

- a. *The standard defines the property "filter", contained within the attribute table:range-usable-as, contained within the element <table:named-range>, contained within the parent element <table:named-expressions>*

This property is not supported in Excel 2013.

- b. *The standard defines the property "none", contained within the attribute table:range-usable-as, contained within the element <table:named-range>, contained within the parent element <table:named-expressions>*

This property is not supported in Excel 2013.

- c. *The standard defines the property "print-range", contained within the attribute table:range-usable-as, contained within the element <table:named-range>, contained within the parent element <table:named-expressions>*

This property is not supported in Excel 2013.

- d. *The standard defines the property "repeat-column", contained within the attribute table:range-usable-as, contained within the element <table:named-range>, contained within the parent element <table:named-expressions>*

This property is not supported in Excel 2013.

- e. *The standard defines the property "repeat-row", contained within the attribute table:range-usable-as, contained within the element <table:named-range>, contained within the parent element <table:named-expressions>*

This property is not supported in Excel 2013.

2.1.859 Part 1 Section 19.701, table:refresh-delay

- a. *The standard defines the attribute `table:refresh-delay`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This attribute is supported in Excel 2013.

The attribute `table-refresh-delay` is a boolean type, while the corresponding setting in Excel is an interval of time.

- b. *The standard defines the property "false", contained within the attribute `table:refresh-delay`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This property is supported in Excel 2013.

This value maps to the feature being off.

- c. *The standard defines the property "true", contained within the attribute `table:refresh-delay`, contained within the element `<table:database-range>`, contained within the parent element `<table:database-ranges>`*

This property is supported in Excel 2013.

On load, this value maps to the default interval. On save, if the interval is nonzero, Excel writes 'true'.

- d. *The standard defines the attribute `table:refresh-delay`, contained within the element `<table:table-source>`, contained within the parent element `<table:table>`*

This attribute is not supported in Excel 2013.

2.1.860 Part 1 Section 19.708, table:selected-page

- a. *The standard defines the attribute `table:selected-page`, contained within the element `<table:data-pilot-field>`, contained within the parent element `<table:data-pilot-table>`*

This attribute is supported in Excel 2013.

On save, if Excel writes an empty value for this attribute, it means that 'blank' is chosen for the filter value. This corresponds to an empty string in the data source. If Excel doesn't write this attribute at all, it means the user has not selected a value for the manual filter.

2.1.861 Part 1 Section 19.711, table:show-filter-button

- a. *The standard defines the attribute `table:show-filter-button`, contained within the element `<table:data-pilot-table>`, contained within the parent element `<table:data-pilot-tables>`*

This attribute is not supported in Excel 2013.

On load, Excel uses the value of the attribute `table:show-filter-button` to help determine the layout of the DataPilot.

Excel does not support toggling the DataPilot buttons "on" and "off".

On save, Excel always writes the attribute `table:show-filter-button` as "false".

2.1.862 Part 1 Section 19.713, table:source-cell-range-addresses

- a. *The standard defines the attribute table:source-cell-range-addresses, contained within the element <table:consolidation>*

This attribute is not supported in Excel 2013.

2.1.863 Part 1 Section 19.715, table:source-name

- a. *The standard defines the attribute table:source-name, contained within the element <table:source-service>, contained within the parent element <table:data-pilot-table>*

This attribute is not supported in Excel 2013.

2.1.864 Part 1 Section 19.726, table:style-name

- a. *The standard defines the attribute table:style-name, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:style-name, contained within the element <table:table>*

This attribute is supported in Word 2013.

Word does not support the use of common styles from the table family, that is using a table style defined under the <office:styles> element.

- c. *The standard defines the attribute table:style-name, contained within the element <table:table-cell>*

This attribute is supported in Word 2013.

Word does not support the use of common styles from the table-cell family, that is using a table style defined under the <office:styles> element.

- d. *The standard defines the attribute table:style-name, contained within the element <table:table-column>*

This attribute is supported in Word 2013.

Word does not support the use of common styles from the table-column family, that is using a table style defined under the <office:styles> element.

- e. *The standard defines the attribute table:style-name, contained within the element <table:table-row>*

This attribute is supported in Word 2013.

Word does not support the use of common styles from the table-row family, that is using a table style defined under the <office:styles> element.

- f. *The standard defines the attribute table:style-name*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute `table:style-name`, contained within the element `<table:covered-table-cell>`*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute `table:style-name`, contained within the element `<table:table>`, contained within the parent element `<table:dde-link>`*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute `table:style-name`, contained within the element `<table:table-cell>`*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute `table:style-name`, contained within the element `<table:table-column>`*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute `table:style-name`, contained within the element `<table:table-row>`*

This attribute is not supported in Excel 2013.

2.1.865 Part 1 Section 19.728, `table:table-background`

a. *The standard defines the element `<table:table-background>`*

This element is not supported in Word 2013.

b. *The standard defines the attribute `table:table-background`*

This attribute is not supported in Excel 2013.

2.1.866 Part 1 Section 19.730, `table:target-cell-address`

a. *The standard defines the attribute `table:target-cell-address`, contained within the element `<table:consolidation>`*

This attribute is not supported in Excel 2013.

2.1.867 Part 1 Section 19.732, `table:template-name`

a. *The standard defines the attribute `table:template-name`, contained within the element `<table:table>`*

This attribute is supported in Word 2013 Client.

2.1.868 Part 1 Section 19.736, `table:use-banding-columns-styles`

a. *The standard defines the attribute `table:use-banding-columns-styles`, contained within the element `<table:table>`*

This attribute is supported in Word 2013 Client.

2.1.869 Part 1 Section 19.737, table:use-banding-rows-styles

- a. *The standard defines the attribute table:use-banding-rows-styles, contained within the element <table:table>*

This attribute is supported in Word 2013 Client.

2.1.870 Part 1 Section 19.738, table:use-first-column-styles

- a. *The standard defines the attribute table:use-first-column-styles, contained within the element <table:table>*

This attribute is supported in Word 2013 Client.

2.1.871 Part 1 Section 19.739, table:use-first-row-styles

- a. *The standard defines the attribute table:use-first-row-styles, contained within the element <table:table>*

This attribute is supported in Word 2013 Client.

2.1.872 Part 1 Section 19.740, table:use-last-column-styles

- a. *The standard defines the attribute table:use-last-column-styles, contained within the element <table:table>*

This attribute is supported in Word 2013 Client.

2.1.873 Part 1 Section 19.741, table:use-last-row-styles

- a. *The standard defines the attribute table:use-last-row-styles, contained within the element <table:table>*

This attribute is supported in Word 2013 Client.

2.1.874 Part 1 Section 19.742, table:use-labels

- a. *The standard defines the attribute table:use-labels, contained within the element <table:consolidation>*

This attribute is not supported in Excel 2013.

2.1.875 Part 1 Section 19.743, table:use-regular-expressions

- a. *The standard defines the attribute table:use-regular-expressions, contained within the element <table:calculation-settings>*

This attribute is not supported in Excel 2013.

2.1.876 Part 1 Section 19.745, table:used-hierarchy

- a. *The standard defines the attribute table:used-hierarchy, contained within the element <table:data-pilot-field>, contained within the parent element <table:data-pilot-table>*

This attribute is not supported in Excel 2013.

2.1.877 Part 1 Section 19.746, table:user-name

- a. *The standard defines the attribute table:user-name, contained within the element <table:source-service>, contained within the parent element <table:data-pilot-table>*

This attribute is not supported in Excel 2013.

2.1.878 Part 1 Section 19.747, table:value

- a. *The standard defines the attribute table:value, contained within the element <table:filter-condition>*

This attribute is supported in Excel 2013.

However, some regular expressions are not supported. Also, some values are not supported for AF, such as filtering with "Date = 36527" instead of "1/2/2000". The attribute table:value is supported in Calc 3. However, only "." and ".*" are supported for Regular Expressions, all other expressions are dropped. On save, non-wildcard filters, such as "Contains", are transformed into corresponding regular expressions.

2.1.879 Part 1 Section 19.748, table:value-type

- a. *The standard defines the attribute table:value-type, contained within the element <table:covered-table-cell>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:value-type, contained within the element <table:table-cell>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute table:value-type, contained within the element <table:covered-table-cell>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute table:value-type, contained within the element <table:table-cell>*

This attribute is not supported in Excel 2013.

2.1.880 Part 1 Section 19.749, table:visibility

- a. *The standard defines the attribute table:visibility, contained within the element <table:table-column>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute table:visibility, contained within the element <table:table-row>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute table:visibility*

This attribute is not supported in Excel 2013.

d. *The standard defines the attribute table:visibility, contained within the element <table:table-column>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute table:visibility, contained within the element <table:table-row>*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute table:visibility, contained within the element <table:table-row>*

This attribute is not supported in PowerPoint 2013.

2.1.881 Part 1 Section 19.750, text:active

a. *The standard defines the attribute text:active, contained within the element <table:page-variable-set>*

This attribute is supported in Word 2013 Client.

2.1.882 Part 1 Section 19.753, text:anchor-page-number

a. *The standard defines the attribute text:anchor-page-number*

This attribute is not supported in Word 2013.

On load, objects that are anchored to a specific page number using the text:anchor-page-number attribute will appear on the first page.

b. *The standard defines the attribute text:anchor-page-number, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute text:anchor-page-number*

This attribute is not supported in Excel 2013.

d. *The standard defines the attribute text:anchor-page-number, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.883 Part 1 Section 19.754, text:anchor-type

a. *The standard defines the property "as-char", contained within the attribute text:anchor-type*

This property is supported in Word 2013.

On load and save, Word supports this value for the text:anchor-type attribute when a shape is inserted inline with text.

b. *The standard defines the property "char", contained within the attribute text:anchor-type*

This property is not supported in Word 2013.

On load, Word reverts to a default value of "paragraph" for all unsupported values of the text:anchor-type attribute.

c. *The standard defines the property "frame", contained within the attribute text:anchor-type*

This property is not supported in Word 2013.

On load, Word reverts to a default value of "paragraph" for all unsupported values of the text:anchor-type attribute.

d. *The standard defines the property "page", contained within the attribute text:anchor-type*

This property is not supported in Word 2013.

On load, Word reverts to a default value of "paragraph" for all unsupported values of the text:anchor-type attribute.

e. *The standard defines the attribute text:anchor-type, contained within the element <office:annotation>*

This attribute is not supported in Word 2013.

f. *The standard defines the property "as-char", contained within the attribute text:anchor-type*

This property is not supported in Excel 2013.

g. *The standard defines the property "chart", contained within the attribute text:anchor-type*

This property is not supported in Excel 2013.

h. *The standard defines the property "frame", contained within the attribute text:anchor-type*

This property is not supported in Excel 2013.

i. *The standard defines the property "page", contained within the attribute text:anchor-type*

This property is not supported in Excel 2013.

j. *The standard defines the property "paragraph", contained within the attribute text:anchor-type*

This property is not supported in Excel 2013.

k. *The standard defines the attribute text:anchor-type, contained within the element <office:annotation>*

This attribute is not supported in Excel 2013.

2.1.884 Part 1 Section 19.760, text:bullet-char

a. *The standard defines the attribute text:bullet-char, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

b. *The standard defines the attribute text:bullet-char, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

c. *The standard defines the attribute `text:bullet-char`, contained within the element `<text:list-level-style-bullet>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.885 Part 1 Section 19.761, text:bullet-relative-size

- a. *The standard defines the attribute text:bullet-relative-size, contained within the element <text:list-level-style-bullet>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

- b. *The standard defines the attribute text:bullet-relative-size, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, and for SmartArt.

- c. *The standard defines the attribute text:bullet-relative-size, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.886 Part 1 Section 19.762, text:capitalize-entries

- a. *The standard defines the attribute text:capitalize-entries, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.887 Part 1 Section 19.763, text:c

- a. *The standard defines the attribute text:c, contained within the element <text:s>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute text:c, contained within the element <text:s>*

This attribute is supported in Excel 2013.

On load, Excel reads this attribute. On save, Excel does not write this attribute.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute text:c, contained within the element <text:s>
```

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.888 Part 1 Section 19.770, text:class-names

a. The standard defines the attribute *text:class-names*, contained within the element <text:p>

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. The *text:class-names* attribute is always written as empty.

b. The standard defines the attribute *text:class-names*, contained within the element <text:span>

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels. The *text:class-name* attribute is always written as empty.

c. The standard defines the attribute *text:class-names*, contained within the element <text:p>

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save, for text in text boxes, shapes, SmartArt, chart titles and labels. On load, it is supported for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

The `text:class-names` attribute is always written as empty and is not supported on read.

d. *The standard defines the attribute `text:class-names`, contained within the element `<text:span>`*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute `text:class-names`, contained within the element `<text:span>`, contained within the parent element `<text:p>`*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute `text:class-names`, contained within the element `<text:p>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

The "text:class-names" attribute is always written and empty, and is not supported on read.

g. *The standard defines the attribute text:class-names, contained within the element <text:span>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

The "text:class-name" attribute is always written and empty, and is not supported on read.

2.1.889 Part 1 Section 19.772, text:combine-entries

a. *The standard defines the attribute text:combine-entries, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.890 Part 1 Section 19.773, text:combine-entries-with-dash

a. *The standard defines the attribute text:combine-entries-with-dash, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.891 Part 1 Section 19.774, text:combine-entries-with-pp

- a. *The standard defines the attribute text:combine-entries-with-pp, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.892 Part 1 Section 19.775, text:comma-separated

- a. *The standard defines the attribute text:comma-separated, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.893 Part 1 Section 19.776, text:cond-style-name

- a. *The standard defines the attribute text:cond-style-name, contained within the element <text:p>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. The text:cond-style-name attribute is always written as empty.

- b. *The standard defines the attribute text:cond-style-name, contained within the element <text:p>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save, for text in text boxes, shapes, SmartArt, and chart titles and labels. On load, it is supported for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

The text:cond-style-name attribute is always written as empty and is not supported on read.

c. The standard defines the attribute `text:cond-style-name`, contained within the element `<text:p>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

The "text:cond-style-name" attribute is always written as empty and is not supported on read.

2.1.894 Part 1 Section 19.777, text:condition

a. The standard defines the attribute `text:condition`, contained within the element `<text:section>`

This attribute is not supported in Word 2013.

b. The standard defines the attribute `text:condition`, contained within the element `<style:text-properties>`

This attribute is not supported in Excel 2013.

2.1.895 Part 1 Section 19.779, text:consecutive-numbering

a. The standard defines the attribute `text:consecutive-numbering`, contained within the element `<text:list-style>`

This attribute is not supported in Word 2013.

b. The standard defines the attribute `text:consecutive-numbering`, contained within the element `<text:list-style>`

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

c. *The standard defines the attribute text:consecutive-numbering, contained within the element <text:list-style>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.896 Part 1 Section 19.780, text:continue-list

a. *The standard defines the attribute text:continue-list, contained within the element <text:list>*

This attribute is supported in Word 2013 Client.

On load, the behavior dictated by `text:continue-list` overrides the behavior dictated by `text:continue-numbering`

2.1.897 Part 1 Section 19.781, `text:continue-numbering`

a. *The standard defines the attribute `text:continue-numbering`, contained within the element `<text:list>`*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes.

b. *The standard defines the attribute `text:continue-numbering`, contained within the element `<text:list>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.898 Part 1 Section 19.783, text:count-empty-lines

- a. *The standard defines the attribute text:count-empty-lines, contained within the element <text:linenumbering-configuration>, contained within the parent element <office:styles>*

This attribute is not supported in Word 2013.

2.1.899 Part 1 Section 19.784, text:count-in-text-boxes

- a. *The standard defines the attribute text:count-in-text-boxes, contained within the element <text:linenumbering-configuration>, contained within the parent element <office:styles>*

This attribute is not supported in Word 2013.

2.1.900 Part 1 Section 19.792, text:date-adjust

- a. *The standard defines the attribute text:date-adjust, contained within the element <text:date>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:date-adjust*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute text:date-adjust, contained within the element <text:date>*

This attribute is not supported in PowerPoint 2013.

2.1.901 Part 1 Section 19.793, text:date-value

- a. *The standard defines the attribute text:date-value, contained within the element <text:date>*

This attribute is not supported in Word 2013.

On load, if the date field is not fixed, Word displays the current date. On save, Word writes out the current date as the text between the <text:date> element tags. The field is retained within the document.

- b. *The standard defines the attribute text:date-value*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute text:date-value, contained within the element <text:date>*

This attribute is not supported in PowerPoint 2013.

Date values are specified as text content between the start and end <text:date> element tags.

2.1.902 Part 1 Section 19.794, text:default-style-name

- a. *The standard defines the attribute text:default-style-name, contained within the element <text:notes-configuration>*

This attribute is not supported in Word 2013.

2.1.903 Part 1 Section 19.796, text:display

- a. *The standard defines the property "name", contained within the attribute text:display, contained within the element <text:file-name>*

This property is supported in Word 2013.

On load, Word converts this value for the text:display attribute to "name-and-extension".

- b. *The standard defines the property "path", contained within the attribute text:display, contained within the element <text:file-name>*

This property is not supported in Word 2013.

On load, Word converts this value for the text:display attribute to "full".

- c. *The standard defines the attribute text:display, contained within the element <text:index-entry-chapter>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute text:display, contained within the element <text:section>*

This attribute is not supported in Word 2013.

- e. *The standard defines the property "area", contained within the attribute text:display, contained within the element <text:template-name>*

This property is not supported in Word 2013.

- f. *The standard defines the property "name", contained within the attribute text:display, contained within the element <text:template-name>*

This property is supported in Word 2013.

On load, Word converts this value for the text:display attribute to "name-and-extension".

- g. *The standard defines the property "path", contained within the attribute text:display, contained within the element <text:template-name>*

This property is not supported in Word 2013.

- h. *The standard defines the property "title", contained within the attribute text:display, contained within the element <text:template-name>*

This property is not supported in Word 2013.

i. *The standard defines the attribute text:display*

This attribute is supported in Excel 2013.

On load, Excel reads in the "name" value and maps it to "name-and-extension". On save, Excel ignores "name" and writes out "name-and-extension".

j. *The standard defines the attribute text:display, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute text:display*

This attribute is not supported in PowerPoint 2013.

2.1.904 Part 1 Section 19.797, text:display-levels

a. *The standard defines the attribute text:display-levels, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute text:display-levels, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute text:display-levels, contained within the element <text:list-level-style-number>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

d. *The standard defines the attribute text:display-levels, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

e. *The standard defines the attribute `text:display-levels`, contained within the element `<text:list-level-style-number>`*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.905 Part 1 Section 19.803, `text:fixed`

a. *The standard defines the attribute `text:fixed`, contained within the element `<text:creation-date>`*

This attribute is not supported in Word 2013.

On save, if the field is fixed, Word replaces the `<text:creation-date>` field with its resulting output text.

- b. *The standard defines the attribute text:fixed, contained within the element <text:creation-time>*

This attribute is not supported in Word 2013.

On save, if the field is fixed, Word replaces the <text:creation-time> field with its resulting output text.

- c. *The standard defines the attribute text:fixed, contained within the element <text:date>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute text:fixed, contained within the element <text:modification-date>*

This attribute is not supported in Word 2013.

On save, if the field is fixed, Word replaces the <text:modification-date> field with its resulting output text.

- e. *The standard defines the attribute text:fixed, contained within the element <text:modification-time>*

This attribute is not supported in Word 2013.

On save, if the field is fixed, Word replaces the <text:modification-time> field with its resulting output text.

- f. *The standard defines the attribute text:fixed, contained within the element <text:print-date>*

This attribute is not supported in Word 2013.

On save, if the field is fixed, Word replaces the <text:print-date> field with its resulting output text.

- g. *The standard defines the attribute text:fixed, contained within the element <text:print-time>*

This attribute is not supported in Word 2013.

On save, if the field is fixed, Word replaces the <text:print-time> field with its resulting output text.

- h. *The standard defines the attribute text:fixed, contained within the element <text:time>*

This attribute is not supported in Word 2013.

- i. *The standard defines the attribute text:fixed*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute text:fixed, contained within the element <text:date>*

This attribute is supported in PowerPoint 2013.

For fixed dates, this attribute is not used. For non-fixed dates this attribute is written out with the value "false".

- k. *The standard defines the attribute text:fixed, contained within the element <text:time>*

This attribute is supported in PowerPoint 2013.

For fixed time values, this attribute is not used. For non-fixed time values, this attribute is written out with the value "false".

2.1.906 Part 1 Section 19.805, text:formula

- a. *The standard defines the attribute text:formula*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:formula*

This attribute is not supported in PowerPoint 2013.

2.1.907 Part 1 Section 19.806, text:global

- a. *The standard defines the attribute text:global, contained within the element <office:text>*

This attribute is not supported in Word 2013.

2.1.908 Part 1 Section 19.808, text:increment

- a. *The standard defines the attribute text:increment, contained within the element <text:linenumbering-separator>, contained within the parent element <text:linenumbering-configuration>*

This attribute is not supported in Word 2013.

2.1.909 Part 1 Section 19.809, text:id

- a. *The standard defines the attribute text:id, contained within the element <draw:text-box>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:id, contained within the element <text:alphabetical-index-mark-start>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute text:id, contained within the element <text:toc-mark-start>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute text:id, contained within the element <text:p>*

This attribute is not supported in Excel 2013.

2.1.910 Part 1 Section 19.812, text:index-scope

- a. *The standard defines the attribute text:index-scope, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

On load, Word reverts to a default of "document" for all values of the text:index-scope attribute.

- b. *The standard defines the attribute text:index-scope, contained within the element <text:table-of-content-source>*

This attribute is not supported in Word 2013.

On load, Word reverts to a default of "document" for all values of the text:index-scope attribute.

2.1.911 Part 1 Section 19.813, text:ignore-case

- a. *The standard defines the attribute text:ignore-case, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.912 Part 1 Section 19.816, text:is-list-header

- a. *The standard defines the attribute text:is-list-header, contained within the element <text:h>*

This attribute is not supported in Word 2013.

2.1.913 Part 1 Section 19.821, text:key1

- a. *The standard defines the attribute text:key1, contained within the element <text:alphabetical-index-mark-start>*

This attribute is not supported in Word 2013.

2.1.914 Part 1 Section 19.822, text:key2

- a. *The standard defines the attribute text:key2, contained within the element <text:alphabetical-index-mark-start>*

This attribute is not supported in Word 2013.

2.1.915 Part 1 Section 19.823, text:key1-phonetic

- a. *The standard defines the attribute text:key1-phonetic, contained within the element <text:alphabetical-index-mark>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:key1-phonetic, contained within the element <text:alphabetical-index-mark-start>*

This attribute is not supported in Word 2013.

2.1.916 Part 1 Section 19.824, text:key2-phonetic

- a. *The standard defines the attribute text:key2-phonetic, contained within the element <text:alphabetical-index-mark>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:key2-phonetic, contained within the element <text:alphabetical-index-mark-start>*

This attribute is not supported in Word 2013.

2.1.917 Part 1 Section 19.828, text:level

- a. *The standard defines the attribute text:level*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

- b. *The standard defines the attribute text:level, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

- c. *The standard defines the attribute text:level*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes, shapes, and SmartArt.

- d. *The standard defines the attribute text:level, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes and for SmartArt Graphics.

e. *The standard defines the attribute text:level, contained within the element <text:list-level-style-image>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

f. *The standard defines the attribute text:level, contained within the element <text:list-level-style-number>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

g. *The standard defines the attribute text:level, contained within the element <text:numbered-paragraph>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute text:level*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

i. *The standard defines the attribute text:level, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

j. *The standard defines the attribute `text:level`, contained within the element `<text:list-level-style-image>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

k. The standard defines the attribute *text:level*, contained within the element `<text:list-level-style-number>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

l. The standard defines the attribute *text:level*, contained within the element `<text:numbered-paragraph>`

This attribute is not supported in PowerPoint 2013.

2.1.918 Part 1 Section 19.831, text:main-entry

a. The standard defines the attribute *text:main-entry*, contained within the element `<text:alphabetical-index-mark>`

This attribute is not supported in Word 2013.

b. The standard defines the attribute *text:main-entry*, contained within the element `<text:alphabetical-index-mark-start>`

This attribute is not supported in Word 2013.

2.1.919 Part 1 Section 19.832, text:main-entry-style-name

a. The standard defines the attribute *text:main-entry-style-name*, contained within the element `<text:alphabetical-index-source>`

This attribute is not supported in Word 2013.

2.1.920 Part 1 Section 19.833, text:master-page-name

- a. *The standard defines the attribute text:master-page-name, contained within the element <text:notes-configuration>*

This attribute is not supported in Word 2013.

2.1.921 Part 1 Section 19.835, text:name

- a. *The standard defines the attribute text:name, contained within the element <text:section>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:name*

This attribute is not supported in PowerPoint 2013.

2.1.922 Part 1 Section 19.837, text:note-class

- a. *The standard defines the attribute text:note-class, contained within the element <text:note-ref>*

This attribute is not supported in Word 2013.

On load, Word ignores footnote references. On save, Word writes out footnote references.

2.1.923 Part 1 Section 19.839, text:number-lines

- a. *The standard defines the attribute text:number-lines, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute text:number-lines, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute text:number-lines, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.924 Part 1 Section 19.840, text:number-position

a. The standard defines the attribute text:number-position, contained within the element <text:linenumbering-configuration>, contained within the parent element <office:styles>

This attribute is not supported in Word 2013.

2.1.925 Part 1 Section 19.844, text:outline-level

a. The standard defines the attribute text:outline-level, contained within the element <text:h>

This attribute is supported in Word 2013.

On save, if the numbering applied to a set of headings (via outline level) is not continuous, Word outputs the missing numbers as numbered blank paragraphs--- for example:

first item
second item
third item
is output as follows:

first item
second item
3.

third item

2.1.926 Part 1 Section 19.844.5, text:index-entry-chapter

- a. *The standard defines the attribute text:outline-level, contained within the element <text:index-entry-chapter>*

This attribute is supported in Word 2013 Client.

2.1.927 Part 1 Section 19.845, text:page-adjust

- a. *The standard defines the attribute text:page-adjust, contained within the element <text:page-number>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:page-adjust*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute text:page-adjust, contained within the element <text:page-number>*

This attribute is not supported in PowerPoint 2013.

2.1.928 Part 1 Section 19.849, text:protected

- a. *The standard defines the attribute text:protected, contained within the element <text:section>*

This attribute is not supported in Word 2013.

2.1.929 Part 1 Section 19.850, text:protection-key

- a. *The standard defines the attribute text:protection-key, contained within the element <text:section>*

This attribute is not supported in Word 2013.

2.1.930 Part 1 Section 19.851, text:protection-key-digest-algorithm

- a. *The standard defines the attribute text:protection-key-digest-algorithm, contained within the element <text:alphabetical-index>*

This attribute is supported in Word 2013 Client.

- b. *The standard defines the attribute text:protection-key-digest-algorithm, contained within the element <text:bibliography>*

This attribute is supported in Word 2013 Client.

- c. *The standard defines the attribute text:protection-key-digest-algorithm, contained within the element <text:section>*

This attribute is supported in Word 2013 Client.

- d. *The standard defines the attribute text:protection-key-digest-algorithm, contained within the element <text:table-of-content>*

This attribute is supported in Word 2013 Client.

2.1.931 Part 1 Section 19.853, text:ref-name

- a. *The standard defines the attribute text:ref-name, contained within the element <text:note-ref>*

This attribute is not supported in Word 2013.

On load, Word ignores footnote references. On save, Word writes out footnote references.

2.1.932 Part 1 Section 19.854, text:reference-format

- a. *The standard defines the property "chapter", contained within the attribute text:reference-format, contained within the element <text:bookmark-ref>*

This property is not supported in Word 2013.

- b. *The standard defines the property "chapter", contained within the attribute text:reference-format, contained within the element <text:note-ref>*

This property is not supported in Word 2013.

- c. *The standard defines the property "direction", contained within the attribute text:reference-format, contained within the element <text:note-ref>*

This property is not supported in Word 2013.

On load, Word ignores footnote references. On save, Word writes out footnote references.

- d. *The standard defines the property "page", contained within the attribute text:reference-format, contained within the element <text:note-ref>*

This property is not supported in Word 2013.

On load, Word ignores footnote references. On save, Word writes out footnote references.

- e. *The standard defines the property "text", contained within the attribute text:reference-format, contained within the element <text:note-ref>*

This property is not supported in Word 2013.

On load, Word ignores footnote references. On save, Word writes out footnote references.

f. *The standard defines the property "chapter", contained within the attribute text:reference-format, contained within the element <text:reference-ref>*

This property is not supported in Word 2013.

2.1.933 Part 1 Section 19.855, text:relative-tab-stop-position

a. *The standard defines the attribute text:relative-tab-stop-position, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute text:relative-tab-stop-position, contained within the element <text:table-of-content-source>*

This attribute is not supported in Word 2013.

2.1.934 Part 1 Section 19.857, text:restart-numbering

a. *The standard defines the attribute text:restart-numbering, contained within the element <text:h>*

This attribute is not supported in Word 2013.

2.1.935 Part 1 Section 19.863, text:select-page

a. *The standard defines the attribute text:select-page, contained within the element <text:page-number>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute text:select-page*

This attribute is not supported in Excel 2013.

c. *The standard defines the attribute text:select-page, contained within the element <text:page-number>*

This attribute is not supported in PowerPoint 2013.

2.1.936 Part 1 Section 19.865, text:sort-algorithm

a. *The standard defines the attribute text:sort-algorithm, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.937 Part 1 Section 19.868, text:start-value

a. *The standard defines the attribute text:start-value, contained within the element <text:list-item>, contained within the parent element <text:list>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes.

b. *The standard defines the attribute `text:start-value`, contained within the element `<text:list-level-style-number>`*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

c. *The standard defines the attribute text:start-value, contained within the element <text:list-item>, contained within the parent element <text:list>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

d. *The standard defines the attribute text:start-value, contained within the element <text:list-level-style-number>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

<draw:custom-shape>.

2.1.938 Part 1 Section 19.874, text:style-name

- a. *The standard defines the attribute text:style-name, contained within the element <text:a>*

This attribute is not supported in Word 2013.

On load, Word applies text properties to hyperlinks via properties defined by the <text:span> element containing the displayed hyperlink text.

- b. *The standard defines the attribute text:style-name, contained within the element <text:index-entry-chapter>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute text:style-name, contained within the element <text:index-entry-link-end>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute text:style-name, contained within the element <text:index-entry-link-start>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute text:style-name, contained within the element <text:index-entry-page-number>*

This attribute is supported in Word 2013.

On load, Word ignores this element and reverts to a default index style. On save, Word writes this element within its table of contents and index.

- f. *The standard defines the attribute text:style-name, contained within the element <text:index-entry-text>*

This attribute is supported in Word 2013.

On load, Word ignores this element and reverts to a default index style. On save, Word writes this element within its table of contents and index.

- g. *The standard defines the attribute text:style-name, contained within the element <text:linenumbering-configuration>, contained within the parent element <office:styles>*

This attribute is not supported in Word 2013.

- h. *The standard defines the attribute text:style-name, contained within the element <text:list>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

- i. *The standard defines the attribute text:style-name, contained within the element <text:list-level-style-bullet>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

- j. *The standard defines the attribute text:style-name, contained within the element <text:p>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

k. *The standard defines the attribute text:style-name, contained within the element <text:ruby-text>, contained within the parent element <text:ruby>*

This attribute is supported in Word 2013.

On save, text formatting properties on ruby text are retained if all characters in the ruby text share the same text properties.

l. *The standard defines the attribute text:style-name, contained within the element <text:span>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

m. *The standard defines the attribute text:style-name, contained within the element <text:table-of-content>*

This attribute is not supported in Word 2013.

On load, Word ignores the table of contents style and uses a default table of contents style.

On save, Word writes out the style of the table of contents.

n. *The standard defines the attribute text:style-name, contained within the element <text:a>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

o. The standard defines the attribute `text:style-name`, contained within the element `<text:list>`

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes.

p. The standard defines the attribute `text:style-name`, contained within the element `<text:list-level-style-bullet>`

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>
```

And on save for text in text boxes and shapes and SmartArt.

q. *The standard defines the attribute text:style-name, contained within the element <text:list-level-style-number>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

r. *The standard defines the attribute text:style-name, contained within the element <text:p>*

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

s. *The standard defines the attribute text:style-name, contained within the element <text:ruby>*

This attribute is not supported in Excel 2013.

t. *The standard defines the attribute text:style-name, contained within the element <text:ruby-text>*

This attribute is not supported in Excel 2013.

u. *The standard defines the attribute text:style-name, contained within the element <text:span>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

v. *The standard defines the attribute text:style-name, contained within the element <text:a>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

w. *The standard defines the attribute `text:style-name`, contained within the element `<text:list>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

x. *The standard defines the attribute `text:style-name`, contained within the element `<text:list-level-style-bullet>`*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

y. *The standard defines the attribute `text:style-name`, contained within the element `<text:list-level-style-number>`*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

z. *The standard defines the attribute `text:style-name`, contained within the element `<text:p>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

aa. *The standard defines the attribute text:style-name, contained within the element <text:span>*
OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.939 Part 1 Section 19.877, text:tab-ref

a. *The standard defines the attribute text:tab-ref, contained within the element <text:tab>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute text:tab-ref, contained within the element <text:tab>, contained within the parent element <text:p>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute text:tab-ref*

This attribute is not supported in Excel 2013.

- d. *The standard defines the attribute text:tab-ref, contained within the element <text:tab>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- e. *The standard defines the attribute text:tab-ref, contained within the element <text:tab>, contained within the parent element <text:p>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute text:tab-ref, contained within the element <text:tab>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.940 Part 1 Section 19.880, text:time-adjust

- a. *The standard defines the attribute text:time-adjust, contained within the element <text:time>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute text:time-adjust*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute text:time-adjust, contained within the element <text:time>*

This attribute is not supported in PowerPoint 2013.

2.1.941 Part 1 Section 19.881, text:time-value

- a. *The standard defines the attribute text:time-value, contained within the element <text:time>*

This attribute is not supported in Word 2013.

On load, if the time field is not fixed, Word displays the current time. On save, Word converts the time field to a date field and writes the current time as the text between the <text:date> element tags.

- b. *The standard defines the attribute text:time-value*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute text:time-value, contained within the element <text:time>*

This attribute is not supported in PowerPoint 2013.

2.1.942 Part 1 Section 19.883, text:track-changes

- a. *The standard defines the element <text:track-changes>*

This element is not supported in Word 2013.

On load and save, Word automatically accepts any tracked changes and applies the changes to the document.

2.1.943 Part 1 Section 19.892, text:use-keys-as-entries

a. *The standard defines the attribute text:use-keys-as-entries, contained within the element <text:alphabetical-index-source>*

This attribute is not supported in Word 2013.

2.1.944 Part 1 Section 19.901, text:visited-style-name

a. *The standard defines the attribute text:visited-style-name, contained within the element <text:a>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute text:visited-style-name, contained within the element <text:a>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

c. *The standard defines the attribute text:visited-style-name, contained within the element <text:a>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

2.1.945 Part 1 Section 19.904, xforms:bind

- a. *The standard defines the attribute xforms:bind*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute xforms:bind*

This attribute is not supported in Excel 2013.

2.1.946 Part 1 Section 19.905, xhtml:about

- a. *The standard defines the attribute xhtml:about, contained within the element <table:covered-table-cell>*

This attribute is supported in Word 2013 Client.

- b. *The standard defines the attribute xhtml:about, contained within the element <table:table-cell>*

This attribute is supported in Word 2013 Client.

- c. *The standard defines the attribute xhtml:about, contained within the element <text:bookmark-start>*

This attribute is supported in Word 2013 Client.

- d. *The standard defines the attribute xhtml:about, contained within the element <text:h>*

This attribute is supported in Word 2013 Client.

e. *The standard defines the attribute `xhtml:about`, contained within the element `<text:meta>`*

This attribute is supported in Word 2013 Client.

f. *The standard defines the attribute `xhtml:about`, contained within the element `<text:p>`*

This attribute is supported in Word 2013 Client.

g. *The standard defines the attribute `xhtml:about`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.947 Part 1 Section 19.906, `xhtml:content`

a. *The standard defines the attribute `xhtml:content`, contained within the element `<table:covered-table-cell>`*

This attribute is supported in Word 2013 Client.

b. *The standard defines the attribute `xhtml:content`, contained within the element `<table:table-cell>`*

This attribute is supported in Word 2013 Client.

c. *The standard defines the attribute `xhtml:content`, contained within the element `<text:bookmark-start>`*

This attribute is supported in Word 2013 Client.

d. *The standard defines the attribute `xhtml:content`, contained within the element `<text:h>`*

This attribute is supported in Word 2013 Client.

e. *The standard defines the attribute `xhtml:content`, contained within the element `<text:meta>`*

This attribute is supported in Word 2013 Client.

f. *The standard defines the attribute `xhtml:content`, contained within the element `<text:p>`*

This attribute is supported in Word 2013 Client.

g. *The standard defines the attribute `xhtml:content`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.948 Part 1 Section 19.907, `xhtml:datatype`

a. *The standard defines the attribute `xhtml:datatype`, contained within the element `<table:covered-table-cell>`*

This attribute is supported in Word 2013 Client.

b. *The standard defines the attribute `xhtml:datatype`, contained within the element `<table:table-cell>`*

This attribute is supported in Word 2013 Client.

c. *The standard defines the attribute `xhtml:datatype`, contained within the element `<text:bookmark-start>`*

This attribute is supported in Word 2013 Client.

d. *The standard defines the attribute `xhtml:datatype`, contained within the element `<text:h>`*

This attribute is supported in Word 2013 Client.

e. *The standard defines the attribute `xhtml:datatype`, contained within the element `<text:meta>`*

This attribute is supported in Word 2013 Client.

f. *The standard defines the attribute `xhtml:datatype`, contained within the element `<text:p>`*

This attribute is supported in Word 2013 Client.

g. *The standard defines the attribute `xhtml:datatype`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.949 Part 1 Section 19.908, `xhtml:property`

a. *The standard defines the attribute `xhtml:property`, contained within the element `<table:covered-table-cell>`*

This attribute is supported in Word 2013 Client.

b. *The standard defines the attribute `xhtml:property`, contained within the element `<table:table-cell>`*

This attribute is supported in Word 2013 Client.

c. *The standard defines the attribute `xhtml:property`, contained within the element `<text:bookmark-start>`*

This attribute is supported in Word 2013 Client.

d. *The standard defines the attribute `xhtml:property`, contained within the element `<text:h>`*

This attribute is supported in Word 2013 Client.

e. *The standard defines the attribute `xhtml:property`, contained within the element `<text:meta>`*

This attribute is supported in Word 2013 Client.

f. *The standard defines the attribute `xhtml:property`, contained within the element `<text:p>`*

This attribute is supported in Word 2013 Client.

g. *The standard defines the attribute `xhtml:property`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

2.1.950 Part 1 Section 19.909, xlink:actuate

- a. *The standard defines the attribute xlink:actuate, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- b. *The standard defines the attribute xlink:actuate, contained within the element <draw:object>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute xlink:actuate, contained within the element <form:form>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute xlink:actuate, contained within the element <text:a>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute xlink:actuate, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

f. *The standard defines the attribute `xlink:actuate`, contained within the element `<style:background-image>`*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute `xlink:actuate`, contained within the element `<svg:definition-src>`, contained within the parent element `<style:font-face>`*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute `xlink:actuate`, contained within the element `<table:cell-range-source>`, contained within the parent element `<table:table-cell>`*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute `xlink:actuate`, contained within the element `<table:table-source>`, contained within the parent element `<table:table>`*

This attribute is not supported in Excel 2013.

j. *The standard defines the attribute `xlink:actuate`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.951 Part 1 Section 19.910, xlink:href

- a. *The standard defines the attribute xlink:href*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute xlink:href, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

Relative URIs are not supported, only absolute URIs are supported.

- c. *The standard defines the attribute xlink:href, contained within the element <draw:image>*

This attribute is supported in Word 2013.

Relative URIs are not supported, only absolute URIs are supported.

- d. *The standard defines the attribute xlink:href, contained within the element <draw:object>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute xlink:href, contained within the element <form:form>*

This attribute is not supported in Word 2013.

f. *The standard defines the attribute xlink:href*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute xlink:href, contained within the element <chart:symbol-image>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute xlink:href, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

Relative URIs are not supported, only absolute URIs are supported.

i. *The standard defines the attribute xlink:href, contained within the element <draw:image>*

This attribute is supported in Excel 2013.

Relative URIs are not supported, only absolute URIs are supported.

j. *The standard defines the attribute xlink:href, contained within the element <form:form>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute xlink:href, contained within the element <style:background-image>*

This attribute is not supported in Excel 2013.

I. *The standard defines the attribute xlink:href, contained within the element <svg:definition-src>, contained within the parent element <style:font-face>*

This attribute is not supported in Excel 2013.

m. *The standard defines the attribute xlink:href, contained within the element <text:a>*

This attribute is not supported in Excel 2013.

On load, xlink:href attribute is not supported for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

n. *The standard defines the attribute xlink:href, contained within the element <text:list-level-style-image>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

And on save for text in text boxes and shapes.

- o. *The standard defines the attribute `xlink:href`, contained within the element `<anim:audio>`*

This attribute is not supported in PowerPoint 2013.

- o. *The standard defines the attribute `xlink:href`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

Relative URIs are not supported, only absolute URIs are supported.

- q. *The standard defines the attribute `xlink:href`, contained within the element `<draw:image>`*

This attribute is supported in PowerPoint 2013.

Relative URIs are not supported, only absolute URIs are supported.

- r. *The standard defines the attribute `xlink:href`, contained within the element `<text:a>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

s. *The standard defines the attribute `xlink:href`, contained within the element `<text:list-level-style-image>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.952 Part 1 Section 19.911, `xlink:show`

a. *The standard defines the attribute `xlink:show`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

b. *The standard defines the attribute `xlink:show`, contained within the element `<draw:object>`*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute `xlink:show`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
```

```
<draw:custom-shape>
```

- d. *The standard defines the attribute `xlink:show`, contained within the element `<style:background-image>`*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute `xlink:show`, contained within the element `<text:a>`*

This attribute is not supported in Excel 2013.

- f. *The standard defines the property "new", contained within the attribute `xlink:show`, contained within the element `<text:a>`*

OfficeArt Math in Excel 2013 does not support this enum, on load, for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

- g. *The standard defines the property "replace", contained within the attribute `xlink:show`, contained within the element `<text:a>`*

OfficeArt Math in Excel 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

Hyperlinks are not supported at the text level.

h. *The standard defines the attribute `xlink:show`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

i. *The standard defines the property "new", contained within the attribute `xlink:show`, contained within the element `<text:a>`*

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

- j. *The standard defines the property "replace", contained within the attribute xlink:show, contained within the element <text:a>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

Written as "replace" if the target frame is not empty.

2.1.953 Part 1 Section 19.913, xlink:type

- a. *The standard defines the attribute xlink:type, contained within the element <draw:fill-image>, contained within the parent element <office:styles>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

- b. *The standard defines the attribute `xlink:type`, contained within the element `<draw:object>`*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute `xlink:type`, contained within the element `<form:form>`*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute `xlink:type`, contained within the element `<text:a>`*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute `xlink:type`, contained within the element `<draw:fill-image>`, contained within the parent element `<office:styles>`*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
```

```
<draw:image>
<draw:text-box>
<draw:custom-shape>
f. The standard defines the attribute xlink:type, contained within the element <style:background-image>
```

This attribute is not supported in Excel 2013.

```
g. The standard defines the attribute xlink:type, contained within the element <svg:definition-src>, contained within the parent element <style:font-face>
```

This attribute is not supported in Excel 2013.

```
h. The standard defines the attribute xlink:type, contained within the element <table:cell-range-source>, contained within the parent element <table:table-cell>
```

This attribute is not supported in Excel 2013.

```
i. The standard defines the attribute xlink:type, contained within the element <table:table-source>, contained within the parent element <table:table>
```

This attribute is not supported in Excel 2013.

```
j. The standard defines the attribute xlink:type, contained within the element <draw:fill-image>, contained within the parent element <office:styles>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:image>
<draw:text-box>
<draw:custom-shape>
```

2.1.954 Part 1 Section 19.914, xml:id

a. *The standard defines the attribute `xml:id`, contained within the element `<office:annotation>`*

This attribute is supported in Word 2013 Client.

b. *The standard defines the attribute `xml:id`, contained within the element `<table:covered-table-cell>`*

This attribute is supported in Word 2013 Client.

c. *The standard defines the attribute `xml:id`, contained within the element `<table:table>`*

This attribute is supported in Word 2013 Client.

d. *The standard defines the attribute `xml:id`, contained within the element `<table:table-cell>`*

This attribute is supported in Word 2013 Client.

e. *The standard defines the attribute `xml:id`, contained within the element `<table:table-column>`*

This attribute is supported in Word 2013 Client.

f. *The standard defines the attribute `xml:id`, contained within the element `<table:table-row>`*

This attribute is supported in Word 2013 Client.

g. *The standard defines the attribute `xml:id`, contained within the element `<text:alphabetical-index>`*

This attribute is supported in Word 2013 Client.

h. *The standard defines the attribute `xml:id`, contained within the element `<text:bookmark>`*

This attribute is supported in Word 2013 Client.

i. *The standard defines the attribute `xml:id`, contained within the element `<text:bookmark-start>`*

This attribute is supported in Word 2013 Client.

j. *The standard defines the attribute `xml:id`, contained within the element `<text:changed-region>`*

This attribute is supported in Word 2013 Client.

k. *The standard defines the attribute `xml:id`, contained within the element `<text:h>`*

This attribute is supported in Word 2013 Client.

l. *The standard defines the attribute `xml:id`, contained within the element `<text:list-item>`*

This attribute is supported in Word 2013 Client.

m. *The standard defines the attribute `xml:id`, contained within the element `<text:meta>`*

This attribute is supported in Word 2013 Client.

n. *The standard defines the attribute `xml:id`, contained within the element `<text:meta-field>`*

This attribute is supported in Word 2013 Client.

- o. *The standard defines the attribute `xml:id`, contained within the element `<text:numbered-paragraph>`*

This attribute is supported in Word 2013 Client.

- p. *The standard defines the attribute `xml:id`, contained within the element `<text:p>`*

This attribute is supported in Word 2013 Client.

- q. *The standard defines the attribute `xml:id`, contained within the element `<text:section>`*

This attribute is supported in Word 2013 Client.

- r. *The standard defines the attribute `xml:id`, contained within the element `<text:table-of-content>`*

This attribute is supported in Word 2013 Client.

- s. *The standard defines the attribute `xml:id`, contained within the element `<table:table>`*

This attribute is not supported in PowerPoint 2013.

- t. *The standard defines the attribute `xml:id`, contained within the element `<table:table-cell>`*

This attribute is not supported in PowerPoint 2013.

- u. *The standard defines the attribute `xml:id`, contained within the element `<table:table-row>`*

This attribute is not supported in PowerPoint 2013.

2.1.955 Part 1 Section 20.2, chart:angle-offset

- a. *The standard defines the attribute `fo:margin-left`, contained within the element `<style:table-properties>`*

This attribute is not supported in PowerPoint 2013.

2.1.956 Part 1 Section 20.7, chart:connect-bars

- a. *The standard defines the attribute `chart:connect-bars`*

This attribute is supported in Excel 2013.

This attribute applies to the style of the elements `<chart:chart>`, `<chart:plot-area>`, and `<chart:series>`, when the series type is bar.

2.1.957 Part 1 Section 20.8, chart:data-label-number

- a. *The standard defines the attribute `chart:data-label-number`*

This attribute is supported in Excel 2013.

On load Excel applies the "percentage" value only if the chart type is `chart:circle` or `chart:ring`. Also, Excel applies the "percentage" value if the chart contains a circle or ring series when the attribute is on the style of the `chart:plot-area`.

On save Excel writes the "percentage" value only if the series type is pie or doughnut in Excel.

2.1.958 Part 1 Section 20.9, chart:data-label-symbol

- a. *The standard defines the attribute chart:data-label-symbol*

Excel 2013 supports this attribute for a style of the <chart:plot-area>, <chart:series>, and <chart:data-point> elements.

2.1.959 Part 1 Section 20.10, chart:data-label-text

- a. *The standard defines the attribute chart:data-label-text*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:plot-area>, <chart:series>, and <chart:data-point> elements.

2.1.960 Part 1 Section 20.11, chart:deep

- a. *The standard defines the attribute chart:deep*

This attribute is supported in Excel 2013.

When the chart:deep attribute is "true", the chart must have a <chart:axis> element with the chart:dimension attribute equal to "z" and the chart:three-dimensional attribute must equal "true".

On load, the <style-chart-properties-attlist> element is ignored when the chart type is surface, and is always saved as "true".

This attribute must equal "false" when the chart:stacked or chart:percentage attributes are "true".

This attribute must equal "false" when the chart type is bar and the "chart:vertical" property equals "false". This attribute applies to the style of the <chart:chart> and <chart:plot-area> elements when the chart type is area or bar.

2.1.961 Part 1 Section 20.12, chart:display-label

- a. *The standard defines the attribute chart:display-label*

This attribute is supported in Excel 2013.

This attribute applies to the <style-chart-properties-attlist> element of the <chart:axis> element.

2.1.962 Part 1 Section 20.13, chart:error-category

- a. *The standard defines the property "constant", contained within the attribute chart:error-category*

Excel 2013 supports this enum for the style of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is line, area, scatter, bar, stock, or bubble.

- b. *The standard defines the property "error-margin", contained within the attribute chart:error-category*

This property is not supported in Excel 2013.

- c. *The standard defines the property "none", contained within the attribute chart:error-category*

This property is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is "line", "area", "scatter", "bar", "stock", or "bubble".

- d. *The standard defines the property "percentage", contained within the attribute chart:error-category*

This property is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is "line", "area", "scatter", "bar", "stock", or "bubble".

- e. *The standard defines the property "variance", contained within the attribute chart:error-category*

This property is not supported in Excel 2013.

2.1.963 Part 1 Section 20.14, chart:error-lower-indicator

- a. *The standard defines the attribute chart:error-lower-indicator*

This attribute is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is "line", "area", "scatter", "bar", "stock", or "bubble".

2.1.964 Part 1 Section 20.15, chart:error-lower-limit

- a. *The standard defines the attribute chart:error-lower-limit*

This attribute is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is "line", "area", "scatter", "bar", "stock", or "bubble".

2.1.965 Part 1 Section 20.17, chart:error-margin

- a. *The standard defines the attribute chart:error-margin*

This attribute is not supported in Excel 2013.

2.1.966 Part 1 Section 20.18, chart:error-percentage

- a. *The standard defines the attribute chart:error-percentage*

Excel 2013 supports this attribute for the style of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is line, area, scatter, bar, stock, or bubble.

2.1.967 Part 1 Section 20.19, chart:error-upper-indicator

- a. *The standard defines the attribute chart:error-upper-indicator*

This attribute is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is "line", "area", "scatter", "bar", "stock", or "bubble".

2.1.968 Part 1 Section 20.20, chart:error-upper-limit

- a. *The standard defines the attribute chart:error-upper-limit*

Excel 2013 supports this attribute uses this attribute for the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the chart is not three dimensional and the series type is "line", "area", "scatter", "bar", "stock", or "bubble".

2.1.969 Part 1 Section 20.22, chart:gap-width

- a. *The standard defines the attribute chart:gap-width*

This attribute is supported in Excel 2013.

This attribute applies to the style of the element <chart:axis>, when the attribute chart:dimension of the axis equals "y" and the chart type is bar.

2.1.970 Part 1 Section 20.23, chart:group-bars-per-axis

- a. *The standard defines the attribute chart:group-bars-per-axis*

This attribute is supported in Excel 2013.

2.1.971 Part 1 Section 20.26, chart:interpolation

- a. *The standard defines the attribute chart:interpolation*

This attribute is supported in Excel 2013.

On load, both the "cubic-spline" and "b-spline" values load as "cubic-spline". On save, only the "cubic-spline" value is applied to the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements.

2.1.972 Part 1 Section 20.27, chart:interval-major

- a. *The standard defines the attribute chart:interval-major*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:axis> element when the chart:dimension attribute of the <chart:axis> element equals "y" or the <chart:axis> element is associated with a scatter chart.

2.1.973 Part 1 Section 20.28, chart:interval-minor-divisor

- a. *The standard defines the attribute chart:interval-minor-divisor*

This attribute is supported in Excel 2013.

This element is ignored if the chart:interval-major attribute is not specified. This attribute applies to the style of the <chart:axis> element when the chart:dimension attribute of the axis equals "y" or the axis is associated with a scatter chart.

2.1.974 Part 1 Section 20.29, chart:japanese-candle-stick

- a. *The standard defines the attribute chart:japanese-candle-stick*

This attribute is not supported in Excel 2013.

2.1.975 Part 1 Section 20.30, chart:label-arrangement

- a. *The standard defines the attribute chart:label-arrangement*

This attribute is not supported in Excel 2013.

2.1.976 Part 1 Section 20.32, chart:label-position-negative

- a. *The standard defines the attribute chart:label-position-negative*

This attribute is supported in Excel 2013.

- b. *The standard defines the attribute style:page-number, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.977 Part 1 Section 20.33, chart:lines

- a. *The standard defines the attribute chart:lines*

This attribute is supported in Excel 2013.

This attribute applies to the <style-chart-properties-attlist> element of the <chart:chart>, <chart:plot-area>, and <chart:series> elements when the series type is "line", "scatter", or "radar".

2.1.978 Part 1 Section 20.34, chart:link-data-style-to-source

- a. *The standard defines the attribute chart:link-data-style-to-source*

This attribute is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:axis> and <chart:series> elements when the chart has data labels.

2.1.979 Part 1 Section 20.35, chart:logarithmic

- a. *The standard defines the attribute chart:logarithmic*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:axis> element when the chart:dimension attribute of the <chart:axis> element equals "y" or the <chart:axis> element is associated with a scatter chart.

2.1.980 Part 1 Section 20.36, chart:maximum

- a. *The standard defines the attribute chart:maximum*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:axis> element when the chart:dimension attribute of the <chart:axis> element equals "y" or the <chart:axis> element is associated with a scatter chart.

2.1.981 Part 1 Section 20.38, chart:minimum

- a. *The standard defines the attribute chart:minimum*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:axis> element when the chart:dimension attribute of the <chart:axis> element equals "y" or the <chart:axis> element is associated with a scatter chart.

2.1.982 Part 1 Section 20.39, chart:origin

- a. *The standard defines the attribute chart:origin*

This attribute is supported in Excel 2013.

This attribute applies to the <style-chart-properties-attlist> element of the <chart:axis> element.

2.1.983 Part 1 Section 20.40, chart:overlap

- a. *The standard defines the attribute chart:overlap*

This attribute is supported in Excel 2013.

The attribute chart:overlap applies to the style of the element <chart:axis>, when the attribute chart:dimension of the axis equals "y" and the chart type is bar.

2.1.984 Part 1 Section 20.41, chart:pie-offset

- a. *The standard defines the attribute chart:pie-offset*

This attribute is supported in Excel 2013.

This attribute applies to the <style-chart-properties-attlist> element of the <chart:plot-area>, <chart:series>, and <chart:data-point> elements when the series type is "circle" or "ring".

2.1.985 Part 1 Section 20.42, chart:percentage

- a. *The standard defines the attribute chart:percentage*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:chart>, <chart:plot-area>, and <chart:series> elements when the series type is line, area, or bar.

2.1.986 Part 1 Section 20.43, chart:regression-type

- a. *The standard defines the attribute chart:regression-type*

This attribute is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:series> element when the series type is "line", "area", "scatter", "bar", "stock", or "bubble", and the chart is not three dimensional.

2.1.987 Part 1 Section 20.46, chart:scale-text

- a. *The standard defines the attribute chart:scale-text*

This attribute is not supported in Excel 2013.

2.1.988 Part 1 Section 20.47, chart:series-source

- a. *The standard defines the attribute chart:series-source*

This attribute is not supported in Excel 2013.

2.1.989 Part 1 Section 20.48, chart:sort-by-x-values

- a. *The standard defines the attribute chart:sort-by-x-values*

This attribute is supported in Excel 2013.

2.1.990 Part 1 Section 20.50, chart:spline-order

- a. *The standard defines the attribute chart:spline-order*

This attribute is not supported in Excel 2013.

2.1.991 Part 1 Section 20.51, chart:spline-resolution

- a. *The standard defines the attribute chart:spline-resolution*

This attribute is not supported in Excel 2013.

2.1.992 Part 1 Section 20.52, chart:stacked

- a. *The standard defines the attribute chart:stacked*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:chart>, <chart:plot-area>, and <chart:series> elements when the series type is line, area, or bar.

2.1.993 Part 1 Section 20.53, chart:symbol-height

- a. *The standard defines the attribute chart:symbol-height*

This attribute is supported in Excel 2013.

The attribute chart:symbol-height, contained within the element <style-chart-properties-attlist>, applies to the style of the elements <chart:series> and <chart:data-point>, when the series type is line, scatter, or radar.

2.1.994 Part 1 Section 20.54, chart:symbol-name

- a. *The standard defines the property "arrow-down", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

- b. *The standard defines the property "arrow-left", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

- c. *The standard defines the property "arrow-right", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

- d. *The standard defines the property "arrow-up", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

- e. *The standard defines the property "asterisk", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

When the series is of type line, scatter, or radar, the attribute chart:symbol-name applies to the style of the elements <chart:series> and <chart:data-point>.

- f. *The standard defines the property "bow-tie", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

- g. *The standard defines the property "circle", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

The property "circle," contained within the attribute chart:symbol-name, contained within the element <style-chart-properties-attlist>, applies to the style of the elements <chart:series> and <chart:data-point>, when the series type is line, scatter, or radar.

- h. *The standard defines the property "diamond", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

This attribute applies to the style of the <chart:series> and <chart:data-point> elements when the series type is line, scatter, or radar.

- i. *The standard defines the property "horizontal-bar", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

The "horizontal-bar" property, contained within the chart:symbol-name attribute, contained within the <style-chart-properties> element, applies to the style of the <chart:series> and <chart:data-point> elements when the series type is line, scatter, or radar.

- j. *The standard defines the property "hourglass", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

k. *The standard defines the property "plus", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

The property "plus," contained within the attribute chart:symbol-name, contained within the element <style-chart-properties-attlist>, applies to the style of the elements <chart:series> and <chart:data-point>, when the series type is line, scatter, or radar.

l. *The standard defines the property "square", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

This attribute applies to the style of the <chart:series> and <chart:data-point> elements when the series type is line, scatter, or radar.

m. *The standard defines the property "star", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

n. *The standard defines the property "vertical-bar", contained within the attribute chart:symbol-name*

This property is not supported in Excel 2013.

o. *The standard defines the property "x", contained within the attribute chart:symbol-name*

This property is supported in Excel 2013.

The property "x," contained within the attribute chart:symbol-name, contained within the element <style-chart-properties-attlist>, applies to the style of the elements <chart:series> and <chart:data-point>, when the series type is line, scatter, or radar.

2.1.995 Part 1 Section 20.55, chart:symbol-type

a. *The standard defines the attribute chart:symbol-type*

This attribute is supported in Excel 2013.

This attribute applies to the style of the <chart:series> and <chart:data-point> elements when the series type is line, scatter, or radar.

2.1.996 Part 1 Section 20.56, chart:symbol-width

a. *The standard defines the attribute chart:symbol-width*

This attribute is supported in Excel 2013.

This attribute is ignored if the chart:symbol-height attribute is specified. Otherwise, the chart:symbol-width attribute applies to the style of the <chart:series> and <chart:data-point> elements, when the series type is line, scatter, or radar.

2.1.997 Part 1 Section 20.57, chart:text-overlap

a. *The standard defines the attribute chart:text-overlap*

This attribute is not supported in Excel 2013.

2.1.998 Part 1 Section 20.58, chart:three-dimensional

- a. *The standard defines the attribute chart:three-dimensional*

This attribute is supported in Excel 2013.

This attribute must equal the value "true" when the chart type is surface. This attribute applies to the style of the <chart:chart> and <chart:plot-area> elements when the series type is line, area, circle, bar, or surface.

2.1.999 Part 1 Section 20.59, chart:tick-marks-major-inner

- a. *The standard defines the attribute chart:tick-marks-major-inner*

Excel 2013 supports this attribute for the style of the <chart:axis> element.

2.1.1000 Part 1 Section 20.60, chart:tick-marks-major-outer

- a. *The standard defines the attribute chart:tick-marks-major-outer*

Excel 2013 supports this attribute for the style of the <chart:axis> element.

2.1.1001 Part 1 Section 20.61, chart:tick-marks-minor-inner

- a. *The standard defines the attribute chart:tick-marks-minor-inner*

Excel 2013 supports this attribute for the style of the <chart:axis> element.

2.1.1002 Part 1 Section 20.62, chart:tick-marks-minor-outer

- a. *The standard defines the attribute chart:tick-marks-minor-outer*

Excel 2013 supports this attribute for the style of the <chart:axis> element.

2.1.1003 Part 1 Section 20.63, chart:tick-mark-position

- a. *The standard defines the attribute chart:tick-mark-position*

This attribute is supported in Excel 2013.

2.1.1004 Part 1 Section 20.65, chart:vertical

- a. *The standard defines the attribute chart:vertical*

Excel 2013 supports this attribute. The chart:vertical attribute applies to the <style-chart-properties-attlist> element of the <chart:plot-area> and <chart:series> elements when the series type is bar.

2.1.1005 Part 1 Section 20.66, chart:visible

- a. *The standard defines the attribute chart:visible*

This attribute is supported in Excel 2013.

Excel uses this attribute for the <style-chart-properties-attlist> element of the <chart:axis> element.

2.1.1006 Part 1 Section 20.68, dr3d:back-scale

- a. *The standard defines the attribute dr3d:back-scale, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:back-scale, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:back-scale, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1007 Part 1 Section 20.69, dr3d:backface-culling

- a. *The standard defines the attribute dr3d:backface-culling, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:backface-culling, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:backface-culling, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1008 Part 1 Section 20.70, dr3d:close-back

- a. *The standard defines the attribute dr3d:close-back, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:close-back, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:close-back, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1009 Part 1 Section 20.71, dr3d:close-front

- a. *The standard defines the attribute dr3d:close-front, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:close-front`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:close-front`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1010 Part 1 Section 20.72, dr3d:depth

- a. The standard defines the attribute `dr3d:depth`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:depth`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:depth`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1011 Part 1 Section 20.74, dr3d:edge-rounding

- a. The standard defines the attribute `dr3d:edge-rounding`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:edge-rounding`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:edge-rounding`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1012 Part 1 Section 20.75, dr3d:edge-rounding-mode

- a. The standard defines the attribute `dr3d:edge-rounding-mode`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:edge-rounding-mode`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:edge-rounding-mode`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1013 Part 1 Section 20.76, dr3d:emissive-color

- a. *The standard defines the attribute dr3d:emissive-color, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:emissive-color, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:emissive-color, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1014 Part 1 Section 20.77, dr3d:end-angle

- a. *The standard defines the attribute dr3d:end-angle, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:end-angle, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:end-angle, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1015 Part 1 Section 20.78, dr3d:horizontal-segments

- a. *The standard defines the attribute dr3d:horizontal-segments, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:horizontal-segments, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:horizontal-segments, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1016 Part 1 Section 20.80, dr3d:normals-direction

- a. *The standard defines the attribute dr3d:normals-direction, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:normals-direction, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:normals-direction, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1017 Part 1 Section 20.81, dr3d:normals-kind

- a. *The standard defines the attribute dr3d:normals-kind, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:normals-kind, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:normals-kind, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1018 Part 1 Section 20.82, dr3d:shadow

- a. *The standard defines the attribute dr3d:shadow, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:shadow, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:shadow, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1019 Part 1 Section 20.83, dr3d:shininess

- a. *The standard defines the attribute dr3d:shininess, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:shininess, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:shininess`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1020 Part 1 Section 20.84, dr3d:specular-color

- a. The standard defines the attribute `dr3d:specular-color`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:specular-color`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:specular-color`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1021 Part 1 Section 20.85, dr3d:texture-filter

- a. The standard defines the attribute `dr3d:texture-filter`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:texture-filter`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:texture-filter`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1022 Part 1 Section 20.86, dr3d:texture-kind

- a. The standard defines the attribute `dr3d:texture-kind`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Word 2013.

- b. The standard defines the attribute `dr3d:texture-kind`, contained within the element `<style:graphic-properties>`

This attribute is not supported in Excel 2013.

- c. The standard defines the attribute `dr3d:texture-kind`, contained within the element `<style:graphic-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.1023 Part 1 Section 20.87, dr3d:texture-mode

- a. *The standard defines the attribute dr3d:texture-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:texture-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:texture-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1024 Part 1 Section 20.88, dr3d:texture-generation-mode-x

- a. *The standard defines the attribute dr3d:texture-generation-mode-x, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:texture-generation-mode-x, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:texture-generation-mode-x, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1025 Part 1 Section 20.89, dr3d:texture-generation-mode-y

- a. *The standard defines the attribute dr3d:texture-generation-mode-y, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:texture-generation-mode-y, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:texture-generation-mode-y, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1026 Part 1 Section 20.90, dr3d:vertical-segments

- a. *The standard defines the attribute dr3d:vertical-segments, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute dr3d:vertical-segments, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute dr3d:vertical-segments, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1027 Part 1 Section 20.91, draw:auto-grow-height

- a. *The standard defines the attribute draw:auto-grow-height, contained within the element <style:graphic-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute draw:auto-grow-height, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute draw:auto-grow-height, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1028 Part 1 Section 20.92, draw:auto-grow-width

- a. *The standard defines the attribute draw:auto-grow-width, contained within the element <style:graphic-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute draw:auto-grow-width, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute draw:auto-grow-width, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1029 Part 1 Section 20.93, draw:background-size

- a. *The standard defines the attribute draw:background-size, contained within the element <style:drawing-page-properties>*

This attribute is not supported in PowerPoint 2013.

On load, PowerPoint writes this attribute as "border" On load PowerPoint ignores this attribute.

2.1.1030 Part 1 Section 20.94, draw:blue

- a. *The standard defines the attribute draw:blue, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- b. *The standard defines the attribute draw:blue, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- c. *The standard defines the attribute draw:blue, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

2.1.1031 Part 1 Section 20.95, draw:caption-angle

- a. *The standard defines the attribute draw:caption-angle, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-angle, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-angle, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1032 Part 1 Section 20.96, draw:caption-angle-type

- a. *The standard defines the attribute draw:caption-angle-type, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-angle-type, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-angle-type, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1033 Part 1 Section 20.97, draw:caption-escape

- a. *The standard defines the attribute draw:caption-escape, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-escape, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-escape, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1034 Part 1 Section 20.98, draw:caption-escape-direction

- a. *The standard defines the attribute draw:caption-escape-direction, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-escape-direction, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-escape-direction, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1035 Part 1 Section 20.99, draw:caption-fit-line-length

- a. *The standard defines the attribute draw:caption-fit-line-length, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-fit-line-length, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-fit-line-length, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1036 Part 1 Section 20.100, draw:caption-gap

- a. *The standard defines the attribute draw:caption-gap, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-gap, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-gap, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1037 Part 1 Section 20.101, draw:caption-line-length

- a. *The standard defines the attribute draw:caption-line-length, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-line-length, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-line-length, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1038 Part 1 Section 20.102, draw:caption-type

- a. *The standard defines the attribute draw:caption-type, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:caption-type, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:caption-type, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1039 Part 1 Section 20.103, draw:color-inversion

- a. *The standard defines the attribute draw:color-inversion, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- b. *The standard defines the attribute `draw:color-inversion`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- c. *The standard defines the attribute `draw:color-inversion`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

2.1.1040 Part 1 Section 20.104, `draw:color-mode`

- a. *The standard defines the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this attribute for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- b. *The standard defines the property "greyscale", contained within the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- c. *The standard defines the property "mono", contained within the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- d. *The standard defines the property "standard", contained within the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- e. *The standard defines the property "watermark", contained within the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- f. *The standard defines the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this attribute for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

- g. *The standard defines the property "greyscale", contained within the attribute `draw:color-mode`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element.

h. *The standard defines the property "mono", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

i. *The standard defines the property "standard", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

j. *The standard defines the property "watermark", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

k. *The standard defines the attribute draw:color-mode, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

l. *The standard defines the property "greyscale", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

m. *The standard defines the property "mono", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

n. *The standard defines the property "standard", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

o. *The standard defines the property "watermark", contained within the attribute draw:color-mode, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element containing a <draw:image> element.

2.1.1041 Part 1 Section 20.105, draw:contrast

a. *The standard defines the attribute draw:contrast, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element. This attribute is loaded but is not saved. The effect of this attribute is flattened into the picture on save.

- b. *The standard defines the attribute draw:contrast, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element. This attribute is loaded but is not saved. The effect of this attribute is flattened into the picture on save.

- c. *The standard defines the attribute draw:contrast, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element. This attribute is loaded but is not saved. The effect of this attribute is flattened into the picture on save.

2.1.1042 Part 1 Section 20.106, draw:decimal-places

- a. *The standard defines the attribute draw:decimal-places, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:decimal-places, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:decimal-places, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1043 Part 1 Section 20.107, draw:draw-aspect

- a. *The standard defines the attribute draw:draw-aspect, contained within the element <style:graphic-properties>*

This attribute is supported in Word 2013 Client.

- b. *The standard defines the attribute draw:draw-aspect, contained within the element <style:graphic-properties>*

This attribute is supported in Excel 2013 Client.

- c. *The standard defines the attribute draw:draw-aspect, contained within the element <style:graphic-properties>*

This attribute is supported in PowerPoint 2013 Client.

2.1.1044 Part 1 Section 20.108, draw:end-guide

- a. *The standard defines the attribute draw:end-guide, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:end-guide, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:end-guide, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1045 Part 1 Section 20.109, draw:end-line-spacing-horizontal

- a. *The standard defines the attribute draw:end-line-spacing-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:end-line-spacing-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:end-line-spacing-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1046 Part 1 Section 20.110, draw:end-line-spacing-vertical

- a. *The standard defines the attribute draw:end-line-spacing-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:end-line-spacing-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:end-line-spacing-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1047 Part 1 Section 20.111, draw:fill

- a. *The standard defines the attribute draw:fill, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>

b. The standard defines the property "bitmap", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>

c. The standard defines the property "gradient", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
d. The standard defines the property "hatch", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Word 2013 does not support this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
e. The standard defines the property "none", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
f. The standard defines the property "solid", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
g. The standard defines the attribute draw:fill, contained within the element <style:graphic-properties>
```

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
h. The standard defines the property "bitmap", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
i. The standard defines the property "gradient", contained within the attribute draw:fill, contained within the element <style:graphic-properties>
```

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
j. The standard defines the property "hatch", contained within the attribute draw:fill, contained
within the element <style:graphic-properties>
```

Excel 2013 does not support this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

k. The standard defines the property "none", contained within the attribute draw:fill, contained
within the element <style:graphic-properties>

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
```

```
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element  
<draw:custom-shape>
```

I. *The standard defines the property "solid", contained within the attribute draw:fill, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element  
<draw:custom-shape>
```

m. *The standard defines the attribute draw:fill, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
```

```
<draw:custom-shape>
```

n. *The standard defines the property "bitmap", contained within the attribute draw:fill, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:g>
```

```
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
```

```
<draw:custom-shape>
```

o. *The standard defines the property "gradient", contained within the attribute draw:fill, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:g>
```

```
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
```

```
<draw:custom-shape>
```

p. *The standard defines the property "hatch", contained within the attribute draw:fill, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

q. *The standard defines the property "none", contained within the attribute draw:fill, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

r. *The standard defines the property "solid", contained within the attribute draw:fill, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1048 Part 1 Section 20.112, draw:fill-color

- The standard defines the attribute draw:fill-color, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

- The standard defines the attribute draw:fill-color, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:fill-color, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1049 Part 1 Section 20.113, draw:fill-gradient-name

a. The standard defines the attribute *draw:fill-gradient-name*, contained within the element *<style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
b. The standard defines the attribute draw:fill-gradient-name, contained within the element <style:graphic-properties>
```

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:fill-gradient-name, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1050 Part 1 Section 20.114, draw:fill-hatch-name

- a. *The standard defines the attribute draw:fill-hatch-name, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:fill-hatch-name, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:fill-hatch-name, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1051 Part 1 Section 20.115, draw:fill-hatch-solid

a. The standard defines the attribute *draw:fill-hatch-solid*, contained within the element
<style:graphic-properties>

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
b. The standard defines the attribute draw:fill-hatch-solid, contained within the element <style:graphic-properties>
```

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:fill-hatch-solid, contained within the element <style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1052 Part 1 Section 20.116, draw:fill-image-height

a. *The standard defines the attribute draw:fill-image-height, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

This attribute is not supported when style:repeat="no-repeat".

b. *The standard defines the attribute draw:fill-image-height, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole>
element
<draw:custom-shape>
```

This attribute is not supported when style:repeat="no-repeat".

c. *The standard defines the attribute draw:fill-image-height, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole>
element
<draw:custom-shape>
```

This attribute is not supported when style:repeat="no-repeat".

2.1.1053 Part 1 Section 20.117, draw:fill-image-name

- a. *The standard defines the attribute draw:fill-image-name, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:fill-image-name, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

c. The standard defines the attribute `draw:fill-image-name`, contained within the element `<style:graphic-properties>`

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1054 Part 1 Section 20.118, draw:fill-image-ref-point

a. The standard defines the attribute `draw:fill-image-ref-point`, contained within the element `<style:graphic-properties>`

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:fill-image-ref-point, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:fill-image-ref-point, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1055 Part 1 Section 20.119, draw:fill-image-ref-point-x

- a. *The standard defines the attribute draw:fill-image-ref-point-x, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:fill-image-ref-point-x, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

c. The standard defines the attribute `draw:fill-image-ref-point-x`, contained within the element `<style:graphic-properties>`

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1056 Part 1 Section 20.120, draw:fill-image-ref-point-y

a. The standard defines the attribute `draw:fill-image-ref-point-y`, contained within the element `<style:graphic-properties>`

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:fill-image-ref-point-y, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:fill-image-ref-point-y, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1057 Part 1 Section 20.121, draw:fill-image-width

- a. *The standard defines the attribute draw:fill-image-width, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

This attribute is not supported when style:repeat="no-repeat".

- b. *The standard defines the attribute draw:fill-image-width, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
```

<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element

<draw:custom-shape>

This attribute is not supported when style:repeat="no-repeat".

- c. *The standard defines the attribute draw:fill-image-width, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to one of the following elements:

<draw:rect>

<draw:polyline>

<draw:polygon>

<draw:regular-polygon>

<draw:path>

<draw:circle>

<draw:ellipse>

<draw:caption>

<draw:g>

<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element

<draw:custom-shape>

This attribute is not supported when style:repeat="no-repeat".

2.1.1058 Part 1 Section 20.122, draw:fit-to-contour

- a. *The standard defines the attribute draw:fit-to-contour, contained within the element <style:graphic-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute draw:fit-to-contour, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

<draw:rect>

<draw:polyline>

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute draw:fit-to-contour, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1059 Part 1 Section 20.123, draw:fit-to-size

- a. *The standard defines the attribute draw:fit-to-size, contained within the element <style:graphic-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute draw:fit-to-size, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes
shapes
SmartArt
chart titles

labels

- c. *The standard defines the attribute draw:fit-to-size, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1060 Part 1 Section 20.124, draw:frame-display-border

- a. *The standard defines the attribute draw:frame-display-border, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:frame-display-border*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:frame-display-border, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1061 Part 1 Section 20.125, draw:frame-margin-horizontal

- a. *The standard defines the attribute draw:frame-margin-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:frame-margin-horizontal*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:frame-margin-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1062 Part 1 Section 20.126, draw:frame-display-scrollbar

- a. *The standard defines the attribute draw:frame-display-scrollbar, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:frame-display-scrollbar*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:frame-display-scrollbar, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1063 Part 1 Section 20.127, draw:frame-margin-vertical

- a. *The standard defines the attribute draw:frame-margin-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:frame-margin-vertical*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:frame-margin-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1064 Part 1 Section 20.128, draw:gamma

- a. *The standard defines the attribute draw:gamma, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- b. *The standard defines the attribute draw:gamma, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- c. *The standard defines the attribute draw:gamma, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

2.1.1065 Part 1 Section 20.129, draw:green

- a. *The standard defines the attribute draw:green, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- b. *The standard defines the attribute draw:green, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- c. *The standard defines the attribute draw:green, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

2.1.1066 Part 1 Section 20.130, draw:gradient-step-count

- a. *The standard defines the attribute draw:gradient-step-count, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:gradient-step-count, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:gradient-step-count, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1067 Part 1 Section 20.131, *draw:guide-distance*

a. The standard defines the attribute *draw:guide-distance*, contained within the element
<style:graphic-properties>

This attribute is not supported in Word 2013.

b. The standard defines the attribute *draw:guide-distance*, contained within the element
<style:graphic-properties>

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:guide-distance, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1068 Part 1 Section 20.132, draw:guide-overhang

- a. *The standard defines the attribute draw:guide-overhang, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:guide-overhang, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:guide-overhang, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1069 Part 1 Section 20.133, draw:image-opacity

- a. *The standard defines the attribute draw:image-opacity, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- b. *The standard defines the attribute draw:image-opacity, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- c. *The standard defines the attribute draw:image-opacity, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

2.1.1070 Part 1 Section 20.134, draw:line-distance

- a. *The standard defines the attribute draw:line-distance, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:line-distance, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:line-distance, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1071 Part 1 Section 20.135, draw:luminance

- a. *The standard defines the attribute draw:luminance, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element. This attribute is loaded but is not saved. The effect of this attribute is flattened into the picture on save.

- b. *The standard defines the attribute draw:luminance, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element. This attribute is loaded but is not saved. The effect of this attribute is flattened into the picture on save.

- c. *The standard defines the attribute draw:luminance, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> element. This attribute is loaded but is not saved. The effect of this attribute is flattened into the picture on save.

2.1.1072 Part 1 Section 20.136, draw:marker-end

- a. *The standard defines the attribute draw:marker-end, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:line>
<draw:connector>
<draw:measure>
```

- b. *The standard defines the attribute draw:marker-end, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- c. *The standard defines the attribute draw:marker-end, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

2.1.1073 Part 1 Section 20.137, draw:marker-end-center

- a. *The standard defines the attribute draw:marker-end-center, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- b. *The standard defines the attribute draw:marker-end-center, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- c. *The standard defines the attribute draw:marker-end-center, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

2.1.1074 Part 1 Section 20.138, draw:marker-end-width

- a. *The standard defines the attribute draw:marker-end-width, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- b. *The standard defines the attribute draw:marker-end-width, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- c. *The standard defines the attribute draw:marker-end-width, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

2.1.1075 Part 1 Section 20.139, draw:marker-start

- a. *The standard defines the attribute draw:marker-start, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- b. *The standard defines the attribute draw:marker-start, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:line>, <draw:connector>, or <draw:measure> element.

- c. *The standard defines the attribute draw:marker-start, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

2.1.1076 Part 1 Section 20.140, draw:marker-start-center

- a. *The standard defines the attribute `draw:marker-start-center`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

- b. *The standard defines the attribute `draw:marker-start-center`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

- c. *The standard defines the attribute `draw:marker-start-center`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

2.1.1077 Part 1 Section 20.141, draw:marker-start-width

- a. *The standard defines the attribute `draw:marker-start-width`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

- b. *The standard defines the attribute `draw:marker-start-width`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

- c. *The standard defines the attribute `draw:marker-start-width`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:line>`, `<draw:connector>`, or `<draw:measure>` element.

2.1.1078 Part 1 Section 20.142, draw:measure-align

- a. *The standard defines the attribute `draw:measure-align`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute `draw:measure-align`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `draw:measure-align`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in PowerPoint 2013.

2.1.1079 Part 1 Section 20.143, draw:measure-vertical-align

- a. *The standard defines the attribute draw:measure-vertical-align, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:measure-vertical-align, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:measure-vertical-align, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1080 Part 1 Section 20.144, draw:ole-draw-aspect

- a. *The standard defines the attribute draw:ole-draw-aspect, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

Deprecated in ODF 1.2 standard

- b. *The standard defines the attribute draw:ole-draw-aspect*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:ole-draw-aspect, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1081 Part 1 Section 20.146, draw:opacity-name

- a. *The standard defines the attribute draw:opacity-name, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
b. The standard defines the attribute draw:opacity-name, contained within the element
<style:graphic-properties>
```

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:opacity-name, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:g>  
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element  
<draw:custom-shape>
```

2.1.1082 Part 1 Section 20.147, draw:parallel

- a. *The standard defines the attribute draw:parallel, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:parallel, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:parallel, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1083 Part 1 Section 20.148, draw:placing

- a. *The standard defines the attribute draw:placing, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:placing, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:placing, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1084 Part 1 Section 20.149, draw:red

- a. *The standard defines the attribute draw:red, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- b. *The standard defines the attribute draw:red, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

- c. *The standard defines the attribute draw:red, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing a <draw:image> element.

2.1.1085 Part 1 Section 20.150, draw:secondary-fill-color

a. *The standard defines the attribute draw:secondary-fill-color, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:secondary-fill-color, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
```

c. *The standard defines the attribute draw:secondary-fill-color, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:custom-shape>
```

2.1.1086 Part 1 Section 20.151, draw:shadow

- a. *The standard defines the attribute draw:shadow, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:shadow, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
c. The standard defines the attribute draw:shadow, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
```

```
<draw:g>  
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>  
<draw:custom-shape>
```

2.1.1087 Part 1 Section 20.152, draw:shadow-color

- a. *The standard defines the attribute draw:shadow-color, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>  
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:shadow-color, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
c. The standard defines the attribute draw:shadow-color, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1088 Part 1 Section 20.153, draw:shadow-offset-x

a. The standard defines the attribute draw:shadow-offset-x, contained within the element
<style:graphic-properties>

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

b. *The standard defines the attribute draw:shadow-offset-x, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

```
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>  
<draw:custom-shape>
```

c. *The standard defines the attribute draw:shadow-offset-x, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>  
<draw:custom-shape>
```

2.1.1089 Part 1 Section 20.154, draw:shadow-offset-y

a. *The standard defines the attribute draw:shadow-offset-y, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
b. The standard defines the attribute draw:shadow-offset-y, contained within the element
<style:graphic-properties>
```

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
c. The standard defines the attribute draw:shadow-offset-y, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1090 Part 1 Section 20.155, draw:shadow-opacity

- a. *The standard defines the attribute `draw:shadow-opacity`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>

b. *The standard defines the attribute draw:shadow-opacity, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to the following elements:

<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>

c. *The standard defines the attribute draw:shadow-opacity, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>

```
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1091 Part 1 Section 20.156, draw:show-unit

- a. *The standard defines the attribute draw:show-unit, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:show-unit, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:show-unit, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1092 Part 1 Section 20.157, draw:start-guide

- a. *The standard defines the attribute draw:start-guide, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:start-guide, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:start-guide, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1093 Part 1 Section 20.158, draw:start-line-spacing-horizontal

- a. *The standard defines the attribute draw:start-line-spacing-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:start-line-spacing-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:start-line-spacing-horizontal, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1094 Part 1 Section 20.159, draw:start-line-spacing-vertical

- a. *The standard defines the attribute draw:start-line-spacing-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:start-line-spacing-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:start-line-spacing-vertical, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1095 Part 1 Section 20.160, draw:stroke

- a. *The standard defines the attribute draw:stroke, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
```

```
<draw:custom-shape>
```

On save, stroke styles are converted to a solid line when applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:g>
```

```
<draw:custom-shape>
```

```
<draw:text-box>
```

```
<draw:frame> element containing a <draw:text-box> element
```

b. *The standard defines the attribute draw:stroke, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to any of the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
```

```
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole>  
element  
<draw:custom-shape>
```

If the stroke is applied to a <draw:line> or <draw:connector> element with zero width, the stroke style will be lost and will be converted to a solid stroke style on load into Excel.

If an ODS file is saved as XLS format from Excel, the stroke style will be lost and will become a solid line.

c. *The standard defines the attribute draw:stroke, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to one of the following elements:

```
<draw:rect>  
<draw:line>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:connector>  
<draw:caption>  
<draw:measure>  
<draw:g>  
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole>  
element  
<draw:custom-shape>
```

If the stroke is applied to a <draw:line> or <draw:connector> element with zero width, the stroke style will be lost and will be converted to a solid stroke style on load into PowerPoint.

2.1.1096 Part 1 Section 20.162, draw:stroke-dash-names

- a. *The standard defines the attribute `draw:stroke-dash-names`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

- b. *The standard defines the attribute `draw:stroke-dash-names`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
c. The standard defines the attribute draw:stroke-dash-names, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1097 Part 1 Section 20.163, draw:stroke-linejoin

a. The standard defines the attribute *draw:stroke-linejoin*, contained within the element
<style:graphic-properties>

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

b. *The standard defines the property "bevel", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

c. *The standard defines the property "inherit", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing a <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

Word interprets this enumeration as "miter".

d. *The standard defines the property "middle", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

Word interprets this enumeration as "miter".

e. *The standard defines the property "miter", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

f. *The standard defines the property "none", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

Word interprets this enumeration as "round".

g. *The standard defines the property "round", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
```

```
<draw:custom-shape>
```

h. *The standard defines the attribute `draw:stroke-linejoin`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:g>
```

```
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
```

```
<draw:custom-shape>
```

i. *The standard defines the property "bevel", contained within the attribute `draw:stroke-linejoin`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
j. The standard defines the property "inherit", contained within the attribute draw:stroke-linejoin,
contained within the element <style:graphic-properties>
```

Excel 2013 does not support this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole>
element
<draw:custom-shape>
```

Excel interprets this enumeration as "miter".

```
k. The standard defines the property "middle", contained within the attribute draw:stroke-linejoin,
contained within the element <style:graphic-properties>
```

Excel 2013 does not support this enum for a style applied to any of the following elements:

```
<draw:rect>
<draw:line>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

Excel interprets this enumeration as "miter".

I. *The standard defines the property "miter", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
```

```
<draw:custom-shape>
```

m. *The standard defines the property "none", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to any of the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:connector>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:g>
```

<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element

```
<draw:custom-shape>
```

Excel interprets this enumeration as "round".

n. *The standard defines the property "round", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
o. The standard defines the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
p. The standard defines the property "bevel", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>

q. The standard defines the property "inherit", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>
```

PowerPoint 2013 does not support this enum for a style applied to one of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

PowerPoint interprets this enumeration as "miter".

r. *The standard defines the property "middle", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to one of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

PowerPoint interprets this enumeration as "miter".

s. *The standard defines the property "miter", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
t. The standard defines the property "none", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>
```

PowerPoint 2013 does not support this enum for a style applied to one of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> element containing a <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

PowerPoint interprets this enumeration as "round".

u. *The standard defines the property "round", contained within the attribute draw:stroke-linejoin, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1098 Part 1 Section 20.165, draw:symbol-color

- a. *The standard defines the attribute draw:symbol-color, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

- b. *The standard defines the attribute draw:symbol-color, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:symbol-color, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1099 Part 1 Section 20.166, draw:textarea-horizontal-align

a. The standard defines the attribute draw:textarea-horizontal-align, contained within the element
<style:graphic-properties>

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. The conversion between ODF anchoring properties (`draw:textarea-vertical-align` and `draw:textarea-horizontal-align`) and OOXML anchoring properties ("bodyPr anchor" and "bodyPr anchorCtr") is dependent on text direction attributes (`style:writing-mode` in ODF and "bodyPr vert" in OOXML). On write, OOXML anchoring properties are evaluated relative to the text direction of the text within the text box (or shape) and then mapped to ODF relative to the text box regardless of text direction within the shape.

- b. *The standard defines the attribute `draw:textarea-horizontal-align`, contained within the element `<style:graphic-properties>`*

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

The conversion between anchoring properties in the standard ("`draw:textarea-vertical-align`" and "`draw:textarea-horizontal-align`") and OOXML anchoring properties ("bodyPr anchor" and "bodyPr anchorCtr") is dependent on text direction attributes (`style:writing-mode` in the standard and "bodyPr vert" in OOXML).

On write, OOXML anchoring properties are evaluated relative to the text direction of the text within the text box (or shape) and then mapped to properties in the standard relative to the text box regardless of text direction within the shape.

On read, the reverse is true: anchoring values in the standard are evaluated relative to the position of the text box, regardless of text direction, and then are mapped to OOXML relative to the text direction within the text box.

- c. *The standard defines the attribute `draw:textarea-horizontal-align`, contained within the element `<style:graphic-properties>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

The conversion between ODF anchoring properties (`draw:textarea-vertical-align` and `draw:textarea-horizontal-align`) and PowerPoint anchoring properties ("`bodyPr anchor`" and "`bodyPr anchorCtr`") is dependent on text direction attributes (`style:writing-mode` in ODF and "`bodyPr vert`" in PowerPoint). On write, PowerPoint anchoring properties are evaluated relative to the text direction of the text within the text box (or shape) and then mapped to ODF relative to the text box regardless of text direction within the shape. On read, the reverse is true: ODF anchoring values are evaluated relative to the position of the text box, regardless of text direction, and then are mapped to PowerPoint relative to the text direction within the text box.

2.1.1100 Part 1 Section 20.167, `draw:textarea-vertical-align`

- The standard defines the attribute `draw:textarea-vertical-align`, contained within the element `<style:graphic-properties>`*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. The conversion between ODF anchoring properties ("`draw:textarea-vertical-align`" and "`draw:textarea-horizontal-align`") and OOXML anchoring properties ("`bodyPr anchor`" and "`bodyPr anchorCtr`") is dependent on text direction attributes ("`style:writing-mode`" in ODF and "`bodyPr vert`" in OOXML). On write, OOXML anchoring properties are evaluated relative to the text direction of the text within the text box (or shape) and then mapped to ODF relative to the text box regardless of text direction within the shape.

- The standard defines the attribute `draw:textarea-vertical-align`, contained within the element `<style:graphic-properties>`*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. The conversion between ODF anchoring properties (`draw:textarea-vertical-align` and `draw:textarea-horizontal-align`) and OOXML anchoring properties ("bodyPr anchor" and "bodyPr anchorCtr") is dependent on text direction attributes (`style:writing-mode` in ODF and "bodyPr vert" in OOXML). On write, OOXML anchoring properties are evaluated relative to the text direction of the text within the text box (or shape) and then mapped to ODF relative to the text box regardless of text direction within the shape. On read, the reverse is true: ODF anchoring values are evaluated relative to the position of the text box, regardless of text direction, and then are mapped to OOXML relative to the text direction within the text box.

c. *The standard defines the attribute `draw:textarea-vertical-align`, contained within the element `<style:graphic-properties>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in <the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
```

```
<draw:custom-shape>
```

The conversion between ODF anchoring attributes (`draw:textarea-vertical-align` and `draw:textarea-horizontal-align`) and PowerPoint anchoring properties ("`bodyPr anchor`" and "`bodyPr anchorCtr`") is dependent on text direction attributes (`style:writing-mode` attribute in ODF and "`bodyPr vert`" in PowerPoint). On write, PowerPoint anchoring properties are evaluated relative to the text direction of the text within the text box (or shape) and then mapped to ODF relative to the text box regardless of text direction within the shape. On read, the reverse is true: ODF anchoring values are evaluated relative to the position of the text box, regardless of text direction, and then are mapped to PowerPoint relative to the text direction within the text box.

2.1.1101 Part 1 Section 20.168, draw:tile-repeat-offset

- a. *The standard defines the attribute `draw:tile-repeat-offset`, contained within the element `<style:graphic-properties>`*

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:g>
```

```
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
```

```
<draw:custom-shape>
```

- b. *The standard defines the attribute `draw:tile-repeat-offset`, contained within the element `<style:graphic-properties>`*

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute draw:tile-repeat-offset, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1102 Part 1 Section 20.169, draw:visible-area-height

a. The standard defines the attribute *draw:visible-area-height*, contained within the element
<style:graphic-properties>

This attribute is not supported in Word 2013.

b. The standard defines the attribute *draw:visible-area-height*

This attribute is not supported in Excel 2013.

c. The standard defines the attribute *draw:visible-area-height*, contained within the element
<style:graphic-properties>

This attribute is not supported in PowerPoint 2013.

2.1.1103 Part 1 Section 20.170, draw:visible-area-left

- a. *The standard defines the attribute draw:visible-area-left, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:visible-area-left*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:visible-area-left, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1104 Part 1 Section 20.171, draw:visible-area-top

- a. *The standard defines the attribute draw:visible-area-top, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:visible-area-top*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:visible-area-top, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1105 Part 1 Section 20.172, draw:visible-area-width

- a. *The standard defines the attribute draw:visible-area-width, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:visible-area-width*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:visible-area-width, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1106 Part 1 Section 20.173, draw:unit

- a. *The standard defines the attribute draw:unit, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute draw:unit, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute draw:unit, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1107 Part 1 Section 20.174, draw:wrap-influence-on-position

- a. *The standard defines the attribute draw:wrap-influence-on-position, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

2.1.1108 Part 1 Section 20.175, fo:background-color

- a. *The standard defines the attribute fo:background-color, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- b. *The standard defines the attribute fo:background-color, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:background-color, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- d. *The standard defines the attribute fo:background-color, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute fo:background-color, contained within the element <style:section-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- f. *The standard defines the attribute fo:background-color, contained within the element <style:table-properties>*

This attribute is supported in Word 2013.

On load, Word reads and applies the fo:background-color attribute. On save, Word writes this attribute as a part of the cell style of each individual table cell in the table.

- g. *The standard defines the attribute fo:background-color, contained within the element <style:table-row-properties>*

This attribute is supported in Word 2013.

On load, Word reads and applies the `fo:background-color` attribute. On save, Word writes this attribute as a part of the cell style of each individual table cell in the row.

- h. *The standard defines the attribute `fo:background-color`, contained within the element `<style:text-properties>`*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- i. *The standard defines the attribute `fo:background-color`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this attribute for a style applied to a `<draw:frame>` element containing the `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements.

- j. *The standard defines the attribute `fo:background-color`, contained within the element `<style:header-footer-properties>`*

This attribute is not supported in Excel 2013.

- k. *The standard defines the attribute `fo:background-color`, contained within the element `<style:page-layout-properties>`*

This attribute is not supported in Excel 2013.

- l. *The standard defines the attribute `fo:background-color`, contained within the element `<style:paragraph-properties>`*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

m. *The standard defines the attribute fo:background-color, contained within the element <style:section-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

n. *The standard defines the attribute fo:background-color, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

o. *The standard defines the attribute fo:background-color, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

p. *The standard defines the attribute fo:background-color, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

q. *The standard defines the attribute fo:background-color, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

r. *The standard defines the attribute fo:background-color, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

s. *The standard defines the attribute fo:background-color, contained within the element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

t. *The standard defines the attribute fo:background-color, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

u. *The standard defines the attribute fo:background-color, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1109 Part 1 Section 20.176.2, fo:border

- a. *The standard defines the attribute fo:border, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- b. *The standard defines the attribute fo:border, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:border, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013.

Page borders with widths that cannot be generated by Word are normalized to the default border width.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification.

Support for each item in the string is as follows:

- Word supports all values of border-width, and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".
- Word supports all values for color.

- d. *The standard defines the attribute fo:border, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification.

Support for each item in the string is as follows:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute fo:border, contained within the element <style:table-cell-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. The following summarizes the support for each item in the string:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

f. *The standard defines the attribute fo:border, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

g. *The standard defines the attribute fo:border, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:border, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:border, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- j. *The standard defines the attribute fo:border, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: "groove", "ridge", "inset", and "outset". These styles map to a "solid" border type.

On save Excel maps border length as follows: medium and medium dashed borders map to a 2.0 pt border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

- k. *The standard defines the attribute fo:border, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- l. *The standard defines the attribute fo:border, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

- m. *The standard defines the attribute fo:border, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- n. *The standard defines the attribute fo:border, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.110 Part 1 Section 20.176.3, fo:border-bottom

- a. *The standard defines the attribute fo:border-bottom, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> element. Supported if fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute fo:border-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:border-bottom, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013.

Page borders with widths that cannot be generated by Word are normalized to the default border width.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification.

Support for each item in the string is as follows:

- Word supports all values of border-width, and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".
- Word supports all values for color.

- d. *The standard defines the attribute fo:border-bottom, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. Support for each item in the string is as follows:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute fo:border-bottom, contained within the element <style:table-cell-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. The following summarizes the support for each item in the string:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

f. *The standard defines the attribute fo:border-bottom, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. Supported if the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

g. *The standard defines the attribute fo:border-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:border-bottom, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:border-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute fo:border-bottom, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: groove, ridge, inset, and outset. These styles map to the value "solid".

On save, Excel maps border length as follows: medium and medium dashed borders map to the value "2.0 pt" border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

k. *The standard defines the attribute fo:border-bottom, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. Supported if the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

l. *The standard defines the attribute fo:border-bottom, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1111 Part 1 Section 20.176.4, fo:border-left

- a. *The standard defines the attribute fo:border-left, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> element. Supported if fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute fo:border-left, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:border-left, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013.

Page borders with widths that cannot be generated by Word are normalized to the default border width.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification.

Support for each item in the string is as follows:

- Word supports all values of border-width, and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".
- Word supports all values for color.

d. *The standard defines the attribute fo:border-left, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. Support for each item in the string is as follows:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute fo:border-left, contained within the element <style:table-cell-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. The following summarizes the support for each item in the string:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

f. *The standard defines the attribute fo:border-left, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. Supported if the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

g. *The standard defines the attribute fo:border-left, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:border-left, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:border-left, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute fo:border-left, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: groove, ridge, inset, and outset. These styles map to the value "solid".

On save, Excel maps border length as follows: medium and medium dashed borders map to the value "2.0 pt" border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

k. *The standard defines the attribute fo:border-left, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. This attribute is supported if the attributes named fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right all have the same value. Otherwise, the attributes are ignored and a default border is applied.

l. *The standard defines the attribute fo:border-left, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1112 Part 1 Section 20.176.5, fo:border-right

- a. *The standard defines the attribute fo:border-right, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> element. Supported if fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute fo:border-right, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:border-right, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013.

Page borders with widths that cannot be generated by Word are normalized to the default border width.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification.
Support for each item in the string is as follows:

- Word supports all values of border-width, and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

- Word supports all values for color.

d. *The standard defines the attribute fo:border-right, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. Support for each item in the string is as follows:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute fo:border-right, contained within the element <style:table-cell-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. The following summarizes the support for each item in the string:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

f. *The standard defines the attribute fo:border-right, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. Supported if the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

g. *The standard defines the attribute fo:border-right, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:border-right, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:border-right, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute fo:border-right, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: groove, ridge, inset, and outset. These styles map to the value of "solid".

On save, Excel maps border length as follows: medium and medium dashed borders map to the value of "2.0 pt" border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

k. *The standard defines the attribute fo:border-right, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. This attribute is supported if the attributes named fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right all have the same value. Otherwise, the attributes are ignored and a default border is applied.

- I. *The standard defines the attribute fo:border-right, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.113 Part 1 Section 20.176.6, fo:border-top

- a. *The standard defines the attribute fo:border-top, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> element. Supported if fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute fo:border-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:border-top, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013.

Page borders with widths that cannot be generated by Word are normalized to the default border width.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification.
Support for each item in the string is as follows:

- Word supports all values of border-width, and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".
- Word supports all values for color.

d. *The standard defines the attribute fo:border-top, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. Support for each item in the string is as follows:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute fo:border-top, contained within the element <style:table-cell-properties>*

This attribute is supported in Word 2013.

The string value for this attribute is discussed in detail in section 7.29.3 of the XSL specification. The following summarizes the support for each item in the string:

Word supports all values of border-width and supports the following values for border-style: "none", "dotted", "dashed", "solid", "double", "inset", and "outset". All other values for border-style map to "solid".

Word supports all values for color.

f. *The standard defines the attribute fo:border-top, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. Supported if the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

g. *The standard defines the attribute fo:border-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:border-top, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute fo:border-top, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- j. *The standard defines the attribute fo:border-top, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: groove, ridge, inset, and outset. These styles map to the value of "solid".

On save, Excel maps border length as follows: medium and medium dashed borders map to the value of "2.0 pt" border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

- k. *The standard defines the attribute fo:border-top, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. Supported if the fo:border-top,

fo:border-bottom, fo:border-left, and fo:border-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- I. *The standard defines the attribute fo:border-top, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1114 Part 1 Section 20.177, fo:break-after

- a. *The standard defines the attribute fo:break-after, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:break-after, contained within the element <style:table-column-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:break-after, contained within the element <style:table-properties>*

This attribute is supported in Word 2013.

On load, Word applies the fo:break-after attribute to the document as a page break (after the table) that is separate from the table.

- d. *The standard defines the attribute fo:break-after, contained within the element <style:table-row-properties>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute fo:break-after, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- f. *The standard defines the attribute fo:break-after, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

- g. *The standard defines the attribute fo:break-after, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- h. *The standard defines the attribute fo:break-after, contained within the element <style:table-column-properties>*

This attribute is not supported in PowerPoint 2013.

- i. *The standard defines the attribute fo:break-after, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

- j. *The standard defines the attribute fo:break-after, contained within the element <style:table-row-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1115 Part 1 Section 20.178, fo:break-before

- a. *The standard defines the attribute fo:break-before, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:break-before, contained within the element <style:table-column-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:break-before, contained within the element <style:table-properties>*

This attribute is supported in Word 2013.

On load, Word applies the fo:break-before attribute to the document as a page break (before the table) that is separate from the table.

- d. *The standard defines the attribute fo:break-before, contained within the element <style:table-row-properties>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute fo:break-before, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

f. *The standard defines the attribute fo:break-before, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:break-before, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

- h. *The standard defines the attribute fo:break-before, contained within the element <style:table-column-properties>*

This attribute is not supported in PowerPoint 2013.

- i. *The standard defines the attribute fo:break-before, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

- j. *The standard defines the attribute fo:break-before, contained within the element <style:table-row-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1116 Part 1 Section 20.179, fo:clip

- a. *The standard defines the attribute fo:clip, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> element.

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> or <draw:object-ole> element.

- b. *The standard defines the property "auto", contained within the attribute fo:clip, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> or <draw:object-ole> element.

- c. *The standard defines the property "rect(top, right, bottom, left)", contained within the attribute fo:clip, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> or <draw:object-ole> element. Word only supports lengths for "top", "bottom", "right", and "left" values and does not support 'auto'.

- d. *The standard defines the attribute fo:clip, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> element.

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing a <draw:image> or a <draw:object-ole> element.

- e. *The standard defines the property "auto", contained within the attribute fo:clip, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` or a `<draw:object-ole>` element.

f. *The standard defines the property "rect(top, right, bottom, left)", contained within the attribute fo:clip, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` or a `<draw:object-ole>` element. Excel only supports lengths for "top", "bottom", "right", and "left" values and does not support "auto".

g. *The standard defines the attribute fo:clip, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a `<draw:frame>` element containing the `<draw:text-box>` element.

PowerPoint 2013 supports this attribute for a style applied to a `<draw:frame>` element containing a `<draw:image>` or `<draw:object-ole>` element.

h. *The standard defines the property "auto", contained within the attribute fo:clip, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` or `<draw:object-ole>` element.

i. *The standard defines the property "rect(top, right, bottom, left)", contained within the attribute fo:clip, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` or `<draw:object-ole>` element. PowerPoint only supports lengths for the "top", "bottom", "right", and "left" values and does not support "auto".

2.1.1117 Part 1 Section 20.180, fo:color

a. *The standard defines the attribute fo:color, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute fo:color, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:color, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1118 Part 1 Section 20.182, fo:font-family

- a. *The standard defines the attribute fo:font-family, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

When applying font to a run of text on load, if it isn't specified via the style:font-name attribute in the office:font-face-decls element at the top of the XML part, Word looks for the style:font-family attribute on the immediate style:text-properties element. If Word finds it, then the font is applied to the run of text.

This attribute is not supported for font specifications in a list style definition.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:font-family, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute fo:font-family, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1119 Part 1 Section 20.183, fo:font-size

- a. *The standard defines the attribute fo:font-size, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word does not support percentage font sizes for the font size attribute. If a percentage font-size is used for the font size attribute, the text becomes the same size as the parent style on load.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:font-size, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:font-size, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>.
```

2.1.1120 Part 1 Section 20.184, fo:font-style

- a. *The standard defines the attribute fo:font-style, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:font-style, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

On load, the values "italic" and "oblique" both map to a value of "italic".

On save, Excel writes only the values "normal" and "italic".

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the property "oblique", contained within the attribute fo:font-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, and on save, Excel maps the fo:font-style attribute to italic.

- d. *The standard defines the attribute fo:font-style, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1121 Part 1 Section 20.185, fo:font-variant

- a. *The standard defines the attribute fo:font-variant, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

If, on load, both text:font-variant="small-caps" and fo:text-transform="uppercase" are applied to the text span, then Word does not apply either property to the text.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:font-variant, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the property "normal", contained within the attribute fo:font-variant, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

d. *The standard defines the property "small-caps", contained within the attribute fo:font-variant, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

e. *The standard defines the attribute fo:font-variant, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1122 Part 1 Section 20.186, fo:font-weight

- a. *The standard defines the attribute fo:font-weight, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word does not support a gradient of font weights; it only supports the ability to turn bold on or off. On load, font weights from 100-500 map to "normal", and font weights from 600-900 map to "bold".

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, "bold" and "normal" are the only values written.

- b. *The standard defines the attribute fo:font-weight, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

On load, Excel maps the following values to the "Bold" font style: "bold", "400", "500", "600", "700", "800", and "900". Excel maps all other values to the "Regular" font style.

On save, Excel writes "bold" if the font style is "Bold" or "Bold Italic". Excel writes "normal" if the font style is "Regular" or "Italic".

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, the following values are read as "bold": "bold", "600", and "700". All other values are read as "normal". On save, the only values written are "bold" and "normal".

- c. *The standard defines the property "100", contained within the attribute fo:font-weight, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

- d. *The standard defines the property "200", contained within the attribute fo:font-weight, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

- e. *The standard defines the property "300", contained within the attribute fo:font-weight, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

- f. *The standard defines the property "400", contained within the attribute fo:font-weight, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

- g. *The standard defines the property "500", contained within the attribute fo:font-weight, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

h. The standard defines the property "600", contained within the attribute fo:font-weight, contained within the element <style:text-properties>

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

i. The standard defines the property "700", contained within the attribute fo:font-weight, contained within the element <style:text-properties>

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

j. The standard defines the property "800", contained within the attribute fo:font-weight, contained within the element <style:text-properties>

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

k. The standard defines the property "900", contained within the attribute fo:font-weight, contained within the element <style:text-properties>

This property is not supported in Excel 2013.

On load, Excel maps the following values from the fo:font-weight attribute to bold: "bold", "400", "500", "600", "700", "800", and "900". Any other value maps to "normal".

l. The standard defines the attribute fo:font-weight, contained within the element <style:text-properties>

OfficeArt Math in PowerPoint 2013 supports this attribute on read for text that is contained in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>
```

On read, the following values are read as "bold": "bold", "600", and "700". All other values are read as "normal".

On write, "bold" and "normal" are the only values written.

2.1.1123 Part 1 Section 20.187, fo:height

a. *The standard defines the attribute fo:height, contained within the element <style:list-level-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

b. *The standard defines the attribute fo:height, contained within the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

c. *The standard defines the attribute fo:height, contained within the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1124 Part 1 Section 20.188, fo:hyphenate

- a. *The standard defines the attribute fo:hyphenate, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word has an auto-hyphenation property at the document level and a “do not hyphenate” property at the paragraph level. The ODF auto-hyphenation property is stored at the text property level.

On load, Word sets the document-level auto-hyphenation property to true. If a paragraph style is set to not to auto-hyphenate the current paragraph, then Word sets the paragraph-level “do not hyphenate” property to true. Otherwise, Word sets this property to false.

On save, Word always sets fo:hyphenate to true in the text properties of the default paragraph style. For each paragraph style in the document, Word sets fo:hyphenate to true or fo:hyphenate to false based on the value used in the default paragraph style.

Word does not support the fo:hyphenate property from any other styles that can contain a style:text-properties element. For example, if text is contained within a span that is within a paragraph, then Word ignores the value of fo:hyphenate defined by the span and applies the value defined by the paragraph.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:hyphenate, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:hyphenate, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1125 Part 1 Section 20.189, fo:hyphenation-keep

- a. *The standard defines the attribute fo:hyphenation-keep, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:hyphenation-keep, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

- c. *The standard defines the attribute fo:hyphenation-keep, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1126 Part 1 Section 20.190, fo:hyphenation-ladder-count

- a. *The standard defines the attribute fo:hyphenation-ladder-count, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:hyphenation-ladder-count, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute fo:hyphenation-ladder-count, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1127 Part 1 Section 20.191, fo:hyphenation-push-char-count

a. The standard defines the attribute fo:hyphenation-push-char-count, contained within the element <style:text-properties>

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. The standard defines the attribute fo:hyphenation-push-char-count, contained within the element <style:text-properties>

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:hyphenation-push-char-count, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1128 Part 1 Section 20.192, fo:hyphenation-remain-char-count

- a. *The standard defines the attribute fo:hyphenation-remain-char-count, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:hyphenation-remain-char-count, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:hyphenation-remain-char-count, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1129 Part 1 Section 20.193, fo:keep-together

a. *The standard defines the attribute fo:keep-together, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute fo:keep-together, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute fo:keep-together, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

d. *The standard defines the attribute fo:keep-together, contained within the element <style:table-row-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1130 Part 1 Section 20.194, fo:keep-with-next

- a. *The standard defines the attribute fo:keep-with-next, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:keep-with-next, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:keep-with-next, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- d. *The standard defines the attribute fo:keep-with-next, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute fo:keep-with-next, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

f. *The standard defines the attribute fo:keep-with-next, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1131 Part 1 Section 20.195, fo:language

a. *The standard defines the attribute fo:language, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

On write, the run properties lang and altLang in Excel are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex.

On read, the script type for the first character of the run is used to determine which of the fo:language, fo:language-asian, and fo:language-complex attributes is used to populate the Excel lang attribute. Excel's altLang attribute is not populated on read.

2.1.1132 Part 1 Section 20.196, fo:letter-spacing

a. *The standard defines the attribute fo:letter-spacing, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute fo:letter-spacing, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:letter-spacing, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1133 Part 1 Section 20.197, fo:line-height

a. *The standard defines the attribute fo:line-height, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute fo:line-height, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute fo:line-height, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1134 Part 1 Section 20.198, fo:margin

- a. *The standard defines the attribute fo:margin, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:margin, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:margin, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:margin, contained within the element <style:table-properties>*

This attribute is supported in Word 2013.

Word only supports a left margin for tables. On load, the value for fo:margin is applied to the left margin for the table.

- e. *The standard defines the attribute fo:margin, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
```

```
<draw:text-box>
```

```
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the attribute fo:margin, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:margin, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:margin, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:frame>
```

```
<draw:text-box>  
<draw:custom-shape>  
i. The standard defines the attribute fo:margin, contained within the element <style:table-properties>
```

This attribute is not supported in Excel 2013.

```
j. The standard defines the attribute fo:margin, contained within the element <style:graphic-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>  
k. The standard defines the attribute fo:margin, contained within the element <style:page-layout-properties>
```

This attribute is not supported in PowerPoint 2013.

```
l. The standard defines the attribute fo:margin, contained within the element <style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- m. *The standard defines the attribute fo:margin, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1135 Part 1 Section 20.199, fo:margin-bottom

- a. *The standard defines the attribute fo:margin-bottom, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:margin-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:margin-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:margin-bottom, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute fo:margin-bottom, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the attribute fo:margin-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On read, percentage value is always read as "0".

g. *The standard defines the attribute fo:margin-bottom, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute fo:margin-bottom, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

i. *The standard defines the attribute fo:margin-bottom, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

j. *The standard defines the attribute fo:margin-bottom, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On read, percentage value is always read as "0".

k. *The standard defines the attribute fo:margin-bottom, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1136 Part 1 Section 20.201, fo:margin-right

a. *The standard defines the attribute fo:margin-right, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute fo:margin-right, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute fo:margin-right, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

d. *The standard defines the attribute fo:margin-right, contained within the element <style:section-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

e. *The standard defines the attribute fo:margin-right, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

f. *The standard defines the attribute fo:margin-right, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

g. *The standard defines the attribute fo:margin-right, contained within the element <style:paragraph-properties>*

This attribute is supported in Excel 2013.

Excel maps this attribute to the indent value for text alignment.

On load, Excel only applies this attribute to the indent value for text alignment if the fo:text-align attribute is not specified, or either fo:margin-left has a value of "left" or fo:margin-right has a value of "right".

On save, Excel does not write this attribute if the alignment of the text is set to center or justified.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On read, percentage values are not supported.

h. *The standard defines the attribute fo:margin-right, contained within the element <style:section-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- i. *The standard defines the attribute fo:margin-right, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute fo:margin-right, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- k. *The standard defines the attribute fo:margin-right, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

- l. *The standard defines the attribute fo:margin-right, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On read, percentage values are not supported.

m. *The standard defines the attribute fo:margin-right, contained within the element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

<draw:custom-shape>.

- n. *The standard defines the attribute fo:margin-right, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1137 Part 1 Section 20.202, fo:margin-top

- a. *The standard defines the attribute fo:margin-top, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:margin-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:margin-top, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:margin-top, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

- e. *The standard defines the attribute fo:margin-top, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the attribute fo:margin-top, contained within the element <style:page-layout-properties>*

This attribute is supported in Excel 2013.

On load, Excel reads the attributes in the <style:page-layout-properties> element and calculates values as follows:

The header size is set to the value of the fo:margin-top attribute.

The footer size is set to the value of the fo:margin-bottom attribute.

The right margin size is set to the value of the fo:margin-right attribute.

The left margin size is set to the value of the fo:margin-left attribute.

The top margin size is set:

to the value of the fo:margin-top attribute and the value of the fo:margin-bottom attribute of the <style:header-footer-properties> element that is contained in the <style:header-style> element.

and to the value of fo:min-height attribute of the <style:header-footer-properties> element that is contained in the <style:header-style> element.

The bottom margin size is set:

to the value of the fo:margin-bottom attribute and the value of the fo:margin-top attribute of the <style:header-footer-properties> element that is contained in the <style:header-style> element.

and to the value of fo:min-height attribute of the <style:header-footer-properties> element that is contained in the <style:header-style> element.

On save, Excel writes values for attributes in the `<style:page-layout-properties>` element as follows:

Excel writes the `fo:margin-top` attribute as the value of the top margin size, or the header size, whichever is less.

Excel writes the `fo:margin-bottom` attribute as the value of the bottom margin size or the footer size, whichever is less.

Excel writes the `fo:margin-left` attribute as the value of the left margin size.

Excel writes the `fo:margin-right` attribute as the value of the right margin size.

On save, Excel writes values for properties in the `<style:header-footer-properties>` element of the `<style:header-style>` element's as follows:

Excel writes the `fo:min-height` attribute as the top margin size minus the header size. If this value is less than or equal to 0, the value is written as "0".

Excel writes the `fo:margin-left` attribute as the

g. *The standard defines the attribute `fo:margin-top`, contained within the element `<style:paragraph-properties>`*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On read, percentage value is always read as "0".

h. The standard defines the attribute fo:margin-top, contained within the element <style:table-properties>

This attribute is not supported in Excel 2013.

i. The standard defines the attribute fo:margin-top, contained within the element <style:graphic-properties>

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

j. The standard defines the attribute fo:margin-top, contained within the element <style:page-layout-properties>

This attribute is not supported in PowerPoint 2013.

k. The standard defines the attribute fo:margin-top, contained within the element <style:paragraph-properties>

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On read, percentage value is always read as "0".

- I. *The standard defines the attribute fo:margin-top, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1138 Part 1 Section 20.207, fo:orphans

- a. *The standard defines the attribute fo:orphans, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

On load and save, Word only supports a value of 2 lines for the fo:orphans attribute; all nonzero values for the fo:orphans attribute default to this value.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:orphans, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute fo:orphans, contained within the element <style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1139 Part 1 Section 20.208, fo:page-height

a. The standard defines the attribute *fo:page-height*, contained within the element <style:page-layout-properties>

This attribute is not supported in Excel 2013.

2.1.1140 Part 1 Section 20.209, fo:page-width

a. The standard defines the attribute *fo:page-width*, contained within the element <style:page-layout-properties>

This attribute is not supported in Excel 2013.

2.1.1141 Part 1 Section 20.210, fo:padding

- a. *The standard defines the attribute fo:padding, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:padding, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:padding, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:padding, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the attribute fo:padding, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute fo:padding, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:padding, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

h. *The standard defines the attribute fo:padding, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:padding, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

j. *The standard defines the attribute fo:padding, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

k. *The standard defines the attribute fo:padding, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- I. *The standard defines the attribute fo:padding, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1142 Part 1 Section 20.211, fo:padding-bottom

- a. *The standard defines the attribute fo:padding-bottom, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:padding-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:padding-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:padding-bottom, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the attribute fo:padding-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute fo:padding-bottom, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:padding-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>
```

```
<draw:measure>
```

```
<draw:frame>
```

```
<draw:text-box>
```

```
<draw:custom-shape>
```

h. *The standard defines the attribute fo:padding-bottom, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:padding-bottom, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
```

```
<draw:circle>
```

```
<draw:ellipse>
```

```
<draw:caption>
```

```
<draw:measure>
```

```
<draw:text-box>
```

```
<draw:frame>
```

```
<draw:custom-shape>.
```

j. *The standard defines the attribute fo:padding-bottom, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
```

```
<draw:polygon>
```

```
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1143 Part 1 Section 20.212, fo:padding-left

- a. *The standard defines the attribute fo:padding-left, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:padding-left, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:padding-left, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:padding-left, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the attribute fo:padding-left, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute fo:padding-left, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:padding-left, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>
```

```
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

h. *The standard defines the attribute fo:padding-left, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute fo:padding-left, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

j. *The standard defines the attribute fo:padding-left, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1144 Part 1 Section 20.213, fo:padding-right

- a. *The standard defines the attribute fo:padding-right, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:padding-right, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:padding-right, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:padding-right, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the attribute fo:padding-right, contained within the element*

```
<style:paragraph-properties>
```

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

f. *The standard defines the attribute fo:padding-right, contained within the element* `<style:table-cell-properties>`

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:padding-right, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

h. *The standard defines the attribute fo:padding-right, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>.
```

2.1.1145 Part 1 Section 20.214, fo:padding-top

- a. *The standard defines the attribute fo:padding-top, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:padding-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute fo:padding-top, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the attribute fo:padding-top, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the attribute fo:padding-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

f. *The standard defines the attribute fo:padding-top, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

g. *The standard defines the attribute fo:padding-top, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

h. *The standard defines the attribute fo:padding-top, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute fo:padding-top, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

- j. *The standard defines the attribute fo:padding-top, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>.
```

2.1.1146 Part 1 Section 20.215, fo:script

- a. *The standard defines the attribute fo:script, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1147 Part 1 Section 20.216, fo:text-align

- a. *The standard defines the attribute fo:text-align, contained within the element <style:list-level-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

- b. *The standard defines the attribute fo:text-align, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- c. *The standard defines the attribute fo:text-align, contained within the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, and for SmartArt.

d. *The standard defines the attribute fo:text-align, contained within the element <style:paragraph-properties>*

This attribute is supported in Excel 2013.

On load, Excel reads the start value as meaning left and the end value as meaning right. On save, Excel does not use the start value or end value.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels.

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On load, the values "start" and "end" map to the values "left" or "right" in OOXML, depending on text direction. If the text direction cannot be determined, "start" is mapped to "left" and "end" is mapped to "right".

e. *The standard defines the property "end", contained within the attribute fo:text-align, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the "end" property to right alignment. On save, the "end" property is not used, and right alignment is mapped to the "right" property.

f. *The standard defines the property "start", contained within the attribute fo:text-align, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, Excel maps the "start" property to left alignment. On save, the "start" property is not used, and left alignment is mapped to the "left" property.

g. *The standard defines the attribute fo:text-align, contained within the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

h. *The standard defines the attribute fo:text-align, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
```

```
<draw:measure>  
<draw:g>  
<draw:frame>  
<draw:image>  
<draw:text-box>  
<draw:custom-shape>
```

On read, "start" and "end" map to either "left" or "right" in PowerPoint depending on text direction. If text direction cannot be determined, "start" is mapped to "left" and "end" is mapped to "right".

2.1.148 Part 1 Section 20.217, fo:text-align-last

- a. *The standard defines the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the property "center", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

- c. *The standard defines the property "justify", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

- d. *The standard defines the property "start", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the property "center", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this enum on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this enum on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels.

g. *The standard defines the property "justify", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this enum on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels.

h. The standard defines the property "start", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>

This property is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. This property is written out but is not read in. It is always written as fo:text-align-last="start".

i. The standard defines the property "center", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

j. *The standard defines the property "justify", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

k. *The standard defines the property "start", contained within the attribute fo:text-align-last, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

This property is written out but is not read in. It is always written as `fo:text-align-last="start"`.

2.1.1149 Part 1 Section 20.219, fo:text-shadow

a. *The standard defines the attribute `fo:text-shadow`, contained within the element `<style:text-properties>`*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute `fo:text-shadow`, contained within the element `<style:text-properties>`*

This attribute is supported in Excel 2013.

On load, Excel interprets size values greater than 0 to mean that text shadow is activated.

On save, Excel writes “1pt1pt” when text has a shadow, or “none” when text does not have a shadow.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, the fo:text-shadow attribute is mapped to the <outerShdw> element of OOXML. Where there is no correspondence between the fo:text-shadow attribute and the <outerShdw> element, default values are used.

- c. *The standard defines the attribute fo:text-shadow, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, the fo:text-shadow attribute is mapped to the PowerPoint <outerShdw> element with default values.

2.1.1150 Part 1 Section 20.220, fo:text-transform

- a. *The standard defines the attribute fo:text-transform, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "capitalized", contained within the attribute fo:text-transform, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

- c. *The standard defines the property "lowercase", contained within the attribute fo:text-transform, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

d. *The standard defines the attribute fo:text-transform, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. Excel does not support the value of "capitalize" for this attribute. When this attribute has a value of "capitalize", Excel interprets it as a value of "none".

e. *The standard defines the property "capitalize", contained within the attribute fo:text-transform, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

f. *The standard defines the property "lowercase", contained within the attribute fo:text-transform, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

g. *The standard defines the property "none", contained within the attribute fo:text-transform, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

h. *The standard defines the property "uppercase", contained within the attribute fo:text-transform, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

i. *The standard defines the attribute fo:text-transform, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

PowerPoint does not support "fo:text-transform=capitalize" and interprets this as "fo:text-transform=None".

2.1.1151 Part 1 Section 20.221, fo:widows

- a. *The standard defines the attribute fo:widows, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013.

On load and save, Word only supports a value of 2 lines for the fo:widows attribute; all nonzero values for the fo:widows attribute default to this value.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:widows, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute fo:widows, contained within the element <style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1152 Part 1 Section 20.222, fo:width

a. The standard defines the attribute *fo:width*, contained within the element <style:list-level-properties>

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

b. The standard defines the attribute *fo:width*, contained within the element <style:list-level-properties>

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:width, contained within the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1153 Part 1 Section 20.223, fo:wrap-option

- a. *The standard defines the attribute fo:wrap-option, contained within the element <style:graphic-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute fo:wrap-option, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute fo:wrap-option, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

d. *The standard defines the attribute fo:wrap-option, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1154 Part 1 Section 20.226, presentation:display-date-time

a. *The standard defines the attribute presentation:display-date-time, contained within the element <style:drawing-page-properties>*

This attribute is supported in PowerPoint 2013.

On load, this attribute is read to determine whether to display the date and time. It is not written on save.

2.1.1155 Part 1 Section 20.227, presentation:display-footer

a. *The standard defines the attribute presentation:display-footer, contained within the element <style:drawing-page-properties>*

This attribute is supported in PowerPoint 2013.

On load, this attribute is read to determine whether to display the footer. It is not written on save.

2.1.1156 Part 1 Section 20.228, presentation:display-header

- a. *The standard defines the attribute presentation:display-header, contained within the element <style:drawing-page-properties>*

This attribute is supported in PowerPoint 2013.

On load, this attribute is read to determine whether to display the header. It is not written on save.

2.1.1157 Part 1 Section 20.229, presentation:display-page-number

- a. *The standard defines the attribute presentation:display-page-number, contained within the element <style:drawing-page-properties>*

This attribute is supported in PowerPoint 2013.

On load, this attribute is read to determine whether to display the page number. It is not written on save.

2.1.1158 Part 1 Section 20.231, presentation:transition-speed

- a. *The standard defines the property "medium", contained within the attribute presentation:transition-speed, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

The default value for the transition speed is "medium".

2.1.1159 Part 1 Section 20.232, presentation:transition-style

- a. *The standard defines the property "close", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

- b. *The standard defines the property "fade-from-bottom", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

- c. *The standard defines the property "fade-from-center", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

- d. *The standard defines the property "fade-from-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

- e. *The standard defines the property "fade-from-lowerleft", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

f. The standard defines the property "fade-from-lowerright", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

g. The standard defines the property "fade-from-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

h. The standard defines the property "fade-from-top", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

i. The standard defines the property "fade-from-upperleft", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

j. The standard defines the property "fade-from-upperright", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

k. The standard defines the property "fade-to-center", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

l. The standard defines the property "fly-away", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

m. The standard defines the property "horizontal-stripes", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

n. The standard defines the property "interlocking-horizontal-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

o. The standard defines the property "interlocking-horizontal-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

p. The standard defines the property "interlocking-vertical-bottom", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

q. The standard defines the property "interlocking-vertical-top", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>

This property is not supported in PowerPoint 2013.

r. *The standard defines the property "melt", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

s. *The standard defines the property "move-from-bottom", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

t. *The standard defines the property "move-from-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

u. *The standard defines the property "move-from-lowerleft", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

v. *The standard defines the property "move-from-lowerright", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

w. *The standard defines the property "move-from-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

x. *The standard defines the property "move-from-top", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

y. *The standard defines the property "move-from-upperleft", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

z. *The standard defines the property "move-from-upperright", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

aa. *The standard defines the property "open", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

bb. *The standard defines the property "spiralin-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

cc. *The standard defines the property "spiralin-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

dd. *The standard defines the property "spiralout-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ee. *The standard defines the property "spiralout-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ff. *The standard defines the property "stretch-from-bottom", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

gg. *The standard defines the property "stretch-from-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

hh. *The standard defines the property "stretch-from-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ii. *The standard defines the property "stretch-from-top", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

jj. *The standard defines the property "vertical-stripes", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

kk. *The standard defines the property "wavyline-from-bottom", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

ll. *The standard defines the property "wavyline-from-left", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

mm. *The standard defines the property "wavyline-from-right", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

nn. *The standard defines the property "wavyline-from-top", contained within the attribute presentation:transition-style, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

2.1.1160 Part 1 Section 20.233, presentation:transition-type

- a. *The standard defines the property "automatic", contained within the attribute presentation:transition-type, contained within the element <style:drawing-page-properties>*

This property is supported in PowerPoint 2013.

On load, PowerPoint sets the manual value as well, permitting slides to be advanced manually in an automated presentation.

- b. *The standard defines the property "semi-automatic", contained within the attribute presentation:transition-type, contained within the element <style:drawing-page-properties>*

This property is not supported in PowerPoint 2013.

PowerPoint treats semi-automatic the same way as manual.

2.1.1161 Part 1 Section 20.239, style:auto-text-indent

- a. *The standard defines the attribute style:auto-text-indent, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:auto-text-indent, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:auto-text-indent, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>.
```

2.1.1162 Part 1 Section 20.240, style:background-transparency

- a. *The standard defines the attribute style:background-transparency, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:background-transparency, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

- c. *The standard defines the attribute style:background-transparency, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1163 Part 1 Section 20.241, style:border-line-width

- a. *The standard defines the attribute style:border-line-width, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- b. *The standard defines the attribute style:border-line-width, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:border-line-width, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

Word ignores this property on load, but writes it out on save for double borders.

- d. *The standard defines the attribute style:border-line-width, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute style:border-line-width, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- f. *The standard defines the attribute style:border-line-width, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

g. *The standard defines the attribute style:border-line-width, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

h. *The standard defines the attribute style:border-line-width, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

i. *The standard defines the attribute style:border-line-width, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

j. *The standard defines the attribute style:border-line-width, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

k. *The standard defines the attribute style:border-line-width, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

l. *The standard defines the attribute style:border-line-width, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

- m. *The standard defines the attribute style:border-line-width, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.164 Part 1 Section 20.242, style:border-line-width-bottom

- a. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> element. Supported if style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

Word ignores this property on load, but writes it out on save for double borders.

- d. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- f. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. This attribute is supported if the attributes named style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right all have the same value. Otherwise, these attributes are ignored and a default border is applied.

- g. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

- h. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
```

```
<draw:custom-shape>
```

- j. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- k. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a `<draw:frame>` element containing `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` attributes. This attribute is supported if the attributes named `style:border-line-width-top`, `style:border-line-width-bottom`, `style:border-line-width-left`, and `style:border-line-width-right` all have the same value. Otherwise, these attributes are ignored and a default border is applied.

- l. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

- m. *The standard defines the attribute style:border-line-width-bottom, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1165 Part 1 Section 20.243, style:border-line-width-left

- a. *The standard defines the attribute style:border-line-width-left, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a `<draw:frame>` element containing `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` element. Supported if `style:border-line-width-top`, `style:border-line-width-bottom`, `style:border-line-width-left`, and `style:border-line-width-right` attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:header-footer-properties>`*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:page-layout-properties>`*

This attribute is not supported in Word 2013.

Word ignores this property on load, but writes it out on save for double borders.

- d. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:paragraph-properties>`*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:table-cell-properties>`*

This attribute is not supported in Word 2013.

- f. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this attribute for a style applied to a `<draw:frame>` element containing one of the following elements:

```
<draw:image>
<draw:text-box>
<draw:object-ole>
```

This attribute is supported if the attributes named `style:border-line-width-top`, `style:border-line-width-bottom`, `style:border-line-width-left`, and `style:border-line-width-right` all have the same value. Otherwise, these attributes are ignored and a default border is applied.

- g. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:header-footer-properties>`*

This attribute is not supported in Excel 2013.

- h. *The standard defines the attribute `style:border-line-width-left`, contained within the element `<style:page-layout-properties>`*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style:border-line-width-left, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- j. *The standard defines the attribute style:border-line-width-left, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- k. *The standard defines the attribute style:border-line-width-left, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing one of the following elements:

```
<draw:image>
<draw:text-box>
<draw:object-ole>
```

This attribute is supported if the attributes named style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right all have the same value. Otherwise, these attributes are ignored and a default border is applied.

- l. *The standard defines the attribute style:border-line-width-left, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

m. *The standard defines the attribute style:border-line-width-left, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1166 Part 1 Section 20.244, style:border-line-width-right

a. *The standard defines the attribute style:border-line-width-right, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> element. Supported if style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right attributes all have the same value. Otherwise, they are ignored and a default border is applied.

b. *The standard defines the attribute style:border-line-width-right, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute style:border-line-width-right, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

Word ignores this property on load, but writes it out on save for double borders.

d. *The standard defines the attribute style:border-line-width-right, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute style:border-line-width-right, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- f. *The standard defines the attribute style:border-line-width-right, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing one of the following elements:

```
<draw:image>
<draw:text-box>
<draw:object-ole>
```

This attribute is supported if the attributes named style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right all have the same value. Otherwise, these attributes are ignored and a default border is applied.

- g. *The standard defines the attribute style:border-line-width-right, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

- h. *The standard defines the attribute style:border-line-width-right, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style:border-line-width-right, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
j. The standard defines the attribute style:border-line-width-right, contained within the element
<style:table-cell-properties>
```

This attribute is not supported in Excel 2013.

```
k. The standard defines the attribute style:border-line-width-right, contained within the element
<style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing one of the following elements:

```
<draw:image>
<draw:text-box>
<draw:object-ole>
```

This attribute is supported if the attributes named style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right all have the same value. Otherwise, these attributes are ignored and a default border is applied.

```
l. The standard defines the attribute style:border-line-width-right, contained within the element
<style:page-layout-properties>
```

This attribute is not supported in PowerPoint 2013.

```
m. The standard defines the attribute style:border-line-width-right, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1167 Part 1 Section 20.245, style:border-line-width-top

- a. *The standard defines the attribute style:border-line-width-top, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a `<draw:frame>` element containing `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` element. Supported if `style:border-line-width-top`, `style:border-line-width-bottom`, `style:border-line-width-left`, and `style:border-line-width-right` attributes all have the same value. Otherwise, they are ignored and a default border is applied.

- b. *The standard defines the attribute style:border-line-width-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:border-line-width-top, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

Word ignores this property on load, but writes it out on save for double borders

- d. *The standard defines the attribute style:border-line-width-top, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute style:border-line-width-top, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- f. *The standard defines the attribute style:border-line-width-top, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a `<draw:frame>` element containing `<draw:image>`, `<draw:text-box>`, or `<draw:object-ole>` elements. This attribute is supported if the elements named `<style:border-line-width-top>`, `<style:border-line-width-bottom>`, `<style:border-line-width-left>`, and `<style:border-line-width-right>` all have the same value. Otherwise, these elements are ignored and a default border is applied.

- g. *The standard defines the attribute style:border-line-width-top, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

- h. *The standard defines the attribute style:border-line-width-top, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style:border-line-width-top, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- j. *The standard defines the attribute style:border-line-width-top, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- k. *The standard defines the attribute style:border-line-width-top, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. This attribute is supported if the attributes named style:border-line-width-top, style:border-line-width-bottom, style:border-line-width-left, and style:border-line-width-right all have the same value. Otherwise, these elements are ignored and a default border is applied.

- l. *The standard defines the attribute style:border-line-width-top, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

m. The standard defines the attribute `style:border-line-width-top`, contained within the element `<style:paragraph-properties>`

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.168 Part 1 Section 20.246, style:cell-protect

a. The standard defines the attribute `style:cell-protect`, contained within the element `<style:table-cell-properties>`

This attribute is not supported in Word 2013.

b. The standard defines the attribute `style:cell-protect`, contained within the element `<table:table>`

This attribute is not supported in Word 2013.

c. The standard defines the attribute `style:cell-protect`, contained within the element `<style:table-cell-properties>`

This attribute is not supported in Excel 2013.

d. The standard defines the attribute `style:cell-protect`, contained within the element `<style:table-cell-properties>`

This attribute is not supported in PowerPoint 2013.

2.1.169 Part 1 Section 20.248, style:country-asian

a. The standard defines the attribute `style:country-asian`, contained within the element `<style:text-properties>`

This attribute is supported in Word 2013.

On load, Word preserves the style:country-asian attribute as a part of a country language id (as specified by BCP 47) applied to the text range.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, OOXML's run properties "lang" and "altLang" are used to populate the ODF "fo:country", "style:country-asian" and "style:country-complex" text property attributes. First, "lang" is mapped to the corresponding attribute according to script type. Second, if "altLang" is a different script type than "lang", "altLang" is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If "altLang" is the same script type as "lang", it is not written and the remaining two ODF attributes are not written out. This method is also used to populate "fo:language", "fo:language-asian", and "fo:language-complex" attributes.

b. *The standard defines the attribute style:country-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in Excel are used to populate the ODF fo:country, style:country-asian, and style:country-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate fo:language, fo:language-asian, and fo:language-complex attributes.

On read, this attribute is dropped. The fo:language, fo:language-asian, and fo:language-complex attributes are used to populate the Excel lang property.

- c. The standard defines the attribute `style:country-asian`, contained within the element `<style:text-properties>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in PowerPoint are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex attributes.

On read, this attribute is dropped. The fo:language, fo:language-asian, and fo:language-complex attributes are used to populate the PowerPoint lang property.

2.1.1170 Part 1 Section 20.249, style:country-complex

- a. The standard defines the attribute `style:country-complex`, contained within the element `<style:text-properties>`

This attribute is supported in Word 2013.

On load, Word preserves the style:country-complex attribute as a part of a country language id (as specified by BCP 47) applied to the text range.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, OOXML's run properties "lang" and "altLang" are used to populate the ODF "fo:country", "style:country-asian" and "style:country-complex" text property attributes. First, "lang" is mapped to the corresponding attribute according to script type. Second, if "altLang" is a different script type than "lang", "altLang" is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If "altLang" is the same script type as

"lang", it is not written and the remaining two ODF attributes are not written out. This method is also used to populate "fo:language", "fo:language-asian", and "fo:language-complex" attributes.

- b. *The standard defines the attribute style:country-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in Excel are used to populate the ODF fo:country, style:country-asian, and style:country-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:language, fo:language-asian, and fo:language-complex attributes.

On read, this attribute is dropped. The fo:language, fo:language-asian, and fo:language-complex attributes are used to populate the Excel lang property.

- c. *The standard defines the attribute style:country-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
```

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in PowerPoint are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex attributes.

On read, this attribute is dropped. The fo:language, fo:language-asian, and fo:language-complex attributes are used to populate the PowerPoint lang property.

2.1.1171 Part 1 Section 20.250, style:decimal-places

- a. *The standard defines the attribute style:decimal-places, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:decimal-places, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:decimal-places, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1172 Part 1 Section 20.251, style:diagonal-bl-tr

- a. *The standard defines the attribute style:diagonal-bl-tr, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:diagonal-bl-tr, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: groove, ridge, inset, and outset. These styles map to the value of "solid".

On save, Excel maps border length as follows: medium and medium dashed borders map to the value of "2.0 pt" border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

2.1.1173 Part 1 Section 20.252, style:diagonal-bl-tr-widths

- a. *The standard defines the attribute style:diagonal-bl-tr-widths, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:diagonal-bl-tr-widths, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:diagonal-bl-tr-widths, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1174 Part 1 Section 20.253, style:diagonal-tl-br

- a. *The standard defines the attribute style:diagonal-tl-br, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:diagonal-tl-br, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

On load, when the border width has been numerically specified, the value is mapped to "thin", "medium", or "thick", as appropriate.

Excel does not support the following ODF border styles: groove, ridge, inset, and outset. These styles map to the value of "solid".

On save, Excel maps border length as follows: medium and medium dashed borders map to the value of "2.0 pt" border; thick borders maps to the value "thick", and all other borders map to the value "thin".

On save, Excel maps border types as follows: dotted border types maps to the value "dotted", dashed and medium dashed border types map to the value "dashed", double border types map to the value "double", and all other border types map to the value "solid".

2.1.1175 Part 1 Section 20.254, style:diagonal-tl-br-widths

- a. *The standard defines the attribute style:diagonal-tl-br-widths, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:diagonal-tl-br-widths, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:diagonal-tl-br-widths, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1176 Part 1 Section 20.255, style:direction

- a. *The standard defines the attribute style:direction, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:direction, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1177 Part 1 Section 20.256, style:dynamic-spacing

- a. *The standard defines the attribute style:dynamic-spacing, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:dynamic-spacing, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

2.1.1178 Part 1 Section 20.257, style:editable

- a. *The standard defines the attribute style:editable, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:editable, contained within the element <style:graphic-properties>*

This attribute is not supported in Excel 2013.

c. *The standard defines the attribute style:editable, contained within the element <style:graphic-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1179 Part 1 Section 20.258, style:first-page-number

a. *The standard defines the attribute style:first-page-number, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

b. *The standard defines the attribute style:first-page-number, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1180 Part 1 Section 20.259, style:flow-with-text

a. *The standard defines the attribute style:flow-with-text, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

2.1.1181 Part 1 Section 20.261, style:font-charset-asian

a. *The standard defines the attribute style:font-charset-asian, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:font-charset-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-charset-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1182 Part 1 Section 20.262, style:font-charset-complex

- a. *The standard defines the attribute style:font-charset-complex, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-charset-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

- text boxes
- shapes
- SmartArt
- chart titles
- labels

c. The standard defines the attribute `style:font-charset-complex`, contained within the element `<style:text-properties>`

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1183 Part 1 Section 20.263, style:font-family-asian

a. The standard defines the attribute `style:font-family-asian`, contained within the element `<style:text-properties>`

This attribute is supported in Word 2013.

When applying font to a run of text on load, if it isn't specified via the `style:font-name-asian` attribute in the `office:font-face-decls` element at the top of the XML part, Word looks for the `style:font-family-asian` attribute on the immediate `style:text-properties` element. If Word finds it, then the font is applied to the run of text.

This attribute is not supported for font specifications in a list style definition.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. The standard defines the attribute `style:font-family-asian`, contained within the element `<style:text-properties>`

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-family-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1184 Part 1 Section 20.264, style:font-family-complex

- a. *The standard defines the attribute style:font-family-complex, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

When applying font to a run of text on load, if it isn't specified via the style:font-name attribute in the office:font-face-decls element at the top of the XML part, Word looks for the style:font-family attribute on the immediate style:text-properties element. If Word finds it, then the font is applied to the run of text.

This attribute is not supported for font specifications in a list style definition.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-family-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute style:font-family-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1185 Part 1 Section 20.266, style:font-family-generic-asian

- a. *The standard defines the attribute style:font-family-generic-asian, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-family-generic-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-family-generic-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1186 Part 1 Section 20.267, style:font-family-generic-complex

- a. *The standard defines the attribute style:font-family-generic-complex, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-family-generic-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-family-generic-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1187 Part 1 Section 20.268, style:font-independent-line-spacing

a. *The standard defines the attribute style:font-independent-line-spacing, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:font-independent-line-spacing, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. The standard defines the attribute `style:font-independent-line-spacing`, contained within the element `<style:paragraph-properties>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1188 Part 1 Section 20.269, style:font-name

a. The standard defines the attribute `style:font-name`, contained within the element `<style:list-level-properties>`

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

b. *The standard defines the attribute style:font-name, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

c. *The standard defines the attribute style:font-name, contained within the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

d. *The standard defines the attribute style:font-name, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On load, this attribute is used to specify font. On save, the `fo:font-family` attribute is used to specify font instead.

e. *The standard defines the attribute `style:font-name`, contained within the element `<style:list-level-properties>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

f. *The standard defines the attribute `style:font-name`, contained within the element `<style:text-properties>`*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, this value is mapped. On write, the "fo:font-family" property is used to specify font instead.

2.1.1189 Part 1 Section 20.270, style:font-name-asian

a. *The standard defines the attribute style:font-name-asian, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:font-name-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

```
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On load, this attribute is used to specify font. On save, the attribute style:font-family-asian is used to specify font instead.

- c. *The standard defines the attribute style:font-name-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, this value is mapped. On write, the "style:font-family-asian" property is used to specify font instead.

2.1.1190 Part 1 Section 20.271, style:font-name-complex

- a. *The standard defines the attribute style:font-name-complex, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-name-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. On load, this attribute is used to specify font. On save, the attribute style:font-family-complex is used to specify font instead.

c. *The standard defines the attribute style:font-name-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, this value is mapped. On write, the "style:font-family-complex" property is used to specify font instead.

2.1.1191 Part 1 Section 20.273, style:font-pitch-asian

- a. *The standard defines the attribute style:font-pitch-asian, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-pitch-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute style:font-pitch-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1192 Part 1 Section 20.274, style:font-pitch-complex

- a. *The standard defines the attribute style:font-pitch-complex, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-pitch-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-pitch-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1193 Part 1 Section 20.275, style:font-relief

- a. *The standard defines the property "embossed", contained within the attribute style:font-relief, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this enum on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "engraved", contained within the attribute style:font-relief, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this enum on save for text in SmartArt and chart titles and labels.

- c. *The standard defines the attribute style:font-relief, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

- d. *The standard defines the property "embossed", contained within the attribute style:font-relief, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 does not support this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the property "engraved", contained within the attribute style:font-relief, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this enum on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this enum on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

f. *The standard defines the property "embossed", contained within the attribute style:font-relief, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this enum on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

g. *The standard defines the property "engraved", contained within the attribute style:font-relief, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this enum on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1194 Part 1 Section 20.276, style:font-size-asian

a. *The standard defines the attribute style:font-size-asian, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word does not support percentage font sizes for the font size attribute. If a percentage font-size is used for the font size attribute, the text becomes the same size as the parent style on load.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:font-size-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-size-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1195 Part 1 Section 20.277, style:font-size-complex

- a. *The standard defines the attribute style:font-size-complex, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word does not support percentage font sizes for the font size attribute. If a percentage font-size is used for the font size attribute, the text becomes the same size as the parent style on load.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-size-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-size-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1196 Part 1 Section 20.278, style:font-size-rel

a. *The standard defines the attribute style:font-size-rel, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:font-size-rel, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-size-rel, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1197 Part 1 Section 20.279, style:font-size-rel-asian

- a. *The standard defines the attribute style:font-size-rel-asian, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-size-rel-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-size-rel-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1198 Part 1 Section 20.280, style:font-size-rel-complex

- a. *The standard defines the attribute style:font-size-rel-complex, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-size-rel-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes
shapes
SmartArt
chart titles
labels

- c. The standard defines the attribute `style:font-size-rel-complex`, contained within the element `<style:text-properties>`

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1199 Part 1 Section 20.281, style:font-style-asian

- a. The standard defines the attribute `style:font-style-asian`, contained within the element `<style:text-properties>`

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. The standard defines the attribute `style:font-style-asian`, contained within the element `<style:text-properties>`

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-style-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1200 Part 1 Section 20.282, style:font-style-complex

- a. *The standard defines the attribute style:font-style-complex, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-style-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute style:font-style-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1201 Part 1 Section 20.283, style:font-style-name

- a. *The standard defines the attribute style:font-style-name, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-style-name, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-style-name, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1202 Part 1 Section 20.284, style:font-style-name-asian

- a. *The standard defines the attribute style:font-style-name-asian, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-style-name-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes
shapes
SmartArt
chart titles
labels

- c. *The standard defines the attribute style:font-style-name-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1203 Part 1 Section 20.285, style:font-style-name-complex

- a. *The standard defines the attribute style:font-style-name-complex, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:font-style-name-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:font-style-name-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

<draw:custom-shape>.

2.1.1204 Part 1 Section 20.286, style:font-weight-asian

- a. *The standard defines the attribute style:font-weight-asian, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word does not support a gradient of font weights; it only supports the ability to turn bold on or off. On load, font weights from 100-500 map to "normal", and font weights from 600-900 map to "bold".

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, "bold" and "normal" are the only values written.

- b. *The standard defines the attribute style:font-weight-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, the following values are read as "bold": "bold", "600", and "700". All other values are read as "normal". On save, the only values written are "bold" and "normal".

- c. *The standard defines the attribute style:font-weight-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, the following values are read as "bold": "bold", "600", "700". All other values are read as "normal".

On write, "bold" and "normal" are the only values written.

2.1.1205 Part 1 Section 20.287, style:font-weight-complex

a. *The standard defines the attribute style:font-weight-complex, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word does not support a gradient of font weights; it only supports the ability to turn bold on or off. On load, font weights from 100-500 map to "normal", and font weights from 600-900 map to "bold".

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, "bold" and "normal" are the only values written.

b. *The standard defines the attribute style:font-weight-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, the following values are changed to "bold": "bold", "600", and "700". All other values are read as "normal". On save, the only values written are "bold" and "normal".

c. *The standard defines the attribute style:font-weight-complex, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, the following values are read as "bold": "bold", "600", "700". All other values are read as "normal".

On write, "bold" and "normal" are the only values written.

2.1.1206 Part 1 Section 20.288, style:footnote-max-height

- a. *The standard defines the attribute style:footnote-max-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:footnote-max-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:footnote-max-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1207 Part 1 Section 20.289, style:glyph-orientation-vertical

- a. *The standard defines the attribute style:glyph-orientation-vertical, contained within the element <style:table-cell-properties>*

This attribute is supported in Word 2013.

- b. *The standard defines the property "0", contained within the attribute style:glyph-orientation-vertical, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013.

- c. *The standard defines the property "0deg", contained within the attribute style:glyph-orientation-vertical, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013.

- d. *The standard defines the property "0rad", contained within the attribute style:glyph-orientation-vertical, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013.

- e. *The standard defines the attribute style:glyph-orientation-vertical, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- f. *The standard defines the attribute style:glyph-orientation-vertical, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1208 Part 1 Section 20.291, style:horizontal-rel

- a. *The standard defines the property "char", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

b. *The standard defines the property "frame", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

c. *The standard defines the property "frame-content", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

d. *The standard defines the property "frame-end-margin", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

e. *The standard defines the property "frame-start-margin", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

f. *The standard defines the property "page-end-margin", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

g. *The standard defines the property "page-start-margin", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

h. *The standard defines the property "paragraph-content", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

i. *The standard defines the property "paragraph-end-margin", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

j. *The standard defines the property "paragraph-start-margin", contained within the attribute style:horizontal-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:horizontal-rel attribute.

2.1.1209 Part 1 Section 20.292, style:join-border

a. *The standard defines the attribute style:join-border, contained within the element <style:paragraph-properties>*

This attribute is supported in Word 2013 Client.

2.1.1210 Part 1 Section 20.293, style:justify-single-word

a. *The standard defines the attribute style:justify-single-word, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:justify-single-word, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute style:justify-single-word, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1211 Part 1 Section 20.294, style:language-asian

a. The standard defines the attribute style:language-asian, contained within the element
<style:text-properties>

This attribute is supported in Word 2013.

On load, Word preserves the fo:language-asian property as a part of a country language id (as specified by BCP 47) applied to the text range.

If the language is missing, Word ignores both the language and country.

This attribute is supported in Word 2013.

On load, Word preserves the fo:language-complex property as a part of a country language id (as specified by BCP 47) applied to the text range.

If the language is missing, Word ignores both the language and country.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, OOXML's run properties "lang" and "altLang" are used to populate the ODF

"fo:language", "fo:language-asian" and "fo:language-complex" text property attributes. First, "lang" is mapped to the corresponding attribute according to script type. Second, if "altLang" is a different script type than "lang", "altLang" is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If "altLang" is the same script type as "lang", it is not written and the remaining two ODF attributes are not written out. This method is also used to populate "fo:country", "style:country-asian", and "style:country-complex" attributes.

b. *The standard defines the attribute style:language-asian, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang in Excel are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex attributes.

On read, the script type for the first character of the run is used to determine which of the fo:language, fo:language-asian, and fo:language-complex attributes is used to populate the Excel lang attribute. Excel's altLang attribute is not populated on read.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On write, the run properties lang and altLang are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex attributes.

On read, the script type for the first character of the run is used to determine which of the fo:language, fo:language-asian, and fo:language-complex attributes is used to populate the Excel lang attribute. Excel's altLang attribute is not populated on read.

c. *The standard defines the attribute style:language-asian, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

On write, the run properties lang and altLang in PowerPoint are used to populate the ODF fo:language, fo:language-asian, and fo:language-complex text property attributes. First, lang is mapped to the corresponding attribute according to script type. Second, if altLang is a different script type than lang, altLang is mapped to the corresponding ODF attribute according to script type, and the third ODF attribute is not written out. If altLang is the same script type as lang, it is not written, and the remaining two ODF attributes are not written out. This method is also used to populate the fo:country, style:country-asian, and style:country-complex attributes.

On read, the script type for the first character of the run is used to determine which of the fo:language, fo:language-asian, or fo:language-complex attributes is used to populate the PowerPoint lang attribute. PowerPoint's altLang attribute is not populated on read.

2.1.1212 Part 1 Section 20.295, style:language-complex

- a. *The standard defines the attribute style:language-complex, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

2.1.1213 Part 1 Section 20.296, style:layout-grid-base-height

- a. *The standard defines the attribute style:layout-grid-base-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

On load Word uses style:layout-grid-base-height and style:layout-grid-ruby-height properties to calculate the number of lines per page. If either of these properties is missing then style:layout-grid-lines is used. However, Word does not save the style:layout-grid-base-height property.

- b. *The standard defines the attribute style:layout-grid-base-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:layout-grid-base-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1214 Part 1 Section 20.298, style:layout-grid-color

- a. *The standard defines the attribute style:layout-grid-color, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:layout-grid-color, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:layout-grid-color, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1215 Part 1 Section 20.299, style:layout-grid-display

- a. *The standard defines the attribute style:layout-grid-display, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:layout-grid-display, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1216 Part 1 Section 20.300, style:layout-grid-lines

- a. *The standard defines the attribute style:layout-grid-lines, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute style:layout-grid-lines, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1217 Part 1 Section 20.301, style:layout-grid-mode

- a. *The standard defines the attribute style:layout-grid-mode, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute style:layout-grid-mode, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1218 Part 1 Section 20.302, style:layout-grid-print

- a. *The standard defines the attribute style:layout-grid-print, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:layout-grid-print, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:layout-grid-print, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1219 Part 1 Section 20.303, style:layout-grid-ruby-below

- a. *The standard defines the attribute style:layout-grid-ruby-below, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

In Word, ruby text is always displayed preceding the base text. If the text direction is vertical, ruby text is displayed to the left of the base text.

- b. *The standard defines the attribute style:layout-grid-ruby-below, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:layout-grid-ruby-below, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1220 Part 1 Section 20.304, style:layout-grid-ruby-height

- a. *The standard defines the attribute style:layout-grid-ruby-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

On load Word uses style:layout-grid-ruby-height and style:layout-grid-base-height properties to calculate the number of lines per page. If either of these properties is missing then style:layout-grid-lines property is used. However, Word does not save the style:layout-grid-ruby-height property.

- b. *The standard defines the attribute style:layout-grid-ruby-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:layout-grid-ruby-height, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1221 Part 1 Section 20.305, style:layout-grid-snap-to

- a. *The standard defines the attribute style:layout-grid-snap-to, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013 Client.

2.1.1222 Part 1 Section 20.307, style:line-break

- a. *The standard defines the attribute style:line-break, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:line-break, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the attribute style:line-break, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1223 Part 1 Section 20.308, style:letter-kerning

- a. *The standard defines the attribute style:letter-kerning, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, all nonzero values are mapped to "true".

- b. *The standard defines the attribute style:letter-kerning, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, a value of "true" is mapped to a default integer. On save, all nonzero values are mapped to "true".

- c. *The standard defines the attribute style:letter-kerning, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, a "true" value is mapped to a default integer.

On write, all nonzero values are mapped to "true".

2.1.1224 Part 1 Section 20.309, style:line-height-at-least

a. *The standard defines the attribute style:line-height-at-least, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:line-height-at-least, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute style:line-height-at-least, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1225 Part 1 Section 20.310, style:line-spacing

a. The standard defines the attribute style:line-spacing, contained within the element
<style:paragraph-properties>

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. The standard defines the attribute style:line-spacing, contained within the element
<style:paragraph-properties>

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>

c. The standard defines the attribute style:line-spacing, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1226 Part 1 Section 20.311, style:may-break-between-rows

- a. *The standard defines the attribute style:may-break-between-rows, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:may-break-between-rows, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:may-break-between-rows, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1227 Part 1 Section 20.312, style:min-row-height

- a. *The standard defines the attribute style:min-row-height, contained within the element <style:table-row-properties>, contained within the parent element <style:style>*

This attribute is not supported in Excel 2013.

- b. *The standard defines the attribute style:min-row-height, contained within the element <style:table-row-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1228 Part 1 Section 20.313, style:mirror

- a. *The standard defines the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> or <draw:object-ole> element.

Word 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image> element.

- b. *The standard defines the property "horizontal", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- c. *The standard defines the property "horizontal vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- d. *The standard defines the property "horizontal-on-even", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

e. *The standard defines the property "horizontal-on-even vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-even" attribute is not supported.

f. *The standard defines the property "horizontal-on-odd", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

g. *The standard defines the property "horizontal-on-odd vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-odd" attribute is not supported.

h. *The standard defines the property "none", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

i. *The standard defines the property "vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

j. *The standard defines the property "vertical horizontal", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

k. *The standard defines the property "vertical horizontal-on-even", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-even" attribute is not supported.

l. *The standard defines the property "vertical horizontal-on-odd", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Word 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-odd" attribute is not supported.

m. *The standard defines the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> or <draw:object-ole> element.

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image> element.

n. *The standard defines the property "horizontal", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

o. *The standard defines the property "horizontal vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

p. *The standard defines the property "horizontal-on-even", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

q. *The standard defines the property "horizontal-on-even vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-even" attribute is not supported.

r. *The standard defines the property "horizontal-on-odd", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

s. *The standard defines the property "horizontal-on-odd vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-odd" attribute is not supported.

t. *The standard defines the property "none", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

u. *The standard defines the property "vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

v. *The standard defines the property "vertical horizontal", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

w. *The standard defines the property "vertical horizontal-on-even", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-even" attribute is not supported.

x. *The standard defines the property "vertical horizontal-on-odd", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-odd" attribute is not supported.

y. *The standard defines the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> or <draw:object-ole> element.

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image> element.

z. *The standard defines the property "horizontal", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

aa. *The standard defines the property "horizontal vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

bb. *The standard defines the property "horizontal-on-even", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

cc. *The standard defines the property "horizontal-on-even vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing a <draw:image> element. The "vertical flip" style is supported, but the "horizontal-on-even" attribute is not supported.

dd. *The standard defines the property "horizontal-on-odd", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

ee. *The standard defines the property "horizontal-on-odd vertical", contained within the attribute style:mirror, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element. The "vertical flip" style is supported, but the "horizontal-on-odd" attribute is not supported.

ff. *The standard defines the property "none", contained within the attribute `style:mirror`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing the `<draw:image>` element.

gg. *The standard defines the property "vertical", contained within the attribute `style:mirror`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing the `<draw:image>` element.

hh. *The standard defines the property "vertical horizontal", contained within the attribute `style:mirror`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing the `<draw:image>` element.

ii. *The standard defines the property "vertical horizontal-on-even", contained within the attribute `style:mirror`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element. The "vertical flip" style is supported, but the "horizontal-on-even" attribute is not supported.

jj. *The standard defines the property "vertical horizontal-on-odd", contained within the attribute `style:mirror`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 supports this enum for a style applied to a `<draw:frame>` element containing a `<draw:image>` element. The "vertical flip" style is supported, but the "horizontal-on-odd" attribute is not supported.

2.1.1229 Part 1 Section 20.318, style:number-wrapped-paragraphs

a. *The standard defines the attribute `style:number-wrapped-paragraphs`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in Word 2013.

2.1.1230 Part 1 Section 20.319, style:overflow-behavior

a. *The standard defines the attribute `style:overflow-behavior`, contained within the element `<style:graphic-properties>`*

This attribute is not supported in Word 2013.

2.1.1231 Part 1 Section 20.320, style:page-number

a. *The standard defines the attribute `style:page-number`, contained within the element `<style:paragraph-properties>`*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:page-number, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute style:page-number, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

d. *The standard defines the attribute style:page-number, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

e. *The standard defines the attribute style:page-number, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1232 Part 1 Section 20.321, style:paper-tray-name

- a. *The standard defines the attribute style:paper-tray-name, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:paper-tray-name, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:paper-tray-name, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1233 Part 1 Section 20.322, style:print

- a. *The standard defines the attribute style:print, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:print, contained within the element <style:page-layout-properties>*

This attribute is supported in Excel 2013.

On load, Excel only reads the following values: headers, grid, and annotations. On save, Excel only writes the following values: objects, charts, and drawings.

- c. *The standard defines the property "formulas", contained within the attribute style:print, contained within the element <style:page-layout-properties>*

This property is not supported in Excel 2013.

- d. *The standard defines the property "zero-values", contained within the attribute style:print, contained within the element <style:page-layout-properties>*

This property is not supported in Excel 2013.

- e. *The standard defines the attribute style:print, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1234 Part 1 Section 20.323, style:print-content

- a. *The standard defines the attribute style:print-content, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- b. *The standard defines the attribute style:print-content, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:print-content, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- d. *The standard defines the attribute style:print-content, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- e. *The standard defines the attribute style:print-content, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image>, <draw:text-box>, or <draw:object-ole> elements.

- f. *The standard defines the attribute style:print-content, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1235 Part 1 Section 20.324, style:print-page-order

- a. *The standard defines the attribute style:print-page-order, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:print-page-order, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1236 Part 1 Section 20.325, style:print-orientation

- a. *The standard defines the attribute style:print-orientation, contained within the element <style:page-layout-properties>*

This attribute is supported in PowerPoint 2013.

On load, PowerPoint ignores this attribute, but writes it out on save.

2.1.1237 Part 1 Section 20.326, style:protect

- a. *The standard defines the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> or <draw:object-ole> element.

Word 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:image> element.

- b. *The standard defines the property "content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- c. *The standard defines the property "content position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- d. *The standard defines the property "content size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- e. *The standard defines the property "none", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- f. *The standard defines the property "position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- g. *The standard defines the property "position content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

- h. *The standard defines the property "position size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

i. *The standard defines the property "size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

j. *The standard defines the property "size content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

k. *The standard defines the property "size position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Word 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

l. *The standard defines the attribute style:protect, contained within the element <style:section-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

m. *The standard defines the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> or <draw:object-ole> element.

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image> element.

n. *The standard defines the property "content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

o. *The standard defines the property "content position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Position protection is supported when opening the file in Excel, content protection is not supported. After saving from Excel, the value of the style:protect attribute changes to "position size".

p. *The standard defines the property "content size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Size protection is supported when opening the file in Excel, content protection is not supported. After saving from Excel, the value of the style:protect attribute changes to "" and size protection is lost.

q. *The standard defines the property "none", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

r. *The standard defines the property "position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. This property is supported on load into Excel. After saving from Excel, the value of the style:protect attribute changes to "position size".

s. *The standard defines the property "position content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Position protection is supported on load into Excel. Content protection is not supported. After saving from Excel, the value of the style:protect attribute changes to "position size".

t. *The standard defines the property "position size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

u. *The standard defines the property "size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. This property is supported on load into Excel. After saving from Excel, size protection is lost and the value of the style:protect attribute changes to "".

v. *The standard defines the property "size content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 does not support this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Size protection is supported when opening the file in Excel, content protection is not supported. After saving from Excel, size protection is lost and the value of the style:protect attribute changes to "".

w. *The standard defines the property "size position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

Excel 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. After saving from Excel, the value of the style:protect attribute changes to "position size".

x. *The standard defines the attribute style:protect, contained within the element <style:section-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

y. *The standard defines the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this attribute for a style applied to a <draw:frame> element containing the <draw:text-box> or <draw:object-ole> element.

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element containing the <draw:image> element.

z. *The standard defines the property "content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

aa. *The standard defines the property "content position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Position protection is supported on load into PowerPoint. Content protection is not supported. After saving from PowerPoint, the value of the style:protect attribute changes to "position size".

bb. *The standard defines the property "content size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Size protection is supported on load into PowerPoint. Content protection is not supported. After saving from PowerPoint, size protection is lost and the value of the style:protect attribute changes to "".

cc. *The standard defines the property "none", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

dd. *The standard defines the property "position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. This property is supported on load into PowerPoint. After saving from PowerPoint, the value of the style:protect attribute changes to "position size".

ee. *The standard defines the property "position content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Position protection is supported on load into PowerPoint. Content protection is not supported. After saving from PowerPoint, the value of the style:protect attribute changes to "position size".

ff. *The standard defines the property "position size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element containing the <draw:image> element.

gg. *The standard defines the property "size", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. This property is supported on load into PowerPoint. After saving from PowerPoint, size protection is lost and the value of the style:protect attribute changes to "".

hh. *The standard defines the property "size content", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 does not support this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. Size protection is supported on load into PowerPoint. Content protection is not supported. After saving from PowerPoint, size protection is lost and the value of the style:protect attribute changes to "".

ii. *The standard defines the property "size position", contained within the attribute style:protect, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this enum for a style applied to a <draw:frame> element that contains a <draw:image> element. After saving from PowerPoint, the value of the style:protect attribute changes to "position size".

jj. *The standard defines the attribute style:protect, contained within the element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

<draw:rect>

<draw:polyline>

```
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1238 Part 1 Section 20.327, style:punctuation-wrap

- a. *The standard defines the attribute style:punctuation-wrap, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:punctuation-wrap, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
```

```
<draw:custom-shape>
```

- c. The standard defines the attribute `style:punctuation-wrap`, contained within the element `<style:paragraph-properties>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1239 Part 1 Section 20.328, style:register-true

- a. The standard defines the attribute `style:register-true`, contained within the element `<style:paragraph-properties>`

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. The standard defines the attribute `style:register-true`, contained within the element `<style:paragraph-properties>`

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute style:register=true, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1240 Part 1 Section 20.329, style:register-truth-ref-style-name

a. The standard defines the attribute style:register-truth-ref-style-name, contained within the element <style:page-layout-properties>

This attribute is not supported in Word 2013.

b. The standard defines the attribute style:register-truth-ref-style-name, contained within the element <style:page-layout-properties>

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:register-truth-ref-style-name, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1241 Part 1 Section 20.330, style:rel-column-width

- a. *The standard defines the attribute style:rel-column-width, contained within the element <style:table-column-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:rel-column-width, contained within the element <style:table-column-properties>, contained within the parent element <style:style>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:rel-column-width, contained within the element <style:table-column-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1242 Part 1 Section 20.332.2, style:table-properties

- a. *The standard defines the attribute style:rel-width, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1243 Part 1 Section 20.334, style:repeat-content

- a. *The standard defines the attribute style:repeat-content, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:repeat-content, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

This attribute maps to the fill horizontal alignment property in Excel.

- c. *The standard defines the attribute style:repeat-content, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1244 Part 1 Section 20.338, style:rotation-align

- a. *The standard defines the attribute style:rotation-align, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:rotation-align, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:rotation-align, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1245 Part 1 Section 20.339, style:rotation-angle

- a. *The standard defines the attribute style:rotation-angle, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:rotation-angle, contained within the element <style:table-cell-properties>*

This attribute is supported in Excel 2013.

Excel supports only values within these ranges: 0 - 90 and 270 - 360.

On load, Excel does not ignore values outside of these ranges. On save, Excel does not write the style:rotation-angle attribute if the style:direction attribute is the value "ttb".

- c. *The standard defines the attribute style:rotation-angle, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1246 Part 1 Section 20.341, style:ruby-align

- a. *The standard defines the attribute style:ruby-align, contained within the element <style:ruby-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "distribute-letter", contained within the attribute style:ruby-align*

This property is not supported in Excel 2013.

- c. *The standard defines the property "right", contained within the attribute style:ruby-align*

This property is not supported in Excel 2013.

- d. *The standard defines the attribute style:ruby-align, contained within the element <style:ruby-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

<draw:rect>

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- e. *The standard defines the attribute style:ruby-align, contained within the element <style:ruby-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1247 Part 1 Section 20.342, style:ruby-position

- a. *The standard defines the attribute style:ruby-position, contained within the element <style:ruby-properties>*

This attribute is not supported in Word 2013.

Word always displays Ruby text above the base text or to the left of the base text when text direction is vertical.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:ruby-position*

This attribute is not supported in Excel 2013.

c. *The standard defines the property "above", contained within the attribute style:ruby-position*

This property is not supported in Excel 2013.

d. *The standard defines the property "below", contained within the attribute style:ruby-position*

This property is not supported in Excel 2013.

e. *The standard defines the attribute style:ruby-position, contained within the element <style:ruby-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

f. *The standard defines the attribute style:ruby-position, contained within the element <style:ruby-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1248 Part 1 Section 20.343, style:run-through

- a. *The standard defines the property "background", contained within the attribute style:run-through, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

2.1.1249 Part 1 Section 20.344, style:scale-to

- a. *The standard defines the attribute style:scale-to, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:scale-to, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1250 Part 1 Section 20.345, style:scale-to-pages

- a. *The standard defines the attribute style:scale-to-pages, contained within the element <style:page-layout-properties>*

This attribute is not supported in Word 2013.

- b. *The standard defines the attribute style:scale-to-pages, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:scale-to-pages, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1251 Part 1 Section 20.346, style:script-asian

- a. *The standard defines the attribute style:script-asian, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1252 Part 1 Section 20.347, style:script-complex

- a. *The standard defines the attribute style:script-complex, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1253 Part 1 Section 20.348, style:script-type

- a. *The standard defines the attribute style:script-type, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "latin", contained within the attribute style:script-type, contained within the element <style:text-properties>*

This property is supported in Word 2013.

Word uses a Boolean setting to signal whether a range of text should be treated as a complex script or not.

On load, if style:script-type is "complex", then the text is tagged as complex script. If the script-type attribute is "asian" or "latin" then the text is tagged as "not complex". A value of "ignore" causes Word to ignore this attribute.

On save, if this Word property states that the text is "complex", then Word writes style:script-type="complex" to the file. Otherwise, nothing is written to the file for this attribute.

- c. *The standard defines the attribute style:script-type, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

d. *The standard defines the attribute style:script-type, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1254 Part 1 Section 20.349, style:shadow

- a. *The standard defines the attribute style:shadow, contained within the element <style:graphic-properties>*

Word 2013 supports this attribute for a style applied to a <draw:frame> element that contains one of the following elements:

```
<draw:image>
<draw:text-box>
<draw:object-ole>
```

The style:shadow attribute is supported only when the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes are all the same value, or when the fo:border attribute is specified.

- b. *The standard defines the attribute style:shadow, contained within the element <style:header-footer-properties>*

This attribute is not supported in Word 2013.

- c. *The standard defines the attribute style:shadow, contained within the element <style:page-layout-properties>*

This attribute is supported in Word 2013.

All values for style:shadow property map to the default page border shadow in Word.

- d. *The standard defines the attribute style:shadow, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- e. *The standard defines the attribute style:shadow, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

- f. *The standard defines the attribute style:shadow, contained within the element <style:table-properties>*

This attribute is not supported in Word 2013.

- g. *The standard defines the attribute style:shadow, contained within the element <style:graphic-properties>*

Excel 2013 supports this attribute for a style applied to a <draw:frame> element containing <draw:image>, <draw:text-box>, or <draw:object-ole> elements. The style:shadow attribute is supported only when the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes are all the same value, or when the fo:border attribute is specified.

- h. *The standard defines the attribute style:shadow, contained within the element <style:header-footer-properties>*

This attribute is not supported in Excel 2013.

- i. *The standard defines the attribute style:shadow, contained within the element <style:page-layout-properties>*

This attribute is not supported in Excel 2013.

- j. *The standard defines the attribute style:shadow, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- k. *The standard defines the attribute style:shadow, contained within the element <style:table-cell-properties>*

This attribute is not supported in Excel 2013.

- l. *The standard defines the attribute style:shadow, contained within the element <style:table-properties>*

This attribute is not supported in Excel 2013.

- m. *The standard defines the attribute style:shadow, contained within the element <style:graphic-properties>*

PowerPoint 2013 supports this attribute for a style applied to a <draw:frame> element that contains one of the following elements:

```
<draw:image>  
<draw:text-box>  
<draw:object-ole>
```

The style:shadow attribute is supported only when the fo:border-top, fo:border-bottom, fo:border-left, and fo:border-right attributes are all the same value, or when the fo:border attribute is specified.

- n. *The standard defines the attribute style:shadow, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

- o. *The standard defines the attribute style:shadow, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

- p. *The standard defines the attribute style:shadow, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1255 Part 1 Section 20.350, style:shrink-to-fit

- a. *The standard defines the attribute style:shrink-to-fit, contained within the element <style:graphic-properties>*

This attribute is supported in Word 2013 Client.

b. *The standard defines the attribute style:shrink-to-fit, contained within the element <style:table-cell-properties>*

This attribute is not supported in Word 2013.

c. *The standard defines the attribute style:shrink-to-fit, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1256 Part 1 Section 20.351, style:snap-to-layout-grid

a. *The standard defines the attribute style:snap-to-layout-grid, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:snap-to-layout-grid, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute style:snap-to-layout-grid, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1257 Part 1 Section 20.352, style:tab-stop-distance

- a. *The standard defines the attribute style:tab-stop-distance, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:tab-stop-distance, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:frame>
<draw:text-box>
<draw:custom-shape>
c. The standard defines the attribute style:tab-stop-distance, contained within the element
<style:paragraph-properties>
```

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1258 Part 1 Section 20.353, style:table-centering

a. The standard defines the attribute style:table-centering, contained within the element
<style:page-layout-properties>

This attribute is not supported in Word 2013.

b. The standard defines the attribute style:table-centering, contained within the element
<style:page-layout-properties>

This attribute is not supported in PowerPoint 2013.

2.1.1259 Part 1 Section 20.354, style:text-align-source

a. The standard defines the attribute style:text-align-source, contained within the element
<style:table-cell-properties>

This attribute is not supported in Word 2013.

b. The standard defines the attribute style:text-align-source, contained within the element
<style:table-cell-properties>

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute style:text-align-source, contained within the element <style:table-cell-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1260 Part 1 Section 20.355, style:text-autospace

- a. *The standard defines the attribute style:text-autospace, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-autospace, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the attribute style:text-autospace, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1261 Part 1 Section 20.356, style:text-blinking

- a. *The standard defines the attribute style:text-blinking, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-blinking, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-blinking, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1262 Part 1 Section 20.357, style:text-combine

a. *The standard defines the attribute style:text-combine, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the property "letters", contained within the attribute style:text-combine, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

c. *The standard defines the attribute style:text-combine, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

d. *The standard defines the attribute style:text-combine, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1263 Part 1 Section 20.358, style:text-combine-start-char

- a. *The standard defines the attribute style:text-combine-start-char, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

On load and on save, Word supports the following characters for this attribute: "<", "{", "(", "[", " ".

If a character is used that Word does not recognize, Word uses the default "(" character.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-combine-start-char, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-combine-start-char, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
```

```
<draw:frame>  
<draw:custom-shape>.
```

2.1.1264 Part 1 Section 20.359, style:text-combine-end-char

- a. *The standard defines the attribute style:text-combine-end-char, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

On load and on save, Word supports the following characters for this attribute: ">", "}"", ")"", "]"", " ".

If a character is used that Word does not recognize, Word uses the default ")" character.

Word requires the start and end characters be a matching set - for example, "<" and ">".

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-combine-end-char, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute style:text-combine-end-char, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1265 Part 1 Section 20.360, style:text-emphasize

- a. *The standard defines the attribute style:text-emphasize, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "accent below", contained within the attribute style:text-emphasize, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

- c. *The standard defines the property "circle below", contained within the attribute style:text-emphasize, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

d. *The standard defines the property "disc above", contained within the attribute style:text-emphasize, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

e. *The standard defines the property "disc below", contained within the attribute style:text-emphasize, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

f. *The standard defines the attribute style:text-emphasize, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- g. *The standard defines the attribute style:text-emphasize, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1266 Part 1 Section 20.361, style:text-line-through-color

- a. *The standard defines the attribute style:text-line-through-color, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

On load and on save, Word always matches the current font color.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, this property is always written as "font-color" for strikethrough values that are not set to "none".

- b. *The standard defines the attribute style:text-line-through-color, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels.

The only value supported in OOXML for this attribute is the value of "font-color". On load, this attribute maps to a value of "font-color" when it does not have a value of "none". On save, this attribute maps to a value of "font-color" when it does not have a value of "none".

c. *The standard defines the attribute style:text-line-through-color, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, the value for this property is always mapped as if it was "font-color" because this is the only value supported in PowerPoint.

On write, for non-"none" strikethrough values, this property is always written as "font-color".

2.1.1267 Part 1 Section 20.362, style:text-line-through-mode

- a. *The standard defines the attribute style:text-line-through-mode, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-line-through-mode, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

In Excel, line-through is equivalent to strikethrough.

On load, Excel ignores the "skip-white-space" value to apply strikethrough to all characters in the text run. On save, Excel does not write the style:text-line-through-mode attribute.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-line-through-mode, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1268 Part 1 Section 20.363, style:text-line-through-style

a. *The standard defines the attribute style:text-line-through-style, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, any non-"none" value in OOXML is written to ODF as "solid" for this property.

b. *The standard defines the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

On load, Excel maps the value "none" to no strikethrough, and all other enumeration values to solid strikethrough. On save, Excel maps solid strikethrough to the value "solid", and no strikethrough to the value "none".

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. Strikethrough line type values other than the value of "solid" are not supported in OOXML. On load, all enumerations that do not have a value of "none" are mapped to a value of "solid".

On save, this attribute is written as "solid" for all strikethrough line types that do not have a value of "none".

c. *The standard defines the property "dash", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

d. *The standard defines the property "dot-dash", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

e. *The standard defines the property "dot-dot-dash", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

f. *The standard defines the property "dotted", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

g. *The standard defines the property "long-dash", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

h. *The standard defines the property "none", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is supported in Excel 2013.

On load, Excel maps this property to no strikethrough. On save, Excel maps this property to "none".

i. *The standard defines the property "solid", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

j. *The standard defines the property "wave", contained within the attribute style:text-line-through-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

On load, Excel maps any property of the style:text-line-through-style attribute that does not have the value "none" to solid strikethrough.

k. *The standard defines the attribute style:text-line-through-style, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

On read, all enumerations (except for "none") are mapped to solid strikethrough because other types of strikethrough lines are not supported in PowerPoint.

On write, any non-"none" value in PowerPoint is written to ODF as "solid" for this property.

2.1.1269 Part 1 Section 20.364, style:text-line-through-text

a. *The standard defines the attribute style:text-line-through-text, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:text-line-through-text, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-line-through-text, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1270 Part 1 Section 20.365, style:text-line-through-text-style

a. *The standard defines the attribute style:text-line-through-text-style, contained within the element <style:text-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:text-line-through-text-style, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-line-through-text-style, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1271 Part 1 Section 20.366, style:text-line-through-type

- a. *The standard defines the attribute style:text-line-through-type, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-line-through-type, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-line-through-type, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1272 Part 1 Section 20.367, style:text-line-through-width

a. *The standard defines the attribute style:text-line-through-width, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

On load, all widths, except 0 or 0%, are mapped to a default strikethrough width.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. On write, this property is always written as "auto" for strikethrough values that are not set to "none".

b. *The standard defines the attribute style:text-line-through-width, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. OOXML does not support strikethrough widths. On load, this attribute maps as though it had a value of "auto".

On save, this attribute is written as "auto" when strikethrough does not have a value of "none".

c. *The standard defines the attribute style:text-line-through-width, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
```

```
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

On read, the value for this property is always mapped as if it was "auto" because PowerPoint does not support strikethrough widths.

On write, for non-"none" strikethrough values, this property is always written as "auto".

2.1.1273 Part 1 Section 20.368, style:text-outline

a. *The standard defines the attribute style:text-outline, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:text-outline, contained within the element <style:text-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute style:text-outline, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1274 Part 1 Section 20.369, style:text-overline-color

- a. *The standard defines the attribute style:text-overline-color, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1275 Part 1 Section 20.370, style:text-overline-mode

- a. *The standard defines the attribute style:text-overline-mode, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1276 Part 1 Section 20.371, style:text-overline-style

- a. *The standard defines the attribute style:text-overline-style, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1277 Part 1 Section 20.372, style:text-overline-type

- a. *The standard defines the attribute style:text-overline-type, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1278 Part 1 Section 20.373, style:text-overline-width

- a. *The standard defines the attribute style:text-overline-width, contained within the element <style:text-properties>*

This attribute is supported in Word 2013 Client.

2.1.1279 Part 1 Section 20.374, style:text-position

- a. *The standard defines the attribute style:text-position, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

Word applies the style:text-position property as a vertical position change, with the following exceptions:

If the second item in the style:text-position attribute string value is less than 67% then Word displays the text as subscripted or superscripted, instead of applying a vertical position change to the text.

If the second item in the style:text-position attribute string value is greater than 67% and "sub" or "sup" is the first item in the string, then Word displays the text as subscripted or superscripted, instead of applying a vertical position change to the text.

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt. The vertical text position value is always written as a percentage.

- b. *The standard defines the attribute style:text-position, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

The following enumerations map to a superscript value of 33 percent:

super

super <positive percent>

<positive percent>

sub <negative percent>

The following enumerations map to a subscript value of -33 percent:

```
sub  
sub <positive percent>  
<negative percent>  
super <negative percent>
```

Enumerations with a value of 0 percent map to the No Vertical Alignment Setting.

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes and SmartArt, and on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

On load, enumerations "sub" and "super" are mapped to default numerical values and the font height percentage value is not supported.

On save, the vertical text position value is always written as a percentage.

c. *The standard defines the property "negative percent", contained within the attribute style:text-position, contained within the element <style:text-properties>*

This property is supported in Excel 2013.

The "negative percent" property maps to a value of -33 percent.

d. *The standard defines the property "positive percent", contained within the attribute style:text-position, contained within the element <style:text-properties>*

This property is supported in Excel 2013.

The "positive percent" property maps to a value of 33 percent.

e. The standard defines the property "sub", contained within the attribute `style:text-position`, contained within the element `<style:text-properties>`

This property is supported in Excel 2013.

The "sub" property maps to a value of -33 percent.

f. The standard defines the property "sub negative percent", contained within the attribute `style:text-position`, contained within the element `<style:text-properties>`

This property is supported in Excel 2013.

The "sub<negative percent>" property maps to a value of -33 percent.

g. The standard defines the property "sub positive percent", contained within the attribute `style:text-position`, contained within the element `<style:text-properties>`

This property is supported in Excel 2013.

The "sub<positive percent>" property maps to a value of -33 percent.

h. The standard defines the property "super", contained within the attribute `style:text-position`, contained within the element `<style:text-properties>`

This property is supported in Excel 2013.

The "super" property maps to a value of 33 percent.

i. The standard defines the property "super negative percent", contained within the attribute `style:text-position`, contained within the element `<style:text-properties>`

This property is supported in Excel 2013.

The "super<negative percent>" property maps to a value of -33 percent.

j. The standard defines the property "super positive percent", contained within the attribute `style:text-position`, contained within the element `<style:text-properties>`

This property is supported in Excel 2013.

The "super<positive percent>" property maps to a value of 33 percent.

k. The standard defines the attribute `style:text-position`, contained within the element `<style:text-properties>`

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On load, enumerations "sub" and "super" are mapped to default numerical values, and the font height percentage value is not supported.

On save, the vertical text position value is always written as a percentage.

2.1.1280 Part 1 Section 20.375, style:text-rotation-angle

- a. *The standard defines the attribute style:text-rotation-angle, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the property "0", contained within the attribute style:text-rotation-angle, contained within the element <style:text-properties>*

This property is supported in Word 2013.

On load, if both style:text-rotation-angle and style:text-combine are applied to the text span, then Word ignores the style:text-rotation-angle property.

- c. *The standard defines the property "270", contained within the attribute style:text-rotation-angle, contained within the element <style:text-properties>*

This property is not supported in Word 2013.

- d. *The standard defines the attribute style:text-rotation-angle, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

e. *The standard defines the attribute style:text-rotation-angle, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1281 Part 1 Section 20.376, style:text-rotation-scale

- a. *The standard defines the attribute style:text-rotation-scale, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-rotation-scale, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

On load and on save, Excel does not read or write this attribute. Excel always renders rotated text such that the width of the text remains fixed.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the property "fixed", contained within the attribute style:text-rotation-scale, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

d. *The standard defines the property "line-height", contained within the attribute style:text-rotation-scale, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

e. *The standard defines the attribute style:text-rotation-scale, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1282 Part 1 Section 20.377, style:text-scale

a. *The standard defines the attribute style:text-scale, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

On load, percentage values that are less than 1% are rounded up to 1%, and percentage values that are greater than 600% are rounded down to 600%.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:text-scale, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:text-scale, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
```

```
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1283 Part 1 Section 20.378, style:text-underline-color

- a. *The standard defines the attribute style:text-underline-color, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-underline-color, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

- c. *The standard defines the attribute style:text-underline-color, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1284 Part 1 Section 20.379, style:text-underline-mode

- a. *The standard defines the attribute style:text-underline-mode, contained within the element <style:text-properties>*

This attribute is supported in Word 2013.

On load and on save, Word only supports the style:text-underline-mode property when style:text-underline-style="solid".

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-underline-mode, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

On load, Excel ignores the "skip-white-space" value to apply underline to all characters in a text run.
On save, Excel does not write the style:text-underline-mode attribute.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, the attributes named style:text-underline-type, style:text-underline-style, style:text-underline-width, and style:text-underline-mode are all used in determining which enumeration to set for the u (Underline) run attribute in OOXML.

c. *The standard defines the attribute style:text-underline-mode, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

On read, the style:text-underline-type, style:text-underline-style, style:text-underline-width, and style:text-underline-mode are considered together to determine which enumeration to set for the u (Underline) run property attribute in PowerPoint.

2.1.1285 Part 1 Section 20.380, style:text-underline-style

- The standard defines the attribute style:text-underline-style, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- The standard defines the attribute style:text-underline-style, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

On load, Excel maps the value "none" to "No Line Style". All other values of the attribute style:text-underline-style map to "Solid Line Style".

On save, Excel writes only the values "none" or "solid".

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

On load, the attributes named style:text-underline-type, style:text-underline-style, style:text-underline-width, and the mode named style:text-underline are all used in determining which enumeration to set for the u (Underline) run attribute in OOXML.

On load, no underline is read if either the style:text-underline-type attribute or the style:text-underline-style attribute has a value of "none".

On load, an underline type with a value of "double" takes precedence over underline style. Only the enumeration values of "solid" and "wave" are supported for underline types with a value of "double" in OOXML. For example, if the style:text-underline-type attribute has a value of "double" and the style:text-underline-style attribute has a value that is anything other than "solid" or "wave", then the style:text-underline-type attribute is changed to "double" and the style:text-underline-style attribute is changed to "solid".

c. *The standard defines the property "dash", contained within the attribute style:text-underline-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

The property "dash" maps to "solid underline".

d. *The standard defines the property "dot-dash", contained within the attribute style:text-underline-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

The property "dot-dash" maps to "solid underline".

e. *The standard defines the property "dot-dot-dash", contained within the attribute style:text-underline-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

The property "dot-dot-dash" maps to "solid underline".

f. *The standard defines the property "dotted", contained within the attribute style:text-underline-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

The property "dotted" maps to "solid underline".

g. *The standard defines the property "long-dash", contained within the attribute style:text-underline-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

The property "long-dash" maps to "solid underline".

h. *The standard defines the property "wave", contained within the attribute style:text-underline-style, contained within the element <style:text-properties>*

This property is not supported in Excel 2013.

The property "long-dash" maps to "solid underline".

i. *The standard defines the attribute style:text-underline-style, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

On load, the attributes named style:text-underline-type, style:text-underline-style, style:text-underline-width, and the mode named style:text-underline are all used in determining which enumeration to set for the u (Underline) run attribute in OOXML.

On load, no underline is read if either the style:text-underline-type attribute or the style:text-underline-style attribute has a value of "none".

On load, an underline type with a value of "double" takes precedence over underline style. Only the enumeration values of "solid" and "wave" are supported for underline types with a value of "double" in OOXML. For example, if the style:text-underline-type attribute has a value of "double" and the style:text-underline-style attribute has a value that is anything other than "solid" or "wave", then the style:text-underline-type attribute is changed to "double" and the style:text-underline-style attribute is changed to "solid".

2.1.1286 Part 1 Section 20.381, style:text-underline-type

- a. *The standard defines the attribute style:text-underline-type, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute style:text-underline-type, contained within the element <style:text-properties>*

This attribute is supported in Excel 2013.

On save, Excel converts its Single Accounting type to the value "single," and its Double Accounting type to the value "double".

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items: text boxes, shapes, SmartArt, chart titles, and labels. On load, the attributes named style:text-underline-type, style:text-underline-style, style:text-underline-width, and style:text-underline-mode are all used in determining which enumeration to set for the u (Underline) run attribute in OOXML. On load, no underline is read if either the style:text-underline-type attribute or the style:text-underline-style attribute has a value of "none".

- c. *The standard defines the attribute style:text-underline-type, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

On read, the properties style:text-underline-type, style:text-underline-style, style:text-underline-width, and style:text-underline-mode are considered together to determine which enumeration to set for the u (Underline) run property attribute in PowerPoint.

On read, if either of the properties "style:text-underline-type="none"" or "style:text-underline-style="none""", no underline is read.

2.1.1287 Part 1 Section 20.382, style:text-underline-width

- The standard defines the attribute style:text-underline-width, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels.

- The standard defines the attribute style:text-underline-width, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

On load, the attributes named style:text-underline-type, style:text-underline-style, style:text-underline-width, and style:text-underline-mode are all used in determining which enumeration to set for the u (Underline) run attribute in OOXML. On load, all enumerations that have values other than "bold" and "thick" are treated as having a value of "normal". On save, the only values written are "auto" and "bold".

c. *The standard defines the attribute style:text-underline-width, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>
```

```
<draw:custom-shape>
```

On load, the style:text-underline-type, style:text-underline-style, style:text-underline-width, and style:text-underline-mode are considered together to determine which enumeration to set for the u (Underline) run property attribute in PowerPoint.

On load, all enumerations other than "bold" and "thick" are treated as "normal".

On save, "auto" and "bold" are the only values written.

2.1.1288 Part 1 Section 20.383, style:use-optimal-column-width

a. *The standard defines the attribute style:use-optimal-column-width, contained within the element <style:table-column-properties>*

This attribute is supported in Word 2013.

Word has a table-level autofit property, while ODF has autofit properties at both the row and column-level.

On load, if all the columns and all the rows of the table support the same value for this attribute, then it is preserved at the table-level. Otherwise, the property is lost.

b. *The standard defines the attribute style:use-optimal-column-width, contained within the element <style:table-column-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1289 Part 1 Section 20.384, style:use-optimal-row-height

a. *The standard defines the attribute style:use-optimal-row-height, contained within the element <style:table-row-properties>*

This attribute is supported in Word 2013.

Word has a table-level autofit property, and ODF has autofit properties at both the row and column-level.

On load, if all the columns and all the rows of the table support the same value for this attribute, then it is preserved at the table-level. Otherwise, the property is not preserved.

b. *The standard defines the attribute style:use-optimal-row-height, contained within the element <style:table-row-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1290 Part 1 Section 20.385, style:use-window-font-color

a. *The standard defines the attribute style:use-window-font-color, contained within the element <style:text-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:use-window-font-color, contained within the element <style:text-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in any of the following items:

text boxes

shapes

SmartArt

chart titles

labels

c. *The standard defines the attribute style:use-window-font-color, contained within the element <style:text-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1291 Part 1 Section 20.387, style:vertical-pos

- a. *The standard defines the attribute style:vertical-pos, contained within the element <style:list-level-properties>*

This attribute is not supported in Word 2013.

Word ignores the style:vertical-pos property on load, but writes it out on save.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

- b. *The standard defines the attribute style:vertical-pos, contained within the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
```

```
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, and for SmartArt.

c. *The standard defines the attribute style:vertical-pos, contained within the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1292 Part 1 Section 20.388, style:vertical-rel

a. *The standard defines the property "baseline", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

b. *The standard defines the property "char", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

c. *The standard defines the property "frame", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

d. *The standard defines the property "frame-content", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

e. *The standard defines the property "line", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

f. *The standard defines the property "page-content", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

g. *The standard defines the property "paragraph-content", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

h. *The standard defines the property "text", contained within the attribute style:vertical-rel, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

On load, Word maps to a default value of "paragraph" for this value of the style:vertical-rel attribute.

i. *The standard defines the attribute style:vertical-rel, contained within the element <style:list-level-properties>*

This attribute is not supported in Word 2013.

Word ignores the style:vertical-rel property on load, but writes it out on save.

2.1.1293 Part 1 Section 20.389, style:width

a. *The standard defines the attribute style:width, contained within the element <style:table-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1294 Part 1 Section 20.390, style:wrap

- a. *The standard defines the property "run-through", contained within the attribute style:wrap, contained within the element <style:graphic-properties>*

This property is not supported in Word 2013.

2.1.1295 Part 1 Section 20.391, style:wrap-contour

- a. *The standard defines the attribute style:wrap-contour, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

2.1.1296 Part 1 Section 20.392, style:wrap-contour-mode

- a. *The standard defines the attribute style:wrap-contour-mode, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

2.1.1297 Part 1 Section 20.393, style:wrap-dynamic-threshold

- a. *The standard defines the attribute style:wrap-dynamic-threshold, contained within the element <style:graphic-properties>*

This attribute is not supported in Word 2013.

2.1.1298 Part 1 Section 20.394, style:writing-mode

- a. *The standard defines the attribute style:writing-mode, contained within the element <style:graphic-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. ODF's attribute style:writing-mode under the element <style:graphic-properties> assigned to at the text box or shape level corresponds to the Word body attribute "vert".

On save, style:writing-mode="tb-rl" is written for the Word vert enumerations "vert", "eaVert", and "wordArtVertRtl". All other vert enumerations are written as style:writing-mode="lr-tb".

- b. *The standard defines the property "lr", contained within the attribute style:writing-mode, contained within the element <style:page-layout-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word maps to the default text direction, based on the locale of the application.

- c. *The standard defines the property "page", contained within the attribute style:writing-mode, contained within the element <style:page-layout-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word maps to the default text direction, based on the locale of the application.

d. *The standard defines the property "rl", contained within the attribute style:writing-mode, contained within the element <style:page-layout-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word maps to the default text direction, based on the locale of the application.

e. *The standard defines the property "tb", contained within the attribute style:writing-mode, contained within the element <style:page-layout-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word maps to the default text direction, based on the locale of the application.

f. *The standard defines the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt and chart titles and labels. ODF's style:writing-mode under the element <style:paragraph-properties> assigned to a paragraph correspond to OOXML's paragraph attribute "rtl".

On save, only "rl-tb" and "lr-tb" are written for this attribute at the paragraph level, corresponding to the boolean "rtl" paragraph property in OOXML.

g. *The standard defines the property "page", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Word 2013.

On load, Word maps the "page" value for style:writing-mode attribute to the default text direction for the language of the paragraph.

h. *The standard defines the property "tb", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Word 2013.

On load, Word maps the "tb" value for style:writing-mode to the default text direction for the language of the paragraph.

i. *The standard defines the attribute style:writing-mode, contained within the element <style:section-properties>*

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

j. *The standard defines the property "page", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word reverts to the default text direction based on the locale of the application.

k. *The standard defines the property "rl", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word reverts to the default text direction based on the locale of the application.

I. *The standard defines the property "tb", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Word 2013.

For all unsupported values of the style:writing-mode attribute, Word reverts to the default text direction based on the locale of the application.

m. *The standard defines the property "page", contained within the attribute style:writing-mode, contained within the element <style:table-properties>*

This property is not supported in Word 2013.

n. *The standard defines the property "tb", contained within the attribute style:writing-mode, contained within the element <style:table-properties>*

This property is not supported in Word 2013.

o. *The standard defines the property "tb-lr", contained within the attribute style:writing-mode, contained within the element <style:table-properties>*

This property is not supported in Word 2013.

This value for the style:writing-mode attribute causes the layout of the table to be left-to-right.

p. *The standard defines the property "tb-rl", contained within the attribute style:writing-mode, contained within the element <style:table-properties>*

This property is not supported in Word 2013.

This value for the style:writing-mode attribute causes the layout of the table to be right-to-left.

q. *The standard defines the attribute style:writing-mode, contained within the element <style:graphic-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels. This attribute in the element `<style:graphic-properties>` assigned at the text box or shape level corresponds to the attribute `vert` in Excel. On load, the values "tb-rl" and "tb" of this attribute are converted to the value of "eaVert" of the `vert` attribute in Excel. All other values of this attribute are converted to the value of "horz" of the `vert` attribute in Excel. On save, Excel converts the values "vert", "eaVert", and "wordArtVertRtl" of the `vert` attribute to the value "tb-rl" of this attribute. All other values of the `vert` attribute are written as the value "lr-tb".

r. *The standard defines the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This attribute is supported in Excel 2013.

On load, Excel defaults to context-dependent reading order unless the following values are specified:

```
"lr"  
"lr-tb"  
"tb-lr"  
"rl"  
"rl-tb"  
"tb-rl"
```

The values "lr", "lr-tb", and "tb-lr" are interpreted as left-to-right. The values "rl", "rl-tb", and "tb-rl" are interpreted as right-to-left.

On save, Excel will not write a value when the reading order is context dependent. Excel will write the value "rl" when right-to-left is set or the value "lr" when left-to-right is set.

OfficeArt Math in Excel 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

And on save for text in text boxes and shapes, SmartArt, and chart titles and labels. ODF's attribute `style:writing-mode` under the element `<style:paragraph-properties>` assigned to a paragraph correspond to OOXML's paragraph attribute "rtl".

On read, enumerations "rl-tb" and "rl" are mapped to OOXML `rtl=true`, and all other values map to `rtl=false`.

On write, only "rl-tb" and "lr-tb" are written for this attribute at the paragraph level, corresponding to the boolean "rtl" paragraph property in OOXML.

s. *The standard defines the property "lr-tb", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, when encountering this value, Excel will set the reading order to left-to-right.

t. *The standard defines the property "page", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, Excel defaults to context-dependent reading order, because the left-to-right or right-to-left reading order was not specified.

u. *The standard defines the property "rl-tb", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, when encountering this value, Excel will set the reading order to right-to-left.

v. *The standard defines the property "tb", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, Excel defaults to context-dependent reading order, because the left-to-right or right-to-left reading order was not specified.

w. *The standard defines the property "tb-lr", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, when encountering this value, Excel will set the reading order to left-to-right.

- x. *The standard defines the property "tb-rl", contained within the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

This property is not supported in Excel 2013.

On load, when encountering this value, Excel will set the reading order to right-to-left.

- y. *The standard defines the attribute style:writing-mode, contained within the element <style:section-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- z. *The standard defines the property "lr-tb", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Excel 2013.

- aa. *The standard defines the property "page", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Excel 2013.

- bb. *The standard defines the property "rl-tb", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Excel 2013.

- cc. *The standard defines the property "tb", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Excel 2013.

dd. *The standard defines the property "tb-lr", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Excel 2013.

ee. *The standard defines the property "tb-rl", contained within the attribute style:writing-mode, contained within the element <style:section-properties>*

This property is not supported in Excel 2013.

ff. *The standard defines the attribute style:writing-mode, contained within the element <style:graphic-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>
```

This attribute in the element <style:graphic-properties> assigned at the text box or shape level corresponds to the body attribute vert in PowerPoint.

On load, the values "tb-rl" and "tb" of this attribute are converted to the value "eaVert" of the body attribute vert in PowerPoint. All other values of this attribute are converted to the value "horz" of the body attribute vert in PowerPoint.

On save, PowerPoint converts the values "vert", "eaVert", and "wordArtVertRtl" of the body attribute vert to the value "tb-rl" of this attribute. All other values of the body attribute vert are written as the value "lr-tb".

gg. *The standard defines the attribute style:writing-mode, contained within the element <style:page-layout-properties>*

This attribute is not supported in PowerPoint 2013.

hh. *The standard defines the attribute style:writing-mode, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in any of the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

ODF's attribute style:writing-mode under the element <style:paragraph-properties> assigned to a paragraph correspond to PowerPoint's paragraph attribute "rtl".

On read, enumerations "rl-tb" and "rl" are mapped to PowerPoint "rtl" equals the value true, and all other values map to "rtl" equals the value false.

On write, only "rl-tb" and "lr-tb" are written for this attribute at the paragraph level, corresponding to the boolean "rtl" paragraph property in PowerPoint.

ii. *The standard defines the attribute style:writing-mode, contained within the element <style:section-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1299 Part 1 Section 20.394.6, style:table-cell-properties

- a. *The standard defines the property "page", contained within the attribute style:table-cell-properties, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013 Client.

On load, Word uses the the application default text direction for the current language.

- b. *The standard defines the property "rl", contained within the attribute style:table-cell-properties, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013 Client.

On load, Word uses the the application default text direction for the current language.

- c. *The standard defines the property "tb", contained within the attribute style:table-cell-properties, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013 Client.

On load, Word uses the the application default text direction for the current language.

- d. *The standard defines the property "tb-lr", contained within the attribute style:table-cell-properties, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013 Client.

On load, Word uses the the application default text direction for the current language.

- e. *The standard defines the property "tb-rl", contained within the attribute style:table-cell-properties, contained within the element <style:table-cell-properties>*

This property is supported in Word 2013 Client.

On load, Word uses the the application default text direction for the current language.

2.1.1300 Part 1 Section 20.395, style:writing-mode-automatic

- a. *The standard defines the attribute style:writing-mode-automatic, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

b. *The standard defines the attribute style:writing-mode-automatic, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute style:writing-mode-automatic, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
```

```
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1301 Part 1 Section 20.396, *svg:fill-rule*

- a. *The standard defines the attribute *svg:fill-rule*, contained within the element *<style:graphic-properties>**

Word 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:g>  
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element  
<draw:custom-shape>
```

- b. *The standard defines the attribute *svg:fill-rule*, contained within the element *<style:graphic-properties>**

Excel 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
c. The standard defines the attribute svg:fill-rule, contained within the element <style:graphic-properties>
```

PowerPoint 2013 does not support this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:g>
<draw:frame> containing <draw:image>, <draw:text-box>, or <draw:object-ole> element
<draw:custom-shape>
```

2.1.1302 Part 1 Section 20.398, *svg:stroke-color*

a. The standard defines the attribute *svg:stroke-color*, contained within the element <style:graphic-properties>

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
```

```
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
b. The standard defines the attribute svg:stroke-color, contained within the element <style:graphic-properties>
```

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
c. The standard defines the attribute svg:stroke-color, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1303 Part 1 Section 20.399, svg:stroke-opacity

- a. *The standard defines the attribute `svg:stroke-opacity`, contained within the element `<style:graphic-properties>`*

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
```

<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>

b. *The standard defines the attribute `svg:stroke-opacity`, contained within the element `<style:graphic-properties>`*

Excel 2013 supports this attribute for a style applied to the following elements:

<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>

c. *The standard defines the attribute `svg:stroke-opacity`, contained within the element `<style:graphic-properties>`*

PowerPoint 2013 supports this attribute for a style applied to the following elements:

<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>

```
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1304 Part 1 Section 20.400, *svg:stroke-width*

- a. *The standard defines the attribute *svg:stroke-width*, contained within the element *<style:graphic-properties>**

Word 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

- b. *The standard defines the attribute *svg:stroke-width*, contained within the element *<style:graphic-properties>**

Excel 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
```

```
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
c. The standard defines the attribute svg:stroke-width, contained within the element <style:graphic-properties>
```

PowerPoint 2013 supports this attribute for a style applied to the following elements:

```
<draw:rect>
<draw:line>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:connector>
<draw:caption>
<draw:measure>
<draw:g>
<draw:frame> containing the elements <draw:image>, <draw:text-box>, or <draw:object-ole>
<draw:custom-shape>
```

2.1.1305 Part 1 Section 20.402.2, style:list-level-properties

- a. *The standard defines the attribute `svg:y`, contained within the element `<style:list-level-properties>`*

This attribute is supported in Word 2013 Client.

2.1.1306 Part 1 Section 20.404, table:align

- a. *The standard defines the property "margins", contained within the attribute `table:align`, contained within the element `<style:table-properties>`*

This property is not supported in Word 2013.

On load, Word treats this value for the `table:align` attribute as "left".

- b. *The standard defines the attribute `table:align`, contained within the element `<style:table-properties>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `table:align`, contained within the element `<style:table-properties>`*

This attribute is not supported in PowerPoint 2013.

2.1.1307 Part 1 Section 20.405, table:border-model

- a. *The standard defines the attribute `table:border-model`, contained within the element `<style:table-properties>`*

This attribute is not supported in Word 2013.

Word only supports the "collapsing" value of the `table:border-model` attribute.

- b. *The standard defines the attribute `table:border-model`, contained within the element `<style:table-properties>`*

This attribute is not supported in Excel 2013.

- c. *The standard defines the attribute `table:border-model`, contained within the element `<style:table-properties>`*

This attribute is not supported in PowerPoint 2013.

2.1.1308 Part 1 Section 20.406, table:display

- a. *The standard defines the attribute `table:display`, contained within the element `<style:table-properties>`*

This attribute is not supported in PowerPoint 2013.

2.1.1309 Part 1 Section 20.409, text:animation

- a. *The standard defines the attribute `text:animation`, contained within the element `<style:graphics-properties>`*

This attribute is not supported in PowerPoint 2013.

2.1.1310 Part 1 Section 20.410, text:animation-delay

- a. *The standard defines the attribute text:animation-delay, contained within the element <style:graphics-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1311 Part 1 Section 20.411, text:animation-direction

- a. *The standard defines the attribute text:animation-direction, contained within the element <style:graphics-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1312 Part 1 Section 20.412, text:animation-repeat

- a. *The standard defines the attribute text:animation-repeat, contained within the element <style:graphics-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1313 Part 1 Section 20.413, text:animation-start-inside

- a. *The standard defines the attribute text:animation-start-inside, contained within the element <style:graphics-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1314 Part 1 Section 20.414, text:animation-steps

- a. *The standard defines the attribute text:animation-steps, contained within the element <style:graphics-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1315 Part 1 Section 20.415, text:animation-stop-inside

- a. *The standard defines the attribute text:animation-stop-inside, contained within the element <style:graphics-properties>*

This attribute is not supported in PowerPoint 2013.

2.1.1316 Part 1 Section 20.418, text:dont-balance-text-columns

- a. *The standard defines the attribute text:dont-balance-text-columns, contained within the element <style:section-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute text:dont-balance-text-columns, contained within the element <style:section-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

c. *The standard defines the attribute `text:don't-balance-text-columns`, contained within the element `<style:section-properties>`*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
```

<draw:custom-shape>.

2.1.1317 Part 1 Section 20.420, text:line-number

- a. *The standard defines the attribute text:line-number, contained within the element <style:paragraph-properties>*

This attribute is not supported in Word 2013.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt and chart titles and labels.

- b. *The standard defines the attribute text:line-number, contained within the element <style:paragraph-properties>*

This attribute is not supported in Excel 2013.

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, SmartArt, and chart titles and labels, and on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>
```

- c. *The standard defines the attribute text:line-number, contained within the element <style:paragraph-properties>*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
```

```
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1318 Part 1 Section 20.421, text:list-level-position-and-space-mode

- a. *The standard defines the attribute text:list-level-position-and-space-mode, contained within the element <style:list-level-properties>*

This attribute is supported in Word 2013 Client.

On save, Word always writes the value "label-alignment" for this attribute.

2.1.1319 Part 1 Section 20.422, text:min-label-distance

- a. *The standard defines the attribute text:min-label-distance, contained within the element <style:list-level-properties>*

This attribute is supported in Word 2013 Client.

OfficeArt Math in Word 2013 does not support this attribute on save for text in SmartArt.

- b. *The standard defines the attribute text:min-label-distance, contained within the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
```

```
<draw:measure>  
<draw:frame>  
<draw:text-box>  
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 does not support this attribute on save for text in text boxes and shapes, and for SmartArt.

- c. *The standard defines the attribute `text:min-label-distance`, contained within the element `<style:list-level-properties>`*

OfficeArt Math in PowerPoint 2013 does not support this attribute on load for text in the following elements:

```
<draw:rect>  
<draw:polyline>  
<draw:polygon>  
<draw:regular-polygon>  
<draw:path>  
<draw:circle>  
<draw:ellipse>  
<draw:caption>  
<draw:measure>  
<draw:text-box>  
<draw:frame>  
<draw:custom-shape>.
```

2.1.1320 Part 1 Section 20.423, `text:min-label-width`

- a. *The standard defines the attribute `text:min-label-width`, contained within the element `<style:list-level-properties>`*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

- b. *The standard defines the attribute `text:min-label-width`, contained within the element `<style:list-level-properties>`*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
```

```
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

c. *The standard defines the attribute text:min-label-width, contained within the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1321 Part 1 Section 20.425, text:space-before

- a. *The standard defines the attribute text:space-before, contained within the element <style:list-level-properties>*

OfficeArt Math in Word 2013 supports this attribute on save for text in SmartArt.

- b. *The standard defines the attribute text:space-before, contained within the element <style:list-level-properties>*

OfficeArt Math in Excel 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:frame>
<draw:text-box>
<draw:custom-shape>.
```

OfficeArt Math in Excel 2013 supports this attribute on save for text in text boxes and shapes, and for SmartArt.

- c. *The standard defines the attribute text:space-before, contained within the element <style:list-level-properties>*

OfficeArt Math in PowerPoint 2013 supports this attribute on load for text in the following elements:

```
<draw:rect>
<draw:polyline>
<draw:polygon>
<draw:regular-polygon>
<draw:path>
<draw:circle>
```

```
<draw:ellipse>
<draw:caption>
<draw:measure>
<draw:text-box>
<draw:frame>
<draw:custom-shape>.
```

2.1.1322 Part 3 Section 4.8.11, manifest:preferred-view-mode

- a. *The standard defines the attribute manifest:preferred-view-mode, contained within the element <manifest:file-entry>*

This attribute is supported in PowerPoint 2013.

PowerPoint only supports reading a value of "presentation-slide-show"

3 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

4 Index

A

[Accessing glyphs for characters from MathML \(mglyph\) \(section 2.1.326\)](#) 175, [section 2.1.327](#) 179
[Adjust Space Around Content \(mpadded\)](#) 192
[anim:animateColor](#) 235
[anim:animateTransform](#) 235
[anim:audio](#) 235
[anim:audio-level](#) 317
[anim:command](#) 235
[anim:formula](#) 317
[anim:id](#) 317
[anim:sub-item](#) 317
[anyIRI](#) 316

B

[Bind Action to Sub-Expression \(maction\)](#) 231

C

[Change tracking](#) 1044
[chart:angle-offset](#) 668
[chart:axis](#) 136
[chart:class](#) 318
[chart:column-mapping](#) 318
[chart:connect-bars](#) 668
[chart:data-label-number](#) 668
[chart:data-label-symbol](#) 669
[chart:data-label-text](#) 669
[chart:data-source-has-labels](#) 318
[chart:deep](#) 669
[chart:display-label](#) 669
[chart:error-category](#) 669
[chart:error-indicator](#) 137
[chart:error-lower-indicator](#) 670
[chart:error-lower-limit](#) 670
[chart:error-margin](#) 670
[chart:error-percentage](#) 670
[chart:error-upper-indicator](#) 670
[chart:error-upper-limit](#) 671
[chart:footer](#) 136
[chart:gap-width](#) 671
[chart:group-bars-per-axis](#) 671
[chart:interpolation](#) 671
[chart:interval-major](#) 671
[chart:interval-minor-divisor](#) 671
[chart:japanese-candle-stick](#) 672
[chart:label-arrangement](#) 672
[chart:label-position-negative](#) 672
[chart:legend-align](#) 318
[chart:legend-position](#) 319
[chart:lines](#) 672
[chart:link-data-style-to-source](#) 672
[chart:logarithmic](#) 673
[chart:maximum](#) 673
[chart:mean-value](#) 136
[chart:minimum](#) 673

[chart:origin](#) 673
[chart:overlap](#) 673
[chart:percentage](#) 673
[chart:pie-offset](#) 673
[chart:regression-curve](#) 137
[chart:regression-type](#) 673
[chart:row-mapping](#) 319
[chart:scale-text](#) 674
[chart:series-source](#) 674
[chart:sort-by-x-values](#) 674
[chart:spline-order](#) 674
[chart:spline-resolution](#) 674
[chart:stacked](#) 674
[chart:stock-gain-marker](#) 137
[chart:stock-loss-marker](#) 137
[chart:stock-range-line](#) 137
[chart:subtitle](#) 136
[chart:symbol-height](#) 674
[chart:symbol-name](#) 675
[chart:symbol-type](#) 676
[chart:symbol-width](#) 676
[chart:text-overlap](#) 676
[chart:three-dimensional](#) 677
[chart:tick-mark-position](#) 677
[chart:tick-marks-major-inner](#) 677
[chart:tick-marks-major-outer](#) 677
[chart:tick-marks-minor-inner](#) 677
[chart:tick-marks-minor-outer](#) 677
[chart:vertical](#) 677
[chart:visible](#) 677
[config:config-item](#) 34
[config:config-item-map-entry](#) 34
[config:config-item-map-indexed](#) 34
[config:config-item-map-named](#) 34
[config:config-item-set](#) 34
[Cursor Position Setting](#) 35

D

[db:catalog-name](#) 319
[db:max-row-count](#) 319
[dc:date](#) 37
[dc:language](#) 38
[dr3d:ambient-color](#) 319
[dr3d:backface-culling](#) 678
[dr3d:back-scale](#) 678
[dr3d:close-back](#) 678
[dr3d:close-front](#) 678
[dr3d:cube](#) 133
[dr3d:depth](#) 679
[dr3d:diffuse-color](#) 320
[dr3d:distance](#) 320
[dr3d:edge-rounding](#) 679
[dr3d:edge-rounding-mode](#) 679
[dr3d:emissive-color](#) 680
[dr3d:end-angle](#) 680
[dr3d:extrude](#) 133
[dr3d:focal-length](#) 320
[dr3d:horizontal-segments](#) 680

[dr3d:light](#) 132
[dr3d:lighting-mode](#) 320
[dr3d:normals-direction](#) 680
[dr3d:normals-kind](#) 681
[dr3d:projection](#) 321
[dr3d:rotate](#) 133
[dr3d:scene](#) 132
[dr3d:shade-mode](#) 321
[dr3d:shadow](#) 681
[dr3d:shadow-slant](#) 323
[dr3d:shininess](#) 681
[dr3d:specular-color](#) 682
[dr3d:sphere](#) 133
[dr3d:texture-filter](#) 682
[dr3d:texture-generation-mode-x](#) 683
[dr3d:texture-generation-mode-y](#) 683
[dr3d:texture-kind](#) 682
[dr3d:texture-mode](#) 683
[dr3d:transform](#) 323
[dr3d:vertical-segments](#) 683
[dr3d:vpm](#) 323
[dr3d:vup](#) 323
[draw:a](#) 132
[draw:angle](#) 323
[draw:applet](#) 129
[draw:auto-grow-height](#) 684
[draw:auto-grow-width](#) 685
[draw:background-size](#) 687
[draw:blue](#) 687
[draw:border](#) 325
[draw:caption](#) 113
[draw:caption-angle](#) 687
[draw:caption-angle-type](#) 687
[draw:caption-escape](#) 688
[draw:caption-escape-direction](#) 688
[draw:caption-fit-line-length](#) 688
[draw:caption-gap](#) 689
[draw:caption-id](#) 327
[draw:caption-line-length](#) 689
[draw:caption-point-x](#) 328
[draw:caption-point-y](#) 329
[draw:caption-type](#) 689
[draw:chain-next-name](#) 329
[draw:circle](#) 108
[draw:class-names](#) 329
[draw:color-inversion](#) 689
[draw:color-mode](#) 690
[draw:concentric-gradient-fill-allowed](#) 331
[draw:connector](#) 111
[draw:contour-path](#) 131
[draw:contour-polygon](#) 131
[draw:contrast](#) 691
[draw:control](#) 117
[draw:copy-of](#) 331
[draw:corner-radius](#) 331
[draw:cx](#) 332
[draw:cy](#) 333
[draw:data](#) 335
[draw:decimal-places](#) 692
[draw:display-name](#) 335
[draw:distance](#) 341
[draw:dots1](#) 343
[draw:dots1-length](#) 345
[draw:dots2](#) 347
[draw:dots2-length](#) 349
[draw:draw-aspect](#) 692
[draw:ellipse](#) 110
[draw:end-color](#) 351
[draw:end-guide](#) 692
[draw:end-intensity](#) 352
[draw:end-line-spacing-horizontal](#) 693
[draw:end-line-spacing-vertical](#) 693
[draw:engine](#) 354
[draw:enhanced-path](#) 354
[draw:extrusion](#) 355
[draw:extrusion-allowed](#) 355
[draw:extrusion-brightness](#) 355
[draw:extrusion-color](#) 356
[draw:extrusion-depth](#) 356
[draw:extrusion-diffusion](#) 356
[draw:extrusion-first-light-direction](#) 357
[draw:extrusion-first-light-harsh](#) 357
[draw:extrusion-first-light-level](#) 357
[draw:extrusion-light-face](#) 358
[draw:extrusion-metal](#) 358
[draw:extrusion-number-of-line-segments](#) 358
[draw:extrusion-origin](#) 358
[draw:extrusion-rotation-angle](#) 359
[draw:extrusion-rotation-center](#) 359
[draw:extrusion-second-light-direction](#) 359
[draw:extrusion-second-light-harsh](#) 360
[draw:extrusion-second-light-level](#) 360
[draw:extrusion-shininess](#) 360
[draw:extrusion-skew](#) 361
[draw:extrusion-specularity](#) 361
[draw:extrusion-viewpoint](#) 361
[draw:fill](#) 693
[draw:fill-color](#) 702
[draw:fill-gradient-name](#) 703
[draw:fill-hatch-name](#) 705
[draw:fill-hatch-solid](#) 706
[draw:fill-image](#) 272
[draw:fill-image-height](#) 708
[draw:fill-image-name](#) 710
[draw:fill-image-ref-point](#) 711
[draw:fill-image-ref-point-x](#) 713
[draw:fill-image-ref-point-y](#) 714
[draw:fill-image-width](#) 716
[draw:filter-name](#) 362
[draw:fit-to-contour](#) 717
[draw:fit-to-size](#) 719
[draw:floating-frame](#) 130
[draw:formula](#) 362
[draw:frame](#) 125
[draw:frame-display-border](#) 720
[draw:frame-display-scrollbar](#) 721
[draw:frame-margin-horizontal](#) 720
[draw:frame-margin-vertical](#) 721
[draw:g](#) 117
[draw:gamma](#) 721
[draw:glue-point](#) 119
[draw:glue-points](#) 362

[draw:gradient](#) 265
[draw:gradient-step-count](#) 722
[draw:green](#) 722
[draw:guide-distance](#) 723
[draw:guide-overhang](#) 724
[draw:handle-mirror-horizontal](#) 363
[draw:handle-mirror-vertical](#) 363
[draw:handle-position](#) 363
[draw:handle-range-x-maximum](#) 364
[draw:handle-range-x-minimum](#) 364
[draw:handle-range-y-maximum](#) 365
[draw:handle-range-y-minimum](#) 365
[draw:handle-switched](#) 366
[draw:hatch](#) 270
[draw:id](#) 366
[draw:image](#) 127
[draw:image-map](#) 132
[draw:image-opacity](#) 724
[draw:layer](#) 95
[draw:line](#) 99
[draw:line-distance](#) 724
[draw:line-skew](#) 368
[draw:luminance](#) 725
[draw:marker](#) 276
[draw:marker-end](#) 725
[draw:marker-end-center](#) 726
[draw:marker-end-width](#) 726
[draw:marker-start](#) 726
[draw:marker-start-center](#) 727
[draw:marker-start-width](#) 727
[draw:measure](#) 115
[draw:measure-align](#) 727
[draw:measure-vertical-align](#) 728
[draw:modifiers](#) 368
[draw:name](#) 369
[draw:nav-order](#) 376
[draw:notify-on-update-of-ranges](#) 377
[draw:object-ole](#) 129
[draw:ole-draw-aspect](#) 728
[draw:opacity](#) 273
[draw:opacity-name](#) 728
[draw:page-thumbnail](#) 117
[draw:parallel](#) 730
[draw:param](#) 130
[draw:path](#) 106
[draw:path-stretchpoint-x](#) 377
[draw:path-stretchpoint-y](#) 377
[draw:placing](#) 730
[draw:plugin](#) 130
[draw:polygon](#) 102
[draw:polyline](#) 101
[draw:rect](#) 97
[draw:red](#) 730
[draw:regular-polygon](#) 104
[draw:secondary-fill-color](#) 731
[draw:shadow](#) 732
[draw:shadow-color](#) 734
[draw:shadow-offset-x](#) 735
[draw:shadow-offset-y](#) 737
[draw:shadow-opacity](#) 739
[draw:show-unit](#) 741

[draw:start-color](#) 378
[draw:start-guide](#) 741
[draw:start-intensity](#) 379
[draw:start-line-spacing-horizontal](#) 741
[draw:start-line-spacing-vertical](#) 742
[draw:stroke](#) 742
[draw:stroke-dash](#) 277
[draw:stroke-dash-names](#) 745
[draw:stroke-linejoin](#) 746
[draw:style](#) 381
[draw:style-name](#) 393
[draw:symbol-color](#) 759
[draw:textarea-horizontal-align](#) 760
[draw:text-areas](#) 395
[draw:textarea-vertical-align](#) 762
[draw:text-box](#) 125
[draw:text-path](#) 395
[draw:text-path-allowed](#) 395
[draw:text-path-mode](#) 396
[draw:text-path-same-letter-heights](#) 396
[draw:text-path-scale](#) 396
[draw:text-rotate-angle](#) 397
[draw:text-style-name](#) 397
[draw:tile-repeat-offset](#) 764
[draw:transform](#) 397
[draw:type](#) 408
[draw:unit](#) 766
[draw:visible-area-height](#) 765
[draw:visible-area-left](#) 766
[draw:visible-area-top](#) 766
[draw:visible-area-width](#) 766
[draw:wrap-influence-on-position](#) 767
[draw:z-index](#) 408

E

[Enclose Expression Inside Notation \(menclose\)](#) 200
[Entry in Table or Matrix \(mtd\)](#) 226
[Error Message \(merror\)](#) 191
[Expression Inside Pair of Fences \(mfenced\)](#) 198

F

[fo:background-color](#) 767
[fo:border](#) 772
[fo:border-bottom](#) 775
[fo:border-left](#) 778
[fo:border-right](#) 781
[fo:border-top](#) 784
[fo:break-after](#) 787
[fo:break-before](#) 789
[fo:clip](#) 791
[fo:color](#) 792
[fo:column-count](#) 410
[fo:column-gap](#) 410
[fo:country](#) 410
[fo:end-indent](#) 412
[fo:font-family](#) 794
[fo:font-size](#) 795
[fo:font-style](#) 797
[fo:font-variant](#) 798
[fo:font-weight](#) 800

[fo:height](#) 803
[fo:hyphenate](#) 804
[fo:hyphenation-keep](#) 806
[fo:hyphenation-ladder-count](#) 807
[fo:hyphenation-push-char-count](#) 808
[fo:hyphenation-remain-char-count](#) 810
[fo:keep-together](#) 811
[fo:keep-with-next](#) 813
fo:language ([section 2.1.559](#) 412, [section 2.1.1131](#) 814)
[fo:letter-spacing](#) 815
[fo:line-height](#) 816
[fo:margin](#) 818
[fo:margin-bottom](#) 821
[fo:margin-left](#) 414
[fo:margin-right](#) 824
[fo:margin-top](#) 829
[fo:max-height](#) 418
[fo:max-width](#) 419
[fo:min-height](#) 420
[fo:min-width](#) 421
[fo:orphans](#) 833
[fo:padding](#) 835
[fo:padding-bottom](#) 838
[fo:padding-left](#) 841
[fo:padding-right](#) 844
[fo:padding-top](#) 847
[fo:page-height](#) 834
[fo:page-width](#) 834
[fo:script](#) 850
[fo:space-after](#) 422
[fo:space-before](#) 422
[fo:start-indent](#) 422
[fo:text-align](#) 850
[fo:text-align-last](#) 853
[fo:text-indent](#) 422
[fo:text-shadow](#) 857
[fo:text-transform](#) 858
[fo:widows](#) 860
[fo:width](#) 861
[fo:wrap-option](#) 863
[form:allow-deletes](#) 423
[form:allow-inserts](#) 424
[form:allow-updates](#) 424
[form:apply-filter](#) 424
[form:bound-column](#) 424
[form:button](#) 140
[form:button-type](#) 424
[form:checkbox](#) 141
[form:column](#) 142
[form:combobox](#) 140
[form:command](#) 425
[form:command-type](#) 425
[form:connection-resource](#) 77
[form:control-implementation](#) 425
[form:convert-empty-to-null](#) 425
[form:current-selected](#) 425
[form:current-value](#) 425
[form:data-field](#) 426
[form:datasource](#) 426
[form:date](#) 139
[form:detail-fields](#) 426
[form:disabled](#) 426
[form:dropdown](#) 426
[form:enctype](#) 427
[form:escape-processing](#) 427
[form:file](#) 139
[form:filter](#) 427
[form:fixed-text](#) 140
[form:for](#) 427
[form:form](#) 138
[form:formatted-text](#) 139
[form:frame](#) 141
[form:generic-control](#) 142
[form:grid](#) 142
[form:hidden](#) 141
[form:id](#) 427
[form:ignore-result](#) 427
[form:image](#) 140
[form:image-align](#) 428
[form:image-data](#) 428
[form:image-frame](#) 141
[form:image-position](#) 428
[form:item](#) 140
[form:label](#) 428
[form:listbox](#) 140
[form:list-property](#) 143
[form:list-source](#) 428
[form:list-source-type](#) 428
[form:list-value](#) 143
[form:master-fields](#) 429
[form:max-length](#) 429
[form:method](#) 429
[form:name](#) 429
[form:navigation-mode](#) 429
[form:number](#) 139
[form:option](#) 140
[form:order](#) 430
[form:password](#) 139
[form:printable](#) 430
[form:properties](#) 142
[form:property](#) 142
[form:property-name](#) 430
[form:radio](#) 141
[form:readonly](#) 430
[form:selected](#) 430
[form:size](#) 430
[form:tab-cycle](#) 431
[form:tab-index](#) 431
[form:tab-stop](#) 431
[form:text](#) 138
[form:textarea](#) 138
[form:time](#) 139
[form:title](#) 431
[form:value](#) 431
[form:value-range](#) 142
[form:visual-effect](#) 431
[Fractions \(mfrac\)](#) 181

G

[Glossary](#) 29

H

[Horizontally Group Sub-Expressions \(mrow\)](#) 180

I

[Identifier \(mi\)](#) 145

[Informative references](#) 30

[Introduction](#) 29

L

[Labeled Row in Table or Matrix \(mlabeledtr\)](#) 225

[language](#) 316

M

[Making Sub-Expressions Invisible \(mphantom\)](#) 196

[manifest:preferred-view-mode](#) 1043

[math:math](#) 144

[meta:auto-reload](#) 38

[meta:date-string](#) 143

[meta:frame-count](#) 432

[meta:hyperlink-behaviour](#) 38

[meta:image-count](#) 432

[meta:object-count](#) 432

[meta:page-count](#) 432

[meta:print-date](#) 38

[meta:printed-by](#) 37

[meta:sentence-count](#) 432

[meta:syllable-count](#) 432

[meta:template](#) 38

[meta:user-defined](#) 39

N

[Normative references](#) 29

[Number \(mn\)](#) 150

[number:am-pm](#) 254

[number:automatic-order](#) 432

[number:boolean](#) 255

[number:boolean-style](#) 255

[number:calendar](#) 433

[number:country](#) 435

[number:currency-style](#) 253

[number:currency-symbol](#) 253

[number:decimal-places](#) 435

[number:decimal-replacement](#) 436

[number:embedded-text](#) 252

[number:era](#) 253

[number:format-source](#) 436

[number:fraction](#) 253

[number:grouping](#) 437

[number:language](#) 437

[number:min-integer-digits](#) 437

[number:number](#) 252

[number:number-style](#) 252

[number:percentage-style](#) 253

[number:possessive-form](#) 437

[number:quarter](#) 254

[number:scientific-number](#) 253

[number:script](#) 438

[number:style](#) 438

[number:text](#) 255

[number:text-content](#) 256

[number:text-style](#) 255

[number:time-style](#) 254

[number:title](#) 439

[number:transliteration-country](#) 440

[number:transliteration-format](#) 440

[number:transliteration-language](#) 441

[number:transliteration-style](#) 441

[number:truncate-on-overflow](#) 442

[number:week-of-year](#) 254

O

[office:annotation](#) 143

[office:annotation-end](#) 143

[office:automatic-styles](#) 37

[office:binary-data](#) 127

[office:boolean-value](#) 442

[office:change-info](#) 49

[office:chart](#) 33

[office:conversion-mode](#) 443

[office:currency](#) 443

[office:date-value](#) 443

[office:dde-source](#) 234

[office:document](#) 31

[office:document-content](#) 31

[office:document-meta](#) 32

[office:document-settings](#) 32

[office:document-styles](#) 31

[office:drawing](#) 33

[office:event-listeners](#) 125

[office:font-face-decls](#) 35

[office:forms](#) 138

[office:image](#) 34

[office:master-styles](#) 37

[office:mimetype](#) 444

[office:name](#) 444

[office:presentation](#) 33

[office:script](#) 35

[office:settings](#) 34

[office:spreadsheet](#) 33

[office:string-value](#) 445

[office:styles](#) 36

[office:target-frame](#) 446

[office:target-frame-name](#) 446

[office:time-value](#) 447

[office:title](#) 447

[office:value](#) 448

[office:value-type](#) 449

[office:version](#) 450

[Operator - Fence - Separator or Accent \(mo\)](#) 154

[Overscript \(mover\)](#) 210

P

[points](#) 317

[Prescripts and Tensor Indices \(mmultiscripts\)](#) 214

[presentation:action](#) 451

[presentation:animation-group](#) 135

[presentation:animations](#) 134

[presentation:class](#) 451
[presentation:class-names](#) 451
[presentation:date-time](#) 136
[presentation:date-time-decl](#) 136
[presentation:dim](#) 135
[presentation:direction](#) 451
[presentation:display-date-time](#) 864
[presentation:display-footer](#) 864
[presentation:display-header](#) 865
[presentation:display-page-number](#) 865
[presentation:effect](#) 452
[presentation:event-listener](#) 135
[presentation:footer](#) 135
[presentation:footer-decl](#) 136
[presentation:full-screen](#) 452
[presentation:header](#) 135
[presentation:header-decl](#) 135
[presentation:hide-shape](#) 134
[presentation:hide-text](#) 134
[presentation:master-element](#) 452
[presentation:mouse-as-pen](#) 452
[presentation:mouse-visible](#) 452
[presentation:notes](#) 248
[presentation:pause](#) 452
[presentation:placeholder](#) 281
[presentation:play](#) 135
[presentation:presentation-page-layout-name](#) 452
[presentation:show-end-of-presentation-slide](#) 453
[presentation:show-logo](#) 453
[presentation:show-shape](#) 134
[presentation:show-text](#) 134
[presentation:sound](#) 134
[presentation:speed](#) 453
[presentation:start-scale](#) 453
[presentation:start-with-navigator](#) 453
[presentation:stay-on-top](#) 453
[presentation:style-name](#) 453
[presentation:transition-on-click](#) 454
[presentation:transition-speed](#) 865
[presentation:transition-style](#) 865
[presentation:transition-type](#) 869
[presentation:use-date-time-name](#) 454
[presentation:use-footer-name](#) 454
[presentation:use-header-name](#) 454
[presentation:user-transformed](#) 455

R

[Radicals \(msqrt - mroot\)](#) 183
References
 [informative](#) 30
 [normative](#) 29
[relativeLength](#) 317
[Row in Table or Matrix \(mtr\)](#) 223

S

[script:event-listener](#) 143
[script:event-name](#) 455
[script:language](#) 455
[script:macro-name](#) 455
[smil:accumulate](#) 455

[smil:additive](#) 455
[smil:attributeName](#) 456
[smil:calcMode](#) 456
[smil:endsync](#) 456
[smil:fadeColor](#) 456
[smil:fill](#) 457
[smil:fillDefault](#) 457
[smil:keySplines](#) 457
[smil:restart](#) 457
[smil:restartDefault](#) 457
[smil:type](#) 457
[Space \(mspace\)](#) 167
[Specifying alignment points using malignmark](#) 228
[String Literal \(ms\)](#) 170
[Style Change \(mstyle\)](#) 186
[style:adjustment](#) 465
[style:apply-style-name](#) 465
[style:auto-text-indent](#) 869
[style:auto-update](#) 465
[style:background-image](#) 283
[style:background-transparency](#) 870
[style:base-cell-address](#) 469
[style:border-line-width](#) 871
[style:border-line-width-bottom](#) 873
[style:border-line-width-left](#) 875
[style:border-line-width-right](#) 878
[style:border-line-width-top](#) 881
[style:cell-protect](#) 883
[style:char](#) 469
[style:class](#) 470
[style:color](#) 473
[style:column](#) 299
[style:columns](#) 296
[style:column-sep](#) 301
[style:condition](#) 473
[style:country-asian](#) 883
[style:country-complex](#) 885
[style:data-style-name](#) 473
[style:decimal-places](#) 887
[style:default-outline-level](#) 473
[style:default-page-layout](#) 245
[style:default-style](#) 242
[style:diagonal-bl-tr](#) 887
[style:diagonal-bl-tr-widths](#) 888
[style:diagonal-tl-br](#) 888
[style:diagonal-tl-br-widths](#) 889
[style:direction](#) 889
[style:display](#) 474
[style:display-name](#) 474
[style:distance](#) 478
[style:distance-after-sep](#) 478
[style:distance-before-sep](#) 478
[style:drop-cap](#) 291
[style:dynamic-spacing](#) 889
[style:editable](#) 889
[style:family](#) 479
[style:filter-name](#) 497
[style:first-page-number](#) 890
[style:flow-with-text](#) 890
[style:font-adornments](#) 497
[style:font-charset](#) 499

[style:font-charset-asian](#) 890
[style:font-charset-complex](#) 892
[style:font-face](#) 249
[style:font-family-asian](#) 893
[style:font-family-complex](#) 895
[style:font-family-generic](#) 503
[style:font-family-generic-asian](#) 896
[style:font-family-generic-complex](#) 898
[style:font-independent-line-spacing](#) 899
[style:font-name](#) 900
[style:font-name-asian](#) 903
[style:font-name-complex](#) 904
[style:font-pitch](#) 506
[style:font-pitch-asian](#) 906
[style:font-pitch-complex](#) 907
[style:font-relief](#) 909
[style:font-size-asian](#) 911
[style:font-size-complex](#) 913
[style:font-size-rel](#) 914
[style:font-size-rel-asian](#) 916
[style:font-size-rel-complex](#) 918
[style:font-style-asian](#) 919
[style:font-style-complex](#) 921
[style:font-style-name](#) 922
[style:font-style-name-asian](#) 924
[style:font-style-name-complex](#) 925
[style:font-weight-asian](#) 927
[style:font-weight-complex](#) 928
[style:footer](#) 246
[style:footer-left](#) 246
[style:footer-style](#) 245
[style:footnote-max-height](#) 930
[style:footnote-sep](#) 286
[style:glyph-orientation-vertical](#) 930
[style:graphic-properties](#) 313
[style:handout-master](#) 95
[style:header](#) 246
[style:header-footer-properties](#) 286
[style:header-left](#) 246
[style:header-style](#) 245
[style:height](#) 509
[style:horizontal-rel](#) 930
[style:join-border](#) 932
[style:justify-single-word](#) 932
[style:language-asian](#) 933
[style:language-complex](#) 936
[style:layout-grid-base-height](#) 936
[style:layout-grid-color](#) 936
[style:layout-grid-display](#) 937
[style:layout-grid-lines](#) 937
[style:layout-grid-mode](#) 937
[style:layout-grid-print](#) 937
[style:layout-grid-ruby-below](#) 938
[style:layout-grid-ruby-height](#) 938
[style:layout-grid-snap-to](#) 938
[style:leader-char](#) 509
[style:leader-color](#) 509
[style:leader-style](#) 511
[style:leader-text](#) 513
[style:leader-text-style](#) 514
[style:leader-type](#) 515
[style:leader-width](#) 517
[style:legend-expansion](#) 518
[style:legend-expansion-aspect-ratio](#) 518
[style:length](#) 518
[style:letter-kerning](#) 940
[style:line-break](#) 938
[style:line-height-at-least](#) 941
[style:lines](#) 518
[style:line-spacing](#) 942
[style:line-style](#) 518
[style:list-level-properties](#) ([section 2.1.443](#) 308, [section 2.1.1305](#) 1035)
[style:list-style-name](#) 518
[style:map](#) 238
[style:master-page-name](#) 519
[style:may-break-between-rows](#) 944
[style:min-row-height](#) 944
[style:mirror](#) 944
[style:name](#) 519
[style:next-style-name](#) 525
[style:number-wrapped-paragraphs](#) 948
[style:num-format](#) 526
[style:num-letter-sync](#) 539
[style:num-prefix](#) 543
[style:num-suffix](#) 547
[style:overflow-behavior](#) 948
[style:page-layout-name](#) 552
[style:page-layout-properties](#) 281
[style:page-number](#) 948
[style:page-usage](#) 552
[style:paper-tray-name](#) 950
[style:paragraph-properties](#) 288
[style:parent-style-name](#) 552
[style:position](#) 555
[style:presentation-page-layout](#) 281
[style:print](#) 950
[style:print-content](#) 951
[style:print-orientation](#) 951
[style:print-page-order](#) 951
[style:protect](#) 952
[style:punctuation-wrap](#) 957
[style:region-center](#) 247
[style:region-left](#) 246
[style:region-right](#) 247
[style:register-true](#) 958
[style:register-truth-ref-style-name](#) 959
[style:rel-column-width](#) 960
[style:rel-height](#) 557
[style:rel-width](#) 557
[style:repeat](#) 558
[style:repeat-content](#) 960
[style:rotation-align](#) 960
[style:rotation-angle](#) 961
[style:ruby-align](#) 961
[style:ruby-position](#) 962
[style:ruby-properties](#) 293
[style:run-through](#) 964
[style:scale-to](#) 964
[style:scale-to-pages](#) 964
[style:script-asian](#) 965
[style:script-complex](#) 965

[style:script-type](#) 965
[style:section-properties](#) 294
[style:shadow](#) 967
[style:shrink-to-fit](#) 969
[style:snap-to-layout-grid](#) 970
[style:style](#) 235
[style:style-name](#) 560
style:table-cell-properties ([section 2.1.442](#) 307, [section 2.1.1299](#) 1026)
[style:table-centering](#) 972
[style:table-column-properties](#) 303
style:table-properties ([section 2.1.439](#) 302, [section 2.1.1242](#) 960)
[style:table-row-properties](#) 305
[style:tab-stop](#) 291
[style:tab-stop-distance](#) 971
[style:tab-stops](#) 290
[style:text-align-source](#) 972
[style:text-autospace](#) 973
[style:text-blinking](#) 974
[style:text-combine](#) 975
[style:text-combine-end-char](#) 979
[style:text-combine-start-char](#) 977
[style:text-emphasize](#) 980
[style:text-line-through-color](#) 982
[style:text-line-through-mode](#) 984
[style:text-line-through-style](#) 985
[style:text-line-through-text](#) 988
[style:text-line-through-text-style](#) 989
[style:text-line-through-type](#) 991
[style:text-line-through-width](#) 992
[style:text-outline](#) 994
[style:text-overline-color](#) 995
[style:text-overline-mode](#) 995
[style:text-overline-style](#) 995
[style:text-overline-type](#) 996
[style:text-overline-width](#) 996
[style:text-position](#) 996
[style:text-properties](#) 256
[style:text-rotation-angle](#) 999
[style:text-rotation-scale](#) 1001
[style:text-scale](#) 1002
[style:text-underline-color](#) 1004
[style:text-underline-mode](#) 1005
[style:text-underline-style](#) 1007
[style:text-underline-type](#) 1010
[style:text-underline-width](#) 1011
[style:type](#) 560
[style:use-optimal-column-width](#) 1013
[style:use-optimal-row-height](#) 1013
[style:use-window-font-color](#) 1013
[style:vertical-align](#) 561
[style:vertical-pos](#) 1015
[style:vertical-rel](#) 1016
[style:volatile](#) 563
style:width ([section 2.1.745](#) 563, [section 2.1.1293](#) 1017)
[style:wrap](#) 1018
[style:wrap-contour](#) 1018
[style:wrap-contour-mode](#) 1018
[style:wrap-dynamic-threshold](#) 1018

[style:writing-mode](#) 1018
[style:writing-mode-automatic](#) 1026
[Subscript \(msub\)](#) 203
[Subscript-superscript Pair \(msupsub\)](#) 206
[Superscript \(msup\)](#) 205
[svg:accent-height](#) 564
[svg:alphabetic](#) 564
[svg:ascent](#) 565
[svg:bbox](#) 565
[svg:cap-height](#) 565
[svg:definition-src](#) 251
[svg:desc](#) 123
[svg:descent](#) 565
[svg:fill-rule](#) 1028
[svg:font-face-format](#) 252
[svg:font-face-name](#) 251
[svg:font-face-src](#) 251
[svg:font-face-uri](#) 251
[svg:font-family](#) 565
[svg:font-size](#) 566
[svg:font-stretch](#) 566
[svg:font-style](#) 567
[svg:font-variant](#) 567
[svg:font-weight](#) 567
[svg:hanging](#) 568
[svg:height](#) 568
[svg:ideographic](#) 572
[svg:linearGradient](#) 267
[svg:mathematical](#) 572
[svg:name](#) 572
[svg:overline-position](#) 572
[svg:overline-thickness](#) 572
[svg:panose-1](#) 573
[svg:radialGradient](#) 268
[svg:slope](#) 573
[svg:stemh](#) 573
[svg:stemu](#) 573
[svg:strikethrough-position](#) 573
[svg:strikethrough-thickness](#) 573
[svg:string](#) 574
[svg:stroke-color](#) 1029
[svg:stroke-opacity](#) 1031
[svg:stroke-width](#) 1033
[svg:title](#) 121
[svg:underline-position](#) 574
[svg:underline-thickness](#) 574
[svg:unicode-range](#) 574
[svg:units-per-em](#) 574
[svg:v-alphabetic](#) 575
[svg:v-hanging](#) 575
[svg:v-ideographic](#) 575
[svg:viewBox](#) 575
[svg:v-mathematical](#) 575
[svg:width](#) 576
[svg:widths](#) 580
[svg:x](#) 580
[svg:x-height](#) 582
[svg:y](#) 582

T

[Table or Matrix \(mtable\)](#) 216

[table:align](#) 1035
[table:application-data](#) 584
[table:automatic-find-labels](#) 584
[table:background](#) 249
[table:base-cell-address](#) 584
[table:bind-styles-to-content](#) 584
[table:body](#) 249
[table:border-color](#) 585
[table:border-model](#) 1035
[table:buttons](#) 585
[table:case-sensitive](#) 585
[table:cell-range-address](#) 585
[table:cell-range-source](#) 93
[table:condition](#) 586
[table:condition-source](#) 586
[table:condition-source-range-address](#) 586
[table:consolidation](#) 94
[table:contains-error](#) 586
[table:content-validation-name](#) 586
[table:copy-back](#) 587
[table:copy-formulas](#) 587
[table:copy-styles](#) 587
[table:country](#) 587
[table:covered-table-cell](#) 90
[table:database-name](#) 587
[table:data-cell-range-address](#) 587
[table:data-type](#) 588
[table:date-value](#) 588
[table:dde-links](#) 94
[table:default-cell-style-name](#) 588
[table:desc](#) 92
[table:detective](#) 93
[table:direction](#) 589
[table:display \(section 2.1.809\)](#) 589, [section 2.1.1308](#) 1035
[table:display-border](#) 589
[table:display-duplicates](#) 589
[table:display-list](#) 590
[table:enabled](#) 590
[table:end-cell-address](#) 590
[table:end-x](#) 590
[table:end-y](#) 591
[table:error-macro](#) 93
[table:even-columns](#) 249
[table:even-rows](#) 249
[table:field-number](#) 591
[table:filter-and](#) 94
[table:filter-name](#) 591
[table:filter-options](#) 591
[table:filter-or](#) 94
[table:filter-set-item](#) 94
[table:first-column](#) 248
[table:first-row](#) 248
[table:formula](#) 592
[table:function](#) 593
[table:group-by-field-number](#) 593
[table:grouped-by](#) 593
[table:highlighted-range](#) 93
[table:identify-categories](#) 594
[table:ignore-empty-rows](#) 594
[table:index](#) 594
[table:is-selection](#) 594
[table:is-sub-table](#) 594
[table:label-cell-range-address](#) 594
[table:label-range](#) 93
[table:label-ranges](#) 93
[table:language](#) 594
[table:last-column](#) 249
[table:last-row](#) 248
[table:link-to-source-data](#) 595
[table:marked-invalid](#) 595
[table:mode](#) 595
[table:name](#) 595
[table:named-expressions](#) 93
[table:number-columns-repeated](#) 596
[table:number-columns-spanned](#) 596
[table:number-matrix-columns-spanned](#) 597
[table:number-matrix-rows-spanned](#) 598
[table:number-rows-repeated](#) 597
[table:number-rows-spanned](#) 597
[table:object-name](#) 598
[table:odd-columns](#) 249
[table:odd-rows](#) 249
[table:on-update-keep-size](#) 598
[table:operation](#) 93
[table:operator](#) 599
[table:order](#) 599
[table:orientation](#) 599
[table:page-breaks-on-group-change](#) 599
[table:parse-sql-statement](#) 600
[table:password](#) 600
[table:print](#) 600
[table:print-ranges](#) 600
[table:protect](#) 601
[table:protected](#) 601
[table:protection-key](#) 601
[table:protection-key-digest-algorithm](#) 602
[table:range-usable-as](#) 602
[table:refresh-delay](#) 603
[table:scenario](#) 92
[table:selected-page](#) 603
[table:shapes](#) 92
[table:show-filter-button](#) 603
[table:source-cell-range-addresses](#) 604
[table:source-name](#) 604
[table:source-service](#) 94
[table:style-name](#) 604
[table:table \(section 2.1.189\)](#) 87, [section 2.1.854](#) 601
[table:table-background](#) 605
[table:table-cell \(section 2.1.836\)](#) 596, [section 2.1.855](#) 601
[table:table-column](#) 90
[table:table-column-group](#) 91
[table:table-columns](#) 91
[table:table-header-columns](#) 91
[table:table-header-rows](#) 90
[table:table-row](#) 89
[table:table-row-group](#) 91
[table:table-rows](#) 90
[table:table-source](#) 92
[table:table-template](#) 248

[table:target-cell-address](#) 605
[table:target-range-address](#) 94
[table:template-name](#) 605
[table:title](#) 92
[table:tracked-changes](#) 94
[table:use-banding-columns-styles](#) 605
[table:use-banding-rows-styles](#) 606
[table:used-hierarchy](#) 606
[table:use-first-column-styles](#) 606
[table:use-first-row-styles](#) 606
[table:use-labels](#) 606
[table:use-last-column-styles](#) 606
[table:use-last-row-styles](#) 606
[table:use-regular-expressions](#) 606
[table:user-name](#) 607
[table:value](#) 607
[table:value-type](#) 607
[table:visibility](#) 607
[targetFrameName](#) 317
[Text \(mtext\)](#) 162
[text:a](#) 56
[text:active](#) 608
[text:alphabetical-index](#) 85
[text:alphabetical-index-auto-mark-file](#) 85
[text:alphabetical-index-entry-template](#) 85
[text:alphabetical-index-mark](#) 82
[text:alphabetical-index-mark-end](#) 82
[text:alphabetical-index-mark-start](#) 82
[text:alphabetical-index-source](#) 421
[text:anchor-page-number](#) 608
[text:anchor-type](#) 608
[text:animation](#) 1035
[text:animation-delay](#) 1036
[text:animation-direction](#) 1036
[text:animation-repeat](#) 1036
[text:animation-start-inside](#) 1036
[text:animation-steps](#) 1036
[text:animation-stop-inside](#) 1036
[text:author-initials](#) 70
[text:author-name](#) 70
[text:bibliography](#) 85
[text:bibliography-configuration](#) 261
[text:bibliography-entry-template](#) 86
[text:bibliography-mark](#) 82
[text:bibliography-source](#) 86
[text:bookmark](#) 58
[text:bookmark-end](#) 60
[text:bookmark-ref](#) 79
[text:bookmark-start](#) 59
[text:bullet-char](#) 609
[text:bullet-relative-size](#) 611
[text:c](#) 612
[text:capitalize-entries](#) 612
[text:change](#) 49
[text:changed-region](#) 48
[text:change-end](#) 49
[text:change-start](#) 49
[text:chapter](#) 70
[text:character-count](#) 76
[text:class-names](#) 613
[text:combine-entries](#) 615
[text:combine-entries-with-dash](#) 615
[text:combine-entries-with-pp](#) 616
[text:comma-separated](#) 616
[text:condition](#) 617
[text:conditional-text](#) 79
[text:cond-style-name](#) 616
[text:consecutive-numbering](#) 617
[text:continue-list](#) 618
[text:continue-numbering](#) 619
[text:count-empty-lines](#) 620
[text:count-in-text-boxes](#) 620
[text:creation-date](#) 73
[text:creation-time](#) 73
[text:creator](#) 75
[text:database-display](#) 78
[text:database-name](#) 78
[text:database-next](#) 78
[text:database-row-number](#) 78
[text:database-row-select](#) 78
[text:date-adjust](#) 620
[text:date-value](#) 620
[text:dde-connection](#) 80
[text:dde-connection-decl](#) 234
[text:dde-connection-decls](#) 233
[text:default-style-name](#) 621
[text:deletion](#) 49
[text:description](#) 73
[text:display](#) 621
[text:display-levels](#) 622
[text:don't-balance-text-columns](#) 1036
[text:editing-cycles](#) 75
[text:editing-duration](#) 75
[text:execute-macro](#) 80
[text:expression](#) 72
[text:file-name](#) 70
[text:fixed](#) 624
[text:format-change](#) 49
[text:formula](#) 626
[text:global](#) 626
[text:h](#) 39
[text:hidden-paragraph](#) 80
[text:hidden-text](#) 79
[text:id](#) 626
[text:ignore-case](#) 627
[text:illustration-index](#) 83
[text:illustration-index-entry-template](#) 84
[text:illustration-index-source](#) 83
[text:image-count](#) 76
[text:increment](#) 626
[text:index-body](#) 82
[text:index-entry-bibliography](#) 87
[text:index-entry-chapter](#) ([section 2.1.181](#) 86, [section 2.1.926](#) 635)
[text:index-entry-link-end](#) 87
[text:index-entry-link-start](#) 87
[text:index-entry-page-number](#) 86
[text:index-entry-span](#) 87
[text:index-entry-tab-stop](#) 87
[text:index-entry-text](#) 86
[text:index-scope](#) 626
[text:index-source-styles](#) 86

[text:index-title](#) 83
[text:index-title-template](#) 86
[text:initial-creator](#) 73
[text:insertion](#) 48
[text:is-list-header](#) 627
[text:key1](#) 627
[text:key1-phonetic](#) 627
[text:key2](#) 627
[text:key2-phonetic](#) 627
[text:keywords](#) 74
[text:level](#) 628
[text:line-break](#) 54
[text:line-number](#) 1038
[text:linenumbering-configuration](#) 259
[text:linenumbering-separator](#) 260
[text:list](#) 44
[text:list-header](#) 45
[text:list-level-position-and-space-mode](#) 1039
[text:list-level-style-number](#) 263
[text:list-style](#) 261
[text:main-entry](#) 632
[text:main-entry-style-name](#) 632
[text:master-page-name](#) 633
[text:measure](#) 80
[text:min-label-distance](#) 1039
[text:min-label-width](#) 1040
[text:modification-date](#) 75
[text:modification-time](#) 75
[text:name](#) 633
[text:note](#) 63
[text:note-body](#) 65
[text:note-citation](#) 64
[text:note-class](#) 633
[text:note-continuation-notice-backward](#) 261
[text:note-continuation-notice-forward](#) 261
[text:note-ref](#) 79
[text:notes-configuration](#) 260
[text:number](#) 56
[text:numbered-paragraph](#) 46
[text:number-lines](#) 633
[text:number-position](#) 634
[text:object-count](#) 76
[text:object-index](#) 84
[text:object-index-entry-template](#) 84
[text:object-index-source](#) 84
[text:outline-level](#) 634
[text:outline-style](#) 265
[text:p](#) 41
[text:page](#) 44
[text:page-adjust](#) 635
[text:page-continuation](#) 67
[text:page-count](#) 75
[text:page-sequence](#) 44
[text:page-variable-get](#) 78
[text:page-variable-set](#) 78
[text:paragraph-count](#) 75
[text:placeholder](#) 78
[text:print-date](#) 74
[text:printed-by](#) 74
[text:print-time](#) 74
[text:protected](#) 635
[text:protection-key](#) 635
[text:protection-key-digest-algorithm](#) 636
[text:reference-format](#) 636
[text:reference-mark](#) 61
[text:reference-mark-end](#) 62
[text:reference-mark-start](#) 62
[text:reference-ref](#) 79
[text:ref-name](#) 636
[text:relative-tab-stop-position](#) 637
[text:restart-numbering](#) 637
[text:ruby](#) 66
[text:ruby-text](#) 67
[text:s](#) 52
[text:script](#) 80
[text:section](#) 46
[text:section-source](#) 47
[text:select-page](#) 637
[text:sender-city](#) 69
[text:sender-company](#) 68
[text:sender-country](#) 69
[text:sender-email](#) 68
[text:sender-fax](#) 68
[text:sender-filename](#) 67
[text:sender-initials](#) 67
[text:sender-lastname](#) 67
[text:sender-phone-private](#) 68
[text:sender-phone-work](#) 69
[text:sender-position](#) 68
[text:sender-postal-code](#) 69
[text:sender-state-or-province](#) 69
[text:sender-street](#) 69
[text:sender-title](#) 68
[text:sequence](#) 72
[text:sequence-decl](#) 72
[text:sequence-decls](#) 72
[text:sequence-ref](#) 79
[text:sheet-name](#) 70
[text:soft-page-break](#) 50
[text:sort-algorithm](#) 637
[text:space-before](#) 1042
[text:span](#) 55
[text:start-value](#) 637
[text:style-name](#) 640
[text:subject](#) 74
[text:tab](#) 53
[text:table-count](#) 76
[text:table-formula](#) 80
[text:table-index](#) 84
[text:table-index-entry-template](#) 84
[text:table-index-source](#) 84
[text:table-of-content](#) 83
[text:table-of-content-entry-template](#) 83
[text:tab-ref](#) 647
[text:template-name](#) 70
[text:text-input](#) 73
[text:time-adjust](#) 649
[text:time-value](#) 649
[text:title](#) 74
[text:toc-mark](#) 81
[text:toc-mark-end](#) 81
[text:toc-mark-start](#) 81

[text:track-changes](#) 649
[text:tracked-changes](#) 48
[text:use-keys-as-entries](#) 650
[text:user-defined](#) 74
[text:user-field-decl](#) 71
[text:user-field-decls](#) 71
[text:user-field-get](#) 72
[text:user-field-input](#) 72
[text:user-index](#) 85
[text:user-index-entry-template](#) 85
[text:user-index-mark](#) 82
[text:user-index-mark-end](#) 81
[text:user-index-mark-start](#) 81
[text:user-index-source](#) 85
[text:variable-decl](#) 71
[text:variable-decls](#) 70
[text:variable-get](#) 71
[text:variable-input](#) 71
[text:variable-set](#) 71
[text:visited-style-name](#) 650
[text:word-count](#) 76
[Tracking changes](#) 1044

U

[Underscript \(munder\)](#) 208
[Underscript-overscript Pair \(munderover\)](#) 212

V

[variableName](#) 317
[vector3D](#) 317

W

[W3C Schema Datatypes](#) 316

X

[xforms:bind](#) 651
[xforms:model](#) 138
[xhtml:about](#) 651
[xhtml:content](#) 652
[xhtml:datatype](#) 652
[xhtml:property](#) 653
[xlink:actuate](#) 654
[xlink:href](#) 656
[xlink:show](#) 660
[xlink:type](#) 664
[xml:id](#) 667