

# [MS-OXCICAL]: iCalendar to Appointment Object Conversion Protocol Specification

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.
- **Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.
Microsoft Corporation	August 6, 2008	1.01	Revised and edited technical content.
Microsoft Corporation	September 3, 2008	1.02	Revised and edited technical content.
Microsoft Corporation	October 1, 2008	1.03	Revised and edited technical content.
Microsoft Corporation	December 3, 2008	1.04	Updated IP notice.
Microsoft Corporation	March 4, 2009	1.05	Revised and edited technical content.
Microsoft Corporation	April 10, 2009	2.0	Updated technical content and applicable product releases.

# Table of Contents

<b>1</b>	<b>Introduction.....</b>	<b>7</b>
1.1	Glossary .....	7
1.2	References .....	8
1.2.1	Normative References .....	8
1.2.2	Informative References .....	10
1.3	Structure Overview .....	10
1.4	Relationship to Protocols and Other Structures .....	10
1.5	Applicability Statement.....	10
1.6	Versioning and Localization.....	10
1.7	Vendor-Extensible Fields .....	11
<b>2</b>	<b>Structures.....</b>	<b>11</b>
2.1	Property Relevance .....	11
2.2	Hierarchy of Components, Properties, and Parameters.....	15
2.2.1	Component: VCALENDAR .....	15
2.2.1.1	Property: METHOD.....	15
2.2.1.2	Property: PRODID .....	16
2.2.1.3	Property: VERSION.....	16
2.2.1.4	Property: X-CALEND .....	16
2.2.1.4.1	Parameter: TZID.....	17
2.2.1.5	Property: X-CALSTART.....	17
2.2.1.5.1	Parameter: TZID.....	17
2.2.1.6	Property: X-CLIPEND.....	18
2.2.1.6.1	Parameter: TZID.....	18
2.2.1.7	Property: X-CLIPSTART .....	18
2.2.1.7.1	Parameter: TZID.....	18
2.2.1.8	Property: X-MICROSOFT-CALSCALE .....	18
2.2.1.9	Property: X-MS-OLK-FORCEINSPECTOROPEN .....	20
2.2.1.10	Property: X-MS-WKHRDAYS .....	21
2.2.1.11	Property: X-MS-WKHREND .....	21
2.2.1.11.1	Parameter: TZID.....	21
2.2.1.12	Property: X-MS-WKHRSTART.....	22
2.2.1.12.1	Parameter: TZID.....	22
2.2.1.13	Property: X-OWNER.....	22
2.2.1.13.1	Parameter: CN .....	22
2.2.1.14	Property: X-PRIMARY-CALENDAR.....	23
2.2.1.15	Property: X-PUBLISHED-TTL .....	23
2.2.1.16	Property: X-WR-CALDESC .....	23
2.2.1.17	Property: X-WR-CALNAME .....	24
2.2.1.18	Property: X-WR-RELCALID .....	24
2.2.1.19	Component: VTIMEZONE.....	24
2.2.1.19.1	Property: TZID .....	26
2.2.1.19.2	Component: STANDARD.....	27

2.2.1.19.3	Component: DAYLIGHT	31
2.2.1.20	Component: VEVENT	33
2.2.1.20.1	Property: ATTACH	33
2.2.1.20.2	Property: ATTENDEE	36
2.2.1.20.3	Property: CATEGORIES	40
2.2.1.20.4	Property: CLASS	41
2.2.1.20.5	Property: COMMENT	41
2.2.1.20.6	Property: CONTACT	42
2.2.1.20.7	Property: CREATED	42
2.2.1.20.8	Property: DTEND	42
2.2.1.20.9	Property: DTSTAMP	44
2.2.1.20.10	Property: DTSTART	45
2.2.1.20.11	Property: DESCRIPTION	47
2.2.1.20.12	Property: DURATION	48
2.2.1.20.13	Property: EXDATE	48
2.2.1.20.14	Property: LAST-MODIFIED	49
2.2.1.20.15	Property: LOCATION	50
2.2.1.20.16	Property: ORGANIZER	50
2.2.1.20.17	Property: PRIORITY	52
2.2.1.20.18	Property: RDATE	52
2.2.1.20.19	Property: RRULE	55
2.2.1.20.20	Property: RECURRENCE-ID	55
2.2.1.20.21	Property: RESOURCES	58
2.2.1.20.22	Property: SEQUENCE	58
2.2.1.20.23	Property: STATUS	59
2.2.1.20.24	Property: SUMMARY	59
2.2.1.20.25	Property: TRANSP	60
2.2.1.20.26	Property: UID	60
2.2.1.20.27	Property: X-ALT-DESC	63
2.2.1.20.28	Property: X-MICROSOFT-CDO-ALLDAYEVENT	64
2.2.1.20.29	Property: X-MICROSOFT-CDO-APPT-SEQUENCE	64
2.2.1.20.30	Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE	64
2.2.1.20.31	Property: X-MICROSOFT-CDO-BUSYSTATUS	65
2.2.1.20.32	Property: X-MICROSOFT-CDO-IMPORTANCE	65
2.2.1.20.33	Property: X-MICROSOFT-CDO-INSTTYPE	66
2.2.1.20.34	Property: X-MICROSOFT-CDO-INTENDEDSTATUS	66
2.2.1.20.35	Property: X-MICROSOFT-CDO-OWNERAPPTID	66
2.2.1.20.36	Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE	67
2.2.1.20.37	Property: X-MICROSOFT-CDO-REPLYTIME	67
2.2.1.20.38	Property: X-MICROSOFT-DISALLOW-COUNTER	67
2.2.1.20.39	Property: X-MICROSOFT-EXDATE	67
2.2.1.20.40	Property: X-MICROSOFT-ISDRAFT	68
2.2.1.20.41	Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	69

2.2.1.20.42	Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS ....	69
2.2.1.20.43	Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE ....	69
2.2.1.20.44	Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS .....	69
2.2.1.20.45	Property: X-MICROSOFT-RRULE .....	70
2.2.1.20.46	Property: X-MS-OLK-ALLOWEXTERNCHECK .....	70
2.2.1.20.47	Property: X-MS-OLK-APPTLASTSEQUENCE .....	71
2.2.1.20.48	Property: X-MS-OLK-APPTSEQTIME .....	71
2.2.1.20.49	Property: X-MS-OLK-AUTOFILLOCATION .....	71
2.2.1.20.50	Property: X-MS-OLK-AUTOSTARTCHECK .....	72
2.2.1.20.51	Property: X-MS-OLK-COLLABORATEDOC .....	72
2.2.1.20.52	Property: X-MS-OLK-CONFCHECK .....	72
2.2.1.20.53	Property: X-MS-OLK-CONFTYPE .....	72
2.2.1.20.54	Property: X-MS-OLK-DIRECTORY .....	73
2.2.1.20.55	Property: X-MS-OLK-MWSURL .....	73
2.2.1.20.56	Property: X-MS-OLK-NETSHOWURL .....	73
2.2.1.20.57	Property: X-MS-OLK-ONLINEPASSWORD .....	73
2.2.1.20.58	Property: X-MS-OLK-ORGALIAS .....	74
2.2.1.20.59	Property: X-MS-OLK-ORIGINALEND .....	74
2.2.1.20.60	Property: X-MS-OLK-ORIGINALSTART .....	74
2.2.1.20.61	Property: X-MS-OLK-SENDER .....	74
2.2.1.20.62	Component: VALARM .....	75
2.3	Additional Information on Recurrences .....	77
2.3.1	iCalendar Recurrence Syntax .....	77
2.3.1.1	Recurrence Part: FREQ .....	77
2.3.1.2	Recurrence Part: INTERVAL .....	78
2.3.1.3	Recurrence Part: BYMINUTE .....	78
2.3.1.4	Recurrence Part: BYHOUR .....	78
2.3.1.5	Recurrence Part: BYMONTHDAY .....	78
2.3.1.6	Recurrence Part: BYDAY .....	79
2.3.1.7	Recurrence Part: BYMONTH .....	79
2.3.1.8	Recurrence Part: BYSETPOS .....	79
2.3.1.9	Recurrence Part: WKST .....	80
2.3.1.10	Recurrence Part: UNTIL .....	80
2.3.1.11	Recurrence Part: COUNT .....	80
2.3.2	Recurrence Templates .....	81
2.3.2.1	Template: Daily Recurrences .....	82
2.3.2.2	Template: Weekly Recurrences .....	85
2.3.2.3	Template: Monthly Recurrences .....	87
2.3.2.4	Template: Monthly Nth Recurrences .....	89
2.3.2.5	Template: Yearly Recurrences .....	92
2.3.2.6	Template: Yearly Nth Recurrences .....	94
2.3.3	End-of-Month Concerns .....	96
2.3.4	Legacy UNTIL Concerns .....	96

<b>3</b>	<b><i>Structure Examples</i></b> .....	<b>96</b>
3.1	Example Birthday Calendar for 2008 .....	96
3.2	Example Schedule for the Week of June 16, 2008.....	127
3.3	Example Single Meeting Scenario .....	170
3.3.1	Organizer's Meeting Request.....	170
3.3.2	Attendee's Meeting Acceptance .....	182
3.3.3	Organizer's Cancellation .....	188
3.4	Example Recurring Meeting Scenario .....	200
3.4.1	Organizer's Meeting Request.....	201
3.4.2	Organizer's Cancellation of an Instance .....	214
3.4.3	Organizer's Location Change of an Instance.....	227
3.4.4	Attendee's Tentative Acceptance of the Series .....	241
<b>4</b>	<b><i>Security Considerations</i></b> .....	<b>247</b>
<b>5</b>	<b><i>Appendix A: Office/Exchange Behavior</i></b> .....	<b>247</b>
	<b><i>Index</i></b> .....	<b>259</b>

# 1 Introduction

The iCalendar file format, as specified in [RFC2445], specifies an extensible text structure that is capable of serializing a wide variety of calendar data, including meeting requests, task items, free/busy information, and exported calendars.

This document specifies how the iCalendar file format could be used by a Calendar object application as specified in [MS-OXOCAL] to communicate with other calendaring systems over non-Message object transports such as **SMTP**.

## 1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

- address book**
- Address Book object**
- Calendar object**
- Coordinated Universal Time (UTC)**
- Counter Proposal**
- entry ID**
- free/busy**
- Meeting Workspace**
- Message object**
- MIME**
- one-off address**
- one-off entryID**
- Recurring Calendar object**
- reminder**
- signal time**
- Simple Mail Transfer Protocol (SMTP)**
- Unicode**

The following data type is defined in [MS-DTYP]:

- WCHAR**

The following terms are specific to this document:

**all day:** An **all day** appointment is an appointment with a **floating** start time at midnight of a given day, and a **floating** end time at midnight of another (or the same) day <1>.

**component:** In the context of [RFC2445], a **component** refers to a hierarchical object described in an iCalendar file. An iCalendar **component** can recursively contain any number of child **components** and any number of **properties**. More detailed information regarding iCalendar **components** can be found in section 4.6 of [RFC2445].

**floating:** In the context of [RFC2445], a **floating** time represents a time to be interpreted in the observer's location and does not necessarily translate into the same **Coordinated Universal Time (UTC)** time in different locations. For example, a **reminder** for an appointment that starts at 1/1/2008 at 2:00pm **floating** time would fire two hours earlier in Athens than it would in London. More information regarding the syntax and interpretation of **floating** times can be found in section 4.3.5 of [RFC2445].

**one-off:** A recipient that is identified by a **one-off entry ID** and/or **one-off address** rather than an Address Book object entry ID.

**parameter:** In the context of [RFC2445], a **parameter** refers to a name-value pair associated with a **property**. More detailed information regarding iCalendar **parameters** can be found in section 4.2 of [RFC2445].

**primary calendar:** A **primary calendar** is the calendar its owner schedules against. In particular, meeting requests and responses are processed against Calendar objects in the **primary calendar**. Non-**primary calendars** do not reflect the calendar owner's **free/busy** schedule and tend to be more thematic and informational in nature.

**property:** In the context of [RFC2445], a **property** refers to a name-value pair associated with its parent **component**. **Properties** can contain any number of **parameters**. . More detailed information regarding iCalendar **properties** can be found in section 4.5 of [RFC2445].

**recurrence part:** A name-value pair in a **property** of type Recurrence Rule ([RFC2445] section 4.3.10). All **recurrence parts** relevant to this specification are enumerated under 2.3.1.

**week independent:** A BYDAY **recurrence part** is considered **week independent** if it does not specify any week numbers.

**x-prop:** In the context of [RFC2445], an **x-prop** refers to a **property**, **parameter**, or **component** that is not explicitly specified in [RFC2445]. Section 4.8.8.1 of [RFC2445] requires that the names of all such non-standard **properties**, **parameters**, and **components** begin with the substring 'X-'.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

### 1.2.1 Normative References

[MS-DTYP] Microsoft Corporation, "Windows Data Types", March 2007, <http://go.microsoft.com/fwlink/?LinkId=111558>.



[MS-LCID] Microsoft Corporation, "Windows Language Code Identifier (LCID) Reference", March 2007, <http://go.microsoft.com/fwlink/?LinkId=112265>.

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-Mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-Mail Object Protocol Specification", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[RFC1766] Alvestrand, H., "Tags for the Identification of Languages", RFC 1766, March 1995, <http://www.ietf.org/rfc/rfc1766.txt>.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC2368] Hoffman, P., Masinter, L., and Zawinski, J., "The mailto URL scheme", RFC 2368, July 1998, <http://www.ietf.org/rfc/rfc2368.txt>.

[RFC2392] Levinson, E., "Content-ID and Message-ID Uniform Resource Locators", RFC 2392, August 1998, <http://www.ietf.org/rfc/rfc2392.txt>.

[RFC2445] Dawson, F. and Stenerson, D., "Internet Calendaring and Scheduling Core Object Specification (iCalendar)", RFC 2445, November 1998, <http://www.ietf.org/rfc/rfc2445.txt>.

[RFC2446] Dawson, F., Hopson, R., Mansour, S., and Silverberg, S., "iCalendar Transport-Independent Interoperability Protocol (iTIP)", RFC 2446, November 1998, <http://www.ietf.org/rfc/rfc2446.txt>.

[RFC2447] Dawson, F., Mansour, S., and Silverberg, S., "iCalendar Message-Based Interoperability Protocol (iMIP)", RFC 2447, November 1998, <http://www.ietf.org/rfc/rfc2447.txt>.

[RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", RFC 3629, November 2003, <http://www.ietf.org/rfc/rfc3629.txt>.

[RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", RFC 3986, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>.

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>.

## 1.2.2 Informative References

None.

## 1.3 Structure Overview

This document specifies how the iCalendar file format can be used by a **Calendar object** application as specified in [MS-OXOCAL] to communicate with other calendaring systems over non-Message object transports. More specifically, this document describes how to import iCalendar data into a Calendar object and how to export Calendar objects as iCalendar data.

## 1.4 Relationship to Protocols and Other Structures

This document specifies a mapping between the iCalendar file format [RFC2445] and a Calendar object (specified in [MS-OXOCAL]), which can be updated and sent using the protocols specified in [MS-OXCMSG] and [MS-OXOMSG].

When used as a meeting request, the iCalendar file format can be embedded as a **MIME** part in an e-mail as described in [RFC2447] and specified in [MS-OXCMAIL].

## 1.5 Applicability Statement

This file format is applicable for scenarios where calendar data needs to be transported between a Calendar object source and a non-Calendar object or indeterminate destination. This file format is best avoided if 100 percent fidelity is required when transporting calendar data between a Calendar object source and a Calendar object destination.

## 1.6 Versioning and Localization

This document covers versioning issues in the following areas:

- **Structure Version:** The iCalendar file format defines a **VERSION** property, as specified in section 2.2.1.3.

- **Localization:** The iCalendar file format defines a LANGUAGE **parameter**, as specified in sections 2.2.1.20.11.1, 2.2.1.20.15.1, and 2.2.1.20.24.1.

Versioning is not a concern for the iCalendar file format because only one version has been approved by the IETF as of Q1 2008.

Similarly, localization is generally not an issue because the default encoding of an iCalendar file is UTF-8 (specified in [RFC3629]), so all implementers are expected to handle **Unicode** data. Localization issues might arise if an implementation chooses to override the default character set in the context of a MIME part.

### 1.7 Vendor-Extensible Fields

Section 4.8.8.1 of [RFC2445] permits the insertion of non-standard **components**, properties, and parameters into the iCalendar file. The primary requirement of these extensible fields is that the name begin with 'X-', and as such, they are often termed x-components, **x-props**, and x-parameters. This document specifies several x-props to increase the fidelity of the conversion between Calendar objects and the iCalendar file format.

## 2 Structures

The structure of the iCalendar text stream is described in section 4.1 of [RFC2445].

### 2.1 Property Relevance

Section 2.2 specifies over 100 **components**, **properties**, and **parameters** that can be converted between the iCalendar and Calendar object. Table 1 provides recommendations regarding the actual relevance of each component, property, or parameter to the scenarios defined by five values of the METHOD property: 'PUBLISH', 'REQUEST', 'REPLY', 'COUNTER', and 'CANCEL' [RFC2446].

**Table 1- Relevance of components, properties, and parameters to various scenarios. For clarity, 'No's are represented by a blank space. The '\*' symbol is used to indicate hierarchy placement.**

<i>Component/Property/Parameter</i>	<i>Section</i>					
		<i>PUBLISH</i>	<i>REQUEST</i>	<i>REPLY</i>	<i>COUNTER</i>	<i>CANCEL</i>
VCALENDAR	2.2.1	Yes	Yes	Yes	Yes	Yes
• METHOD	2.2.1.1	Yes	Yes	Yes	Yes	Yes
• PROPID	2.2.1.2	Yes	Yes	Yes	Yes	Yes
• VERSION	2.2.1.3	Yes	Yes	Yes	Yes	Yes
• X-CALEND	2.2.1.4	Yes				
•• TZID	2.2.1.4.1	Yes				
• X-CALSTART	2.2.1.5	Yes				
•• TZID	2.2.1.5.1	Yes				

• X-CLIPEND	2.2.1.6	Yes					
•• TZID	2.2.1.6.1	Yes					
• X-CLIPSTART	2.2.1.7	Yes					
•• TZID	2.2.1.7.1	Yes					
• X-MICROSOFT-CALSCALE	2.2.1.8	Yes	Yes	Yes	Yes	Yes	Yes
• X-MS-OLK-FORCEINSPECTOROPEN	2.2.1.9	Yes					
• X-MS-WKHRDAYS	2.2.1.10	Yes					
• X-MS-WKHREND	2.2.1.11	Yes					
•• TZID	2.2.1.11.1	Yes					
• X-MS-WKHRSTART	2.2.1.12	Yes					
•• TZID	2.2.1.12.1	Yes					
• X-OWNER	2.2.1.13	Yes					
•• CN	2.2.1.13.1	Yes					
• X-PRIMARY-CALENDAR	2.2.1.14	Yes					
• X-PUBLISHED-TTL	2.2.1.15	Yes					
• X-WR-CALDESC	2.2.1.16	Yes					
• X-WR-CALNAME	2.2.1.17	Yes					
• X-WR-RELCALID	2.2.1.18	Yes					
• VTIMEZONE	2.2.1.19	Yes	Yes	Yes	Yes	Yes	Yes
•• TZID	2.2.1.19.1	Yes	Yes	Yes	Yes	Yes	Yes
••• STANDARD	2.2.1.19.2	Yes	Yes	Yes	Yes	Yes	Yes
•••• DTSTART	2.2.1.19.2.1	Yes	Yes	Yes	Yes	Yes	Yes
•••• RRULE	2.2.1.19.2.2	Yes	Yes	Yes	Yes	Yes	Yes
•••• TZOFFSETFROM	2.2.1.19.2.4	Yes	Yes	Yes	Yes	Yes	Yes
•••• TZOFFSETTO	2.2.1.19.2.5	Yes	Yes	Yes	Yes	Yes	Yes
••• DAYLIGHT	2.2.1.19.3	Yes	Yes	Yes	Yes	Yes	Yes
•••• DTSTART	2.2.1.19.3.1	Yes	Yes	Yes	Yes	Yes	Yes
•••• RRULE	2.2.1.19.3.2	Yes	Yes	Yes	Yes	Yes	Yes
•••• TZOFFSETFROM	2.2.1.19.3.4	Yes	Yes	Yes	Yes	Yes	Yes
•••• TZOFFSETTO	2.2.1.19.3.5	Yes	Yes	Yes	Yes	Yes	Yes
• VEVENT	2.2.1.20	Yes	Yes	Yes	Yes	Yes	Yes
•• ATTACH	2.2.1.20.1	Yes					
••• ENCODING	2.2.1.20.1.1	Yes					
••• FMTTYPE	2.2.1.20.1.2	Yes					
••• VALUE	2.2.1.20.1.3	Yes					
•••• X-FILENAME	2.2.1.20.1.4	Yes					
•• ATTENDEE	2.2.1.20.2	Yes	Yes	Yes	Yes	Yes	Yes
••• CN	2.2.1.20.2.1	Yes	Yes	Yes	Yes	Yes	Yes
••• CUTYPE	2.2.1.20.2.2	Yes	Yes	Yes	Yes	Yes	Yes
•••• PARTSTAT	2.2.1.20.2.3			Yes	Yes		
•••• ROLE	2.2.1.20.2.4	Yes	Yes	Yes	Yes	Yes	Yes
•••• RSVP	2.2.1.20.2.5	Yes	Yes				Yes
•• CATEGORIES	2.2.1.20.3	Yes	Yes	Yes	Yes	Yes	Yes
•• CLASS	2.2.1.20.4	Yes	Yes	Yes	Yes	Yes	Yes

•• COMMENT	2.2.1.20.5			Yes	Yes	
•• CONTACT	2.2.1.20.6	Yes	Yes	Yes	Yes	Yes
•• CREATED	2.2.1.20.7					
•• DTEND	2.2.1.20.8	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.8.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.8.2	Yes	Yes	Yes	Yes	Yes
•• DTSTAMP	2.2.1.20.9	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.9.1					
•• DTSTART	2.2.1.20.10	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.10.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.10.2	Yes	Yes	Yes	Yes	Yes
•• DESCRIPTION	2.2.1.20.11	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	2.2.1.20.11.1	Yes	Yes	Yes	Yes	Yes
•• DURATION	2.2.1.20.12					
•• EXDATE	2.2.1.20.13	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.13.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.13.2	Yes	Yes	Yes	Yes	Yes
•• LAST-MODIFIED	2.2.1.20.14					
•• LOCATION	2.2.1.20.15	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	2.2.1.20.15.1	Yes	Yes	Yes	Yes	Yes
•• ORGANIZER	2.2.1.20.16	Yes	Yes	Yes	Yes	Yes
••• CN	2.2.1.20.16.1	Yes	Yes	Yes	Yes	Yes
•• PRIORITY	2.2.1.20.17	Yes	Yes	Yes	Yes	Yes
•• RDATE	2.2.1.20.18	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.18.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.18.2	Yes	Yes	Yes	Yes	Yes
•• RRULE	2.2.1.20.19	Yes	Yes	Yes	Yes	Yes
•• RECURRENCE-ID	2.2.1.20.20	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.20.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.20.2	Yes	Yes	Yes	Yes	Yes
•• RESOURCES	2.2.1.20.21	Yes	Yes	Yes	Yes	Yes
•• SEQUENCE	2.2.1.20.22	Yes	Yes	Yes	Yes	Yes
•• STATUS	2.2.1.20.23					
•• SUMMARY	2.2.1.20.24	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	2.2.1.20.24.1	Yes	Yes	Yes	Yes	Yes
•• TRANSP	2.2.1.20.25	Yes	Yes	Yes	Yes	Yes
•• UID	2.2.1.20.26	Yes	Yes	Yes	Yes	Yes
•• X-ALT-DESC	2.2.1.20.27	Yes				
••• FMTTYPE	2.2.1.20.27.1	Yes				
•• X-MICROSOFT-CDO-ALLDAYEVENT	2.2.1.20.28	Yes	Yes	Yes	Yes	Yes
•• X-MICROSOFT-CDO-APPT-SEQUENCE	2.2.1.20.29					
•• X-MICROSOFT-CDO-BUSYSTATUS	2.2.1.20.31	Yes	Yes	Yes	Yes	Yes

•• X-MICROSOFT-CDO-IMPORTANCE	2.2.1.20.32					
•• X-MICROSOFT-CDO-INSTTYPE	2.2.1.20.33					
•• X-MICROSOFT-CDO-INTENDEDSTATUS	2.2.1.20.34	Yes	Yes	Yes	Yes	Yes
•• X-MICROSOFT-CDO-OWNERAPPTID	2.2.1.20.35	Yes	Yes	Yes	Yes	Yes
•• X-MICROSOFT-DISALLOW-COUNTER	2.2.1.20.38	Yes	Yes	Yes	Yes	Yes
•• X-MICROSOFT-EXDATE	2.2.1.20.39	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.39.1	Yes	Yes	Yes	Yes	Yes
•• X-MICROSOFT-ISDRAFT	2.2.1.20.40	Yes				
•• X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	2.2.1.20.41					
•• X-MICROSOFT-MSNCALENDAR-BUSYSTATUS	2.2.1.20.42					
•• X-MICROSOFT-MSNCALENDAR-IMPORTANCE	2.2.1.20.43					
•• X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS	2.2.1.20.44					
•• X-MICROSOFT-RRULE	2.2.1.20.45	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.45.1	Yes	Yes	Yes	Yes	Yes
••• X-MICROSOFT-ISLEAPMONTH	2.2.1.20.45.2	Yes	Yes	Yes	Yes	Yes
•• X-MS-OLK-ALLOWEXTERNCHECK	2.2.1.20.46					
•• X-MS-OLK-APPTLASTSEQUENCE	2.2.1.20.47					
•• X-MS-OLK-APPTSEQTIME	2.2.1.20.48					
••• TZID	2.2.1.20.48.1					
•• X-MS-OLK-AUTOFILLLOCATION	2.2.1.20.49					
•• X-MS-OLK-AUTOSTARTCHECK	2.2.1.20.50					
•• X-MS-OLK-COLLABORATEDOC	2.2.1.20.51					
•• X-MS-OLK-CONFCHECK	2.2.1.20.52					
•• X-MS-OLK-CONFTYPE	2.2.1.20.53					
•• X-MS-OLK-DIRECTORY	2.2.1.20.54					
•• X-MS-OLK-MWSURL	2.2.1.20.55					
•• X-MS-OLK-NETSHOWURL	2.2.1.20.56					
•• X-MS-OLK-ONLINEPASSWORD	2.2.1.20.57					
•• X-MS-OLK-ORGALIAS	2.2.1.20.58					
•• X-MS-OLK-ORIGALEND	2.2.1.20.59				Yes	
•• X-MS-OLK-ORIGINALSTART	2.2.1.20.60				Yes	
•• X-MS-OLK-SENDER	2.2.1.20.61	Yes				
••• CN	2.2.1.20.61.1	Yes				
•• VALARM	2.2.1.20.62	Yes	Yes			Yes
••• TRIGGER	2.2.1.20.62.1	Yes	Yes			Yes
••• ACTION	2.2.1.20.62.2	Yes	Yes			Yes
••• DESCRIPTION	2.2.1.20.62.3	Yes	Yes			Yes

## 2.2 Hierarchy of Components, Properties, and Parameters

This subsection enumerates all iCalendar components, properties, and parameters that can be mapped to Calendar objects. The hierarchy presented in the header specifies all parent-child relationships between these components, properties, and parameters. Any components, properties, and parameters not specified in this document SHOULD be ignored.

Unless otherwise specified, if the Calendar object property being exported is not set, then the corresponding property SHOULD NOT be exported. Similarly, unless otherwise specified, if the property being imported is not present, then the corresponding Calendar object property SHOULD be left unset.

### 2.2.1 Component: VCALENDAR

RFC Reference: [RFC2445] section 4.4

Number of Instances Allowed: 1+

Brief Description: The root component of a valid iCalendar file.

#### Importing To and Exporting From Calendar Objects

A valid iCalendar file SHOULD have exactly one VCALENDAR component as its root.

### 2.2.1.1 Property: METHOD

RFC Reference: [RFC2445] section 4.7.2

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Distinguishes normal appointments from meeting requests, responses, and cancellations.

#### Importing To Calendar Objects

The METHOD property SHOULD be imported as the **PidTagMessageClass** and **PidLidAppointmentCounterProposal** of all imported Calendar objects, as specified in Table 2 <3>. In the case where the METHOD property is set to 'REPLY', the **PidTagMessageClass** has several possible values depending on the PARTSTAT parameter of the ATTENDEE property of the VEVENT component. If the METHOD property is set to 'REPLY' or 'COUNTER', the iCalendar MUST have exactly one ATTENDEE property and exactly one such PARTSTAT parameter.

In the case where the METHOD property is set to 'REQUEST', 'REPLY', or 'CANCEL', the VCALENDAR file MUST define exactly one appointment <4>.

**Table 2- Mapping of PidTagMessageClass and PidLidAppointmentCounterProposal to the METHOD property**

<i>METHOD</i>	<i>PARTSTAT</i>	<i>PidLidAppointment CounterProposal</i>	<i>PidTagMessageClass</i>
(default)		FALSE	IPM.Appointment

PUBLISH		FALSE	IPM.Appointment
REQUEST		FALSE	IPM.Schedule.Meeting.Request
REPLY	ACCEPTED	FALSE	IPM.Schedule.Meeting.Resp.Pos
REPLY	TENTATIVE	FALSE	IPM.Schedule.Meeting.Resp.Tent
REPLY	DECLINED	FALSE	IPM.Schedule.Meeting.Resp.Neg
COUNTER	TENTATIVE	TRUE	IPM.Schedule.Meeting.Resp.Tent
CANCEL		FALSE	IPM.Schedule.Meeting.Canceled

### Exporting From Calendar Objects

For exports of calendars, the METHOD property MUST be left unset or set to PUBLISH. For exports of individual Calendar objects, the **PidTagMessageClass** and **PidLidAppointmentCounterProposal** of the Calendar object SHOULD be exported as the METHOD property as specified in Table 2 <3>.

#### 2.2.1.2 Property: PRODID

RFC Reference: [RFC2445] section 4.7.3

Number of Instances Allowed: 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Identifies the application that generated the iCalendar file.

#### Importing To Calendar Objects

When parsing an iCalendar file, if the value of the PRODID property begins with the substring '-//Microsoft Corporation//Outlook<SP>' and ends with the substring '<SP>MIMEDIR//EN', where '<SP>' represents the space character (U+0020), and if the integer part of the version number between the two substrings is between 1 and 11 (inclusive), then some behavior changes SHOULD be made as described in section 2.3.4.

#### Exporting From Calendar Objects

The value assigned to PRODID MUST be unique for different implementations and different versions of an iCalendar converter.

#### 2.2.1.3 Property: VERSION

RFC Reference: [RFC2445] section 4.7.4

Number of Instances Allowed: 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Identifies the version of an iCalendar file.

#### Importing To and Exporting From Calendar Objects

The value of this property MUST be set to '2.0'.

#### 2.2.1.4 Property: X-CALEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([RFC2445] section 4.3.5)



Brief Description: Identifies the end time of the last instance of an appointment in the iCalendar file.

#### **Importing To Calendar Objects**

This property SHOULD be ignored.

#### **Exporting From Calendar Objects**

This property SHOULD<5> be computed as the end time of the last instance of an appointment in the iCalendar file. If the iCalendar contains appointments with **floating** and non-floating end times in such a way that the calendar's end time is dependent on the recipient's time zone, the X-CALEND property SHOULD<5> be declared twice: once with floating calendar end time, and once with non-floating calendar end time.

##### **2.2.1.4.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

##### **2.2.1.5 Property: X-CALSTART**

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Identifies the start time of the first instance of an appointment in the iCalendar file.

#### **Importing To Calendar Objects**

This property SHOULD be ignored.

#### **Exporting From Calendar Objects**

This property SHOULD<5> be computed as the start time of the first instance of an appointment in the iCalendar file. If the iCalendar contains appointments with floating and non-floating start times in such a way that the calendar's start time is dependent on the recipient's time zone, the X-CALSTART property SHOULD<5> be declared twice: once with floating calendar start time, and once with non-floating calendar start time.

##### **2.2.1.5.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

### **2.2.1.6 Property: X-CLIPEND**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Indicates the end of the date range that the user selected for export during the creation of the iCalendar file.

#### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

#### **Exporting From Calendar Objects**

This property SHOULD<5> be the end of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

#### **2.2.1.6.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

### **2.2.1.7 Property: X-CLIPSTART**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Indicates the start of the date range that the user selected for export during the creation of the iCalendar file.

#### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

#### **Exporting From Calendar Objects**

This property SHOULD<5> be the start of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

#### **2.2.1.7.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

### **2.2.1.8 Property: X-MICROSOFT-CALSCALE**

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Identifies the calendar type of a non-Gregorian recurring appointment.

### Importing To Calendar Objects

If this property is specified, then it SHOULD<7> be imported for every VEVENT that declares an X-MICROSOFT-RRULE.

This property SHOULD<7> set the CalendarType field of **PidLidAppointmentRecur**. See also sections 2.3.2.1, 2.3.2.2, 2.3.2.3, 2.3.2.4, 2.3.2.5, and 2.3.2.6.

**Table 3- Import mapping of X-MICROSOFT-CALSCALE**

<i>X-MICROSOFT-CALSCALE Value</i>	<i>CalendarType</i>
(default)	0x0000
Gregorian	0x0001
Gregorian_us	0x0002
Japan	0x0003
Taiwan	0x0004
Korea	0x0005
Hijri	Either 0x0000 or 0x0006, as specified in Table 4 (the PatternType field SHOULD<7> also be overwritten as specified in Table 4)
Thai	0x0007
Hebrew	0x0008
GregorianMeFrench	0x0009
GregorianArabic	0x000A
GregorianXlitEnglish	0x000B
GregorianXlitFrench	0x000C
JapanLunar	0x000E
ChineseLunar	0x000F
Saka	0x0010
LunarEtoChn	0x0011
LunarEtoKor	0x0012
LunarRokuyou	0x0013
KoreaLunar	0x0014
Umalqura	0x0017

**Table 4- Special translation of PatternType for Hijri calendars**

<i>Gregorian PatternType Value</i>	<i>Hijri PatternType Value</i>	<i>Hijri CalendarType Value</i>
0x0000	0x0000	0x0006
0x0001	0x0001	0x0006
0x0002	0x000A	0x0000
0x0003	0x000B	0x0000

## Exporting From Calendar Objects

Since this property is a child of the VCALENDAR, a VCALENDAR MUST NOT contain any two VEVENTs that would result in different values of X-MICROSOFT-CALSCALE.

If the CalendarType field of **PidLidAppointmentRecur** is non-zero, then this property SHOULD<7> be exported as specified in Table 5.

Additionally, for certain values of the PatternType field of **PidLidAppointmentRecur**, this property SHOULD<7> be exported as specified in Table 6.

**Table 5- Export mapping of X-MICROSOFT-CALSCALE**

<i>CalendarType Value</i>	<i>X-MICROSOFT-CALSCALE Value</i>
0x0001	Gregorian
0x0002	Gregorian_us
0x0003	Japan
0x0004	Taiwan
0x0005	Korea
0x0006	Hijri
0x0007	Thai
0x0008	Hebrew
0x0009	GregorianMeFrench
0x000A	GregorianArabic
0x000B	GregorianXlitEnglish
0x000C	GregorianXlitFrench
0x000E	JapanLunar
0x000F	ChineseLunar
0x0010	Saka
0x0011	LunarEtoChn
0x0012	LunarEtoKor
0x0013	LunarRokuyou
0x0014	KoreaLunar
0x0017	Umalqura

**Table 6- Additional export mappings of X-MICROSOFT-CALSCALE**

<i>Special PatternType Value</i>	<i>X-MICROSOFT-CALSCALE Value</i>
0x000A	Hijri
0x000B	Hijri

### 2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file only contains one appointment.

### **Importing To Calendar Objects**

If this property is set to TRUE, the iCalendar stream SHOULD<5>be imported as a single Calendar object, regardless of the number of VEVENT components present in the iCalendar. Note that it is possible for an iCalendar file containing multiple VEVENT components to represent a single appointment through the use of the RECURRENCE-ID property documented in section 2.2.1.20.20.

### **Exporting From Calendar Objects**

This property SHOULD<5> be set to 'TRUE' if the iCalendar file represents a single appointment rather than a calendar export.

## **2.2.1.10 Property: X-MS-WKHRDAYS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Comma-delimited list

Brief Description: Specifies the days of the week in the calendar owner's workweek.

### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

### **Exporting From Calendar Objects**

If this iCalendar does not represent the **primary calendar** of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD<5> be a comma-delimited list containing any number of the elements enumerated in Table 44.

Each element MUST NOT appear more than once, but the order of the elements does not matter. The syntax of this format is the same as the syntax of a **week independent BYDAY recurrence part** documented in section 2.3.1.6.

## **2.2.1.11 Property: X-MS-WKHREND**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([RFC2445] section 4.3.12)

Brief Description: Specifies the end time of the calendar owner's workday.

### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

### **Exporting From Calendar Objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD<5> be the end time of the calendar owner's workday, specified as a local time with the TZID parameter (section 2.2.1.11.1).

### **2.2.1.11.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.  
Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

### **2.2.1.12 Property: X-MS-WKHRSTART**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([RFC2445] section 4.3.12)

Brief Description: Specifies the starting time of the calendar owner's workday.

#### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

#### **Exporting From Calendar Objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD<5> be the start time of the calendar owner's workday, specified as a local time with the TZID parameter (section 2.2.1.12.1).

#### **2.2.1.12.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

### **2.2.1.13 Property: X-OWNER**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Calendar User Address ([RFC2445] section 4.3.3)

Brief Description: Specifies the calendar owner of a primary calendar.

#### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

#### **Exporting From Calendar Objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD<5> be the e-mail address of the owner.

#### **2.2.1.13.1 Parameter: CN**

RFC Reference: [RFC2445] section 4.2.2

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the display name of the owner of a primary calendar.

#### **Importing To Calendar Objects**

This parameter SHOULD<6> be ignored.

### **Exporting From Calendar Objects**

If this iCalendar does not represent the primary calendar of the owner, this parameter SHOULD be omitted. Otherwise, this parameter SHOULD<5> be the display name of the owner.

#### **2.2.1.14 Property: X-PRIMARY-CALENDAR**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file represents a primary calendar.

### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

### **Exporting From Calendar Objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD<5> be set to 'TRUE'.

#### **2.2.1.15 Property: X-PUBLISHED-TTL**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Duration ([RFC2445] section 4.3.6)

Brief Description: Specifies a suggested iCalendar file download frequency for clients with sync capabilities.

### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

### **Exporting From Calendar Objects**

If this iCalendar is being automatically published to a remote location at regular intervals, this property SHOULD<5> be set to that interval with a minimum granularity of minutes.

#### **2.2.1.16 Property: X-WR-CALDESC**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the description of the calendar.

### **Importing To Calendar Objects**

This property SHOULD<6> be ignored.

### **Exporting From Calendar Objects**

If this iCalendar represents an export of a calendar, and if the owner has provided a description of the calendar, this property SHOULD<5> be set to the owner's specified text, which SHOULD<5> be truncated to a length of 255 or fewer WCHARs (the truncation SHOULD NOT<8> split surrogate pairs).

### 2.2.1.17 Property: X-WR-CALNAME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the name of the calendar.

#### Importing To Calendar Objects

This property SHOULD<5> be imported directly into<9> the **PidTagDisplayName** of the Folder object representing the newly-created destination of the imported appointments.

#### Exporting From Calendar Objects

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD<5> be set to the value of **PidTagDisplayName** on the Folder object representing the calendar being exported.

If the calendar is the owner's primary calendar, this property SHOULD<5> instead be set to a more descriptive locale-dependent string containing the owner's name (e.g. 'Elizabeth Andersen Calendar').

### 2.2.1.18 Property: X-WR-RELCALID

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies a globally unique identifier for the calendar.

#### Importing To Calendar Objects

This property SHOULD <6> be used and persisted by the iCalendar renderer to decide whether the import overwrites an existing calendar or creates a new calendar.

#### Exporting From Calendar Objects

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD<5> be set to a value that will be globally unique for different calendars, but consistent across multiple exports of the same calendar.

### 2.2.1.19 Component: VTIMEZONE

RFC Reference: [RFC2445] section 4.6.5

Number of Instances Allowed: 0+ <10>

Brief Description: Specifies any timezones referenced by TZID parameters.

#### Importing To Calendar Objects

Since TZIDs can be referenced by many properties, including several **x-props** in the root component, VTIMEZONEs MUST be used to resolve all local times in the iCalendar file, even if the TZID reference occurs before the VTIMEZONE definition. This section discusses how to import a VTIMEZONE into a **PidLidTimeZoneStruct** structure [MS-OXOCAL].



**Table 7- All fields of the PidLidTimeZoneStruct structure**

<i>Field of the PidLidTimeZoneStruct structure</i>	<i>Value</i>
IBias	See 2.2.1.19.2.5
lStandardBias	Set to 0x00000000
lDaylightBias	See 2.2.1.19.3.5
stStandardDate	See 2.2.1.19.2.1 and 2.2.1.19.2.2
stDaylightDate	See 2.2.1.19.3.1 and 2.2.1.19.3.2

If this VTIMEZONE is imported as **PidLidAppointmentTimeZoneDefinitionRecur**, **PidLidAppointmentTimeZoneDefinitionStartDisplay**, and/or **PidLidAppointmentTimeZoneDefinitionEndDisplay** <11>, then Table 8 specifies the contents of the resulting blob (the structure of this blob is specified in [MS-OXOCAL]). See sections 2.2.1.20.8.1 and 2.2.1.20.10.1 for more information.

**Table 8- All fields of the PidLidAppointmentTimeZoneDefinitionRecur, PidLidAppointmentTimeZoneDefinitionStartDisplay, or PidLidAppointmentTimeZoneDefinitionEndDisplay blob.**

<i>Field of the blob</i>	<i>Value</i>
Major Version	Constant specified by [MS-OXOCAL]
Minor Version	Constant specified by [MS-OXOCAL]
cbHeader	Set to (0x0006 + 0x0002 * cchKeyName)
Reserved	Constant specified by [MS-OXOCAL]
cchKeyName	Set to the number of characters in KeyName
KeyName	See 2.2.1.19.1
cRules	Set to 0x0001
TZRules[1].Major Version	Constant specified by [MS-OXOCAL]
TZRules[1].Minor Version	Constant specified by [MS-OXOCAL]
TZRules[1].Reserved	Constant specified by [MS-OXOCAL]
TZRules[1].TZRule Flags	Set to 0x0002 for <b>PidLidAppointmentTimeZoneDefinitionStartDisplay</b> and <b>PidLidAppointmentTimeZoneDefinitionEndDisplay</b> . Set to 0x0003 for <b>PidLidAppointmentTimeZoneDefinitionRecur</b> .
TZRules[1].wYear	Set to 0x0641
TZRules[1].X	Constant specified by [MS-OXOCAL]
TZRules[1].IBias	Import the same as the IBias field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].lStandardBias	Import the same as the lStandardBias field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].lDaylightBias	Import the same as the lDaylightBias field of a PidLidTimeZoneStruct structure (see Table 7)

TZRules[1].stStandardDate	Import the same as the stStandardDate field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].stDaylightDate	Import the same as the stDaylightDate field of a PidLidTimeZoneStruct structure (see Table 7)

### Exporting From Calendar Objects

A VTIMEZONE component MUST be declared for each unique value of any TZID parameters in the iCalendar. Note that the comparison used to match TZID parameters to VTIMEZONE components SHOULD<12> be case-insensitive.

If exporting a VTIMEZONE from a **PidLidAppointmentTimeZoneDefinitionRecur**, **PidLidAppointmentTimeZoneDefinitionStartDisplay**, or **PidLidAppointmentTimeZoneDefinitionEndDisplay**, the *lBias*, *lStandardBias*, *lDaylightBias*, *stStandardDate*, and *stDaylightDate* subfields of the TZRule entry with the TZRULE\_FLAG\_EFFECTIVE\_TZREG (0x0002) bit set in the *TZRule Flags* field MUST be exported as a **PidLidTimeZoneStruct** structure as specified in the following subsections.  
<11>

#### 2.2.1.19.1 Property: TZID

RFC Reference: [RFC2445] section 4.8.3.1

Number of Instances Allowed: 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The name of the time zone. This string will be compared (case-insensitive <12>) to TZID parameters in the rest of the iCalendar to identify the time zone being referenced by the parameter's parent property.

#### Importing To Calendar Objects

If this time zone is set as the primary time zone of an appointment, then the value of this property SHOULD be imported as **PidLidTimeZoneDescription**. However, the calendar client SHOULD<13> overwrite **PidLidTimeZoneDescription** with a more appropriately localized name from a matching time zone.

If this VTIMEZONE is imported as **PidLidAppointmentTimeZoneDefinitionRecur**, **PidLidAppointmentTimeZoneDefinitionStartDisplay**, and/or **PidLidAppointmentTimeZoneDefinitionEndDisplay** <11>, then the TZID MUST also be imported as the KeyName field of the blobs for those properties. See sections 2.2.1.20.8.1 and 2.2.1.20.10.1 for more information.

The calendar client SHOULD ignore special meanings (specified in [RFC2445] section 4.8.3.1) of a solidus character (U+002F) in the value of TZID.

#### Exporting From Calendar Objects

If the system's local time zone is being exported as a VTIMEZONE, then this name MUST be derived from the system API that supplied the time zone.

If the **PidLidTimeZoneStruct** property is being exported as a VTIMEZONE, this name MUST be derived from **PidLidTimeZoneDescription**.

If the **PidLidAppointmentTimeZoneDefinitionRecur**, **PidLidAppointmentTimeZoneDefinitionStartDisplay**, or **PidLidAppointmentTimeZoneDefinitionEndDisplay** property is being exported as a VTIMEZONE, then the value of TZID MUST<11> be derived from the KeyName field of the property's blob.

In all cases, TZIDs for different time zones MUST be unique, and each unique TZID MUST NOT be defined more than once.

#### **2.2.1.19.2 Component: STANDARD**

RFC Reference: [RFC2445] section 4.6.5

Number of Instances Allowed: 1+

Brief Description: A specification of the Standard portion of the time zone.

##### **Importing To Calendar Objects**

If more than one STANDARD component is defined in the VTIMEZONE, only the STANDARD component with the largest DTSTART SHOULD<14> be parsed.

##### **Exporting From Calendar Objects**

Exactly one STANDARD component SHOULD be exported for each VTIMEZONE.

#### **2.2.1.19.2.1 Property: DTSTART**

RFC Reference: [RFC2445] section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: The effective start date of this onset of Standard time.

##### **Importing To Calendar Objects**

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the **stStandardDate** field of the **PidLidTimeZoneStruct** structure MUST be set to 0x00.

If the VTIMEZONE being imported contains one or more DAYLIGHT sub-components, the fields of the **stStandardDate** field of the **PidLidTimeZoneStruct** structure are set according to Table 9.

**Table 9- All sub-fields of the stStandardDate field of the PidLidTimeZoneStruct structure. All fields of the PidLidTimeZoneStruct structure are listed in Table 7**

<i>Field of PidLidTimeZoneStruct.stStandardDate</i>	<i>Value</i>
wYear	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wMonth	(dependent on RRULE; see Table 10, Table 13, and Table 14)

wDayOfWeek	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wDay	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wHour	The hour portion of DTSTART
wMinute	The minute portion of DTSTART
wSecond	The second portion of DTSTART
wMilliseconds	Set to 0x0000

If an RRULE property is not specified for this component, additional portions of the **stStandardDate** field of the **PidLidTimeZoneStruct** structure SHOULD<15> be imported as specified in Table 10.

**Table 10- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has no RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.**

<i>Field of PidLidTimeZoneStruct.stStandardDate</i>	<i>Value</i>
wYear	Set to 0x0000
wMonth	The month portion of DTSTART
wDayOfWeek	The day of the week of the date specified by DTSTART. See Table 11.
wDay	The occurrence of the day of week in the month for the date specified by DTSTART (if this is the 2 <sup>nd</sup> Monday of May, wDay is set to 2). If this is the last occurrence of the day of the week in the month, wDay is set to 0x0005. See Table 12.

**Table 11- Values of the PidLidTimeZoneStruct.stStandardDate.wDayOfWeek**

<i>wDayOfWeek</i>	<i>Meaning</i>
0x0000	Sunday
0x0001	Monday
0x0002	Tuesday
0x0003	Wednesday
0x0004	Thursday
0x0005	Friday
0x0006	Saturday

**Table 12- Values of PidLidTimeZoneStruct.stStandardDate.wDay**

<i>wDay</i>	<i>Meaning</i>
0x0001	First occurrence of the day of the week
0x0002	Second occurrence of the day of the week
0x0003	Third occurrence of the day of the week
0x0004	Fourth occurrence of the day of the week
0x0005	Last occurrence of the day of the week

## Exporting From Calendar Objects

This MUST be set to the onset of the Standard portion of the time zone for some year before the first appointment in the iCalendar<16>. This property is specified in the local time of the VTIMEZONE component, but the TZID parameter of this property is omitted.

### 2.2.1.19.2.2 Property: RRULE

RFC Reference: [RFC2445] section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence Rule ([RFC2445] section 4.3.10)

Brief Description: A rule describing the onset of Standard time for years following DTSTART.

## Importing To Calendar Objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the **stStandardDate** field of the **PidLidTimeZoneStruct** structure MUST be set to 0x00 (as specified in 2.2.1.19.2.1). The remainder of this subsection only pertains to the case where the VTIMEZONE being imported contains one or more DAYLIGHT sub-components.

For basic information regarding the Recurrence Rule format, see section 4.3.10 of [RFC2445] and section 2.3.1 of this document.

Time zone recurrences MUST be of frequency YEARLY and MUST specify either a BYDAY or a BYMONTHDAY, but not both.

If a BYDAY is specified, it MUST specify a single occurrence of a single day of the week (e.g. BYDAY=2MO, but not BYDAY=MO or BYDAY=1MO, 3MO). The recurrence is imported into the **stStandardDate** field of the **PidLidTimeZoneStruct** structure using Table 13.

**Table 13- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has a BYDAY RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.**

<i>Field of PidLidTimeZoneStruct.stStandardDate</i>	<i>Value</i>
wYear	Set to 0x0000
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	The day of the week specified by the BYDAY recurrence part. See Table 11.
wDay	The occurrence of the day of the week specified by the BYDAY recurrence part. See Table 12.

If a BYMONTHDAY is specified, it MUST specify a single day of the month (.BYMONTHDAY=12, but not BYMONTHDAY=14, 15). The recurrence SHOULD<17> be imported into the **stStandardDate** field of the **PidLidTimeZoneStruct** structure using Table 14.

**Table 14- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has a BYMONTHDAY RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.**

<i>Field of PidLidTimeZoneStruct.stStandardDate</i>	<i>Value</i>
wYear	Set to 0x0001
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	Set to 0x0000.
wDay	The value of the BYMONTHDAY recurrence part.

### **Exporting From Calendar Objects**

For basic information regarding the Recurrence Rule format, see section 4.3.10 of [RFC2445] and section 2.3.1 of this document.

If the time zone does not observe Daylight Saving Time (DST) , this property MUST be omitted.

If the time zone uses a transition rule based on an occurrence of a day of the week, this property MUST be of the form `FREQ=YEARLY;BYDAY=byday;BYMONTH=bymonth`.

If the time zone uses a transition rule based on a specific day of the month, this property SHOULD<18> be of the form `FREQ=YEARLY;BYMONTHDAY=bymonthday;BYMONTH=bymonth`.

#### **2.2.1.19.2.3 Property: TZNAME**

RFC Reference: [RFC2445] section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The name of the standard portion of the time zone.

### **Importing To Calendar Objects**

This property SHOULD be ignored on import.

### **Exporting From Calendar Objects**

This property SHOULD<19> be omitted.

#### **2.2.1.19.2.4 Property: TZOFFSETFROM**

RFC Reference: [RFC2445] section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([RFC2445] section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

### **Importing To Calendar Objects**

This property SHOULD be ignored on import.

### **Exporting From Calendar Objects**

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IDaylightBias}))$ .

#### **2.2.1.19.2.5 Property: TZOFFSETTO**

RFC Reference: [RFC2445] section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([RFC2445] section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

### **Importing To Calendar Objects**

The **IBias** field of the **PidLidTimeZoneStruct** structure MUST be set to  $(-1 * \text{offsetMinutes})$ , where **offsetMinutes** is the value of **TZOFFSETTO** in minutes. See Table 7.

### **Exporting From Calendar Objects**

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IStandardBias}))$ .

#### **2.2.1.19.3 Component: DAYLIGHT**

RFC Reference: [RFC2445] section 4.6.5

Number of Instances Allowed: 0+

Brief Description: A specification of the Daylight portion of the time zone.

### **Importing To Calendar Objects**

If more than one DAYLIGHT component is defined in the VTIMEZONE, only the DAYLIGHT component with the largest DTSTART SHOULD<20> be parsed.

If no DAYLIGHT components are defined in the VTIMEZONE then all the bytes in the **IDaylightBias**, **IStandardBias**, **stDaylightDate**, and **stStandardDate** fields of the **PidLidTimeZoneStruct** MUST be set to 0x00.

### **Exporting From Calendar Objects**

If this time zone observes Daylight Saving Time, exactly one DAYLIGHT component MUST be exported for each VTIMEZONE.

If this time zone does not observe DST, this component SHOULD<21> be omitted.

#### **2.2.1.19.3.1 Property: DTSTART**

RFC Reference: [RFC2445] section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: The effective start date of this onset of Daylight Saving Time.

### **Importing To and Exporting From Calendar Objects**

The behavior of this property is identical to the behavior of the DTSTART property of the STANDARD component (section 2.2.1.19.2.1) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

#### **2.2.1.19.3.2 Property: RRULE**

RFC Reference: [RFC2445] section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence Rule ([RFC2445] section 4.3.10)

Brief Description: A rule describing the onset of Daylight Saving Time for years following DTSTART.

#### **Importing To and Exporting From Calendar Objects**

The behavior of this property is identical to the behavior of the RRULE property of the STANDARD component (section 2.2.1.19.2.2) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

#### **2.2.1.19.3.3 Property: TZNAME**

RFC Reference: [RFC2445] section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The name of the daylight portion of the time zone.

#### **Importing To Calendar Objects**

This property MUST be ignored on import.

#### **Exporting From Calendar Objects**

This property SHOULD be omitted.

#### **2.2.1.19.3.4 Property: TZOFFSETFROM**

RFC Reference: [RFC2445] section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([RFC2445] section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

#### **Importing To Calendar Objects**

This property SHOULD be ignored on import.

#### **Exporting From Calendar Objects**

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IStandardBias}))$ .

#### **2.2.1.19.3.5 Property: TZOFFSETTO**

RFC Reference: [RFC2445] section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([RFC2445] section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

#### **Importing To Calendar Objects**

The **lDaylightBias** field of **PidLidTimeZoneStruct** structure MUST be set to  $(-1 * (\text{offsetMinutes} - \text{IBias}))$ , where **offsetMinutes** is the value of **TZOFFSETTO** measured in minutes. See Table 7.



## Exporting From Calendar Objects

This property MUST be the UTC-Offset representation of (-1 \* (PidLidTimeZoneStruct.IBias + PidLidTimeZoneStruct.IDaylightBias)).

### 2.2.1.20 Component: VEVENT

RFC Reference: [RFC2445] section 4.6.1

Number of Instances Allowed: 1+

Brief Description: A specification of an appointment or an exception to a recurring appointment.

#### Importing To Calendar Objects

With the exception of those containing RECURRENCE-ID properties (section 2.2.1.20.20), all VEVENT components MUST map to a new Calendar object.

#### Exporting From Calendar Objects

Each Calendar object MUST be exported to its own VEVENT component. Certain exceptions to recurring appointments can also be exported as separate VEVENT components as specified in section 2.2.1.20.20.

### 2.2.1.20.1 Property: ATTACH

RFC Reference: [RFC2445] section 4.8.1.1

Number of Instances Allowed: 0+

Format: URI ([RFC2445] section 4.3.13), Binary ([RFC2445] section 4.3.1)

Brief Description: An attachment to the appointment.

#### Importing To Calendar Objects

If the VALUE parameter of this property is BINARY, then this property SHOULD<23> be parsed as a BASE64-encoded stream (specified in section 6.8 of [RFC 2045]), decoded into its raw binary form, and stored in **PidTagAttachDataBinary** of a new attachment object with properties specified in Table 15.

**Table 15- All attachment object properties for encoded binary ATTACH properties**

<i>Attachment Object Property</i>	<i>Value</i>
<b>PidTagAttachDataBinary</b>	See above
<b>PidTagAttachEncoding</b>	Set to an empty SBinary
<b>PidTagAttachExtension</b>	Set to the substring X-FILENAME (2.2.1.20.1.4) following the last instance of a '.' character (U+002E) in the string. If no instances of a period exist, set to a zero-length string ("").
<b>PidTagAttachFilename</b>	Set to the value of X-FILENAME (2.2.1.20.1.4)
<b>PidTagAttachFlags</b>	Set to 0x00000000
<b>PidTagAttachLongFilename</b>	Set to the value of X-FILENAME (2.2.1.20.1.4)
<b>PidTagAttachMethod</b>	Set to 0x00000001
<b>PidTagAttachMimeType</b>	Imported from FMTTYPER (2.2.1.20.1.2)
<b>PidTagAttachmentContactPhoto</b>	Set to FALSE
<b>PidTagAttachmentFlags</b>	Set to 0x00000000

<b>PidTagAttachmentHidden</b>	Set to FALSE
<b>PidTagAttachmentLinkId</b>	Set to 0x00000000
<b>PidTagDisplayName</b>	Set to the value of X-FILENAME (2.2.1.20.1.4)
<b>PidTagExceptionEndTime</b>	Set to 0x0CB34557A3DD4000
<b>PidTagExceptionStartTime</b>	Set to 0x0CB34557A3DD4000
<b>PidTagRenderingPosition</b>	Set to 0xFFFFFFFF

If the VALUE parameter of this property is "URI" or not defined, then this property SHOULD<23> be parsed as a URI. CID URIs (specified in [RFC2392]) SHOULD<24> be used, for the case in which the iCalendar is embedded in a multi-part MIME e-mail to determine which attachments from the MIME will be imported into the Calendar object. Other URIs SHOULD<23> be imported into a new attachment object with properties specified in Table 16.

**Table 16- All attachment object properties for URI ATTACH properties**

<i>Attachment Object Property</i>	<i>Value</i>
<b>PidTagAttachDataBinary</b>	Set to an 8-bit text stream, containing the text specified in Table 17 and encoded in the active code page (line breaks are encoded as 0x0D followed by 0x0A)
<b>PidTagAttachEncoding</b>	Set to an empty SBinary
<b>PidTagAttachExtension</b>	Set to ".url"
<b>PidTagAttachFilename</b>	Set to the filename parsed from the URI with a .url extension added. With respect to [RFC3986], the filename is the last segment in the hier-part of the URI.
<b>PidTagAttachFlags</b>	Set to 0x00000000
<b>PidTagAttachLongFilename</b>	Same as PidTagAttachFilename
<b>PidTagAttachMethod</b>	Set to 0x00000001
<b>PidTagAttachMimeTag</b>	Set to the value of FMTTYPER (2.2.1.20.1.2)
<b>PidTagAttachmentContactPhoto</b>	Set to FALSE
<b>PidTagAttachmentFlags</b>	Set to 0x00000000
<b>PidTagAttachmentHidden</b>	Set to FALSE
<b>PidTagAttachmentLinkId</b>	Set to 0x00000000
<b>PidTagDisplayName</b>	Same as PidTagAttachFilename
<b>PidTagExceptionEndTime</b>	Set to 0x0CB34557A3DD4000
<b>PidTagExceptionStartTime</b>	Set to 0x0CB34557A3DD4000
<b>PidTagRenderingPosition</b>	Set to 0xFFFFFFFF

**Table 17- .uri file contents**

[InternetShortcut] URL=urivalue
------------------------------------

## Exporting From Calendar Objects

If this iCalendar is being generated as part of a MIME meeting request, all attachments in the attachment table that meet the constraints in Table 18 SHOULD<25> be exported as a CID URI (specified in [RFC2392]). In this case, the value of this property MUST be a CID URI generated by treating **PidTagAttachContentId** as a CID. If **PidTagAttachContentId** does not exist, a [RFC2392]-compliant CID SHOULD<25> be generated and stored in **PidTagAttachContentId**.

If this iCalendar is being generated as part of a calendar export, all attachments in the attachment table that meet the constraints in Table 18 SHOULD<26> be exported as base64-encoded binary streams. The value of this property MUST be the BASE64 encoding of **PidTagAttachDataBinary** (BASE64 encoding is specified in section 6.8 of [RFC 2045]).

**Table 18- Conditions for exporting attachments**

<i>Attachment Object Property</i>	<i>Constraint</i>
<b>PidTagAttachmentFlags</b>	MUST NOT have any bits set to 1 in the bit mask 0x00000007
<b>PidTagAttachmentHidden</b>	MUST be unset or, if set, MUST be FALSE
<b>PidTagAttachMethod</b>	MUST be 0x00000001

### 2.2.1.20.1.1 Parameter: ENCODING

RFC Reference: [RFC2445] section 4.2.7

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the encoding of a binary attachment.

### Importing To and Exporting From Calendar Objects

If the VALUE parameter of this ATTACH is BINARY, then this parameter MUST be BASE64. Otherwise, this parameter MUST be omitted.

### 2.2.1.20.1.2 Parameter: FMTTYPE

RFC Reference: [RFC2445] section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the MIME content type of an attachment.

### Importing To Calendar Objects

This parameter SHOULD<23> be imported as **PidTagAttachMimeTag**.

### Exporting From Calendar Objects

This parameter SHOULD<27> take the value of **PidTagAttachMimeTag**.

### 2.2.1.20.1.3 Parameter: VALUE

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Distinguishes encoded binary attachments from URI attachments.

### **Importing To Calendar Objects**

This parameter distinguishes attachments encoded in the iCalendar from URIs referencing resources outside the iCalendar. See section 2.2.1.20.1.

### **Exporting From Calendar Objects**

If this iCalendar is being generated as part of a MIME meeting request, this parameter SHOULD be omitted.

If this iCalendar is being generated as part of a calendar export, this parameter SHOULD be BINARY.

#### **2.2.1.20.1.4 Parameter: X-FILENAME**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Supplies a filename for an encoded binary attachment.

### **Importing To Calendar Objects**

If the VALUE parameter of this ATTACH is BINARY, this X-FILENAME parameter SHOULD be sanitized as specified in [MS-OXCMAIL] section 2.2.4.1.1 and imported as **PidTagAttachFilename**, **PidTagAttachLongFilename**, and **PidTagDisplayName**. The filename extension parsed from this parameter is imported as **PidTagAttachExtension** as specified in Table 15.

Otherwise, the X-FILENAME parameter is ignored.

### **Exporting From Calendar Objects**

If the VALUE parameter of this ATTACH is BINARY, then this parameter SHOULD take the value of **PidTagAttachLongFilename**.

Otherwise, this parameter SHOULD be omitted.

#### **2.2.1.20.2 Property: ATTENDEE**

RFC Reference: [RFC2445] section 4.8.4.1

Number of Instances Allowed: 0+

Format: URI ([RFC2445] section 4.3.13)

Brief Description: An attendee for a meeting.

### **Importing To Calendar Objects**

If this property has the special value 'invalid:nomail', then the CN of this ATTENDEE SHOULD be added to a list delimited by ";" (U+003B followed by U+0020) in the appropriate string property (specified in Table 19). If an ATTENDEE matches more than one row in Table 19, the first matching row applies.

**Table 19- Calendar Object properties for non-sendable ATTENDEEs**

<i>CUTYPE</i>	<i>ROLE</i>	<i>Append CN to...</i>
RESOURCE	(any)	<b>PidLidNonSendableBcc</b>
ROOM	(any)	<b>PidLidNonSendableBcc</b>
(any)	OPT-PARTICIPANT	<b>PidLidNonSendableCc</b>
(any)	NON-PARTICIPANT	<b>PidLidNonSendableBcc</b> <29>
(any)	(any)	<b>PidLidNonSendableTo</b>

If this property is not 'invalid:nomail', it SHOULD<30> be parsed as a valid mailto URI (specified in [RFC2368]). The resulting SMTP address SHOULD<31> be resolved against the address book [MS-OXOABK]. If no match was found, a **one-off entry ID** (0[MS-OXCDATA] section 2.2.3.1) MUST be created using the SMTP address and the CN parameter. The Address Book object MUST be added to the recipient table of the Calendar object with properties specified in Table 20.

**Table 20- Recipient Table properties for sendable ATTENDEEs**

<i>Recipient Table Property</i>	<i>Value</i>
<b>PidTagAddressType</b>	Resolved from the address book (see above). In the case of a <b>one-off</b> , set to 'SMTP'.
<b>PidTagDisplayName</b>	Resolved from the address book (see above). In the case of a one-off, set to the value of the CN parameter.
<b>PidTagDisplayType</b>	Set to 0x00000000<32>
<b>PidTagEmailAddress</b>	Resolved from the address book (see above). In the case of a one-off, set to the SMTP address parsed from the mailto URI.
<b>PidTagEntryId</b>	Resolved from the address book (see above). In the case of a one-off, use the one-off entry ID.
<b>PidTagRecipientDisplayName</b>	Copy of PidTagDisplayName <32>
<b>PidTagRecipientEntryId</b>	Copy of PidTagEntryId <32>
<b>PidTagRecipientFlags</b>	Set to 0x00000001<33>
<b>PidTagRecipientType</b>	See Table 21 <34>

The correct value of **PidTagRecipientType** SHOULD<35> be determined based on the CUTYPE and ROLE parameters as specified in Table 21. If an ATTENDEE matches more than one row in Table 21, the first matching row applies.

**Table 21- PidTagRecipientType values for ATTENDEEs**

<i>CUTYPE</i>	<i>ROLE</i>	<i>PidTagRecipientType</i>
RESOURCE	(any)	0x00000003
ROOM	(any)	0x00000003
(any)	NON-PARTICIPANT	0x00000003
(any)	OPT-PARTICIPANT	0x00000002
(any)	(any)	0x00000001

## Exporting From Calendar Objects

If the 0x00000001 flag of **PidLidAppointmentStateFlags** is 0, then ATTENDEE properties SHOULD NOT<36> be exported.

Each row in the recipient table of the Calendar object that satisfies the constraints in Table 22 MUST be exported as an ATTENDEE property. The value of the property MUST be a mailto URI (specified in [RFC2368]) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD<37> be set to 'invalid:nomail'.

**Table 22- Constraints on the rows of a recipient table of a Calendar object which will be exported as ATTENDEE properties**

<i>Recipient Table Property</i>	<i>Constraint</i>
<b>PidTagRecipientFlags</b>	The bit denoted by 0x00000020 MUST be 0
<b>PidTagRecipientFlags</b>	The bit denoted by 0x00000002 MUST be 0
<b>PidTagRecipientType</b>	MUST NOT be 0x00000000

In addition, each of the semicolon-delimited entries in **PidLidNonSendableTo** and **PidLidNonSendableCc** SHOULD<38> be exported with a URI of 'invalid:nomail'. For handling of **PidLidNonSendableBcc**, see 2.2.1.20.21.

### 2.2.1.20.2.1 Parameter: CN

RFC Reference: [RFC2445] section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The display name of an attendee.

### Importing To Calendar Objects

See 2.2.1.20.2.

### Exporting From Calendar Objects

For ATTENDEEs exported from the recipient table, this parameter SHOULD be exported from the **PidTagDisplayName** from the Address Book object (falling back on the **PidTagDisplayName** from the recipient table, if necessary).

For ATTENDEEs exported from **PidLidNonSendableTo** and **PidLidNonSendableCc**, this parameter SHOULD<38> be taken from the semicolon-delimited lists.

### 2.2.1.20.2.2 Parameter: CUTYPE

RFC Reference: [RFC2445] section 4.2.3

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The type of attendee.

### Importing To Calendar Objects

See 2.2.1.20.2.

### Exporting From Calendar Objects

For ATTENDEEs exported from the recipient table, this parameter SHOULD<39> only be exported if the **PidTagRecipientType** is 0x00000003. In this case, the CUTYPE SHOULD<39> be set to RESOURCE.

For ATTENDEEs exported from **PidLidNonSendableTo** and **PidLidNonSendableCc**, this parameter SHOULD be omitted.

#### 2.2.1.20.2.3 Parameter: PARTSTAT

RFC Reference: [RFC2445] section 4.2.12

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The attendee's response status.

### Importing To Calendar Objects

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter is used in conjunction with the METHOD property to determine the **PidTagMessageClass** of the Calendar object. See 2.2.1.1.

### Exporting From Calendar Objects

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter MUST be exported based on the **PidTagMessageClass** of the Calendar object. See 2.2.1.1.

For calendars with a METHOD of PUBLISH, if the ATTENDEE is being exported from a row in the recipient table, the PARTSTAT parameter SHOULD<40> be exported from the **PidTagRecipientTrackStatus** of the recipient as specified in Table 23. If **PidTagRecipientTrackStatus** could not be exported because it is unset or 0 and the ATTENDEE is the user, then the **PidLidResponseStatus** of the Calendar object SHOULD <40> be exported instead as specified in Table 23.

Table 23- Values of PARTSTAT to export for ATTENDEEs in PUBLISH calendars.

<i>PidTagRecipientTrackStatus</i> or <i>PidLidResponseStatus</i>	<i>PARTSTAT</i>
0x00000003	ACCEPTED
0x00000004	DECLINED
0x00000002	TENTATIVE
(other)	(not exported)

#### 2.2.1.20.2.4 Parameter: ROLE

RFC Reference: [RFC2445] section 4.2.16

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The type of attendee.

## Importing To Calendar Objects

See 2.2.1.20.2.

## Exporting From Calendar Objects

For ATTENDEEs exported from the recipient table, this parameter SHOULD be exported based on the **PidTagRecipientType**.

**Table 24- Exporting PidTagRecipientType as a ROLE**

<i>PidTagRecipientType</i>	<i>ROLE</i>
0x00000002	OPT-PARTICIPANT
0x00000003	NON-PARTICIPANT
(otherwise)	(omit) <41>

For ATTENDEEs exported from **PidLidNonSendableTo**, this parameter SHOULD be omitted.

For ATTENDEEs exported from **PidLidNonSendableCc**, this parameter SHOULD<38> be exported as OPT-PARTICIPANT.

### 2.2.1.20.2.5 Parameter: RSVP

RFC Reference: [RFC2445] section 4.2.17

Number of Instances Allowed: 0,1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: The type of attendee.

## Importing To Calendar Objects

If any ATTENDEE property in the VEVENT has its RSVP parameter set to TRUE or if the VEVENT is being imported with a **PidTagMessageClass** of "IPM.Appointment", then **PidTagResponseRequested** and **PidTagReplyRequested** on the Calendar object MUST both be set to TRUE. Otherwise, **PidTagResponseRequested** and **PidTagReplyRequested** MUST both be set to FALSE.

## Exporting From Calendar Objects

For ATTENDEEs exported from the recipient table, this parameter MUST be exported from **PidTagResponseRequested** on the Calendar object.

For ATTENDEEs exported from **PidLidNonSendableTo** and **PidLidNonSendableCc**, this parameter SHOULD be omitted.

### 2.2.1.20.3 Property: CATEGORIES

RFC Reference: [RFC2445] section 4.8.1.2

Number of Instances Allowed: 0+

Format: Text ([RFC2445] section 4.3.11)

Brief Description: A list of categories assigned to the appointment.



### Importing To Calendar Objects

All instances of the CATEGORIES property SHOULD be parsed into a single array of strings. Several rules apply to the import of categories:

- All separator characters, semicolon (U+003B), comma (U+002C), arabic semicolon (U+061B), small semicolon (U+FE54), full-width semicolon (U+FF1B), SHOULD<42> be removed.
- All contiguous sequences of whitespace<43> characters SHOULD<42> be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD be trimmed.
- Strings SHOULD<42> be truncated to a length of 255 or fewer WCHARs, but the truncation SHOULD NOT<8> split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD<42> be removed.

The resulting string array is stored in **PidNameKeywords**.

### Exporting From Calendar Objects

**PidNameKeywords** SHOULD be exported as a comma-delimited list in the CATEGORIES property.

#### 2.2.1.20.4 Property: **CLASS**

RFC Reference: [RFC2445] section 4.8.1.3

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The privacy or classification level of an appointment.

### Importing To and Exporting From Calendar Objects

The CLASS property MUST map to **PidTagSensitivity** as specified in Table 25.

**Table 25- Mapping from the CLASS property to PidTagSensitivity**

<i>CLASS</i>	<i>PidTagSensitivity</i>
PRIVATE	0x00000002
CONFIDENTIAL	0x00000003
PUBLIC	0x00000000
X-PERSONAL <44>	0x00000001 <45>

#### 2.2.1.20.5 Property: **COMMENT**

RFC Reference: [RFC2445] section 4.8.1.4 and [RFC2447] section 3.2.3

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In a meeting response, this property represents an optional plain-text message from the attendee intended for the organizer.

### **Importing To and Exporting From Calendar Objects**

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD<46> be mapped directly to **PidTagBody**. The COMMENT property SHOULD be ignored for other values of METHOD.

Also see the documentation for DESCRIPTION in section 2.2.1.20.11.

#### **2.2.1.20.6Property: CONTACT**

RFC Reference: [RFC2445] section 4.8.4.2

Number of Instances Allowed: 0+

Format: Text ([RFC2445] section 4.3.11)

Brief Description: A contact for an appointment.

#### **Importing To Calendar Objects**

All instances of the CONTACT property SHOULD<47> be appended to single array of strings. Several rules apply to the import of contacts.

- All semicolons (U+003B) SHOULD<42> be removed.
- All contiguous sequences of whitespace<43> characters SHOULD<42> be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD<42> be trimmed.
- Strings SHOULD<42> be truncated to a length of 500 or fewer WCHARs, but the truncation SHOULD NOT<8> split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD<42> be removed.

The resulting string array is stored in **PidLidContacts**.

#### **Exporting From Calendar Objects**

Each string in the array of strings in **PidLidContacts** SHOULD<47> be exported as a new CONTACT property.

#### **2.2.1.20.7Property: CREATED**

RFC Reference: [RFC2445] section 4.8.7.1

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: The creation time of an appointment.

#### **Importing To Calendar Objects**

This property SHOULD be ignored.

#### **Exporting From Calendar Objects**

The **PidTagCreationTime** of a Calendar object SHOULD<48> be exported as a CREATED property, specified in UTC.

#### **2.2.1.20.8Property: DTEND**

RFC Reference: [RFC2445] section 4.8.2.2

Number of Instances Allowed: 1

Format: Date-Time ([RFC2445] section 4.3.5), Date ([RFC2445] section 4.3.4)

Brief Description: The end time of an appointment. If the item is a **Counter Proposal**, then this is the proposed end time of the meeting.

#### **Importing To Calendar Objects**

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD be imported as **PidLidAppointmentProposedEndWhole** <49>.

If the METHOD property of the VCALENDAR component is not set to 'COUNTER', or if either X-MS-OLK-ORIGALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD<49>be imported as **PidLidAppointmentEndWhole**, and **PidLidAppointmentDuration** SHOULD<50> be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD<51> be imported as an all day appointment: **PidLidAppointmentSubType** MUST be set to 0x00000001. Note that this logic SHOULD<52> also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (2.2.1.20.28) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (2.2.1.20.41).

#### **Exporting From Calendar Objects**

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then **PidLidAppointmentProposedEndWhole** SHOULD<49> be exported as a new DTEND property. For other values of METHOD, the **PidLidAppointmentEndWhole** of a Calendar object SHOULD<49> be exported as a new DTEND property.

If this is an all day appointment, then this property SHOULD<53> be exported in floating time with the Date format ([RFC2445] section 4.3.4).

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD<54> be specified as a local time with a TZID parameter.

##### **2.2.1.20.8.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

#### **Importing To Calendar Objects**

If this appointment is recurring, and if there is a TZID parameter, and if neither **PidLidTimeZoneStruct** nor **PidLidTimeZoneDescription** has been imported from

DTSTART (2.2.1.20.10), then **PidLidTimeZoneStruct** MUST be imported from the VTIMEZONE referenced by the TZID parameter, **PidLidTimeZoneDescription** MUST be imported from the TZID parameter, and **PidLidAppointmentTimeZoneDefinitionRecur** SHOULD<11> be imported from the VTIMEZONE referenced by the TZID parameter.

Furthermore, **PidLidAppointmentTimeZoneDefinitionEndDisplay** SHOULD<11> be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

### **Exporting From Calendar Objects**

If this is a recurring non-all day appointment, then the **DTEND** property MUST be specified as a local time. It MUST be accompanied by a *TZID* parameter referencing the VTIMEZONE described by **PidLidAppointmentTimeZoneDefinitionRecur**<11> or the combination of **PidLidTimeZoneDescription** and **PidLidTimeZoneStruct**.

If this is a non-recurring non-all day appointment and if **PidLidAppointmentTimeZoneDefinitionEndDisplay** is set, then the **DTEND** property SHOULD<11> be specified as a local time. It MUST be accompanied by a *TZID* parameter referencing the VTIMEZONE described by **PidLidAppointmentTimeZoneDefinitionEndDisplay**.

#### **2.2.1.20.8.2 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

### **Importing To Calendar Objects**

This parameter SHOULD<55> be ignored since a parser can determine whether a property is in the Date format ([RFC2445] section 4.3.4) or Date-Time format ([RFC2445] section 4.3.5) without an explicit declaration in the VALUE parameter.

### **Exporting From Calendar Objects**

If the DTEND property is specified in the Date format ([RFC2445] section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTEND property is specified in the Date-Time format ([RFC2445] section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.9 Property: DTSTAMP**

RFC Reference: [RFC2445] section 4.8.7.2

Number of Instances Allowed: 1

Format: Date-Time ([RFC2445] section 4.3.5), Date ([RFC2445] section 4.3.4)

Brief Description: The creation time of the iCalendar.

### **Importing To Calendar Objects**

If the METHOD (specified in 2.2.1.1) is 'REPLY' or 'COUNTER', then this property MUST be imported as **PidLidAttendeeCriticalChange**.

If the METHOD is not 'REPLY' or 'COUNTER', then this property MUST be imported as **PidLidOwnerCriticalChange**.

### **Exporting From Calendar Objects**

If the METHOD (specified in 2.2.1.1) is 'REPLY' or 'COUNTER', then **PidLidAttendeeCriticalChange** MUST be exported as DTSTAMP.

If the METHOD is not 'REPLY' or 'COUNTER', then **PidLidOwnerCriticalChange** MUST be exported as DTSTAMP. If **PidLidOwnerCriticalChange** is undefined, the current system time SHOULD be used.

#### **2.2.1.20.9.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

#### **2.2.1.20.10 Property: DTSTART**

RFC Reference: [RFC2445] section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([RFC2445] section 4.3.5), Date ([RFC2445] section 4.3.4)

Brief Description: The start time of an appointment. If the item is a Counter Proposal, this is the proposed start time of the meeting.

### **Importing To Calendar Objects**

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD<49> be imported as **PidLidAppointmentProposedStartWhole**.

If the METHOD property of the VCALENDAR component is not set to 'COUNTER' or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD<49> be imported as **PidLidAppointmentStartWhole**, and **PidLidAppointmentDuration** SHOULD<50> be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD<51> be imported as an all day appointment: **PidLidAppointmentSubType** MUST be set to 0x00000001. Note that this logic SHOULD<52> also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section

2.2.1.20.28) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (section 2.2.1.20.41).

### Exporting From Calendar Objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then **PidLidAppointmentProposedStartWhole** SHOULD<49> be exported as a new DTSTART property. For other values of METHOD, the **PidLidAppointmentStartWhole** of a Calendar object SHOULD<49> be exported as a DTSTART property.

If this is an all day appointment, then this property SHOULD<53> be exported in floating time with the Date format.

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a *TZID* parameter.

Non-recurring non-all day appointments SHOULD<54> be specified as a local time with a *TZID* parameter.

#### 2.2.1.20.10.1 Parameter: TZID

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

### Importing To Calendar Objects

If this appointment is recurring, and if there is a *TZID* parameter, then **PidLidTimeZoneStruct** MUST be imported from the VTIMEZONE referenced by the *TZID* parameter, **PidLidTimeZoneDescription** MUST be imported from the *TZID* parameter, and **PidLidAppointmentTimeZoneDefinitionRecur** SHOULD<11> be imported from the VTIMEZONE referenced by the *TZID* parameter.

Furthermore, **PidLidAppointmentTimeZoneDefinitionStartDisplay** SHOULD<11> be imported from the VTIMEZONE referenced by the *TZID* parameter.

Refer to section 4.2.19 of [RFC2445] for additional details on the *TZID* parameter.

### Exporting From Calendar Objects

If this is a recurring non-all day appointment, then the **DTSTART** property MUST be specified as a local time. It MUST be accompanied by a *TZID* parameter referencing the VTIMEZONE described by **PidLidAppointmentTimeZoneDefinitionRecur**<11> or the combination of **PidLidTimeZoneDescription** and **PidLidTimeZoneStruct**.

If this is a non-recurring non-all day appointment and if **PidLidAppointmentTimeZoneDefinitionStartDisplay** is set, then the **DTSTART** property SHOULD<11> be specified as a local time. It MUST be accompanied by a *TZID* parameter referencing the **VTIMEZONE** described by **PidLidAppointmentTimeZoneDefinitionStartDisplay**.

#### **2.2.1.20.10.2 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

#### **Importing To Calendar Objects**

This parameter SHOULD<55> be ignored since a parser can determine whether a property is in the Date format ([RFC2445] section 4.3.4) or Date-Time format ([RFC2445] section 4.3.5) without an explicit declaration in the **VALUE** parameter.

#### **Exporting From Calendar Objects**

If the **DTSTART** property is specified in the Date format ([RFC2445] section 4.3.4), the **VALUE** parameter MUST be exported as 'DATE'. If the **DTSTART** property is specified in the Date-Time format ([RFC2445] section 4.3.5), the **VALUE** parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.11 Property: DESCRIPTION**

RFC Reference: [RFC2445] section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the plain-text body of an appointment.

#### **Importing To and Exporting From Calendar Objects**

If the **METHOD** property of the **VCALENDAR** component is set to 'REPLY' or 'COUNTER', this property SHOULD<46> be ignored. For other values of **METHOD**, this property MUST be mapped directly to **PidTagBody**.

Also see the documentation for **COMMENT** in section 2.2.1.20.5.

#### **2.2.1.20.11.1 Parameter: LANGUAGE**

RFC Reference: [RFC2445] section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the language of the property.

#### **Importing To Calendar Objects**

This parameter SHOULD<56> be interpreted as an [RFC1766] language tag and stored in **PidTagMessageLocaleId** as the corresponding language code identifier, as specified in [MS-LCID].

### **Exporting From Calendar Objects**

This parameter SHOULD NOT be exported (section 2.2.1.20.24.1).

#### **2.2.1.20.12 Property: DURATION**

RFC Reference: [RFC2445] section 4.8.2.5

Number of Instances Allowed: 0, 1

Format: Duration ([RFC2445] section 4.3.6)

Brief Description: Specifies the duration of an appointment.

### **Importing To Calendar Objects**

If only one of DTSTART and DTEND is present, the DURATION property SHOULD be used to compute the missing property.

### **Exporting From Calendar Objects**

This parameter SHOULD NOT be exported.

#### **2.2.1.20.13 Property: EXDATE**

RFC Reference: [RFC2445] section 4.8.5.1

Number of Instances Allowed: 0+

Format: Date-Time ([RFC2445] section 4.3.5) , Date ([RFC2445] section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

### **Importing To Calendar Objects**

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

All valid EXDATES MUST be gathered into the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the **PidLidAppointmentRecur** structure (see [MS-OXOCAL]) after the following validation:

- All EXDATES MUST be converted to the time zone specified by **PidLidTimeZoneStruct**.
- The time information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- All entries that do not have a date matching the start date of an instance in the recurrence pattern MUST be removed.
- The **DeletedInstanceDates** field of the **RecurrencePattern** structure MUST be sorted chronologically with the earliest dates at the start.

Note that additional EXDATES could be derived from the RECURRENCE-IDs of other VEVENTs (section 2.2.1.20.20).

### **Exporting From Calendar Objects**

The EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.



In certain cases, an X-MICROSOFT-EXDATE SHOULD<58> be exported in place of an EXDATE. See section 2.2.1.20.39.

If there are entries in the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the **PidLidAppointmentRecur** structure (see [MS-OXOCAL]), the date-times of all instances of the recurrence pattern falling on the days specified by the **DeletedInstanceDates** field of the **RecurrencePattern** structure SHOULD<59> be exported in an EXDATE, but exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section 2.2.1.20.20) SHOULD NOT also be exported as an EXDATE.

If the recurrence is an all day recurrence, the EXDATEs MUST be specified in the Date format.

#### **2.2.1.20.13.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

#### **2.2.1.20.13.2 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

#### **Importing To Calendar Objects**

This parameter SHOULD<55> be ignored since a parser can determine whether a property is in the Date format ([RFC2445] section 4.3.4) or Date-Time format ([RFC2445] section 4.3.5) without an explicit declaration in the VALUE parameter.

#### **Exporting From Calendar Objects**

If the EXDATE property is specified in the Date format ([RFC2445] section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the EXDATE property is specified in the Date-Time format ([RFC2445] section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.14 Property: LAST-MODIFIED**

RFC Reference: [RFC2445] section 4.8.7.3

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: The last modification time of an appointment.

### **Importing To Calendar Objects**

This property SHOULD be ignored.

### **Exporting From Calendar Objects**

The **PidTagLastModificationTime** of a Calendar object SHOULD<60> be exported as a LAST-MODIFIED property, specified in UTC.

#### **2.2.1.20.15 Property: LOCATION**

RFC Reference: [RFC2445] section 4.8.1.7

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the location of an appointment.

### **Importing To Calendar Objects**

This property SHOULD<61> be stripped of all carriage returns (U+000D) and line feeds (U+000A), SHOULD<61> be truncated to a length of 255 or fewer WCHARs (the truncation SHOULD NOT<8> split surrogate pairs), and MUST be stored in **PidLidLocation**.

### **Exporting From Calendar Objects**

**PidLidLocation** MUST be exported as a LOCATION property.

#### **2.2.1.20.15.1 Parameter: LANGUAGE**

RFC Reference: [RFC2445] section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the language of the property.

### **Importing To Calendar Objects**

This parameter SHOULD<56> be interpreted as an [RFC1766] language tag and stored in **PidTagMessageLocaleId** as the corresponding language code identifier, as specified in [MS-LCID].

### **Exporting From Calendar Objects**

This parameter SHOULD NOT be exported. See 2.2.1.20.24.1.

#### **2.2.1.20.16 Property: ORGANIZER**

RFC Reference: [RFC2445] section 4.8.4.3

Number of Instances Allowed: 0, 1

Format: URI ([RFC2445] section 4.3.13)

Brief Description: The organizer of a meeting.

### **Importing To Calendar Objects**

This property SHOULD<62> be parsed as a valid mailto URI (specified in [RFC2368]). The resulting SMTP address SHOULD be resolved against the address book [MS-OXOABK]. If no match was found, a one-off entry ID ([MS-OXCDATA] section 2.2.3.1) MUST be created using the SMTP address and the CN parameter. The Address Book object MUST be added to the recipient table of the Calendar object with properties specified in Table 26.

**Table 26- Recipient Table properties for the ORGANIZER Property**

<i>Recipient Table Property</i>	<i>Value</i>
<b>PidTagAddressType</b>	Resolved from the address book (see above)
<b>PidTagDisplayName</b>	Resolved from the address book (see above)
<b>PidTagDisplayType</b>	Set to 0x00000000 <32>
<b>PidTagEmailAddress</b>	Resolved from the address book (see above)
<b>PidTagEntryId</b>	Resolved from the address book (see above)
<b>PidTagRecipientDisplayName</b>	Copy of <b>PidTagDisplayName</b> <32>
<b>PidTagRecipientEntryId</b>	Copy of <b>PidTagEntryId</b> <32>
<b>PidTagRecipientFlags</b>	Set to 0x00000003
<b>PidTagRecipientType</b>	Set to 0x00000001

### Exporting From Calendar Objects

If the 0x00000001 flag of **PidLidAppointmentStateFlags** is 0, then an ORGANIZER property MUST NOT be exported.

The row in the recipient table of the Calendar object that satisfies the constraints in Table 27 SHOULD<63> be exported as an ORGANIZER property. The value of the property MUST be a mailto URI (specified in [RFC2368]) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD<64> be set to 'invalid:nomail'.

**Table 27- Constraints on the row of a recipient table of a Calendar object which will be exported as the ORGANIZER property**

<i>Recipient Table Property</i>	<i>Constraint</i>
<b>PidTagRecipientFlags</b>	The bit denoted by 0x00000020 MUST be 0
<b>PidTagRecipientFlags</b> or <b>PidTagRecipientType</b>	The bit denoted by 0x00000002 of <b>PidTagRecipientFlags</b> MUST be 1 or The <b>PidTagRecipientType</b> MUST be 0x00000000

#### 2.2.1.20.16.1 Parameter: CN

RFC Reference: [RFC2445] section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The display name of the organizer.

### Importing To Calendar Objects

See 2.2.1.20.16.

### Exporting From Calendar Objects

This parameter SHOULD be exported from the **PidTagDisplayName** from the Address Book object (falling back on the **PidTagDisplayName** from the recipient table, if necessary).

### 2.2.1.20.17 Property: **PRIORITY**

RFC Reference: [RFC2445] section 4.8.1.9

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the importance of an appointment.

#### Importing To Calendar Objects

If **PidTagImportance** cannot be imported from X-MICROSOFT-CDO-IMPORTANCE (2.2.1.20.32) or X-MICROSOFT-MSNCALENDAR-IMPORTANCE (2.2.1.20.43), then this property **MUST** be imported into **PidTagImportance** as specified by Table 28.

**Table 28- Map from PRIORITY to PidTagImportance**

<i>PRIORITY</i>	<i>PidTagImportance</i>
0	(unset)
1	0x00000002
2	0x00000002
3	0x00000002
4	0x00000002
5	0x00000001
6	0x00000000
7	0x00000000
8	0x00000000
9	0x00000000

#### Exporting From Calendar Objects

**PidTagImportance** **MUST** be exported as the **PRIORITY** property as specified by Table 29.

**Table 29- Map from PidTagImportance to PRIORITY**

<i>PidTagImportance</i>	<i>PRIORITY</i>
0x00000002	1
0x00000001	5
0x00000000	9

### 2.2.1.20.18 Property: **RDATE**

RFC Reference: [RFC2445] section 4.8.5.1

Number of Instances Allowed: 0+

Format: Date-Time ([RFC2445] section 4.3.5) , Date ([RFC2445] section 4.3.4)

Brief Description: Specifies the start time of additional instances of the recurring appointment which have been created by the organizer.

#### Importing To Calendar Objects

If this property is specified, an **RRULE** **MUST** also be specified in the same **VEVENT**.

All valid RDATEs SHOULD<65> be gathered into the **ModifiedInstanceDates** field of the **RecurrencePattern** structure embedded within the **PidLidAppointmentRecur** structure (see [MS-OXOCAL]) after the following validation:

- All RDATEs MUST be converted to the time zone specified by **PidLidTimeZoneStruct**
- The time-of-day information MUST be stripped off (all entries MUST fall on midnight)
- All duplicate entries MUST be removed
- Each RDATE MUST be pairable with an EXDATE to represent a moved instance of a recurring appointment. The moved instance obeys the following rules:
  - An instance MUST NOT be moved before the previous instance or after the next instance
  - An instance MUST NOT be moved such that the intersection of its span with the span of any other instance of the appointment has a non-zero duration
  - An instance MUST NOT be moved such that its start time falls on the same calendar day as that of another instance
- The **ModifiedInstanceDates** field in the **RecurrencePattern** structure MUST be sorted chronologically with the earliest dates at the start

In addition, all valid RDATEs SHOULD<65> be stored in the **ExceptionInfo** segment of the **PidLidAppointmentRecur** structure (see [MS-OXOCAL]). The contents of each **ExceptionInfo** block MUST be set as specified in Table 30.

**Table 30- ExceptionInfo fields for RDATE exceptions**

<i>ExceptionInfo Field</i>	<i>Value</i>
<b>StartDateTime</b>	Set to the RDATE value, in the time zone specified by <b>PidLidTimeZoneStruct</b>
<b>EndDateTime</b>	Set to <b>StartDateTime</b> + the duration of the appointment
<b>OriginalStartDate</b>	Set to the paired EXDATE value, in the time zone specified by <b>PidLidTimeZoneStruct</b>
<b>OverrideFlags</b>	Set to 0x00000000
<b>SubjectLength/Subject</b>	(unset)
<b>MeetingType</b>	(unset)
<b>ReminderDelta</b>	(unset)
<b>ReminderSet</b>	(unset)
<b>LocationLength/Location</b>	(unset)
<b>BusyStatus</b>	(unset)
<b>Attachment</b>	(unset)
<b>SubType</b>	(unset)
<b>AppointmentColor</b>	(unset)

Note that additional RDATEs could be derived from the DTSTARTs of other VEVENTs. See section 2.2.1.20.20. For exceptions generated by RECURRENCE-IDs, fields in the **ExceptionInfo** MUST be set according to Table 31.

**Table 31- ExceptionInfo fields for RECURRENCE-ID exceptions**

<i>ExceptionInfo Field</i>	<i>Value</i>
<b>StartDateTime</b>	Set to <b>PidLidAppointmentStartWhole</b> from the exception Calendar object, in the time zone specified by <b>PidLidTimeZoneStruct</b>
<b>EndDateTime</b>	Set to <b>PidLidAppointmentEndWhole</b> from the exception Calendar object, in the time zone specified by <b>PidLidTimeZoneStruct</b>
<b>OriginalStartDate</b>	Set to <b>PidLidExceptionReplaceTime</b> from the exception Calendar object, in the time zone specified by <b>PidLidTimeZoneStruct</b>
<b>OverrideFlags</b>	Set the appropriate flags specified in Table 32.
<b>SubjectLength/Subject</b>	Set to <b>PidTagSubject</b> from the exception Calendar object, leave unset if <b>PidTagSubject</b> is not present
<b>MeetingType</b>	(unset)
<b>ReminderDelta</b>	Set to <b>PidLidReminderDelta</b> from the exception Calendar object, leave unset if <b>PidLidReminderDelta</b> is not present
<b>ReminderSet</b>	Set to FALSE if <b>PidLidReminderDelta</b> is not present, leave unset otherwise
<b>LocationLength/Location</b>	Set to <b>PidLidLocation</b> from the exception Calendar object, leave unset if <b>PidLidLocation</b> is not present
<b>BusyStatus</b>	Set to <b>PidLidBusyStatus</b> from the exception Calendar object, leave unset if <b>PidLidBusyStatus</b> is not present
<b>Attachment SubType</b>	(unset) Set to <b>PidLidAppointmentSubType</b> from the exception Calendar object, leave unset if <b>PidLidAppointmentSubType</b> is not present
<b>AppointmentColor</b>	(unset)

**Table 32- Valid flags in OverrideFlags**

<i>OverrideFlags Flag</i>	<i>Meaning</i>
0x0001	<b>SubjectLength/Subject</b> is set (see Table 31)
0x0004	<b>ReminderDelta</b> is set (see Table 31)
0x0008	<b>ReminderSet</b> is set (see Table 31)
0x0010	<b>LocationLength/Location</b> is set (see Table 31)
0x0020	<b>BusyStatus</b> is set (see Table 31)
0x0080	<b>SubType</b> is set (see Table 31)
0x0200	<b>PidTagRtfCompressed</b> or <b>PidTagBody</b> from the exception Calendar object is present

### Exporting From Calendar Objects

The RDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If there are entries in the **ModifiedInstanceDates** field in the **RecurrencePattern** structure embedded within the **PidLidAppointmentRecur** structure (see [MS-OXOCAL]), the date-times of all instances of the recurrence pattern falling on the days specified by the **ModifiedInstanceDates** field in the **RecurrencePattern** structure SHOULD<65> be exported in an RDATE, but exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section 2.2.1.20.20) MUST NOT also be exported as an RDATE.

If the exception is an all day appointment, the RDATE MUST be specified in the Date format.

#### **2.2.1.20.18.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

#### **2.2.1.20.18.2 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

#### **Importing To Calendar Objects**

This parameter SHOULD<55> be ignored since a parser can determine whether a property is in the Date format ([RFC2445] section 4.3.4) or Date-Time format ([RFC2445] section 4.3.5) without an explicit declaration in the VALUE parameter.

#### **Exporting From Calendar Objects**

If the RDATE property is specified in the Date format ([RFC2445] section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RDATE property is specified in the Date-Time format ([RFC2445] section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.19 Property: RRULE**

RFC Reference: [RFC2445] section 4.8.5.4

Number of Instances Allowed: 0, 1

Format: Recurrence Rule ([RFC2445] section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

#### **Importing To and Exporting From Calendar Objects**

Section 2.3.2 specifies how the RRULE property is imported and exported.

#### **2.2.1.20.20 Property: RECURRENCE-ID**

RFC Reference: [RFC2445] section 4.8.4.4

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5), Date ([RFC2445] section 4.3.4)

Brief Description: The original starting time of a moved exception of a recurring appointment.

### Importing To Calendar Objects

This property MUST be imported into **PidLidExceptionReplaceTime**, in UTC.

In addition, if the VCALENDAR contains a recurring VEVENT with the same UID, but no RECURRENCE-ID, this entire VEVENT SHOULD<66> be treated as an exception of the recurring VEVENT. In particular:

- Instead of creating a new Calendar object in the Folder object for this VEVENT, a new attachment object in the Recurring Calendar object SHOULD<66> be created (with properties specified in Table 33), and **PidTagAttachDataObject** SHOULD<66> be opened as a Calendar object and used to import this VEVENT.
- The **PidTagMessageClass** of this Calendar object SHOULD<66> be overwritten to 'IPM.OLE.CLASS.{00061055-0000-0000-C000-000000000046}'.
- The recurring VEVENT SHOULD<66> treat this VEVENT's RECURRENCE-ID as an EXDATE, and this VEVENT's DTSTART as an RDATE. See 2.2.1.20.18 for the effect of this exception on **PidLidAppointmentRecur**.

**Table 33- Embedded exception attachment properties**

<i>Attachment Object Property</i>	<i>Value</i>
<b>PidTagAttachDataObject</b>	Open this property as a Calendar object interface and import the VEVENT
<b>PidTagAttachMethod</b>	Set to 0x00000005
<b>PidTagRenderingPosition</b>	Set to 0xFFFFFFFF
<b>PidTagDisplayName</b>	Set to the <b>PidTagSubject</b> of this Calendar object
<b>PidTagExceptionStartTime</b>	Set to the <b>PidLidAppointmentStartWhole</b> of this Calendar object, local to the time zone specified by <b>PidLidTimeZoneStruct</b> of this Calendar object.
<b>PidTagAttachEncoding</b>	Set to an empty <b>SBinary</b>
<b>PidTagExceptionEndTime</b>	Set to the <b>PidLidAppointmentEndWhole</b> of this Calendar object, local to the time zone specified by <b>PidLidTimeZoneStruct</b> of this Calendar object.
<b>PidTagAttachmentFlags</b>	Set to 0x00000002
<b>PidTagAttachmentLinkId</b>	Set to 0x00000000
<b>PidTagAttachFlags</b>	Set to 0x00000000
<b>PidTagAttachmentHidden</b>	Set to TRUE
<b>PidTagAttachmentContactPhoto</b>	Set to FALSE

### Exporting From Calendar Objects

If **PidLidExceptionReplaceTime** is set, then it MUST be exported as a RECURRENCE-ID. Otherwise, if an Instance Date can be parsed from the 17<sup>th</sup>, 18<sup>th</sup>, 19<sup>th</sup>, and 20<sup>th</sup> bytes of **PidLidGlobalObjectId** as specified in 2.2.1.20.26, then midnight of that day (in the time zone specified by **PidLidTimeZoneStruct**) MUST be exported as a RECURRENCE-ID.



In addition, exceptions to recurring appointments SHOULD<66> be exported as a separate VEVENTs with a RECURRENCE-ID under either of the conditions below. Exceptions that do not fit either of these conditions MAY instead be exported as an RDATE (see 2.2.1.20.18).

- Exceptions stored as an attachment object with **PidTagAttachMethod** set to 0x00000005 and with the bit denoted by 0x00000002 set to 1 in **PidTagAttachmentFlags**.
- Exceptions which do anything other than, or in addition to, moving the start time of an instance without changing the duration.

The RECURRENCE-ID of new VEVENTs MUST be exported from the **OriginalStartDate** field of the corresponding **ExceptionInfo** block. Furthermore, the new VEVENTs MUST export the same UID as the recurring VEVENT. The remaining properties MUST be exported from the Calendar object embedded in **PidTagAttachDataObject** of the attachment object. If no attachment object exists for this exception, then the **ExceptionInfo's** fields MUST be exported as properties of the new VEVENT as specified in Table 34.

**Table 34- Properties exported from a ExceptionInfo structure**

<i>ExceptionInfo Field</i>	<i>Export as...</i>
<b>StartDateTime / MeetingType</b>	Export as DTSTART (see 2.2.1.20.10)
<b>EndDateTime / MeetingType</b>	Export as DTEND (see 2.2.1.20.8)
<b>OriginalStartDate</b>	Export as RECURRENCE-ID
<b>SubjectLength / Subject</b>	Export as SUMMARY (see 2.2.1.20.24), if <b>Subject</b> is set
<b>ReminderDelta /</b> <b>ReminderSet</b>	Export as a VALARM sub-component (see 2.2.1.20.62), if <b>ReminderDelta</b> is set and if <b>ReminderSet</b> is not FALSE
<b>LocationLength / Location</b>	Export as LOCATION (see 2.2.1.20.15), if <b>Location</b> is set
<b>BusyStatus</b>	Export as TRANSP (see 2.2.1.20.25) and X-MICROSOFT-CDO-BUSYSTATUS (see section 2.2.1.20.31), if <b>BusyStatus</b> is set

If RECURRENCE-ID is exported (as specified above) and the recurring parent is not all day, RECURRENCE-ID MUST be specified local to the time zone specified in **PidLidTimeZoneStruct**.

If RECURRENCE-ID is exported (as specified above) and the recurring parent is all day, then the RECURRENCE-ID MUST be specified in the Date format ([RFC2445] section 4.3.4).

#### **2.2.1.20.20.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

#### **2.2.1.20.20.2 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

#### **Importing To Calendar Objects**

This parameter SHOULD be ignored since a parser can determine whether a property is in the Date format ([RFC2445] section 4.3.4) or Date-Time format ([RFC2445] section 4.3.5) without an explicit declaration in the VALUE parameter.

#### **Exporting From Calendar Objects**

If the RECURRENCE-ID property is specified in the Date format ([RFC2445] section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RECURRENCE-ID property is specified in the Date-Time format ([RFC2445] section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.21 Property: RESOURCES**

RFC Reference: [RFC2445] section 4.8.1.10

Number of Instances Allowed: 0+

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Resource (such as rooms or equipment) for a meeting.

#### **Importing To Calendar Objects**

All instances of the RESOURCES property SHOULD be parsed as a comma-delimited list of strings into a string array. For each string in the array:

- All semicolons (U+003B) MUST be filtered out
- All adjacent sequences of whitespace MUST be compressed to a single space (U+0020)
- All whitespace at the beginning and end of the string MUST be filtered out
- Zero-length strings MUST be ignored

All remaining strings in the array SHOULD be added to a list delimited by ";" (U+003B followed by U+0020) in **PidLidNonSendableBcc**.

#### **Exporting From Calendar Objects**

The semicolon-delimited entries in **PidLidNonSendableBcc** SHOULD be exported as a comma-delimited list in a RESOURCES property.

#### **2.2.1.20.22 Property: SEQUENCE**

RFC Reference: [RFC2445] section 4.8.1.9

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the sequence number of the meeting request.

#### **Importing To Calendar Objects**

If **PidLidAppointmentSequence** cannot be imported from X-MICROSOFT-CDO-APPT-SEQUENCE (2.2.1.20.29), then this property MUST be imported into

**PidLidAppointmentSequence.** If no SEQUENCE property exists, **PidLidAppointmentSequence** SHOULD<68> be left unset.

#### **Exporting From Calendar Objects**

**PidLidAppointmentSequence** MUST be exported as the SEQUENCE property. If **PidLidAppointmentSequence** is not set, the SEQUENCE property MUST be exported as 0.

#### **2.2.1.20.23 Property: STATUS**

RFC Reference: [RFC2445] section 4.8.1.11

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the confirmation level of the appointment.

#### **Importing To Calendar Objects**

If **PidLidBusyStatus** cannot be imported from TRANSP (2.2.1.20.25), X-MICROSOFT-CDO-BUSYSTATUS (2.2.1.20.31), or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (2.2.1.20.42), this property SHOULD<69> be imported into **PidLidBusyStatus** as specified in Table 35.

**Table 35- Mapping of STATUS to PidLidBusyStatus**

<i>STATUS</i>	<i>PidLidBusyStatus</i>
CANCELLED	0x00000000
TENTATIVE	0x00000001
CONFIRMED	0x00000002

#### **Exporting From Calendar Objects**

This property SHOULD NOT be exported.

#### **2.2.1.20.24 Property: SUMMARY**

RFC Reference: [RFC2445] section 4.8.1.12

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the subject of an appointment.

#### **Importing To Calendar Objects**

This property SHOULD<70> be stripped of all carriage returns (U+000D) and line feeds (U+000A), SHOULD<70> be truncated to a length of 255 or fewer WCHARs (the truncation SHOULD NOT<8> split surrogate pairs), and MUST be stored in **PidTagSubject**. If this property could not be imported, **PidTagSubject** SHOULD<71> be set to the zero-length string.

#### **Exporting From Calendar Objects**

**PidTagSubject** MUST be exported as a SUMMARY property. If **PidTagSubject** is not set, then the zero-length string SHOULD<72> be exported as a SUMMARY property.

#### **2.2.1.20.24.1 Parameter: LANGUAGE**

RFC Reference: [RFC2445] section 4.2.10

Number of Instances Allowed: 0, 1  
Format: Text ([RFC2445] section 4.3.11)  
Brief Description: Specifies the language of the property.

#### **Importing To Calendar Objects**

This parameter SHOULD<56> be parsed as an [RFC1766] language tag and stored in **PidTagMessageLocaleId** as the corresponding [MS-LCID] language code identifier.

#### **Exporting From Calendar Objects**

**PidTagMessageLocaleId** SHOULD<56> be converted from an [MS-LCID] language code identifier to an [RFC1766] language tag and exported as a LANGUAGE parameter.

#### **2.2.1.20.25 Property: TRANSP**

RFC Reference: [RFC2445] section 4.8.2.7  
Number of Instances Allowed: 0, 1  
Format: Text ([RFC2445] section 4.3.11)  
Brief Description: Specifies whether or not this appointment is intended to be visible in availability searches.

#### **Importing To Calendar Objects**

If **PidLidBusyStatus** cannot be imported from X-MICROSOFT-CDO-BUSYSTATUS (2.2.1.20.31) or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (2.2.1.20.42), this property SHOULD<73> be imported into **PidLidBusyStatus** as specified in Table 36.

**Table 36- Mapping of TRANSP to PidLidBusyStatus**

<i>STATUS</i>	<i>PidLidBusyStatus</i>
TRANSPARENT	0x00000000
OPAQUE	0x00000002

#### **Exporting From Calendar Objects**

This property SHOULD<73> be exported from **PidLidBusyStatus** as specified in Table 37.

**Table 37- Mapping of PidLidBusyStatus to TRANSP**

<i>PidLidBusyStatus</i>	<i>STATUS</i>
0x00000000	TRANSPARENT
0x00000001	OPAQUE
0x00000002	OPAQUE
0x00000003	OPAQUE

#### **2.2.1.20.26 Property: UID**

RFC Reference: [RFC2445] section 4.8.4.7  
Number of Instances Allowed: 0, 1  
Format: Text ([RFC2445] section 4.3.11)  
Brief Description: Provides a globally unique identifier for the appointment.

## Importing To Calendar Objects

There are two supported forms of textual representation of the UID property. The ABNF grammar for this value is:

```
UID = EncodedGlobalId / ThirdPartyGlobalId

EncodedGlobalId   = Header GlobalIdData
ThirdPartyGlobalId = 1*UTF8-octets      ; Assuming UTF-8 is the encoding

Header = ByteArrayID InstanceDate CreationDateTime Padding DataSize

ByteArrayID       = "040000008200E00074C5B7101A82E008"
InstanceDate     = InstanceYear InstanceMonth InstanceDay
InstanceYear     = 4*4HEXDIGIT         ; UInt16
InstanceMonth    = 2*2HEXDIGIT         ; UInt8
InstanceDay      = 2*2HEXDIGIT         ; UInt8
CreationDateTime = FileTime
FileTime         = 16*16HEXDIGIT      ; UInt64
Padding          = 16*16HEXDIGIT      ; "0000000000000000" recommended
DataSize         = 8*8HEXDIGIT        ; UInt32 little-endian
GlobalIdData     = 2*HEXDIGIT4
```

To be of type **EncodedGlobalId**, the value of the UID property MUST satisfy the following constraints:

1. Every character MUST be a HEXDIGIT.
2. The length of the string MUST be eighty-two (82) characters or more.
3. The length of the string MUST be evenly divisible by 2.
4. The first thirty-two characters MUST match (case insensitive<74>)"040000008200E00074C5B7101A82E008".

Otherwise, the UID property is of type **ThirdPartyGlobalId**.

If the UID is of type **EncodedGlobalId**, then the data MUST be decoded to its binary representation (every two HEXDIGITs compose one byte).

A temporary variable *EffectiveInstanceDate* is defined as follows:

- If the UID is of type **EncodedGlobalId** and if the **InstanceDate** portion of the UID is a valid date in the range of January 1<sup>st</sup>, 1601 to December 31<sup>st</sup>, 4500 (inclusive), then the *EffectiveInstanceDate* is the **InstanceDate** portion of the UID.
- If the UID is of type **EncodedGlobalId** but the **InstanceDate** portion of the UID is not a valid date in the range of January 1<sup>st</sup>, 1601 to December 31<sup>st</sup>, 4500 (inclusive), then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).
- If the UID is of type **ThirdPartyGlobalId**, then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).

If the UID is of type **EncodedGlobalId**, it MUST be imported into **PidLidGlobalObjectId** as specified below (the **PidLidGlobalObjectId** structure is specified in [MS-OXOCAL]):

- The **Byte Array Id** field MUST be set to: 0x04, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate's* year
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate's* year
- The **M** field MUST be set to the value of the *EffectiveInstanceDate's* month
- The **D** field MUST be set to the value of the *EffectiveInstanceDate's* day
- The **Creation Time** field MUST be set to the **CreationDateTime** value
- The **X** field MUST be set to the **Padding** value
- The **Size** field MUST be set to the **DataSize** value
- The **Data** field MUST be set to the binary value of **GlobalIdData**

If the UID is of type **EncodedGlobalId**, it MUST also be imported into **PidLidCleanGlobalObjectId** as specified below (the **PidLidCleanGlobalObjectId** structure is specified in [MS-OXOCAL]):

- The **Byte Array Id** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08
- The **YH** field MUST be set to 0x00
- The **YL** field MUST be set to 0x00
- The **M** field MUST be set to 0x00
- The **D** field MUST be set to 0x00
- The **Creation Time** field MUST be set to the **CreationDateTime** value
- The **X** field MUST be set to the **Padding** value
- The **Size** field MUST be set to the **DataSize** value
- The **Data** field MUST be set to the binary value of **GlobalIdData**

If the UID is of type **ThirdPartyGlobalId**, it MUST be imported into **PidLidGlobalObjectId** as specified below (the **PidLidGlobalObjectId** structure is specified in [MS-OXOCAL]):

- The **Byte Array Id** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate's* year
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate's* year
- The **M** field MUST be set to the value of the *EffectiveInstanceDate's* month
- The **D** field MUST be set to the value of the *EffectiveInstanceDate's* day
- The **Creation Time** field MUST be set to 0x0000000000000000
- The **X** field MUST be set to 0x0000000000000000
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C

- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8)

If the UID is of type **ThirdPartyGlobalId**, it MUST also be imported into **PidLidCleanGlobalObjectId** as specified below (the **PidLidCleanGlobalObjectId** structure is specified in [MS-OXOCAL]):

- The **Byte Array Id** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08
- The **YH** field MUST be set to 0x00
- The **YL** field MUST be set to 0x00
- The **M** field MUST be set to 0x00
- The **D** field MUST be set to 0x00
- The **Creation Time** field MUST be set to 0x0000000000000000
- The **X** field MUST be set to 0x0000000000000000
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8)

### Exporting From Calendar Objects

If the **Data** field (as specified in [MS-OXOCAL] section 2.2.1.27) of **PidLidGlobalObjectId** begins with the following 12 bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, the remainder of the **Data** field (starting at the 13<sup>th</sup> byte) MUST be treated as a UTF-8 encoded string and exported directly as the UID property.

Otherwise, a modified copy of **PidLidGlobalObjectId**, with the **YH**, **YL**, **M**, and **D** fields set to 0x00, MUST be encoded as a hexadecimal string, and exported as the UID property.

#### 2.2.1.20.27 *Property: X-ALT-DESC*

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Provides an alternate format for the DESCRIPTION property (an HTML body).

### Importing To Calendar Objects

If the FMTTYPE parameter is 'text/html', then the HTML SHOULD<75> be converted to encapsulated RTF (see [MS-OXRTFEX]) and stored in **PidTagRtfCompressed** (see [MS-OXRTFCP]).

If the FMTTYPE parameter is absent or undocumented, then the X-ALT-DESC property SHOULD be ignored.

## Exporting From Calendar Objects

**PidTagRtfCompressed** SHOULD<75> be converted to HTML and exported as an X-ALT-DESC property with a FMTTYPE parameter of 'text/html'.

### 2.2.1.20.27.1 Parameter: FMTTYPE

RFC Reference: [RFC2445] section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the text format of the X-ALT-DESC property.

## Importing To and Exporting From Calendar Objects

See 2.2.1.20.27.

### 2.2.1.20.28 Property: X-MICROSOFT-CDO-ALLDAYEVENT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

## Importing To Calendar Objects

If this property is set to TRUE and if DTSTART and DTEND are both specified as local times falling at midnight in their respective<76> time zones, then this appointment SHOULD<52> be imported as an all day appointment. Specifically, **PidLidAppointmentSubType** SHOULD<52> be set to 0x00000001 and **PidLidAppointmentStartWhole** and **PidLidAppointmentEndWhole** SHOULD<52> be set to fall on midnight of the current system time zone (in UTC).

## Exporting From Calendar Objects

This property SHOULD NOT<77> be exported. Section 2.2.1.20.10 specifies how to correctly export all day events.

### 2.2.1.20.29 Property: X-MICROSOFT-CDO-APPT-SEQUENCE

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the sequence number of the meeting request.

## Importing To Calendar Objects

This property SHOULD<78> be imported into **PidLidAppointmentSequence**.

## Exporting From Calendar Objects

This property SHOULD NOT<79> be exported. Section 2.2.1.20.22 specifies how to correctly export **PidLidAppointmentSequence** using the SEQUENCE property.

### 2.2.1.20.30 Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE

RFC Reference: N/A

Number of Instances Allowed: 0, 1



Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Specifies the time at which the attendee accepted, tentatively accepted, or declined the meeting request.

#### Importing To Calendar Objects

This property MAY<80> be imported as **PidLidAttendeeCriticalChange**.

#### Exporting From Calendar Objects

**PidLidAttendeeCriticalChange** MAY<80> be exported as X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE.

### 2.2.1.20.31 Property: X-MICROSOFT-CDO-BUSYSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the busy status of an appointment.

#### Importing To and Exporting From Calendar Objects

This property SHOULD<81> be mapped into **PidLidBusyStatus** as specified by Table 38.

**Table 38- Mapping of X-MICROSOFT-CDO-BUSYSTATUS to PidLidBusyStatus**

<i>X-MICROSOFT-CDO-BUSYSTATUS</i>	<i>PidLidBusyStatus</i>
FREE	0x00000000
TENTATIVE	0x00000001
BUSY	0x00000002
OOF	0x00000003

### 2.2.1.20.32 Property: X-MICROSOFT-CDO-IMPORTANCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the importance of an appointment.

#### Importing To Calendar Objects

This property SHOULD be imported into **PidTagImportance** as specified by Table 39.

**Table 39- Map from X-MICROSOFT-CDO-IMPORTANCE to PidTagImportance**

<i>X-MICROSOFT-CDO-IMPORTANCE</i>	<i>PidTagImportance</i>
0	0x00000000
1	0x00000001
2	0x00000002

#### Exporting From Calendar Objects

This property SHOULD NOT<82> be exported. Section 2.2.1.20.17 specifies how to correctly export **PidTagImportance** using the PRIORITY property.

### **2.2.1.20.33 Property: X-MICROSOFT-CDO-INSTTYPE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Indicates whether the VEVENT represents a non-recurring appointment, a recurring appointment, or an exception to a recurring appointment.

#### **Importing To Calendar Objects**

This property SHOULD be ignored.

#### **Exporting From Calendar Objects**

This property SHOULD NOT be exported. The instance type of a VEVENT can be correctly determined based on the existence of the RRULE and RECURRENCE-ID properties.

### **2.2.1.20.34 Property: X-MICROSOFT-CDO-INTENDEDSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD be imported into **PidLidIntendedBusyStatus** as specified by Table 38.

If the METHOD property is REQUEST and an X-MICROSOFT-CDO-INTENDEDSTATUS property is absent, then **PidLidIntendedBusyStatus** SHOULD copy the value of **PidLidBusyStatus**, defaulting to 0x00000002 if **PidLidBusyStatus** was not set, and **PidLidBusyStatus** SHOULD be set to 0x00000001.

#### **Exporting From Calendar Objects**

If the METHOD property is REQUEST, **PidLidIntendedBusyStatus** SHOULD be exported as X-MICROSOFT-CDO-INTENDEDSTATUS using the mapping in Table 38.

### **2.2.1.20.35 Property: X-MICROSOFT-CDO-OWNERAPPTID**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Provides an identifier for the appointment which is unique in the scope of the organizer's primary calendar.

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD be directly imported to and exported from **PidTagOwnerAppointmentId**.

### ***2.2.1.20.36 Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE***

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Specifies the time at which the organizer requested, updated, or cancelled the meeting.

#### **Importing To Calendar Objects**

When present, this property MAY<86> be imported as **PidLidOwnerCriticalChange**.

#### **Exporting From Calendar Objects**

**PidLidOwnerCriticalChange** MAY<86> be exported as X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.

### ***2.2.1.20.37 Property: X-MICROSOFT-CDO-REPLYTIME***

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Specifies the time in which the attendee responded to a meeting request.

#### **Importing To Calendar Objects**

This property MAY<87> be imported as **PidLidAppointmentReplyTime**.

#### **Exporting From Calendar Objects**

**PidLidAppointmentReplyTime** MAY<88> be exported as X-MICROSOFT-CDO-REPLYTIME.

### ***2.2.1.20.38 Property: X-MICROSOFT-DISALLOW-COUNTER***

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether or not the organizer is willing to receive counter-proposals.

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD<89> be directly imported to and exported from **PidLidAppointmentNotAllowPropose**.

### ***2.2.1.20.39 Property: X-MICROSOFT-EXDATE***

RFC Reference: [RFC2445] section 4.8.5.1

Number of Instances Allowed: 0+

Format: Date-Time ([RFC2445] section 4.3.5) , Date ([RFC2445] section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

### **Importing To Calendar Objects**

If this property is specified, an X-MICROSOFT-RRULE MUST also be specified in the same VEVENT.

This property SHOULD<90> be imported in the same way that the EXDATE property is imported. See section 2.2.1.20.13.

### **Exporting From Calendar Objects**

The X-MICROSOFT-EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If the **CalendarType** field of **PidLidAppointmentRecur** is non-zero or if **PatternType** is one of the special values enumerated in Table 6, this property SHOULD<90> be exported in place of the EXDATE property. If exported, the value of this property MUST be exactly what the value of the EXDATE property would have been (see 2.2.1.20.13).

#### **2.2.1.20.39.1 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

### **Importing To Calendar Objects**

This parameter SHOULD be ignored.

### **Exporting From Calendar Objects**

This parameter MUST be exported as 'DATE-TIME'.

#### **2.2.1.20.40 Property: X-MICROSOFT-ISDRAFT**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

### **Importing To Calendar Objects**

For iCalendar files with a method of REQUEST, REPLY, CANCEL, or COUNTER, **PidLidFInvited** MUST be set to TRUE regardless of the value of X-MICROSOFT-ISDRAFT.

For iCalendar files with a method of PUBLISH, **PidLidFInvited** SHOULD<91> be set to TRUE if the VEVENT is a meeting and X-MICROSOFT-ISDRAFT is not set to TRUE. Otherwise, **PidLidFInvited** SHOULD be set to FALSE.

### **Exporting From Calendar Objects**

For iCalendar files with a method of PUBLISH, if the organizer of the meeting is the user and if **PidLidFInvited** is not TRUE, then X-MICROSOFT-ISDRAFT SHOULD<91> be exported as TRUE.

For all other cases, X-MICROSOFT-ISDRAFT MUST NOT be exported.

**2.2.1.20.41 Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

**Importing To and Exporting From Calendar Objects**

This property is synonymous with X-MICROSOFT-CDO-ALLDAYEVENT <92>. See 2.2.1.20.28 for usage.

**2.2.1.20.42 Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the busy status of an appointment.

**Importing To Calendar Objects**

This property is synonymous with X-MICROSOFT-CDO-BUSYSTATUS (see 2.2.1.20.31) and SHOULD<93> be imported into **PidLidBusyStatus** as specified by Table 38.

**Exporting From Calendar Objects**

This property SHOULD NOT be exported.

**2.2.1.20.43 Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the importance of an appointment.

**Importing To and Exporting From Calendar Objects**

This property is synonymous <94> with X-MICROSOFT-CDO-IMPORTANCE. See 2.2.1.20.32 for usage.

**2.2.1.20.44 Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

**Importing To Calendar Objects**

This property is synonymous with X-MICROSOFT-CDO-INTENDEDSTATUS (see 2.2.1.20.34) and SHOULD<84> be imported into **PidLidIntendedBusyStatus** as specified by Table 38.

### **Exporting From Calendar Objects**

This property SHOULD NOT be exported.

#### **2.2.1.20.45 Property: X-MICROSOFT-RRULE**

RFC Reference: [RFC2445] section 4.8.5.4

Number of Instances Allowed: 0, 1

Format: Recurrence Rule ([RFC2445] section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

### **Importing To and Exporting From Calendar Objects**

Section 2.3.2 specifies how the X-MICROSOFT-RRULE property is imported and exported.

If this property is specified, an X-MICROSOFT-CALSCALE MUST also be specified in the same VEVENT.

#### **2.2.1.20.45.1 Parameter: VALUE**

RFC Reference: [RFC2445] section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the format of this property.

### **Importing To Calendar Objects**

This parameter SHOULD be ignored.

### **Exporting From Calendar Objects**

This parameter MUST be exported as 'RECUR'.

#### **2.2.1.20.45.2 Parameter: X-MICROSOFT-ISLEAPMONTH**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether the month specified in a yearly non-Gregorian recurrence is a leap month of that calendar.

### **Importing To Calendar Objects**

This parameter SHOULD be ignored. The month of a yearly recurrence is determined from DTSTART.

### **Exporting From Calendar Objects**

If the recurrence is a Yearly (2.3.2.5) or Yearly Nth (2.3.2.6), this property SHOULD<95> be exported as a Boolean ([RFC2445] section 4.3.2) indicating whether or not the month of the recurrence is a leap month.

#### **2.2.1.20.46 Property: X-MS-OLK-ALLOWEXTERNCHECK**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether attendees not directly invited by the organizer can connect to the conferencing instance (see the **PidLidAllowExternalCheck** entry in [MS-OXPROPS]).

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD<96> be directly imported to and exported from **PidLidAllowExternalCheck**.

#### **2.2.1.20.47 Property: X-MS-OLK-APPTLASTSEQUENCE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the last-known maximum sequence number of a meeting.

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD<97> be directly imported to and exported from **PidLidAppointmentLastSequence**.

#### **2.2.1.20.48 Property: X-MS-OLK-APPTSEQTIME**

RFC Reference: [RFC2445] section 4.8.7.2

Number of Instances Allowed: 1

Format: Date-Time ([RFC2445] section 4.3.5), Date ([RFC2445] section 4.3.4)

Brief Description: The creation time of the iCalendar.

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD<98> be imported (in UTC) to **PidLidAppointmentSequenceTime**.

#### **Importing To and Exporting From Calendar Objects**

**PidLidAppointmentSequenceTime** SHOULD<98> be exported as this property (in UTC).

#### **2.2.1.20.48.1 Parameter: TZID**

RFC Reference: [RFC2445] section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to section 4.2.19 of [RFC2445] for additional details on the TZID parameter.

#### **2.2.1.20.49 Property: X-MS-OLK-AUTOFILLLOCATION**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether the location is being automatically populated with recipients of type Resource.

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<99> be directly imported to and exported from **PidLidAutoFillLocation**.

#### **2.2.1.20.50 Property: X-MS-OLK-AUTOSTARTCHECK**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether or not to automatically start the conferencing application when a **reminder** for the meeting fires (see the **PidLidAutoStartCheck** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<100> be directly imported to and exported from **PidLidAutoStartCheck**.

#### **2.2.1.20.51 Property: X-MS-OLK-COLLABORATEDOC**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the path to the conferencing collaboration document (see the **PidLidCollaborateDoc** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<101> be directly imported to and exported from **PidLidCollaborateDoc**.

#### **2.2.1.20.52 Property: X-MS-OLK-CONFHECK**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether or not conferencing is enabled on this appointment (see the **PidLidConferencingCheck** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<102> be directly imported to and exported from **PidLidConferencingCheck**.

#### **2.2.1.20.53 Property: X-MS-OLK-CONFTYPE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the type of conferencing that is enabled on the appointment (see the **PidLidConferencingType** entry in [MS-OXPROPS]).



### **Importing To and Exporting From Calendar Objects**

This property SHOULD<103> be directly imported to and exported from **PidLidConferencingType**.

#### **2.2.1.20.54 Property: X-MS-OLK-DIRECTORY**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the path to the conferencing server (see the **PidLidDirectory** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<104> be directly imported to and exported from **PidLidDirectory**.

#### **2.2.1.20.55 Property: X-MS-OLK-MWSURL**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the URL of the **Meeting Workspace** (see the **PidLidMeetingWorkspaceUrl** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<105> be directly imported to and exported from **PidLidMeetingWorkspaceUrl**.

#### **2.2.1.20.56 Property: X-MS-OLK-NETSHOWURL**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the URL of the NetShow conference (see the **PidLidNetShowUrl** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<106> be directly imported to and exported from **PidLidNetShowUrl**.

#### **2.2.1.20.57 Property: X-MS-OLK-ONLINEPASSWORD**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the password to the conferencing instance (see the **PidLidOnlinePassword** entry in [MS-OXPROPS]).

### **Importing To and Exporting From Calendar Objects**

This property SHOULD<107> be directly imported to and exported from **PidLidOnlinePassword**.

### **2.2.1.20.58 Property: X-MS-OLK-ORGALIAS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the e-mail address of the conferencing instance's organizer (see the **PidLidOrganizerAlias** entry in [MS-OXPROPS]).

#### **Importing To and Exporting From Calendar Objects**

This property SHOULD<108> be directly imported to and exported from **PidLidOrganizerAlias**.

### **2.2.1.20.59 Property: X-MS-OLK-ORIGINALEND**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5) , Date ([RFC2445] section 4.3.4)

Brief Description: Specifies the original end time of a meeting on a Counter Proposal.

#### **Importing To and Exporting From Calendar Objects**

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD<49> be directly mapped to **PidLidAppointmentEndWhole**, and **PidLidAppointmentDuration** SHOULD<50> be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALEND MUST be ignored and MUST NOT be exported.

### **2.2.1.20.60 Property: X-MS-OLK-ORIGINALSTART**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5) , Date ([RFC2445] section 4.3.4)

Brief Description: Specifies the original start time of a meeting on a Counter Proposal.

#### **Importing To and Exporting From Calendar Objects**

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD<49> be directly mapped to **PidLidAppointmentStartWhole**, and **PidLidAppointmentDuration** SHOULD<50> be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALSTART MUST be ignored and MUST NOT be exported.

### **2.2.1.20.61 Property: X-MS-OLK-SENDER**

RFC Reference: [RFC2445] section 4.8.4.3

Number of Instances Allowed: 0, 1

Format: URI ([RFC2445] section 4.3.13)

Brief Description: The delegate sending the meeting on behalf of the organizer.

### Importing To Calendar Objects

This property SHOULD<109> be parsed as a valid mailto URI (specified in [RFC2368]). The resulting SMTP address SHOULD<109> be resolved against the address book [MS-OXOABK]. If no match was found, a one-off entry ID (2.2.3.1 of [MS-OXCADATA]) SHOULD<109> be created using the SMTP address and the CN parameter. If resolved successfully, the Address Book object SHOULD<109> be imported into **PidTagSenderAddressType**, **PidTagSenderEmailAddress**, **PidTagSenderEntryId**, and **PidTagSenderName**.

### Exporting From Calendar Objects

If the 0x00000001 flag of **PidLidAppointmentStateFlags** is 0, then an X-MS-OLK-SENDER property MUST NOT be exported. Also, if **PidTagSenderEntryId** refers to the same Address Book object as the organizer, then the X-MS-OLK-SENDER property SHOULD NOT be exported.

The value of this property SHOULD<109> be a mailto URI (specified in [RFC2368]) with the SMTP address of the Address Book object [MS-OXOABK] referenced by **PidTagSenderEntryId**. If the Address Book object does not have an SMTP address, then the value of the property SHOULD<109> be set to 'invalid:nomail'.

#### 2.2.1.20.61.1 Parameter: CN

RFC Reference: [RFC2445] section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: The display name of the delegate sending the meeting on behalf of the organizer.

### Importing To Calendar Objects

See 2.2.1.20.61.

### Exporting From Calendar Objects

This parameter SHOULD<109> be exported from the **PidTagDisplayName** from the Address Book object (falling back on the **PidTagSenderName** from the Calendar object, if necessary).

#### 2.2.1.20.62 Component: VALARM

RFC Reference: [RFC2445] section 4.6.6

Number of Instances Allowed: 0, 1

Brief Description: Specifies a reminder for an appointment.

### Importing To Calendar Objects

If there is a VALARM component with a TRIGGER property specified as a Duration ([RFC2445] section 4.3.6), then it MUST be parsed according to Table 40.

**Table 40- Imported reminder properties**

<i>Named Property</i>	<i>Value</i>
<b>PidLidReminderDelta</b>	MUST be set to the absolute value of the number of minutes

<b>PidLidReminderTime</b>	specified by the TRIGGER property. If no such TRIGGER property could be parsed, <b>PidLidReminderDelta</b> SHOULD<110> be set to 0x0000000F for non-all day appointments and 0x00000438 for all day appointments. MUST be set to the next instance of the appointment, in UTC. If all instances of the appointment are in the past, then this property SHOULD NOT be set.
<b>PidLidReminderSignalTime</b>	SHOULD<111> be set to <b>PidLidReminderDelta</b> minutes earlier than <b>PidLidReminderTime</b> . If <b>PidLidReminderTime</b> is not set, then this property SHOULD NOT be set.
<b>PidLidReminderSet</b>	MUST be set to TRUE if and only if <b>PidLidReminderDelta</b> was successfully parsed from a TRIGGER property and <b>PidLidReminderTime</b> was set.

### Exporting From Calendar Objects

If **PidLidReminderSet** is TRUE, then a VALARM component MUST be exported with the properties enumerated in Table 41.

**Table 41- VALARM properties**

<i>VALARM Property</i>	<i>Value</i>
TRIGGER	MUST be set to a Duration ([RFC2445] section 4.3.6) representing the number of minutes specified by <b>PidLidReminderDelta</b> . If <b>PidLidReminderDelta</b> is set to 0x5AE980E1, TRIGGER MUST be exported as 15.
ACTION	MUST be set to 'DISPLAY'
DESCRIPTION	MUST be set to 'Reminder'

#### 2.2.1.20.62.1 Property: TRIGGER

RFC Reference: [RFC2445] section 4.8.6.3

Number of Instances Allowed: 1

Format: Duration ([RFC2445] section 4.3.6)

Brief Description: Specifies the **signal time** of the reminder as an interval, in minutes, before the beginning of an instance of the appointment.

#### Importing To and Exporting From Calendar Objects

See 2.2.1.20.62.

#### 2.2.1.20.62.2 Property: ACTION

RFC Reference: [RFC2445] section 4.8.6.1

Number of Instances Allowed: 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the action to take when the reminder is signaled.

### Importing To Calendar Objects

This property SHOULD be ignored on import.

### Exporting From Calendar Objects

See 2.2.1.20.62.

#### 2.2.1.20.62.3 Property: DESCRIPTION

RFC Reference: [RFC2445] section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Provides a plain-text description for the reminder.

### Importing To Calendar Objects

This property SHOULD be ignored on import.

### Exporting From Calendar Objects

See 2.2.1.20.62.

## 2.3 Additional Information on Recurrences

Additional information that is necessary to specify a mapping from iCalendar RRULEs to **PidLidAppointmentRecur** can be found below.

### 2.3.1 iCalendar Recurrence Syntax

An iCalendar recurrence data type is a semicolon-delimited list of **recurrence parts**. The ordering of these recurrence parts does not matter, but a single iCalendar recurrence MUST NOT contain more than one instance of the same recurrence part.

#### 2.3.1.1 Recurrence Part: **FREQ**

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the frequency of the recurrence.

The FREQ recurrence part MUST be set to one of the values defined in Table 42.

**Table 42- Possible values of the FREQ recurrence part**

<i>FREQ Value</i>	<i>Meaning</i>
DAILY	The appointment occurs every <interval> days. Supported configurations of DAILY recurrences are specified in section 2.3.2.1.
WEEKLY	The appointment occurs every <interval> weeks. Supported configurations of WEEKLY recurrences are specified in section 2.3.2.2.
MONTHLY	The appointment occurs every <interval> months. Supported configurations of MONTHLY recurrences are specified in sections 2.3.2.3 and 2.3.2.4.
YEARLY	The appointment occurs every <interval> years. Supported configurations of YEARLY recurrences are specified in sections 2.3.2.5 and 2.3.2.6.

### 2.3.1.2 Recurrence Part: INTERVAL

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies a multiplier for the period of a recurrence.

The INTERVAL recurrence part MUST be within the bounds defined in Table 43. If an INTERVAL is omitted, the recurrence MUST be parsed as though the INTERVAL were 1.

**Table 43- Bounds for the INTERVAL recurrence part**

<i>FREQ Value</i>	<i>Minimum INTERVAL</i>	<i>Maximum INTERVAL</i>
DAILY	1	999
WEEKLY	1	99
MONTHLY	1	99
YEARLY	1	8 <112>

### 2.3.1.3 Recurrence Part: BYMINUTE

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the minute(s) on which a recurrence occurs.

The BYMINUTE recurrence part MUST be an integer between 0 and 59 (inclusive).

Furthermore, the BYMINUTE recurrence part MUST NOT specify more than one value. If no BYMINUTE is specified, the minute from the DTSTART property MUST be used.

### 2.3.1.4 Recurrence Part: BYHOUR

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the hour(s) on which a recurrence occurs.

The BYHOUR recurrence part MUST be an integer between 0 and 23 (inclusive).

Furthermore, the BYHOUR recurrence part MUST NOT specify more than one value. If no BYHOUR is specified, the hour from the DTSTART property MUST be used.

### 2.3.1.5 Recurrence Part: BYMONTHDAY

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section 2.3.2)

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the day(s) of the month on which a recurrence occurs.

The BYMONTHDAY recurrence part MUST be -1, or an integer between 1 and 31 (inclusive). Furthermore, the BYMONTHDAY recurrence part MUST NOT specify more than one value. If no BYMONTHDAY is specified, the day of month from the DTSTART property MUST be used.

### 2.3.1.6 Recurrence Part: BYDAY

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section 2.3.2)

Format: Text ([RFC2445] section 4.3.8)

Brief Description: Specifies the day(s) of the week on which a recurrence occurs.

The BYDAY recurrence part **MUST** be a comma-delimited list of elements consisting of an optional week number (specified in Table 44) followed by a mandatory 2-character code for the day of week (specified in Table 44). A BYDAY recurrence part with no week number will be termed **week independent**.

**Table 44- 2-character codes for a day of week in a BYDAY recurrence part**

<i>Day of Week</i>	<i>Character Code</i>	<i>Meaning</i>
SU		Sunday
MO		Monday
TU		Tuesday
WE		Wednesday
TH		Thursday
FR		Friday
SA		Saturday

**Table 45- Week numbers in a BYDAY recurrence part**

<i>Week Number</i>	<i>Meaning</i>
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

### 2.3.1.7 Recurrence Part: BYMONTH

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section 2.3.2)

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the month(s) on which a recurrence occurs.

The BYMONTH recurrence part **MUST** be an integer between 1 and 12 (inclusive).

Furthermore, the BYMONTH recurrence part **MUST NOT** specify more than one value. If no BYMONTH is specified, the month from the DTSTART property **MUST** be used.

### 2.3.1.8 Recurrence Part: BYSETPOS

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section 2.3.2)

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the instance(s) of a multi-BYDAY appointment to use each INTERVAL (see 2.3.2.4 and 2.3.2.6).

The BYSETPOS recurrence part MUST be -1 or an integer between 1 and 4 (inclusive), see Table 46. Furthermore, the BYSETPOS recurrence part MUST NOT specify more than one value.

**Table 46- Values of the BYSETPOS recurrence part**

<i>BYSETPOS Value</i>	<i>Meaning</i>
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

### **2.3.1.9 Recurrence Part: WKST**

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.8)

Brief Description: Specifies the day of week on which a week is considered to start.

The WKST recurrence part MUST one of the values enumerated in Table 44. If no WKST recurrence part is specified, 'SU' MUST be used.

### **2.3.1.10 Recurrence Part: UNTIL**

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Specifies the time of the last instance of a recurring appointment (inclusive).

The UNTIL recurrence part MUST be a Date-Time occurring after the DTSTART property.

The UNTIL recurrence part MUST NOT be specified in conjunction with the COUNT recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501 in the time zone specified by **PidLidTimeZoneStruct**, the recurrence SHOULD be treated as infinitely recurring.

### **2.3.1.11 Recurrence Part: COUNT**

RFC Reference: [RFC2445] section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the number of instances in a recurring appointment.

The COUNT recurrence part MUST be an Integer between 1 and 999 (inclusive). The COUNT recurrence part MUST NOT be specified in conjunction with the UNTIL recurrence



part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501, the recurrence SHOULD be treated as infinitely recurring.

### 2.3.2 Recurrence Templates

The RRULE and X-MICROSOFT-RRULE properties MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

Although the syntax permits a wide variety of recurrences, only RRULE properties and X-MICROSOFT-RRULE properties fitting the templates enumerated in this section SHOULD be mapped into the **PidLidAppointmentRecur** structure.

Implementations SHOULD gracefully fail to map any recurrences that do not fit the templates enumerated in this section.

The following sections express the templates in ABNF notation (see [RFC4234]). Below are common rules used in the templates:

```

common-parts = [interval-part] [byhour-part] [byminute-part]
               [(until-part / count-part)] [wkst-part]

interval-part    = ";"INTERVAL=" 1*DIGIT           ; See 2.3.1.2
byminute-part   = ";"BYMINUTE=" 1*2DIGIT          ; See 2.3.1.3
byhour-part     = ";"BYHOUR=" 1*2DIGIT            ; See 2.3.1.4
bymonthday-part = ";"BYMONTHDAY=" 1*2DIGIT        ; See 2.3.1.5
byday-part      = ";"BYDAY=" byday-list           ; See 2.3.1.6
byday-nth-part  = ";"BYDAY=" byday-nth-list       ; See 2.3.1.6
bymonth-part    = ";"BYMONTH=" 1*2DIGIT           ; See 2.3.1.7
bysetpos-part   = ";"BYSETPOS=" weeknum           ; See 2.3.1.8
wkst-part       = ";"WKST=" dayofweek              ; See 2.3.1.9
until-part      = ";"UNTIL=" datetime              ; See 2.3.1.10
count-part      = ";"COUNT=" 1*3DIGIT            ; See 2.3.1.11

byday-list      = byday-elm *(", " byday-elm)
byday-elm       = [weeknum] dayofweek
dayofweek       = "SU" / "MO" / "TU" / "WE" / "TH" / "FR" / "SA"
                                                         ; See Table 44

weeknum         = "-1" / "1" / "2" / "3" / "4"
byday-nth-list  = dayofweek
byday-nth-list  =/ "SA,SU"                          ; Any ordering
byday-nth-list  =/ "MO,TU,WE,TH,FR"                 ; Any ordering
byday-nth-list  =/ "SU,MO,TU,WE,TH,FR,SA"           ; Any ordering
datetime        = year month day "T" hour minute second ["Z"]
year            = 4DIGIT
month           = 2DIGIT
day             = 2DIGIT
hour           = 2DIGIT
minute         = 2DIGIT
second         = "00"

```

### 2.3.2.1 Template: Daily Recurrences

#### ABNF Template

daily-template = "FREQ=DAILY" [common-parts]

#### Template Examples

Every day:

FREQ=DAILY

Every day at 3:30 P.M.:

FREQ=DAILY; BYMINUTE=30; BYHOUR=15

Every 3 days:

FREQ=DAILY; INTERVAL=3

Every 3 days at 3:30 P.M.:

FREQ=DAILY; INTERVAL=3; BYMINUTE=30; BYHOUR=15

Every 3 days at 3:30 P.M. for 30 instances:

FREQ=DAILY; INTERVAL=3; BYMINUTE=30; BYHOUR=15; COUNT=30

#### Importing To Calendar Objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<114> be imported into **PidLidAppointmentRecur** as specified in Table 47. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

**Table 47- AppointmentRecurrencePattern Fields for Daily Recurrences**

<i>AppointmentRecurrencePattern Field</i>	<i>Value</i>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>UIGroup</b>	Set to 0x200A
<b>PatternType</b>	Set to 0x0000. Can be overridden by X-MICROSOFT-CALSCALE, see 2.2.1.8.
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see 2.2.1.8).
<b>FirstDateTime</b>	Set to StartDate
<b>Period</b>	Set to (1440 * INTERVAL)
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table

<b>DeletedInstanceCount / DeletedInstanceDates</b>	48) See 2.2.1.20.13
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See 2.2.1.20.18
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight January 1, 1601. Note that this value <b>MUST</b> always be evenly divisible by 1440.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value <b>MUST</b> always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x3006
<b>WriterVersion2</b>	Set to 0x3009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to (StartTimeOffset + <duration in minutes>)
<b>ExceptionCount / ExceptionInfo (ReservedBlocks and ExtendedExceptions)</b>	See 2.2.1.20.18 Refer to [MS-OXOCAL]

**Table 48- Map of WKST Values to FirstDOW Values**

<i>WKST Value</i>	<i>FirstDOW Value</i>
SU	0x00000000
MO	0x00000001
TU	0x00000002
WE	0x00000003
TH	0x00000004
FR	0x00000005
SA	0x00000006

### Exporting From Calendar Objects

The **PidLidAppointmentRecur** structure SHOULD<114> be exported as a property (specified in Table 49), which **MUST** be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

**Table 49- Mapping of PidLidAppointmentRecur's fields to recurrence properties. If a case matches more than one row, the first matching row applies.**

<i>CalendarType field</i>	<i>PatternType field</i>	<i>Recurrence property</i>
---------------------------	--------------------------	----------------------------

0x0000	0x0000	RRULE
0x0000	0x0001	RRULE
0x0000	0x0002	RRULE
0x0000	0x0003	RRULE
0x0000	0x000A	X-MICROSOFT-RRULE
0x0000	0x000B	X-MICROSOFT-RRULE
(any)	0x0000	RRULE <115>
(any)	0x0001	RRULE <115>
0x0001	(any)	RRULE
0x0002	(any)	RRULE
0x0003	(any)	RRULE
0x0004	(any)	RRULE
0x0005	(any)	RRULE
0x0006	(any)	X-MICROSOFT-RRULE
0x0007	(any)	RRULE
0x0008	(any)	X-MICROSOFT-RRULE
0x0009	(any)	RRULE
0x000A	(any)	RRULE
0x000B	(any)	RRULE
0x000C	(any)	RRULE
0x000E	(any)	X-MICROSOFT-RRULE
0x000F	(any)	X-MICROSOFT-RRULE
0x0010	(any)	X-MICROSOFT-RRULE
0x0011	(any)	X-MICROSOFT-RRULE
0x0012	(any)	X-MICROSOFT-RRULE
0x0013	(any)	X-MICROSOFT-RRULE
0x0014	(any)	X-MICROSOFT-RRULE
0x0017	(any)	X-MICROSOFT-RRULE

**Table 50- Mapping of PidLidAppointmentRecur's fields to Recurrence Templates**

<i>PatternType field</i>	<i>Period field</i>	<i>Recurrence Template</i>
0x0000	(any)	Daily Recurrence (section 2.3.2.1)
0x0001	(any)	Weekly Recurrence (section 2.3.2.2)
0x0002	(not evenly divisible by 12)	Monthly Recurrence (section 2.3.2.3)
0x0002	(evenly divisible by 12)	Yearly Recurrence (section 2.3.2.5)
0x0003	(not evenly divisible by 12)	Monthly Nth Recurrence (section 2.3.2.4)
0x0003	(evenly divisible by 12)	Yearly Nth Recurrence (section 2.3.2.6)
0x000A	(not evenly divisible by 12)	Monthly Recurrence (section 2.3.2.3)
0x000A	(evenly divisible by 12)	Yearly Recurrence (section 2.3.2.5)
0x000B	(not evenly divisible by 12)	Monthly Nth Recurrence (section 2.3.2.4)
0x000B	(evenly divisible by 12)	Yearly Nth Recurrence (section 2.3.2.6)

If **PidLidAppointmentRecur** is being exported with the Daily Recurrence template (as specified in Table 50), then it **MUST** contain the Recurrence Parts specified in Table 51.

**Table 51- Recurrence Parts for a Daily Recurrence**

<i>Recurrence Part</i>	<i>Value</i>
FREQ	Set to 'DAILY'
INTERVAL	Set to (Period / 1440)
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <b>PidLidTimeZoneStruct</b> to the UTC time zone. <116> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<117> be omitted.

### 2.3.2.2 Template: Weekly Recurrences

#### ABNF Template

weekly-template = "FREQ=WEEKLY" [byday-part] [common-parts]

#### Template Examples

Every Monday and Tuesday:

FREQ=WEEKLY;BYDAY=MO,TU

Every Monday and Tuesday at 3:30 P.M.:

FREQ=WEEKLY;BYDAY=MO,TU;BYMINUTE=30;BYHOUR=15

The Monday and Tuesday of every two weeks, for 7 occurrences:

FREQ=WEEKLY;BYDAY=MO,TU;INTERVAL=2;COUNT=7

The Sunday and Monday of every two weeks, as interpreted by someone who considers a week to start on Monday (common in Europe). This is different in that, after a Sunday instance, there will be a seven-day gap before the next instance on a Monday:

FREQ=WEEKLY;BYDAY=SU,MO;INTERVAL=2;WKST=MO

#### Importing To Calendar Objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<114> be imported into **PidLidAppointmentRecur** as specified in Table 52. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE. The BYDAY recurrence part MUST be week independent.

**Table 52- AppointmentRecurrencePattern Fields for Weekly Recurrences**

<i>AppointmentRecurrencePattern Field</i>	<i>Value</i>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>UIGroup</b>	Set to 0x200B
<b>PatternType</b>	Set to 0x0001. Can be overridden by X-MICROSOFT-CALSCALE, see 2.2.1.8.
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see 2.2.1.8).
<b>FirstDateTime</b>	Set to <b>StartDate</b>
<b>Period</b>	Set to the value of INTERVAL
<b>SlidingFlag</b>	Set to 0x00000000

<b>PatternTypeSpecific.Week.Sa-Su</b>	Set to a bitmask representation of BYDAY as specified in Table 53. If no BYDAY is specified, the day of week for DTSTART (in the time zone specified by <b>PidLidTimeZoneStruct</b> ) MUST be used.
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See 2.2.1.20.13
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See 2.2.1.20.18
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x3006
<b>WriterVersion2</b>	Set to 0x3009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <duration in minutes>)
<b>ExceptionCount / ExceptionInfo (ReservedBlocks and ExtendedExceptions)</b>	See 2.2.1.20.18 Refer to [MS-OXOCAL]

**Table 53- Map of BYDAY values to an rdfDays bitmask**

<i>WKST Value</i>	<i>rdfDays bit</i>
SU	0x00000001
MO	0x00000002
TU	0x00000004
WE	0x00000008
TH	0x00000010
FR	0x00000020
SA	0x00000040

### Exporting From Calendar Objects

The **PidLidAppointmentRecur** structure SHOULD<114> be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If **PidLidAppointmentRecur** is being exported with the Weekly Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 54.

**Table 54- Recurrence Parts for a Weekly Recurrence**

<i>Recurrence Part</i>	<i>Value</i>
FREQ	Set to 'WEEKLY'
INTERVAL	Set to Period
BYDAY	Set to the BYDAY representation of the <b>PatternTypeSpecific.Week.Sa-Su</b> bitmask as specified in Table 53
COUNT	If EndType is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <b>PidLidTimeZoneStruct</b> to the UTC time zone. <116> Otherwise, omit this recurrence part.
WKST	If <b>Period</b> is greater than 1, then <b>FirstDOW</b> MUST be exported as the WKST recurrence part as specified in Table 48. Otherwise, the WKST recurrence part SHOULD<117> be omitted.

### 2.3.2.3 Template: Monthly Recurrences

#### ABNF Template

monthly-template = "FREQ=MONTHLY" [bymonthday-part] [common-parts]

#### Template Examples

The last day of every month:

FREQ=MONTHLY; BYMONTHDAY=-1

The 10th day of every month at 3:30 P.M:

FREQ=MONTHLY; BYMONTHDAY=10; BYMINUTE=30; BYHOUR=15

The 15th day of every 3 months, for 7 occurrences:

FREQ=MONTHLY; BYMONTHDAY=15; INTERVAL=3; COUNT=7

## Importing To Calendar Objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<114> be imported into **PidLidAppointmentRecur** as specified in Table 55. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

**Table 55- AppointmentRecurrencePattern Fields for Monthly Recurrences**

<i>AppointmentRecurrencePattern Field</i>	<i>Value</i>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>UIGroup</b>	Set to 0x200C. If the INTERVAL is evenly divisible by 12, <b>UIGroup</b> MAY<118> be set to 0x200D.
<b>PatternType</b>	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see 2.2.1.8.
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see 2.2.1.8).
<b>FirstDateTime</b>	Set to <b>StartDate</b>
<b>Period</b>	Set to the value of INTERVAL
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, <b>PatternTypeSpecific.Month.Day</b> SHOULD<119> be set to 0x0000001F.
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See 2.2.1.20.13
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See 2.2.1.20.18
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If the BYMONTHDAY is specified, it MUST



<b>EndDate</b>	override the day portion of DTSTART. Set to the start date of the last instance of a recurrence, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x3006
<b>WriterVersion2</b>	Set to 0x3009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <duration in minutes>)
<b>ExceptionCount / ExceptionInfo</b> ( <b>ReservedBlocks</b> and <b>ExtendedExceptions</b> )	See 2.2.1.20.18 Refer to [MS-OXOCAL]

### Exporting From Calendar Objects

The **PidLidAppointmentRecur** structure SHOULD<114> be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If **PidLidAppointmentRecur** is being exported with the Monthly Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 56.

**Table 56- Recurrence Parts for a Monthly Recurrence**

<i>Recurrence Part</i>	<i>Value</i>
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period
BYMONTHDAY	Set to <b>PatternTypeSpecific.Month.Day</b> . If <b>PatternTypeSpecific.Month.Day</b> is 0x0000001F, BYMONTHDAY SHOULD<120> be set to -1.
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <b>PidLidTimeZoneStruct</b> to the UTC time zone. <116> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<117> be omitted.

### 2.3.2.4 Template: Monthly Nth Recurrences

#### ABNF Template

```

monthlynth-template      = "FREQ=MONTHLY" monthlynth-args
monthlynth-args          = byday-nth-part bysetpos-part [common-parts]

```

#### Template Examples

The 3rd Sunday of every month:

FREQ=MONTHLY;BYDAY=SU;BYSETPOS=3

The last weekday of every month at 3:30 P.M.:

FREQ=MONTHLY;BYDAY=MO, TU, WE, TH, FR;BYSETPOS=-1;BYMINUTE=30;BYHOUR=15

The first Monday of every month, for 7 occurrences:

FREQ=MONTHLY;BYDAY=MO;BYSETPOS=1;COUNT=7

### Importing To Calendar Objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<114> be imported into **PidLidAppointmentRecur** as specified in Table 57. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

**Table 57- AppointmentRecurrencePattern Fields for Monthly Nth Recurrences**

<i>AppointmentRecurrencePattern Field</i>	<i>Value</i>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>UIGroup</b>	Set to 0x200C. If the INTERVAL is evenly divisible by 12, <b>UIGroup</b> MAY<118> be set to 0x200D.
<b>PatternType</b>	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see 2.2.1.8.
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see 2.2.1.8).
<b>FirstDateTime</b>	Set to <b>StartDate</b>
<b>Period</b>	Set to the value of INTERVAL
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	Set to a bitmask representation of BYDAY as specified in Table 53.
<b>PatternTypeSpecific.MonthNth.N</b>	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, <b>PatternTypeSpecific.MonthNth.N</b> MUST be set to 0x00000005.
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See 2.2.1.20.13
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See 2.2.1.20.18

<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x3006
<b>WriterVersion2</b>	Set to 0x3009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <duration in minutes>)
<b>ExceptionCount / ExceptionInfo (ReservedBlocks and ExtendedExceptions)</b>	See 2.2.1.20.18 Refer to [MS-OXOCAL]

### Exporting From Calendar Objects

The **PidLidAppointmentRecur** structure SHOULD<114> be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If **PidLidAppointmentRecur** is being exported with the Monthly Nth Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 58.

**Table 58- Recurrence Parts for a Monthly Nth Recurrence**

<i>Recurrence Part</i>	<i>Value</i>
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period
BYDAY	Set to the BYDAY representation of the <b>PatternTypeSpecific.MonthNth.Sa-Su</b> bitmask as specified in Table 53
BYSETPOS	Set to <b>PatternTypeSpecific.MonthNth.N</b> . If <b>PatternTypeSpecific.MonthNth.N</b> is 0x00000005, set BYSETPOS to -1.
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <b>PidLidTimeZoneStruct</b> to the UTC time zone. <116> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<117> be omitted.

### 2.3.2.5 Template: Yearly Recurrences

#### ABNF Template

```
yearly-template = "FREQ=YEARLY" yearly-args
yearly-args     = [bymonthday-part] [bymonth-part] [common-parts]
```

#### Template Examples

The last day of every September:

```
FREQ=YEARLY;BYMONTHDAY=-1;BYMONTH=9
```

The 10th day of every January at 3:30 P.M.:

```
FREQ=YEARLY;BYMONTHDAY=10;BYMONTH=1;BYMINUTE=30;BYHOUR=15
```

The 15th day of March, every 3 years, for 7 occurrences:

```
FREQ=YEARLY;BYMONTHDAY=15;BYMONTH=3;INTERVAL=3;COUNT=7
```

#### Importing To Calendar Objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<114> be imported into **PidLidAppointmentRecur** as specified in Table 55. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

**Table 59- AppointmentRecurrencePattern Fields for Yearly Recurrences**

<i>AppointmentRecurrencePattern Field</i>	<i>Value</i>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>UIGroup</b>	Set to 0x200D. If the INTERVAL is not 1, <b>UIGroup</b> SHOULD <121> be set to 0x200C
<b>PatternType</b>	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see 2.2.1.8.
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see 2.2.1.8).
<b>FirstDateTime</b>	Set to <b>StartDate</b>
<b>Period</b>	Set to (12 * INTERVAL)
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, <b>PatternTypeSpecific.Month.Day</b> SHOULD<119> be set to 0x0000001F.
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.

<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See 2.2.1.20.13
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See 2.2.1.20.18
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x3006
<b>WriterVersion2</b>	Set to 0x3009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <duration in minutes>)
<b>ExceptionCount / ExceptionInfo (ReservedBlocks and ExtendedExceptions)</b>	See 2.2.1.20.18 Refer to [MS-OXOCAL]

### Exporting From Calendar Objects

The **PidLidAppointmentRecur** structure SHOULD<114> be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If **PidLidAppointmentRecur** is being exported with the Yearly Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 60.

**Table 60- Recurrence Parts for a Yearly Recurrence**

<i>Recurrence Part</i>	<i>Value</i>
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12)
BYMONTHDAY	Set to <b>PatternTypeSpecific.Month.Day</b> . If <b>PatternTypeSpecific.Month.Day</b> is 0x0000001F, BYMONTHDAY SHOULD<120> be set to -1.
BYMONTH	Set to the month from <b>FirstDateTime</b> .

COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <b>PidLidTimeZoneStruct</b> to the UTC time zone. <116> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<117> be omitted.

### 2.3.2.6 Template: Yearly Nth Recurrences

#### ABNF Template

```
yearlynth-template = "FREQ=YEARLY" yearlynth-args [common-parts]
yearlynth-args      = byday-nth-part bysetpos-part bymonth-part
```

#### Template Examples

The 3rd Sunday of every June:

```
FREQ=YEARLY;BYDAY=SU;BYSETPOS=3;BYMONTH=6
```

The last weekday of every April at 3:30 P.M.:

```
FREQ=YEARLY;BYDAY=MO,TU,WE,TH,FR;BYSETPOS=-1;BYMONTH=4;BYMINUTE=30;BYHOUR=15
```

The first Monday of every October, every 3 years, for 7 occurrences:

```
FREQ=YEARLY;BYDAY=MO;BYSETPOS=1;BYMONTH=10;COUNT=7
```

#### Importing To Calendar Objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<114> be imported into **PidLidAppointmentRecur** as specified in Table 61. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 61- AppointmentRecurrencePattern Fields for Yearly Nth Recurrences

<i>AppointmentRecurrencePattern Field</i>	<i>Value</i>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>UIGroup</b>	Set to 0x200D. If the INTERVAL is not 1, <b>UIGroup</b> SHOULD <121> be set to 0x200C.
<b>PatternType</b>	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see 2.2.1.8.
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see 2.2.1.8).
<b>FirstDateTime</b>	Set to <b>StartDate</b>
<b>Period</b>	Set to (12 * INTERVAL)
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	Set to a bitmask representation of BYDAY as specified in Table 53.
<b>PatternTypeSpecific.MonthNth.N</b>	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, <b>PatternTypeSpecific.MonthNth.N</b> MUST be set to

<b>EndType</b>	0x00000005. If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See 2.2.1.20.13
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See 2.2.1.20.18
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <b>PidLidTimeZoneStruct</b> . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x3006
<b>WriterVersion2</b>	Set to 0x3009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <duration in minutes>)
<b>ExceptionCount / ExceptionInfo (ReservedBlocks and ExtendedExceptions)</b>	See 2.2.1.20.18 Refer to [MS-OXOCAL]

### Exporting From Calendar Objects

The **PidLidAppointmentRecur** structure SHOULD<114> be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If **PidLidAppointmentRecur** is being exported with the Yearly Nth Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 62.

**Table 62- Recurrence Parts for a Yearly Nth Recurrence**

<i>Recurrence Part</i>	<i>Value</i>
------------------------	--------------

FREQ	Set to 'YEARLY'
INTERVAL	Set to <b>(Period / 12)</b>
BYDAY	Set to the BYDAY representation of the <b>PatternTypeSpecific.MonthNth.Sa-Su</b> bitmask as specified in Table 53
BYSETPOS	Set to <b>PatternTypeSpecific.MonthNth.N</b> . If <b>PatternTypeSpecific.MonthNth.N</b> is 0x00000005, set BYSETPOS to -1.
BYMONTH	Set to the month from <b>FirstDateTime</b> .
COUNT	If EndType is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to <b>(EndDate + StartTimeOffset)</b> , converted from the time zone specified by <b>PidLidTimeZoneStruct</b> to the UTC time zone. <116> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<117> be omitted.

### 2.3.3 End-of-Month Concerns

[RFC2445] specifies that Monthly Recurrences (section 2.3.2.3) in which the BYMONTHDAY recurrence part is 29, 30, or 31 MUST skip over months that do not have a sufficient number of days. Conversely, [MS-OXOCAL] specifies that Monthly Recurrences with a **PatternTypeSpecific.Month.Day** of 0x0000001D, 0x0000001E, or 0x0000001F MUST occur on the last day of months that do not have a sufficient number of days.

### 2.3.4 Legacy UNTIL Concerns

If the PRODID property (see 2.2.1.2) indicates that a version of the MIMEDIR between 1 and 11 (inclusive) generated the iCalendar file and if the UNTIL recurrence part is specified with a trailing 'Z', it SHOULD NOT<122> be treated as a UTC Date-time. Instead, only the year, month, and day of the Date-time SHOULD<122> be retained, and the UNTIL recurrence part SHOULD<122> be interpreted as 11:59 P.M. of that day (in the time zone specified by **PidLidTimeZoneStruct**).

## 3 Structure Examples

The following subsections contain annotated iCalendar files representing several example scenarios.

### 3.1 Example Birthday Calendar for 2008

In this example, Elizabeth has a non-**primary calendar** containing the birthdays of herself (October 12, 1975) and her closest friends: Shu (February 27, 1978) and Anne (July 7, 1982). Elizabeth sets 7-day **reminders** on all the birthdays so she has enough time to prepare. The following tables represent the contents of the Birthday Calendar's Folder object and its three Calendar objects.

The following are the properties on the Folder object:



<i>Name</i>	<i>Value</i>
<b>PidTagAccess</b>	63
<b>PidTagAccessLevel</b>	1
<b>PidTagContainerClass</b>	IPF.Appointment
<b>PidTagContainerContents</b>	Object
<b>PidTagContainerHierarchy</b>	Object
<b>PidTagContentCount</b>	3
<b>PidTagExtendedFolderFlags</b>	cb: 6 lpb: 010400001000
<b>PidTagFolderAssociatedContents</b>	Object
<b>PidTagFolderType</b>	1
<b>PidTagRecordKey</b>	cb: 4 lpb: 42820000
<b>PidTagSubfolders</b>	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	1440
<b>PidLidAppointmentEndWhole</b>	07:00:00.000 AM 10/13/1975
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300D2002000000A0FF05000C0000000000000000C 000000232000000A00000000000000000000000000000 80B4BF0BDF80E95A0630000009300000000000000A00500 00000000000000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	07:00:00.000 AM 10/12/1975
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	TRUE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397 BAB068C80100000000000000000000010000000D4429044CA28 924C8FD122A133685E4A
<b>PidLidClipEnd</b>	11:59:00.000 PM 8/31/4500
<b>PidLidClipStart</b>	07:00:00.000 AM 10/12/1975
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	07:00:00.000 AM 10/13/1975
<b>PidLidCommonStart</b>	07:00:00.000 AM 10/12/1975

<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397 BAB068C80100000000000000010000000D4429044CA28 924C8FD122A133685E4A
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidLocation</b>	
<b>PidLidNetShowUrl</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every October 12
<b>PidLidRecurrenceType</b>	4
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	10080
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	07:00:00.000 AM 10/5/2008
<b>PidLidReminderTime</b>	07:00:00.000 AM 10/12/1975
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002 00000000000000000000000030000000200020000000000 0000
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	07:09:23.410 PM 2/6/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C868F3C8BB8D59608633DA442BBBCF672A6A13DFFD

<b>PidTagConversationTopic</b>	Elizabeth's Birthday
<b>PidTagCreationTime</b>	07:08:02.739 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	07:08:02.739 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:09:23.410 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	7224
<b>PidTagNormalizedSubject</b>	Elizabeth's Birthday
<b>PidTagOriginatorDeliveryRe portRequested</b>	FALSE
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 44002000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5487 lpb: 6B150000125A00004C5A4675A0C61C7507000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236 10840900110B68330EB0111A62690FD70DA43333891426 666514A374686507809F146715D71560014015D7637301 E8F302A413B064690336020011000AC00873657402D170 727132A500002A0AA16E6F1A50200DF0D51BA13614B030 0FF0341C2101D0991C10347D076D02833334191F1F1A24 00501AAF20EF21107D4361F706D0072105D06115D01DE4 10101E66FF03E319FF1B0B01301C721BB21C501C10F326 A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0F E11FC1287F298FFF2A9F2BAF2CBE0F202DDF2EEF2FF731 02FF30C430A22704225327B714D0334F345FFF2FFF310F 321F1E4F392F3A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF 40DF41EF1160FF237F442F259F26AF27B72358439F4A1F 3745BF46CF1DE4394D6F4E7432338A384EE420076D2043 4502833F50A052AF53B53D72546F55737972B755D4332F 1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF03 8254EF087055D43D8F1F563723515F8F0382D828486522 6007D02955D442FFF6277543F6416071001A00EB064F5 48685D1EED384861673F0382420740747F0EB055D44D5F 5AF75DB16B3F644356590890746E224007906564F530FF 5298490C5418274555A70DE071AF575E7F73B759660EFO 74DF5B0E73B65D0931FF5DB878AE5F5673B660D75B607B 7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF529F 75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C 7F5FDF60E589A2FF5DBF627F6F6F649A89A2616F667F93 EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F 9558823F834F882F856731EF860F871FA4CF89383289EF 8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792EF 93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F81 79329E3F9F4F7FB88FA16FAA21A2AFA3BF2236855832FF

A67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF  
6F2236910933BA9FFFBBAF2236814CA432D0DFA3EFA4FF  
C955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2959  
DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF99  
1E655FD1AFEAF0FF814C695FBFAFEE3FC1CFDBA2D43FD5  
4FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE  
1F8D290F11FC7FE11FE22FFFFBC7E3CFE4DFF25F94FDD  
C0044FE91F7FEA2F993CFC30087FED4FEE5F816A35FFF0  
3FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F  
173F8938FDE2191FFFFD9FFEAF8D4701E21CFF019F02AF  
1C46EF043F054F12CF94FD36086F097F26CFBD992D360C  
9F0DAF0EBF815B3610AFFF11BF2AFF13DF1C911518723F  
734F1C37EF719F19FF76EE4D11371CC878AF79BFF8D29  
37780F21DF7D8E3BF22D087F4FFF805F816A2A62314F16  
5F176F3BC518EFF739EF48CF8938381CCF3D4F1EEF8D1A  
DE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF  
29EF585F992D38FF2D0F442F2F2F815B60225ECF325F33  
6F0370A881B1636F6C6F727450626C3B5C8D106474C067  
8D8D116E74C06730756530675FFA65BA8035688A69A169  
5F6A6968747F6A9268FF6CCF6C8D6C0F6A3F688F65FD8D  
D038725A7371732F743968747462BF72CF769F765D75DF  
740F77D4395250FF7B247C8174A37C80725F6B0776BF75  
00A181B12A5C64654F517063112B85C244B173AE402080  
867061F98121716C6310455067A0CFA067A0A13CE06463  
746C82907283902599307080D161759D605C611E738290  
83F03D5084F26E756D2589806184B0746F84F0646AC875  
7374CFA0676884E0CFA0A7680145506801697482A03082  
00305C6E6F7144D15D306F744C65208D7086B0796C5CB0  
68FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F  
604F4173316310615F815357D0901081D18C006C4F2067  
FC3130BA808A118DD08F848F218159DB8A209113335630  
91026674D09372CE63786062E093136E70936995044163  
10736E6578748F2173B7887067005D4074963144E06967  
00F587D07988104E9702674080838FC1EF8F218D8062F0  
9D707688F08920A1E0786D696862E080D05D608920757A  
6E9A31658DB0678097598FE044698BA420503D60617860  
82A068A020466F6E748074748FD0B74E509DF04EF07794  
A08DD0669DF0E25762E074684256308DD082905D99506C  
91405C009F84729FF866AE6C9F669ED0A16762A167729F  
62FC636282903DA0A3528281A3C267304F87406791A484  
894070659F6173F063656C6C8AB19F309ED1A4E1FE7399  
A06710BDC19DE1B580A080A7463A6CA75562A7558B30A7  
646467DFA846A9C0A9468F90A7647682CF8AEFFF8BFF8D  
0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199  
EF9AF896E69824FF64B0EB4089609887B3319948B11CB0  
E1B7B36AAD9066C06657B0963162ADD0FF67809D609902  
B8AF9AF889403D7062E0C7DBB15BF05620392048A571A8  
30778740CCA398C336BC3FBD4FBE5B38FFBF3FC04FC15F  
C2639D50A6009E706780FFC2BFBF12C40FB18F4510B35F  
B466A410BF96A2C71FC82697889761A6F0739D60C7BB11  
892066D06D706FF3E0C94FC420455D40696C53894257B0  
B7668380B0DF10766721890055C320F98850776ED5B6C1  
F1D652D773C226E5DB616D97216850ACF0D9039D52CA33  
5A606DE7106B428742DA4528537562DAB17398516C467D

EB3063DAB162F0ADE09C314E506DD46C4D3D6067DA9372  
DD1780D1EC4A63DCD1AD1249A4C067F03DA0E7E7E0DAB1  
8740744C5C90DAB16610547279DFF131808378DCF06E1F  
AF80D662E114B1A0AFD074703A9C2F2FA5D089905D4073  
2EC7F0AE634EF0D2E09ED02ED3612FE3902266EB60652F  
776700642FDF3A50B530E473DCF066905C8291A6F0DA77  
74E032DF81E5B3685A32DAB1FFDD219FE0DF73DD21A090  
E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0  
ACA06310AC719E70ACA0A8319ED0386E626AADC067F099  
506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70B2  
E180C09D6088D1DA406780739C797396F0DF417DC16C79  
9D609E76DCF067A0EE188781676497307A6167A266EC01  
D630DF31A691767F4541F0D19670DCF04E5089809E7070  
F7B2C0A5E0F2F06C9F20967287C0B6B0FB6700C7E17867  
8066D09D70DF3167A0FC736199A08740F213E121F531F2  
F1BFE121A6F04EF03D704E50885078B2C0A9E2506F7967  
F05C96707089807F67104F308850AD91A830ADE0EC2064  
E79D706730E1506264A8C08850ADE13FA5E096F1BEC196  
F28980AF40655CF9F2F0727AEC02A9C0E7328740FBD1CE  
68FA136010EFD16776FCA9FB61FFAFB087408171FD22FE  
24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450FC  
776BA4B15E900112A5D04540B5C1F7E651E940AAD265AF  
40027596F088D0FB9761EF6074D6F08740FB40EB610407  
FFAFD05D40AF00ADE08841E140AFD0AF41FF6721BEB014  
500FD0D060E140B2A1F952FFA4B1ABE004100201ACA067  
309E810401FF67216710AA71E140DA51FA81FB408850FB  
DA51AD10700672965082A0AF10B632FF8740A5E2B2A1CA  
91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169  
FF4F20099728106721C1B2AD903D108850FF78609E70AE  
F2E430ADB09B21F431DB90BF894096F14550AF808841A4  
B16EDA417F9DF014B0A5F00981A5F0D630884163FE78AD  
E087E0BB6187C0A4C0F8E1CAB0EF1261F7D18850B1D063  
E1510672B1D0EF1253AF008740A8406813C303D2E260F6  
67ACD2EE3163F21005B36720DA601F14826330085216D2  
F210747862FC785C09B0B6C03D709660ADB00200FBE2C1  
F4B16C07016310F8912C40D3712F9732B5B09690809277  
F131666DF71800D520E9E120E63081808832B5B0FF9730  
23F03D90F84088D0ACB074D087C0BE6C96F05D40020008  
10E140758800FFCE72ACD19631EA719B51EA3587729670  
FF67A0EBD19AD0A6F0FB401FD3AD641EE03F8920EB6389  
0180B0AE80EA616C76FFF2B1AE81E350AEB0235187E067  
1023D2FFA4B1DF313FA0E6519AD0B2D18901AE80F318D0  
87E0202ED5C42356525023F2FFCE81245F256F267F23B0  
5630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7  
280F2CDF2DE52926CC5E902BAF309FFD2DC5625D703851  
31CF238344B02F6FFF343F354F365F23A157D037B2243F  
391FFF3A2F323D5C0037BF3D4F3E5F3F6F23A1FF4A703C  
4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2AB  
BFACCFADDFAEFFFAFFFE48F25381C209CCCFB21FB32FB4  
3FFF54FB65F95A859F050AF51B052DCD0014F13519E50  
C1FB82A0707961A0695D671068F0D05B404D902064E021  
7F5E1157BF58CF59DF453063B2D42B0D7E0A48F28204F7  
71F1B289434A6073C7EEA0EDB065807832363C206271FF  
66F0EC70678080D187616281C7E780D1FF1E3062719AC8

64F6BA5563D6978680D1FC3939D8E063479670A5E00A80  
4A51FF643AC582655A6A54BA55513167596A54FF637498  
07697F6A8F6B9F97A450716D39F302E2EDC120316E4370  
9F71AF72B7EF7DA1737F748F728A33766F777F726CEE34  
797F7A8F726C357C8F7D9F726CFE367F9F80AF726CD5A0  
82BF83CF727BEE3885BF86CF726C396E4397865062FB6D  
394D906373358C2F8D3876548E3FFF8D387964904F8D38  
7C74925F8D387F84FF946F8D388294967F8D3885A4988F  
8D38FF88B49A9F8D388BC4891F9CE352C26D48FF02000A  
806CA0D7006E5F6F6F9E9F6CA4FBD0D26D39544F20BB71  
A44B6D1BDCA1B94C0220504F91F130B0C068CA51FFDFD0  
A16FA27FA38FA496A71CDB41EDB0FFA616A9AFAABFABCF  
D400CE43AD494E10FDF4D067AE6FAF7FB08FB1966D0CD4  
F0BB4CA1C1F073B35FB46F6759358A6CF2541312204755  
D1B863B4AE6D66F650F3361C9154F3C1B86FBCDF57FFF  
A6AF6DA4ADD0FA21EDC1BF9FC0AF6759FE366D0CDF04E  
41ADD0FB11C48FC59FFFC6ADA71CC874DFF04E00C94FCA  
5FC6DAFFB21CC874BC87CDFFC0FC72557706D2AFA4D1A  
00694D20C8C67335D25FD36FFDC72534D4FFD6097654D7  
1FD82FC725BFA01CD5C5CD62D6AFDC7FC6BC36DE7FFFDF  
86DB7FE11FC6CB5DA2E33FD1C2DFFFFBE59FC6BC38E79F  
E8A6E49FEA3FC6CBBFBB4CE86A91F4EE1FEF2F6CA4376D  
0C7A444FB06BCD5FF31FF42FA71C43FB05F0FEF0664C10  
C8CFF73FF84FF501FFD08CFA67F66FFC3FF43ED4ECFA67  
D1CF8F00CFC69FD09FC8B7204163BEC0FF61E0E91F057F  
CB4F079FDFB3092F0A3FFF0B4FD05FD1680E0F0F1F102F  
D4AFD5BFFF12FF140F151FD96FDA7F184F195F1A6F1FDE  
2FDF3C1D9CBD1FA785526576FFFFC0A13F1F0FC18F9C89  
1BBCDFB3A8771F259F26AF27BFB196BB4C51756FBF61C0  
2B0F2C1F2D2F9CB66D0C4961E0FF64D037302F8F309F1F  
EFE2EFE3F91D9FFF35CF36DFE74FE85C39DF3AEF3BFFEB  
DFFFECEC3EFF400F411FF06FF17C441F452FFF463FF4FF  
F608493F4A4F4B5FF94FFA5FFF4E1F4F2F503FFE0FFF1C  
536F547F558FFF029F03AC588F599F5AAF072F083F5DD3  
FFEDBF5F3F0BBF0CCF5859634F645F10AFF11BF5D7968  
3F694F159F47CF17BF6D2FFF6E3F1AEF705F1D0F727F73  
8F203F75AFFF225C77CF78DF375F7AFF397C7CEF7DFFFF  
3C7F801F3E9C820F831F419F853F43BCFF872F883F46BF  
8A5F48DC8C4F8D5F4BDFFF4CEF679F91DF92EF512F523F  
62AF96BFFF97CF567F578F9B2F9C3F9D4F5BCF5CDFFA0  
7FA18F8E2F611F622FF23FA6DF655FFFA8FF584AAFFAC  
0F6A5F6B6F5D79AFFFFFB0FF6F4F8F7F716FB4DFB5EF74  
9FB80FFF76BFBA2FBB3F79EFBD5F225CBF7FC08FFF7F0F  
C2AF397CC49FC5AF842FC7CF3E9CFFC9BFCACF894FCCEF  
43BCCEDFCFEF8E6FFFD20F48DCD3FFD50F938F949FAF4F  
D98FFFDA9F98DF99EFAA5FDE6FDF7F9E2F9F3FFFE2DFE3  
EFE4FFA37FA48FE82FE93FD5DFF3A8CFA9DF2034ED9FEE  
AFAD2FAE3FFF5868F2AFF3BFB20FB31F5D79F79FF8AFFF  
B6FFD72FB91FFC8FFD9FBC4FFFBFB66FFF01DF02EFC19F  
050F225C072F083FC6BFFF0A5F397C0C4F0D5FCBDF0F7F  
3E9C116FFF127FD0FF149F43BC168F179FD61F19BFFF48  
DC1BAF1CBFDB3FDC4FF6FF213F224FFFE08FE19FF20F26  
1F272FE5DFE6EF2A8FFF2B9F2CAFEB2FEC3F2FDF30EF1D  
8FF07FF9F18F2035354F365FF4DFF5EF5868FF3A5F3B6F

<p><b>PidTagRtfInSync</b>  <b>PidTagSearchKey</b>  <b>PidTagSenderAddressType</b>  <b>PidTagSenderEmailAddress</b>  <b>PidTagSenderEntryId</b></p>	<pre>F9BFFACF5D793F4F405FFEAF1EDF00CF443F454F03FF 476F061F498FFF4A9F094F4CBF7C0C4EDF4FEF0E6F520F FF812C53FF550F138F572F864C591F5A2FFF18AF5C4F8B 6C5E3F5F4F1DCF616F908CFF635F646F22EF23FF3EAF68 EF69FF283FFF294F39BF6DCF6EDF2D8F2E9F723F734FFF 745F32DF33EF778F789F653F382F393FFC20367CF7E0F 3C8F3D9FA018820FFF831F416F427FA52986FF880F465F 668FFF487F8BEF8CFF4BAF8F1F4DCF913F924FFF50FF94 6FC3BC968F979F561F99BFC8DCFF9BAF9CBF5B3F9EDFCD FCA0CFA1DF605FFFA3FFD31CA5EFA6FF657FA91FD83CAB 0FFFAC1F6A9F6BAF865FB09FB1AF6FEF70FFFFF816FB57F B68F753F764FB9EFBAFFBC0F9F7A8F7B9FBF3FC04FACE6 7166C370586D6174B7F47F4631ADFC53007562746C6520 456DFA7000D0730B70C4AFC5BFC6CF7F55FA32FF7FC49ED 50ED40C140C99FCAAF1BCBBFC74E33B7FCC935526566FC 6572ED40ED30CFBFD0CFD1DFD2E67F89ECCEB6D4BFD5CF D6DFD7EF8EDC42F46F6F24C0547F90C970DAE3D2D721A3 BC4269626C7F6067727A61CF5079DAE3DD3FD313ADFC54 204F4320486500E33B7DC07D7B5C2A5C64C740CF700674 C370CF1030313035302DE72232E723E6E038E784346481 C250373836643663D8E0003265353334313538C3E980E8 6034633532996084E0EF94109960BD30E92033EA00EAD0 E7840FEB8E7FC0E7218A9063663131206530613162ED20 6165F7E6F0EDEFEEEDC33ED40EFC1E720DA70F066663039 EC66F13FE7C1F20DFFF1EDF062F482F166F46EF4E7F6EF F7FFFFFF90FFA1FFB2FFC3FFD4FFE5FFF6F007FFF018F02 9F03AF04BF05CF06DF07EF08FFFF0A0F0B1F0C2F0D3F0E 4F0F5F106F117FFF128F139F14AF15BF16CF17DF18EF19 FFFF1B0F1C1F1D2F1E3F1F4F205F216F227FFF238F249F 25AF26BF27CF28DF29EF2AFFFD2BEC642BE5F4752DDF2E EF2FFF310FFF321F332F343F354F365F376F387F398FFF 3A9F3BAF3CBF3DCF3EDF3FEF40FF420FFF431F442F453F 464F475F486F497F4A8FFF4B9F4CAF4DBF4ECF4FDF50EF 51FF530FFF541F552F563F574F585F596F5A7F5B8FFF5C 9F5DAF5EBF5FCF60DF61EF62FF640FFF651F662F673F68 4F695F6A6F6B7FF4834FEA00EC71F4D16D223734E75434 FDE71136EFF16DA2BD306D81F0B26F6FFF707F718F729F 73AFE7C1EC92E7116BDF452D0663ADE0643938774062AD 776033E9D1E99039E57066E8E07A64E97162ED40F5DF79 56E77039E632777077D06633A8C077D0E6E0FFF56F7C6F 7D7F7E8F7F9F80AF81BF82CFFF83DFF67F85DC845F87EF 88FF8A0F8B1FFF8C2F8D3F8E4F8F5F906F917F928F939F FF84BF95BF86DF97DF98EF99FF9B0F9C1FFF9D2F9E3F9F 4FA05FA16FA27FA38F94AFFFA5AF96CFA7CFA8DFA9EFAA FFF32EE7140BABE5E5E000AE10</pre> <p>TRUE</p> <p>cb: 16 lpb: D4429044CA28924C8FD122A133685E4A SMTP eandersen@contoso.com</p> <p>cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00</p>
--	--

<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSubject</b>	Elizabeth's Birthday
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for Shu's Birthday:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	1440
<b>PidLidAppointmentEndWhole</b>	08:00:00.000 AM 2/28/1978
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300D200200000060AE00000C000000000000001B 000000232000000A000000000000000000000000000 A0CCD20BDF80E95A063000000930000000000000A00500 0000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 AM 2/27/1978
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	TRUE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb:



	040000008200E00074C5B7101A82E00800000000E0243D D0B068C80100000000000000010000000EE6CCE82EE4B C14BB01478A948D182FB
<b>PidLidClipEnd</b>	11:59:00.000 PM 8/31/4500
<b>PidLidClipStart</b>	08:00:00.000 AM 2/27/1978
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	08:00:00.000 AM 2/28/1978
<b>PidLidCommonStart</b>	08:00:00.000 AM 2/27/1978
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243D D0B068C80100000000000000010000000EE6CCE82EE4B C14BB01478A948D182FB
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidLocation</b>	
<b>PidLidNetShowUrl</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every February 27
<b>PidLidRecurrenceType</b>	4
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	10080
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	08:00:00.000 AM 2/20/2008
<b>PidLidReminderTime</b>	08:00:00.000 AM 2/27/1978
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002 000000000000000000000030000000200020000000000 0000
<b>PidTagAccess</b>	7

<b>PidTagAccessLevel</b>	1
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	07:09:59.726 PM 2/6/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C868F3DE6068478E475FED423EB16D884456F7FA1A
<b>PidTagConversationTopic</b>	Shu's Birthday
<b>PidTagCreationTime</b>	07:09:26.913 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	07:09:26.913 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:09:59.726 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	7217
<b>PidTagNormalizedSubject</b>	Shu's Birthday
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 64002000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5488 lpb: 6C150000195A00004C5A46755A0567E507000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236 10840900110B68330EB0111A62690FD70DA43333891426 666514A374686507809F146715D71560014015D7637301 E8F302A413B064690336020011000AC00873657402D170 727132A500002A0AA16E6F1A50200DF0D51BA13614B030 0FF0341C2101D0991C10347D076D02833334191F1F1A24 00501AAF20EF21107D4361F706D0072105D06115D01DE4 10101E66FF03E319FF1B0B01301C721BB21C501C10F326 A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0F E11FC1287F298FFF2A9F2BAF2CBE0F202DDF2EEF2FF731 02FF30C430A22704225327B714D0334F345FFF2FFF310F 321F1E4F392F3A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF 40DF41EF1160FF237F442F259F26AF27B72358439F4A1F 3745BF46CF1DE4394D6F4E7432338A384EE420076D2043 4502833F50A052AF53B53D72546F55737972B755D4332F 1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF03 8254EF087055D43D8F1F563723515F8F0382D828486522 6007D02955D442FFF6277543F6416071001A00EB064F5 48685D1EED384861673F0382420740747F0EB055D44D5F 5AF75DB16B3F644356590890746E224007906564F530FF 5298490C5418274555A70DE071AF575E7F73B759660EF0 74DF5B0E73B65D0931FF5DB878AE5F5673B660D75B607B

7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF529F  
75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C  
7F5FDF60E589A2FF5DBF627F6F6F649A89A2616F667F93  
EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F  
9558823F834F882F856731EF860F871FA4CF89383289EF  
8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792EF  
93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F81  
79329E3F9F4F7FB88FA16FAA21A2AFA3BF2236855832FF  
A67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF  
6F2236910933BA9FFFBAF2236814CA432D0DFA3EFA4FF  
C955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2959  
DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF99  
1E655FD1AFEA0FFF814C695FBFAFEE3FC1CFDBA2D43FD5  
4FFBDA2F856734D80FD91FF6CF893889C0FFF8F8D0FDE  
1F8D290F11FC7FE11FE22FFFFBC7E3CFE4DFF25F94FDDB  
C0044FE91F7FEA2F993CFC30087FED4FEE5F816A35FFF0  
3FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F  
173F8938FDE2191FFFFD9FFEAF8D4701E21CFF019F02AF  
1C46EF043F054F12CF94FD36086F097F26CFBD992D360C  
9F0DAF0EBF815B3610AFF11BF2AFF13DF1C911518723F  
734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D29  
37780F21DF7D8E3BF22D087F4FFF805F816A2A62314F16  
5F176F3BC518EFF739EF48CF8938381CCF3D4F1EEF8D1A  
DE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF  
29EF585F992D38FF2D0F442F2F2F815B60225ECF325F33  
6F0370A881B1636F6C6F727450626C3B5C8D106474C067  
8D8D116E74C06730756530675FFA65BA8035688A69A169  
5F6A6968747F6A9268FF6CCF6C8D6C0F6A3F688F65FD8D  
D038725A7371732F743968747462BF72CF769F765D75DF  
740F77D4395250FF7B247C8174A37C80725F6B0776BF75  
00A181B12A5C64654F517063112B85C244B173AE402080  
867061F98121716C6310455067A0CFA067A0A13CE06463  
746C82907283902599307080D161759D605C611E738290  
83F03D5084F26E756D2589806184B0746F84F0646AC875  
7374CFA0676884E0CFA0A7680145506801697482A03082  
00305C6E6F7144D15D306F744C65208D7086B0796C5CB0  
68FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F  
604F4173316310615F815357D0901081D18C006C4F2067  
FC3130BA808A118DD08F848F218159DB8A209113335630  
91026674D09372CE63786062E093136E70936995044163  
10736E6578748F2173B7887067005D4074963144E06967  
00F587D07988104E9702674080838FC1EF8F218D8062F0  
9D707688F08920A1E0786D696862E080D05D608920757A  
6E9A31658DB0678097598FE044698BA420503D60617860  
82A068A020466F6E748074748FD0B74E509DF04EF07794  
A08DD0669DF0E25762E074684256308DD082905D99506C  
91405C009F84729FF866AE6C9F669ED0A16762A167729F  
62FC636282903DA0A3528281A3C267304F87406791A484  
894070659F6173F063656C6C8AB19F309ED1A4E1FE7399  
A06710BDC19DE1B580A080A7463A6CA75562A7558B30A7  
646467DFA846A9C0A9468F90A7647682CF8AEFF8BFF8D  
0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199  
EF9AF896E69824FF64B0EB4089609887B3319948B11CB0  
E1B7B36AAD9066C06657B0963162ADD0FF67809D609902

B8AF9AF889403D7062E0C7DBB14300B310382048A571A8  
30F78740CCA398C336BC3FBD4FBE5BC290FFBF4FC05FC1  
6FC2729D50A6009E706780FFC2BFBF12C40FB18F4510B3  
5FB466A410BF96A2C71FC82697889761A6F0739D60C7BB  
11892066D06D706FF3E0C94FC420455D40696C53894257  
B0B7668380B0DF10766721890055C320F98850776ED5B6  
C1F1D652D773C226E5DB616D97216850ACF0D9039D52CA  
335A606DE7106B428742DA4528537562DAB17398516C46  
7DEB3063DAB162F0ADE09C314E506DD46C4D3D6067DA93  
72DD1780D1EC4A63DCD1AD1249A4C067F03DA0E7E7E0DA  
B18740744C5C90DAB16610547279DFF131808378DCF06E  
1FAF80D662E114B1A0AFD074703A9C2F2FA5D089905D40  
732EC7F0AE634EF0D2E09ED02ED3612FE3902266EB6065  
2F776700642FDF3A50B530E473DCF066905C8291A6F0DA  
7774E032DF81E5B3685A32DAB1FFDD219FE0DF73DD21A0  
90E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3  
E0ACA06310AC719E70ACA0A8319ED0386E626AADC067F0  
99506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70  
B2E180C09D6088D1DA406780739C797396F0DF417DC16C  
799D609E76DCF067A0EE188781676497307A6167A266EC  
01D630DF31A691767F4541F0D19670DCF04E5089809E70  
70F7B2C0A5E0F2F06C9F20967287C0B6B0FB6700C7E178  
678066D09D70DF3167A0FC736199A08740F213E121F531  
F2F1BFE121A6F04EF03D704E50885078B2C0A9E2506F79  
67F05C96707089807F67104F308850AD91A830ADE0EC20  
64E79D706730E1506264A8C08850ADE13FA5E096F1BEC1  
96F28980AF40655CF9F2F0727AEC02A9C0E7328740FBD1  
CE68FA136010EFD16776FCA9FB61FFAFB087408171FD22  
FE24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450  
FC776BA4B15E900112A5D04540B5C1F7E651E940AAD265  
AF40027596F088D0FB9761EF6074D6F08740FB40EB6104  
07FFAFD05D40AF00ADE08841E140AFD0AF41FF6721BEB0  
14500FD0D060E140B2A1F952FFA4B1ABE004100201ACA0  
67309E810401FF67216710AA71E140DA51FA81FB408850  
FBDA51AD10700672965082A0AF10B632FF8740A5E2B2A1  
CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC1  
69FF4F20099728106721C1B2AD903D108850FF78609E70  
AEF2E430ADB09B21F431DB90BF894096F14550AF808841  
A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78  
ADE087E0BB6187C0A4C0F8E1CAB0EF1261F7D18850B1D0  
63E1510672B1D0EF1253AF008740A8406813C303D2E260  
F667ACD2EE3163F21005B36720DA601F14826330085216  
D2F210747862FC785C09B0B6C03D709660ADB00200FBE2  
C1F4B16C07016310F8912C40D3712F9732B5B096908092  
77F131666DF71800D520E9E120E63081808832B5B0FF97  
3023F03D90F84088D0ACB074D087C0BE6C96F05D400200  
0810E140758800FFCE72ACD19631EA719B51EA35877296  
70FF67A0EBD19AD0A6F0FB401FD3AD641EE03F8920EB63  
890180B0AE80EA616C76FFF2B1AE81E350AEB0235187E0  
671023D2FFA4B1DF313FA0E6519AD0B2D18901AE80F318  
D087E0202ED5C42356525023F2FFCE81245F256F267F23  
B05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0  
F7280F2CDF2DE52926CC5E902BAF309FFD2DC5625D7038  
5131CF238344B02F6FFF343F354F365F23A157D037B224

3F391FFF3A2F323D5C0037BF3D4F3E5F3F6F23A1FF4A70  
3C4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2  
ABBFACCFADDFAEFFFAFFFE48F25381C209CCCFB21FB32F  
B43FFF54FB65F95A859F050AF51B052DCD001A713519E  
50C1FA4769E3A0209AF17D4C503A61A1665007014A4061  
E16BFD6400735E1157BF58CF59DF784063B2F9D42B0D0A  
48F28204F771F1B289431D4A6073EEA05C506580783236  
FF3C2062E166F05C71C8315F1162E2C7E7FF80D11E3062  
E19AC86566BA5564469786F980D13939D8E063B79670A5  
E00A80FF4A5164AAC58265CA6AC4BA55513167C97F6AC4  
63E4980769EF6AFF6C0F97A439E76D8B02E2EDC120316E  
B3710F721FDF73277DA173EF74FF72FA3376DF77EFDD72  
DC3479EF7AFF72DC357CFF7E0FFD72DC36800F811F72DC  
D5A0832F843FDD72EB38862F873F72DC396EB39786F633  
8ADC4D906373A58C9F8DA876C4FF8EAF8DA879D490BF8D  
A87CE492CF8DA8FF7FF494DF8DA8830496EF8DA8861498  
FFFF8DA889249B0F8DA88C34898F9D5352C2FF6DB80200  
0A806D10D7006ECF6FDF9F0FF76D14D0D26DA9544F20BB  
71A4BB6D8B73DCA14C0220504F91F130B0C068FFCA51DF  
D0A1DFA2EFA3FFA506A78CDB41FF5C50A686AA1FAB2FAC  
3FD400CE43ADB9FB4E10F4D067AEDFAFEFB0FFB2066D7C  
77D4F04CA1C1F073B3CFB4DF67C935FD8ADC5413125AF0  
55D1B8D3B51E6DD6F650F3361C9154F3C1B8DFBD4FB5EF  
FFA71F6E14AE40FA21EDC1C00FC11F67C9FE366D7CDF0  
4E41AE40FB11C4FFC60FFFC71DA78CC8E4DFF04E00C9BF  
CACFC74AFFB28CC8E4BCF7CE6FCF7FC79557706D9AFA4D  
1A00694D20C93673A5D2CFD3DFFDC79534D56FD67976C4  
D78FD89FC795BFA08CD635CDD2D71FDCEFC72C36DEEFFF  
DFF6DBEFE18FC73B5E12E3AFBCF2E06FFFE60FC72C5071  
E82FE934E50FEAAFC73BBF8ADCE8DA79D4EE8FEF9F6D14  
376D7C7A444FB06BCDCFF38FF49FA78C43FB5F0FEF066  
4C10C93FF7AFF8BFF571FFD0FCFAD7F6DFFCAFF4AED55C  
FAD7D23F8F013FC70FD10FC927204163BF30FF6250E98F  
05EFCBBF080FE023099F0AAFFF0BBFD0CFD1D80E7F0F8F  
109FD51FD62FFF136F147F158FD9DFDAEF18BF19CF1ADF  
1FDE9DFDFAC1E0CBD8FA7F5526576FF0030A1AF1F7FC1FF  
9CF91C2CE023A8E71F260F271F282FB2068ADC51756FBF  
62302B7F2C8F2D9F9D266D7C496250FF65405BE02FFF31  
0F205FE35FE4691E0FFF363F374FE7BFE8CC3A4F3B5F3C  
6FEC4FFFFED5C3F6F407F418FF0DFF1EC448F459FFF46AF  
F56FF67849AF4ABF4BCFF9BFFACFFF4E8F4F9F50AFFE7F  
FF8C53DF54EF55FFF030F041C58FF5A0F5B1F079F08AF  
5E43FFEE2F5FAF0C2F0D3F58C963BF64CF111FFF122F5D  
E968AF69BF160F483F182F6D9FFF6EAF1B5F70CF1D7F72  
EF73FF20AF761FFF22CC783F794F37CF7B6F39EC7D5F7E  
6FFF3CEF808F3F0C827F838F420F85AF442CFF879F88AF  
472F8ACF494C8CBF8DCF4C4FFF4D5F680F924F935F519F  
52AF631F972FFF983F56EF57FF9B9F9CAF9DBF5C3F5D4F  
FFA0EFA1FF8E9F618F629FF2AFA74F65CFFFA96F58BAAB  
6FAC7F6ACF6BDF5DE9B05FFF16F6F8FEF71DFB54FB6  
5F750FB87FFF772FBA9FBBAF7A5FBDCF22CCBFEFC0FFFF  
7F7FC31F39ECC50FC61F849FC83F3F0CFFCA2FECB3F89BF  
CD5F442CCF4FD05F8EDFFF27F494CD46FD57F93FF950F  
AFBFD9FFFFDB0F994F9A5FAACFDEDFDFEF9E9F9FAFFFE3

<p><b>PidTagRtfInSync</b></p>	<pre> 4FE45FE56FA3EFA4FFE89FE9AFD64FF3A93FAA4F2034EE 0FEF1FAD9FAEAF58D8F31FF42FB27FB38F5DE9F80FF9 1FFF76FD79FB98FFCFFFE0FBCBF002FBEDFFF024F035F C20F057F22CC079F08AFC72FFF0ACF39EC0CBF0DCFC4F 0FEF3F0C11DFFF12EFD16F150F442C16FF180FD68F1A2F FF494C1C1F1D2FDBAFDCBFF76F21AF22BFFFE0FFE20FF2 7F268F279FE64FE75F2AFFFF2C0F2D1FEB9FECAF304F31 5F1DFFF0EFF9F1FF203535BF36CFF54FF65F58D8FF3ACF 3BDFFA2FFB3F5DE93FBF40CFFF1FFF1F4F013F44AF45BF 046F47DF068F49FFFF4B0F09BF4D2F7C7C4F4F505F0EDF 527FFF819C546F557F13FF579F86BC598F5A9FFF191F5C BF8BDC5EAF5FBF1E3F61DF90FCFF63CF64DF235F246F3F 1F695F6A6F28AFFF29BF3A2F6E3F6F4F2DFF2F0F72AF73 BFFF74CF334F345F77FF790F65AF389F39AFFC20367D6F 7E7F3CFF3E0FA088827FFF838F41DF42EFA599876F887F 46CF66FFF48EF8C5F8D6F4C1F8F8F4E3F91AF92BFFF51 6F94DFC42C96FF980F568F9A2FC94CFF9C1F9D2F5BAF9F 4FCE6CA13FA24F60CFFFA46FD38CA65FA76F65EFA98FD8 ACAB7FFFAC8F6B0F6C1F86CFB10FB21F705F716FFF81DF B5EFB6FF75AF76BFBA5FBB6FBC7F9F7AFF7C0FBFAFC0BF AD567166C3E0586D6174B8647FB631AE6C53007562746C 6520456DFA700140730BE0C51FC62FC73F7FC5FA32B86C 49EDC0EDB0C1B0CA0FCB1F1BCC2FC7BE33B86CC9A55265 66FC6572EDB0EDA0D02FD13FD24FD3567F8A5CCF26D52F D63FD74FD85F8F4C42F46F6F2530548000C9E0DB53D347 21A42C4269626C7FD067727A61CFC079DB53DDAFD383AE 6C54204F4320486501533B7DC07D7B5C2A5C64C7B0CFE0 0674C3E0CF8030313035302DE79232E793E75038E7F434 6481C2C0373836643663D950003265353334313538C3E9 F0E8D03463353299D08550EF948099D0BDA0E99033EA70 EB40E7F40FEBFE8030E7918B0063663131206530613162 ED906165F7E760EE5FEF4C33EDB0F031E790DAE0F06666 3039ECD6F1AFE831F27DFFF25DF0D2F4F2F1D6F4DEF557 F75FF86FFFF97FFA8FFB9FFCAFFDBFFECFFDF00EFFF01 FF030F041F052F063F074F085F096FFF0A7F0B8F0C9F0D AF0EBF0FCF10DF11EFFF12FF140F151F162F173F184F19 5F1A6FFF1B7F1C8F1D9F1EAF1FBF20CF21DF22EFFF23FF 250F261F272F283F294F2A5F2B6FFD2C5C642C55F4E52E 4F2F5F306F317FFF328F339F34AF35BF36CF37DF38EF39 FFFF3B0F3C1F3D2F3E3F3F4F405F416F427FFF438F449F 45AF46BF47CF48DF49EF4AFFFF4C0F4D1F4E2F4F3F504F 515F526F537FFF548F559F56AF57BF58CF59DF5AEF5BFF FF5D0F5E1F5F2F603F614F625F636F647FFF658F669F67 AF68BF69CF6ADF6BEFF4F34FEA70ECE1F5416D923734E7 C434FDE78136F0616E12BDA06DF1F1226FDF70EF71FF 730F741FE831ED02E7816C4F452D7663AE5064393877B0 62AD77D033EA41EA0039E5E066E950FA64E9E162EDB0F6 4F79C6EDB0EAD1FBED40DAD033A9307840E750F5DF7CDF FF7DEF7EFF800F811F822F833F844FF6EFF864C84CF88 5F896F8A7F8B8F8C9F8DAFFF8EBF8FCF90DF91EF92FF94 0F852F962FFF874F984F995F9A6F9B7F9C8F9D9F9EAF9F 9FBFA0CFA1DFA2EFA3FF951FA61F973FFFA83FA94FAA5F AB6FF39EE784AC55E6500200AE80 TRUE </pre>
-------------------------------	---

<b>PidTagSearchKey</b>	cb: 16 lpb: EE6CCE82EE4BC14BB01478A948D182FB
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSubject</b>	Shu's Birthday
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for Anne's Birthday:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	1440
<b>PidLidAppointmentEndWhole</b>	07:00:00.000 AM 7/8/1982
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300D200200000020FA03000C0000000000000007 000000232000000A00000000000000000000000000000 00C2F50BDF80E95A063000000930000000000000A00500 00000000000000000000000000000000
<b>PidLidAppointmentSequence</b>	0

<b>PidLidAppointmentStartWhole</b>	07:00:00.000 AM 7/7/1982
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	TRUE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3 F5B068C80100000000000000010000000FC39CE77217D 824FB608D84F4FDFE22B
<b>PidLidClipEnd</b>	11:59:00.000 PM 8/31/4500
<b>PidLidClipStart</b>	07:00:00.000 AM 7/7/1982
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	07:00:00.000 AM 7/8/1982
<b>PidLidCommonStart</b>	07:00:00.000 AM 7/7/1982
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3 F5B068C80100000000000000010000000FC39CE77217D 824FB608D84F4FDFE22B
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidLocation</b>	
<b>PidLidNetShowUrl</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every July 7
<b>PidLidRecurrenceType</b>	4
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	10080
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	07:00:00.000 AM 6/30/2008
<b>PidLidReminderTime</b>	07:00:00.000 AM 7/7/1982
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0



<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B000000010002 0000000000000000000000003000000020002000000000 0000
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	07:11:02.787 PM 2/6/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C868F403F66EEAF5116F004F0E9DD1B6F04D65D9A5
<b>PidTagConversationTopic</b>	Anne's Birthday
<b>PidTagCreationTime</b>	07:10:03.026 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	07:10:03.026 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:11:02.787 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	7210
<b>PidTagNormalizedSubject</b>	Anne's Birthday
<b>PidTagOriginatorDeliveryRequestRequested</b>	FALSE
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 84002000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5487 lpb: 6B150000115A00004C5A4675219AA95B07000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236 10840900110B68330EB0111A62690FD70DA43333891426 666514A374686507809F146715D71560014015D7637301 E8F302A413B064690336020011000AC00873657402D170 727132A500002A0AA16E6F1A50200DF0D51BA13614B030 0FF0341C2101D0991C10347D076D02833334191F1F1A24 00501AAF20EF21107D4361F706D0072105D06115D01DE4 10101E66FF03E319FF1B0B01301C721BB21C501C10F326 A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0F E11FC1287F298FFF2A9F2BAF2CBE0F202DDF2EEF2FF731 02FF30C430A22704225327B714D0334F345FFF2FF310F 321F1E4F392F3A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF 40DF41EF1160FF237F442F259F26AF27B72358439F4A1F 3745BF46CF1DE4394D6F4E7432338A384EE420076D2043

4502833F50A052AF53B53D72546F55737972B755D4332F  
1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF03  
8254EF087055D43D8F1F563723515F8F0382D828486522  
6007D02955D442FFFF6277543F6416071001A00EB064F5  
48685D1EED384861673F0382420740747F0EB055D44D5F  
5AF75DB16B3F644356590890746E224007906564F530FF  
5298490C5418274555A70DE071AF575E7F73B759660EF0  
74DF5B0E73B65D0931FF5DB878AE5F5673B660D75B607B  
7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF529F  
75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C  
7F5FDF60E589A2FF5DBF627F6F6F649A89A2616F667F93  
EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F  
9558823F834F882F856731EF860F871FA4CF89383289EF  
8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792EF  
93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F81  
79329E3F9F4F7FB88FA16FAA21A2AFA3BF2236855832FF  
A67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF  
6F2236910933BA9FFFBBAF2236814CA432D0DFA3EFA4FF  
C955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2959  
DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF99  
1E655FD1AFEAOFFF814C695FBFAFEE3FC1CFDBA2D43FD5  
4FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE  
1F8D290F11FC7FE11FE22FFFFBC7E3CFE4DFF25F94FDDDB  
C0044FE91F7FEA2F993CFC30087FED4FEE5F816A35FFF0  
3FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F  
173F8938FDE2191FFFFD9FFFAF8D4701E21CFF019F02AF  
1C46EF043F054F12CF94FD36086F097F26CFBD992D360C  
9F0DAF0EBF815B3610AFF11BF2AFF13DF1C911518723F  
734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D29  
37780F21DF7D8E3BF22D087F4FFF805F816A2A62314F16  
5F176F3BC518EFF739EF48CF8938381CCF3D4F1EEF8D1A  
DE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF  
29EF585F992D38FF2D0F442F2F2F815B60225ECD325F33  
6F0370A881B1636F6C6F727450626C3B5C8D106474C067  
8D8D116E74C06730756530675FFA65BA8035688A69A169  
5F6A6968747F6A9268FF6CCF6C8D6C0F6A3F688F65FD8D  
D038725A7371732F743968747462BF72CF769F765D75DF  
740F77D4395250FF7B247C8174A37C80725F6B0776BF75  
00A181B12A5C64654F517063112B85C244B173AE402080  
867061F98121716C6310455067A0CFA067A0A13CE06463  
746C82907283902599307080D161759D605C611E738290  
83F03D5084F26E756D2589806184B0746F84F0646AC875  
7374CFA0676884E0CFA0A7680145506801697482A03082  
00305C6E6F7144D15D306F744C65208D7086B0796C5CB0  
68FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F  
604F4173316310615F815357D0901081D18C006C4F2067  
FC3130BA808A118DD08F848F218159DB8A209113335630  
91026674D09372CE63786062E093136E70936995044163  
10736E6578748F2173B7887067005D4074963144E06967  
00F587D07988104E9702674080838FC1EF8F218D8062F0  
9D707688F08920A1E0786D696862E080D05D608920757A  
6E9A31658DB0678097598FE044698BA420503D60617860  
82A068A020466F6E748074748FD0B74E509DF04EF07794  
A08DD0669DF0E25762E074684256308DD082905D99506C

91405C009F84729FF866AE6C9F669ED0A16762A167729F  
62FC636282903DA0A3528281A3C267304F87406791A484  
894070659F6173F063656C6C8AB19F309ED1A4E1FE7399  
A06710BDC19DE1B580A080A7463A6CA75562A7558B30A7  
646467DFA846A9C0A9468F90A7647682CF8AEFFF8BFF8D  
0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199  
EF9AF896E69824FF64B0EB4089609887B3319948B11CB0  
E1B7B36AAD9066C06657B0963162ADD0FF67809D609902  
B8AF9AF889403D7062E0ED003132F860881048A571A830  
8740BBCCA398C336BC3FBD4FBE5B38BF3FFFC04FC15FC2  
629D50A6009E706780C2AFFFBF12C3FFB18F4510B35FB4  
66A41096A2DFC70FC81697889761A6F0739D60BB116389  
2066D06D706FF3E0C93F45F15D40696C53894257B06683  
80B06DDF10766721890055C3108850777E6ED586C1F1D6  
22D743C225DB616DB997216850ACF0D8C39D52335A6032  
6DE7106B428742DA0553754A62DA717398516C46EB3063  
1FDA7162F0ADE09C314E506D6C4D353D6067DA5372DCD7  
80D14A63FBDC91AD1249A4C067F03DA0E7E0DA71398740  
744C5C90DA7166107279D5DFB131808378DCB06EAF80D6  
3207E0D4B1A0AFD074703A2F2FA7A5D089905D40732EC7  
E0634EF0ABD2C09ED02ED3412FE35066EB60C8652F7767  
00642F3A50B530B7E433DCB066905C8291A6F07774E0F7  
C25067A0E573685A32DA71DCE19FE0BFDF33DCE1A090E7  
56DF15DCE162DF23F667AF0088E0728761AF90F3E0ACA0  
3F6310AC719E70ACA0A8319ED06E62CE6AADC067F09950  
6F639EA1DBD0FE6B88C099A0CD30EBF496F4EF70B2E11F  
80C09D6088D1DA006780737973A796F0DF017DC16C799D  
6076DCB0A767A0EDD88781676497306167A2DE66EBC1D6  
00DEF1A691764541F091DF9670DCB04E5089809E7070B2  
C0A5E0FDF2B06C9F20967287C0B6B06700C7D13E786780  
66D09D70DEF167A07361FF99A08740F1D3E0E1F4F1F2B1  
E0E1A6F06F4EF03D704E50885078B2C0E2106FEA7967F0  
5C967070898067104F30DF8850AD91A830ADE0EBE0649D  
706730F9E1106264A8C08850ADE1A5E096F14FBEC196F2  
8980AF40655CF2B072BE7AEBC2A9C0E6F28740FB9168F9  
D3F36010EF916776FC69FB21AFB08740FF8171FCE2FDE4  
FD93F2A2EDB1FD01FF732E6AF7C14F20B660763450776B  
FFA4B15E9000D2A5D04540B5C1E611E900FDAAD265AF40  
023596F088D09761EF20FE74D6C08740FB00EB2103C7AF  
D05D40FFAF00ADE08841E100AFD0AF416721BEB0FF1450  
0FD0D040E100B2A1F912A4B1ABE0FF03D001C1ACA06730  
9E8103C167216710FFAA71E100DA11FA41FB008850DA11  
AD10FE700632965082A0AF10B6328740A5E2FFB2A1CA71  
E3F0A5F0C831EE60A5F0AD01DC70709AC0ACA0ADC1694F  
200957FF28106721C1B2AD903D10885078609E70FFAEF2  
E3F0ADB09B21F3F1DB50894096F1EF4550AF808841A4B1  
6EDA019DF014B09FA5F00941A5F0D60088416378ADE0FF  
87E0BB6187C0A4C0F8A1CA901221F791FB8850B1D063E1  
110632B1D01213AF00BB8740A8406813830392E22067AC  
D2FDEDF163F1D005736720DA20144263300708121692F1  
D0747862785CFF0970B6C03D709660ADB001C0E281F471  
FE6C06C16310F8512C40D3519732B5B0CB9690809277F0  
F1666D17C0D4F0FDE9A120C25081808832B5B0973023F0  
BF3D90F80088D0ACB074D087C06C96F0EF5D4001C007D0

E100758800CE52ACD1FF9631EA319B51E9F58772967067  
A0EB91FF9AD0A6F0FB001F93AD641EA08920EB23CF8901  
80B0AE80EA216C76F271AE81FFE310AEB0231187E06710  
2392A4B1DEF1FF3FA0E6119AD0B2D18901AE80189087E0  
FC202ED5942316525023B2CE61241FFF252F263F237056  
30AE8080D0E0E0280FFB291F2A2F6C5A60AE80CCD027CF  
2C9F7D2DA529268C5E902B6F305F2D8562FF5D70385131  
8F234344B02F2F33FF350FFF361F236157D0377223FF38  
DF39EF31FDF5C00377F3D0F3E1F3F2F23614A703C0FFF  
41AF42BF43C5E561A790E560B2C08740FFCE43ACD2ABBF  
ACCFADDFAEFAFFE48B2FF5381C208CCAFB21FB32FB43F  
B54FB65FFF95A859F0505F5160528CCFE113119E5069C1  
F94769E360209AF14C103A6F5CD301C064E05DA0204C60  
9D60657F5E11576F587F598F66C063C1D40A0D7E0A48B2  
8204F731F17289434A2073C7EE60ED7065807832363BE0  
6261FF66F0EC30678080D187616271C7D780D1FF1DF062  
619AC864E6BA5563C6978680D1FC3939D8A063379670A5  
E00A404A11FF642AC572654A6A44BA5550E167496A44BF  
63649807696F6A7F6B8F97A4396D0BF302A2ED8120316E  
33708F719F72A7EF7DA1736F747F727A33765F776F725C  
EE34796F7A7F725C357C7F7D8F725CFE367F8F809F725C  
D57082AF83BF726B6E3885AF86BF725C396E33978633FB  
8A5C4D506373258C1F8D2876448E2FFF8D287954903F8D  
287C64924F8D287F74FF945F8D288284966F8D28859498  
7F8D28FF88A49A8F8D288BB4890F9CD352726D38FF01C0  
0A406C90D6D06E4F6F5F9E8F6C94FBD0B26D29544EE0BB  
71A43B6D0BDC61B94BC220504F51F0F0B0C068CA31FFDF  
90A15FA26FA37FA486A70CDB01ED70FFA606A99FAAAFAB  
BFD3E0CE23AD394DD0FDF49067AE5FAF6FB07FB1866CFC  
D4C0BB4C61C1F073B34FB45F6749358A5C7E5412D25A90  
5581B853B49E6D5650FBF2F61C5154F381B85FBCCFB56F  
A69F7F6D94ADC0F9E1ED81BF8FC09F674936FF6CFCDFB0  
4E01ADC0FAD1C47FC58FC69DFFA70CC864DFB04DC0C93F  
CA4FC6CAB20C7FC864BC77CDEFCEFFC71557206D1A4DFD  
19C0694CE0C8B67325D24FD35FC715FE34D4EFD5F97644  
D70FD81FC715A00CDFD5B5CD52D69FDC6FC6AC36DE6FDF  
76FFDB6FE10FC6BB5DB2E32FBC72DFEFE58FFDC6AC38E7  
8FE896E48FEA2FC6BB8A5C5FE85A7954EE0FEF1F6C9437  
6CFC44BD4F706BCD4FF30FF41FA70C4305B0FDFEB0664B  
D0C8BFF72FF83FF4F1D07CFFFA57F65FFC2FF42ED4DCFA  
57D1BF00BFC7C68FD08FC8A7204163BEB061D0FFE90F05  
6FCB3F078FDFA3091F0A2F0B3FFFD04FD1580DFF0F0F10  
1FD49FD5AF12EFFF13FF150FD95FDA6F183F194F1A5FDE  
1F8FDF2C1D8CBD0FA775526576FFB0FFA12F1EFFC17F9C  
791BACDFA3A867258F8F269F27AFB1868A5C51756F61B0  
DF2AFF2C0F2D1F9CA66CFC4961D064C0FF36F02F7F308F  
1DFE2DFE3E91D8F35BFFF36CFE73FE84C39CF3ADF3BEF  
EBCFECDCFF3EEF3FFF410FF05FF16C440F451F462FFFFF4  
EFF5F8492F4A3F4B4FF93FFA4F4E0FFF4F1F502FFDFFFF  
0C535F546F557F028FFF039C587F598F5A9F071F082F5D  
C3EDAFF5F2F0BAF0CBF5849633F644F109F11AFF582F69  
682F693F158F47BF17AF6D1F6E2FFF1ADF704F1CFF726F  
737F202F759F224CF77BF78CF374F7AEF396C7CDF7DEF  
3C6FFF800F3E8C81FF830F418F852F43AC871FFF882F46

AF8A4F48CC8C3F8D4F4ECF4CDFFF678F91CF92DF511F52  
2F629F96AF97BFFF566F577F9B1F9C2F9D3F5BBF5CCFA0  
6FFFA17F8E1F610F621FF22FA6CF654FA8EFFF583AAAEF  
ABFF6A4F6B5F5D69AFDFB0EFFF6F3F8F6F715FB4CFB5DF  
748FB7FF76AFFFB1FBB2F79DFBD4F224CBF6FC07F7EFF  
FFC29F396CC48FC59F841FC7BF3E8CC9AFFFCABF893FCC  
DF43ACCECFDF8E5FD1FFFF48CCD3EFD4FF937F948FAF  
3FD97FDA8FFF98CF99DFAA4FDE5FDF6F9E1F9F2FE2CFFF  
E3DFE4EFA36FA47FE81FE92FD5CFA8BFF9A9CF2034ED8F  
EE9FAD1FAE2F5858FFF29FF3AFB1FFB30F5D69F78FF89F  
B6EFFF71FB90FFC7FFD8FBC3FFFAFBE5F01CFFF02DFC1  
8F04FF224C071F082FC6AF0A4FFF396C0C3F0D4FCBCF0F  
6F3E8C115F126FFFD0EF148F43AC167F178FD60F19AF48  
CCFF1B9F1CAFDB2FDC3FF6EF212F223FE07FFFE18FF1FF  
260F271FE5CFE6DF2A7F2B8FFF2C9FEB1FEC2F2FCF30DF  
1D7FF06FF17FFC2035353F364FF4CFF5DF58583A4FFFF3B  
5FF9AFFABF5D693F3F404FFE9F1ECFFF00BF442F453F03  
EF475F060F497F4A8FFF093F4CAF7BFC4ECF4FDF0E5F51  
FF811CFF53EF54FF137F571F863C590F5A1F189FFF5C3F  
8B5C5E2F5F3F1DBF615F907C634FFF645F22DF23EF3E9F  
68DF69EF282F293FFF39AF6DBF6ECF2D7F2E8F722F733F  
744F7F32CF33DF777F788F652F381F392F20FE367CEF7D  
FF3C7F3D8FA00881FF830FFF415F426FA51986EF87FF46  
4F667F486FFF8BDF8CEF4B9F8F0F4DBF912F923F50EFFF  
945FC3AC967F978F560F99AFC8CC9B9FFF9CAF5B2F9ECF  
CDECA0BFA1CF604FA3EFFF30CA5DFA6EF656FA90FD82C  
AAFFAC0FFF6A8F6B9F864FB08FB19F6FDF70EF815FFF5B  
6FB67F752F763FB9DFBAEFBBFF7A7F4F7B8FBF2FC03FAC  
D67166C3606D2C6174B7E47F3631ADEC53750062746C65  
20456D707D00C0730B60C49FC5AFC6BF7F4532FDB7EC49  
ED40ED30C130C98FCA9FCBAF0DC73E33B7ECC925526566  
65FE72ED30ED20CFAFD0BFD1CFD2D689DC3FCEA6D4AFD5  
BED6CFD7DF8ECC426FFA6F24B0547F80C960DAD3D27A3  
AC104269626C7F506772613DCF4079DAD3DD2FD303ADEC  
544F104320486500D33B7D7D607B5C2A5C64C730CF6074  
83C360CF003031303530E7129632E713E6D038E7743464  
C24040373836643663D8D0328065353334313538E970E1  
E85034633532995084D09400F79950BD20E91033E9F0EA  
C0E774EB7E077FB0E7118A8063663131659030613162ED  
106165E6E07BEDDFECC33ED30EFB1E710DA6066F86630  
39EC56F12FE7B1F1FDF1DDFFF052F472F156F45EF4D7F6  
DFF7EFF8FFFFFFA0FFB1FFC2FFD3FFE4FFF5F006F017FFF  
028F039F04AF05BF06CF07DF08EF09FFFF0B0F0C1F0D2F  
0E3F0F4F105F116F127FFF138F149F15AF16BF17CF18DF  
19EF1AFFFF1C0F1D1F1E2F1F3F204F215F226F237FFF24  
8F259F26AF27BF28CF29DF2AEF2BDCFE642BD5F4652DCF  
2EDF2FEF30FF320FFF331F342F353F364F375F386F397F  
3A8FFF3B9F3CAF3DBF3ECF3FDF40EF41FF430FFF441F45  
2F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50  
DF51EF52FF540FFF551F562F573F584F595F5A6F5B7F5C  
8FFF5D9F5EAF5FBF60CF61DF62EF63FF650FFF661F672F  
683F694F6A5F6B6FF473E9F0A7EC61F4C16D123734E744  
34E701FE36EFE16D92BD206D71F0A26F5F706FFF717F72  
8F739FE7B1EC82E7016ECF2CF6A263ADD0643938773062

<b>PidTagRtfInSync</b>	77505633E9C1E98039E56066E8D0649DE96162ED30F5CF EF5730622CE0E97FB03366EA603877C0E6D0F55FFF7C5F 7D6F7E7F7F8F809F81AF82BF83CFFFF66F85CC844F87DF 88EF89FF8B0F8C1FFF8D2F8E3F8F4F905F916F927F938F 84AFFF95AF86CF97CF98DF99EF9AFF9C0F9D1FFF9E2F9F 3FA04FA15FA26FA37F949FA59FFF96BFA7BFA8CFA9DFAA EFF31EE704ABD505E5D000AE00
<b>PidTagSearchKey</b>	TRUE
<b>PidTagSenderAddressType</b>	cb: 16 lpb: FC39CE77217D824FB608D84F4FDFE22B SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSubject</b>	Anne's Birthday
<b>PidTagSubjectPrefix</b>	

Elizabeth saves her calendar to share with Shu. This would be the resulting iCalendar file.

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:PUBLISH
X-CALSTART:19751012T000000
X-WR-RELCALID:{00000018-0E80-EBB5-82FB-58F695E239B2}
X-WR-CALNAME:Birthdays
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T190802Z
DESCRIPTION:Happy Birthday to me!\n
DTEND;VALUE=DATE:19751013
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19751012
LAST-MODIFIED:20080206T190802Z
```

PRIORITY:5  
RRULE:FREQ=YEARLY;BYMONTHDAY=12;BYMONTH=10  
SEQUENCE:0  
SUMMARY;LANGUAGE=en-us:Elizabeth's Birthday  
TRANSP:TRANSPARENT  
UID:040000008200E00074C5B7101A82E0080000000020C397BAB068C8010000000000000000  
010000000D4429044CA28924C8FD122A133685E4A  
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
Server ve  
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
Converted f  
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
FACE="Calibri"  
ri">Happy Birthday to me!</FONT></SPAN><SPAN LANG="en-  
us"></SPAN></P>\n\n<  
/BODY>\n</HTML>  
X-MICROSOFT-CDO-BUSYSTATUS:FREE  
X-MICROSOFT-CDO-IMPORTANCE:1  
X-MICROSOFT-DISALLOW-COUNTER:FALSE  
X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
X-MS-OLK-CONFTYPE:0  
BEGIN:VALARM  
TRIGGER:-PT10080M  
ACTION:DISPLAY  
DESCRIPTION:Reminder  
END:VALARM  
END:VEVENT  
BEGIN:VEVENT  
CLASS:PUBLIC  
CREATED:20080206T190926Z  
DESCRIPTION:Gift ideas: Baseball tickets\nDTEND;VALUE=DATE:19780228  
DTSTAMP:20080206T191251Z  
DTSTART;VALUE=DATE:19780227  
LAST-MODIFIED:20080206T190926Z  
PRIORITY:5  
RRULE:FREQ=YEARLY;BYMONTHDAY=27;BYMONTH=2  
SEQUENCE:0  
SUMMARY;LANGUAGE=en-us:Shu's Birthday  
TRANSP:TRANSPARENT  
UID:040000008200E00074C5B7101A82E00800000000E0243DD0B068C8010000000000000000  
010000000EE6CCE82EE4BC14BB01478A948D182FB  
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
Server ve  
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
Converted f  
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
FACE="Calibri"  
ri">Gift ideas: Baseball tickets</FONT></SPAN><SPAN LANG="en-  
us"></SPAN></  
P>\n\n</BODY>\n</HTML>  
X-MICROSOFT-CDO-BUSYSTATUS:FREE

```

X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191003Z
DESCRIPTION:Gift ideas: New camera phone\n
DTEND;VALUE=DATE:19820708
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19820707
LAST-MODIFIED:20080206T191003Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=7;BYMONTH=7
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Anne's Birthday
TRANSP:TRANSPARENT
UID:040000008200E00074C5B7101A82E00800000000307DD3F5B068C801000000000000000
010000000FC39CE77217D824FB608D84F4FDFE22B
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange
Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--
Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calib
ri">Gift ideas: New camera phone</FONT></SPAN><SPAN LANG="en-
us"></SPAN></
P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

Shu opens the iCalendar file. The following tables represent the contents of the Birthday Calendar's Folder object and its three Calendar objects in Shu's store.

The following are the properties on the Folder object:

<i>Name</i>	<i>Value</i>
-------------	--------------





<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	07:00:00.000 AM 10/5/2008
<b>PidLidReminderTime</b>	07:00:00.000 AM 10/12/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E00100000000000000C4FFFFFF0000000000B000000010002 000000000000000000000000000000000030000000200020000000000 0000
<b>PidLidWhere</b>	
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	07:14:57.374 PM 2/6/2008
<b>PidTagEndDate</b>	12:00:00.000 AM 10/13/1975
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	07:14:57.374 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	1316
<b>PidTagNormalizedSubject</b>	Elizabeth's Birthday
<b>PidTagRecordKey</b>	cb: 4 lpb: 44002000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfCompressed</b>	cb: 652 lpb: 88020000AB0500004C5A46750D2BFF6703000A00726370 673132358232034368746D6C310331F862696404000330 010301F70A80FF02A403E4071302801083005004560855 9F07B211B50E510301020063680AC07073657432060006 C311B5335B044614473012BF02003403C643F907406962 0510028011C308EF09F7B63B1A1F0E303511B20C606300 50330B090164333616E00BA534205910822A5C0EB20190 671EC03300203C21444F4354590050452048544D4C2000 5055424C49432022402D2F2F5733432180444454442094 332E32218045F84E223E11C31F371FE00AA3231CFC3139 1FF020A2230D14D0241F23D1E31ED02570454144230D0E F126EF050E10360EF03C4D455441C507B0412B103D2247 09F0049014617405B02216F04F4E544D22D0542BA005E1 457814616EF4676506527613112DF10090022040203038 2E30302ED0367438312ED13022FE297F25033782371FF0 5449544C4525CEA6340EF0246D38351FF02F323F7F306F 1F55338134D0284F269F1F6435C116E03C424F4459230D 1E4147393F1FB13A61212D2D16F16E552DF17409802003 52203E0078FC742F00213E3005B000C005403D702F3ADF 3BEF408F1F643628115020804449523D4C54522300BF1F 433EE2000044451E4144465C1F80CE720AB1460214605C

	71032144E7051EFB3828115350414E201A4C48E0472BA0 09F02D75734722F1443F478E3134381FF046E12C812046 41432B9118B549CC0318104709486170707920C4426900 206864614F602C20CA20078021247C353634C14C52F749 D949E7479D3914D034D048C251EFFF52FF487F498F556F 53BF54CF45490AA2FF55580A8145870AB15DA855ED01C0 34C1BE503FBF421F615F39F54C212F3A9F5F38EF1F6532 0137C025937D67A0
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 075E5DFBAF3BBF4C960BE7A3EE7F6988
<b>PidTagSensitivity</b>	0
<b>PidTagStartDate</b>	12:00:00.000 AM 10/12/1975
<b>PidTagSubject</b>	Elizabeth's Birthday
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for Shu's Birthday:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	1440
<b>PidLidAppointmentEndWhole</b>	08:00:00.000 AM 2/28/1978
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300D200200000060AE00000C0000000000000001B 000000232000000A00000000000000000000000000000 A0CCD20BDF80E95A063000000930000000000000A00500 00000000000000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 AM 2/27/1978
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	TRUE
<b>PidLidBusyStatus</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243D D0B068C80100000000000000010000000EE6CCE82EE4B C14BB01478A948D182FB
<b>PidLidClipEnd</b>	11:59:00.000 PM 8/31/4500
<b>PidLidClipStart</b>	08:00:00.000 AM 2/27/1978
<b>PidLidCommonEnd</b>	12:00:00.000 AM 2/28/1978
<b>PidLidCommonStart</b>	12:00:00.000 AM 2/27/1978
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243D D0B068C80100000000000000010000000EE6CCE82EE4B C14BB01478A948D182FB
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidLocation</b>	
<b>PidLidOwnerCriticalChange</b>	07:12:51.000 PM 2/6/2008
<b>PidLidRecurrencePattern</b>	every February 27
<b>PidLidRecurrenceType</b>	4

<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	10080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	08:00:00.000 AM 2/20/2008
<b>PidLidReminderTime</b>	08:00:00.000 AM 2/27/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000000000000000000000B000000010002 0000000000000000000000000000000030000000200020000000000 0000
<b>PidLidWhere</b>	
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	07:14:57.405 PM 2/6/2008
<b>PidTagEndDate</b>	12:00:00.000 AM 2/28/1978
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	07:14:57.405 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	1328
<b>PidTagNormalizedSubject</b>	Shu's Birthday
<b>PidTagRecordKey</b>	cb: 4 lpb: 64002000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfCompressed</b>	cb: 660 lpb: 90020000B20500004C5A46752E94CCFE03000A00726370 673132358232034368746D6C310331F862696404000330 010301F70A80FF02A403E4071302801083005004560855 9F07B211B50E510301020063680AC07073657432060006 C311B5335B044614473012BF02003403C643F907406962 0510028011C308EF09F7B63B1A1F0E303511B20C606300 50330B090164333616E00BA534205910822A5C0EB20190 671EC03300203C21444F4354590050452048544D4C2000 5055424C49432022402D2F2F5733432180444454442094 332E32218045F84E223E11C31F371FE00AA3231CFC3139 1FF020A2230D14D0241F23D1E31ED02570454144230D0E F126EF050E10360EF03C4D455441C507B0412B103D2247 09F0049014617405B02216F04F4E544D22D0542BA005E1 457814616EF4676506527613112DF10090022040203038 2E30302ED0367438312ED13022FE297F25033782371FF0 5449544C4525CEA6340EF0246D38351FF02F323F7F306F 1F55338134D0284F269F1F6435C116E03C424F4459230D 1E4147393F1FB13A61212D2D16F16E552DF17409802003 52203E0078FC742F00213E3005B000C005403D702F3ADF



<b>PidLidRecurrenceType</b>	4
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	10080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	07:00:00.000 AM 6/30/2008
<b>PidLidReminderTime</b>	07:00:00.000 AM 7/7/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B000000010002 000000000000000000000000030000000200020000000000 0000
<b>PidLidWhere</b>	
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	07:14:57.421 PM 2/6/2008
<b>PidTagEndDate</b>	12:00:00.000 AM 7/8/1982
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	07:14:57.421 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	1316
<b>PidTagNormalizedSubject</b>	Anne's Birthday
<b>PidTagRecordKey</b>	cb: 4 lpb: 84002000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfCompressed</b>	cb: 656 lpb: 8C020000B20500004C5A46752EC3261E03000A00726370 673132358232034368746D6C310331F862696404000330 010301F70A80FF02A403E4071302801083005004560855 9F07B211B50E510301020063680AC07073657432060006 C311B5335B044614473012BF02003403C643F907406962 0510028011C308EF09F7B63B1A1F0E303511B20C606300 50330B090164333616E00BA534205910822A5C0EB20190 671EC03300203C21444F4354590050452048544D4C2000 5055424C49432022402D2F2F5733432180444454442094 332E32218045F84E223E11C31F371FE00AA3231CFC3139 1FF020A2230D14D0241F23D1E31ED02570454144230D0E F126EF050E10360EF03C4D455441C507B0412B103D2247 09F0049014617405B02216F04F4E544D22D0542BA005E1 457814616EF4676506527613112DF10090022040203038 2E30302ED0367438312ED13022FE297F25033782371FF0 5449544C4525CEA6340EF0246D38351FF02F323F7F306F 1F55338134D0284F269F1F6435C116E03C424F4459230D 1E4147393F1FB13A61212D2D16F16E552DF17409802003

	52203E0078FC742F00213E3005B000C005403D702F3ADF 3BEF408F1F643628115020804449523D4C54522300BF1F 433EE2000044451E4144465C1F80CE720AB1460214605C 71032144E7051EFB3828115350414E201A4C48E0472BA0 09F02D75734722F1443F478E3134381FF046E12C812046 41432B9118B549CC3B1810470947069005400F40656164 733A07B3636107802C0020947068022065247C353634C1 EF4C5249D949E7479D3914D034D048C2FF525F536F487F 498F55DF542F553F4549FF0AA255C80A8145870AB15E18 565D01C07D34C1503FBF421F61CF39F54C212F39F38 EF1F65320137C025937D6810
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 43FBCD49108A1348A00F462127B474DB
<b>PidTagSensitivity</b>	0
<b>PidTagStartDate</b>	12:00:00.000 AM 7/7/1982
<b>PidTagSubject</b>	Anne's Birthday
<b>PidTagSubjectPrefix</b>	

### 3.2 Example Schedule for the Week of June 16, 2008

In this example, Elizabeth's primary calendar containing her schedule for the work-week of June 16, 2008. The following tables represent the contents of her Calendar's Folder object and its four Calendar objects.

The following are the properties on the Folder object:

<i>Name</i>	<i>Value</i>
<b>PidTagAccess</b>	63
<b>PidTagAccessLevel</b>	1
<b>PidTagComment</b>	Calendar Comment
<b>PidTagContainerClass</b>	IPF.Appointment
<b>PidTagContainerContents</b>	Object
<b>PidTagContainerHierarchy</b>	Object
<b>PidTagContentCount</b>	4
<b>PidTagExtendedFolderFlags</b>	cb: 6 lpb: 010400001000
<b>PidTagFolderAssociatedContents</b>	Object
<b>PidTagFolderType</b>	1
<b>PidTagRecordKey</b>	cb: 4 lpb: 22810000
<b>PidTagSubfolders</b>	TRUE

The following are the properties on the Calendar object for Elizabeth's lunch break:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30

<b>PidLidAppointmentEndWhole</b>	07:00:00.000 PM 6/16/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300B2001000000C02100000100000000000000000003E 000000222000000500000000000000000000000000000000 80F8C50C000FC60C0630000009300000B2020000D00200 000000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	06:30:00.000 PM 6/16/2008
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	1
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C 40B268C80100000000000000001000000DD26B2AEDF5D 2145BCE907145185EA4D
<b>PidLidClipEnd</b>	07:00:00.000 AM 6/20/2008
<b>PidLidClipStart</b>	07:00:00.000 AM 6/16/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	07:00:00.000 PM 6/16/2008
<b>PidLidCommonStart</b>	06:30:00.000 PM 6/16/2008
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C 40B268C80100000000000000001000000DD26B2AEDF5D 2145BCE907145185EA4D
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidLocation</b>	
<b>PidLidNetShowUrl</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
<b>PidLidRecurrenceType</b>	2
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	06:15:00.000 PM 6/16/2008
<b>PidLidReminderTime</b>	06:30:00.000 PM 6/16/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE



<b>PidLidSideEffects</b>	369
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B000000010002 0000000000000000000000003000000020002000000000 0000
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagAlternateRecipientAll owed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	07:20:16.812 PM 2/6/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C868F54E30FC5F6698C9FB4AE4839068B31854314F
<b>PidTagConversationTopic</b>	Lunch
<b>PidTagCreationTime</b>	07:19:19.224 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	07:30:58.552 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:20:16.812 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	7232
<b>PidTagNormalizedSubject</b>	Lunch
<b>PidTagOriginatorDeliveryRep ortRequested</b>	FALSE
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: A4002000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5468 lpb: 58150000DC5900004C5A4675BA50E15507000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236

10840900110B68330EB0111A62690FD70DA43333891426  
666514A374686507809F146715D71560014015D7637301  
E8F302A413B064690336020011000AC00873657402D170  
727132A500002A0AA16E6F1A50200DF0D51BA13614B030  
0FF0341C2101D0991C10347D076D02833334191F1F1A24  
00501AAF20EF21107D4361F706D0072105D06115D01DE4  
10101E66FF03E319FF1B0B01301C721BB21C501C10F326  
A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0F  
E11FC1287F298FFF2A9F2BAF2CBE0F202DDF2EEF2FF731  
02FF30C430A22704225327B714D0334F345FFF2FFF310F  
321F1E4F392F3A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF  
40DF41EF1160FF237F442F259F26AF27B72358439F4A1F  
3745BF46CF1DE4394D6F4E7432338A384EE420076D2043  
4502833F50A052AF53B53D72546F55737972B755D4332F  
1F56361FC5584F4709D17E6B55D4381F5AEF759E15BBF03  
8254EF087055D43D8F1F563723515F8F0382D828486522  
6007D02955D442FFFF6277543F6416071001A00EB064F5  
48685D1EED384861673F0382420740747F0EB055D44D5F  
5AF75DB16B3F644356590890746E224007906564F530FF  
5298490C5418274555A70DE071AF575E7F73B759660EF0  
74DF5B0E73B65D0931FF5DB878AE5F5673B660D75B607B  
7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF529F  
75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C  
7F5FDF60E589A2FF5DBF627F6F6F649A89A2616F667F93  
EFFF689A89A2656F7FBF6B8F815B7E996DEF79BDF700F  
9558823F834F882F856731EF860F871FA4CF89383289EF  
8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792EF  
93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F81  
79329E3F9F4F7FB88FA16FAA21A2AFA3BF2236855832FF  
A67FA78FC53789380FD0C67F792F2245BD80B33AE5FAF  
6F2236910933BA9FFFBBFAF2236814CA432D0DFA3EFA4FF  
C955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2959  
DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF99  
1E655FD1AFEA0FFF814C695FBFAFEE3FC1CFDBA2D43FD5  
4FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE  
1F8D290F11FC7FE11FE22FFFFBC7E3CFE4DFF25F94FDDDB  
C0044FE91F7FEA2F993CFC30087FED4FEE5F816A35FFF0  
3FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F  
173F8938FDE2191FFFFD9FFEAF8D4701E21CFF019F02AF  
1C46EF043F054F12CF94FD36086F097F26CFBD992D360C  
9F0DAF0EBF815B3610AFFF11BF2AFF13DF1C911518723F  
734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D29  
37780F21DF7D8E3BF22D087F4FFF805F816A2A62314F16  
5F176F3BC518EFF739EF48CF8938381CCF3D4F1EEF8D1A  
DE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF  
29EF585F992D38FF2D0F442F2F2F815B60225ECF325F33  
6F0370A881B1636F6C6F727450626C3B5C8D106474C067  
8D8D116E74C06730756530675FFA65BA8035688A69A169  
5F6A6968747F6A9268FF6CCF6C8D6C0F6A3F688F65FD8D  
D038725A7371732F743968747462BF72CF769F765D75DF  
740F77D4395250FF7B247C8174A37C80725F6B0776BF75  
00A181B12A5C64654F517063112B85C244B173AE402080  
867061F98121716C6310455067A0CFA067A0A13CE06463  
746C82907283902599307080D161759D605C611E738290

83F03D5084F26E756D2589806184B0746F84F0646AC875  
7374CFA0676884E0CFA0A7680145506801697482A03082  
00305C6E6F7144D15D306F744C65208D7086B0796C5CB0  
68FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F  
604F4173316310615F815357D0901081D18C006C4F2067  
FC3130BA808A118DD08F848F218159DB8A209113335630  
91026674D09372CE63786062E093136E70936995044163  
10736E6578748F2173B7887067005D4074963144E06967  
00FD87D07996A289403D7062E091409140FF6020DBD05C  
D09702674080838FC18F21778D8062F09D707688F08920  
A1E06D3C696862E080D05D608920756EBD9B41658DB067  
8097598FE0448BA43420503D6061786082A06820D0466F  
6E748074748FD04E505B9F004EF07794A08DD0669F0057  
F162E074684256308DD082909A60966C98C1A08572A108  
666CA0762B9FE0A27762A27772A0726362FF82903DA0A4  
628281A4D267308740679113A59489407065A071736365  
BC6C6C8AB1A0409FE1A5F1739AB0BF6710BDC19EF1B580  
A190A8566CA865CE62A8658B30A8746467A956AAD0F7AA  
568F90A8747682CF8AEF8BFF8D0FFF8E1F8F2F903F914F  
925F936F947F958FFF3DA0B2B19AFF9C0896E6993464B0  
EB40FF89609997B4419A58B22CB1F1B47AAEA0ED66C066  
57B0963162AEE067809E70EF9A12B9BF9C08984432E7E0  
C65060107C2048A681A9408740CCA399D336FFBD4FBE5F  
BF6BC390C05FC16FC27FC381FF9E60A7109F806780C3BF  
C022C50FB29FFF4510B46FB576A52096A2C81FC926978A  
3DC3D1739E70BC21892066D06D70166FF3E0CA4F455D40  
696C53DF894257B0668380B0DF107667218900E655C420  
8850776ED6969871D7325FD853C335D85398A6DF616D97  
2168AE50AE00DAA39E62335A606DE7108C6B428742DBE5  
537562DC51D27399616C46EB3063DC5162F047AEF09D41  
4E506D6C4D3D6067CDDC3372DEB780D14A63DE71AE227E  
49A5D067F03DA0E7E0DC51874074CE4C5C90DC51661072  
79E191DA62F580B078DE906EB090D742E2B4B2B0C1B0E0  
74703A2F2FA6E08990E95D40732EC8F0634EF0D3D09FE0  
2A2ED4512FE53066EB60652FF2776700642F3A50B640E6  
13DE90ED66905C8291A8007774E0C33067A0FDE753685A  
32DC51DEC1A0F0E113DEC1AFA1A0E936E0F5DEC162E103  
67B010FD88E0728761B0A0F3E0ADB06310AD818F9F80AD  
B0A9419FE06E62AAED0B367F09A606F639FB1DDB06B88  
C0FF9AB0CE40EDD496F40FE0B3F180C09E70C788D1DBE0  
678073797396F0E0E1E97DC16C799E7076DE9067A0EFB8  
A98781676497306167A266EDA1F7D710E0D1A7A1764541  
F2719670DE90774E5089809F8070B3D0A6F0F4906CBFA0  
30967287C0B7C06700C8E1786780CF66D09E80E0D167A0  
73619AB08740FFF3B3E2C1F6D1F491E2C1A8004EF03D70  
9B4E50885078B3D0E3F06F7967F0FA5C96707089806710  
4F308850AEA177A940AEF0EDC0649E806730E2F062FE64  
A9D08850AEF1A6F096F1BFD196F2938980B050655CF490  
727AEDA2EFAAD0E8D28740FD7168FBB36010F171FC6776  
FE49FD01B0C087408171FEC2BFFFC4FF73F482EF91FEE1  
01536AF9A1CB4F20B770763450776BA5C15E907F02B2A6  
E04540B6D1E7F1EAE0ABE265BFB050041596F088D09761  
F10074D7D0FF8740FCE0ED0105A7B0E05D40B010AEF0FF  
8841E2E0B0E0B0516721BFC014500FD0FFD150E2E0B3B1

FAF2A5C1ACF005E003A1FFADB067309F9105A167216710  
AB81E2E0BFDBF1FC21FCE08850DBF1AE20700812FF9650  
82A0B020B7428740A6F2B3B1CB813FE5D0A700C941F040  
A700AE117070F79BD0ADB0AED1694F200B3728106721FF  
9832AEA03D10885078609F80B002E5D0FFAEC09C31F5D1  
DD30894096F14550B090FB8841A5C16EDBE19F0014B0A7  
000B21E7A700D71088416378AEF087E0BC71FF87C0A5D0  
FA81CBA01401F9718850B2E0FE63E2F10812B2E013F3B0  
108740A9506E6815630572E40067ADE2EFD163FFF3B007  
536720DC001622633009F21872C1F3B0747862785C0B50  
B7D0BF3D709660AEC003A0E461F6516C08A1FF6310FA31  
2C40D4619732B6C0969080927277F2D1666D19A0D600EB  
8120FFC33081808832B6C0973023F03D90F9E0EF88D0AD  
C074D087C06C96F05D4003A0FB09B0E2E0758800CF62AD  
E19631EC11FF9C61EBD58772967067A0ED719BE0A800FF  
FCE02173AE7420808920ED03890180B0F3AF90EC016C76  
F451AF91E4F0AFC0FF24F187E067102572A5C1E0D13FA0  
E7F13F9BE0B3E18901AF901A7087E0202EFFF6A424F652  
502592CF7125FF270F281FFF25505630AF9080D0EDC029  
EF2AFF2C0F7E6C5A60AF90CDE029AF2E7F2F8529DF286C  
5E902D4F323F2F65625D703BB1FF336F252344B0310F35  
DF36EF37FF2541FF57D0395225DF3ABF3BCF33DD5C0039  
5FFF3EEF3FFF410F25414A703DEF438F449FFF45A5E741  
A8A0E740B3D08740CF53ADE2FFACCFADDFAEFFAFFFB10E  
4A925381C318FFCDBFB32FB43FB54FB65FB76F95A85E20  
FF523F5340546CD0F114F19F60D90963B2F9C2FA0D0A4A  
928204F911F35289431D4C0073F04061E06580783236FF  
3DC05F1166F0EE10678080D187615F21FFC8E780D11FD0  
5F119BD8619696E56076F3978680D13939DA805FE79670  
A6F0FF0C204BF160DAC68261FA66F4BB6552C1FF63F966  
F4601488109935661F672F683F9D97A43969BB0482EF61  
20316AE37F6D3F6E4F6F577DA1701F712F6F2A33F7730F  
741F6F0C34761F772F6F0C7EF1F7794F7A5F6F2A367C3F  
7D4F6F0CD680777F5F806F6F1B38825F836F6F0C39DB6A  
E3978633870C4F30636FD588CFFF89D872F48ADF89D876  
048CEF89D87914FF8EFF89D87C24910F89D87F34931F89  
D8FF8244952F89D88554973F89D8886485BFFF99835452  
69E803A00C209960D7E06AFFDF6C0F9B3F9964D1C269D9  
5450C0BC81CFA0EB69BBDE414DA220505131F2D0FDB1D0  
68CB41E1709E0F9F1FA02FA136FFA3BCDCE15F50A2B6A6  
4FA75FA86FD4F0EFCF33A9E94FB0F67067AB0FAC1FAD2F  
DFAE3669ACD5D04E41D9C073AFFFB10FCD63F935870CBC  
5320475761B503DBB14E6A0650F4D61E3154F561B50FFF  
B97FB21FA34F6A44AA70FBC1EF61BC3FFBBD4F63F93669  
ACE1904FE1AA70FCB1FFC12FC23FC34DA3BCC514E1904F  
A0C5EFFFC6FFC37AAEBCC514B927CA9FCBAFC3C5EB5900  
69CA4D1BA0694EC0C5666FD5F7CEFFD00FC3C534D19FD2  
A972F4D3BFFFD4CFC3C59CBCD265CA02D34FD91FC35CFE  
36DB1FDC26D81FDDBF36B5A62DFDFFCE62DC9FE23FC3  
5C5201E45FE564E13FFFE6DFC36B870CE50A7604EABFEB  
CF9964EA3769AC4451506BC9FFEFBFF0CFEDA3BC430790  
FC10664DB0C56FF3DFFFF4EFF1A1CD2CF707F30FF8DFF0  
DED18C3FF707CE6FFD6FC33FCD3FC5572041FE63BB6009  
10E5BF021FC7EF043FDC53FF05CF06DF07EFCFFCE080A

AF0BBF0CCFFFD14FD25F0F9F10AF11BFD60FD71F14EF7F  
15FF170FDACFDBDC1A3CB9BFA42552FC6576DC609DDF1B  
AFBE2F9929185C7FDC53A517223F234F245FAE36870C51  
FC756F5E6027AF28BF29CF995669ACFE495E8061703460  
2C2F2D3F1C8FDF8FFFE0991A3F326F337FE3EFE4FC367F  
378FFF389FE87FE98C3B9F3CAF3DBFED0FEE1CFF40BF41  
CF42DFF19FF2A845DF46EF47FFFFF5EFF6FF4ABF4BCF4C  
DFFAAFFBBC500FFF511F522FFF3F004C552F563F574F03  
CFFF04DF5A73EA5F5BDF085F096F54F95FEFFF60FF0D4F  
0E5F5A1964DF65EF123F446FFF145F69CF6ADF178F6CFF  
19AF6F1F702FFF1CDF724F1EFC746F757F33FF779F361C  
FF798F7A9F391F7CBF3B3C7EAF7FBF3E3FFF81DF405C83  
CF84DF435F86FF457C88EFFF89FF487F498F643F8F8F  
8F4DCF4EDFFF5F4F935F946F531F542F97CF98DF99EFFF  
586F597F9D1F9E2F8ACF5DBF5ECFEEDFFFA37F61FFA59F  
54EAA79FA8AF66FF680FFF5A19AC8FAD9F6BEF8C1F6E0F  
B17FB28FFF713FB4AF735FB6CFB7DF768FB9FF1EFCFFBC  
1FBD2F7BAFBF4F361CC13FC24F80CFFFC46F3B3CC65FC7  
6F85EFC98F405CCB7FFFCC8F8B0FCEAF457CD09FD1AF90  
2F913FFFABEFD62FD73F957F968FA6FFDB0FDC1FFF9ACF  
9BDFDF7FE08FE19FA01FA12FE4CFCFE5DFD27FA56FA67F  
2034EA3FEB4FFFA9CFAADF5508EF4FF05FAEAFABF5A19  
FFF43FF54FB39FD3CFB5BFF92FFA3FB8EFFFFC5FBB0FFE  
7FFF8FBE3F01AF1EFC03CFFF04DFC35F06FF361C08EF09  
FFC87F0C1FFF3B3C0E0F0F1FCD9F113F405C132F143FFF  
D2BF165F457C184F195FD7DFD8EFF39FFF1DDF1EEFFDD2F  
DE3FEEAF22BF23CFE27FFFE38F272F283F294FE7CFE8DF  
2C7F2D8FE71A2FED1FEE2F203531EF32FFF17FFFF28F55  
0836FF380FF65FF76F5A193BEFFF3CFFFB4F1B7FFD6F40  
DF41EF009F440FFF02BF462F473F05EF495F78AC4B7F4C  
8FFF0B0F4EAF7DCC509F51AF102F53CF82ECFF55610F1F8F  
154F58EF880C5ADF5BEF1A6FFF5E0F8D2C5FFF610F1F8F  
209F3B4F658FFF669F24DF25EF365F6A6F6B7F2A2F2B3F  
FF6EDF6FEF70FF2F7F308F742F753F61DFF334CF35DF20  
36799F7AAF392F3A3FFF9CB87EAF7FBF3E0F3F1FA1C983  
9F84AFF42FF632F451F888F899F484F8BBF4A6FFF8DDF  
8EEF4D9F910FC05C932F943F52BFFF965FC57C984F995F  
57DF9B7FCA9C9D6FFF9E7F5CFFA09FCFBCA28FA39F621F  
A5BFFFD4DCA7AFA8BF673F684F82FFAD3FAE4FFF6C8F6D  
9F7E0FB21FB32F71DF72EFB68F7FB79FB8AF772F783FBB  
DFBCEFA986716266C0106D6174B4947BE63101AA9C5375  
62746C6520E8456D70FD70730D30C14FC25FEBC36F7BF5  
32B49C49E9F0E9E0BDE06FC63FC74FC85FC3EE33B49CC5  
D552F065666572E9E0E9D0CC5FCD6FFFCE7FCF86868CCB  
56D15FD26FD37FD48FD18B7C426F6F2160547C30C61087  
D783CF77A05C4269626C7C00E8677261CBF079D783D9DF  
CFB381AA9C544F43204865FD83003B7D7D7B5C2A5C641B  
C3E0CC1074C010CBB0303130B43530E3C232E3C3E38038  
E424043464BEF037383664360263D580326535334310C  
3538E620E50034633532BF9600818090B09600B9D0E5C0  
33E6A03FE770E424E82E7C60E3C1873063668031316530  
613162E9C0DC6165E390EA8FEB7C33E9E0EC61C3E3C0D7  
1066663039E906EDDFFFE461EEADEE8DED02F122EE06F1  
0EF187FFF38FF49FF5AFF6BFF7CFF8DF9EFFAFFFFFC0F

	FD1FFE2FFF3F004F015F026F037FFF048F059F06AF07BF08CF09DF0AEF0BFFFF0D0F0E1F0F2F103F114F125F136F147FFF158F169F17AF18BF19CF1ADF1BEF1CFFFF1E0F1F1F202F213F224F235F246F257FF7268F279F288C642885F1152A7F2B8FFF2C9F2DAF2EBF2FCF30DF31EF32FF340FFF351F362F373F384F395F3A6F3B7F3C8FFF3D9F3EAF3FBF40CF41DF42EF43FF450FFF461F472F483F494F4A5F4B6F4C7F4D8FFF4E9F4FAF50BF51CF52DF53EF54FF560FFF571F582F593F5A4F5B5F5C6F5D7F5E8FFF5F9F60AF61BF62CF63DF64EF65FF670F3F681FF123E6A0E911F17169C23734F5E3F434E3B136EC916A42B9D06A21FFED526C0F6D1F6E2F6F3F704FE461E93217E3B1687F29A663AA80643938B573E062740033E671E63039E210EA66E58064E61162E9E0F27F75F6B663EC71E7C034D700E6D0387470FFE380F20F790F7A1F7B2F7C3F7D4F7E5FFF7F6F87F6F31F827C80FF848F859F86AFFF87BF88CF89DF8AEF8BFF8D0F8E1F8F2FFF903F815F925F837F947F958F969F97AFF98BF99CF9ADF9BEF9CFF9E0F9F1FA02FFF914FA24F936FA46FA57FA68FA79FEFCE17E3B4A885E28000AAB0
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: DD26B2AEDF5D2145BCE907145185EA4D
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagSubject</b>	Lunch
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllowExternalCheck</b>	TRUE

<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	60
<b>PidLidAppointmentEndWhole</b>	04:00:00.000 PM 6/16/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	03:00:00.000 PM 6/16/2008
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	3
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7 AAB268C801000000000000000010000000D3BDD3F67FDD 814E823B9EE04A816204
<b>PidLidClipEnd</b>	04:00:00.000 PM 6/16/2008
<b>PidLidClipStart</b>	03:00:00.000 PM 6/16/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	04:00:00.000 PM 6/16/2008
<b>PidLidCommonStart</b>	03:00:00.000 PM 6/16/2008
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7 AAB268C801000000000000000010000000D3BDD3F67FDD 814E823B9EE04A816204
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidLocation</b>	4567 Main St., Buffalo, NY 98052
<b>PidLidNetShowUrl</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	TRUE
<b>PidLidRecurrencePattern</b>	
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	720
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	03:00:00.000 AM 6/16/2008
<b>PidLidReminderTime</b>	03:00:00.000 PM 6/16/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE

<b>PidLidSideEffects</b>	369
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagAlternateRecipientAllowed</b>	FALSE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	07:23:16.190 PM 2/6/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C868F5B91BC3FC330111494E81BFE46222628918C4
<b>PidTagConversationTopic</b>	Doctor's Appointment
<b>PidTagCreationTime</b>	07:20:46.387 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1024
<b>PidTagImportance</b>	2
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	09:40:42.099 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:23:16.190 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	6934
<b>PidTagNormalizedSubject</b>	Doctor's Appointment
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagPriority</b>	1
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	TRUE
<b>PidTagRecordKey</b>	cb: 4 lpb: E4002000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5515 lpb: 87150000F65A00004C5A4675A691184207000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236 10840900110B68330EB0111A62690FD70DA43333891426 666514A374686507809F146715D71560014015D7637301



E8F302A413B064690336020011000AC00873657402D170  
727132A500002A0AA16E6F1A50200DF0D51BA13614B030  
0FF0341C2101D0991C10347D076D02833334191F8F1A2F  
1B3620EF21107D436106D0FB072105D06115D01DE41010  
1E6603E3FF1F3F1B0B01301C721BB21C501C1026A1F922  
216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE100  
50286F297F2A8FFF2B9F2CAF0F202DDF2EEF2FF7310230  
C4FF30A22704225327B714D0334F345F2FFFFF310F321F  
1E4F392F3A3F3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF  
41EF1160237FFF442F259F26AF27B72358439F4A1F45BF  
1B46CF1DE4394D6F4E74323338C54EE420076D20434502  
8350A09F52AF53B53D72546F5573797255D473332F4E65  
31362DB1580F038247FD09D16B55D4381F5AF7582E15BBF  
0382DE54087055D43D8F5AF63723515F8FB10382284865  
226007D02955D4FF42FF6277543F6416071001A00EB064  
F5BB48685A8D384861673F0382420740FE740EB055D44D  
5F5AF75DB16B3F6443B2560890746E224007906564F4FF  
2340529F53AF223A55A65420563F574FFF73BC59655420  
59EF5AFF73BB5D085420FF5DBF5ECF73BB60D65420696F  
6A7F73BBFD6C8A307198490C731A276355A70DE0FF83BF  
763F85D659660EF086EF79CF85D5FD5D09317C588ABE7D  
F885E460D75B60FF8D8F810F85D56C890FD26701801F53  
DF7F54EF27D5719F87EF966F78160FE031FF2DBF8B2F5C  
0F7BA89BC178AF8E8F5FDFFF7F569BC17C5F627F6F6F64  
9A9BB2616FFF667FA5FF689A9BB2656F91CF6B8F936BFF  
90A96DEFADDEF700FA768944F955F9A3FBD977731981F99  
2FB6DF9B48329BFFF79D0F9E1F9F2A329FFFA10FA21FA3  
28DFB630C07FA4FFA60FA71C32A80FA91F7FC66FAB3D0E  
01C89FAD6FAE7F938932FFB04FB15FCA9FB37FBC31B4BF  
B5CF2236FD976832B88FB99FD7479B480FD0D88FF78B3F  
22459F1B33C06FC17F2236A319FE33CAFCDBF2236935C  
B642E2EFB5FFFFB70FDB65D87FD98FE86F9B4886B0EA2F  
FFBD8FBE9F9F3959DFE05FF00FA3195DAFFFC54FF40FA6  
FE615FC97FF7EFAB2E655FFFE3BFFC1F935C695FD1BF00  
4FD3DFEDB2EFE64FE75FEC3F977734EA1FEB2F08DFFF9B  
489BD00A9FEF1FF02F9F39BC400E7FFFF31FF42F0DC8F5  
DFF6EF046FA70DEDD0FF165FFB2FFC3FAB4C0E401A8FFF  
5F006FFD937A35024F035F1C9F057F0E3106BFF707CF0C  
AF9777350A8F0B9F294F9B48FF0FF22B2F0FAF10BF9F57  
13F22F0F13AFBF14BF2E56164F175F24DFA70D361A7FF7  
1B8F38DFAB3D361EAF1FBF20CF936BFE3622BF23CF3D0F  
25EF2EA12728844FBF855F2E4783AF2C0F88FE9401372E  
D8F78ABF8BCF9F39378A1F33EF8F9E4E02FF3F18915F92  
6F937A3C72435F286F297FDF4DD52AFF4BFF5ADF9B4838  
2EDF4F5FFF30FF9F2A789F52CF627FA3197C4F37BF7B66  
7FA6FE383AEF3BFF6A6FAB3D38FF3F1F563F413F936B7F  
DF442F72BF464C0193C1636F6C6F727462A86C3B5C9F20  
6486D0679F21466E86D07940756530796F65FDCC90357A  
9A7BB17B6F7C797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A  
9F659FE0FE38846A8581853F86497A84867284DFDF88AF  
886D87EF861F89E43964608D34FF8E9186B38E90846F7D  
1788CF871093C1D02A5C6465616170752197D29556C173  
C05020929670619331FC716C7520576079B0E1B079B04E  
F0D06463746C94A07295A0AB40127092E16175AF705C61

738F94A096004F6097026E756D9B90126196C0746F9700  
646A75E47374E1B0676896F0E1B07A115357607A116974  
94B03094105C186E6F7156E16F406F7465A6209F8098C0  
796C6EC0689F30FE749F8094FF960F971F982F993F8FD0  
A79D0061706151733175206193632F69E0A22093E19E10  
6C61306731FE30CC909C219FE0A194A13193699C306DA3  
23336840A3126686E0A58263E78A7074F0A5236E70A579  
A7147520A0736E657874A131739A80DB79106F5074A841  
56F069791099E0FE79A8B29B504F8074F0A350A3507230  
FFEDE06EE0A91279509293A1D1A1319F903B7500AF8076  
9B009B30B3F06D699E6874F092E06F709B30756EAD515E  
659FC07990A969A1F0449DB4201A504F70618A7094B068  
2046E86F6E74928474A1E06060B110AD610077A6B09FE0  
66B1105774F07874684268409FE094A0AC706CCBAAD1B2  
9572B318666CB286B1F095B48762B48772B282636294A0  
FF4FB0B6729491B6E27940995079A1B7A4099B507065B2  
817363656CDE6C9CC1B250B1F1B80173ACC079205FCFD1  
B101C790B3A0BA666CBA7562E7BA759D40BA846467BB66  
BCE0BC66FBA1A0BA847694DF9CFF9E0F9F1FA02FFFA13F  
A24FA35FA46FA57FA68FA79F4FB0FFC4C1AD0FAE18A8F6  
AB4476C0FD509B70FFABA7C651AC68C43CC401C68AC0B0  
78D0F66669C0A84162C0F07990B080AC226FCBCFAE18AA  
544C60384C709A2048DFB891BB509950DEB3ABE336CF5F  
D06FFDD17B38D25FD36FD47FD581B070B920FFB1907990  
D5BFD232D70FC4AF76B0C67F7FC786B730A8B2DA1FDB26  
A99AD5D1738FB080CE319B3078E06D706F05F0C5D4BE45  
6F50696C539B5269C0B7789392C0F1207679319B1055D6  
20F99A60776EE876AA81E912EA33D54497EA33AAB6ED71  
6DA9316850C0102BEC73B072336C706DF9206B42A39952  
EDB5537562EE2173AB71F46C46FD4063EE217500C100AF  
515160606D6C4D4F7067EE0372B3F08792E14A63F041C0  
3249B7E09F7A004FB0F9F0EE219950744C6EA073EE2105  
B07279F361EC3292C0787DF0606EC2A0E922F484C4C0C2  
F07470703A2F2FB8F09BA06F5073BA2EDAF0636100E5C0  
B1F02EE6418A2FF70066FD70652F7779107C642F4C60C8  
50F7E3F06078A05C6B94A1BA107786F032EB51F92368FF  
6C42EE21F091B300F2E3F091B3B0FB066BF2C5F09162F2  
D367C2209AF072FF9971C2B005F0BFC07520BF91B190BF  
C0E3BB51B1F06E626AC0E07A00AC70EC6F63B1C1EF806B  
9AD0ACC0E030FFFA4A90421F0C60192D0B0809AE1EDB0  
717990737973A900F2B18FD16C7A79B08076F06079B001  
88999167EA64A9406179B266FF71E8F0F2A1FDB9B17657  
510441A880F06060609B90DDB19070C5E0B90006606CB2  
40A882EF99D0C9D07910DAE178799078E0B090F3F2A179  
B07361ACC099500583F491FF08A10661F491BA1061004F  
8060609A60A678C5E0F5C06F797A005CA880FE709B9079  
2061409A60C0B1BB50C1009DFF9064B0907940F4C06264  
BBE0FF9A60C101B900A901D1E1A9029B90C260E4655C06  
60727AFF72BCE0FAA23B99500F41680D83722003416776  
FF10190ED1C2D099509381109211941143EF0652016110  
B113236A0B716130C980F2764660776BB7D170A01482B8  
F0DF5750C8E1F9C1FCB0BDF265C26015E5EFA9009AE0A9  
7102D074E9B099500EB0FFFED11777C2F06F50C220C100  
9A51F4B0FFC2F0C2617931D1D0266021E0E340F4B0FFC5

C10CC2B7D1BF0017801571BFC07940FFB1A11771793179  
20BD91F4B0EDC10DF1EF0EB09A60EDC1C0307019E2A860  
94B0FFC230C9529950B902C5C1DD71F7A0B910CFDB4102  
10B910C0217070ADE0BFC0FDC0E16961301D073A207931  
AA42C0B0FF4F209A608A70B190C212F7A0C0D0AE41FF07  
A1EF009B50A9015760C2A09A51B7D1FE6EEDB1B11026C0  
B9101CF1B910E8F0F99A516378C10099FOCE8199D0B7E0  
BF0C51DD9025D10B419A60C4F063F4C1BF19E2C4F025C3  
C2209950BB60682733DB1742F5D067BFF201A163058019  
237F7930EDD027F275401BC22A42058074F07862785C1D  
20C9E04F80A870EFC0D01570F63108216C1A7175200C01  
BF3E50E651A942C8D0A8A092A27704A1DC666D2B70E7E0  
FD5120F9A09390FF9A42C8D0A94036004FA00BB09AE0BF  
D0FB86E099D06CA9006F5015701B80F4B0FE759A10E152  
BFF1A841FDE1AE71FDA5FF9982A88079B0FF41ADF0BA10  
0EB03343FFC08432509B30FED39B1192C0C1A0FDD1FC6C  
760621C1A1F6C0C1D036C199F0FF79203742B7D1F2A151  
B0F9C1ADF0C5F1CF9B11C1A02C4099F0202EE88436C6FF  
64603762E16137CF38DF39EF37206840BFC1A092E0FF90  
3BBF3CCF3DDF6C6C70DFC1A0DFD03B7F404F4155293A3C  
70A0F73F1F440F4135626F804DC1453F36F3FF56C042DF  
47AF48BF49CF371169E04B22FF37AF4C8F4D9F45AD6E10  
4B2F50BF51CFFF52DF37115C804FBF555F566F5775F911  
FFBAB0F910C5E09950E143BFF2BEDFBFEFFFC0FFC20FC3  
1E5C626591D527DFAFC53FFFC64FC75FC86FC97FA7B86C  
0063FF65007F662CE2E126C1B170EAE875C2D5090D7E0A  
5C6294140AE105229B535DD073C7021073F07790783236  
4F9070B1FF7900FFE0799092E1997170C1DAE792E1FF31  
A070B1ADE87336A8F57216A99692E1FC3939EC507187A8  
80B9001DF05DC1FF727AD882739A7894CD756481759978  
947F71B49A20AB4577BF78CF79DFA9B439E77B5B165201  
3120317C837EDF7FEFDF80F78FB181BF82CF80CA3384AF  
85BFFD80AC3487BF88CF80AC91018AEF8BFFFD80CA368D  
DF8EEF80ACE86090FF920FDD80BB3893FF950F80AC397C  
83A996F63398AC61006381759A6F9B788494FF9C7F9B78  
87A49E8F9B788AB4A09F9B78FF8DC4A2AF9B7890D4A4BF  
9B7893E4A6CFFF9B7896F4A8DF9B789A04975FAB236612  
FF7B8815701DF0AB00E9C07C9F7DAFACDFF7AB04E3B27B  
79546290CE91B28B7B5B73F0115F722050630104A0C3E0  
68FFDD31F340AFAFB0BFB1CFB2D6B55CEEB1FF70F0B456  
B7EFB8FFBA0FE6E0E123BB89FB6180084067BCAFBDBFBE  
CFBFD67B4C77E7B06011EB9073C19FC2AF759935F398AC  
CE6320476921C6A3C2EE7BA6F65006A63001540731C6AF  
CB1FC3BFFFB4EF7BE4BC100D910131CDDFCEEF7599FE36  
7B4CF36061B1BC100E81D2CFD3DFFFD4EDB55CD6B4F360  
6170D78FD89FD51AFFC05CD6B4CAC7DC3FDD4FD5656AC0  
7B6AFA4D2D70696090D7068175E09FE1AFFDD56534E33F  
E4498494E55FE66FD565BFAE5CE405DBA2E4EFEABFD4FC  
36ECBFFFEDC6E9BFEF5FD50B6C22F17FE002EE3FFBF3DF  
D4FC38F5DDF6E6F2DFF87FD50BBF98ACF6AA87A43FC5FFD  
6FAB04377B4C7A4463206BDB9F015F026FB55C443FB1960  
0DE0665F80D70F057F068F0341FFDECC08A704AF0A7F02  
7EE32C08A7E00F8F0F0FD4DFEDED6F7204163CD00FF1A  
E0F75F13BFD98F15DFEDF3176F187FFF198FDE9FDFA81C

4F1D5F1E6FE2EFE3FFFF213F224F235FE7AFE8BF268F27  
9F28AF1FEC6FED7C2BDCCB5FB5C5526576FFEE00AF7F2D  
4FCFCFAAC929FCEDF3B6B71F33DF34EF35FFBFD698AC51  
756FBF7000394F3A5F3B6FAAF67B4C497020FF73104630  
3DCF3EDF2E2FF12FF2392BDFFF440F451FF58FF69C481F  
492F4A3FFA1FFFFB2C4D3F4E4F4F5FFEAFFFBC525F536F  
FF547F033F0448577F588F599F078F089FFF5C5F5D6F5E  
7F0C4F0D5C61AF62BF63CFFF10DF11EC66CF67DF68EF15  
6F167F6C13FFFBFF6D7F19FF1B0F6699718F729F1EEFFF  
1FFF6BB9767F778F23DF560F25FF7B6FFF7C7F292F7E9F  
2B4F80BF81CF2E7F83EFFF309C860F871F459F893F47BC  
8B2F8C3FFF4ABF8E5F4CDC904F915F4FDF937F51FCFF95  
6F967F54FF989F571C9A8F9B9F5A1FFF5B2F75DFA01FA1  
2F5F6F607F70EFA4FFFFA60F64BF65CFA96FAA7FAB8F6A  
0F6B1FFFAEBFAFCF9C6F6F5F706F007FB51F739FFF73F  
668AB93FBA4F789F79AF6BB9BE2FFFBF3F7D8F9DBF7FAF  
C31FC42F82DFC64FFF84FFC86FC97F882FCB9F309CCDBF  
CECFFF8D4FD0EF47BCD2DFD3EF926FD60F4CDCFFD7FFD9  
0F978FDB2F51FCDD1FDE2F9CAFFFE04F571CE23FE34FA1  
CFA2DFBD8FE7CFFFE8DFA71FA82FB89FECAFEDBFAC6FAD  
7FFFF11FF22FF33FB1BFB2CFF66FF77FE41FF3B70FB81F  
2034FBDFFCFEBB6FBC7FFF66A800EF01FFC04FC15F6BB9  
05DF06EFFFC53FE56FC75F0ACF0BDFCA8F0DFFCCAFFFF10  
1F112FCFDF134F309C156F167FD4FFFF189F47BC1A8F1B  
9FDA1F1DBF4CDC1FAFFF20BFDF3F22DF51FC24CF25DFE4  
5F27FFFF571C29EF2AFFE97FEA8F053F2F7F308FFFEECF  
EFD004F345F356FF41FF52F38CFFF39DF3AEFF96FFA7F  
3E1F3F2F2BCFFEBFF9FFCF2035438F449F031F042F66A8  
FF489F49AF07FF090F6BB94D8F4E9F0CEFFF2D1F0F0F52  
7F538F123F55AF145F57CFFF58DF178F5AFF8A4C5D1F5E  
2F1CAF604FFF8F6C623F634F21CF656F948C675F686FFF  
26EF6A8F99AC6C7F6D8F2C0F6FAF9ECCFF719F72AF312F  
323F4CEF772F783F367FFF378F47FF7C0F7D1F3BCF3CDF  
807F818FFF829F411F422F85CF86DF737F466F477FFC20  
368B3F8C4F4ACF4BDFAE58904FFF915F4FAF50BFB36995  
3F964F549F74CFFF56BF9A2F9B3F59EF9D5F5C0F9F7FA0  
8FFF5F3FA2AFD1FCA4CFA5DF645FA7FFD71CFFA9EFAAFF  
697FAD1FDC3CAF0FB01F6E9FFFB23FE15CB42FB53F73BF  
B75FE67CB94FFFB5F78DF79EF949FBEDFBFEF7E2F7F3F  
FF8FAFC3BFC4CF837F848FC82FC93FCA4F9F88CF89DFCD  
7FCE8FBB267166D1B0586D6174C6348D8631BC3C530075  
62746C6520456DFA700F10731ED0D2EFD3FFD50F8D95FA  
32C63C49FB90FB80CF80D7DFD8EF1BD9FFD58E33C63CD7  
75526566FC6572FB80FB70DDFFDF0FE01FE1267F982CDC  
F6E2FFE40FE51FE62F9D1C42F46F6F3300548DD0D7B0E9  
23E11721B1FC4269626C8DA067727A61DD9079E923EB7F  
E153BC3C54204F432048650F233B7DC07D7B5C2A5C64D5  
80DDB00674D1B0DD5030313035302DF56232F563F52038  
F5C4346481D090373836643663E7200032653533343135  
38C3F7C0F6A034633532A7A09320EFA250A7A0CB70F760  
33F840F910F5C40FF9CE8E00F56198D063663131206530  
613162FB606165F7F530FC2FFD1C33FB80FE01F560E8B0  
F066663039FAA6FF7FF601004DFF002DFEA202C2FFA602  
AE0327052F063FFF074F085F096F0A7F0B8F0C9F0DAF0E

<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: D3BDD3F67FDD814E823B9EE04A816204
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSensitivity</b>	2
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSubject</b>	Doctor's Appointment
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	

<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	05:00:00.000 PM 6/18/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	04:30:00.000 PM 6/18/2008
<b>PidLidAppointmentStateFlags</b>	1
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClass</b>	IPM.Appointment
<b>PidLidAppointmentSequenceTime</b>	07:30:17.980 PM 2/6/2008
<b>PidLidAttendeeCriticalChange</b>	12:00:00.000 AM 1/1/4501
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	2
<b>PidLidCalendarType</b>	0
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000501989 9AB368C801000000000000000100000005D7DB73EA4A8 9A4894F5C022C6CAA58F
<b>PidLidClipEnd</b>	05:00:00.000 PM 6/18/2008
<b>PidLidClipStart</b>	04:30:00.000 PM 6/18/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	05:00:00.000 PM 6/18/2008
<b>PidLidCommonStart</b>	04:30:00.000 PM 6/18/2008
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000501989 9AB368C801000000000000000100000005D7DB73EA4A8 9A4894F5C022C6CAA58F
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidIsSilent</b>	FALSE

PidLidLocation	Patrick's Office
PidLidMeetingType	1
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	07:30:17.980 PM 2/6/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignalTime	04:15:00.000 PM 6/18/2008
PidLidReminderTime	04:30:00.000 PM 6/18/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	1
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidSingleInvite	FALSE
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeamTask	FALSE
PidLidTimeZone	0
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidToAttendeesString	pcook@contoso.com
PidLidWeekInterval	0
PidLidWhere	
PidLidYearInterval	0
PidTagAccess	7
PidTagAccessLevel	1
PidTagAlternateRecipientAll owed	TRUE
PidTagBody	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:29:58.164 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F6A8B3838A8BC649774019A01F83B7E4B79818

<b>PidTagConversationTopic</b>	Pre-status meeting sync-up
<b>PidTagCreationTime</b>	07:27:11.156 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1026
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	07:30:18.762 PM 2/6/2008
<b>PidTagLastVerbExecuted</b>	516
<b>PidTagLastVerbExecutionTime</b>	07:30:00.000 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:29:58.117 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	8247
<b>PidTagNormalizedSubject</b>	Pre-status meeting sync-up
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagOwnerAppointmentId</b>	1246111704
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 04012000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5666 lpb: 1E1600004E5D00004C5A46755B24DBD807000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236 10840900110B68330EB0111A62690FD70DA43333891426 666514A374686507809F146715D71560014015D7637301 E8F302A413B064690336020011000AC00873657402D170 727132A500002A0AA16E6F1A50200DF0D51BA13614B030 0FF0341C2101D0991C10347D076D02833334191F8F1A2F 1B3620EF21107D436106D0FB072105D06115D01DE41010 1E6603E3FF1F3F1B0B01301C721BB21C501C1026A1F922 216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE100 50286F297F2A8FFF2B9F2CAF0F202DDF2EEF2FF7310230 C4FF30A22704225327B714D0334F345F2FFFFFF310F321F 1E4F392F3A3F3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF 41EF1160237FFF442F259F26AF27B72358439F4A1F45BF 1F46CF028350A04D6F4E74323338C54EE420076D204345 52342DBFCF53A63D72546F557379725234381FB94E6531 365631580F03824709D17E6B52343D8F5AF733215BBF03 8254EF0870523442FF5AF63723515F8F0382D828486522 6007D02952344868FF620E543F6416071001A00EB064F5 4D5F5D5AF6384861673F038242074074FF0EB052346701 699F5B2459E16B3F6443B2560890746E224007906564F4 FF5420529F53AF223A55A65420563F574FFF73BC596554 2059EF5AFF73BB5D085420FF5DBF5ECF73BB60D6542069 6F6A7F73BBFF6C8A0DE0487F72BF275455A87518844DF7 76A985E559663178A8490C7A2A85E4FD5D09317C588ABE 7DF885E460D762E0FF8D8F810F85D56C890FD26D4F84BF 585FFB74950FE139945F575F586F78250FE0FF86C9794F 99CF5CAE9BB2332F8E8F5FDFFF7F569BC178AF627F6F6F



649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F936B  
FF9D70AC4F6E6F6F7F708E9BC1944F955F7B9A3F977731  
981F992FB6DF9B4832EF9BFF9D0F9E1F9F2A329FFFA10F  
A21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66F  
AB3D0E01C89FAD6FAE7F9389FE32B04FB15FCA9FB37FBC  
31B4BFB5CFFB2236976832B88FB99FD7479B480FD0EFD8  
8F8B3F22459F1B33C06FC17F2236FDA31933CCAFCDBF22  
36935CB642E2EFFFFB5FFB70FDB65D87FD98FE86F9B4856  
2FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF4  
0FA6FE5DAFC97FF7EFAB2EFF615FE3BFFC1F935C655FD1  
BF004FD3DFDFEDB2E64FE75FEC3F977734EA1FEB2FFF08  
DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0D  
C8F5DFF6EF046FA70DFFEDD0165FFB2FFC3FAB4C0E401A  
8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07  
CF0CAF9777350A8F0B9F294FFF9B480FF22B2F0FAF10BF  
9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36EF  
1A7F1B8F38DFAB3D361EAF1FBF20CFFD936B3622BF23CF  
3D0F25EF2EA127287F844F855F2E472AF8877F888F9B57  
37FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F  
926F937A3C72435F286F297FFF4DD52AFF4BFF5ADF9B48  
750F4F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF  
667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B72  
3270DF446F457FB3A80193C1636F6C6F727462A86C3B5C  
9F206483A0679F21466E83A07940756530796F65FDCC90  
357A9A7BB17B6F7C797A847CA2BF7B0F7EDF7E9D7E1F7C  
4F7A9F659FE0FE38846A8581853F86497A84867284DFDF  
88AF886D87EF861F89E43964608D34FF8E9186B38E9084  
6F7D1788CF871093C1D02A5C6465616170752197D29556  
C173C05020929670619331FC716C7520576079B0E1B079  
B04EF0D06463746C94A07295A0AB40127092E16175AF70  
5C61738F94A096004F6097026E756D9B90126196C0746F  
9700646A75E47374E1B0676896F0E1B07A115357607A11  
697494B03094105C186E6F7156E16F406F7465A6209F80  
98C0796C6EC0689F30FE749F8094FF960F971F982F993F  
8FD0A79D0061706151733175206193632F69E0A22093E1  
9E106C61306731FE30CC909C219FE0A194A13193699C30  
6DA323336840A3126686E0A58263E78A7074F0A5236E70  
A579A7147520A0736E657874A131739A80DB79106F5074  
A84156F069791099E0FE79A8B29B504F8074F0A350A350  
7230FFEDE06EE0A91279509293A1D1A1319F903B7500AF  
80769B009B30B3F06D699E6874F092E06F709B30756EAD  
515E659FC07990A969A1F0449DB4201A504F70618A7094  
B0682046E86F6E74928474A1E06060B110AD610077A6B0  
9FE066B1105774F07874684268409FE094A0AC706CCBAA  
D1B29572B318666CB286B1F0F5B48762B48772B2817940  
995079A113B6849B507065B281736365BC6C6C9CC1B250  
B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955  
CE62B9559D40B9646467BA46BBC0F7BB46A1A0B9647694  
DF9CFF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA7  
9FFF4FB0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7  
C531AC68C31CC2E1C56ABF90ED78D06669C0A84162BFD0  
7990B0809FAC22CAAFAE18AA5693F03430D8507C2048B7  
71BA309950DEB3ABE336F7CE3FCF4FD05B38D13FD24FD3  
5FD463FFB070B800B1907990D4BFD112D60FC38FFF76B0

C55FC666D0F0A8E2D91FDA26A99A3DD4D173B080CD119B  
3078E06D70266F05F0DB4F20456F50696CBE539B5269C0  
789392C0F120767931CD9B1055D5209A60776EE7B6AA81  
BFE852E973AAB6EA05D444ED716DA9315C6850BEF0EBD3  
B072336C706D19F9206B429952ED15537562A5ED8173AB  
716C46FD4063ED818F7500BFE0AF5160606D6C4D4F709A  
67ED6372EFE792E14A63EFA1FDBF1249B6C07A004FB0F9  
F0ED8199509C744C6EA0ED8105B07279F2C1EA31929378  
EFC06EC180E862F3E483C3A0C1D074703A2F2FB7D0D39B  
A06F50732ED9F0636100E4E055B1F02EE5612FF66066FD  
7065E42F777910642F4C60C730F743DBEFC078A05C94A1  
B8F07786F0D451FDF874686C42ED81EFF1B300F243EFF1  
AFB3B0FA66F225EFF162F23367C100FD9AF0729971C190  
05F0BEA07520BE718FB190BEA0BA31B1F06E626ABFC0B3  
7A00AC706F63B1C1EEE06B9AD0FFACCD50FF04A90421  
F0C4E192D0B080C79AE1ED107990737973A900F211E98F  
D16C79B08076EFC079B000E8A999916764A9406179B266  
FED1F7E830F201B89176575103A1A880EFC07760609B90  
B19070C4C0B7E005C06CBFB240A88299D0C8B07910D9E1  
787990CF78E0B090F20179B07361ACC09950FF04E3F3F1  
080105C1F3F1B8F061004F809B60609A6078C4C0F5206F  
797A00FA5CA880709B90792061409A60BF9177BA30BFE0  
FEF064B0907940F42062FE64BAC09A60BFE1B7E0A901D0  
C1A902939B90C140655C05C0727AFED2EFBBC0FA029950  
0EA1680CE3722002A1FC67760F790E31C1B0995093810F  
F2BF10F410A305B200C1101112836A0AD1CB6130C86076  
4660776BB6B170A07F13E2B7D05750C7C1F921FC10BCD2  
65BFC1401545A9009AE0A971023074E8F0FF99500E10FE  
3116D7C1D06F50C100BFE0FF9A51F410C1D0C1417931D0  
B0266021E0FFE260F410C4A10C22B6B1BDE016E014D1FF  
BEA07940B1A116D179317920BC71F410BFED210D510E10  
9A60ED21BF10701942FFA86094B0C110C8329950B7E2C4  
A1DC913FF700B7F0DA410170B7F0BF017070F7ADE0BEA0  
BFC16961301C673A207931FFAA42BF904F209A608A70B1  
90C0F2F700FFBFB0AE410701EE609B50A9015760C180FB  
9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A5163  
78BFE099F0CD61FF99D0B6C00BB1DCB025310AA19A60C3  
D0FE63F4211942C3D02523C1009950BA406E68269316A2  
F53067BED2010163FF04E018837930ED30275275401B22  
29A2C104E0747862785C1C80C8C0BF4F80A870BFB014D0  
F59107816C19D1FF75200B613E50E571A942C7B0A8A092  
A272770401666D2AD0E720FCB120FFD45093909A42C7B0  
A94036004FA00B10EF9AE0BEB086E099D06CA9006F5014  
D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD0599  
82A88079B0FEA1ADF0B8F0FF0E1032A3BF6431B09B30FE  
339B1192C0F3C080FD316C760581C081F620C0B0FF3621  
99F0792036A2B6B1F20151B0F9213FADF0C4D19B11C080  
2BA099F0202EFFE7C43626646036C2E081372F383F394F  
FF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080  
DEF03ADF3FAF40B529DF399C70A03E7F436F4095626F80  
4A61FF449F365356C0423F470F481F492F3671FF69E04A  
82370F4BEF4CFF450D6E104A8FFF501F512F523F36715C  
804F1F54BF55CFFF56D5F871B990F870C4C09950E063BE  
D2FFBDBFBECFBDFC0EFC1FE5BC26591D409FFDECFC41F

C52FC63FC74FC85FA7B86C007F637F648065ACE2012621  
B170D3FB65FE7994126A8F6B9F6CAFE1E175D1D3EB7FAF  
D060E1FF406E1F6F2F703FD4632C540D0A5BC22076A543  
208020ADDCB02001801E502031E0200150FFA9019B00B2  
50731F742F753FD4639B00FF31E0F6A10091790F7A1F7B  
2FD4636E0F3F7E2F7F3F713FDC05CD5068A06B617E6D80  
BF81CF82DF805458B1304073AC206D9BB100913F76AC54  
4041FC6B73769685CF86DF87EFE6A40500FE7ACD503071  
8C0F8D1F8E2F83EFD463BF8B9836000A4104829B535D30  
730170E30080FBE07832364EF09631DC90FF0000DCC05E  
A199719641D9E75EA131007F9631ADE898B6CC559796A9  
965EA139FE39EBB09707A880B7E01D505D2197FAFFD782  
991A9E14CC5564019B199E149734BFC2E0AB459D3F9E4F  
9F5FA9B439A0DBF315B200912031A203A45FA56FA677EE  
32A71FA82FA62C33AA2FAB3FA62CEE34AD3FAE4FA62C35  
B04FB15FA62CFE36B35FB46FA62CE7A0B67FB78FA63B6E  
38B97FBA8FA62C39A203BDA633FFBE2C60607820A704BF  
EFC0F8AA14C1FFFFC0F8AD24C40FC0F8B034C61FC0F8B3  
44FFC82FC0F8B654CA3FC0F8B964CC4FC0F8FFBC74CE5F  
C0F8BF84BCDFD0A36592A108FF14D01D50BDC0E900A21F  
A32FD25FBDC4FBE2D2A0F95461F02530D01B9FE4A126BF  
EF715ED27291EED004006210688530FF07A1D52FD63FD7  
4FD856DADCEE110080FFD9D6DD6FDE7FDF8F219088D0E0  
DC60E07D07A067E22FE33FE44FE556A0CC45772DD05F80  
93E073E71FE82F9B1935E5BE2C5425E2204768A1EC23E8  
6EEDA1265006062F61540691EC2FF09FFFE93FDA6FA164  
E1900CF10091F35FF46FF59B1936A0CC4C6102E1900DE1  
F84FFFF95FFA6DDADCFC34FC3023D0FD0FFE1FFFFA9AE5  
DCFC34F04701BF02CFFAE56A40F5A0EA4D2CD0695FF0FC  
86A6F5061FFB072FFAE53408BF09C9AA140ADF0BEF7FFA  
E5D3DC098501220A6F103FFA7C36FF123F13460F3F14DF  
FA8B916216FFF042F713BF195FFA7C381B5F1C66185F1D  
FF7FFA8BBE2C1C2AAD2421DF22EFBDC437F5A0CC446280  
6B011F26DF27EFDADCF643F2B078A066DBF0FC8F2AFF2C  
0FFF28C1E5DC2E272A2F2FFF27FE08AC2E271F058F348F  
FA5F045FFC77204163FF9CE095A01CDF393FFF0F3B5F13  
733CEFFF3DFF3F0F041F052841CF42DF43EF086FFF097F  
46BF47CF48DF0D2F0E3F4C0F4D1F3F4E2F11EF12FC515C  
F0DFDB455265FE76EC00D4FF52CFF54FD0494F7C13733F  
DC37595F5A6F5B7FE556246C51757E6F95805ECF5FDF60  
EFD07628FC49FF95A0989057C0634F645F53AF16AF17B9  
FF515F698F6A9F1B0F1C1C6D9F6EAF6FBFFF1F9F20AC72  
BF73CF74DF242F253C77DFFF78EF79FF28BF29C87CFF7E  
0F7F1F2D0FFF2E1F81DF82EF83FF31CF32DC872F883FFF  
894F365F376C8C4F8D5F8E6F3AEF3BFFFF9193217F92FF  
3F7F408F8C19970F981FFF446F457F91399BFF9D0F495F  
7B8F4B7FFFA0EFA1FF4EAF4A1F50CFA63FA74F53FFFA9  
6F561CAB8FAC9F6B1FAEBF6D3CB0AFFFB1BF703FB3DF72  
5CB5CFB6DF755FB8FFFF777CBAEFBBFF7A7FBE1F7C9CC0  
0FC11FFF7F9F80AF9B5FC59FC6AF84EF85FF96FFFA7F  
CB8F8A3F8B4FCEEFCEFFFD10F8F8FFF909FD43FD54FC1EF  
94DF95EF25FFDA9FFF991FDCBF8C0ADEFBDFCF9E1F9F2F  
9139FFE3AFE4BFA30FC33FA52FE89FE9AFA85FFFEBFCFAA  
7FEDEFEEFFADAFF11F561CF33FFFF44FB2CFF66F6D3CF8

5FF96FB7EFFB8FFF725CFD7FFE8FBD0F00AF777C029F03  
AFFFC22F05CF7C9C07BF08CFC74FC85FE30FFF0D4F0E5F  
CC9FCDAFDE1F122F133FD1EFFF2FF169F17AF18BFD73F  
D84F1BEF1CFFE7099FDC8FDD9F2034215F226FE0EFFF1E1  
FF8C28266F277FE5CFE6DF91392B5FFF2C6FEABF0AEFEC  
DF304F315FF00F337FFFF22F359F36AFF55F38CF561C3A  
EF3BFFFFFA7F3E1F6D3C400F411FFF9F433F725CFF452F  
463F04BF485F777C4A4F4B5F09DFFF4D7F7C9C4F6F507F  
0EFF100F2ABF54FFFF560F144F155F25CF59DF5AEF199F  
1AFFFF5E4F5F5F606F1EEF1FFF639F64AF514FF3243F25  
4F2035690F6A1F289F29AFF8C286E1F6F2F2D7F2E8F91  
39730F741FFF326F529F348F77FF790F37BF7B2F39DFFF  
7D4F7E5F3D0F807FAFCC829F83AF422FFF85CFB4EC87BF  
88CF474F8AEFBA0C8CDDFF8DEF4C6F900FBF2C91FF930F  
518F952FFFC44C971F982F56AF57BF726F9CAF9DBFFF5B  
FF5D0F6D7FA18FA29F614F625FA5FFFA70FA81F669F67  
AFAB4FAC5F98FF6BEFF96CFF2036B0BFB1CF704F715FD3  
D8FFB5CFB6DF752F763FD8E9BABFBBCF7A1FFF9A4F7C3F  
BFAFC0BF7F6FC2DF818FC4FFFFC60F84BFC82FF77CCA4F  
CB5F89DFCD7FFFFC9CCF6FD07F8EFFD29F01BCD48FD59F  
FF941FD7BF06DCD9AFDABF993FDCDF0BFCFFDECFDFDF9E  
5F9F6FBA1FE45FE56FA3AFFFA4BFB52FE93FEA4FA8FFAA  
0FEDAFEEBF3FEFCFAE4FAF5FF2FFF40FE0A67166B1F730  
6D6174EBB4B30631E1BC00537562746C652045F46D7034  
90733F30F86FF97FFA8FF5B31532EBBC4921102100F500  
FD5F37FE6FFF7FFB0E33EBBCFCF55265F8666572210020  
F0037F048F059FFF06A6F10C0276087F098F0A9F0BAFC2  
9CE8426F6F588054B350FD300EA3430697D77C4269626C  
B32067F472610310790EA310FF06D3E1BC40544F432048  
6534A33B807D7D7B5C2A5C64FB000D033074F73002D030  
3130355A301AE2321AE31AA0381B44340264F610373836  
643663010CA03265353334313586381D401C2034633532  
CD20DFB8A0C7D0CD20F0F01CE0331DC01E901F1B441F4E  
B3801AE1BE506366314031653061316220E061EE651AB0  
21AF229C33210023811AE0E10E3066663039202624FF1B  
81FF25CD25AD24228422526282E28A72AAFF2BBF2CCF  
2DDF2EEF2FFF310F321F332FFF343F354F365F376F387F  
398F3A9F3BAFFF3CBF3DCF3EDF3FEF40FF420F431F442F  
FF453F464F475F486F497F4A8F4B9F4CAFFF4DBF4ECF4F  
DF50EF51FF530F541F552FFF563F574F585F596F5A7F5B  
8F5C9F5DAFFB5EBF5FAC645FA52835619F62AF63BFFF64  
CF65DF66EF67FF690F6A1F6B2F6C3FFF6D4F6E5F6F6F70  
7F718F729F73AF74BFFF75CF76DF77EF78FF7A0F7B1F7C  
2F7D3FFF7E4F7F5F806F817F828F839F84AF85BFFF86CF  
87DF88EF89FF8B0F8C1F8D2F8E3FFF8F4F905F916F927F  
938F949F95AF96BFFF97CF98DF99EF9AFF9C0F9D1F9E2F  
9F3F9F28431DC020312891A0E237341B14FA341AD13623  
B1A162F0F0A1412472FFA32FA43FA54FA65FA76F1B8120  
521AD18B9F9F60C663E1A0643938AB005A62AB20331D91  
1D5039193066F51CA0641D31622100299FAD16BE50E265  
AAF0306234ABF0DC80AB90FF1AA0292FB022FB13FB24FB3  
5FB46FB57FFFB68FB79F2A3FB99CB81FBBAFBCBFBDCFFF  
BEDFBFEFC0FFC20FC31FC42FC53FC64FFFC75FB87FC97F  
BA9FCB9FCCAFCDBFCECFFFCDFD0EFD1FFD30FD41FD52F

<b>PidTagRtfInSync</b>	D63FD74FFFC86FD96FCA8FDB8FDC9FDDAFDEBF26EE171A D4DFA519A000E1D0
<b>PidTagSearchKey</b>	TRUE
<b>PidTagSenderAddressType</b>	cb: 16 lpb: 5D7DB73EA4A89A4894F5C022C6CAA58F
<b>PidTagSenderEmailAddress</b>	SMTP
<b>PidTagSenderEntryId</b>	eandersen@contoso.com
<b>PidTagSenderName</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSenderSearchKey</b>	Elizabeth Andersen
<b>PidTagSensitivity</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSentRepresentingAddressType</b>	0
<b>PidTagSentRepresentingEmailAddress</b>	SMTP
<b>PidTagSentRepresentingEntryId</b>	eandersen@contoso.com
<b>PidTagSentRepresentingName</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSentRepresentingSearchKey</b>	Elizabeth Andersen
<b>PidTagSubject</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSubjectPrefix</b>	Pre-status meeting sync-up

The following are the properties on the Calendar object for the Fabrikam Project meeting:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	60
<b>PidLidAppointmentEndWhole</b>	06:00:00.000 PM 6/18/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	05:00:00.000 PM 6/18/2008
<b>PidLidAppointmentStateFlags</b>	1

<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAppointmentSequenceTime</b>	07:33:34.236 PM 2/6/2008
<b>PidLidAttendeeCriticalChange</b>	12:00:00.000 AM 1/1/4501
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	2
<b>PidLidCalendarType</b>	0
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF80 13B468C80100000000000000010000000FB83BE9C4AAD B5439C06943C06CF7548
<b>PidLidClipEnd</b>	06:00:00.000 PM 6/18/2008
<b>PidLidClipStart</b>	05:00:00.000 PM 6/18/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	06:00:00.000 PM 6/18/2008
<b>PidLidCommonStart</b>	05:00:00.000 PM 6/18/2008
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF80 13B468C80100000000000000010000000FB83BE9C4AAD B5439C06943C06CF7548
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidIsSilent</b>	FALSE
<b>PidLidLocation</b>	Conference Room 234
<b>PidLidMeetingType</b>	1
<b>PidLidMonthInterval</b>	0
<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	07:33:34.236 PM 2/6/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	TRUE

<b>PidLidReminderSignalTime</b>	04:45:00.000 PM 6/18/2008
<b>PidLidReminderTime</b>	05:00:00.000 PM 6/18/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	1
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZone</b>	0
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidToAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidWeekInterval</b>	0
<b>PidLidWhere</b>	
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	07:33:21.098 PM 2/6/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C868F721A86B239086B07F46EFA8C8A4317448A56A
<b>PidTagConversationTopic</b>	Fabrikam status meeting
<b>PidTagCreationTime</b>	07:31:09.578 PM 2/6/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1026
<b>PidTagImportance</b>	2
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	07:33:34.361 PM 2/6/2008
<b>PidTagLastVerbExecuted</b>	516
<b>PidTagLastVerbExecutionTime</b>	07:33:00.000 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageDeliveryTime</b>	07:33:21.067 PM 2/6/2008
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	9584
<b>PidTagNormalizedSubject</b>	Fabrikam status meeting

<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagOwnerAppointmentId</b>	1252403160
<b>PidTagPriority</b>	1
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 64012000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5635 lpb: FF150000515C00004C5A4675EDCA2E4F07000601010B60 6E6731303266350064007263700DD00E0032050C60630D 446633313530423700F5737473680570627463680FD236 10840900110B68330EB0111A62690FD70DA43333891426 666514A374686507809F146715D71560014015D7637301 E8F302A413B064690336020011000AC00873657402D170 727132A500002A0AA16E6F1A50200DF0D51BA13614B030 0FF0341C2101D0991C10347D076D02833334191F8F1A2F 1B3620EF21107D436106D0FB072105D06115D01DE41010 1E6603E3FF1F3F1B0B01301C721BB21C501C1026A1F922 216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE100 50286F297F2A8FFF2B9F2CAF0F202DDF2EEF2FF7310230 C4FF30A22704225327B714D0334F345F2FFFFFF310F321F 1E4F392F3A3F3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF 41EF1160237FFF442F259F26AF27B72358439F4A1F45BF 1F46CF028350A04D6F4E74323338C54EE420076D204345 52342DBFCF53A63D72546F557379725234381FB94E6531 365631580F03824709D17E6B52343D8F5AF733215BBF03 8254EF0870523442FF5AF63723515F8F0382D828486522 6007D02952344868FF620E543F6416071001A00EB064F5 4D5F5D5AF6384861673F038242074074FF0EB052346701 699F5B2459E16B3F6443B2560890746E224007906564F4 FF5420529F53AF223A55A65420563F574FFF73BC596554 2059EF5AFF73BB5D085420FF5DBF5ECF73BB60D6542069 6F6A7F73BBFF6C8A0DE0487F72BF275455A87518844DF7 76A985E559663178A8490C7A2A85E4FD5D09317C588ABE 7DF885E460D762E0FF8D8F810F85D56C890FD26D4F84BF 585FFB74950FE139945F575F586F78250FE0FF86C9794F 99CF5CAE9BB2332F8E8F5FDFFF7F569BC178AF627F6F6F 649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F936B FF9D70AC4F6E6F6F7F708E9BC1944F955F7B9A3F977731 981F992FB6DF9B4832EF9BFF9D0F9E1F9F2A329FFFA10F A21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66F AB3D0E01C89FAD6FAE7F9389FE32B04FB15FCA9FB37FBC 31B4BFB5CFFB2236976832B88FB99FD7479B480FD0EFD8 8F8B3F22459F1B33C06FC17F2236FDA31933CCAFCDDBF22 36935CB642E2EFFFFB5FFB70FDB65D87FD98FE86F9B4856 2FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF4 0FA6FE5DAFC97FF7EFAB2EFF615FE3BFFC1F935C655FD1 BF004FD3DFDFEDB2E64FE75FEC3F977734EA1FEB2FFF08 DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0D C8F5DFF6EF046FA70DFFEDD0165FFB2FFC3FAB4C0E401A 8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07 CF0CAF9777350A8F0B9F294FFF9B480FF22B2F0FAF10BF 9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36EF



1A7F1B8F38DFAB3D361EAF1FBF20CFFD936B3622BF23CF  
3D0F25EF2EA127287F844F855F2E472AF8877F888F9B57  
37FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F  
926F937A3C72435F286F297FFF4DD52AFF4BFF5ADF9B48  
750F4F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF  
667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B72  
3270DF446F457FB3A80193C1636F6C6F727462A86C3B5C  
9F206483A0679F21466E83A07940756530796F65FDCC90  
357A9A7BB17B6F7C797A847CA2BF7B0F7EDF7E9D7E1F7C  
4F7A9F659FE0FE38846A8581853F86497A84867284DFDF  
88AF886D87EF861F89E43964608D34FF8E9186B38E9084  
6F7D1788CF871093C1D02A5C6465616170752197D29556  
C173C05020929670619331FC716C7520576079B0E1B079  
B04EF0D06463746C94A07295A0AB40127092E16175AF70  
5C61738F94A096004F6097026E756D9B90126196C0746F  
9700646A75E47374E1B0676896F0E1B07A115357607A11  
697494B03094105C186E6F7156E16F406F7465A6209F80  
98C0796C6EC0689F30FE749F8094FF960F971F982F993F  
8FD0A79D0061706151733175206193632F69E0A22093E1  
9E106C61306731FE30CC909C219FE0A194A13193699C30  
6DA323336840A3126686E0A58263E78A7074F0A5236E70  
A579A7147520A0736E657874A131739A80DB79106F5074  
A84156F069791099E0FE79A8B29B504F8074F0A350A350  
7230FFEDE06EE0A91279509293A1D1A1319F903B7500AF  
80769B009B30B3F06D699E6874F092E06F709B30756EAD  
515E659FC07990A969A1F0449DB4201A504F70618A7094  
B0682046E86F6E74928474A1E06060B110AD610077A6B0  
9FE066B1105774F07874684268409FE094A0AC706CCBAA  
D1B29572B318666CB286B1F0F5B48762B48772B2817940  
995079A113B6849B507065B281736365BC6C6C9CC1B250  
B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955  
CE62B9559D40B9646467BA46BBC0F7BB46A1A0B9647694  
DF9CFF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA7  
9FFF4FB0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7  
C531AC68C31CC2E1C56ABF90ED78D06669C0A84162BFD0  
7990B080DFAC22CAAFAE18AA56764032C5009A20BE48B7  
71BA309950DEB3ABE336CE3FFBCF4FD05B38D13FD24FD3  
5FD463B070FFB800B1907990D4BFD112D60FC38F76B0FF  
C55FC666D0F0A8B2D91FDA26A99AD4D11E73B080CD119B  
3078E06D706F1305F0DB4F20456F50696C53DF9B5269C0  
789392C0F1207679319B10E655D5209A60776EE7B6AA81  
E8525FE973AAB6EA05D444ED716DA93168AE50BEF0EBD3  
B072336C706DF9208C6B429952ED15537562ED81D273AB  
716C46FD4063ED81750047BFE0AF5160606D6C4D4F7067  
CDED6372EFE792E14A63EFA1BF127E49B6C07A004FB0F9  
F0ED819950744E4C6EA0ED8105B07279F2C131F5929378  
EFC06EC180E862F3E4C3A0C1C1D074703A2F2FB7D09BA0  
E96F50732ED9F0636100E4E0B1F02A2EE5612FF660666FD  
70652FF2777910642F4C60C730F743EFC0AD78A05C94A1  
B8F07786F032F251FDF883686C42ED81EFF1B300F243EF  
F1AFB3B0FA66F225EFF162F23367C100FD9AF0729971C1  
9005F0BEA07520BE718FB190BEA0BA31B1F06E626ABFC0  
B37A00AC706F63B1C1EEE06B9AD0FFACC0DF50FF04A904  
21F0C4E192D0B080C79AE1ED107990737973A900F211E9

8FD16C79B08076EFC079B000E8A999916764A9406179B2  
66FED1F7E830F201B89176575103A1A880EFC07760609B  
90B19070C4C0B7E005C06CBFB240A88299DOC8B07910D9  
E1787990CF78E0B090F20179B07361ACC09950FF04E3F3  
F1080105C1F3F1B8F061004F809B60609A6078C4C0F520  
6F797A00FA5CA880709B90792061409A60BF9177BA30BF  
E0FEF064B0907940F42062FE64BAC09A60BFE1B7E0A901  
D0C1A902939B90C140655C05C0727AFED2EFBBC0FA0299  
500EA1680CE3722002A1FC67760F790E31C1B099509381  
0FF2BF10F410A305B200C1101112836A0AD1CB6130C860  
764660776BB6B170A07F13E2B7D05750C7C1F921FC10BC  
D265BFC1401545A9009AE0A971023074E8F0FF99500E10  
FE3116D7C1D06F50C100BFE0FF9A51F410C1D0C1417931  
D0B0266021E0FFE260F410C4A10C22B6B1BDE016E014D1  
FFBEA07940B1A116D179317920BC71F410BFED210D510E  
109A60ED21BF10701942FFA86094B0C110C8329950B7E2  
C4A1DC913FF700B7F0DA410170B7F0BF01707F7ADE0BE  
A0BFC16961301C673A207931FFAA42BF904F209A608A70  
B190C0F2F700FFBFB0AE410701EE609B50A9015760C180  
FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A51  
6378BFE099F0CD61FF99D0B6C00BB1DCB025310AA19A60  
C3D0FE63F4211942C3D02523C1009950BA406E68269316  
A2F53067BED2010163FF04E018837930ED30275275401B  
2229A2C104E0747862785C1C80C8C0BF4F80A870BFB014  
D0F59107816C19D1FF75200B613E50E571A942C7B0A8A0  
92A272770401666D2AD0E720FCB120FFF90093909A42C7  
B0A94036004FA00B10EF9AE0BEB086E099D06CA9006F50  
14D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD05  
9982A88079B0FEA1ADF0B8F0FF0E1032A3BF6431B09B30  
FE339B1192C0F3C080FD316C760581C081F620C0B0FF36  
2199F0792036A2B6B1F20151B0F9213FADF0C4D19B11C0  
802BA099F0202EFFF7C43626646036C2E081372F383F39  
4FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C0  
80DEF03ADF3FAF40B529DF399C70A03E7F436F4095626F  
804A61FF449F365356C0423F470F481F492F3671FF69E0  
4A82370F4BEF4CFF450D6E104A8FFF501F512F523F3671  
5C804F1F54BF55CFFF56D5F871B990F870C4C09950E063  
BED2FFBDBFBECFBDFC0EFC1FE5BC26591D409FFDECFC4  
1FC52FC63FC74FC85FA7B86C007F637F648065ACE20126  
21B170D3FB658C79209AF078302C0D0A5BC2FA206E654C  
761074316A8F6B9F6CAFF9634271759AE26F7F708F719F  
D4636C732078402C602031E06E006FFA20EF316360C076  
F0B2509B0058B16F304076F0F660783346CD5068A06BFF  
6E30AFC09AB013605DF0737F748F759F95D4632E6E6C54  
40416B736E56FA4505007ACD5030717A6F7B7F7C8FFFD4  
62ABF05F80BB30D3FA6E6592930A417704829B535D3073  
01700080FBE078FC32364EF08661DC90FF408FF092E1FF  
99718671D9E792E131008661ADE888E6CFCC5587C6A996  
92E13939EBB08737FFA880B7E01D505D21882AD782894A  
8E44FFCC5564018B498E4487649A20AB458D6F778E738F  
8FA9B439910B15B2009120DE319233948F959F96A73297  
4F985FDD965C339A5F9B6F965C349D6F9E7FDD965C35A0  
7FA18F965C36A38FA49FDF965CE7A0A6AFA7BF966B38A9  
AFAABF6D965C399233ADD633AE5C606063FF9725B01FB1

289A44B22FB1289D54B43FFF128A064B64FB128A374B8  
5FB128A684FFBA6FB128A994BC7FB128ACA4BE8FB128FF  
AFB4AD0FC0D36592913814D01D50ADF07FE900924F935F  
C28FADF4E2D2912954FF61F0CD71C83B910BEF715ED279  
E06261FB0400621068DC51F2A0C55FC66FC77FFFC886CB  
0CEE110080CA06CD9FCEAFCFBDFE600E043D13960E007  
A067D25FD36FBFD47FD58690FCE6F05F71EA2073D74F2B  
D85F8B4935AE5C5425E220476F68A1DC53D89E91565006  
062F6154FF0691DC5FE0CFD96FCA9F9194D1C00CF1EF00  
91E38FE49F8B493690FCF2C06111FFD1C00DE1E87FE98F  
EA9DCB0CEC64F2C0FF23D0ED3FEE4FEACAD60CEC64E077  
F1EFAFF2FFEB156A40911A4D2CD0695FF0DFECB69725F6  
4FF75FEB1534F8EFF9F9FF9A44FB0FFC1FEB15C40CF9B5  
F152FA9FFB06FEAAC36026F0376FF6F05FEABBBF8192  
072FE07203EF098FEAAC380B8FFF0C96088F0E2FEABBAE  
5C0C5A9D54120FAB131FADF43790FC4462806BF14FB717  
0F181FCB0C432D0090A0665EE0FFECBF1B2F1C3F18F1D6  
0C1E571A5F202FFF182EF8DC1E57F5BF24BFEA8FF48FEC  
A7F82041638D1085D00D0F296FEF3FFF2B8F03A32D1F2E  
2F2F3FF44FF55831FFFF330F341FF89FF9AF36EF37FF39  
0FFD5FFFE6F3C3F3D4F3E5F021F032C418CE10FF1CB75  
52657677D0C52F42FFE57FFFC0793FAC03A3CC67498F4A  
9F4BAFD586FD149C5173224EFF500F511FC0A690FCFE49  
85D088C047F0537F548F43DF06DFFF07E9418F59BF5ACF  
0B3F0C4C5DCF5EDFFF5FEF0FCF10DC62EF63FF650F145F  
156CFF680F691F6A2F18EF19F86D2F6E3F6F4FFF1D3F1E  
4F720F731F742F21FF230C775FFF786F797F268F279C7C  
7F7D8F7E9F2B1FFF2C2F81C311AF832F2FAF30BF7C4987  
3FFF884F349F35AF81698C2F8D3F398F6BBFF3BAF911F  
922F3EDF944F40FF966F977FFF442F999F464C9BBF9CCF  
5B4F9EEF5D6CFFA0DFA1EF606FA40F628CA5FFA70F6658F  
FFA92F67ACAB1FAC2F6AAFAE4F6CCCB03FFFB14F6FCF70  
DF8B8FB5CFB6DF751F762FFF869FBAAFBBBF7A6F7B7FBF  
1FC02FC13FFF7FBF80CFC46FC57FB21F850F861F162FFF  
CACF894FCCEF7C3ACEEFCFFF8E4F8F5FFF8169D3DFD4EF  
933FB36F955FD8CFD9DFFF988FDBFF9AAFDE1FDF2F9DDF  
E14F464CFE36FE47FA2FFE69F5D6CE88FE99FA81FFFEB  
BF628CEDAFEEBFAD3FF0DF67ACF2CFFFF3DFB25FF5FF6C  
CCF7EFF8FFB77FB88FFFD33FFD7FFE8FBCCFBDDFCE4F02  
5F036FFFC21FC32F06CF07DF08EFC76FC87F0C1FCF0D2F  
F9CFCBFCDCF2034118F129FFFD11FD22F7C58169F17AF  
D5FFD70F8169FF1B8F1C9FDAEFFB1FDD0F207F218FE03F  
FF23AFE25F25CF26DFE58F28FF464C2B1FFF2C2FEAAF2E  
4F5D6C303F314FEFCF336FFF628C355F366FF4EF388F67  
AC3A7F3B8FFFA0F3DAF6CCC3F9F40AFF2F003F1AEFFF  
452F463F047F058F15FF4A0F4B1F09CFFF0ADF4E7F4F8F  
509F0F1F102F53CF54DFE7417F146F157F2035593F5A4F  
18CFFF19DF7C585E4F5F5F1DAF1EBF8169633FFF644F22  
9F42CF24BF682F693F27EF6B5FFF2A0F6D7F6E8F2D3F70  
AF9FFC72CF73DFFF325F75FFA51C77EF78FF377F2B1FAA  
3CFF7D0F7E1F3C9F803FAF5C822F833F41BFFF855FB47C  
874F885F46DF47EF629F8CDF8DEF4C2F4D3F5DAF91BF  
92CF517F528FFF962F973F984F56CF57DF9B7F9C8F892F  
F35C1F5D2F2036A0EFA1FF607F618FFFC408A5FFA70F65

	5F666FC919AAEFABFFFF6A4F8A7F6C6FAFD0EF6F9FB30F71BFFFB52FB63F74EFB85FE7ACBA7FBB8F7A0FFFBDAF ECCCBF9FC0AF7F2FC2CFF1ECC4BFFFC5CF844FC7EFF70C C9DFCAEF896FCD0FFFFC2CCEFFD00F8E8F8F9FAA4FD48F D59FFF93DF94EFA55FD96FDA7F992F9A3FDDDF7FDEEFD FF9E7F9F8FE32FE43FD0D6716266E7606D6174DBE4A336 3101D1EC537562746C6520E8456D7024C0732F60E89FE9 AFEBEABFA34532DBEC4911401130E5306FED8FEE9FEFAF EB3E33DBECED2552F06566657211301120F3AFF4BFFFF5 CFF6D6ADDCF2A6F8AFF9BFFACFFBDFD1E65C426F6F48B0 54A380ED6087FED3F6C7C7AC4269626CA350E8677261F3 4079FED3012FF70381D1EC544F4320486524D3003B7D7D 7B5C2A5C641BEB30F36074E760F300303130B435300B12 320B130AD0380B74043464E64037383664360263FCD032 65353334310C35380D700C5034633532BFB50A8D0B800 BD50E1200D10330DF03F0EC00B740F7EA3B00B11AE8063 6680313165306131621110DC61650AE011DF12CC331130 13B1C30B10FE60666630391056152FFF0BB115FD15DD14 5218721556185E18D7FF1ADF1BEF1CFF1E0F1F1F202F21 3F224FFF235F246F257F268F279F28AF29BF2ACFFF2BDF 2CEF2DFF2F0F301F312F323F334FFF345F356F367F378F 389F39AF3ABF3BCFFF3CDF3DEF3EFF400F411F422F433F 444FFF455F466F477F488F499F4AAF4BBF4CCFF74DDF4E EF4FDC644FD5186551CF52DFFF53EF54FF560F571F582F 593F5A4F5B5FFF5C6F5D7F5E8F5F9F60AF61BF62CF63DF FF64EF65FF670F681F692F6A3F6B4F6C5FFF6D6F6E7F6F 8F709F71AF72BF73CF74DFFF75EF76FF780F791F7A2F7B 3F7C4F7D5FFF7E6F7F7F808F819F82AF83BF84CF85DFFF 86EF87FF890F8A1F8B2F8C3F8D4F8E5F3F8F6F18730DF0 106118C191123734F50B44340B013613E19192E1209171 FF14A2935F946F957F968F979F0BB11082170B018FCF50 F663D1D0643938B59B30629B50330DC10D80390960EA66 0CD0640D6162113019CF9D46926214316134F1B06637CC B0FF9BC00AD0195FA05FA16FA27FA38FA49FFFA5AFA6BF A7CF1A6FA9CCA84FABDFACEFFFADFFAF0FB01FB12FB23F B34FB45FB56FFFB67FB78FA8AFB9AFAACFBBCFCDFBDEF FFBEFFC00FC11FC22FC33FC44FC55FC66FFFC77FB89FC9 9FBABFCBFFCCCFDDFCEE2F171E0B04CFD509D000D200 TRUE
<b>PidTagRtfInSync</b>	
<b>PidTagSearchKey</b>	cb: 16 lpb: FB83BE9C4AADB5439C06943C06CF7548
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP

<b>PidTagSentRepresentingEmail Address</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntry Id</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000 00456C697A616265746820416E64657273656E00534D54 500065616E64657273656E40636F6E746F736F2E636F6D 00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E 434F4D00
<b>PidTagSubject</b>	Fabrikam status meeting
<b>PidTagSubjectPrefix</b>	

Elizabeth exports the work-week of June 16, 2008 to share with Shu. This would be the resulting iCalendar file:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:PUBLISH
X-CALSTART:20080616T150000Z
X-CALEND:20080620T190000Z
X-CLIPSTART:20080616T070000Z
X-CLIPEND:20080621T070000Z
X-WR-RELCALID:{00000018-47DA-D2D5-82FB-58F6F5E139B2}
X-WR-CALNAME:Elizabeth Andersen
X-PRIMARY-CALENDAR:TRUE
X-OWNER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
X-MS-OLK-WKHRSTART;TZID="Pacific Time (US & Canada)":080000
X-MS-OLK-WKHREND;TZID="Pacific Time (US & Canada)":170000
X-MS-OLK-WKHRDAYS:MO,TU,WE,TH,FR
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191919Z
DESCRIPTION:\n
DTEND;TZID="Pacific Time (US & Canada)":20080616T120000
DTSTAMP:20080206T215757Z
DTSTART;TZID="Pacific Time (US & Canada)":20080616T113000

```

LAST-MODIFIED:20080206T193058Z  
 PRIORITY:5  
 RRULE:FREQ=WEEKLY;COUNT=5;BYDAY=MO,TU,WE,TH,FR  
 SEQUENCE:0  
 SUMMARY;LANGUAGE=en-us:Lunch  
 TRANSP:OPAQUE  
 UID:040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000  
 01000000DD26B2AEDF5D2145BCE907145185EA4D  
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
 Server ve  
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
 Converted f  
 rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-  
 us"></SPAN></P>\n\n</  
 BODY>\n</HTML>  
 X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE  
 X-MICROSOFT-CDO-IMPORTANCE:1  
 X-MICROSOFT-DISALLOW-COUNTER:FALSE  
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
 X-MS-OLK-AUTOSTARTCHECK:FALSE  
 X-MS-OLK-CONFTYPE:0  
 END:VEVENT  
 BEGIN:VEVENT  
 CLASS:PRIVATE  
 CREATED:20080206T192046Z  
 DESCRIPTION:\n  
 DTEND:20080616T160000Z  
 DTSTAMP:20080206T215757Z  
 DTSTART:20080616T150000Z  
 LAST-MODIFIED:20080206T214042Z  
 LOCATION:4567 Main St.\, Buffalo\, NY 98052  
 PRIORITY:1  
 SEQUENCE:0  
 SUMMARY;LANGUAGE=en-us:Doctor's Appointment  
 TRANSP:OPAQUE  
 UID:040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000  
 01000000D3BDD3F67FDD814E823B9EE04A816204  
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN  
 N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
 Server ve  
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
 Converted f  
 rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-  
 us"></SPAN></P>\n\n</  
 BODY>\n</HTML>  
 X-MICROSOFT-CDO-BUSYSTATUS:OOF  
 X-MICROSOFT-CDO-IMPORTANCE:2  
 X-MICROSOFT-DISALLOW-COUNTER:FALSE  
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
 X-MS-OLK-AUTOFILLLOCATION:FALSE  
 X-MS-OLK-CONFTYPE:0  
 BEGIN:VALARM  
 TRIGGER:-PT720M

ACTION:DISPLAY  
 DESCRIPTION:Reminder  
 END:VALARM  
 END:VEVENT  
 BEGIN:VEVENT  
 ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com  
 CLASS:PUBLIC  
 CREATED:20080206T192711Z  
 DESCRIPTION:Hey Patrick\,\n\nCan we sync up before the upcoming Fabrikam st  
 atus meeting?\n\nThanks\,\nElizabeth\n  
 DTEND:20080618T170000Z  
 DTSTAMP:20080206T193017Z  
 DTSTART:20080618T163000Z  
 LAST-MODIFIED:20080206T193018Z  
 LOCATION:Patrick's Office  
 ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
 PRIORITY:5  
 SEQUENCE:0  
 SUMMARY;LANGUAGE=en-us:Pre-status meeting sync-up  
 TRANSP:OPAQUE  
 UID:040000008200E00074C5B7101A82E008000000005019899AB368C801000000000000000  
 0100000005D7DB73EA4A89A4894F5C022C6CAA58F  
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E  
 N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
 Server ve  
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
 Converted f  
 rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
 FACE="Calib  
 ri">Hey</FONT></SPAN><SPAN LANG="en-us"> <FONT  
 FACE="Calibri">Patrick</FON  
 T></SPAN><SPAN LANG="en-us"><FONT  
 FACE="Calibri">\,\n\n</FONT></SPAN></P>\n\n<  
 P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Can we sync up  
 before th  
 e  
 upcoming</FONT></S  
 PAN><SPAN LANG="en-us"><FONT FACE="Calibri"></FONT></SPAN><SPAN  
 LANG="en-u  
 s"> <FONT FACE="Calibri">Fabrikam</FONT></SPAN><SPAN LANG="en-  
 us"><FONT FA  
 CE="Calibri"> status meeting?</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN  
 LANG=""  
 en-us"><FONT FACE="Calibri">Thanks\,\n\n</FONT></SPAN></P>\n\n<P  
 DIR=LTR><SPAN  
 LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN  
 LANG="en-u  
 s"></SPAN></P>\n\n</BODY>\n</HTML>  
 X-MICROSOFT-CDO-BUSYSTATUS:BUSY  
 X-MICROSOFT-CDO-IMPORTANCE:1  
 X-MICROSOFT-DISALLOW-COUNTER:FALSE  
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
 X-MS-OLK-APPTSEQTIME:20080206T193017Z  
 X-MS-OLK-AUTOFILLLOCATION:FALSE

X-MS-OLK-CONFTYPE:0  
BEGIN:VALARM  
TRIGGER:-PT15M  
ACTION:DISPLAY  
DESCRIPTION:Reminder  
END:VALARM  
END:VEVENT  
BEGIN:VEVENT  
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com  
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com  
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com  
CLASS:PUBLIC  
CREATED:20080206T193109Z  
DESCRIPTION:Hey team\\,\\n\\nLet's meet up to discuss the status of the Fabr  
        ikam Project.\\n\\nThanks\\,\\nElizabeth\\n  
DTEND:20080618T180000Z  
DTSTAMP:20080206T193334Z  
DTSTART:20080618T170000Z  
LAST-MODIFIED:20080206T193334Z  
LOCATION:Conference Room 234  
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
PRIORITY:1  
SEQUENCE:0  
SUMMARY;LANGUAGE=en-us:Fabrikam status meeting  
TRANSP:OPAQUE  
UID:040000008200E00074C5B7101A82E00800000000B0CF8013B468C80100000000000000  
        010000000FB83BE9C4AADB5439C06943C06CF7548  
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E  
        N">\\n<HTML>\\n<HEAD>\\n<META NAME="Generator" CONTENT="MS Exchange  
Server ve  
        rsion 08.00.0681.000">\\n<TITLE></TITLE>\\n</HEAD>\\n<BODY>\\n<!--  
Converted f  
        rom text/rtf format -->\\n\\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
FACE="Calib  
        ri">Hey team\\,</FONT></SPAN></P>\\n\\n<P DIR=LTR><SPAN LANG="en-  
us"><FONT FA  
        CE="Calibri">Let</FONT></SPAN><SPAN LANG="en-us"><FONT  
FACE="Calibri">'<  
        /FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">s meet up to  
discuss  
        the status of the Fabrikam Project</FONT></SPAN><SPAN LANG="en-  
us"><FONT F  
        ACE="Calibri">.</FONT></SPAN></P>\\n\\n<P DIR=LTR><SPAN LANG="en-  
us"><FONT F  
        ACE="Calibri">Thanks\\,</FONT></SPAN></P>\\n\\n<P DIR=LTR><SPAN  
LANG="en-us">  
        <FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-  
us"></SPAN></P>  
        \\n\\n</BODY>\\n</HTML>  
X-MICROSOFT-CDO-BUSYSTATUS:BUSY  
X-MICROSOFT-CDO-IMPORTANCE:2  
X-MICROSOFT-DISALLOW-COUNTER:FALSE  
X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
X-MS-OLK-APPTSEQTIME:20080206T193334Z



```
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR
```

Shu opens the iCalendar file. The following tables represent the contents of Shu's copy of Elizabeth's Schedule.

The following are the properties on the Folder object:

<i>Name</i>	<i>Value</i>
<b>PidTagAccess</b>	63
<b>PidTagAccessLevel</b>	1
<b>PidTagContainerClass</b>	IPF.Appointment
<b>PidTagContainerContents</b>	Object
<b>PidTagContainerHierarchy</b>	Object
<b>PidTagContentCount</b>	4
<b>PidTagExtendedFolderFlags</b>	cb: 16 lpb: 01040026000A04080000000000000000
<b>PidTagFolderAssociatedContents</b>	Object
<b>PidTagFolderType</b>	1
<b>PidTagRecordKey</b>	cb: 4 lpb: 82820000
<b>PidTagSubfolders</b>	FALSE

The following are the properties on the Calendar object for Elizabeth's lunch break:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	07:00:00.000 PM 6/16/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300B2001000000C021000001000000000000003 E0000002220000050000000000000000000000000000 0080F8C50C00FC60C0630000009300000B2020000D00 200000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	06:30:00.000 PM 6/16/2008
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidBusyStatus</b>	1
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0 C40B268C80100000000000000010000000DD26B2AEDF 5D2145BCE907145185EA4D
<b>PidLidClipEnd</b>	07:00:00.000 AM 6/20/2008

<b>PidLidClipStart</b>	07:00:00.000 AM 6/16/2008
<b>PidLidCommonEnd</b>	12:00:00.000 PM 6/16/2008
<b>PidLidCommonStart</b>	11:30:00.000 AM 6/16/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0 C40B268C80100000000000000010000000DD26B2AEDF 5D2145BCE907145185EA4D
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidLocation</b>	
<b>PidLidOwnerCriticalChange</b>	09:57:57.000 PM 2/6/2008
<b>PidLidRecurrencePattern</b>	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
<b>PidLidRecurrenceType</b>	2
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	1080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	12:30:00.000 AM 6/16/2008
<b>PidLidReminderTime</b>	06:30:00.000 PM 6/16/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B00000001000 200000000000000000000000030000000200020000000 000000
<b>PidLidWhere</b>	
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	10:35:40.383 PM 2/6/2008
<b>PidTagEndDate</b>	12:00:00.000 PM 6/16/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1025
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	10:35:40.383 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	1269
<b>PidTagNormalizedSubject</b>	Lunch
<b>PidTagRecordKey</b>	cb: 4 lpb: C4002000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfCompressed</b>	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560

<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: A68162A00BBC504CBEB81A7891BAA5C9
<b>PidTagSensitivity</b>	0
<b>PidTagStartDate</b>	11:30:00.000 AM 6/16/2008
<b>PidTagSubject</b>	Lunch
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	60
<b>PidLidAppointmentEndWhole</b>	04:00:00.000 PM 6/16/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	03:00:00.000 PM 6/16/2008
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidBusyStatus</b>	3
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000010000000D3BDD3F67FDD814E823B9EE04A816204
<b>PidLidCommonEnd</b>	04:00:00.000 PM 6/16/2008
<b>PidLidCommonStart</b>	03:00:00.000 PM 6/16/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000010000000D3BDD3F67F

<b>PidLidIsException</b>	DD814E823B9EE04A816204
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	4567 Main St., Buffalo, NY 98052
<b>PidLidOwnerCriticalChange</b>	09:57:57.000 PM 2/6/2008
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	720
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	03:00:00.000 AM 6/16/2008
<b>PidLidReminderTime</b>	03:00:00.000 PM 6/16/2008
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidWhere</b>	4567 Main St., Buffalo, NY 98052
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	10:35:40.398 PM 2/6/2008
<b>PidTagEndDate</b>	04:00:00.000 PM 6/16/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1024
<b>PidTagImportance</b>	2
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	10:35:40.398 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	1047
<b>PidTagNormalizedSubject</b>	Doctor's Appointment
<b>PidTagRecordKey</b>	cb: 4 lpb: E4002000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfCompressed</b>	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B5337B044614473012BC11C308EF09F73BDB1 8AF0E303511B20C606300500B09990164333616E00BA5 342010822C2A5C0EB20190671D503320003C21444F435 4595000452048544D4C20500055424C494320222D202F 2F5733432010445422441F24332E322010454E7C223E1 1C31DC71E700AA321AC31FE391E801F32219D14D022AF 22611D60F12400454144219D0EF1257F0E1082360EF03 C4D45544107B0624129A03D224709F00490618A7405B0 2212B04F4E54216026542A3005E1457814616E677A650 6527613112C8100900220202030382E30302D6036383A 312D6130218E280F23933737411E805449544C45245E3 4D30EF022FD38351E802F30CF2EFFBF1DE53211336026 DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4 138F1212D2D12B16E2C812A740980200352203C907874 FE2F00213CC005B000C005403C00396F173A7F3F1F1DF

	43626A1502044C049523D4C545221901DD35F3D720000 42D51CD142D65C1E1072E70AB1449214605C710321437 71D8B023826A15350414E204C8D4770472A3009F02D75 732181FB42CF461E3914D03360475248694877BF43E84 BD80A801D8B01C03351503E4FF740AF4FCF3885383351 392F377F1DF5173091365024237D5610
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 120CA1F78A8BAE4F852D3E90FD6C8F2A
<b>PidTagSensitivity</b>	2
<b>PidTagStartDate</b>	03:00:00.000 PM 6/16/2008
<b>PidTagSubject</b>	Doctor's Appointment
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	05:00:00.000 PM 6/18/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	04:30:00.000 PM 6/18/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentSequenceTime</b>	07:30:17.000 PM 2/6/2008
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidBusyStatus</b>	2
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000050198 99AB368C80100000000000000000000100000005D7DB73EA4 A89A4894F5C022C6CAA58F
<b>PidLidCommonEnd</b>	05:00:00.000 PM 6/18/2008
<b>PidLidCommonStart</b>	04:30:00.000 PM 6/18/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000050198 99AB368C80100000000000000000000100000005D7DB73EA4 A89A4894F5C022C6CAA58F
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	Patrick's Office
<b>PidLidOwnerCriticalChange</b>	07:30:17.000 PM 2/6/2008
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	04:15:00.000 PM 6/18/2008
<b>PidLidReminderTime</b>	04:30:00.000 PM 6/18/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE

<b>PidLidWhere</b>	Patrick's Office
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	10:35:40.414 PM 2/6/2008
<b>PidTagEndDate</b>	05:00:00.000 PM 6/18/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1026
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	10:35:40.414 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	3364
<b>PidTagNormalizedSubject</b>	Pre-status meeting sync-up
<b>PidTagOwnerAppointmentId</b>	4294967295
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagRecordKey</b>	cb: 4 lpb: 04012000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 1033 lpb: 05040000890F00004C5A46753162233603000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B5335B044614473012BF02003403C643F9074 069620510028011C308EF09F7B63B1A1F0E303511B20C 60630050330B090164333616E00BA534205910822A5C0 EB20190671EC03300203C21444F435459005045204854 4D4C20005055424C49432022402D2F2F5733432180444 454442094332E32218045F84E223E11C31F371FE00AA3 231CFC31391FF020A2230D14D0241F23D1E31ED025704 54144230D0EF126EF050E10360EF03C4D455441C507B0 412B103D224709F0049014617405B02216F04F4E544D2 2D0542BA005E1457814616EF4676506527613112DF100 900220402030382E30302ED0367438312ED13022FE297 F25033782371FF05449544C4525CEA6340EF0246D3835 1FF02F323F7F306F1F55338134D0284F269F1F6435C11 6E03C424F4459230D1E4147393F1FB13A61212D2D16F1 6E552DF1740980200352203E0078FC742F00213E3005B 000C005403D702F3ADF3BEF408F1F6436281150208044 49523D4C54522300BF1F433EE2000044451E4144465C1 F80CE720AB1460214605C71032144E7051EFB38281153 50414E201A4C48E0472BA009F02D75734722F1443F478 E3134381FF046E12C81204641432B9118B549CC231810 4709486579247C3536DF34C14C5249D949E7479D3914D

<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: A41B37520B24144FA86C2D77FB1567A5
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041 006E00640065007200730065006E00000053004D00540 050000000650061006E00640065007200730065006E00 400063006F006E0074006F0073006F002E0063006F006 D000000
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041 006E00640065007200730065006E00000053004D00540 050000000650061006E00640065007200730065006E00 400063006F006E0074006F0073006F002E0063006F006 D000000
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagStartDate</b>	04:30:00.000 PM 6/18/2008
<b>PidTagSubject</b>	Pre-status meeting sync-up
<b>PidTagSubjectPrefix</b>	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE

<b>PidLidAppointmentDuration</b>	60
<b>PidLidAppointmentEndWhole</b>	06:00:00.000 PM 6/18/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	05:00:00.000 PM 6/18/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentSequenceTime</b>	07:33:34.000 PM 2/6/2008
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidBusyStatus</b>	2
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8 013B468C80100000000000000010000000FB83BE9C4A ADB5439C06943C06CF7548
<b>PidLidCommonEnd</b>	06:00:00.000 PM 6/18/2008
<b>PidLidCommonStart</b>	05:00:00.000 PM 6/18/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8 013B468C80100000000000000010000000FB83BE9C4A ADB5439C06943C06CF7548
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	Conference Room 234
<b>PidLidOwnerCriticalChange</b>	07:33:34.000 PM 2/6/2008
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	04:45:00.000 PM 6/18/2008
<b>PidLidReminderTime</b>	05:00:00.000 PM 6/18/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	369
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidWhere</b>	Conference Room 234
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagCreationTime</b>	10:35:40.429 PM 2/6/2008
<b>PidTagEndDate</b>	06:00:00.000 PM 6/18/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1026
<b>PidTagImportance</b>	2
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	10:35:40.429 PM 2/6/2008
<b>PidTagMessageClass</b>	IPM.Appointment
<b>PidTagMessageFlags</b>	1
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	4244
<b>PidTagNormalizedSubject</b>	Fabrikam status meeting



<b>PidTagOwnerAppointmentId</b>	4294967295
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagRecordKey</b>	cb: 4 lpb: 24012000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 953 lpb: B5030000240D00004C5A46754D27F7AF03000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B533DB044614473012BF02003403C5165AF90 74069620510028011C308EF09F7B63B1ABF0E303511B2 0C60630050330B090164333616E00BA534205910822A5 C0EB20190671F603300203C21444F4354590050452048 544D4C20005055424C49432022402D2F2F57334322204 44454442134332E32222045F84E223E11C31FD720800A A323BCFC31392090214223AD14D024BF2471E31F70261 045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405B02216F04F4E544 D2370542C4005E1457814616EF4676506527613112E91 00900220402030382E30302F70367438312F7130239E2 A1F25A337823720905449544C45266EA6340EF0250D38 3520902F32DF7F310F1FF53421357028EF273F200435C 116E03C424F445923AD1EE14739DF20513B01212D2D16 F16E552E91740980200352203EA078FC742F00213ED00 5B000C005403E102F3B7F3C8F412F20043628B1502080 4449523D4C545223A0BF1FE33F82000044E51EE144E65 C2020CE720AB146A214605C7103214587051F9B3828B1 5350414E201A4C4980472C4009F02D757347239144DF4 82E313438209046E12D21204641432C3119554A6C2318 1047A94865793F21616DF22C251C353635614CF24A794 A87FD483D3914D03570496251CF45CB0AA2FF52780A81 46270AB15748483D01C03561FE50405F42BF5AFF438F4 49F45AF46BFFF586F48DF49EF4AFF4C0F4D1F4E2F5F57 FE4C14B0505F516F527F538F6B4F6C5F7F62FF640F6EC F662F673F684F5FA327FF6D6069CF6ADF6EAF6CFF788F 799F702FFF713F7C0F735F746F757F5FA204200780911 4B02075703F206F200F51A6637E80042074682E407301 90B2747E80206F3FA085524601A0DD05106B502021800 3606A059069BFFF780F7BDF7A2F88EF89FF7D5F7E6F8C 6FEF808F819F82AF5F932E877F888F8C5FFF8AAF960F5 5AF56BF57CF58DF59EF5C4FFF9EEF5D1F5E2F5F3F604F 615F8D4F8E5F5FA2FF907F918F929F4EFB542E016BFE7 3504F958F969F97AF9AF99CF9ADFFF9BEF9CFF9E0FA0 6FB88FA13FA24FA35FFFA46FA57FA68FA79FBC9FA9BFA ACFABDFB54EEC4519707A01A014B068AE3FFFAF4FB05F B16FC98FCA9FC0DFC1EFC0FFF0CB5FCC6FB3AFB4BFB5C FB6DFB7EFBA4FF7D8CF3A77C4712F3B3F398F200532A1

<b>PidTagRtfInSync</b>	0B386026337DDF30
<b>PidTagSearchKey</b>	TRUE
<b>PidTagSenderAddressType</b>	cb: 16 lpb: 2D89627AB1028646855F0472CD3C0EA6
<b>PidTagSenderEmailAddress</b>	SMTP
<b>PidTagSenderEntryId</b>	eandersen@contoso.com
	cb: 116 lpb:
	00000000812B1FA4BEA310199D6E00DD010F540200000
	08045006C0069007A0061006200650074006800200041
	006E00640065007200730065006E00000053004D00540
	050000000650061006E00640065007200730065006E00
	400063006F006E0074006F0073006F002E0063006F006
	D000000
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb:
	00000000812B1FA4BEA310199D6E00DD010F540200000
	08045006C0069007A0061006200650074006800200041
	006E00640065007200730065006E00000053004D00540
	050000000650061006E00640065007200730065006E00
	400063006F006E0074006F0073006F002E0063006F006
	D000000
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagStartDate</b>	05:00:00.000 PM 6/18/2008
<b>PidTagSubject</b>	Fabrikam status meeting
<b>PidTagSubjectPrefix</b>	

### 3.3 Example Single Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a meeting with an attendee, Shu, but later decides to cancel it.

#### 3.3.1 Organizer's Meeting Request

Elizabeth invites Shu to lunch at Fourth Coffee from noon to 12:30 P.M. (Pacific Time) on February 8, 2008.

The following are the properties on the Calendar object that Elizabeth sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesString</b>	sito@contoso.com
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30

<b>PidLidAppointmentEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAttendeeCriticalChange</b>	05:39:55.801 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	1
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
<b>PidLidClipEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidClipStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidCommonStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidConferencingType</b>	0
<b>PidLidContactLinkName</b>	
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
<b>PidLidIntendedBusyStatus</b>	2
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	Fourth Coffee
<b>PidLidMeetingType</b>	1
<b>PidLidNetShowUrl</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	05:39:55.801 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	1525252321

<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidReminderTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidToAttendeesString</b>	sito@contoso.com
<b>PidLidWhere</b>	Fourth Coffee
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	05:39:55.894 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
<b>PidTagConversationTopic</b>	Lunch?
<b>PidTagCreationTime</b>	05:39:55.801 PM 2/8/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	08:30:00.000 PM 2/8/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295
<b>PidTagImportance</b>	1
<b>PidTagInternetMailOverrideFormat</b>	1441792
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	05:39:55.910 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Request
<b>PidTagMessageDeliveryTime</b>	05:39:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	8729
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.com eandersen@contoso.com
<b>PidTagNormalizedSubject</b>	Lunch?

<b>PidTagOriginalAuthorName</b>	
<b>PidTagOriginalSensitivity</b>	0
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagOwnerAppointmentId</b>	2758289368
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 64052000
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5750 lpb: 72160000AB5C00004C5A467577E57A7507000601010B6 06E6731303266350064007263700DD00E00321D0C6063 0D4401340131737473E26805706263681035090010C03 433371044680EB0118762699311910D77333313166665 1393F87468650780135714C7145001403914C7637301E 802A412D064698F0336020010C00AC073657402D15070 72713200002A0AA16E5A6F1940200DF01A913613A0303 83530341B1101D01B00347DF3076D02833334180F191F 1A281B42C71B041AE21FE17D436106D00721FD05D0611 4C01CD411A01D5603E31E2F3F19FB01301B621AA21B40 20C66C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3 E27010050275F286F297F2A8F2B9FFF0F202CCF2DDF1F 7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F3 92F3A3FFF3B4F3FA00E103C9F3DAF3EBF3FCF40DFFE36 225F430F247F258F26982248428F6F490F44AF45BF1CD 4394C5F4D64321433384DD420076D2043457F02834F90 519F52A53C62535F546379CE7254C4321F4D5531362CA 156FFF503824709D16B54C4370F59E758D17B5AAF0382 54087054C43C7F59E637C722415E7F038228486521500 7D0FE2954C441EF6167532F6306071001A0EF0EB063E5 4758597D384751662F0382FA420740740EB054C44C4F5 9E75CA1CB6A2F6333560890746E21300790FE6563E411 90518F529F212A54965310FF552F563F72AC585553105 8DF59EF72ABFF5BF853105CAF5DBF72AB5FC65310685F F7696F72AB6B7A30708847FC720A2653FF54970DE082A F752F84C658560EF085DFF778BF84C55BF9317B4889AE 7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7 F0F52CF53DF26C5708F86DF955F7706FD2700312CAF8A 1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6 E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A 7F925B8F996CDFACDF6EFA658933FF7944F992F96673 1970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9F FF7FA10FA218B520BF6FA3EFA4FFA60C32FFA6FFA80FC 55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB2 6FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF2 6F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9F CCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75 F9A38FF85A0E91FBC7FBD8F9E2958CFDF4FEEFFFAA209 5C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0 F924C684FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734 E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29FFBB300

D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1F  
FB2FAA3C0D30197FF7FE4FFF5F926A35013F024F1B8F0  
46FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A38  
0EE22A1F0E9F0FAF9E4712E2FF2DFF129F13AF2D46153  
F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFB  
1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2  
D37829F2AFF87EE92F1DE372DC889AF8ABF9E2937890F  
32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F2  
86F4CC529EF4AEF59CF9A3838FF2DCF4E4F2FEF9E1A77  
8F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695  
FFDAA2D383E0F552F402F925B7ECF431F0771AF453C92  
B1636F6C6F72A074626C3B5C9E106485C01A679E116E8  
5C07830756530F5785F65CB8035798A7AA17A5F7B69FF  
79747B9279FF7DCF7D8D7D0F7B3F798FFA659ED038835  
A8471842F853979747F856283CF879F875D86DF850F88  
D4393F63508C248D8185A38D8092A22A5C54646560517  
074113368D17325BF40208EC670618F61716C3F741056  
5078A0E0A078A04DE06463B4746C90A07291A0AA30708  
F11C46175AE605C617390A09200A34E5093026E756D96  
A06192C004746F9300646A757374F9E0A0676892F0E0A  
079015650790114697490B03090105C6E6F867155D16E  
306F7465209A70A994C0796C6DB0689E20749A70FF90F  
F920F931F942F953F836099006060C960417331741061  
6678A09E208B8FE19A106C6020673130CB807F98219BE  
09D949D318F9698309EE333DB67309ED26685D0A11263  
896073E039A0B36E70A109A2A47410736EE86578749D3  
173968078006E40B674A3D155E069780095E079A4427F  
97504E7073E0BB40D75054009DF04EFFFA4A278408EC39  
DD19D319B9073F0AE708E7697009730B2E06D696873E0  
A78F106E609730756EA8D1659BC0977880A4F99DF0449  
9B420504E600661896090B06820466F6E7A748EB4749D  
E05F50AC905FF0772BA2409BE066AC905773E07468DE4  
267309BE090A0A7F06C9F106D00E5AE2472AE98666CAE  
06AD70B007CA62B00772AE02636290A04EA0FFB1F2909  
1B262783095507891B3249750047065AE017363656C6C  
EF98C1ADD0AD71B38173A8407810CEC1AFAC81C680AF2  
0B5E66CB5F562B5F5F39940B6046467B6E6B860B7E69D  
A0FDB6047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9  
F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A6C475B0  
CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0F  
D973062BC707880AC00A7A2C6EFA9987DA5EC48B411B6  
D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FCE7FCF8  
FA682FFABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BF  
C2C4B2B0A442D53FD646A52AD0F11E73AC00C95197307  
7D06D706F8B04E0D76F456E40696C5397526F68B07783  
8EF0F010767821971055F3D1409660776EE346A611E3E  
2E5035C363046705F41A60231E8C139FE385B70A609E5  
03F4B0ECD0A6406D0057E5A368B0FD0134EC616DA4C16  
87E50BB90E973ABF2E820E960F8106B46429552EAB553  
7562EB2173E9A6F16C46FC3063EB2173F0BC80A3AAD15  
F506D6C4D4E6067EB036672ED878F114A63ED41BBB249  
3FB36078F04EA0F8E0EB219550744CA76D90EB2104A07  
279F061318EC3FA78ED606EBE20E3F2F1849DF0BE70E0  
74703A2F2FB47097A06E4074732ED610635FF0E080AD7

02E15E1012FF40066FC60652F77F97800642F4B50C370  
F4E3ED607790D65C90A1B5907785E032EFF1F623FE686  
B32EB21ED91AE80EFE3ED91AF30D7F806EFC5ED9162EF  
D367BDA096F0FE729571BE3004E0BB407410BB11AD10C  
7BB40B6D1AD706E626ABC6078F0D9A7F06F63AD41EC80  
6B96D0A840FF9DE0FCA4A4940070C1518F00AC0096E1E  
3EAB07880737973A490EFB18361F46C79AC0076ED6078  
A0FE889591D46764A4D06178A266FC71E3C0FBFA1B53  
17656410141A410ED605F50BB9790AD1070C130B48003  
606CADC0DFA41295D0C4F07800D60178788077D0E7AC1  
0EFA178A07361A84095500283FFF19105A10361F191B5  
905FF04E705F504D966078C130F2C06F7978F05CFDA41  
0709790781060309660BC31B6D03BBC80FC9064AC1078  
30F1C06264FFB7609660BC81B480A491CD01A4929790C  
9BDE0655C0360727AFC72B86077F7A295500C41680A83  
7110004167FE760D190BD1BE50955011200D830E94DF0  
E430352FE610DB110236A08716020E5C4A0764550776B  
B3516B601182BFB4705640C401F6C1F9B0B97265BDE0D  
F12E5A49096E0A501FFD074E4809550FF0BB0FBD11477  
BE706E40BDA0BC809651FFF1B0BE70BDE17821CCF0255  
020D0DE0FFF1B0C11109C2B351BA8014801271BB40FF  
7830AD21147178217810B911F1B0EAC1DF0AF10BB0966  
0EAC1BBB07016E2A3F0FF90B0BDBOC4729550B482C111  
D8A1F4A09FB490D661FF10B490BBA17070A960FBBB40B  
C616960201A06A6025FF096E0FBE696A400777821A5D2  
BC304E109660FF8960AD10BD92F4A0BC50A9C104A1EC0  
0BF9750A4915650BE209651B3516EEAB17FAC9025B0B4  
9019F1B490E3C0965163FE78BC8095F0C9A195D0B3600  
951D8C0EF23D1084196609E2063F1C116E29E20EF23C3  
BDA09550B6E06825331442F2D0F667BB72FEA16302801  
6237820EAD01F25F2743018C228420280747862FC785C  
1A20C5004E70A400BC501270FBB33105216C177174100  
9013D40E1112FA4D2C3F0A4308ED27701A1666DF72970  
E2B0FA5120F6A00F009642C3F0FFA4D034F04E9008B09  
6E0BB5085D095D0BE6CA4906E4012701880F1B0759610  
FFDC42BB71A3D1FAE1A9F1FAA59582A410FF78A0FC41A  
970B5900BB03143BC043050FF3133E8999730FBD39711  
8EF0BD20FAD1FC6C760321BD21F3C0BD5035C195F0FF7  
8103642B351EFA150A0F6C1A970C141CF9711BD202A40  
95F0202EE35435C6FF63503662DC5136CF37DF38EF362  
06730BFBD208F10FC903ABF3BCF3CDF6C6B60DFBD20DB  
003A7F3F4F405529393C6F90F73E1F430F4035626E704  
CB1443F35F3FF55B041DF46AF47BF48CF361168D04A22  
FF36AF4B8F4C9F44AD6D004A2F4FBF50CFFF51DF36115  
B704EBF545F556F5675F611FFB630F610C1309550DC33  
BB72BA5FBB6FFFBC7FBD8FBE9FDADFC0CFDC5FC2EFC3F  
FFFC50FA3B16AF0D2CF641ADDA124C1ACF0C9E7E82057  
13506E3AABE066C1A861792CABE065EAC075F0D1BE20A  
EA06C60F5416B8085E03AF55069AB404D2D6DA1336DE2  
76B047584D542DAEA06DC129AB41630E69F4A175B376B  
0555320260C20437470603061292E0DFE0A5B626B9278  
D06BE109107810ABD09E43F48178E0713571352A7E73C  
FFF72EC5B545C1F5D2F5E3F5F4F605F95B6BF5B625870  
A619688F699F6AAE49F2A0E305D1259072717596E2A4E

00B81FE2040A0EC7078F0FEF0B7D06CF0E0F11DA40020  
5BF1A4910201722120BF6B9070C0A4E07A20F2A013612  
0FB516F5C0083C1721B82C2208B501BF068FE3FE9417D  
3F7E4F6ACBA7707940B7D07FA61975668ED207E102229  
75376F073C7FF10FE20F9807832368FB08C01FFD8A0FC  
E0D8D08F1195718C11D6079071FF2FA08C01A9688E86C  
8958D66A5267861FC3939E9508CD7A410B4801AF076E1  
FF8DCAD3A28EEA93E4C895629190E993E47F8D0461D0A  
6C5930F941F952FA54439FF96AB1352FE316D9097D39A  
2F9B3F9C47EE329CEF9DFF9BFC339FFFA10F9BFCEE34A  
30FA41F9BFC35A61FA72F9BFCFE36A92FAA3F9BFCE330  
AC4FAD5F9C0B6E38AF4FB05F9BFC3997D3B37633FFB3F  
C7A206FE09CD4B5BFB6C89FE4B7CFFFB6C8A2F4B9DFB6  
C8A604BBEFB6C8A914FFBDFFB6C8AC24C00FB6C8AF34C  
21FB6C8FFB244C42FB6C8B554B2AFC67363E296D8FF12  
701AF0B390E49097EF98FFC82FB394FFDE7296C970002  
F71C5EB95B496F6ED11FF78926F71EC7001A061B07260  
EA42CAFFFFCC0FCD1FCE26D0ACEBB1FE20CFA6D33F7FD  
44FD55FE1A0F690D6AC7AA0054067FFD7FFD90FDA1FDB  
26969CE28079317C607E73DCEFDDFF90E91F70CEBC248  
220DE4766C1E1F3DE3E96F65003A62E01FE540431E1FF  
E66FDF0FD03F9734D7605F0A91FE31E92FEA3F90E9369  
69C4CFF7AC2D7600B81EE1FEF2FF03DD0ACF204FFF200  
2270F2DFF3EFF06ADBACF204E6175FF78FF89FF0B5686  
096BA4D2B7069BF79B0F2569CC5FBEFFCFFF0B534FE8F  
FFFF999FE400AF01BFF0B5C9ACFF55F6F2F7003F060FF  
04C36080F0916050F0AFFFDF05B370C9FFF91E612098F  
0F2FF04CFF6B80113F12450E2F13CFF05BB3FC11FAAFA  
2F417AF18BFB39437969C445870FE6BF6EF1CAF1DBFD0  
AC72808D002D70FF78A0F25F20CF21DF1E91DBAC23F71  
FFFFFF25CF1DCEFE7C23F7FB5F2A5FF02FFA2FF1F24720  
4163E850839112BF2F1FFFF4EFF5FF095232BF33CF34D  
FF9EFAF8FF379F38AF39BFFE3FFF4F3C8F3D9F3EAFFF  
02FF040F41DF42EF43FF07BF08CC472CFBE6AFD115528  
300E1D0CACF489FEB1FFFC619454C0943D2074F2F503F  
514FDB26FD1A3C5180D2549F55AF56BFC646969CFE498  
B706BC04D90591F5A2F497F0C7FFF0D89472F5F5F606F  
10DF11EC636F647FFF658F156F167C688F699F6AAF19F  
F1B0CFF6DAF6EBF6FCF1E8F1F9872CF73DF74EFFF22DF  
23EF77AF78BF79CF279F28AC7CFFFF7E0F7F1F2C2F2D3  
C821F832F843F30BFFF31CF8763174F88CF354F365F81  
E98CDFFF8DEF3A3F3B4F870991CF92DF3F2F715FFF414  
F96BF97CF447F99EF469F9C0F9D1FFF49CF9F3F4BECA1  
5FA26F60EFA48F630CFFA67FA78F660FA9AF682CAB9FA  
CAF6B2FFFAECF6D4CB0BFB1CF704FB3EF726CB5DFFFB6  
EF756F767F912FBB6FBC7F7ABF7BCFFF8C3FC04FC15F8  
00F811FC4BFC5CFC6DFFF855F866FCA0FCB1FB7BF8AAF  
8BBF1BCFFFD06F8EEFD28F81DAD48FD59F93EF94FFFF8  
709D97FDA8F98DFB90F9AFFDE6FDF7FFF9E2FE19FA04F  
E3BFE4CFA37FE6EF4BECFFE90FEA1FA89FEC3F630CEE2  
FEF3FADBFFFFFF15F682CF34FF45FB2DFF67F6D4CF86FFF  
F97FB7FFFB9F726CFD8FFE9FBD1FBE2FFFD8DF031F042  
FC26FC37FD3EF07FF090FFFC7BFC8CF0C6F0D7F0E8FCD  
0FCE1F11BFCF12CFFF6FD25FD36F2034172F183FFF6D6



<p><b>PidTagRtfInSync</b></p>	<pre> FD7CF81F81C3F1D4FDB9FDCAF8709FF212F223FE08F00 BFE2AF261F272FE5DFFF294FE7FF2B6F2C7FEB2F2E9F4 BEC30BFFF31CFF04F33EF630C35DF36EFF56F390FFF68 2C3AFF3C0FFA8F3E2F6D4C401F412FFFFFFAF434F726C4 53F464F04CF05DF208FFF4ACF4BDF0A1F0B2F1B9F4FAF 50BF0F6FFF107F541F552F563F14BF15CF596F5A7FE74 71F1A0F1B1F20355EDF5FEF1E6FFF1F7F81F863EF64FF 234F245F870968DFFF69EF283F486F2A5F6DCF6EDF2D8 F70FFFF2FAF731F742F32DF764FA59C786F797FFF37FF 7B9FAABC7D8F7E9F3D1F80BFAFDCFF82AF83BF423F85D FB4FC87CF88DF475FFF8AFFBA1C8CEF8DFF4C7F4D8F68 3F927FFF938F51CF52DF634F975F986F571F582FFF9BC F9CDF9DEF5C6F5D7FA11FA22F8ECFF361BF62CF2036A6 8FA79F661F672FFFC9A8AB9FACAF6AFF6C0FCEB9B08F8 19FFF6FEF901F720FB57FB68F753FB8AF775FFFACFB8 DF7A8FBDFED4CC01FC12F7FAFFFC34FF26CC53FC64F8 4CFC86FF78CCA5FFFCB6F89EFC88FFCACCF7FD08F8F0F D2AFF01CCD49FD5AF942F953FAFEFDA2FDB3FFF997F9 A8FAAFFDF0FE01F9ECF9FD9E37F7FE48FE59FA41FA52F E8CFE9DFD676716266ED006D6174E184A8D63101D78C5 37562746C6520E8456D702A60733500EE3FEF4FEBF05F A8E532E18C4916E016D0EAD06FF32FF43FF54FF0DE33E 18CF2C552F06566657216D016C0F94FFA5FFFFFFB6FFC76 B37CF846FE4FFF5F006F017FD1EBFC426F6F4E5054A92 0F300870473FC67CD4C4269626CA8F0E8677261F8E079 047306CFFCA381D78C544F432048652A73003B7D7D7B5 C2A5C641BF0D0F90074ED00F8A0303130B4353010B232 10B31070381114043464EBE0373836643602630270326 5353334310C3538131011F034633532BFC2F0AE70BDA0 C2F0E6C012B03313903F14601114151EA95010B1E7806 366803131653061316216B0DC61651080177F186C3316 D01951C310B004006666303915F61ACFFF11511B9D1B7 D19F21E121AF61DFE1E77FF207F218F229F23AF24BF25 CF26DF27EFFF28FF2A0F2B1F2C2F2D3F2E4F2F5F306FF F317F328F339F34AF35BF36CF37DF38EFFF39FF3B0F3C 1F3D2F3E3F3F4F405F416FFF427F438F449F45AF46BF4 7CF48DF49EFFF4AFF4C0F4D1F4E2F4F3F504F515F526F F7537F548F557C6455751E05576F587FFF598F5A9F5BA F5CBF5DCF5EDF5FEF60FFF620F631F642F653F664F67 5F686F697FFF6A8F6B9F6CAF6DBF6ECF6FDF70EF71FFF F730F741F752F763F774F785F796F7A7FFF7B8F7C9F7D AF7EBF7FCF80DF81EF82FFFF840F851F862F873F884F8 95F8A6F8B7FFF8C8F8D9F8EAF8FBF90CF91DF92EF93FF 3F950F1E13139016011E6196B23734F510E43410A1361 9819732E6C09711FF1A4298FF9A0F9B1F9C2F9D3F1151 16221710A1956F569663D770643938B5A0D062A0F0331 3611320390F00EA6612706413016216D01F6FA2E635DC 9034973032A19098B03661FFA16010701EFA5FFA70FA 81FA92FAA3FFFAB4FAC5FAD6F200FAF6CADEFB17BD28F FFB39FB4AFB5BFB6CFB7DFB8EFB9FFB0FFFBC1FBD2FA E4FBF4FB06FC16FC27FC38FFFC49FC5AFC6BFC7CFC8DF C9EFCAFFCC0FFFC1FBE3FCF3FC05FD15FD26FD37FD48 F2F1CBE10A4D5750F7000D7A0 </pre>
	<p>TRUE</p>

<b>PidTagSearchKey</b>	cb: 16 lpb: 6484A55E0B54DF49870433A311A3335A
<b>PidTagSensitivity</b>	0
<b>PidTagSentMailEntryId</b>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800 000
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 000456C697A616265746820416E64657273656E00534D 54500065616E64657273656E40636F6E746F736F2E636 F6D00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagStartDate</b>	08:00:00.000 PM 2/8/2008
<b>PidTagSubject</b>	Lunch?
<b>PidTagSubjectPrefix</b>	
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T173955Z
DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacific Time (US & Canada).\nWhere: Fourth
Coffee\n\n*****\n\nI haven't had a raspberry scone in forever! Want to head down to
Fou
rth Coffee for lunch?\n
DTEND:20080208T203000Z
DTSTAMP:20080208T173955Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T173955Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch?
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000
0100000002009EB53F098B249AD66CBE6BB3B8B99
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E

```

```

N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange
Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--
Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calib
ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacifi
c Time (US &amp; Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN
LANG="en-
us"><FONT FACE="Calibri">Where: Fourth
Coffee</FONT></SPAN></P>\n\n<P DIR=
LTR><SPAN LANG="en-us"><FONT
FACE="Calibri">*****</FONT></SP
AN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">I
haven't
had a raspberry scone in forever!&nbsp; Want to head down to Fourth
Coffe
e for lunch?</FONT></SPAN><SPAN LANG="en-
us"></SPAN></P>\n\n</BODY>\n</HTM
L>
X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Shu receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidBusyStatus</b>	1
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F

	838346AC801000000000000000100000002009EB53F0 98B249AD66CBE6BB3B8B99
<b>PidLidCommonEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidCommonStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F 838346AC801000000000000000100000002009EB53F0 98B249AD66CBE6BB3B8B99
<b>PidLidIntendedBusyStatus</b>	2
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	Fourth Coffee
<b>PidLidMeetingType</b>	1
<b>PidLidOwnerCriticalChange</b>	05:39:55.000 PM 2/8/2008
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	07:45:00.000 PM 2/8/2008
<b>PidLidReminderTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidWhere</b>	Fourth Coffee
<b>PidNameContentTransferEncoding</b>	8bit
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	05:40:59.000 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
<b>PidTagConversationTopic</b>	Lunch?
<b>PidTagCreationTime</b>	05:43:51.254 PM 2/8/2008
<b>PidTagEndDate</b>	08:30:00.000 PM 2/8/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000c01c86a79\$c5b80e20\$51282a60\$@com>
<b>PidTagInternetReturnPath</b>	eandersen@contoso.com
<b>PidTagLastModificationTime</b>	05:43:53.051 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Request
<b>PidTagMessageDeliveryTime</b>	05:41:02.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	4563
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Lunch?
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb:

	00000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagReceivedBySearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: 44042000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 997 lpb: E10300008F0B00004C5A4675555055B303000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B533DB044614473012BF02003403C5165AF90 74069620510028011C308EF09F7B63B1ABF0E303511B2 0C60630050330B090164333616E00BA534205910822A5 C0EB20190671F603300203C21444F4354590050452048 544D4C20005055424C49432022402D2F2F57334322204 44454442134332E32222045F84E223E11C31FD720800A A323BCFC31392090214223AD14D024BF2471E31F70261 045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405B02216F04F4E544 D2370542C4005E1457814616EF4676506527613112E91 00900220402030382E30302F70367438312F7130239E2 A1F25A337823720905449544C45266EA6340EF0250D38 3520902F32DF7F310F1FF53421357028EF273F200435C 116E03C424F445923AD1EE14739DF20513B01212D2D16 F16E552E91740980200352203EA078FC742F00213ED00 5B000C005403E102F3B7F3C8F412F20043628B1502080 4449523D4C545223A0BF1FE33F82000044E51EE144E65 C2020CE720AB146A214605C7103214587051F9B3828B1 5350414E201A4C4980472C4009F02D757347239144DF4 82E313438209046E12D21204641432C3119554A6CD318 1047A9576809F03A4D300510506461792C4D306519907 5BD0AC0792F41508001D02F50200E20A63A2F8021804D 2D51C1335202C02028474D542D2F5051E1DE29218000D 006900DE020076252D0865505F0485E26616D7002804D 4A9726457819416E61505029F22E251C353635614CF24 A794A87FD483D3914D035704962595F45CB0AA2FF5A08 0A8146270AB15ED8483D01C03561FE50405F42BF628F4 38F449F45AF46BFFF5FFF48DF49EF4AFF4C0F4D1F4E2F 4F3AE71AC050010861746816F1012009E0FF57EF58FF5 A0F5B1F73EF5D3F5E4F5F5FFF606F617F63DF7CCF64AF 65BF66CF67DFFF68EF69FF6B0F80DF6D2F6E3F6F4F4EF BFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF 7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858 F9B4F87AFE788BF89CF4EFB492014702E900B909E2790 70054014703EC061202CA0F87370620490510104F0022 02E402B0B803FB2652E912154BF6E62B7A7605519A680 61014056C85700701705402CC0A62065A6F1646F77AF0 3A0AC31719B3FB2200A406E1460FE3F8CDF8DEF8EFF90 0FB03FB14F9F7FFFA08FB3BFB20FB31F924F935F946F9 57FDF968F98EFBF7F3A77A3112F3B3F398F2F200532A1

<b>PidTagRtfInSync</b>	386026337DC5E0
<b>PidTagSearchKey</b>	TRUE
<b>PidTagSenderAddressType</b>	cb: 16 lpb: 93CF34ADBB6E4441A18B165C77A6F90D
<b>PidTagSenderEmailAddress</b>	SMTP
<b>PidTagSenderEntryId</b>	eandersen@contoso.com
	cb: 116 lpb:
	00000000812B1FA4BEA310199D6E00DD010F540200000
	08045006C0069007A0061006200650074006800200041
	006E00640065007200730065006E00000053004D00540
	050000000650061006E00640065007200730065006E00
	400063006F006E0074006F0073006F002E0063006F006
	D000000
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb:
	534D54503A45414E44455253454E40434F4E544F534F2
	E434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb:
	00000000812B1FA4BEA310199D6E00DD010F540200000
	08045006C0069007A0061006200650074006800200041
	006E00640065007200730065006E00000053004D00540
	050000000650061006E00640065007200730065006E00
	400063006F006E0074006F0073006F002E0063006F006
	D000000
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb:
	534D54503A45414E44455253454E40434F4E544F534F2
	E434F4D00
<b>PidTagStartDate</b>	08:00:00.000 PM 2/8/2008
<b>PidTagSubject</b>	Lunch?
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:41:02 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com> Subject: Lunch? Date: Fri, 8 Feb 2008 09:40:59 -0800 Message-ID: <000c01c86a79\$c5b80e20\$51282a60\$@com> MIME- Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content- Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqeZ49X1T+9kIZR5WRMHYt37LqHw== Content- Language: en-us

### 3.3.2 Attendee's Meeting Acceptance

Shu accepts Elizabeth's meeting request.

The following are the properties on the Calendar object that Shu sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidAppointmentStateFlags</b>	0
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAttendeeCriticalChange</b>	05:44:34.941 PM 2/8/2008
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	2
<b>PidLidCalendarType</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
<b>PidLidClipEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidClipStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidCommonStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidIsSilent</b>	TRUE
<b>PidLidLocation</b>	Fourth Coffee
<b>PidLidMeetingType</b>	0
<b>PidLidMonthInterval</b>	0

<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	05:39:55.000 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	0
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidReminderTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	0
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZone</b>	0
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidWeekInterval</b>	0
<b>PidLidWhere</b>	Fourth Coffee
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagClientSubmitTime</b>	05:44:34.957 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F0 0002356500000064060
<b>PidTagConversationTopic</b>	Lunch?
<b>PidTagCreationTime</b>	05:44:34.926 PM 2/8/2008



<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	08:30:00.000 PM 2/8/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295
<b>PidTagImportance</b>	1
<b>PidTagInternetMailOverrideFormat</b>	1441792
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	05:44:39.254 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Resp.Pos
<b>PidTagMessageDeliveryTime</b>	05:44:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	0
<b>PidTagMessageSize</b>	2877
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Lunch?
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: A4042000
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: D476AA2743B2CC4893A1B74E49A44E37
<b>PidTagSensitivity</b>	0
<b>PidTagSentMailEntryId</b>	cb: 24 lpb: 0000000062E9131048FE8D4D9EFD5A00AA41408DC2800 000
<b>PidTagStartDate</b>	08:00:00.000 PM 2/8/2008
<b>PidTagSubject</b>	Accepted: Lunch?
<b>PidTagSubjectPrefix</b>	Accepted:
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=ACCEPTED:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T174434Z
DTEND:20080208T203000Z
DTSTAMP:20080208T174434Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T174439Z
LOCATION:Fourth Coffee
PRIORITY:5
SEQUENCE:0
SUMMARY:Accepted: Lunch?

```

TRANSP:OPAQUE  
 UID:040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000  
 0100000002009EB53F098B249AD66CBE6BB3B8B99  
 X-MICROSOFT-CDO-BUSYSTATUS:BUSY  
 X-MICROSOFT-CDO-IMPORTANCE:1  
 X-MS-OLK-AUTOFILLLOCATION:FALSE  
 X-MS-OLK-CONFTYPE:0  
 END:VEVENT  
 END:VCALENDAR

The following are the properties on the Calendar object that Elizabeth receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAttendeeCriticalChange</b>	05:44:34.000 PM 2/8/2008
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidBusyStatus</b>	2
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F 838346AC80100000000000000000000100000002009EB53F0 98B249AD66CBE6BB3B8B99
<b>PidLidCommonEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidCommonStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F 838346AC80100000000000000000000100000002009EB53F0 98B249AD66CBE6BB3B8B99
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	Fourth Coffee
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	1080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	02:00:00.000 AM 2/8/2008
<b>PidLidReminderTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidResponseStatus</b>	3
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidWhere</b>	Fourth Coffee
<b>PidNameContentTransferEncoding</b>	7bit
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagClientSubmitTime</b>	05:45:25.000 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F0 0002356500000064060

<b>PidTagConversationTopic</b>	Accepted: Lunch?
<b>PidTagCreationTime</b>	05:47:43.269 PM 2/8/2008
<b>PidTagEndDate</b>	08:30:00.000 PM 2/8/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000301c86a7a\$62c485e0\$284d91a0\$@com>
<b>PidTagInternetReturnPath</b>	sito@contoso.com
<b>PidTagLastModificationTime</b>	05:47:43.769 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Resp.Pos
<b>PidTagMessageDeliveryTime</b>	05:45:25.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	4669
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.comeandersen@contoso.com
<b>PidTagNormalizedSubject</b>	Accepted: Lunch?
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	eandersen@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 000456C697A616265746820416E64657273656E00534D 54500065616E64657273656E40636F6E746F736F2E636 F6D00
<b>PidTagReceivedByName</b>	Elizabeth Andersen
<b>PidTagReceivedBySearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: 84052000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 6A67BE70BDD3E64B8F5B8971A79AF46B
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	sito@contoso.com
<b>PidTagSenderEntryId</b>	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 1805300680075002000490074006F00000053004D0054 00500000007300690074006F00400063006F006E00740 06F0073006F002E0063006F006D0000000
<b>PidTagSenderName</b>	Shu Ito
<b>PidTagSenderSearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00 0
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	sito@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 1805300680075002000490074006F00000053004D0054 00500000007300690074006F00400063006F006E00740 06F0073006F002E0063006F006D0000000

<b>PidTagSentRepresentingName</b>	Shu Ito
<b>PidTagSentRepresentingSearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	08:00:00.000 PM 2/8/2008
<b>PidTagSubject</b>	Accepted: Lunch?
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:45:25 -0800 From: "Shu Ito" <sito@contoso.com> To: "'Elizabeth Andersen'" <eandersen@contoso.com> Subject: Accepted: Lunch? Date: Fri, 8 Feb 2008 09:45:25 -0800 Message-ID: <000301c86a7a\$62c485e0\$284d91a0\$@com> MIME- Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content- Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqeZ49X1T+9kIZR5WRMHYt37LqHwAAI1ZQAAAGQGA= Content-Language: en-us

### 3.3.3 Organizer's Cancellation

Elizabeth realizes that she has a conflicting meeting, so she cancels her lunch with Shu.

The following are the properties on the Calendar object that Elizabeth sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAllAttendeesString</b>	sito@contoso.com
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentSequence</b>	1
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidAppointmentStateFlags</b>	7
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAppointmentSequenceTime</b>	05:48:33.676 PM 2/8/2008

---

<b>PidLidAttendeeCriticalChange</b>	05:52:48.957 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	0
<b>PidLidCalendarType</b>	0
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F 838346AC8010000000000000000100000002009EB53F0 98B249AD66CBE6BB3B8B99
<b>PidLidClipEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidClipStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidCommonStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidConferencingType</b>	0
<b>PidLidContactLinkName</b>	
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F 838346AC8010000000000000000100000002009EB53F0 98B249AD66CBE6BB3B8B99
<b>PidLidIntendedBusyStatus</b>	0
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidIsSilent</b>	FALSE
<b>PidLidLocation</b>	Fourth Coffee
<b>PidLidMeetingType</b>	0
<b>PidLidMonthInterval</b>	0
<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	05:52:48.957 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	1525252321
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidReminderTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	5

---

<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZone</b>	0
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidToAttendeesString</b>	sito@contoso.com
<b>PidLidWeekInterval</b>	0
<b>PidLidWhere</b>	Fourth Coffee
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	05:52:49.066 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 27 lpb: 01C86A799E363C85AB4DF7104F04B056C21082F579640 0007335B0
<b>PidTagConversationTopic</b>	Lunch?
<b>PidTagCreationTime</b>	05:52:48.926 PM 2/8/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	08:30:00.000 PM 2/8/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295
<b>PidTagImportance</b>	2
<b>PidTagInternetMailOverrideFormat</b>	1441792
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	05:52:49.301 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Canceled
<b>PidTagMessageDeliveryTime</b>	05:52:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	8826
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.com eandersen@contoso.com
<b>PidTagNormalizedSubject</b>	Lunch?
<b>PidTagOriginalAuthorName</b>	
<b>PidTagOriginalSensitivity</b>	0

<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagOwnerAppointmentId</b>	2758289368
<b>PidTagPriority</b>	1
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: C4052000
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5760 lpb: 7C160000AD5C00004C5A46759798928207000601010B6 06E6731303266350064007263700DD00E00321D0C6063 0D4401340131737473E26805706263681035090010C03 433371044680EB0118762699311910D77333313166665 1393F87468650780135714C7145001403914C7637301E 802A412D064698F0336020010C00AC073657402D15070 72713200002A0AA16E5A6F1940200DF01A913613A0303 83530341B1101D01B00347DF3076D02833334180F191F 1A281B42C71B041AE21FE17D436106D00721FD05D0611 4C01CD411A01D5603E31E2F3F19FB01301B621AA21B40 20C66C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3 E27010050275F286F297F2A8F2B9FFF0F202CCF2DDF1F 7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F3 92F3A3FFF3B4F3FA00E103C9F3DAF3EBF3FCF40DFFE36 225F430F247F258F26982248428F6F490F44AF45BF1CD 4394C5F4D64321433384DD420076D2043457F02834F90 519F52A53C62535F546379CE7254C4321F4D5531362CA 156FFF503824709D16B54C4370F59E758D17B5AAF0382 54087054C43C7F59E637C722415E7F038228486521500 7D0FE2954C441EF6167532F6306071001A0EF0EB063E5 4758597D384751662F0382FA420740740EB054C44C4F5 9E75CA1CB6A2F6333560890746E21300790FE6563E411 90518F529F212A54965310FF552F563F72AC585553105 8DF59EF72ABFF5BF853105CAF5DBF72AB5FC65310685F F7696F72AB6B7A30708847FC720A2653FF54970DE082A F752F84C658560EF085DFF778BF84C55BF9317B4889AE 7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7 F0F52CF53DF26C5708F86DF955F7706FD2700312CAF8A 1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6 E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A 7F925B8F996CDFACDF6EFA658933FF7944F992F96673 1970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9F FF7FA10FA218B520BF6FA3EFA4FFA60C32FFA6FFA80FC 55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB2 6FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF2 6F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9F CCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75 F9A38FF85A0E91FBC7FBD8F9E2958CFDF4FEEFFFAA209 5C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2A6FFB0 F924C684FD0AFF3FBFD2CFECA2E53FE64FEB2F966734 E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29FFBB300 D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1F FB2FAA3C0D30197FF7FE4FFF5F926A35013F024F1B8F0 46FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A38

0EE22A1F0E9F0FAF9E4712E2FF2DFF129F13AF2D46153  
F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFB  
1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2  
D37829F2AFF87EE92F1DE372DC889AF8ABF9E2937890F  
32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F2  
86F4CC529EF4AEF59CF9A3838FF2DCF4E4F2FEF9E1A77  
8F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695  
FFDAA2D383E0F552F402F925B7ECF431F0771AF453C92  
B1636F6C6F72A074626C3B5C9E106485C01A679E116E8  
5C07830756530F5785F65CB8035798A7AA17A5F7B69FF  
79747B9279FF7DCF7D8D7D0F7B3F798FFA659ED038835  
A8471842F853979747F856283CF879F875D86DF850F88  
D4393F63508C248D8185A38D8092A22A5C54646560517  
074113368D17325BF40208EC670618F61716C3F741056  
5078A0E0A078A04DE06463B4746C90A07291A0AA30708  
F11C46175AE605C617390A09200A34E5093026E756D96  
A06192C004746F9300646A757374F9E0A0676892F0E0A  
079015650790114697490B03090105C6E6F867155D16E  
306F7465209A70A994C0796C6DB0689E20749A70FF90F  
F920F931F942F953F836099006060C960417331741061  
6678A09E208B8FE19A106C6020673130CB807F98219BE  
09D949D318F9698309EE333DB67309ED26685D0A11263  
896073E039A0B36E70A109A2A47410736EE86578749D3  
173968078006E40B674A3D155E069780095E079A4427F  
97504E7073E0BB40D75054009DF04EFAA4A278408EC39  
DD19D319B9073F0AE708E7697009730B2E06D696873E0  
A78F106E609730756EA8D1659BC0977880A4F99DF0449  
9B420504E600661896090B06820466F6E7A748EB4749D  
E05F50AC905FF0772BA2409BE066AC905773E07468DE4  
267309BE090A0A7F06C9F106D00E5AE2472AE98666CAE  
06AD70B007CA62B00772AE02636290A04EA0FFB1F2909  
1B262783095507891B3249750047065AE017363656C6C  
EF98C1ADD0AD71B38173A8407810CEC1AFAC81C680AF2  
0B5E66CB5F562B5F5F39940B6046467B6E6B860B7E69D  
A0FDB6047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9  
F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A6C475B0  
CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0F  
D973062BC707880AC00A7A2C6EFA9987DA5EC48B411B6  
D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FCE7FCF8  
FA682FFABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BF  
C2C4B2B0A442D53FD646A52AD0F11E73AC00C95197307  
7D06D706F8B04E0D76F456E40696C539752DD68B03177  
838EF0F0107678219710E655D1409660776EE356A611E  
3F2F9E513363046705F41A609E5A468B007FD016B60A6  
0238393830307F1D81A60285E0E5F071202191E8A3342  
F68C0E5F0F0D0EC616DA4C1685057BB90EA63ABF2336B  
606DF8106B46429552EBA5537562EC1173E9A6F16C46F  
C3063EC1173F0BC80A3AAD15F506D6C4D4E6067EBF366  
72EE778F114A63EE31BBB2493FB36078F04EA0F8E0EC1  
19550744CA76D90EC1104A07279F151318EC3FA78EE50  
6EBE20E402F2749DF0BE70E074703A2F2FB47097A06E4  
074732ED610635FF0E080AD702E15E1012FF4F066FC60  
652F77F97800642F4B50C370F5D3EE507790D65C90A1B  
5907785E032F0E1F713FE686B32EC11EE81AE80F0D3EE



81AF30D7F8F6F0B5EE8162F0C367BDA096F0FE729571B  
E3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC  
6078F0D9A7F06F63AD41ED706B96D0A840FF9DE0FD94A  
4940070C1518F00AC0096E1E3EBA07880737973A490F0  
A18361F46C79AC0076EE5078A0FF789591D46764A4D06  
178A266FD61E3D0FBF091B5317656410231A410EE505F  
50BB9790AD1070C130B48004506CADCDFA41295D0C4F  
07800D60178788077D0E7AC10F09178A07361A8409550  
0373FFF28106910451F281B5905FF04E705F504D96607  
8C130F3B06F7978F05CFDA410709790781060309660BC  
31B6D03BBC80FD8064AC107830F2B06264FFB7609660B  
C81B480A491CD01A4929790C9BDE0655C0450727AFD62  
B86077F89295500D31680B737110013167FE760E090CC  
1BE50955011200E730F84DF0F330442FF510EA111136A  
09616020E5C4A0764550776BB3516B601272BFB470564  
0C401F7B1FAA0B97265BDE0DF13D5A49096E0A50100C0  
74E4909550FF0CA0FCC11567BE706E40BDA0BC809651F  
FF2A0BE70BDE17821CCF0255020D0DE00FFF2A0C1110A  
B2B351BA8015701361BB40FF7830AD21156178217810B  
911F2A0EBB1DF0BE10CA09660EBB1BBB07017D2A3F0FF  
90B0BDB0C4729550B482C111D8A1F5909FB490D661000  
0B490BBA17070A960FBBB40BC616960201AF6A6025FF0  
96E0FBE826A400777821A5D2BC304E109660FF8960AD1  
0BD92F590BC50A9C10591ECF0BF9750A4915650BE2096  
51B3516EEBA17FAC9025B0B4901AE1B490E3D0965163F  
E78BC8095F0C9A195D0B3600A41D8C0EF24C109319660  
9E2063F2B117D29E20EF24B3BDA09550B6E0682623153  
2F3C0F667BB72FF9163037017137820EBC01F26E27430  
19B229320370747862FC785C1B10C5004E70A400BC501  
360FBF42106116C1861741009F13D40E1112FA4D2C3F0  
A4308ED2770291666DF72A60E2B0FB4120F7900FF0964  
2C3F0FFA4D034F04E9009A096E0BB5085D095D0BE6CA4  
906E4013601970F2A0759610FFDC42BB71A3D1FBD1A9F  
1FB959582A410FF78A0FD31A970B5900CA03233BC0431  
40FF3223E72A0030FCD297118EF0BD20FBC1FC6C76041  
1BD21F4B0BD5036B195F0FF78103732B351F09150A0F7  
B1A970C141CF9711BD202B3095F0202EE36436B6FF635  
03752DC5137BF38CF39DF37106730BFBBD208F10FD803B  
AF3CBF3DCF6C6B60DFBD20DB003B6F403F4145293A2C6  
F90F73F0F43FF4125626E704CB1452F36E3FF55B042CF  
479F48AF49BF370168D04B12FF379F4C7F4D8F459D6D0  
04B1F50AF51BFFF52CF37015B704FAF554F565F5765F7  
01FFB630F700C1309550DC33BB72BA5FBB6FFFBC7FBD8  
FBE9FDADFC0CFDC5FC2EFC3FFFC50FA3B16AF0D2CF65  
0ADDA125B1ACF0C9E8B9205714406E3AABE067B1A8617  
92CABE065EBB075F1C14E20AEA06D60F631382085E03A  
D3E850AB404D2D6EA1336EE276B0B0474D542DAEA06EC  
129AB411C6369F59175B376B055532018262043747061  
2061292EFC0D0A5C526C9278D06CE10A0078103DABD04  
3F57178E0723572352A7EFF74CF73EC5C445D0F5E1F5F  
2F603F614F7F95B65C525960A619697F6A8F6B9F4F726  
F09802120ABE1EE9096E020F649F39006C12041907120  
2BF0FF21B6207B206D312E8190EE7079FFE0FA20D8C02  
013605CF07BA06DF0AB807F5CD2E0807120FF107121A4

02840165FE6B3A107E1F7F2F803EA7707A40B7D07FA61  
976668ED208D10312975377F073F300008561617880C0  
C0A08C21D8A0FFFDD0D8D08F1195718C31D6079071309  
07F8C21A9688EA6C8958D86A526796139FE39EA408CF7  
A410B4801BE077E18DEAFFD3A28F0A9404C8956381910  
994048D24BF62C0A6C5932F943F954FA5443996CBBF14  
4282F2E3409A0F9B1F9C2B329D0FBB9E1F9C1C33A01FA  
12F9C1C34A32FBBA43F9C1C35A63FA74F9C1C36A94FBB  
AA5F9C1C37AC5FAD6F9C1C38AF6FDBB07F9C1C3997F3B  
39633B41C7B20FF70E09CF4B5DFB6E8A004B7EFB6E8A3  
14FFB9FFB6E8A624BC0FB6E8A934BE1FB6E8FFAC44C02  
FB6E8AF54C23FB6E8B264C44FFB6E8B574B2CFC69364  
D296F813601BE0FFB3B0E4A0980F991FC84FB3B4DE729  
6E9FF71003061C60B95D49716EE0179927071FFED6002  
9062A07360EB32CB1FCC2FCD3FFCE46D0CCECA1FF10C  
FC6D35FD46FD57FDFE1A0F780D6CC7BA0063067D81FD9  
2F77DA3FDB4696BC452D607A407D607357DD0FDE1F910  
935B41C54257220DE4767B1E213DE5E97165004962EF1  
FE540521E21FE68FDF2FD05F9754D7807F0B81FF21E94  
FEA5F910980D096CB4CFF7BC2D7800C71EE3FEF4FF05D  
D0CCF224FFF2202360F2FFF40FF08ADBCCF224E6375FF  
7AFF8BFF0D5695096DA4D2C6069BF7AB0F2769CE5FC0F  
FD1FF0D534FEAFFFFFB9A00400CF01DFF0D5C9CCFF75F  
712FF005F062FF06C8120083F0945052F0ACFFDF07B37  
0CBFFB1E63209AF0F4FF06CFF6E80115F12650E4F13E  
FF07BB41C121AAFA31417CF18DFB3B43796BC445960FE  
6BF70F1CCF1DDFD0CC73808D202E60FF79A0F27F20EF2  
1FF1EB1DBCC2417201FFF25EF1DEEFE9C2417FB7F2A7F  
F04FFA4FF1F267204163E8708B9012CF2F2FFFF4FF314  
F096332DF33EF34FFFA0FFB18FF37BF38CF39DFFE5FFF  
6F3CAF3DBF3ECFFF031F042F41FF430F441F07DF08EC4  
74CE3E6CFD135526576E1F0CAEF48BFFFEB3FC639456C  
0963D2274F4F505F516FF3DB461A5C517581F0D80F55B  
F56CFFBC65796BC498B906CC04DB0593F5A4FFF499F0C  
9F0DA9474F5F7F608F10FF120CFF638F649F65AF158F1  
69C68AF69BF6ACFFF1A1F1B2C6DCF6EDF6FEF1EAF1FB8  
72EFFF73FF750F22FF240F77CF78DF79EF27BFFF28CC7  
D1F7E2F7F3F2C4F2D5C823F834FFF845F30DF31EF8783  
176F88EF356F367FFF82098CFF8E0F3A5F3B6F872991E  
F92FFFF3F4F717F416F96DF97EF449F9A0F46BFFF9C2F  
9D3F49EF9F5F4C0CA17FA28F610FFFA4AF632CA69FA7A  
F662FA9CF684CABBFFFACCF6B4FAEEF6D6CB0DFB1EF70  
6FB40FFF728CB5FFB70F758F769F914FBB8FBC9FFF7AD  
F7BEF8C5FC06FC17F802F813FC4DFFFC5EFC6FFF857F86  
8FCA2FCB3FB7DF8ACFFF8BDF1BEFD08F8F0FD2AF81FAD  
4AFD5BFFF940F951F8729D99FDAAF98FFB92F9B1FFFDE  
8FDF9F9E4FE1BFA06FE3DFE4EFA39FFFE70F4C0CE92FE  
A3FA8BFEC5F632CEE4FFFEF5FADDF17F684CF36FF47F  
B2FFF69FFF6D6CF88FF99FB81FFBBF728CFDAFFEBFFF  
D3FBE4FD8FF033F044FC28FC39FD40FFF081F092FC7DF  
C8EFC8F0D9F0EAFCD2F3FCE3F11DF12EFFF8FD27FD38  
F2034FF174F185FD6DFD7EF82181C5F1D6FDBBFFDCCF  
8729214F225FE0AF00DFE2CF263FFF274FE5FF296FE81  
F2B8F2C9FEB4F2EBFFF4C0C30DF31EFF06F340F632C35

	<pre> FF370FFFF58F392F684C3B1F3C2FFAAF3E4F6D6CFF403 F414FFFCF436F728C455F466F04EFFF05FF20AF4AEF4B FF0A3F0B4F1BBF4FCFFF50DF0F8F109F543F554F565F1 4DF15EF9F598F5A9F473F1A2F1B3F20355EFFFF600F1E 8F1F9F8218640F651F236F247FFF872968FF6A0F285F4 88F2A7F6DEF6EFFFF2DAF711F2FCF733F744F32FF766F A5BCFF788F799F381F7BBFAADC7DAF7EBF3D3FFF80DFA FFC82CF83DF425F85FFB51C87EFFF88FF477F8B1FBA3C 8D0F8E1F4C9F4DAFFF685F929F93AF51EF52FF636F977 F988FFF573F584F9BEF9CFF9E0F5C8F5D9FA13FCFA24F 8EEF61DF62EF2036A6AFA7BFFF663F674FC9C8ABBFACC F6B1F6C2FCED9FFB0AFB1BF700F903F722FB59FB6AF75 5FFFB8CF777FBAEFBBFF7AAFBE1FED6CC03FFFFC14F7FC FC36FF28CC55FC66F84EFC88FFFF7ACCA7FCB8F8A0FCD AFFCCCCF9FD0AFF8F2FD2CF01ECD4BFD5CF944F955FB 00FFFDA4FDB5F999F9AAFAB1FDF2FE03F9EFFFF9FFFE3 9FE4AFE5BFA43FA54FE8EFE9FF89D6967166ED206D617 4E1A405A8F631D7AC537562746CA06520456D702A8073 3520AFEE5FEF6FF07FA90532E1AC491700BF16F0EAF0F 34FF45FF56FF0FE33E1ACC1F2E5526566657216F016E0 FFF96FFA7FFB8FFC96B39CF866FE6FFF7F47008F019FE C1C426F6F4E70541FA940F3200493FC87CD6C426962A2 6CA910677261F9007904930706EFFCC3D7AC544F43204 802652A933B7D7D7B5C2A6C5C64F0F92074ED20F8C0 30D03130353010D23210D31090123811343464EC00373 836086436630290326535333034313538133012103463 FC3532C310AE90BDC0C310E6E012D0FE3313B01480113 4153EA97010D1B440006366313165306131726216D061 6510A0179F188C330F16F0197110D004206663039FF1 6161AEF11711BBD1B9D1A121E321B16FF1E1E1E97209F 21AF22BF23CF24DF25EFFF26FF280F291F2A2F2B3F2C4 F2D5F2E6FFF2F7F308F319F32AF33BF34CF35DF36EFFF 37FF390F3A1F3B2F3C3F3D4F3E5F3F6FFF407F418F429 F43AF44BF45CF46DF47EFFF48FF4A0F4B1F4C2F4D3F4E 4F4F5F506FDF517F528F539F54AF559C6455951E25FF5 78F589F59AF5ABF5BCF5CDF5DEF5EFFFF600F611F622F 633F644F655F666F677FFF688F699F6AAF6BBF6CCF6DD F6EEF6FFFFFF710F721F732F743F754F765F776F787FFF 798F7A9F7BAF7CBF7DCF7EDF7FEF80FFFF820F831F842 F853F864F875F886F897FFF8A8F8B9F8CAF8DBF8ECF8F DF90EF91FFFF930F941F952F1E3313B016211E8196D2D 4373411043410C13619A19752FFE6E097311A62991F9A 2F9B3F9C4F9D5F5F1171164210C1958F56B663D79064D 43938A0F062A1103313811340AA390F20661290641321 6216F0331F8FA3066230134011903662F037623661A18 010901F1FA61FFFA72FA83FA94FAA5FAB6FAC7FAD8F20 2FFFAF8CAE0FB19FB2AFB3BFB4CFB5DFB6EFFFFB7FFB90 FBA1FBB2FBC3FBD4FAE6FBF6FFFB08FC18FC29FC3AFC4 BFC5CFC6DFC7EFFFFC8FFCA0FCB1FCC2FCD3FBE5FCF5FC 07FFFD17FD28FD39FD4AF1CDE10C4D5950F900200D7C0 TRUE cb: 16 lpb: F0D68CEF21B41F4198DC7344ED97D088 0 cb: 24 lpb: </pre>
<b>PidTagRtfInSync</b>	
<b>PidTagSearchKey</b>	
<b>PidTagSensitivity</b>	
<b>PidTagSentMailEntryId</b>	

<b>PidTagSentRepresentingAddressType</b>	000000007F8DC744E0B8DB42A8EDFEF6624383B4C280000 SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 000456C697A616265746820416E64657273656E00534D 54500065616E64657273656E40636F6E746F736F2E636 F6D00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagStartDate</b>	08:00:00.000 PM 2/8/2008
<b>PidTagSubject</b>	Canceled: Lunch?
<b>PidTagSubjectPrefix</b>	Canceled:
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:CANCEL
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T175248Z
DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacific Time (US & Canada).\nWhere: Fourth
Coffee\n\n*****\n\nOops! Forgot I have a meeting today. Maybe we can try again
sometime
next week.\n
DTEND:20080208T203000Z
DTSTAMP:20080208T175248Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T175249Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1
SEQUENCE:1
SUMMARY;LANGUAGE=en-us:Canceled: Lunch?
TRANSP:TRANSPARENT
UID:040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000
0100000002009EB53F098B249AD66CBE6BB3B8B99
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange
Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--
Converted f

```

```

rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calib
ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacifi
c Time (US &amp\; Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN
LANG="en-
us"><FONT FACE="Calibri">Where: Fourth
Coffee</FONT></SPAN></P>\n\n<P DIR=
LTR><SPAN LANG="en-us"><FONT
FACE="Calibri">*****</FONT></SP
AN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calibri">Oops!&nbsp;\;
Forgot I have a meeting today.&nbsp;\; Maybe we can try again
sometime nex
t week.</FONT></SPAN><SPAN LANG="en-
us"></SPAN></P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080208T174833Z
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Shu receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentSequence</b>	1
<b>PidLidAppointmentStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidAppointmentStateFlags</b>	7
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentSequenceTime</b>	05:48:33.000 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidBusyStatus</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
<b>PidLidCommonEnd</b>	08:30:00.000 PM 2/8/2008
<b>PidLidCommonStart</b>	08:00:00.000 PM 2/8/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000000000000000100000002009EB53F0

	98B249AD66CBE6BB3B8B99
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	FALSE
<b>PidLidLocation</b>	Fourth Coffee
<b>PidLidOldLocation</b>	Fourth Coffee
<b>PidLidOldWhenEndWhole</b>	08:30:00.000 PM 2/8/2008
<b>PidLidOldWhenStartWhole</b>	08:00:00.000 PM 2/8/2008
<b>PidLidOwnerCriticalChange</b>	05:52:48.000 PM 2/8/2008
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	1080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	02:00:00.000 AM 2/8/2008
<b>PidLidReminderTime</b>	08:00:00.000 PM 2/8/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidWhere</b>	Fourth Coffee
<b>PidNameContentTransferEncoding</b>	7bit
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	05:53:43.000 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 27 lpb: 01C86A799E363C85AB4DF7104F04B056C21082F579640 0007335E0
<b>PidTagConversationTopic</b>	Canceled: Lunch?
<b>PidTagCreationTime</b>	05:57:02.941 PM 2/8/2008
<b>PidTagEndDate</b>	08:30:00.000 PM 2/8/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagImportance</b>	2
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000001c86a7b\$8bbd2690\$a33773b0\$@com>
<b>PidTagInternetReturnPath</b>	eandersen@contoso.com
<b>PidTagLastModificationTime</b>	05:57:03.222 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Canceled
<b>PidTagMessageDeliveryTime</b>	05:53:44.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	5346
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Canceled: Lunch?
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTp
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagReceivedBySearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: E4042000

<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 1001 lpb: E5030000B00B00004C5A4675FB3BB89A03000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B533DB044614473012BF02003403C5165AF90 74069620510028011C308EF09F7B63B1ABF0E303511B2 0C60630050330B090164333616E00BA534205910822A5 C0EB20190671F603300203C21444F4354590050452048 544D4C20005055424C49432022402D2F2F57334322204 44454442134332E32222045F84E223E11C31FD72080A A323BCFC31392090214223AD14D024BF2471E31F70261 045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405B02216F04F4E544 D2370542C4005E1457814616EF4676506527613112E91 00900220402030382E30302F70367438312F7130239E2 A1F25A337823720905449544C45266EA6340EF0250D38 3520902F32DF7F310F1FF53421357028EF273F200435C 116E03C424F445923AD1EE14739DF20513B01212D2D16 F16E552E91740980200352203EA078FC742F00213ED00 5B000C005403E102F3B7F3C8F412F20043628B1502080 4449523D4C545223A0BF1FE33F82000044E51EE144E65 C2020CE720AB146A214605C7103214587051F9B3828B1 5350414E201A4C4980472C4009F02D757347239144DF4 82E313438209046E12D21204641432C3119554A6CD318 1047A9576809F03A4D300510506461792C4D306519907 5BD0AC0792F41508001D02F50200E20A63A2F8021804D 2D51C1335202C02028474D542D2F5051E1DE29218000D 006900DE020076252D0865505F0485E26616D7002804D 4A9726457819416E61505029F22E251C353635614CF24 A794A87FD483D3914D035704962595F45CB0AA2FF5A08 0A8146270AB15ED8483D01C03561FE50405F42BF628F4 38F449F45AF46BFFF5FFF48DF49EF4AFF4C0F4D1F4E2F 4F3AE71AC050010861746816F1012009E0FF57EF58FF5 A0F5B1F73EF5D3F5E4F5F5FFF606F617F63DF7CCF64AF 65BF66CF67DFFF68EF69FF6B0F80DF6D2F6E3F6F4F4EF BFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF 7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858 F9B4F87AF0788BF89CF4EFB4F6F7073211154BF6E6273 55EA5C276147014056C8719072676F054049C62014702 E90206120078014B0FD0B80673F200470506057DCA73F A84FAA4D5060622E40772E40630391CF9D10511020400 B7120730370AA71CF54412C803F50AE71656B57DF8DDF FF8EEF8FFFB23FB34F9F6FA07FB5BFB40FFFB51F923F9 34F945F956F967F98DFC17FFB3A68A3112F3B3F398F20 0532A138600526337DC7F0
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 461F8812757FE740940F5650D9D171A2
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000

<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	08:00:00.000 PM 2/8/2008
<b>PidTagSubject</b>	Canceled: Lunch?
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:53:44 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com> Subject: Canceled: Lunch? Date: Fri, 8 Feb 2008 09:53:43 -0800 Message-ID: <000001c86a7b\$8bbd2690\$a33773b0\$@com> MIME- Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content- Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Importance: High Thread-Index: AchqeZ42PIWrTfcQTwSwVsIQgvV5ZAAAczWw Content- Language: en-us

### 3.4 Example Recurring Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a recurring meeting with Shu, Patrick, and Anne, but cancels an instance that coincides with the company picnic. Shortly thereafter, Elizabeth corrects a typo in the Location field.

This section also documents Shu's tentative acceptance of the meeting series.



### 3.4.1 Organizer's Meeting Request

Elizabeth organizes a weekly status meeting for Project Northwind on Wednesdays at 2:00 P.M. with Shu, Patrick, and Anne.

The following are the properties on the Calendar object that Elizabeth sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAllAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	10:30:00.000 PM 2/13/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300B2001000000C02100000100000000000000 8000000232000000A0000000000000000000000000 00003FC30CDF80E95A063000000930000048030000660 300000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	10:00:00.000 PM 2/13/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAttendeeCriticalChange</b>	09:33:20.275 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	1
<b>PidLidCalendarType</b>	1
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	11:59:00.000 PM 8/31/4500
<b>PidLidClipStart</b>	08:00:00.000 AM 2/13/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	10:30:00.000 PM 2/13/2008
<b>PidLidCommonStart</b>	10:00:00.000 PM 2/13/2008
<b>PidLidConferencingType</b>	0

<b>PidLidContactLinkName</b>	
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIntendedBusyStatus</b>	2
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidIsSilent</b>	FALSE
<b>PidLidLocation</b>	Conference Room 123
<b>PidLidMeetingType</b>	1
<b>PidLidMonthInterval</b>	0
<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	09:33:20.275 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every Wednesday from 2:00 PM to 2:30 PM
<b>PidLidRecurrenceType</b>	2
<b>PidLidRecurrenceType</b>	48
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	1525252321
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidReminderTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE

<b>PidLidTimeZone</b>	13
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000 200000000000000000000300000002000200000000 000000
<b>PidLidToAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidWeekInterval</b>	1
<b>PidLidWhere</b>	Conference Room 123
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllo</b>	TRUE
<b>wed</b>	
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	09:33:20.588 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
<b>PidTagConversationTopic</b>	Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:33:20.275 PM 2/8/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	10:30:00.000 PM 2/13/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295
<b>PidTagImportance</b>	1
<b>PidTagInternetMailOverrideFo</b>	1441792
<b>rmat</b>	
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	09:33:21.243 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Request
<b>PidTagMessageDeliveryTime</b>	09:33:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	10965
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.comeandersen@contos o.com
<b>PidTagNormalizedSubject</b>	Fabrikam Project Status Meeting
<b>PidTagOriginalAuthorName</b>	
<b>PidTagOriginalSensitivity</b>	0
<b>PidTagOriginatorDeliveryRepo</b>	FALSE
<b>rtRequested</b>	
<b>PidTagOwnerAppointmentId</b>	3249022936
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentP</b>	FALSE
<b>rohibited</b>	
<b>PidTagRecordKey</b>	cb: 4 lpb: 24062000
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5789 lpb: 99160000ED5C00004C5A4675DF873B2307000601010B6 06E6731303266350064007263700DD00E00321D0C6063 0D4401340131737473E26805706263681035090010C03

433371044680EB0118762699311910D77333313166665  
1393F87468650780135714C7145001403914C7637301E  
802A412D064698F0336020010C00AC073657402D15070  
72713200002A0AA16E5A6F1940200DF01A913613A0303  
83530341B1101D01B00347DF3076D02833334180F191F  
1A281B42C71B041AE21FE17D436106D00721FD05D0611  
4C01CD411A01D5603E31E2F3F19FB01301B621AA21B40  
20C66C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3  
E27010050275F286F297F2A8F2B9FFF0F202CCF2DDF1F  
7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F3  
92F3A3FFF3B4F3FA00E103C9F3DAF3EBF3FCF40DFFE36  
225F430F247F258F26982248428F6F490F44AF45BF1CD  
4394C5F4D64321433384DD420076D2043457F02834F90  
519F52A53C62535F546379CE7254C4321F4D5531362CA  
156FFF503824709D16B54C4370F59E758D17B5AAF0382  
54087054C43C7F59E637C722415E7F038228486521500  
7D0FE2954C441EF6167532F6306071001A0EF0EB063E5  
4758597D384751662F0382FA420740740EB054C44C4F5  
9E75CA1CB6A2F6333560890746E21300790FE6563E411  
90518F529F212A54965310FF552F563F72AC585553105  
8DF59EF72ABFF5BF853105CAF5DBF72AB5FC65310685F  
F7696F72AB6B7A30708847FC720A2653FF54970DE082A  
F752F84C658560EF085DF778BF84C55BF9317B4889AE  
7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7  
F0F52CF53DF26C5708F86DF955F7706FD2700312CAF8A  
1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6  
E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A  
7F925B8F996CDFACDF6EFA658933FF7944F992F96673  
1970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9F  
FF7FA10FA218B520BF6FA3EFA4FFA60C32FFA6FFA80FC  
55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB2  
6FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF2  
6F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9F  
CCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75  
F9A38FF85A0E91FBC7FBD8F9E2958CFDF4FEEFFFAA209  
5C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0  
F924C684FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734  
E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29FFBB300  
D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1F  
FB2FAA3C0D30197FF7FE4FFF5F926A35013F024F1B8F0  
46FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A38  
0EE22A1F0E9F0FAF9E4712E2FF2DFF129F13AF2D46153  
F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFFB  
1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2  
D37829F2AFF87EE92F1DE372DC889AF8ABF9E2937890F  
32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F2  
86F4CC529EF4AEF59CF9A3838FF2DCF4E4F2FEF9E1A77  
8F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695  
FFDAA2D383E0F552F402F925B7ECF431F0771AF453C92  
B1636F6C6F72A074626C3B5C9E106485C01A679E116E8  
5C07830756530F5785F65CB8035798A7AA17A57F7B69FF  
79747B9279FF7DCF7D8D7D0F7B3F798FFA659ED038835  
A8471842F853979747F856283CF879F875D86DF850F88  
D4393F63508C248D8185A38D8092A22A5C54646560517

074113368D17325BF40208EC670618F61716C3F741056  
5078A0E0A078A04DE06463B4746C90A07291A0AA30708  
F11C46175AE605C617390A09200A34E5093026E756D96  
A06192C004746F9300646A757374F9E0A0676892F0E0A  
079015650790114697490B03090105C6E6F867155D16E  
306F7465209A70A994C0796C6DB0689E20749A70FF90F  
F920F931F942F953F836099006060C960417331741061  
6678A09E208B8FE19A106C6020673130CB807F98219BE  
09D949D318F9698309EE333DB67309ED26685D0A11263  
896073E039A0B36E70A109A2A47410736EE86578749D3  
173968078006E40B674A3D155E069780095E079A44247  
97504E7073E039393068B039FE366DD0A4A278408EC39  
DD19D319B903B73F0AE707697009730B2E06D699E6873  
E08F106E609730756EA8D15E659BC07880A4F99DF0449  
9B4201A504E6061896090B0682046E86F6E748EB4749D  
E05F50AC90AD5FF077A2409BE066AC905773E07874684  
267309BE090A0A7F06C979F106D00AE2472AE98666CAE  
062BAD70B00762B00772AE026362FF90A04EA0B1F2909  
1B26278309550789113B32497507065AE01736365BC6C  
6C98C1ADD0AD71B38173A840BF7810CEC1AC81C680AF2  
0B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E6  
9DA0B6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9  
F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486A6C475B0  
CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A  
0973062BC707880AC00A7A27FC6EFA998A5E475305920  
49C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FF  
FCCA985E0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0  
DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD646A52AD  
0F173AC00C7C951973077D06D706F04E0D76FE2456E40  
696C53975268B07783DB8EF0F010767821971055D1409  
6607C776EE346A611E3E2E50385E0307F4B606B51D019  
E503A645E715AE9137CA36EC616DA4C16850BB90E8C39  
5ABF2336B606DF8106B42955251EA05537562EA7173A6  
F16CFA46FC3063EA7173F0BC80AAD15F50A86D6C4D4E6  
067EA5372ECD7D98F114A63EC91BBB249B36078F0CF4E  
A0F8E0EA719550744C6D90EA71A904A07279EFB1318EC  
378ECB03E6EBE20E3F2F0D49DF0BE707470383A2F2FB4  
7097A06E40732E5DD610635FF0E080AD702EE1012F45F  
35066FC60652F77780064BA2FE5F133F433ECB077905C  
90A1B5B5907785E032EF41F573686B32FFEA71ECE1AE8  
0EF33ECE1AF30F756EF15B5ECE162EF2367BDA096F072  
9571FFBE3004E0BB407410BB11AD10BB40B6D171AD706  
E626ABC6078F0A7F06FF663AD41EBD06B96D0A8409DE0  
FBF4FFA4940070C1518F00AC0096E1EA0078803873797  
3A490EF0183616C793DAC0076ECB078A0FDD895916764  
F5A4D06178A266FBC1E3C0EEF1B531FE7656410091A41  
0ECB05F509790AD10EE70C130B48002B06CADC0A41295  
D0F7C4F07800D60178788077D0AC10EEF1F978A07361A  
840955001D3F0E104F17F02B1F0E1B5905FF04E705F50  
96607853C130F2106F7978F05CA41070FF97907810603  
09660BC31B6D0BC80FBCE0CE64AC107830F1106264B760  
96607FBC81B480A491CD01A4929790BDE065F25C02B07  
27AFBC2B860F6F295509D0B916809D37110FF9167760C  
69FF0B21BE50955011200CD30DE40D9302A277FDB10D0

10F736A07C16020C4A076F94550776BB3516B6010D2B4  
705640EFC401F611F900B97265BDE01235A490F796E0A  
501FF2074E48095500B00FB21FF13C7BE706E40BDA0BC  
809651F100BE70FFBDE17821CCF0255020D0DE00F100C  
111FF0912B351BA8013D011C1BB407830AD21FF13C178  
217810B911F100EA110A410B00F79660EA11BBB070163  
2A3F090B0BDB0FFC4729550B482C111D8A1F3F0B490D6  
61E7FE60B490BBA17070A960BB40BC61FE6960201956A  
6025FF096E0E8259650FF39107821A5D2BC304E109660  
8960AD10FFBD92F3F0BC50A9C103F1EB509750A491EF5  
650BE209651B3516EEA01AC9025B09FB4901941B490E3  
C096516378BC80FF95F0C9A195D0B36008A1D8C023210  
791FB96609E2063F11116329E202313BDA0BB9550B6E0  
6824831392F22067BB72FDFDF16301D015737820EA202  
5427430071812279201D0747862785CFF1970C5004E70  
A400BC5011C0F2810471FE6C16C1741008513D40E111A  
4D2C3F0CBA4308ED27700F1666D28C0E2B0FDF9A120F5  
F00E509642C3F0A4D034F0BF4E90080096E0BB5085D09  
5D06CA490EF6E4011C017D0F100759610DC42BB71FFA3  
D1FA31A9F1F9F59582A41078A0FB91FFA970B5900B003  
093BC042FA03083E7E93F9730FB2397118EF0BD20FA21  
6C76FF0271BD21F310BD50351195F078103592FFB351E  
EF150A0F611A970C1419711BD20F3299095F0202EE354  
3516635035B2FFDC51361F372F383F35706730BD208F1  
0EFFBE03A0F3B1F3C2F6C6B60BD20DB00F739CF3E9F3F  
A529388C6F903D6F425FFD3F85626E704951438F35435  
5B0412FFF45FF470F481F356168D0497235FF4ADFFF4B  
EF43FD6D00497F4F0F501F512F3561FF5B704E0F53AF5  
4BF55C5F561B630F560FFC1309550DC33BB72BA5FBB6F  
BC7FBD8FFFBE9FDADFC0CFDC5FC2EFC3FFC50FA3B17F6  
AF0D2CF636ADDA12411ACF0E5B820025712A06E3A204F  
63637F2E406DC00151F0306AE07880A400733F00906C0  
08F2065805CE0A832322F6631F4C0E5F1382074322D70  
3AB3E600AB404D205F506E41336E836028474D542D1EC  
06E612939AB416369F3F175B376B05553302026204374  
705F806129782E0D0A5AB26AE278D06B30437FAC00658  
078D01B4176516E2185E033F371F571F52A7E74EF740C  
5AA45B6FFF5C7F5D8F5E9F5FAF95B65AB257C0D029676  
7DF68EF69FE48656C00EB812CC5740C4C2A5172717596  
E26BA0FB70E02A50202FD06BBF6ED1FE701B40FF83C2A  
C006EC012A0835095F02E306BA09BF35085D346C99066  
106B616E30BDE9106F105078D071E671F5543F31D46B7  
381C64501F07AC9902E61FFE8917E5F7F6F6A1BA7707A  
60B7D0D029FF7686903207310172975378106C707BB0E  
1EFC061783236DD309021D8A0FFFC30D8D07981957190  
31D60779812EF0FF9021A96892A6C8959186A5267981A  
640FFE8A090F7A410B4801A40780191EAD3A2FF930A98  
04C89561E19509980491246120DFA6C5972F983F994FA  
544399ACB12A2BFFD8173C09BF39E4F9F5FA01C35AA3  
BBA21FA01C33A41FA52FA01C34A72FBBA83FA01C35AA3  
FAB4FA01C36AD4FBFAE5FA01CE330B06FB17FA02B38B3  
6FDBB47FA01C399BF3B79633B81C7B40FF70A0A0F4B9D  
FBAE8A404BBEFBAE8A714FFBDFBAE8AA24C00FBAE8AD  
34C21FBAE8FFB044C42FBAE8B354C63FBAE8B664C84FF

FBAE8B974B6CFC9A9363329AF811C01A40FFB7B0E4909C  
0F9D1FCC4FB7B4DE729AE9FF70C02EC1CA0B99D49B16E  
C6179B27031F7EBC000F0610068D861EF90CF1FD02FFF  
D13FD246D4CCEB01FD70D3C6D75FD86FBFD97FE1A0F5E  
0DACC7BC0049067DC1FEFDD2FDE3FDF469ABC452BC07A  
60E730AE73E10FE21F950935B81C5423D2BC20476611E  
613E25E9B165002F6FD2D51540381E61FEA8FE32FD45F  
9B54BFDB8009E1FD81ED4FEE5F9509369ABCFE4C7BE2D  
B800AD1F23FF34FF45DD4CCFFF624F62021C0F6FFF80F  
F48ADFCCF624BFEA37FBAFFCBFF4D567B09ADA4D2AC0F  
E697AD0F676A0E5000F011FF4D58130FF02BF03C8A404  
04CF05DFF4D5CDCC0375EFFB12045F0A2FF46C360C2F0  
D36092FFB0ECFF47B3710BF03B1EA320DAF134FFFF46C  
6DE0155F1665124F17EFF47BB81C5F161AA7141BCF1CD  
FB7B4379ABC44FD57C06BFB0F20CF21DFD4CC72D09120  
FF2CC079C0F67F24EF25FF22B1DFCC2817FF241F29EF2  
1EE029C2817FF7F2E7FF44FF3FE4FF66720416B605861  
16CF332FFFF8FF354F0D6336DF37EF38FFFE0FFF18FF3  
BBF3CCF3DDF025F036F40AF41BF42CFFF071F082F45FF  
470F481F0BDF0CEC4B4CFBEACFD535526BC0E5F0CEE4  
CBFEF3FFFC39496C0D63D627534F545F556FDF46FD1E  
5C51831258BF59CF5ADFC669ABC498F906B1051B05  
D3F5E4F4D9F109FFF11A94B4F637F648F14FF160C678F  
689FFF69AF198F1A9C6CAF6DBF6ECF1E1F1F2CFF71CF7  
2DF73EF22AF23B876EF77FF790FFF26FF280F7BCF7CDF  
7DEF2BBF2CCC811FFF822F833F304F315C863F874F885  
F34DFFF35EF8B831B6F8CEF396F3A7F860990FFFF920F  
3E5F3F6F8B2995EF96FF434F757FFF456F9ADF9BEF489  
F9E0F4ABFA02FA13FFF4DEFA35F500CA57FA68F650FA8  
AF672CFFAA9FABAF6A2FADCF6C4CAFBB0CF6F4FFFFB2E  
F716CB4DFB5EF746FB80F768CB9FFFFB0F798F7A9F95  
4FBF8FC09F7EDF7FEFFF905FC46FC57F842F853FC8DFC  
9EFCACFFF897F8A8FCE2FCF3FBBD8ECF8FDF1FEFFFD4  
8F930FD6AF85FAD8AFD9BF980F991FFF8B29DD9FDEAF9  
CFFBD2F9F1FE28FE39FFFA24FE5BFA46FE7DFE8EFA79F  
EB0F500CFFED2FEE3FACBFF05F672CF24FF35FB1DFFFF  
57F6C4CF76FF87FB6FFFA9F716CFC8FFFD9FBC1FFFBF  
768C01AF02BFC13FC24FFFDCCFF073F084FC68FC79FD80  
F0C1F0D2FFFCBDFCCEF108F119F12AFD12FD23F15DFCF  
16EF038FD67FD78F20341B4F1C5FFFDADDFBEF8618205  
F216FDFBFE0CF8B29FF254F265FE4AF04DFE6CF2A3F2B  
4FE9FFF2D6FEC1F2F8F309FEF4F32BF500C34DFFF35E  
FF46F380F672C39FF3B0FF98F3D2FFF6C4C3F1F402FFE  
AF424F716C443F454FFF03CF476F768C495F4A6F08EF0  
9FF24AFFF4EEF4FFF0E3F0F4F1FBF53CF54DF138FFF14  
9F583F594F5A5F18DF19EF5D8F5E9FE74B3F1E2F1F3F2  
03562FF640F228FFF239F8618680F691F276F287F8B29  
6CFFFF6E0F2C5F4C8F2E7F71EF72FF31AF751FFF33CF7  
73F784F36FF7A6FA9BC7C8F7D9FFF3C1F7FBAEDC81AF  
82BF413F84DFB3FCFF86CF87DF465F89FFB91C8BEF8CF  
F4B7FFF8F1FBE3C910F921F509F51AF6C5F969FFF97AF  
55EF56FF676F9B7F9C8F5B3F5C4FFF9FEFA0FFA20F608  
F619FA53FA64F92EFF365DF66EF2036AAAFABB6A3F6B  
4FFFCDC8AFBFB0CF6F1F702FD2D9B4AFB5BFFF740F943

	F762FB99FBAAF795FBCCF7B7FFFBEFFBFFF7EAFc21FF16CC43FC54F83CFFFC76FF68CC95FCA6F88EFCC8FFBACC E7FFFCF8F8E0FD1AF00CCD39FD4AF932FD6CFFF05ECD8 BFD9CF984F995FB40FDE4FDF5FFF9D9F9EAFAF1FE32FE 43FA2EFA3FFE79F7FE8AFE9BFA83FA94FCEFEFEDFFDA96 716266F1206D6174E5A4ACF63101DBAC537562746C652 0E8456D702E80733920F25FF36FEFBF47FAD0532E5AC49 1B001AF0EEF06FF74FF85FF96FF4FE33E5ACF6E552F06 56665721AF01AE0FD6FFE7FFFFFF8F0096B79CFC66026F 037F048F059FD1F01C426F6F527054AD40F7208708930 087D16C4269626CAD10E8677261FD007908930AEF00C3 81DBAC544F432048652E93003B7D7D7B5C2A5C641BF4F 0FD2074F120FCC0303130B4353014D23214D314903815 34043464F0003738366436026306903265353334310C3 5381730161034633532BFC710B290C1C0C710EAE016D0 3317B03F18801534193EAD7014D1B8406366803131653 06131621AD0DC616514A01B9F1C8C331AF01D71C314D0 0820666630391A161EEFFF15711FBD1F9D1E1222321F1 6221E2297FF249F25AF26BF27CF28DF29EF2AFF2C0FFF 2D1F2E2F2F3F304F315F326F337F348FFF359F36AF37B F38CF39DF3AEF3BFF3D0FFF3E1F3F2F403F414F425F43 6F447F458FFF469F47AF48BF49CF4ADF4BEF4CFF4E0FF F4F1F502F513F524F535F546F557F568FFF7579F58AF59 9C64599522255B8F5C9FFF5DAF5EBF5FCF60DF61EF62F F640F651FFF662F673F684F695F6A6F6B7F6C8F6D9FFF 6EAF6FBF70CF71DF72EF73FF750F761FFF772F783F794 F7A5F7B6F7C7F7D8F7E9FFF7FAF80BF81CF82DF83EF84 FF860F871FFF882F893F8A4F8B5F8C6F8D7F8E8F8F9FF F90AF91BF92CF93DF94EF95FF970F981F3F992F223317 B01A2122819AD23734F515043414C1361DA19B52EAE09 B31FF1E629D1F9E2F9F3FA04FA15F15711A421714C199 8F5AB663DB90643938B5A4F062A510331781174039132 0EA661690641721621AF0238FA70622631A3036623211 E03961FC3661A5801490231FAA1FAB2FAC3FFFAD4FAE5 FAF6FB07FB18F242FB38CB20FFFB59FB6AFB7BFB8CFB9 DFBAEFBBFFBD0FFFBEB1FBF2FC03FC14FB26FC36FB48FC 58FFFC69FC7AFC8BFC9CFCADFCBEFCCFFCE0FFFCF1FD0 2FD13FC25FD35FC47FD57FD68FBFD79FD8AF20DE14C4D 995139000DBC0
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 4E4AB1FE831C50439C4C0BB97CC890B4
<b>PidTagSensitivity</b>	0
<b>PidTagSentMailEntryId</b>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800 000
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 000456C697A616265746820416E64657273656E00534D 54500065616E64657273656E40636F6E746F736F2E636 F6D00



<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearch Key</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagStartDate</b>	10:00:00.000 PM 2/13/2008
<b>PidTagSubject</b>	Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080208T213320Z
DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM t
o 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference
Room
123\n\n*~*~*~*~*~*~*~*~*~*\n\nHey all,\n\nLet's meet up every
Wednesday
to sync up on the status of the Fabrikam
Project.\n\nThanks,\n\nElizabeth\
n
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T213320Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
LAST-MODIFIED:20080208T213321Z
LOCATION:Conference Room 123
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:0

```

SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting  
 TRANSP:OPAQUE  
 UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000  
 010000000622C639E40D09342B747A1672730CBBA  
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 12.0.6608.1000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Where: Conference Room 123</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">\*\*\*</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey all,\</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Let's meet up every Wednesday to sync up on the status of the Fabrikam Project.</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Thanks,\</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN></P>\n\n</BODY>\n</HTML>

X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE  
 X-MICROSOFT-CDO-IMPORTANCE:1  
 X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY  
 X-MICROSOFT-DISALLOW-COUNTER:FALSE  
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
 X-MS-OLK-AUTOSTARTCHECK:FALSE  
 X-MS-OLK-CONFTYPE:0  
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
 BEGIN:VALARM  
 TRIGGER:-PT15M  
 ACTION:DISPLAY  
 DESCRIPTION:Reminder  
 END:VALARM  
 END:VEVENT  
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	02:30:00.000 PM 2/13/2008

<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentRecur</b>	cb: 80 lpb: 043004300B2001000000C02100000100000000000000 8000000232000000A0000000000000000000000000 00003FC30CDF80E95A063000000930000048030000660 300000000000000000000000000000
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	02:00:00.000 PM 2/13/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidBusyStatus</b>	1
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC801000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	11:59:00.000 PM 12/31/4500
<b>PidLidClipStart</b>	12:00:00.000 AM 2/13/2008
<b>PidLidCommonEnd</b>	02:30:00.000 PM 2/13/2008
<b>PidLidCommonStart</b>	02:00:00.000 PM 2/13/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC801000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIntendedBusyStatus</b>	2
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidLocation</b>	Conference Room 123
<b>PidLidMeetingType</b>	524288
<b>PidLidOwnerCriticalChange</b>	09:33:20.000 PM 2/8/2008
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	09:45:00.000 PM 2/13/2008
<b>PidLidReminderTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B00000001000 200000000000000000000000030000000200020000000 000000
<b>PidLidWhere</b>	Conference Room 123
<b>PidNameContentTransferEncoding</b>	8bit
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	09:38:03.000 PM 2/8/2008

<b>PidTagConversationIndex</b>	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
<b>PidTagConversationTopic</b>	Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:46:20.686 PM 2/8/2008
<b>PidTagEndDate</b>	02:30:00.000 PM 2/13/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1033
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000201c86a9a\$e4e37980\$aeea6c80\$@com>
<b>PidTagInternetReturnPath</b>	eandersen@contoso.com
<b>PidTagLastModificationTime</b>	09:46:21.388 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Request
<b>PidTagMessageDeliveryTime</b>	09:38:09.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	5982
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Fabrikam Project Status Meeting
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagReceivedBySearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: 44052000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 1170 lpb: 8E040000481000004C5A4675C5EB0C9A03000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B533DB044614473012BF02003403C5165AF90 74069620510028011C308EF09F7B63B1ABF0E303511B2 0C60630050330B090164333616E00BA534205910822A5 C0EB20190671F603300203C21444F4354590050452048 544D4C20005055424C49432022402D2F2F57334322204 44454442134332E32222045F84E223E11C31FD720800A A323BCFC31392090214223AD14D024BF2471E31F70261 045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405E02216F04F4E544 D2370542C4005E1457814616EF4676506527613112E91 00900220402030382E30302F70367438312F7130239E2 A1F25A337823720905449544C45266EA6340EF0250D38 3520902F32DF7F310F1FF53421357028EF273F200435C 116E03C424F445923AD1EE14739DF20513B01212D2D16 F16E552E91740980200352203EAO78FC742F00213ED00 5B000C005403E102F3B7F3C8F412F20043628B1502080 4449523D4C545223A0BF1FE33F82000044E51EE144E65

	C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A972645781941246E615150292E251C3536DF35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFFF438F449F45AF46BF616F48DF49EF4AFF4C0F4D1F4E2F4F3A1AC050003E4151B0791AC06E632E4008003F010E2033FF595F5A6F5B7F5C8F75BF5EAF5FBF60CFFF61DF62EF654F7E9F661F672F683F694FFF6A5F6B6F6C7F82AF6E9F6FAF70BF4E9BFC2A7E8D7F743F754F765F776F902FFF798F7A9F7BAF7CBF7DCF802F990F80FFF820F831F842F853F864F875F9D1F897F678A8F8B9F4EFB486550D007406CFE2C8EAF8FBF90CF91DFA9EF93FF950FFF961F972F983F9A9FB2CF9B6F9C7F9D8FFF9E9F9FAFA0BFA1CFB6DFA3EFA4FFA60FE54EFB4C14B05C27AC00042007803114B0207570508F53A17379777370C2722F21744FD0C3D00190746FBC20C4503FA0C4924601A005106BF75730218003606A51C1594FA96FAA7FFFAB8FC83FADAFABEBAFACFB0DFB1EFB44FFFD11FB51FB62FB73FB84FB95FBA6FBB7F5FD52FBD9FBEAFBFBF71BC542E016BFE73A85FC7CFC8DFC9EFE1EFCC0FCD1FFFCE2FCF3FD04FD2AFEACFD37FD48FD59FFFD6AFD7BFD8CFD9DFEEDFDBFFDD0FDE1FB571BC4519707A01A014B068E07FFFE18FE29FE3AFFBCFFCFDFF31FF42FFF4FFFFD9FFEAFE5EFE6FFE80FE91FEA2FEC8FF70B0F3A77F6B12F3B3F398F200532A10B386026337D1170TRUE
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 87AB580213DFC242B9AC2642E98BE799
<b>PidTagSenderAddressType</b>	SMTp
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041 006E00640065007200730065006E00000053004D00540 05000000650061006E00640065007200730065006E00 400063006F006E0074006F0073006F002E0063006F006 D000000
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTp
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041

<b>PidTagSentRepresentingName</b>	006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<b>PidTagSentRepresentingSearchKey</b>	Elizabeth Andersen cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	02:00:00.000 PM 2/13/2008
<b>PidTagSubject</b>	Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000201c86a9a\$e4e37980\$aeea6c80\$@com> MIME- Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content- Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmY383gxIkTTcuQQ8HxB4a7ng== Content- Language: en-us

### 3.4.2 Organizer's Cancellation of an Instance

Elizabeth cancels the May 28<sup>th</sup> instance of the status meeting because it conflicts with the company picnic.

The following are the properties on the Calendar object that Elizabeth sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAllAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	09:30:00.000 PM 5/28/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0

<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	09:00:00.000 PM 5/28/2008
<b>PidLidAppointmentStateFlags</b>	7
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAppointmentSequenceTime</b>	09:33:20.275 PM 2/8/2008
<b>PidLidAttendeeCriticalChange</b>	09:34:55.904 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	0
<b>PidLidCalendarType</b>	1
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	09:30:00.000 PM 5/28/2008
<b>PidLidClipStart</b>	09:00:00.000 PM 5/28/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	09:30:00.000 PM 5/28/2008
<b>PidLidCommonStart</b>	09:00:00.000 PM 5/28/2008
<b>PidLidConferencingType</b>	0
<b>PidLidContactLinkName</b>	
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFExceptionalAttendees</b>	FALSE
<b>PidLidFExceptionalBody</b>	FALSE
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C30466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIntendedBusyStatus</b>	0
<b>PidLidIsException</b>	TRUE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidIsSilent</b>	FALSE
<b>PidLidLocation</b>	Conference Room 123
<b>PidLidMeetingType</b>	0
<b>PidLidMonthInterval</b>	0
<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	09:34:56.904 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every Wednesday from 2:00 PM to 2:30 PM

<b>PidLidRecurrenceType</b>	2
<b>PidLidRecurrenceType</b>	48
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	1525252321
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	09:00:00.000 PM 5/28/2008
<b>PidLidReminderTime</b>	09:00:00.000 PM 5/28/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZone</b>	13
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B00000001000 20000000000000000000000000300000002000200000000 000000
<b>PidLidToAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidWeekInterval</b>	1
<b>PidLidWhere</b>	Conference Room 123
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllo wed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	09:34:56.013 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F0 0000E4080
<b>PidTagConversationTopic</b>	Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:34:55.888 PM 2/8/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	09:30:00.000 PM 5/28/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295



<b>PidTagImportance</b>	2
<b>PidTagInternetMailOverrideFormat</b>	1441792
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	09:34:56.013 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Canceled
<b>PidTagMessageDeliveryTime</b>	09:34:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	10773
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.com eandersen@contoso.com
<b>PidTagNormalizedSubject</b>	Fabrikam Project Status Meeting
<b>PidTagOriginalAuthorName</b>	
<b>PidTagOriginalSensitivity</b>	0
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagOwnerAppointmentId</b>	3249022936
<b>PidTagPriority</b>	1
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: 64062000
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5773 lpb: 891600001A5D00004C5A467533CC81F007000601010B6 06E6731303266350064007263700DD00E00321D0C6063 0D4401340131737473E26805706263681035090010C03 433371044680EB0118762699311910D77333313166665 1393F87468650780135714C7145001403914C7637301E 802A412D064698F0336020010C00AC073657402D15070 72713200002A0AA16E5A6F1940200DF01A913613A0303 83530341B1101D01B00347DF3076D02833334180F191F 1A281B42C71B041AE21FE17D436106D00721FD05D0611 4C01CD411A01D5603E31E2F3F19FB01301B621AA21B40 20C66C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3 E27010050275F286F297F2A8F2B9FFF0F202CCF2DDF1F 7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F3 92F3A3FFF3B4F3FA00E103C9F3DAF3EBF3FCF40DFFE36 225F430F247F258F26982248428F6F490F44AF45BF1CD 4394C5F4D64321433384DD420076D2043457F02834F90 519F52A53C62535F546379CE7254C4321F4D5531362CA 156FFF503824709D16B54C4370F59E758D17B5AAF0382 54087054C43C7F59E637C722415E7F038228486521500 7D0FE2954C441EF6167532F6306071001A0EF0EB063E5 4758597D384751662F0382FA420740740EB054C44C4F5 9E75CA1CB6A2F6333560890746E21300790FE6563E411 90518F529F212A54965310FF552F563F72AC585553105 8DF59EF72ABFF5BF853105CAF5DBF72AB5FC65310685F F7696F72AB6B7A30708847FC720A2653FF54970DE082A F752F84C658560EF085DFF778BF84C55BF9317B4889AE 7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7 F0F52CF53DF26C5708F86DF955F7706FD2700312CAF8A 1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6

E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A  
7F925B8F996CDFACDF6EFFA658933FF7944F992F96673  
1970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9F  
FF7FA10FA218B520BF6FA3EFA4FFA60C32FFA6FFA80FC  
55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB2  
6FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF2  
6F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9F  
CCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75  
F9A38FF85A0E91FBC7FBD8F9E2958CFDF4FEEFFFAA209  
5C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0  
F924C684FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734  
E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29FFBB300  
D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1F  
FB2FAA3C0D30197FF7FE4FFF5F926A35013F024F1B8F0  
46FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A38  
0EE22A1F0E9F0FAF9E4712E2FF2DFF129F13AF2D46153  
F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFFB  
1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2  
D37829F2AFF87EE92F1DE372DC889AF8ABF9E2937890F  
32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F2  
86F4CC529EF4AEF59CF9A3838FF2DCF4E4F2FEF9E1A77  
8F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695  
FFDAA2D383E0F552F402F925B7ECF431F0771AF453C92  
B1636F6C6F72A074626C3B5C9E106485C01A679E116E8  
5C07830756530F5785F65CB8035798A7AA17A5F7B69FF  
79747B9279FF7DCF7D8D7D0F7B3F798FFA659ED038835  
A8471842F853979747F856283CF879F875D86DF850F88  
D4393F63508C248D8185A38D8092A22A5C54646560517  
074113368D17325BF40208EC670618F61716C3F741056  
5078A0E0A078A04DE06463B4746C90A07291A0AA30708  
F11C46175AE605C617390A09200A34E5093026E9256D96  
A06192C004746F9300646A757374F9E0A0676892F0E0A  
079015650790114697490B03090105C6E6F867155D16E  
306F7465209A70A994C0796C6DB0689E20749A70FF90F  
F920F931F942F953F836099006060C960417331741061  
6678A09E208B8FE19A106C6020673130CB807F98219BE  
09D949D318F9698309EE333DB67309ED26685D0A11263  
896073E039A0B36E70A109A2A47410736EE86578749D3  
173968078006E40B674A3D155E069780095E079A44247  
97504E7073E039393068B039FE366DD0A4A278408EC39  
DD19D319B903B73F0AE707697009730B2E06D699E6873  
E08F106E609730756EA8D15E659BC07880A4F99DF0449  
9B4201A504E6061896090B0682046E86F6E748EB4749D  
E05F50AC90AD5FF077A2409BE066AC905773E07874684  
267309BE090A0A7F06C979F106D00AE2472AE98666CAE  
062BAD70E00762B00772AE026362FF90A04EA0B1F2909  
1B26278309550789113B32497507065AE01736365BC6C  
6C98C1ADD0AD71B38173A840BF7810CEC1AC81C680AF2  
0B5E66CB5F5CE62B5F59940B6046467B6E6B8680F7B7E6  
9DA0B6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9  
F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486A6C475B0  
CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A  
0973062BC707880AC00A7A27FC6EFA998A5E475305920  
49C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FF

FCCA985E0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0  
DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD646A52AD  
0F173AC00C7C951973077D06D706F04E0D76F62456E40  
696C53975268B031B777838EF0F010767821971055D14  
0F99660776EE356A611E3F2E51385E0FE37F0D06F81A6  
0209604B50E8D1E5133FD055E513A645E5A4A3B04B603  
030CA39EC616DA4C16850BB90E9A395ABF2336B606DF8  
106B42955251EAE5537562EB5173A6F16CFA46FC3063E  
B5173F0BC80AAD15F50A86D6C4D4E6067EB3372EDB7D9  
8F114A63ED71BBB249B36078F0CF4EA0F8E0EB5195507  
44C6D90EB51A904A07279F091318EC378ED903E6EBE20  
E402F1B49DF0BE707470383A2F2FB47097A06E40732E5  
DD610635FF0E080AD702EE1012F45F43066FC60652F77  
780064BE2F4B50C370F513ED9077905C90A1B5B590778  
5E032F021F653686B32FFEB51EDC1AE80F013EDC1AF30  
F836EFF5B5EDC162F00367BDA096F0729571FFBE3004E  
0BB407410BB11AD10BB40B6D171AD706E626ABC6078F0  
A7F06FF663AD41ECB06B96D0A8409DE0FCD4FFA494007  
0C1518F00AC0096E1EAE0788038737973A490EFE18361  
6C793DAC0076ED9078A0FEB895916764F5A4D06178A26  
6FCA1E3D0EFD1B531FE7656410171A410ED905F509790  
AD10EE70C130B48003906CADCOA41295D0F7C4F07800D  
60178788077D0AC10EFD1F978A07361A840955002B3F1  
C105D17F0391F1C1B5905FF04E705F5096607853C130F  
2F06F7978F05CA41070FF9790781060309660BC31B6D0  
BC80FCC0CE64AC107830F1F06264B76096607FBC81B48  
0A491CD01A4929790BDE065F25C0390727AFCA2B860F7  
D295509D0C71680AB37110007167760D49FF0C01BE509  
550E6F00DB30EC40E73038277FE910DE110536A08A160  
20C4A076F94550776BB3516B6011B2B4705640EFC401F  
6F1F9E0B97265BDE01315A490F796E0A501000074E490  
95500BE0FC01FF14A7BE706E40BDA0BC809651F1E0BE7  
0FFBDE17821CCF0255020D0DE00F1E0C111FF09F2B351  
BA8014B012A1BB407830AD21FF14A178217810B911F1E  
0EAF10B210BE0F79660EAF1BBB0701712A3F090B0BDB0  
FFC4729550B482C111D8A1F4D0B490D661E7FF40B490B  
BA17070A960BB40BC61FE6960201A36A6025FF096E0E8  
F69650FF39107821A5D2BC304E1096608960AD10FFBD9  
2F4D0BC50A9C104D1EC309750A491EF5650BE209651B3  
516EEAE1AC9025B09FB4901A21B490E3D096516378BC8  
0FF95F0C9A195D0B3600981D8C024110871FB96609E20  
63F1F117129E202403BDA0BB9550B6E06825731472F30  
067BB72FDFED16302B016537820EB00263274300718F2  
288202B0747862785CFF1A50C5004E70A400BC5012A0F  
3610551FE6C17A1741009313D40E111A4D2C3F0CBA430  
8ED27701D1666D29B0E2B0FDFA8120F6D00F309642C3F  
0A4D034F0BF4E9008E096E0BB5085D095D06CA490EF6E  
4012A018B0F1E0759610DC42BB71FFA3D1FB11A9F1FAD  
59582A41078A0FC71FFA970B5900BE03183BC04309031  
73E8BA3F9730FC0397118EF0BD20FB016C76FF0351BD2  
1F3F0BD50361195F078103692FFB351EFD150A0F6F1A9  
70C1419711BD20F32A8095F0202EE3643616635036B2F  
FDC51371F382F393F36706730BD208F10EFFCC03B0F3C  
1F3D2F6C6B60BD20DB00F73ACF3F9F40A529398C6F903

E6F435FFD4085626E704CB1448F364355E0422FFF46FF  
480F491F366168D04A7236FF4BDF44CE44FD6D004A7  
F500F511F522F3661FF5B704F0F54AF55BF56C5F641B6  
30F640FFC1309550DC33BB72BA5FBB6FBC7FBD8FFFBE9  
FDADFC0CFDC5FC2EFC3FFC50FA3B17F6AF0D2CF646ADD  
A12501ACF0E68820725713806E3A6BE07880A40073510  
170792C20EDB0792E60386B6CE0F571382E603AE940AB  
404D1E2D6DD0E9106E1176B0474D54962DAF506DE129A  
B416369F4D10375B376B0555320262043837470608061  
292E0D0A5BB2F76BE278D06C3043AC00668078D01C216  
B765176702085E033714571452AFE7E743F735C5BA45C  
6F5D7F5E8F5F9FFF60AF95B65BB258C0E8C968CF69DF6  
AEFF770C1B482FE6120ADD097006D04E971FF7DBF7ECE  
A950D0F16AFDA77079B0B7D0DF7CDAADD0820F831F7FA  
F2070302B40CD8122648CD081506F2040F00561FFAFE0  
F4E0A4E077F0ADD0815372202CB1DA6E6D2050F4E014E  
063397086DFFF87EF849F85AE75D635D2081102529753  
0F77606CA07B00F0A061783236FFDD3092F1D8A0FD10D  
8D078D17BB19301FFD60778D12FE092F1A9689576C895  
9456FFA52678D1A640E98093C7A410B4801B20FF77519  
4BAD3A295DA9AD4C89562E197D9FF9AD493F46220A6C5  
99FF9B0F9C1FA544FF7D709DAA13828122E340A0DFA1E  
FA2FBEE32A3DFA4EFA2EC33A6EFA7FFA2ECE34A9FFAB  
0FA2EC35AD0FAE1FA2ECE36B01FB12FA2EC37B32FB43  
FA2EC6E38B63FB74FA2EC399EC3BA6633FFBAEC7A906F  
F0A3C4BCAFBDB8A6D4BEBFFBDB8A9E4C0CFBDB8ACF4C  
2DFBDB8B004FFC4EFBDB8B314C6FFBDB8B624C90FBDB8  
FFB934CB1FBDB8BC44B99FCD6364329DC8FF12A01B20B  
A80E4A09EDF9FEFCF1FBA84FFDE729DB970102FB1CCDB  
9CA49DE6ED41FF79026F81ECA001D062008BD0EA72D1E  
FFFD2FFD40FD516D79CEBE1FE50D696DA2F7FDB3FDC4F  
2070F6C0DD9C7B10057067DFDEEFDFFFE10FE2169D8C4  
52CB079B05D1F0073E3DFE4EF97D935BAEC547924C220  
476711E8E3E52E9DE650FB03D62E41540461E8EFED5FE  
5FFD72F7F9E24DE500AC1FE61F01FF12F97D936FD9D8C  
4C7B32DE500BB1F50FF61FF72DFFD79CF8F4F8F022B0F  
9CFFADFF75AE29C7FF8F4ED07FE7FFF8FF7A568B09DAA  
4DFD2BB0697A20F946A3B502DF03EFF7A5FE34057F068  
9A6D4079F08AFF7A5D09CDF0645FDE2072F0CFFF73C36  
0EFF1006F70BFF119FF74B37138F0681ED02107FFF161  
FF73C6DB0182F1935151F1ABFF74BBFBAEC18EAA9E41E  
9F1FAFBA84379D8CFA4458C06BFDDF239F24AFD79C722  
0FF93F02DB07910F94F27BF28CF2581E29CFF2AE726EF  
2CBF24BE056C2AE7024F314FC7F71F011FF9372041637  
2A09260FF199F35FFFBCF381F103339AF3ABF3BCFFF00  
DF01E83E8F3F9F40AF052F063F437FFF448F459F09EF0  
AFF48CF49DF4AEF0EAF8F0FBC4E1CED9FD805526576E8  
C0FFD1BF4F8FF20FCD094C3C1033D8F7561F8F572F583  
FE216BAEC51756F9240DF5B8F5C9F5DAFCD36625BC4992  
606C10FF5480600F611F506F136F14794E1F664FFF675  
F17CF18DC6A5F6B6F6C7F1C5F1D6CFF6F7F708F719F20  
EF21FC749F75AF76BFFF257F268879BF7ACF7BDF29CF2  
ADF7E9FFF7FAF80BF2E8F2F9C83EF84FF860F331FFF34  
2C890F8A1F8B2F37AF38BF8E531E3FFF8FBF3C3F3D4F8

8D993CF94DF412F423FFF8DF998BF99CF461F784F483F  
9DAF9EBFFF4B6FA0DF4D8FA2FFA40F50BFA62F52DCFFA  
84FA95F67DFAB7F69FCAD6FAE7F6CFFFFB09F6F1CB28F  
B39F721FB5BF743CB7AFFFB8BF773FBADF795CBCCFBDD  
F7C5F7D6FFF981FC25FC36F81AF82BF932FC73FC84FFF  
86FF880FCBAFCCBFCDCFC8C4F8D5FD0FFFFD20FBFAF919  
F92AF22BFD75F95DFD97FFF88CADB7FDC8F9ADF9BEF8D  
F9E06FE17FFF9FCFBFFFA1EFE55FE66FA51FE88FA73FF  
FEAAFEBBFAA6FEDDF52DCEFFFF10FAF8FFFF32F69FCF5  
1FF62FB4AFF84F6F1CFA3FFFB4FB9CFFD6F743CFF5F0  
06FBEEF028FFF795C047F058FC40FC51FDFCF0A0F0B1F  
FFC95FCA6FDADF0EEF0FFFCEAFCFBF135FFF146F157FD  
3FFD50F18AF19BF065FD94FF9DA5F20341E1F1F2FDDAF  
DEBF88E8FF232F243FE28FE39F8DF9281F292FE77FFF0  
7AFE99F2D0F2E1FECCF303FEFF325FFF336FF21F358F  
52DC37AF38BFF73F3ADFFF69FC3CCF3DDFFC5F3FFF6F1  
C41EF42FFFF017F451F743C470F481F069F4A3F795CFF  
4C2F4D3F0BBF0CCF277F51BF52CF110FFF121F228F569  
F57AF165F176F5B0F5C1FFF5D2F1BAF1CBF605F616F4E  
0F20FF220FFC203565CF66DF255F266F88E86ADFFF6BE  
F2A3F2B4F8DF96FCF70DF2F2F4F5FFF314F74BF75CF34  
7F77EF369F7A0F7B1FFF39CF7D3FAC8C7F5F806F3EEF8  
28FB1ACFF847F858F440F87AFB6CC899F8AAF492FFF8C  
CFBBEC8EBF8FCF4E4F91EFC10C93DFFF94EF536F547F6  
F2F996F9A7F58BF59CFFF6A3F9E4F9F5F5E0F5F1FA2BF  
A3CFA4DF7F635F646FA80FA91F95BF68AF69BF20FE36A  
D7FAE8F6D0F6E1FD098B28FB39FFF71EF72FFD5A9B77F  
B88F76DF970F78FFFFBC6FBD7F7C2FBF9F7E4FC1BFC2C  
F817FFFC4EFF43CC70FC81F869FCA3FF95CCC2FFFC3F  
8BBFCF5FFE7CD14FD25F90DFD47FFF039CD66FD77F95F  
FD99F08BCDB8FDC9FFF9B1F9C2FB6DFE11FE22FA06FA1  
7FB1EFFFFE5FFE70FA5BFA6CFEA6FEB7FEC8FAB0F4FAC1  
FEFBFF0CFDD667166F3F06D2C6174E874AFC631DE7C53  
750062746C6520456D707D3150733BF0F52FF63FF74FA  
FD532FDE87C491DD01DC0F1C0FA1FFB2FFC3F0DF7CE33  
E87CF9B552656665FE721DC01DB0003F014F025F0366B  
A6C3FFF36053F064F075F086FF2EC426FFA6F554054B0  
10F9F00B630357D43C104269626CAFE06772613DFFD07  
90B630DBF0393DE7C544F104320486531633B7D7D607B  
5C2A5C64F7C0FFF07483F3F0FF90303130353017A2963  
217A317603818043464F2D04037383664366309603280  
653533343135381A00E118E034633532C9E0B560C490F  
7C9E0EDB019A0331A801B5018041C0E07B04017A1BB10  
636631316590306131621DA0616517707B1E6F1F5C331  
DC0204117A00AF066F86630391CE621BF1841228D226D  
FF20E2250221E624EE2567276F287F298FFF2A9F2BAF2  
CBF2DCF2EDF2FEF30FF320FFF331F342F353F364F375F  
386F397F3A8FFF3B9F3CAF3DBF3ECF3FDF40EF41FF430  
FFF441F452F463F474F485F496F4A7F4B8FFF4C9F4DAF  
4EBF4FCF50DF51EF52FF540FFF551F562F573F584F595  
F5A6F5B7F5C6CFE645C6524F55E5F5F6F607F618F629F  
FF63AF64BF65CF66DF67EF68FF6A0F6B1FFF6C2F6D3F6  
E4F6F5F706F717F728F739FFF74AF75BF76CF77DF78EF  
79FF7B0F7C1FFF7D2F7E3F7F4F805F816F827F838F849

<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 7C15ABCFE6051740ABF0D32FD4D602410
<b>PidTagSensitivity</b>	0
<b>PidTagSentMailEntryId</b>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C280000
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	09:00:00.000 PM 5/28/2008
<b>PidTagSubject</b>	Canceled: Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	Canceled:
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:CANCEL
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Standard Time
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3

```

TZOFFSETFROM:-0800  
 TZOFFSETTO:-0700  
 END:DAYLIGHT  
 END:VTIMEZONE  
 BEGIN:VEVENT  
 ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com  
 ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com  
 ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com  
 CLASS:PUBLIC  
 CREATED:20080208T213455Z  
 DESCRIPTION:When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room  
 123\n\n\*\*\*\*\*  
 \*\n\nCancelling the May 28th meeting due to a conflict with the  
 Company Picnic.\n  
 DTEND;TZID="Pacific Standard Time":20080528T143000  
 DTSTAMP:20080208T213456Z  
 DTSTART;TZID="Pacific Standard Time":20080528T140000  
 LAST-MODIFIED:20080208T213456Z  
 LOCATION:Conference Room 123  
 ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
 PRIORITY:1  
 RECURRENCE-ID;TZID="Pacific Standard Time":20080528T140000  
 SEQUENCE:0  
 SUMMARY;LANGUAGE=en-us:Canceled: Fabrikam Project Status Meeting  
 TRANSP:TRANSPARENT  
 UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000  
 010000000622C639E40D09342B747A1672730CBBA  
 X-ALT-DESC;FMTTYPE=text/html:



\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
 Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
 Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
 FACE="Calibri">When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00)  
 Pacific Time  
 (US & Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN  
 LANG="en-us">  
 <FONT FACE="Calibri">Where: Conference Room  
 123</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN  
 LANG="en-us"><FONT  
 FACE="Calibri">\*\*\*\*\*</FONT></  
 SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
 FACE="Calibri">Cancelling  
 the May 28</FONT></SPAN><SPAN LANG="en-us"><SUP><FONT  
 FACE="Calibri">th</  
 FONT></SUP></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri"> meeting  
 due to  
 a conflict with the Company Picnic.</FONT></SPAN><SPAN LANG="en-  
 us"></SPAN  
 ></P>\n\n</BODY>\n</HTML>  
 X-MICROSOFT-CDO-BUSYSTATUS:FREE

X-MICROSOFT-CDO-IMPORTANCE:2  
X-MICROSOFT-DISALLOW-COUNTER:FALSE  
X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
X-MS-OLK-APPTSEQTIME:20080208T213320Z  
X-MS-OLK-AUTOSTARTCHECK:FALSE  
X-MS-OLK-CONFTYPE:0  
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
END:VEVENT  
END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	09:30:00.000 PM 5/28/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentSequence</b>	0
<b>PidLidAppointmentStartWhole</b>	09:00:00.000 PM 5/28/2008
<b>PidLidAppointmentStateFlags</b>	7
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentSequenceTime</b>	09:33:20.000 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidBusyStatus</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidCommonEnd</b>	09:30:00.000 PM 5/28/2008
<b>PidLidCommonStart</b>	09:00:00.000 PM 5/28/2008
<b>PidLidConferencingType</b>	0
<b>PidLidExceptionReplaceTime</b>	09:00:00.000 PM 5/28/2008
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C30466 42B576AC801000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIsException</b>	TRUE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidLocation</b>	Conference Room 123
<b>PidLidMeetingType</b>	524288
<b>PidLidOwnerCriticalChange</b>	09:34:56.000 PM 2/8/2008
<b>PidLidRecurring</b>	FALSE
<b>PidLidReminderDelta</b>	1080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	03:00:00.000 AM 5/28/2008
<b>PidLidReminderTime</b>	09:00:00.000 PM 5/28/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidWhere</b>	Conference Room 123
<b>PidNameContentTransferEncoding</b>	7bit



<b>ng</b>	
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	09:38:03.000 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F0 0000E4080
<b>PidTagConversationTopic</b>	Canceled: Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:46:20.655 PM 2/8/2008
<b>PidTagEndDate</b>	09:30:00.000 PM 5/28/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	1033
<b>PidTagImportance</b>	2
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000101c86a9a\$e4bae2e0\$ae30a8a0\$@com>
<b>PidTagInternetReturnPath</b>	eandersen@contoso.com
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Canceled
<b>PidTagMessageDeliveryTime</b>	09:38:09.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	6298
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Canceled: Fabrikam Project Status Meeting
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagReceivedBySearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: 24052000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 1049 lpb: 15040000430D00004C5A467505CAF70503000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B5335B044614473012BF02003403C643F9074 069620510028011C308EF09F7B63B1A1F0E303511B20C 60630050330B090164333616E00BA534205910822A5C0 EB20190671EC03300203C21444F435459005045204854 4D4C20005055424C49432022402D2F2F5733432180444 454442094332E32218045F84E223E11C31F371FE00AA3 231CFC31391FF020A2230D14D0241F23D1E31ED025704 54144230D0EF126EF050E10360EF03C4D455441C507B0 412B103D224709F0049014617405B02216F04F4E544D2 2D0542BA005E1457814616EF4676506527613112DF100 900220402030382E30302ED0367438312ED13022FE297

	F25033782371FF05449544C4525CEA6340EF0246D3835 1FF02F323F7F306F1F55338134D0284F269F1F6435C11 6E03C424F4459230D1E4147393F1FB13A61212D2D16F1 6E552DF1740980200352203E0078FC742F00213E3005B 000C005403D702F3ADF3BEF408F1F6436281150208044 49523D4C54522300BF1F433EE2000044451E4144465C1 F80CE720AB1460214605C71032144E7051EFB38281153 50414E201A4C48E0472BA009F02D75734722F1443F478 E3134381FF046E12C81204641432B9118B549CCD31810 4709576809F03A4F100980C12BE0736461792C05D04FF 078203238501001D02EB050603A532EE020E04D2D5100 335132206028474D542D2EB05111296F20E000D006900 DE020076251F055C305F047BE26616D70028049F72626 44D818A16E614FE0292EF9247C353634C14C5249D949E 7479DFE3914D034D048C2587F452B0AA259287F0A8145 870AB15DF8479D01C034C150FF3FBF421F61AF42EF43F F450F461F5F1FFF483F494F4A5F4B6F4C7F4D8F4E9A1A 20CB4F603DA16670616E632DA00800FB3E610E2033570 F581F592F5A3F736FFF5C5F5D6F5E7F5F8F609F62FF7C 4F63CFFF64DF65EF66FF680F691F6A2F805F6C4FE76D5 F6E6F4E5B2A7E8B2F71EF72FFF740F751F8DDF773F78 4F795F7A6F7B7FFF7DDF96BF7EAF7FBF80CF81DF82EF8 3FFFF850F9ACF872F883F894F4E5B56817130FE6C18D0 2D803E804F3050258C5F8D6FFF8E7F8F8FA86FA97F9EF FA00FABEFACF8C6559611AEB97375701311AF5FFFA21F A32FA43F9B93A640A6EFA7FFABCFFFAA1BB11BB93FAA1 FBB4FBC5FAD4FAE5FFFBEFCFB38FB49FB5AF5633078014 B0A60286640A503E806F20612005A0FB70D018D063054 003F0A640A6330850B754F000705050500DE003006356 FFFFB81FBE9FBCEFCB6FCC7FC01FC12FCEEFFFFCD3FCE4 F91BF92CF93DF94EF95FF985FF7DAAF39C8C3C12F3A9F 38EF1F6532010B37C025937DE120
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: C048B5D02653A341AD26DE38FC05E1B4
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041 006E00640065007200730065006E00000053004D00540 050000000650061006E00640065007200730065006E00 400063006F006E0074006F0073006F002E0063006F006 D000000
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000

<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearch Key</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	09:00:00.000 PM 5/28/2008
<b>PidTagSubject</b>	Canceled: Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Canceled: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000101c86a9a\$e4bae2e0\$ae30a8a0\$@com> MIME- Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content- Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmQDagHwAADkCA Content- Language: en-us Importance: High

### 3.4.3 Organizer's Location Change of an Instance

Elizabeth realizes that she mistyped the Conference Room number, and sends out a meeting update.

The following are the properties on the Calendar object that Elizabeth sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAllAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	10:30:00.000 PM 2/13/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentProposalNum</b>	0

<b>ber</b>	
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 84 lpb: 043004300B2001000000C0210000010000000000000000 8000000232000000A00000000000000001000000A08DC5 0C00000000003FC30CDF80E95A0630000009300000480 30000660300000000000000000000000000000000000000
<b>PidLidAppointmentSequence</b>	1
<b>PidLidAppointmentStartWhole</b>	10:00:00.000 PM 2/13/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAppointmentSequenceTime</b>	09:33:20.275 PM 2/8/2008
<b>PidLidAttendeeCriticalChange</b>	09:36:00.420 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	1
<b>PidLidCalendarType</b>	1
<b>PidLidCcAttendeesString</b>	
<b>PidLidChangeHighlight</b>	136
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC8010000000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	11:59:00.000 PM 8/31/4500
<b>PidLidClipStart</b>	08:00:00.000 AM 2/13/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	10:30:00.000 PM 2/13/2008
<b>PidLidCommonStart</b>	10:00:00.000 PM 2/13/2008
<b>PidLidConferencingType</b>	0
<b>PidLidContactLinkName</b>	
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFExceptionalAttendees</b>	FALSE
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC8010000000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIntendedBusyStatus</b>	2
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidIsSilent</b>	FALSE
<b>PidLidLocation</b>	Conference Room 1234
<b>PidLidMeetingType</b>	131072
<b>PidLidMonthInterval</b>	0
<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	Conference Room 123

<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	09:36:00.420 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	every Wednesday from 2:00 PM to 2:30 PM
<b>PidLidRecurrenceType</b>	2
<b>PidLidRecurrenceType</b>	48
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	1525252321
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidReminderTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZone</b>	13
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000 20000000000000000000000000300000002000200000000 000000
<b>PidLidToAttendeesString</b>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<b>PidLidWeekInterval</b>	1
<b>PidLidWhere</b>	Conference Room 1234
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	09:36:00.545 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F0

	00017DD50
<b>PidTagConversationTopic</b>	Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:36:00.374 PM 2/8/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	10:30:00.000 PM 2/13/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295
<b>PidTagImportance</b>	1
<b>PidTagInternetMailOverrideFormat</b>	1441792
<b>PidTagInternetCodepage</b>	28591
<b>PidTagLastModificationTime</b>	09:36:00.561 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Request
<b>PidTagMessageDeliveryTime</b>	09:36:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	11174
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.comeandersen@contoso.com
<b>PidTagNormalizedSubject</b>	Fabrikam Project Status Meeting
<b>PidTagOriginalAuthorName</b>	
<b>PidTagOriginalSensitivity</b>	0
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE
<b>PidTagOwnerAppointmentId</b>	3249022936
<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: A4062000
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 5832 lpb: C41600003D5D00004C5A46755D154F9907000601010B6 06E6731303266350064007263700DD00E00321D0C6063 0D4401340131737473E26805706263681035090010C03 433371044680EB0118762699311910D77333313166665 1393F87468650780135714C7145001403914C7637301E 802A412D064698F0336020010C00AC073657402D15070 72713200002A0AA16E5A6F1940200DF01A913613A0303 83530341B1101D01B00347DF3076D02833334180F191F 1A281B42C71B041AE21FE17D436106D00721FD05D0611 4C01CD411A01D5603E31E2F3F19FB01301B621AA21B40 20C66C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3 E27010050275F286F297F2A8F2B9FFF0F202CCF2DDF1F 7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F3 92F3A3FFF3B4F3FA00E103C9F3DAF3EBF3FCF40DFFE36 225F430F247F258F26982248428F6F490F44AF45BF1CD 4394C5F4D64321433384DD420076D2043457F02834F90 519F52A53C62535F546379CE7254C4321F4D5531362CA 156FFF503824709D16B54C4370F59E758D17B5AAF0382 54087054C43C7F59E637C722415E7F038228486521500 7D0FE2954C441EF6167532F6306071001A0EF0EB063E5 4758597D384751662F0382FA420740740EB054C44C4F5 9E75CA1CB6A2F6333560890746E21300790FE6563E411

90518F529F212A54965310FF552F563F72AC585553105  
8DF59EF72ABFF5BF853105CAF5DBF72AB5FC65310685F  
F7696F72AB6B7A30708847FC720A2653FF54970DE082A  
F752F84C658560EF085DFF778BF84C55BF9317B4889AE  
7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7  
F0F52CF53DF26C5708F86DF955F7706FD2700312CAF8A  
1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6  
E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A  
7F925B8F996CDFACDF6EFA6589333FF7944F992F96673  
1970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9F  
FF7FA10FA218B520BF6FA3EFA4FFA60C32FFA6FFA80FC  
55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB2  
6FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF2  
6F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9F  
CCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75  
F9A38FF85A0E91FBC7FBD8F9E2958CFDF4FEEFFFAA209  
5C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0  
F924C684FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734  
E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29FFBB300  
D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1F  
FB2FAA3C0D30197FF7FE4FFF5F926A35013F024F1B8F0  
46FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A38  
0EE22A1F0E9F0FAF9E4712E2FF2DFF129F13AF2D46153  
F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFFB  
1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2  
D37829F2AFF87EE92F1DE372DC889AF8ABF9E2937890F  
32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F2  
86F4CC529EF4AEF59CF9A3838FF2DCF4E4F2FEF9E1A77  
8F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695  
FFDAA2D383E0F552F402F925B7ECF431F0771AF453C92  
B1636F6C6F72A074626C3B5C9E106485C01A679E116E8  
5C07830756530F5785F65CB8035798A7AA17A5F7B69FF  
79747B9279FF7DCF7D8D7D0F7B3F798FFA659ED038835  
A8471842F853979747F856283CF879F875D86DF850F88  
D4393F63508C248D8185A38D8092A22A5C54646560517  
074113368D17325BF40208EC670618F61716C3F741056  
5078A0E0A078A04DE06463B4746C90A07291A0AA30708  
F11C46175AE605C617390A09200A34E5093026E756D96  
A06192C004746F9300646A757374F9E0A0676892F0E0A  
079015650790114697490B03090105C6E6F867155D16E  
306F7465209A70A994C0796C6DB0689E20749A70FF90F  
F920F931F942F953F836099006060C960417331741061  
6678A09E208B8FE19A106C6020673130CB807F98219BE  
09D949D318F9698309EE333DB67309ED26685D0A11263  
896073E039A0B36E70A109A2A47410736EE86578749D3  
173968078006E40B674A3D155E069780095E079A44247  
97504E7073E039393068B039FE366DD0A4A278408EC39  
DD19D319B903B73F0AE707697009730B2E06D699E6873  
E08F106E609730756EA8D15E659BC07880A4F99DF0449  
9B4201A504E6061896090B0682046E86F6E748EB4749D  
E05F50AC90AD5FF077A2409BE066AC905773E07874684  
267309BE090A0A7F06C979F106D00AE2472AE98666CAE  
062BAD70B00762B00772AE026362FF90A04EA0B1F2909  
1B26278309550789113B32497507065AE01736365BC6C

6C98C1ADD0AD71B38173A840BF7810CEC1AC81C680AF2  
0B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E6  
9DA0B6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9  
F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486A6C475B0  
CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A  
0973062BC707880AC00A7A27FC6EFA998A5E475305920  
49C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FF  
FCCA985E0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0  
DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD646A52AD  
0F173AC00C7C951973077D06D706F04E0D76F62456E40  
696C53975268B031B777838EF0F010767821971055D14  
0F99660776EE356A611E3F2E513E8C0FD753039E8C0E5  
13D055E66563405400FF6F90A609E5136D03DF08D800  
120EC61726DA4C16850BB90E9A3ABF233656B606DF810  
6B429552EAE553947562EB5173A6F16C46FC303E63EB5  
173F0BC80AAD15F506D6C6A4D4E6067EB3372EDB78F11  
4AF663ED71BBB249B36078F04EA0F8E073EB519550744  
C6D90EB5104A072AA79F091318EC378ED906EBE200FE4  
02F1B49DF0BE7074703A2F4E2FB47097A06E40732ED61  
063575FF0E080AD702EE1012FF4306691FC60652F7778  
00642F4B506FC370F513ED9077905C90A1B59077EF85E  
0E94078A0F653686B32EB51EDC17FAE80F013EDC1AF30  
F836EFF5EDC162EDF00367BDA096F0729571BE3004E07  
FBB407410BB11AD10BB40B6D1AD706E9C626ABC6078F0  
A7F06F63AD41FDECB06B96D0A8409DE0FCD4A49400703  
FC1518F00AC0096E1EAE0788073794E73A490EFE18361  
6C79AC00764FED9078A0FEB895916764A4D061BD78A26  
6FCA1E3D0EFD1B531765641BF0171A410ED905F509790  
AD1070C130FBB48003906CADC0A41295D0C4F078007DD  
60178788077D0AC10EFD178A073FE61A840955002B3F1  
C105D10391F1C1DFB5905FF04E705F50966078C130F2F  
0D46F7978F05CA4107097907810BF60309660BC31B6D0  
BC80FCC064AC10F37830F1F06264B7609660BC81B4809  
FA491CD01A4929790BDE0655C03907C727AFCA2B860F7  
D295500C7168E70AB37110007167760D490C01BE50FF9  
55011200DB30EC40E730382FE910DE15D10536A08A160  
20C4A076455077FE6BB3516B6011B2B4705640C401F6F  
1FBF9E0B97265BDE01315A49096E0A501FD000074E490  
95500BE0FC0114A7BE70FF6E40BDA0BC809651F1E0BE7  
0BDE17821FFCCF0255020D0DE00F1E0C11109F2B351FF  
BA8014B012A1BB407830AD2114A17821FF7810B911F1E  
0EAF10B210BE09660EAF1FDBBB0701712A3F090B0BDB0  
C4729550FFB482C111D8A1F4D0B490D661FF40B490B9B  
BA17070A960BB40BC61696020BF1A36A6025FF096E0E7  
76A400777821FFA5D2BC304E1096608960AD10BD92F4D  
0FFBC50A9C104D1EC309750A4915650BE20FB9651B351  
6EEAE1AC9025B0B4901A21E7B490E3D096516378BC809  
5F0C9A1FF95D0B3600981D8C02401087196609E20FE63  
F1F117129E2023F3BDA09550B6E06E6825631472F3006  
7BB72FED163FF02B016537820EB002622743018F22872  
C102B0747862785C1A50C500BF4E70A400BC5012A0F36  
105516C17A1FF741009313D40E111A4D2C3F0A4308ED2  
727701D1666D29A0E2B0FA8120FFE9400F309642C3F0A  
4D034F04E9008E0EF96E0BB5085D095D06CA4906E4012



A0FB18E0F1E0759610DC42BB71A3D1FB11FFA9F1FAD59  
582A41078A0FC71A970B590FF0BE03173BC0430803163  
E73AFF70FC12CF97118EF0BD20FB016C760351BD21FFF  
3F0BD5035F195F078103672B351EFD1FF50A0F6F1A970  
C1419711BD202A7095F0FC202EE36435F663503692DC5  
136FFFF380F391F36506730BD208F10FCC03AEFFB3BFF  
3D0F6C6B60BD20DB003AAF3F7F7D408529396C6F903E4  
F433F406562FF6E704CB1446F362355B0420F46DF47EF  
FF48FF364168D04A5236DF4BBF4CCF44DDFF6D004A5F4  
FEF50FF520F36415B704EEFFF548F559F56A5F641B630  
F640C1309550FFDC33BB72BA5FBB6FBC7FBD8FBE9FDAD  
FFFC0CFDC5FC2EFC3FFC50FA3B16AF0D2CF9F644ADDA1  
24F1ACF0E8C920571380C06E3A204F63632F206DC0DF0  
231F1106BD07880A4007301706CF08F8F2066605DC0A8  
32322F31F5A0D9F571382074322E503AF580AB402C4D2  
060306F31336F732847584D542DAF506F5129AB41630E  
69F4D175B376B0555320260C20437470606061292E0DD  
E0A5B926BD278D06C2043AC006660FF78D01C2176516F  
1185E0EAB072E572E5FC2A7E75EF750C5B845C4F5D5F5  
E6FFF5F7F608F95B65B9258A0D02968BF69CFFD6ADF28  
73C0B7D0FB11A9E140D0B4017F6FD05C21ADD0970073C  
E7BC1FF2072B229750C48656CF0EC612C750CE24C2B31  
72717596E26C9071D0FD2B302030B06CAF6FC1FF501C2  
088B27FAC0083A358812F106C90F43083A346B3C99066  
F06B616F20E9F06F11309779D072D672E55440116B738  
6B6FA4502D07AC9902F41E9717F5F806FFF6AFCA7707B  
60B7D0D029778635B208113F0252975379106D607CB0F  
0A06178FC3236DD309521D8A0FD10D8D07A81FF7D6195  
31D6077A812FD09521A96897A6FFC8959686A5267A81A  
640E98095F7A410FFB4801B20790196EAD3A2980A9D04  
C895FF62C19A099D0496246200A6C59C2F9D3FFB9E4FA  
544399FCB1382FE6174B0A0F377A34FA45FA56732A60F  
A71FA51C3377A91FAA2FA51C34AC2FAD3FA51C3577AF3  
FB04FA51C36B24FB35FA51C3777B55FB66FA51C38B86F  
B97FA51C39FFA0F3BC96E6209FCB7C407190A5F4BEDFF  
FBFE8A904C0EFBFE8AC14C2FFBFE8AF24FFC50FBFE8B2  
34C71FBFE8B544C92FBFE8FFB854CB3FBFE8BB64CD4FB  
FE8BE74BBCFFFCF9364129FF812A01B20BCB0E4A0A10F  
FFA21FD14FBCB4DE729FE971B02FA1CF0BFF9ED4A016E  
D417AB27121ECA001D061E0FE688BE00571D41FD52FD6  
3FD956D9CCFFEBE1FE50D8C6DC5FDD6FDE7F8330F6C0F  
7DFCC7CC0057067E11FE22FE33FE446DD9FBC452CA07B  
601F0073E60FE71FCF9A096B80D7DC24B2204766F1EB1  
3DBE75EA0165003D62E31540461EB1FFFFEF8FE82FD95F  
A054E0800AC1FE61F24FEBF35F9A09369FBC4C7CE2E08  
00BB1FFF73FF84FF95DD9CCFB24FB2022A0FBFFFFFFD0F  
F98AE4CCFB24EF3700AF01BFF9D5EB68909FDA4D2BA06  
97BD0FB76A5E5F7050F061FF9D53407AF08B9A90409CF  
FF0ADFF9D5D2CC08750012095F0F2FF96CBF6BC0113F1  
2450E2F13CFF97B3715BFFF08B1EF3212AF184FF96C6E  
D01A5F1B65FF174F1CEFF97BBD1C1B1AC4A420CF21DFD  
5BCB4379FBC4458A06B000F25CFCF26DFD9CC73C09620  
7266DAE0FB7FFF29EF2AFF27B1E4CC2D17291F2EEF26E  
E7F079C2D17047F337FF94F034FFB6720FE416C505941

1BCF382FFDFF3A4F1263FF3BDF3CEF3DFF030F041840B  
F41CF42DFFF075F086F45AF46BF47CF0C1F0D2F4AFF7F  
4C0F4D1F10DF11EC504CEFCFDA3552FF6CB0EAF0D3EF5  
1BFF43FCF394E6C1263BFDB27584F595F5A6FE446235C  
518802DF5DBF5ECF5FDFCF6627EC4994906C00FF56B06  
23F634F529F159F16A9504F687FFF698F19FF1B0C6C8F  
6D9F6EAF1E8F1F9CFF71AF72BF73CF231F242C76CF77D  
F78EFFF27AF28B87BEF7CFF7E0F2BFF2D0F80CFFF81DF  
82EF30BF31CC861F872F883F354FFF365C8B3F8C4F8D5  
F39DF3AEF9083206FFF91EF3E6F3F7F8E0995FF970F43  
5F446FFF90299AEF9BFF484F7A7F4A6F9FDFA0EFFF4D9  
FA30F4FBFA52FA63F52EFA85F550CFFAA7FAB8F6A0FAD  
AF6C2CAF9FB0AF6F2FFF2CF714CB4BFB5CF744FB7EF7  
66CB9DFFFBAEF796FBD0F7B8CBEFFC00F7E8F7F9FFF9A  
4FC48FC59F83DF84EF955FC96FCA7FFF892F8A3FCDDFC  
EEFCFFF8E7F8F8FD32FFFD43FC0DF93CF94DF24EFD98F  
980FDBAFF8AFADDAFDEBF9D0F9E1F9029E29FE3AFFFA  
1FFC22FA41FE78FE89FA74FEABFA96FFFECDFEDEFAC9F  
F00F550CF22FF33FB1BFFFF55F6C2CF74FF85FB6DFFA7  
F714CFC6FFFFD7FBBFFFF9F766C018F029FC11F04BFFF  
7B8C06AF07BFC63FC74FE1FF0C3F0D4FFFCB8FCC9FDD0  
F111F122FD0DFD1EF158FFF169F17AFD62FD73F1ADF1B  
EF088FDB7FF9DC8F2034204F215FDFDFE0EF8B18FF255  
F266FE4BFE5CF90292A4F2B5FE9AFF09DFEBC2F3F30  
4FEEFF326FF11F348FFF359FF44F37BF550C39DF3AEFF  
96F3D0FFF6C2C3EFF400FFE8F422F714C441F452FFF03  
AF474F766C493F4A4F08CF4C6F7B8CFF4E5F4F6F0DEF0  
EFF29AF53EF54FF133FFF144F24BF58CF59DF188F199F  
5D3F5E4FFF5F5F1DDF1EEF628F639F503F232F243FFC2  
03567FF690F278F289F8B186D0FFF6E1F2C6F2D7F9029  
71FF730F315F518FFF337F76EF77FF36AF7A1F38CF7C3  
F7D4FFF3BFF7F6FAEBC818F829F411F84BFB3DCFF86AF  
87BF463F89DFB8FC8BCF8CDF4B5FFF8EFFBE1C90EF91F  
F507F941FC33C960FFF971F559F56AF715F9B9F9CAF5A  
EF5BFFFF6C6FA07FA18F603F614FA4EFA5FFA70F7F658  
F669FAA3FAB4F97EF6ADF6BEF20FE36AFAFB0BF6F3F70  
4FD2C8B4BFB5CFFF741F752FD7D9B9AFBABF790F993F7  
B2FFFBE9FBFAF7E5FC1CF807FC3EFC4FF83AFFFC71FF6  
6CC93FCA4F88CFCC6FFB8CCE5FFFCF6F8DEFD18F00ACD  
37FD48F930FD6AFFF05CCD89FD9AF982FDBCFOAECDDBF  
DECFFF9D4F9E5FB90FE34FE45FA29FA3AFB41FFFFE82FE  
93FA7EFA8FFEC9FEDAFAEEBFAD3F4FAE4FF1EFFF2FFDF96  
7166F6206D2C6174EAA4B1F631E0AC53750062746C652  
0456D707D3380733E20F75FF86FF97FB20532FDEAAC49  
20001FF0F3F0FC4FFD5FFE6F0DF9FE33EAACFBE552656  
665FE721FF01FE0026F037F048F0596BC9C3F0166076F  
087F098F0A9FF51C426FFA6F577054B240FC200D93058  
7D66C104269626CB2106772613D0200790D930FEF05C3  
E0AC544F104320486533933B7D7D607B5C2A5C649F9F00  
2207483F62001C0303130353019D2963219D31690381A  
343464F500403738366436630B9032806535333431353  
81C30E11B1034633532CC10B790C6C0F7CC10EFE01BD0  
331CB01D801A341E3E07B27019D1F0A06366313165903  
06131621FD0616519A07B209F218C331FF0227119D00D

	2066F86630391F1623EF1A7124BD249DFF23122732241 6271E2797299F2AAF2BBFFF2CCF2DDF2EEF2FFF310F32 1F332F343FFF354F365F376F387F398F3A9F3BAF3CBFF F3DCF3EDF3FEF40FF420F431F442F453FFF464F475F48 6F497F4A8F4B9F4CAF4DBFFF4ECF4FDF50EF51FF530F5 41F552F563FFF574F585F596F5A7F5B8F5C9F5DAF5E9C FE645E952725608F619F62AF63BF64CFFF65DF66EF67F F690F6A1F6B2F6C3F6D4FFF6E5F6F6F70F718F729F73 AF74BF75CFFF76DF77EF78FF7A0F7B1F7C2F7D3F7E4FF F7F5F806F817F828F839F84AF85BF86CFFF87DF88EF89 FF8B0F8C1F8D2F8E3F8F4FFF905F916F927F938F949F9 5AF96BF97CFFF98DF99EF9AFF9C0F9D1F9E2F27331CB0 A71F2127819FD237341A043419C1FE3622A1A052EFE0A 0312362A21FA32FFFA43FA54FA65F1A711F4219C19E8F 5FB6A263E090643938A9F062AA1056331C811C4039182 0661B90647D1C21621FF0288FAC061A211FF139F1AD70 613661AA801990281FAF1FFFB02FB13FB24FB35FB46FB 57FB68F292FFFB88CB70FBA9FBBAFBCBFBDCFBEDFBFEF FFC0FFC20FC31FC42FC53FC64FB76FC86FFFB98FCA8FC B9FCCAFCDDBFCECFDFD0EFFF1FFD30FD41FD52FD63F C75FD85FC97FFFDA7FDB8FDC9FDDAF25DE19C4DE95189 00200E0C0
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: D1EFB48D0B6B7E438A4F2517C2FB204A
<b>PidTagSensitivity</b>	0
<b>PidTagSentMailEntryId</b>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800 000
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 000456C697A616265746820416E64657273656E00534D 54500065616E64657273656E40636F6E746F736F2E636 F6D00
<b>PidTagSentRepresentingName</b>	Elizabeth Andersen
<b>PidTagSentRepresentingSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagStartDate</b>	10:00:00.000 PM 2/13/2008
<b>PidTagSubject</b>	Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
```

TZID:Pacific Time (US & Canada)  
BEGIN:STANDARD  
DTSTART:16011104T020000  
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11  
TZOFFSETFROM:-0700  
TZOFFSETTO:-0800  
END:STANDARD  
BEGIN:DAYLIGHT  
DTSTART:16010311T020000  
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3  
TZOFFSETFROM:-0800  
TZOFFSETTO:-0700  
END:DAYLIGHT  
END:VTIMEZONE  
BEGIN:VEVENT  
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com  
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com  
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com  
CLASS:PUBLIC  
CREATED:20080208T213600Z  
DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM t  
o 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference  
Room  
1234\n\n\*~\*~\*~\*~\*~\*~\*~\*~\*~\*\n\n(Corrected a typo in the Conference  
Room nu  
mber)\n\nHey all,\n\nLet's meet up every Wednesday to sync up on  
the st  
atus of the Fabrikam Project.\n\nThanks,\n\nElizabeth\nDTEND;TZID="Pacific Time (US & Canada)":20080213T143000  
DTSTAMP:20080208T213600Z  
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000  
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000  
LAST-MODIFIED:20080208T213600Z  
LOCATION:Conference Room 1234  
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
PRIORITY:5  
RRULE:FREQ=WEEKLY;BYDAY=WE  
SEQUENCE:1  
SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting  
TRANSP:OPAQUE  
UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000  
010000000622C639E40D09342B747A1672730CBBA  
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E  
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange  
Server ve  
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!--  
Converted f  
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT  
FACE="Calibri">When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to  
2:30  
PM (GMT-08:00) Pacific Time (US & amp\  
Canada).</FONT></SPAN></P>\n\n<P DI

```

R=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Where: Conference Room
1234<
 /FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calibri">*~
***~***~***~***~**</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-
us"><FONT
FACE="Calibri">(Corrected a typo in the Conference Room
number)</FONT></S
PAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey
all\, </
FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calibri">Let
's meet up every Wednesday to sync up on the status of the Fabrikam
Proj
ect.</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="Calibr
i">Thanks\, </FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT
FACE="
"Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-
us"></SPAN></P>\n\n</BODY>
\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080208T213320Z
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Shu receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAllowExternalCheck</b>	TRUE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	02:30:00.000 PM 2/13/2008
<b>PidLidAppointmentNotAllowPropose</b>	FALSE
<b>PidLidAppointmentRecur</b>	cb: 84 lpb: 043004300E2001000000C02100000100000000000000 8000000232000000A0000000000000001000000A08DC5 0C00000000003FC30CDF80E95A0630000009300000480 3000066030000000000000000000000000000000
<b>PidLidAppointmentSequence</b>	1
<b>PidLidAppointmentStartWhole</b>	02:00:00.000 PM 2/13/2008
<b>PidLidAppointmentStateFlags</b>	3

<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentSequenceTime</b>	09:33:20.000 PM 2/8/2008
<b>PidLidAutoStartCheck</b>	FALSE
<b>PidLidBusyStatus</b>	1
<b>PidLidChangeHighlight</b>	0
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	11:59:00.000 PM 12/31/4500
<b>PidLidClipStart</b>	12:00:00.000 AM 2/13/2008
<b>PidLidCommonEnd</b>	02:30:00.000 PM 2/13/2008
<b>PidLidCommonStart</b>	02:00:00.000 PM 2/13/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	TRUE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIntendedBusyStatus</b>	2
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidLocation</b>	Conference Room 1234
<b>PidLidMeetingType</b>	1
<b>PidLidOwnerCriticalChange</b>	09:36:00.000 PM 2/8/2008
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	15
<b>PidLidReminderSet</b>	TRUE
<b>PidLidReminderSignalTime</b>	09:45:00.000 PM 2/13/2008
<b>PidLidReminderTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidResponseStatus</b>	5
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000 200000000000000000000000030000000200020000000 000000
<b>PidLidWhere</b>	Conference Room 1234
<b>PidNameContentTransferEncoding</b>	8bit
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagBody</b>	Err:0x8007000E=MAPI_E_NOT_ENOUGH_MEMORY
<b>PidTagBodyHtml</b>	Err:0x8004010F=MAPI_E_NOT_FOUND
<b>PidTagClientSubmitTime</b>	09:38:03.000 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F0 00017DD50
<b>PidTagConversationTopic</b>	Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:46:20.342 PM 2/8/2008
<b>PidTagEndDate</b>	02:30:00.000 PM 2/13/2008
<b>PidTagHasAttachments</b>	FALSE

<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000001c86a9a9a\$e4972e40\$adc58ac0\$@com>
<b>PidTagInternetReturnPath</b>	eandersen@contoso.com
<b>PidTagLastModificationTime</b>	09:46:20.795 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Request
<b>PidTagMessageDeliveryTime</b>	09:38:09.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	6205
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Fabrikam Project Status Meeting
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	sito@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 0005368752049746F00534D5450007369746F40636F6E 746F736F2E636F6D00
<b>PidTagReceivedByName</b>	Shu Ito
<b>PidTagReceivedBySearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: 04052000
<b>PidTagReplyRequested</b>	TRUE
<b>PidTagResponseRequested</b>	TRUE
<b>PidTagRtfCompressed</b>	cb: 1258 lpb: E60400000D1200004C5A4675C8A0DFDB03000A0072637 0673132358232034368746D6C310331F8626964040003 30010301F70A80FF02A403E4071302801083005004560 8559F07B211B50E510301020063680AC0707365743206 0006C311B533DB044614473012BF02003403C5165AF90 74069620510028011C308EF09F7B63B1ABF0E303511B2 0C60630050330B090164333616E00BA534205910822A5 C0EB20190671F603300203C21444F4354590050452048 544D4C20005055424C49432022402D2F2F57334322204 44454442134332E32222045F84E223E11C31FD720800A A323BCFC31392090214223AD14D024BF2471E31F70261 045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405B02216F04F4E544 D2370542C4005E1457814616EF4676506527613112E91 00900220402030382E30302F70367438312F7130239E2 A1F25A337823720905449544C45266EA6340EF0250D38 3520902F32DF7F310F1FF53421357028EF273F200435C 116E03C424F445923AD1EE14739DF20513B01212D2D16 F16E552E91740980200352203EA078FC742F00213ED00 5B000C005403E102F3B7F3C8F412F20043628B1502080 4449523D4C545223A0BF1FE33F82000044E51EE144E65 C2020CE720AB146A214605C7103214587051F9B3828B1 5350414E201A4C4980472C4009F02D757347239144DF4 82E313438209046E12D21204641432C3119554A6C1318 1047A9576809F03A204FAC636308700420652E91794FB 0E309802C8073646150D0011105901474692E90202340 31332F6701D02F503ED4323A2F8021804D153F206F531 133535328474DEC542D2F50533129218000D006906D0D

	E020076254405505F0485E26D8616D7002804A9726457 81941246E615150292E251C3536DF35614CF24A794A87 483D3914D03570FF49625ACF45CB0AA25B780A8146270 AB1EF6048483D01C0356150405F42BF63FFFF438F449F 45AF46BF616F48DF49EF4AFFFF4C0F4D1F4E2F4F3A1AC 050003E4151B0F91AC06E632E4008003F010E2028A0FF 595F5A6F5B7F5C8F75CF5EAF5FBF60CFFF61DF62EF654 F7EAF661F672F683F694FFF6A5F6B6F6C7F82BF6E9F6F AF70BF4EFBFC2A7E8D8F744F755F766F777F903FFF799 F7AAF7BBF7CCF7DDF803F991F810FFF821F832F843F85 4F865F876F9D2F898FD78A9F8BAF4EFB280850721AC05 1D0E53EB1613F20797053B00B803F20B34FD072FF6E75 06D00490298EBFFF8FCF90DF91EFAC7F940F951F962F9 73FFF984F9AAF55F9B7F9C8F9D9F9EAF9FBF7FA0CFA1 DFB96FA3FFA50FA61F4EFB48E66550D007406C2CAFFA C0FAD1FFFAE2FC63FB04FB15FB26FB37FB48FB6EFFFCF 1FB7BFB8CFB9DFBAEFBBFFBD0FBE1F5FD32FC03FC14FC 25F4EFB4C14B05C1E27C8500420078014B0207570F350 8F53A173797370DEC22F21A9427A73019074D870E0A03 FA0A94246BB01A005106B5730218003606A51C1FF594F C5BFC6CFC7DFE48FC9FFCB0FCC1FFFC2FCE3FD09FED6 FD16FD27FD38FD49FFFD5AFD6BFD7CFF17FD9EFDAFFDC 0F71BCF2542E016B73C4AFE41FE52FE63FFFFE3FE85FE 96FEA7FEB8FEC9FEFF071FFFEFCFF0DFF1EFF2FFF40F F51FF62F0B2FAFF84FF95FFA6F71BC4514007AE210FDD E0068FCCFFDDFFEEFFFFF181F192FFF0F6F107F1B9F19 EF1AFF023F034F045F056F067F08DF275F3A7713012 F3B3F8F398F2B5532A13860544D4C1460027D2DC0
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 4C9FA520143E124791EFE52B0EF3BFF6
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	eandersen@contoso.com
<b>PidTagSenderEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041 006E00640065007200730065006E00000053004D00540 050000000650061006E00640065007200730065006E00 400063006F006E0074006F0073006F002E0063006F006 D000000
<b>PidTagSenderName</b>	Elizabeth Andersen
<b>PidTagSenderSearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	eandersen@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 08045006C0069007A0061006200650074006800200041 006E00640065007200730065006E00000053004D00540 050000000650061006E00640065007200730065006E00 400063006F006E0074006F0073006F002E0063006F006



<b>PidTagSentRepresentingName</b>	D000000
<b>PidTagSentRepresentingSearch Key</b>	Elizabeth Andersen cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	02:00:00.000 PM 2/13/2008
<b>PidTagSubject</b>	Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000001c86a9a5e4972e40\$adc58ac0\$@com> MIME- Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content- Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAAF91Q Content- Language: en-us

### 3.4.4 Attendee's Tentative Acceptance of the Series

Shu tentatively accepts the recurring meeting.

The following are the properties on the Calendar object that Shu sends:

<i>Name</i>	<i>Value</i>
<b>PidLidAgingDontAgeMe</b>	FALSE
<b>PidLidAllAttendeesList</b>	
<b>PidLidAppointmentAuxiliaryFlags</b>	0
<b>PidLidAppointmentColor</b>	0
<b>PidLidAppointmentCounterProposal</b>	FALSE
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	02:30:00.000 PM 2/13/2008
<b>PidLidAppointmentProposalNumber</b>	0
<b>PidLidAppointmentProposedDuration</b>	0
<b>PidLidAppointmentRecur</b>	cb: 84 lpb: 043004300B2001000000C02100000100000000000000 8000000232000000A000000000000001000000A08DC5 0C0000000003FC30CDF80E95A0630000009300000480 300006603000000000000000000000000000000000000
<b>PidLidAppointmentSequence</b>	1
<b>PidLidAppointmentStartWhole</b>	02:00:00.000 PM 2/13/2008
<b>PidLidAppointmentStateFlags</b>	0

<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAppointmentMessageClasses</b>	IPM.Appointment
<b>PidLidAttendeeCriticalChange</b>	09:51:51.956 PM 2/8/2008
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidAutoStartWhen</b>	0
<b>PidLidBusyStatus</b>	2
<b>PidLidCalendarType</b>	1
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC80100000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	02:30:00.000 PM 2/13/2008
<b>PidLidClipStart</b>	02:00:00.000 PM 2/13/2008
<b>PidLidCollaborateDoc</b>	
<b>PidLidCommonEnd</b>	02:30:00.000 PM 2/13/2008
<b>PidLidCommonStart</b>	02:00:00.000 PM 2/13/2008
<b>PidLidConferencingType</b>	0
<b>PidLidCurrentVersion</b>	126212
<b>PidLidCurrentVersionName</b>	12.0
<b>PidLidDayInterval</b>	0
<b>PidLidDelegateMail</b>	FALSE
<b>PidLidDirectory</b>	
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC801000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIntendedBusyStatus</b>	4294967295
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidIsSilent</b>	TRUE
<b>PidLidLocation</b>	Conference Room 1234
<b>PidLidMeetingType</b>	0
<b>PidLidMonthInterval</b>	0
<b>PidLidNetShowUrl</b>	
<b>PidLidOldLocation</b>	
<b>PidLidOnlinePassword</b>	
<b>PidLidOptionalAttendees</b>	
<b>PidLidOrganizerAlias</b>	
<b>PidLidOwnerCriticalChange</b>	09:36:00.000 PM 2/8/2008
<b>PidLidPercentComplete</b>	0.000000
<b>PidLidPrivate</b>	FALSE
<b>PidLidRecurrencePattern</b>	
<b>PidLidRecurrenceType</b>	0
<b>PidLidRecurrenceType</b>	48
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	0
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	02:00:00.000 PM 2/13/2008
<b>PidLidReminderTime</b>	02:00:00.000 PM 2/13/2008
<b>PidLidRequiredAttendees</b>	
<b>PidLidResourceAttendees</b>	
<b>PidLidResponseStatus</b>	0

<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSideEffects</b>	7265
<b>PidLidSingleInvite</b>	FALSE
<b>PidLidTaskActualEffort</b>	0
<b>PidLidTaskComplete</b>	FALSE
<b>PidLidTaskEstimatedEffort</b>	0
<b>PidLidTaskFFixOffline</b>	FALSE
<b>PidLidTaskFRecurring</b>	FALSE
<b>PidLidTaskMode</b>	0
<b>PidLidTaskNoCompute</b>	FALSE
<b>PidLidTaskOrdinal</b>	2147483647
<b>PidLidTaskOwnership</b>	0
<b>PidLidTaskRole</b>	
<b>PidLidTaskState</b>	1
<b>PidLidTaskStatus</b>	0
<b>PidLidTaskVersion</b>	1
<b>PidLidTeamTask</b>	FALSE
<b>PidLidTimeZone</b>	13
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000 200000000000000000000030000000200020000000 000000
<b>PidLidWeekInterval</b>	1
<b>PidLidWhere</b>	Conference Room 1234
<b>PidLidYearInterval</b>	0
<b>PidTagAccess</b>	2
<b>PidTagAccessLevel</b>	0
<b>PidTagAlternateRecipientAllowed</b>	TRUE
<b>PidTagClientSubmitTime</b>	09:51:51.971 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F0 00017DD5000005C6EC00000315CE0
<b>PidTagConversationTopic</b>	Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:51:51.940 PM 2/8/2008
<b>PidTagDeleteAfterSubmit</b>	FALSE
<b>PidTagEndDate</b>	02:30:00.000 PM 2/13/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagIconIndex</b>	4294967295
<b>PidTagImportance</b>	1
<b>PidTagInternetMailOverrideFormat</b>	1441792
<b>PidTagInternetCodepage</b>	1252
<b>PidTagLastModificationTime</b>	09:51:52.174 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Resp.Tent
<b>PidTagMessageDeliveryTime</b>	09:51:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	12
<b>PidTagMessageLocaleId</b>	0
<b>PidTagMessageSize</b>	2448
<b>PidTagNextSendAcct</b>	00000002sito@contoso.comsito@contoso.com
<b>PidTagNormalizedSubject</b>	Fabrikam Project Status Meeting
<b>PidTagOriginatorDeliveryReportRequested</b>	FALSE

<b>PidTagPriority</b>	0
<b>PidTagReadReceiptRequested</b>	FALSE
<b>PidTagRecipientReassignmentProhibited</b>	FALSE
<b>PidTagRecordKey</b>	cb: 4 lpb: C4052000
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: 1D6F25F1B22E9943BDF49E328BCCA8ED
<b>PidTagSensitivity</b>	0
<b>PidTagSentMailEntryId</b>	cb: 24 lpb: 0000000062E9131048FE8D4D9EFD5A00AA41408DC2800 000
<b>PidTagStartDate</b>	02:00:00.000 PM 2/13/2008
<b>PidTagSubject</b>	Tentative: Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	Tentative:
<b>PidTagSubmitFlags</b>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:--/Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=TENTATIVE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T215151Z
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T215151Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
LAST-MODIFIED:20080208T215152Z
LOCATION:Conference Room 1234
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:1
SUMMARY:Tentative: Fabrikam Project Status Meeting
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000

```

010000000622C639E40D09342B747A1672730CBBA  
X-MICROSOFT-CDO-BUSYSTATUS:BUSY  
X-MICROSOFT-CDO-IMPORTANCE:1  
X-MS-OLK-AUTOFILLLOCATION:FALSE  
X-MS-OLK-CONFTYPE:0  
END:VEVENT  
END:VCALENDAR

The following are the properties on the Calendar object that Elizabeth receives:

<i>Name</i>	<i>Value</i>
<b>PidLidAppointmentDuration</b>	30
<b>PidLidAppointmentEndWhole</b>	02:30:00.000 PM 2/13/2008
<b>PidLidAppointmentRecur</b>	cb: 84 lpb: 043004300B2001000000C02100000100000000000000 8000000232000000A0000000000000001000000A08DC5 0C00000000003FC30CDF80E95A0630000009300000480 30000660300000000000000000000000000000
<b>PidLidAppointmentSequence</b>	1
<b>PidLidAppointmentStartWhole</b>	02:00:00.000 PM 2/13/2008
<b>PidLidAppointmentStateFlags</b>	3
<b>PidLidAppointmentSubType</b>	FALSE
<b>PidLidAttendeeCriticalChange</b>	09:51:51.000 PM 2/8/2008
<b>PidLidAutoFillLocation</b>	FALSE
<b>PidLidBusyStatus</b>	2
<b>PidLidCleanGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC8010000000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidClipEnd</b>	11:59:00.000 PM 12/31/4500
<b>PidLidClipStart</b>	12:00:00.000 AM 2/13/2008
<b>PidLidCommonEnd</b>	02:30:00.000 PM 2/13/2008
<b>PidLidCommonStart</b>	02:00:00.000 PM 2/13/2008
<b>PidLidConferencingType</b>	0
<b>PidLidFInvited</b>	FALSE
<b>PidLidGlobalObjectId</b>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000030466 42B576AC8010000000000000000000010000000622C639E40 D09342B747A1672730CBBA
<b>PidLidIsException</b>	FALSE
<b>PidLidIsRecurring</b>	TRUE
<b>PidLidLocation</b>	Conference Room 1234
<b>PidLidRecurring</b>	TRUE
<b>PidLidReminderDelta</b>	1080
<b>PidLidReminderSet</b>	FALSE
<b>PidLidReminderSignalTime</b>	04:00:00.000 AM 2/13/2008
<b>PidLidReminderTime</b>	10:00:00.000 PM 2/13/2008
<b>PidLidResponseStatus</b>	2
<b>PidLidSendMeetingAsIcal</b>	TRUE
<b>PidLidSmartNoAttach</b>	TRUE
<b>PidLidTimeZoneDescription</b>	(GMT-08:00) Pacific Time (US & Canada)
<b>PidLidTimeZoneStruct</b>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B00000001000 200000000000000000000000000000030000000200020000000

<b>PidLidWhere</b>	000000
<b>PidNameContentTransferEncoding</b>	Conference Room 1234 7bit
<b>PidTagAccess</b>	7
<b>PidTagAccessLevel</b>	1
<b>PidTagClientSubmitTime</b>	09:53:53.000 PM 2/8/2008
<b>PidTagConversationIndex</b>	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F0 00017DD5000005C6EC00000315CE0
<b>PidTagConversationTopic</b>	Tentative: Fabrikam Project Status Meeting
<b>PidTagCreationTime</b>	09:56:53.622 PM 2/8/2008
<b>PidTagEndDate</b>	02:30:00.000 PM 2/13/2008
<b>PidTagHasAttachments</b>	FALSE
<b>PidTagImportance</b>	1
<b>PidTagInternetCodepage</b>	1252
<b>PidTagInternetMessageId</b>	<000101c86a9d\$1aa91f00\$4ffb5d00\$@com>
<b>PidTagInternetReturnPath</b>	sito@contoso.com
<b>PidTagLastModificationTime</b>	09:56:53.810 PM 2/8/2008
<b>PidTagMessageClass</b>	IPM.Schedule.Meeting.Resp.Tent
<b>PidTagMessageDeliveryTime</b>	09:54:00.000 PM 2/8/2008
<b>PidTagMessageFlags</b>	65536
<b>PidTagMessageLocaleId</b>	1033
<b>PidTagMessageSize</b>	3636
<b>PidTagNextSendAcct</b>	00000002eandersen@contoso.comeandersen@contoso.com
<b>PidTagNormalizedSubject</b>	Tentative: Fabrikam Project Status Meeting
<b>PidTagProcessed</b>	TRUE
<b>PidTagReceivedByAddressType</b>	SMTP
<b>PidTagReceivedByEmailAddress</b>	eandersen@contoso.com
<b>PidTagReceivedByEntryId</b>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 000456C697A616265746820416E64657273656E00534D 54500065616E64657273656E40636F6E746F736F2E636 F6D00
<b>PidTagReceivedByName</b>	Elizabeth Andersen
<b>PidTagReceivedBySearchKey</b>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2 E434F4D00
<b>PidTagRecordKey</b>	cb: 4 lpb: A4072000
<b>PidTagReplyRequested</b>	FALSE
<b>PidTagResponseRequested</b>	FALSE
<b>PidTagRtfInSync</b>	TRUE
<b>PidTagSearchKey</b>	cb: 16 lpb: EA371E1E49192D488B899F787104CFC2
<b>PidTagSenderAddressType</b>	SMTP
<b>PidTagSenderEmailAddress</b>	sito@contoso.com
<b>PidTagSenderEntryId</b>	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 1805300680075002000490074006F00000053004D0054 00500000007300690074006F00400063006F006E00740 06F0073006F002E0063006F006D0000000
<b>PidTagSenderName</b>	Shu Ito
<b>PidTagSenderSearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00

<b>PidTagSensitivity</b>	0
<b>PidTagSentRepresentingAddressType</b>	SMTP
<b>PidTagSentRepresentingEmailAddress</b>	sito@contoso.com
<b>PidTagSentRepresentingEntryId</b>	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000 1805300680075002000490074006F00000053004D0054 00500000007300690074006F00400063006F006E00740 06F0073006F002E0063006F006D000000
<b>PidTagSentRepresentingName</b>	Shu Ito
<b>PidTagSentRepresentingSearchKey</b>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<b>PidTagStartDate</b>	02:00:00.000 PM 2/13/2008
<b>PidTagSubject</b>	Tentative: Fabrikam Project Status Meeting
<b>PidTagSubjectPrefix</b>	
<b>PidTagTransportMessageHeaders</b>	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:54:00 -0800 From: "Shu Ito" <sito@contoso.com> To: "'Elizabeth Andersen'" <eandersen@contoso.com> Subject: Tentative: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:53:53 -0800 Message- ID: <000101c86a9d\$1aa91f00\$4ffb5d00\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5N UmgQDagHwAAF91QAABcbsAAA DFc4A== Content-Language: en-us

## 4 Security Considerations

Authentication of the source of an iCalendar is not supported. As such, Calendar object(s) resulting from the import of an iCalendar are only as trustworthy as the source of an iCalendar. This has special implications with regard to spoofing the ORGANIZER and ATTENDEE properties.

The FMTTYPE parameter of the ATTACH property (section 2.2.1.20.1.2) can be mislabeled and it is recommended that it be verified. See section 4.3 of [MS-OXCMAIL]. Furthermore, since the ATTACH property encodes binary files, it can contain malicious content. This is particularly interesting because virus scanners might not be able to parse iCalendar data.

## 5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Microsoft Office Outlook 2003
- Microsoft Exchange Server 2003

- Microsoft Office Outlook 2007
- Microsoft Exchange Server 2007
- Microsoft Outlook 2010
- Microsoft Exchange Server 2010

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Exchange 2007 and Exchange 2010 implement two different iCalendar converters: One converter handles incoming meeting requests, responses and cancellations embedded in **MIME** e-mails. The other converter handles WebDAV requests to synchronize Calendar object data with a client. In this section, "Exchange 2007" and "Exchange 2010" will be qualified by a parenthesized expression "(MIME)" or "(WebDAV)" when the endnote refers to only one of the two converters.

---

<1> Neither Outlook nor Exchange shifts the **UTC** start and end times of an appointment when the user's time zone changes (except when running the Time Zone Data Update tool for Microsoft Office Outlook or the Exchange Calendar Update Tool). However, on export to the iCalendar format, Outlook 2003, Outlook 2007, and Outlook 2010 will treat the **all day** event as an appointment with start and end times at midnight in **floating** time. Exchange 2003, Exchange 2007, and Exchange 2010 use X-MICROSOFT-CDO-ALLDAYEVENT to indicate all day events. In Calendar Objects, all day appointments are represented by setting **PidLidAppointmentSubType** to a non-zero value, and **PidLidAppointmentDuration** to a value evenly divisible by 1440.

<2> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support multiple VCALENDAR **components** in an iCalendar stream. Outlook 2007 and Outlook 2010 only support multiple VCALENDAR components when the **METHOD property** is PUBLISH.

<3> Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of **METHOD**. On export, both implementations will use the 'REPLY' value. On import, Outlook 2003 will treat the **METHOD** as 'PUBLISH', while Exchange 2003 will treat the **METHOD** as 'REPLY'.

<4> Note that it is possible for a collection of two or more VEVENT **components** to represent a single appointment. However, Outlook 2003 has limited support for iCalendars with multiple VEVENT **components**. Exchange 2003, Exchange 2007, and Exchange 2010



---

have no support. Refer to the documentation on the RECURRENCE-ID property in section 2.2.1.20.20 for additional information.

<5> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<6> Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<7> Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<8> Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<9> On import, Outlook 2007 and Outlook 2010 do not explicitly truncate X-WR-CALNAME to 255 WCHARs or filter out carriage return (U+000D) or line feed (U+000A) characters. However, the presentation layer may render the **PidTagDisplayName** of the Folder object poorly if the X-WR-CALNAME contains more than 255 WCHARs or contains carriage return (U+000D) or line feed (U+000A) characters.

<10> Exchange 2003, Exchange 2007, and Exchange 2010 do not support more than one VTIMEZONE component per iCalendar file.

<11> Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import **PidLidAppointmentTimeZoneDefinitionRecur**, **PidLidAppointmentTimeZoneDefinitionStartDisplay**, or **PidLidAppointmentTimeZoneDefinitionEndDisplay**. These implementations only use **PidLidTimeZoneDescription** and **PidLidTimeZoneStruct** when exporting or importing VTIMEZONE components and TZID parameters.

<12> Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

<13> Exchange 2003, Exchange 2007, and Exchange 2010 do not override **PidLidTimeZoneDescription**.

<14> Outlook 2003 uses the first occurrence of the STANDARD component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if more than one STANDARD component is present in a VTIMEZONE.

<15> Outlook 2003 requires that STANDARD components contain either an RRULE or an RDATE. If an RDATE is present, Outlook 2003 converts it to a SYSTEMTIME and stores the resulting value in **PidLidTimeZoneStruct.stStandardDate**. If no RRULE is present,

---

Exchange 2003, Exchange 2007, and Exchange 2010 will convert the DTSTART to a SYSTEMTIME and store the resulting value in **PidLidTimeZoneStruct.stStandardDate**.

<16> Outlook 2007 and Outlook 2010 use the year 1601.

<17> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import VTIMEZONES with RRULEs that use BYMONTHDAY instead of BYDAY.

<18> For transition rules based on a specific day of the month, Outlook 2003 instead omits the RRULE and exports **PidLidTimeZoneStruct.stStandardDate** as an RDATE. Exchange 2003, Exchange 2007, and Exchange 2010 omit both the RRULE and RDATE, relying on DTSTART to convey the transition date.

<19> Outlook 2003 exports the TZNAME property with value 'Standard Time'.

<20> Outlook 2003 uses the first occurrence of the DAYLIGHT component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if a VTIMEZONE contains more than one DAYLIGHT component.

<21> Exchange 2003, Exchange 2007, and Exchange 2010 do export a DAYLIGHT component for time zones that do not observe DST. In this case, the TZOFFSETFROM and TZOFFSETO properties for both the DAYLIGHT and STANDARD components are all set to the same value.

<22> Outlook 2003 exports the TZNAME property with value 'Daylight Saving Time'.

<23> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<24> Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2007 (**MIME**), and Exchange 2010 (**MIME**) ignore ATTACH properties specified as CID URIs and, instead, import all of the MIME attachments into the Message Object, regardless of whether or not they are referenced in the iCalendar stream.

<25> Prior to Exchange 2007 Service Pack 1, Exchange 2007 (**MIME**) does not export ATTACH properties specified as CID URIs.

<26> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

<27> Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007, and Exchange 2010 do not export this **parameter**.

---

<28> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not parse ATTENDEE properties with value 'invalid:nomail'.

<29> Outlook 2007 uses the table below in place of Table 19:

<i>CUTYPE</i>	<i>ROLE</i>	<i>Append CN to...</i>
RESOURCE	(any)	<b>PidLidNonSendableBcc</b>
ROOM	(any)	<b>PidLidNonSendableBcc</b>
(any)	OPT-PARTICIPANT	<b>PidLidNonSendableCc</b>
(any)	NON-PARTICIPANT	<b>PidLidNonSendableCc</b>
(any)	(any)	<b>PidLidNonSendableTo</b>

<30> Outlook 2003 imports only one ATTENDEE property when the METHOD property has value 'REPLY'. For any other value of METHOD, Outlook 2003 does not import any ATTENDEE properties.

<31> Outlook 2003 does not perform address book lookups on ATTENDEE properties. A one-off address book Entry ID is always created.

<32> Outlook 2003 does not set this property.

<33> Outlook 2003 incorrectly adds the RECIPIENT\_ORGANIZER (0x00000002) bit to this property.

<34> Outlook 2003 always uses MAPI\_TO (0x00000001).

<35> Exchange 2007 and Exchange 2010 use the table below in place of Table 21:

<i>CUTYPE</i>	<i>ROLE</i>	<i>PidTagRecipientType</i>
(any)	CHAIR	MAPI_TO (0x00000001)
(any)	REQ-PARTICIPANT	MAPI_TO (0x00000001)
(any)	OPT-PARTICIPANT	MAPI_CC (0x00000002)
RESOURCE	(any)	MAPI_BCC (0x00000003)
ROOM	(any)	MAPI_BCC (0x00000003)
(any)	NON-PARTICIPANT	MAPI_CC (0x00000002)
(any)	(any)	MAPI_TO (0x00000001)

Outlook 2007 uses the table below in place of Table 21:

<i>CUTYPE</i>	<i>ROLE</i>	<i>PidTagRecipientType</i>
RESOURCE	(any)	0x00000003
ROOM	(any)	0x00000003
(any)	OPT-PARTICIPANT	0x00000002
(any)	NON-PARTICIPANT	0x00000002

---

(any)	(any)	0x00000001
-------	-------	------------

---

<36> Exchange 2007 and Exchange 2010 do not check **PidLidAppointmentStateFlags** before exporting ATTENDEE properties.

<37> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the ATTENDEE property if no **SMTP** address is available.

<38> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export **PidLidNoSendableTo**, **PidLidNonSendableCC**, or **PidLidNonSendableBCC**.

<39> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

<40> Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of PUBLISH.

<41> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 export a ROLE of 'REQ-PARTICIPANT' instead of omitting the ROLE parameter.

<42> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<43> Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

<44> Exchange 2003, Exchange 2007, and Exchange 2010 map SENSITIVITY\_PERSONAL (0x00000001) to the 'PERSONAL' value of the CLASS property.

<45> Outlook 2003 does not support the 'X-PERSONAL' value of the CLASS property. SENSITIVITY\_PERSONAL (0x00000001) is exported as 'PRIVATE'.

<46> Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Outlook 2003 do not import or export the COMMENT property.

For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Outlook 2007 and Outlook 2010 will export **PidTagBody** as both COMMENT and DESCRIPTION. In this same case, Outlook 2007 and Outlook 2010 will import **PidTagBody** from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified.

---

Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import **PidTagBody** from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

<47> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the CONTACT property.

<48> Outlook 2003 Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the CREATED property.

<49> Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to **PidLidAppointmentStartWhole** and **PidLidAppointmentEndWhole**, respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export **PidLidAppointmentProposedStartWhole** or **PidLidAppointmentProposedEndWhole**.

<50> Exchange 2003, Exchange 2007, and Exchange 2010 do not set **PidLidAppointmentDuration**.

<51> Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<52> Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

<53> Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

<54> Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

<55> Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<56> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<57> Outlook 2003 does not import or export the DURATION property.

---

<58> Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-EXDATE property.

<59> In certain cases, **RecurrencePattern.DeletedInstanceDates** will be exported as a X-MICROSOFT-EXDATE instead of an EXDATE. See section 2.2.1.20.39. Exchange 2003, Exchange 2007, and Exchange 2010 export EXDATEs with times set to noon in the time zone specified by **PidLidTimeZoneStruct**.

<60> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

<61> Outlook 2003 does not apply this filter.

<62> Outlook 2003 does not import the ORGANIZER property when the METHOD property has a value of 'REPLY'.

<63> If the METHOD property of the iCalendar is 'REPLY', Outlook 2003 exports the first entry in the recipient table as an ORGANIZER, ignoring the constraints set fourth in Table 27. For other values of the METHOD property, Outlook 2003 exports **PidTagSentRepresenting\*** as an ORGANIZER.

<64> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the ORGANIZER property if no SMTP address is available.

<65> Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATEs.

<66> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<67> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

<68> Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import a **PidLidAppointmentSequence** of 0x00000000 if no SEQUENCE property is specified.

<69> Outlook 2003 does not import or export the STATUS property.

<70> Outlook 2003 does not apply these filters.

<71> Outlook 2003 leaves **PidTagSubject** unset when no SUMMARY is present.

- 
- <72> Outlook 2003 omits the SUMMARY property if PidTagSubject is unset or empty.
- <73> Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to **PidNameTransparent**.
- <74> The ByteArrayID is case-sensitive in Outlook 2007 and Outlook 2010.
- <75> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.
- <76> Outlook 2007 and Outlook 2010 check to see if DTEND falls on midnight in the time zone specified by DTSTART.
- <77> Exchange 2003, Exchange 2007, and Exchange 2010 export X-MICROSOFT-CDO-ALLDAYEVENT.
- <78> Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export X-MICROSOFT-CDO-APPT-SEQUENCE.
- <79> Exchange 2003, Exchange 2007, and Exchange 2010 export **PidLidAppointmentSequence** as X-MICROSOFT-CDO-APPT-SEQUENCE.
- <80> Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.
- <81> Outlook 2003 does not import or export the X-MICROSOFT-CDO-BUSYSTATUS or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS properties.
- <82> Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007, and Exchange 2010 do export X-MICROSOFT-CDO-IMPORTANCE using the mapping specified by Table 39.
- <83> Exchange 2003, Exchange 2007, and Exchange 2010 export a X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.
- <84> Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.
- <85> Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

---

<86> Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

<87> If the METHOD property has value 'REPLY', Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) will import X-MICROSOFT-CDO-REPLYTIME as **PidLidAttendeeCriticalChange** in addition to **PidLidAppointmentReplyTime**.

<88> Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-REPLYTIME property.

<89> Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-DISALLOW-COUNTER property.

<90> Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

<91> Exchange 2003, Exchange 2007, Exchange 2010, Outlook 2003, and Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

<92> Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT property.

<93> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-BUSYSTATUS property.

<94> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-IMPORTANCE property.

<95> Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

<96> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ALLOWEXTERNCHECK property.

<97> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTLASTSEQUENCE property.

<98> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.



- 
- <99> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOFILLLOCATION property.
- <100> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOSTARTCHECK property.
- <101> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-COLLABORATEDOC property.
- <102> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFHECK property.
- <103> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFTYPE property.
- <104> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-DIRECTORY property.
- <105> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-MWSURL property.
- <106> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-NETSHOWURL property.
- <107> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ONLINEPASSWORD property.
- <108> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ORGALIAS property.
- <109> Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-SENDER property.
- <110> In this case, Exchange 2003, Exchange 2007, and Exchange 2010 set **PidLidReminderDelta** to 0x0000000F for all Calendar objects.
- <111> Outlook 2003 does not set **PidLidReminderSignalTime**.
- <112> For Outlook 2003, the maximum INTERVAL of a YEARLY recurrence is 1.
- <113> Outlook 2003 does not apply this filter.

---

<114> Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-CALSCALE, X-MICROSOFT-RRULE, and X-MICROSOFT-EXDATE properties.

<115> Exchange 2007 (MIME) and Exchange 2010 (MIME) does not follow this guidance.

<116> Outlook 2007 and Outlook 2010 export 0x00002021 **EndTypes** as a COUNT part instead of an UNTIL part.

<117> Outlook 2003 will export FirstDOW as the WKST **recurrence part** as specified in Table 48, regardless of whether or not it is relevant.

<118> Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

<119> Outlook 2003 imports BYMONTHDAY directly into **PatternTypeSpecific.Month.Day**.

<120> Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as BYMONTHDAY.

<121> Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

<122> Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

## **Index**

### Appendix A

Office/Exchange Behavior, 247

### Introduction, 7

Applicability statement, 10

Glossary, 7

References, 8

Relationship to other protocols, 10

Structure overview, 10

Vendor-extensible fields, 11

Versioning and localization, 10

### References

Normative references, 8

### Security considerations, 247

### Structure examples, 96

Example Birthday Calendar for 2008, 96

Example Recurring Meeting Scenario, 200

Example Schedule for the Week of June 16, 2008, 127

Example Single Meeting Scenario, 170

### Structures, 11

Additional Information on Recurrences, 77

Hierarchy of Components, Properties, and Parameters, 15

Property relevance, 11