

[MS-OXCICAL]: iCalendar to Appointment Object Conversion Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability.
04/25/2008	0.2		Revised and updated property names and other technical content.
06/27/2008	1.0		Initial Release.
08/06/2008	1.01		Revised and edited technical content.
09/03/2008	1.02		Revised and edited technical content.
10/01/2008	1.03		Revised and edited technical content.
12/03/2008	1.04		Updated IP notice.
03/04/2009	1.05		Revised and edited technical content.
04/10/2009	2.0		Updated technical content and applicable product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	4.0.0	Major	Updated and revised the technical content.

Table of Contents

1 Introduction	7
1.1 Glossary.....	7
1.2 References.....	8
1.2.1 Normative References	8
1.2.2 Informative References	9
1.3 Structure Overview	9
1.4 Relationship to Protocols and Other Structures	9
1.5 Applicability Statement.....	10
1.6 Versioning and Localization	10
1.7 Vendor-Extensible Fields	10
2 Structures.....	11
2.1 Property Relevance	11
2.2 Hierarchy of Components, Properties, and Parameters.....	15
2.2.1 Component: VCALENDAR	16
2.2.1.1 Property: METHOD	16
2.2.1.2 Property: PRODID	17
2.2.1.3 Property: VERSION	17
2.2.1.4 Property: X-CALEND.....	17
2.2.1.4.1 Parameter: TZID	18
2.2.1.5 Property: X-CALSTART	18
2.2.1.5.1 Parameter: TZID	18
2.2.1.6 Property: X-CLIPEND.....	19
2.2.1.6.1 Parameter: TZID	19
2.2.1.7 Property: X-CLIPSTART	19
2.2.1.7.1 Parameter: TZID	20
2.2.1.8 Property: X-MICROSOFT-CALSCALE.....	20
2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN	22
2.2.1.10 Property: X-MS-WKHRS	23
2.2.1.11 Property: X-MS-WKHREND	23
2.2.1.11.1 Parameter: TZID	24
2.2.1.12 Property: X-MS-WKHRSTART	24
2.2.1.12.1 Parameter: TZID	24
2.2.1.13 Property: X-OWNER	24
2.2.1.13.1 Parameter: CN	25
2.2.1.14 Property: X-PRIMARY-CALENDAR.....	25
2.2.1.15 Property: X-PUBLISHED-TTL.....	25
2.2.1.16 Property: X-WR-CALDESC	26
2.2.1.17 Property: X-WR-CALNAME	26
2.2.1.18 Property: X-WR-RELCALID.....	26
2.2.1.19 Component: VTIMEZONE.....	27
2.2.1.19.1 Property: TZID	29
2.2.1.19.2 Component: STANDARD	29
2.2.1.19.2.1 Property: DTSTART	29
2.2.1.19.2.2 Property: RRULE	31
2.2.1.19.2.3 Property: TZNAME	33
2.2.1.19.2.4 Property: TZOFFSETFROM	33
2.2.1.19.2.5 Property: TZOFFSETTO	33
2.2.1.19.3 Component: DAYLIGHT	34
2.2.1.19.3.1 Property: DTSTART	34

2.2.1.19.3.2	Property: RRULE	34
2.2.1.19.3.3	Property: TZNAME	35
2.2.1.19.3.4	Property: TZOFFSETFROM	35
2.2.1.19.3.5	Property: TZOFFSETTO	35
2.2.1.20	Component: VEVENT	36
2.2.1.20.1	Property: ATTACH	36
2.2.1.20.1.1	Parameter: ENCODING.....	38
2.2.1.20.1.2	Parameter: FMTTYPE	38
2.2.1.20.1.3	Parameter: VALUE.....	39
2.2.1.20.1.4	Parameter: X-FILENAME.....	39
2.2.1.20.2	Property: ATTENDEE	40
2.2.1.20.2.1	Parameter: CN	42
2.2.1.20.2.2	Parameter: CUTYPE.....	42
2.2.1.20.2.3	Parameter: PARTSTAT	42
2.2.1.20.2.4	Parameter: ROLE.....	43
2.2.1.20.2.5	Parameter: RSVP	44
2.2.1.20.3	Property: CATEGORIES.....	44
2.2.1.20.4	Property: CLASS	45
2.2.1.20.5	Property: COMMENT.....	45
2.2.1.20.6	Property: CONTACT.....	45
2.2.1.20.7	Property: CREATED	46
2.2.1.20.8	Property: DTEND	46
2.2.1.20.8.1	Parameter: TZID	47
2.2.1.20.8.2	Parameter: VALUE.....	48
2.2.1.20.9	Property: DTSTAMP	48
2.2.1.20.9.1	Parameter: TZID	49
2.2.1.20.10	Property: DTSTART	49
2.2.1.20.10.1	Parameter: TZID	50
2.2.1.20.10.2	Parameter: VALUE.....	50
2.2.1.20.11	Property: DESCRIPTION	51
2.2.1.20.11.1	Parameter: LANGUAGE.....	51
2.2.1.20.12	Property: DURATION	51
2.2.1.20.13	Property: EXDATE	52
2.2.1.20.13.1	Parameter: TZID	52
2.2.1.20.13.2	Parameter: VALUE.....	53
2.2.1.20.14	Property: LAST-MODIFIED	53
2.2.1.20.15	Property: LOCATION.....	53
2.2.1.20.15.1	Parameter: LANGUAGE.....	54
2.2.1.20.16	Property: ORGANIZER	54
2.2.1.20.16.1	Parameter: CN	55
2.2.1.20.17	Property: PRIORITY.....	56
2.2.1.20.18	Property: RDATE	56
2.2.1.20.18.1	Parameter: TZID	59
2.2.1.20.18.2	Parameter: VALUE.....	59
2.2.1.20.19	Property: RRULE.....	60
2.2.1.20.20	Property: RECURRANCE-ID.....	60
2.2.1.20.20.1	Parameter: TZID	62
2.2.1.20.20.2	Parameter: VALUE.....	62
2.2.1.20.21	Property: RESOURCES.....	63
2.2.1.20.22	Property: SEQUENCE.....	63
2.2.1.20.23	Property: STATUS	63
2.2.1.20.24	Property: SUMMARY	64
2.2.1.20.24.1	Parameter: LANGUAGE	64

2.2.1.20.25	Property: TRANSP	65
2.2.1.20.26	Property: UID.....	65
2.2.1.20.27	Property: X-ALT-DESC.....	69
2.2.1.20.27.1	Parameter: FMTTYPE	69
2.2.1.20.28	Property: X-MICROSOFT-CDO-ALLDAYEVENT.....	69
2.2.1.20.29	Property: X-MICROSOFT-CDO-APPT-SEQUENCE.....	70
2.2.1.20.30	Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE	70
2.2.1.20.31	Property: X-MICROSOFT-CDO-BUSYSTATUS	70
2.2.1.20.32	Property: X-MICROSOFT-CDO-IMPORTANCE	71
2.2.1.20.33	Property: X-MICROSOFT-CDO-INSTTYPE	71
2.2.1.20.34	Property: X-MICROSOFT-CDO-INTENDEDSTATUS	72
2.2.1.20.35	Property: X-MICROSOFT-CDO-OWNERAPPTID.....	72
2.2.1.20.36	Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.....	72
2.2.1.20.37	Property: X-MICROSOFT-CDO-REPLYTIME	73
2.2.1.20.38	Property: X-MICROSOFT-DISALLOW-COUNTER.....	73
2.2.1.20.39	Property: X-MICROSOFT-EXDATE	73
2.2.1.20.39.1	Parameter: VALUE.....	74
2.2.1.20.40	Property: X-MICROSOFT-ISDRAFT	74
2.2.1.20.41	Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	75
2.2.1.20.42	Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS.....	75
2.2.1.20.43	Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE.....	75
2.2.1.20.44	Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS.....	75
2.2.1.20.45	Property: X-MICROSOFT-RRULE	76
2.2.1.20.45.1	Parameter: VALUE.....	76
2.2.1.20.45.2	Parameter: X-MICROSOFT-ISLEAPMONTH.....	76
2.2.1.20.46	Property: X-MS-OLK-ALLOWEXTERNCHECK	77
2.2.1.20.47	Property: X-MS-OLK-APPTLASTSEQUENCE.....	77
2.2.1.20.48	Property: X-MS-OLK-APTSEQTIME	77
2.2.1.20.48.1	Parameter: TZID	78
2.2.1.20.49	Property: X-MS-OLK-AUTOFILLLOCATION.....	78
2.2.1.20.50	Property: X-MS-OLK-AUTOSTARTCHECK	78
2.2.1.20.51	Property: X-MS-OLK-COLLABORATEDOC.....	78
2.2.1.20.52	Property: X-MS-OLK-CONFCHECK.....	79
2.2.1.20.53	Property: X-MS-OLK-CONFTYPE.....	79
2.2.1.20.54	Property: X-MS-OLK-DIRECTORY	79
2.2.1.20.55	Property: X-MS-OLK-MWSURL	79
2.2.1.20.56	Property: X-MS-OLK-NETSHOWURL	80
2.2.1.20.57	Property: X-MS-OLK-ONLINEPASSWORD	80
2.2.1.20.58	Property: X-MS-OLK-ORGALIAS	80
2.2.1.20.59	Property: X-MS-OLK-ORIGINALEND	80
2.2.1.20.60	Property: X-MS-OLK-ORIGINALSTART	81
2.2.1.20.61	Property: X-MS-OLK-SENDER	81
2.2.1.20.61.1	Parameter: CN	82
2.2.1.20.62	Component: VALARM.....	82
2.2.1.20.62.1	Property: TRIGGER.....	83
2.2.1.20.62.2	Property: ACTION.....	83
2.2.1.20.62.3	Property: DESCRIPTION	84
2.3	Additional Information on Recurrences	84
2.3.1	iCalendar Recurrence Syntax.....	84
2.3.1.1	Recurrence Part: FREQ.....	84
2.3.1.2	Recurrence Part: INTERVAL.....	85
2.3.1.3	Recurrence Part: BYMINUTE	85
2.3.1.4	Recurrence Part: BYHOUR	85

2.3.1.5 Recurrence Part: BYMONTHDAY.....	85
2.3.1.6 Recurrence Part: BYDAY	86
2.3.1.7 Recurrence Part: BYMONTH.....	87
2.3.1.8 Recurrence Part: BYSETPOS.....	87
2.3.1.9 Recurrence Part: WKST	87
2.3.1.10 Recurrence Part: UNTIL.....	88
2.3.1.11 Recurrence Part: COUNT	88
2.3.2 Recurrence Templates.....	88
2.3.2.1 Template: Daily Recurrences	89
2.3.2.2 Template: Weekly Recurrences.....	93
2.3.2.3 Template: Monthly Recurrences.....	96
2.3.2.4 Template: Monthly Nth Recurrences	98
2.3.2.5 Template: Yearly Recurrences	101
2.3.2.6 Template: Yearly Nth Recurrences.....	103
2.3.3 End-of-Month Concerns.....	106
2.3.4 Legacy UNTIL Concerns.....	106
3 Structure Examples	107
3.1 Example Birthday Calendar for 2008.....	107
3.2 Example Schedule for the Week of June 16, 2008.....	151
3.3 Example Single Meeting Scenario	216
3.3.1 Organizer's Meeting Request	216
3.3.2 Attendee's Meeting Acceptance.....	233
3.3.3 Organizer's Cancellation	243
3.4 Example Recurring Meeting Scenario	261
3.4.1 Organizer's Meeting Request	261
3.4.2 Organizer's Cancellation of an Instance	281
3.4.3 Organizer's Location Change of an Instance.....	300
3.4.4 Attendee's Tentative Acceptance of the Series	320
4 Security Considerations	332
5 Appendix A: Product Behavior	333
6 Change Tracking	351
7 Index.....	359

1 Introduction

The iCalendar file format, as specified in [\[RFC2445\]](#), specifies an extensible text structure that is capable of serializing a wide variety of calendar data, including meeting requests, task items, **free/busy** information, and exported calendars.

This document specifies how the iCalendar file format could be used by a **Calendar object** application as specified in [\[MS-OXOCAL\]](#) to communicate with other calendaring systems over non-**Message object** transports such as **SMTP**.

1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

address book
Address Book object
Augmented Backus-Naur Form (ABNF)
Calendar object
Coordinated Universal Time (UTC)
counter proposal
entry ID
little-endian
Meeting Workspace
Message object
MIME
one-off address
one-off EntryID
property(2)
Recurring Calendar object
reminder
signal time
Simple Mail Transfer Protocol (SMTP)
Unicode

The following terms are specific to this document:

all day: An all day appointment is an appointment with a floating start time at midnight of a given day, and a floating end time at midnight of another (or the same) day.[<1>](#)

component: In the context of [\[RFC2445\]](#), a component refers to a hierarchical object described in an iCalendar file. An iCalendar component can recursively contain any number of child components and any number of **properties**. More detailed information regarding iCalendar components can be found in [\[RFC2445\]](#) section 4.6.

floating: In the context of [\[RFC2445\]](#), a floating time represents a time to be interpreted in the observer's location and does not necessarily translate into the same **Coordinated Universal Time (UTC)** time in different locations. For example, a reminder for an appointment that starts at 1/1/2008 at 2:00pm floating time would fire two hours earlier in Athens than it would in London. More information regarding the syntax and interpretation of floating times can be found in [\[RFC2445\]](#) section 4.3.5.

one-off: A recipient that is identified by a **one-off EntryID** and/or **one-off address** rather than an **Address Book object entry ID**.

parameter: In the context of [RFC2445], a parameter refers to a name-value pair associated with a **property**. More detailed information regarding iCalendar parameters can be found in [RFC2445] section 4.2.

primary calendar: A primary calendar is the calendar its owner schedules against. In particular, meeting requests and responses are processed against **Calendar objects** in the primary calendar. Non-primary calendars do not reflect the calendar owner's free/busy schedule and tend to be more thematic and informational in nature.

recurrence part:: A name-value pair in a **property** of type Recurrence Rule ([RFC2445] section 4.3.10). All recurrence parts relevant to this specification are enumerated under 2.3.1.

week independent: A BYDAY recurrence part is considered week independent if it does not specify any week numbers.

x-prop: In the context of [RFC2445], an x-prop refers to a **property**, parameter, or component that is not explicitly specified in [RFC2445]. [RFC2445] section 4.8.8.1 requires that the names of all such non-standard **properties**, parameters, and components begin with the substring 'X-'.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-DTYP] Microsoft Corporation, "Windows Data Types", March 2007, <http://go.microsoft.com/fwlink/?LinkId=111558>.

[MS-LCID] Microsoft Corporation, "Windows Language Code Identifier (LCID) Reference", March 2007, <http://go.microsoft.com/fwlink/?LinkId=112265>.

[MS-OXCDATA] Microsoft Corporation, "[Data Structures](#)", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "[RFC2822 and MIME to E-Mail Object Conversion Protocol Specification](#)", June 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", June 2008.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", June 2008.

[MS-OXOABK] Microsoft Corporation, "[Address Book Object Protocol Specification](#)", June 2008.

[MS-OXOCAL] Microsoft Corporation, "[Appointment and Meeting Object Protocol Specification](#)", June 2008.

[MS-OXOMSG] Microsoft Corporation, "[E-Mail Object Protocol Specification](#)", June 2008.

[MS-OXPROPS] Microsoft Corporation, "[Exchange Server Protocols Master Property List](#)", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "[Rich Text Format \(RTF\) Compression Protocol Specification](#)", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "[Rich Text Format \(RTF\) Extensions Specification](#)", June 2008.

[RFC1766] Alvestrand, H., "Tags for the Identification of Languages", RFC 1766, March 1995, <http://www.ietf.org/rfc/rfc1766.txt>.

[RFC2045] Freed, N., et al., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://www.ietf.org/rfc/rfc2045.txt>.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC2368] Hoffman, P., Masinter, L., and Zawinski, J., "The mailto URL scheme", RFC 2368, July 1998, <http://www.ietf.org/rfc/rfc2368.txt>.

[RFC2392] Levinson, E., "Content-ID and Message-ID Uniform Resource Locators", RFC 2392, August 1998, <http://www.ietf.org/rfc/rfc2392.txt>.

[RFC2445] Dawson, F. and Stenerson, D., "Internet Calendaring and Scheduling Core Object Specification (iCalendar)", RFC 2445, November 1998, <http://www.ietf.org/rfc/rfc2445.txt>.

[RFC2446] Dawson, F., Hopson, R., Mansour, S., and Silverberg, S., "iCalendar Transport-Independent Interoperability Protocol (iTIP)", RFC 2446, November 1998, <http://www.ietf.org/rfc/rfc2446.txt>.

[RFC2447] Dawson, F., Mansour, S., and Silverberg, S., "iCalendar Message-Based Interoperability Protocol (iMIP)", RFC 2447, November 1998, <http://www.ietf.org/rfc/rfc2447.txt>.

[RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", RFC 3629, November 2003, <http://www.ietf.org/rfc/rfc3629.txt>.

[RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", RFC 3986, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>.

[RFC5234] Crocker, D. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 5234, January 2008, <http://www.ietf.org/rfc/rfc5234.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This document specifies how the iCalendar file format can be used by a Calendar object application as specified in [\[MS-OXOCAL\]](#) to communicate with other calendaring systems over non-Message object transports. More specifically, this document describes how to import iCalendar data into a Calendar object and how to export Calendar objects as iCalendar data.

1.4 Relationship to Protocols and Other Structures

This document specifies a mapping between the iCalendar file format [\[RFC2445\]](#) and a Calendar object (specified in [\[MS-OXOCAL\]](#)), which can be updated and sent using the protocols specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).

When used as a **meeting request**, the iCalendar file format can be embedded as a **MIME** part in an e-mail as described in [\[RFC2447\]](#) and specified in [\[MS-OXCMAIL\]](#).

1.5 Applicability Statement

This file format is applicable for scenarios where **calendar** data needs to be transported between a Calendar object source and a non-Calendar object or indeterminate destination. This file format is best avoided if 100 percent fidelity is required when transporting calendar data between a Calendar object source and a Calendar object destination.

1.6 Versioning and Localization

This document covers versioning issues in the following areas:

- **Structure Version:** The iCalendar file format defines a VERSION **property**, as specified in section [2.2.1.3](#).
- **Localization:** The iCalendar file format defines a LANGUAGE parameter, as specified in section [2.2.1.20.11.1](#), section [2.2.1.20.15.1](#), and section [2.2.1.20.24.1](#).

Versioning is not a concern for the iCalendar file format because only one version has been approved by the IETF as of Q1 2008.

Similarly, localization is generally not an issue because the default encoding of an iCalendar file is UTF-8 (specified in [\[RFC3629\]](#)), so all implementers are expected to handle **Unicode** data. Localization issues might arise if an implementation chooses to override the default character set in the context of a **MIME part**.

1.7 Vendor-Extensible Fields

[\[RFC2445\]](#) section 4.8.8.1 permits the insertion of non-standard **components**, properties, and parameters into the iCalendar file. The primary requirement of these extensible fields is that the name begin with 'X-', and as such, they are often termed x-components, **x-props**, and x-parameters. This document specifies several x-props to increase the fidelity of the conversion between Calendar objects and the iCalendar file format.

2 Structures

The structure of the iCalendar text stream is described in [\[RFC2445\]](#) section 4.1.

2.1 Property Relevance

Section [2.2](#) specifies over 100 components, properties, and **parameters** that can be converted between the iCalendar and Calendar object. Table 1 provides recommendations regarding the actual relevance of each components, properties, and parameters to the scenarios defined by five values of the METHOD property: 'PUBLISH' (PUB), 'REQUEST' (REQ), 'REPLY' (REP), 'COUNTER' (COU), and 'CANCEL' (CAN) [\[RFC2446\]](#).

Table 1- Relevance of components, properties, and parameters to various scenarios. For clarity, 'No's are represented by a blank space. The '•' symbol is used to indicate hierarchy placement.

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
VCALENDAR	2.2.1	Yes	Yes	Yes	Yes	Yes
• METHOD	2.2.1.1	Yes	Yes	Yes	Yes	Yes
• PRODID	2.2.1.2	Yes	Yes	Yes	Yes	Yes
• VERSION	2.2.1.3	Yes	Yes	Yes	Yes	Yes
• X-CALEND	2.2.1.4	Yes				
• • TZID	2.2.1.4.1	Yes				
• X-CALSTART	2.2.1.5	Yes				
• • TZID	2.2.1.5.1	Yes				
• X-CLIPEND	2.2.1.6	Yes				
• • TZID	2.2.1.6.1	Yes				
• X-CLIPSTART	2.2.1.7	Yes				
• • TZID	2.2.1.7.1	Yes				
• X-MICROSOFT-CALSCALE	2.2.1.8	Yes	Yes	Yes	Yes	Yes
• X-MS-OLK-FORCEINSPECTOROPEN	2.2.1.9	Yes				
• X-MS-WKHDAYS	2.2.1.10	Yes				
• X-MS-WKHREND	2.2.1.11	Yes				
• • TZID	2.2.1.11.1	Yes				
• X-MS-WKHRSTART	2.2.1.12	Yes				
• • TZID	2.2.1.12.1	Yes				
• X-OWNER	2.2.1.13	Yes				
• • CN	2.2.1.13.1	Yes				

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• X-PRIMARY-CALENDAR	2.2.1.14	Yes				
• X-PUBLISHED-TTL	2.2.1.15	Yes				
• X-WR-CALDESC	2.2.1.16	Yes				
• X-WR-CALNAME	2.2.1.17	Yes				
• X-WR-RELCALID	2.2.1.18	Yes				
• VTIMEZONE	2.2.1.19	Yes	Yes	Yes	Yes	Yes
• • TZID	2.2.1.19.1	Yes	Yes	Yes	Yes	Yes
• • STANDARD	2.2.1.19.2	Yes	Yes	Yes	Yes	Yes
• • • DTSTART	2.2.1.19.2.1	Yes	Yes	Yes	Yes	Yes
• • • RRULE	2.2.1.19.2.2	Yes	Yes	Yes	Yes	Yes
• • • TZNAME	2.2.1.19.2.3	Yes	Yes	Yes	Yes	Yes
• • • TZOFFSETFROM	2.2.1.19.2.4	Yes	Yes	Yes	Yes	Yes
• • • TZOFFSETTO	2.2.1.19.2.5	Yes	Yes	Yes	Yes	Yes
• • DAYLIGHT	2.2.1.19.3	Yes	Yes	Yes	Yes	Yes
• • • DTSTART	2.2.1.19.3.1	Yes	Yes	Yes	Yes	Yes
• • • RRULE	2.2.1.19.3.2	Yes	Yes	Yes	Yes	Yes
• • • TZNAME	2.2.1.19.3.3	Yes	Yes	Yes	Yes	Yes
• • • TZOFFSETFROM	2.2.1.19.3.4	Yes	Yes	Yes	Yes	Yes
• • • TZOFFSETTO	2.2.1.19.3.5	Yes	Yes	Yes	Yes	Yes
• VEVENT	2.2.1.20	Yes	Yes	Yes	Yes	Yes
• • ATTACH	2.2.1.20.1	Yes				
• • • ENCODING	2.2.1.20.1.1	Yes				
• • • FMTTYPE	2.2.1.20.1.2	Yes				
• • • VALUE	2.2.1.20.1.3	Yes				
• • • X-Filename	2.2.1.20.1.4	Yes				
• • ATTENDEE	2.2.1.20.2	Yes	Yes	Yes	Yes	Yes
• • • CN	2.2.1.20.2.1	Yes	Yes	Yes	Yes	Yes
• • • CTYPE	2.2.1.20.2.2	Yes	Yes	Yes	Yes	Yes
• • • PARTSTAT	2.2.1.20.2.3			Yes	Yes	
• • • ROLE	2.2.1.20.2.4	Yes	Yes	Yes	Yes	Yes

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• • • RSVP	2.2.1.20.2.5	Yes	Yes			Yes
• • CATEGORIES	2.2.1.20.3	Yes	Yes	Yes	Yes	Yes
• • CLASS	2.2.1.20.4	Yes	Yes	Yes	Yes	Yes
• • COMMENT	2.2.1.20.5			Yes	Yes	
• • CONTACT	2.2.1.20.6	Yes	Yes	Yes	Yes	Yes
• • CREATED	2.2.1.20.7					
• • DTEND	2.2.1.20.8	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.8.1	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.8.2	Yes	Yes	Yes	Yes	Yes
• • • DTSTAMP	2.2.1.20.9	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.9.1					
• • • DTSTART	2.2.1.20.10	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.10.1	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.10.2	Yes	Yes	Yes	Yes	Yes
• • DESCRIPTION	2.2.1.20.11	Yes	Yes	Yes	Yes	Yes
• • • LANGUAGE	2.2.1.20.11.1	Yes	Yes	Yes	Yes	Yes
• • DURATION	2.2.1.20.12					
• • EXDATE	2.2.1.20.13	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.13.1	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.13.2	Yes	Yes	Yes	Yes	Yes
• • LAST-MODIFIED	2.2.1.20.14					
• • LOCATION	2.2.1.20.15	Yes	Yes	Yes	Yes	Yes
• • • LANGUAGE	2.2.1.20.15.1	Yes	Yes	Yes	Yes	Yes
• • ORGANIZER	2.2.1.20.16	Yes	Yes	Yes	Yes	Yes
• • • CN	2.2.1.20.16.1	Yes	Yes	Yes	Yes	Yes
• • PRIORITY	2.2.1.20.17	Yes	Yes	Yes	Yes	Yes
• • RDATE	2.2.1.20.18	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.18.1	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.18.2	Yes	Yes	Yes	Yes	Yes
• • RRULE	2.2.1.20.19	Yes	Yes	Yes	Yes	Yes

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• • RECURRENCE-ID	2.2.1.20.20	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.20.1	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.20.2	Yes	Yes	Yes	Yes	Yes
• • RESOURCES	2.2.1.20.21	Yes	Yes	Yes	Yes	Yes
• • SEQUENCE	2.2.1.20.22	Yes	Yes	Yes	Yes	Yes
• • STATUS	2.2.1.20.23					
• • SUMMARY	2.2.1.20.24	Yes	Yes	Yes	Yes	Yes
• • • LANGUAGE	2.2.1.20.24.1	Yes	Yes	Yes	Yes	Yes
• • • TRANSP	2.2.1.20.25	Yes	Yes	Yes	Yes	Yes
• • • UID	2.2.1.20.26	Yes	Yes	Yes	Yes	Yes
• • • X-ALT-DESC	2.2.1.20.27	Yes				
• • • FMTTYPE	2.2.1.20.27.1	Yes				
• • • X-MICROSOFT-CDO-ALLDAYEVENT	2.2.1.20.28	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-CDO-APPT-SEQUENCE	2.2.1.20.29					
• • • X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE	2.2.1.20.30		Yes	Yes	Yes	Yes
• • • X-MICROSOFT-CDO-BUSYSTATUS	2.2.1.20.31	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-CDO-IMPORTANCE	2.2.1.20.32					
• • • X-MICROSOFT-CDO-INSTTYPE	2.2.1.20.33					
• • • X-MICROSOFT-CDO-INTENDEDSTATUS	2.2.1.20.34	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-CDO-OWNERAPPTID	2.2.1.20.35	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE	2.2.1.20.36	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-CDO-REPLYTIME	2.2.1.20.37	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-DISALLOW-COUNTER	2.2.1.20.38	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-EXDATE	2.2.1.20.39	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.39.1	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-ISDRAFT	2.2.1.20.40	Yes				
• • • X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	2.2.1.20.41					
• • • X-MICROSOFT-MSNCALENDAR-BUSYSTATUS	2.2.1.20.42					
• • • X-MICROSOFT-MSNCALENDAR-IMPORTANCE	2.2.1.20.43					

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• • X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS	2.2.1.20.44					
• • X-MICROSOFT-RRULE	2.2.1.20.45	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.45.1	Yes	Yes	Yes	Yes	Yes
• • • X-MICROSOFT-ISLEAPMONTH	2.2.1.20.45.2	Yes	Yes	Yes	Yes	Yes
• • X-MS-OLK-ALLOWEXTERNCHECK	2.2.1.20.46					
• • X-MS-OLK-APPLASTSEQUENCE	2.2.1.20.47					
• • X-MS-OLK-APPTSEQTIME	2.2.1.20.48					
• • • TZID	2.2.1.20.48.1					
• • X-MS-OLK-AUTOFILLOLOCATION	2.2.1.20.49					
• • X-MS-OLK-AUTOSTARTCHECK	2.2.1.20.50					
• • X-MS-OLK-COLLABORATEDOC	2.2.1.20.51					
• • X-MS-OLK-CONFCHECK	2.2.1.20.52					
• • X-MS-OLK-CONFTYPE	2.2.1.20.53					
• • X-MS-OLK-DIRECTORY	2.2.1.20.54					
• • X-MS-OLK-MWSURL	2.2.1.20.55					
• • X-MS-OLK-NETSHOWURL	2.2.1.20.56					
• • X-MS-OLK-ONLINEPASSWORD	2.2.1.20.57					
• • X-MS-OLK-ORGALIAS	2.2.1.20.58					
• • X-MS-OLK-ORIGINALEND	2.2.1.20.59				Yes	
• • X-MS-OLK-ORIGINALSTART	2.2.1.20.60				Yes	
• • X-MS-OLK-SENDER	2.2.1.20.61	Yes				
• • • CN	2.2.1.20.61.1	Yes				
• • • VALARM	2.2.1.20.62	Yes	Yes			Yes
• • • TRIGGER	2.2.1.20.62.1	Yes	Yes			Yes
• • • ACTION	2.2.1.20.62.2	Yes	Yes			Yes
• • • DESCRIPTION	2.2.1.20.62.3	Yes	Yes			Yes

2.2 Hierarchy of Components, Properties, and Parameters

This subsection enumerates all iCalendar components, properties, and parameters that can be mapped to Calendar objects. The hierarchy presented in the header specifies all parent-child

relationships between these components, properties, and parameters. Any components, properties, and parameters not specified in this document SHOULD be ignored.

Unless otherwise specified, if the Calendar object property being exported is not set, then the corresponding property SHOULD NOT be exported. Similarly, unless otherwise specified, if the property being imported is not present, then the corresponding Calendar object property SHOULD be left unset.

2.2.1 Component: VCALENDAR

RFC Reference: [\[RFC2445\]](#) section 4.4

Number of Instances Allowed: 1+

Brief Description: The root component of a valid iCalendar file.

Importing To and Exporting From Calendar objects

A valid iCalendar file SHOULD [<2>](#) have exactly one VCALENDAR component as its root.

2.2.1.1 Property: METHOD

RFC Reference: [\[RFC2445\]](#) section 4.7.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Distinguishes normal appointments from meeting requests, responses, and cancellations.

Importing To Calendar objects

The METHOD property SHOULD be imported as the [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) of all imported Calendar objects, as specified in table 2 [<3>](#). In the case where the METHOD property is set to 'REPLY', the [PidTagMessageClass](#) has several possible values depending on the PARTSTAT parameter of the ATTENDEE property of the VEVENT component. If the METHOD property is set to 'REPLY' or 'COUNTER', the iCalendar MUST have exactly one ATTENDEE property and exactly one such PARTSTAT parameter.

In the case where the METHOD property is set to 'REQUEST', 'REPLY', or 'CANCEL', the VCALENDAR file MUST define exactly one appointment [<4>](#).

Table 2 – Mapping of [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) to the METHOD property.

METHOD	PARTSTAT	PidLidAppointmentCounterProposal	PidTagMessageClass
(default)		FALSE or unset	IPM.appointment
PUBLISH		FALSE or unset	IPM.appointment
REQUEST		FALSE or unset	IPM.Schedule.meeting.Request
REPLY	ACCEPTED	FALSE or unset	IPM.Schedule.meeting.Resp.Pos
REPLY	TENTATIVE	FALSE or unset	IPM.Schedule.meeting.Resp.Tent

METHOD	PARTSTAT	PidLidAppointmentCounterProposal	PidTagMessageClass
REPLY	DECLINED	FALSE or unset	IPM.Schedule.meeting.Resp.Neg
COUNTER	TENTATIVE	TRUE	IPM.Schedule.meeting.Resp.Tent
CANCEL		FALSE or unset	IPM.Schedule.meeting.Canceled

Exporting From Calendar objects

For exports of calendars, the METHOD property MUST be left unset or set to **publish**. For exports of individual Calendar objects, the [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) of the Calendar object SHOULD be exported as the METHOD property as specified in table 2 [`<5>`](#).

2.2.1.2 Property: PROPID

RFC Reference: [\[RFC2445\]](#) section 4.7.3

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the application that generated the iCalendar file.

Importing To Calendar objects

When parsing an iCalendar file, if the value of the PROPID property begins with the substring '-//Microsoft Corporation//Outlook<SP>' and ends with the substring '<SP>MIMEDIR//EN', where '<SP>' represents the space character (U+0020), and if the integer part of the version number between the two substrings is between 1 and 11 (inclusive), then some behavior changes SHOULD be made as described in section [2.3.4](#).

Exporting From Calendar objects

The value assigned to PROPID MUST be unique for different implementations and different versions of an iCalendar converter.

2.2.1.3 Property: VERSION

RFC Reference: [\[RFC2445\]](#) section 4.7.4

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the version of an iCalendar file.

Importing To and Exporting From Calendar objects

The value of this property MUST be set to '2.0'.

2.2.1.4 Property: X-CALEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Identifies the end time of the last instance of an appointment in the iCalendar file.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

This property SHOULD [<6>](#) be computed as the end time of the last instance of an appointment in the iCalendar file. If the iCalendar contains appointments with **floating** and non-floating end times in such a way that the calendar's end time is dependent on the recipient's time zone, the X-CALEND property SHOULD [<7>](#) be declared twice: once with a floating calendar end time, and once with a non-floating calendar end time.

2.2.1.4.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.5 Property: X-CALSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Identifies the start time of the first instance of an appointment in the iCalendar file.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

This property SHOULD [<8>](#) be computed as the start time of the first instance of an appointment in the iCalendar file. If the iCalendar contains appointments with floating and non-floating start times in such a way that the calendar's start time is dependent on the recipient's time zone, the X-CALSTART property SHOULD [<9>](#) be declared twice: once with a floating calendar start time, and once with a non-floating calendar start time.

2.2.1.5.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.6 Property: X-CLIPEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Indicates the end of the date range that the user selected for export during the creation of the iCalendar file.

Importing To Calendar objects

This property SHOULD [`<10>`](#) be ignored.

Exporting From Calendar objects

This property SHOULD [`<11>`](#) be the end of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

2.2.1.6.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.7 Property: X-CLIPSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Indicates the start of the date range that the user selected for export during the creation of the iCalendar file.

Importing To Calendar objects

This property SHOULD [`<12>`](#) be ignored.

Exporting From Calendar objects

This property SHOULD [<13>](#) be the start of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

2.2.1.7.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.8 Property: X-MICROSOFT-CALSCALE

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the calendar type of a non-Gregorian recurring appointment.

Importing To Calendar objects

If this property is specified, then it SHOULD [<14>](#) be imported for every VEVENT that declares an X-MICROSOFT-RRULE.

This property SHOULD [<15>](#) set the CalendarType field of [PidLidAppointmentRecur](#). See also [2.3.2.1](#), [2.3.2.2](#), [2.3.2.3](#), [2.3.2.4](#), [2.3.2.5](#), and section [2.3.2.6](#).

Table 3- Import mapping of X-MICROSOFT-CALSCALE

X-MICROSOFT-CALSCALE Value	CalendarType
Not present or empty string (default)	0x0000
Gregorian	0x0001
Gregorian_us	0x0002
Japan	0x0003
Taiwan	0x0004
Korea	0x0005
Hijri	Either 0x0000 or 0x0006, as specified in table 4 (the PatternType field SHOULD <16> also be overwritten as specified in table 4)
Thai	0x0007
Hebrew	0x0008

X-MICROSOFT-CALSCALE Value	CalendarType
GregorianMeFrench	0x0009
GregorianArabic	0x000A
GregorianXlitEnglish	0x000B
GregorianXlitFrench	0x000C
JapanLunar	0x000E
ChineseLunar	0x000F
Saka	0x0010
LunarEtoChn	0x0011
LunarEtoKor	0x0012
LunarRokuyou	0x0013
KoreaLunar	0x0014
Umalqura	0x0017

For appointments with a X-MICROSOFT-CALSCALE value of "Hijiri", the value for **PatternType** and **CalendarType** depend upon the imported value of **PatternType**. **PatternType** should be determined as specified in section [2.3.2](#). The resulting value should then be overwritten as specified in Table 4.

Table 4- Special translation of PatternType for Hijri calendars

Imported PatternType Value	Hijri PatternType Value	Hijri CalendarType Value
0x0000	0x0000	0x0006
0x0001	0x0001	0x0006
0x0002	0x000A	0x0000
0x0003	0x000B	0x0000

Exporting From Calendar objects

Since this property is a child of the VCALENDAR, a VCALENDAR MUST NOT contain any two VEVENTs that would result in different values of X-MICROSOFT-CALSCALE.

If the CalendarType field of [PidLidAppointmentRecur](#) is non-zero, then this property SHOULD [<17>](#) be exported as specified in table 5.

Additionally, for certain values of the PatternType field of [PidLidAppointmentRecur](#), this property SHOULD [<18>](#) be exported as specified in table 6.

CalendarType Value	X-MICROSOFT-CALSCALE Value
--------------------	----------------------------

CalendarType Value	X-MICROSOFT-CALSCALE Value
0x0001	Gregorian
0x0002	Gregorian_us
0x0003	Japan
0x0004	Taiwan
0x0005	Korea
0x0006	Hijri
0x0007	Thai
0x0008	Hebrew
0x0009	GregorianMeFrench
0x000A	GregorianArabic
0x000B	GregorianXlitEnglish
0x000C	GregorianXlitFrench
0x000E	JapanLunar
0x000F	ChineseLunar
0x0010	Saka
0x0011	LunarEtoChn
0x0012	LunarEtoKor
0x0013	LunarRokuyou
0x0014	KoreaLunar
0x0017	Umalqura

Table 6- Additional export mappings of X-MICROSOFT-CALSCALE

Special PatternType Value	X-MICROSOFT-CALSCALE Value
0x000A	Hijri
0x000B	Hijri

2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445](#) section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file only contains one appointment.

Importing To Calendar objects

If this property is set to TRUE, the iCalendar **stream** SHOULD [<19>](#) be imported as a single Calendar object, regardless of the number of VEVENT components present in the iCalendar. Note that it is possible for an iCalendar file containing multiple VEVENT components to represent a single appointment through the use of the RECURRENCE-ID property specified in section [2.2.1.20.20](#).

Exporting From Calendar objects

This property SHOULD [<20>](#) be set to 'TRUE' if the iCalendar file represents a single appointment rather than a calendar export.

2.2.1.10 Property: X-MS-WKHDAYS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the days of the week in the calendar owner's workweek.

Importing To Calendar objects

This property SHOULD [<21>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the **primary calendar** of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<22>](#) be a comma-delimited list containing any number of the elements enumerated in Table 44.

Each element MUST NOT appear more than once, but the order of the elements does not matter. The syntax of this format is the same as the syntax of a **week independent BYDAY recurrence part** specified in [2.3.1.6](#).

2.2.1.11 Property: X-MS-WKHREND

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([\[RFC2445\]](#) section 4.3.12)

Brief Description: Specifies the end time of the calendar owner's workday.

Importing To Calendar objects

This property SHOULD [<23>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<24>](#) be the end time of the calendar owner's workday, specified as a local time with the TZID parameter (section [2.2.1.11.1](#)).

2.2.1.11.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.12 Property: X-MS-WKHRSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([\[RFC2445\]](#) section 4.3.12)

Brief Description: Specifies the starting time of the calendar owner's workday.

Importing To Calendar objects

This property SHOULD [`<25>`](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [`<26>`](#) be the start time of the calendar owner's workday, specified as a local time with the TZID parameter (section [2.2.1.12.1](#)).

2.2.1.12.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.13 Property: X-OWNER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: Specifies the calendar owner of a primary calendar.

Importing To Calendar objects

This property SHOULD [<27>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<28>](#) be the e-mail address of the owner.

2.2.1.13.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the display name of the owner of a primary calendar.

Importing To Calendar objects

This parameter SHOULD [<29>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this parameter SHOULD be omitted. Otherwise, this parameter SHOULD [<30>](#) be the display name of the owner.

2.2.1.14 Property: X-PRIMARY-CALENDAR

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file represents a primary calendar.

Importing To Calendar objects

This property SHOULD [<31>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<32>](#) be set to 'TRUE'.

2.2.1.15 Property: X-PUBLISHED-TTL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6)

Brief Description: Specifies a suggested iCalendar file download frequency for clients and servers with sync capabilities.

Importing To Calendar objects

This property SHOULD [33](#) be ignored.

Exporting From Calendar objects

If this iCalendar is being automatically published to a remote location at regular intervals, this property SHOULD [34](#) be set to that interval with a minimum granularity of minutes.

2.2.1.16 Property: X-WR-CALDESC

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445](#) section 4.3.11)

Brief Description: Specifies the description of the calendar.

Importing To Calendar objects

This property SHOULD [35](#) be ignored.

Exporting From Calendar objects

If this iCalendar represents an export of a calendar, and if the owner has provided a description of the calendar, this property SHOULD [36](#) be set to the owner's specified text, which SHOULD [37](#) be truncated to a length of 255 WCHARs if the length exceeds 255 WCHARs. The truncation SHOULD NOT [38](#) split surrogate pairs.

2.2.1.17 Property: X-WR-CALNAME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445](#) section 4.3.11)

Brief Description: Specifies the name of the calendar.

Importing To Calendar objects

This property SHOULD [39](#) be imported directly into [40](#) the [PidTagDisplayName](#) of the Folder Object representing the newly-created destination of the imported appointments.

Exporting From Calendar objects

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD [41](#) be set to the value of [PidTagDisplayName](#) on the Folder Object representing the calendar being exported.

If the calendar is the owner's primary calendar, this property SHOULD [42](#) instead be set to a more descriptive locale-dependent string containing the owner's name (e.g. 'Elizabeth Andersen calendar').

2.2.1.18 Property: X-WR-RELCALID

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies a globally unique identifier for the calendar.

Importing To Calendar objects

This property SHOULD [`<43>`](#) be used and persisted by the iCalendar renderer to decide whether the import overwrites an existing calendar or creates a new calendar.

Exporting From Calendar objects

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD [`<44>`](#) be set to a value that will be globally unique for different calendars, but consistent across multiple exports of the same calendar.

2.2.1.19 Component: VTIMEZONE

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 0+ [`<45>`](#)

Brief Description: Specifies any time zones referenced by TZID parameters.

Importing To Calendar objects

Since TZIDs can be referenced by many properties, including several x-props in the root component, VTIMEZONEs MUST be used to resolve all local times in the iCalendar file, even if the TZID reference occurs before the VTIMEZONE definition. This section discusses how to import a VTIMEZONE into a [PidLidTimeZoneStruct](#) structure [\[MS-OXOCAL\]](#).

Table 7- All fields of the PidLidTimeZoneStruct structure

Field of the PidLidTimeZoneStruct structure	Value
IBias	See section 2.2.1.19.2.5
IStandardBias	Set to 0x00000000
IDaylightBias	See section 2.2.1.19.3.5
stStandardDate	See sections 2.2.1.19.2.1 and 2.2.1.19.2.2
stDaylightDate	See sections 2.2.1.19.3.1 and 2.2.1.19.3.2
wStandardYear	Set to the wYear field of stStandardDate
wDaylightYear	Set to the wYear field of stDaylightDate

If this VTIMEZONE is imported as [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTime_ZoneDefinitionStartDisplay](#), and/or [PidLidAppointmentTime_ZoneDefinitionEndDisplay](#) [`<46>`](#), then Table 8 specifies the contents of the resulting blob (the structure of this blob is specified in [MS-OXOCAL]). See section [2.2.1.20.8.1](#) section and [2.2.1.20.10.1](#) for more information.

Table 8- All fields of the PidLidAppointmentTimeZoneDefinitionRecur, PidLidAppointmentTimeZoneDefinitionStartDisplay, or PidLidAppointmentTimeZoneDefinitionEndDisplay blob.

Field of the blob	Value
Major Version	Constant specified by [MS-OXOCAL]
Minor Version	Constant specified by [MS-OXOCAL]
cbHeader	Set to (0x0006 + 0x0002 * cchKeyName)
Reserved	Constant specified by [MS-OXOCAL]
cchKeyName	Set to the number of characters in KeyName
KeyName	See section 2.2.1.19.1
cRules	Set to 0x0001
TZRules[1].Major Version	Constant specified by [MS-OXOCAL]
TZRules[1].Minor Version	Constant specified by [MS-OXOCAL]
TZRules[1].Reserved	Constant specified by [MS-OXOCAL]
TZRules[1].TZRule flags	Set to 0x0002 for PidLidAppointmentTimeZoneDefinitionStartDisplay and PidLidAppointmentTimeZoneDefinitionEndDisplay . Set to 0x0003 for PidLidAppointmentTimeZoneDefinitionRecur .
TZRules[1].wYear	Set to 0x0641
TZRules[1].X	Constant specified by [MS-OXOCAL]
TZRules[1].lBias	Import the same as the lBias field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].lStandardBias	Import the same as the lStandardBias field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].lDaylightBias	Import the same as the lDaylightBias field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].stStandardDate	Import the same as the stStandardDate field of a PidLidTimeZoneStruct structure (see Table 7)
TZRules[1].stDaylightDate	Import the same as the stDaylightDate field of a PidLidTimeZoneStruct structure (see Table 7)

Exporting From Calendar objects

A VTIMEZONE component MUST be declared for each unique value of any TZID parameters in the iCalendar. Note that the comparison used to match TZID parameters to VTIMEZONE components SHOULD [<47>](#) be case-insensitive.

If exporting a VTIMEZONE from a [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#), the *lBias*, *lStandardBias*, *lDaylightBias*, *stStandardDate*, and *stDaylightDate* subfields of the TZRule entry with the

TZRULE_FLAG_EFFECTIVE_TZREG (0x0002) bit set in the *TZRule flags* field MUST be exported as a [PidLidTimeZoneStruct](#) structure as specified in the following subsections. [<48>](#)

2.2.1.19.1 Property: TZID

RFC Reference: [\[RFC2445\]](#) section 4.8.3.1

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the time zone. This string will be compared (case-insensitive [<49>](#)) to TZID parameters in the rest of the iCalendar to identify the time zone being referenced by the parameter's parent property.

Importing To Calendar objects

This property SHOULD be imported as specified in section [2.2.1.20.8.1](#) and section [2.2.1.20.10.1](#).

Exporting From Calendar objects

If the system's local time zone is being exported as a VTIMEZONE, then this name MUST be derived from the system API that supplied the time zone.

If the [PidLidTimeZoneStruct](#) property is being exported as a VTIMEZONE, this name SHOULD be derived from [PidLidTimeZoneDescription](#), but MAY be set to any unique string.

If the [PidLidAppointmentTimeZoneDefinitionRecur](#),
[PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or
[PidLidAppointmentTimeZoneDefinitionEndDisplay](#) property is being exported as a VTIMEZONE, then the value of TZID MUST [<50>](#) be derived from the KeyName field of the property's blob.

In all cases, TZIDs for different time zones MUST be unique, and each unique TZID MUST NOT be defined more than once.

2.2.1.19.2 Component: STANDARD

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 1+

Brief Description: A specification of the Standard portion of the time zone.

Importing To Calendar objects

If more than one STANDARD component is defined in the VTIMEZONE, only the STANDARD component with the largest DTSTART SHOULD [<51>](#) be parsed.

Exporting From Calendar objects

Exactly one STANDARD component SHOULD be exported for each VTIMEZONE.

2.2.1.19.2.1 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The effective start date of this onset of Standard time.

Importing To Calendar objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the stStandardDate field of the [PidLidTimeZoneStruct](#) structure MUST be set to 0x00.

If the VTIMEZONE being imported contains one or more DAYLIGHT sub-components, the fields of the stStandardDate field of the [PidLidTimeZoneStruct](#) structure are set according to table 9.

Table 9- All sub-fields of the PidLidTimeZoneStruct.stStandardDate structure

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wMonth	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wDayOfWeek	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wDay	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wHour	The hour portion of DTSTART
wMinute	The minute portion of DTSTART
wSecond	The second portion of DTSTART
wMilliseconds	Set to 0x0000

If an RRULE property is not specified for this component, additional portions of the stStandardDate field of the [PidLidTimeZoneStruct](#) structure SHOULD [<52>](#) be imported as specified in Table 10.

Table 10- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has no RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0000
wMonth	The month portion of DTSTART
wDayOfWeek	The day of the week of the date specified by DTSTART. See Table11.
wDay	The occurrence of the day of week in the month for the date specified by DTSTART (if this is the 2nd Monday of May, wDay is set to 2). If this is the last occurrence of the day of the week in the month, wDay is set to 0x0005. See Table

Field of PidLidTimeZoneStruct.stStandardDate	Value
	12.

Table 11- Values of the PidLidTimeZoneStruct.stStandardDate.wDayOfWeek

wDayOfWeek	Meaning
0x0000	Sunday
0x0001	Monday
0x0002	Tuesday
0x0003	Wednesday
0x0004	Thursday
0x0005	Friday
0x0006	Saturday

Table 12- Values of PidLidTimeZoneStruct.stStandardDate.wDay

wDay	Meaning
0x0001	First occurrence of the day of the week
0x0002	Second occurrence of the day of the week
0x0003	Third occurrence of the day of the week
0x0004	Fourth occurrence of the day of the week
0x0005	Last occurrence of the day of the week

Exporting From Calendar objects

This MUST be set to the onset of the Standard portion of the time zone for some year before the first appointment in the iCalendar <53>. This property is specified in the local time of the VTIMEZONE component, but the TZID parameter of this property is omitted.

2.2.1.19.2.2 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: A rule describing the onset of Standard time for years following DTSTART.

Importing To Calendar objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the stStandardDate field of the [PidLidTimeZoneStruct](#) structure MUST be set to 0x00 (as specified in

[2.2.1.19.2.1](#)). The remainder of this subsection only pertains to the case where the VTIMEZONE being imported contains one or more DAYLIGHT sub-components.

For basic information regarding the Recurrence rule format, see [\[RFC2445\]](#) section 4.3.10 and section [2.3.1](#) of this document.

Time zone recurrences MUST be of frequency YEARLY and MUST specify either a BYDAY or a BYMONTHDAY, but not both.

If a BYDAY is specified, it MUST specify a single occurrence of a single day of the week (e.g. BYDAY=2MO, but not BYDAY=MO or BYDAY=1MO,3MO). The recurrence is imported into the stStandardDate field of the [PidLidTimeZoneStruct](#) structure using Table 13.

Table 13- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has a BYDAY RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0000
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	The day of the week specified by the BYDAY recurrence part. See Table 11 and Table 44.
wDay	The occurrence of the day of the week specified by the BYDAY recurrence part. See Table 12 and Table 44.

If a BYMONTHDAY is specified, it MUST specify a single day of the month (BYMONTHDAY=12, but not BYMONTHDAY=14,15). The recurrence SHOULD [<54>](#) be imported into the stStandardDate field of the [PidLidTimeZoneStruct](#) structure using Table 14.

Table 14- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has a BYMONTHDAY RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0001
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	Set to 0x0000.
wDay	The value of the BYMONTHDAY recurrence part.

Exporting From Calendar objects

For basic information regarding the Recurrence rule format, see [\[RFC2445\]](#) section 4.3.10 and section [2.3.1](#) of this document.

If the time zone does not observe Daylight Saving Time (DST), this property MUST be omitted.

If the time zone transitions between Daylight Saving Time and Standard Time based on an occurrence of a day of the week, this property MUST be of the form FREQ=YEARLY;BYDAY=byday;BYMONTH=bymonth.

If the time zone transitions between Daylight Saving Time and Standard Time based on a specific day of the month, this property SHOULD [<55>](#) be of the form FREQ=YEARLY;BYMONTHDAY=bymonthday;BYMONTH=bymonth.

2.2.1.19.2.3 Property: TZNAME

RFC Reference: [\[RFC2445\]](#) section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the standard portion of the time zone.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

This property SHOULD [<56>](#) be omitted.

2.2.1.19.2.4 Property: TZOFFSETFROM

RFC Reference: [\[RFC2445\]](#) section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of (-1 * (**PidLidTimeZoneStruct.IBias** + **PidLidTimeZoneStruct.IDaylightBias**)).

2.2.1.19.2.5 Property: TZOFFSETTO

RFC Reference: [\[RFC2445\]](#) section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

Importing To Calendar objects

The IBias field of the [PidLidTimeZoneStruct](#) structure MUST be set to (-1 * offsetMinutes), where offsetMinutes is the value of TZOFFSETTO in minutes. See Table 7.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of (-1 * ([PidLidTimeZoneStruct.IBias](#) + [PidLidTimeZoneStruct.IStandardBias](#))).

2.2.1.19.3 Component: DAYLIGHT

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 0+

Brief Description: A specification of the Daylight portion of the time zone.

Importing To Calendar objects

If more than one DAYLIGHT component is defined in the VTIMEZONE, only the DAYLIGHT component with the largest DTSTART SHOULD [`<57>`](#) be parsed.

If no DAYLIGHT components are defined in the VTIMEZONE then all the bytes in the **IDaylightBias**, **IStandardBias**, **stDaylightDate**, and **stStandardDate** fields of the [PidLidTimeZoneStruct](#) MUST be set to 0x00.

Exporting From Calendar objects

If this time zone observes Daylight Saving Time, exactly one DAYLIGHT component MUST be exported for each VTIMEZONE.

If this time zone does not observe DST, this component SHOULD [`<58>`](#) be omitted.

2.2.1.19.3.1 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The effective start date of this onset of Daylight Saving Time.

Importing To and Exporting From Calendar objects

The behavior of this property is identical to the behavior of the DTSTART property of the STANDARD component (section [2.2.1.19.2.1](#)) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

2.2.1.19.3.2 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: A rule describing the onset of Daylight Saving Time for years following DTSTART.

Importing To and Exporting From Calendar objects

The behavior of this property is identical to the behavior of the RRULE property of the STANDARD component (section [2.2.1.19.2.2](#)) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

2.2.1.19.3.3 Property: TZNAME

RFC Reference: [\[RFC2445\]](#) section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the daylight portion of the time zone.

Importing To Calendar objects

This property MUST be ignored on import.

Exporting From Calendar objects

This property SHOULD [`<59>`](#) be omitted.

2.2.1.19.3.4 Property: TZOFFSETFROM

RFC Reference: [\[RFC2445\]](#) section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of (-1 * (**PidLidTimeZoneStruct.IBias** + **PidLidTimeZoneStruct.IStandardBias**)).

2.2.1.19.3.5 Property: TZOFFSETTO

RFC Reference: [\[RFC2445\]](#) section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

Importing To Calendar objects

The **IDaylightBias** field of [PidLidTimeZoneStruct](#) structure MUST be set to (-1 * offsetMinutes - IBias), where offsetMinutes is the value of TZOFFSETTO measured in minutes. See Table 7.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of (-1 * (**PidLidTimeZoneStruct.IBias** + **PidLidTimeZoneStruct.ILogicalDaylightBias**)).

2.2.1.20 Component: VEVENT

RFC Reference: [\[RFC2445\]](#) section 4.6.1

Number of Instances Allowed: 1+

Brief Description: A specification of an appointment or an exception to a recurring appointment.

Importing To Calendar objects

With the exception of those containing RECURRANCE-ID properties (section [2.2.1.20.20](#)), all VEVENT components MUST map to a new Calendar object.

Exporting From Calendar objects

Each Calendar object MUST be exported to its own VEVENT component. Certain exceptions to recurring appointments can also be exported as separate VEVENT components as specified in section [2.2.1.20.20](#).

2.2.1.20.1 Property: ATTACH

RFC Reference: [\[RFC2445\]](#) section 4.8.1.1

Number of Instances Allowed: 0+

Format: URI ([\[RFC2445\]](#) section 4.3.13), Binary ([\[RFC2445\]](#) section 4.3.1)

Brief Description: An attachment to the appointment.

Importing To Calendar objects

If the VALUE parameter of this property is BINARY, then this property SHOULD [`<60>`](#) be parsed as a BASE64-encoded stream (specified in [\[RFC2045\]](#) section 6.8), decoded into its raw binary form, and stored in [PidTagAttachDataBinary](#) of a new Attachment object with properties specified in Table 15.

Table 15- All Attachment object properties for BASE64-encoded ATTACH properties

Attachment object property	Value
PidTagAttachDataBinary	See above
PidTagAttachEncoding	Set to an empty PtypBinary
PidTagAttachExtension	Set to the substring following the last instance of a '.' character (U+002E) in X-Filename (section 2.2.1.20.1.4). If no instances of a period exist in X-Filename, set to a zero-length string ("").
PidTagAttachFilename	Set to the value of X-Filename (section 2.2.1.20.1.4)
PidTagAttachFlags	Set to 0x00000000
PidTagAttachLongFilename	Set to the value of X-Filename (section 2.2.1.20.1.4)

Attachment object property	Value
PidTagAttachMethod	Set to 0x00000001
PidTagAttachMimeType	Imported from FMTTYPE (section 2.2.1.20.1.2)
PidTagAttachmentContactPhoto	Set to FALSE
PidTagAttachmentFlags	Set to 0x00000000
PidTagAttachmentHidden	Set to FALSE
PidTagAttachmentLinkId	Set to 0x00000000
PidTagDisplayName	Set to the value of X-Filename (section 2.2.1.20.1.4)
PidTagExceptionEndTime	Set to 0x0CB34557A3DD4000
PidTagExceptionStartTime	Set to 0x0CB34557A3DD4000
PidTagRenderingPosition	Set to 0xFFFFFFFF

If the VALUE parameter of this property is "URI" or not defined, then this property SHOULD [`<61>`](#) be parsed as a URI. CID URIs (specified in [\[RFC2392\]](#)) SHOULD [`<62>`](#) be used, for the case in which the iCalendar is embedded in a multi-part MIME e-mail to determine which attachments from the MIME will be imported into the Calendar object. Other URIs SHOULD [`<63>`](#) be imported into a new Attachment object with properties specified in Table 16.

Table 16- All Attachment object properties for ATTACH properties with VALUE parameters set to 'URI'

Attachment object property	Value
PidTagAttachDataBinary	Set to an 8-bit text stream, containing the text specified in Table 17 and encoded in the active code page (line breaks are encoded as 0x0D followed by 0x0A)
PidTagAttachEncoding	Set to an empty PtypBinary
PidTagAttachExtension	Set to ".url"
PidTagAttachFilename	Set to the filename parsed from the URI with a.url extension added. With respect to [RFC3986] , the filename is the last segment in the hier-part of the URI.
PidTagAttachFlags	Set to 0x00000000
PidTagAttachLongFilename	Same as PidTagAttachFilename
PidTagAttachMethod	Set to 0x00000001
PidTagAttachMimeType	Set to the value of FMTTYPE (section 2.2.1.20.1.2)
PidTagAttachmentContactPhoto	Set to FALSE
PidTagAttachmentFlags	Set to 0x00000000
PidTagAttachmentHidden	Set to FALSE

Attachment object property	Value
PidTagAttachmentLinkId	Set to 0x00000000
PidTagDisplayName	Same as PidTagAttachFilename
PidTagExceptionEndTime	Set to 0x0CB34557A3DD4000
PidTagExceptionStartTime	Set to 0x0CB34557A3DD4000
PidTagRenderingPosition	Set to 0xFFFFFFFF

Table 17- .url file contents

[InternetShortcut]
URL=urivalue

Exporting From Calendar objects

If this iCalendar is being generated as part of a MIME meeting request, all attachments in the attachment table that meet the constraints in Table 18 SHOULD [<64>](#) be exported as a CID URI (specified in [\[RFC2392\]](#)). In this case, the value of this property MUST be a CID URI generated by treating [PidTagAttachContentId](#) as a CID. If [PidTagAttachContentId](#) does not exist, a [\[RFC2392\]](#)-compliant CID SHOULD [<65>](#) be generated and stored in [PidTagAttachContentId](#).

If this iCalendar is being generated as part of a calendar export, all attachments in the attachment table that meet the constraints in Table 18 SHOULD [<66>](#) be exported as base64-encoded binary streams. The value of this property MUST be the BASE64 encoding of [PidTagAttachDataBinary](#) (BASE64 encoding is specified in [\[RFC2045\]](#) section 6.8).

Attachment Object Property	Constraint
PidTagAttachmentFlags	MUST NOT have any bits set to 1 in the bit mask 0x00000007
PidTagAttachmentHidden	MUST be unset or, if set, MUST be FALSE
PidTagAttachMethod	MUST be 0x00000001

2.2.1.20.1.1 Parameter: ENCODING

RFC Reference: [\[RFC2445\]](#) section 4.2.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the encoding of a binary attachment.

Importing To and Exporting From Calendar objects

If the VALUE parameter of this ATTACH is BINARY, then this parameter MUST be BASE64. Otherwise, this parameter MUST be omitted.

2.2.1.20.1.2 Parameter: FMTTYPE

RFC Reference: [\[RFC2445\]](#) section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the MIME content type of an attachment.

Importing To Calendar objects

This parameter SHOULD [`<67>`](#) be imported as [PidTagAttachMimeType](#).

Exporting From Calendar objects

This parameter SHOULD [`<68>`](#) take the value of [PidTagAttachMimeType](#).

2.2.1.20.1.3 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Distinguishes encoded binary attachments from URI attachments.

Importing To Calendar objects

This parameter distinguishes attachments encoded in the iCalendar from URIs referencing resources outside the iCalendar. See section [2.2.1.20.1](#).

Exporting From Calendar objects

If this iCalendar is being generated as part of a MIME meeting request, this parameter SHOULD be omitted.

If this iCalendar is being generated as part of a calendar export, this parameter SHOULD be BINARY.

2.2.1.20.1.4 Parameter: X-FILENAME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Supplies a filename for an encoded binary attachment.

Importing To Calendar objects

If the VALUE parameter of this ATTACH is BINARY, this X-FILENAME parameter SHOULD [`<69>`](#) be sanitized as specified in [\[MS-OXCMAIL\]](#) section 2.2.4.1.1 and imported as [PidTagAttachFilename](#), [PidTagAttachLongFilename](#), and [PidTagDisplayName](#). The filename extension parsed from this parameter is imported as [PidTagAttachExtension](#) as specified in Table 15.

Otherwise, the X-FILENAME parameter is ignored.

Exporting From Calendar objects

If the VALUE parameter of this ATTACH is BINARY, then this parameter SHOULD [<70>](#) take the value of [PidTagAttachLongFilename](#).

Otherwise, this parameter SHOULD be omitted.

2.2.1.20.2 Property: ATTENDEE

RFC Reference: [\[RFC2445\]](#) section 4.8.4.1

Number of Instances Allowed: 0+

Format: Calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: An attendee for a meeting.

Importing To Calendar objects

If this property has the special value 'invalid:nomail', then the **CN** of this attendee SHOULD [<71>](#) be added to a list delimited by ";" (U+003B followed by U+0020) in the appropriate string property (specified in Table 19). If an attendee matches more than one row in Table 19, the first matching row applies.

Table 19- Calendar Object properties for ATTENDEEs with value 'invalid:nomail'

CUTYPE	ROLE	Append CN to...
RESOURCE	(any)	PidLidNonSendableBcc
ROOM	(any)	PidLidNonSendableBcc
(any)	OPT-PARTICIPANT	PidLidNonSendableCc
(any)	NON-PARTICIPANT	PidLidNonSendableBcc <72>
(any)	(any)	PidLidNonSendableTo

If this property is not 'invalid:nomail', it SHOULD [<73>](#) be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD [<74>](#) be resolved against the **address book** [\[MS-OXOABK\]](#). If no match was found, a **one-off Entry ID** ([\[MS-OXCDATA\]](#) section 2.2.5.1) MUST be created using the SMTP address and the CN parameter. The **Address Book object** MUST be added to the recipient table of the Calendar object with properties specified in Table 20.

Table 20- Recipient Table properties for ATTENDEEs with a valid SMTP address

Recipient Table Property	Value
PidTagAddressType	Resolved from the address book (see above). In the case of a one-off, set to 'SMTP'.
PidTagDisplayName	Resolved from the address book (see above). In the case of a one-off, set to the value of the CN parameter.
PidTagDisplayType	Set to 0x00000000 <75>
PidTagEmailAddress	Resolved from the address book (see above). In the case of a one-off, set to the SMTP address parsed from the mailto URI.

Recipient Table Property	Value
PidTagEntryId	Resolved from the address book (see above). In the case of a one-off, use the one-off EntryID.
PidTagRecipientDisplayName	Copy of PidTagDisplayName <76>
PidTagRecipientEntryId	Copy of PidTagEntryId <77>
PidTagRecipientFlags	Set to 0x00000001 <78>
PidTagRecipientType	See Table 21 <79>

The correct value of [PidTagRecipientType](#) SHOULD [<80>](#) be determined based on the CUTYPE and ROLE parameters as specified in Table 21. If an attendee matches more than one row in Table 21, the first matching row applies.

Table 21- PidTagRecipientType values for ATTENDEES

CUTYPE	ROLE	PidTagRecipientType
RESOURCE	(any)	0x00000003
ROOM	(any)	0x00000003
(any)	NON-PARTICIPANT	0x00000003
(any)	OPT-PARTICIPANT	0x00000002
(any)	(any)	0x00000001

Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then attendee properties SHOULD NOT [<81>](#) be exported.

Each row in the recipient table of the Calendar object that satisfies the constraints in table 22 MUST be exported as an attendee property. The value of the property MUST be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD [<82>](#) be set to 'invalid:nomail'.

Table 22- Constraints on the rows of a recipient table of a Calendar object which will be exported as ATTENDEE properties

Recipient Table Property	Constraint
PidTagRecipientFlags	The bit denoted by 0x00000020 MUST be 0 and the bit denoted by 0x00000002 MUST be 0
PidTagRecipientType	MUST NOT be 0x00000000

In addition, each of the semicolon-delimited entries in [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#) SHOULD [<83>](#) be exported with a URI of 'invalid:nomail'. For handling of [PidLidNonSendableBcc](#), see [2.2.1.20.21](#).

2.2.1.20.2.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of an attendee.

Importing To Calendar objects

See section [2.2.1.20.2.2](#).

Exporting From Calendar objects

For attendees exported from the recipient table, this parameter SHOULD be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagDisplayName](#) from the recipient table, if necessary).

For attendees exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD [<84>](#) be taken from the semicolon-delimited lists.

2.2.1.20.2.2 Parameter: CUTYPE

RFC Reference: [\[RFC2445\]](#) section 4.2.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The type of attendee.

Importing To Calendar objects

See section [2.2.1.20.2](#).

Exporting From Calendar objects

For attendees exported from the recipient table, this parameter SHOULD [<85>](#) only be exported if the [PidTagRecipientType](#) is 0x00000003. In this case, the CUTYPE SHOULD [<86>](#) be set to resource.

For attendees exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD be omitted.

2.2.1.20.2.3 Parameter: PARTSTAT

RFC Reference: [\[RFC2445\]](#) section 4.2.12

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The attendee's response status.

Importing To Calendar objects

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter is used in conjunction with the METHOD property to determine the [PidTagMessageClass](#) of the Calendar object. See section [2.2.1.1](#).

Exporting From Calendar objects

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter MUST be exported based on the [PidTagMessageClass](#) of the Calendar object. See section [2.2.1.1](#).

For calendars with a METHOD of publish, if the attendee is being exported from a row in the recipient table, the PARTSTAT parameter SHOULD [<87>](#) be exported from the [PidTagRecipientTrackStatus](#) of the recipient as specified in Table 23. If [PidTagRecipientTrackStatus](#) could not be exported because it is unset or 0 and the attendee is the user, then the [PidLidResponseStatus](#) of the Calendar object SHOULD [<88>](#) be exported instead as specified in Table 23.

Table 23- Values of PARTSTAT to export for ATTENDEEs in PUBLISH calendars.

PidTagRecipientTrackStatus or PidLidResponseStatus	PARTSTAT
0x00000003	ACCEPTED
0x00000004	DECLINED
0x00000002	TENTATIVE
(other)	(not exported)

2.2.1.20.2.4 Parameter: ROLE

RFC Reference: [\[RFC2445\]](#) section 4.2.16

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The participation role of the attendee.

Importing To Calendar objects

See section [2.2.1.20.2](#).

Exporting From Calendar objects

For ATTENDEEs exported from the recipient table, this parameter SHOULD be exported based on the [PidTagRecipientType](#).

Table 24- Exporting PidTagRecipientType as a ROLE

PidTagRecipientType	ROLE
0x00000002	OPT-PARTICIPANT
0x00000003	NON-PARTICIPANT
(otherwise)	(omit) <u><89></u>

For ATTENDEES exported from [PidLidNonSendableTo](#), this parameter SHOULD be omitted.

For ATTENDEES exported from [PidLidNonSendableCc](#), this parameter SHOULD [`<90>`](#) be exported as OPT-PARTICIPANT.

2.2.1.20.2.5 Parameter: RSVP

RFC Reference: [\[RFC2445\]](#) section 4.2.17

Number of Instances Allowed: 0,1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: To specify whether there is an expectation of a reply from this attendee.

Importing To Calendar objects

If any ATTENDEE property in the VEVENT has its RSVP parameter set to TRUE or if the VEVENT is being imported with a [PidTagMessageClass](#) of "IPM.appointment", then [PidTagResponseRequested](#) and [PidTagReplyRequested](#) on the Calendar object MUST both be set to TRUE. Otherwise, [PidTagResponseRequested](#) and [PidTagReplyRequested](#) MUST both be set to FALSE.

Exporting From Calendar objects

For ATTENDEES exported from the recipient table, this parameter MUST be exported from [PidTagResponseRequested](#) on the Calendar object.

For ATTENDEES exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD be omitted.

2.2.1.20.3 Property: CATEGORIES

RFC Reference: [\[RFC2445\]](#) section 4.8.1.2

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: A list of categories assigned to the appointment.

Importing To Calendar objects

All instances of the CATEGORIES property SHOULD be parsed into a single array of strings. Several rules apply to the import of categories:

- All separator characters, semicolon (U+003B), comma (U+002C), arabic semicolon (U+061B), small semicolon (U+FE54), full-width semicolon (U+FF1B), SHOULD [`<91>`](#) be removed.
- All contiguous sequences of whitespace [`<92>`](#) characters SHOULD [`<93>`](#) be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD be trimmed.
- Strings SHOULD [`<94>`](#) be truncated to a length of 255 WCHARs if the length exceeds 255 WCHARs, but the truncation SHOULD NOT [`<95>`](#) split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD [`<96>`](#) be removed.

The resulting string array is stored in [PidNameKeywords](#).

Exporting From Calendar objects

[PidNameKeywords](#) SHOULD be exported as a comma-delimited list in the CATEGORIES property.

2.2.1.20.4 Property: CLASS

RFC Reference: [\[RFC2445\]](#) section 4.8.1.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The privacy or classification level of an appointment.

Importing To and Exporting From Calendar objects

The CLASS property MUST map to [PidTagSensitivity](#) as specified in Table 25.

Table 25- Mapping from the CLASS property to PidTagSensitivity

CLASS	PidTagSensitivity
PRIVATE	0x00000002
CONFIDENTIAL	0x00000003
PUBLIC	0x00000000
X-PERSONAL <u><97></u>	0x00000001 <u><98></u>

2.2.1.20.5 Property: COMMENT

RFC Reference: [\[RFC2445\]](#) section 4.8.1.4 and [\[RFC2446\]](#) section 3.2.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In a meeting response, this property represents an optional plain-text message from the attendee intended for the organizer.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD [<99>](#) be mapped directly to [PidTagBody](#). The COMMENT property SHOULD be ignored for other values of METHOD.

Also see the documentation for DESCRIPTION in section [2.2.1.20.11](#).

2.2.1.20.6 Property: CONTACT

RFC Reference: [\[RFC2445\]](#) section 4.8.4.2

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: A contact for an appointment.

Importing To Calendar objects

All instances of the CONTACT property SHOULD [<100>](#) be appended to single array of strings. Several rules apply to the import of contacts.

- All semicolons (U+003B) SHOULD [<101>](#) be removed.
- All contiguous sequences of whitespace [<102>](#) characters SHOULD [<103>](#) be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD [<104>](#) be trimmed.
- Strings SHOULD [<105>](#) be truncated to a length of 500 WCHARs if their length exceeds 500 WCHARs, but the truncation SHOULD NOT [<106>](#) split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD [<107>](#) be removed.

The resulting string array is stored in [PidLidContacts](#).

Exporting From Calendar objects

Each string in the array of strings in [PidLidContacts](#) SHOULD [<108>](#) be exported as a new CONTACT property.

2.2.1.20.7 Property: CREATED

RFC Reference: [\[RFC2445\]](#) section 4.8.7.1

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The creation time of an appointment.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

The [PidTagCreationTime](#) of a Calendar object SHOULD [<109>](#) be exported as a CREATED property, specified in **UTC**.

2.2.1.20.8 Property: DTEND

RFC Reference: [\[RFC2445\]](#) section 4.8.2.2

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The end time of an appointment. If the item is a **counter proposal**, then this is the proposed end time of the meeting.

Importing To Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD be imported as [PidLidAppointmentProposedEndWhole <110>](#)

If the METHOD property of the VCALENDAR component is not set to 'COUNTER', or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD [<111>](#) be imported as [PidLidAppointmentEndWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<112>](#) be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD [<113>](#) be imported as an all day appointment: [PidLidAppointmentSubType](#) MUST be set to 0x00000001. Note that this logic SHOULD [<114>](#) also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section [2.2.1.20.28](#)) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (section [2.2.1.20.41](#)).

Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then [PidLidAppointmentProposedEndWhole <115>](#) be exported as a new DTEND property. For other values of METHOD, the [PidLidAppointmentEndWhole](#) of a Calendar object SHOULD [<116>](#) be exported as a new DTEND property.

If this is an all day appointment, then this property SHOULD [<117>](#) be exported in floating time with the Date format ([\[RFC2445\]](#) section 4.3.4).

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD [<118>](#) be specified as a local time with a TZID parameter.

2.2.1.20.8.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Importing To Calendar objects

If this appointment is recurring, and if there is a TZID parameter, and if neither [PidLidTimeZoneStruct](#) nor [PidLidTimeZoneDescription](#) has been imported from DTSTART (section [2.2.1.20.10](#)), then [PidLidTimeZoneStruct](#) MUST be imported from the VTIMEZONE referenced by the TZID parameter, [PidLidTimeZoneDescription](#) MUST be imported from the TZID parameter, and [PidLidAppointmentTimeZoneDefinitionRecur](#) SHOULD [<119>](#) be imported from the VTIMEZONE referenced by the TZID parameter. Otherwise, this parameter SHOULD be ignored.

Furthermore, [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) SHOULD [<120>](#) be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

Exporting From Calendar objects

If this is a recurring non-all day appointment, then the DTEND property MUST be specified as a local time. It MUST be accompanied by a TZID parameter that is equal to the TZID property of the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionRecur <121>](#) or the combination of [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#).

If this is a non-recurring non-all day appointment and if [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) is set, then the DTEND property SHOULD [<122>](#) be specified as a local time. It MUST be accompanied by a TZID parameter that is equal to the TZID property of the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionEndDisplay](#).

2.2.1.20.8.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [<123>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the DTEND property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTEND property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.9 Property: DTSTAMP

RFC Reference: [\[RFC2445\]](#) section 4.8.7.2

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The creation time of the iCalendar.

Importing To Calendar objects

If the METHOD (specified in section [2.2.1.1](#)) is 'REPLY' or 'COUNTER', then this property SHOULD be imported as [PidLidAttendeeCriticalChange. <124>](#)

If the METHOD is not 'REPLY' or 'COUNTER', then this property MUST be imported as [PidLidOwnerCriticalChange](#).

Exporting From Calendar objects

If the METHOD (specified in section [2.2.1.1](#)) is 'REPLY' or 'COUNTER', then [PidLidAttendeeCriticalChange](#) MUST be exported as DTSTAMP.

If the METHOD is not 'REPLY' or 'COUNTER', then [PidLidOwnerCriticalChange](#) MUST be exported as DTSTAMP. If [PidLidOwnerCriticalChange](#) is undefined, the current system time SHOULD be used.

2.2.1.20.9.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.10 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The start time of an appointment. If the item is a counter proposal, this is the proposed start time of the meeting.

Importing To Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD [`<125>`](#) be imported as [PidLidAppointmentProposedStartWhole](#).

If the METHOD property of the VCALENDAR component is not set to 'COUNTER' or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD [`<126>`](#) be imported as [PidLidAppointmentStartWhole](#), and [PidLidAppointmentDuration](#) SHOULD [`<127>`](#) be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD [`<128>`](#) be imported as an all day appointment: [PidLidAppointmentSubType](#) MUST be set to 0x00000001. Note that this logic SHOULD [`<129>`](#) also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section [2.2.1.20.28](#)) and X-MICROSOFT-MSNCALNDAR-ALLDAYEVENT (section [2.2.1.20.41](#)).

Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then [PidLidAppointmentProposedStartWhole](#) SHOULD [`<130>`](#) be exported as a new DTSTART property. For other values of METHOD, the [PidLidAppointmentStartWhole](#) of a Calendar object SHOULD [`<131>`](#) be exported as a DTSTART property.

If this is an all day appointment, then this property SHOULD [`<132>`](#) be exported in floating time with the Date format.

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD [`<133>`](#) be specified as a local time with a TZID parameter.

2.2.1.20.10.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Importing To Calendar objects

If this appointment is recurring, and if there is a TZID parameter, then [PidLidTimeZoneStruct](#) MUST be imported from the VTIMEZONE referenced by the TZID parameter, [PidLidTimeZoneDescription](#) MUST be imported from the TZID parameter, and [PidLidAppointmentTimeZoneDefinitionRecur](#) SHOULD [<134>](#) be imported from the VTIMEZONE referenced by the TZID parameter.

Furthermore, [PidLidAppointmentTimeZoneDefinitionStartDisplay](#) SHOULD [<135>](#) be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

Exporting From Calendar objects

If this is a recurring non-all day appointment, then the DTSTART property MUST be specified as a local time. It MUST be accompanied by a TZID parameter referencing the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionRecur](#) [<136>](#) or the combination of [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#).

If this is a non-recurring non-all day appointment and if [PidLidAppointmentTimeZoneDefinitionStartDisplay](#) is set, then the DTSTART property SHOULD [<137>](#) be specified as a local time. It MUST be accompanied by a TZID parameter referencing the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionStartDisplay](#).

2.2.1.20.10.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [<138>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the DTSTART property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTSTART property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.11 Property: DESCRIPTION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the plain-text body of an appointment.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD [`<139>`](#) be ignored. For other values of METHOD, this property MUST be mapped directly to [PidTagBody](#).

Also see the documentation for COMMENT in section [2.2.1.20.5](#).

2.2.1.20.11.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

Importing To Calendar objects

This parameter SHOULD [`<140>`](#) be interpreted as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding language code identifier, as specified in [\[MS-LCID\]](#).

Exporting From Calendar objects

This parameter SHOULD NOT be exported (section [2.2.1.20.24.1](#)).

2.2.1.20.12 Property: DURATION

RFC Reference: [\[RFC2445\]](#) section 4.8.2.5

Number of Instances Allowed: 0, 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6)

Brief Description: Specifies the duration of an appointment.

Importing To Calendar objects

If only one of DTSTART and DTEND is present, the DURATION property SHOULD [`<141>`](#) be used to compute the missing property.

Exporting From Calendar objects

This parameter SHOULD NOT be exported.

2.2.1.20.13 Property: EXDATE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.1

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

Importing To Calendar objects

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

All valid EXDATES MUST be gathered into the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)) after the following validation:

- All EXDATES MUST be converted to the time zone specified by [PidLidTimeZoneStruct](#).
- The time information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- All entries that do not have a date matching the start date of an **instance** in the recurrence pattern MUST be removed.
- The **DeletedInstanceDates** field of the **RecurrencePattern** structure MUST be sorted chronologically with the earliest dates at the start.

Note that additional EXDATES could be derived from the RECURRENCE-IDs of other VEVENTs (section [2.2.1.20.20](#)).

Exporting From Calendar objects

The EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

In certain cases, an X-MICROSOFT-EXDATE SHOULD [<142>](#) be exported in place of an EXDATE. See section [2.2.1.20.39](#).

If there are entries in the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)), the date-times of each day specified by the **DeletedInstanceDates** field of the **RecurrencePattern** structure SHOULD [<143>](#) be added with the time specified by the **StartTimeOffset** field of the **RecurrencePattern** structure and exported in a multi-valued EXDATE property, but exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section [2.2.1.20.20](#)) SHOULD NOT also be exported as an EXDATE.

If the recurrence is an all day recurrence, the EXDATES MUST be specified in the Date format.

2.2.1.20.13.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.13.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [`<144>`](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the EXDATE property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the EXDATE property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.14 Property: LAST-MODIFIED

RFC Reference: [\[RFC2445\]](#) section 4.8.7.3

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The last modification time of an appointment.

Importing To Calendar object

This property SHOULD be ignored. [`<145>`](#)

Exporting From Calendar objects

The [PidTagLastModificationTime](#) of a Calendar object SHOULD [`<146>`](#) be exported as a LAST-MODIFIED property, specified in UTC.

2.2.1.20.15 Property: LOCATION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the location of an appointment.

Importing To Calendar objects

This property SHOULD [<147>](#) be stripped of all carriage returns (U+000D) and line feeds (U+000A), and SHOULD [<148>](#) be truncated to a length of 255 WCHARs if its length exceeds 255 WCHARs. The truncation SHOULD NOT [<149>](#) split surrogate pairs. This property MUST be stored in [PidLidLocation](#).

Exporting From Calendar objects

[PidLidLocation](#) MUST be exported as a LOCATION property.

2.2.1.20.15.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

Importing To Calendar objects

This parameter SHOULD [<150>](#) be interpreted as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding language code identifier, as specified in [\[MS-LCID\]](#).

Exporting From Calendar objects

This parameter SHOULD NOT be exported. See section [2.2.1.20.24.1](#).

2.2.1.20.16 Property: ORGANIZER

RFC Reference: [\[RFC2445\]](#) section 4.8.4.3

Number of Instances Allowed: 0, 1

Format: Calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: The organizer of a meeting.

Importing To Calendar objects

This property SHOULD [<151>](#) be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD be resolved against the address book [\[MS-OXOABK\]](#). If no match was found, a one-off EntryID ([\[MS-OXCDATA\]](#) section 2.2.5.1) MUST be created using the SMTP address and the CN parameter. The Address Book object MUST be added to the recipient table of the Calendar object with properties specified in Table 26.

Table 26- Recipient Table properties for the ORGANIZER Property

Recipient Table Property	Value
PidTagAddressType	Resolved from the address book (see above)
PidTagDisplayName	Resolved from the address book (see above)
PidTagDisplayType	Set to 0x00000000 <152>

Recipient Table Property	Value
PidTagEmailAddress	Resolved from the address book (see above)
PidTagEntryId	Resolved from the address book (see above)
PidTagRecipientDisplayName	Copy of PidTagDisplayName <153>
PidTagRecipientEntryId	Copy of PidTagEntryId <154>
PidTagRecipientFlags	Set to 0x00000003
PidTagRecipientType	Set to 0x00000001

Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then an organizer property MUST NOT be exported.

The row in the recipient table of the Calendar object that satisfies the constraints in Table 27 SHOULD [<155>](#) be exported as an organizer property. The value of the property MUST be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD [<156>](#) be set to 'invalid:nomail'.

Table 27- Constraints on the row of a recipient table of a Calendar object which will be exported as the ORGANIZER property

Recipient Table Property	Constraint
PidTagRecipientFlags	The bit denoted by 0x00000020 MUST be 0
PidTagRecipientFlags or PidTagRecipientType	The bit denoted by 0x00000002 of PidTagRecipientFlags MUST be 1 or The PidTagRecipientType MUST be 0x00000000

2.2.1.20.16.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of the organizer.

Importing To Calendar objects

See section [2.2.1.20.16](#).

Exporting From Calendar objects

This parameter SHOULD be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagDisplayName](#) from the recipient table, if necessary).

2.2.1.20.17 Property: PRIORITY

RFC Reference: [\[RFC2445\]](#) section 4.8.1.9

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

Importing To Calendar objects

If [PidTagImportance](#) cannot be imported from X-MICROSOFT-CDO-IMPORTANCE (section [2.2.1.20.32](#)) or X-MICROSOFT-MSCALENDAR-IMPORTANCE (section [2.2.1.20.43](#)), then this property MUST be imported into [PidTagImportance](#) as specified by Table 28.

Table 28- Map from PRIORITY to PidTagImportance

PRIORITY	PidTagImportance
0	(unset)
1	0x00000002
2	0x00000002
3	0x00000002
4	0x00000002
5	0x00000001
6	0x00000000
7	0x00000000
8	0x00000000
9	0x00000000

Exporting From Calendar objects

[PidTagImportance](#) MUST be exported as the PRIORITY property as specified by Table 29.

Table 29- Map from PidTagImportance to PRIORITY

PidTagImportance	PRIORITY
0x00000002	1
0x00000001	5
0x00000000	9

2.2.1.20.18 Property: RDATE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.3

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4), Period of Time ([\[RFC2445\]](#) section 4.3.9)

Brief Description: Specifies the start time of additional instances of the recurring appointment which have been created by the organizer.

Importing To Calendar objects

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

RDATES in Period of Time format SHOULD be ignored. All valid RDATES SHOULD [**<157>**](#) be gathered into the **ModifiedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)) after the following validation:

- All RDATES MUST be converted to the time zone specified by [PidLidTimeZoneStruct](#).
- The time-of-day information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- Each RDATE MUST be pairable with an EXDATE to represent a moved instance of a recurring appointment. The moved instance obeys the following rules:
 - An instance MUST NOT be moved before the previous instance or after the next instance.
 - An instance MUST NOT be moved such that the intersection of its span with the span of any other instance of the appointment has a non-zero duration.
 - An instance MUST NOT be moved such that its start time falls on the same calendar day as that of another instance.
- The ModifiedInstanceDates field in the RecurrencePattern structure MUST be sorted chronologically with the earliest dates at the start.

In addition, all valid RDATES SHOULD [**<158>**](#) be stored in the ExceptionInfo segment of the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)). The contents of each ExceptionInfo block MUST be set as specified in Table 30.

Table 30- ExceptionInfo fields for RDATE exceptions

ExceptionInfo Field	Value
StartTime	Set to the RDATE value, in the time zone specified by PidLidTimeZoneStruct
EndTime	Set to StartTime + the duration of the appointment
OriginalStartDate	Set to the paired EXDATE value, in the time zone specified by PidLidTimeZoneStruct
OverrideFlags	Set to 0x00000000
SubjectLength/Subject	(unset)
MeetingType	(unset)
ReminderDelta	(unset)

ExceptionInfo Field	Value
ReminderSet	(unset)
LocationLength/Location	(unset)
BusyStatus	(unset)
Attachment	(unset)
SubType	(unset)
AppointmentColor	(unset)

Note that additional RDATEs could be derived from the DTSTARTs of other VEVENTs. See section [2.2.1.20.20](#). For exceptions generated by RECURRENCE-IDs, fields in the ExceptionInfo MUST be set according to Table 31.

Table 31- ExceptionInfo fields for RECURRENCE-ID exceptions

ExceptionInfo Field	Value
StartDateTime	Set to PidLidAppointmentStartWhole from the exception Calendar object, in the time zone specified by PidLidTimeZoneStruct
EndDateTime	Set to PidLidAppointmentEndWhole from the exception Calendar object, in the time zone specified by PidLidTimeZoneStruct
OriginalStartDate	Set to PidLidExceptionReplaceTime from the exception Calendar object, in the time zone specified by PidLidTimeZoneStruct
OverrideFlags	Set the appropriate flags specified in Table 32.
SubjectLength/Subject	Set to PidTagSubject from the exception Calendar object, leave unset if PidTagSubject is not present
MeetingType	(unset)
ReminderDelta	Set to PidLidReminderDelta from the exception Calendar object, leave unset if PidLidReminderDelta is not present
ReminderSet	Set to FALSE if PidLidReminderDelta is not present, leave unset otherwise
LocationLength/Location	Set to PidLidLocation from the exception Calendar object, leave unset if PidLidLocation is not present
BusyStatus	Set to PidLidBusyStatus from the exception Calendar object, leave unset if PidLidBusyStatus is not present
Attachment	(unset)
SubType	Set to PidLidAppointmentSubType from the exception Calendar object, leave unset if PidLidAppointmentSubType is not present
AppointmentColor	(unset)

Table 32- Valid flags in OverrideFlags

OverrideFlags Flag	Meaning
0x0001	SubjectLength / Subject is set (see Table 31)
0x0004	ReminderDelta is set (see Table 31)
0x0008	ReminderSet is set (see Table 31)
0x0010	LocationLength / Location is set (see Table 31)
0x0020	BusyStatus is set (see Table 31)
0x0080	SubType is set (see Table 31)
0x0200	PidTagRtfCompressed or PidTagBody from the exception Calendar object is present

Exporting From Calendar objects

The RDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If there are entries in the ModifiedInstanceDates field in the RecurrencePattern structure embedded within the [PidLidAppointmentRecur](#) structure (see [MS-OXOCAL]), the date-times of all instances of the recurrence pattern falling on the days specified by the **ModifiedInstanceDates** field in the **RecurrencePattern** structure SHOULD [**<159>**](#) be exported in an RDATE, but exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section [2.2.1.20.20](#)) MUST NOT also be exported as an RDATE.

If the exception is an all day appointment, the RDATE MUST be specified in the Date format.

2.2.1.20.18.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.18.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [**<160>**](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the RDATE property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RDATE property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.19 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0, 1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

Importing To and Exporting From Calendar objects

Section [2.3.2](#) specifies how the RRULE property is imported and exported.

2.2.1.20.20 Property: RECURRENCE-ID

RFC Reference: [\[RFC2445\]](#) section 4.8.4.4

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The original starting time of a moved exception of a recurring appointment.

Importing To Calendar objects

This property MUST be imported into [PidLidExceptionReplaceTime](#), in UTC.

In addition, if the VCALENDAR contains a recurring VEVENT with the same UID, but no RECURRENCE-ID, this entire VEVENT SHOULD [<161>](#) be treated as an exception of the recurring VEVENT. In particular:

- Instead of creating a new Calendar object in the Folder object for this VEVENT, a new attachment object in the **Recurring Calendar object** SHOULD [<162>](#) be created (with properties specified in Table 33), and [PidTagAttachDataObject](#) SHOULD [<163>](#) be opened as a Calendar object and used to import this VEVENT.
- The [PidTagMessageClass](#) of this Calendar object SHOULD [<164>](#) be overwritten to 'IPM.OLE.CLASS.{00061055-0000-0000-C000-00000000046}'.
- The recurring VEVENT SHOULD [<165>](#) treat this VEVENT's RECURRENCE-ID as an EXDATE, and this VEVENT's DTSTART as an RDATE. See section [2.2.1.20.18](#) for the effect of this exception on [PidLidAppointmentRecur](#).

Table 33- Embedded exception attachment properties

Attachment Object Property	Value
PidTagAttachDataObject	Open this property as a Calendar object interface and import the VEVENT

Attachment Object Property	Value
PidTagAttachMethod	Set to 0x00000005
PidTagRenderingPosition	Set to 0xFFFFFFFF
PidTagDisplayName	Set to the PidTagSubject of this Calendar object
PidTagExceptionStartTime	Set to the PidLidAppointmentStartWhole of this Calendar object, local to the time zone specified by PidLidTimeZoneStruct of this Calendar object.
PidTagAttachEncoding	Set to an empty PtypBinary
PidTagExceptionEndTime	Set to the PidLidAppointmentEndWhole of this Calendar object, local to the time zone specified by PidLidTimeZoneStruct of this Calendar object.
PidTagAttachmentFlags	Set to 0x00000002
PidTagAttachmentLinkId	Set to 0x00000000
PidTagAttachFlags	Set to 0x00000000
PidTagAttachmentHidden	Set to TRUE
PidTagAttachmentContactPhoto	Set to FALSE

Exporting From Calendar objects

If [PidLidExceptionReplaceTime](#) is set, then it MUST be exported as a RECURRANCE-ID. Otherwise, if an InstanceDate can be parsed from the 17th, 18th, 19th, and 20th bytes of [PidLidGlobalObjectId](#) as specified in section [2.2.1.20.26](#), then that date combined with the time in [PidLidStartRecurrenceTime](#) (in the time zone specified by [PidLidTimeZoneStruct](#)) MUST be exported as a RECURRANCE-ID.

In addition, exceptions to recurring appointments SHOULD [<166>](#) be exported as a separate VEVENTs with a RECURRANCE-ID under either of the conditions below. exceptions that do not fit either of these conditions MAY instead be exported as an RDATE (see section [2.2.1.20.18](#)).

- Exceptions stored as an attachment object with [PidTagAttachMethod](#) set to 0x00000005 and with the bit denoted by 0x00000002 set to 1 in [PidTagAttachmentFlags](#).
- Exceptions which do anything other than, or in addition to, moving the start time of an instance without changing the duration.

The RECURRANCE-ID of new VEVENTs MUST be exported from the **OriginalStartDate** field of the corresponding **ExceptionInfo** block. Furthermore, the new VEVENTs MUST export the same UID as the recurring VEVENT. The remaining properties MUST be exported from the Calendar object embedded in [PidTagAttachDataObject](#) of the attachment object. If no attachment object exists for this exception, then the **ExceptionInfo's** fields MUST be exported as properties of the new VEVENT as specified in Table 34.

Table 34- Properties exported from an ExceptionInfo structure

ExceptionInfo Field	Export as...
StartDateTime / MeetingType	Export as DTSTART (see section 2.2.1.20.10)

ExceptionInfo Field	Export as...
EndDateTime / MeetingType	Export as DTEND (see section 2.2.1.20.8)
OriginalStartDate	Export as RECURRENCE-ID
SubjectLength / Subject	Export as SUMMARY (see section 2.2.1.20.24), if Subject is set
ReminderDelta / ReminderSet	Export as a VALARM sub-component (see section 2.2.1.20.62), if ReminderDelta is set and if ReminderSet is not FALSE
LocationLength / Location	Export as LOCATION (see section 2.2.1.20.15), if Location is set
BusyStatus	Export as TRANSP (see section 2.2.1.20.25) and X-MICROSOFT-CDO-BUSYSTATUS (see section 2.2.1.20.31), if BusyStatus is set

If RECURRENCE-ID is exported (as specified above) and the recurring parent is not all day, RECURRENCE-ID MUST be specified local to the time zone specified in [PidLidTimeZoneStruct](#).

If RECURRENCE-ID is exported (as specified above) and the recurring parent is all day, then the RECURRENCE-ID MUST be specified in the Date format ([\[RFC2445\]](#) section 4.3.4).

2.2.1.20.20.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.20.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [`<167>`](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the RECURRENCE-ID property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RECURRENCE-ID property is specified in the

Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.21 Property: RESOURCES

RFC Reference: [\[RFC2445\]](#) section 4.8.1.10

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: resource (such as rooms or equipment) for a meeting.

Importing To Calendar objects

All instances of the resources property SHOULD [`<168>`](#) be parsed as a comma-delimited list of strings into a string array. For each string in the array:

- All semicolons (U+003B) MUST be filtered out.
- All adjacent sequences of whitespace [`<169>`](#) MUST be compressed to a single space (U+0020).
- All whitespace [`<170>`](#) at the beginning and end of the string MUST be filtered out.
- Zero-length strings MUST be ignored.

All remaining strings in the array SHOULD [`<171>`](#) be added to a list delimited by ";" (U+003B followed by U+0020) in [PidLidNonSendableBcc](#).

Exporting From Calendar objects

The semicolon-delimited entries in [PidLidNonSendableBcc](#) SHOULD [`<172>`](#) be exported as a comma-delimited list in a **resources** property.

2.2.1.20.22 Property: SEQUENCE

RFC Reference: [\[RFC2445\]](#) section 4.8.7.4

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the revision sequence number of the meeting request.

Importing To Calendar objects

If [PidLidAppointmentSequence](#) cannot be imported from X-MICROSOFT-CDO-APPT-SEQUENCE (section 2.2.1.20.29), then this property MUST be imported into [PidLidAppointmentSequence](#). If no SEQUENCE property exists, [PidLidAppointmentSequence](#) SHOULD [`<173>`](#) be left unset.

Exporting From Calendar objects

[PidLidAppointmentSequence](#) MUST be exported as the SEQUENCE property. If [PidLidAppointmentSequence](#) is not set, the SEQUENCE property MUST be exported as 0.

2.2.1.20.23 Property: STATUS

RFC Reference: [\[RFC2445\]](#) section 4.8.1.11

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the confirmation level of the appointment.

Importing To Calendar objects

If [PidLidBusyStatus](#) cannot be imported from TRANSP (section [2.2.1.20.25](#)), X-MICROSOFT-CDO-BUSYSTATUS (section [2.2.1.20.31](#)), or X-MICROSOFT-MSCALENDAR-BUSYSTATUS (section [2.2.1.20.42](#)), this property SHOULD [`<174>`](#) be imported into [PidLidBusyStatus](#) as specified in Table 35.

Table 35- Mapping of STATUS to PidLidBusyStatus

STATUS	PidLidBusyStatus
CANCELLED	0x00000000
TENTATIVE	0x00000001
CONFIRMED	0x00000002

Exporting From Calendar objects

This property SHOULD NOT be exported.

2.2.1.20.24 Property: SUMMARY

RFC Reference: [\[RFC2445\]](#) section 4.8.1.12

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the subject of an appointment.

Importing To Calendar objects

This property SHOULD [`<175>`](#) be stripped of all carriage returns (U+000D) and line feeds (U+000A), and SHOULD [`<176>`](#) be truncated to a length of 255 WCHARs if its length exceeds 255 WCHARs. The truncation SHOULD NOT [`<177>`](#) split surrogate pairs. This property MUST be stored in [PidTagSubject](#). If this property could not be imported, [PidTagSubject](#) SHOULD [`<178>`](#) be set to the zero-length string.

Exporting From Calendar objects

[PidTagSubject](#) MUST be exported as a SUMMARY property. If [PidTagSubject](#) is not set, then the zero-length string SHOULD [`<179>`](#) be exported as a SUMMARY property.

2.2.1.20.24.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

Importing To Calendar objects

This parameter SHOULD [<180>](#) be parsed as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding [\[MS-LCID\]](#) language code identifier.

Exporting From Calendar objects

[PidTagMessageLocaleId](#) SHOULD [<181>](#) be converted from an [\[MS-LCID\]](#) language code identifier to an [\[RFC1766\]](#) language tag and exported as a LANGUAGE parameter.

2.2.1.20.25 Property: TRANSP

RFC Reference: [\[RFC2445\]](#) section 4.8.2.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies whether or not this appointment is intended to be visible in availability searches.

Importing To Calendar objects

If [PidLidBusyStatus](#) cannot be imported from X-MICROSOFT-CDO-BUSYSTATUS (section [2.2.1.20.31](#)) or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (section [2.2.1.20.42](#)), this property SHOULD [<182>](#) be imported into [PidLidBusyStatus](#) as specified in table 36.

Table 36- Mapping of TRANSP to PidLidBusyStatus

STATUS	PidLidBusyStatus
TRANSPARENT	0x00000000
OPAQUE	0x00000002

Exporting From Calendar objects

This property SHOULD [<183>](#) be exported from [PidLidBusyStatus](#) as specified in Table 37.

Table 37- Mapping of PidLidBusyStatus to TRANSP

PidLidBusyStatus	STATUS
0x00000000	TRANSPARENT
0x00000001	OPAQUE
0x00000002	OPAQUE
0x00000003	OPAQUE

2.2.1.20.26 Property: UID

RFC Reference: [\[RFC2445\]](#) section 4.8.4.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides a globally unique identifier for the appointment.

Importing To Calendar objects

There are two supported forms of textual representation of the UID property. The **Augmented Backus-Naur Form (ABNF)** ([\[RFC5234\]](#)) grammar for this value is:

```
UID = EncodedGlobalId / ThirdPartyGlobalId

EncodedGlobalId      = Header GlobalIdData
ThirdPartyGlobalId   = 1*UTF8-octets ; Assuming UTF-8 is the encoding

Header = ByteArrayID InstanceDate CreationDateTime Padding DataSize

ByteArrayID          = "040000008200E00074C5B7101A82E008"
InstanceDate          = InstanceYear InstanceMonth InstanceDay
InstanceYear          = 4*4HEXDIG ; UInt16
InstanceMonth         = 2*2HEXDIG ; UInt8
InstanceDay           = 2*2HEXDIG ; UInt8
CreationDateTime     = FileTime
FileTime              = 16*16HEXDIG ; UInt64
Padding               = 16*16HEXDIG ; "0000000000000000" recommended
DataSize              = 8*8HEXDIG ; UInt32 little-endian
GlobalIdData          = 2*HEXDIG

UTF8-octets = *( UTF8-char )
UTF8-char   = UTF8-1 / UTF8-2 / UTF8-3 / UTF8-4
UTF8-1      = %x00-7F
UTF8-2      = %xC2-DF UTF8-tail
UTF8-3      = %xE0 %xA0-BF UTF8-tail / %xE1-EC 2( UTF8-tail ) /
             %xED %x80-9F UTF8-tail / %xEE-EF 2( UTF8-tail )
UTF8-4      = %xF0 %x90-BF 2( UTF8-tail ) / %xF1-F3 3( UTF8-tail ) /
             %xF4 %x80-8F 2( UTF8-tail )
UTF8-tail   = %x80-BF
```

To be of type **EncodedGlobalId**, the value of the UID property MUST satisfy the following constraints:

1. Every character MUST be a HEXDIG.
2. The length of the string MUST be eighty-two (82) characters or more.
3. The length of the string MUST be evenly divisible by 2.
4. The first thirty-two characters MUST match (case insensitive [<184>](#))"040000008200E00074C5B7101A82E008".

Otherwise, the UID property is of type **ThirdPartyGlobalId**.

If the UID is of type **EncodedGlobalId**, then the data MUST be decoded to its binary representation (every two HEXDIGs compose one byte).

A temporary variable *EffectiveInstanceDate* is defined as follows:

- If the UID is of type **EncodedGlobalId** and if the **InstanceDate** portion of the UID is a valid date in the range of January 1st, 1601 to December 31st, 4500 (inclusive), then the *EffectiveInstanceDate* is the **ThirdPartyGlobalId** portion of the UID.
- If the UID is of type **EncodedGlobalId** but the **ThirdPartyGlobalId** portion of the UID is not a valid date in the range of January 1st, 1601 to December 31st, 4500 (inclusive), then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).
- If the UID is of type **ThirdPartyGlobalId**, then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).

If the UID is of type **EncodedGlobalId**, it MUST be imported into [PidLidGlobalObjectId](#) as specified below (the [PidLidGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.27):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate*'s year.
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate*'s year.
- The **M** field MUST be set to the value of the *EffectiveInstanceDate*'s month.
- The **D** field MUST be set to the value of the *EffectiveInstanceDate*'s day.
- The **Creation Time** field MUST be set to the **CreationDateTime** value.
- The **X** field MUST be set to the **Padding** value.
- The **Size** field MUST be set to the **DataSize** value.
- The **Data** field MUST be set to the binary value of **GlobalIdData**.

If the UID is of type **EncodedGlobalId**, it MUST also be imported into [PidLidCleanGlobalObjectId](#) as specified below (the [PidLidCleanGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.28):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to 0x00.
- The **YL** field MUST be set to 0x00.
- The **M** field MUST be set to 0x00.
- The **D** field MUST be set to 0x00.
- The **Creation Time** field MUST be set to the **CreationDateTime** value.
- The **X** field MUST be set to the **Padding** value.
- The **Size** field MUST be set to the **DataSize** value.

- The **Data** field MUST be set to the binary value of **GlobalIdData**.

If the UID is of type **ThirdPartyGlobalId**, it MUST be imported into [PidLidGlobalObjectId](#) as specified below (the [PidLidGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.27):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate*'s year.
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate*'s year.
- The **M** field MUST be set to the value of the *EffectiveInstanceDate*'s month.
- The **D** field MUST be set to the value of the *EffectiveInstanceDate*'s day.
- The **Creation Time** field MUST be set to 0x0000000000000000.
- The **X** field MUST be set to 0x0000000000000000.
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C.
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8).

If the UID is of type **ThirdPartyGlobalId**, it MUST also be imported into [PidLidCleanGlobalObjectId](#) as specified below (the [PidLidCleanGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.28):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to 0x00.
- The **YL** field MUST be set to 0x00.
- The **M** field MUST be set to 0x00.
- The **D** field MUST be set to 0x00.
- The **Creation Time** field MUST be set to 0x0000000000000000.
- The **X** field MUST be set to 0x0000000000000000.
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C.
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8).

Exporting From Calendar objects

If the **Data** field (as specified in [\[MS-OXOCAL\]](#) section 2.2.1.27) of [PidLidGlobalObjectId](#) begins with the following 12 bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00,

the remainder of the **Data** field (starting at the 13th byte) MUST be treated as a UTF-8 encoded string and exported directly as the UID property.

Otherwise, a modified copy of [PidLidGlobalObjectId](#), with the **YH**, **YL**, **M**, and **D** fields set to 0x00, MUST be encoded as a hexadecimal string, and exported as the UID property.

2.2.1.20.27 Property: X-ALT-DESC

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Text ([RFC2445](#) section 4.3.11)

Brief Description: Provides an alternate format for the DESCRIPTION property (an HTML body).

Importing To Calendar objects

If the FMTTYPE parameter is 'text/HTML', then the HTML SHOULD [`<185>`](#) be converted to encapsulated RTF (see [\[MS-OXRTFEX\]](#)) and stored in [PidTagRtfCompressed](#) (see [\[MS-OXRTFCP\]](#)).

If the FMTTYPE parameter is absent or undocumented, then the X-ALT-DESC property SHOULD be ignored.

Exporting From Calendar objects

[PidTagRtfCompressed](#) SHOULD [`<186>`](#) be converted to HTML and exported as an X-ALT-DESC property with a FMTTYPE parameter of 'text/HTML'.

2.2.1.20.27.1 Parameter: FMTTYPE

RFC Reference: [RFC2445](#) section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445](#) section 4.3.11)

Brief Description: Specifies the text format of the X-ALT-DESC property.

Importing To and Exporting From Calendar objects

See section [2.2.1.20.27](#).

2.2.1.20.28 Property: X-MICROSOFT-CDO-ALLDAYEVENT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

Importing To Calendar objects

If this property is set to TRUE and if DTSTART and DTEND are both specified as local times falling at midnight in their respective [`<187>`](#) time zones, then this appointment SHOULD [`<188>`](#) be imported as an all day appointment. Specifically, [PidLidAppointmentSubType](#) SHOULD [`<189>`](#) be set to

0x00000001 and [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#) SHOULD [`<190>`](#) be set to fall on midnight of the current system time zone (in UTC).

Exporting From Calendar objects

This property SHOULD NOT [`<191>`](#) be exported. Section [2.2.1.20.10](#) specifies how to correctly export all day events.

2.2.1.20.29 Property: X-MICROSOFT-CDO-APPT-SEQUENCE

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the sequence number of the meeting request.

Importing To Calendar objects

This property SHOULD [`<192>`](#) be imported into [PidLidAppointmentSequence](#).

Exporting From Calendar objects

This property SHOULD NOT [`<193>`](#) be exported. Section [2.2.1.20.22](#) specifies how to correctly export [PidLidAppointmentSequence](#) using the SEQUENCE property.

2.2.1.20.30 Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time at which the attendee accepted, tentatively accepted, or declined the meeting request.

Importing To Calendar objects

This property MAY [`<194>`](#) be imported as [PidLidAttendeeCriticalChange](#).

Exporting From Calendar objects

[PidLidAttendeeCriticalChange](#) MAY [`<195>`](#) be exported as X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE.

2.2.1.20.31 Property: X-MICROSOFT-CDO-BUSYSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the BUSY status of an appointment.

Importing To and Exporting From Calendar objects

This property SHOULD [<196>](#) be mapped into [PidLidBusyStatus](#) as specified by Table 38.

Table 38- Mapping of X-MICROSOFT-CDO-BUSYSTATUS to PidLidBusyStatus

X-MICROSOFT-CDO-BUSYSTATUS	PidLidBusyStatus
FREE	0x00000000
TENTATIVE	0x00000001
BUSY	0x00000002
OOF	0x00000003

2.2.1.20.32 Property: X-MICROSOFT-CDO-IMPORTANCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

Importing To Calendar objects

This property SHOULD be imported into [PidTagImportance](#) as specified by Table 39.

Table 39- Map from X-MICROSOFT-CDO-IMPORTANCE to PidTagImportance

X-MICROSOFT-CDO-IMPORTANCE	PidTagImportance
0	0x00000000
1	0x00000001
2	0x00000002

Exporting From Calendar objects

This property SHOULD NOT [<197>](#) be exported. Section [2.2.1.20.17](#) specifies how to correctly export [PidTagImportance](#) using the PRIORITY property.

2.2.1.20.33 Property: X-MICROSOFT-CDO-INSTTYPE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Indicates whether the VEVENT represents a non-recurring appointment, a recurring appointment, or an exception to a recurring appointment.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

This property SHOULD NOT [<198>](#) be exported. The instance type of a VEVENT can be correctly determined based on the existence of the RRULE and RECURRENCE-ID properties.

2.2.1.20.34 Property: X-MICROSOFT-CDO-INTENDEDSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

Importing To Calendar objects

This property SHOULD [<199>](#) be imported into [PidLidIntendedBusyStatus](#) using the same import mapping as X-MICROSOFT-CDO-BUSYSTATUS as specified by Table 38.

If the METHOD property is REQUEST and an X-MICROSOFT-CDO-INTENDEDSTATUS property is absent, then [PidLidIntendedBusyStatus](#) SHOULD [<200>](#) copy the value of [PidLidBusyStatus](#), defaulting to 0x00000002 if [PidLidBusyStatus](#) was not set, and [PidLidBusyStatus](#) SHOULD [<201>](#) be set to 0x00000001.

Exporting From Calendar objects

If the METHOD property is REQUEST, [PidLidIntendedBusyStatus](#) SHOULD [<202>](#) be exported as X-MICROSOFT-CDO-INTENDEDSTATUS using the mapping in Table 38.

2.2.1.20.35 Property: X-MICROSOFT-CDO-OWNERAPPTID

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Provides an identifier for the appointment which is unique in the scope of the organizer's primary calendar.

Importing To and Exporting From Calendar objects

This property SHOULD [<203>](#) be directly imported to and exported from [PidTagOwnerAppointmentId](#).

2.2.1.20.36 Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time at which the organizer requested, updated, or cancelled the meeting.

Importing To Calendar objects

When present, this property MAY [<204>](#) be imported as [PidLidOwnerCriticalChange](#).

Exporting From Calendar objects

[PidLidOwnerCriticalChange](#) MAY [<205>](#) be exported as X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.

2.2.1.20.37 Property: X-MICROSOFT-CDO-REPLYTIME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time in which the attendee responded to a meeting request.

Importing To Calendar objects

This property MAY [<206>](#) be imported as [PidLidAppointmentReplyTime](#).

Exporting From Calendar objects

[PidLidAppointmentReplyTime](#) MAY [<207>](#) be exported as X-MICROSOFT-CDO-REPLYTIME.

2.2.1.20.38 Property: X-MICROSOFT-DISALLOW-COUNTER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the organizer is willing to receive counter-proposals.

Importing To and Exporting From Calendar objects

This property SHOULD [<208>](#) be directly imported to and exported from [PidLidAppointmentNotAllowPropose](#).

2.2.1.20.39 Property: X-MICROSOFT-EXDATE

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

Importing To Calendar objects

If this property is specified, an X-MICROSOFT-RRULE MUST also be specified in the same VEVENT.

This property SHOULD [209](#) be imported in the same way that the EXDATE property is imported. See section [2.2.1.20.13](#).

Exporting From Calendar objects

The X-MICROSOFT-EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If the CalendarType field of [PidLidAppointmentRecur](#) is non-zero or if PatternType is one of the special values enumerated in Table 6, this property SHOULD [210](#) be exported in place of the EXDATE property. If exported, the value of this property MUST be exactly what the value of the EXDATE property would have been (see section [2.2.1.20.13](#)).

2.2.1.20.39.1 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD be ignored.

Exporting From Calendar objects

This parameter MUST be exported as 'DATE-TIME'.

2.2.1.20.40 Property: X-MICROSOFT-ISDRAFT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

Importing To Calendar objects

For iCalendar files with a method of REQUEST, REPLY, CANCEL, or COUNTER, [PidLidFInvited](#) MUST be set to TRUE regardless of the value of X-MICROSOFT-ISDRAFT.

For iCalendar files with a method of publish, [PidLidFInvited](#) SHOULD [211](#) be set to TRUE if the VEVENT is a meeting and X-MICROSOFT-ISDRAFT is not set to TRUE. Otherwise, [PidLidFInvited](#) SHOULD be set to FALSE.

Exporting From Calendar objects

For iCalendar files with a method of publish, if the organizer of the meeting is the user and if [PidLidFInvited](#) is not TRUE, then X-MICROSOFT-ISDRAFT SHOULD [212](#) be exported as TRUE.

For all other cases, X-MICROSOFT-ISDRAFT MUST NOT be exported.

2.2.1.20.41 Property: X-MICROSOFT-MSCALENDAR-ALLDAYEVENT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

Importing To and Exporting From Calendar objects

This property is synonymous with X-MICROSOFT-CDO-ALLDAYEVENT [<213>](#). See section [2.2.1.20.28](#) for usage.

2.2.1.20.42 Property: X-MICROSOFT-MSCALENDAR-BUSYSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status of an appointment.

Importing To Calendar objects

This property is synonymous with X-MICROSOFT-CDO-BUSYSTATUS (see section [2.2.1.20.31](#)) and SHOULD [<214>](#) be imported into [PidLidBusyStatus](#) as specified by Table 38.

Exporting From Calendar objects

This property SHOULD NOT be exported.

2.2.1.20.43 Property: X-MICROSOFT-MSCALENDAR-IMPORTANCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

Importing To and Exporting From Calendar objects

This property is synonymous [<215>](#) with X-MICROSOFT-CDO-IMPORTANCE. See section [2.2.1.20.32](#) for usage.

2.2.1.20.44 Property: X-MICROSOFT-MSCALENDAR-INTENDEDSSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

Importing To Calendar objects

This property is synonymous with X-MICROSOFT-CDO-INTENDEDSTATUS (see section [2.2.1.20.34](#)) and SHOULD [<216>](#) be imported into [PidLidIntendedBusyStatus](#) as specified by Table 38.

Exporting From Calendar objects

This property SHOULD NOT be exported.

2.2.1.20.45 Property: X-MICROSOFT-RRULE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

Importing To and Exporting From Calendar objects

Section [2.3.2](#) specifies how the X-MICROSOFT-RRULE property is imported and exported.

If this property is specified, an X-MICROSOFT-CALSCALE MUST also be specified in the same VEVENT.

2.2.1.20.45.1 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD be ignored.

Exporting From Calendar objects

This parameter MUST be exported as 'RECUR'.

2.2.1.20.45.2 Parameter: X-MICROSOFT-ISLEAPMONTH

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether the month specified in a yearly non-Gregorian recurrence is a leap month of that calendar.

Importing To Calendar objects

This parameter SHOULD be ignored. The month of a yearly recurrence is determined from DTSTART.

Exporting From Calendar objects

If the recurrence is a Yearly (section [2.3.2.5](#)) or Yearly Nth (section [2.3.2.6](#)), this property SHOULD [<217>](#) be exported as a Boolean ([\[RFC2445\]](#) section 4.3.2) indicating whether or not the month of the recurrence is a leap month.

2.2.1.20.46 Property: X-MS-OLK-ALLOWEXTERNCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether attendees not directly invited by the organizer can connect to the conferencing instance (see the [PidLidAllowExternalCheck](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<218>](#) be directly imported to and exported from [PidLidAllowExternalCheck](#).

2.2.1.20.47 Property: X-MS-OLK-APPTLASTSEQUENCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the last-known maximum sequence number of a meeting.

Importing To and Exporting From Calendar objects

This property SHOULD [<219>](#) be directly imported to and exported from [PidLidAppointmentLastSequence](#).

2.2.1.20.48 Property: X-MS-OLK-APPTSEQTIME

RFC Reference: N/A

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The creation time of the iCalendar.

Importing To Calendar objects

This property SHOULD [<220>](#) be imported (in UTC) to [PidLidAppointmentSequenceTime](#).

Exporting From Calendar objects

[PidLidAppointmentSequenceTime](#) SHOULD [<221>](#) be exported as this property (in UTC).

2.2.1.20.48.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.49 Property: X-MS-OLK-AUTOFILLLOCATION

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether the location is being automatically populated with recipients of type Resource.

Importing To and Exporting From Calendar objects

This property SHOULD [`<222>`](#) be directly imported to and exported from [PidLidAutoFillLocation](#).

2.2.1.20.50 Property: X-MS-OLK-AUTOSTARTCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not to automatically start the conferencing application when a **reminder** for the meeting fires (see the [PidLidAutoStartCheck](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [`<223>`](#) be directly imported to and exported from [PidLidAutoStartCheck](#).

2.2.1.20.51 Property: X-MS-OLK-COLLABORATEDOC

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the path to the conferencing collaboration document (see the [PidLidCollaborateDoc](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [`<224>`](#) be directly imported to and exported from [PidLidCollaborateDoc](#).

2.2.1.20.52 Property: X-MS-OLK-CONFCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not conferencing is enabled on this appointment (see the [PidLidConferencingCheck](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [`<225>`](#) be directly imported to and exported from [PidLidConferencingCheck](#).

2.2.1.20.53 Property: X-MS-OLK-CONFTYPE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the type of conferencing that is enabled on the appointment (see the [PidLidConferencingType](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [`<226>`](#) be directly imported to and exported from [PidLidConferencingType](#).

2.2.1.20.54 Property: X-MS-OLK-DIRECTORY

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the path to the conferencing server (see the [PidLidDirectory](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [`<227>`](#) be directly imported to and exported from [PidLidDirectory](#).

2.2.1.20.55 Property: X-MS-OLK-MWSURL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the URL of the **Meeting Workspace** (see the [PidLidMeetingWorkspaceUrl](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<228>](#) be directly imported to and exported from [PidLidMeetingWorkspaceUrl](#).

2.2.1.20.56 Property: X-MS-OLK-NETSHOWURL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the URL of the NetShow conference (see the [PidLidNetShowUrl](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<229>](#) be directly imported to and exported from [PidLidNetShowUrl](#).

2.2.1.20.57 Property: X-MS-OLK-ONLINEPASSWORD

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the password to the conferencing instance (see the [PidLidOnlinePassword](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<230>](#) be directly imported to and exported from [PidLidOnlinePassword](#).

2.2.1.20.58 Property: X-MS-OLK-ORGALIAS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the e-mail address of the conferencing instance's organizer (see the [PidLidOrganizerAlias](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<231>](#) be directly imported to and exported from [PidLidOrganizerAlias](#).

2.2.1.20.59 Property: X-MS-OLK-ORIGINALEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original end time of a meeting on a counter proposal.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD [<232>](#) be directly mapped to [PidLidAppointmentEndWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<233>](#) be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALEND MUST be ignored and MUST NOT be exported.

2.2.1.20.60 Property: X-MS-OLK-ORIGINALSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of a meeting on a counter proposal.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD [<234>](#) be directly mapped to [PidLidAppointmentStartWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<235>](#) be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALSTART MUST be ignored and MUST NOT be exported.

2.2.1.20.61 Property: X-MS-OLK-SENDER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: **URI** ([\[RFC2445\]](#) section 4.3.13)

Brief Description: The delegate sending the meeting on behalf of the organizer.

Importing To Calendar objects

This property SHOULD [<236>](#) be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD [<237>](#) be resolved against the address book [\[MS-OXOABK\]](#). If no match was found, a one-off EntryID ([\[MS-OXCDATA\]](#) section 2.2.5.1) SHOULD [<238>](#) be created using the SMTP address and the CN parameter. If resolved successfully, the Address Book object SHOULD [<239>](#) be imported into [PidTagSenderAddressType](#), [PidTagSenderEmailAddress](#), [PidTagSenderEntryId](#), and [PidTagSenderName](#).

Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then an X-MS-OLK-SENDER property MUST NOT be exported. Also, if [PidTagSenderEntryId](#) refers to the same Address Book object as the organizer, then the X-MS-OLK-SENDER property SHOULD NOT be exported.

The value of this property SHOULD [<240>](#) be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the Address Book object [MS-OXOABK] referenced by [PidTagSenderEntryId](#). If the

Address Book object does not have an SMTP address, then the value of the property SHOULD [<241>](#) be set to 'invalid:nomail'.

2.2.1.20.61.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of the delegate sending the meeting on behalf of the organizer.

Importing To Calendar objects

See section [2.2.1.20.61](#).

Exporting From Calendar objects

This parameter SHOULD [<242>](#) be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagSenderName](#) from the Calendar object, if necessary).

2.2.1.20.62 Component: VALARM

RFC Reference: [\[RFC2445\]](#) section 4.6.6

Number of Instances Allowed: 0, 1

Brief Description: Specifies a reminder for an appointment.

Importing To Calendar objects

If there is a VALARM component with a TRIGGER property specified as a Duration ([\[RFC2445\]](#) section 4.3.6) or a Date-Time ([\[RFC2445\]](#) section 4.3.5), then it MUST be parsed according to Table 40.

Table 40- Imported reminder properties

Named Property	Value
<u>PidLidReminderDelta</u>	If TRIGGER is specified as a Duration, <u>PidLidReminderDelta</u> MUST be set to the absolute value of the number of minutes specified by the TRIGGER property. If TRIGGER is specified as a Date-Time, <u>PidLidReminderDelta</u> SHOULD be set to the difference in minutes between DTSTART and the value of TRIGGER. <u><243></u> If no such TRIGGER property could be parsed, <u>PidLidReminderDelta</u> SHOULD <u><244></u> be set to 0x0000000F for non-all day appointments and 0x00000438 for all day appointments.
<u>PidLidReminderTime</u>	MUST be set to the next instance of the appointment, in UTC. If all instances of the appointment are in the past, then this property SHOULD NOT be set.
<u>PidLidReminderSignalTime</u>	If TRIGGER is specified as a Duration, <u>PidLidReminderSignalTime</u> SHOULD be set to <u>PidLidReminderDelta</u> minutes earlier than <u>PidLidReminderTime</u> . <u><245></u> If TRIGGER is specified as a Date-Time, <u>PidLidReminderSignalTime</u> SHOULD be set to the value of TRIGGER in UTC. <u><246></u> If <u>PidLidReminderTime</u> is not set, then this property SHOULD NOT be set.
<u>PidLidReminderSet</u>	MUST be set to TRUE if and only if <u>PidLidReminderDelta</u> was successfully

Named Property	Value
	parsed from a TRIGGER property and PidLidReminderTime was set.

Exporting From Calendar objects

If [PidLidReminderSet](#) is TRUE, then a VALARM component MUST be exported with the properties enumerated in Table 41.

Table 41- VALARM properties

VALARM Property	Value
TRIGGER	MUST be set to a Duration (RFC2445 section 4.3.6)) representing the number of minutes specified by PidLidReminderDelta . If PidLidReminderDelta is set to 0x5AE980E1, TRIGGER MUST be exported as 15 minutes.
ACTION	MUST be set to 'DISPLAY'
DESCRIPTION	MUST be set to 'Reminder'

2.2.1.20.62.1 Property: TRIGGER

RFC Reference: [\[RFC2445\]](#) section 4.8.6.3

Number of Instances Allowed: 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6), Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the **signal time** of the reminder as an interval, in minutes, before the beginning of an instance of the appointment.

Importing To and Exporting From Calendar objects

See [2.2.1.20.62](#).

2.2.1.20.62.2 Property: ACTION

RFC Reference: [\[RFC2445\]](#) section 4.8.6.1

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the action to take when the reminder is signaled.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

See [2.2.1.20.62](#).

2.2.1.20.62.3 Property: DESCRIPTION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides a plain-text description for the reminder.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

See [2.2.1.20.62.](#)

2.3 Additional Information on Recurrences

Additional information that is necessary to specify a mapping from iCalendar RRULEs to [PidLidAppointmentRecur](#) can be found below.

2.3.1 iCalendar Recurrence Syntax

An iCalendar recurrence data type is a semicolon-delimited list of [recurrence parts](#). The ordering of these recurrence parts does not matter, but a single iCalendar recurrence MUST NOT contain more than one instance of the same recurrence part.

2.3.1.1 Recurrence Part: FREQ

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the frequency of the recurrence.

The FREQ recurrence part MUST be set to one of the values defined in Table 42.

Table 42- Possible values of the FREQ recurrence part

FREQ Value	Meaning
DAILY	The appointment occurs every <interval> days. Supported configurations of DAILY recurrences are specified in section 2.3.2.1 .
WEEKLY	The appointment occurs every <interval> weeks. Supported configurations of WEEKLY recurrences are specified in section 2.3.2.2 .
MONTHLY	The appointment occurs every <interval> months. Supported configurations of MONTHLY recurrences are specified in section 2.3.2.3 and section 2.3.2.4 .
YEARLY	The appointment occurs every <interval> years. Supported configurations of YEARLY recurrences are specified in section 2.3.2.5 and section 2.3.2.6 .

2.3.1.2 Recurrence Part: INTERVAL

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies a multiplier for the period of a recurrence.

The INTERVAL recurrence part MUST be within the bounds defined in Table 43. If an INTERVAL is omitted, the recurrence MUST be parsed as though the INTERVAL were 1.

Table 43- Bounds for the INTERVAL recurrence part

FREQ Value	Minimum INTERVAL	Maximum INTERVAL
DAILY	1	999
WEEKLY	1	99
MONTHLY	1	99
YEARLY	1	8 <247>

2.3.1.3 Recurrence Part: BYMINUTE

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the minute(s) on which a recurrence occurs.

The BYMINUTE recurrence part MUST be an integer between 0 and 59 (inclusive). Furthermore, the BYMINUTE recurrence part MUST NOT specify more than one value. If no BYMINUTE is specified, the minute from the DTSTART property MUST be used.

2.3.1.4 Recurrence Part: BYHOUR

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the hour(s) on which a recurrence occurs.

The BYHOUR recurrence part MUST be an integer between 0 and 23 (inclusive). Furthermore, the BYHOUR recurrence part MUST NOT specify more than one value. If no BYHOUR is specified, the hour from the DTSTART property MUST be used.

2.3.1.5 Recurrence Part: BYMONTHDAY

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day(s) of the month on which a recurrence occurs.

The BYMONTHDAY recurrence part MUST be -1, or an integer between 1 and 31 (inclusive). Furthermore, the BYMONTHDAY recurrence part MUST NOT specify more than one value. If no BYMONTHDAY is specified, the day of month from the DTSTART property MUST be used.

2.3.1.6 Recurrence Part: BYDAY

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Text ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day(s) of the week on which a recurrence occurs.

The BYDAY recurrence part MUST be a comma-delimited list of elements consisting of an optional week number (specified in Table 45) followed by a mandatory 2-character code for the day of week (specified in Table 44). A BYDAY recurrence part with no week number will be termed week independent.

Table 44- 2-character codes for a day of week in a BYDAY recurrence part

Day of Week Character Code	Meaning
SU	Sunday
MO	Monday
TU	Tuesday
WE	Wednesday
TH	Thursday
FR	Friday
SA	Saturday

Table 45- Week numbers in a BYDAY recurrence part

Week Number	Meaning
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

2.3.1.7 Recurrence Part: BYMONTH

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the month(s) on which a recurrence occurs.

The BYMONTH recurrence part MUST be an integer between 1 and 12 (inclusive). Furthermore, the BYMONTH recurrence part MUST NOT specify more than one value. If no BYMONTH is specified, the month from the DTSTART property MUST be used.

2.3.1.8 Recurrence Part: BYSETPOS

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the instance (s) of a multi-BYDAY appointment to use each INTERVAL (see section [2.3.2.4](#) and [2.3.2.6](#)).

The BYSETPOS recurrence part MUST be -1 or an integer between 1 and 4 (inclusive), see Table 46. Furthermore, the BYSETPOS recurrence part MUST NOT specify more than one value.

Table 46- Values of the BYSETPOS recurrence part

BYSETPOS Value	Meaning
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

2.3.1.9 Recurrence Part: WKST

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day of week on which a week is considered to start.

The WKST recurrence part MUST one of the values enumerated in Table 44. If no WKST recurrence part is specified, 'SU' MUST be used.

2.3.1.10 Recurrence Part: UNTIL

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time of the last instance of a recurring appointment (inclusive).

The UNTIL recurrence part MUST be a Date-Time occurring after the DTSTART property. The UNTIL recurrence part MUST NOT be specified in conjunction with the COUNT recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501 in the time zone specified by [PidLidTimeZoneStruct](#), the recurrence SHOULD [<248>](#) be treated as infinitely recurring.

2.3.1.11 Recurrence Part: COUNT

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the number of instances in a recurring appointment.

The COUNT recurrence part MUST be an Integer between 1 and 999 (inclusive). The COUNT recurrence part MUST NOT be specified in conjunction with the UNTIL recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501, the recurrence SHOULD [<249>](#) be treated as infinitely recurring.

2.3.2 Recurrence Templates

The RRULE and X-MICROSOFT-RRULE properties MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

Although the syntax permits a wide variety of recurrences, only RRULE properties and X-MICROSOFT-RRULE properties fitting the templates enumerated in this section SHOULD [<250>](#) be mapped into the [PidLidAppointmentRecur](#) structure.

Implementations SHOULD gracefully fail to map any recurrences that do not fit the templates enumerated in this section.

The following sections express the templates in ABNF notation ([\[RFC5234\]](#)). Below are common rules used in the templates:

```
common-parts      = [interval-part] [byhour-part] [byminute-part]
                     [(until-part / count-part)] [wkst-part]

interval-part     = ";" INTERVAL=" 1*DIGIT           ; See 2.3.1.2
byminute-part     = ";" BYMINUTE=" 1*2DIGIT        ; See 2.3.1.3
byhour-part       = ";" BYHOUR=" 1*2DIGIT         ; See 2.3.1.4
bymonthday-part   = ";" BYMONTHDAY=" ["]1*2DIGIT    ; See 2.3.1.5
byday-part        = ";" BYDAY=" byday-list        ; See 2.3.1.6
byday-nth-part    = ";" BYDAY=" byday-nth-list     ; See 2.3.1.6
bymonth-part      = ";" BYMONTH=" 1*2DIGIT        ; See 2.3.1.7
```

```

bysetpos-part      = ";BYSETPOS=" weeknum           ; See 2.3.1.8
wkst-part         = ";WKST=" dayofweek        ; See 2.3.1.9
until-part        = ";UNTIL=" datetime        ; See 2.3.1.10
count-part        = ";COUNT=" 1*3DIGIT       ; See 2.3.1.11

byday-list         = byday-elm * ("," byday-elm)
byday-elm          = [weeknum] dayofweek
dayofweek          = "SU" / "MO" / "TU" / "WE" / "TH" / "FR" / "SA"
; See Table 44
weeknum            = "-1" / "1" / "2" / "3" / "4"
byday-nth-list    = dayofweek
byday-nth-list    = / "SA,SU"                  ; Any ordering
byday-nth-list    = / "MO,TU,WE,TH,FR"        ; Any ordering
byday-nth-list    = / "SU,MO,TU,WE,TH,FR,SA"   ; Any ordering
datetime           = year month day "T" hour minute second ["Z"]
year               = 4DIGIT
month              = 2DIGIT
day                = 2DIGIT
hour               = 2DIGIT
minute             = 2DIGIT
second             = "00"

```

2.3.2.1 Template: Daily Recurrences

ABNF Description

```
daily-template= "FREQ=DAILY" [common-parts]
```

Template Examples

Every day:

```
FREQ=DAILY
```

Every day at 3:30 P.M.:

```
FREQ=DAILY;BYMINUTE=30;BYHOUR=15
```

Every 3 days:

```
FREQ=DAILY; INTERVAL=3
```

Every 3 days at 3:30 P.M.:

```
FREQ=DAILY; INTERVAL=3;BYMINUTE=30;BYHOUR=15
```

Every 3 days at 3:30 P.M. for 30 instances:

```
FREQ=DAILY; INTERVAL=3;BYMINUTE=30;BYHOUR=15;COUNT=30
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [\(251\)](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 47. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 47- AppointmentRecurrencePattern Fields for Daily Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200A
PatternType	Set to 0x0000. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to (1440 * INTERVAL)
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see Table 48)
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is

AppointmentRecurrencePattern Field	Value
	stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Table 48- Map of WKST Values to FirstDOW Values

WKST Value	FirstDOW Value
SU	0x00000000
MO	0x00000001
TU	0x00000002
WE	0x00000003
TH	0x00000004
FR	0x00000005
SA	0x00000006

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<252>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence **template** (specified in Table 50).

Table 49- Mapping of PidLidAppointmentRecur's fields to recurrence properties. If a case matches more than one row, the first matching row applies.

CalendarType field	PatternType field	Recurrence property
0x0000	0x0000	RRULE
0x0000	0x0001	RRULE
0x0000	0x0002	RRULE
0x0000	0x0003	RRULE

CalendarType field	PatternType field	Recurrence property
0x0000	0x000A	X-MICROSOFT-RRULE
0x0000	0x000B	X-MICROSOFT-RRULE
(any)	0x0000	RRULE <253>
(any)	0x0001	RRULE <254>
0x0001	(any)	RRULE
0x0002	(any)	RRULE
0x0003	(any)	RRULE
0x0004	(any)	RRULE
0x0005	(any)	RRULE
0x0006	(any)	X-MICROSOFT-RRULE
0x0007	(any)	RRULE
0x0008	(any)	X-MICROSOFT-RRULE
0x0009	(any)	RRULE
0x000A	(any)	RRULE
0x000B	(any)	RRULE
0x000C	(any)	RRULE
0x000E	(any)	X-MICROSOFT-RRULE
0x000F	(any)	X-MICROSOFT-RRULE
0x0010	(any)	X-MICROSOFT-RRULE
0x0011	(any)	X-MICROSOFT-RRULE
0x0012	(any)	X-MICROSOFT-RRULE
0x0013	(any)	X-MICROSOFT-RRULE
0x0014	(any)	X-MICROSOFT-RRULE
0x0017	(any)	X-MICROSOFT-RRULE

PatternType field	Period field	Recurrence template
0x0000	(any)	Daily Recurrence (section 2.3.2.1)
0x0001	(any)	Weekly Recurrence (section 2.3.2.2)
0x0002	(not evenly divisible by 12)	Monthly Recurrence (section 2.3.2.3)

PatternType field	Period field	Recurrence template
0x0002	(evenly divisible by 12)	Yearly Recurrence (section 2.3.2.5)
0x0003	(not evenly divisible by 12)	Monthly Nth Recurrence (section 2.3.2.4)
0x0003	(evenly divisible by 12)	Yearly Nth Recurrence (section 2.3.2.6)
0x000A	(not evenly divisible by 12)	Monthly Recurrence (section 2.3.2.3)
0x000A	(evenly divisible by 12)	Yearly Recurrence (section 2.3.2.5)
0x000B	(not evenly divisible by 12)	Monthly Nth Recurrence (section 2.3.2.4)
0x000B	(evenly divisible by 12)	Yearly Nth Recurrence (section 2.3.2.6)

If [PidLidAppointmentRecur](#) is being exported with the Daily Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 51.

Table 51- Recurrence Parts for a Daily Recurrence

Recurrence Part	Value
FREQ	Set to 'DAILY'
INTERVAL	Set to (Period / 1440). If the value is 1, omit this recurrence part.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <255> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <256> be omitted.

2.3.2.2 Template: Weekly Recurrences

ABNF Description

```
weekly-template= "FREQ=WEEKLY" [byday-part] [common-parts]
```

Template Examples

Every Monday and Tuesday:

```
FREQ=WEEKLY;BYDAY=MO, TU
```

Every Monday and Tuesday at 3:30 P.M:

```
FREQ=WEEKLY;BYDAY=MO, TU;BYMINUTE=30;BYHOUR=15
```

The Monday and Tuesday of every two weeks, for 7 occurrences:

FREQ=WEEKLY;BYDAY=MO,TU;INTERVAL=2;COUNT=7

The Sunday and Monday of every two weeks, as interpreted by someone who considers a week to start on Monday (common in Europe). This is different in that, after a Sunday instance, there will be a seven-day gap before the next instance on a Monday:

FREQ=WEEKLY;BYDAY=SU,MO;INTERVAL=2;WKST=MO

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [257](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 52. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE. The BYDAY recurrence part MUST be week independent.

Table 52- AppointmentRecurrencePattern Fields for Weekly Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200B
PatternType	Set to 0x0001. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to the value of INTERVAL
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	Set to a bitmask representation of BYDAY as specified in Table 53. If no BYDAY is specified, the day of week for DTSTART (in the time zone specified by PidLidTimeZoneStruct) MUST be used.
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see Table 48)

AppointmentRecurrencePattern Field	Value
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Table 53- Map of BYDAY values to an rdfDays bitmask

WKST Value	rdfDays bit
SU	0x00000001
MO	0x00000002
TU	0x00000004
WE	0x00000008
TH	0x00000010
FR	0x00000020
SA	0x00000040

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD <258> be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Weekly Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 54.

Table 54- Recurrence Parts for a Weekly Recurrence

Recurrence Part	Value
FREQ	Set to 'WEEKLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the PatternTypeSpecific.Week.Sa-Su bitmask as specified in Table 53
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <259> Otherwise, omit this recurrence part.
WKST	If Period is greater than 1, then FirstDOW MUST be exported as the WKST recurrence part as specified in Table 48. Otherwise, the WKST recurrence part SHOULD <260> be omitted.

2.3.2.3 Template: Monthly Recurrences

ABNF Description

```
monthly-template= "FREQ=MONTHLY" [bymonthday-part] [common-parts]
```

Template Examples

The last day of every month:

```
FREQ=MONTHLY; BYMONTHDAY=-1
```

The 10th day of every month at 3:30 P.M:

```
FREQ=MONTHLY; BYMONTHDAY=10; BYMINUTE=30; BYHOUR=15
```

The 15th day of every 3 months, for 7 occurrences:

```
FREQ=MONTHLY; BYMONTHDAY=15; INTERVAL=3; COUNT=7
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<261>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 55. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 55- AppointmentRecurrencePattern Fields for Monthly Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200C. If the INTERVAL is evenly divisible by 12, RecurFrequency MAY 262 be set to 0x200D.
PatternType	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to the value of INTERVAL
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, PatternTypeSpecific.Month.Day SHOULD 263 be set to 0x0000001F.
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see Table 48)
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.

AppointmentRecurrencePattern Field	Value
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<264>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Monthly Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 56.

Table 56- Recurrence Parts for a Monthly Recurrence

Recurrence Part	Value
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYMONTHDAY	Set to PatternTypeSpecific.Month.Day . If PatternTypeSpecific.Month.Day is 0x0000001F, BYMONTHDAY SHOULD <265> be set to -1.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <266> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <267> be omitted.

2.3.2.4 Template: Monthly Nth Recurrences

ABNF Description

```
monthlynth-template= "FREQ=MONTHLY" monthlynth-args
monthlynth-args= byday-nth-part bysetpos-part [common-parts]
```

Template Examples

The 3rd Sunday of every month:

FREQ=MONTHLY; BYDAY=SU; BYSETPOS=3

The last weekday of every month at 3:30 P.M.:

FREQ=MONTHLY; BYDAY=MO,TU,WE,TH,FR; BYSETPOS=-1; BYMINUTE=30; BYHOUR=15

The first Monday of every month, for 7 occurrences:

FREQ=MONTHLY; BYDAY=MO; BYSETPOS=1; COUNT=7

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [268](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 57. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 57- AppointmentRecurrencePattern Fields for Monthly Nth Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200C. If the INTERVAL is evenly divisible by 12, RecurFrequency MAY 269 be set to 0x200D.
PatternType	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in MS-OXOCAL section 2.2.1.44.1.
Period	Set to the value of INTERVAL
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	Set to a bitmask representation of BYDAY as specified in Table 53.
PatternTypeSpecific.MonthNth.N	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, PatternTypeSpecific.MonthNth.N MUST be set to 0x00000005.
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set

AppointmentRecurrencePattern Field	Value
	OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see Table 48)
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<270>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Monthly Nth Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 58.

Table 58- Recurrence Parts for a Monthly Nth Recurrence

Recurrence Part	Value
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the PatternTypeSpecific.MonthNth.Sa-Su bitmask as specified in Table 53

Recurrence Part	Value
BYSETPOS	Set to PatternTypeSpecific.MonthNth.N . If PatternTypeSpecific.MonthNth.N is 0x00000005, set BYSETPOS to -1.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <271> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <272> be omitted.

2.3.2.5 Template: Yearly Recurrences

ABNF Description

```
yearly-template= "FREQ=YEARLY" yearly-args
yearly-args= [bymonthday-part] [bymonth-part] [common-parts]
```

Template Examples

The last day of every September:

```
FREQ=YEARLY;BYMONTHDAY=-1;BYMONTH=9
```

The 10th day of every January at 3:30 P.M.:

```
FREQ=YEARLY;BYMONTHDAY=10;BYMONTH=1;BYMINUTE=30;BYHOUR=15
```

The 15th day of March, every 3 years, for 7 occurrences:

```
FREQ=YEARLY;BYMONTHDAY=15;BYMONTH=3;INTERVAL=3;COUNT=7
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template [<273>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 55. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 59- AppointmentRecurrencePattern Fields for Yearly Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200D. If the INTERVAL is not 1, RecurFrequency SHOULD <274> be set to 0x200C

AppointmentRecurrencePattern Field	Value
PatternType	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to (12 * INTERVAL)
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, PatternTypeSpecific.Month.Day SHOULD <275> be set to 0x0000001F.
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see Table 48)
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)

AppointmentRecurrencePattern Field	Value
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<276>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Yearly Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 60.

Recurrence Part	Value
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12) . If the value is 1, omit this recurrence part.
BYMONTHDAY	Set to PatternTypeSpecific.Month.Day . If PatternTypeSpecific.Month.Day is 0x0000001F, BYMONTHDAY SHOULD <277> be set to -1.
BYMONTH	Set to the month from FirstDateTime .
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <278> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <279> be omitted.

2.3.2.6 Template: Yearly Nth Recurrences

ABNF Description

```
yearlynth-template= "FREQ=YEARLY" yearlynth-args [common-parts]
yearlynth-args= byday-nth-part bysetpos-part bymonth-part
```

Template Examples

The 3rd Sunday of every June:

```
FREQ=YEARLY;BYDAY=SU;BYSETPOS=3;BYMONTH=6
```

The last weekday of every April at 3:30 P.M.:

FREQ=YEARLY;BYDAY=MO,TU,WE,TH,FR;BYSETPOS=-1;BYMONTH=4;BYMINUTE=30;BYHOUR=15

The first Monday of every October, every 3 years, for 7 occurrences:

FREQ=YEARLY;BYDAY=MO;BYSETPOS=1;BYMONTH=10;COUNT=7

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<280>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 61. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 61- AppointmentRecurrencePattern Fields for Yearly Nth Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200D. If the INTERVAL is not 1, RecurFrequency SHOULD <281> be set to 0x200C.
PatternType	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to (12 * INTERVAL)
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	Set to a bitmask representation of BYDAY as specified in Table 53.
PatternTypeSpecific.MonthNth.N	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, PatternTypeSpecific.MonthNth.N MUST be set to 0x00000005.
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see Table 48)
DeletedInstanceCount /	See section 2.2.1.20.13

AppointmentRecurrencePattern Field	Value
DeletedInstanceDates	
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<282>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Yearly Nth Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 62.

Table 62- Recurrence Parts for a Yearly Nth Recurrence

Recurrence Part	Value
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12) . If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the PatternTypeSpecific.MonthNth.Sa-Su bitmask as specified in Table 53
BYSETPOS	Set to PatternTypeSpecific.MonthNth.N . If PatternTypeSpecific.MonthNth.N is 0x00000005, set BYSETPOS to -1.
BYMONTH	Set to the month from FirstDateTime .

Recurrence Part	Value
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <283> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <284> be omitted.

2.3.3 End-of-Month Concerns

[RFC2445] specifies that Monthly Recurrences (section 2.3.2.3) in which the BYMONTHDAY recurrence part is 29, 30, or 31 MUST skip over months that do not have a sufficient number of days. Conversely, [MS-OXOCAL] specifies that Monthly Recurrences with a **PatternTypeSpecific.Month.Day** of 0x0000001D, 0x0000001E, or 0x0000001F MUST occur on the last day of months that do not have a sufficient number of days.

2.3.4 Legacy UNTIL Concerns

If the PROPID property (see section 2.2.1.2) indicates that a version of the MIMEDIR between 1 and 11 (inclusive) generated the iCalendar file and if the UNTIL recurrence part is specified with a trailing 'Z', it SHOULD NOT [<285>](#) be treated as a UTC Date-time. Instead, only the year, month, and day of the Date-time SHOULD [<286>](#) be retained, and the UNTIL recurrence part SHOULD [<287>](#) be interpreted as 11:59 P.M. of that day (in the time zone specified by [PidLidTimeZoneStruct](#)).

3 Structure Examples

The following subsections contain annotated iCalendar files representing several example scenarios.

3.1 Example Birthday Calendar for 2008

In this example, Elizabeth has a non-primary calendar containing the birthdays of herself (October 12, 1975) and her closest friends: Shu (February 27, 1978) and Anne (July 7, 1982). Elizabeth sets 7-day reminders on all the birthdays so she has enough time to prepare. The following tables represent the contents of the Birthday calendar's Folder object and its three Calendar objects.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	3
PidTagExtendedFolderFlags	cb: 6 lpb: 010400001000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 42820000
PidTagSubfolders	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

Name	Value
PidLidAgin gDontAge Me	FALSE
PidLidAllo wExternal Check	TRUE
PidLidApp ointmentA uxiliaryFla gs	0
PidLidApp ointmentC olor	0

Name	Value
PidLidAppointmenCounterProposal	FALSE
PidLidAppointmenDuration	1440
PidLidAppointmenEndWhole	07:00:00.000 AM 10/13/1975
PidLidAppointmenNotAllowPropose	FALSE
PidLidAppointmenProposalNumber	0
PidLidAppointmenProposedDuration	0
PidLidAppointmenRecur	cb: 80 lpb: 043004300D2002000000A0FF05000C 0000000000000000C000000232000000A0000000000000000 0000000000000000000080B4BF0BDFF80E95A063000000930000000000000A005000000000000000 00000000
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	07:00:00.000 AM 10/12/1975
PidLidAppointmentsStateFlags	0
PidLidAppointmentsSubType	TRUE
PidLidAutoStartWhen	0
PidLidBusvStatus	0
PidLidCleaGlobalOb	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000

Name	Value
_jectId	0000D4429044CA28924C8FD122A133685E4A
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	07:00:00.000 AM 10/12/1975
PidLidCollaborateDoc	
PidLidCommonEnd	07:00:00.000 AM 10/13/1975
PidLidCommonStart	07:00:00.000 AM 10/12/1975
PidLidConfrencingType	0
PidLidCurrentVersion	126212
PidLidCurrentVersionName	12.0
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000 0000D4429044CA28924C8FD122A133685E4A
PidLidIndentedBusyStatus	4294967295
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAliases	

Name	Value
PidLidPerc entCompl ete	0.000000
PidLidPriv ate	FALSE
PidLidRec urrencePa ttern	every October 12
PidLidRec urrenceTy pe	4
PidLidRec urring	TRUE
PidLidRem inderDelta	10080
PidLidRem inderSet	TRUE
PidLidRem inderSign alTime	07:00:00.000 AM 10/5/2008
PidLidRem inderTime	07:00:00.000 AM 10/12/1975
PidLidRes ponseStat us	0
PidLidSen dMeetingA sIcal	TRUE
PidLidSide Effects	369
PidLidTask ActualEffo rt	0
PidLidTask Complete	FALSE
PidLidTask Estimated Effort	0
PidLidTask FFixOffline	FALSE
PidLidTask FRecurrin	FALSE

Name	Value
g	
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTea mTask	FALSE
PidLidTimeZoneDescriptor	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000000030000000 20002000000000000000
PidTagAccess	7
PidTagAccessLevel	1
PidTagAlternateRecipientAllowed	TRUE
PidTagBody	Happy Birthday to me!
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitT	07:09:23.410 PM 2/6/2008

Name	Value
_ime	
PidTagConversationIndex	cb: 22 lpb: 01C868F3C8BB8D59608633DA442BBCF672A6A13DFFD
PidTagConversationTopic	Elizabeth's Birthday
PidTagCreationTime	07:08:02.739 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:08:02.739 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:09:23.410 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	7224
PidTagNormalizedSubject	Elizabeth's Birthday

Name	Value
PidTagOriginatorDeleteEveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 44002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5487 lpb: 6B150000125A00004C5A4675A0C61C7507000601010B606E6731303266350064007263700DD0 0E0032050C60630D44663313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A50002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5F5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FD60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFF689A89A2656F7FB68F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DD0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBASF2236814CA432D0DF3A3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959Dfce4FDDFF91095DAFB33FE1FFF94EE615B76FE5DF991E655FD1AFEA0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FBDA2F856734D80FD91FF6C893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFFFFC7E3CCE4DFF25F94FDDDB0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFEA8D4 701E21CFF019F02AF1C46E043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48C893838 1CCF3D4F1EEF8D1ADE3820CF40CF22F91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525

Name	Value
	0FFB247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598F0E44698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04F07794A08DD0669DF0E25762E074684256308DD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0C7DBB15BF05620392048A571A830778740CCA398C336BC3FB4FBE5B3 8FFBF3FC04FC15FC2639D50A6009E706780FFC2FBFB12C40FB18F4510B35FB466A410BF96A2C7 1FC82697889761A6F0739D60C7BB11892066D06D706FF3E0C94FC420455D40696C53894257B0 B7668380B0DF10766721890055C320F98850776ED5B6C1F1D652D773C226E5DB616D9721685 0ACF0D9039D52CA335A606DE7106B428742DA4528537562DAB17398516C467DEB3063DAB16 2F0ADE09C314E506DD46C4D3D6067DA9372DD1780D1EC4A63DCD1AD1249A4C067F03DA0E7 E7E0DAB18740744C5C90DAB16610547279DFF131808378DCF06E1FAF80D662E114B1A0AFD07 4703A9C2F2FA5D089905D40732EC7F0AE634EF0D2E09ED02ED3612F3902266EB60652F77670 0642FDF3A50B530E473DCF066905C8291A6F0DA7774E032DF81E5B3685A32DAB1FFDD219FE0 DF73DD21A090E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0ACA06310AC719E70A CA0A8319ED0386E626AADC067F099506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70B2 E180C09D6088D1DA406780739C797396F0DF417DC16C799D609E76DCF067A0EE18878167649 7307A6167A266EC01D630DF31A691767F4541F0D19670DCF04E5089809E7070F7B2C0A5E0F2F 06C9F20967287C0B680FB6700C7E178678066D09D70DF3167A0FC736199A08740F213E121F53 1F2F1BFE121A6F04EF03D704E50885078B2C0A9E2506F7967F05C96707089807F67104F308850 AD91A830ADE0EC2064E79D706730E1506264A8C08850ADE13FA5E096F1BEC196F28980AF406 55CF9F2F0727AEC02A9C0E7328740FBD1CE68FA136010EFD16776FCA9FB61FFAFB087408171F D22FE24FDD3F2E2EDF1BFB41FFB36AF8014F20B660763450FC776BA4B15E900112A5D04540B 5C1F7E651E940AAD265AF40027596F088D0FB9761EF6074D6F08740FB40EB610407FFAFD05D4 0AF00ADE08841E140AFD0AF41FF6721BEB014500FD0D060E140B2A1F952FFA4B1ABE00410020 1ACA067309E810401FF67216710AA71E140DA51FA81FB408850FBD451AD10700672965082A0A F10B632FF8740A5E2B2A1CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169FF4F200 99728106721C1B2AD903D108850FF78609E70AEF2E430ADB09B21F431DB90BF894096F14550A F808841A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78ADE087E0BB6187C0A4C0F8E 1CAB0EF1261F7D18850B1D063E1510672B1D0EF1253AF008740A8406813C303D2E260F667AC D2EE3163F21005B36720DA601F14826330085216D2F210747862FC785C09B0B6C03D709660A DB00200FBE2C1F4B16C07016310F8912C40D3712F9732B5B09690809277F131666DF71800D52 0E9E120E63081808832B5B0FF973023F03D90F84088D0ACB074D087C0BE6C96F05D400200081 0E140758800FFCE72ACD19631EA71B51EA3587729670FF67A0EBD19AD0A6F0FB401FD3AD641 EE03F8920EB63890180B0AE80EA616C76FFF2B1AE81E350AEB0235187E0671023D2FFA4B1DF3 13FA0E6519AD0B2D18901AE80F318D087E0202ED5C42356525023F2FFCE81245F256F267F23B 05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7280F2CDF2DE52926CC5E902BAF309 FFD2DC5625D70385131CF238344B02F6FFF343F354F365F23A15D037B2243F391FFF3A2F323D 5C0037BF3D4F3E5F3F6F23A1FF4A703C4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2 ABBFAACCFAADDFAEFFFAFFE48F25381C209CCCFB21FB32FB43FFF54F65F95A859F050AF51B0 52DCD0014F13519E50C1FB82A0707961A0695D671068F0D05B404D902064E0217F5E1157BF58 CF59DF453063B2D42B0D7E0A48F28204F771F1B289434A6073C7EEA0EDB065807832363C2062 71FF66F0EC70678080D187616281C7E780D1FF1E3062719AC864F6BA5563D6978680D1FC3939 D8E063479670A5E00A804A51FF643AC582655A6A54BA55513167596A54FF63749807697F6A8F 6B9F97A450716D39F302E2EDC120316E43709F71AF72B7EF7DA1737F748F728A33766F777F726 CEE34797F7A8F726C357C8F7D9F726CFE367F9F80A726CD5A082BF83C7F27BEE3885BF86CF7 26C396E4397865062FB6D394D906373358C2F8D3876548E3FFF8D387964904F8D387C74925F8

Name	Value
	D387F84FF946F8D388294967F8D3885A4988F8D38FF88B49A9F8D388BC4891F9CE352C26D48FF02000A806CA0D7006E5F6F9E9F6CA4FBD0D26D39544F20BB71A44B6D1BDCA1B94C0220504F91F130B0C068CA51FFDFD0A16FA27FA38FA496A71CDB41EDB0FFA616A9AFAABFABC400CE43AD494E10FD4D067AE6FAF7FB08FB1966D0CD4F0BB4CA1C1F073B35FB46F6759358A6CF2541312204755D1B863B4AE6D66F650F3361C9154F3C1B86FBCDFB57FFFA6AF6DA4ADD0FA21EDC1BF9FC0AF6759FE366D0CDFF04E41ADD0FB11C48FC59FFC6ADA71CC874DFF04E00C94FCA5FC6DAFFB21CC874BC87CDFFC0FC72557706D2FAF4D1A00694D20C8C67335D25FD36FFDC72534D4FFD6097654D71FD82FC725BFA01CD5C5CD62D6AFDC7FC6BC36DE7FFFDF86DB7FE11FC6CB5DA2E33FD1C2DFFFFBE59FC6BC38E79FE8A6E49FEA3FC6CBBFB4CE86A91F4EE1FEF2F6CA4376D0C7A444FB06BCD5FF31FF42FA71C43FB05F0FFEF0664C10C8CFF73FF84FF501FFD08CFA67F66FFC3FF43ED4ECFA67D1CF8F00CFC69FD09FC8B7204163BEC0FF61E0E91F057FCB4F079FD83092F0A3FFF0B4FD05FD1680E0F0F1F102FD4AFD5BFFF12FF140F151FD96FDA7F184F195F1A6F1FDE2FD3C1D9CBD1FA785526576FFFC0A13F1F0C18F9C891BBCDFB3A8771F259F26AF27BF8196BB4C51756FBF61C02B0F2C1F2D2F9CB66D0C4961E0FF64D037302F8F309F1FEFE2FE3F91D9FFF35CF36DFE74F85C39DF3AEF3BFFEBDFFFEC3EFF400F411FF06FF17C441F452FFF463FF4FFF608493F4A4F4B5FF94FFA5FFF4E1F4F2F503FFE0FFF1C536F547F558FFF029F03AC588F599F5AA072F083F5DD3FFEDBF5F3F0BBF0CCF5859634F645F10AFFF11BF5D79683F694F159F47C17BF6D2FFF6E3F1AEF705F1D0F727F738F203F75AFFF225C77CF78DF375F7AFF397C7CEF7DFFFF3C7F801F3E9C820F831F419F853F43BCFF872F883F46BF8A5F48DC8C4F8D5F4BDFFF4CEF679F91DF92EF512F523F62AF96BFFF97CF567F578F9B2F9C3F9D4F5BCF5CDFFA07FA18F8E2F611F622FF23FA6DF655FFF8FF584AAFFAC0F6A5F6B6F5D79AFFF80FF6F4F8F7F716FB4DFB5EF749FB80FFF76BFBA2FB83F79EFBD5F225CBF7FC08FFF7F0FC2AF397CC49FC5AF842FC7CF3E9CFFC9BFCACF894FCCE43BCCEDFCFF8E6FFF20F48DCD3FFD50F938F949FAF4FD98FFDA9F98DFF99EFA5FDE6FDF7F9E2F9F3FFF2DFE3EFE4FFA37FA48FE82FE93FD5DFF3A8CFA9DFF2034ED9FEFAFAD2FAE3FFF5868F2AFF3BFB20FB31F5D79F79F8AFFB6FFD72FB91FFC8FFD9FBC4FFFBFBE6FFF01DF02EFC19F050F225C072F083FC6BFFF0A5F397C0C4F0D5FCBD0F7F3E9C116FFF127FD0FF149F43BC168F179FD61F19BFFF48DC1BAF1CBFD3FDC4FF6FF213F224FFF08FE19FF20F261F272FE5DFF6EF2A8FFF2B9F2CAFEB2FEC3F2FDF30EF1D8FF07FF9F18F203534F365FF4DFF5EF5868FF3A5F3B6FF9BFFACF5D793F4F405FFEAFF1EDF00CF443F454F03FF476F061F498FFF4A9F094F4CBF7C0C4EDF4FF0E6F520FFF812C53FF550F138F572F864C591F5A2FFF18AF5C4F8B6C5E3F5F4F1DCF616F908CFF635F646F22E2F23F3EAF68EF69FF283FFF294F39BF6DCF6EDF2D8F2E9F723F734FFF745F32D33EF778F789F653F382F393FFC20367CFF7E0F3C8F3D9FA018820FFF831F416F427FA52986FF880F465F668FFF487F8BEF8CFF4BAF8F1F4DCF913F924FFF50FF946FC3BC968F979F561F99BFC8DCF9BAF9CBF5B3F9EDFCDFCA0CFA1DF605FFFA3FFD31CA5EFA6FF657FA91FD83CAB0FFFAC1F6A9F6BAF865FB09FB1AF6FEF70FFF816FB57FB68F753F764FB9EFAFFBC0F9F7A8F7B9FBF3FC04FACE67166C370586D6174B7F47F4631ADFC53007562746C6520456DFA7000D0730B70C4AFC5BFC6CF7F55FA32B7FC49ED50ED40C140C99FCAAF1BCBBFC74E33B7FCC935526566FC6572ED40ED30CFBD0CFD1DFD2E67F89ECCEB6D4BFD5CFD6FD7EF8EDC42F46F6F24C0547F90C970DAE3D2D721A3BC4269626C7F606772A61CF5079DAE3DD3F3D313ADFC54204F4320486500E33B7DC07D7B5C2A5C64C740CF700674C370CF1030313035302DE72232E723E6E038E784346481C250373836643663D8E0003265353334313538C3E980E86034633532996084E0EF94109960BD30E92033EA00EAD0E7840FEB8E7FC0E7218A9063663131206530613162ED206165F7E6F0EDEFEEDC33ED40EFC1E720DA70F066663039EC66F13FE7C1F20DFFF1EDF062F482F166F46EF4E7F6EFF7FFFF90FFA1FFB2FFC3FFD4FFE5FFF6F007FFF018F029F03AF04BF05CF06DF07EF08FFFF0A0F0B1F0C2F0D3F0E4F0F5F106F117FFF128F139F14AF15BF16CF17DF18EF19FFFF1B0F1C1F1D2F1E3F1F4F205F216F227FFF238F249F25AF26BF27CF28DF29EF2AFFFD2BEC642BE5F4752DDF2EEF2FFF310FFF321F332F343F354F365F376F387F398FFF3A9F3BAF3CBF3DCF3EDF3F5F40F4F20FFF431F442F453F464F475F486F497F4A8FFF4B9F4CAF4DBF4ECF4FD50EF51FF530FFF541F552F563F574F585F596F5A7F5B8FFF5C9F5DAF5EBF5FCF60DF61EF62FF640FFF651F662F673F684F695F6A6F6B7FF4834FEA00EC71F4D16D223734E75434FDE71136EFF16DA2BD306D81F0B26F6FFF707F718F729F73AFAE7C1EC92E7116BDF452D0663ADE0643938774062AD776033E9D1E99039E57066E8E07A64E97162ED40F5DF7956E77039E632777077D06633A8C077D0E6E0FFF56F7C6F7D7F7E8F7F9F80AF81BF82CFFF83DFF67F85DC845F87EF88FF8A0F8B1FFF8C2F8D3F8E4F8F5F906F917F928F939FFF84BF95BF86DF97DF98EF99FF9B0F9C1FFF9D2F9E3F9F4FA05FA16FA27FA38F94AFFFA5AF96CFA7CFA8DFA9EFAAFFF32EE7140BABE5E000AE10
PidTagRtfI	TRUE

Name	Value
nSync	
PidTagSearchKey	cb: 16 lpb: D4429044CA28924C8FD122A133685E4A
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Elizabeth's Birthday
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Shu's Birthday:

Name	Value
PidLidAginqDontAgeMe	FALSE
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	08:00:00.000 AM 2/28/1978
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentRecur	cb: 80 lpb: 043004300D200200000060AE00000C00000000000000001B000000232000000A0000000000000000 0000000000000000A0CCD20BDF80E95A06300000930000000000000A00500000000000000000 00000000
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	08:00:00.000 AM 2/27/1978

Name	Value
PidLidAppointmentsStateFlags	0
PidLidAppointmentsubType	TRUE
PidLidAutoStartWhen	0
PidLidBusystatus	0
PidLidClea nGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E00800000000E0243DD0B068C80100000000000000001000 0000EE6CCE82EE4BC14BB01478A948D182FB
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	08:00:00.000 AM 2/27/1978
PidLidCollaborateDoc	
PidLidCommonEnd	08:00:00.000 AM 2/28/1978
PidLidCommonStart	08:00:00.000 AM 2/27/1978
PidLidConferecingType	0
PidLidCurrentVersion	126212
PidLidCurrentVersionName	12.0
PidLidDirectory	
PidLidFInited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E00800000000E0243DD0B068C80100000000000000001000 0000EE6CCE82EE4BC14BB01478A948D182FB
PidLidInte	4294967295

Name	Value
_ndedBusyStatus	
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAliases	
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every February 27
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	TRUE
PidLidReminderSignalingTime	08:00:00.000 AM 2/20/2008
PidLidReminderTime	08:00:00.000 AM 2/27/1978
PidLidResponseStatus	0
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369

Name	Value
PidLidTask_ActualEffort	0
PidLidTask_Complete	FALSE
PidLidTask_EstimatedEffort	0
PidLidTask_FFixOffline	FALSE
PidLidTask_FRecurring	FALSE
PidLidTask_Mode	0
PidLidTask_NoCompute	FALSE
PidLidTask_Ordinal	2147483647
PidLidTask_Ownership	0
PidLidTask_Role	
PidLidTask_State	1
PidLidTask_Status	0
PidLidTask_Version	1
PidLidTeamTask	FALSE
PidLidTimeZoneDescriptor	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000000000030000000 20002000000000000000
PidTagAccess	7

Name	Value
PidTagAccessLevel	1
PidTagAlternateRecipientAllowed	TRUE
PidTagBody	Gift ideas: Baseball tickets
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:09:59.726 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F3DE6068478E475FED423EB16D884456F7FA1A
PidTagConversationTopic	Shu's Birthday
PidTagCreationTime	07:09:26.913 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:09:26.913 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:09:59.726 PM 2/6/2008

Name	Value
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	7217
PidTagNormalizedSubject	Shu's Birthday
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 64002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5488 lpb: 6C150000195A00004C5A46755A0567E507000601010B606E6731303266350064007263700DD00E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D7637301E8F302A413B06469033602001100AC00873657402D170727132A500002A0AA16E6F1A50200DF0D51BA13614B0300F0341C2101D0991C10347D076D0283334191F1F1A2400501AAF20EF21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792

Name	Value
	EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F/FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFAEA0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFFBC7E3CCE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFEA8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F2F815B6025ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75D7F40F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308DD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0C7DBB14300B310382048A571A830F78740CCA398C336BC3FBD4FBE5BC 290F2BF4FC05FC16FC2729D50A6009E706780FFC2BFBF12C40FB18F4510B35FB466A410BF96A2 C71FC82697889761A6F0739D60C7B811892066D06706FF3E0C94FC420455D40696C53894257 B0B7668380B0DF10766721890055C320F98850776ED5B6C1F1D652D773C226E5DB616D97216 850ACF0D9039D52CA335A606DE7106B428742DA4528537562DAB17398516C467DEB3063DAB 162F0ADE09C314E506DD46C4D3D6067DA9372DD1780D1EC4A63DCD1AD1249A4C067F03DA0 E7E7E0DAB18740744C5C90DAB16610547279DFF131808378DCF06E1FAF80D662E114B1A0AFD 074703A9C2F2FA5D089905D40732EC7F0AE634F0D2E09ED02ED3612FE3902266EB60652F776 700642FDF3A50B530E473DCF066905C8291A6F0DA7774E032DF81E5B3685A32DAB1FFDD219F E0DF73DD21A090E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0ACA06310AC719E7 0ACA0A8319ED0386E626AADC067F099506F63FB9E1DC106B88C099A0CD50EC3496F47FEF70 B2E180C09D6088D1DA406780739C797396F0DF417DC16C799D609E76DCF067A0EE188781676 497307A6167A266EC01D630DF31A691767F4541F0D19670DCF04E5089809E7070F7B2C0A5E0F 2F06C9F20967287C0B6B0FB6700C7E178678066D09D70DF3167A0FC736199A08740F213E121F 531F2F1BFE121A6F04EF03D704E50885078B2C0A9E2506F7967F05C96707089807F67104F3088 50AD91A830ADE0EC2064E79D706730E1506264A8C08850ADE13FA5E096F1BEC196F28980AF4 0655CF9F2F0727AEC02A9C0E7328740FBD1CE68FA136010EFD16776FCA9FB61FFAFB08740817 1FD22FE24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450FC776BA4B15E900112A5D0454 OB5C1F7E651E940AAD265AF40027596F088D0FB9761EF6074D6F08740FB40EB610407FFAFD05 D40AF00ADE08841E140AFD0AF41FF6721BEB014500FD0D060E140B2A1F952FFA4B1ABE004100 201ACA067309E810401FF67216710AA71E140DA51FA81F408850FBD5A51AD10700672965082A 0AF10B632FF8740A5E2B1A1CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169FF4F2 0099728106721C1B2AD903D108850FF78609E70AEF2E430ADB09B21F431DB90BF894096F1455 0AF808841A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78ADE087E0BB6187C0A4C0F 8E1CAB0EF1261F7D18850B1D063E1510672B1D0EF1253AF008740A8406813C303D2E260F667A CD2EE3163F21005B36720DA601F14826330085216D2F210747862FC785C09B0B6C03D709660A DB00200FBE2C1F4B16C07016310F8912C40D3712F9732B5B09690809277F131666DF71800D52 0E9E120E63081808832B5B0FF973023F03D90F84088D0ACB074D087C0BE6C96F05D400200081

Name	Value
	0E140758800FFCE72ACD19631EA719B51EA3587729670FF67A0EBD19AD0A6F0FB401FD3AD641 EE03F8920EB63890180B0AE80EA616C76FFF2B1AE81E350AE0B235187E0671023D2FFA4B1DF3 13FA0E6519AD0B2D18901AE80F318D087E0202ED5C42356525023F2FFCE81245F256F267F23B 05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7280F2CDF2DE52926CC5E902BAF309 FFD2DC5625D70385131CF238344B02F6FFF343F354F365F23A157D037B2243F391FFF3A2F323D 5C0037BF3D4F3E5F3F23A1FF4A703C4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2 ABBFAACCFAADDFAEEFFFAFFE48F25381C209CCCB21FB32FB43FFF54FB65F95A859F050AF51B0 52DCD001A713519E50C1FA4769E3A0209AF17D4C503A61A1665007014A4061E16BFD6400735 E1157BF58CF59DF784063B2F9D42B0D0A48F28204F771F1B289431D4A6073EEA05C506580783 236FF3C2062E166F05C71C8315F1162E2C7E7FF80D11E3062E19AC86566BA5564469786F980D 13939D8E063B79670A5E00A80FF4A5164AAC58265CA6AC4BA55513167C97F6AC463E4980769E F6AFF6C0F97A439E76D8B02E2EDC120316EB3710F721FD73277DA173EF74FF72FA3376F77E FDD72DC3479EF7AFF72DC357CFF7E0FFD72DC36800F811F72DCD5A0832F843FDD72EB38862F 873F72DC396E839786F6338ADC4D906373A58C9F8DA876C4FF8EA879D490BF8DA87CE49 2CF8DA8FF7FF494DF8DA8830496E8861498FFFF8DA889249B0F8DA88C34898F9D5352C2F F6DB802000A806D10D7006ECF6FD9F0FF76D14D0D26DA9544F20BB71A4BB6D8B73DCA14C0 220504F91F130B0C068FFCA51DFD0A1DFA2EFA3FFA506A78CDB41FF5C50A686AA1FAB2FAC3FD 400CE43ADB9FB4E10F4D067AEDFAFEFB0FFB2066D7C77D4F04CA1C1F073B3CFB4DF67C935FD 8ADC5413125AF055D1B8D3B51E6DD6F650F3361C9154F3C1B8DFBD4FB5EFFFA71F6E14AE40F A21EDC1C00FC11F67C9FE366D7CDFF04E41AE40FB11C4FFC60FFFC71DA78CC8E4DFF04E00C9B FCACFC74AFFB28CC8E4BCF7CE6FCF7FC79557706D9AFA4D1A00694D20C93673A5D2CF3DFFD C79534D56FD67976C4D78FD89FC795BFA08CD635CDD2D71FDCEFC72C36DEEFFFDFF6DBEFE1 8FC73B5E12E3AFBCF2E06FFF60FC72C5071E82FE934E50FEAAFC73BBF8ADC8DA79D4EE8FEF 9F6D14376D7C7A444FB06BCDCFF38FF49FA78C43FB05F0FEF0664C10C93FF7AFF8BFF571FFD0F C7F6DFFCAFF4AED55C FAD7D23F8013FC70FD10FC927204163BF30FF6250E98F05EFCBBF0 80FE023099F0AAFF0BBFD0CFD1D80E7F08F109FD51FD62FFF136F147F158FD9DFDAE18BF19 CF1ADF1FDE9FDFA1E0CBD8FA7F5526576F0030A1AF1F7FC1FF9C91C2CE023A8E71F260F27 1F282FB2068ADC51756FB62302B7F2C8F2D9F9D266D7C496250FF65405BE02FFF310F205FE35 FE4691E0FFF363F374FE7BFE8CC3A4F3B5F3C6FEC4FFFED5C3F6F407F418FF0DFF1EC448F459FF F46AFF56F67849AF4AB4FCFF9BFACFFF4E8F4F950AFFE7FFF8C53DF54EF55FFFF030F041C5 8FF5A0F5B1F079F08AF5E43FEE2F5FAF0C2F0D3F58C963BF64C111FFF122F5DE968AF69BF160 F483F182F6D9FFF6EAF1B5F70CF1D7F2EF73F20AF61FFF22C783F794F37C7F7B6F39EC7D5F7 E6FFF3CEF808F3F0C827F838F420F85AF442CF879F88AF472F8ACF494C8CBF8DCF4C4FFF4D5F 680F924F935F19F52AF631F972FFF983F56EF57FF9B9F9CAF9DBF5C3F5D4FFFA0EFA1F8E9F61 8F629FF2AFA74F65CFFF96F58BAAB6FAC7F6ACF6BD5DE9B05FFF16F6FBF8FEF71DFB54FB65 F750FB87FFF772FBA9FBBAF7A5BDCF22CCBFEC0FFF7F7FC31F39ECC50FC61F849FC83F3F0C FFCA2FCB3F89BFCD5F442CCF4FD05F8EDFFF27F494CD46FD57F93FF950FABFD9FFFDB0F99 4F9A5FAACFDEDFFEF9E9F9FAFF34FE45FE56FA3EFA4FFE89FE9AFD64FF3A93FAA4F2034EE0 FEF1FAD9FAEAFF58D8F31FF42FB27FB38F5DE9F80FF91FFF76FD79FB98FFCFFF0FBCBF002FB EDFFF024F035FC20F057F22CC079F08AFC72FFF0ACF39EC0CBF0DCFCC4F0FEF3F0C11DFFF12EF D16F150F442C16FF180FD68F1A2FFF494C1C1F1D2FDBAFDCBFF76F21AF22BFFF0FFE20FF27F2 68F279FE64FE75F2AFFF2C0F2D1FEB9FECAF304F315F1DFFF0EFF9F1FF203535BF36CFF54FF65F 58D8FF3ACF3BDFFA2FFB3F5DE93FB40CFFF1FFF1F4F013F44A45BF046F47D068F49FFF4B0F 09BF4D2F7C7C4F4F50F0EDF527FFF819C546F557F13FF579F86BC598F5A9FFF191F5CBF8BDC5 EAF5BF1E3F61D90FCFF63CF64DF235F246F3F1F695F6A6F28AFF29BF3A2F6E3F6F4F2DFF2F0 F72A73BFFF74FC344F345F77FF79065AF389F39AFFC20367D6F7E7F3CFF3E0FA088827FFF838 F41DF42EFA599876887F46FC66FFF48E8C5F8D6F4C1F8F8F4E3F91AF92BFFF516F94DFC42C9 6FF980F568F9A2FC94CFF9C1F9D2F5BAF9F4FCE6CA13FA24F60CFFF46FD38CA65FA76F65EFA9 8FD8ACAB7FFFAC8F6B0F6C1F86CFB10FB21F705F716FFF81DFB5E6FF75AF76FBFA5FB6FBC7 F9F7AFF7C0FBFAFC0BFAD567166C3E0586D6174B8647FB631AE6C53007562746C6520456DFA7 00140730BE0C51FC62FC73F7FC5FA32B86C49EDC0EDB0C1B0CA0FCB1F1BCC2FC7BE33B86CC9 A5526566FC6572EDB0EDA0D02FD13FD24FD3567F8A5CCF26D52FD63FD74FD85F8F4C42F46F F2530548000C9E0DB53D34721A42C4269626C7FD067727A61CFC079DB53DDAFD383AE6C5420 4F4320486501533B7DC07D7B5C2A5C64C7B0CCE00674C3E0CF8030313035302DE79232E793E7 5038E7F4346481C2C0373836643663D950003265353334313538C3E9F0E8D03463353299D085 50EF948099D0BDA0E99033EA70EB40E7F40FEBFE8030E7918B0063663131206530613162ED90 6165F7E760EE5FEF4C33EDB0F031E790DAE0F066663039ECD6F1AFE831F27DFFF25DF0D2F4F2F

Name	Value
	1D6F4DEF557F75FF86FFFF97FFA8FFB9FFCAFDBFFECFFFDF00EFFF01FF030F041F052F063F074F085F096FFF0A7F0B8F0C9F0DAF0EBF0FCF10DF11EFFF12FF140F151F162F173F184F195F1A6FFF1B7F1C8F1D9F1EAF1FBF20CF21DF22EFFF23FF250F261F272F283F294F2A5F2B6FFD2C5C642C55F4E52E4F2F5F306F317FFF328F339F34AF35BF36CF37DF38EF39FFF3B0F3C1F3D2F3E3F3F4F405F416F427FFF438F449F45AF46BF47CF48DF49EF4AFFFC4C0F4D1F4E2F4F3F504F515F526F537FFF548F559F56AF57BF58CF59DF5AEF5BFFFF5D0F5E1F5F2F603F614F625F636F647FFF658F669F67AF68BF69CF6ADF6BEFF4F34FEA70ECE1F5416D923734E/C434FDE78136F0616E12BDA06DF1F1226FDFFF70EF71FF730F741FE831ED02E7816C4F452D7663AE5064393877B062AD77D033EA41EA0039E5E066E950FA64E9E162EDB0F64F79C6EDB0EAD1FBED40DAD033A9307840E750F5DF7CDFFF7DEF7EFF800F811F822F833F844FF6EFFF864C84CF885F896F8A7F8B8F8C9F8D AFFF8EBF8FCF90DF91EF92FF940F852F962FFF874F984F995F9A6F9B7F9C8F9D9F9E AFFF9FBFA0CFA1DFA2EFA3FF951FA61F973FFF83FA94FAA5FAB6FF39EE784AC55E6500200AE80
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: EE6CCE82EE4BC14BB01478A948D182FB
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresenter	Elizabeth Andersen

Name	Value
tingName	
PidTagSen tRepresen tingSearc hKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSub ject	Shu's Birthday
PidTagSub jectPrefix	

The following are the properties on the Calendar object for Anne's Birthday:

Name	Value
PidLidAgin gDontAge Me	FALSE
PidLidAll owExternal Check	TRUE
PidLidApp ointmentA uxiliaryFla gs	0
PidLidApp ointmentC olor	0
PidLidApp ointmentC ounterPro posal	FALSE
PidLidApp ointmentD uration	1440
PidLidApp ointmentE ndWhole	07:00:00.000 AM 7/8/1982
PidLidApp ointmentN otAllowPr opose	FALSE
PidLidApp ointmentP roposalNu mber	0

Name	Value
PidLidAppointmenProposedDuration	0
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300D20020000020FA03000C0000000000000000700000023200000A0000000000000000 00000000000000000000000000000000C2F50BDF80E95A0630000009300000000000000A005000000000000000000 00000000
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	07:00:00.000 AM 7/7/1982
PidLidAppointmentsStateFlags	0
PidLidAppointmentsSubType	TRUE
PidLidAutoStartWhen	0
PidLidBusynessStatus	0
PidLidCleanGlobalObject	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3F5B068C80100000000000000001000 0000FC39CE77217D824FB608D84F4FDFE22B
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	07:00:00.000 AM 7/7/1982
PidLidCollaborateDocument	
PidLidCommunicationEnd	07:00:00.000 AM 7/8/1982
PidLidCommunicationStart	07:00:00.000 AM 7/7/1982
PidLidConfereencingType	0
PidLidCurr	126212

Name	Value
entVersion	
PidLidCurrentVersionName	12.0
PidLidDirectory	
PidLidFlvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E00800000000307DD3F5B068C80100000000000000001000 0000FC39CE77217D824FB608D84F4FDFE22B
PidLidIndentedBusyStatus	4294967295
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAliases	
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every July 7
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	TRUE

Name	Value
PidLidReminderSignTime	07:00:00.000 AM 6/30/2008
PidLidReminderTime	07:00:00.000 AM 7/7/1982
PidLidResponseStatus	0
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0

Name	Value
PidLidTaskVersion	1
PidLidTea mTask	FALSE
PidLidTim eZoneDes cription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTim eZoneStru ct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000000000030000000 2000200000000000000000
PidTagAcc ess	7
PidTagAcc essLevel	1
PidTagAlte rnateReci pientAllow ed	TRUE
PidTagBod y	Gift ideas: New camera phone
PidTagBod yHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClien tSubmitT ime	07:11:02.787 PM 2/6/2008
PidTagCon versationI ndex	cb: 22 lpb: 01C868F403F66EEAF5116F004F0E9DD1B6F04D65D9A5
PidTagCon versationT opic	Anne's Birthday
PidTagCre ationTime	07:10:03.026 PM 2/6/2008
PidTagDel eteAfterS ubmit	FALSE
PidTagHas Attachme nts	FALSE
PidTagIconIndex	1025
PidTagIm	1

Name	Value
portance	
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:10:03.026 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:11:02.787 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	7210
PidTagNormalizedSubject	Anne's Birthday
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 84002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtf	cb: 5487 lpb:

Name	Value
Compressed	6B150000115A00004C5A4675219AA95B07000601010B606E6731303266350064007263700DD00E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D7637301E8F302A413B064690336020011000AC00873657402D170727132A50002A0AA16E6F1A50200DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10F326A122216C6922611D40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CBE0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F55737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E224007906564F530FF5298490C5418274555A70D0E071AF575E7F73B759660EF074DF5B0E73B65D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5F529F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FD60E589A2FF5DBF627F6F6649A89A2616F667F93FFF689A89A2656F7FB7F815B7E996DEF7F9BDF700F9558823F834F882F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792EF93FF950C3295FF970FB45F992DD0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2AFA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933BA9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2959Dfce4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFAE0FFF814C695FBFAFEE3FC1CFDBA2D43FD54FBDA2F856734D80FD91FF6C893889C0FFF88FDD0FDE1F8D290F11FC7FE11FE22FFFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993FC30087FED4FEE5F816A35FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFFAF8D4701E21CFF019F02AF1C46E043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76E4D11371CC878AF79BFFD8D2937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF8938381CCF3D4F1EEF8D1ADE3820C40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C0678D8D116E74C06730756530675FA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6C0F6A3F688F65FD8DD038725A7371732F743968747462BF72C769F765D75DF740F77D4395250FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D161759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D4074963144E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D696862E080D05D608920757A6E9A31658DB0678097598F044698BA420503D6061786082A068A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308DD082905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A3528281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A06710BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682CF8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8AF9AF889403D7062E0ED003132F860881048A571A8308740BBCCA398C336BC3FBD4FBE5B38BF3FFFC04FC15FC2629D50A6009E706780C2AFFBF12C3FFB18F4510B35FB466A41096A2DFC70FC81697889761A6F0739D60BB1163892066D06D706FF3E0C93F45F15D40696C53894257B0668380B06DDF1076672189005C3108850777E6D586C1F1D622D743C225DB616D8997216850ACF0D8C39D52335A60326D7106B428742DA0553754A62DA717398516C46EB30631FDA7162F0AD E09C314E506D6C4D353D6067DA5372DCD780D14A63FBC91AD1249A4C067F03DA0E7E0DA71398740744C5C90DA7166107279D5DFB131808378DCB06EAF80D63207E0D4B1A0AFD074703A2F2FA7A5D089905D40732EC7E0634EF0ABD2C09ED02ED3412FE35066EB60C8652F776700642F3A50B530B7E433DCB066905C8291A6F07774E0FC25067A0E573685A32DA71DCE19FE0BFDF33DCE1A090E756DF15DCE162DF23F667AF0088E0728761AF90F3E0ACA03F6310AC719E70ACA0A8

Name	Value
	319ED06E62CE6AADC067F099506F639EA1DBD0FE6B88C099A0CD30EBF496F4EF70B2E11F80C09D6088D1DA006780737973A796F0DF017DC16C799D6076DCB0A767A0EDD88781676497306167A2DE66EBC1D600DEF1A691764541F091DF9670DCB04E5089809E7070B2C0A5E0FD2B06C9F20967287C0B6B06700C7D13E78678066D09D70DEF167A07361FF99A08740F1D3E0E1F4F1FB1E0E1A6F06F4EF03D704E50885078B2C0E2106FEA7967F05C967070898067104F30DF8850AD91A830ADE0EBE0649D706730F9E1106264A8C08850ADE1A5E096F14FBEC196F28980AF40655CF2B072BE7AEBC2A9C0E6F28740FB9168F9D3F36010EF916776FC69FB21AFB08740FF8171FCE2FDE4FD93F2A2EDB1FD01FF732E6AF7C14F20B660763450776BFFA4B15E9000D2A5D04540B5C1E611E900FDAAD265AF40023596F088D09761EF20FE74D6C08740FB00EB2103C7AFD05D40FFA0F0ADE08841E100AFD0AF416721BEB0FF14500FD0D040E100B2A1F912A4B1ABE0FF03D001C1AC A067309E8103C167216710FFAA71E100DA11FA41FB008850DA11AD10FE700632965082A0FA10B6328740A5E2FFB2A1CA1E3F05C831EE60A5F0D01DC70709AC0ACA0ADC1694F200957FF28106721C1B2AD903D10885078609E70FFAEF2E3F0ADB09B21F3F1DB50894096F1EF4550AF808841A4B16EDA019DF014B09FA5F0941A5F0D60088416378ADE0FF87E0BB6187C0A4C0F8A1CA901221F791FB8850B1D063E110632B1D01213AF00BB8740A8406813830392E22067ACD2FDE DF163F1D005736720DA20144263300708121692F1D0747862785CFF0970B6C03D709660ADB001C0E281F471FE6C06C16310F8512C40D3519732B5B0CB9690809277F0F1666D17C0D4F0FDE9A120C25081808832B5B0973023F0BF3D90F80088D0ACB074D087C06C96F0EF5D4001C007D0E100758800CE52ACD1FF9631EA319B51E9F58772967067A0EB91FF9AD0A6F0FB001F93AD641EA08920EB23CF890180B0AE80EA216C76F271AE81FFE310AEB0231187E067102392A4B1DEF1FF3FA0E6119AD0B2D18901AE80189087E0FC202ED5942316525023B2CE61241FFF252F263F23705630AE8080D0EBE0280FFB291F2A2F6C5A60AE80CCD027CF2C9F7D2DA529268C5E902B6F305F2D8562FF5D703851318F234344B02F2F33FF350FFF361F236157D0377223FF38DF39EF31FDFF5C00377F3D0F3E1F3F2F23614A703C0FFF41AF42BF43C5E561A790E560B2C08740FFCE43ACD2ABBFACCFADDFAEEFAFFE48B2FF5381C208CCAFB21FB32FB43FB54FB65FFF95A859F0505F5160528CCFE113119E5069C1F94769E360209AF14C103A6F5CD301C064E05DA0204C609D60657F5E11576F587F598F66C063C1D40A0D7E0A48B28204F731F17289434A2073C7EE60ED7065807832363BE06261FF66F0EC30678080D187616271C7D780D1FF1D0F62619AC864E6BA5563C6978680D1FC3939D8A063379670A5E00A404A11FF642AC572654A6A44BA5550E167496A44BF63649807696F6A7F6B8F97A4396D0BF302A2ED8120316E33708F719F72A7EF7DA1736F747F727A33765F776F725CEE34796F7A7F725C357C7F8F725CFF36E78F809F725CD57082AF83BF726B6E3885AF86BF725C396E33978633FB8A5C4D506373258C1F8D2876448E2FFF8D287954903F8D287C64924F8D287F74FF945F8D288284966F8D288594987F8D28FF88A49A8F8D288BB4890F9CD352726D38FF01C00A406C90D606E4F6F5F9E8F6C94FBD0B26D29544EE0BB71A43B6D0BDC61B94BC220504F51F0F0B0C068CA31FFD90A15FA26FA37FA486A70CDB01ED70FFA606A99FAAAFABBFD3E0CE23AD394DD0FD49067A5E5FAF6FB07FB1866FCFD4C0BB4C61C1F073B34FB45F6749358A5C7E5412D25A905581B853B49E6D5650FBF2F61C5154F381B85FBCCFB56FA69F7F6D94ADC0F9E1ED81BF8FC09F674936FF6FCFCDFB04E01ADC0FAD1C47FC58FC69DFFA70CC864DFB04DC0C93FCA4FC6CAB20C7FC864BC77CDEFCEFFC71557206D1A4DFD19C0694CE0C8B67325D24FD35FC715FE34D4EFD5F97644D70FD81FC715A00CDF5B5CD52D69FDC6FC6AC36DE6FD76FFDB6FE10FC6BB5DB2E32FBC72DFEFE58FFDC6AC38E78FE896E48FEA2FC6BB8A5C5F85A7954EE0FEF1F6C94376FC44BD4F706BCD4FF30FF41FA70C4305B0FD2E0664BD0C8BF72FF83FF4F1D07CFFA57F65FFC2FF42ED4DCFA57D1BF00BFC7C68FD08FC8A7204163BEB061D0FFE90F056FCB3F078FDFA3091F0A2F0B3FFF04FD1580DFF0F01FD49FD5AF12EFF13FF150FD95FDA6F183F194F1A5FDE1F8FD2C1D8CBD0FA775526576FFB0FFA12F1EFFC17F9C791BACDF3A867258F8F269F27AFB1868A5C51756F61B0DF2AFF2C0F2D1F9CA66CFC4961D064C0FF36F02F7F308F1FDFE2DFE3E91D8F35BFFFF36CFE73FE84C39CF3ADF3BEFECBECDCFFF3EEF3FFF410FF05FF16C440F451F462FFF4EFF5F8492F4A3F4B4FF93FFA4F4E0FFF4F1F502FDFFF0C535F546F557F028FFF039C587F598F5A9F071F082F5DC3EDAFF5F2F0BAF0CBF5849633F644F109F11AFFF5D69682F693F158F47BF17AF6D1F6E2FFF1ADF704F1CFF726F737F202F759F224CFF77BF78CF374F7AEF396C7CDF7DEF3C6FFF800F3E8C81FF830F418F852F43AC871FFF882F46AFA8A4F48CC8C3F8D4F4BCF4CDFFF678F91CF92DF511F522F629F96A97BFFF566F577F9B1F9C2F9D3F5BBF5CCFA06FFF17F8E1F610F621FF22FA6CF654FA8EFFF583AAAEBABFF6A4F6B5F5D69AFD20EFFF6F3F8F6F715FB4CFCB5DF748FB7FF76AFFFB1FB2F79DFBD4F224CBF6FC07F7EFFFC29F396CC48FC59F841FC7BF3E8CC9AFFFCABF893FCCDF43ACCEFCFD8E5FD1FFF48CCD3EFD4FF937F948FAF3FD97FDA8FFF98CF99DFAA4FDE5FD6F9E1F9F2FE2CFFF3DDE4EFA36FA47FE81FE92FD5CFA8BFFF9A9CF2034ED8FEE9FAD1FAE2F5858FFF29FF3AFB1FFB30F5D69F78FF89FB6EFFF71FB90FFC7FFD8FBC3FFFABE5F01

Name	Value
	CCFF02DFC18F04FF224C071F082FC6AF0A4FFF396C0C3F0D4FCBCF0F6F3E8C115F126FFFD0EF148F43AC167F178FD60F19AF48CCFF1B9F1CAFDB2FDC3F6EF212F223FE07FFFE18FF1FF260F271FE5CFE6DF2A7F2B8FFF2C9FEB1FEC2F2FCF30DF1D7FF06FF17FFC2035353F364FF4CFF5DF58583A4FFF3B5FF9AFFABF5D693F3F404FFE9F1ECFFF00BF442F453F03EF475F060F497F4A8FFF093F4CAF7BFC4ECF4FDF0E5F51FF811CFF53EF54FF137F571F863C590F5A1F189FFF5C3F8B5C5E2F5F3F1DBF615F907C634FFF645F22DF23EF3E9F68DF69EF282F293FFF39AF6DBF6ECF2D7F2E8F722F733F744F7F32CFC33DF777F788F652F381F392F20FE367CEF7DFF3C7F3D8FA00881FF830FFF415F426FA51986EF87FF464F667F486FFF8BDF8CCEFB9F8F04DBF912F923F50EFF945FC3AC967F978F560F99AFC8CC9B9FFF9CAF5B2F9ECFCDECA0BFA1CF604FA3EFFFD30CA5DFA6EF656FA90FD82CAFFAC0FFF6A8F6B9F864FB08FB19F6FDF70EF815FFF856F67F752F763FB9DFBAEFBBFF7A7F4F7B8FBF2FC03FACD67166C3606D2C6174B7E47F3631ADEC53750062746C6520456D70D00C0730B60C49FC5AFC6BF7F4532FDB7EC49ED40ED30C130C98FCA9FCBAF0DC73E33B7ECC92552656665FE72ED30ED20CFAFD0BFD1CFD2D689DC3FCEA6D4AFD5BFD6CFC7DFA8ECC426FFA6F24B0547F80C960DAD3D2C7A3AC104269626C7F506772613DCF4079DAD3DD2FD303ADEC544F104320486500D33B7D7D607B5C2A5C64C730CF607483C360CF003031303530E7129632E713E6D038E7743464C24040373836643663D8D0328065353334313538E970E1E85034633532995084D09400F79950BD20E91033E9F0EAC0E774EB7E077FB0E7118A8063663131659030613162ED106165E6E07BEDDFEECC33ED30EFB1E710DA6066F8663039EC56F12FE7B1F1FDF1DDFFF052F472F156F45EF4D7F6DFF7EFF8FFFFFA0FFB1FFC2FFD3FFE4FFF5F006F017FFF028F039F04AF05BF06CF07DF08EF09FFFF0B0F0C1F0D2F0E3F0F4F105F116F127FFF138F149F15AF16BF17CF18DF19EF1AFFFF1C0F1D1F1E2F1F3F204F215F226F237FFF248F259F26AF27BF28CF29DF2AEF2BDCFE642BD5F4652DCF2EDF2FEF30FFF320FFF331F342F353F364F375F386F397F3A8FFF3B9F3CAF3DBF3ECF3FDF40EF41FF430FFF441F452F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50DF51EF52FF540FFF551F562F573F584F595F5A6F5B7F5C8FFF5D9F5EAF5FBF60CF61DF62EF63FF650FFF661F672F683F694F6A5F6B6FF473E9F0A7EC61F4C16D123734E74434E701FE36EFE16D92BD206D71F0A26F5F706FFF717F728F739F7B1EC82E7016BCF2CF6A263ADD064393877306277505633E9C1E98039E56066E8D0649DE96162ED30F5CFE5730622CE0E97FB03366EA603877C0E6D0F55FF7C5F7D6F7E7F7F8F809F81AF82BF83CFFFF6F85CC844F87DF88EF89FF8B0F8C1FFF8D2F8E3F8F4F905F916F927F938F84AFFF95AF86CF97CF98DF99EF9AFF9C0F9D1FFF9E2F9F3FA04FA15FA26FA37F949FA59FFF96BFA7BFA8CFA9DFAAEFF31EE704ABD505E5D000AE00
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: FC39CE77217D824FB608D84F4FDFE22B
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0

Name	Value
PidTagSenderRepresetingAddressType	SMTP
PidTagSenderRepresetingEmailAddress	eandersen@contoso.com
PidTagSenderRepresetingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderRepresetingName	Elizabeth Andersen
PidTagSenderRepresetingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Anne's Birthday
PidTagSubjectPrefix	

Elizabeth saves her calendar to share with Shu. This would be the resulting iCalendar file.

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:PUBLISH
X-CALSTART:19751012T000000
X-WR-RELICALID:{00000018-0E80-EBB5-82FB-58F695E239B2}
X-WR-CALNAME:Birthdays
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T190802Z
DESCRIPTION:Happy Birthday to me! \n
DTEND;VALUE=DATE:19751013
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19751012
LAST-MODIFIED:20080206T190802Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=12;BYMONTH=10
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Elizabeth's Birthday
TRANSP:TRANSPARENT
UID:0400000820000074C5B7101A82E008000000020C397BAB068C801000000000000000
01000000D4429044CA28924C8FD122A133685E4A
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN"
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.0000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
```

```

rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">Happy Birthday to me!</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n<
/BODY>\n</HTML>

X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T190926Z
DESCRIPTION:Gift ideas: Baseball tickets\n
DTEND;VALUE=DATE:19780228
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19780227
LAST-MODIFIED:20080206T190926Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=27;BYMONTH=2
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Shu's Birthday
TRANSP:TRANSPARENT
UID:04000008200E00074C5B7101A82E0080000000E0243DD0B068C8010000000000000000
01000000EE6CCE82EE4BC14BB01478A948D182FB
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">Gift ideas: Baseball tickets</FONT></SPAN><SPAN LANG="en-us"></SPAN><
/P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191003Z
DESCRIPTION:Gift ideas: New camera phone\n
DTEND;VALUE=DATE:19820708
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19820707
LAST-MODIFIED:20080206T191003Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=7;BYMONTH=7
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Anne's Birthday
TRANSP:TRANSPARENT

```

```

UID:04000008200E00074C5B7101A82E00800000000307DD3F5B068C8010000000000000000
010000000FC39CE77217D824FB608D84F4FDDE22B
X-ALT-DESC; FMTTY PE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">Gift ideas: New camera phone</FONT></SPAN><SPAN LANG="en-us"></SPAN></
P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

Shu opens the iCalendar file. The following tables represent the contents of the Birthday calendar's Folder object and its three Calendar objects in Shu's store.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	3
PidTagExtendedFolderFlags	cb: 16 lpb: 01040006000A04080000000000000000000000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 42820000
PidTagSubfolders	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

Name	Value
PidLidAllowExter	TRUE

Name	Value
_nalCheck	
_PidLidApPOINTmentDuration	1440
_PidLidApPOINTmentEndWindow	07:00:00.000 AM 10/13/1975
_PidLidApPOINTmentNotAllOwnPropose	FALSE
_PidLidApPOINTmentRecur	cb: 80 lpb: 043004300D200200000A0FF05000C0000000000000000C000000232000000A0000000000000000 0000000000000080B4BF0BDF80E95A0630000009300000000000000A00500000000000000000000000 0000
_PidLidApPOINTmentSequence	0
_PidLidApPOINTmentStartWindow	07:00:00.000 AM 10/12/1975
_PidLidApPOINTmentStateFlags	0
_PidLidApPOINTmentSubType	TRUE
_PidLidBusyStatus	0
_PidLidCalendarGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C801000000000000000010000 000D4429044CA28924C8FD122A133685E4A
_PidLidClipEnd	11:59:00.000 PM 8/31/4500
_PidLidClipStart	07:00:00.000 AM 10/12/1975
_PidLidCo	12:00:00.000 AM 10/13/1975

Name	Value
_monEnd	
PidLidCommonStart	12:00:00.000 AM 10/12/1975
PidLidConflictingType	0
PidLidFInvited	FALSE
PidLidGlobalObjectID	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000020C397BAB068C8010000000000000000000010000 000D4429044CA28924C8FD122A133685E4A
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	
PidLidOwnerCriticalChange	07:12:51.000 PM 2/6/2008
PidLidRecurrencePattern	every October 12
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderReset	FALSE
PidLidReminderSignTime	07:00:00.000 AM 10/5/2008

Name	Value
PidLidReminderTi me	07:00:00.000 AM 10/12/2008
PidLidResponseS tatus	0
PidLidSe ndMeetingAsIcal	TRUE
PidLidSi deEffect s	369
PidLidSm artNoAttach	TRUE
PidLidTi meZone Descripti on	(GMT-08:00) Pacific Time (US & Canada)
PidLidTi meZone Struct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000030000000200020000000000000000000
PidLidW here	
PidTagAcces s	7
PidTagAccesLe vel	1
PidTagBody	Happy Birthday to me!
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCr eationTi me	07:14:57.374 PM 2/6/2008
PidTagEndDate	12:00:00.000 AM 10/13/1975
PidTagHasAttachments	FALSE
PidTagIconIndex	1025

Name	Value
PidTagImportance	1
PidTagInternetCategory	1252
PidTagLastModificationTime	07:14:57.374 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	1316
PidTagNameormalizedSubject	Elizabeth's Birthday
PidTagRecordKey	cb: 4 lpb: 44002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfCompressed	cb: 652 lpb: 88020000AB0500004C5A46750D2BFF6703000A00726370673132358232034368746D6C310331F 862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E51030 1020063680AC07073657432060006C311B5335B044614473012BF02003403C643F907406962051 0028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822 A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D 2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231FC31391FF020 A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412 B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF46765065276 13112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C 4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F44 59230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005

Name	Value
	B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044 451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472 BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC0318104709486 170707920C4426900206864614F602C20CA20078021247C353634C14C52F749D949E7479D3914 D034D048C251EFFF52FF487F498F556F53BF54CF45490AA2FF55580A8145870AB15DA855ED01C0 34C1BE503FBF421F615F39F54C212F3A9F5F38EF1F65320137C025937D67A0
<u>PidTagRt fInSync</u>	TRUE
<u>PidTagS earchKe y</u>	cb: 16 lpb: 075E5DFBAF3BBF4C960BE7A3EE7F6988
<u>PidTagS ensitivity</u>	0
<u>PidTagSt artDate</u>	12:00:00.000 AM 10/12/1975
<u>PidTagS ubject</u>	Elizabeth's Birthday
<u>PidTagS ubjectPr efix</u>	

The following are the properties on the Calendar object for Shu's Birthday:

Name	Value
PidLidAllownExternalCheck	TRUE
PidLidAp pointmentDuration	1440
PidLidAp pointmentEndWindow	08:00:00.000 AM 2/28/1978
PidLidAp pointmentNotAllowPropose	FALSE
PidLidAp pointmentRecur	cb: 80 lpb: 043004300D20020000060AE00000C0000000000000001B00000023200000A0000000000000000 0000000000000000A0CCD20BDF80E95A0630000009300000000000A00500000000000000000 000000

Name	Value
PidLidAp pointmentSequenc e	0
PidLidAp pointmentStartW hole	08:00:00.000 AM 2/27/1978
PidLidAp pointmentStateF lags	0
PidLidAp pointmentSubTy pe	TRUE
PidLidBu syStatus	0
PidLidCle anGlobal ObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C8010000000000000000010000 000EE6CCE82EE4BC14BB01478A948D182FB
PidLidCli pEnd	11:59:00.000 PM 8/31/4500
PidLidCli pStart	08:00:00.000 AM 2/27/1978
PidLidCo mmonEnd	12:00:00.000 AM 2/28/1978
PidLidCo mmonStart	12:00:00.000 AM 2/27/1978
PidLidCo nferenci ngType	0
PidLidFI nvited	FALSE
PidLidGI obalObjec tId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C801000000000000000010000 000EE6CCE82EE4BC14BB01478A948D182FB
PidLidIs Exception	FALSE
PidLidIs Recurrin	TRUE

Name	Value
g	
PidLidLocation	
PidLidOwnerCriticalChange	07:12:51.000 PM 2/6/2008
PidLidRecurrencePattern	every February 27
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	FALSE
PidLidReminderSignTime	08:00:00.000 AM 2/20/2008
PidLidReminderTime	08:00:00.000 AM 2/27/2008
PidLidResponseStatus	0
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)

Name	Value
PidLidTi meZone Struct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000000000300000002 00020000000000000000
PidLidW here	
PidTagA ccess	7
PidTagA ccessLev el	1
PidTagB ody	Gift ideas: Baseball tickets
PidTagB odyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCr eationTi me	07:14:57.405 PM 2/6/2008
PidTagE ndDate	12:00:00.000 AM 2/28/1978
PidTagH asAttach ments	FALSE
PidTagIc onIndex	1025
PidTagI mportan ce	1
PidTagIn ternetCo depage	1252
PidTagLa stModific ationTim e	07:14:57.405 PM 2/6/2008
PidTagM essageCl ass	IPM.Appointment
PidTagM essageFl ags	1
PidTagM essageL ocaleId	1033

Name	Value
PidTagMessageSize	1328
PidTagNameormalizedSubject	Shu's Birthday
PidTagRecordKey	cb: 4 lpb: 64002000
PidTagReplyRequested	FALSE
PidTagResponseRequesteed	FALSE
PidTagRtfCompressed	cb: 660 lpb: 90020000B20500004C5A46752E94CCF03000A00726370673132358232034368746D6C310331F 86269640400330010301F70A80FF02A403E40713028010830050045608559F07B211B50E51030 1020063680AC07073657432060006C311B5335B044614473012BF02003403C643F907406962051 0028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822 A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D 2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231FC31391FF020 A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412 B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF46765065276 13112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C 4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F44 59230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005 B000C005403D702F3ADF3BEF408F1F64362811502080449523D4C54522300BF1F433EE2000044 451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472 BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC3B18104709470 69005400F40656190733A20424FA065620740550320740DE06B14B073247C35BE3634C14C5249 D949E7479D3914D0FF34D048C2525F536F487F498F55DF542FFF553F45490AA255C80A8145870A B15E18F7565D01C034C1503FBF421F61CF39F5FD4C212F3A9F38EF1F65320137C02593027D6810
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: AED5FBFB128A3248A17206F1F43C721C
PidTagSensitivity	0
PidTagStartTimeDate	12:00:00.000 AM 2/27/1978
PidTagSubject	Shu's Birthday

Name	Value
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Anne's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	07:00:00.000 AM 7/8/1982
PidLidAppointmentNotAllDayPropose	FALSE
PidLidAppointmentRecur	cb: 80 lpb: 043004300D200200000020FA03000C0000000000000000700000023200000A0000000000000000 00000000000000000000C2F50BDF80E95A063000000930000000000000A00500000000000000000000000000000 0000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	07:00:00.000 AM 7/7/1982
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	TRUE
PidLidBusyStatus	0

Name	Value
PidLidCle anGlobal Object Id	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000307DD3F5B068C8010000000000000000000010000 000FC39CE77217D824FB608D84F4FDFE22B
PidLidCli pEnd	11:59:00.000 PM 8/31/4500
PidLidCli pStart	07:00:00.000 AM 7/7/1982
PidLidCo mmonEn d	12:00:00.000 AM 7/8/1982
PidLidCo mmonSt art	12:00:00.000 AM 7/7/1982
PidLidCo nferenci ngType	0
PidLidFl nvited	FALSE
PidLidGl obalObje ctId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000307DD3F5B068C8010000000000000000000010000 000FC39CE77217D824FB608D84F4FDFE22B
PidLidIs Exceptio n	FALSE
PidLidIs Recurrin g	TRUE
PidLidLo cation	
PidLidO wnerCrit icalChan ge	07:12:51.000 PM 2/6/2008
PidLidRe currence Pattern	every July 7
PidLidRe currence Type	4
PidLidRe curing	TRUE
PidLidRe minderD	10080

Name	Value
_elta	
PidLidRememberS et	FALSE
PidLidRememberS ignalTime	07:00:00.000 AM 6/30/2008
PidLidRememberTi me	07:00:00.000 AM 7/7/2008
PidLidResponseS tatus	0
PidLidSendMeeti ngAsIcal	TRUE
PidLidS ideEffect s	369
PidLidSm artNoAttach	TRUE
PidLidTi meZoneDescripti on	(GMT-08:00) Pacific Time (US & Canada)
PidLidTi meZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000000000030000000200020000000000000000000
PidLidW here	
PidTagAcces s	7
PidTagAccessLe vel	1
PidTagBody	Gift ideas: New camera phone
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTi	07:14:57.421 PM 2/6/2008

Name	Value
me	
PidTagEndDate	12:00:00.000 AM 7/8/1982
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCompanyId	1252
PidTagLastModificationTime	07:14:57.421 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	1316
PidTagNormalizedName	Anne's Birthday
PidTagRecordKey	cb: 4 lpb: 84002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE

Name	Value
PidTagRt fCompre ssed	cb: 656 lpb: 8C020000B20500004C5A46752EC3261E03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231FC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC3B1810470947069005400F40656164733A07B3636107802C0020947068022065247C353634C1EF4C5249D949E7479D3914D034D048C2FF525F536F487F498F55DF542F553F4549FF0AA255C80A8145870AB15E18565D01C07D34C1503FBF421F61CF39F54C212FBF3A9F38EF1F65320137C025937D6810
PidTagRt fInSync	TRUE
PidTagS earchKe y	cb: 16 lpb: 43FBCD49108A1348A00F462127B474DB
PidTagS ensitivit y	0
PidTagSt artDate	12:00:00.000 AM 7/7/1982
PidTagS ubject	Anne's Birthday
PidTagS ubjectPr efix	

3.2 Example Schedule for the Week of June 16, 2008

In this example, Elizabeth's primary calendar contains her schedule for the work-week of June 16, 2008. The following tables represent the contents of her calendar's **Folder object** and its four Calendar objects.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagComment	Calendar Comment

Name	Value
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	4
PidTagExtendedFolderFlags	cb: 6 lpb: 010400001000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 22810000
PidTagSubfolders	TRUE

The following are the properties on the Calendar object for Elizabeth's lunch break:

Name	Value
PidLidAgeingDontAgeMe	FALSE
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	07:00:00.000 6/16/2008
PidLidAppointmentNotAllowPropose	FALSE

Name	Value
PidLidAppointmenProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmenRecur	cb: 80 lpb: 043004300B2001000000C021000001000000000000003E00000022200000500000000000000 000000000000000080F8C50C000FC60C063000009300000B2020000D00200000000000000000 0000000
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	06:30:00.000 PM 6/16/2008
PidLidAppointmentsStateFlags	0
PidLidAppointmentsSubType	FALSE
PidLidAutoStartCheck	FALSE
PidLidAutoStartWhen	0
PidLidBusyStatus	1
PidLidCleanGlobalObject	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000 0000DD26B2AEDF5D2145BCE907145185EA4D
PidLidClipEnd	07:00:00.000 AM 6/20/2008
PidLidClipStart	07:00:00.000 AM 6/16/2008
PidLidCollaborateDoc	
PidLidCommonEnd	07:00:00.000 PM 6/16/2008

Name	Value
PidLidCom monStart	06:30:00.000 PM 6/16/2008
PidLidConf erencingT ype	0
PidLidCurr entVersio n	126212
PidLidCurr entVersio nName	12.0
PidLidDire ctory	
PidLidInv ited	FALSE
PidLidGlob alObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000 0000DD26B2AEDF5D2145BCE907145185EA4D
PidLidInte ndedBusy Status	4294967295
PidLidLoca tion	
PidLidNet ShowUrl	
PidLidOnli nePasswo rd	
PidLidOrg anizerAlia s	
PidLidPerc entCompl ete	0.000000
PidLidPriv ate	FALSE
PidLidRec urrencePa ttern	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
PidLidRec urrenceTy pe	2

Name	Value
PidLidRecuring	TRUE
PidLidReminderDelta	15
PidLidReminderSet	FALSE
PidLidReminderSignaTime	06:15:00.000 PM 6/16/2008
PidLidReminderTime	06:30:00.000 PM 6/16/2008
PidLidResponseStatus	0
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0

Name	Value
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeatmTask	FALSE
PidLidTimeZoneDescriptor	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000030000000 20002000000000000000
PidTagAccess	7
PidTagAccessLevel	1
PidTagAlternateRecipientAllowed	TRUE
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:20:16.812 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F54E30FC5F6698C9FB4AE4839068B31854314F
PidTagConversationTopic	Lunch
PidTagCreationTime	07:19:19.224 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE

Name	Value
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:30:58.552 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:20:16.812 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	7232
PidTagNormalizedSubject	Lunch
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: A4002000
PidTagRep	TRUE

Name	Value
<u>lyRequest ed</u>	
<u>PidTagRes ponseReq uested</u>	TRUE
<u>PidTagRtf Compress ed</u>	cb: 5468 lpb: 58150000DC5900004C5A4675BA50E15507000601010B606E6731303266350064007263700DD0 0E0032050C60630D44663313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D0283334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FD60E589A2FF5DBF627F6F6 649A89A2616F667F93EFF689A89A2656F7FBF6B8F15B7E996DEF7F9BD700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DD0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF62236910933B A9FFFBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959Dfce4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFAEA0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FBDA2F856734D80FD91FF6C893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993FC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFD9FFEAFF8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD82 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E709369504416310736E6578748F2173B7887067005D40749631 44E0696700FD87D07996A289403D7062E091409140FF6020DBD05CD09702674080838FC18F21 778D8062F09D707688F08920A1E06D3C696862E080D05D608920756EBD9B41658DB06780975 98FE0448BA43420503D6061786082A06820D0466F6E748074748FD04E505B9F004EF07794A08 DD0669F0057F162E074684256308DD082909A60966C98C1A08572A108666CA0762B9FE0A2776 2A27772A0726362FF82903DA0A4628281A4D267308740679113A59489407065A071736365BC6 C6C8AB1A0409FE1A5F1739AB0BF6710BDC19EF1B580A190A8566CA865CE62A8658B30A87464 67A956AAD0F7AA568F90A8747682CF8AEF8BFF8D0FFF8E1F8F2F903F914F925F936F947F958FFF 3DA0B2B19AFF9C0896E6993464B0EB40FF89609997B4419A58B22CB1F1B47AAEA0ED66C06657 B0963162AAE067809E70EF9A12B9F9C08984432E7E0C65060107C2048A681A9408740CCA399 D336FFBD4FBE5FBF6BC390C05FC16FC27FC381FF9E60A7109F806780C3BFC022C50FB29FFF451 0B46FB576A52096A2C81FC926978A3DC3D1739E70BC21892066D06D70166FF3E0CA4F455D40

Name	Value
	696C53DF894257B0668380B0DF107667218900E655C4208850776ED6969871D7325FD853C335 D85398A6DF616D972168AE50AE00DA39E62335A606DE7108C6B428742DBE5537562DC51D2 7399616C46EB3063DC5162F047AEF09D414E506D6C4D3D6067CDDC3372DEB780D14A63DE71 AE227E49A5D067F03DA0E7E0DC51874074CE4C5C90DC5166107279E191DA62F580B078DE906 EB090D742E2B4B2B0C1B0E074703A2F2FA6E08990E95D40732EC8F0634EF0D3D09FE02A2ED4 512FE53066EB60652FF2776700642F3A50B640E613DE90ED66905C8291A8007774E0C33067A0 FDE753685A32DC51DEC1A0F0E113DEC1AFA1A0E936E0F5DEC162E10367B010FD88E0728761B 0A0F3E0ADB06310AD818F9F80ADB0A9419FE06E626AAED0B367F09A606F639FB1DDB06B88C0 FF9AB0CE40EDD496F40FE0B3F180C09E70C788D1DBE06780T3797396F0E0E1E97DC16C799E70 76DE9067A0EFB8A98781676497306167A266EDA1F7D710E0D1A7A1764541F2719670DE90774E 5089809F8070B3D0A6F0F4906CBFA030967287C0B7C06700C8E1786780CF66D09E80E0D167A0 73619AB08740FFF3B3E2C1F6D1F491E2C1A8004E0F3D709B4E50885078B3D0E3F06F7967F0FA 5C967070898067104F308850AEA177A940AEF0EDC0649E806730E2F062FE64A9D08850AEF1A6 F096F1BFD196F2938980B050655C490727AEDA2EFAAD0E8D28740FD7168FBB36010F171FC67 76FE49FD01B0C087408171FEC2BFFFC4FF73F482EF91FEE101536AF9A1CB4F20B770763450776 BA5C15E907F02B2A6E04540B6D1E7F1EAE0ABE265FB050041596F088D09761F10074D7D0FF8 740FC0EFD0105A7B0E05D40B010AEF0FF8841E2E0B0E0B0516721BFC014500FD0FFD150E2E0B 3B1FAF2A5C1ACF005B003A1FFAD0B67309F9105A167216710AB81E2E0BFDBF1FC21FC0E8850D BF1AE20700812FF965082A0B020B7428740A6F2B3B1CB813FE5D0A700C941F040A700AE11707 0F79BD0AD0AED1694F200B3728106721FF9832AEA03D10885078609F80B002E5D0FFAAC09C3 1F5D1DD30894096F14550B090FB8841A5C16EDBE19F0014B0A7000B21E7A700D71088416378 AEF087E0BC71FF87C0A5D0FA81CBA01401F9718850B2E0FE63E2F10812B2E013F3B0108740A9 506E6815630572E40067ADE2EFD163FFF3B007536720DC001622633009F21872C1F3B0747862 785C0B50B7D0BF3D709660AEC003A0E461F6516C08A1FF6310FA312C40D4619732B6C0969080 927277F2D1666D19A0D600EB8120FFC33081808832B6C0973023F03D90F9E0EF88D0ADC074D 087C06C96F05D4003A0FB09B0E2F0758800CF62ADE19631EC11FF9C61EFD58772967067A0ED7 19BE0A800FFCE02173AE7420808920ED03890180B0F3AF90EC016C76F451AF91E4F0AFC0FF24 F187E067102572A5C1E0D13FA0E7F13F9BE0B3E18901AF901A7087E0202EFFD6A424F6525029 2CF7125FF270F281FFF25505630AF9080D0EDC029EF2AFF2C0F7E6C5A60AF90CDE029AF2E7F2F 8529DF286C5E902D4F323F2F65625D703BB1FFF336F252344B0310F35DF36EF37FF2541FF57D03 95225DF3ABF3BCF33D5C00395FFF3EEF3FFF410F25414A703DEF438F449FFF45A5E741A8A0E7 40B3D08740CF53ADE2FFACC FADDFAEEFAFFB10E4925381C318FFCDFB32FB43FB54FB65FB7 6F95A85E20FF523F5340546CD0F114F19F60D90963B2F9C2FA0D0A4928204F911F35289431D 4C0073F04061E06580783236FF3DC05F1166F0EE10678080D187615F21FFC8E780D11FD05F119 BD8619696E56076F3978680D13939DA805F79670A6F0FF0C204BF160DAC68261FA66F4BB655 2C1FF63F966F4601488109935661F672F683F9D97A43969B0482EF6120316AE37F6D3F6E4F6F 577DA1701F712F6F2A33F7730F741F6F0C34761F772F6F0C7EF1F7794F7A5F6F2A367C3F7D4F6F 0CD680777F5F806F6F1B38825F836F6F0C39DB6AE3978633870C4F30636FD588CFFF89D872F48 ADF89D876048CEF89D87914FF8EFF89D87C24910F89D87F34931F89D8FF8244952F89D885549 73F89D8886485BFFF9983545269E803A00C209960D7E06AFFD6C0F9B3F9964D1C269D95450C 0BC81CFA0EB69BBDE414DA220505131F2D0FB1D068CB41E1709E0F9F1FA02FA136FFA3BCDC E15F50A2B6A64FA75FA86FD4F0EFCF3A9E94FB0F67067AB0FAC1FAD2FDFAE3669ACD5D04E41 D9C073AFFFB10FCD63F935870CBC5320475761B503DBB14E6A0650F4D61E3154F561B50FFF9 7FB21FA34F6A44AA70FBC1EF61BC3FFBBD4F63F93669AC E1904FE1AA70FCB1FFC12FC23FC34D A3BC514E1904FA0C5EFFFC6FFC37AAEBCC514B927CA9FCBAFC3C5EB590069CA4D1BA0694EC 0C5666FD5F7CEFFD00FC3C534D19FD2A972F4D3BFFF4FC3C59BCBD265CA02D34FD91FC35C FE36DB1FDC26D81FDDFC36B5A62DFDFFFCE62DC9FE23FC35C5201E45FE564E13FFF6DFC36 B870CE50A7604EABFFEBFC9964EA3769AC4451506BC9FFFEBFF0CFEDA3BC430790FC10664DB0C 56FF3DFFFF4EFF1A1CD2C F707F30FF8DFF0DED18C3FF707CE6FFD6F33FC3D3FC5572041FE63BB 600910E5BF021FC7EF043FDC53FF05CF06DF07EFCCFFCE080AAF0BBF0CCFFF14FD25F0F910A F11BF60FD71F14EF7F15FF170FDACFDBDC1A3CB9BFA42552FC6576DC609DDF1BAFB2E9929 185C7FDC53A517223F234F245FAE36870C51FC756F5E6027AF28BF29CF995669AC FE495E80617 034602C2F2D3F1C8FDFF8FFF0991A3F326F337FE3EFE4FC367F378FFF389FE87FE98C3B9F3CAF3 DBFED0FEE1CFF40BF41CF42DFF19FF2A845DF46EF47FFFF5EFF6FF4ABF4BCF4CDFFAAFFBBC50 0FFF51F522FFF3F004C552F563F574F03CFFF04DF5A73E5F5BDF085F096F54F95FEFFF60FF0D 4F0E5F5A1964DF65EF123F446FFF145F69CF6ADF178F6CFF19AF6F1F702FFF1CDF724F1EFC746F 757F33FF779F361CFF798F7A9F391F7CBF3B3C7EAF7FBF3E3FFF81DF405C83CF84DF435F86FF45

Name	Value
	7C88EFFF89FF487F498F643F8E7F8F4DCF4EDFFF5F4F935F946F531F542F97CF98DF99EFFF586F597F9D1F9E2F8ACF5DBF5ECFEEDFFF37F61FFA59F54EAA79FA8AF66FF680FFF5A19AC8FAD9F6BEF8C1F6E0FB17FB28FFF713FB4AF735FB6CFB7DF768FB9FF1EFCFFBC1FBD2F7BAFBF4F361CC13FC24F80CFFFC46F3B3CC65FC76F85EFC98F405CCB7FFFCC8F8B0FCEAF457CD09FD1AF902F913FFFABEFD62FD73F957F968FA6FFDB0FDC1FFF9ACF9BDFDF7FE08E19FA01FA12FE4FCFCF5DFD27FA56FA67F2034EA3FEB4FFFA9CFAADF5508EF05FAEAFAFB5A19FFF43FF54FB39FD3CB5BF92FFA3FB8EFFFFC5FBB0FFE7FFF8FBE3F01AF1EFC03CFFF04DFC35F06FF361C08E09FFC87F0C1FFF3B3C0E0F0F1FC9F113F405C132F143FFF2BF165F457C184F195FD7DFD8EFF39FFF1DDF1EEFDD2FDE3FEEAF22BF23CFE27FFF38F272F283F294F7CFE8DF2C7F2D8FE71A2FED1FEE2F203531EF32FFF17FFF28F50836FF380FF65FF76F5A193BEFFF3CFFF4F1B7FFD6F40DF41F009F440FFF02BF462F473F05EF495F78AC4B7F4C8FFF0B0F4EAF7DCC509F51AF102F53CF82ECFF55BF56CF154F58EF880C5ADF5BEF1A6FFF5E0F8D2C5FFF610F1F8F209F3B4F658FFF669F24DF25EF365F6A6F6B7F2A2F2B3FFF6EDF6FEEF70FF2F7F308F742F753F61DFF334CF35DF2036799F7AAF392F3A3FFF9CB87EAF7FB3E0F3F1FA1C9839F84AFFF42F632F451F888F899F484F8BBF4A6FFF8DDF8EEF4D9F910FC05C932F943F52BFFF965FC57C984F995F57DF9B7FCA9C9D6FFF9E7F5CFFA09FCFBCA28FA39F621FA5BFFF4DCA7AFA8BF673F684F82FFAD3FAE4FFF6C8F6D9F7E0FB21FB32F71DF72EFB68F7FB79FB8AF772F783FBBDFBCEFA986716266C0106D6174B4947BE6310AA9C537562746C6520E8456D70FD70730D30C14FC25FEB36F7BF532B49C49E9F0E9E0BDE06FC63FC74FC85FC3EE3B49CC5D552F065666572E9E0E9D0CC5FCD6FFFCE7FCF86868CCB56D15FD26FD37FD48FD18B7C426F6F2160547C30C61087D783CF77A05C4269626C7C00E8677261CBF079D783D9DFCFB381AA9C544F43204865FD83003B7D7D7B5C2A5C641BC3E0CC1074C010CBB0303130B43530E3C232E3C3E38038E424043464BEF037383664360263D5803265353334310C3538E620E50034633532BF9600818090B09600B9D0E5C033E6A03FE770E424E82E7C60E3C1873063668031316530613162E9C0DC6165E390EA8FEB7C33E9E0EC61C3E3C0D71066663039E906EDDFFF4E61EEADEE8DED02F122EE06F10EF187FFF38FF49FF5AFF6BFF7CFF8DFF9EFFAFFFFFC0FFD1FFE2FFF3F004F015F026F037FFF048F059F06AF07BF08CF09DF0AEF0BFFFF0D0F0E1F0F2F103F114F125F136F147FFF158F169F17AF18BF19CF1ADF1BEF1CFFF1E0F1F202F213F224F235F246F257F7268F279F288C642885F1152A7F2B8FFF2C9F2DAF2EBF2FCF30DF31EF32FF340FFF351F362F373F384F395F3A6F3B7F3C8FFF3D9F3EAF3FBF40CF41DF42EF43FF450FFF461F472F483F494F4A5F4B6F4C7F4D8FFF4E9F4FA50BF51CF52DF53EF54FF560FFF571F582F593F5A4F5B5F5C6F5D7F5E8FFF5F9F60AF61BF62CF63DF64EF65FF670F3F681FF123E6A0E911F17169C23734F5E3F434E3B136EC916A42B9D06A21FFF526C0F6D1F6E2F6F3F704FE461E9321E3B1687F29A663AA80643938B573E062740033E671E63039E210EA66E58064E61162E9E0F27F75F6B663EC71E7C034D700E6D0387470FFE380F20F790F7A1F7B2F7C3F7D4F7E5FFF7F6F807FF31F827C80FF848F859F86AFFF87BF88CF89DF8AEF8BFFF8D0F8E1F8F2FFF903F815F925F837F947F958F969F97AFFF98BF99C9FAD9BEF9CFF9E0F9F1FA02FFF914FA24F936FA46FA57FA68FA79FEFCE17E3B4A885E28000AAB0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: DD26B2AEDF5D2145BCE907145185EA4D
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen

Name	Value
PidTagSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagStRepresentingAddressType	SMTP
PidTagStRepresentingEmailAddress	eandersen@contoso.com
PidTagStRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagStRepresentingName	Elizabeth Andersen
PidTagStRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Lunch
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

Name	Value
PidLidAgingDontAgeMe	FALSE
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0

Name	Value
PidLidAppointmenCounterProposal	FALSE
PidLidAppointmenDuration	60
PidLidAppointmenEndWhole	04:00:00.000 PM 6/16/2008
PidLidAppointmenNotAllowPropose	FALSE
PidLidAppointmenProposedNumber	0
PidLidAppointmenProposedDuration	0
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	03:00:00.000 PM 6/16/2008
PidLidAppointmentsStateFlags	0
PidLidAppointmentsSubType	FALSE
PidLidAutoFillLocation	FALSE
PidLidAutoStartWhen	0
PidLidBusyStatus	3
PidLidCleaGlobalObjectI	cb: 56 lpb: 04000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000001000 0000D3BDD3F67FDD814E823B9EE04A816204

Name	Value
PidLidClipEnd	04:00:00.000 PM 6/16/2008
PidLidClipStart	03:00:00.000 PM 6/16/2008
PidLidCollaborateDoc	
PidLidCommonEnd	04:00:00.000 PM 6/16/2008
PidLidCommonStart	03:00:00.000 PM 6/16/2008
PidLidConflictingType	0
PidLidCurrentVersion	126212
PidLidCurrentVersionName	12.0
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000001000 0000D3BDD3F67FDD814E823B9EE04A816204
PidLidIndendedBusyStatus	4294967295
PidLidLocation	4567 Main St., Buffalo, NY 98052
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAliases	
PidLidPercentCompl	0.000000

Name	Value
_ete	
PidLidPriv_ate	TRUE
PidLidRec_urrencePa_ttern	
PidLidRec_urrenceTy_pe	0
PidLidRec_urring	FALSE
PidLidRem_inderDelta	720
PidLidRem_inderSet	TRUE
PidLidRem_inderSign_aITime	03:00:00.000 AM 6/16/2008
PidLidRem_inderTime	03:00:00.000 PM 6/16/2008
PidLidRes ponseStat us	0
PidLidSen_dMeetingA_sical	TRUE
PidLidSide_Effects	369
PidLidTask_ActualEffo rt	0
PidLidTask_Complete	FALSE
PidLidTask_Estimated_Effort	0
PidLidTask_FFixOffline	FALSE
PidLidTask_FRecurrin g	FALSE

Name	Value
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeamTask	FALSE
PidLidTimeZoneDescriptor	(GMT-08:00) Pacific Time (US & Canada)
PidTagAccess	7
PidTagAccessLevel	1
PidTagAlternateRecipientAllowed	FALSE
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:23:16.190 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F5B91BC3FC330111494E81BFE46222628918C4

Name	Value
PidTagConversationTopic	Doctor's Appointment
PidTagCreationTime	07:20:46.387 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1024
PidTagImportance	2
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:40:42.099 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:23:16.190 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	6934
PidTagNormalizedSubject	Doctor's Appointment
PidTagOriginalatorDeliveryReportRequested	FALSE

Name	Value
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecipientReasignmentProhibited	TRUE
PidTagRecordKey	cb: 4 lpb: E4002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5515 lpb: 87150000F65A00004C5A4675A691184207000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF2110 7D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026A 1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0F 202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3F 3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F45 BF1B46CF1DE4394D6F4E74323338C54EE420076D204345028350A09F52AF53B53D72546F5573 797255D473332F4E6531362DB1580F038247FD09D16B55D4381F5AF759E15BBF0382DE540870 55D43D8F5AF63723515F8FB10382284865226007D02955D4FF42FF6277543F6416071001A00EB 064F5BB48685A8D384861673F0382420740FE740EB055D44D5F5AF75DB16B3F6443B25608907 46E224007906564F4FF2340529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73BB 5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFD6C8A307198490C731A276355A70DE0FF 83BF763F85D659660EF086EF79CF85D5FD5D09317C588ABE7DF885E460D75B60FF8D8F810F85 D56C890FD26701801F53DF7F54EF27D5719F87EF966F78160FE031FF2DBF8B2F5C0F7BA89BC1 78AF8E8F5FDFFF7F569BC17C5F627F6F649A9BB2616FFF667FA5FF689A9BB2656F91CF6B8F9 36BFF90A96DEFADDEF700FA768944F955F9A3FBD977731981F992FB6DF9B48329BFFF79D0F9E1F 9F2A329FFFA10FA21FA328DFB630C07FA4FFA60FA71C32A80FA91F7FC66FAB3D0E01C89FAD6F AE7F938932FFB04FB15FCA9FB37FBC31B4FB5CF2236FD976832B88FB99FD7479B480FD0D88F F78B3F22459F1B33C06FC17F2236A319FE33CCAFCDFB2236935CB642E2FB5FFFFB70FDB65D8 7FD98FE86F9B4886B0EA2FFFBD8FBE9F9F3959DFE05FF00FA3195DAFFFC54FF40FA6FE615FC97 FF7EFAB2E655FFF3BFFC1F935C695FD1BF004FD3DFEDB2FE64FE75FEC3F977734EA1FEB2F08 DFFF9B489BD00A9FEF1FF02F9F39BC400E7FFF31FF42F0DC8F5DFF6EF046FA70DDEDD0FF165FF B2FFC3FAB4C0E401A8FFF5F006FFD937A35024F0351C9F057F0E3106BFF707CFOCAF9777350A 8F0B9F294F9B48FF0FF22B2F0FAF10BF9F5713F22F0F13AFBF14BF2E56164F175F24DFA70D361A 7FF71B8F38DFAB3D361EAF1FB20CF936BFE3622BF23CF3D0F25EF2EA12728844FBF85F2E478 3AF2C0F88FE9401372ED8F78ABF8BCF9F39378A1F33EF8F9E4E02FF3F18915F926F937A3C7243 5F286F297FD4DD52AFF4BF5ADF9B48382EDF4F5FFF30FF9F2A789F52CF627FA3197C4F37BF7 B667FA6FE383AEF3BFF6A6FAB3D38FF3F1F563F413F936B7FDF442F72BF464C0193C1636F6C6F 727462A86C3B5C9F206486D0679F21466E86D07940756530796F65FDCC90357A9A7BB17B6F7C 797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFDF

Name	Value
	88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C646561 6170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D0646374 6C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C074 6F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E16 F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D006170 6151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699C 306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A131 739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFED0E6E E0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B3075 6EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E0 6060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572B 318666CB286B1F095B4876B284772B282636294A0FF4FB0B672940995079A1B7A40 99B507065B2817363656CDE69CC1B250B1F1B80173ACC079205FCFD1B101C790B3A0BA666C BA7562E7BA759D40BA846467BB66BCE0BC66FBA1A0BA847694DF9CFF9E0F9F1FA02FFFA13FA2 4FA35FA46FA57FA68FA79F4FB0FFC4C1AD0FAE18A8F6AB4476C0FD509B70FFABA7C651AC68C4 3CC401C68AC0B078D0F66669C0A84162C0F07990B080AC226FCBCFAE18AA544C60384C709A2 048DFB891BB509950D6B3ABE336CF5FD06FFDD17B38D25FD36FD47FD581B070B920FB19079 90D5BFD232D70FC4AF76B0C67F7FC786B730A8B2DA1FDB26A99AD5D1738FB080CE319B3078E 06D706F05F0C5D4BE456F50696C539B5269C0B7789392C0F1207679319B1055D620F99A60776 EE876AA81E912EA33D54497EA33AAB6ED716DA9316850C0102BEC73B072336C706DF9206B42 A39952EDB5537562EE2173AB71F46C46FD4063EE217500C100AF515160606D6C4D4F7067EE03 72B3F08792E14A63F041C03249B7E09F7A004FB0F9F0EE219950744C6EA073EE2105B07279F36 1EC3292C0787DF0606EC2A0E922F484C4C0C2F07470703A2F2FB8F09BA06F5073BA2EDAF0636 100E5C0B1F02EE6418A2FF70066FD70652F7779107C642F4C60C850F7E3F06078A05C6B94A1B A107786F032EB51F92368FF6C42EE21F091B300F2E3F091B3B0FB066BF2C5F09162F2D367C220 9AF072FF9971C2B005F0BFC07520BF91B190BFC0E3BB51B1F06E626AC0E07A00AC70EC6F63B1 C1EF806B9AD0ACC0E030FFFFA4A90421F0C60192D0B0809AE1EDB0717990737973A900F2B18F D16C7A79B08076F06079B00188999167EA64A9406179B266FF71E8F0F2A1FDB9B17657510441 A880F06060609B90DDDB19070C5E0B90006606CB240A882EF99D0C9D07910DAE178799078E0B 090F3F2A179B07361ACC099500583F491FF08A10661F491BA1061004F8060609A60A678C5E0F5 C06F797A005CA880FE709B90792061409A60C0B1BB50C1009DFF9064B0907940F4C06264BBE0 FF9A60C101B900A901D1E1A9029B90C260E4655C0660727AFF72BCE0FAA23B99500F41680D83 722003416776FF10190ED1C2D099509381109211941143EF0652016110B113236A0B716130C9 80F2764660776BB7D170A01482B8F0DF5750C8E1F9C1FCB0BDF265C26015E5EFA9009AE0A971 02D074E9B099500EB0FFFED1177C2F06F50C220C1009A51F4B0FFC2F0C2617931D1D0266021 E0E340F4B0FFC5C10CC2B7D1BF0017801571BFC07940FFB1A1177179317920BD91F4B0EDC10D F1EF0EB09A60EDC1C0307019E2A86094B0FFC230C9529950B902C5C1DD71F7A0B910CFDB410 210B910C0217070ADE0BFC0FDC0E16961301D073A207931AA42C0B0FF4F209A608A70B190C2 12F7A0C0D0AE41FF07A1E009B50A9015760C2A09A51B7D1FE6EEDB1B11026C0B9101CF1B91 0E8F0F99A516378C10099F0CE8199D0B7E0BFOC51DD9025D10B419A60C4F063F4C1BF19E2C4F 025C3C2209950BB60682733DB1742F5D067BFF201A163058019237F7930EDD027F275401BC22 A42058074F07862785C1D20C9E04F80A870EFC0D01570F63108216C1A7175200C01BF3E50E65 1A942C8D0A8A092A27704A1DC666D2B70E7E0FD5120F9A09390FF9A42C8D0A94036004FA00B B09AE0BFD0FB86E099D06CA9006F5015701B80F4B0FE759A10E152BFF1A841FDE1AE71FDA5FF 9982A88079B0FF41ADF0BA100EB03343FFC08432509B30FED39B1192C0C1A0FDD1FC6C760621 C1A1F6C0C1D036C199F0FF79203742B7D1F2A151B0F9C1ADFOC5F1CF9B11C1A02C4099F0202E E88436C6FF64603762E16137CF38DF39EF37206840BFC1A092E0FF903BBF3CCF3DDF6C6C70DF C1A0DFD03B7F404F4155293A3C70A0F73F1F440F4135626F804DC1453F36F3FF56C042DF47AF4 8BF49CF371169E04B22FF37AF4C8F4D9F45AD6E104B2F50BF51CFFF52DF37115C804FBF555F56 6F5775F911FFBAB0F910C5E09950E143BFF2BEDFBFFFC0FFC20FC31E5C626591D527DF4F53 FFFC64FC75FC86FC97FA7B86C0063FF65007F662CE2E126C1B170EAE875C2D5090D7E0A5C629 4140AE105229B535DD073C7021073F077907832364F9070B1FF7900FFE0799092E1997170C1D AE792E1FF31A070B1ADE87336A8F57216A99692E1FC3939EC507187A880B9001DF05DC1FF727 AD882739A7894CD756481759978947F71B49A20AB4577BF78CF79DFA9B439E77B5B165201312 0317C837EDF7FEFD80F78FB181BF82CF80CA3384AF85BFFD80AC3487BF88CF80AC91018AEF8 BFFF80CA368DDF8EEF80ACE86090FF920FDD80BB3893FF950F80AC397C83A996F63398AC610 06381759A6F9B788494FF9C7F9B7887A49E8F9B788AB4A09F9B78FF8DC4A2AF9B7890D4A4BF9

Name	Value
	B7893E4A6CFFF9B7896F4A8DF9B789A04975FAB236612FF7B8815701DF0AB00E9C07C9F7DAFA CDFF7AB04E3B27B79546290CE91B28B7B5B73F0115F722050630104A0C3E068FFD31F340AFA FB0BFB1CFB2D6B55CEEB1FF70F0B456B7EFB8FFBA0FE6E0E123BB89FB6180084067BCAFBDBFB ECFBFD67B4C77E7B06011EB9073C19FC2AF759935F398ACCE6320476921C6A3C2EE7BA6F6500 6A63001540731C6AFCB1FC3BFFF4EF7BE4BC100D910131CDDFCEEF7599FE367B4CF36061B1B C100E81D2CFD3DFFF4EDB55CD6B4F3606170D78FD89FD51AFFC05CD6B4CAC7DC3FD4FD56 56AC07B6AFA4D2D70696090D7068175E09FE1AFFD56534E33FE4498494E55FE66FD565BFAE5 CE405DBA2E4EFEABFD4FC36ECBFFFEDC6E9BF5F50B6C22F17FE002EE3FFBF3DFD4FC38F5D FF6E6F2DFF87FD50BBF98ACF6AA87A4FC5FFD6FAB04377B4C7A4463206BDB9F015F026FB55C4 3FB19600DE0665F80D70F057F068F0341FFDECC08A704A0F7027EE32C08A7E00F8F0F0FD4D FDEDFD6F7204163CD00F1AE0F75F13BFD98F15DFEDF3176F187FFF198FDE9FDA81C4F1D5F1 E6FE2EFE3FFFF213F224F235F7AFAE8BF268F279F28A1FEC6FED7C2BDCCB5FB5C5526576FFEE 00AF7F2D4FCFCFAAC929FCEDF3B6B71F33DF34E35FFBF698AC51756FB7000394F3A5F3B6F AAF67B4C497020FF731046303CD3FEDF2E2FF12FF2392BDFFFF440F451FF58FF69C481F492F4A3 FFA1FFFFB2C4D3F4E4F4F5FFEAFFBC525F536FFF547F033F0448577F588F599F078F089FFF5C5F 5D6F5E7F0C4F0D5C61AF62BF63CFFF10DF11EC66C6F7D6F8EF156F167F6C13FFFBBF6D7F19F1 B0F6699718F729F1EEFFF1FFF6BB976F778F23DF560F25FF7B6FFF7C7F292F7E9F2B4F80BF81C F2E7F83EFFF309C860F871F459F893F47BC8B2F8C3FFF4ABF8E5F4CDC904F915F4FDF937F51FCF F956F967F54FF989F571C9A8F9B9F5A1FFF5B2F75DFA01FA12F5F6F607F70EFA4FFFFA60F64BF6 5CFA96FAA7FAB8F6A0F6B1FFFAEBFAFC9C6F6F5F706F007FB51F739FFF73F668AB93FBA4F789 F79AF6B9BE2FFFBF3F7D8F9DBF7FAFC31FC42F82DFC64FFF84FFC86FC97F882FCB9F309CCDBF CECFFF8D4FD0EF47BCD2DF3EF926FD60F4CDCFFD7FFD90F978FDB2F51FCDD1FDE2F9CAFFFE 04F571CE23FE34FA1CFA2DFBD8FE7CFFF8DFA71FA82FB89FECAFEDBFAC6FAD7FFFF11FF22F3 3FB1FB2CFF66FF77FE41FF3B70FB81F2034FBDFCFFEBB6FBC7FFF66A800EF01FFC04FC15F6BB9 05DF06EFFFC53E56FC75F0ACF0BDFA8F0DFCCAFFF101F112FCFD134F309C156F167FD4FFF F189F47BC1A8F1B9FDA1F1DBF4CDC1FAFFF20BFD3F22DF51FC24CF25DFE45F27FFFF571C29EF 2AFFE97FAE8F053F2F7308FFFEECFFFD004F345F356FFF41FF52F38CFFF39DF3AEFF96FA7F3E1 F3F2F2BCFFEBFF9FFC2035438F449F031F042F66A8FF489F49AF07FF090F6BB94D8F4E9F0CEFF F2D1F0F0F527F538F123F55AF145F57CFFF58DF178F5AFF8A4C5D1F5E2F1CAF604FFF8F6C623F6 34F21CF656F948C675F686FFF26EF6A8F99AC6C7F6D8F2C0F6FAF9ECCFF719F72AF312F323F4C EF772F783F367FFF378F47FF7C0F7D1F3BCF3CDF807F818FFF829F411F422F85CF86DF737F466F 477FFC20368B3F8C4F4ACF4BDFAE58904FFF915F4FAF50FB369953F964F549F74CFFF56BF9A2F 9B3F59EF9D5F5C0F9F7FA08FFF5F3FA2AFD1FCA4CFA5D1F645FA7FFD71CFFA9EFAAFF697FAD1FD C3CAF0FB01F6E9FFF23FE15CB42FB53F73FB75F67CB94FFFBA5F78DF79EF949FBEDFBFEF7E 2F7F3FFF8FAFC3BFC4CF837F848FC82FC93FC4F9F88CF89DFCD7FCE8FBB267166D1B0586D61 74C6348D8631BC3C53007562746C6520456DFA700F10731ED0D2EFD3FFD50F8D95FA32C63C4 9FB90FB80CF80D7DFD8EF1BD9FFD58E33C63CD775526566FC6572FB80FB70DDFFDF0FE01FE12 67F982CDCF6E2FFE40FE51FE62F9D1C42F46F6F3300548DD0D7B0E923E11721B1FC4269626C8 DA067727A61DD9079E923EB7FE153BC3C54204F432048650F233B7DC07D7B5C2A5C64D580D DB00674D1B0DD5030313035302DF56232F563F52038F5C4346481D090373836643663E720003 265353334313538C3F7C0F6A034633532A7A09320EFA250A7A0CB70F76033F840F910F5C40FF9 CE8E00F56198D063663131206530613162FB606165F7F530FC2FFD1C33FB80FE01F560E8B0F06 6663039FAA6FF7FF601004DFF002DFFA202C2FFA602AE0327052F063FFF074F085F096F0A7F0B8 F0C9F0DAF0EBFFF0FCF10DF11EF12FF140F151F162F173FFF184F195F1A6F1B7F1C8F1D9F1EAF1 FBFFF20CF21DF22EF23FF250F261F272F283FFF294F2A5F2B6F2C7F2D8F2E9F2FAF30BFFF31CF3 2DF33EF34FF360F371F382F393FFD3A2C643A2502B53C1F3D2F3E3F3F4FFF405F416F427F438F4 49F45AF46BF47CFFF48DF49EF4AFF4C0F4D1F4E2F4F3F504FFF515F526F537F548F559F56AF57B F58CFFF59DF5AEF5BFFD0F5E1F5F2F603F614FFF625F636F647F658F669F7AF68BF69CFFF6AD F6BEF6CFF6E0F61F702F713F724FFF735F746F757F768F779F78AF79BF02C34FF840FAB103117 B623734F59434FD55136FE317BE2CB707BC1FEF27DAFFF7EBF7FCF80DF81EFF601FAD2F5517A 1F453B4663BC20643938858062AD85A033F811F7D039F3B066F7207A64F7B162FB80041F8796F B8032F1C6206262397B10B7008610F520FF03AF8AAF8BBF8CCF8DDF8E8FFF910FFF921F04BF 941C929F962F973F984F995FFF9A6F9B7F9C8F9D9F9EAF9FBFA0CFA1DFFF92FFA3FF951FA61FA7 2FA83FA94FAA5FFFAB6FAC7FAD8FAE9FAFAFB0FB1CFA2EFFFB3EFA50FB60FB71FB82FB93F016 EF5540BBA25F42000BC50
PidTagRtfI	TRUE

Name	Value
nSync	
PidTagSearchKey	cb: 16 lpb: D3BDD3F67FDD814E823B9EE04A816204
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	2
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Doctor's Appointment
PidTagSubjectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

Name	Value
PidLidAginqDontAgeMe	FALSE
PidLidAllAttendeesList	
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	05:00:00.000 PM 6/18/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	04:30:00.000 PM 6/18/2008
PidLidApp	1

Name	Value
_tateFlags	
_ubType	FALSE
_ss	IPM.Appointment
_me	07:30:17.980 PM 2/6/2008
_alChange	12:00:00.000 AM 1/1/4501
_FillLocatio n	FALSE
_StartWhe n	0
_yStatus	2
_ndarType	0
_tendeesSt ring	
_ngeHighli ght	0
_nGlobalOb jectId	cb: 56 lpb: 04000008200E00074C5B7101A82E00800000005019899AB368C8010000000000000000001000 00005D7DB73EA4A89A4894F5C022C6CAA58F
_End	05:00:00.000 PM 6/18/2008
_Start	04:30:00.000 PM 6/18/2008
_aborateDo c	
_Com	05:00:00.000 PM 6/18/2008

Name	Value
monEnd	
PidLidCom monStart	04:30:00.000 PM 6/18/2008
PidLidConf erencingT ype	0
PidLidCurr entVersio n	126212
PidLidCurr entVersio nName	12.0
PidLidDay Interval	0
PidLidDele gateMail	FALSE
PidLidDire ctory	
PidLidFInv ited	TRUE
PidLidGlob alObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000005019899AB368C8010000000000000000001000 00005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidInte ndedBusy Status	4294967295
PidLidIsEx ception	FALSE
PidLidIsRe curring	FALSE
PidLidIsSil ent	FALSE
PidLidLoca tion	Patrick's Office
PidLidMee tingType	1
PidLidMon thInterval	0
PidLidNet ShowUrl	

Name	Value
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptonalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	07:30:17.980 PM 2/6/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignallTime	04:15:00.000 PM 6/18/2008
PidLidReminderTime	04:30:00.000 PM 6/18/2008
PidLidRequiredAttendees	

Name	Value
PidLidResouceAttendees	
PidLidResponseStatus	1
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidSingleInvite	FALSE
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0

Name	Value
PidLidTaskVersion	1
PidLidTea mTask	FALSE
PidLidTim eZone	0
PidLidTim eZoneDes cription	(GMT-08:00) Pacific Time (US & Canada)
PidLidToAt tendeesSt ring	pcook@contoso.com
PidLidWee kInterval	0
PidLidWhe re	
PidLidYear Interval	0
PidTagAcc ess	7
PidTagAcc essLevel	1
PidTagAlte rnateReci pientAllow ed	TRUE
PidTagBod y	Hey Patrick\\n\\nCan we sync up before the upcoming Fabrikam status meeting?\\n\\nThanks\\nElizabeth\\n
PidTagBod yHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCie ntSubmitT ime	07:29:58.164 PM 2/6/2008
PidTagCon versationI ndex	cb: 22 lpb: 01C868F6A8B3838A8BC649774019A01F83B7E4B79818
PidTagCon versationT opic	Pre-status meeting sync-up
PidTagCre ationTime	07:27:11.156 PM 2/6/2008

Name	Value
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:30:18.762 PM 2/6/2008
PidTagLastVerbExecuted	516
PidTagLastVerbExecutionTime	07:30:00.000 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:29:58.117 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	8247
PidTagNormalizedSubject	Pre-status meeting sync-up
PidTagOriginatorDeliveryReportRequested	FALSE

Name	Value
PidTagOwnerAppointmentId	1246111704
PidTagPriority	0
PidTagReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 04012000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5666 lpb: 1E1600004E5D00004C5A46755B24DBD807000601010B606E6731303266350064007263700DD 00E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B6 8330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D7637 301E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A502 00DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF211 07D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026 A1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0 F202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3 F3B4F3C5F0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F4 5BF1F46CF028350A04D6F4E7432338C54EE420076D20434552342DBFCF53A63D7254F55737 9725234381FB94E6531365631580F03824709D17E6B52343D8F5AF733215BBF038254EF087052 3442FF5AF63723515F8F0382D8284865226007D02952344868FF620E543F6416071001A00EB06 4F54D5F5D5AF6384861673F038242074074FF0EB052346701699F5B2459E16B3F6443B2560890 746E224007906564F4FF5420529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73B B5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFF6C8A0DE0487F72BF275455A87518844 DF776A985E559663178A8490C7A2A85E4FD5D09317C588ABE7DF885E460D762E0FF8D8F810F8 5D56C890FD26D4F84BF585FFB74950FE139945F575F586F78250FE0FF86C9794F99CF5CAE9BB2 332F8E8F5FDFFF7F569BC178AF627F6F649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F9 36BFF9D70AC4F6E6F6F7F708E9BC1944F955F7B9A3F977731981F992FB6DF9B4832EF9BFF9D0F 9E1F9F2A329FFFA10FA21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66FAB3D0E01C89FA D6FAE7F9389FE32B04FB15FCA9FB37FBC31B4FB5CFFB2236976832B88FB99FD7479B480FD0E FD88F8B3F22459F1B33C06FC17F2236FDA31933CCAFCD8F2236935CB642E2EFFB5FFB70FDB6 5D87FD98FE86F9B48562FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF40FA6FE5DAFC 97FF7EFAB2EFF615FE3BFFC1F935C655FD1BF004FD3DFDFEB2E64FE75FEC3F977734EA1FEB2F FF08DF9B489BD00A9FEF1FF0F9F39BC40FF0E7FF31FF42F0DC8F5DFF6EF046FA70DFFEDD0165 FFB2FFC3FAB4C0E401A8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07CFOCAF9777350 A8F0B9F294FFF9B480FF22B2F0FAF10BF9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36E F1A7F1B8F38DFAB3D361EAF1FB20CFFD936B3622BF23CF3D0F25EF2EA127287F844F855F2E47 2AF8877F888F9B5737FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F926F937A3C72435 F286F297FFF4DD52AFF4BFF5AD9F9B48750F4F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF 667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B723270DF446F457FB3A80193C1636F6C6 F727462A86C3B5C9F206483A0679F21466E83A07940756530796F65FDCC90357A9A7BB17B6F7 C797A847CA2BF7B0F7ED7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFD F88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C64656

Name	Value
	16170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D064637 46C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C07 46F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E1 6F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D00617 06151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699 C306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A13 1739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFEDE06 EE0A91279509293A1D1A1319F03B7500AF80769B009B30B3F06D699E6874F092E06F709B307 56EAD51E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E 06060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572 B318666CB28681F0F5B48762B48772B2817940995079A113B6849B507065B281736365BC6C 9CC1B250B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955CE62B9559D40B9646467B A46BBC0F7BB46A1A0B9647694DF9CFF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA79FFF4F B0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7C531AC68C31CC2E1C56ABF90ED78D06669C 0A84162BFD07990B0809FAC22CAAFAE18AA5693F03430D8507C2048B771BA309950DDEB3ABE3 36F7CE3FCF4FD05B38D13FD24FD35FD463FFB070B800B1907990D4BFD112D60FC38FFF76B0C5 5FC666D0F0A8B2D91FDA26A99A3DD4D173B080CD119B3078E06D70266F05F0DB4F20456F506 96CBE539B5269C0789392C0F120767931CD9B1055D5209A60776EE7B6AA81BFE852E973AAB6 EA05D444ED716DA9315C6850BEF0EBD3B072336C706D19F9206B429952ED15537562A5ED817 3AB716C46FD4063ED818F7500BFE0AF5160606D6C4D4F709A67ED6372EFE792E14A63EFA1FDB F1249B6C07A004FB0F9F0ED8199509C744C6EA0ED8105B07279F2C1EA31929378EFC06EC180E 862F3E483C3A0C1D074703A2F2FB7D0D39BA06F50732ED9F0636100E4E055B1F02EE5612FF66 066FD7065E42F777910642F4C60C730F743DBEFC078A05C94A1B8F07786F0D451FDF874686C4 2ED81EFF1B300F243EFF1AFB3B0FA66F225EFF162F23367C100FD9AF0729971C19005F0BEA075 20BE18FB190BEA0BA31B1F06E626ABFC0B37A00AC706F63B1C1EEE06B9AD0FFACC0DFF50FF04 A90421F0C4E192D0B080C79AE1ED107990737973A900F211E98FD16C79B08076EFC079B000E8 A999916764A9406179B266FED1F7E830F201B89176575103A1A880EFC07760609B90B19070C4 C0B7E005C06CBFB240A88299D0C8B07910D9E1787990C7F8E0B090F20179B07361ACC09950FF 04E3F3F1080105C1F31B8F061004F809B60609A6078C4C0F5206F797A00FA5CA880709B90792 061409A60BF9177BA30BFE0F64B0907940F42062F64BAC09A60BFE1B7E0A901D0C1A9029 39B90C140655C05C0727AFED2EFBBC0FA0299500EA1680CE3722002A1FC67760F790E31C1B09 95093810FF2BF10F410A305B200C1101112836A0AD1CB6130C860764660776BB6B170A07F13E 2B7D05750C7C1F921FC10BCD265BFC1401545A9009AE0A971023074E8F0FF99500E10FE3116D 7C1D06F50C100BFE0FF9A51F410C1D0C1417931D0B0266021E0FFE260F410C4A10C22B6B1BDE 016E014D1FFBEA07940B1A116D179317920BC71F410BFED210D510E109A60ED21BF10701942F FA86094B0C110C8329950B7E2C4A1DC913FF700B7F0DA410170B7F0BF017070F7ADE0BEA0BFC 16961301C673A207931FFAA42BF904F209A608A70B190C0F2F700FFFBFB0AE410701EE609B50A9 015760C180FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A516378BFE099F0CD61FF99 D0B6C00BB1DCB025310AA19A60C3D0FE63F4211942C3D02523C1009950BA406E68269316A2F 53067BED2010163FF04E018837930ED30275275401B2229A2C104E0747862785C1C80C8C0BF4 F80A870BFB014D0F59107816C19D1FF75200B613E50E571A942C7B0A8A092A272770401666D2 AD0E720FCB120FFD45093909A42C7B0A94036004FA00B10EF9AE0BEB086E099D06CA9006F501 4D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD059982A88079B0FEA1ADF0B8F0FF0E103 2A3BF6431B09B30FE339B1192C0F3C080FD316C760581C081F620C0B0FF362199F0792036A2B 6B1F20151B0F9213FADFOC4D19B11C0802BA099F0202EFFE7C43626646036C2E081372F383F3 94FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080DEF03ADF3FAF40B529DF399C70A 03E7F436F4095626F804A61FF449F365356C0423F470F481F492F3671FF69E04A82370F4BEF4CF F450D6E104A8FFF501F512F523F36715C804F1F54BF55CFFF56D5F871B990F870C4C09950E63 BED2FFBDBFBECFBFDFOEFC1FE5BC26591D409FFDECFC41FC52FC63FC74FC85FA7B86C007F63 7F648065ACE2012621B170D3FB65FE7994126A8F6B9F6CAFE1E175D1D3EB7FAFD060E1FF406E 1F6F2F703FD4632C540D0A5BC22076A543208020ADDCCB02001801E502031E0200150FFA9019B 00B250731F742F753FD4639B00FF31E0F6A10091790F7A1F7B2FD4636E0F3F7E2F7F3F713FDC0 5CD5068A06B617E6D80BF81CF82DF805458B1304073AC206D9BB100913F76AC544041FC6B73 769685CF86DF87EFE6A40500FE7ACD5030718C0F8D1F8E2F83EFD463BF8B9836000A4104829B 535D30730170E30080FBE07832364EF09631DC90FF0000DCC05EA199719641D9E75EA131007F 9631ADE898B6CC559796A9965EA139FE39EBB0970A880B7E01D505D2197FAFFD782991A9E1 4CC5564019B199E149734BFC2E0AB459D3F9E4F9F5FA9B439A0DBF315B200912031A203A45FA

Name	Value
	56FA677EE32A71FA82FA62C33AA2FAB3FA62CEE34AD3FAE4FA62C35B04FB15FA62CFE36B35FB46FA62CE7A0B67FB78FA63B6E38B97FBA8FA62C39A203BDA633FFBE2C60607820A704BFEC0F8AA14C1FFFFC0F8AD24C40FC0F8B034C61FC0F8B344FFC82FC0F8B654CA3FC0F8B964C4FC0F8FFBC74CE5FC0F8BF84BCDFD0A36592A108FF14D01D50BDC0E900A21FA32FD25FBDC4FBE2D2A0F95461F02530D01B9FE4A126BFEF715ED27291EED004006210688530FF07A1D52FD63FD74FD856DADC0E110080FFD9D6DD6FD07FDF8F219088D0E0DC60E07D07A067E22FE33FE44FE556A0CC45772DD05F8093E073E71FE82F9B1935E5BE2C5425E2204768A1EC23E86EEDA1265006062F61540691EC2FF09FFF93FDA6FA164E1900CF10091F35FF46FF59B1936A0CC4C6102E1900DE1F84FFF95FFA6DDADCFC34FC3023D0FD0FFE1FFFFA9AE5DCFC34F04701BF02CFFAE56A40F5A0EA4D2CD0695FF0FC86A6F5061FB072FFAE53408BF09C9AA140AD0BEF7FFAE5D3DC098501220A6F103FFA7C36FF123F13460F3F14DFFA8B916216FFF042F713BF195FFA7C381B5F1C66185F1DFF7FFA8BBE2C1C2AAD2421DF22EFBDC437F5A0CC4462806B011F26DF27EFDADCF643F2B078A066DBF0FC8F2AFF2C0FFF28C1E5DC2E72A2F2FFF72FE08AC2E271F058F348FFA5F045FFC77204163FF9CE095A01CDF393FFF0F3B5F13733CEFFF3DFF3F0F041F052841CF42DF43EF086FFF097F46BF47CF48DF0D2F0E3F4C0F4D1F3F4E2F11EF12FC515C0F0FDB455265FE76EC00D4FF52CFF54FD0494F7C13733FDC37595F5A6F5B7FE556246C51757E6F95805ECF5FD60EFD07628FC49FF95A0989057C0634F645F53AF16AF17B9FF515F698F6A9F1B0F1C1C6D9F6EAF6FBFFF1F9F20AC72BF73CF74DF242F253C77DFFF78EF79FF28BF29C87CFF7E0F7F1F2D0FFF2E1F81DF82EF83FF31CF32DC872F883FFF894F365F376C8C4F8D5F8E6F3AEF3BFFF9193217F92FF3F7F408F8C19970F981FFF446F457F91399BF9D0F495F7B8F4B7FFF0EFA1FF4EAFA41F50CFA63FA74F53FFFFA96F561CAB8FAC9F6B1FAEBF6D3CB0AFFF1BF703FB3DF725CB5CFB6DF755FB8FFFF777CBAEFBBFF7A7FBE1F7C9CC00FC11FFF7F9F80AF9B5FC59F6AF84EF85FF966FFFCA7FCB8F8A3F8B4FCEEFCCFFF10F8F8FFF909FD43FD54FC1EF94DF95EF25FFDA9FFF991FDCBF8C0ADEFDFC9E1F9F2F9139F1F3AFE4BFA30FC33FA52FE89FE9AFA85FFFEBFAA7FEDFEEFFADAFF11F561CF33FFFF44FB2CFF66F6D3CF85FF96FB7EFFB8FFF725CFD7FFF8FB0F00AF777C029F03AFFC22F05CF7C9C07BF08CFC74FC85FE30FFF0D4F0E5FCC9FCDAFD1F122F133FD1EFFF2FF169F17AF18BF73FD84F1BE1CFFE7099FDC8FD9F2034215F226FE0EFFF1FF8C28266F277F5CE6DF91392B5FFF2C6FEABF0AEFECDF304F315FF00F337FFF22F359F36AFF55F38CF561C3AEF3BFFF7A7F3E1F6D3C400F411FFF9F433F725CFF452F463F04BF485F777C4A4F4B5F09DFFF4D7F7C9C4F6F507F0EFF100F2ABF54FFF560F144F155F25CF59DF5AEF199F1AAFF5E4F5F5F606F1EEF1FFF639F64AF514FF3243F254F2035690F6A1F289F29AFF8C286E1F6F2D7F2E8F9139730F741FFF326F529F348F77FF790F37BF7B2F39DFFF7D4F7E5F3D0F807FAFCC829F83A4F22FFF85C5FB4EC87BF88C474F8AEFB0C8CDFFF8DEF4C6F900FB2C91FF930F518F952FFF44C971F982F56AF57BF7269CAF9DBFFF5BFF5D0F6D7FA18FA29F614F625FA5FFF7A0F8A1F669F67AFAB4FAC5F98FF6BEFF96CFF2036B0FB1CF704F715FD3D8FFB5CFB6DF752F763FD8E9BABFBBC7A1FFF9A4F7C3FBFAFC0BF7F6FC2DF818FC4FFF60F84BFC82FF77CCA4FCB5F89DFCD7FFF9CCF6FD07F8EFFD29F01BCD48FD59FF941FD7BF06DCD9AFDABF993FDCDF0BFCFFDECFDFF9E5F9F6FBA1FE45F56FA3AFFA4FB52FE93FEA4FA8FFAA0FEDAFEEBF3FEFCFAE4FAF5FF2FFF40FE0A67166B1F7306D6174EBB4B30631E1BC00537562746C652045F46D703490733F30F86FF97FFA8FF5B31532EBBC4921102100F500FD5F37FE6FFF7FB0E33EBBCFCF55265F8666572210020F0037F048F059FFF06A6F10C0276087F098F0A9F0BAFC29CE8426F6F588054B350FD300EA3430697D77C4269626CB32067F472610310790EA310FF06D3E1BC40544F4320486534A33B807D7D7B5C2A5C64FB000D033074F73002D0303130355A301AE2321AE31AA0381B44340264F610373836643663010CA03265353334313586381D401C2034633532CD20DFB8A0C7D0CD20F01CE0331DC01E901F1B441F4EB3801AE1BE506366314031653061316220E061EE651AB021AF229C33210023811AE0E10E3066663039202624F1B81FF25CD25AD2422842252628E28A72AAFF2BBF2CCF2DDF2EEF2FFF310F321F332FFF343F354F365F376F387F398F3A9F3BAFFF3CBF3DCF3EDF3FEF40FF420F431F442FFF453F464F475F486F497F4A8F4B9F4CAFFF4DBF4ECF4FDF50EF51F530F541F552FFF563F574F585F596F5A7F5B8F5C9F5DAFFB5EBF5FAC645FA52835619F62AF63BFFF64CF65DF66E67FF690F6A1F6B2F6C3FFF6D4F6E5F6F707F718F729F73AF74BFFF75CF76DF77EF78FF7A0F7B1F7C2F7D3FFF7E4F7F5806F817F828F839F84AF85BFFF86CF87DF88EF89FF8B0F8C1F8D2F8E3FFF8F4F905F916F927F938F949F95AF96BFFF97CF98DF99EF9AFF9C0F9D1F9E2F9F3F9F28431DC020312891A0E237341B14FA341AD13623B1A162F0F0A1412472FFA32FA43FA54FA65FA76F1B8120521AD18B9F9F60C663E1A0643938AB005A62AB20331D911D5039193066F51CA0641D31622100299FAD16BE50E265AAF0306234ABF0DC80AB90FF1A0292FB02FB13FB24FB35FB46FB57FFF86FB79F2A3FB99CB81FBBAFBBCFBDCFFF8BEDFBFFEC0FFC20FC31FC42FC53FC64FFF75FB87FC97FB9FCB9FCCAFCD8FECFFF8FD0EFD1FFD30FD41FD52FD63FD74FFF86FD96FCA8FDB8FDC9FDDAFDEBF26EE171A

Name	Value
	D4DFA519A000E1D0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 5D7DB73EA4A89A4894F5C022C6CAA58F
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D5450065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D5450065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Pre-status meeting sync-up
PidTagSub	

Name	Value
_jectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

Name	Value
PidLidAgIn gDontAge Me	FALSE
PidLidAllAt tendeesLi st	
PidLidAllo wExternal Check	TRUE
PidLidApp ointmentA uxiliaryFla gs	0
PidLidApp ointmentC olor	0
PidLidApp ointmentC ounterPro posal	FALSE
PidLidApp ointmentD uration	60
PidLidApp ointmentE ndWhole	06:00:00.000 PM 6/18/2008
PidLidApp ointmentN otAllowPr opose	FALSE
PidLidApp ointmentP roposalNu mber	0
PidLidApp ointmentP roposedD uration	0
PidLidApp ointments	0

Name	Value
_equence	
PidLidAppointmentsStartWhole	05:00:00.000 PM 6/18/2008
PidLidAppointmentsStateFlags	1
PidLidAppointmentsSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentsSequenceTime	07:33:34.236 PM 2/6/2008
PidLidAttendeeCriticallChange	12:00:00.000 AM 1/1/4501
PidLidAutoFillLocation	FALSE
PidLidAutoStartWheel	0
PidLidBusystatus	2
PidLidCalendarType	0
PidLidCcAttendeesString	
PidLidChangeHighlight	0
PidLidCleanGlobalObjectid	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000000B0CF8013B468C80100000000000000001000 0000FB83BE9C4ADB5439C06943C06CF7548
PidLidClipEnd	06:00:00.000 PM 6/18/2008
PidLidClip	05:00:00.000 PM 6/18/2008

Name	Value
Start	
PidLidCollaborateDoc	
PidLidCommonEnd	06:00:00.000 PM 6/18/2008
PidLidCommonStart	05:00:00.000 PM 6/18/2008
PidLidConflictingType	0
PidLidCurrentVersion	126212
PidLidCurrentVersionName	12.0
PidLidDayInterval	0
PidLidDeleteMail	FALSE
PidLidDirectory	
PidLidFInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8013B468C80100000000000000001000 0000FB83BE9C4AADB5439C06943C06CF7548
PidLidIndentedBusyStatus	4294967295
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 234
PidLidMeetingType	1

Name	Value
PidLidMon thInterval	0
PidLidNet ShowUrl	
PidLidOldL ocation	
PidLidOnli nePasswo rd	
PidLidOpti onalAtten dees	
PidLidOrg anizerAlia s	
PidLidOwn erCriticalC hange	07:33:34.236 PM 2/6/2008
PidLidPerc entCompl ete	0.000000
PidLidPriv ate	FALSE
PidLidRec urrencePa ttern	
PidLidRec urrenceTy pe	0
PidLidRec urrenceTy pe	0
PidLidRec urring	FALSE
PidLidRem inderDelta	15
PidLidRem inderSet	TRUE
PidLidRem inderSign alTime	04:45:00.000 PM 6/18/2008
PidLidRem	05:00:00.000 PM 6/18/2008

Name	Value
_nderTime	
PidLidReq_uiredAtten_dees	
PidLidRes_ourceAtte_ndees	
PidLidRes_ponseStat_us	1
PidLidSen_dMeetingAsIcal	TRUE
PidLidSide_Effects	369
PidLidSing_leInvite	FALSE
PidLidTask_ActualEffo_rt	0
PidLidTask_Complete	FALSE
PidLidTask_Estimated_Effort	0
PidLidTask_FFixOffline	FALSE
PidLidTask_FRecurrin_g	FALSE
PidLidTask_Mode	0
PidLidTask_NoComput_e	FALSE
PidLidTask_Ordinal	2147483647
PidLidTask_Ownershi_p	0
PidLidTask_Role	

Name	Value
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeamTask	FALSE
PidLidTimeZone	0
PidLidTimeZoneDescripton	(GMT-08:00) Pacific Time (US & Canada)
PidLidToAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidWeekInterval	0
PidLidWhere	
PidLidYearInterval	0
PidTagAccess	7
PidTagAccessLevel	1
PidTagAlternateRecipientAllowed	TRUE
PidTagBody	Hey team\\n\\nLet's meet up to discuss the status of the Fabrikam Project.\\n\\nThanks\\nElizabeth\\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:33:21.098 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F721A86B239086B07F46EFA8C8A4317448A56A
PidTagCon	Fabrikam status meeting

Name	Value
versationTopic	
PidTagCreationTime	07:31:09.578 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	2
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:33:34.361 PM 2/6/2008
PidTagLastVerbExecuted	516
PidTagLastVerbExecutionTime	07:33:00.000 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:33:21.067 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	9584
PidTagNormalizedSubject	Fabrikam status meeting

Name	Value
PidTagOri ginatorDel iveryRepo rtRequest ed	FALSE
PidTagOw nerAppoin tmentId	1252403160
PidTagPrio rity	1
PidTagRea dReceiptR equested	FALSE
PidTagRec ordKey	cb: 4 lpb: 64012000
PidTagRep lyRequest ed	TRUE
PidTagRes ponseReq uested	TRUE
PidTagRtf Compress ed	cb: 5635 lpb: FF150000515C00004C5A4675EDCA2E4F07000601010B606E6731303266350064007263700D00 0E0032050C60630D44663313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF2110 7D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026A 1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0F 202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3F 3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F45 BF1F46CF028350A04D6F4E74323338C54EE420076D20434552342DBFCF53A63D72546F557379 725234381FB94E6531365631580F03824709D17E6B52343D8F5AF733215BBF038254EF0870523 442FF5AF63723515F8F0382D8284865226007D02952344868FF620E543F6416071001A00EB064 F54D5F5D5AF6384861673F038242074074FF0EB052346701699F5B2459E16B3F6443B25608907 46E224007906564F4FF5420529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73BB 5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFF6C8A0DE0487F72BF275455A87518844D F776A985E559663178A8490C7A2A85E4FD5D09317C588ABE7DF885E460D762E0FF8D8F810F85 D56C890FD26D4F84BF585FFB74950FE139945F575F586F78250FE0FF86C9794F99CF5CAE9BB23 32F8E8F5FDFFF7F569BC178AF627F6F649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F93 6BFFF9D70AC4F6E6F7F708E9BC1944F955F7B9A3F977731981F992F6DF9B4832EF9BFFF9D0F9 E1F9F2A329FFFA10FA21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66FAB3D0E01C89FAD 6FAE7F9389FE32B04FB15FCA9FB37FBC31B4FB5CFFB2236976832B88FB99FD7479B480FD0EF D88F8B3F22459F1B33C06FC17F2236FDA3193CCAFCD82236935CB642E2EFFFB5FFF70FDB65 D87FD98FE86F9B48562FFF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF40FA6FE5DAFC9 7FF7EFAB2EFF615FE3BFFC1F935C655FD1BF004FD3DFDFFEB2E64FE75FEC3F977734EA1FEB2FF F08DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0DC8F5DFF6EF046FA70DFFEDD0165F FB2FFC3FAB4C0E401A8FFF5FFB006F937A35024F035F1C9F057F0E31F06BF07C0CAF9777350 A8F0B9F294FFF9B480FF22B2F0FAF10BF9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36E F1A7F1B8F38DFAB3D361EAF1FB20CFFD936B3622BF23CF3D0F25EF2EA127287F844F855F2E47 2AF8877F888F9B5737FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F926F937A3C72435

Name	Value
	F286F297FFF4DD52AFF4BFF5ADF9B48750F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF 667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B723270DF446F457FB3A80193C1636F6C6 F727462A86C3B5C9F206483A0679F21466E83A07940756530796F65FDCC90357A9A7BB17B6F7 C797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFD F88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C64656 16170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D064637 46C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C07 46F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E1 6F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D00617 06151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699 C306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A13 1739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFDE06 EE0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B307 56EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E 06060B110AD610077A6B09FE066B110574F07874684268409FE094A0AC706CCBAAD1B29572 B318666CB286B1F0F5B48762B2817940995079A113B6849B507065B281736365BC6C6C 9CC1B250B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955CE62B9559D40B9646467B A46BBC0F7BB46A1A0B9647694DF9CFF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA79FFF4F B0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7C531AC68C31CC2E1C56ABF90ED78D06669C 0A84162BFD07990B080DFA22CAAFAE18AA56764032C5009A20BE48B771BA309950D0EB3ABE3 36CE3FFBCF4FD05B38D13FD24FD35FD463B070FFB800B1907990D4BFD112D60FC38F76B0FFC5 5FC666D0F0A8B2D91FDA26A99AD4D11E73B080CD119B3078E06D706F1305F0DB4F20456F506 96C53DF9B5269C0789392C0F1207679319B10E655D5209A60776E7B6AA81E8525FE973AAB6E A05D444ED716DA93168AE50BEF0EBD3B072336C706DF9208C6B429952ED15537562ED81D273 AB716C46FD4063ED81750047BFE0AF5160606D6C4D4F7067CDE6372FE792E14A63EFA1BF1 27E49B6C07A004FB0F9FOED819950744E4C6EA0ED8105B07279F2C131F5929378EFC06EC180E 862F3E4C3A0C1C1D074703A2F2FB7D09BA0E96F50732ED9F0636100E4E0B1F02A2E5612FF66 066FD70652FF2777910642F4C60C730F743EFC0AD78A05C94A1B8F07786F032F251FDF883686 C42ED81EFF1B300F243EFF1AFB3B0FA66F225EFF162F23367C100FD9AF0729971C19005F0BEA0 7520BE718FB190BEA0BA31B1F06E626ABFC0B37A00AC706F63B1C1EEE06B9AD0FFACC0DF50FF 04A90421F0C4E192D0B080C79AE1ED107990737973A900F211E98FD16C79B08076EFC079B000 E8A999916764A9406179B266FED1F7E830F201B89176575103A1A880EFC07760609B90B19070 C4C0B7E005C06CBFB240A88299D0C8B07910D9E1787990C78E0B090F20179B07361ACC0995 0FF04E3F3F1080105C1F3F1B8F061004F809B60609A6078C4C0F5206F797A00FA5CA880709B90 792061409A60BF9177BA30BFE0FE064B0907940F42062FE64BAC09A60BFE1B7E0A901D0C1A9 02939B90C140655C05C0727AFED2EFBBC0FA0299500EA1680CE3722002A1FC67760F790E31C1 B0995093810FF2FB10F410A305B200C1101112836A0AD1CB6130C860764660776BB6B170A07F 13E2B7D05750C7C1F921FC10BCD265BFC1401545A9009AE0A971023074E8F0FF99500E10FE31 16D7C1D06F50C100BFE0FF9A51F410C1D0C1417931D0B0266021E0FFE260F410C4A10C22B6B1 BDE016E014D1FFBEA07940B1A116D179317920BC71F410BFED210D510E109A60ED21BF10701 942FFA86094B0C110C8329950B7E2C4A1DC913FF700B7F0DA410170B7F0BF017070F7ADE0BEA 0BFC16961301C673A207931FFAA42BF904F209A608A70B190C0F2F700FFFB0AE410701EE609B 50A9015760C180FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A516378BFE099F0CD61 FF99D0B6C00BB1DCB025310AA19A60C3D0FE63F4211942C3D02523C100950BA406E6826931 6A2F53067BED2010163FF04E018837930ED30275275401B2229A2C104E0747862785C1C80C8C 0BF4F80A870BF014D0F59107816C19D1FF75200B613E50E571A942C7B0A8A092A2727704016 66D2AD0E720FCB120FFF90093909A42C7B0A94036004FA00B10FF9AE0EB086E099D06CA9006 F5014D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD059982A88079B0FEA1ADF0B8FF0 E1032A3BF6431B09B30FE339B1192C0F3C080FD316C760581C081F620C0B0FF362199F079203 6A2B6B1F20151B0F9213FAD0C4D19B11C0802BA099F0202EFFE7C43626646036C2E081372F3 83F394FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080DEF03ADF3FAF40B529DF399 C70A03E7F436F4095626F804A61FF449F365356C0423F470F481F492F3671FF69E04A82370F4B F4CCF450D6E104A8FFF501F512F523F36715C804F1F54BF55CFFF56D5F871B990F870C4C09950 E063BED2FFDBDBFBECFBFD0C0EFC1FE5BC26591D409FFDECFC41FC52FC63FC74FC85FA7B86C00 7F637F648065AC E2012621B170D3FB658C79209AF078302C0D0A5BC2FA206E654C761074316A 8F6B9F6CAFF9634271759AE26F7F08F719FD4636C732078402C602031E06E006FFA20EF31636 0C076F0B2509B0058B16F304076F0F660783346CD5068A06BFF6E30AFC09AB013605DF0737F7

Name	Value
	48F759F95D4632E6E6C5440416B736E56FA4505007ACD5030717A6F7B7F7C8FFF462ABF05F80BB30D3FA6E6592930A417704829B535D307301700080FBE078FC32364EF08661DC90FF408FF092E1FF99718671D9E792E131008661AD E888E6C FCC5587C6A99692E13939EBB08737FFA880B7E01D505D21882AD782894A8E44FFCC5564018B498E4487649A20AB458D6F778E7F8F8FA9B439910B15B2009120DE319233948F959F96A732974F985FDD965C339A5F9B6F965C349D6F9E7FD965C35A07FA18F965C36A38FA49FD F965CE7A0A6FA7BF966B38A9AFAABF6D965C399233AD D633AE5C606063FF9725B01FB1289A44B22FB1289D54B43FFF128A064B64FB128A374B85FB128A684FFBA6FB128A994BC7FB128ACA4BE8FB128FFAFB4AD0FC0D36592913814D01D50ADF07FE900924F935FC28FADF4E2D2912954FF61F0CD71C83B910BEF715ED279E06261FB0400621068DC51F2A0C55FC66FC77FFC886CB0CEE110080CA06CD9FCEACFBFD600E043D13960E007A067D25FD36FBFD47FD58690FCE6F05F71EA2073D74F2BD85F8B4935AE5C5425E220476F8A1DC53D89E91565006062F6154FF0691DC5F0C0D96FC9F9194D1C00CF1EF0091E38FE49F8B493690FCF2C06111FFD1C00DE1E87FE98FEA9DCB0CEC64F2C0FF23D0ED3FEE4FEACAD60CEC64E077F1EFAFF2FFEB156A40911A4D2CD0695FF0DFECB69725F64FF75FEB1534F8EFF9F9FF9A44FB0FFC1FEB15C40CF9B5F152FA9FFB006FEAAC36026F0376FF6F050FEABBBF8192072FE07203EF098FEAAC380B8FFF0C96088F0E2FEABAE5C0C5A9D54120FAB131FADF43790FC4462806BF14FB7170F181FCB0C432D0090A0665EE0FFECBF1B2F1C3F18F1D60C1E571A5F202FFF182EF8DC1E57F5BF24BFEA8FF48FECA7F82041638D1085D00D0F296FEF3FFF2B8F03A32D1F2E2F2F3FF44FF55831FFF330F341FF89FF9AF36EF37FF390FFD5FFF6F3C3F3D4F3E5F021F032C418CE10FF1CB7552657677D0C52F42FFE57FFFC0793FAC03A3CC67498F4A9F4BAFD586FD149C5173224EFF500F511FC0A690FCFE4985D088C047F0537F548F43DF06DFFF07E9418F59BF5ACF0B3F0C4C5DCF5EDFFF5FEF0FCF10DC62EF63FF650F145F156CFF680F691F6A2F18EF19F86D2F6E3F6F4FFF1D3F1E4F720F731F742F21FF230C775FFF786F797F268F279C7C7F7D8F7E9F2B1FFF2C2F81C311AF832F2FAF30BF7C49873FFF884F349F35AF81698C2F8D3F398F6BBFFF3BAF911F922F3EDF944F40FF966F977FFF442F999F464C9BBF9CCF5B4F9EEF5D6CFFA0DFA1EF606FA40F628CA5FFA70F658FFFA92F67ACAB1FAC2F6AAFAE4F6CCCB03FFF814F6FCF70DFF8B8FB5CFFB6DF751F762FFF869FBAFBBAFF7A6F7B7FBF1FC02FC13FFF7FBF80CFC46FC57FB21F850F861F162FFCACF894FCCEF7C3ACEEFCFFF8E4F8F5FFF8169D3DFD4EF933FB36F955FD8CFD9DFFF988FDBFFF9AAFFDE1FDF2F9DDFE14F464CFFE36FE47FA2FFE69F5D6CE88FE99FA81FFFEBBF628CEDAFFFEBFAD3FFF0DFF67ACF2CFFF3DFB25FF5FF6CCCFC7FFF8FB77FB88FFF33FFD7FFF8FBCCFBDDFCE4F025F036FFF21FC32F06CF07DF08EFC76FC87FOC1FCF0D2FF9CFCBCFDCF2034118F129FFF11FD22F7C58169F17AFD5FFD70F8169FF1B8F1C9FDAEFFB1FD0F207F218FE03FFF23AFE25F25CF26DFE58F28FF464C2B1FFF2C2FEAAF2E4F5D6C303F314FEFCF336FFF628C355F366FF4EF388F67AC3A7F3B8FFFFA0F3DAF6CCC3F9F40AFFF2F003F1AEFFF452F463F047F058F15FF4A0F4B1F09CFFF0ADF4E7F4F8F509F0F1F102F53CF54DFE7417F146F157F2035593F5A4F18CFFF19DF7C585E4F5F5F1DAF1EBF8169633FFF644F229F42FC24BF682F693F27EF6B5FFF2A0F6D7F6E8F2D3F70A9FFC72CF73DFFF325F75FFA51C77EF78FF377F7B1FAA3CFFF7D0F7E1F3C9F803FAF5C822F833F41BFFF855FB47C874F885F46DF47EF629F8CDFFFF8DEF4C2F4D3F5DAF91BF92CF517F528FFF962F973F984F56CF57DF9B7F9C8F892FF35C1F5D2F2036A0EFA1FF607F618FFF408A5FFA70F655F666FC919AAEFAFFFF6A4F8A7F6C6FAFDDB0E6F69FB30F71BFFF52FB63F74EFB85F7ACBA7FBB8F7A0FFFBDFAFCCCCBF9FC0AF7F2FC2CFF1ECC4BFFF5CFC844FC7EFF70CC9DFCAEF896FCD0FFFCCCEFFD00F8E8F8F9FA4FD48FD59FFF93DF94EFA55FD96FDA7F992F9A3FDDDF7FD EEFDFFFF9E7F9F8E32FE43FD0D6716266E7606D6174DBE4A3363101D1EC537562746C6520E8456D7024C0732F60E89FE9AFEBEABFA34532DBEC4911401130E5306FED8FEE9FEFAFEB3E33DBECD2552F06566657211301120F3AFF4BFFFF5CFF6D6ADDCCF2A6F8AFF9BFFACFFBDFD1E65C426F6F48B054A380ED6087FED3F6C7C7AC4269626CA350E8677261F34079FED3012FF70381D1EC544F4320486524D3003B7D7D7B5C2A5C641BEB30F36074E760F300303130B435300B12320B130AD0380B74043464E64037383664360263FCD0326533334310C35380D700C5034633532BFBD50A8D0B800BD50E1200D10330DF03F0EC00B740F7EA3B00B11AE80636680313165306131621110DC61650AE011DF12CC3313013B1C30B10FE60666630391056152FF0BB115FD15DD145218721556185E18D7FF1ADF1BEF1CF1E0F1F1F202F213F224FFF235F246F257F268F279F28AF29BF2ACFFF2BDFF2CEFDFF2F0F301F312F323F334FFF345F356F367F378F389F39AF3ABF3BCFFF3CDF3DEF3EFF400F411F422F433F444FFF455F466F477F488F499F4AAF4BBF4CCFFF4DDF4EEF4FDC644FD5186551CF52DFFF53EF54FF560F571F582F593F5A4F5B5FFF5C6F5D7F5E8F5F9F60AF61BF62CF63DFFF64EF65FF670F681F692F6A3F6B4F6C5FFF6D6F6E7F6F8F709F71AF72BF73CF74DFFF75EF76FF780F791F7A2F7B3F7C4F7D5FFF7E6F7F7F808F819F82AF83BF84CF85DFFF86EF87FF890F8A1F8B2F8C3F8D4F8E5F3F8F6F18730DF0106118C191123734F50B44340B013613E19192E1209171FF14A2935F946F957F968F979F0BB1

Name	Value
	1082170B018FCF50F663D1D0643938B59B30629B50330DC10D80390960EA660CD0640D6162113019CF9D46926214316134F1B06637CCB0FF9BC00AD0195FA05FA16FA27FA38FA49FFA5AFA6BFA7CF1A6FA9CCA84FABDFACEFFFADFFAF0FB01FB12FB23FB34FB45FB56FFF67FB78FA8AFB9AFAACFBBCFBCDFBDFFFFBEFFC00FC11FC22FC33FC44FC55FC66FFF77FB89FC99FBABFCBBFCCFCDDFCEEF2F171E0B04CFD509D000D200
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: FB83BE9C4AADB5439C06943C06CF7548
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
PidTagSubject	Fabrikam status meeting
PidTagSubjectPrefix	

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:PUBLISH
X-CALSTART:20080616T150000Z
X-CALEND:20080620T190000Z
X-CLIPSTART:20080616T070000Z
X-CLIPEND:20080621T070000Z
X-WR-RELCALID:{00000018-47DA-D2D5-82FB-58F6F5E139B2}
X-WR-CALNAME:Elizabeth Andersen
X-PRIMARY-CALENDAR:TRUE
X-OWNER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
X-MS-OLK-WKHRSTART;TZID="Pacific Time (US & Canada)":080000
X-MS-OLK-WKHREND;TZID="Pacific Time (US & Canada)":170000
X-MS-OLK-WKHDAYS:MO,TU,WE,TH,FR
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191919Z
DESCRIPTION:\n
DTEND;TZID="Pacific Time (US & Canada)":20080616T120000
DTSTAMP:20080206T215757Z
DTSTART;TZID="Pacific Time (US & Canada)":20080616T113000
LAST-MODIFIED:20080206T193058Z
PRIORITY:5
RRULE:FREQ=WEEKLY;COUNT=5;BYDAY=MO,TU,WE,TH,FR
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E0080000000C0FE0C40B268C801000000000000000
010000000DD26B2AEDF5D2145BCE907145185EA4D
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n<P DIR=LTR><SPAN LANG="en-us"></SPAN></P>\n</
BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
```

```

X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
BEGIN:VEVENT
CLASS:PRIVATE
CREATED:20080206T192046Z
DESCRIPTION:\n
DTEND:20080616T160000Z
DTSTAMP:20080206T215757Z
DTSTART:20080616T150000Z
LAST-MODIFIED:20080206T214042Z
LOCATION:4567 Main St.\, Buffalo\, NY 98052
PRIORITY:1
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Doctor's Appointment
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E0080000000E0E7F7AAB268C801000000000000000
010000000D3BDD3F67FDD814E823B9EE04A816204
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"></SPAN></P>\n</
BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:OOF
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-AUTOFILLOLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT720M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
CLASS:PUBLIC
CREATED:20080206T192711Z
DESCRIPTION:Hey Patrick,\n\nCan we sync up before the upcoming Fabrikam st
atus meeting?\n\nThanks\,,\nElizabeth\ n
DTEND:20080618T170000Z
DTSTAMP:20080206T193017Z
DTSTART:20080618T163000Z
LAST-MODIFIED:20080206T193018Z
LOCATION:Patrick's Office
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Pre-status meeting sync-up
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E00800000005019899AB368C80100000000000000
0100000005D7DB73EA4A89A4894F5C022C6CAA58F
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f

```

```

rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey</FONT></SPAN><SPAN LANG="en-us"> <FONT FACE="Calibri">Patrick</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Can we sync up before th</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">e upcoming</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri"></FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">status meeting?</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Thanks\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n</BODY>\n</HTML>

X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080206T193017Z
X-MS-OLK-AUTOFILLOLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080206T193109Z
DESCRIPTION:Hey team,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,,\nElizabeth
DTEND:20080618T180000Z
DTSTAMP:20080206T193334Z
DTSTART:20080618T170000Z
LAST-MODIFIED:20080206T193334Z
LOCATION:Conference Room 234
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Fabrikam status meeting
TRANSP:OPAQUE
UID:040000082000E00074C5B7101A82E00800000000B0CF8013B468C801000000000000000
01000000FB83BE9C4AADB5439C06943C06CF7548
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey team\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">'</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">s meet up to discuss the status of the Fabrikam Project</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">,.</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Thanks\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>
</BODY>\n</HTML>

X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE

```

```

X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080206T193334Z
X-MS-OLK-AUTOFILLOLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

Shu opens the iCalendar file. The following tables represent the contents of Shu's copy of Elizabeth's Schedule.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	4
PidTagExtendedFolderFlags	cb: 16 lpb: 01040026000A04080000000000000000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 82820000
PidTagSubfolders	FALSE

The following are the properties on the Calendar object for Elizabeth's lunch break:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30

Name	Value
PidLidAp_pointmentEndWithhole	07:00:00.000 PM 6/16/2008
PidLidAp_pointmentNotAllOwnPropose	FALSE
PidLidAp_pointmentRecur	cb: 80 lpb: 043004300B2001000000C021000001000000000000003E00000022200000050000000000000000 000000000000000080F8C50C000FC60C0630000009300000B2020000D00200000000000000000000000 0000
PidLidAp_pointmentSequence	0
PidLidAp_pointmentStartWithhole	06:30:00.000 PM 6/16/2008
PidLidAp_pointmentStateFlags	0
PidLidAp_pointmentSubType	FALSE
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidCalendarGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C8010000000000000000100000 00DD26B2AEDF5D2145BCE907145185EA4D
PidLidCli_pEnd	07:00:00.000 AM 6/20/2008
PidLidCli_pStart	07:00:00.000 AM 6/16/2008
PidLidCommonEnd	12:00:00.000 PM 6/16/2008
PidLidCo	11:30:00.000 AM 6/16/2008

Name	Value
mmonStart	
PidLidConflictingType	0
PidLidInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	
PidLidOwnerCriticalChange	09:57:57.000 PM 2/6/2008
PidLidRecurrencePattern	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
PidLidRecurrenceType	2
PidLidRecurring	TRUE
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminderSignalfTime	12:30:00.000 AM 6/16/2008
PidLidReminderTime	06:30:00.000 PM 6/16/2008

Name	Value
PidLidResponseStatus	0
PidLidSendMeetingAsIcal	TRUE
PidLidSdeEffects	369
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000000000030000000200020000000000000000000
PidLidWhere	
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.383 PM 2/6/2008
PidTagEndDate	12:00:00.000 PM 6/16/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1

Name	Value
PidTagInternetConnectionString	1252
PidTagLastModificationTime	10:35:40.383 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	1269
PidTagNormalizedNameSubject	Lunch
PidTagRecordKey	cb: 4 lpb: C4002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfCompressed	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5337B044614473012BC11C308EF09F73BDB18AF0E303511B20C606300500B09990164333616E00BA5342010822C2A5C0EB20190671D503320003C21444F4354595000452048544D4C20500055424C49432022D202F2F5733432010445422441F24332E322010454E7C223E11C31DC71E700AA321AC31FE391E801F32219D14D022AF22611D60F12400454144219D0EF1257F0E1082360EF03C4D45544107B0624129A03D224709F00490618A7405B02212B04F4E54216026542A3005E1457814616E677A6506527613112C8100900220202030382E30302D6036383A312D6130218E280F23933737411E805449544C45245E34D30EF022FD38351E802F30CF2EFFBF1DE53211336026DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4138F1212D2D12B16E2C812A740980200352203C907874FE2F00213CC005B000C005403C00396F173A7F3F1F1DF43626A1502044C049523D4C545221901DD35F3D72000042D51CD142D65C1E1072E70AB1449214605C71032143771D8B023826A15350414E204C8D4770472A3009F02D75732181FB42CF461E3914D03360475248694877BF43E84BD80A801D8B01C03351503E4FF740AF4FCF3885383351

Name	Value
PidTagRt fInSync	TRUE
PidTagS earchKe y	cb: 16 lpb: A68162A00BBC504CBE81A7891BAA5C9
PidTagS ensitivit y	0
PidTagSt artDate	11:30:00.000 AM 6/16/2008
PidTagS ubject	Lunch
PidTagS ubjectPr efix	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

Name	Value
PidLidAll owExternalCheck	TRUE
PidLidAp pointme ntDuration	60
PidLidAp pointme ntEndW hole	04:00:00.000 PM 6/16/2008
PidLidAp pointme ntNotAll owPropose	FALSE
PidLidAp pointme ntSeque nce	0
PidLidAp pointme ntStartW hole	03:00:00.000 PM 6/16/2008

Name	Value
PidLidAp_pointmentStateFlags	0
PidLidAp_pointmentSubType	FALSE
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	3
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C8010000000000000000100000 00D3BDD3F67FDD814E823B9EE04A816204
PidLidCommonEnd	04:00:00.000 PM 6/16/2008
PidLidCommonStart	03:00:00.000 PM 6/16/2008
PidLidConflictingType	0
PidLidFInvited	FALSE
PidLidGlobalObjectID	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C801000000000000000100000 00D3BDD3F67FDD814E823B9EE04A816204
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	4567 Main St., Buffalo, NY 98052
PidLidOwnerCriticalChange	09:57:57.000 PM 2/6/2008
PidLidRecurring	FALSE

Name	Value
PidLidRe minderD elta	720
PidLidRe minderS et	FALSE
PidLidRe minderSi gnalTim e	03:00:00.000 AM 6/16/2008
PidLidRe minderTi me	03:00:00.000 PM 6/16/2008
PidLidRe sponseS tatus	0
PidLidSe ndMeeti ngAsIcal	TRUE
PidLidSi deEffect s	369
PidLidS martNoA ttach	TRUE
PidLidW here	4567 Main St., Buffalo, NY 98052
PidTagA ccess	7
PidTagA ccessLev el	1
PidTagB ody	
PidTagB odyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCr eationTi me	10:35:40.398 PM 2/6/2008
PidTagE ndDate	04:00:00.000 PM 6/16/2008
PidTagH asAttach	FALSE

Name	Value
ments	
PidTagIconIndex	1024
PidTagImportance	2
PidTagInternetCodepage	1252
PidTagLastModificationTime	10:35:40.398 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	1047
PidTagNormalizedNameSubject	Doctor's Appointment
PidTagRecordKey	cb: 4 lpb: E4002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfCompressed	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A00726370673132358232034368746D6C310331F 862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E51030 1020063680AC07073657432060006C311B5337B044614473012BC11C308EF09F73BDB18AF0E30 3511B20C606300500B09990164333616E00BA5342010822C2A5C0EB20190671D503320003C214 44F4354595000452048544D4C20500055424C494320222D202F2F5733432010445422441F24332 E322010454E7C223E11C31DC71E700AA321AC31FE391E801F32219D14D022AF22611D60F12400

Name	Value
	454144219D0EF1257F0E1082360EF03C4D45544107B0624129A03D224709F00490618A7405B02212B04F4E54216026542A3005E1457814616E677A6506527613112C8100900220202030382E30302D6036383A312D6130218E280F23933737411E805449544C45245E34D30EF022FD38351E802F30CF2EFFBF1DE53211336026DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4138F1212D2D12B16E2C812A740980200352203C907874FE2F00213CC005B000C005403C00396F173A7F3F1F1DF43626A1502044C049523D4C545221901D35F3D72000042D51CD142D65C1E1072E70AB1449214605C71032143771D8B023826A15350414E204C8D4770472A3009F02D75732181FB42CF461E3914D03360475248694877BF43E84BD80A801D8B01C03351503E4FF740AF4FCF3885383351392F377F1DF5173091365024237D5610
PidTagRt fInSync	TRUE
PidTagS earchKe y	cb: 16 lpb: 120CA1F78A8BAE4F852D3E90FD6C8F2A
PidTagS ensitivity	2
PidTagSt artDate	03:00:00.000 PM 6/16/2008
PidTagS ubject	Doctor's Appointment
PidTagS ubjectPref	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

Name	Value
PidLidAllo wExternalCheck	TRUE
PidLidAp pointmen tDuration	30
PidLidAp pointmen tEndWhol e	05:00:00.000 PM 6/18/2008
PidLidAp pointmen tNotAllowedPropose	FALSE
PidLidAp pointmen tSequence	0

Name	Value
PidLidAp_pointmentStartWhole	04:30:00.000 PM 6/18/2008
PidLidAp_pointmentStateFlags	3
PidLidAp_pointmentSubType	FALSE
PidLidAp_pointmentSequenceTime	07:30:17.000 PM 2/6/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCalendarGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000005019899AB368C801000000000000000010000 0005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidCommonEnd	05:00:00.000 PM 6/18/2008
PidLidCommonStart	04:30:00.000 PM 6/18/2008
PidLidConferencingType	0
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000005019899AB368C80100000000000000010000 0005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Patrick's Office

Name	Value
PidLidOwnerCriticalChange	07:30:17.000 PM 2/6/2008
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	FALSE
PidLidReminderSignalTime	04:15:00.000 PM 6/18/2008
PidLidReminderTime	04:30:00.000 PM 6/18/2008
PidLidResponseStatus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidWhere	Patrick's Office
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Hey Patrick,\n\nCan we sync up before the upcoming Fabrikam status meeting?\n\nThanks,\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.414 PM 2/6/2008
PidTagEnd	05:00:00.000 PM 6/18/2008

Name	Value
dDate	
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagLastModificationTime	10:35:40.414 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	3364
PidTagNormalizedSubject	Pre-status meeting sync-up
PidTagOwnerAppointmentId	4294967295
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedBy	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D545000736

Name	Value
EntryId	9746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagRequestorKey	cb: 4 lpb: 04012000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1033 lpb: 05040000890F00004C5A46753162233603000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09FB63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371F05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A6121D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC2318104709486579247C3536DF34C14C5249D949E7479D3914D034D0FF48C250CF51DF487F498F44D84B2F4C3F9B4D4F4E5B502C100510636B4F5FFF506F543F528F5E5F5F6F55BF56CF61DFEF58FF5A0F5B1F45322C5CDF5DEF61BFFF600F6B6F453A0AA26C080A8145870AB1EF70D8624D01C034C1503FBF421F748FFF42EF43FF450F461F1FF62EF63FF650FBF661F672F683F78E718B003A0772DA00073796E6320757020CE62011005B02DA0746869EF6AFF6C0F6D1F862F873F7C8F7D9F89AF7FBFBF80CF81DF79322DA083E005A06D0B80FE6784AF85BF898F87DF93CF94DF8B0FFF8C1F974F8E3F8F4F905F9B1F931F96EFF953F964FA19F986F997F579F9B8F9C9F1B9DAF78E74601A005106B616DFF9F4FA05FA42FA27FAE5FA6FA5FA6BF5FB1DFA8EFA9FFAB0FA81373019074DDDB45020078014B092113FACDFADEFFF1FB00FBBC5F6F3F704F715F/26F737FFF75DFC53F76AF77BF78CF79DF7AEFB2AFBF3BFC94FB5DF6EF87FF4E5B542D61FC6B7369DFBBDFBCEFBDFFD5FFC01FFF C12FC23FC34FC45FC6BFDED FC78FC89FFC9AFCABFCBCFCCDFCDEFE2EFD00FD11FEBD22F4E4C4518D07A01A014B0849FFFD58FD69FD7AFCFF0DFE71FE82FF34FFFF19FF2AFD9EFDAffDC0FD1FDE2FE08FF7FF0F39C8EAC12F3A9F38EF1F6532010B37C025937D0580
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: A41B37520B24144FA86C2D77FB1567A5
PidTagSenderAddressType	SMTP
PidTagSenderEmail	eandersen@contoso.com

Name	Value
IAddress	
PidTagSecondaryEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSecondaryName	Elizabeth Andersen
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagStartDate	04:30:00.000 PM 6/18/2008
PidTagSubject	Pre-status meeting sync-up
PidTagSubjectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	60

Name	Value
PidLidAp_pointmen_tEndWhole	06:00:00.000 PM 6/18/2008
PidLidAp_pointmen_tNotAllowPropose	FALSE
PidLidAp_pointmen_tSequence	0
PidLidAp_pointmen_tStartWhole	05:00:00.000 PM 6/18/2008
PidLidAp_pointmen_tStateFlags	3
PidLidAp_pointmen_tSubType	FALSE
PidLidAp_pointmen_tSequenceTime	07:33:34.000 PM 2/6/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCalendarGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8013B468C801000000000000000010000 000FB83BE9C4AADB5439C06943C06CF7548
PidLidCommonEnd	06:00:00.000 PM 6/18/2008
PidLidCommonStart	05:00:00.000 PM 6/18/2008
PidLidConferencingType	0
PidLidFIn	TRUE

Name	Value
vited	
PidLidGlobalObjectID	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8013B468C801000000000000000010000000FB83BE9C4AADB5439C06943C06CF7548
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Conference Room 234
PidLidOwnerCriticalChange	07:33:34.000 PM 2/6/2008
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	FALSE
PidLidReminderSiginalTime	04:45:00.000 PM 6/18/2008
PidLidReminderTime	05:00:00.000 PM 6/18/2008
PidLidResponseStatus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidWhere	Conference Room 234
PidTagAccess	7

Name	Value
PidTagAccessLevel	1
PidTagBody	Hey team,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks,\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.429 PM 2/6/2008
PidTagEndDate	06:00:00.000 PM 6/18/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	2
PidTagInternetCodepage	1252
PidTagLastModificationTime	10:35:40.429 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	4244
PidTagNormalizedSubject	Fabrikam status meeting
PidTagOwnerAppointment	4294967295

Name	Value
Id	
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedKey	cb: 4 lpb: 24012000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 953 lpb: B5030000240D00004C5A46754D27F7AF03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C23181047A94865793F21616DF22C251C353635614CF24A794A87FD483D3914D03570496251CF45CB0AA2FF52780A8146270AB15748483D01C03561FE50405F42BF5AFF438F449F45AF46BFFF586F48DF49EF4AFF4C0F4D1F4E2F5F7FE4C14B0505F516F527F538F6B4F6C5F7F62FF640F6ECF662F673F684F5FA327FF6D6069C6ADF6EAF6CFF788F799F702FFF713F7C0F735F746F757F5FA2042007809114B02075703F206F200F51A6637E80042074682E40730190B2747E80206F3FA085524601A0D0D05106B5020218003606A059069BFFF780F7BD7A2F88EF89FF7D5F7E6F8C6FEF808F819F82AF5F932E877F888F8C5FFF8AAF960F55AF56BF57CF58DF59EF5C4FFF9EEF5D1F5E2F5F3F604F615F8D4F8E5F5FA2FF907F918F929F4EFB542E016BFE73504F958F969F97AFAFAF99C99ADFFF9BEF9CFF9E0FA06FB88FA13FA24FA35FFFA46FA57FA68FA79FBC9FA9BFAACFABDFB54EEC4519707A01A014B068AE3FFF4F4FB05FB16FC98FCA9FC0DFC1EFCD0FFF5C6FB3AFB4FB5CFB6DFB7EFBA4FF7D8CF3A77C4712F3B3F398F200532A10B386026337DDF30

Name	Value
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 2D89627AB1028646855F0472CD3C0EA6
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagStartTime	05:00:00.000 PM 6/18/2008
PidTagSubject	Fabrikam status meeting
PidTagSubjectPrefix	

3.3 Example Single Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a meeting with an attendee, Shu, but later decides to cancel it.

3.3.1 Organizer's Meeting Request

Elizabeth invites Shu to lunch at Fourth Coffee from noon to 12:30 P.M. (Pacific Time) on February 8, 2008.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAgInqDontAqeMe	FALSE
PidLidAllAttendeesString	sito@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidApp	0

Name	Value
PidLidCollaborateDoc	
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidConferecingType	0
PidLidContactLinkName	
PidLidCurrentVersion	126212
PidLidCurrentVersionName	12.0
PidLidDirectory	
PidLidFinally	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000001000 00002009EB53F098B249AD66CBE6BB3B8B99
PidLidIndendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Fourth Coffee
PidLidMeetingType	1
PidLidNetShowUrl	
PidLidOnlinePassword	

Name	Value
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	05:39:55.801 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	1525252321
PidLidReminderSet	TRUE
PidLidReminderSignalingTime	08:00:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidResponseStatus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTask	0

Name	Value
Estimated Effort	
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTea mTask	FALSE
PidLidTim eZoneDes cription	(GMT-08:00) Pacific Time (US & Canada)
PidLidToAt tendeesString	sito@contoso.com
PidLidWhere	Fourth Coffee
PidTagAcc ess	2
PidTagAcc essLevel	0
PidTagAlte rnateReci	TRUE

Name	Value
_pientAllow_ed	
_PidTagBody	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*I haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n
_PidTagBody_Html	Err:0x8004010F=MAPI_E_NOT_FOUND
_PidTagClientSubmitTime	05:39:55.894 PM 2/8/2008
_PidTagConversationIndex	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
_PidTagConversationTopic	Lunch?
_PidTagCreationTime	05:39:55.801 PM 2/8/2008
_PidTagDeleteAfterSubmit	FALSE
_PidTagEndDate	08:30:00.000 PM 2/8/2008
_PidTagHasAttachments	FALSE
_PidTagIconIndex	4294967295
_PidTagImportance	1
_PidTagInternetMailOverrideFormat	1441792
_PidTagInternetCodepage	28591
_PidTagLastModificationTime	05:39:55.910 PM 2/8/2008
_PidTagMessageClass	IPM.Schedule.Meeting.Request

Name	Value
PidTagMessageDeliveryTime	05:39:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	1033
PidTagMessageSize	8729
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagOriginalGinaAuthName	
PidTagOriginalSensitivity	0
PidTagOriginalAppointmentDeliverReportRequested	FALSE
PidTagOwnerAppointmentId	2758289368
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReasignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: 64052000
PidTagResponseRequested	TRUE

Name	Value
PidTagRtfCompressed	cb: 5750 lpb: 72160000AB5C00004C5A467577E57A7507000601010B606E6731303266350064007263700D00 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52C53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F9A38D3E29AEEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 33FF7944F992F966731970F981FB5C9F9A38D3E29AEEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958C FDF4FEEFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFF AA1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFeca2E53F64FEB2F966734E90FFF EA1F07CF9A389AC0098FEE0F EF1F9E29 FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FD02105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDD E36196F1A7F37CFAA2D361D9F1EAFF B1FB925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE33DB67309ED26685D0A1263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4427F9 7504E7073E0BB40D75054009DF04EFFA4A278408EC39DD19D319B9073F0AE708E7697009730B 2E06D696873E0A78F106E609730756EA8D1659BC0977880A4F99DF04499B420504E600661896 090B06820466F6E7A748EB4749DE05F50AC905FF0772BA2409BE066AC905773E07468DE42673 09BE090A0A7F06C9F106D00E5AE2472AE98666CAE06AD70B007CA62B00772AE02636290A04E A0FFB1F29091B262783095507891B3249750047065AE017363656C6CEF98C1ADD0AD71B38173 A8407810CEC1AFAC81C680AF20B5E66CB5F562B5F539940B6046467B6E6B860B7E69DA0FDB6 047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9F7A08FA19FA2AFA3B7ACB0FFA86FA97AA486A 6C475B0CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0FD973062BC707880AC00A7A 2C6EFA9987DA5EC48B41B6D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FC E7FCF8FA682FF ABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BFC2C4B2B0A442D53FD646A52AD0F11E73AC00 C951973077D06D706F8B04E0D76F456E40696C5397526F68B077838EF0F010767821971055F3 D1409660776EE346A611E3E2E5035C363046705F41A60231E8C139FE385B70A609E503F4B0EC D0A6406D0057E5A368B0FD0134EC616DA4C1687E50BB90E973ABF2E820E960F8106B4642955 2EAB5537562EB2173E9A6F16C46FC3063EB2173F0BC80A3AAD15F506D6C4D4E6067EB036672 ED878F114A63ED41BBBB2493FB36078F04EA0F8E0EB219550744CA76D90EB2104A07279F06131 8EC3FA78ED606EBE20E3F2F1849DF0BE70E074703A2F2FB47097A06E4074732ED610635FF0E0

Name	Value
	80AD702E15E1012FF40066FC60652F77F97800642F4B50C370F4E3ED607790D65C90A1B59077 85E032EFF1F623FE686B32EB21ED91AE80EFE3ED91AF30D7F806EFC5ED9162EFD367BDA096F0 FE729571BE3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC6078F0D9A7F06F63AD41E C806B96D0A840FF9DE0FCA4A4940070C1518F00AC0096E1E3EAB07880737973A490EFB18361F 46C79AC0076ED6078A0FE889591D46764A4D06178A266FC71E3C0FBEFA1B5317656410141A41 0ED605F50BB9790AD1070C130B48003606CADC0DFA41295D0C4F07800D60178788077D0E7AC 10EFA178A07361A84095500283FFF19105A10361F191B5905FF04E705F504D966078C130F2C06 F7978F05CFDA410709790781060309660BC31B6D03BBC80FC9064AC107830F1C06264FFB7609 660BC81B480A491CD01A4929790C9BDE0655C0360727AFC72B86077F7A295500C41680A8371 10004167FE760D190BD190BD190BD190BD190BD190BD190BD190BD190BD190BD190BD190BD190BD A0764550776B3516B601182FB4705640C401F6C1F9B0B97265BDE0DF12E5A49096E0A501FF D074E4809550FF0BB0FBD11477BE706E40BDA0BC809651FFF1B0BE70BDE17821CCF0255020D 0DE00FFF1B0C11109C2B351BA8014801271BB40FF7830AD21147178217810B911F1B0EAC1DF0 AF10BB09660EAC1BBB07016E2A3F0FF90B0BDB0C4729550B482C111D8A1F4A09FB490D661F1 0B490BBA17070A960FBBA40BC616960201A06A6025FF096E0FBE696A400777821A5D2BC304E1 09660FF8960AD10BD92F4A0BC50A9C104A1EC00BF9750A4915650BE209651B3516EEFAB17FAC9 025B0B49019F1B490E3C0965163FE78BC8095F0C9A195D0B3600951D8C0EF23D1084196609E2 063F1C116E29E20EF23C3BDA09550B6E06825331442F2D0F667BB72FEA163028016237820EAD 01F25F2743018C228420280747862FC785C1A20C5004E70A400BC501270FBF33105216C17717 41009013D40E1112FA4D2C3F0A4308ED27701A1666DF72970E2B0FA5120F6A00F009642C3F0F FA4D034F04E9008B096E0BB5085D095D0BE6CA4906E4012701880F1B0759610FFDC42BB71A3 D1FAE1A9F1FAA59582A410FF78A0FC41A970B5900BB03143BC043050FF3133E8999730FBD397 118EF0BD20FAD1FC6C760321BD21F3C0BD5035C195F0FF78103642B351EFA150A0F6C1A970C1 41CF9711BD202A4095F0202EE35435C6FF63503662DC5136CF37DF38EF36206730FBFD208F10 FC903ABF3BCF3CDF6C6B60DFBD20DB003A7F3F4F405529393C6F90F73E1F430F4035626E704C B1443F35F3FF55B041DF46AF47BF48CF361168D04A22FF36AF4B8F4C9F44AD6D004A2F4FBF50 CFFF51DF36115B704EBF545F556F5675F611FFB630F610C1309550DC33BB72BA5FBB6FFFBC7FB D8FBE9FDADFC0CFC5FC2EFC3FFF5C0FA3B16AF0D2CF641ADDA124C1ACFC9E7E820571350 6E3AA8E066C1A861792CABE065EAC075F0D1B20AEEA06C60F5416B8085E03AF55069AB404D2 D6DA1336DE276B047584D542DAEA06DC129AB41630E69F4A175B376B0555320260C20437470 603061292E0DFF0A5B626B9278D06BE109107810ABD09E43F48178E0713571352A7E73CFFF72 EC5B545C1F5D2F5E3F5F4F605F95B6F5B625870A619688F699F6AAE49F2A0E305D1259072717 596E2A4E00B81FE2040A0EC7078F0F0B7D06C0F0E0F11DA400205BF1A4910201722120BF6B9 070C0A4E07A20F2A0136120FB516F5C0083C1721B82C2208B501BF068FE3FE9417D3F7E4F6AC BA7707940B7D07FA61975668ED207E10222975376F073C7FF10F20F9807832368FB08C01FFD 8A0FCE0D8D08F1195718C11D6079071FF2FA08C01A9688E86C8958D66A5267861FC3939E508 CD7A410B4801AF076E1FF8DCAD3A28EEA93E4C895629190E993E47F8D0461D0A6C5930F941F 952FA54439FF96AB1352FE316D9097D39A2F9B3F9C47EE329CEF9DFF9BFC339FFFA10F9BFC 4A30FA41F9BFC35A61FA72F9BFCFE36A92FAA3F9BFC330AC4FAD5F9C0B6E38AF4FB05F9BFC3 997D3B37633FB3FC7A206FE09CD4B5FB6C89F4B7CFFF86C8A2F4B9DFB6C8A604BBEBF6C8 A914FFBDFFB6C8AC24C00FB6C8AF34C21FB6C8FFB244C42FB6C8B554B2AFC67363E296D8FF12 701A0B390E49097EF98FFC82FB394FFDE7296C970002F71C5EB95B496F6ED11FF78926F71EC7 001A061B07260EA42CAF77FCC0FC0D1FC E26D0ACEBB1FE20CFA6D33F7D44FD55FE1A0F690D6 AC7AA0054067FFD7FFD90FDA1FDB26969CE28079317C607E73DCEFDFF90E91F70C EBC24822 0DE4766C1E1F3DE3E96F65003A62E01FE540431E1FFE66FDFF0D3F9734D7605F0A91FE31E92F EA3F90E936969C4CFF7AC2D7600B81EE1FEF2FF03DD0ACF204FFF2002270F2DFF3EFF06ADBAC F204E6175FF78FF89FF0B5686096BA4D2B7069BF79B0F2569CC5FBEFFCFFF0B534FE8FFFF99F E400AF01BFF0B5C9ACFF55F6F2F7003F060FF04C36080F0916050F0AAFFD05B370C9FFF91E612 098F0F2FF04CFF6B80113F12450E2F13CFF05BB3FC11FAAFA2F417AF18BFB39437969C445870F E6BF6EF1CAF1DBFD0AC72808D002D70FF78A0F25F20CF21DF1E91DBAC23F71FFFF25C1DCEF E7C23F7B5F2A5FF02FFA2F1F247204163E850839112BF2F1FFF4EFF5FF095232BF33C3F34DFF 9EFFAF8FF379F38AF39BFF3FFF4F3C8F3D9F3EAFF02FF040F41DF42EF43FF07BF08CC472C 6AFD115528300E1D0CACF489FEB1FFF619454C0943D2074F2F503F514FDB26FD1A3C5180D25 49F55AF56BFC646969C4F498B706BC04D90591F5A2F497F0C7FFF0D89472F5F5F606F10DF11EC 636F647FFF658F156F167C688F699F6AAF19FF1B0CFF6DAF6EBF6FCF1E8F1F9872CF73DF74EFFF 22DF23EF77AF78BF79C2F79F28AC7CFFF7E0F7F1F2C2F2D3C821F832F843F30BFFF31CF876317 4F88CF354F365F81E98CDFFF8DEF3A3F3B4F870991CF92DF3F2F715FFF414F96BF97CF447F99EF

Name	Value
	469F9C0F9D1FFF49CF9F3F4BEC A15FA26F60EFA48F630CFFA67FA78F660FA9AF682CAB9FACAF6B2FFFAECF6D4CB0BFB1CF704FB3EF726CB5DFFF B6EF756F767F912FB B6FB C7F7ABF7BCFFF8C3FC04FC15F800F811FC4BFC5FC6DFFF855F866FCA0FCB1FB7BF8AAF8BBF1BCFFF D06F8EEFD28F81DAD48FD59F93EF94FFFF8709D97FDA8F98DFB90F9AFFDE6FDF7FFF9E2FE19FA04FE3BFE4CFA37FE6EF4BEC FFE90FEA1FA89FEC3F630CEE2FEF3FADBFFF15F682CF34FF45FB2DFF67F6D4CF86FFF97FB7FFF B9F726CFD8FFE9FBD1FB E2FFFD8D F031F042FC26FC37FD3EF07FF090FFF C7BFC8CF0C6F0D7F0E8FC D0FCE1F11BFCF12CFFF6FD25FD36F2034172F183FFF D6BFD7CF81F81C3F1D4FDB9FDCAF8709FF212F223FE08F00BFE2AF261F272FE5DFFF294FE7FF2B6F2C7FEB2F2E9F4BEC30BFFF31CFF04F33EF630C35DF36EFF56F390FFF682C3AFF3C0FFA8F3E2F6D4C401F412FFFFFAF434F726C453F464F04C F05DF208FFF4ACF4BDF0A1F0B2F1B9F4FAF50BF0F6FFF107F541F552F563F14BF15CF596F5A7F E7471F1A0F1B1F20355EDF5F E6FFF1F7F81F863EF64FF234F245F870968DFFF69EF283F486F2A5F6DCF6EDF2D8F70FFF2FAF731F742F32DF764FA59C786F797FFF77B9FAABC7D8F7E9F3D1F80BFAFDCCF82AF83BF423F85DFB4FC87CF88DF475FFF8AFFBA1C8CEF8DFF4C7F4D8F683F927FFF938F51CF52DF634F975F986F571F582FFF9BCF9CDF9DEF5C6F5D7FA11FA22F8ECFF361BF62CF2036A68FA79F661F672FFF9A8AB9FACAF6AFF6C0FCEB9B08FB19FFF6FEF901F720F57FB68F753FB8AF775FFF BACFBBD F7A8FBDF F4CC01FC12F7FAFFFC34F26CC53FC64F84FC86FF78CCA5FFF CB6F89EFC D8FFCACCF7FD08F8F0FD2AFFF01CCD49FD5AF942F953FAFFFD A2FDB3FFF97F9A8FAAFFD F0FE01F9ECF9FD F E37F7FE48F E59FA41FA52FE8CFE9DFD676716266ED006D6174E184A8D63101D78C537562746C6520E8456D702A60733500EE3FEF4FEBF05FA8E532E18C4916E016D0EAD06FF32FF43F54FF0DE33E18C F2C552F06566657216D016C0F94FFA5FFFFB6FFC76B37CF846FE4FFF5F006F017FD1EBFC426F6F4E5054A920F300870473FC67CD4C4269626CA8F0E8677261F8E079047306CFFCA381D78C544F432048652A73003B7D7D7B5C2A5C641BF0D0F90074ED00F8A0303130B4353010B23210B31070381114043464EBE03738366436026302703265353334310C3538131011F034633532BFC2F0AE70BDA0C2F0E6C012B03313903F14601114151EA95010B1E7806366803131653061316216B0DC61651080177F186C3316D01951C310B004006666303915F61ACFFF11511B9D1B7D19F21E121AF61DFE1E77FF207F218F229F23AF24BF25CF26DF27EFFF28FF2A0F2B1F2C2F2D3F2E4F2F5F306FFF31F7328F339F34AF35BF36CF37DF38EFFF39F3B0F3C1F3D2F3E3F3F4F405F416FFF427F438F449F45AF46BF47CF48DF49EFFF4AFF4C0F4D1F4E2F4F3F504F515F526FF7537F548F557C6455751E05576F587FFF598F5A9F5BAF5CBF5DCF5EDF5FEF60FFFF620F631F642F653F664F675F686F697FFF6A8F6B9F6CAF6DBF6ECF6FD F70EF71FFFF730F741F752F763F774F785F796F7A7FFF7B8F7C9F7DAF7EBF7FCF80DF81EF82FFFF840F851F862F873F884F895F8A6F8B7FFF8C8F8D9F8EAF8FBF90C91DF92EF93FF3F950F1E13139016011E6196B23734F510E43410A13619819732E6C09711FF1A4298FF9A0F9B1F9C2F9D3F115116221710A1956F569663D770643938B5A0D062A0F03313611320390F00EA6612706413016216D01F6FA2E635DC9034973032A19098B03661FFA16010701EFFA5FFA70FA81FA92FAA3FFFAB4FAC5FAD6F200FAF6CADEFB17FB28FFF B39FB4AFB5BFB6C FB7DFB8EFB9FFF B0FFFBC1FB D2FAE4FB4FB06FC16FC27FC38FFF C49FC5AFC6BFC7FC8DFC9EFC AFFCC0FFF CD1FB E3FC F3FC05FD15FD26FD37FD48F2F1CBE10A4D5750F7000D7A0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 6484A55E0B54DF49870433A311A3335A
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
PidTagSentRepresentingAddressType	SMTP

Name	Value
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTime	08:00:00.000 PM 2/8/2008
PidTagSubject	Lunch?
PidTagSubjectPrefix	
PidTagSubmitFlags	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T173955Z
DESCRIPTION:When: Friday \, February 08 \, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacific Time (US & Canada). \nWhere: Fourth Coffee \n\n*I haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n
DTEND:20080208T203000Z
DTSTAMP:20080208T173955Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T173955Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch?
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000000
```

010000002009EB53F098B249AD66CBE6BB3B8B99
 X-ALT-DESC; FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN"
 N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
 rom text/rtf format -->\n\n<P DIR=LTR><FONT FACE="Calib
 ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific
 Time (US &\ Canada).</P>\n\n<P DIR=LTR><SPAN LANG="en-
 us">Where: Fourth Coffee</P>\n\n<P DIR=
 LTR>*~*~*~*~*~*~*~*~*~*~*</SP
 AN></P>\n\n<P DIR=LTR>I haven't
 had a raspberry scone in forever! ; Want to head down to Fourth Coffe
 e for lunch?</P>\n\n</BODY>\n</HTM
 L>
 X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
 X-MICROSOFT-CDO-IMPORTANCE:1
 X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY
 X-MICROSOFT-DISALLOW-COUNTER:FALSE
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE
 X-MS-OLK-AUTOSTARTCHECK:FALSE
 X-MS-OLK-CONFTYPE:0
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 BEGIN:VALARM
 TRIGGER:-PT15M
 ACTION:DISPLAY
 DESCRIPTION:Reminder
 END:VALARM
 END:VEVENT
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	0
PidLidAppt	08:00:00.000 PM 2/8/2008

Name	Value
pointmen tStartWh ole	
PidLidAp ointmen tStateFla gs	3
PidLidAp ointmen tSubType	FALSE
PidLidAut oStartCh eck	FALSE
PidLidBus yStatus	1
PidLidCh angeHigh light	0
PidLidCle anGlobal Object Id	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidCo mmonEn d	08:30:00.000 PM 2/8/2008
PidLidCo mmonSt art	08:00:00.000 PM 2/8/2008
PidLidCo nferencin gType	0
PidLidFIn vited	TRUE
PidLidGlo balObject Id	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidInt endedBu syStatus	2
PidLidIsE xception	FALSE
PidLidIsR ecurring	FALSE
PidLidLoc	Fourth Coffee

Name	Value
ation	
PidLidMeetingType	1
PidLidOwnerCriticalChange	05:39:55.000 PM 2/8/2008
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignalTime	07:45:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidResponseStatus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSmartNoAttach	TRUE
PidLidWhere	Fourth Coffee
PidNameContentTransferEncoding	8bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	When: Friday \, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*I haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n

Name	Value
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	05:40:59.000 PM 2/8/2008
PidTagConversationIndex	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:43:51.254 PM 2/8/2008
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000c01c86a79\$c5b80e20\$51282a60\$@com>
PidTagInternetReturnPath	eandersen@contoso.com
PidTagLastModificationTime	05:43:53.051 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	05:41:02.000 PM 2/8/2008
PidTagMessageFlags	65536

Name	Value
PidTagMessageLocaleId	1033
PidTagMessageSize	4563
PidTagNextSendAttempt	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: 44042000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 997 lpb: E10300008F0B00004C5A4675555055B303000A00726370673132358232034368746D6C310331F86269640400330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA53420591

Name	Value
	0822A5C0EB20190671F603300203C21444F4354590050452048544D4C 20005055424C 49432022 402D2F2F573343222044454442134332E3222045F84E223E11C31FD720800AA323BCFC31392 090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF467650 6527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A33782372090544 9544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C4 24F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F0021 3ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F8 2000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C 4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6CD3181 047A9576809F03A4D300510506461792C4D3065199075BD0AC0792F41508001D02F50200E20A 63A2F8021804D2D51C1335202C02028474D542D2F5051E1DE29218000D006900DE020076252D 0865505F0485E26616D7002804D4A9726457819416E61505029F22E251C353635614CF24A794A 87FD483D3914D035704962595F45CB0AA2FF5A080A8146270AB15ED8483D01C03561FE50405F 42BF628F438F449F45AF46BF5FFF48DF49EF4AFF4C0F4D1F4E2F4F3AE71AC050010861746816 F1012009E0FF57EF58FF5A0F5B1F73EF5D3F5E4F5FFF606F617F63DF7CCF64AF65BF66CF67DFF F68EF69FF6BF80DF6D2F6E3F6F4F4FBFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF7 AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858F9B4F87AFE788BF89CF4EFB492014702E90 0B909E279070054014703EC061202CA0F87370620490510104F002202E402B0B803FB2652E912 154BF6E62B7A76055F9A68061014056C85700701705402CC0A62065A6F1646F77AF03A0AC3171 9B3FB2200A406E1460FE3F8CDF8DEF8EFF900FB03FB14F9F7FFFA08FB3BFB20FB31F924F935F94 6F957FDF968F98EFBF7F3A77A3112F3B3F398F2F200532A1386026337DC5E0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 93CF34ADBB6E4441A18B165C77A6F90D
PidTagSearcherAddressType	SMTP
PidTagSearcherEmailAddress	eandersen@contoso.com
PidTagSearcherEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSearcherName	Elizabeth Andersen
PidTagSearcherSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP

Name	Value
PidTagSentRepresentingEmailAddresses	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007400680020041006E00640065007200730065006E0000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSeArchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartDate	08:00:00.000 PM 2/8/2008
PidTagSubject	Lunch?
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:41:02 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com> Subject: Lunch? Date: Fri, 8 Feb 2008 09:40:59 -0800 Message-ID: <000c01c86a79\$c5b80e20\$51282a60\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqeZ49X1T+9kIZR5WRMHYt37LqHw== Content-Language: en-us

3.3.2 Attendee's Meeting Acceptance

Shu accepts Elizabeth's meeting request.

The following are the properties on the Calendar object that Shu sends:

Name	Value
PidLidAgingDontAgeMe	FALSE
PidLidAllAttendeesList	
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0

Name	Value
PidLidAppointmentCount	0
erProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentProposedNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAttendeeCriticalChange	05:44:34.941 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidAutoStartWhen	0
PidLidBusyStatus	2
PidLidCalendarType	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000 0000000100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidClipEnd	08:30:00.000 PM 2/8/2008
PidLidClipStart	08:00:00.000 PM 2/8/2008
PidLidCollaborateDoc	
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidConferencingType	0
PidLidCurrentVersion	126212

Name	Value
PidLidCurrentVersionName	12.0
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000 0000000100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidIntendedBusyStatus	4294967295
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidIsSilent	TRUE
PidLidLocation	Fourth Coffee
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	05:39:55.000 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	0
PidLidReminderSet	FALSE

Name	Value
PidLidReminderSignalTIme	08:00:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	0
PidLidSendMeetingAsICAL	TRUE
PidLidSideEffects	7265
PidLidSingleInvite	FALSE
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeamTask	FALSE
PidLidTimeZone	0
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidWeekInterval	0
PidLidWhere	Fourth Coffee

Name	Value
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagAlternateRecipientAllowed	TRUE
PidTagClientSubmitTime	05:44:34.957 PM 2/8/2008
PidTagConversationIndex	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F00002356500000064060
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:44:34.926 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1
PidTagInternetMailOverridFormat	1441792
PidTagInternetCodepage	1252
PidTagLastModificationTime	05:44:39.254 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Pos
PidTagMessageDeliveryTime	05:44:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	0
PidTagMessageSize	2877
PidTagNextSendAcct	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagOriginatorDeliveryReportRequested	FALSE

Name	Value
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReassignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: A4042000
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: D476AA2743B2CC4893A1B74E49A44E37
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 0000000062E9131048FE8D4D9EFD5A00AA41408DC2800000
PidTagStartDate	08:00:00.000 PM 2/8/2008
PidTagSubject	Accepted: Lunch?
PidTagSubjectPrefix	Accepted:
PidTagSubmitFlags	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=ACCEPTED;mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T174434Z
DTEND:20080208T203000Z
DTSTAMP:20080208T174434Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T174439Z
LOCATION:Fourth Coffee
PRIORITY:5
SEQUENCE:0
SUMMARY:Accepted: Lunch ?
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E008000000010C4F838346AC801000000000000000
010000002009EB53F098B249AD66CBE6BB3B8B99
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
END:VCALENDAR
```

The following are the properties on the Calendar object that Elizabeth receives:

Name	Value
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAttendeeCriticalChange	05:44:34.000 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000 100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidConferencingType	0
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000 100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Fourth Coffee
PidLidRecurring	FALSE

Name	Value
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	02:00:00.000 AM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidResponseStatus	3
PidLidSendMeetingAsIcal	TRUE
PidLidSmartNoAttach	TRUE
PidLidWhere	Fourth Coffee
PidNameContentTransferEncoding	7bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagClientSubmitTime	05:45:25.000 PM 2/8/2008
PidTagConversationIndex	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F00002356500000064060
PidTagConversationTopic	Accepted: Lunch?
PidTagCreationTime	05:47:43.269 PM 2/8/2008
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000301c86a7a\$62c485e0\$284d91a0\$@com>

Name	Value
PidTagInternetReturnPath	sito@contoso.com
PidTagLastModificationTime	05:47:43.769 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Pos
PidTagMessageDeliveryTime	05:45:25.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocaleId	1033
PidTagMessageSize	4669
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Accepted: Lunch?
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	eandersen@contoso.com
PidTagReceivedByEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416 E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagReceivedByName	Elizabeth Andersen
PidTagReceivedBySearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: 84052000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfInSync	TRUE

Name	Value
PidTagSearchKey	cb: 16 lpb: 6A67BE70BDD3E64B8F5B8971A79AF46B
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	sito@contoso.com
PidTagSenderEntryId	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSenderName	Shu Ito
PidTagSenderSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	sito@contoso.com
PidTagSentRepresentingEntryId	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSentRepresentingName	Shu Ito
PidTagSentRepresentingSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagStartDate	08:00:00.000 PM 2/8/2008
PidTagSubject	Accepted: Lunch?
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:45:25 -0800 From: "Shu Ito" <sito@contoso.com> To: "Elizabeth Andersen" <eandersen@contoso.com> Subject: Accepted: Lunch? Date: Fri, 8 Feb 2008 09:45:25 -0800 Message-ID: <000301c86a7a\$62c485e0\$284d91a0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index:

Name	Value
	AchqeZ49X1T+9kIZR5WRMHyt37LqHwAAI1ZQAAAGQGA= Content-Language: en-us

3.3.3 Organizer's Cancellation

Elizabeth realizes that she has a conflicting meeting, so she cancels her lunch with Shu.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAgin gDontAge Me	FALSE
PidLidAllAt tendeesLi st	
PidLidAllAt tendeesSt ring	sito@contoso.com
PidLidAllO wExternal Check	TRUE
PidLidApp ointmentA uxiliaryFla gs	0
PidLidApp ointmentC olor	0
PidLidApp ointmentC ounterPro posal	FALSE
PidLidApp ointmentD uration	30
PidLidApp ointmentE ndWhole	08:30:00.000 PM 2/8/2008
PidLidApp ointmentN otAllowPr opose	FALSE
PidLidApp ointmentP roposalNu mber	0

Name	Value
PidLidAppointmentsProposedDuration	0
PidLidAppointmentsSequence	1
PidLidAppointmentsStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentsStateFlags	7
PidLidAppointmentsSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentsSequenceTime	05:48:33.676 PM 2/8/2008
PidLidAttendeeCriticalChange	05:52:48.957 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidAutoStartWhen	0
PidLidBusyStatus	0
PidLidCalendarType	0
PidLidCcAttendeesString	
PidLidChangeHighlight	0
PidLidClea	cb: 56 lpb:

Name	Value
PidLidIsRecurring	FALSE
PidLidIsSilent	FALSE
PidLidLocation	Fourth Coffee
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAliases	
PidLidOwnerCriticalChange	05:52:48.957 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE

Name	Value
PidLidReminderDelta	1525252321
PidLidReminderSet	FALSE
PidLidReminderSignalfTime	08:00:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	7265
PidLidSingleInvite	FALSE
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoComput	FALSE

Name	Value
e	
PidLidTaskOrdinal	2147483647
PidLidTaskOwnerShip	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTea mTask	FALSE
PidLidTim eZone	0
PidLidTim eZoneDes cription	(GMT-08:00) Pacific Time (US & Canada)
PidLidToAt teneesStr ing	sito@contoso.com
PidLidWee kInterval	0
PidLidWhe re	Fourth Coffee
PidLidYear Interval	0
PidTagAcc cess	2
PidTagAcc cessLevel	0
PidTagAlte rnateReci pientAllow ed	TRUE
PidTagBody	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*~*~*\n\nOops! Forgot I have a meeting today. Maybe we can try again sometime next week.\n

Name	Value
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	05:52:49.066 PM 2/8/2008
PidTagConversationIndex	cb: 27 lpb: 01C86A799E363C85AB4DF7104F04B056C21082F5796400007335B0
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:52:48.926 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	2
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	05:52:49.301 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveryTime	05:52:00.000 PM 2/8/2008
PidTagMessageFlag	12

Name	Value
S	
PidTagMessageLocaleId	1033
PidTagMessageSize	8826
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagOriginalAuthName	
PidTagOriginalSensitivity	0
PidTagOriginalinatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	2758289368
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecipientReasignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: C4052000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5760 lpb: 7C160000AD5C00004C5A46759798928207000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A

Name	Value
	913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5EC7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFFA6589 33FF7944F992F966731970F981FB5C9F9A38D3E29AEE9BF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958C FDF4FEEFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFAA1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFeca2E53FE64FEB2F966734E90FFF8A1F07CF9A389AC0098FEE0F8E1F9E29 FFBB300D6FF20FF31F0CB8F4CFF5D035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FD0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDDE36196F1A7F37CFAA2D361D9F1E AFF B1FB925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE33DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4427F9 7504E7073E0BB40D75054009DF04EFFA4A278408EC39DD19D319B9073F0AE708E7697009730B 2E06D696873E0A78F106E609730756EA8D1659BC0977880A4F99DF04499B420504E600661896 090B06820466F6E7A748EB4749DE05F50AC905FF0772BA2409BE066AC905773E07468DE42673 09BE090A0A7F06C9F106D00E5AE2472AE98666CAE06AD70B007CA62B0072AE02636290A04E A0FFB1F29091B262783095507891B3249750047065AE017363656C6CEF98C1ADD0AD71B38173 A8407810CEC1AFAC81C680AF20B5E66CB5F562B5F539940B6046467B6E6B860B7E69DA0FD6 047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A 6C475B0CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0FD973062BC707880AC00A7A 2C6EFA9987DA5EC48B41B6D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FCE7FCF8FA682FF ABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BFC2C4B2B0A442D53FD646A52AD0F11E73AC00 C951973077D06D706F8B04E0D76F456E40696C539752DD68B03177838EF0F0107678219710E6 55D1409660776E356A611E3F2F9E513363046705F41A609E5A468B007FD016B60A602383938 30307F1D81A60285E0F071202191E8A3342F68C0E5F0F0D0E616DA4C1685057BB90EA63AB F2336B606DF8106B46429552EBA5537562EC1173E9A6F16C46FC3063EC1173F0BC80A3AAD15F 506D6C4D4E6067EBF36672EE778F114A63EE31BBB2493FB36078F04EA0F8E0EC119550744CA7 6D90EC1104A07279F151318EC3FA78EE506EBE20E402F2749DF0B70E074703A2F2FB47097A0 6E4074732ED610635FF0E080AD702E15E1012FF4F066FC60652F77F97800642F4B50C370F5D3E E507790D65C90A1B5907785E032F0E1F713FE686B32EC11EE81AE80F0D3EE81AF30D7F8F6F0B 5EE8162F0C367BDA096F0FE729571BE3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC 6078F0D9A7F06F63AD41ED706B96D0A840FF9DE0FD94A4940070C1518F00AC0096E1E3EBA07 880737973A490F0A18361F46C79AC0076EE5078A0FF789591D46764A4D06178A266FD61E3D0F

Name	Value
	BF091B5317656410231A410EE505F50BB9790AD1070C130B48004506CADC0DFA41295D0C4F07800D60178788077D0E7AC10F09178A07361A8409550037FFF28106910451F281B5905FF04E705F504D966078C130F3B06F7978F05CFDA410709790781060309660BC31B6D03BBC80FD8064AC107830F2B06264FFB7609660BC81B480A491CD01A4929790C9BD0E655C0450727AFD62B86077F89295500D31680B737110013167FE760E090CC1BE50955011200E730F84DF0F330442FF510EA111136A09616020E5C4A0764550776BB3516B601272FB4705640C401F7B1FAA0B97265BDE0DF13D5A49096E0A50100C074E4909550FF0CA0FCC11567BE706E40BDA0BC809651FFF2A0BE70BDE17821CCF0255020D0DE00FFF2A0C1110AB2B351BA8015701361BB40FF7830AD21156178217810B911F2A0EBB1DF0BE10CA09660EBB1BBB07017D2A3F0FF90B0BDB0C4729550B482C111D8A1F5909FB490D6610000B490BBA17070A960FB8B40BC616960201AF6A6025FF096E0FBE826A400777821A5D2BC304E109660FF8960AD10BD92F590BC50A9C10591ECF0BF9750A4915650BE209651B3516EEBA17FAC9025B0B4901AE1B490E3D0965163FE78BC8095F0C9A195D0B3600A41D8C0EF24C1093196609E2063F2B117D29E20EF24B3BD0A09550B6E06826231532F3C0F667BB72FF9163037017137820EBC01F26E2743019B229320370747862FC785C1B10C5004E70A400B501360FBF42106116C1861741009F13D40E1112FA4D2C3F0A4308ED2770291666DF72A60E2B0FB4120F7900FF09642C3F0FFA4D034F04E9009A096E0B5085D095D0BE6CA4906E4013601970F2A0759610FFDC42BB71A3D1FBD1A9F1FB959582A410FF78A0FD31A970B5900CA03233BC043140FF3223E72A0030FCD297118EF0BD20FBC1FC6C760411BD21F4B0BD5036B195F0FF78103732B351F09150A0F7B1A970C141CF9711BD202B3095F0202EE36436B6FF63503752DC5137BF38CF39DF37106730BFBD208F10FD803BAF3CBF3DCF6C6B60DFBD20DB003B6F403F4145293A2C6F90F73F0F43FF4125626E704CB1452F36E3FF55B042CF479F48AF49BF370168D04B12FF379F4C7F4D8F459D6D004B1F50AF51BFFF52CF37015B704FAF554F565F5765F701FFB630F700C1309550DC33BB72BA5FB6FFFBC7FBD8FB8E9FDADFC0CFDC5FC2EFC3FFFC50FA3B16AF0D2CF650ADDA125B1ACF0C9E8B9205714406E3AA8E067B1A861792CABE065EBB075F1C14E20A8A06D60F631382085E03AD3E850AB404D2D6EA1336EE276B0B0474D542DAEA06EC129AB411C6369F59175B376B0555320182620437470612061292EFC0D0A5C526C9278D06CE10A0078103DABD043F57178E0723572352A7EFF74CF3EC5C445D0F5E1F5F2F603F614F7F95B65C525960A619697F6A8F6B9F4F726F09802120ABE1EE9096E020F649F39006C120419071202BF0FF21B6207B206D312E8190EE7079FFE0FA20D8C02013605CF07BA06DF0AB807F5CD2E0807120FF107121A402840165FE6B3A107E1F7F2F803EA7707A40B7D07FA61976668ED208D10312975377F073F300008561617880C0COA08C21D8A0FFFDD0D8D08F1195718C31D607907130907F8C21A9688EA6C8958D86A526796139FE39EA408CF7A410B4801BE077E18DEAFFD3A28F0A9404C8956381910994048D24BF62C0A6C5932F943F954FA5443996CBBF144282F2E3409A0F9B1F9C2B329D0FB9E1F9C1C33A01FA12F9C1C34A32FBBA43F9C1C35A63FA74F9C1C36A94FBAA5F9C1C37AC5FAD6F9C1C38AF6DBB07F9C1C3997F3B39633B41C7B20FF70E09C4F85DFB6E8A004B7EFB6E8A314FFB9FFB6E8A624BC0FB6E8A934BE1FB6E8FFAC4C02FB6E8AF54C23FB6E8B264C44FFFB6E8B574B2FC69364D296F813601BE0FFB3B0E4A0980F991FC84FB3B4DE7296E9FF71003061C60B95D49716EE0179927071FFED60029062A07360EB32CB1FCC2FCD3FFFCE46D0CCECA1FF10FC6D35FD46FD57FDFE1A0F780D6CC7BA0063067D81FD92F77DA3FDB4696BC452D607A407D607357DD0FDE1F910935B41C54257220D4767B1E213DE5E97165004962EF1FE540521E21FE68FD2FD05F9754D7807F0B81FF21E94FEA5F910980D096CB4CFF7BC2D7800C71EE3FEF4FF05DD0CCF224FFF2202360F2FFF40FF08ADBCFF224E6375F7AFF8BF0D5695096DA4D2C6069BF7AB0F2769CE5FC0FFD1FF0D534FEAFFFFFF9A00400CF01DFF0D5C9CCFF75F712FF005F062FF06C8120083F0945052F0ACFFDF07B370CBFFFB1E63209AF0F4FF06CFF6E80115F12650E4F13EFF07BB41C121AAFA31417CF18DFB3B43796BC445960FE6BF70F1CCF1DDFD0CC73808D202E60FF79A0F27F20EF21FF1EB1DBC2417201FFF25EF1DEEF9C2417FB7F2A7FF04FFA4FF1F267204163E8708B9012CF2F2FFFF4F314F096332DF33E34FFF0FFB18FF37BF38C39DF5FFF6F3CAF3DBF3ECFFF031F042F41FF430F441F07DF08EC474CE3E6CFD135526576E1F0CAEF48BFFEB3FC639456C0963D2274F4F505F516FF3DB461A5C517581F0D80F55BF56CFFBC65796BC498B906CC04DB0593F5A4FFF499F0C9F0DA9474F5F7F608120CFF638F649F65AF158F169C68AF69BF6ACFFF1A1F1B2C6DCF6EDF6FEF1EAF1FB872EFFF73FF750F22FF240F77CF78DF79EF27BFFF28CC7D1F7E2F7F3F2C4F2D5C823F834FFF845F30DF31EF8783176F88EF356F367FFF82098CFF8E0F3A5F3B6F872991EF92FFF3F4F717F416F96DF97EF449F9A0F46BFFF9C2F9D3F49EF9F5F4C0CA17FA28F610FFF4AF632CA69FA7AF662FA9CF684CABBFFFACCF6B4FAEEF6D6CB0DFB1EF706FB40FFF728CB5FFB70F758F769F914FBB8FBC9FFF7ADF7BEF8C5FC06FC17F802F813FC4DFFFC5EFC6FF857F868FCA2FCB3FB7DF8ACFFF8BDF1BEFD08F8F0FD2AF81FAD4AF5BFFF940F951F8729D99FDAF98FFB92F9B1FFFDE8FD9F9E4FE1BFA06FE3DFE4EFA39FFF70F4C0CE92FEA3FA8BFEC5F632CEE4FFF5FADDFF17F684CF

Name	Value
	36FF47FB2FFF69FFF6D6CF88FF99FB81FFBBF728CFDAFFEBFFFBD3FBE4FD8FF033F044FC28FC39FD40FFF081F092FC7DFC8EF0C8F0D9F0EAFC0D2F3FC3F11DF12EFF8FD27FD38F2034FF174F185FD6DFD7EF82181C5F1D6FDDBFFFDC8F8729214F225F0A0F00D2E2CF263FFF274FE5FF296FE81F2B8F2C9FEB4F2EBFFF4C0C30DF31EFF06F340F632C35FF370FFFF58F392F684C3B1F3C2FFAAF3E4F6D6CFF403F414FFFC436F728C455F466F04EFF05FF20AF4AEF4BFF0A3F0B4F1BBF4FCFFF50DF0F8F109F543F554F565F14DF15EF9F598F5A9F473F1A2F1B3F2035EFF600F1E8F1F9F8218640F651F236F247FFF872968FF6A0F285F488F2A7F6DEF6EFF92DAF711F2FCF733F744F32FF766FA5BCFF788F799F381F7BBFAADC7DAF7EBF3D3FFF80DFAFFC82CF83DF425F85FFF51C87EFF88FF477F8B1FBA3C8D0F8E1F4C9F4DAFFF685F929F93AF51EF52FF636F977F988FFF573F584F9BEEF9CFF9E0F5C8F5D9F13FCFA24F8EEF61DF62E0236A6AFA7BFFF663F674FC9C8ABBFAACF6B1F6C2FCED9FFF0A0FB1BF700F903F722FB59FB6AF755FFF8CF777FBAEFBBFF7AAFBE1FED6CC03FFFC14F7FCFC36FF28CC55FC66F84EFC88FFFF7ACCA7FCB8F8A0FCDAFFCCCCP9FD0AFFF8F2FD2CF01ECD4BFD5C944F955FB00FFFDA4FDB5F999F9AAFAB1FDF2FE03F9EFFFF9FFE39FE4AFE5BF4A43FA54FE8EFE9FF89D6967166ED206D6174E1A405A8F631D7AC537562746CA06520456D70A80733520AFEE5FEF6FF07FA90532E1AC491700BF16F0EAFOF34FF45FF56FF0FE33E1ACC1F2E5526566657216F016E0FFF96FFA7FFB8FFC96B39CF866FE6FFF7F47008F019FEC1C426F64E70541FA940F3200493FC87CD6C426962A26CA910677261F9007904930706EFFCC3D7AC544F43204802652A933B7D7D7B5C2A6C5C64F0F0F92074ED20F8C030D03130353010D23210D31090123811343464EC0037383608643663029032653533034313538133012103463FC3532C310AE90BDC0C310E6E012D0FE3313B014801134153EA97010D1B440006366313165306131726216D0616510A0179F188C330F16F0197110D0042066663039FF16161AEF11711BBD1B9D1A121E321B16FF1E1E1E97209F21AF22BF23CF24DF25EFF26FF280F291F2A2F2B3F2C4F2D5F2E6FFF2F7F308F319F32AF33BF34CF35DF36EFF37FF390F3A1F3B2F3C3F3D4F3E5F3F6FFF407F418F429F43AF44BF45CF46DF47EFF48FF4A0F4B1F4C2F4D3F4E4F4F5F506FDF517F528F539F54AF559C6455951E25FF578F589F59AF5ABF5BCF5CDF5DE5EFF600F611F622F633F644F655F666F677FFF688F699F6AAF6BBF6CCF6DDF6EEF6FFFF710F721F732F743F754F765F776F787FFF798F7A9F7BAF7CBF7DCF7EDF7FEF80FFF820F831F842F853F864F875F886F897FFF8A8F8B9F8CAF8DBF8ECF8FD90EF91FFF930F941F952F1E3313B016211E8196D2D4373411043410C13619A19752FFE6E097311A62991F9A2F9B3F9C4F9D5F5F1171164210C1958F56B663D79064D43938A0F062A1103313811340AA390F206612906413216216F0331F8FA3066230134011903662F037623661A18010901F1FA61FFF7A72FA83FA94FAA5FAB6FAC7FAD8F202FFF8F8CAE0FB19FB2AFB3FB4FCB5DFB6EFFFB7FFF80FB7A1FB2FB3FB4FAE6FBF6FFF808F18FC29FC3AFC4BFC5FC6DFC7EFFFC8FFCA0FCB1FCC2FC7D3FBE5FCF5FC07FFF17FD28FD39FD4AF1CDE10C4D5950F900200D7C0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: F0D68CEF21B41F4198DC7344ED97D088
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSen	cb: 70 lpb:

Name	Value
<u>tRepresen</u> <u>tingEntryId</u>	0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<u>PidTagSen</u> <u>tRepresen</u> <u>tingName</u>	Elizabeth Andersen
<u>PidTagSen</u> <u>tRepresen</u> <u>tingSearc</u> <u>hKey</u>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<u>PidTagSta</u> <u>rtDate</u>	08:00:00.000 PM 2/8/2008
<u>PidTagSub</u> <u>ject</u>	Canceled: Lunch?
<u>PidTagSub</u> <u>jectPrefix</u>	Canceled:
<u>PidTagSub</u> <u>mitFlags</u>	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:CANCEL
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T175248Z
DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
          Pacific Time (US & Canada). \nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*\n
          n\Oops! Forgot I have a meeting today. Maybe we can try again sometime
          next week.\n
DTEND:20080208T203000Z
DTSTAMP:20080208T175248Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T175249Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1
SEQUENCE:1
SUMMARY;LANGUAGE=en-us:Canceled: Lunch?
TRANSP:TRANSPARENT
UID:04000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000
          0100000002009EB53F098B249AD66CBE6BB3B8B99
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacifi
```

```

c Time (US & Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Where: Fourth Coffee</FONT></SPAN></P>\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">*~*~*~*~*~*~*~*~*</FONT></SPAN></P>\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Oops! &nbsp;\nForgot I have a meeting today.&nbsp\; Maybe we can try again sometime next week.</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080208T174833Z
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	7
PidLidAppointmentSubType	FALSE

Name	Value
PidLidAp pointmen tSequenc eTime	05:48:33.000 PM 2/8/2008
PidLidAut oStartCh eck	FALSE
PidLidBus yStatus	0
PidLidCle anGlobal ObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidCo mmonEn d	08:30:00.000 PM 2/8/2008
PidLidCo mmonSt art	08:00:00.000 PM 2/8/2008
PidLidCo nferencin gType	0
PidLidFin vited	TRUE
PidLidGlo balObject Id	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidIsE xception	FALSE
PidLidIsR ecurring	FALSE
PidLidLoc ation	Fourth Coffee
PidLidOld Location	Fourth Coffee
PidLidOld WhenEnd Whole	08:30:00.000 PM 2/8/2008
PidLidOld WhenSta rtWhole	08:00:00.000 PM 2/8/2008
PidLidOw nerCritic alChange	05:52:48.000 PM 2/8/2008

Name	Value
nIndex	
PidTagConversationTopic	Canceled: Lunch?
PidTagCreationTime	05:57:02.941 PM 2/8/2008
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagImportance	2
PidTagInternetCodepage	1252
PidTagInternetMessageId	<0000001c86a7b\$8bbd2690\$a33773b0\$@com>
PidTagInternetReturnPath	eandersen@contoso.com
PidTagLastModificationTime	05:57:03.222 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveryTime	05:53:44.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocaleId	1033
PidTagMessageSize	5346
PidTagName	00000002sito@contoso.comsito@contoso.com

Name	Value
_xtSendAc ct	
PidTagNo rmalized Subject	Canceled: Lunch?
PidTagPr ocessed	TRUE
PidTagRe ceivedBy AddressT ype	SMTP
PidTagRe ceivedBy EmailAdd ress	sito@contoso.com
PidTagRe ceivedBy EntryId	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D545000736 9746F40636F6E746F736F2E636F6D00
PidTagRe ceivedBy Name	Shu Ito
PidTagRe ceivedBy SearchKe y	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRe cordKey	cb: 4 lpb: E4042000
PidTagRe plyQue sted	TRUE
PidTagRe sponseRe quested	TRUE
PidTagRtf Compre ssed	cb: 1001 lpb: E503000B00B00004C5A4675FB3BB89A03000A00726370673132358232034368746D6C310331F 862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E51030 1020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF907406962 0510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA53420591 0822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022 402D2F2F57334322044445444213432E3222045F84E223E11C31FD720800AA323BCFC31392 090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507 B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF467650 6527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A33782372090544 9544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C4 24F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F0021 3ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F8 2000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C

Name	Value
	4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6CD3181047A9576809F03A4D300510506461792C4D3065199075BD0AC0792F41508001D02F50200E20A63A2F8021804D2D51C1335202C02028474D542D2F5051E1DE29218000D006900DE020076252D0865505F0485E26616D7002804D4A9726457819416E61505029F22E251C353635614CF24A794A87FD483D3914D035704962595F45CB0AA2FF5A080A8146270AB15ED8483D01C03561FE50405F42BF628F438F449F45AF46BFFF5FFF48DF49EF4AFF4C0F4D1F4E2F4F3AE71AC050010861746816F1012009E0FF57EF58FF5A0F5B1F73EF5D3F5E4F5F5FFF606F617F63DF7CCF64AF65BF66CF67DFF68EF69FF6B0F80DF6D2F6E3F6F4F4EFBFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858F9B4F87AF0788BF89CF4EFB4F6F7073211154BF6E627355EA5C276147014056C8719072676F054049C62014702E90206120078014B0FD0B80673F200470506057DCA73FA84FAA4D5060622E40772E40630391CF9D10511020400B7120730370AA71CF54412C803F50AE71656B57DF8DDFFF8EEF8FFF823FB34F9F6FA07FB5BFB40FFF851F92F934F945F956F967F98DFC17FFB3A68A3112F3B3F398F200532A138600526337DC7F0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 461F8812757FE740940F5650D9D171A2
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEmailAddresses	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A006100620065007

Name	Value
_entingEntryId	4006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
_PidTagSentRepresenterName	Elizabeth Andersen
_PidTagSentRepresenterSerialKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
_PidTagStartDate	08:00:00.000 PM 2/8/2008
_PidTagSubject	Canceled: Lunch?
_PidTagSubjectPrefix	
_PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:53:44 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com> Subject: Canceled: Lunch? Date: Fri, 8 Feb 2008 09:53:43 -0800 Message-ID: <000001c86a7b\$8bbd2690\$a33773b0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content-Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Importance: High Thread-Index: AchqeZ42PIWrTfcQTwSwVsIQgvV5ZAAAczWw Content-Language: en-us

3.4 Example Recurring Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a recurring meeting with Shu, Patrick, and Anne, but cancels an instance that coincides with the company picnic. Shortly thereafter, Elizabeth corrects a typo in the Location field.

This section also documents Shu's tentative acceptance of the meeting series.

3.4.1 Organizer's Meeting Request

Elizabeth organizes a weekly status meeting for Project Northwind on Wednesdays at 2:00 P.M. with Shu, Patrick, and Anne.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
_PidLidAginqDontAgeMe	FALSE
_PidLidAllAttendeesList	

Name	Value
PidLidAllAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmantAuxiliaryFlags	0
PidLidAppointmantColor	0
PidLidAppointmantCounterProposal	FALSE
PidLidAppointmantDuration	30
PidLidAppointmantEndWhole	10:30:00.000 PM 2/13/2008
PidLidAppointmantNotAllowPropose	FALSE
PidLidAppointmantProposalNumber	0
PidLidAppointmantProposedDuration	0
PidLidAppointmantRecur	cb: 80 lpb: 043004300B2001000000C0210000010000000000000008000000232000000A000000000000000 00000000000000003FC30CDF80E95A06300000093000048030000660300000000000000000000 000000
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	10:00:00.000 PM 2/13/2008

Name	Value
PidLidAppointmentsStateFlags	3
PidLidAppointmentsubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAttendeeCriticalChange	09:33:20.275 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidAutoStartWhen	0
PidLidBusynessStatus	1
PidLidCalendarType	1
PidLidCcAttendeesString	
PidLidChangeHighlight	0
PidLidCleanGlobalObject	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000001000 0000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	08:00:00.000 AM 2/13/2008
PidLidCollaborateDoc	
PidLidCommonEnd	10:30:00.000 PM 2/13/2008
PidLidCommonStart	10:00:00.000 PM 2/13/2008

Name	Value
PidLidConflictingTType	0
PidLidContactLinkName	
PidLidCurrentVersion	126212
PidLidCurrentVersionName	12.0
PidLidDayInterval	0
PidLidDeleteMail	FALSE
PidLidDirectory	
PidLidFInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000001000 0000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 123
PidLidMeetingType	1
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldL	

Name	Value
ocation	
PidLidOnlyPassword	
PidLidOptionalAttendees	
PidLidOrganizerAliases	
PidLidOwnerCriticalChange	09:33:20.275 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every Wednesday from 2:00 PM to 2:30 PM
PidLidRecurrenceType	2
PidLidRecurrenceType	48
PidLidRecurring	TRUE
PidLidReminderDelta	1525252321
PidLidReminderSet	TRUE
PidLidReminderSignalingTime	10:00:00.000 PM 2/13/2008
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidRequiredAttendees	
PidLidRes	

Name	Value
_ourceAtte ndees	
PidLidRes ponseStat us	5
PidLidSen dMeetingA sIcal	TRUE
PidLidSide Effects	7265
PidLidSing leInvite	FALSE
PidLidTask ActualEffo rt	0
PidLidTask Complete	FALSE
PidLidTask Estimated Effort	0
PidLidTask FFixOffline	FALSE
PidLidTask FRecurrin g	FALSE
PidLidTask Mode	0
PidLidTask NoComput e	FALSE
PidLidTask Ordinal	2147483647
PidLidTask Ownersh ip	0
PidLidTask Role	
PidLidTask State	1
PidLidTask Status	0

Name	Value
PidLidTaskVersion	1
PidLidTea mTask	FALSE
PidLidTim eZone	13
PidLidTim eZoneDes cription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTim eZoneStru ct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001002000000000000000000000000000000030000000 20002000000000000000
PidLidToAt tendeesSt ring	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidWee kInterval	1
PidLidWhe re	Conference Room 123
PidLidYear Interval	0
PidTagAcc cess	2
PidTagAcc essLevel	0
PidTagAlte rnateReci pientAllow ed	TRUE
PidTagBody	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada). Where: Conference Room 123\r\n*~*~*~*~*~*~*~*~*\r\nHey all,\r\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\r\nThanks,\r\nElizabeth\r\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClien tSubmitT ime	09:33:20.588 PM 2/8/2008
PidTagCon versationI ndex	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
PidTagCon	Fabrikam Project Status Meeting

Name	Value
versationTopic	
PidTagCreationTime	09:33:20.275 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	10:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:33:21.243 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:33:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	1033
PidTagMessageSize	10965
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com

Name	Value
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginalAuthName	
PidTagOriginalSensitivity	0
PidTagOriginatorDeliVeryRepoRtRequestEd	FALSE
PidTagOwnerAppointmentId	3249022936
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReasignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: 24062000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5789 lpb: 99160000ED5C00004C5A4675DF873B2307000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D7733313166651393F87468650780135714C7145001403914C7637301E802 A412D064698F033602001C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53

Name	Value
	DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFFA658933FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B520BF6FA3EFA4FFA60C32FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9FCCAF2126924CB532FFE1DFB4E8B5FFDA55D76FD87FE75F9A38FF85A0E91FBC7FBD8F9E2958CFFD4FEEFFFA2095C9FC43FF2FFA5E604FC86FF6DFFFA1E644FE2AFFB0F924C684FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFF8A1F07C9A389AC0098FEE0FEEF1F9E29FFBB300D6FF20FF31F0CB8F4CFF5D035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5F926A35013F024F1B8F046FD0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D3619F1EAFFB1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889F8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59CF9A3838FF2DCF4E4F2FF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F63508C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A09200A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF90FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C6020673130CB807F98219BE09D949D318F9698309EE33DB67309ED26685D0A11263896073E039A0B36E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4424797504E7073E039393068B039F366DD0A4A278408EC39DD19D319B903B73F0AE707697009730B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E6061896090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A04EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B38173A840BF7810CEC1AC81C680AF20B5E66CB5F5C6E2B5F59940B6046467B6E6B860F7B7E69DA0B6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFA3B7ACB0A86FA97AA486A6C475B0CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFCCA985E0CD6FC7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4FB2B0A442D53FD646A52AD0F173AC00C7C951973077D06D706F04E0D76FE2456E40696C53975268B07783DB8EF0F010767821971055D14096607C776EE346A611E3E2E50385E0307F4B606B51D019E503A645E715AE9137CA36EC616DA4C16850B90E8C395ABF2336B606DF8106B42955251EA05537562EA7173A6F16CFA46FC3063EA7173F0BC80AAD15F50A86D6C4D4E6067EA5372ECD7D98F114A63EC91BBB249B36078F0C4E0F8E0EA719550744C6D90EA71A904A07279E8B1318EC378ECB03E6EBE20E3F2F0D49DF0BE707470383A2F2FB47097A06E40732E5DD610635FF0E080AD702EE1012F45F35066FC60652F77780064BA2FE5F133F433ECB077905C90A1B5B5907785E032EF41F573686B32FFEA71ECE1AE80F33ECE1AF30F756EF15B5ECE162EF2367BDA096F0729571FFBE3004E0B8A07410BB11AD10BB40B6D171AD706E626ABC6078F0A7F06FF663AD41EBD06B96D0A8409DE0FBF4FFA4940070C1518F00AC0096E1EA00788038737973A490EF0183616C793DAC0076ECB078A0FDD895916764F5A4D06178A266FBC1E3C0EEF1B531FE7656410091A410ECB05F509790AD10EE70C130B48002B06CAD0A41295D0F7C4F07800D60178788077D0AC10EEF1F978A07361A840955001D3F0E104F1702B1F0E1B5905FF04E705F5096607853C130F2106F7978F05CA41070FF9790781060309660BC31B6D0BC80FBE0C64AC107830F1106264B76096607FBC81B480A491CD01A4929790BD0E65F25C02B0727AFBC2B860F6F295509D0B916809D37110FF9167760C69FF0B21BE50955011200CD30DE40D9302A277FDB10D010F736A07C16020C4A076F94550776B3516B6010D2B4705640EFC401F611F900B97265BD0E1235A490F796E0A501FF2074E48095500B0FB21FF13C7BE706E40BDAA0BC809651F100BE70FFBDE17821CCF0255020D0DE00F100C111FF0912B351BA8013D011C1BB407830AD21FF13C178217810B911F100EA110A410B00F79660EA11BBB0701632A3F090B0BDB0FFC4729550B482C11D8A1F3F0B490D661E7FE60B490BBA17070A960BB40BC61FE6960201956A6025FF096E0E8259650FF39107821A5D2BC304E1096608960AD10FFBD92F3F0BC50A9C103F1EB509750A491EF5650BE209651B3516EEA01AC9025B09FB4901941B490E3C096516378BC80FF95F0C9A195D0B36008A1D8C023210791FB96609E2063F11116329E20

Name	Value
	2313BDA0BB9550B6E06824831392F22067BB72FDfdf16301D015737820EA2025427430071812 279201D0747862785CFF1970C5004E70A400BC5011C0F2810471FE6C16C1741008513D40E111 A4D2C3F0CBA4308ED27700F1666D28C0E2B0FDF9A120F5F00E509642C3F0A4D034F0BF4E9008 0096E0BB5085D095D06CA490EF6E4011C017D0F100759610DC42BB71FFA3D1FA31A9F1F9F595 82A41078A0FB91FFA970B5900B003093BC042FA03083E7E93F9730FB2397118EF0BD20FA216C 76FF0271BD21F310BD50351195F078103592FB351EEF150A0F611A970C1419711BD20F32990 95F0202EE3543516635035B2FFDC51361F372F383F35706730BD208F10EFFBE03A0F3B1F3C2F6 C6B60BD20DB00F739CF3E9F3FA529388C6F903D6F425FFD3F85626E704951438F354355B0412 FFF45FF470F481F481F356168D0497235FF4ADFFF4BEF43FD6D00497F4F0F501F512F3561FF5B704E0 F53AF54BF55C5F561B630F560FFC1309550DC33BB72BA5FBB6FBC7FD8FFFBE9FDADFC0CFDC5 FC2EFC3FFC50FA3B17F6AF0D2CF636ADDA12411ACF0E5B820025712A06E3A204F63637F2E406 DC00151F0306AE07880A400733F00906C008F2065805CE0A832322F6631F4C0E5F1382074322 D703AB3E600AB404D205F506E41336E836028474D542D1EC06E12939AB416369F3F175B376B 05553302026204374705F806129782E0D0A5B26AE278D06B30437FAC00658078D01B4176516 E2185E033F371F571F52A7E74EF740C5AA45B6FFF5C7F5D8F5E9F5FAF95B65AB257C0D0296767 DF68EF69FE48656C00EB812CC5740C4C2A5172717596E26BA0FB70E02A50202FD06BBF6ED1FE 701B40FF83C2AC006EC012A0835095F02E306BA09BF35085D346C99066106B616E30BD9106F 105078D071E671F5543F31D46B7381C64501F07AC9902E61FFE8917E5F7F6F6A1BA7707A60B7 D0D029FF7686903207310172975378106C707BB0E1EFC061783236DD309021D8A0FFFC30D8D 0798195719031D60779812EF0FF9021A96892A6C8959186A5267981A640FFE8A090F7A410B480 1A40780191EAD3A2FF930A9804C89561E19509980491246120DFA6C5972F983F994FA544399A CB12A2BFFD8173C09BF39E4F9F5FA06732A10FBBAA1FA01C33A41FA52FA01C34A72FBBAA83FA0 1C35AA3FAB4FA01C36AD4FBFAE5FA01CE330B06FB17FA02B38B36FDBB47FA01C399BF3B79633 B81C7B40FF70A0A0F4B9DFBAE8A404BFFBAE8A714FFBDFFBAE8AA24C00FBAAE8AD34C21FBAE 8FFB044C42FBAE8B354C63FBAE8B664C84FFFBAE8B974B6CFC9A363329AF811C01A40FFB7B0E 4909C0F9D1FCC4FB7B4DE729AE9FF70C02EC1CA0B99D49B16EC6179B27031F7EBC000F06100 68D861EF90CF1FD02FFFD13FD246D4CCEB01FD70D3C6D75FD86FBFD97F1A0F5E0DACC7BC00 49067DC1FEFDD2FDE3FD469ABC452BC07A60E730AE73E10FE21F950935B81C5423D2BC2047 6611E613E25E9B165002F6D251540381E61FEA8FE32FD45F9B54BFDB8009E1FD81ED4FEE5F 9509369ABC FE4C7B2DB800AD1F23FF34F45DD4C4FFF624F62021C0F6FFF80FF48ADFCF624 BFEA37FBAAFFCBFF4D567B09ADA4D2AC0FE697AD0F676A0E5000F011FF4D58130FF02BF03C8A4 0404C0F5DFF4D5CDCC0375EFFB12045F0A2FF46C360C2F0D36092FFB0ECFF47B3710BF03B1EA 320DAF134FFF46C6DE0155F1665124F17EFF47BB81C5F161AA7141BCF1CDFB7B4379ABC44FD 57C06FB0F20CF21DFD4CC72D09120FF2CC079C0F67F24EF25FF22B1DFCC2817FF241F29EF21 EE029C2817FF7F2E7FF44FF3FE4FF66720416B60586116CF332FFF8FF354F0D6336DF37EF38FF FE0FFF18FF3BBF3CCF3DD025F036F40AF41BF42CFFF071F082F45FF470F481F0BD0FCEC4B4CF BEACFD535526BC0E5F0CEEF4CBFF3FFFCA39496C0D63D627534F545F556FD46FD1E5C51831 258BF59CF5ADFCA669ABC FE498F906B1051B05D3F5E4F4D9F109FFF11A94B4F637F648F14FF16 0C678F689FFF69AF198F1A9C6CAF6DBF6ECF1E1F1F2CFF71CF72DF73EF22AF23B876EF77FF790 FFF26FF280F7BCF7CDF7DEF2BBF2CCC81FFF822F833F304F315C863F874F885F34DFFF35EF8B8 31B6F8CEF396F3A7F860990FFFF920F3E5F3F6F8B2995EF96FF434F757FFF456F9AD9FBEF489F9 E0F4ABFA02FA13FFF4DFA35F500CA57FA68F650FA8AF672CFFAA9FABA6A2FADC F6C4CAFBB 0CF6F4FFFBB2EF716CB4DFB5EF746FB80F768CB9FFFBB0F798F7A9F954FB8FC09F7ED7FEFFF9 05FC46FC57F842F853FC8DFC9EFCFFFF897F8A8FC E2FCF3FBBDFF8ECF8FDF1FEFFF48F930FD6 AF85FAD8AFD9BF980F991FFF8B29D9FDEAF9CFFBD2F9F1FE28F39FFA24FE5BFA46FE7DFE8E FA79FEB0F500CFFED2FEE3FACBFF05F672CF24FF35FB1DFFF57F6C4C4F76FF87FB6FFF9F716CF C8FFF9FBC1FFFBB768C01AF02BFC13FC24FFFDCFF073F084FC68FC79FD80F0C1F0D2FFFBCDF CCEF108F119F12AFD12FD23F15DFC16EF038FD67FD78F20341B4F1C5FFFADFDDBEF8618205F 216FDFFBE0CF8B29FF254F265FE4A04DFE6CF2A3F2B4FE9FFF2D6FEC1F2F8F309FEF4F32BF50 0C34DFFF35EFF46F380F672C39FF3B0FF98F3D2FFF6C4C3F1F402FFF4F24F716C443F454FFF03 CF476F768C495F4A608E09FF24AFFF4EEF4FFF0E3F0F41FBF53CF54DF138FFF149F583F594F5 A5F18DF19EF5D8F5E9FE74B3F1E2F1F3F203562FF640F228FFF239F8618680F691F276F287F8B2 96CFFFF6E0F2C5F4C8F2E7F71EF72FF31AF751FFF33CF773F784F36FF7A6FA9BC7C8F7D9FFF3C1 F7FBFAEDC81AF82BF413F84DFB3FCFF86CF87DF465F89FFB91C8BEF8CFF4B7FFF8F1FBE3C910F 921F509F51AF6C5F969FFF97AF55EF56FF676F9B7F9C8F5B3F5C4FFF9FEFA0FFA20F608F619FA5 3FA64F92EFF365DF66EF2036AAAFAFFF6A3F6B4FFFCD8AFBFB0CFF61F702FD2D9B4AFB5BFFF7 40F943F762FB99FBAAF795FBCCF7B7FFFBEFFBFFF7EAFC21FF16CC43FC54F83CFFF76FF68CC9

Name	Value
	5FC A6F88EFCC8FFBACCE7FFF C8F8E0FD1AF00CCD39FD4AF932FD6CFFF05ECD8BF D9CF984F99 5FB40FDE4FD5FFF9D9F9EAF AF1FE32FE43FA2EFA3FFE79F7FE8AFE9BFA83FA94FECEFEDFFDA9 6716266F1206D6174E5A4AC F63101DBAC537562746C6520E8456D702E80733920F25FF36FEBF 47FAD0532E5AC491B001AF0EEF06FF74FF85FF96FF4FE33E5ACF6E552F0656665721AF01AE0FD 6FFE7FFFFF8F0096B79C FC66026F037F048F059FD1F01C426F6F527054AD40F7208708930087D 16C4269626CAD10E8677261FD007908930AEF00C381DBAC544F432048652E93003B7D7D7B5C 2A5C641BF4F0FD2074F120FCC0303130B4353014D23214D31490381534043464F00037383664 36026306903265353334310C35381730161034633532BC710B290C1C0C710EAE016D03317B0 3F18801534193EAD7014D1B840636680313165306131621AD0DC616514A01B9F1C8C331AF01 D71C314D00820666630391A161EFFF15711FBD1F9D1E1222321F16221E2297FF249F25AF26BF 27CF28DF29EF2AFF2C0FFF2D1F2E2F2F3F304F315F326F337F348FFF359F36AF37BF38CF39DF3A EF3BFF3D0FFF3E1F3F2F403F414F425F436F447F458FFF469F47AF48BF49CF4ADF4BEF4CFF4E0F FF4F1F502F513F524F535F546F557F568FF7579F58AF599C64599522255B8F5C9FFF5DAF5EBF5F CF60DF61EF62FF640F651FFF662F673F684F695F6A6F6B7F6C8F6D9FFF6EA F6FB70CF71DF72EF 73FF750F761FFF772F783F794F7A5F7B6F7C7F7D8F7E9FFF7FAF80BF81CF82DF83EF84FF860F87 1FFF882F893F8A4F8B5F8C6F8D7F8E8F9FFF90AF91BF92CF93DF94EF95FF970F981F3F992F22 3317B01A2122819AD23734F515043414C1361DA19B52EAE09B31FF1E629D1F9E2F9F3FA04FA1 5F15711A421714C1998F5AB663DB90643938B5A4F062A5103317811740391320EA6616906417 21621AF0238FA70622631A3036623211E03961FC3661A5801490231FAA1FAB2FAC3FFFAD4FAE5 FAF6FB07FB18F242FB38CB20FFF B59FB6AFB7FB8FCB9DFBAEFBBFFBD0FFFBE1FBF2FC03FC14F B26FC36FB48FC58FFFC69FC7AFC8BFC9FCADFCBEFCCFFCE0FFFC1FD02FD13FC25FD35FC47F D57FD68FBFD79FD8AF20DE14C4D995139000DBC0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 4E4AB1FE831C50439C4C0BB97CC890B4
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearch	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
hKey	
PidTagStartDate	10:00:00.000 PM 2/13/2008
PidTagSubject	Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagSubjectFlags	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080208T213320Z
DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to
          2:30 PM (GMT-08:00) Pacific Time (US & Canada). \nWhere: Conference Room
          123\n\n*~*~*~*~*~*~*~*~*~*\n\nHey all!,\n\nLet's meet up every Wednesday
          to sync up on the status of the Fabrikam Project.\n\nThanks!,\nElizabeth\
          n
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T213320Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
LAST-MODIFIED:20080208T213321Z
LOCATION:Conference Room 123
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting
```

TRANSP:OPAQUE
 UID:04000008200E00074C5B7101A82E00800000003046642B576AC801000000000000000
 010000000622C639E40D09342B747A1672730CBBA
 X-ALT-DESC; FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
 N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n<BODY>\n<!-- Converted f
 rom text/rtf format -->\n<P DIR=LTR><FONT FACE="Calib
 ri">When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30
 PM (GMT-08:00) Pacific Time (US & Canada).</P>\n<P DI
 R=LTR>Where: Conference Room 123</
 FONT></P>\n<P DIR=LTR>*~*
 ~*~*~*~*~*~*~*</P>\n<P DIR=LTR><FONT
 FACE="Calibri">Hey all\,</P>\n<P DIR=LTR><SPAN LANG="en-us
 ">Let's meet up every Wednesday to sync up on the s
 tatus of the Fabrikam Project.</P>\n<P DIR=LTR><SPAN LANG=
 "en-us">Thanks\,</P>\n<P DIR=LTR><SPA
 N LANG="en-us">Elizabeth<SPAN LANG="en-
 us"></P>\n</BODY>\n</HTML>
 X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
 X-MICROSOFT-CDO-IMPORTANCE:1
 X-MICROSOFT-CDO-INTENDEDESTATUS:BUSY
 X-MICROSOFT-DISALLOW-COUNTER:FALSE
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE
 X-MS-OLK-AUTOSTARTCHECK:FALSE
 X-MS-OLK-CONFTYPE:0
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 BEGIN:VALARM
 TRIGGER:-PT15M
 ACTION:DISPLAY
 DESCRIPTION:Reminder
 END:VALARM
 END:VEVENT
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllo wExternalCheck	TRUE
PidLidAp pointmen tDuration	30
PidLidAp pointmen tEndWhole	02:30:00.000 PM 2/13/2008
PidLidAp pointmen tNotAllowedPropose	FALSE
PidLidAp	cb: 80 lpb:

Name	Value
PidLidIntendedBu syStatus	2
PidLidIsExcep tion	FALSE
PidLidIsRe curring	TRUE
PidLidLoc ation	Conference Room 123
PidLidMe etingTyp e	524288
PidLidOw nerCritic alChange	09:33:20.000 PM 2/8/2008
PidLidRec urring	TRUE
PidLidRe minderD elta	15
PidLidRe minderSe t	TRUE
PidLidRe minderSi gnalTime	09:45:00.000 PM 2/13/2008
PidLidRe minderTi me	10:00:00.000 PM 2/13/2008
PidLidRes ponseSta tus	5
PidLidSe ndMeetin gAsIcal	TRUE
PidLidSm artNoAtt ach	TRUE
PidLidTi meZone Descripti on	(GMT-08:00) Pacific Time (US & Canada)
PidLidTi	cb: 48 lpb:

Name	Value
PidTagInternetMessageId	<000201c86a9a\$e4e37980\$aeaa6c80\$@com>
PidTagInternetReturnPath	eandersen@contoso.com
PidTagLastModificationTime	09:46:21.388 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:38:09.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocationId	1033
PidTagMessageSize	5982
PidTagNextSendAttempt	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00

Name	Value
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagReceivedByKey	cb: 4 lpb: 44052000
PidTagReplayRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1170 lpb: 8E040000481000004C5A4675C5EB0C9A03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B1502080449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A972645781941246E615150292E251C3536D35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFF438F449F45AF46BF616F48DF49EF4AFFFF4C0F4D1F4E2F4F3A1AC050003E4151B0791AC06E632E4008003F010E2033FF595F5A6F5B7F5C8F75BF5EAF5FB60CFFF61DF62EF654F7E9F661F672F683F694FFF6A5F6B6F6C7F82AF6E9F6FAF70BF4EFBFC2A7E8D7F743F754F765F776F902FFF798F7A9F7BAF7CBF7DCF802F990F80FFFF820F831F842F853F864F875F9D1F897F678A8F8B9F4EFB486550D007406CFE2C8EAF8FBF90CF91DFA9EF93FF950FFF961F972F983F9A9FB2CF9B6F9C7F9D8FFF9E9F9FAFA0BFA1CFB6DFA3EFA4FFA60FE54EFB4C14B05C27AC00042007803114B0207570508F53A17379777370C2722F21744FD0C3D00190746FBC20C4503FA0C4924601A005106BF75730218003606A51C1594FA96FAA7FFFAB8FC83FADAFAEBFARCFB0DFB1EFB44FFD11FB51FB62FB73FB84FB95FB46FBB7F5FD52FBD9FBEAFBFBF71BC542E016BFE73A85FC7FC8DFC9EFE1EFCC0FCD1FFFCE2FCF3FD04FD2AFEACFD37FD48FD59FFF6AFD7BFD8CFD9DFFEEFDDBFFDD0FDE1FB571BC4519707A01A014B068E07FFF18FE29FE3AFFBCFFCDFF31FF42FFF4FFFFD9FFEAE5EFE6FFE80FE91FEA2FEC8FF70B0F3A77F6B12F3B3F398F200532A10B386026337D1170
PidTagRtfInSync	TRUE
PidTagSe	cb: 16 lpb: 87AB580213DFC242B9AC2642E98BE799

Name	Value
archKey	
PidTagSe nderAddr essType	SMTP
PidTagSe nderEmail Address	eandersen@contoso.com
PidTagSe nderEntr yId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D00540050000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSe nderName	Elizabeth Andersen
PidTagSe nderSear chKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSe nsitivity	0
PidTagSe ntRepres entingAd dressTyp e	SMTP
PidTagSe ntRepres entingEm ailAddres s	eandersen@contoso.com
PidTagSe ntRepres entingEn tryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E00000053004D00540050000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSe ntRepres entingNa me	Elizabeth Andersen
PidTagSe ntRepres entingSe archKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSt artDate	02:00:00.000 PM 2/13/2008
PidTagSu bject	Fabrikam Project Status Meeting

Name	Value
PidTagSubjectPrefixed	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000201c86a9a\$e4e37980\$aeaa6c80\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmY383gxIkTTcuQQ8HxB4a7ng== Content-Language: en-us

3.4.2 Organizer's Cancellation of an Instance

Elizabeth cancels the May 28th instance of the status meeting because it conflicts with the company picnic.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAginqDontAqeMe	FALSE
PidLidAllAttendeesList	
PidLidAllAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmentsAuxiliaryFlags	0
PidLidAppointmentsColor	0
PidLidAppointmentsCounterProposal	FALSE
PidLidAppointmentsDuration	30

Name	Value
PidLidAppointmenTEndWhole	09:30:00.000 PM 5/28/2008
PidLidAppointmenTNotAllowPropose	FALSE
PidLidAppointmenTProposalNumber	0
PidLidAppointmenTProposedDuration	0
PidLidAppointmentsSequence	0
PidLidAppointmentsStartWhole	09:00:00.000 PM 5/28/2008
PidLidAppointmentsStateFlags	7
PidLidAppointmentsSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentsSequenceTime	09:33:20.275 PM 2/8/2008
PidLidAttendeeCriticalChange	09:34:55.904 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidAutoStartWhen	0
PidLidBus	0

Name	Value
PidLidFExceptionalAttendees	FALSE
PidLidFExceptionalBody	FALSE
PidLidFInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C3046642B576AC80100000000000000001000 0000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	0
PidLidIsException	TRUE
PidLidIsRecurring	TRUE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 123
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAliases	
PidLidOwnerCriticalChange	09:34:56.904 PM 2/8/2008

Name	Value
PidLidPerc entCompl ete	0.000000
PidLidPriv ate	FALSE
PidLidRec urrencePa ttern	every Wednesday from 2:00 PM to 2:30 PM
PidLidRec urrenceTy pe	2
PidLidRec urrenceTy pe	48
PidLidRec urring	FALSE
PidLidRem inderDelta	1525252321
PidLidRem inderSet	FALSE
PidLidRem inderSign alTime	09:00:00.000 PM 5/28/2008
PidLidRem inderTime	09:00:00.000 PM 5/28/2008
PidLidReq uiredAtten dees	
PidLidRes ourceAtte ndees	
PidLidRes ponseStat us	5
PidLidSen dMeetingA sIcal	TRUE
PidLidSide Effects	7265
PidLidSing leInvite	FALSE
PidLidTask	0

Name	Value
ActualEffort	
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeamTask	FALSE
PidLidTimeZone	13
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000000000030000000 20002000000000000000
PidLidToAt	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com

Name	Value
tendeesString	
PidLidWeekInterval	1
PidLidWhere	Conference Room 123
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagAlternateRecipientAllowed	TRUE
PidTagBody	When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\nCancelling the May 28th meeting due to a conflict with the Company Picnic.\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:34:56.013 PM 2/8/2008
PidTagConversationIndex	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F00000E4080
PidTagConversationTopic	Fabrikam Project Status Meeting
PidTagCreationTime	09:34:55.888 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	09:30:00.000 PM 5/28/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295

Name	Value
PidTagImportance	2
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:34:56.013 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveryTime	09:34:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	1033
PidTagMessageSize	10773
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginalAuthName	
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReportRequestEd	FALSE
PidTagOwnerAppoin	3249022936

Name	Value
tmentId	
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecipientReassignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: 64062000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5773 lpb: 891600001A5D00004C5A467533CC81F007000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D77333313166651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFFA6589 33FF7944F992F966731970F981FB5C9F9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEEFFFA2095C9FC43FF2FFA5FEE604FC86FF6DFFF8A1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFF8A1F07CF9A389AC0098FEE0FEF1F9E29 FFBB300D6FF20FF31F0CB8F4CFF5DFO35FFF8A5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FD0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DC7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790

Name	Value
	114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF90FF920F931F942F953F83609906060C9604173317410616678A09E208B8FE19A106C6020673130CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4424797504E7073E039393068B039F366DD0A4A278408EC39DD19D319B903B73F0AE707697009730B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E6061896090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A04EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B38173A840BF7810CEC1AC81C680AF20B5E66CB5F5C62B5F59940B6046467B6E6B860F7B7E69DA0B6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFA3B7ACB0A86FA97AA486A6C475B0CACB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFCCA985E0CD6FC E7FC F8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4FB2B0A442D53FD646A52AD0F173AC00C7C951973077D06D706F04E0D76F62456E40696C53975268B031B777838EF0F010767821971055D140F99660776EE356A611E3F2E51385E0FE37F0D06F81A60209604B50E8D1E5133FD055E513A645E5A43B04B603030CA39EC616DA4C16850BB90E9A395ABF2336B606DF8106B42955251EAE5537562EB5173A6F16CFA46FC3063EB5173F0BC80AAD15F50A86D6C4D4E6067EB3372EDB7D98F114A63ED71BBB249B36078F0CF4EA0F8E0EB519550744C6D90EB51A904A07279F091318EC378ED903E6EBE20E402F1B49DF0BE707470383A2F2FB47097A06E40732E5DD610635FF0E080AD702EE1012F45F43066FC60652F77780064BE2F4B50C370F513ED9077905C90A1B5B5907785E032F021F653686B32FFEB51EDC1AE80F013EDC1AF30F836EFF5B5EDC162F00367BDA096F0729571FFBE3004E0BB407410BB11AD10BB40B6D171AD706E626ABC6078F0A7F06FF663AD41ECB06B96D0A8409DE0FCDF4FFA4940070C1518F00AC0096E1EAE0788038737973A490EFE183616C793DAC0076ED9078A0FEB895916764F5A4D06178A266FCA1E3D0EFD1B531FE7656410171A410ED905F509790AD10EE70C130B48003906CADC0A41295D0F7C4F07800D60178788077D0AC10EFD1F978A07361A840955002B3F1C105D17F0391F1C1B5905FF04E705F5096607853C130F2F06F7978F05CA41070FF9790781060309660BC31B6D0BC80FCC0CE64AC107830F1F06264B76096607FBC81B480A491CD01A4929790BDE065F25C0390727AFCA2B860F7D295509D0C71680AB37110007167760D49FF0C01BE509550E6F00DB30EC40E73038277FE910DE110536A08A16020C4A076F94550776B3516B6011B2B4705640EFC401F6F1F9E0B97265BDE01315A490F796E0A501000074E49095500BE0FC01FF14A7BE706E40BDA0BC809651F1E0BE70FFBDE17821CCF0255020D0DE00F1E0C111FF09F2B351BA8014B012A1BB407830AD21FF14A178217810B911F1E0EAF10B210BE0F9660EAF1BBB0701712A3F090B0BDB0FFC4729550B482C11D8A1F4D0B490D661E7FF40B490BBA17070A960BB40BC61FE6960201A36A6025FF096E0E8F69650FF39107821A5D2BC304E1096608960AD10FFBD92F4D0BC50A9C104D1EC309750A491EF5650BE209651B3516EEAE1AC9025B09FB4901A21B490E3D096516378BC80FF95F0C9A195D0B3600981D8C024110871FB96609E2063F1F117129E202403BDA0BB9550B6E06825731472F30067BB72FDFED16302B016537820EB00263274300718F228820B0747862785CFF1A50C5004E70A400BC5012A0F3610551FE6C17A1741009313D40E111A4D2C3F0CBA4308ED27701D1666D29B0E2B0FDFA8120F6D00F309642C3F0A4D034F0BF4E9008E096E0BB5085D095D06CA490E6E4012A018B0F1E0759610DC42BB71FFA3D1FB11A9F1FAD59582A41078A0FC71FFA970B5900BE03183BC0430903173E8BA3F9730FC0397118E0BD20FB016C76FF0351BD21F3F0BD50361195F078103692FFB351EFD150A0F6F1A970C1419711BD20F32A8095F0202EE3643616635036B2FFDC51371F382F393F36706730BD208F10EFFCC03B0F3C1F3D2F6C6B60BD20DB00F73ACF3F9F40A529398C6F903E6F435FFD4085626E704CB1448F364355B0422FFF46FF480F491F366168D04A7236FF4BDFFF4CEF44FD6D004A7F500F511F522F3661FF5B704F0F54AF55BF56C5F641B630F640FFC1309550DC33BB72BA5FBB6FBC7FBD8FFFBE9FDADFC0CFC5FC2EFC3FFC50FA3B17F6AF0D2C646ADDA12501ACF0E68820725713806E3A6BE07880A40073510170792C20EDB0792E60386B6CE0F571382E603AE940AB404D1E2D6DD0E9106E1176B0474D54962DAF506DE129AB416369F4D10375B376B0555320262043837470608061292E0D0A5BB2F76B8278D06C3043AC00668078D01C216B765176702085E033714571452AF7E743F735C5BA45C6F5D7F5E8F5F9FFF60AF95B65BB258C0E8C968C6F9D F6AEFF770C1B482FE6120ADD097006D04E971FF7DBF7EC EA950D0F16AFDA77079B0B7D0DF7CDAADD0820F831F7FAF2070302B40CD8122648CD081506F2040F00561FFA FE0F4E0A4E077F0ADD0815372202CB1DA6E6D2050F4E014E063397086DFFF87EF849F85AE75D635D20811025297530F77606CA07B00F0A061783236FFDD3092F1D8A0FD10D8D078D17BB19301FFD60778D12FE092F1A9689576C8959456FFA52678D1A640E98093C7A410B4801B20FF775194BAD3A295DA9AD

Name	Value
	4C89562E197D9FF9AD493F46220A6C599FF9B0F9C1FA544FF7D709DAA13828122E340A0DFA1EFA2FBEE32A3DFA4EFA2EC33A6EFA7FFA2ECEE34A9FFA0FA2EC35AD0FAE1FA2ECEE36B01FB12FA2EC37B32FB43FA2EC6E38B63FB74FA2EC399EC3BA6633FFBAEC7A906FF0A3C4BCAFBDB8A6D4BEBFFFBDDB8A9E4C0CFBD8ACF4C2DFBD8B004FFC4EFBDB8B314C6FFBDB8B624C90FBDDB8FFB934CB1FBDB8BC44B99FCD6364329DC8FF12A01B20BA80E4A09EDF9FEFC1FBA84FFDE729DB970102FB1CCDB9CA49DE6ED41FF79026F81ECA001D062008BD0EA72D1EFFFD2FFD40FD516D79CEBE1FE50D696DA2FF7FDB3FDC4F2070F6C0DD9C7B10057067DFDEEFDFFFE10FE2169D8C452CB079B05D1F0073E3DFF4E97D935BAEC547924C220476711E8E3E52E9DE650FB03D62E41540461E8EFED5FE5FFD72F7F9E24DE500AC1FE61F01FF12F97D936FD9D8C4C7B32DE500BB1F50FF61FF72DFFD79C8F4F8F022B0F9CFFADFF75AE29C7FF8F4ED07FE7FFF8FF7A568B09DAA4DFD2BB0697A20F946A3B502DF03EFF7A5FE34057F0689A6D4079F08AFF7A5D09CDF0645FDE2072F0CFFF73C360EFF1006F70BFF119FF74B37138F0681ED02107FFF161FF73C6DB0182F1935151F1ABFF74BBFBBAEC18EAA9E41E9F1FAFBAA84379D8CFA4458C06BFDF239F24AFD79C7220FF93F02DB07910F94F27BF28CF2581E29CFF2AE726F2CBF24BE056C2AE7024F314FC7F71F011FF93720416372A09260FF199F35FFFBCF381F103339AF3ABF3BCFFF00DF01E83E8F3F9F40AF052F063F437FFF448F459F09EF0AFF48CF49DF4AE0EAF8F0FBCE4E1CED9FD805526576E8C0FFD1BF4F8FF20FCD094C3C1033D8F7561F8F572F583F216BAEC51756F9240DF5B8F5C9F5DAFC3D3625BC4992606C10FF5480600F611F506F136F14794E1F664FFF675F17CF18DC6A5F6B6F6C7F1C5F1D6CFF6F7F708F719F20EF21FC749F75AF76BFFF257F268879BF7ACF7BDF29CF2AD7E9FFF7FAF80BF2E8F2F9C83EF84FF860F331FFF342C890F8A1F8B2F37AF38BF8E531E3FFF8FBF3C3F3D4F88D993CF94DF412F423FFF8DF998BF99CF461F784F483F9DAF9EBFFF4B6FA0DF4D8FA2FFA40F50BFA62F52DCFFA84FA95F67DFA7F69FACD6FAE7F6CFFFFB09F6F1CB28FB39F721FB5BF743CB7AFFFB8BF773FBADF795CBCCFBDDF7C5F7D6FFF981FC25FC36F81AF82BF932FC73FC84FFF86FF880FCBAFCBCFCDCF8C4F8D5FD0FFFFD20FBEA91F92AF22BF75F95DF97FFF88CABD7FDC8F9AD9F9BEF8DF9E06FE17FFF9FCFBFFFA1FEF55FE66FA51FE88FA73FFF8AFAEBBFAA6FEDDF52DCEFFFFF10FAF8FFFF32F69FCF51FF62FB4AFF84F61CFA3FFF84FB9CFF6F743CFF5F006FBEFF028FFF795C047F058FC40FC51FDFCFOA0FOB1FFFC95FC46FADFOEEF0FFCFAFCFBF135FFF146F157FD3FFD50F18AF19BF065FD94FF9DA5F20341E1F1F2FDDAFDEBF88E8FF232F243FE28FE39F8DF9281F292FE77FFF07AFAE99F2D0F2E1FECCC303FEEE325FFF336F21F358F52DC37AF38BFF73F3ADFFF69FC3CCF3DDFFC5F3FFF61C41EF42FFFF017F451F743C470F481F069F4A3F795CFF4C2F4D3F0BBF0CCF277F51BF52CF110FFF121F228F569F57AF165F176F5B0F5C1FFF5D2F1BAF1CBF605F616F4E0F20FF220FFC203565CF66DF255F266F88E86ADFFF6BEF2A3F2B4F8DF96FCF70DF2F2F4F5FFF314F74BF75CF347F77EF369F7A0F7B1FFF39CF7D3FAC8C7F5F806F3EEF828FB1ACFF847F858F440F87AFB6CC899F8AAF492FFF8CCFBEC8EBF8FCF4E4F91EFC10C93DFFF94EF536F547F6F2F996F9A7F58BF59CFFF6A3F9E4F9F5F5E0F5F1FA2BFA3CFA4DF7F635F646FA80FA91F95BF68AF69BF20FE36AD7FAE8F6D0F6E1FD098B28FB39FFF71EF72FFD5A9B77FB88F76DF970F78FFFBC6FBD7F7C2FB9F7E4FC1BFC2CF817FFF4EFF43CC70FC81F869FCA3FFF95CC2FFFCD3F8BBFC5FFE7CD14FD25F90DFD47FFF039CD66FD77F95FFD99F08BCDB8FDC9FFF9B1F9C2FB6DFE11FE22FA06FA17FB1EFFFE5FF70FA5BFA6CFAEA6FEB7FEC8FAB0F4FAC1FEFBFF0CFDD667166F3F06D2C6174E874AFC631DE7C53750062746C6520456D707D3150733BF0F52FF63FF74FAFD532FDE87C491DD01DC01C0FA1FFB2FFC3F0DF7CE33E87C9B552656665F7E21DC01DB0003F014F025F0366BA6C3FFF36053F064F075F086FF2EC426FFA6F554054B010F9F00B630357D43C104269626CAFE06772613DFFD0790B630DBF0393DE7C544F104320486531633B7D7D607B5C2A5C64F7C0FFF07483F3F0FF90303130353017A2963217A317603818043464F2D04037383664366309603280653533343135381A00E118E034633532C9E0B560C490F7C9E0EDB019A0331A801B5018041C0E07B04017A1BB10636631316590306131621DA0616517707B1E6F1F5C331DC0204117A00AF066F86630391CE621BF1841228D226DFF20E2250221E624EE2567276F287F298FFF2A9F2BAF2CBF2DCF2EDF2FEF30FF320FFF331F342F353F364F375F386F397F3A8FFF3B9F3CAF3DBF3ECF3FD40EF41FF430FFF441F452F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50DF51EF52FF540FFF551F562F573F584F595F5A6F5B7F5C6C6E45C6524F55E5F5F607F618F629FFF63AF64BF65CF66DF67EF68FF6A0F6B1FFF62F6D3F6E4F6F5F706F717F728F739FFF74AF75BF76CF77DF78EF79FF7B0F7C1FFF7D2F7E3F7F4F805F816F827F838F849FFF85AF86BF87CF88DF89EF8AFF8C0F8D1FFF8E2F8F3F904F915F926F937F948F959FFF96AF97BF98C99DF9AEF9BFF25031A80A71CF125519DA2373417D4341791FE3620719E22EDB09E0121329FEFA0FFF8A20FA31FA42F18411D1217919C5F5D86A263DE60643938A7C062A7E056331A511A103915F0661960647D19F1621DC0265FA9D61DC09E3039C111603239613661A8501760FF25EFAFCEADFFA0FB01FB12FB23FB34FFF845F26FFB65CB4DFB86FB97FBA8FBB9FFFBCAFBDDBFBECFBDFC0EFC1FFC30FC41FFF85FC63FB75FC85FC96FCA7FCB8F

Name	Value
	CC9FFCDAFCEBFCFCFD0DFD1EFD2FFD40FC52FFD62FC74FD84FD95FDA6FDB7F23AE17940BD C65166000DE90
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 7C15ABC FE6051740ABF0D32FD4D60241
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartDate	09:00:00.000 PM 5/28/2008
PidTagSubject	Canceled: Fabrikam Project Status Meeting
PidTagSubjectPrefix	Canceled:
PidTagSubjectFlags	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
```



```

X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidApptointmentDuration	30
PidLidApptointmentEndWhole	09:30:00.000 PM 5/28/2008
PidLidApptointmentNotAllowedPropose	FALSE
PidLidApptointmentSequence	0
PidLidApptointmentStartWhole	09:00:00.000 PM 5/28/2008
PidLidApptointmentStateFlags	7
PidLidApptointmentSubType	FALSE
PidLidApptointmentSequenceTime	09:33:20.000 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusy	0

Name	Value
PidLidReminderSi gnalTime	03:00:00.000 AM 5/28/2008
PidLidReminderTi me	09:00:00.000 PM 5/28/2008
PidLidResponseSta tus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSmartNoAtt ach	TRUE
PidLidWhere	Conference Room 123
PidNameContentTransferEncoding	7bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n~*~*~*~*~*~*~*~*~*~*~*~*~*\n\nCancelling the May 28th meeting due to a conflict with the Company Picnic.\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:38:03.000 PM 2/8/2008
PidTagConversationIndex	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F00000E4080
PidTagConversationTopic	Canceled: Fabrikam Project Status Meeting
PidTagCreationTime	09:46:20.655 PM 2/8/2008
PidTagEnd	09:30:00.000 PM 5/28/2008

Name	Value
dDate	
PidTagHasAttachments	FALSE
PidTagIconIndex	1033
PidTagImportance	2
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000101c86a9a\$e4bae2e0\$ae30a8a0\$@com>
PidTagInternetReturnPath	eandersen@contoso.com
PidTagMessageClass	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveredTime	09:38:09.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocationId	1033
PidTagMessageSize	6298
PidTagNextSendAttempt	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Canceled: Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagReceivedByAddressT	SMTP

Name	Value
<u>ype</u>	
<u>PidTagRe ceivedBy EmailAdd ress</u>	sito@contoso.com
<u>PidTagRe ceivedBy EntryId</u>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D545000736 9746F40636F6E746F736F2E636F6D00
<u>PidTagRe ceivedBy Name</u>	Shu Ito
<u>PidTagRe ceivedBy SearchKe y</u>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<u>PidTagRe cordKey</u>	cb: 4 lpb: 24052000
<u>PidTagRe plyReque sted</u>	TRUE
<u>PidTagRe sponseRe quested</u>	TRUE
<u>PidTagRtf Compre ssed</u>	cb: 1049 lpb: 15040000430D00004C5A467505CAF70503000A00726370673132358232034368746D6C310331F 862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E51030 1020063680AC07073657432060006C311B5335B044614473012BF02003403C643F90740696205 10028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA5342059108 22A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C4943202240 2D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231FC31391FF0 20A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0 412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF46765065 27613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371F05449 544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C42 4F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213 E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2 00004451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C4 8E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CCD31810 4709576809F03A4F100980C12BE0736461792C05D04FF078203238501001D02EB050603A532EE 020E04D2D5100335132206028474D542D2EB05111296F20E000D006900DE020076251F055C30 5F047BE26616D70028049F7262644D818A16E614FE0292EF9247C353634C14C5249D949E7479D FE3914D034D048C2587F452B0AA259287F0A8145870AB15DF8479D01C034C150FF3FBF421F61A F42EF43FF450F461F5F1FFF483F494F4A5F4B6F4C7F4D8F4E9A1A20CB4F603DA16670616E632DA 00800FB3E610E2033570F581F592F5A3F736FFF5C5F5D6F5E7F5F8F609F62FF7C4F63CFFF64DF65 EF66FF680F691F6A2F805F6C4FE76D5F6E6F4E5B2A7E8B2F71EF72FFFF740F751F8DDF773F784F7 95F7A6F7B7FFF7DD96BF7EA7FB80C81DF82EF83FFF850F9ACF872F883F894F4E5B5681713 0FE6C18D02D803E804F3050258C5F8D6FFF8E7F8F8FA86FA97F9EFFA00FABEFACF8C6559611AEB 97375701311AF5FFFA21FA32FA43F9B93A640A6EFA7FFABCFFF81BB11BB93FAA1FBB4FBC5FAD 4FAE5FFF8EBCFB38FB49FB5AF5633078014B0A60286640A503E806F20612005A0FB70D018D0630 54003F0A640A6330850B754F000705050500DE03006356FFFF81FBE9FBC6FCC7FC01FC1

Name	Value
	2FC EFFFFCD3FCE4F91BF92CF93DF94EF95FF985FF7DAAF39C8C3C12F3A9F38EF1F6532010B37C025937DE120
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: C048B5D02653A341AD26DE38FC05E1B4
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSe	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
archKey	
PidTagStartDate	09:00:00.000 PM 5/28/2008
PidTagSubject	Canceled: Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Canceled: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000101c86a9a\$e4bae2e0\$ae30a8a0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content-Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAADkCA Content-Language: en-us Importance: High

3.4.3 Organizer's Location Change of an Instance

Elizabeth realizes that she mistyped the Conference Room number, and sends out a meeting update.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAgingDontAgeMe	FALSE
PidLidAllAttendeesList	
PidLidAllAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmentsAuxiliaryFlags	0
PidLidAppointmentsColor	0

Name	Value
PidLidAppointmentsCounterProposal	FALSE
PidLidAppointmentsDuration	30
PidLidAppointmentsEndWhole	10:30:00.000 PM 2/13/2008
PidLidAppointmentsNotAllowPropose	FALSE
PidLidAppointmentsProposalNumber	0
PidLidAppointmentsProposedDuration	0
PidLidAppointmentsRecur	cb: 84 lpb: 043004300B2001000000C0210000010000000000000008000000232000000A000000000000000 1000000A08DC50C000000000003FC30CDF80E95A063000000930000048030000660300000000 0000000000000000
PidLidAppointmentsSequence	1
PidLidAppointmentsStartWhole	10:00:00.000 PM 2/13/2008
PidLidAppointmentsStateFlags	3
PidLidAppointmentsSubType	FALSE
PidLidAppointmentsMessageClass	IPM.Appointment
PidLidAppointmentsSequenceTime	09:33:20.275 PM 2/8/2008

Name	Value
PidLidCurrentVersionName	12.0
PidLidDayInterval	0
PidLidDeleteMail	FALSE
PidLidDirectory	
PidLidExceptionalAttendees	FALSE
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000001000 0000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 1234
PidLidMeetingType	131072
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	Conference Room 123
PidLidOnlinePassword	
PidLidOptionalAttendees	

Name	Value
dees	
PidLidOrga nizerAlia s	
PidLidOwner erCriticalC hange	09:36:00.420 PM 2/8/2008
PidLidPerc entCompl ete	0.000000
PidLidPriv ate	FALSE
PidLidRec urrencePa ttern	every Wednesday from 2:00 PM to 2:30 PM
PidLidRec urrenceTy pe	2
PidLidRec urrenceTy pe	48
PidLidRec urring	TRUE
PidLidRem inderDelta	1525252321
PidLidRem inderSet	TRUE
PidLidRem inderSign alTime	10:00:00.000 PM 2/13/2008
PidLidRem inderTime	10:00:00.000 PM 2/13/2008
PidLidReq uiredAtten dees	
PidLidRes ourceAtte ndees	
PidLidRes ponseStat us	5
PidLidSen	TRUE

Name	Value
dMeetingA sIcal	
PidLidSide Effects	7265
PidLidSing leInvite	FALSE
PidLidTask ActualEffo rt	0
PidLidTask Complete	FALSE
PidLidTask Estimated Effort	0
PidLidTask FFixOffline	FALSE
PidLidTask FRecurrin g	FALSE
PidLidTask Mode	0
PidLidTask NoComput e	FALSE
PidLidTask Ordinal	2147483647
PidLidTask Ownershi p	0
PidLidTask Role	
PidLidTask State	1
PidLidTask Status	0
PidLidTask Version	1
PidLidTea mTask	FALSE
PidLidTim eZone	13

Name	Value
_ubmit	
PidTagEnd Date	10:30:00.000 PM 2/13/2008
PidTagHas Attachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:36:00.561 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:36:00.000 PM 2/8/2008
PidTagMessageFlagS	12
PidTagMessageLocaleId	1033
PidTagMessageSize	11174
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginalAuthName	

Name	Value
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	3249022936
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReasignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: A4062000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5832 lpb: C41600003D5D00004C5A46755D154F9907000601010B606E6731303266350064007263700DD00E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB0118762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21FE17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202CCF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D64321433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D384751662F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E41190518F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5FC65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7FFF84C56B7926F265F1FF7F0F2C5F3DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFFA658933FF7944F992F966731970F981FB5CF9A38DE329AEF9BF9D0F9E1A329EEF9FFF7FA10FA218B520BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7FBD8F9E2958CFD4FEEFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFAA1E644FE2AFFB0F924C684FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29

Name	Value
	FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FD0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFF B1FB925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DC7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C960417317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE33D867309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E7073E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267 309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E69DA0B 6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F97FA08FA19FA2AFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFCA985E 0CD6FC E7FC F8FD092ABF0B4A0FFAD 107880D0DF68B0D20F9DBEC1BFC2C4FB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76F62456E40696C53975268B031B777838E F0F010767821971055D140F99660776EE356A611E3F2E513E8C0FD753039E8C0E513D055E665 63405400FF6F90A609E51360D03DF08D800120EC61726DA4C16850BB90E9A3ABF23365B606 DF8106B429552EAE553947562EB5173A6F16C46FC303E63EB5173F0BC80AAD15F506D6C6A4D 4E6067EB3372EDB78F114AF663ED71BBB249B36078F04EA0F8E073EB519550744C6D90EB5104 A072AA79F091318EC378ED906E8E200FE402F1B49DF0BE7074703A2F4E2FB47097A06E40732E D61063575FF0E080AD702EE1012FF4306691FC60562F777800642F4B506FC370F513ED0977905 C90A1B59077EF85E0E94078A0F653686B32EB51EDC17FAE80F013EDC1AF30F836EFF5EDC162E DF00367BDA096F0729571BE3004E07FB407410BB11AD10BB40B6D1AD706E9C626ABC6078F0 A7F06F63AD41FDECB06B96D0A8409DE0FCD4A49400703FC1518F00AC0096E1EA0788073794 E73A490EFE183616C79AC00764FED9078A0FEB895916764A4D061BD78A266FCA1E3D0EFD1B5 31765641BF0171A410ED905F509790AD1070C130FBB48003906CADC0A41295D0C4F078007DD 60178788077D0AC10EFD178A073FE61A840955002B3F1C105D10391F1C1DFB5905FF04E705F5 0966078C130F2F0D46F7978F05CA4107097907810BF60309660BC31B6D0BC80FCC064AC10F37 830F1F06264B7609660BC81B4809FA491CD01A4929790BD0E655C03907C727AFCA2B860F7D2 95500C7168E70AB3711007167760D490C01BE50FF955011200DB30EC40E730382FE910DE15D 10536A08A16020C4A076455077FE6BB3516B6011B2B4705640C401F61FB9E0B97265BDE013 15A49096E0A501FD000074E49095500BE0FC0114A7BE70FF6E40BDA0BC809651F1E0BE70BDE1 7821FFCCF0255020D0DE00F1E0C11109F2B351FFBA8014B012A1BB407830AD2114A17821FF78 10B911F1E0EA1F10B210BE09660EAFA1FDBBB0701712A3F090B0BDB0C4729550FFB482C11D8A1 F4D0B490D661FF40B490B9BBA17070A960BB40BC61696020BF1A36A6025FF096E0E776A40077 7821FFA5D2BC304E1096608960AD10BD92F4D0FFBC50A9C104D1EC309750A4915650BE20FB9 651B3516EEAE1AC9025B0B4901A21E7B490E3D096516378BC8095F0C9A1FF95D0B3600981D8 C02401087196609E20FE63F1F117129E2023F3BD0A9550B6E06E6825631472F30067BB72FED16 3FF02B016537820EB002622743018F22872C102B0747862785C1A50C500BF4E70A400BC5012A 0F36105516C17A1FF741009313D40E111A4D2C3F0A4308ED2727701D1666D29A0E2B0FA8120F FE9400F309642C3F0A4D034F04E9008E0EF96E0BB5085D095D06CA4906E4012A0FB18B0F1E07 59610DC42BB71A3D1FB11FFA9F1FAD59582A41078A0FC71A970B590FF0BE03173BC043080316 3E73AFF70FC12CF97118EF0BD20FB016C760351BD21FFF3FOBD5035F195F078103672B351EFD 1FF50A0F6F1A970C1419711BD202A7095F0FC202EE36435F663503692DC5136FFFF380F391F36 506730BD208F10FCC03AEFFB3BFF3D0F6C6B60BD20DB003AAF3F7F7D408529396C6F903E4F43

Name	Value
	3F406562FF6E704CB1446F362355B0420F46DF47EFFF48FF364168D04A5236DF4BBF4CCF44DDF F6D004A5F4FEF50FF520F36415B704EEFFF548F559F56A5F641B630F640C1309550FFDC33BB72 BA5FBB6FBC7FBD8FBE9FDADFFFC0CFDC5FC2EFC3FFC50FA3B16AF0D2CF9F644ADD124F1ACF 0E8C920571380C06E3A204F63632F206DC0DF0231F1106BD07880A4007301706CF08F8F20666 05DC0A832322F31F5A0D9F571382074322E503AF580AB402C4D2060306F31336F732847584D5 42DAF506F5129AB41630E69F4D175B376B0555320260C20437470606061292E0DDE0A5B926B D278D06C2043AC006660FF78D01C2176516F1185E0EAB072E572E5FC2A7E75EF750C5B8845C4F 5D5F5E6FFF5F7F608F95B65B9258A0D02968BF69CFFD6ADF2873C0B7D0FB11A9E140D0B4017F 6FD05C21ADD0970073CE7BC1FF2072B229750C48656CFOEC612C750CE24C2B3172717596E26 C9071D0FD2B302030B06CAF6C1FF501C2088B27FAC0083A358812F106C90F43083A346B3C99 066F06B616F20E9F06F11309779D072D672E55440116B7386B6FA4502D07AC9902F41E9717F5 F806FFF6AFCA7707B60B7D0D029778635B208113F0252975379106D607CB0F0A06178FC3236D D309521D8A0FD10D8D07A81FF7D619531D6077A812FD09521A96897A6FFC8959868A5267A81 A640E98095F7A410FB4801B20790196EAD3A2980A9D04C895FF62C19A099D0496246200A6C5 9C2F9D3FFB9E4FA544399FCB1382FE6174B0A0F377A34FA45FA56732A60FA71FA51C3377A91F AA2FA51C34AC2FAD3FA51C3577AF3FB04FA51C36B24FB35FA51C3777B55FB66FA51C38B86FB9 7FA51C39FFA0F3BC96E6209FCB7C407190A5F4BEDFFFBE8A904C0EFBFE8AC14C2FFBFE8AF24F FC50FBFE8B234C71FBFE8B544C92FBFE8FFB854CB3FBFE8BB64CD4FBFE8BE74BBCFFF93641 29FF812A01B20BCB0E4A0A10FFA21FD14FBCB4DE729FE971B02FA1CF0BFF9ED4A016ED417AB 27121ECA001D061E0FE688BE00571D41FD52FD63FD956D9CCFFEB1FE50D8C6DC5FDD6FDE7F 8330F6C0F7DFCC7CC0057067E11FE22FE33FE446D09FBC452CA07B601F0073E60FE71FCF9A09 6B80D7DC24B2204766F1EB13DBE75EA0165003D62E31540461EB1FFF8FE82FD95FA054E080 0AC1FE61F24FEBF35F9A09369FBC4C7CE2E0800BB1FFF73FF84FF95DD9CCFB24FB2022A0FBFFF FFD0FF98AE4CCFB24EF3700AF01BF9D5EB68909FDA4D2BA0697BD0FB76A5E5F7050F061FF9D 53407AF08B9A90409CFFF0ADFF9D5D2CC08750012095F0F2FF96CBF6BC0113F12450E2F13CFF9 7B3715BFFF08B1EF3212AF184FF96C6ED01A5F1B65FF174F1CEFF97BBD1C1B1AC4A420CF21DF D5BCB4379FBC4458A06B000F25FCF26DFD9CC73C096207266DAE0FB7FFF29EF2AFF27B1E4CC 2D17291F2EEF26EEF7079C2D17047F337FF94F034FFB6720FE416C5059411BCF382FFDF3A4F1 263FF3BDF3CEF3DFF030F041840BF41CF42DF075F086F45AF46BF47CFOC1F0D2F4AFF7F4C0F 4D1F10DF11EC504CEFCFDA3552FF6CB0EA0D3EF51BFF43FCF394E6C1263BFDB27584F595F5A 6FE446235C518802DF5DBF5ECF5FDFF6627EC4994906C00FF56B0623F634F529F159F16A9504 F687FFF698F19FF1B0C6C8F6D9F6EAF1E8F1F9CFF71AF72BF73CF231F242C76CF77DF78EFF27A F28B87BEF7CFF7E0F2BFF2D0F80CFFF81DF82EF30BF31C861F872F883F354FFF365C8B3F8C4F8 D5F39DF3AEF9083206FFF91EF3E6F3F78B0995FF970F435F446FFF90299AEF9BFF484F7A7F4A6 F9FDFA0EFFF4D9FA30F4FBFA52FA63F52EFA85F550CFFAA7FAB8F6A0FADAF6C2CAF9FB0AF62F FFB2CF714CB4FB5CF744FB7EF766CB9DFFFBAEF796FB0F7B8CBEFFC00F7E8F7F9FFF9A4FC48 FC59F83DF84E955FC96FCA7FFF892F8A3FCDDFCEECFF8E7F8F8FD32FFD43FC0DF93C94DF 24EFD98F980FDBAFF8AFADDAFDEBF9D0F9E1F9029E29FE3AFFFA1FFC22FA41FE78FE89FA74FE ABFA96FFFECDFEDEFAC9FF00F550C22FF33FB1BFFFF55F6C2CF74FF85FB6DFFA7F714CFC6FFFF D7FBBF9F766C018F029FC11F04BFFF7B8C06AF07BFC63FC74FE1FF0C3F0D4FFCB8FCC9FDD 0F111F122FD0DFD1EF158FFF169F17AFD62FD73F1ADF1BEF088FD7FF9DC8F2034204F215FDF DFF0EF8B18FF255F266FE4BFE5CF90292A4F2B5FE9AFF09DFEBFC2F3F304FEEFF326FF11F348F FF359FF44F37BF550C39DF3AEFF96F3D0FFF6C2C3EFF400FFE8F422F714C441F452FFF03AF474F 766C493F4A4F08CF4C6F7B8CFF4E5F4F6F0DEF0EFF29AF53EF54FF133FFF144F24BF58CF59DF18 8F199F5D3F5E4FFF5F5F1DDF1EEF628F639F503F232F243FFC203567FF690F278F289F8B186D0F FF6E1F2C6F2D7F902971FF730F315F518FFF337F76F77F36AF7A1F38CF7C3F7D4FFF3BFF7F6F AEBC818F829F411F84BFB3DCFF86AF87BF463F89DFB8FC8BCF8CD4B5FFF8EFFBE1C90EF91FF5 07F941FC33C960FFF971F559F56AF715FB9F9CAF5AEF5BFFFF6C6FA07FA18F603F614FA4EFA5F FA70F7F658F669FAA3FAB4F97EF6ADF6BEF20FE36AFAFB0BF6F3F704FD2C8B4FB5CFFF741F75 2FD7D9B9AFBABF790993F7B2FFFBE9FBFAF7E5FC1CF807FC3EFC4FF83AFFF71FF66CC93FCA4 F88CFCC6FFF8CCE5FFF6F8DEFD18F00ACD37FD48F930FD6AFF05CCD89FD9AF982FBCF0AE CDDBFDECFFF9D4F9E5FB90FE34FE45FA29FA3AFB41FFF82F93FA7EFA8FFEC9FEDAEEBFAF3F 4FAE4FF1EFF2FFD967166F6206D2C6174EAA4B1F631E0AC53750062746C6520456D707D3380 733E20F75FF86FF97FB20532FDEAAC492001FF0F3F0FC4FFD5FFE6F0DF9FE33EAACFBE552656 665FE721FF01FE0026F037F048F0596BC9C3F0166076F087F098F0A9FF51C426FFA6F577054B24 0FC200D930587D66C104269626CB2106772613D0200790D930FEF05C3E0AC544F10432048653 3933B7D7D607B5C2A5C64F9F002207483F62001C0303130353019D2963219D31990381A34346

Name	Value
	4F500403738366436630B903280653533343135381C30E1B1034633532CC10B790C6C0F7CC10EFE01BD0331CB01D801A341E3E07B27019D1F0A0636631316590306131621FD0616519A07B209F218C331FF0227119D00D2066F86630391F1623EF1A7124BD249DFF231227322416271E2797299F2AAF2BBFFF2CCF2DDF2EEF2FFF310F321F332F343FFF354F365F376F387F398F3A9F3BAF3CBFFF3DCF3EDF3FEF40FF420F431F442F453FFF464F475F486F497F4A8F4B9F4CAF4DBFFF4ECF4FDF50EF51FF530F541F552F563FFF574F585F596F5A7F5B8F5C9F5DAF5E9CCE645E952725608F619F62AF63BF64CFFF65DF66EF67FF690F6A1F6B2F6C3F6D4FFF6E5F6F707F718F729F73AF74BF75CFFF76DF77EF78FF7A0F7B1F7C2F7D3F7E4FFF7F5F806F817F828F839F84AF85BF86CFFF87DF88EF89FF8B0F8C1F8D2F8E3F8F4FFF905F916F927F938F949F95AF96BF97CFFF98DF99EF9AFF9C0F9D1F9E2F27331CB0A71F2127819FD237341A043419C1FE3622A1A052EFE0A0312362A21FA32FFFA43FA54FA65F1A711F4219C19E8F5FB6A263E090643938A9F062AA1056331C811C40391820661B90647D1C21621FF0288FAC061A211FF139F1AD70613661AA801990281FAF1FFF02FB13FB24FB35FB46FB57FB68F292FFF88CB70FBA9FBBAFBBCBFDCECFCD0EFFFD1FFD30FD41FD52FD63FC75FD53FC64FB76FC86FFF98FCA8FCB9FCCAFCDDBFCECFCFD0EFFFD1FFD30FD41FD52FD63FC75FD85FC97FFFDA7FDB8FDC9FDDAF25DE19C4DE9518900200E0C0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: D1EFB48D0B6B7E438A4F2517C2FB204A
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTime	10:00:00.000 PM 2/13/2008
PidTagSubject	Fabrikam Project Status Meeting

Name	Value
PidTagSubjectPrefix	
PidTagSubmitFlags	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080208T213600Z
DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM t
    o 2:30 PM (GMT-08:00) Pacific Time (US & Canada). \nWhere: Conference Room
    1234\n\n*~*~*~*~*~*\n\n(Corrected a typo in the Conference Room nu
    mber)\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the st
    atus of the Fabrikam Project.\n\nThanks,\nElizabeth\n
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T213600Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
LAST-MODIFIED:20080208T213600Z
LOCATION:Conference Room 1234
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:1
SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E00800000003046642B576AC8010000000000000000
    0100000062C639E40D09342B747A1672730CBBA
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
```

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmenDuration	30
PidLidAppointmenEndWhole	02:30:00.000 PM 2/13/2008
PidLidAppointmenNotAllowPropose	FALSE
PidLidAppointmenRecur	cb: 84 lpb: 043004300B2001000000C02100001000000000000000080000023200000A0000000000000000 1000000A08DC50C00000000003FC30CDF80E95A06300000930000480300006603000000000 00000000000000

Name	Value
vited	
PidLidGlobalObjectID	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000000062C639E40D09342B747A1672730CBBA
PidLidIntendedBusinessStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	Conference Room 1234
PidLidMeetingType	1
PidLidOwnerCriticalChange	09:36:00.000 PM 2/8/2008
PidLidRecurring	TRUE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignalTime	09:45:00.000 PM 2/13/2008
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidResponseStatus	5
PidLidSendMeetingAsIcal	TRUE
PidLidSmartNoAttach	TRUE

Name	Value
PidLidTi meZone Descripti on	(GMT-08:00) Pacific Time (US & Canada)
PidLidTi meZoneS truct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000000000030000002 00020000000000000000
PidLidWh ere	Conference Room 1234
PidName ContentT ransferE ncoding	8bit
PidTagAc cess	7
PidTagAc cessLevel	1
PidTagBo dy	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada). Where: Conference Room 1234\n\n*~*~*~*~*~*~*~*~*~*~*\n\n(Corrected a typo in the Conference Room number)\n\nHey all!,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\nElizabeth\n
PidTagBo dyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCli entSubm itTime	09:38:03.000 PM 2/8/2008
PidTagCo nversatio nIndex	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD50
PidTagCo nversatio nTopic	Fabrikam Project Status Meeting
PidTagCr eationTi me	09:46:20.342 PM 2/8/2008
PidTagEn dDate	02:30:00.000 PM 2/13/2008
PidTagHa sAttachm ents	FALSE
PidTagIm portance	1

Name	Value
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000001c86a9a\$e4972e40\$adc58ac0\$@com>
PidTagInternetReturnPath	eandersen@contoso.com
PidTagLastModificationTime	09:46:20.795 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:38:09.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocationId	1033
PidTagMessageSize	6205
PidTagNextSendAttempt	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com

Name	Value
PidTagReceivedByEntryId	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagReceivedKey	cb: 4 lpb: 04052000
PidTagReplayRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1258 lpb: E60400000D1200004C5A4675C8A0DFDB03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B21B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F573343222044454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A972645781941246E615150292E251C3536DF35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFF438F449F45AF46BF616F48DF49EF4AFFF44C0F4D1F4E2F4F3A1AC050003E4151B0F91AC06E632E4008003F010E2028A0FF595F5A6F5B7F5C8F75CF5EAF5FBF60CFFF61DF62EF654F7EAF661F672F683F694FFF6A5F6B6F6C7F82BF6E9F6FAF70BF4EFBFC2A7E8D8F744F755F766F777F903FFF799F7AAF7BBF7CCF7DDF803F991F810FFF821F832F843F854F865F876F9D2F898FD78A9F8BAF4EB280850721AC051D0E53EB1613F20797053B00B803F20B34FD072FF6E7506D00490298EBFFF8FCF90DF91EFAC7F940F951F962F973FFF984F9AAFB55F9B7F9C8F9D9F9EAF9FBF7FA0CFA1DFB96FA3FFA50FA61F4EFB48E66550D007406C2CAAFFAC0FAD1FFFAE2FC63FB04FB15FB26FB37FB48FB6EFFFCF1FB7BFB8CFB9DFBAEFBBFFBD0FBE1F5FD32FC03FC14FC25F4EFB4C14B05C1E27C8500420078014B0207570F3508F53A173797370DEC22F21A9427A73019074D870E0A03FA0A94246B01A005106B5730218003606A51C1FF594FC5BF6C6FC7DFE48FC9FFCB0FCC1FFFCD2FCE3FD09FED6FD16FD27FD38FD49FFF5AFD6BFD7CFF17FD9EFDAAFFDC0F71BCF2542E016B73C4AFE41FE52FE63FFF3FE85FE96FEA7FEB8FEC9FEEFF071FFFEFCFF0DFF1EFF2FFF40FF51FF62F0B2FAFF84FF95FFA6F71BC4514007AE210FDD0E0068FCCFFDDFFEEFFFF181F192FFF0F6F107F1B9F19EF1AFF023F034F045FBF056F067F08DF275F3A7713012F3

Name	Value
PidTagRtfInSync	B3F8F398F2B5532A13860544D4C1460027D2DC0
PidTagSearchKey	TRUE
PidTagSenderAddressType	cb: 16 lpb: 4C9FA520143E124791EFE52B0EF3BFF6
PidTagSenderEmailAddress	SMTP
PidTagSenderEmailId	eandersen@contoso.com
PidTagSearchEntryId	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E0000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A006100620065007 4006800200041006E00640065007200730065006E0000053004D0054005000000650061006E 00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
PidTagStartDate	02:00:00.000 PM 2/13/2008
PidTagSubject	Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aawelder@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000001c86a9a\$e4972e40\$adc58ac0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAAF91Q Content-Language: en-us

3.4.4 Attendee's Tentative Acceptance of the Series

Shu tentatively accepts the recurring meeting.

The following are the properties on the Calendar object that Shu sends:

Name	Value
PidLidAgingDontAgeMe	FALSE
PidLidAllAttendeesList	
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	02:30:00.000 PM 2/13/2008
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0

Name	Value
PidLidAppointmentRecur	cb: 84 lpb: 043004300B2001000000C02100000100000000000000800000023200000A00000000 0000001000000A08DC50C00000000003FC30CDF80E95A0630000093000048030006 60300000000000000000000000000000
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	02:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAttendeeCriticalChange	09:51:51.956 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidAutoStartWhen	0
PidLidBusyStatus	2
PidLidCalendarType	1
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC80100000000000000 01000000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	02:30:00.000 PM 2/13/2008
PidLidClipStart	02:00:00.000 PM 2/13/2008
PidLidCollaborateDoc	
PidLidCommonEnd	02:30:00.000 PM 2/13/2008
PidLidCommonStart	02:00:00.000 PM 2/13/2008
PidLidConferencingType	0
PidLidCurrentVersion	126212
PidLidCurrentVer	12.0

Name	Value
sionName	
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC8010000000000000 01000000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	4294967295
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidIsSilent	TRUE
PidLidLocation	Conference Room 1234
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAliases	
PidLidOwnerCriticalChange	09:36:00.000 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0

Name	Value
PidLidRecurrenceType	48
PidLidRecurring	TRUE
PidLidReminderDelta	0
PidLidReminderSet	FALSE
PidLidReminderSignalTime	02:00:00.000 PM 2/13/2008
PidLidReminderTime	02:00:00.000 PM 2/13/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	0
PidLidSendMeetingAsIcal	TRUE
PidLidSideEffects	7265
PidLidSingleInvite	FALSE
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0

Name	Value
PidLidTaskRole	
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTeamTask	FALSE
PidLidTimeZone	13
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000000000030 00000020002000000000000000
PidLidWeekInterval	1
PidLidWhere	Conference Room 1234
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagAlternateRecipientAllowed	TRUE
PidTagClientSubmitTime	09:51:51.971 PM 2/8/2008
PidTagConversationIndex	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD5000005C6EC000003 15CE0
PidTagConversationTopic	Fabrikam Project Status Meeting
PidTagCreationTime	09:51:51.940 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	02:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295

Name	Value
PidTagImportance	1
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	1252
PidTagLastModificationTime	09:51:52.174 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Tent
PidTagMessageDeliveryTime	09:51:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	0
PidTagMessageSize	2448
PidTagNextSendAccct	00000002sito@contoso.comsito@contoso.com
PidTagNormalizeSubject	Fabrikam Project Status Meeting
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientRedirectionProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: C4052000
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 1D6F25F1B22E9943BDF49E328BCCA8ED
PidTagSensitivity	0
PidTagSentMailEntryId	cb: 24 lpb: 000000062E9131048FE8D4D9EFD5A00AA41408DC2800000
PidTagStartDate	02:00:00.000 PM 2/13/2008

Name	Value
PidTagSubject	Tentative: Fabrikam Project Status Meeting
PidTagSubjectPrefix	Tentative:
PidTagSubmitFlags	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=TENTATIVE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T215151Z
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T215151Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
LAST-MODIFIED:20080208T215152Z
LOCATION:Conference Room 1234
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:1
SUMMARY:Tentative: Fabrikam Project Status Meeting
TRANSP:OPAQUE
UID:04000008200E00074C5B7101A82E00800000003046642B576AC8010000000000000000
01000000622C639E40D09342B747A1672730CBBA
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
END:VCALENDAR
```

The following are the properties on the Calendar object that Elizabeth receives:

Name	Value
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	02:30:00.000 PM 2/13/2008
PidLidAppointmentRecur	cb: 84 lpb: 043004300B2001000000C02100001000000000000000800000023200000A00000000000 000001000000A08DC50C00000000003FC30CDF80E95A0630000093000048030006603 00000000000000000000000000000000
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	02:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAttendeeCriticalChange	09:51:51.000 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC801000000000000000 1000000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	11:59:00.000 PM 12/31/4500
PidLidClipStart	12:00:00.000 AM 2/13/2008
PidLidCommonEnd	02:30:00.000 PM 2/13/2008
PidLidCommonStart	02:00:00.000 PM 2/13/2008
PidLidConferencingType	0
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC801000000000000000 1000000622C639E40D09342B747A1672730CBBA
PidLidIsException	FALSE

Name	Value
n	
PidLidIsRecurring	TRUE
PidLidLocation	Conference Room 1234
PidLidRecurring	TRUE
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	04:00:00.000 AM 2/13/2008
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidResponseStatus	2
PidLidSendMeetingAsIcal	TRUE
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000003000 000020002000000000000000
PidLidWhere	Conference Room 1234
PidNameContentTransferEncoding	7bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagClientSubmitTime	09:53:53.000 PM 2/8/2008
PidTagConversationIndex	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD5000005C6EC00000315CE0
PidTagConversationTopic	Tentative: Fabrikam Project Status Meeting

Name	Value
PidTagCreationTime	09:56:53.622 PM 2/8/2008
PidTagEndDate	02:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000101c86a9d\$1aa91f00\$4ffb5d00\$@com>
PidTagInternetReturnPath	sito@contoso.com
PidTagLastModificationTime	09:56:53.810 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Tent
PidTagMessageDeliveryTime	09:54:00.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocaleId	1033
PidTagMessageSize	3636
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Tentative: Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	eandersen@contoso.com
PidTagReceivedByEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416 E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagReceived	Elizabeth Andersen

Name	Value
ByName	
PidTagReceivedBySearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: A4072000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: EA371E1E49192D488B899F787104CFC2
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	sito@contoso.com
PidTagSenderId	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSenderName	Shu Ito
PidTagSenderSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	sito@contoso.com
PidTagSentRepresentingEntryId	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSentRepresentingName	Shu Ito
PidTagSentRepresentingSearch	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00

Name	Value
Key	
PidTagStartDate	02:00:00.000 PM 2/13/2008
PidTagSubject	Tentative: Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:54:00 -0800 From: "Shu Ito" <sito@contoso.com> To: "Elizabeth Andersen" <eandersen@contoso.com> Subject: Tentative: Fabrikam Project Status meeting Date: Fri, 8 Feb 2008 13:53:53 -0800 Message-ID: <000101c86a9d\$1aa91f00\$4ffb5d00\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAAF91QAAFcbsAAADFc4A== Content-Language: en-us

4 Security Considerations

Authentication of the source of an iCalendar is not supported. As such, Calendar object(s) resulting from the import of an iCalendar are only as trustworthy as the source of an iCalendar. This has special implications with regard to spoofing the ORGANIZER and ATTENDEE properties.

The FMTTYPE parameter of the ATTACH property (section [2.2.1.20.1.2](#)) can be mislabeled and it is recommended that it be verified. See [\[MS-OXCMAIL\]](#) section 4.3. Furthermore, since the ATTACH property encodes binary files, it can contain malicious content. This is particularly interesting because virus scanners might not be able to parse iCalendar data.

5 Appendix A: Product Behavior

The information in this specification is applicable to the following product versions. References to product versions include released service packs.

- Microsoft Office Outlook 2003
- Microsoft Exchange Server 2003
- Microsoft Office Outlook 2007
- Microsoft Exchange Server 2007
- Microsoft Outlook 2010
- Microsoft Exchange Server 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

[<1> Section 1.1:](#) Neither Outlook nor Exchange shifts the UTC start and end times of an appointment when the user's time zone changes (except when running the Time Zone Data Update tool for Microsoft Office Outlook or the Exchange Calendar Update Tool). However, on export to the iCalendar format, Outlook 2003, Outlook 2007, and Outlook 2010 will treat the all day event as an appointment with start and end times at midnight in floating time. Exchange 2003, Exchange 2007, and Exchange 2010 use X-MICROSOFT-CDO-ALLDAYEVENT to indicate all day events. In Calendar Objects, all day appointments are represented by setting [PidLidAppointmentSubType](#) to a non-zero value, and [PidLidAppointmentDuration](#) to a value evenly divisible by 1440.

[<2> Section 2.2.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support multiple VCALENDAR components in an iCalendar stream. Outlook 2007 and Outlook 2010 only support multiple VCALENDAR components when the METHOD property is PUBLISH

[<3> Section 2.2.1.1:](#) Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of METHOD. On export, both implementations will use the 'REPLY' value. On import, Outlook 2003 will treat the METHOD as 'PUBLISH', while Exchange 2003 will treat the METHOD as 'REPLY'.

[<4> Section 2.2.1.1:](#) Note that it is possible for a collection of two or more VEVENT components to represent a single appointment. However, Outlook 2003 has limited support for iCalendars with multiple VEVENT components. Exchange 2003, Exchange 2007, and Exchange 2010 have no support. Refer to the documentation on the RECURRENCE-ID Property in section 2.2.1.20.20 for additional information.

[<5> Section 2.2.1.1:](#) Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of METHOD. On export, both implementations will use the 'REPLY' value. On import, Outlook 2003 will treat the METHOD as 'PUBLISH', while Exchange 2003 will treat the METHOD as 'REPLY'.

[<6> Section 2.2.1.4:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<7> Section 2.2.1.4:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<8> Section 2.2.1.5:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<9> Section 2.2.1.5:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<10> Section 2.2.1.6:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<11> Section 2.2.1.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<12> Section 2.2.1.7:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<13> Section 2.2.1.7:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<14> Section 2.2.1.8:](#) Exchange 2003, Exchange 2007 (**WebDAV**), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

[<15> Section 2.2.1.8:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

[<16> Section 2.2.1.8:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

[<17> Section 2.2.1.8:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

[<18> Section 2.2.1.8:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

[<19> Section 2.2.1.9:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<20> Section 2.2.1.9:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<21> Section 2.2.1.10:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<22> Section 2.2.1.10:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<23> Section 2.2.1.11:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<24> Section 2.2.1.11:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<25> Section 2.2.1.12:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<26> Section 2.2.1.12:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<27> Section 2.2.1.13:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<28> Section 2.2.1.13:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<29> Section 2.2.1.13.1:](#) 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<30> Section 2.2.1.13.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<31> Section 2.2.1.14:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<32> Section 2.2.1.14:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<33> Section 2.2.1.15:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<34> Section 2.2.1.15:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<35> Section 2.2.1.16:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<36> Section 2.2.1.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<37> Section 2.2.1.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<38> Section 2.2.1.16:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<39> Section 2.2.1.17:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<40> Section 2.2.1.17:](#) On import, Outlook 2007 and Outlook 2010 do not explicitly truncate X-WR-CALNAME to 255 WCHARs or filter out carriage return (U+000D) or line feed (U+000A) characters. However, the presentation layer may render the [PidTagDisplayName](#) of the Folder Object poorly if the X-WR-CALNAME contains more than 255 WCHARs or contains carriage return (U+000D) or line feed (U+000A) characters.

[<41> Section 2.2.1.17:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<42> Section 2.2.1.17:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<43> Section 2.2.1.18:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

[<44> Section 2.2.1.18:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

[<45> Section 2.2.1.19:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not support more than one VTIMEZONE component per iCalendar file.

[<46> Section 2.2.1.19:](#) Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTime_ZoneDefinitionStartDisplay](#), or [PidLidAppointmentTime_ZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

[<47> Section 2.2.1.19:](#) Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

[<48> Section 2.2.1.19:](#) Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTime_ZoneDefinitionStartDisplay](#), or [PidLidAppointmentTime_ZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

[<49> Section 2.2.1.19.1:](#) Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

[<50> Section 2.2.1.19.1:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not override [PidLidTimeZoneDescription](#).

[<51> Section 2.2.1.19.2:](#) Outlook 2003 uses the first occurrence of the STANDARD component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if more than one STANDARD component is present in a VTIMEZONE.

[<52> Section 2.2.1.19.2.1:](#) Outlook 2003 requires that STANDARD components contain either an RRULE or an RDATE. If an RDATE is present, Outlook 2003 converts it to a SYSTEMTIME and stores the resulting value in [PidLidTimeZoneStruct](#).stStandardDate. If no RRULE is present, Exchange 2003, Exchange 2007, and Exchange 2010 will convert the DTSTART to a SYSTEMTIME and store the resulting value in [PidLidTimeZoneStruct](#).stStandardDate.

[<53> Section 2.2.1.19.2.1:](#) Outlook 2007 and Outlook 2010 use the year 1601.

[<54> Section 2.2.1.19.2.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import VTIMEZONEs with RRULEs that use BYMONTHDAY instead of BYDAY.

[<55> Section 2.2.1.19.2.2:](#) For transitions between Daylight Saving Time and Standard Time based on a specific day of the month, Outlook 2003 instead omits the RRULE and exports [PidLidTimeZoneStruct](#).stStandardDate as an RDATE. Exchange 2003, Exchange 2007, and Exchange 2010 omit both the RRULE and RDATE, relying on DTSTART to convey the transition date.

[<56> Section 2.2.1.19.2.3:](#) Outlook 2003 exports the TZNAME property with value 'Standard Time'.

[<57> Section 2.2.1.19.3:](#) Outlook 2003 uses the first occurrence of the DAYLIGHT component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if a VTIMEZONE contains more than one DAYLIGHT component.

[<58> Section 2.2.1.19.3:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do export a DAYLIGHT component for time zones that do not observe DST. In this case, the TZOFFSETFROM and TZOFFSETTO properties for both the DAYLIGHT and STANDARD components are all set to the same value.

[<59> Section 2.2.1.19.3.3:](#) Outlook 2003 exports the TZNAME property with value 'Daylight Saving Time'.

[<60> Section 2.2.1.20.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

[<61> Section 2.2.1.20.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

[<62> Section 2.2.1.20.1:](#) Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2007 (MIME), and Exchange 2010 (MIME) ignore ATTACH properties specified as CID URIs and, instead, import all of the MIME attachments into the Message object, regardless of whether or not they are referenced in the iCalendar stream.

[<63> Section 2.2.1.20.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

[<64> Section 2.2.1.20.1:](#) Prior to Exchange 2007 Service Pack 1, Exchange 2007 (MIME) does not export ATTACH properties specified as CID URIs.

[<65> Section 2.2.1.20.1:](#) Prior to Exchange 2007 Service Pack 1, Exchange 2007 (MIME) does not export ATTACH properties specified as CID URIs.

[<66> Section 2.2.1.20.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

[<67> Section 2.2.1.20.1.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties

[<68> Section 2.2.1.20.1.2:](#) Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007, and Exchange 2010 do not export this parameter.>

[<69> Section 2.2.1.20.1.4:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

[<70> Section 2.2.1.20.1.4:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

[<71> Section 2.2.1.20.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not parse attendee properties with value 'invalid:nomail'.

[<72> Section 2.2.1.20.2:](#) Outlook 2007 uses the table below in place of Table 19:

CUTYPE	ROLE	Append CN to...
RESOURCE	(any)	PidLidNonSendableBcc
ROOM	(any)	PidLidNonSendableBcc
(any)	OPT-PARTICIPANT	PidLidNonSendableCc
(any)	NON-PARTICIPANT	PidLidNonSendableCc

CUTYPE	ROLE	Append CN to...
(any)	(any)	PidLidNonSendableTo

[<73> Section 2.2.1.20.2:](#) Outlook 2003 imports only one attendee property when the METHOD property has value 'REPLY'. For any other value of METHOD, Outlook 2003 does not import any attendee properties.

[<74> Section 2.2.1.20.2:](#) Outlook 2003 does not perform address book lookups on attendee properties. A one-off EntryID is always created.

[<75> Section 2.2.1.20.2:](#) Outlook 2003 does not set this property.

[<76> Section 2.2.1.20.2:](#) Outlook 2003 does not set this property.

[<77> Section 2.2.1.20.2:](#) Outlook 2003 does not set this property.

[<78> Section 2.2.1.20.2:](#) Outlook 2003 incorrectly adds the RECIP_ORGANIZER (0x00000002) bit to this property.

[<79> Section 2.2.1.20.2:](#) Outlook 2003 always uses MAPI_TO (0x00000001).

[<80> Section 2.2.1.20.2:](#) Exchange 2007 and Exchange 2010 use the table below in place of Table 21:CUTYPEROLE PidTagRecipientType (any) CHAIRMAPI_TO (0x00000001) (any) REQ-PARTICIPANTMAPI_TO (0x00000001) (any) OPT-PARTICIPANTMAPI_CC (0x00000002) resource (any) MAPI_BCC (0x00000003) ROOM (any) MAPI_BCC (0x00000003) (any) NON-PARTICIPANTMAPI_CC (0x00000002) (any) (any) MAPI_TO (0x00000001) Outlook 2007 uses the table below in place of Table 21:CUTYPEROLE PidTagRecipientType RESOURCE (any) 0x00000003 ROOM (any) 0x00000003 (any) OPT-PARTICIPANT 0x00000002 (any) NON-PARTICIPANT 0x00000002 (any) (any) 0x00000001

[<81> Section 2.2.1.20.2:](#) Exchange 2007 and Exchange 2010 do not check [PidLidAppointmentStateFlags](#) before exporting attendee properties.

[<82> Section 2.2.1.20.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the attendee property if no SMTP address is available.

[<83> Section 2.2.1.20.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

[<84> Section 2.2.1.20.2.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

[<85> Section 2.2.1.20.2.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

[<86> Section 2.2.1.20.2.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

[<87> Section 2.2.1.20.2.3:](#) Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of publish.

[<88> Section 2.2.1.20.2.3:](#) Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of publish.

[<89> Section 2.2.1.20.2.4:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 export a ROLE of 'REQ-PARTICIPANT' instead of omitting the ROLE parameter.

[<90> Section 2.2.1.20.2.4:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

[<91> Section 2.2.1.20.3:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<92> Section 2.2.1.20.3:](#) Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

[<93> Section 2.2.1.20.3:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<94> Section 2.2.1.20.3:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<95> Section 2.2.1.20.3:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<96> Section 2.2.1.20.3:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<97> Section 2.2.1.20.4:](#) Exchange 2003, Exchange 2007, and Exchange 2010 map SENSITIVITY_PERSONAL (0x00000001) to the 'PERSONAL' value of the CLASS property.

[<98> Section 2.2.1.20.4:](#) Outlook 2003 does not support the 'X-PERSONAL' value of the CLASS property. SENSITIVITY_PERSONAL (0x00000001) is exported as 'PRIVATE'.

[<99> Section 2.2.1.20.5:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Outlook 2003 do not import or export the COMMENT property. For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Outlook 2007 and Outlook 2010 will export [PidTagBody](#) as both COMMENT and DESCRIPTION. In this same case, Outlook 2007 and Outlook 2010 will import [PidTagBody](#) from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified. Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import [PidTagBody](#) from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

[<100> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the contact property.

[<101> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<102> Section 2.2.1.20.6:](#) Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

[<103> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<104> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<105> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<106> Section 2.2.1.20.6:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<107> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<108> Section 2.2.1.20.6:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the contact property.

[<109> Section 2.2.1.20.7:](#) Outlook 2003 Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the CREATED property.

[<110> Section 2.2.1.20.8:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<111> Section 2.2.1.20.8:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<112> Section 2.2.1.20.8:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

[<113> Section 2.2.1.20.8:](#) Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<114> Section 2.2.1.20.8:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

[<115> Section 2.2.1.20.8:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<116> Section 2.2.1.20.8:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<117> Section 2.2.1.20.8:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

[<118> Section 2.2.1.20.8:](#) Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

[<119> Section 2.2.1.20.8.1:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<120> Section 2.2.1.20.8.1:](#) Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

[<121> Section 2.2.1.20.8.1:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<122> Section 2.2.1.20.8.1:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<123> Section 2.2.1.20.8.2:](#) Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<124> Section 2.2.1.20.9:](#) Exchange 2003 and Exchange 2007 always import DTSTAMP as [PidLidAttendeeCriticalChange](#).

[<125> Section 2.2.1.20.10:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<126> Section 2.2.1.20.10:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<127> Section 2.2.1.20.10:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

[<128> Section 2.2.1.20.10:](#) Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<129> Section 2.2.1.20.10:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSCALENDAR-ALLDAYEVENT properties.

[<130> Section 2.2.1.20.10:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<131> Section 2.2.1.20.10:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<132> Section 2.2.1.20.10:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

[<133> Section 2.2.1.20.10:](#) Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

[<134> Section 2.2.1.20.10.1:](#) Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

[<135> Section 2.2.1.20.10.1:](#) <84> Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<136> Section 2.2.1.20.10.1:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<137> Section 2.2.1.20.10.1:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<138> Section 2.2.1.20.10.2:](#) Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<139> Section 2.2.1.20.11:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Outlook 2003 do not import or export the COMMENT property. For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Outlook 2007 and Outlook 2010 will export [PidTagBody](#) as both COMMENT and DESCRIPTION. In this same case, Outlook 2007 and Outlook 2010 will import [PidTagBody](#) from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified. Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import [PidTagBody](#) from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

[<140> Section 2.2.1.20.11.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

[<141> Section 2.2.1.20.12:](#) Outlook 2003 does not import or export the DURATION property.

[<142> Section 2.2.1.20.13:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-EXDATE property.

[<143> Section 2.2.1.20.13:](#) In certain cases, RecurrencePattern.DeletedInstanceDates will be exported as a X-MICROSOFT-EXDATE instead of an EXDATE. See section [2.2.1.20.39](#). Exchange 2003, Exchange 2007, and Exchange 2010 export EXDATEs with times set to noon in the time zone specified by [PidLidTimeZoneStruct](#).

[<144> Section 2.2.1.20.13.2:](#) Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<145> Section 2.2.1.20.14:](#) Exchange 2003 and Exchange 2007 import LAST-MODIFIED as PidLidAttendeeCriticalChange.

[<146> Section 2.2.1.20.14:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

[<147> Section 2.2.1.20.15:](#) Outlook 2003 does not apply this filter.

[<148> Section 2.2.1.20.15:](#) Outlook 2003 does not apply this filter.

[<149> Section 2.2.1.20.15:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<150> Section 2.2.1.20.15.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

[<151> Section 2.2.1.20.16:](#) Outlook 2003 does not import the organizer property when the METHOD property has a value of 'REPLY'.

[<152> Section 2.2.1.20.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

[<153> Section 2.2.1.20.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

[<154> Section 2.2.1.20.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

[<155> Section 2.2.1.20.16:](#) If the METHOD property of the iCalendar is 'REPLY', Outlook 2003 exports the first entry in the recipient table as an organizer, ignoring the constraints set forth in Table 27. For other values of the METHOD property, Outlook 2003 exports the Address Book object specified by [PidTagSentRepresentingEntryId](#) as an organizer.

[<156> Section 2.2.1.20.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the organizer property if no SMTP address is available.

[<157> Section 2.2.1.20.18:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATEs.

[<158> Section 2.2.1.20.18:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATEs.

[<159> Section 2.2.1.20.18:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATEs.

[<160> Section 2.2.1.20.18.2:](#) Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<161> Section 2.2.1.20.20:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<162> Section 2.2.1.20.20:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<163> Section 2.2.1.20.20:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<164> Section 2.2.1.20.20:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<165> Section 2.2.1.20.20:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<166> Section 2.2.1.20.20.2:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<167> Section 2.2.1.20.20.2:](#) Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<168> Section 2.2.1.20.21:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

[<169> Section 2.2.1.20.21:](#) Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

[<170> Section 2.2.1.20.21:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

[<171> Section 2.2.1.20.21:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

[<172> Section 2.2.1.20.21:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

[<173> Section 2.2.1.20.22:](#) Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import a [PidLidAppointmentSequence](#) of 0x00000000 if no SEQUENCE property is specified.

[<174> Section 2.2.1.20.23:](#) Outlook 2003 does not import or export the STATUS property.

[<175> Section 2.2.1.20.24:](#) Outlook 2003 does not apply these filters.

[<176> Section 2.2.1.20.24:](#) Outlook 2003 does not apply these filters.

[<177> Section 2.2.1.20.24:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<178> Section 2.2.1.20.24:](#) Outlook 2003 leaves [PidTagSubject](#) unset when no SUMMARY is present.

[<179> Section 2.2.1.20.24:](#) Outlook 2003 omits the SUMMARY property if [PidTagSubject](#) is unset or empty.

[<180> Section 2.2.1.20.24.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

[<181> Section 2.2.1.20.24.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

[<182> Section 2.2.1.20.25:](#) Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to PidNameCalendarTransparent.

[<183> Section 2.2.1.20.25:](#) Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to PidNameCalendarTransparent.

[<184> Section 2.2.1.20.26:](#) The ByteArrayID is case-sensitive in Outlook 2007 and Outlook 2010.

[<185> Section 2.2.1.20.27:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.

[<186> Section 2.2.1.20.27:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.

[<187> Section 2.2.1.20.28:](#) Outlook 2007 and Outlook 2010 check to see if DTEND falls on midnight in the time zone specified by DTSTART.

[<188> Section 2.2.1.20.28:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

[<189> Section 2.2.1.20.28:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<190> Section 2.2.1.20.28:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<191> Section 2.2.1.20.28:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export X-MICROSOFT-CDO-ALLDAYEVENT.

[<192> Section 2.2.1.20.29:](#) Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export X-MICROSOFT-CDO-APPT-SEQUENCE.

[<193> Section 2.2.1.20.29:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export PidLidAppointmentSequence as X-MICROSOFT-CDO-APPT-SEQUENCE.

[<194> Section 2.2.1.20.30:](#) Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.

[<195> Section 2.2.1.20.30:](#) Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.

[<196> Section 2.2.1.20.31:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-BUSYSTATUS property.

[<197> Section 2.2.1.20.32:](#) Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007, and Exchange 2010 do export X-MICROSOFT-CDO-IMPORTANCE using the mapping specified by Table 39.

[<198> Section 2.2.1.20.33:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export a X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.

[<199> Section 2.2.1.20.34:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

[<200> Section 2.2.1.20.34:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<201> Section 2.2.1.20.34:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<202> Section 2.2.1.20.34:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<203> Section 2.2.1.20.35:](#) Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

[<204> Section 2.2.1.20.36:](#) Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

[<205> Section 2.2.1.20.36:](#) Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

[<206> Section 2.2.1.20.37:](#) If the METHOD property has value 'REPLY', Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) will import X-MICROSOFT-CDO-REPLYTIME as [PidLidAttendeeCriticalChange](#) in addition to [PidLidAppointmentReplyTime](#).

[<207> Section 2.2.1.20.37:](#) Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-REPLYTIME property.

[<208> Section 2.2.1.20.38:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-DISALLOW-COUNTER property.

[<209> Section 2.2.1.20.39:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

[<210> Section 2.2.1.20.39:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

[<211> Section 2.2.1.20.40:](#) Exchange 2003, Exchange 2007, Exchange 2010, Outlook 2003, and Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

[<212> Section 2.2.1.20.40:](#) Exchange 2003, Exchange 2007, Exchange 2010, Outlook 2003, and Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

[<213> Section 2.2.1.20.41:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSCALENDAR-ALLDAYEVENT property.

[<214> Section 2.2.1.20.42:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSCALENDAR-BUSYSTATUS property.

[<215> Section 2.2.1.20.43:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSCALENDAR-IMPORTANCE property.

[<216> Section 2.2.1.20.44:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<217> Section 2.2.1.20.45.2:](#) Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

[<218> Section 2.2.1.20.46:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ALLOWEXTERNCHECK property.

[<219> Section 2.2.1.20.47:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTLASTSEQUENCE property.

[<220> Section 2.2.1.20.48:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.

[<221> Section 2.2.1.20.48:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.

[<222> Section 2.2.1.20.49:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOFILLLOCATION property.

[<223> Section 2.2.1.20.50:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOSTARTCHECK property.

[<224> Section 2.2.1.20.51:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-COLLABORATEDOC property.

[<225> Section 2.2.1.20.52:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFCHECK property.

[<226> Section 2.2.1.20.53:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFTYPE property.

[<227> Section 2.2.1.20.54:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-DIRECTORY property.

[<228> Section 2.2.1.20.55:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-MWSURL property.

[<229> Section 2.2.1.20.56:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-NETSHOWURL property.

[<230> Section 2.2.1.20.57:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ONLINEPASSWORD property.

[<231> Section 2.2.1.20.58:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ORGALIAS property.

[<232> Section 2.2.1.20.59:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<233> Section 2.2.1.20.59:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

[<234> Section 2.2.1.20.60:](#) Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-

OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

[<235> Section 2.2.1.20.60:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

[<236> Section 2.2.1.20.61:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-SENDER property.

[<237> Section 2.2.1.20.61:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

[<238> Section 2.2.1.20.61:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

[<239> Section 2.2.1.20.61:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

[<240> Section 2.2.1.20.61:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

[<241> Section 2.2.1.20.61:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

[<242> Section 2.2.1.20.61.1:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE

[<243> Section 2.2.1.20.62:](#) Outlook 2003, Outlook 2007, Outlook 2010, and Exchange 2003 ignore TRIGGER properties that are specified as Date-Time.

[<244> Section 2.2.1.20.62:](#) In this case, Exchange 2003, Exchange 2007, and Exchange 2010 set [PidLidReminderDelta](#) to 0x0000000F for all Calendar objects.

[<245> Section 2.2.1.20.62:](#) Outlook 2003 does not set [PidLidReminderSignalTime](#).

[<246> Section 2.2.1.20.62:](#) Outlook 2003, Outlook 2007, Outlook 2010, and Exchange 2003 ignore TRIGGER properties that are specified as Date-Time.

[<247> Section 2.3.1.2:](#) For Outlook 2003, the maximum INTERVAL of a YEARLY recurrence is 1.

[<248> Section 2.3.1.10:](#) Outlook 2003 does not apply this filter.

[<249> Section 2.3.1.11:](#) Exchange 2003, Exchange 2007, and Exchange 2010 export a X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.

[<250> Section 2.3.2:](#) Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

[<251> Section 2.3.2.1:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<252> Section 2.3.2.1:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<253> Section 2.3.2.1:](#) Exchange 2007 (MIME) and Exchange 2010 (MIME) does not follow this guidance.

[<254> Section 2.3.2.1:](#) Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

[<255> Section 2.3.2.1:](#) Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

[<256> Section 2.3.2.1:](#) Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

[<257> Section 2.3.2.2:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties

[<258> Section 2.3.2.2:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<259> Section 2.3.2.2:](#) Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

[<260> Section 2.3.2.2:](#) Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

[<261> Section 2.3.2.3:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<262> Section 2.3.2.3:](#) Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

[<263> Section 2.3.2.3:](#) Outlook 2003 imports BYMONTHDAY directly into **PatternTypeSpecific.Month.Day**.

[<264> Section 2.3.2.3:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<265> Section 2.3.2.3:](#) Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as BYMONTHDAY.

[<266> Section 2.3.2.3:](#) Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

[<267> Section 2.3.2.3:](#) Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

[<268> Section 2.3.2.4:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<269> Section 2.3.2.4:](#) Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

[<270> Section 2.3.2.4:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<271> Section 2.3.2.4:](#) Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

[<272> Section 2.3.2.4:](#) Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

[<273> Section 2.3.2.5:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<274> Section 2.3.2.5:](#) Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

[<275> Section 2.3.2.5:](#) Outlook 2003 imports BYMONTHDAY directly into **PatternTypeSpecific.Month.Day**.

[<276> Section 2.3.2.5:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<277> Section 2.3.2.5:](#) Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as BYMONTHDAY.

[<278> Section 2.3.2.5:](#) Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

[<279> Section 2.3.2.5:](#) Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

[<280> Section 2.3.2.6:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<281> Section 2.3.2.6:](#) Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

[<282> Section 2.3.2.6:](#) Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSCALENDAR-INTENDEDSTATUS properties.

[<283> Section 2.3.2.6:](#) Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

[<284> Section 2.3.2.6:](#) Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

[<285> Section 2.3.4:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

[<286> Section 2.3.4:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

[<287> Section 2.3.4:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

6 Change Tracking

This section identifies changes made to [MS-OXCICAL] protocol documentation between July 2009 and November 2009 releases. Changes are classed as major, minor, or editorial.

Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- A protocol is deprecated.
- The removal of a document from the documentation set.
- Changes made for template compliance.

Minor changes do not affect protocol interoperability or implementation. Examples are updates to fix technical accuracy or ambiguity at the sentence, paragraph, or table level.

Editorial changes apply to grammatical, formatting, and style issues.

No changes means that the document is identical to its last release.

Major and minor changes can be described further using the following revision types:

- New content added.
- Content update.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.

- Content removed for template compliance.
- Obsolete document removed.

Editorial changes always have the revision type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

Protocol syntax refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.

Protocol revision refers to changes made to a protocol that affect the bits that are sent over the wire.

Changes are listed in the following table. If you need further information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
1.1 Glossary	51087 Added ABNF to glossary.	N	Content update.
1.1 Glossary	51090 Added little-endian to glossary.	N	Content update.
1.2.1 Normative References	51094 Updated ABNF reference.	N	Content updated due to protocol revision.
1.2.1 Normative References	50661 Added reference to RFC2045.	N	Content updated due to protocol revision.
1.2.1 Normative References	52319 Added reference to MS-OXPROPS.	N	Content updated due to protocol revision.
1.2.1 Normative References	52317 Added reference to MS-OXGLOS.	N	Content updated due to protocol revision.
2.2.1.1 Property: METHOD	51722 Revised guidance for PidLidAppointmentCounterProposal.	Y	Content updated due to protocol revision.
2.2.1.8 Property: X-MICROSOFT-CALSCALE	50647 Revised description of importing Hijiri CalendarType and PatternType fields.	N	Content updated due to protocol revision.
2.2.1.8 Property: X-MICROSOFT-CALSCALE	51878 Revised import guidance for X-MICROSOFT-CALSCALE.	N	Content updated due to protocol revision.
2.2.1.10 Property: X-MS-WKHDAYS	51905 Revised format for X-MS-WKHDAYS.	N	Content updated due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<u>2.2.1.16</u> <u>Property: X-WR-CALDESC</u>	51902 Revised guidance for truncation of text.	N	Content updated due to protocol revision.
<u>2.2.1.19</u> <u>Component: VTIMEZONE</u>	50646 Added wStandardYear and wDaylightYear to fields of PidLidTimeZoneStruct.	N	Content updated due to protocol revision.
<u>2.2.1.19.1</u> <u>Property: TZID</u>	51726 Revised import guidance for TZID.	N	Content updated due to protocol revision.
<u>2.2.1.19.1.2</u> <u>Property: TZID</u>	51732 Revised export guidance for TZID.	N	Content updated due to protocol revision.
<u>2.2.1.19.2.2</u> <u>Property: RRULE</u>	51846 Revised guidance for "wDayOfWeek" and "wDay".	N	Content updated due to protocol revision.
<u>2.2.1.19.2.2</u> <u>Property: RRULE</u>	51907 Revised export guidance.	N	Content updated due to protocol revision.
<u>2.2.1.20.1</u> <u>Property: ATTACH</u>	50662 Revised guidance for PidTagAttachEncoding.	N	Content updated due to protocol revision.
<u>2.2.1.20.1</u> <u>Property: ATTACH</u>	50711 Revised guidance for PidTagAttachExtension.	N	Content updated due to protocol revision.
<u>2.2.1.20.2</u> <u>Property: ATTENDEE</u>	50709 Revised description of format for ATTENDEE.	N	Content updated due to protocol revision.
<u>2.2.1.20.2</u> <u>Property: ATTENDEE</u>	51710 Revised Outlook 2003 behavior note.	N	Product behavior note updated.
<u>2.2.1.20.2</u> <u>Property: ATTENDEE</u>	52079 Revised constraints on PidTagRecipientFlags for export.	N	Content updated due to protocol revision.
<u>2.2.1.20.2.4</u> <u>Parameter: ROLE</u>	50710 Revised description of "ROLE" parameter.	N	Content updated due to protocol revision.
<u>2.2.1.20.2.5</u> <u>Parameter: RSVP</u>	50665 Revised description of "RSVP".	N	Content updated due to protocol revision.
<u>2.2.1.20.3</u> <u>Property: CATEGORIES</u>	51902 Revised guidance for truncating text.	N	Content updated due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<u>2.2.1.20.6</u> <u>Property: CONTACT</u>	51902 Revised guidance for truncating text.	N	Content updated due to protocol revision.
<u>2.2.1.20.8.1</u> <u>Parameter: TZID</u>	51845 Revised import guidance for TZID.	N	Content updated due to protocol revision.
<u>2.2.1.20.8.1</u> <u>Parameter: TZID</u>	51850 Revised export guidance for TZID parameter.	N	Content updated due to protocol revision.
<u>2.2.1.20.9</u> <u>Property: DTSTAMP</u>	51254 Revised import guidance for DTSTAMP.	N	Content updated due to protocol revision.
<u>2.2.1.20.13</u> <u>Property: EXDATE</u>	51908 Updated export guidance for EXDATE.	N	Content updated due to protocol revision.
<u>2.2.1.20.14</u> <u>Property: LAST-MODIFIED</u>	51254 Revised import guidance for LAST-MODIFIED.	N	Content updated due to protocol revision.
<u>2.2.1.20.15</u> <u>Property: LOCATION</u>	51902 Revised guidance for truncating text.	N	Content updated due to protocol revision.
<u>2.2.1.20.16</u> <u>Property: ORGANIZER</u>	50709 Revised description of format for ORGANIZER.	Y	Content updated due to protocol revision.
<u>2.2.1.20.16</u> <u>Property: ORGANIZER</u>	51854 Revised Outlook 2003 export behavior.	N	Product behavior note updated.
<u>2.2.1.20.18</u> <u>Property: RDATE</u>	50712 Added guidance for RDATE properties in Period of Time format.	N	Content updated due to protocol revision.
<u>2.2.1.20.20</u> <u>Property: RECURRENCE-ID</u>	51733 Revised guidance on exporting RECURRENCE-ID.	N	Content updated due to protocol revision.
<u>2.2.1.20.20</u> <u>Property: RECURRENCE-ID</u>	50662 Revised guidance for PidTagAttachEncoding.	N	Content updated due to protocol revision.
<u>2.2.1.20.22</u> <u>Property: SEQUENCE</u>	51086 Revised RFC reference for SEQUENCE.	N	Content updated due to protocol revision.
<u>2.2.1.20.24</u> <u>Property: SUMMARY</u>	51902 Revised guidance for truncating text.	N	Content updated due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<u>2.2.1.20.26</u> <u>Property: UID</u>	51094 Added reference to RFC5234.	Y	Content updated due to protocol revision.
<u>2.2.1.20.26</u> <u>Property: UID</u>	51088 Added ABNF for UTF8-octets.	N	Content updated due to protocol revision.
<u>2.2.1.20.31</u> <u>Property: X-MICROSOFT-CDO-BUSYSTATUS</u>	51871 Updated Outlook 2003 behavior.	N	Product behavior note updated.
<u>2.2.1.20.34</u> <u>Property: X-MICROSOFT-CDO-INTENDEDSTATUS</u>	51842 Revised import guidance for X-MICROSOFT-CDO-INTENDEDSTATUS.	N	Content updated due to protocol revision.
<u>2.2.1.20.39</u> <u>Property: X-MICROSOFT-EXDATE</u>	51092 Removed RFC2445 reference.	N	Content updated due to protocol revision.
<u>2.2.1.20.45</u> <u>Property: X-MICROSOFT-RRULE</u>	51092 Removed RFC2445 reference.	N	Content updated due to protocol revision.
<u>2.2.1.20.48</u> <u>Property: X-MS-OLK-APPTSEQTIME</u>	51092 Removed RFC2445 reference.	N	Content updated due to protocol revision.
<u>2.2.1.20.61</u> <u>Property: X-MS-OLK-SENDER</u>	51899 Revised reference for one-off EntryID.	N	Content updated due to protocol revision.
<u>2.2.1.20.61</u> <u>Property: X-MS-OLK-SENDER</u>	51092 Removed RFC2445 reference.	N	Content updated due to protocol revision.
<u>2.2.1.20.62</u> <u>Component: VALARM</u>	51903 Added guidance for importing TRIGGER properties of type Date-Time.	N	Content updated due to protocol revision.
<u>2.2.1.20.62</u> <u>Component: VALARM</u>	51731 Revised export guidance for TRIGGER.	N	Content updated due to protocol revision.
<u>2.2.1.20.62.1</u> <u>Property: TRIGGER</u>	51903 Revised format description of TRIGGER.	N	Content updated due to protocol revision.
<u>2.3.2</u> <u>Recurrence Templates</u>	51094 Updated ABNF reference.	N	Content updated due to protocol revision.
<u>2.3.2</u> <u>Recurrence Templates</u>	51843 Revised ABNF for BYMONTHDAY.	N	Content updated due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<u>2.3.2 Recurrence Templates</u>	51870 Revised X-MICROSOFT-RRULE behavior.	N	Product behavior note updated.
<u>2.3.2.1 Template: Daily Recurrences</u>	51881 Revised guidance for setting FirstDateTime.	N	Content updated due to protocol revision.
<u>2.3.2.1 Template: Daily Recurrences</u>	51884 Revised guidance on exporting INTERVAL.	N	Content updated due to protocol revision.
<u>2.3.2.1 Template: Daily Recurrences</u>	51096 Revised name of RecurFrequency field.	N	Content updated due to protocol revision.
<u>2.3.2.1 Template: Daily Recurrences</u>	51844 Revised values of ReaderVersion2 and WriterVersion2.	N	Content updated due to protocol revision.
<u>2.3.2.1 Template: Daily Recurrences</u>	51883 Revised export guidance for EndTimeOffset.	N	Content updated due to protocol revision.
<u>2.3.2.2 Template: Weekly Recurrences</u>	51881 Revised guidance for setting FirstDateTime.	N	Content updated due to protocol revision.
<u>2.3.2.2 Template: Weekly Recurrences</u>	51884 Revised guidance on exporting INTERVAL.	N	Content updated due to protocol revision.
<u>2.3.2.2 Template: Weekly Recurrences</u>	51096 Revised name of RecurFrequency field.	N	Content updated due to protocol revision.
<u>2.3.2.2 Template: Weekly Recurrences</u>	51844 Revised values of ReaderVersion2 and WriterVersion2.	N	Content updated due to protocol revision.
<u>2.3.2.2 Template: Weekly Recurrences</u>	51883 Revised export guidance for EndTimeOffset.	N	Content updated due to protocol revision.
<u>2.3.2.3 Template: Monthly Recurrences</u>	51881 Revised guidance for setting FirstDateTime.	N	Content updated due to protocol revision.
<u>2.3.2.3 Template: Monthly Recurrences</u>	51884 Revised guidance on exporting INTERVAL.	N	Content updated due to protocol revision.
<u>2.3.2.3 Template: Monthly Recurrences</u>	51096 Revised name of RecurFrequency field.	N	Content updated due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
2.3.2.3 Template: Monthly Recurrences	51844 Revised values of ReaderVersion2 and WriterVersion2.	N	Content updated due to protocol revision.
2.3.2.3 Template: Monthly Recurrences	51883 Revised export guidance for EndTimeOffset.	N	Content updated due to protocol revision.
2.3.2.4 Template: Monthly Nth Recurrences	51881 Revised guidance for setting FirstDateTime.	N	Content updated due to protocol revision.
2.3.2.4 Template: Monthly Nth Recurrences	51884 Revised guidance on exporting INTERVAL.	N	Content updated due to protocol revision.
2.3.2.4 Template: Monthly Nth Recurrences	51096 Revised name of RecurFrequency field.	N	Content updated due to protocol revision.
2.3.2.4 Template: Monthly Nth Recurrences	51844 Revised values of ReaderVersion2 and WriterVersion2.	N	Content updated due to protocol revision.
2.3.2.4 Template: Monthly Nth Recurrences	51883 Revised export guidance for EndTimeOffset.	N	Content updated due to protocol revision.
2.3.2.5 Template: Yearly Recurrences	51881 Revised guidance for setting FirstDateTime.	N	Content updated due to protocol revision.
2.3.2.5 Template: Yearly Recurrences	51884 Revised guidance on exporting INTERVAL.	N	Content updated due to protocol revision.
2.3.2.5 Template: Yearly Recurrences	51096 Revised name of RecurFrequency field.	N	Content updated due to protocol revision.
2.3.2.5 Template: Yearly Recurrences	51844 Revised values of ReaderVersion2 and WriterVersion2.	N	Content updated due to protocol revision.
2.3.2.5 Template: Yearly Recurrences	51883 Revised export guidance for EndTimeOffset.	N	Content updated due to protocol revision.
2.3.2.6 Template: Yearly Nth Recurrences	51881 Revised guidance for setting FirstDateTime.	N	Content updated due to protocol revision.
2.3.2.6 Template: Yearly Nth Recurrences	51884 Revised guidance on exporting INTERVAL.	N	Content updated due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
2.3.2.6 Template: Yearly Nth Recurrences	51096 Revised name of RecurFrequency field.	N	Content updated due to protocol revision.
2.3.2.6 Template: Yearly Nth Recurrences	51844 Revised values of ReaderVersion2 and WriterVersion2.	N	Content updated due to protocol revision.
2.3.2.6 Template: Yearly Nth Recurrences	51883 Revised export guidance for EndTimeOffset.	N	Content updated due to protocol revision.
3.1 Example Birthday Calendar for 2008	51721 Updated value of PidTagBody in example appointments.	Y	Content updated due to protocol revision.
3.2 Example Schedule for the Week of June 16, 2008	51721 Updated value for PidTagBody in example appointments.	N	Content updated due to protocol revision.
3.3.1 Organizer's Meeting Request	51721 Updated value of PidTagBody for example appointments.	N	Content updated due to protocol revision.
3.3.3 Organizer's Cancellation	51721 Updated value for PidTagBody in example appointments.	N	Content updated due to protocol revision.
3.4.1 Organizer's Meeting Request	51721 Updated value of PidTagBody for example appointments.	N	Content updated due to protocol revision.
3.4.2 Organizer's Cancellation of an Instance	51721 Updated value of PidTagBody for example appointments.	N	Content updated due to protocol revision.
3.4.3 Organizer's Location Change of an Instance	51721 Updated value of PidTagBody for example appointments.	N	Content updated due to protocol revision.

7 Index

A

[Applicability](#) 10

B

[Birthday Calendar for 2008 example](#) 107

C

[Change tracking](#) 351

[Common data types and fields](#) 11

D

[Data types and fields - common](#) 11

Details

[common data types and fields](#) 11

E

[Example](#) 107

Examples

[Birthday Calendar for 2008](#) 107

[Recurring Meeting Scenario](#) 261

Schedule for the Week of June 16

[2008](#) 151

[Single Meeting Scenario](#) 216

F

[Fields - vendor-extensible](#) 10

G

[Glossary](#) 7

I

[Implementer - security considerations](#) 332

[Introduction](#) 7

L

[Localization](#) 10

N

[Normative references](#) 8

O

[Overview \(synopsis\)](#) 9

P

[Product behavior](#) 333

R

[Recurring Meeting Scenario example](#) 261

References

[normative](#) 8

[Relationship to protocols and other structures](#) 9

S

Schedule for the Week of June 16

[2008 example](#) 151

[Security - implementer considerations](#) 332

[Single Meeting Scenario example](#) 216

Structures

[overview](#) 11

T

[Tracking changes](#) 351

V

[Vendor-extensible fields](#) 10

[Versioning and Localization](#) 10