

# [MS-OXCICAL]: iCalendar to Appointment Object Conversion Protocol Specification

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplq@microsoft.com](mailto:iplq@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability.
04/25/2008	0.2		Revised and updated property names and other technical content.
06/27/2008	1.0		Initial Release.
08/06/2008	1.01		Revised and edited technical content.
09/03/2008	1.02		Revised and edited technical content.
10/01/2008	1.03		Revised and edited technical content.
12/03/2008	1.04		Updated IP notice.
03/04/2009	1.05		Revised and edited technical content.
04/10/2009	2.0		Updated technical content and applicable product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	4.0.0	Major	Updated and revised the technical content.
02/10/2010	4.0.0	None	Version 4.0.0 release
05/05/2010	4.1.0	Minor	Updated the technical content.

# Table of Contents

<b>1 Introduction</b>	<b>7</b>
1.1 Glossary	7
1.2 References	8
1.2.1 Normative References	8
1.2.2 Informative References	9
1.3 Overview	9
1.4 Relationship to Protocols and Other Structures	9
1.5 Applicability Statement	10
1.6 Versioning and Localization	10
1.7 Vendor-Extensible Fields	10
<b>2 Structures</b>	<b>11</b>
2.1 Property Relevance	11
2.2 Hierarchy of Components, Properties, and Parameters	15
2.2.1 Component: VCALENDAR	16
2.2.1.1 Property: METHOD	16
2.2.1.2 Property: PRODID	17
2.2.1.3 Property: VERSION	17
2.2.1.4 Property: X-CALEND	17
2.2.1.4.1 Parameter: TZID	18
2.2.1.5 Property: X-CALSTART	18
2.2.1.5.1 Parameter: TZID	18
2.2.1.6 Property: X-CLIPEND	19
2.2.1.6.1 Parameter: TZID	19
2.2.1.7 Property: X-CLIPSTART	19
2.2.1.7.1 Parameter: TZID	20
2.2.1.8 Property: X-MICROSOFT-CALSCALE	20
2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN	22
2.2.1.10 Property: X-MS-WKHRDAYS	23
2.2.1.11 Property: X-MS-WKHREND	23
2.2.1.11.1 Parameter: TZID	24
2.2.1.12 Property: X-MS-WKHRSTART	24
2.2.1.12.1 Parameter: TZID	24
2.2.1.13 Property: X-OWNER	24
2.2.1.13.1 Parameter: CN	25
2.2.1.14 Property: X-PRIMARY-CALENDAR	25
2.2.1.15 Property: X-PUBLISHED-TTL	25
2.2.1.16 Property: X-WR-CALDESC	26
2.2.1.17 Property: X-WR-CALNAME	26
2.2.1.18 Property: X-WR-RELCALID	26
2.2.1.19 Component: VTIMEZONE	27
2.2.1.19.1 Property: TZID	29
2.2.1.19.2 Component: STANDARD	29
2.2.1.19.2.1 Property: DTSTART	29
2.2.1.19.2.2 Property: RRULE	31
2.2.1.19.2.3 Property: TZNAME	33
2.2.1.19.2.4 Property: TZOFFSETFROM	33
2.2.1.19.2.5 Property: TZOFFSETTO	33
2.2.1.19.3 Component: DAYLIGHT	34
2.2.1.19.3.1 Property: DTSTART	34

2.2.1.19.3.2	Property: RRULE	34
2.2.1.19.3.3	Property: TZNAME	35
2.2.1.19.3.4	Property: TZOFFSETFROM	35
2.2.1.19.3.5	Property: TZOFFSETTO	35
2.2.1.20	Component: VEVENT	36
2.2.1.20.1	Property: ATTACH	36
2.2.1.20.1.1	Parameter: ENCODING	38
2.2.1.20.1.2	Parameter: FMTTYPE	38
2.2.1.20.1.3	Parameter: VALUE	39
2.2.1.20.1.4	Parameter: X-FILENAME	39
2.2.1.20.2	Property: ATTENDEE	40
2.2.1.20.2.1	Parameter: CN	42
2.2.1.20.2.2	Parameter: CUTYPE	42
2.2.1.20.2.3	Parameter: PARTSTAT	43
2.2.1.20.2.4	Parameter: ROLE	44
2.2.1.20.2.5	Parameter: RSVP	44
2.2.1.20.2.6	Parameter: X-MS-OLK-RESPTIME	45
2.2.1.20.3	Property: CATEGORIES	45
2.2.1.20.4	Property: CLASS	46
2.2.1.20.5	Property: COMMENT	46
2.2.1.20.6	Property: CONTACT	47
2.2.1.20.7	Property: CREATED	47
2.2.1.20.8	Property: DTEND	47
2.2.1.20.8.1	Parameter: TZID	48
2.2.1.20.8.2	Parameter: VALUE	49
2.2.1.20.9	Property: DTSTAMP	49
2.2.1.20.9.1	Parameter: TZID	50
2.2.1.20.10	Property: DTSTART	50
2.2.1.20.10.1	Parameter: TZID	51
2.2.1.20.10.2	Parameter: VALUE	51
2.2.1.20.11	Property: DESCRIPTION	52
2.2.1.20.11.1	Parameter: LANGUAGE	52
2.2.1.20.12	Property: DURATION	52
2.2.1.20.13	Property: EXDATE	53
2.2.1.20.13.1	Parameter: TZID	54
2.2.1.20.13.2	Parameter: VALUE	54
2.2.1.20.14	Property: LAST-MODIFIED	54
2.2.1.20.15	Property: LOCATION	55
2.2.1.20.15.1	Parameter: LANGUAGE	55
2.2.1.20.16	Property: ORGANIZER	55
2.2.1.20.16.1	Parameter: CN	56
2.2.1.20.17	Property: PRIORITY	57
2.2.1.20.18	Property: RDATE	58
2.2.1.20.18.1	Parameter: TZID	60
2.2.1.20.18.2	Parameter: VALUE	60
2.2.1.20.19	Property: RRULE	61
2.2.1.20.20	Property: RECURRENCE-ID	61
2.2.1.20.20.1	Parameter: TZID	63
2.2.1.20.20.2	Parameter: VALUE	63
2.2.1.20.21	Property: RESOURCES	64
2.2.1.20.22	Property: SEQUENCE	64
2.2.1.20.23	Property: STATUS	65
2.2.1.20.24	Property: SUMMARY	65



2.2.1.20.24.1	Parameter: LANGUAGE .....	65
2.2.1.20.25	Property: TRANSP.....	66
2.2.1.20.26	Property: UID.....	67
2.2.1.20.27	Property: X-ALT-DESC.....	70
2.2.1.20.27.1	Parameter: FMTTYPE .....	70
2.2.1.20.28	Property: X-MICROSOFT-CDO-ALLDAYEVENT .....	70
2.2.1.20.29	Property: X-MICROSOFT-CDO-APPT-SEQUENCE .....	71
2.2.1.20.30	Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE .....	71
2.2.1.20.31	Property: X-MICROSOFT-CDO-BUSYSTATUS .....	71
2.2.1.20.32	Property: X-MICROSOFT-CDO-IMPORTANCE .....	72
2.2.1.20.33	Property: X-MICROSOFT-CDO-INSTTYPE .....	72
2.2.1.20.34	Property: X-MICROSOFT-CDO-INTENDEDSTATUS .....	73
2.2.1.20.35	Property: X-MICROSOFT-CDO-OWNERAPPTID .....	73
2.2.1.20.36	Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.....	73
2.2.1.20.37	Property: X-MICROSOFT-CDO-REPLYTIME .....	74
2.2.1.20.38	Property: X-MICROSOFT-DISALLOW-COUNTER .....	74
2.2.1.20.39	Property: X-MICROSOFT-EXDATE .....	74
2.2.1.20.39.1	Parameter: VALUE .....	75
2.2.1.20.40	Property: X-MICROSOFT-ISDRAFT .....	75
2.2.1.20.41	Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT .....	76
2.2.1.20.42	Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS .....	76
2.2.1.20.43	Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE .....	76
2.2.1.20.44	Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS.....	76
2.2.1.20.45	Property: X-MICROSOFT-RRULE .....	77
2.2.1.20.45.1	Parameter: VALUE .....	77
2.2.1.20.45.2	Parameter: X-MICROSOFT-ISLEAPMONTH .....	77
2.2.1.20.46	Property: X-MS-OLK-ALLOWEXTERNCHECK.....	78
2.2.1.20.47	Property: X-MS-OLK-APPTLASTSEQUENCE .....	78
2.2.1.20.48	Property: X-MS-OLK-APPTSEQTIME.....	78
2.2.1.20.48.1	Parameter: TZID.....	79
2.2.1.20.49	Property: X-MS-OLK-AUTOFILLOCATION .....	79
2.2.1.20.50	Property: X-MS-OLK-AUTOSTARTCHECK.....	79
2.2.1.20.51	Property: X-MS-OLK-COLLABORATEDOC.....	79
2.2.1.20.52	Property: X-MS-OLK-CONFCHK .....	80
2.2.1.20.53	Property: X-MS-OLK-CONFTYPE.....	80
2.2.1.20.54	Property: X-MS-OLK-DIRECTORY .....	80
2.2.1.20.55	Property: X-MS-OLK-MWSURL.....	80
2.2.1.20.56	Property: X-MS-OLK-NETSHOWURL .....	81
2.2.1.20.57	Property: X-MS-OLK-ONLINEPASSWORD .....	81
2.2.1.20.58	Property: X-MS-OLK-ORGALIAS.....	81
2.2.1.20.59	Property: X-MS-OLK-ORIGALEND .....	81
2.2.1.20.60	Property: X-MS-OLK-ORIGINALSTART .....	82
2.2.1.20.61	Property: X-MS-OLK-SENDER.....	82
2.2.1.20.61.1	Parameter: CN.....	83
2.2.1.20.62	Component: VALARM .....	83
2.2.1.20.62.1	Property: TRIGGER .....	84
2.2.1.20.62.2	Property: ACTION .....	84
2.2.1.20.62.3	Property: DESCRIPTION.....	85
2.3	Additional Information on Recurrences .....	85
2.3.1	iCalendar Recurrence Syntax .....	85
2.3.1.1	Recurrence Part: FREQ .....	85
2.3.1.2	Recurrence Part: INTERVAL .....	86
2.3.1.3	Recurrence Part: BYMINUTE.....	86

2.3.1.4	Recurrence Part: BYHOUR.....	86
2.3.1.5	Recurrence Part: BYMONTHDAY.....	86
2.3.1.6	Recurrence Part: BYDAY.....	87
2.3.1.7	Recurrence Part: BYMONTH.....	88
2.3.1.8	Recurrence Part: BYSETPOS.....	88
2.3.1.9	Recurrence Part: WKST.....	88
2.3.1.10	Recurrence Part: UNTIL.....	89
2.3.1.11	Recurrence Part: COUNT.....	89
2.3.2	Recurrence Templates.....	89
2.3.2.1	Template: Daily Recurrences.....	90
2.3.2.2	Template: Weekly Recurrences.....	94
2.3.2.3	Template: Monthly Recurrences.....	97
2.3.2.4	Template: Monthly Nth Recurrences.....	99
2.3.2.5	Template: Yearly Recurrences.....	102
2.3.2.6	Template: Yearly Nth Recurrences.....	104
2.3.3	End-of-Month Concerns.....	107
2.3.4	Legacy UNTIL Concerns.....	107
<b>3</b>	<b>Structure Examples.....</b>	<b>108</b>
3.1	Example Birthday Calendar for 2008.....	108
3.2	Example Schedule for the Week of June 16, 2008.....	152
3.3	Example Single Meeting Scenario.....	217
3.3.1	Organizer's Meeting Request.....	217
3.3.2	Attendee's Meeting Acceptance.....	234
3.3.3	Organizer's Cancellation.....	244
3.4	Example Recurring Meeting Scenario.....	262
3.4.1	Organizer's Meeting Request.....	262
3.4.2	Organizer's Cancellation of an Instance.....	282
3.4.3	Organizer's Location Change of an Instance.....	301
3.4.4	Attendee's Tentative Acceptance of the Series.....	321
<b>4</b>	<b>Security Considerations.....</b>	<b>333</b>
<b>5</b>	<b>Appendix A: Product Behavior.....</b>	<b>334</b>
<b>6</b>	<b>Change Tracking.....</b>	<b>352</b>
<b>7</b>	<b>Index.....</b>	<b>354</b>

# 1 Introduction

The iCalendar file format, as specified in [\[RFC2445\]](#), specifies an extensible text structure that is capable of serializing a wide variety of calendar data, including meeting requests, task items, **free/busy** information, and exported calendars.

This document specifies how the iCalendar file format could be used by a **Calendar object** application as specified in [\[MS-OXOCAL\]](#) to communicate with other calendaring systems over non-**Message object** transports such as **SMTP**.

## 1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

**address book**  
**Address Book object**  
**Augmented Backus-Naur Form (ABNF)**  
**Calendar object**  
**Coordinated Universal Time (UTC)**  
**counter proposal**  
**entry ID**  
**little-endian**  
**Meeting Workspace**  
**Message object**  
**MIME**  
**one-off address**  
**one-off EntryID**  
**property(2)**  
**Recurring Calendar object**  
**reminder**  
**signal time**  
**Simple Mail Transfer Protocol (SMTP)**  
**Unicode**

The following terms are specific to this document:

**all day:** An all day appointment is an appointment with a floating start time at midnight of a given day, and a floating end time at midnight of another (or the same) day. [<1>](#)

**component:** In the context of [\[RFC2445\]](#), a component refers to a hierarchical object described in an iCalendar file. An iCalendar component can recursively contain any number of child components and any number of **properties**. More detailed information regarding iCalendar components can be found in [\[RFC2445\]](#) section 4.6.

**floating:** In the context of [\[RFC2445\]](#), a floating time represents a time to be interpreted in the observer's location and does not necessarily translate into the same **Coordinated Universal Time (UTC)** time in different locations. For example, a reminder for an appointment that starts at 1/1/2008 at 2:00pm floating time would fire two hours earlier in Athens than it would in London. More information regarding the syntax and interpretation of floating times can be found in [\[RFC2445\]](#) section 4.3.5.

**one-off:** A recipient that is identified by a **one-off EntryID** and/or **one-off address** rather than an **Address Book object entry ID**.

**parameter:** In the context of [\[RFC2445\]](#), a parameter refers to a name-value pair associated with a **property**. More detailed information regarding iCalendar parameters can be found in [\[RFC2445\]](#) section 4.2.

**primary calendar:** A primary calendar is the calendar its owner schedules against. In particular, meeting requests and responses are processed against **Calendar objects** in the primary calendar. Non-primary calendars do not reflect the calendar owner's free/busy schedule and tend to be more thematic and informational in nature.

**recurrence part:** A name-value pair in a **property** of type Recurrence Rule ([\[RFC2445\]](#) section 4.3.10). All recurrence parts relevant to this specification are enumerated under 2.3.1.

**week independent:** A BYDAY recurrence part is considered week independent if it does not specify any week numbers.

**x-prop:** In the context of [\[RFC2445\]](#), an x-prop refers to a **property**, parameter, or component that is not explicitly specified in [\[RFC2445\]](#). [\[RFC2445\]](#) section 4.8.8.1 requires that the names of all such non-standard **properties**, parameters, and components begin with the substring 'X-'.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-DTYP] Microsoft Corporation, "Windows Data Types", March 2007, <http://go.microsoft.com/fwlink/?LinkId=111558>

[MS-LCID] Microsoft Corporation, "Windows Language Code Identifier (LCID) Reference", March 2007, <http://go.microsoft.com/fwlink/?LinkId=112265>

[MS-OXCDATA] Microsoft Corporation, "[Data Structures](#)", April 2008.

[MS-OXCMAIL] Microsoft Corporation, "[RFC2822 and MIME to E-Mail Object Conversion Protocol Specification](#)", April 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", April 2008.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

[MS-OXOABK] Microsoft Corporation, "[Address Book Object Protocol Specification](#)", April 2008.

[MS-OXOCAL] Microsoft Corporation, "[Appointment and Meeting Object Protocol Specification](#)", April 2008.

[MS-OXOMSG] Microsoft Corporation, "[E-Mail Object Protocol Specification](#)", April 2008.

- [MS-OXPROPS] Microsoft Corporation, "[Exchange Server Protocols Master Property List](#)", April 2008.
- [MS-OXRTFCP] Microsoft Corporation, "[Rich Text Format \(RTF\) Compression Protocol Specification](#)", April 2008.
- [MS-OXRTFEX] Microsoft Corporation, "[Rich Text Format \(RTF\) Extensions Specification](#)", April 2008.
- [RFC1766] Alvestrand, H., "Tags for the Identification of Languages", RFC 1766, March 1995, <http://www.ietf.org/rfc/rfc1766.txt>
- [RFC2045] Freed, N., and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://www.ietf.org/rfc/rfc2045.txt>
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119, BCP 14, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>
- [RFC2368] Hoffman, P., Masinter, L., and Zawinski, J., "The mailto URL scheme", RFC 2368, July 1998, <http://www.ietf.org/rfc/rfc2368.txt>
- [RFC2392] Levinson, E., "Content-ID and Message-ID Uniform Resource Locators", RFC 2392, August 1998, <http://www.ietf.org/rfc/rfc2392.txt>
- [RFC2445] Dawson, F., and Stenerson, D., "Internet Calendaring and Scheduling Core Object Specification (iCalendar)", RFC 2445, November 1998, <http://www.ietf.org/rfc/rfc2445.txt>
- [RFC2446] Silverberg, S., Mansour, S., Dawson, F., and Hopson, R., "iCalendar Transport-Independent Interoperability Protocol (iTIP) Scheduling Events, BusyTime, To-dos and Journal Entries", RFC 2446, November 1998, <http://www.ietf.org/rfc/rfc2446.txt>
- [RFC2447] Dawson, F., Mansour, S., and Silverberg, S., "iCalendar Message-Based Interoperability Protocol (iMIP)", RFC 2447, November 1998, <http://www.ietf.org/rfc/rfc2447.txt>
- [RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", RFC 3629, STD 63, November 2003, <http://www.ietf.org/rfc/rfc3629.txt>
- [RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", RFC 3986, STD 66, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>
- [RFC5234] Crocker, D., Ed., and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 5234, STD 68, January 2008, <http://www.ietf.org/rfc/rfc5234.txt>

### 1.2.2 Informative References

None.

### 1.3 Overview

This document specifies how the iCalendar file format can be used by a Calendar object application as specified in [\[MS-OXOCAL\]](#) to communicate with other calendaring systems over non-Message object transports. More specifically, this document describes how to import iCalendar data into a Calendar object and how to export Calendar objects as iCalendar data.

### 1.4 Relationship to Protocols and Other Structures

This document specifies a mapping between the iCalendar file format [\[RFC2445\]](#) and a Calendar object (specified in [\[MS-OXOCAL\]](#)), which can be updated and sent using the protocols specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).

When used as a **meeting request**, the iCalendar file format can be embedded as a **MIME** part in an e-mail as described in [\[RFC2447\]](#) and specified in [\[MS-OXCMAIL\]](#).

## 1.5 Applicability Statement

This file format is applicable for scenarios where **calendar** data needs to be transported between a Calendar object source and a non-Calendar object or indeterminate destination. This file format is best avoided if 100 percent fidelity is required when transporting calendar data between a Calendar object source and a Calendar object destination.

## 1.6 Versioning and Localization

This document covers versioning issues in the following areas:

- **Structure Version:** The iCalendar file format defines a **VERSION property**, as specified in section [2.2.1.3](#).
- **Localization:** The iCalendar file format defines a **LANGUAGE** parameter, as specified in section [2.2.1.20.11.1](#), section [2.2.1.20.15.1](#), and section [2.2.1.20.24.1](#).

Versioning is not a concern for the iCalendar file format because only one version has been approved by the IETF as of Q1 2008.

Similarly, localization is generally not an issue because the default encoding of an iCalendar file is UTF-8 (specified in [\[RFC3629\]](#)), so all implementers are expected to handle **Unicode** data. Localization issues might arise if an implementation chooses to override the default character set in the context of a **MIME part**.

## 1.7 Vendor-Extensible Fields

[\[RFC2445\]](#) section 4.8.8.1 permits the insertion of non-standard **components**, properties, and parameters into the iCalendar file. The primary requirement of these extensible fields is that the name begin with 'X-', and as such, they are often termed x-components, **x-props**, and x-parameters. This document specifies several x-props to increase the fidelity of the conversion between Calendar objects and the iCalendar file format.

## 2 Structures

The structure of the iCalendar text stream is described in [\[RFC2445\]](#) section 4.1.

### 2.1 Property Relevance

Section [2.2](#) specifies over 100 components, properties, and **parameters** that can be converted between the iCalendar and Calendar object. Table 1 provides recommendations regarding the actual relevance of each components, properties, and parameters to the scenarios defined by five values of the METHOD property: 'PUBLISH' (PUB), 'REQUEST' (REQ), 'REPLY' (REP), 'COUNTER' (COU), and 'CANCEL' (CAN) [\[RFC2446\]](#).

Table 1- Relevance of components, properties, and parameters to various scenarios. For clarity, 'No's are represented by a blank space. The '\*' symbol is used to indicate hierarchy placement.

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
VCALENDAR	<a href="#">2.2.1</a>	Yes	Yes	Yes	Yes	Yes
• METHOD	<a href="#">2.2.1.1</a>	Yes	Yes	Yes	Yes	Yes
• PRODID	<a href="#">2.2.1.2</a>	Yes	Yes	Yes	Yes	Yes
• VERSION	<a href="#">2.2.1.3</a>	Yes	Yes	Yes	Yes	Yes
• X-CALEND	<a href="#">2.2.1.4</a>	Yes				
• • TZID	<a href="#">2.2.1.4.1</a>	Yes				
• X-CALSTART	<a href="#">2.2.1.5</a>	Yes				
• • TZID	<a href="#">2.2.1.5.1</a>	Yes				
• X-CLIPEND	<a href="#">2.2.1.6</a>	Yes				
• • TZID	<a href="#">2.2.1.6.1</a>	Yes				
• X-CLIPSTART	<a href="#">2.2.1.7</a>	Yes				
• • TZID	<a href="#">2.2.1.7.1</a>	Yes				
• X-MICROSOFT-CALSCALE	<a href="#">2.2.1.8</a>	Yes	Yes	Yes	Yes	Yes
• X-MS-OLK-FORCEINSPECTOROPEN	<a href="#">2.2.1.9</a>	Yes				
• X-MS-WKHRDAYS	<a href="#">2.2.1.10</a>	Yes				
• X-MS-WKHREND	<a href="#">2.2.1.11</a>	Yes				
• • TZID	<a href="#">2.2.1.11.1</a>	Yes				
• X-MS-WKHRSTART	<a href="#">2.2.1.12</a>	Yes				
• • TZID	<a href="#">2.2.1.12.1</a>	Yes				
• X-OWNER	<a href="#">2.2.1.13</a>	Yes				
• • CN	<a href="#">2.2.1.13.1</a>	Yes				

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• X-PRIMARY-CALENDAR	<a href="#">2.2.1.14</a>	Yes				
• X-PUBLISHED-TTL	<a href="#">2.2.1.15</a>	Yes				
• X-WR-CALDESC	<a href="#">2.2.1.16</a>	Yes				
• X-WR-CALNAME	<a href="#">2.2.1.17</a>	Yes				
• X-WR-RELCALID	<a href="#">2.2.1.18</a>	Yes				
• VTIMEZONE	<a href="#">2.2.1.19</a>	Yes	Yes	Yes	Yes	Yes
• • TZID	<a href="#">2.2.1.19.1</a>	Yes	Yes	Yes	Yes	Yes
• • • STANDARD	<a href="#">2.2.1.19.2</a>	Yes	Yes	Yes	Yes	Yes
• • • • DTSTART	<a href="#">2.2.1.19.2.1</a>	Yes	Yes	Yes	Yes	Yes
• • • • RRULE	<a href="#">2.2.1.19.2.2</a>	Yes	Yes	Yes	Yes	Yes
• • • • TZNAME	<a href="#">2.2.1.19.2.3</a>	Yes	Yes	Yes	Yes	Yes
• • • • TZOFFSETFROM	<a href="#">2.2.1.19.2.4</a>	Yes	Yes	Yes	Yes	Yes
• • • • TZOFFSETTO	<a href="#">2.2.1.19.2.5</a>	Yes	Yes	Yes	Yes	Yes
• • • DAYLIGHT	<a href="#">2.2.1.19.3</a>	Yes	Yes	Yes	Yes	Yes
• • • • DTSTART	<a href="#">2.2.1.19.3.1</a>	Yes	Yes	Yes	Yes	Yes
• • • • RRULE	<a href="#">2.2.1.19.3.2</a>	Yes	Yes	Yes	Yes	Yes
• • • • TZNAME	<a href="#">2.2.1.19.3.3</a>	Yes	Yes	Yes	Yes	Yes
• • • • TZOFFSETFROM	<a href="#">2.2.1.19.3.4</a>	Yes	Yes	Yes	Yes	Yes
• • • • TZOFFSETTO	<a href="#">2.2.1.19.3.5</a>	Yes	Yes	Yes	Yes	Yes
• VEVENT	<a href="#">2.2.1.20</a>	Yes	Yes	Yes	Yes	Yes
• • ATTACH	<a href="#">2.2.1.20.1</a>	Yes				
• • • ENCODING	<a href="#">2.2.1.20.1.1</a>	Yes				
• • • FMTTYPE	<a href="#">2.2.1.20.1.2</a>	Yes				
• • • VALUE	<a href="#">2.2.1.20.1.3</a>	Yes				
• • • X-FILENAME	<a href="#">2.2.1.20.1.4</a>	Yes				
• • ATTENDEE	<a href="#">2.2.1.20.2</a>	Yes	Yes	Yes	Yes	Yes
• • • CN	<a href="#">2.2.1.20.2.1</a>	Yes	Yes	Yes	Yes	Yes
• • • CUTYPE	<a href="#">2.2.1.20.2.2</a>	Yes	Yes	Yes	Yes	Yes
• • • PARTSTAT	<a href="#">2.2.1.20.2.3</a>			Yes	Yes	
• • • ROLE	<a href="#">2.2.1.20.2.4</a>	Yes	Yes	Yes	Yes	Yes



Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
••• RSVP	<a href="#">2.2.1.20.2.5</a>	Yes	Yes			Yes
•• CATEGORIES	<a href="#">2.2.1.20.3</a>	Yes	Yes	Yes	Yes	Yes
•• CLASS	<a href="#">2.2.1.20.4</a>	Yes	Yes	Yes	Yes	Yes
•• COMMENT	<a href="#">2.2.1.20.5</a>			Yes	Yes	
•• CONTACT	<a href="#">2.2.1.20.6</a>	Yes	Yes	Yes	Yes	Yes
•• CREATED	<a href="#">2.2.1.20.7</a>					
•• DTEND	<a href="#">2.2.1.20.8</a>	Yes	Yes	Yes	Yes	Yes
••• TZID	<a href="#">2.2.1.20.8.1</a>	Yes	Yes	Yes	Yes	Yes
••• VALUE	<a href="#">2.2.1.20.8.2</a>	Yes	Yes	Yes	Yes	Yes
•• DTSTAMP	<a href="#">2.2.1.20.9</a>	Yes	Yes	Yes	Yes	Yes
••• TZID	<a href="#">2.2.1.20.9.1</a>					
•• DTSTART	<a href="#">2.2.1.20.10</a>	Yes	Yes	Yes	Yes	Yes
••• TZID	<a href="#">2.2.1.20.10.1</a>	Yes	Yes	Yes	Yes	Yes
••• VALUE	<a href="#">2.2.1.20.10.2</a>	Yes	Yes	Yes	Yes	Yes
•• DESCRIPTION	<a href="#">2.2.1.20.11</a>	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	<a href="#">2.2.1.20.11.1</a>	Yes	Yes	Yes	Yes	Yes
•• DURATION	<a href="#">2.2.1.20.12</a>					
•• EXDATE	<a href="#">2.2.1.20.13</a>	Yes	Yes	Yes	Yes	Yes
••• TZID	<a href="#">2.2.1.20.13.1</a>	Yes	Yes	Yes	Yes	Yes
••• VALUE	<a href="#">2.2.1.20.13.2</a>	Yes	Yes	Yes	Yes	Yes
•• LAST-MODIFIED	<a href="#">2.2.1.20.14</a>					
•• LOCATION	<a href="#">2.2.1.20.15</a>	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	<a href="#">2.2.1.20.15.1</a>	Yes	Yes	Yes	Yes	Yes
•• ORGANIZER	<a href="#">2.2.1.20.16</a>	Yes	Yes	Yes	Yes	Yes
••• CN	<a href="#">2.2.1.20.16.1</a>	Yes	Yes	Yes	Yes	Yes
•• PRIORITY	<a href="#">2.2.1.20.17</a>	Yes	Yes	Yes	Yes	Yes
•• RDATE	<a href="#">2.2.1.20.18</a>	Yes	Yes	Yes	Yes	Yes
••• TZID	<a href="#">2.2.1.20.18.1</a>	Yes	Yes	Yes	Yes	Yes
••• VALUE	<a href="#">2.2.1.20.18.2</a>	Yes	Yes	Yes	Yes	Yes
•• RRULE	<a href="#">2.2.1.20.19</a>	Yes	Yes	Yes	Yes	Yes

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• • RECURRENCE-ID	<a href="#">2.2.1.20.20</a>	Yes	Yes	Yes	Yes	Yes
• • • TZID	<a href="#">2.2.1.20.20.1</a>	Yes	Yes	Yes	Yes	Yes
• • • VALUE	<a href="#">2.2.1.20.20.2</a>	Yes	Yes	Yes	Yes	Yes
• • RESOURCES	<a href="#">2.2.1.20.21</a>	Yes	Yes	Yes	Yes	Yes
• • SEQUENCE	<a href="#">2.2.1.20.22</a>	Yes	Yes	Yes	Yes	Yes
• • STATUS	<a href="#">2.2.1.20.23</a>					
• • SUMMARY	<a href="#">2.2.1.20.24</a>	Yes	Yes	Yes	Yes	Yes
• • • LANGUAGE	<a href="#">2.2.1.20.24.1</a>	Yes	Yes	Yes	Yes	Yes
• • TRANSP	<a href="#">2.2.1.20.25</a>	Yes	Yes	Yes	Yes	Yes
• • UID	<a href="#">2.2.1.20.26</a>	Yes	Yes	Yes	Yes	Yes
• • X-ALT-DESC	<a href="#">2.2.1.20.27</a>	Yes				
• • • FMTTYPE	<a href="#">2.2.1.20.27.1</a>	Yes				
• • X-MICROSOFT-CDO-ALLDAYEVENT	<a href="#">2.2.1.20.28</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-APPT-SEQUENCE	<a href="#">2.2.1.20.29</a>					
• • X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE	<a href="#">2.2.1.20.30</a>		Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-BUSYSTATUS	<a href="#">2.2.1.20.31</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-IMPORTANCE	<a href="#">2.2.1.20.32</a>					
• • X-MICROSOFT-CDO-INSTTYPE	<a href="#">2.2.1.20.33</a>					
• • X-MICROSOFT-CDO-INTENDEDSTATUS	<a href="#">2.2.1.20.34</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-OWNERAPPTID	<a href="#">2.2.1.20.35</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE	<a href="#">2.2.1.20.36</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-REPLYTIME	<a href="#">2.2.1.20.37</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-DISALLOW-COUNTER	<a href="#">2.2.1.20.38</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-EXDATE	<a href="#">2.2.1.20.39</a>	Yes	Yes	Yes	Yes	Yes
• • • VALUE	<a href="#">2.2.1.20.39.1</a>	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-ISDRAFT	<a href="#">2.2.1.20.40</a>	Yes				
• • X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	<a href="#">2.2.1.20.41</a>					
• • X-MICROSOFT-MSNCALENDAR-BUSYSTATUS	<a href="#">2.2.1.20.42</a>					
• • X-MICROSOFT-MSNCALENDAR-IMPORTANCE	<a href="#">2.2.1.20.43</a>					

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
•• X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS	<a href="#">2.2.1.20.44</a>					
•• X-MICROSOFT-RRULE	<a href="#">2.2.1.20.45</a>	Yes	Yes	Yes	Yes	Yes
••• VALUE	<a href="#">2.2.1.20.45.1</a>	Yes	Yes	Yes	Yes	Yes
••• X-MICROSOFT-ISLEAPMONTH	<a href="#">2.2.1.20.45.2</a>	Yes	Yes	Yes	Yes	Yes
•• X-MS-OLK-ALLOWEXTERNCHECK	<a href="#">2.2.1.20.46</a>					
•• X-MS-OLK-APPTLASTSEQUENCE	<a href="#">2.2.1.20.47</a>					
•• X-MS-OLK-APPTSEQTIME	<a href="#">2.2.1.20.48</a>					
••• TZID	<a href="#">2.2.1.20.48.1</a>					
•• X-MS-OLK-AUTOFILLOCATION	<a href="#">2.2.1.20.49</a>					
•• X-MS-OLK-AUTOSTARTCHECK	<a href="#">2.2.1.20.50</a>					
•• X-MS-OLK-COLLABORATEDOC	<a href="#">2.2.1.20.51</a>					
•• X-MS-OLK-CONFCHK	<a href="#">2.2.1.20.52</a>					
•• X-MS-OLK-CONFTYPE	<a href="#">2.2.1.20.53</a>					
•• X-MS-OLK-DIRECTORY	<a href="#">2.2.1.20.54</a>					
•• X-MS-OLK-MWSURL	<a href="#">2.2.1.20.55</a>					
•• X-MS-OLK-NETSHOWURL	<a href="#">2.2.1.20.56</a>					
•• X-MS-OLK-ONLINEPASSWORD	<a href="#">2.2.1.20.57</a>					
•• X-MS-OLK-ORGALIAS	<a href="#">2.2.1.20.58</a>					
••X-MS-OLK-ORIGINALEND	<a href="#">2.2.1.20.59</a>				Yes	
••X-MS-OLK-ORIGINALSTART	<a href="#">2.2.1.20.60</a>				Yes	
•• X-MS-OLK-SENDER	<a href="#">2.2.1.20.61</a>	Yes				
••• CN	<a href="#">2.2.1.20.61.1</a>	Yes				
•• VALARM	<a href="#">2.2.1.20.62</a>	Yes	Yes			Yes
••• TRIGGER	<a href="#">2.2.1.20.62.1</a>	Yes	Yes			Yes
••• ACTION	<a href="#">2.2.1.20.62.2</a>	Yes	Yes			Yes
••• DESCRIPTION	<a href="#">2.2.1.20.62.3</a>	Yes	Yes			Yes

## 2.2 Hierarchy of Components, Properties, and Parameters

This subsection enumerates all iCalendar components, properties, and parameters that can be mapped to Calendar objects. The hierarchy presented in the header specifies all parent-child

relationships between these components, properties, and parameters. Any components, properties, and parameters not specified in this document SHOULD be ignored.

Unless otherwise specified, if the Calendar object property being exported is not set, then the corresponding property SHOULD NOT be exported. Similarly, unless otherwise specified, if the property being imported is not present, then the corresponding Calendar object property SHOULD be left unset.

## 2.2.1 Component: VCALENDAR

RFC Reference: [\[RFC2445\]](#) section 4.4

Number of Instances Allowed: 1+

Brief Description: The root component of a valid iCalendar file.

**Importing To and Exporting From** Calendar objects

A valid iCalendar file SHOULD [<2>](#) have exactly one VCALENDAR component as its root.

### 2.2.1.1 Property: METHOD

RFC Reference: [\[RFC2445\]](#) section 4.7.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Distinguishes normal appointments from meeting requests, responses, and cancellations.

**Importing To** Calendar objects

The METHOD property SHOULD be imported as the [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) of all imported Calendar objects, as specified in table 2 [<3>](#). In the case where the METHOD property is set to 'REPLY', the [PidTagMessageClass](#) has several possible values depending on the PARTSTAT parameter of the ATTENDEE property of the VEVENT component. If the METHOD property is set to 'REPLY' or 'COUNTER', the iCalendar MUST have exactly one ATTENDEE property and exactly one such PARTSTAT parameter.

In the case where the METHOD property is set to 'REQUEST', 'REPLY', or 'CANCEL', the VCALENDAR file MUST define exactly one appointment [<4>](#).

Table 2 – Mapping of [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) to the METHOD property.

METHOD	PARTSTAT	PidLidAppointmentCounterProposal	PidTagMessageClass
(default)		FALSE or unset	IPM.appointment
PUBLISH		FALSE or unset	IPM.appointment
REQUEST		FALSE or unset	IPM.Schedule.meeting.Request
REPLY	ACCEPTED	FALSE or unset	IPM.Schedule.meeting.Resp.Pos
REPLY	TENTATIVE	FALSE or unset	IPM.Schedule.meeting.Resp.Tent

METHOD	PARTSTAT	PidLidAppointmentCounterProposal	PidTagMessageClass
REPLY	DECLINED	FALSE or unset	IPM.Schedule.meeting.Resp.Neg
COUNTER	TENTATIVE	TRUE	IPM.Schedule.meeting.Resp.Tent
CANCEL		FALSE or unset	IPM.Schedule.meeting.Canceled

### Exporting From Calendar objects

For exports of calendars, the METHOD property MUST be left unset or set to **publish**. For exports of individual Calendar objects, the [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) of the Calendar object SHOULD be exported as the METHOD property as specified in table 2 [<5>](#).

#### 2.2.1.2 Property: PRODID

RFC Reference: [\[RFC2445\]](#) section 4.7.3

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the application that generated the iCalendar file.

#### Importing To Calendar objects

When parsing an iCalendar file, if the value of the PRODID property begins with the substring '-//Microsoft Corporation//Outlook<SP>' and ends with the substring '<SP>MIMEDIR//EN', where '<SP>' represents the space character (U+0020), and if the integer part of the version number between the two substrings is between 1 and 11 (inclusive), then some behavior changes SHOULD be made as described in section [2.3.4](#).

### Exporting From Calendar objects

The value assigned to PRODID MUST be unique for different implementations and different versions of an iCalendar converter.

#### 2.2.1.3 Property: VERSION

RFC Reference: [\[RFC2445\]](#) section 4.7.4

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the version of an iCalendar file.

#### Importing To and Exporting From Calendar objects

The value of this property MUST be set to '2.0'.

#### 2.2.1.4 Property: X-CALEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Identifies the end time of the last instance of an appointment in the iCalendar file.

**Importing To** Calendar objects

This property SHOULD be ignored.

**Exporting From Calendar objects**

This property SHOULD [<6>](#) be computed as the end time of the last instance of an appointment in the iCalendar file. If the iCalendar contains appointments with **floating** and non-floating end times in such a way that the calendar's end time is dependent on the recipient's time zone, the X-CALEND property SHOULD [<7>](#) be declared twice: once with a floating calendar end time, and once with a non-floating calendar end time.

#### 2.2.1.4.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### 2.2.1.5 Property: X-CALSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Identifies the start time of the first instance of an appointment in the iCalendar file.

**Importing To** Calendar objects

This property SHOULD be ignored.

**Exporting From Calendar objects**

This property SHOULD [<8>](#) be computed as the start time of the first instance of an appointment in the iCalendar file. If the iCalendar contains appointments with floating and non-floating start times in such a way that the calendar's start time is dependent on the recipient's time zone, the X-CALSTART property SHOULD [<9>](#) be declared twice: once with a floating calendar start time, and once with a non-floating calendar start time.

#### 2.2.1.5.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

### **2.2.1.6 Property: X-CLIPEND**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Indicates the end of the date range that the user selected for export during the creation of the iCalendar file.

**Importing To** Calendar objects

This property SHOULD [<10>](#) be ignored.

**Exporting From Calendar objects**

This property SHOULD [<11>](#) be the end of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

#### **2.2.1.6.1 Parameter: TZID**

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### **2.2.1.7 Property: X-CLIPSTART**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Indicates the start of the date range that the user selected for export during the creation of the iCalendar file.

**Importing To** Calendar objects

This property SHOULD [<12>](#) be ignored.

**Exporting From Calendar objects**

This property SHOULD [<13>](#) be the start of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

#### 2.2.1.7.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### 2.2.1.8 Property: X-MICROSOFT-CALSCALE

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the calendar type of a non-Gregorian recurring appointment.

**Importing To** Calendar objects

If this property is specified, then it SHOULD [<14>](#) be imported for every VEVENT that declares an X-MICROSOFT-RRULE.

This property SHOULD [<15>](#) set the CalendarType field of [PidLidAppointmentRecur](#). See also sections [2.3.2.1](#), [2.3.2.2](#), [2.3.2.3](#), [2.3.2.4](#), [2.3.2.5](#), and [2.3.2.6](#).

Table 3- Import mapping of X-MICROSOFT-CALSCALE

X-MICROSOFT-CALSCALE Value	CalendarType
Not present or empty string (default)	0x0000
Gregorian	0x0001
Gregorian_us	0x0002
Japan	0x0003
Taiwan	0x0004
Korea	0x0005
Hijri	Either 0x0000 or 0x0006, as specified in table 4 (the PatternType field SHOULD <a href="#">&lt;16&gt;</a> also be overwritten as specified in table 4).
Thai	0x0007
Hebrew	0x0008



<b>X-MICROSOFT-CALSCALE Value</b>	<b>CalendarType</b>
GregorianMeFrench	0x0009
GregorianArabic	0x000A
GregorianXlitEnglish	0x000B
GregorianXlitFrench	0x000C
JapanLunar	0x000E
ChineseLunar	0x000F
Saka	0x0010
LunarEtoChn	0x0011
LunarEtoKor	0x0012
LunarRokuyou	0x0013
KoreaLunar	0x0014
Umalqura	0x0017

For appointments with a X-MICROSOFT-CALSCALE value of "Hijri", the value for **PatternType** and **CalendarType** depend upon the imported value of **PatternType**. **PatternType** should be determined as specified in section [2.3.2](#). The resulting value should then be overwritten as specified in Table 4.

Table 4- Special translation of PatternType for Hijri calendars

<b>Imported PatternType Value</b>	<b>Hijri PatternType Value</b>	<b>Hijri CalendarType Value</b>
0x0000	0x0000	0x0006
0x0001	0x0001	0x0006
0x0002	0x000A	0x0000
0x0003	0x000B	0x0000

#### Exporting From Calendar objects

Since this property is a child of the VCALENDAR, a VCALENDAR MUST NOT contain any two VEVENTs that would result in different values of X-MICROSOFT-CALSCALE.

If the CalendarType field of [PidLidAppointmentRecur](#) is non-zero, then this property SHOULD [<17>](#) be exported as specified in table 5.

Additionally, for certain values of the PatternType field of [PidLidAppointmentRecur](#), this property SHOULD [<18>](#) be exported as specified in table 6.

CalendarType Value	X-MICROSOFT-CALSCALE Value
0x0001	Gregorian
0x0002	Gregorian_us
0x0003	Japan
0x0004	Taiwan
0x0005	Korea
0x0006	Hijri
0x0007	Thai
0x0008	Hebrew
0x0009	GregorianMeFrench
0x000A	GregorianArabic
0x000B	GregorianXlitEnglish
0x000C	GregorianXlitFrench
0x000E	JapanLunar
0x000F	ChineseLunar
0x0010	Saka
0x0011	LunarEtoChn
0x0012	LunarEtoKor
0x0013	LunarRokuyou
0x0014	KoreaLunar
0x0017	Umalqura

Table 6- Additional export mappings of X-MICROSOFT-CALSCALE

Special PatternType Value	X-MICROSOFT-CALSCALE Value
0x000A	Hijri
0x000B	Hijri

### 2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file only contains one appointment.

### **Importing To** Calendar objects

If this property is set to TRUE, the iCalendar **stream** SHOULD [<19>](#) be imported as a single Calendar object, regardless of the number of VEVENT components present in the iCalendar. Note that it is possible for an iCalendar file containing multiple VEVENT components to represent a single appointment through the use of the RECURRENCE-ID property specified in section [2.2.1.20.20](#).

### **Exporting From Calendar objects**

This property SHOULD [<20>](#) be set to 'TRUE' if the iCalendar file represents a single appointment rather than a calendar export.

## **2.2.1.10 Property: X-MS-WKHRDAYS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the days of the week in the calendar owner's workweek.

### **Importing To Calendar objects**

This property SHOULD [<21>](#) be ignored.

### **Exporting From Calendar objects**

If this iCalendar does not represent the **primary calendar** of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<22>](#) be a comma-delimited list containing any number of the elements enumerated in Table 44.

Each element MUST NOT appear more than once, but the order of the elements does not matter. The syntax of this format is the same as the syntax of a **week independent** BYDAY **recurrence part** specified in [2.3.1.6](#).

## **2.2.1.11 Property: X-MS-WKHREND**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([\[RFC2445\]](#) section 4.3.12)

Brief Description: Specifies the end time of the calendar owner's workday.

### **Importing To** Calendar objects

This property SHOULD [<23>](#) be ignored.

### **Exporting From Calendar objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<24>](#) be the end time of the calendar owner's workday, specified as a local time with the TZID parameter (section [2.2.1.11.1](#)).

#### 2.2.1.11.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### 2.2.1.12 Property: X-MS-WKHRSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([\[RFC2445\]](#) section 4.3.12)

Brief Description: Specifies the starting time of the calendar owner's workday.

**Importing To** Calendar objects

This property SHOULD [<25>](#) be ignored.

**Exporting From Calendar objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<26>](#) be the start time of the calendar owner's workday, specified as a local time with the TZID parameter (section [2.2.1.12.1](#)).

#### 2.2.1.12.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### 2.2.1.13 Property: X-OWNER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: Specifies the calendar owner of a primary calendar.

**Importing To** Calendar objects

This property SHOULD [<27>](#) be ignored.

#### **Exporting From Calendar objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<28>](#) be the e-mail address of the owner.

#### **2.2.1.13.1 Parameter: CN**

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the display name of the owner of a primary calendar.

**Importing To** Calendar objects

This parameter SHOULD [<29>](#) be ignored.

#### **Exporting From Calendar objects**

If this iCalendar does not represent the primary calendar of the owner, this parameter SHOULD be omitted. Otherwise, this parameter SHOULD [<30>](#) be the display name of the owner.

#### **2.2.1.14 Property: X-PRIMARY-CALENDAR**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file represents a primary calendar.

**Importing To** Calendar objects

This property SHOULD [<31>](#) be ignored.

#### **Exporting From Calendar objects**

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<32>](#) be set to 'TRUE'.

#### **2.2.1.15 Property: X-PUBLISHED-TTL**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6)

Brief Description: Specifies a suggested iCalendar file download frequency for clients and servers with sync capabilities.

**Importing To** Calendar objects

This property SHOULD [<33>](#) be ignored.

#### **Exporting From Calendar objects**

If this iCalendar is being automatically published to a remote location at regular intervals, this property SHOULD [<34>](#) be set to that interval with a minimum granularity of minutes.

### **2.2.1.16 Property: X-WR-CALDESC**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the description of the calendar.

**Importing To** Calendar objects

This property SHOULD [<35>](#) be ignored.

#### **Exporting From Calendar objects**

If this iCalendar represents an export of a calendar, and if the owner has provided a description of the calendar, this property SHOULD [<36>](#) be set to the owner's specified text, which SHOULD [<37>](#) be truncated to a length of 255 WCHARs if the length exceeds 255 WCHARs. The truncation SHOULD NOT [<38>](#) split surrogate pairs.

### **2.2.1.17 Property: X-WR-CALNAME**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the name of the calendar.

**Importing To** Calendar objects

This property SHOULD [<39>](#) be imported directly into [<40>](#) the [PidTagDisplayName](#) of the Folder Object representing the newly-created destination of the imported appointments.

#### **Exporting From Calendar objects**

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD [<41>](#) be set to the value of [PidTagDisplayName](#) on the Folder Object representing the calendar being exported.

If the calendar is the owner's primary calendar, this property SHOULD [<42>](#) instead be set to a more descriptive locale-dependent string containing the owner's name (e.g. 'Elizabeth Andersen calendar').

### **2.2.1.18 Property: X-WR-RELCALID**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies a globally unique identifier for the calendar.

**Importing To** Calendar objects

This property SHOULD [<43>](#) be used and persisted by the iCalendar renderer to decide whether the import overwrites an existing calendar or creates a new calendar.

**Exporting From Calendar objects**

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD [<44>](#) be set to a value that will be globally unique for different calendars, but consistent across multiple exports of the same calendar.

### 2.2.1.19 Component: VTIMEZONE

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 0+ [<45>](#)

Brief Description: Specifies any time zones referenced by TZID parameters.

**Importing To** Calendar objects

Since TZIDs can be referenced by many properties, including several x-props in the root component, VTIMEZONEs MUST be used to resolve all local times in the iCalendar file, even if the TZID reference occurs before the VTIMEZONE definition. This section discusses how to import a VTIMEZONE into a [PidLidTimeZoneStruct](#) structure [\[MS-OXOCAL\]](#).

Table 7- All fields of the PidLidTimeZoneStruct structure

Field of the PidLidTimeZoneStruct structure	Value
<b>IBias</b>	See section <a href="#">2.2.1.19.2.5</a>
<b>IStandardBias</b>	Set to 0x00000000
<b>IDaylightBias</b>	See section <a href="#">2.2.1.19.3.5</a>
<b>stStandardDate</b>	See sections <a href="#">2.2.1.19.2.1</a> and <a href="#">2.2.1.19.2.2</a>
<b>stDaylightDate</b>	See sections <a href="#">2.2.1.19.3.1</a> and <a href="#">2.2.1.19.3.2</a>
<b>wStandardYear</b>	Set to the <b>wYear</b> field of <b>stStandardDate</b>
<b>wDaylightYear</b>	Set to the <b>wYear</b> field of <b>stDaylightDate</b>

If this VTIMEZONE is imported as [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), and/or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) [<46>](#), then Table 8 specifies the contents of the resulting blob (the structure of this blob is specified in [\[MS-OXOCAL\]](#)). See section [2.2.1.20.8.1](#) and section [2.2.1.20.10.1](#) for more information.

Table 8- All fields of the `PidLidAppointmentTimeZoneDefinitionRecur`, `PidLidAppointmentTimeZoneDefinitionStartDisplay`, or `PidLidAppointmentTimeZoneDefinitionEndDisplay` blob.

Field of the blob	Value
Major Version	Constant specified by [MS-OXOCAL]
Minor Version	Constant specified by [MS-OXOCAL]
cbHeader	Set to (0x0006 + 0x0002 * cchKeyName)
Reserved	Constant specified by [MS-OXOCAL]
cchKeyName	Set to the number of characters in KeyName
KeyName	See section <a href="#">2.2.1.19.1</a>
cRules	Set to 0x0001
TZRules[1].Major Version	Constant specified by [MS-OXOCAL]
TZRules[1].Minor Version	Constant specified by [MS-OXOCAL]
TZRules[1].Reserved	Constant specified by [MS-OXOCAL]
TZRules[1].TZRule flags	Set to 0x0002 for <a href="#">PidLidAppointmentTimeZoneDefinitionStartDisplay</a> and <a href="#">PidLidAppointmentTimeZoneDefinitionEndDisplay</a> . Set to 0x0003 for <a href="#">PidLidAppointmentTimeZoneDefinitionRecur</a> .
TZRules[1].wYear	Set to 0x0641
TZRules[1].X	Constant specified by [MS-OXOCAL]
TZRules[1].IBias	Import the same as the IBias field of a <a href="#">PidLidTimeZoneStruct</a> structure (see Table 7)
TZRules[1].IStandardBias	Import the same as the IStandardBias field of a <a href="#">PidLidTimeZoneStruct</a> structure (see Table 7)
TZRules[1].IDaylightBias	Import the same as the IDaylightBias field of a <a href="#">PidLidTimeZoneStruct</a> structure (see Table 7)
TZRules[1].stStandardDate	Import the same as the stStandardDate field of a <a href="#">PidLidTimeZoneStruct</a> structure (see Table 7)
TZRules[1].stDaylightDate	Import the same as the stDaylightDate field of a <a href="#">PidLidTimeZoneStruct</a> structure (see Table 7)

### Exporting From Calendar objects

A VTIMEZONE component MUST be declared for each unique value of any TZID parameters in the iCalendar. Note that the comparison used to match TZID parameters to VTIMEZONE components SHOULD [<47>](#) be case-insensitive.

If exporting a VTIMEZONE from a [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#), the *IBias*, *IStandardBias*, *IDaylightBias*, *stStandardDate*, and *stDaylightDate* subfields of the TZRule entry with the



TZRULE\_FLAG\_EFFECTIVE\_TZREG (0x0002) bit set in the *TZRule flags* field MUST be exported as a [PidLidTimeZoneStruct](#) structure as specified in the following subsections. <48>

#### 2.2.1.19.1 Property: TZID

RFC Reference: [\[RFC2445\]](#) section 4.8.3.1

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the time zone. This string will be compared (case-insensitive <49>) to TZID parameters in the rest of the iCalendar to identify the time zone being referenced by the parameter's parent property.

##### Importing To Calendar objects

This property SHOULD be imported as specified in section [2.2.1.20.8.1](#) and section [2.2.1.20.10.1](#).

##### Exporting From Calendar objects

If the system's local time zone is being exported as a VTIMEZONE, then this name MUST be derived from the system API that supplied the time zone.

If the [PidLidTimeZoneStruct](#) property is being exported as a VTIMEZONE, this name SHOULD be derived from [PidLidTimeZoneDescription](#), but MAY be set to any unique string.

If the [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) property is being exported as a VTIMEZONE, then the value of TZID MUST <50> be derived from the KeyName field of the [PidLidAppointmentTimeZoneDefinitionRecur](#) structure ([\[MS-OXOCAL\]](#) section 2.2.1.41) contained in the property.

In all cases, TZIDs for different time zones MUST be unique, and each unique TZID MUST NOT be defined more than once.

#### 2.2.1.19.2 Component: STANDARD

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 1+

Brief Description: A specification of the Standard portion of the time zone.

##### Importing To Calendar objects

If more than one STANDARD component is defined in the VTIMEZONE, only the STANDARD component with the largest DTSTART SHOULD <51> be parsed.

##### Exporting From Calendar objects

Exactly one STANDARD component SHOULD be exported for each VTIMEZONE.

#### 2.2.1.19.2.1 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The effective start date of this onset of Standard time.

**Importing To** Calendar objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the stStandardDate field of the [PidLidTimeZoneStruct](#) structure MUST be set to 0x00.

If the VTIMEZONE being imported contains one or more DAYLIGHT sub-components, the fields of the stStandardDate field of the [PidLidTimeZoneStruct](#) structure are set according to table 9.

Table 9- All sub-fields of the PidLidTimeZoneStruct.stStandardDate structure

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wMonth	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wDayOfWeek	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wDay	(dependent on RRULE; see Table 10, Table 13, and Table 14)
wHour	The hour portion of DTSTART
wMinute	The minute portion of DTSTART
wSecond	The second portion of DTSTART
wMilliseconds	Set to 0x0000

If an RRULE property is not specified for this component, additional portions of the stStandardDate field of the [PidLidTimeZoneStruct](#) structure SHOULD [<52>](#) be imported as specified in Table 10.

Table 10- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has no RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0000
wMonth	The month portion of DTSTART
wDayOfWeek	The day of the week of the date specified by DTSTART. See Table 11.
wDay	The occurrence of the day of week in the month for the date specified by DTSTART (if this is the 2nd Monday of May,

Field of PidLidTimeZoneStruct.stStandardDate	Value
	wDay is set to 2). If this is the last occurrence of the day of the week in the month, wDay is set to 0x0005. See Table 12.

Table 11- Values of the PidLidTimeZoneStruct.stStandardDate.wDayOfWeek

wDayOfWeek	Meaning
0x0000	Sunday
0x0001	Monday
0x0002	Tuesday
0x0003	Wednesday
0x0004	Thursday
0x0005	Friday
0x0006	Saturday

Table 12- Values of PidLidTimeZoneStruct.stStandardDate.wDay

wDay	Meaning
0x0001	First occurrence of the day of the week
0x0002	Second occurrence of the day of the week
0x0003	Third occurrence of the day of the week
0x0004	Fourth occurrence of the day of the week
0x0005	Last occurrence of the day of the week

### Exporting From Calendar objects

This MUST be set to the onset of the Standard portion of the time zone for some year before the first appointment in the iCalendar [<53>](#). This property is specified in the local time of the VTIMEZONE component, but the TZID parameter of this property is omitted.

#### 2.2.1.19.2.2 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: A rule describing the onset of Standard time for years following DTSTART.

**Importing To** Calendar objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the stStandardDate field of the [PidLidTimeZoneStruct](#) structure MUST be set to 0x00 (as specified in [2.2.1.19.2.1](#)). The remainder of this subsection only pertains to the case where the VTIMEZONE being imported contains one or more DAYLIGHT sub-components.

For basic information regarding the Recurrence rule format, see [\[RFC2445\]](#) section 4.3.10 and section [2.3.1](#) of this document.

Time zone recurrences MUST be of frequency YEARLY and MUST specify either a BYDAY or a BYMONTHDAY, but not both.

If a BYDAY is specified, it MUST specify a single occurrence of a single day of the week (e.g. BYDAY=2MO, but not BYDAY=MO or BYDAY=1MO,3MO). The recurrence is imported into the stStandardDate field of the [PidLidTimeZoneStruct](#) structure using Table 13.

Table 13- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has a BYDAY RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0000
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	The day of the week specified by the BYDAY recurrence part. See Table 11 and Table 44.
wDay	The occurrence of the day of the week specified by the BYDAY recurrence part. See Table 12 and Table 44.

If a BYMONTHDAY is specified, it MUST specify a single day of the month (BYMONTHDAY=12, but not BYMONTHDAY=14,15). The recurrence SHOULD [≤54>](#) be imported into the stStandardDate field of the [PidLidTimeZoneStruct](#) structure using Table 14.

Table 14- Select sub-fields of PidLidTimeZoneStruct.stStandardDate when a STANDARD component has a BYMONTHDAY RRULE. Table 9 contains a complete listing of all sub-fields in PidLidTimeZoneStruct.stStandardDate.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0001
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	Set to 0x0000.
wDay	The value of the BYMONTHDAY recurrence part.

## Exporting From Calendar objects

For basic information regarding the Recurrence rule format, see [\[RFC2445\]](#) section 4.3.10 and section [2.3.1](#) of this document.

If the time zone does not observe Daylight Saving Time (DST), this property MUST be omitted.

If the time zone transitions between Daylight Saving Time and Standard Time based on an occurrence of a day of the week, this property MUST be of the form  
FREQ=YEARLY;BYDAY=byday;BYMONTH=bymonth.

If the time zone transitions between Daylight Saving Time and Standard Time based on a specific day of the month, this property SHOULD [<55>](#) be of the form  
FREQ=YEARLY;BYMONTHDAY=bymonthday;BYMONTH=bymonth.

#### **2.2.1.19.2.3 Property: TZNAME**

RFC Reference: [\[RFC2445\]](#) section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the standard portion of the time zone.

**Importing To** Calendar objects

This property SHOULD be ignored on import.

**Exporting From Calendar objects**

This property SHOULD [<56>](#) be omitted.

#### **2.2.1.19.2.4 Property: TZOFFSETFROM**

RFC Reference: [\[RFC2445\]](#) section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

**Importing To** Calendar objects

This property SHOULD be ignored on import.

**Exporting From Calendar objects**

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IDaylightBias}))$ .

#### **2.2.1.19.2.5 Property: TZOFFSETTO**

RFC Reference: [\[RFC2445\]](#) section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

**Importing To** Calendar objects

The `IBias` field of the [PidLidTimeZoneStruct](#) structure MUST be set to  $(-1 * \text{offsetMinutes})$ , where `offsetMinutes` is the value of `TZOFFSETTO` in minutes. See Table 7.

### Exporting From Calendar objects

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IStandardBias}))$ .

#### 2.2.1.19.3 Component: DAYLIGHT

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 0+

Brief Description: A specification of the Daylight portion of the time zone.

**Importing To** Calendar objects

If more than one DAYLIGHT component is defined in the `VTIMEZONE`, only the DAYLIGHT component with the largest `DTSTART` SHOULD [<57>](#) be parsed.

If no DAYLIGHT components are defined in the `VTIMEZONE` then all the bytes in the **IDaylightBias**, **IStandardBias**, **stDaylightDate**, and **stStandardDate** fields of the [PidLidTimeZoneStruct](#) MUST be set to 0x00.

### Exporting From Calendar objects

If this time zone observes Daylight Saving Time, exactly one DAYLIGHT component MUST be exported for each `VTIMEZONE`.

If this time zone does not observe DST, this component SHOULD [<58>](#) be omitted.

#### 2.2.1.19.3.1 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The effective start date of this onset of Daylight Saving Time.

**Importing To and Exporting From** Calendar objects

The behavior of this property is identical to the behavior of the `DTSTART` property of the `STANDARD` component (section [2.2.1.19.2.1](#)) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

#### 2.2.1.19.3.2 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: A rule describing the onset of Daylight Saving Time for years following `DTSTART`.

### **Importing To and Exporting From** Calendar objects

The behavior of this property is identical to the behavior of the RRULE property of the STANDARD component (section [2.2.1.19.2.2](#)) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

#### **2.2.1.19.3.3 Property: TZNAME**

RFC Reference: [\[RFC2445\]](#) section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the daylight portion of the time zone.

#### **Importing To** Calendar objects

This property MUST be ignored on import.

#### **Exporting From Calendar objects**

This property SHOULD [<59>](#) be omitted.

#### **2.2.1.19.3.4 Property: TZOFFSETFROM**

RFC Reference: [\[RFC2445\]](#) section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

#### **Importing To** Calendar objects

This property SHOULD be ignored on import.

#### **Exporting From Calendar objects**

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IStandardBias}))$ .

#### **2.2.1.19.3.5 Property: TZOFFSETTO**

RFC Reference: [\[RFC2445\]](#) section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

#### **Importing To** Calendar objects

The IDaylightBias field of [PidLidTimeZoneStruct](#) structure MUST be set to  $(-1 * \text{offsetMinutes} - \text{IBias})$ , where offsetMinutes is the value of TZOFFSETTO measured in minutes. See Table 7.

## Exporting From Calendar objects

This property MUST be the UTC-Offset representation of  $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IDaylightBias}))$ .

### 2.2.1.20 Component: VEVENT

RFC Reference: [\[RFC2445\]](#) section 4.6.1

Number of Instances Allowed: 1+

Brief Description: A specification of an appointment or an exception to a recurring appointment.

#### Importing To Calendar objects

With the exception of those containing RECURRENCE-ID properties (section [2.2.1.20.20](#)), all VEVENT components MUST map to a new Calendar object.

#### Exporting From Calendar objects

Each Calendar object MUST be exported to its own VEVENT component. Certain exceptions to recurring appointments can also be exported as separate VEVENT components as specified in section [2.2.1.20.20](#).

### 2.2.1.20.1 Property: ATTACH

RFC Reference: [\[RFC2445\]](#) section 4.8.1.1

Number of Instances Allowed: 0+

Format: URI ([\[RFC2445\]](#) section 4.3.13), Binary ([\[RFC2445\]](#) section 4.3.1)

Brief Description: An attachment to the appointment.

#### Importing To Calendar objects

If the VALUE parameter of this property is BINARY, then this property SHOULD [<60>](#) be parsed as a BASE64-encoded stream (specified in [\[RFC2045\]](#) section 6.8), decoded into its raw binary form, and stored in [PidTagAttachDataBinary](#) of a new Attachment object with properties specified in Table 15.

Table 15- All Attachment object properties for BASE64-encoded ATTACH properties

Attachment object property	Value
<a href="#">PidTagAttachDataBinary</a>	See above
<a href="#">PidTagAttachEncoding</a>	Set to an empty <b>PtypBinary</b>
<a href="#">PidTagAttachExtension</a>	Set to the substring following the last instance of a '.' character (U+002E) in X-FILENAME (section <a href="#">2.2.1.20.1.4</a> ). If no instances of a period exist in X-FILENAME, set to a zero-length string ("").
<a href="#">PidTagAttachFilename</a>	Set to the value of X-FILENAME (section <a href="#">2.2.1.20.1.4</a> )
<a href="#">PidTagAttachFlags</a>	Set to 0x00000000
<a href="#">PidTagAttachLongFilename</a>	Set to the value of X-FILENAME (section <a href="#">2.2.1.20.1.4</a> )



Attachment object property	Value
<a href="#">PidTagAttachMethod</a>	Set to 0x00000001
<a href="#">PidTagAttachMimeTag</a>	Imported from FMTTYPE (section <a href="#">2.2.1.20.1.2</a> )
<a href="#">PidTagAttachmentContactPhoto</a>	Set to FALSE
<a href="#">PidTagAttachmentFlags</a>	Set to 0x00000000
<a href="#">PidTagAttachmentHidden</a>	Set to FALSE
<a href="#">PidTagAttachmentLinkId</a>	Set to 0x00000000
<a href="#">PidTagDisplayName</a>	Set to the value of X-FILENAME (section <a href="#">2.2.1.20.1.4</a> )
<a href="#">PidTagExceptionEndTime</a>	Set to 0x0CB34557A3DD4000
<a href="#">PidTagExceptionStartTime</a>	Set to 0x0CB34557A3DD4000
<a href="#">PidTagRenderingPosition</a>	Set to 0xFFFFFFFF

If the VALUE parameter of this property is "URI" or not defined, then this property SHOULD [<61>](#) be parsed as a URI. CID URIs (specified in [\[RFC2392\]](#)) SHOULD [<62>](#) be used, for the case in which the iCalendar is embedded in a multi-part MIME e-mail to determine which attachments from the MIME will be imported into the Calendar object. Other URIs SHOULD [<63>](#) be imported into a new Attachment object with properties specified in Table 16.

Table 16- All Attachment object properties for ATTACH properties with VALUE parameters set to 'URI'

Attachment object property	Value
<a href="#">PidTagAttachDataBinary</a>	Set to an 8-bit text stream, containing the text specified in Table 17 and encoded in the active code page (line breaks are encoded as 0x0D followed by 0x0A)
<a href="#">PidTagAttachEncoding</a>	Set to an empty <b>PtypBinary</b>
<a href="#">PidTagAttachExtension</a>	Set to ".url"
<a href="#">PidTagAttachFilename</a>	Set to the filename parsed from the URI with a.url extension added. With respect to <a href="#">[RFC3986]</a> , the filename is the last segment in the hier-part of the URI.
<a href="#">PidTagAttachFlags</a>	Set to 0x00000000
<a href="#">PidTagAttachLongFilename</a>	Same as <a href="#">PidTagAttachFilename</a>
<a href="#">PidTagAttachMethod</a>	Set to 0x00000001
<a href="#">PidTagAttachMimeTag</a>	Set to the value of FMTTYPE (section <a href="#">2.2.1.20.1.2</a> )
<a href="#">PidTagAttachmentContactPhoto</a>	Set to FALSE
<a href="#">PidTagAttachmentFlags</a>	Set to 0x00000000
<a href="#">PidTagAttachmentHidden</a>	Set to FALSE

Attachment object property	Value
<a href="#">PidTagAttachmentLinkId</a>	Set to 0x00000000
<a href="#">PidTagDisplayName</a>	Same as <a href="#">PidTagAttachFilename</a>
<a href="#">PidTagExceptionEndTime</a>	Set to 0x0CB34557A3DD4000
<a href="#">PidTagExceptionStartTime</a>	Set to 0x0CB34557A3DD4000
<a href="#">PidTagRenderingPosition</a>	Set to 0xFFFFFFFF

Table 17- .url file contents

<b>[InternetShortcut]</b> <b>URL=urivalue</b>
--

### Exporting From Calendar objects

If this iCalendar is being generated as part of a MIME meeting request, all attachments in the attachment table that meet the constraints in Table 18 SHOULD [<64>](#) be exported as a CID URI (specified in [\[RFC2392\]](#)). In this case, the value of this property MUST be a CID URI generated by treating [PidTagAttachContentId](#) as a CID. If [PidTagAttachContentId](#) does not exist, a [\[RFC2392\]](#)-compliant CID SHOULD [<65>](#) be generated and stored in [PidTagAttachContentId](#).

If this iCalendar is being generated as part of a calendar export, all attachments in the attachment table that meet the constraints in Table 18 SHOULD [<66>](#) be exported as base64-encoded binary streams. The value of this property MUST be the BASE64 encoding of [PidTagAttachDataBinary](#) (BASE64 encoding is specified in [\[RFC2045\]](#) section 6.8).

Attachment Object Property	Constraint
<a href="#">PidTagAttachmentFlags</a>	MUST NOT have any bits set to 1 in the bit mask 0x00000007
<a href="#">PidTagAttachmentHidden</a>	MUST be unset or, if set, MUST be FALSE
<a href="#">PidTagAttachMethod</a>	MUST be 0x00000001

#### 2.2.1.20.1.1 Parameter: ENCODING

RFC Reference: [\[RFC2445\]](#) section 4.2.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the encoding of a binary attachment.

#### Importing To and Exporting From Calendar objects

If the VALUE parameter of this ATTACH is BINARY, then this parameter MUST be BASE64. Otherwise, this parameter MUST be omitted.

#### 2.2.1.20.1.2 Parameter: FMTTYPE

RFC Reference: [\[RFC2445\]](#) section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the MIME content type of an attachment.

#### **Importing To Calendar objects**

This parameter SHOULD <67> be imported as [PidTagAttachMimeTag](#).

#### **Exporting From Calendar objects**

This parameter MAY take the value of [PidTagAttachMimeTag](#).

### **2.2.1.20.1.3 Parameter: VALUE**

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Distinguishes encoded binary attachments from URI attachments.

#### **Importing To** Calendar objects

This parameter distinguishes attachments encoded in the iCalendar from URIs referencing resources outside the iCalendar. See section [2.2.1.20.1](#).

#### **Exporting From Calendar objects**

If this iCalendar is being generated as part of a MIME meeting request, this parameter SHOULD be omitted.

If this iCalendar is being generated as part of a calendar export, this parameter SHOULD be BINARY.

### **2.2.1.20.1.4 Parameter: X-FILENAME**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Supplies a filename for an encoded binary attachment.

#### **Importing To** Calendar objects

If the VALUE parameter of this ATTACH is BINARY, this X-FILENAME parameter SHOULD <68> be sanitized as specified in [\[MS-OXCMAIL\]](#) section 2.2.4.1.1 and imported as [PidTagAttachFilename](#), [PidTagAttachLongFilename](#), and [PidTagDisplayName](#). The filename extension parsed from this parameter is imported as [PidTagAttachExtension](#) as specified in Table 15.

Otherwise, the X-FILENAME parameter is ignored.

#### **Exporting From Calendar objects**

If the VALUE parameter of this ATTACH is BINARY, then this parameter SHOULD [<69>](#) take the value of [PidTagAttachLongFilename](#).

Otherwise, this parameter SHOULD be omitted.

### 2.2.1.20.2 Property: ATTENDEE

RFC Reference: [\[RFC2445\]](#) section 4.8.4.1

Number of Instances Allowed: 0+

Format: Calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: An attendee for a meeting.

#### Importing To Calendar objects

If this property has the special value 'invalid:nomail', then the **CN** of this attendee SHOULD [<70>](#) be added to a list delimited by "; " (U+003B followed by U+0020) in the appropriate string property (specified in Table 19). If an attendee matches more than one row in Table 19, the first matching row applies.

Table 19- Calendar Object properties for ATTENDEEs with value 'invalid:nomail'

CUTYPE	ROLE	Append CN to...
RESOURCE	(any)	<a href="#">PidLidNonSendableBcc</a>
ROOM	(any)	<a href="#">PidLidNonSendableBcc</a>
(any)	OPT-PARTICIPANT	<a href="#">PidLidNonSendableCc</a>
(any)	NON-PARTICIPANT	<a href="#">PidLidNonSendableBcc&lt;71&gt;</a>
(any)	(any)	<a href="#">PidLidNonSendableTo</a>

If this property is not 'invalid:nomail', it SHOULD [<72>](#) be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD [<73>](#) be resolved against the **address book** [\[MS-OXOABK\]](#). If no match was found, a **one-off EntryID** ([\[MS-OXCADATA\]](#) section 2.2.5.1) MUST be created using the SMTP address and the CN parameter. The **Address Book object** MUST be added to the recipient table of the Calendar object with properties specified in Table 20.

Table 20- Recipient Table properties for ATTENDEEs with a valid SMTP address

Recipient Table Property	Value
<a href="#">PidTagAddressType</a>	Resolved from the address book (see above). In the case of a one-off, set to 'SMTP'.
<a href="#">PidTagDisplayName</a>	Resolved from the address book (see above). In the case of a one-off, set to the value of the CN parameter.
<a href="#">PidTagDisplayType</a>	Set to 0x00000000 <a href="#">&lt;74&gt;</a>
<a href="#">PidTagEmailAddress</a>	Resolved from the address book (see above). In the case of a one-off, set to the SMTP address parsed from the mailto URI.

Recipient Table Property	Value										
<a href="#">PidTagEntryId</a>	Resolved from the address book (see above). In the case of a one-off, use the one-off EntryID.										
<a href="#">PidTagRecipientDisplayName</a>	Copy of <a href="#">PidTagDisplayName&lt;75&gt;</a>										
<a href="#">PidTagRecipientEntryId</a>	Copy of <a href="#">PidTagEntryId&lt;76&gt;</a>										
<a href="#">PidTagRecipientFlags</a>	Set to 0x00000001 <a href="#">&lt;77&gt;</a>										
<a href="#">PidTagRecipientType</a>	See Table 21 <a href="#">&lt;78&gt;</a>										
<a href="#">PidTagRecipientTrackStatus</a>	Import from PARTSTAT as follows: <a href="#">&lt;79&gt;</a> <table border="1" data-bbox="623 522 1224 789"> <thead> <tr> <th>PARTSTAT</th> <th>PidTagRecipientTrackStatus</th> </tr> </thead> <tbody> <tr> <td>ACCEPTED</td> <td>0x00000003</td> </tr> <tr> <td>DECLINED</td> <td>0x00000004</td> </tr> <tr> <td>TENTATIVE</td> <td>0x00000002</td> </tr> <tr> <td>(Any other value)</td> <td>0x00000000</td> </tr> </tbody> </table>	PARTSTAT	PidTagRecipientTrackStatus	ACCEPTED	0x00000003	DECLINED	0x00000004	TENTATIVE	0x00000002	(Any other value)	0x00000000
PARTSTAT	PidTagRecipientTrackStatus										
ACCEPTED	0x00000003										
DECLINED	0x00000004										
TENTATIVE	0x00000002										
(Any other value)	0x00000000										
<a href="#">PidTagRecipientTrackStatusTime</a>	Import from X-MS-OLK-RESPTIME if present. <a href="#">&lt;80&gt;</a>										

The correct value of [PidTagRecipientType](#) SHOULD [<81>](#) be determined based on the CUTYPE and ROLE parameters as specified in Table 21. If an attendee matches more than one row in Table 21, the first matching row applies.

Table 21- PidTagRecipientType values for ATTENDEES

CUTYPE	ROLE	PidTagRecipientType
RESOURCE	(Any)	0x00000003
ROOM	(Any)	0x00000003
(any)	NON-PARTICIPANT	0x00000003
(any)	OPT-PARTICIPANT	0x00000002
(any)	(Any)	0x00000001

### Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then attendee properties SHOULD NOT [<82>](#) be exported.

Each row in the recipient table of the Calendar object that satisfies the constraints in table 22 MUST be exported as an attendee property. The value of the property MUST be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD [<83>](#) be set to 'invalid:nomail'.

Table 22- Constraints on the rows of a recipient table of a Calendar object which will be exported as ATTENDEE properties

Recipient Table Property	Constraint
<a href="#">PidTagRecipientFlags</a>	The bit denoted by 0x00000020 MUST be 0 and the bit denoted by 0x00000002 MUST be 0
<a href="#">PidTagRecipientType</a>	MUST NOT be 0x00000000

In addition, each of the semicolon-delimited entries in [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#) SHOULD [<84>](#) be exported with a URI of 'invalid:nomail'. For handling of [PidLidNonSendableBcc](#), see [2.2.1.20.21](#).

### 2.2.1.20.2.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of an attendee.

#### Importing To Calendar objects

See section [2.2.1.20.2.2](#).

#### Exporting From Calendar objects

For attendees exported from the recipient table, this parameter SHOULD be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagDisplayName](#) from the recipient table, if necessary).

For attendees exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD [<85>](#) be taken from the semicolon-delimited lists.

### 2.2.1.20.2.2 Parameter: CUTYPE

RFC Reference: [\[RFC2445\]](#) section 4.2.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The type of attendee.

#### Importing To Calendar objects

See section [2.2.1.20.2](#).

#### Exporting From Calendar objects

For attendees exported from the recipient table, this parameter SHOULD [<86>](#) only be exported if the [PidTagRecipientType](#) is 0x00000003. In this case, the CUTYPE SHOULD [<87>](#) be set to resource.

For attendees exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD be omitted.

### 2.2.1.20.2.3 Parameter: PARTSTAT

RFC Reference: [\[RFC2445\]](#) section 4.2.12

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The attendee's response status.

#### Importing To Calendar objects

Import behavior for the PARTSTAT parameter into the recipient table is specified in section [2.2.1.20.2](#).

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter is used in conjunction with the METHOD property to determine the [PidTagMessageClass](#) of the Calendar object. See section [2.2.1.1](#).

For calendars with a METHOD of PUBLISH, if the attendee is the user, the PARTSTAT parameter SHOULD also be imported to the [PidLidResponseStatus](#) of the Calendar object as follows. [<88>](#)

PARTSTAT	PidLidResponseStatus
ACCEPTED	0x00000003
DECLINED	0x00000004
TENTATIVE	0x00000002
(Any other value)	Not imported

#### Exporting From Calendar objects

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter MUST be exported based on the [PidTagMessageClass](#) of the Calendar object. See section [2.2.1.1](#).

For calendars with a METHOD of publish, if the attendee is being exported from a row in the recipient table, the PARTSTAT parameter SHOULD [<89>](#) be exported from the [PidTagRecipientTrackStatus](#) of the recipient as specified in Table 23. If [PidTagRecipientTrackStatus](#) could not be exported because it is unset or 0 and the attendee is the user, then the [PidLidResponseStatus](#) of the Calendar object SHOULD [<90>](#) be exported instead as specified in Table 23.

Table 23- Values of PARTSTAT to export for ATTENDEEs in PUBLISH calendars.

PidTagRecipientTrackStatus or PidLidResponseStatus	PARTSTAT
0x00000003	ACCEPTED
0x00000004	DECLINED
0x00000002	TENTATIVE

<b>PidTagRecipientTrackStatus or PidLidResponseStatus</b>	<b>PARTSTAT</b>
(Other)	(Not exported)

#### 2.2.1.20.2.4 Parameter: ROLE

RFC Reference: [\[RFC2445\]](#) section 4.2.16

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The participation role of the attendee.

##### Importing To Calendar objects

See section [2.2.1.20.2](#).

##### Exporting From Calendar objects

For ATTENDEES exported from the recipient table, this parameter SHOULD be exported based on the [PidTagRecipientType](#).

Table 24- Exporting PidTagRecipientType as a ROLE

<b>PidTagRecipientType</b>	<b>ROLE</b>
0x00000002	OPT-PARTICIPANT
0x00000003	NON-PARTICIPANT
(otherwise)	(omit) <a href="#">&lt;91&gt;</a>

For ATTENDEES exported from [PidLidNonSendableTo](#), this parameter SHOULD be omitted.

For ATTENDEES exported from [PidLidNonSendableCc](#), this parameter SHOULD [<92>](#) be exported as OPT-PARTICIPANT.

#### 2.2.1.20.2.5 Parameter: RSVP

RFC Reference: [\[RFC2445\]](#) section 4.2.17

Number of Instances Allowed: 0,1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: To specify whether there is an expectation of a reply from this attendee.

##### Importing To Calendar objects

If any ATTENDEE property in the VEVENT has its RSVP parameter set to TRUE or if the VEVENT is being imported with a [PidTagMessageClass](#) of "IPM.appointment", then [PidTagResponseRequested](#) and [PidTagReplyRequested](#) on the Calendar object MUST both be set to TRUE. Otherwise, [PidTagResponseRequested](#) and [PidTagReplyRequested](#) MUST both be set to FALSE.

##### Exporting From Calendar objects



For ATTENDEES exported from the recipient table, this parameter MUST be exported from [PidTagResponseRequested](#) on the Calendar object.

For ATTENDEES exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD be omitted.

### 2.2.1.20.2.6 Parameter: X-MS-OLK-RESPTIME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The time that the ATTENDEE responded to the meeting request.

#### Importing To Calendar objects

Section [2.2.1.20.2](#) specifies how X-MS-OLK-RESPTIME is imported into the recipient table.

For calendars with a METHOD of PUBLISH, if the attendee is the user, the X-MS-OLK-RESPTIME parameter SHOULD also be imported to the [PidLidAppointmentReplyTime](#) ([\[MS-OXPROPS\]](#) section 2.25) of the Calendar object. [<93>](#)

#### Exporting From Calendar objects

For calendars with a METHOD of PUBLISH, if the attendee is being exported from a row in the recipient table, the X-MS-OLK-RESPTIME parameter MAY be exported in **UTC** format from the [PidTagRecipientTrackStatusTime](#) ([\[MS-OXPROPS\]](#) section 2.1018) of the recipient. If [PidTagRecipientTrackStatus](#) ([\[MS-OXPROPS\]](#) section 2.1017) could not be exported as specified in section [2.2.1.20.2.3](#) because it is unset or 0 and the attendee is the user, the [PidLidAppointmentReplyTime](#) ([\[MS-OXPROPS\]](#) section 2.25) of the Calendar object SHOULD be exported in UTC format instead. [<94>](#)

### 2.2.1.20.3 Property: CATEGORIES

RFC Reference: [\[RFC2445\]](#) section 4.8.1.2

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: A list of categories assigned to the appointment.

#### Importing To Calendar objects

All instances of the CATEGORIES property SHOULD be parsed into a single array of strings. Several rules apply to the import of categories:

- All separator characters, semicolon (U+003B), comma (U+002C), arabic semicolon (U+061B), small semicolon (U+FE54), full-width semicolon (U+FF1B), SHOULD [<95>](#) be removed.
- All contiguous sequences of whitespace [<96>](#) characters SHOULD [<97>](#) be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD be trimmed.

- Strings SHOULD [<98>](#) be truncated to a length of 255 WCHARs if the length exceeds 255 WCHARs, but the truncation SHOULD NOT [<99>](#) split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD [<100>](#) be removed.

The resulting string array is stored in [PidNameKeywords](#).

### Exporting From Calendar objects

[PidNameKeywords](#) SHOULD be exported as a comma-delimited list in the CATEGORIES property.

#### 2.2.1.20.4 Property: CLASS

RFC Reference: [\[RFC2445\]](#) section 4.8.1.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The privacy or classification level of an appointment.

### Importing To and Exporting From Calendar objects

The CLASS property MUST map to [PidTagSensitivity](#) as specified in Table 25.

Table 25- Mapping from the CLASS property to PidTagSensitivity

CLASS	PidTagSensitivity
PRIVATE	0x00000002
CONFIDENTIAL	0x00000003
PUBLIC	0x00000000
X-PERSONAL <a href="#">&lt;101&gt;</a>	0x00000001 <a href="#">&lt;102&gt;</a>

#### 2.2.1.20.5 Property: COMMENT

RFC Reference: [\[RFC2445\]](#) section 4.8.1.4 and [\[RFC2446\]](#) section 3.2.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In a meeting response, this property represents an optional plain-text message from the attendee intended for the organizer.

### Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD [<103>](#) be mapped directly to [PidTagBody](#). The COMMENT property SHOULD be ignored for other values of METHOD.

Also see the documentation for DESCRIPTION in section [2.2.1.20.11](#).

### 2.2.1.20.6 Property: CONTACT

RFC Reference: [\[RFC2445\]](#) section 4.8.4.2

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: A contact for an appointment.

#### Importing To Calendar objects

All instances of the CONTACT property SHOULD [<104>](#) be appended to single array of strings. Several rules apply to the import of contacts.

- All semicolons (U+003B) SHOULD [<105>](#) be removed.
- All contiguous sequences of whitespace [<106>](#) characters SHOULD [<107>](#) be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD [<108>](#) be trimmed.
- Strings SHOULD [<109>](#) be truncated to a length of 500 WCHARs if their length exceeds 500 WCHARs, but the truncation SHOULD NOT [<110>](#) split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD [<111>](#) be removed.

The resulting string array is stored in [PidLidContacts](#).

#### Exporting From Calendar objects

Each string in the array of strings in [PidLidContacts](#) SHOULD [<112>](#) be exported as a new CONTACT property.

### 2.2.1.20.7 Property: CREATED

RFC Reference: [\[RFC2445\]](#) section 4.8.7.1

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The creation time of an appointment.

#### Importing To Calendar objects

This property SHOULD be ignored.

#### Exporting From Calendar objects

The [PidTagCreationTime](#) of a Calendar object SHOULD [<113>](#) be exported as a CREATED property, specified in UTC.

### 2.2.1.20.8 Property: DTEND

RFC Reference: [\[RFC2445\]](#) section 4.8.2.2

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The end time of an appointment. If the item is a **counter proposal**, then this is the proposed end time of the meeting.

### Importing To Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD be imported as [PidLidAppointmentProposedEndWhole <114>](#)

If the METHOD property of the VCALENDAR component is not set to 'COUNTER', or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD [<115>](#) be imported as [PidLidAppointmentEndWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<116>](#) be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD [<117>](#) be imported as an all day appointment: [PidLidAppointmentSubType](#) MUST be set to 0x00000001. Note that this logic SHOULD [<118>](#) also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section [2.2.1.20.28](#)) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (section [2.2.1.20.41](#)).

### Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then [PidLidAppointmentProposedEndWhole <119>](#) be exported as a new DTEND property. For other values of METHOD, the [PidLidAppointmentEndWhole](#) of a Calendar object SHOULD [<120>](#) be exported as a new DTEND property.

If this is an all day appointment, then this property SHOULD [<121>](#) be exported in floating time with the Date format ([\[RFC2445\]](#) section 4.3.4).

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD [<122>](#) be specified as a local time with a TZID parameter.

#### 2.2.1.20.8.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

### Importing To Calendar objects

If this appointment is recurring, and if there is a TZID parameter, and if neither [PidLidTimeZoneStruct](#) nor [PidLidTimeZoneDescription](#) has been imported from DTSTART (section [2.2.1.20.10](#)), then [PidLidTimeZoneStruct](#) MUST be imported from the VTIMEZONE referenced by the TZID parameter, [PidLidTimeZoneDescription](#) MUST be imported from the TZID parameter, and

[PidLidAppointmentTimeZoneDefinitionRecur](#) SHOULD [<123>](#) be imported from the VTIMEZONE referenced by the TZID parameter. Otherwise, this parameter SHOULD be ignored.

Furthermore, [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) SHOULD [<124>](#) be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

### **Exporting From Calendar objects**

If this is a recurring non-all day appointment, then the DTEND property MUST be specified as a local time. It MUST be accompanied by a TZID parameter that is equal to the TZID property of the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionRecur <125>](#) or the combination of [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#).

If this is a non-recurring non-all day appointment and if [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) is set, then the DTEND property SHOULD [<126>](#) be specified as a local time. It MUST be accompanied by a TZID parameter that is equal to the TZID property of the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionEndDisplay](#).

#### **2.2.1.20.8.2 Parameter: VALUE**

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

### **Importing To Calendar objects**

This parameter SHOULD [<127>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

### **Exporting From Calendar objects**

If the DTEND property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTEND property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.9 Property: DTSTAMP**

RFC Reference: [\[RFC2445\]](#) section 4.8.7.2

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The creation time of the iCalendar.

### **Importing To Calendar objects**

If the METHOD (specified in section [2.2.1.1](#)) is 'REPLY' or 'COUNTER', then this property SHOULD be imported as [PidLidAttendeeCriticalChange](#). [<128>](#)

If the METHOD is not 'REPLY' or 'COUNTER', then this property MUST be imported as [PidLidOwnerCriticalChange](#).

### Exporting From Calendar objects

If the METHOD (specified in section [2.2.1.1](#)) is 'REPLY' or 'COUNTER', then [PidLidAttendeeCriticalChange](#) MUST be exported as DTSTAMP.

If the METHOD is not 'REPLY' or 'COUNTER', then [PidLidOwnerCriticalChange](#) MUST be exported as DTSTAMP. If [PidLidOwnerCriticalChange](#) is undefined, the current system time SHOULD be used.

#### 2.2.1.20.9.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### 2.2.1.20.10 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The start time of an appointment. If the item is a counter proposal, this is the proposed start time of the meeting.

### Importing To Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD [<129>](#) be imported as [PidLidAppointmentProposedStartWhole](#).

If the METHOD property of the VCALENDAR component is not set to 'COUNTER' or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD [<130>](#) be imported as [PidLidAppointmentStartWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<131>](#) be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD [<132>](#) be imported as an all day appointment: [PidLidAppointmentSubType](#) MUST be set to 0x00000001. Note that this logic SHOULD [<133>](#) also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section [2.2.1.20.28](#)) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (section [2.2.1.20.41](#)).

### Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then [PidLidAppointmentProposedStartWhole](#) SHOULD [<134>](#) be exported as a new DTSTART property. For other values of METHOD, the [PidLidAppointmentStartWhole](#) of a Calendar object SHOULD [<135>](#) be exported as a DTSTART property.

If this is an all day appointment, then this property SHOULD [<136>](#) be exported in floating time with the Date format.

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD [<137>](#) be specified as a local time with a TZID parameter.

#### **2.2.1.20.10.1 Parameter: TZID**

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

##### **Importing To Calendar objects**

If this appointment is recurring, and if there is a TZID parameter, then [PidLidTimeZoneStruct](#) MUST be imported from the VTIMEZONE referenced by the TZID parameter, [PidLidTimeZoneDescription](#) MUST be imported from the TZID parameter, and [PidLidAppointmentTimeZoneDefinitionRecur](#) SHOULD [<138>](#) be imported from the VTIMEZONE referenced by the TZID parameter.

Furthermore, [PidLidAppointmentTimeZoneDefinitionStartDisplay](#) SHOULD [<139>](#) be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

##### **Exporting From Calendar objects**

If this is a recurring non-all day appointment, then the DTSTART property MUST be specified as a local time. It MUST be accompanied by a TZID parameter referencing the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionRecur <140>](#) or the combination of [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#).

If this is a non-recurring non-all day appointment and if [PidLidAppointmentTimeZoneDefinitionStartDisplay](#) is set, then the DTSTART property SHOULD [<141>](#) be specified as a local time. It MUST be accompanied by a TZID parameter referencing the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionStartDisplay](#).

#### **2.2.1.20.10.2 Parameter: VALUE**

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

##### **Importing To Calendar objects**

This parameter SHOULD [<142>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

### **Exporting From Calendar objects**

If the DTSTART property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTSTART property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.11 Property: DESCRIPTION**

RFC Reference: [\[RFC2445\]](#) section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the plain-text body of an appointment.

### **Importing To and Exporting From Calendar objects**

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD [<143>](#) be ignored. For other values of METHOD, this property MUST be mapped directly to [PidTagBody](#).

Also see the documentation for COMMENT in section [2.2.1.20.5](#).

#### **2.2.1.20.11.1 Parameter: LANGUAGE**

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

### **Importing To Calendar objects**

This parameter SHOULD [<144>](#) be interpreted as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding language code identifier, as specified in [\[MS-LCID\]](#).

### **Exporting From Calendar objects**

This parameter SHOULD NOT be exported (section [2.2.1.20.24.1](#)).

#### **2.2.1.20.12 Property: DURATION**

RFC Reference: [\[RFC2445\]](#) section 4.8.2.5

Number of Instances Allowed: 0, 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6)

Brief Description: Specifies the duration of an appointment.



## Importing To Calendar objects

If only one of DTSTART and DTEND is present, the DURATION property SHOULD [<145>](#) be used to compute the missing property.

## Exporting From Calendar objects

This parameter SHOULD NOT be exported.

### 2.2.1.20.13 Property: EXDATE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.1

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

## Importing To Calendar objects

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

All valid EXDATES MUST be gathered into the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)) after the following validation:

- All EXDATES MUST be converted to the time zone specified by [PidLidTimeZoneStruct](#).
- The time information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- All entries that do not have a date matching the start date of an **instance** in the recurrence pattern MUST be removed.
- The **DeletedInstanceDates** field of the **RecurrencePattern** structure MUST be sorted chronologically with the earliest dates at the start.

Note that additional EXDATES could be derived from the RECURRENCE-IDs of other VEVENTs (section [2.2.1.20.20](#)).

## Exporting From Calendar objects

The EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

In certain cases, an X-MICROSOFT-EXDATE SHOULD [<146>](#) be exported in place of an EXDATE. See section [2.2.1.20.39](#).

If there are entries in the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)), the date-times of each day specified by the **DeletedInstanceDates** field of the **RecurrencePattern** structure SHOULD [<147>](#) be added with the time specified by the **StartTimeOffset** field of the **RecurrencePattern** structure and exported in a multi-valued EXDATE property. However, exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section [2.2.1.20.20](#)) SHOULD NOT also be exported as an EXDATE.

If the recurrence is an all day recurrence, the EXDATES MUST be specified in the Date format.

#### **2.2.1.20.13.1 Parameter: TZID**

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### **2.2.1.20.13.2 Parameter: VALUE**

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

##### **Importing To Calendar objects**

This parameter SHOULD [<148>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

##### **Exporting From Calendar objects**

If the EXDATE property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the EXDATE property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### **2.2.1.20.14 Property: LAST-MODIFIED**

RFC Reference: [\[RFC2445\]](#) section 4.8.7.3

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The last modification time of an appointment.

##### **Importing To Calendar object**

This property SHOULD be ignored. [<149>](#)

##### **Exporting From Calendar objects**

The [PidTagLastModificationTime](#) of a Calendar object SHOULD [<150>](#) be exported as a LAST-MODIFIED property, specified in UTC.

### 2.2.1.20.15 Property: LOCATION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the location of an appointment.

#### Importing To Calendar objects

This property SHOULD [<151>](#) be stripped of all carriage returns (U+000D) and line feeds (U+000A), and SHOULD [<152>](#) be truncated to a length of 255 WCHARs if its length exceeds 255 WCHARs. The truncation SHOULD NOT [<153>](#) split surrogate pairs. This property MUST be stored in [PidLidLocation](#).

#### Exporting From Calendar objects

[PidLidLocation](#) MUST be exported as a LOCATION property.

### 2.2.1.20.15.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

#### Importing To Calendar objects

This parameter SHOULD [<154>](#) be interpreted as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding language code identifier, as specified in [\[MS-LCID\]](#).

#### Exporting From Calendar objects

This parameter SHOULD NOT be exported. See section [2.2.1.20.24.1](#).

### 2.2.1.20.16 Property: ORGANIZER

RFC Reference: [\[RFC2445\]](#) section 4.8.4.3

Number of Instances Allowed: 0, 1

Format: Calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: The organizer of a meeting.

#### Importing To Calendar objects

This property SHOULD [<155>](#) be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD be resolved against the address book [\[MS-OXOABK\]](#). If no match was found, a one-off EntryID ([\[MS-OXCDATA\]](#) section 2.2.5.1) MUST be created using the SMTP address and the CN parameter. The Address Book object MUST be added to the recipient table of the Calendar object with properties specified in Table 26.

Table 26- Recipient Table properties for the ORGANIZER Property

Recipient Table Property	Value
<a href="#">PidTagAddressType</a>	Resolved from the address book (see above).
<a href="#">PidTagDisplayName</a>	Resolved from the address book (see above).
<a href="#">PidTagDisplayType</a>	Set to 0x00000000 <a href="#">&lt;156&gt;</a>
<a href="#">PidTagEmailAddress</a>	Resolved from the address book (see above).
<a href="#">PidTagEntryId</a>	Resolved from the address book (see above).
<a href="#">PidTagRecipientDisplayName</a>	Copy of <a href="#">PidTagDisplayName</a> <a href="#">&lt;157&gt;</a>
<a href="#">PidTagRecipientEntryId</a>	Copy of <a href="#">PidTagEntryId</a> <a href="#">&lt;158&gt;</a>
<a href="#">PidTagRecipientFlags</a>	Set to 0x00000003.
<a href="#">PidTagRecipientType</a>	Set to 0x00000001.

### Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then an organizer property MUST NOT be exported.

The row in the recipient table of the Calendar object that satisfies the constraints in Table 27 SHOULD [<159>](#) be exported as an organizer property. The value of the property MUST be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD [<160>](#) be set to 'invalid:nomail'.

Table 27- Constraints on the row of a recipient table of a Calendar object which will be exported as the ORGANIZER property

Recipient Table Property	Constraint
<a href="#">PidTagRecipientFlags</a>	The bit denoted by 0x00000020 MUST be 0
<a href="#">PidTagRecipientFlags</a> or <a href="#">PidTagRecipientType</a>	The bit denoted by 0x00000002 of <a href="#">PidTagRecipientFlags</a> MUST be 1 or The <a href="#">PidTagRecipientType</a> MUST be 0x00000000

#### 2.2.1.20.16.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of the organizer.

### Importing To Calendar objects

See section [2.2.1.20.16](#).

## Exporting From Calendar objects

This parameter SHOULD be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagDisplayName](#) from the recipient table, if necessary).

### 2.2.1.20.17 Property: PRIORITY

RFC Reference: [\[RFC2445\]](#) section 4.8.1.9

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

**Importing To** Calendar objects

If [PidTagImportance](#) cannot be imported from X-MICROSOFT-CDO-IMPORTANCE (section [2.2.1.20.32](#)) or X-MICROSOFT-MSNCALENDAR-IMPORTANCE (section [2.2.1.20.43](#)), then this property MUST be imported into [PidTagImportance](#) as specified by Table 28.

Table 28- Map from PRIORITY to PidTagImportance

PRIORITY	PidTagImportance
0	(unset)
1	0x00000002
2	0x00000002
3	0x00000002
4	0x00000002
5	0x00000001
6	0x00000000
7	0x00000000
8	0x00000000
9	0x00000000

## Exporting From Calendar objects

[PidTagImportance](#) MUST be exported as the PRIORITY property as specified by Table 29.

Table 29- Map from PidTagImportance to PRIORITY

PidTagImportance	PRIORITY
0x00000002	1
0x00000001	5
0x00000000	9

## 2.2.1.20.18 Property: RDATE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.3

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4), Period of Time ([\[RFC2445\]](#) section 4.3.9)

Brief Description: Specifies the start time of additional instances of the recurring appointment which have been created by the organizer.

**Importing To** Calendar objects

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

RDATEs in Period of Time format SHOULD be ignored. All valid RDATEs SHOULD [<161>](#) be gathered into the **ModifiedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)) after the following validation:

- All RDATEs MUST be converted to the time zone specified by [PidLidTimeZoneStruct](#).
- The time-of-day information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- Each RDATE MUST be pairable with an EXDATE to represent a moved instance of a recurring appointment. The moved instance obeys the following rules:
  - An instance MUST NOT be moved before the previous instance or after the next instance.
  - An instance MUST NOT be moved such that the intersection of its span with the span of any other instance of the appointment has a non-zero duration.
  - An instance MUST NOT be moved such that its start time falls on the same calendar day as that of another instance.
- The ModifiedInstanceDates field in the RecurrencePattern structure MUST be sorted chronologically with the earliest dates at the start.

In addition, all valid RDATEs SHOULD [<162>](#) be stored in the ExceptionInfo segment of the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)). The contents of each ExceptionInfo block MUST be set as specified in Table 30.

Table 30- ExceptionInfo fields for RDATE exceptions

ExceptionInfo Field	Value
StartDateTime	Set to the RDATE value, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a>
EndDateTime	Set to <b>StartDateTime</b> + the duration of the appointment
OriginalStartDate	Set to the paired EXDATE value, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a>
OverrideFlags	Set to 0x00000000
SubjectLength/Subject	(unset)

ExceptionInfo Field	Value
MeetingType	(unset)
ReminderDelta	(unset)
ReminderSet	(unset)
LocationLength/Location	(unset)
BusyStatus	(unset)
Attachment	(unset)
SubType	(unset)
AppointmentColor	(unset)

Note that additional RDATEs could be derived from the DTSTARTs of other VEVENTs. See section [2.2.1.20.20](#). For exceptions generated by RECURRENCE-IDs, fields in the ExceptionInfo MUST be set according to Table 31.

Table 31- ExceptionInfo fields for RECURRENCE-ID exceptions

ExceptionInfo Field	Value
StartDateTime	Set to <a href="#">PidLidAppointmentStartWhole</a> from the exception Calendar object, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a>
EndDateTime	Set to <a href="#">PidLidAppointmentEndWhole</a> from the exception Calendar object, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a>
OriginalStartDate	Set to <a href="#">PidLidExceptionReplaceTime</a> from the exception Calendar object, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a>
OverrideFlags	Set the appropriate flags specified in Table 32.
SubjectLength/Subject	Set to <a href="#">PidTagSubject</a> from the exception Calendar object, leave unset if <a href="#">PidTagSubject</a> is not present
MeetingType	(unset)
ReminderDelta	Set to <a href="#">PidLidReminderDelta</a> from the exception Calendar object, leave unset if <a href="#">PidLidReminderDelta</a> is not present
ReminderSet	Set to FALSE if <a href="#">PidLidReminderDelta</a> is not present, leave unset otherwise
LocationLength/Location	Set to <a href="#">PidLidLocation</a> from the exception Calendar object, leave unset if <a href="#">PidLidLocation</a> is not present
BusyStatus	Set to <a href="#">PidLidBusyStatus</a> from the exception Calendar object, leave unset if <a href="#">PidLidBusyStatus</a> is not present
Attachment	(unset)
SubType	Set to <a href="#">PidLidAppointmentSubType</a> from the exception Calendar object, leave unset if <a href="#">PidLidAppointmentSubType</a> is not present
AppointmentColor	(unset)

Table 32- Valid flags in OverrideFlags

OverrideFlags Flag	Meaning
0x0001	SubjectLength / Subject is set (see Table 31)
0x0004	ReminderDelta is set (see Table 31)
0x0008	ReminderSet is set (see Table 31)
0x0010	LocationLength / Location is set (see Table 31)
0x0020	BusyStatus is set (see Table 31)
0x0080	SubType is set (see Table 31)
0x0200	<a href="#">PidTagRtfCompressed</a> or <a href="#">PidTagBody</a> from the exception Calendar object is present

### Exporting From Calendar objects

The RDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If there are entries in the ModifiedInstanceDates field in the RecurrencePattern structure embedded within the [PidLidAppointmentRecur](#) structure (see [MS-OXOCAL]), the date-times of all instances of the recurrence pattern falling on the days specified by the **ModifiedInstanceDates** field in the **RecurrencePattern** structure SHOULD [<163>](#) be exported in an RDATE, but exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section [2.2.1.20.20](#)) MUST NOT also be exported as an RDATE.

If the exception is an all day appointment, the RDATE MUST be specified in the Date format.

#### 2.2.1.20.18.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

#### 2.2.1.20.18.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

### Importing To Calendar objects



This parameter SHOULD [<164>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

### Exporting From Calendar objects

If the RDATE property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RDATE property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

#### 2.2.1.20.19 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0, 1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

### Importing To and Exporting From Calendar objects

Section [2.3.2](#) specifies how the RRULE property is imported and exported.

#### 2.2.1.20.20 Property: RECURRENCE-ID

RFC Reference: [\[RFC2445\]](#) section 4.8.4.4

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The original starting time of a moved exception of a recurring appointment.

### Importing To Calendar objects

This property MUST be imported into [PidLidExceptionReplaceTime](#), in UTC.

In addition, if the VCALENDAR contains a recurring VEVENT with the same UID, but no RECURRENCE-ID, this entire VEVENT SHOULD [<165>](#) be treated as an exception of the recurring VEVENT. In particular:

- Instead of creating a new Calendar object in the Folder object for this VEVENT, a new attachment object in the **Recurring Calendar object** SHOULD [<166>](#) be created (with properties specified in Table 33), and [PidTagAttachDataObject](#) SHOULD [<167>](#) be opened as a Calendar object and used to import this VEVENT.
- The [PidTagMessageClass](#) of this Calendar object SHOULD [<168>](#) be overwritten to 'IPM.OLE.CLASS.{00061055-0000-0000-C000-000000000046}'.
- The recurring VEVENT SHOULD [<169>](#) treat this VEVENT's RECURRENCE-ID as an EXDATE, and this VEVENT's DTSTART as an RDATE. See section [2.2.1.20.18](#) for the effect of this exception on [PidLidAppointmentRecur](#).

Table 33- Embedded exception attachment properties

Attachment Object Property	Value
<a href="#">PidTagAttachDataObject</a>	Open this property as a Calendar object interface and import the VEVENT
<a href="#">PidTagAttachMethod</a>	Set to 0x00000005
<a href="#">PidTagRenderingPosition</a>	Set to 0xFFFFFFFF
<a href="#">PidTagDisplayName</a>	Set to the <a href="#">PidTagSubject</a> of this Calendar object
<a href="#">PidTagExceptionStartTime</a>	Set to the <a href="#">PidLidAppointmentStartWhole</a> of this Calendar object, local to the time zone specified by <a href="#">PidLidTimeZoneStruct</a> of this Calendar object.
<a href="#">PidTagAttachEncoding</a>	Set to an empty <b>PtypBinary</b>
<a href="#">PidTagExceptionEndTime</a>	Set to the <a href="#">PidLidAppointmentEndWhole</a> of this Calendar object, local to the time zone specified by <a href="#">PidLidTimeZoneStruct</a> of this Calendar object.
<a href="#">PidTagAttachmentFlags</a>	Set to 0x00000002
<a href="#">PidTagAttachmentLinkId</a>	Set to 0x00000000
<a href="#">PidTagAttachFlags</a>	Set to 0x00000000
<a href="#">PidTagAttachmentHidden</a>	Set to TRUE
<a href="#">PidTagAttachmentContactPhoto</a>	Set to FALSE

### Exporting From Calendar objects

If [PidLidExceptionReplaceTime](#) is set, then it MUST be exported as a RECURRENCE-ID. Otherwise, if an InstanceDate can be parsed from the 17th, 18th, 19th, and 20th bytes of [PidLidGlobalObjectId](#) as specified in section [2.2.1.20.26](#), then that date combined with the time in [PidLidStartRecurrenceTime](#) (in the time zone specified by [PidLidTimeZoneStruct](#)) MUST be exported as a RECURRENCE-ID.

In addition, exceptions to recurring appointments SHOULD [<170>](#) be exported as a separate VEVENTs with a RECURRENCE-ID under either of the conditions below. exceptions that do not fit either of these conditions MAY instead be exported as an RDATE (see section [2.2.1.20.18](#)).

- Exceptions stored as an attachment object with [PidTagAttachMethod](#) set to 0x00000005 and with the bit denoted by 0x00000002 set to 1 in [PidTagAttachmentFlags](#).
- Exceptions which do anything other than, or in addition to, moving the start time of an instance without changing the duration.

The RECURRENCE-ID of new VEVENTs MUST be exported from the **OriginalStartDate** field of the corresponding **ExceptionInfo** block. Furthermore, the new VEVENTs MUST export the same UID as the recurring VEVENT. The remaining properties MUST be exported from the Calendar object embedded in [PidTagAttachDataObject](#) of the attachment object. If no attachment object exists for this exception, then the **ExceptionInfo's** fields MUST be exported as properties of the new VEVENT as specified in Table 34.

Table 34- Properties exported from an ExceptionInfo structure

ExceptionInfo Field	Export as...
<b>StartDateTime / MeetingType</b>	Export as DTSTART (see section <a href="#">2.2.1.20.10</a> )
<b>EndDateTime / MeetingType</b>	Export as DTEND (see section <a href="#">2.2.1.20.8</a> )
<b>OriginalStartDate</b>	Export as RECURRENCE-ID
<b>SubjectLength / Subject</b>	Export as SUMMARY (see section <a href="#">2.2.1.20.24</a> ), if <b>Subject</b> is set
<b>ReminderDelta / ReminderSet</b>	Export as a VALARM sub-component (see section <a href="#">2.2.1.20.62</a> ), if <b>ReminderDelta</b> is set and if <b>ReminderSet</b> is not FALSE
<b>LocationLength / Location</b>	Export as LOCATION (see section <a href="#">2.2.1.20.15</a> ), if <b>Location</b> is set
<b>BusyStatus</b>	Export as TRANSP (see section <a href="#">2.2.1.20.25</a> ) and X-MICROSOFT-CDO-BUSYSTATUS (see section <a href="#">2.2.1.20.31</a> ), if <b>BusyStatus</b> is set

If RECURRENCE-ID is exported (as specified above) and the recurring parent is not all day, RECURRENCE-ID MUST be specified local to the time zone specified in [PidLidTimeZoneStruct](#).

If RECURRENCE-ID is exported (as specified above) and the recurring parent is all day, then the RECURRENCE-ID MUST be specified in the Date format ([\[RFC2445\]](#) section 4.3.4).

### 2.2.1.20.20.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

### 2.2.1.20.20.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

**Importing To** Calendar objects

This parameter SHOULD [<171>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

**Exporting From Calendar objects**

If the RECURRENCE-ID property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RECURRENCE-ID property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

### 2.2.1.20.21 Property: RESOURCES

RFC Reference: [\[RFC2445\]](#) section 4.8.1.10

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: resource (such as rooms or equipment) for a meeting.

**Importing To** Calendar objects

All instances of the resources property SHOULD [<172>](#) be parsed as a comma-delimited list of strings into a string array. For each string in the array:

- All semicolons (U+003B) MUST be filtered out.
- All adjacent sequences of whitespace [<173>](#) MUST be compressed to a single space (U+0020).
- All whitespace [<174>](#) at the beginning and end of the string MUST be filtered out.
- Zero-length strings MUST be ignored.

All remaining strings in the array SHOULD [<175>](#) be added to a list delimited by "; " (U+003B followed by U+0020) in [PidLidNonSendableBcc](#).

**Exporting From Calendar objects**

The semicolon-delimited entries in [PidLidNonSendableBcc](#) SHOULD [<176>](#) be exported as a comma-delimited list in a **resources** property.

### 2.2.1.20.22 Property: SEQUENCE

RFC Reference: [\[RFC2445\]](#) section 4.8.7.4

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the revision sequence number of the meeting request.

**Importing To** Calendar objects

If [PidLidAppointmentSequence](#) cannot be imported from X-MICROSOFT-CDO-APPT-SEQUENCE (section [2.2.1.20.29](#)), then this property MUST be imported into [PidLidAppointmentSequence](#). If no SEQUENCE property exists, [PidLidAppointmentSequence](#) SHOULD [<177>](#) be left unset.

**Exporting From Calendar objects**

[PidLidAppointmentSequence](#) MUST be exported as the SEQUENCE property. If [PidLidAppointmentSequence](#) is not set, the SEQUENCE property MUST be exported as 0.

### 2.2.1.20.23 Property: STATUS

RFC Reference: [\[RFC2445\]](#) section 4.8.1.11

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the confirmation level of the appointment.

**Importing To** Calendar objects

If [PidLidBusyStatus](#) cannot be imported from TRANSP (section [2.2.1.20.25](#)), X-MICROSOFT-CDO-BUSYSTATUS (section [2.2.1.20.31](#)), or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (section [2.2.1.20.42](#)), this property SHOULD [<178>](#) be imported into [PidLidBusyStatus](#) as specified in Table 35.

Table 35- Mapping of STATUS to PidLidBusyStatus

STATUS	PidLidBusyStatus
CANCELLED	0x00000000
TENTATIVE	0x00000001
CONFIRMED	0x00000002

#### Exporting From Calendar objects

This property SHOULD NOT be exported.

### 2.2.1.20.24 Property: SUMMARY

RFC Reference: [\[RFC2445\]](#) section 4.8.1.12

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the subject of an appointment.

**Importing To** Calendar objects

This property SHOULD [<179>](#) be stripped of all carriage returns (U+000D) and line feeds (U+000A), and SHOULD [<180>](#) be truncated to a length of 255 WCHARs if its length exceeds 255 WCHARs. The truncation SHOULD NOT [<181>](#) split surrogate pairs. This property MUST be stored in [PidTagSubject](#). If this property could not be imported, [PidTagSubject](#) SHOULD [<182>](#) be set to the zero-length string.

#### Exporting From Calendar objects

[PidTagSubject](#) MUST be exported as a SUMMARY property. If [PidTagSubject](#) is not set, then the zero-length string SHOULD [<183>](#) be exported as a SUMMARY property.

#### 2.2.1.20.24.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the language of the property.

**Importing To** Calendar objects

This parameter SHOULD <184> be parsed as an [RFC1766] language tag and stored in [PidTagMessageLocaleId](#) as the corresponding [MS-LCID] language code identifier.

**Exporting From Calendar objects**

[PidTagMessageLocaleId](#) SHOULD <185> be converted from an [MS-LCID] language code identifier to an [RFC1766] language tag and exported as a LANGUAGE parameter.

### 2.2.1.20.25 Property: TRANSP

RFC Reference: [RFC2445] section 4.8.2.7

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies whether or not this appointment is intended to be visible in availability searches.

**Importing To** Calendar objects

If [PidLidBusyStatus](#) cannot be imported from X-MICROSOFT-CDO-BUSYSTATUS (section 2.2.1.20.31) or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (section 2.2.1.20.42), this property SHOULD <186> be imported into [PidLidBusyStatus](#) as specified in table 36.

Table 36- Mapping of TRANSP to PidLidBusyStatus

STATUS	PidLidBusyStatus
TRANSPARENT	0x00000000
OPAQUE	0x00000002

**Exporting From Calendar objects**

This property SHOULD <187> be exported from [PidLidBusyStatus](#) as specified in Table 37.

Table 37- Mapping of PidLidBusyStatus to TRANSP

PidLidBusyStatus	STATUS
0x00000000	TRANSPARENT
0x00000001	OPAQUE
0x00000002	OPAQUE
0x00000003	OPAQUE

### 2.2.1.20.26 Property: UID

RFC Reference: [\[RFC2445\]](#) section 4.8.4.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides a globally unique identifier for the appointment.

#### Importing To Calendar objects

There are two supported forms of textual representation of the UID property. The **Augmented Backus-Naur Form (ABNF)** ([\[RFC5234\]](#)) grammar for this value is:

```
UID = EncodedGlobalId / ThirdPartyGlobalId

EncodedGlobalId      = Header GlobalIdData
ThirdPartyGlobalId   = 1*UTF8-octets      ; Assuming UTF-8 is the encoding

Header = ByteArrayID InstanceDate CreationDateTime Padding DataSize

ByteArrayID          = "040000008200E00074C5B7101A82E008"
InstanceDate         = InstanceYear InstanceMonth InstanceDay
InstanceYear         = 4*4HEXDIG          ; UInt16
InstanceMonth        = 2*2HEXDIG          ; UInt8
InstanceDay          = 2*2HEXDIG          ; UInt8
CreationDateTime     = FileTime
FileTime             = 16*16HEXDIG        ; UInt64
Padding              = 16*16HEXDIG        ; "0000000000000000" recommended
DataSize             = 8*8HEXDIG          ; UInt32 little-endian
GlobalIdData         = 2*HEXDIG

UTF8-octets = *( UTF8-char )
UTF8-char   = UTF8-1 / UTF8-2 / UTF8-3 / UTF8-4
UTF8-1      = %x00-7F
UTF8-2      = %xC2-DF UTF8-tail
UTF8-3      = %xE0 %xA0-BF UTF8-tail / %xE1-EC 2( UTF8-tail ) /
              %xED %x80-9F UTF8-tail / %xEE-EF 2( UTF8-tail )
UTF8-4      = %xF0 %x90-BF 2( UTF8-tail ) / %xF1-F3 3( UTF8-tail ) /
              %xF4 %x80-8F 2( UTF8-tail )
UTF8-tail   = %x80-BF
```

To be of type **EncodedGlobalId**, the value of the UID property MUST satisfy the following constraints:

1. Every character MUST be a HEXDIG.
2. The length of the string MUST be eighty-two (82) characters or more.
3. The length of the string MUST be evenly divisible by 2.
4. The first thirty-two characters MUST match (case insensitive [<188>](#)) "040000008200E00074C5B7101A82E008".

Otherwise, the UID property is of type **ThirdPartyGlobalId**.

If the UID is of type **EncodedGlobalId**, then the data MUST be decoded to its binary representation (every two HEXDIGs compose one byte).

A temporary variable *EffectiveInstanceDate* is defined as follows:

- If the UID is of type **EncodedGlobalId** and if the **InstanceDate** portion of the UID is a valid date in the range of January 1st, 1601 to December 31st, 4500 (inclusive), then the *EffectiveInstanceDate* is the **ThirdPartyGlobalId** portion of the UID.
- If the UID is of type **EncodedGlobalId** but the **ThirdPartyGlobalId** portion of the UID is not a valid date in the range of January 1st, 1601 to December 31st, 4500 (inclusive), then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).
- If the UID is of type **ThirdPartyGlobalId**, then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).

If the UID is of type **EncodedGlobalId**, it MUST be imported into [PidLidGlobalObjectId](#) as specified below (the [PidLidGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.27):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate*'s year.
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate*'s year.
- The **M** field MUST be set to the value of the *EffectiveInstanceDate*'s month.
- The **D** field MUST be set to the value of the *EffectiveInstanceDate*'s day.
- The **Creation Time** field MUST be set to the **CreationDateTime** value.
- The **X** field MUST be set to the **Padding** value.
- The **Size** field MUST be set to the **DataSize** value.
- The **Data** field MUST be set to the binary value of **GlobalIdData**.

If the UID is of type **EncodedGlobalId**, it MUST also be imported into [PidLidCleanGlobalObjectId](#) as specified below (the [PidLidCleanGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.28):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to 0x00.
- The **YL** field MUST be set to 0x00.
- The **M** field MUST be set to 0x00.
- The **D** field MUST be set to 0x00.
- The **Creation Time** field MUST be set to the **CreationDateTime** value.



- The **X** field MUST be set to the **Padding** value.
- The **Size** field MUST be set to the **DataSize** value.
- The **Data** field MUST be set to the binary value of **GlobalIdData**.

If the UID is of type **ThirdPartyGlobalId**, it MUST be imported into [PidLidGlobalObjectId](#) as specified below (the [PidLidGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.27):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate*'s year.
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate*'s year.
- The **M** field MUST be set to the value of the *EffectiveInstanceDate*'s month.
- The **D** field MUST be set to the value of the *EffectiveInstanceDate*'s day.
- The **Creation Time** field MUST be set to 0x0000000000000000.
- The **X** field MUST be set to 0x0000000000000000.
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C.
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8).

If the UID is of type **ThirdPartyGlobalId**, it MUST also be imported into [PidLidCleanGlobalObjectId](#) as specified below (the [PidLidCleanGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.28):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to 0x00.
- The **YL** field MUST be set to 0x00.
- The **M** field MUST be set to 0x00.
- The **D** field MUST be set to 0x00.
- The **Creation Time** field MUST be set to 0x0000000000000000.
- The **X** field MUST be set to 0x0000000000000000.
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C.
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8).

## Exporting From Calendar objects

If the **Data** field (as specified in [\[MS-OXOCAL\]](#) section 2.2.1.27) of [PidLidGlobalObjectId](#) begins with the following 12 bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, the remainder of the **Data** field (starting at the 13th byte) MUST be treated as a UTF-8 encoded string and exported directly as the UID property.

Otherwise, a modified copy of [PidLidGlobalObjectId](#), with the **YH**, **YL**, **M**, and **D** fields set to 0x00, MUST be encoded as a hexadecimal string, and exported as the UID property.

#### **2.2.1.20.27 Property: X-ALT-DESC**

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides an alternate format for the DESCRIPTION property (an HTML body).

**Importing To** Calendar objects

If the FMTTYPE parameter is 'text/HTML', then the HTML SHOULD [<189>](#) be converted to encapsulated RTF (see [\[MS-OXRTFEX\]](#)) and stored in [PidTagRtfCompressed](#) (see [\[MS-OXRTPCP\]](#)).

If the FMTTYPE parameter is absent or undocumented, then the X-ALT-DESC property SHOULD be ignored.

**Exporting From Calendar objects**

[PidTagRtfCompressed](#) SHOULD [<190>](#) be converted to HTML and exported as an X-ALT-DESC property with a FMTTYPE parameter of 'text/HTML'.

##### **2.2.1.20.27.1 Parameter: FMTTYPE**

RFC Reference: [\[RFC2445\]](#) section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the text format of the X-ALT-DESC property.

**Importing To and Exporting From** Calendar objects

See section [2.2.1.20.27](#).

#### **2.2.1.20.28 Property: X-MICROSOFT-CDO-ALLDAYEVENT**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

**Importing To** Calendar objects

If this property is set to TRUE and if DTSTART and DTEND are both specified as local times falling at midnight in their respective [<191>](#) time zones, then this appointment SHOULD [<192>](#) be imported as an all day appointment. Specifically, [PidLidAppointmentSubType](#) SHOULD [<193>](#) be set to 0x00000001 and [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#) SHOULD [<194>](#) be set to fall on midnight of the current system time zone (in UTC).

#### **Exporting From Calendar objects**

This property SHOULD NOT [<195>](#) be exported. Section [2.2.1.20.10](#) specifies how to correctly export all day events.

#### **2.2.1.20.29 Property: X-MICROSOFT-CDO-APPT-SEQUENCE**

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the sequence number of the meeting request.

**Importing To** Calendar objects

This property SHOULD [<196>](#) be imported into [PidLidAppointmentSequence](#).

#### **Exporting From Calendar objects**

This property SHOULD NOT [<197>](#) be exported. Section [2.2.1.20.22](#) specifies how to correctly export [PidLidAppointmentSequence](#) using the SEQUENCE property.

#### **2.2.1.20.30 Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time at which the attendee accepted, tentatively accepted, or declined the meeting request.

**Importing To** Calendar objects

This property MAY [<198>](#) be imported as [PidLidAttendeeCriticalChange](#).

#### **Exporting From Calendar objects**

[PidLidAttendeeCriticalChange](#) MAY [<199>](#) be exported as X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE.

#### **2.2.1.20.31 Property: X-MICROSOFT-CDO-BUSYSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the BUSY status of an appointment.

### Importing To and Exporting From Calendar objects

This property SHOULD [<200>](#) be mapped into [PidLidBusyStatus](#) as specified by Table 38.

Table 38- Mapping of X-MICROSOFT-CDO-BUSYSTATUS to PidLidBusyStatus

X-MICROSOFT-CDO-BUSYSTATUS	PidLidBusyStatus
FREE	0x00000000
TENTATIVE	0x00000001
BUSY	0x00000002
OOF	0x00000003

### 2.2.1.20.32 Property: X-MICROSOFT-CDO-IMPORTANCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

### Importing To Calendar objects

This property SHOULD be imported into [PidTagImportance](#) as specified by Table 39.

Table 39- Map from X-MICROSOFT-CDO-IMPORTANCE to PidTagImportance

X-MICROSOFT-CDO-IMPORTANCE	PidTagImportance
0	0x00000000
1	0x00000001
2	0x00000002

### Exporting From Calendar objects

This property SHOULD be exported as specified in Table 39.

### 2.2.1.20.33 Property: X-MICROSOFT-CDO-INSTTYPE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Indicates whether the VEVENT represents a non-recurring appointment, a recurring appointment, or an exception to a recurring appointment.

**Importing To** Calendar objects

This property SHOULD be ignored.

**Exporting From Calendar objects**

This property SHOULD NOT [<201>](#) be exported. The instance type of a VEVENT can be correctly determined based on the existence of the RRULE and RECURRENCE-ID properties.

**2.2.1.20.34 Property: X-MICROSOFT-CDO-INTENDEDSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

**Importing To Calendar objects**

This property SHOULD [<202>](#) be imported into [PidLidIntendedBusyStatus](#) using the same import mapping as X-MICROSOFT-CDO-BUSYSTATUS as specified by Table 38.

If the METHOD property is REQUEST and an X-MICROSOFT-CDO-INTENDEDSTATUS property is absent, then [PidLidIntendedBusyStatus](#) SHOULD [<203>](#) copy the value of [PidLidBusyStatus](#), defaulting to 0x00000002 if [PidLidBusyStatus](#) was not set, and [PidLidBusyStatus](#) SHOULD [<204>](#) be set to 0x00000001.

**Exporting From Calendar objects**

If the METHOD property is REQUEST, [PidLidIntendedBusyStatus](#) SHOULD [<205>](#) be exported as X-MICROSOFT-CDO-INTENDEDSTATUS using the mapping in Table 38.

**2.2.1.20.35 Property: X-MICROSOFT-CDO-OWNERAPPTID**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Provides an identifier for the appointment which is unique in the scope of the organizer's primary calendar.

**Importing To and Exporting From** Calendar objects

This property SHOULD [<206>](#) be directly imported to and exported from [PidTagOwnerAppointmentId](#).

**2.2.1.20.36 Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time at which the organizer requested, updated, or cancelled the meeting.

**Importing To** Calendar objects

When present, this property MAY [<207>](#) be imported as [PidLidOwnerCriticalChange](#).

**Exporting From Calendar objects**

[PidLidOwnerCriticalChange](#) MAY [<208>](#) be exported as X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.

### 2.2.1.20.37 Property: X-MICROSOFT-CDO-REPLYTIME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time in which the attendee responded to a meeting request.

**Importing To** Calendar objects

This property MAY [<209>](#) be imported as [PidLidAppointmentReplyTime](#).

**Exporting From Calendar objects**

[PidLidAppointmentReplyTime](#) MAY [<210>](#) be exported as X-MICROSOFT-CDO-REPLYTIME.

### 2.2.1.20.38 Property: X-MICROSOFT-DISALLOW-COUNTER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the organizer is willing to receive counter-proposals.

**Importing To and Exporting From** Calendar objects

This property SHOULD [<211>](#) be directly imported to and exported from [PidLidAppointmentNotAllowPropose](#).

### 2.2.1.20.39 Property: X-MICROSOFT-EXDATE

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

**Importing To Calendar objects**

If this property is specified, an X-MICROSOFT-RRULE MUST also be specified in the same VEVENT.

This property SHOULD [<212>](#) be imported in the same way that the EXDATE property is imported. See section [2.2.1.20.13](#).

### **Exporting From Calendar objects**

The X-MICROSOFT-EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If the CalendarType field of [PidLidAppointmentRecur](#) is non-zero or if PatternType is one of the special values enumerated in Table 6, this property SHOULD [<213>](#) be exported in place of the EXDATE property. If exported, the value of this property MUST be exactly what the value of the EXDATE property would have been (see section [2.2.1.20.13](#)).

#### **2.2.1.20.39.1 Parameter: VALUE**

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

**Importing To** Calendar objects

This parameter SHOULD be ignored.

**Exporting From Calendar objects**

This parameter MUST be exported as 'DATE-TIME'.

#### **2.2.1.20.40 Property: X-MICROSOFT-ISDRAFT**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

**Importing To** Calendar objects

For iCalendar files with a method of REQUEST, REPLY, CANCEL, or COUNTER, [PidLidFInvited](#) MUST be set to TRUE regardless of the value of X-MICROSOFT-ISDRAFT.

For iCalendar files with a method of publish, [PidLidFInvited](#) SHOULD [<214>](#) be set to TRUE if the VEVENT is a meeting and X-MICROSOFT-ISDRAFT is not set to TRUE. Otherwise, [PidLidFInvited](#) SHOULD be set to FALSE.

**Exporting From Calendar objects**

For iCalendar files with a method of publish, if the organizer of the meeting is the user and if [PidLidFInvited](#) is not TRUE, then X-MICROSOFT-ISDRAFT SHOULD [<215>](#) be exported as TRUE.

For all other cases, X-MICROSOFT-ISDRAFT MUST NOT be exported.

#### **2.2.1.20.41 Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

**Importing To and Exporting From** Calendar objects

This property is synonymous with X-MICROSOFT-CDO-ALLDAYEVENT [<216>](#) . See section [2.2.1.20.28](#) for usage.

#### **2.2.1.20.42 Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status of an appointment.

**Importing To** Calendar objects

This property is synonymous with X-MICROSOFT-CDO-BUSYSTATUS (see section [2.2.1.20.31](#)) and SHOULD [<217>](#) be imported into [PidLidBusyStatus](#) as specified by Table 38.

**Exporting From Calendar objects**

This property SHOULD NOT be exported.

#### **2.2.1.20.43 Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

**Importing To and Exporting From** Calendar objects

This property is synonymous [<218>](#) with X-MICROSOFT-CDO-IMPORTANCE. See section [2.2.1.20.32](#) for usage.

#### **2.2.1.20.44 Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)



Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

**Importing To** Calendar objects

This property is synonymous with X-MICROSOFT-CDO-INTENDEDSTATUS (see section [2.2.1.20.34](#)) and SHOULD [<219>](#) be imported into [PidLidIntendedBusyStatus](#) as specified by Table 38.

**Exporting From Calendar objects**

This property SHOULD NOT be exported.

### **2.2.1.20.45 Property: X-MICROSOFT-RRULE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

**Importing To and Exporting From** Calendar objects

Section [2.3.2](#) specifies how the X-MICROSOFT-RRULE property is imported and exported.

If this property is specified, an X-MICROSOFT-CALSCALE MUST also be specified in the same VEVENT.

#### **2.2.1.20.45.1 Parameter: VALUE**

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

**Importing To** Calendar objects

This parameter SHOULD be ignored.

**Exporting From Calendar objects**

This parameter MUST be exported as 'RECUR'.

#### **2.2.1.20.45.2 Parameter: X-MICROSOFT-ISLEAPMONTH**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether the month specified in a yearly non-Gregorian recurrence is a leap month of that calendar.

**Importing To** Calendar objects

This parameter SHOULD be ignored. The month of a yearly recurrence is determined from DTSTART.

**Exporting From Calendar objects**

If the recurrence is a Yearly (section [2.3.2.5](#)) or Yearly Nth (section [2.3.2.6](#)), this property SHOULD [<220>](#) be exported as a Boolean ([\[RFC2445\]](#) section 4.3.2) indicating whether or not the month of the recurrence is a leap month.

#### **2.2.1.20.46 Property: X-MS-OLK-ALLOWEXTERNCHECK**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether attendees not directly invited by the organizer can connect to the conferencing instance (see the [PidLidAllowExternalCheck](#) entry in [\[MS-OXPROPS\]](#)).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<221>](#) be directly imported to and exported from [PidLidAllowExternalCheck](#).

#### **2.2.1.20.47 Property: X-MS-OLK-APPTLASTSEQUENCE**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the last-known maximum sequence number of a meeting.

**Importing To and Exporting From** Calendar objects

This property SHOULD [<222>](#) be directly imported to and exported from [PidLidAppointmentLastSequence](#).

#### **2.2.1.20.48 Property: X-MS-OLK-APPTSEQTIME**

RFC Reference: N/A

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The creation time of the iCalendar.

**Importing To Calendar objects**

This property SHOULD [<223>](#) be imported (in UTC) to [PidLidAppointmentSequenceTime](#).

**Exporting From Calendar objects**

[PidLidAppointmentSequenceTime](#) SHOULD [<224>](#) be exported as this property (in UTC).

### 2.2.1.20.48.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

### 2.2.1.20.49 Property: X-MS-OLK-AUTOFILLLOCATION

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether the location is being automatically populated with recipients of type Resource.

**Importing To and Exporting From** Calendar objects

This property SHOULD [<225>](#) be directly imported to and exported from [PidLidAutoFillLocation](#).

### 2.2.1.20.50 Property: X-MS-OLK-AUTOSTARTCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not to automatically start the conferencing application when a **reminder** for the meeting fires (see the [PidLidAutoStartCheck](#) entry in [\[MS-OXPROPS\]](#)).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<226>](#) be directly imported to and exported from [PidLidAutoStartCheck](#).

### 2.2.1.20.51 Property: X-MS-OLK-COLLABORATEDOC

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the path to the conferencing collaboration document (see the [PidLidCollaborateDoc](#) entry in [\[MS-OXPROPS\]](#)).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<227>](#) be directly imported to and exported from [PidLidCollaborateDoc](#).

### 2.2.1.20.52 Property: X-MS-OLK-CONFCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether or not conferencing is enabled on this appointment (see the [PidLidConferencingCheck](#) entry in [MS-OXPROPS]).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<228>](#) be directly imported to and exported from [PidLidConferencingCheck](#).

### 2.2.1.20.53 Property: X-MS-OLK-CONFTYPE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the type of conferencing that is enabled on the appointment (see the [PidLidConferencingType](#) entry in [MS-OXPROPS]).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<229>](#) be directly imported to and exported from [PidLidConferencingType](#).

### 2.2.1.20.54 Property: X-MS-OLK-DIRECTORY

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the path to the conferencing server (see the [PidLidDirectory](#) entry in [MS-OXPROPS]).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<230>](#) be directly imported to and exported from [PidLidDirectory](#).

### 2.2.1.20.55 Property: X-MS-OLK-MWSURL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the URL of the **Meeting Workspace** (see the [PidLidMeetingWorkspaceUrl](#) entry in [MS-OXPROPS]).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<231>](#) be directly imported to and exported from [PidLidMeetingWorkspaceUrl](#).

#### **2.2.1.20.56 Property: X-MS-OLK-NETSHOWURL**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the URL of the NetShow conference (see the [PidLidNetShowUrl](#) entry in [\[MS-OXPROPS\]](#)).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<232>](#) be directly imported to and exported from [PidLidNetShowUrl](#).

#### **2.2.1.20.57 Property: X-MS-OLK-ONLINEPASSWORD**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the password to the conferencing instance (see the [PidLidOnlinePassword](#) entry in [\[MS-OXPROPS\]](#)).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<233>](#) be directly imported to and exported from [PidLidOnlinePassword](#).

#### **2.2.1.20.58 Property: X-MS-OLK-ORGALIAS**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the e-mail address of the conferencing instance's organizer (see the [PidLidOrganizerAlias](#) entry in [\[MS-OXPROPS\]](#)).

**Importing To and Exporting From** Calendar objects

This property SHOULD [<234>](#) be directly imported to and exported from [PidLidOrganizerAlias](#).

#### **2.2.1.20.59 Property: X-MS-OLK-ORIGINALEND**

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original end time of a meeting on a counter proposal.

## Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD [<235>](#) be directly mapped to [PidLidAppointmentEndWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<236>](#) be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALEND MUST be ignored and MUST NOT be exported.

### 2.2.1.20.60 Property: X-MS-OLK-ORIGINALSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of a meeting on a counter proposal.

## Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD [<237>](#) be directly mapped to [PidLidAppointmentStartWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<238>](#) be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALSTART MUST be ignored and MUST NOT be exported.

### 2.2.1.20.61 Property: X-MS-OLK-SENDER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: **URI** ([\[RFC2445\]](#) section 4.3.13)

Brief Description: The delegate sending the meeting on behalf of the organizer.

## Importing To Calendar objects

This property SHOULD [<239>](#) be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD [<240>](#) be resolved against the address book [\[MS-OXOABK\]](#). If no match was found, a one-off EntryID ([\[MS-OXCDATA\]](#) section 2.2.5.1) SHOULD [<241>](#) be created using the SMTP address and the CN parameter. If resolved successfully, the Address Book object SHOULD [<242>](#) be imported into [PidTagSenderAddressType](#), [PidTagSenderEmailAddress](#), [PidTagSenderEntryId](#), and [PidTagSenderName](#).

## Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then an X-MS-OLK-SENDER property MUST NOT be exported. Also, if [PidTagSenderEntryId](#) refers to the same Address Book object as the organizer, then the X-MS-OLK-SENDER property SHOULD NOT be exported.

The value of this property SHOULD [<243>](#) be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the Address Book object [\[MS-OXOABK\]](#) referenced by [PidTagSenderEntryId](#). If the

Address Book object does not have an SMTP address, then the value of the property SHOULD [<244>](#) be set to 'invalid:nomail'.

### 2.2.1.20.61.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of the delegate sending the meeting on behalf of the organizer.

**Importing To** Calendar objects

See section [2.2.1.20.61](#).

#### Exporting From Calendar objects

This parameter SHOULD [<245>](#) be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagSenderName](#) from the Calendar object, if necessary).

### 2.2.1.20.62 Component: VALARM

RFC Reference: [\[RFC2445\]](#) section 4.6.6

Number of Instances Allowed: 0, 1

Brief Description: Specifies a reminder for an appointment.

**Importing To** Calendar objects

If there is a VALARM component with a TRIGGER property specified as a Duration ([\[RFC2445\]](#) section 4.3.6) or a Date-Time ([\[RFC2445\]](#) section 4.3.5), then it MUST be parsed according to Table 40.

Table 40- Imported reminder properties

Named Property	Value
<a href="#">PidLidReminderDelta</a>	If TRIGGER is specified as a Duration, <a href="#">PidLidReminderDelta</a> MUST be set to the absolute value of the number of minutes specified by the TRIGGER property. If TRIGGER is specified as a Date-Time, <a href="#">PidLidReminderDelta</a> SHOULD be set to the difference in minutes between DTSTART and the value of TRIGGER. <a href="#">&lt;246&gt;</a> If no such TRIGGER property could be parsed, <a href="#">PidLidReminderDelta</a> SHOULD <a href="#">&lt;247&gt;</a> be set to 0x0000000F for non-all day appointments and 0x00000438 for all day appointments.
<a href="#">PidLidReminderTime</a>	MUST be set to the next instance of the appointment, in UTC. If all instances of the appointment are in the past, then this property SHOULD NOT be set.
<a href="#">PidLidReminderSignalTime</a>	If TRIGGER is specified as a Duration, <a href="#">PidLidReminderSignalTime</a> SHOULD be set to <a href="#">PidLidReminderDelta</a> minutes earlier than <a href="#">PidLidReminderTime</a> . <a href="#">&lt;248&gt;</a> If TRIGGER is specified as a Date-Time, <a href="#">PidLidReminderSignalTime</a> SHOULD be set to the value of TRIGGER in UTC. <a href="#">&lt;249&gt;</a> If <a href="#">PidLidReminderTime</a> is not set, then this property SHOULD NOT be set.
<a href="#">PidLidReminderSet</a>	MUST be set to TRUE if and only if <a href="#">PidLidReminderDelta</a> was successfully

Named Property	Value
	parsed from a TRIGGER property and <a href="#">PidLidReminderTime</a> was set.

### Exporting From Calendar objects

If [PidLidReminderSet](#) is TRUE, then a VALARM component MUST be exported with the properties enumerated in Table 41.

Table 41- VALARM properties

VALARM Property	Value
TRIGGER	MUST be set to a Duration ( <a href="#">[RFC2445]</a> section 4.3.6)) representing the number of minutes specified by <a href="#">PidLidReminderDelta</a> . If <a href="#">PidLidReminderDelta</a> is set to 0x5AE980E1, TRIGGER MUST be exported as 15 minutes.
ACTION	MUST be set to 'DISPLAY'
DESCRIPTION	MUST be set to 'Reminder'

#### 2.2.1.20.62.1 Property: TRIGGER

RFC Reference: [\[RFC2445\]](#) section 4.8.6.3

Number of Instances Allowed: 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6), Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the **signal time** of the reminder as an interval, in minutes, before the beginning of an instance of the appointment.

**Importing To and Exporting From** Calendar objects

See [2.2.1.20.62](#).

#### 2.2.1.20.62.2 Property: ACTION

RFC Reference: [\[RFC2445\]](#) section 4.8.6.1

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the action to take when the reminder is signaled.

**Importing To** Calendar objects

This property SHOULD be ignored on import.

**Exporting From Calendar objects**

See [2.2.1.20.62](#).



### 2.2.1.20.62.3 Property: DESCRIPTION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides a plain-text description for the reminder.

**Importing To** Calendar objects

This property SHOULD be ignored on import.

**Exporting From Calendar objects**

See [2.2.1.20.62](#).

## 2.3 Additional Information on Recurrences

Additional information that is necessary to specify a mapping from iCalendar RRULEs to [PidLidAppointmentRecur](#) can be found below.

### 2.3.1 iCalendar Recurrence Syntax

An iCalendar recurrence data type is a semicolon-delimited list of [recurrence parts](#). The ordering of these recurrence parts does not matter, but a single iCalendar recurrence MUST NOT contain more than one instance of the same recurrence part.

#### 2.3.1.1 Recurrence Part: FREQ

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the frequency of the recurrence.

The FREQ recurrence part MUST be set to one of the values defined in Table 42.

Table 42- Possible values of the FREQ recurrence part

FREQ Value	Meaning
DAILY	The appointment occurs every <interval> days. Supported configurations of DAILY recurrences are specified in section <a href="#">2.3.2.1</a> .
WEEKLY	The appointment occurs every <interval> weeks. Supported configurations of WEEKLY recurrences are specified in section <a href="#">2.3.2.2</a> .
MONTHLY	The appointment occurs every <interval> months. Supported configurations of MONTHLY recurrences are specified in section <a href="#">2.3.2.3</a> and section <a href="#">2.3.2.4</a> .
YEARLY	The appointment occurs every <interval> years. Supported configurations of YEARLY recurrences are specified in section <a href="#">2.3.2.5</a> and section <a href="#">2.3.2.6</a> .

### 2.3.1.2 Recurrence Part: INTERVAL

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies a multiplier for the period of a recurrence.

The INTERVAL recurrence part MUST be within the bounds defined in Table 43. If an INTERVAL is omitted, the recurrence MUST be parsed as though the INTERVAL were 1.

Table 43- Bounds for the INTERVAL recurrence part

FREQ Value	Minimum INTERVAL	Maximum INTERVAL
DAILY	1	999
WEEKLY	1	99
MONTHLY	1	99
YEARLY	1	8 <a href="#">&lt;250&gt;</a>

### 2.3.1.3 Recurrence Part: BYMINUTE

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the minute(s) on which a recurrence occurs.

The BYMINUTE recurrence part MUST be an integer between 0 and 59 (inclusive). Furthermore, the BYMINUTE recurrence part MUST NOT specify more than one value. If no BYMINUTE is specified, the minute from the DTSTART property MUST be used.

### 2.3.1.4 Recurrence Part: BYHOUR

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the hour(s) on which a recurrence occurs.

The BYHOUR recurrence part MUST be an integer between 0 and 23 (inclusive). Furthermore, the BYHOUR recurrence part MUST NOT specify more than one value. If no BYHOUR is specified, the hour from the DTSTART property MUST be used.

### 2.3.1.5 Recurrence Part: BYMONTHDAY

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the day(s) of the month on which a recurrence occurs.

The BYMONTHDAY recurrence part MUST be -1, or an integer between 1 and 31 (inclusive). Furthermore, the BYMONTHDAY recurrence part MUST NOT specify more than one value. If no BYMONTHDAY is specified, the day of month from the DTSTART property MUST be used.

### 2.3.1.6 Recurrence Part: BYDAY

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Text ([RFC2445] section 4.3.8)

Brief Description: Specifies the day(s) of the week on which a recurrence occurs.

The BYDAY recurrence part MUST be a comma-delimited list of elements consisting of an optional week number (specified in Table 45) followed by a mandatory 2-character code for the day of week (specified in Table 44). A BYDAY recurrence part with no week number will be termed week independent.

Table 44- 2-character codes for a day of week in a BYDAY recurrence part

Day of Week Character Code	Meaning
SU	Sunday
MO	Monday
TU	Tuesday
WE	Wednesday
TH	Thursday
FR	Friday
SA	Saturday

Table 45- Week numbers in a BYDAY recurrence part

Week Number	Meaning
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

### 2.3.1.7 Recurrence Part: BYMONTH

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the month(s) on which a recurrence occurs.

The BYMONTH recurrence part MUST be an integer between 1 and 12 (inclusive). Furthermore, the BYMONTH recurrence part MUST NOT specify more than one value. If no BYMONTH is specified, the month from the DTSTART property MUST be used.

### 2.3.1.8 Recurrence Part: BYSETPOS

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the instance (s) of a multi-BYDAY appointment to use each INTERVAL (see section [2.3.2.4](#) and [2.3.2.6](#)).

The BYSETPOS recurrence part MUST be -1 or an integer between 1 and 4 (inclusive), see Table 46. Furthermore, the BYSETPOS recurrence part MUST NOT specify more than one value.

Table 46- Values of the BYSETPOS recurrence part

BYSETPOS Value	Meaning
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

### 2.3.1.9 Recurrence Part: WKST

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day of week on which a week is considered to start.

The WKST recurrence part MUST one of the values enumerated in Table 44. If no WKST recurrence part is specified, 'SU' MUST be used.

### 2.3.1.10 Recurrence Part: UNTIL

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time of the last instance of a recurring appointment (inclusive).

The UNTIL recurrence part MUST be a Date-Time occurring after the DTSTART property. The UNTIL recurrence part MUST NOT be specified in conjunction with the COUNT recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501 in the time zone specified by [PidLidTimeZoneStruct](#), the recurrence SHOULD [<251>](#) be treated as infinitely recurring.

### 2.3.1.11 Recurrence Part: COUNT

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the number of instances in a recurring appointment.

The COUNT recurrence part MUST be an Integer between 1 and 999 (inclusive). The COUNT recurrence part MUST NOT be specified in conjunction with the UNTIL recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501, the recurrence SHOULD [<252>](#) be treated as infinitely recurring.

## 2.3.2 Recurrence Templates

The RRULE and X-MICROSOFT-RRULE properties MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

Although the syntax permits a wide variety of recurrences, only RRULE properties and X-MICROSOFT-RRULE properties fitting the templates enumerated in this section SHOULD [<253>](#) be mapped into the [PidLidAppointmentRecur](#) structure.

Implementations SHOULD gracefully fail to map any recurrences that do not fit the templates enumerated in this section.

The following sections express the templates in ABNF notation ([\[RFC5234\]](#)). Below are common rules used in the templates:

```
common-parts      = [interval-part] [byhour-part] [byminute-part]
                   [(until-part / count-part)] [wkst-part]

interval-part     = ";INTERVAL=" 1*DIGIT           ; See 2.3.1.2
byminute-part    = ";BYMINUTE=" 1*2DIGIT         ; See 2.3.1.3
byhour-part      = ";BYHOUR=" 1*2DIGIT           ; See 2.3.1.4
bymonthday-part  = ";BYMONTHDAY=" ["-"]1*2DIGIT   ; See 2.3.1.5
byday-part       = ";BYDAY=" byday-list          ; See 2.3.1.6
byday-nth-part   = ";BYDAY=" byday-nth-list      ; See 2.3.1.6
bymonth-part     = ";BYMONTH=" 1*2DIGIT         ; See 2.3.1.7
```

```

bysetpos-part      = ";BYSETPOS=" weeknum           ; See 2.3.1.8
wkst-part          = ";WKST=" dayofweek           ; See 2.3.1.9
until-part         = ";UNTIL=" datetime          ; See 2.3.1.10
count-part         = ";COUNT=" 1*3DIGIT         ; See 2.3.1.11

byday-list         = byday-elm *(", " byday-elm)
byday-elm          = [weeknum] dayofweek
dayofweek          = "SU" / "MO" / "TU" / "WE" / "TH" / "FR" / "SA"
; See Table 44
weeknum            = "-1" / "1" / "2" / "3" / "4"
byday-nth-list     = dayofweek
byday-nth-list     =/ "SA, SU"                   ; Any ordering
byday-nth-list     =/ "MO, TU, WE, TH, FR"        ; Any ordering
byday-nth-list     =/ "SU, MO, TU, WE, TH, FR, SA" ; Any ordering
datetime           = year month day "T" hour minute second ["Z"]
year               = 4DIGIT
month              = 2DIGIT
day                = 2DIGIT
hour               = 2DIGIT
minute             = 2DIGIT
second            = "00"

```

### 2.3.2.1 Template: Daily Recurrences

#### ABNF Description

```
daily-template= "FREQ=DAILY" [common-parts]
```

#### Template Examples

Every day:

```
FREQ=DAILY
```

Every day at 3:30 P.M.:

```
FREQ=DAILY;BYMINUTE=30;BYHOUR=15
```

Every 3 days:

```
FREQ=DAILY;INTERVAL=3
```

Every 3 days at 3:30 P.M.:

```
FREQ=DAILY;INTERVAL=3;BYMINUTE=30;BYHOUR=15
```

Every 3 days at 3:30 P.M. for 30 instances:

```
FREQ=DAILY;INTERVAL=3;BYMINUTE=30;BYHOUR=15;COUNT=30
```

## Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<254>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 47. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 47- AppointmentRecurrencePattern Fields for Daily Recurrences

AppointmentRecurrencePattern Field	Value
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>RecurFrequency</b>	Set to 0x200A
<b>PatternType</b>	Set to 0x0000. Can be overridden by X-MICROSOFT-CALSCALE, see section <a href="#">2.2.1.8</a> .
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see section <a href="#">2.2.1.8</a> ).
<b>FirstDateTime</b>	Set as specified in <a href="#">[MS-OXOCAL]</a> section 2.2.1.44.1.
<b>Period</b>	Set to (1440 * INTERVAL)
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See section <a href="#">2.2.1.20.13</a>
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See section <a href="#">2.2.1.20.18</a>
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is

AppointmentRecurrencePattern Field	Value
	stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x00003006
<b>WriterVersion2</b>	Set to 0x00003009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <a href="#">PidLidAppointmentDuration</a> )
<b>ExceptionCount / ExceptionInfo</b>	See section <a href="#">2.2.1.20.18</a>
<b>(ReservedBlocks and ExtendedExceptions)</b>	Refer to [MS-OXCAL]

Table 48- Map of WKST Values to FirstDOW Values

WKST Value	FirstDOW Value
SU	0x00000000
MO	0x00000001
TU	0x00000002
WE	0x00000003
TH	0x00000004
FR	0x00000005
SA	0x00000006

### Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<255>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence template (specified in Table 50).

Table 49- Mapping of PidLidAppointmentRecur's fields to recurrence properties. If a case matches more than one row, the first matching row applies.

CalendarType field	PatternType field	Recurrence property
0x0000	0x0000	RRULE
0x0000	0x0001	RRULE
0x0000	0x0002	RRULE
0x0000	0x0003	RRULE



CalendarType field	PatternType field	Recurrence property
0x0000	0x000A	X-MICROSOFT-RRULE
0x0000	0x000B	X-MICROSOFT-RRULE
(any)	0x0000	RRULE <a href="#">&lt;256&gt;</a>
(any)	0x0001	RRULE <a href="#">&lt;257&gt;</a>
0x0001	(any)	RRULE
0x0002	(any)	RRULE
0x0003	(any)	RRULE
0x0004	(any)	RRULE
0x0005	(any)	RRULE
0x0006	(any)	X-MICROSOFT-RRULE
0x0007	(any)	RRULE
0x0008	(any)	X-MICROSOFT-RRULE
0x0009	(any)	RRULE
0x000A	(any)	RRULE
0x000B	(any)	RRULE
0x000C	(any)	RRULE
0x000E	(any)	X-MICROSOFT-RRULE
0x000F	(any)	X-MICROSOFT-RRULE
0x0010	(any)	X-MICROSOFT-RRULE
0x0011	(any)	X-MICROSOFT-RRULE
0x0012	(any)	X-MICROSOFT-RRULE
0x0013	(any)	X-MICROSOFT-RRULE
0x0014	(any)	X-MICROSOFT-RRULE
0x0017	(any)	X-MICROSOFT-RRULE

PatternType field	Period field	Recurrence template
0x0000	(any)	Daily Recurrence (section <a href="#">2.3.2.1</a> )
0x0001	(any)	Weekly Recurrence (section <a href="#">2.3.2.2</a> )
0x0002	(not evenly divisible by 12)	Monthly Recurrence (section <a href="#">2.3.2.3</a> )

PatternType field	Period field	Recurrence template
0x0002	(evenly divisible by 12)	Yearly Recurrence (section <a href="#">2.3.2.5</a> )
0x0003	(not evenly divisible by 12)	Monthly Nth Recurrence (section <a href="#">2.3.2.4</a> )
0x0003	(evenly divisible by 12)	Yearly Nth Recurrence (section <a href="#">2.3.2.6</a> )
0x000A	(not evenly divisible by 12)	Monthly Recurrence (section <a href="#">2.3.2.3</a> )
0x000A	(evenly divisible by 12)	Yearly Recurrence (section <a href="#">2.3.2.5</a> )
0x000B	(not evenly divisible by 12)	Monthly Nth Recurrence (section <a href="#">2.3.2.4</a> )
0x000B	(evenly divisible by 12)	Yearly Nth Recurrence (section <a href="#">2.3.2.6</a> )

If [PidLidAppointmentRecur](#) is being exported with the Daily Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 51.

Table 51- Recurrence Parts for a Daily Recurrence

Recurrence Part	Value
FREQ	Set to 'DAILY'
INTERVAL	Set to (Period / 1440). If the value is 1, omit this recurrence part.
COUNT	If EndType is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to ( <b>EndDate + StartTimeOffset</b> ), converted from the time zone specified by <a href="#">PidLidTimeZoneStruct</a> to the UTC time zone. <a href="#">&lt;258&gt;</a> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <a href="#">&lt;259&gt;</a> be omitted.

## 2.3.2.2 Template: Weekly Recurrences

### ABNF Description

```
weekly-template= "FREQ=WEEKLY" [byday-part] [common-parts]
```

### Template Examples

Every Monday and Tuesday:

```
FREQ=WEEKLY;BYDAY=MO,TU
```

Every Monday and Tuesday at 3:30 P.M.:

```
FREQ=WEEKLY;BYDAY=MO,TU;BYMINUTE=30;BYHOUR=15
```

The Monday and Tuesday of every two weeks, for 7 occurrences:

FREQ=WEEKLY;BYDAY=MO,TU;INTERVAL=2;COUNT=7

The Sunday and Monday of every two weeks, as interpreted by someone who considers a week to start on Monday (common in Europe). This is different in that, after a Sunday instance, there will be a seven-day gap before the next instance on a Monday:

FREQ=WEEKLY;BYDAY=SU,MO;INTERVAL=2;WKST=MO

### Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<260>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 52. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE. The BYDAY recurrence part MUST be week independent.

Table 52- AppointmentRecurrencePattern Fields for Weekly Recurrences

AppointmentRecurrencePattern Field	Value
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>RecurFrequency</b>	Set to 0x200B
<b>PatternType</b>	Set to 0x0001. Can be overridden by X-MICROSOFT-CALSCALE, see section <a href="#">2.2.1.8</a> .
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see section <a href="#">2.2.1.8</a> ).
<b>FirstDateTime</b>	Set as specified in <a href="#">[MS-OXOCAL]</a> section 2.2.1.44.1.
<b>Period</b>	Set to the value of INTERVAL
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	Set to a bitmask representation of BYDAY as specified in Table 53. If no BYDAY is specified, the day of week for DTSTART (in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> ) MUST be used.
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48)

AppointmentRecurrencePattern Field	Value
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See section <a href="#">2.2.1.20.13</a>
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See section <a href="#">2.2.1.20.18</a>
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x00003006
<b>WriterVersion2</b>	Set to 0x00003009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <a href="#">PidLidAppointmentDuration</a> )
<b>ExceptionCount / ExceptionInfo</b>	See section <a href="#">2.2.1.20.18</a>
<b>(ReservedBlocks and ExtendedExceptions)</b>	Refer to [MS-OXOCAL]

Table 53- Map of BYDAY values to an rdfDays bitmask

WKST Value	rdfDays bit
SU	0x00000001
MO	0x00000002
TU	0x00000004
WE	0x00000008
TH	0x00000010
FR	0x00000020
SA	0x00000040

### Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<261>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Weekly Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 54.

Table 54- Recurrence Parts for a Weekly Recurrence

Recurrence Part	Value
FREQ	Set to 'WEEKLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the <b>PatternTypeSpecific.Week.Sa-Su</b> bitmask as specified in Table 53.
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <a href="#">PidLidTimeZoneStruct</a> to the UTC time zone. <a href="#">&lt;262&gt;</a> Otherwise, omit this recurrence part.
WKST	If Period is greater than 1, then <b>FirstDOW</b> MUST be exported as the WKST recurrence part as specified in Table 48. Otherwise, the WKST recurrence part SHOULD <a href="#">&lt;263&gt;</a> be omitted.

### 2.3.2.3 Template: Monthly Recurrences

#### ABNF Description

```
monthly-template= "FREQ=MONTHLY" [bymonthday-part] [common-parts]
```

#### Template Examples

The last day of every month:

```
FREQ=MONTHLY;BYMONTHDAY=-1
```

The 10th day of every month at 3:30 P.M:

```
FREQ=MONTHLY;BYMONTHDAY=10;BYMINUTE=30;BYHOUR=15
```

The 15th day of every 3 months, for 7 occurrences:

```
FREQ=MONTHLY;BYMONTHDAY=15;INTERVAL=3;COUNT=7
```

#### Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<264>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 55. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 55- AppointmentRecurrencePattern Fields for Monthly Recurrences

<b>AppointmentRecurrencePattern Field</b>	<b>Value</b>
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>RecurFrequency</b>	Set to 0x200C. If the INTERVAL is evenly divisible by 12, <b>RecurFrequency</b> MAY <a href="#">&lt;265&gt;</a> be set to 0x200D.
<b>PatternType</b>	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see section <a href="#">2.2.1.8</a> .
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see section <a href="#">2.2.1.8</a> ).
<b>FirstDateTime</b>	Set as specified in <a href="#">[MS-OXOCAL]</a> section 2.2.1.44.1.
<b>Period</b>	Set to the value of INTERVAL
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, <b>PatternTypeSpecific.Month.Day</b> SHOULD <a href="#">&lt;266&gt;</a> be set to 0x0000001F.
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48).
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See section <a href="#">2.2.1.20.13</a>
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See section <a href="#">2.2.1.20.18</a>
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.

AppointmentRecurrencePattern Field	Value
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to ( <b>StartTimeOffset</b> + <a href="#">PidLidAppointmentDuration</a> )
ExceptionCount / ExceptionInfo	See section <a href="#">2.2.1.20.18</a>
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

### Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<267>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Monthly Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 56.

Table 56- Recurrence Parts for a Monthly Recurrence

Recurrence Part	Value
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYMONTHDAY	Set to <b>PatternTypeSpecific.Month.Day</b> . If <b>PatternTypeSpecific.Month.Day</b> is 0x0000001F, BYMONTHDAY SHOULD <a href="#">&lt;268&gt;</a> be set to -1.
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <a href="#">PidLidTimeZoneStruct</a> to the UTC time zone. <a href="#">&lt;269&gt;</a> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <a href="#">&lt;270&gt;</a> be omitted.

### 2.3.2.4 Template: Monthly Nth Recurrences

#### ABNF Description

```

monthlynth-template= "FREQ=MONTHLY" monthlynth-args
monthlynth-args= byday-nth-part bysetpos-part [common-parts]

```

#### Template Examples

The 3rd Sunday of every month:

FREQ=MONTHLY;BYDAY=SU;BYSETPOS=3

The last weekday of every month at 3:30 P.M.:

FREQ=MONTHLY;BYDAY=MO, TU, WE, TH, FR;BYSETPOS=-1;BYMINUTE=30;BYHOUR=15

The first Monday of every month, for 7 occurrences:

FREQ=MONTHLY;BYDAY=MO;BYSETPOS=1;COUNT=7

## Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<271>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 57. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 57- AppointmentRecurrencePattern Fields for Monthly Nth Recurrences

AppointmentRecurrencePattern Field	Value
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>RecurFrequency</b>	Set to 0x200C. If the INTERVAL is evenly divisible by 12, <b>RecurFrequency</b> MAY <a href="#">&lt;272&gt;</a> be set to 0x200D.
<b>PatternType</b>	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see section <a href="#">2.2.1.8</a> .
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see section <a href="#">2.2.1.8</a> ).
<b>FirstDateTime</b>	Set as specified in <a href="#">[MS-OXOCAL]</a> section 2.2.1.44.1.
<b>Period</b>	Set to the value of INTERVAL
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	Set to a bitmask representation of BYDAY as specified in Table 53.
<b>PatternTypeSpecific.MonthNth.N</b>	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, <b>PatternTypeSpecific.MonthNth.N</b> MUST be set to 0x00000005.
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set



AppointmentRecurrencePattern Field	Value
	<b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48).
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See section <a href="#">2.2.1.20.13</a>
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See section <a href="#">2.2.1.20.18</a>
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x00003006
<b>WriterVersion2</b>	Set to 0x00003009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <a href="#">PidLidAppointmentDuration</a> )
<b>ExceptionCount / ExceptionInfo</b>	See section <a href="#">2.2.1.20.18</a>
<b>(ReservedBlocks and ExtendedExceptions)</b>	Refer to [MS-OXOCAL]

### Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<273>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Monthly Nth Recurrence template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 58.

Table 58- Recurrence Parts for a Monthly Nth Recurrence

Recurrence Part	Value
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the <b>PatternTypeSpecific.MonthNth.Sa-Su</b> bitmask as specified in Table 53.

Recurrence Part	Value
BYSETPOS	Set to <b>PatternTypeSpecific.MonthNth.N</b> . If <b>PatternTypeSpecific.MonthNth.N</b> is 0x00000005, set BYSETPOS to -1.
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <a href="#">PidLidTimeZoneStruct</a> to the UTC time zone. <a href="#">&lt;274&gt;</a> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <a href="#">&lt;275&gt;</a> be omitted.

### 2.3.2.5 Template: Yearly Recurrences

#### ABNF Description

```
yearly-template= "FREQ=YEARLY" yearly-args
yearly-args= [bymonthday-part] [bymonth-part] [common-parts]
```

#### Template Examples

The last day of every September:

```
FREQ=YEARLY;BYMONTHDAY=-1;BYMONTH=9
```

The 10th day of every January at 3:30 P.M.:

```
FREQ=YEARLY;BYMONTHDAY=10;BYMONTH=1;BYMINUTE=30;BYHOUR=15
```

The 15th day of March, every 3 years, for 7 occurrences:

```
FREQ=YEARLY;BYMONTHDAY=15;BYMONTH=3;INTERVAL=3;COUNT=7
```

#### Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template [<276>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 55. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 59- AppointmentRecurrencePattern Fields for Yearly Recurrences

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200D. If the INTERVAL is not 1, <b>RecurFrequency</b> SHOULD <a href="#">&lt;277&gt;</a> be set to 0x200C.

AppointmentRecurrencePattern Field	Value
<b>PatternType</b>	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see section <a href="#">2.2.1.8</a> .
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see section <a href="#">2.2.1.8</a> ).
<b>FirstDateTime</b>	Set as specified in <a href="#">[MS-OXOCAL]</a> section 2.2.1.44.1.
<b>Period</b>	Set to (12 * INTERVAL)
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, <b>PatternTypeSpecific.Month.Day</b> SHOULD <a href="#">&lt;278&gt;</a> be set to 0x0000001F.
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.MonthNth.N</b>	(unset)
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48).
<b>DeletedInstanceCount / DeletedInstanceDates</b>	See section <a href="#">2.2.1.20.13</a>
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See section <a href="#">2.2.1.20.18</a>
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x00003006
<b>WriterVersion2</b>	Set to 0x00003009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)

AppointmentRecurrencePattern Field	Value
EndTimeOffset	Set to ( <b>StartTimeOffset</b> + <a href="#">PidLidAppointmentDuration</a> )
ExceptionCount / ExceptionInfo	See section <a href="#">2.2.1.20.18</a>
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

### Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<279>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Yearly Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 60.

Recurrence Part	Value
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12). If the value is 1, omit this recurrence part.
BYMONTHDAY	Set to <b>PatternTypeSpecific.Month.Day</b> . If <b>PatternTypeSpecific.Month.Day</b> is 0x0000001F, BYMONTHDAY SHOULD <a href="#">&lt;280&gt;</a> be set to -1.
BYMONTH	Set to the month from <b>FirstDateTime</b> .
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <a href="#">PidLidTimeZoneStruct</a> to the UTC time zone. <a href="#">&lt;281&gt;</a> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <a href="#">&lt;282&gt;</a> be omitted.

### 2.3.2.6 Template: Yearly Nth Recurrences

#### ABNF Description

```
yearlynth-template= "FREQ=YEARLY" yearlynth-args [common-parts]
yearlynth-args= byday-nth-part bysetpos-part bymonth-part
```

#### Template Examples

The 3rd Sunday of every June:

```
FREQ=YEARLY;BYDAY=SU;BYSETPOS=3;BYMONTH=6
```

The last weekday of every April at 3:30 P.M.:

FREQ=YEARLY;BYDAY=MO,TU,WE,TH,FR;BYSETPOS=-1;BYMONTH=4;BYMINUTE=30;BYHOUR=15

The first Monday of every October, every 3 years, for 7 occurrences:

FREQ=YEARLY;BYDAY=MO;BYSETPOS=1;BYMONTH=10;COUNT=7

### Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<283>](#) be imported into [PidLidAppointmentRecur](#) as specified in Table 61. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

Table 61- AppointmentRecurrencePattern Fields for Yearly Nth Recurrences

AppointmentRecurrencePattern Field	Value
<b>ReaderVersion</b>	Set to 0x3004
<b>WriterVersion</b>	Set to 0x3004
<b>RecurFrequency</b>	Set to 0x200D. If the INTERVAL is not 1, <b>RecurFrequency</b> SHOULD <a href="#">&lt;284&gt;</a> be set to 0x200C.
<b>PatternType</b>	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see section <a href="#">2.2.1.8</a> .
<b>CalendarType</b>	Imported from X-MICROSOFT-CALSCALE (see section <a href="#">2.2.1.8</a> ).
<b>FirstDateTime</b>	Set as specified in <a href="#">[MS-OXOCAL]</a> section 2.2.1.44.1.
<b>Period</b>	Set to (12 * INTERVAL)
<b>SlidingFlag</b>	Set to 0x00000000
<b>PatternTypeSpecific.Week.Sa-Su</b>	(unset)
<b>PatternTypeSpecific.Month.Day</b>	(unset)
<b>PatternTypeSpecific.MonthNth.Sa-Su</b>	Set to a bitmask representation of BYDAY as specified in Table 53.
<b>PatternTypeSpecific.MonthNth.N</b>	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, <b>PatternTypeSpecific.MonthNth.N</b> MUST be set to 0x00000005.
<b>EndType</b>	If the recurrence is infinite, set <b>EndType</b> to 0x00002023. If the recurrence is specified with a COUNT, set <b>EndType</b> to 0x00002022. Otherwise, set <b>EndType</b> to 0x00002021.
<b>OccurrenceCount</b>	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set <b>OccurrenceCount</b> to 0x0000000A.
<b>FirstDOW</b>	Set to the correct value based on WKST (see Table 48).
<b>DeletedInstanceCount /</b>	See section <a href="#">2.2.1.20.13</a>

AppointmentRecurrencePattern Field	Value
<b>DeletedInstanceDates</b>	
<b>ModifiedInstanceCount / ModifiedInstanceDates</b>	See section <a href="#">2.2.1.20.18</a>
<b>StartDate</b>	Set to the date portion of DTSTART, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART.
<b>EndDate</b>	Set to the start date of the last instance of a recurrence, in the time zone specified by <a href="#">PidLidTimeZoneStruct</a> . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set <b>EndDate</b> to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
<b>ReaderVersion2</b>	Set to 0x00003006
<b>WriterVersion2</b>	Set to 0x00003009
<b>StartTimeOffset</b>	Set to (60*BYHOUR + BYMINUTE)
<b>EndTimeOffset</b>	Set to ( <b>StartTimeOffset</b> + <a href="#">PidLidAppointmentDuration</a> )
<b>ExceptionCount / ExceptionInfo</b>	See section <a href="#">2.2.1.20.18</a>
<b>(ReservedBlocks and ExtendedExceptions)</b>	Refer to [MS-OXOCAL]

### Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<285>](#) be exported as a property (specified in Table 49), which MUST be assigned the value generated by the appropriate Recurrence Template (specified in Table 50).

If [PidLidAppointmentRecur](#) is being exported with the Yearly Nth Recurrence Template (as specified in Table 50), then it MUST contain the Recurrence Parts specified in Table 62.

Table 62- Recurrence Parts for a Yearly Nth Recurrence

Recurrence Part	Value
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12). If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the <b>PatternTypeSpecific.MonthNth.Sa-Su</b> bitmask as specified in Table 53.
BYSETPOS	Set to <b>PatternTypeSpecific.MonthNth.N</b> . If <b>PatternTypeSpecific.MonthNth.N</b> is 0x00000005, set BYSETPOS to -1.
BYMONTH	Set to the month from <b>FirstDateTime</b> .

Recurrence Part	Value
COUNT	If <b>EndType</b> is 0x00002022, set to <b>OccurrenceCount</b> . Otherwise, omit this recurrence part.
UNTIL	If <b>EndType</b> is 0x00002021, set to ( <b>EndDate</b> + <b>StartTimeOffset</b> ), converted from the time zone specified by <a href="#">PidLidTimeZoneStruct</a> to the UTC time zone. <a href="#">&lt;286&gt;</a> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <a href="#">&lt;287&gt;</a> be omitted.

### 2.3.3 End-of-Month Concerns

[\[RFC2445\]](#) specifies that Monthly Recurrences (section [2.3.2.3](#)) in which the BYMONTHDAY recurrence part is 29, 30, or 31 MUST skip over months that do not have a sufficient number of days. Conversely, [\[MS-OXOCAL\]](#) specifies that Monthly Recurrences with a **PatternTypeSpecific.Month.Day** of 0x0000001D, 0x0000001E, or 0x0000001F MUST occur on the last day of months that do not have a sufficient number of days.

### 2.3.4 Legacy UNTIL Concerns

If the PROPID property (see section [2.2.1.2](#)) indicates that a version of the MIMEDIR between 1 and 11 (inclusive) generated the iCalendar file and if the UNTIL recurrence part is specified with a trailing 'Z', it SHOULD NOT [<288>](#) be treated as a UTC Date-time. Instead, only the year, month, and day of the Date-time SHOULD [<289>](#) be retained, and the UNTIL recurrence part SHOULD [<290>](#) be interpreted as 11:59 P.M. of that day (in the time zone specified by [PidLidTimeZoneStruct](#)).

### 3 Structure Examples

The following subsections contain annotated iCalendar files representing several example scenarios.

#### 3.1 Example Birthday Calendar for 2008

In this example, Elizabeth has a non-primary calendar containing the birthdays of herself (October 12, 1975) and her closest friends: Shu (February 27, 1978) and Anne (July 7, 1982). Elizabeth sets 7-day reminders on all the birthdays so she has enough time to prepare. The following tables represent the contents of the Birthday calendar's Folder object and its three Calendar objects.

The following are the properties on the Folder object:

Name	Value
<a href="#">PidTagAccess</a>	63
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagContainerClass</a>	IPF.Appointment
<a href="#">PidTagContainerContents</a>	Object
<a href="#">PidTagContainerHierarchy</a>	Object
<a href="#">PidTagContentCount</a>	3
<a href="#">PidTagExtendedFolderFlags</a>	cb: 6 lpb: 010400001000
<a href="#">PidTagFolderAssociatedContents</a>	Object
<a href="#">PidTagFolderType</a>	1
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 42820000
<a href="#">PidTagSubfolders</a>	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

Name	Value
<a href="#">PidLidAqin gDontAge Me</a>	FALSE
<a href="#">PidLidAllo wExternal Check</a>	TRUE
<a href="#">PidLidApp ointmentA uxiliaryFla gs</a>	0
<a href="#">PidLidApp ointmentC olor</a>	0



Name	Value
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	1440
<a href="#">PidLidAppointmentEndWhole</a>	07:00:00.000 AM 10/13/1975
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentRecurrence</a>	cb: 80 lpb: 043004300D2002000000A0FF05000C00000000000000C000000232000000A00000000000000 0000000000000000080B4BF0BDF80E95A063000000930000000000000A005000000000000000 00000000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	07:00:00.000 AM 10/12/1975
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	TRUE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	0
<a href="#">PidLidCleanGlobalObj</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000

Name	Value
<a href="#">jectId</a>	0000D4429044CA28924C8FD122A133685E4A
<a href="#">PidLidClipEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClipStart</a>	07:00:00.000 AM 10/12/1975
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	07:00:00.000 AM 10/13/1975
<a href="#">PidLidCommonStart</a>	07:00:00.000 AM 10/12/1975
<a href="#">PidLidConfereencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000 0000D4429044CA28924C8FD122A133685E4A
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidLocation</a>	
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOrganizerAlias</a>	

<b>Name</b>	<b>Value</b>
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every October 12
<a href="#">PidLidRecurrenceType</a>	4
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	10080
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	07:00:00.000 AM 10/5/2008
<a href="#">PidLidReminderTime</a>	07:00:00.000 AM 10/12/1975
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFixOffline</a>	FALSE
<a href="#">PidLidTaskRecurring</a>	FALSE

Name	Value
<a href="#">g</a>	
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000030000000 20002000000000000000
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	Happy Birthday to me!
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	07:09:23.410 PM 2/6/2008

<b>Name</b>	<b>Value</b>
<a href="#">ime</a>	
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C868F3C8BB8D59608633DA442BBBCF672A6A13DFFD
<a href="#">PidTagConversationTopic</a>	Elizabeth's Birthday
<a href="#">PidTagCreationTime</a>	07:08:02.739 PM 2/6/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1025
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	07:08:02.739 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:09:23.410 PM 2/6/2008
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocationId</a>	1033
<a href="#">PidTagMessageSize</a>	7224
<a href="#">PidTagNormalizedSubject</a>	Elizabeth's Birthday

Name	Value
<a href="#">PidTagOriginatorDeliveryRequested</a>	FALSE
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 44002000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5487 lpb: 6B150000125A00004C5A4675A0C61C7507000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFEAOFFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFEAF8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525

Name	Value
	0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308DD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE739A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0C7DBB15BF05620392048A571A830778740CCA398C336BC3FBFD4FBE5B3 8FFBF3FC04FC15FC2639D50A6009E706780FFC2BFBF12C40FB18F4510B35FB466A410BF96A2C7 1FC82697889761A6F0739D60C7BB11892066D06D706FF3E0C94FC420455D40696C53894257B0 B7668380B0DF10766721890055C320F98850776ED5B6C1F1D652D773C226E5DB616D9721685 0ACF0D9039D52CA335A606DE7106B428742DA4528537562DAB17398516C467DEB3063DAB16 2F0ADE09C314E506DD46C4D3D6067DA9372DD1780D1EC4A63DCD1AD1249A4C067F03DA0E7 E7E0DAB18740744C5C90DAB16610547279DFF131808378DCF06E1FAF80D662E114B1A0AFD07 4703AFC2F2FA5D089905D40732EC7F0AE634EF0D2E09ED02ED3612FE3902266EB60652F77670 0642DF3A50B530E473DCF066905C8291A6F0DA7774E032DF81E5B3685A32DAB1FFDD219FE0 DF73DD21A090E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0ACA06310AC719E70A CA0A8319ED0386E626ADC067F099506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70B2 E180C09D6088D1DA406780739C797396F0DF417DC16C799D609E76DC067A0EE18878167649 7307A6167A266EC01D630DF31A691767F4541F0D19670DCF04E5089809E7070F7B2C0A5E0F2F 06C9F20967287C0B6B0FB6700C7E178678066D09D70DF3167A0FC736199A08740F213E121F53 1F21BF6121A6F04EF03D704E50885078B2C0A9E2506F7967F05C9670708980767104F308850 AD91A830ADE0EC2064E79D706730E1506264A8C08850ADE13FA5E096F1BEC196F28980AF406 55CF9F2F0727AEC02A9C0E7328740FBD1CE68FA136010EFD16776FCA9FB61FFAFB087408171F D22FE24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450FC776BA4B15E900112A5D04540B 5C1F7E651E940AAD265AF40027596F088D0FB9761EF6074D6F08740FB40EB610407FFAFD05D4 0A00ADE08841E140AFD0AF41FF6721BEB014500FD0D060E140B2A1F952FFA4B1ABE00410020 1ACA067309E810401FF67216710AA71E140DA51FA81FB408850FBD451AD1070672965082A0A F10B632FF8740A5E2B2A1CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169FF4F200 99728106721C1B2AD903D108850FF78609E70AEF2E430ADB09B21F431DB90BF894096F14550A F808841A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78ADE087E0BB6187C0A4C0F8E 1CAB0EF1261F7D18850B1D063E1510672B1D0EF1253AF008740A8406813C303D2E260F667AC D2EE3163F21005B36720DA601F14826330085216D2F210747862FC785C09B0B6C03D709660A DB00200FBE2C1F4B16C07016310F8912C40D3712F9732B5B09690809277131666DF71800D52 0E9E120E63081808832B5B0FF973023F03D90F84088D0ACB074D087C0BE6C96F05D400200081 0E140758800FFCE72ACD19631EA719B51EA3587729670FF67A0EBD19AD0A6F0FB401FD3AD641 EE03F8920EB63890180B0AE80EA616C76FFF2B1AE81E350AEB0235187E0671023D2FFA4B1DF3 13FA0E6519AD0B2D18901AE80F318D087E0202ED5C42356525023F2FFCE81245F256F267F23B 05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7280F2CDF2DE52926CC5E902BAF309 FFD2DC6525D70385131CF238344B02F6FFF343F354F365F23A157D037B224F391FFF3A2F323D 5C0037BF3D4F3E5F3F6F23A1FF4A703C4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2 ABBFACCFADDFAEFFFAFFE48F25381C209CCCFB21FB32FB43FFFB54FB65F95A859F050AF51B0 52DCD0014F13519E50C1FB82A0707961A0695D671068F0D05B404D902064E0217F5E1157BF58 CF59DF453063B2D42B0D7E0A48F28204F771F1B289434A6073C7EEA0EDB065807832363C2062 71FF66F0EC70678080D187616281C7E780D1FF1E3062719AC864F6BA5563D6978680D1FC3939 D8E063479670A5E00A804A51FF643AC582655A6A54BA55513167596A54FF63749807697F6A8F 6B9F97A450716D39F302E2EDC120316E43709F71AF72B7EF7DA1737F748F728A33766F777F726 CEE34797F7A8F726C357C8F7D9F726CFE367F9F80AF726CD5A082BF83CF727BEE3885BF86CF7 26C396E4397865062FB6D394D906373358C2F8D3876548E3FFF8D387964904F8D387C74925F8

Name	Value
	D387F84FF946F8D388294967F8D3885A4988F8D38FF88B49A9F8D388BC4891F9CE352C26D48F F02000A806CA0D7006E5F6F69E9F6CA4FBD0D26D39544F20BB71A44B6D1BDCA1B94C022050 4F91F130B0C068CA51FFDFD0A16FA27FA38FA496A71CDB41EDB0FFA616A9AFAABFABCDFD400C E43AD494E10FDF4D067AE6FAF7FB08FB1966D0CD4F0BB4CA1C1F073B35FB46F6759358A6CF25 41312204755D1B863B4AE6D66F650F3361C9154F3C1B86FBCDFB57FFFA6AF6DA4ADD0FA21ED C1BF9FC0AF6759FE366D0CDF04E41ADD0FB11C48FC59FFFC6ADA71CC874DFF04E00C94FCA5 FC6DAFFB21CC874BC87CDFFCF0FC72557706D2AFA4D1A00694D20C8C67335D25FD36FFDC725 34D4FFD6097654D71FD82FC725BFA01CD5C5CD62D6AFDC7FC6BC36DE7FFDF86DB7FE11FC6 CB5DA2E33FD1C2DFFFFBE59FC6BC38E79FE8A6E49FEA3FC6CBBFB4CE86A91F4EE1FEF2F6CA4 376D0C7A444FB06BCD5FF31FF42FA71C43FB05F0FEF0664C10C8CFF73FF84FF501FFD08CFA67F 66FFC3FF43ED4ECA67D1CF8F00CFC69FD09FC8B7204163BEC0FF61E0E91F057FCB4F079FDFB 3092FOA3FF0B4FD05FD1680E0F0F1F102FD4AFD5BFFF12FF140F151FD96FDA7F184F195F1A6F 1FDE2DF3C1D9CBD1FA785526576FFFFC0A13F1F0FC18F9C891BBCDFB3A8771F259F26AF27BF B196BB4C51756FBF61C02B0F2C1F2D2F9CB66D0C4961E0FF64D037302F8F309F1FEFE2EFE3F91 D9FFF35CF36DFE74FE85C39DF3AEF3BFFEBDFFECEC3EFF400F411FF06FF17C441F452FFF463FF 4FFF608493F4A4F4B5FF94FA5FFF4E1F4F2F503FFE0FFF1C536F547F558FFF029F03AC588F599F 5AAF072F083F5DD3FFEDBF5F3F0BBF0CCF5859634F645F10AFF11BF5D79683F694F159F47CF1 7BF6D2FFF6E3F1AEF705F1D0F727F738F20F75AFF225C77CF78DF375F78DF375F78DF375F78DF3 C7F801F3E9C820F831F419F853F43BCFF872F883F46BF8A5F48DC8C4F8D5F4BDFFF4CEF679F91 DF92EF512F523F62AF96BFF97CF567F578F9B2F9C3F9D4F5BCF5CDFFFA07FA18F8E2F611F622F F23FA6DF655FFFA8FF584AAFFAC0F6A5F6B6F5D79AFEFFFB0FF6F4F8F7F716FB4DFB5EF749FB8 0FFF76FBFA2FBB3F79EFBD5F225CBF7FC08FFF7F0FC2AF397CC49FC5AF842FC7CF3E9CFFC9BFC ACF894FCCEF43BCCEDFCFEF8E6FFFD20F48DC3FFD50F938F949FAF4FD98FFFDA9F98DF99EFA A5FDE6DF7F9E2F9F3FFFE2DFE3EFE4FFA37FA48FE82F93FD5DFF3A8CFA9DF2034ED9FEAFAAD 2FAE3FFF5868F2AFF3BFB20FB31F5D79F79FF8AFFFB6FFD72FB91FFC8FF9FBC4FFFBFBE6FF01 DF02EFC19F050F225C072F083FC6BFFF0A5F397C0C4F0D5FCBDF0F7F3E9C116FFF127FD0FF149 F43BC168F179FD61F19BFFF48DC1BAF1CBFDB3FDC4FF6FF213F224FFFE08FE19FF20F261F272F E5DFE6EF2A8FFF2B9F2CAFEB2FEC3F2FDF30EF1D8FF07FF9F18F2035354F365FF4DFF5EF5868FF 3A5F3B6FF9BFFACF5D793F4F405FFFAFFF1EDF00CF443F454F03FF476F061F498FFF4A9F094FC BF7C0C4EDF4FEF0E6F520FFD812C53FF550F138F572F864C591F5A2FFF18AF5C4F8B6CE53F5F4F 1DCF616F908CFF635F646F22EF23FF3EAF68EF69FF283FFF294F39BF6DC6EDF2D8F2E9F723F73 4FFF745F32DF33EF778F789F653F382F393FFC20367CFF7E0F3C8F3D9FA018820FFF831F416F42 7FA52986FF880F465F668FFF487F8BEF8CFF4BAF8F1F4DC913F924FFF50FF946FC3BC968F979F 561F99BFC8DCFF9BAF9CBF5B3F9EDFCDFA0CFA1DF605FFFA3FFD31CA5EFA6FF657FA91FD83C AB0FFAC1F6A9F6BAF865FB09FB1AF6FEF70FFFF816FB57FB68F753F764FB9EFBAFFBC0F9F7A8F 7B9FB3FC04FACE67166C370586D6174B7F47F4631ADF5C3007562746C6520456DFA7000D073 0B70C4AFC5BFC6CF7F55FA32B7FC49ED50ED40C140C99FCAAF1BCBBFC74E33B7FCC93525656 6FC6572ED40ED30CFBFD0CFD1DFD2E67F89ECCEB6D4BFD5CFD6DFD7EF8EDC42F46F6F24C054 7F90C970DAE3D2D721A3BC4269626C7F6067727A61CF5079DAE3DD3FD313ADFC54204F43204 86500E33B7DC07D7B5C2A5C64C740CF700674C370CF1030313035302DE72232E723E6E038E7 84346481C250373836643663D8E0003265353334313538C3E980E86034633532996084E0EF941 09960BD30E92033EA00EAD0E7840FEB8E7FC0E7218A9063663131206530613162ED206165F7E 6F0EDEFEEEDC33ED40EFC1E720DA70F066663039EC66F13FE7C1F20DFFF1EDF062F482F166F46 EF4E7F6EFF7FFFF90FFA1FFB2FFC3FFD4FFE5FFF6F007FFF018F029F03AF04BF05CF06DF07EF08 FFFF0A0F0B1F0C2F0D3F0E4F0F5F106F117FFF128F139F14AF15BF16CF17DF18EF19FFFF1B0F1C 1F1D2F1E3F1F4F205F216F227FFF238F249F25AF26BF27CF28DF29EF2AFFFD2BEC642BE5F4752 DDF2EEF2FFF310FFF321F332F343F354F365F376F387F398FFF3A9F3BAF3CBF3DCF3EDF3FEF40F F420FFF431F442F453F464F475F486F497F4A8FFF4B9F4CAF4DBF4ECF4DF50EF51FF530FFF541 F552F563F574F585F596F5A7F5B8FFF5C9F5DAF5EBF5FCF60DF61EF62FF640FFF651FF662F673F6 84F695F6A6F6B7FF4834FEA00EC71F4D16D223734E75434FDE71136EFF16DA2BD306D81F0B26 F6FFF707F718F729F73AFE7C1EC92E7116BDF452D0663ADE0643938774062AD776033E9D1E99 039E57066E8E07A64E97162ED40F5DF7956E77039E632777077D06633A8C077D0E6E0FFF56F7 C6F7D7F7E8F7F9F80AF81BF82CFFF83DFF67F85DC845F87EF88FF8A0F8B1FFF8C2F8D3F8E4F8F5 F906F917F928F939FFF84BF95BF86DF97DF98FE99FF9B0F9C1FFF9D2F9E3F9F4FA05FA16FA27FA 38F94AFFFA5AF96CFA7CFA8DFA9EFAAFF32EE7140BABA5E5E000AE10
PidTagRtfI	TRUE



Name	Value
<a href="#">nSync</a>	
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: D4429044CA28924C8FD122A133685E4A
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSenderSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSendingAddressType</a>	SMTP
<a href="#">PidTagSendingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSendingEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSendingName</a>	Elizabeth Andersen
<a href="#">PidTagSendingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSubject</a>	Elizabeth's Birthday
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for Shu's Birthday:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	1440
<a href="#">PidLidAppointmentEndWhole</a>	08:00:00.000 AM 2/28/1978
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentRecurrence</a>	cb: 80 lpb: 043004300D200200000060AE0000C00000000000001B000000232000000A00000000000000 0000000000000000A0CCD20BDF80E95A06300000093000000000000A005000000000000000 00000000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	08:00:00.000 AM 2/27/1978

Name	Value
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	TRUE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	0
<a href="#">PidLidCleaningGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C80100000000000000001000000EE6CCE82EE4BC14BB01478A948D182FB
<a href="#">PidLidClipEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClipStart</a>	08:00:00.000 AM 2/27/1978
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	08:00:00.000 AM 2/28/1978
<a href="#">PidLidCommonStart</a>	08:00:00.000 AM 2/27/1978
<a href="#">PidLidConfereencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C80100000000000000001000000EE6CCE82EE4BC14BB01478A948D182FB
<a href="#">PidLidInte</a>	4294967295

Name	Value
<a href="#">ndedBusyStatus</a>	
<a href="#">PidLidLocation</a>	
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every February 27
<a href="#">PidLidRecurrenceType</a>	4
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	10080
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	08:00:00.000 AM 2/20/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 AM 2/27/1978
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsical</a>	TRUE
<a href="#">PidLidSideEffects</a>	369

Name	Value
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFREcurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000030000000 20002000000000000000
<a href="#">PidTagAccess</a>	7

Name	Value
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	Gift ideas: Baseball tickets
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	07:09:59.726 PM 2/6/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C868F3DE6068478E475FED423EB16D884456F7FA1A
<a href="#">PidTagConversationTopic</a>	Shu's Birthday
<a href="#">PidTagCreationTime</a>	07:09:26.913 PM 2/6/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1025
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	07:09:26.913 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:09:59.726 PM 2/6/2008

Name	Value
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocationId</a>	1033
<a href="#">PidTagMessageSize</a>	7217
<a href="#">PidTagNormalizedSubject</a>	Shu's Birthday
<a href="#">PidTagOriginatorDeliveryRequested</a>	FALSE
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 64002000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5488 lpb: 6C150000195A00004C5A46755A0567E507000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792

Name	Value
	EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBAAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFAE0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFFA8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7FED4FEE5F816A35F C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 69686E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308DFD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0C7DDB14300B310382048A571A830F78740CCA36BC3FBD4F0E5B8 290FFBF4FC05FC16FC2729D50A6009E706780FFC2BFBF12C40FB18F4510B35FB466A410BF96A2 C71FC82697889761A6F0739D60C7BB11892066D06D706FF3E0C94FC420455D40696C53894257 B0B7668380B0DF10766721890055C320F98850776ED5B6C1F1D652D773C226E5DB616D97216 850ACF0D9039D52CA335A606DE7106B428742DA4528537562DAB17398516C467DEB3063DAB 162F0ADE09C314E506DD46C4D3D6067DA9372DD1780D1EC4A63DCD1AD1249A4C067F03DA0 E7E7E0DAB18740744C5C90DAB16610547279DF131808378DCF06E1FAF80D662E114B1A0AFD 074703A9C2F2FA5D089905D40732EC7F0AE634EF0D2E09ED02ED3612FE3902266EB60652F776 700642FDF3A50B530E473DCF066905C8291A6F0DA7774E032DF81E5B3685A32DAB1FFDD219F E0DF73DD21A090E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0ACA06310AC719E7 0ACA0A8319ED0386E626AAD0C067F099506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70 B2E180C09D6088D1DA406780739C9797396F0DF417DC16C799D609E76DCF067A0E188781676 497307A6167A266EC01D630DF31A691767F4541F0D19670DCF04E5089809E7070F7B2C0A5E0F 2F06C9F20967287C0B6B0FB6700C7E178678066D09D70DF3167A0FC736199A08740F213E121F 531F2F1BFE121A6F04EF03D704E50885078B2C0A9E2506F7967F05C96707089807F67104F3088 50AD91A830ADE0EC2064E79D706730E1506264A8C08850ADE13FA5E096F1BEC196F28980AF4 0655CF9F2F0727AEC02A9C0E7328740FBD1CE68FA136010EFD16776FCA9FB61FFAFB08740817 1FD22FE24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450FC776BA4B15E900112A5D0454 0B5C1F7E651E940AAD265AF40027596F088D0FB9761EF6074D6F08740FB40EB610407FFAFD05 D40AF00ADE08841E140AFD0AF41FF6721BEB014500FD0D060E140B2A1F952FFA4B1ABE004100 201ACA067309E810401FF67216710AA71E140DA51FA81FB408850FBDA51AD10700672965082A 0AF10B632FF8740A5E2B2A1CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169FF4F2 0099728106721C1B2AD903D108850FF78609E70AEF2E430ADB09B21F431DB90BF894096F1455 0AF808841A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78ADE087E0BB6187C0A4C0F 8E1CAB0EF1261F7D18850B1D063E1510672B1D0EF1253AF008740A8406813C303D2E260F667A CD2EE3163F21005B36720DA601F14826330085216D2F210747862FC785C09B0B6C03D709660A DB00200FBE2C1F4B16C07016310F8912C40D3712F9732B5B09690809277F131666DF71800D52 0E9E120E63081808832B5B0FF973023F03D90F84088D0ACB074D087C0BE6C96F05D400200081



Name	Value
	0E140758800FFCE72ACD19631EA719B51EA3587729670FF67A0EBD19AD0A6F0FB401FD3AD641 EE03F8920EB63890180B0AE80EA616C76FFF2B1AE81E350AEB0235187E0671023D2FFA4B1DF3 13FA0E6519AD0B2D18901AE80F318D087E0202ED5C42356525023F2FFCE81245F256F267F23B 05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7280F2CDF2DE52926CC5E902BAF309 FFD2DC5625D70385131CF238344B02F6FFF343F354F365F23A157D037B2243F391FFF3A2F323D 5C0037BF3D4F3E5F3F6F23A1FF4A703C4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2 ABBFACCFADDFAEFFFAFFFE48F25381C209CCCFB21FB32FB43FFFB54FB65F95A859F050AF51B0 52DCD001A713519E50C1FA4769E3A0209AF17D4C503A61A1665007014A4061E16BFD6400735 E1157BF58CF59DF784063B2F9D42B0D0A48F28204F771F1B289431D4A6073EEA05C506580783 236FF3C2062E166F05C71C8315F1162E2C7E7FF80D11E3062E19AC86566BA5564469786F980D 13939D8E063B79670A5E00A80FF4A5164AAC58265CA6AC4BA55513167C97F6AC463E4980769E F6AFF6C0F97A439E76D8B02E2EDC120316EB3710F721FDF73277DA173EF74FF27FA3376DF77E FDD72DC3479EF7AFF72DC357CFF7E0FFD72DC36800F811F72DCD5A0832F843FDD72EB38862F 873F72DC396EB39786F6338ADC4D906373A58C9F8DA876C4FF8EAF8DA879D490BF8DA87CE49 2CF8DA8FF7FF494DF8DA8830496EF8DA8861498FFF8DA889249B0F8DA88C34898F9D5352C2F F6DB802000A806D10D7006ECF6FDF9F0FF76D14D0D26DA9544F20BB71A4BB6D8B73DCA14C0 220504F91F130B0C068FFCA51DFD0A1DFA2EFA3FFA506A78CDB41FF5C50A686AA1FAB2FAC3FD 400CE43ADB9FB4E10F4D067AEDFAFEFB0FFB2066D7C77D4F04CA1C1F073B3CFB4DF67C935FD 8ADC5413125AF055D1B8D3B51E6DD6F650F3361C9154F3C1B8DFBD4FB5EFFFFA71F6E14AE40F A21EDC1C00FC11F67C9FE366D7CDDF04E41AE40FB11C4FFC60FFFC71DA78CC8E4DFF04E00C9B FCACFC74AFFB28CC8E4BCF7CE6FCF7FC79557706D9AFA4D1A00694D20C93673A5D2CFD3DFFD C79534D56FD67976C4D78FD89FC795BFA08CD635CDD2D71FDCEFC72C36DEEFFDFDF6DBEFE1 8FC73B5E12E3AFBCF2E06FFFE60FC72C5071E82FE934E50FEAAFC73BBF8ADCE8DA79D4EE8FEF 9F6D14376D7C7A444FB06BCDCFF38FF49F78C43FB05F0FEF0664C10C93FF7AFF8BFF51FFDF0F CFAD7F6DFFCAFF4AED55CFAD7D23F8F013FC70FD10FC927204163BF30FF6250E98F05EFCBBF0 80FE023099F0AAFF0BBFD0CFD1D80E7F0F8F109FD51FD62FFF136F147F158FD9DFDAEF18BF19 CF1ADF1FDE9FDFAC1E0CBD8FA7F5526576FF0030A1AF1F7FC1FF9CF91C2CE023A8E71F260F27 1F282FB2068ADC51756FBF62302B7F2C8F2D9F9D266D7C496250FF65405BE02FFF310F205FE35 F4691E0FFF363F374FE7BFE8CC3A4F3B5F3C6FEC4FFFED5C3F6F407F418FF0FFF1EC448F459FF FE4AFF56FF67849AF4ABF4BCFF9BFFACFF4E8F49F50AFFE7FFF8C53DF54EF55FFFC30F041C5 8FF5A0F5B1F079F08AF5E43FFEE2F5FAF0C2F0D3F58C963BF64CF111FFF122F5DE968AF69BF160 F483F182F6D9FFF6EAF1B5F70CF1D7F72EF73FF20AF761FFF22CC783F794F37CF7B6F39EC7D5F7 E6FFF3CEF808F3F0C827F838F420F85AF442CFF879F88AF472F8ACF494C8CBF8DCFC44FFF4D5F 680F924F935F519F52AF631F972FFF983F56EF57FF9B9F9CAF9DBF5C3F5D4FFFA0EFA1FF8E9F61 8F629FF2AFA74F65CFFFA96F58BAAB6FAC7F6AC6BDF5DE9B05FFFF166FBFBFEF71DFB54FB65 F750FB87FFF72FBA9FBBAF7A5FBDCF22CCBFCFC0FFF77FC31F39CEC50FC61F849FC83F30C FFCA2FCB3F89BFCDF5F442CCF4FD05F8EDFFFD27F494CD46FD57F93FF950FAFBFD9FFFFDB0F99 4F9A5FAACFDEDFDFEF9E9F9FAFFFE34FE45FE56FA3EFA4FFE89FE9AFD64FF3A93FAA4F2034EE0 FEF1FAD9FAEAFFF58D8F31FF42FB27FB38F5DE9F80FF91FFF76FD79FB98FFCFFF0FBCBF002FB EDFFF024F035FC20F057F22CC079F08AFC72FFF0ACF39EC0CBF0DCFC4F0FEF3F0C11DFFF12EF D16F150F442C16FF180FD68F1A2FFF494C1C1F1D2FDBAFDCBFF76F21AF22BFFFE0FF20FF27F2 68F279FE64FE75F2AFFFF2C0F2D1FEB9FEC4F304F315F1DFFF0EFF9F1FF203535BF36CF54FF65F 58D8FF3ACF3BDFFA2FFB3F5DE93FBF40CFFF1FFF1F4F013F44AF45BF046F47DF068F49FFFF4B0F 09BF4D2F7C7C4F4F505F0EDF527FFF819C546F557F13FF579F86BC598F5A9FFF191F5CBF8BDC5 EAF5FBF1E3F61DF90FCFF63CF64DF235F246F3F1F695F6A6F28AFF29BF3A2F6E3F6F4F2DFF2F0 F72AF73BFFF74CF334F345F77FF790F65AF389F39AFFC20367D6F7E7F3CFF3E0FA088827FFF838 F41DF42EFA599876F887F46CF66FFFF48EF8C5F8D6F4C1F8F8F4E3F91AF92BFFF516F94DFC42C9 6FF980F568F9A2FC94CFF9C1F9D2F5BAF9F4FCE6CA13FA24F60CFFFA46FD38CA65FA76F65EFA9 8FD8ACAB7FFFAC8F6B0F6C1F86CFB10FB21F705F716FFF81DFB5EFB6FF75AF76BFA5FBB6FBC7 F9F7AFF7C0FBFAFC0BFAD567166C3E0586D6174B8647FB631AE6C53007562746C6520456DFA7 00140730BE0C51FC62FC73F7FC5FA32B86C49EDC0EDB0C1B0CA0FCB1F1BCC2FC7BE33B86CC9 A5526566FC6572EDB0EDA0D02FD13FD24FD3567F8A5CCF26D52FD63FD74FD85F8F4C42F46F6 F2530548000C9E0DB53D34721A42C4269626C7FD067727A61CFC079DB53DDAFD383AE6C5420 4F4320486501533B7DC07D7B5C2A5C64C7B0CFE00674C3E0CF8030313035302DE79232E793E7 5038E7F4346481C2C0373836643663D95000326535333413538C3E9F0E8D03463353299D085 50EF948099D0BDA0E99033EA70EB40E7F40FEBFE8030E7918B0063663131206530613162ED90 6165F7E760EE5FEF4C33EDB0F031E790DAE0F066663039ECD6F1AFE831F27DFFF25DF0D2F4F2F

Name	Value
	1D6F4DEF557F75FF86FFFF97FFA8FFB9FFCAFFDBFFECFFDF00EFFF01FF030F041F052F063F074F085F096FFF0A7F0B8F0C9F0DAF0EBF0FCF10DF11EFFF12FF140F151F162F173F184F195F1A6FFF1B7F1C8F1D9F1EAF1FBF20CF21DF22EFFF23FF250F261F272F283F294F2A5F2B6FFD2C5C642C55F4E52E4F2F5F306F317FFF328F339F34AF35BF36CF37DF38EF39FFFF3B0F3C1F3D2F3E3F3F4F405F416F427FFF438F449F45AF46BF47CF48DF49EF4AFFFF4C0F4D1F4E2F4F3F504F515F526F537FFF548F559F56AF57BF58CF59DF5AEF5BFFF5D0F5E1F5F2F603F614F625F636F647FFF658F669F67AF68BF69CF6ADF6BEFF4F34FEA70ECE1F5416D923734E7C434FDE78136F0616E12BDA06DF1F1226FDFFF70EF71FF730F741FE831ED02E7816C4F452D7663AE5064393877B062AD77D033EA41EA0039E5E066E950FA64E9E162EDB0F64F79C6EDB0EAD1FBED40DAD033A9307840E750F5DF7CDFFF7DEF7EFF800F811F822F833F844FF6FFF864C84CF885F896F8A7F8B8F8C9F8DAFFF8EBF8FCF90DF91EF92FF940F852F962FFF874F984F995F9A6F9B7F9C8F9D9F9EAF9FF9FBFA0CFA1DFA2EFA3FF951FA61F973FFFA83FA94FAA5FAB6FF39EE784AC55E6500200AE80
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: EE6CCE82EE4BC14BB01478A948D182FB
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSenderSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen

Name	Value
<a href="#">tingName</a>	
<a href="#">PidTagSchedulingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSubject</a>	Shu's Birthday
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for Anne's Birthday:

Name	Value
<a href="#">PidLidAgindaDontAgeMe</a>	FALSE
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	1440
<a href="#">PidLidAppointmentEndWhole</a>	07:00:00.000 AM 7/8/1982
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0

Name	Value
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentRecurrence</a>	cb: 80 lpb: 043004300D200200000020FA03000C00000000000007000000232000000A0000000000000 000000000000000000C2F50BDF80E95A063000000930000000000000A0050000000000000 00000000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	07:00:00.000 AM 7/7/1982
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	TRUE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3F5B068C801000000000000001000 0000FC39CE77217D824FB608D84F4FD22B
<a href="#">PidLidClipEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClipStart</a>	07:00:00.000 AM 7/7/1982
<a href="#">PidLidCollaborateDone</a>	
<a href="#">PidLidCommonEnd</a>	07:00:00.000 AM 7/8/1982
<a href="#">PidLidCommonStart</a>	07:00:00.000 AM 7/7/1982
<a href="#">PidLidReferencingType</a>	0
<a href="#">PidLidCurr</a>	126212

Name	Value
<a href="#">entVersion</a>	
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3F5B068C80100000000000000001000000FC39CE77217D824FB608D84F4FDFE22B
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidLocation</a>	
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every July 7
<a href="#">PidLidRecurrenceType</a>	4
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	10080
<a href="#">PidLidReminderSet</a>	TRUE

<b>Name</b>	<b>Value</b>
<a href="#">PidLidReminderSign alTime</a>	07:00:00.000 AM 6/30/2008
<a href="#">PidLidReminderTime</a>	07:00:00.000 AM 7/7/1982
<a href="#">PidLidResponseStat us</a>	0
<a href="#">PidLidSendMeetingA sical</a>	TRUE
<a href="#">PidLidSide Effects</a>	369
<a href="#">PidLidTask ActualEffo rt</a>	0
<a href="#">PidLidTask Complete</a>	FALSE
<a href="#">PidLidTask Estimated Effort</a>	0
<a href="#">PidLidTask FFixOffline</a>	FALSE
<a href="#">PidLidTask FRecurrin g</a>	FALSE
<a href="#">PidLidTask Mode</a>	0
<a href="#">PidLidTask NoComput e</a>	FALSE
<a href="#">PidLidTask Ordinal</a>	2147483647
<a href="#">PidLidTask Ownershi p</a>	0
<a href="#">PidLidTask Role</a>	
<a href="#">PidLidTask State</a>	1
<a href="#">PidLidTask Status</a>	0

Name	Value
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000030000000 20002000000000000000
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	Gift ideas: New camera phone
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	07:11:02.787 PM 2/6/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C868F403F66EEAF5116F004F0E9DD1B6F04D65D9A5
<a href="#">PidTagConversationTopic</a>	Anne's Birthday
<a href="#">PidTagCreationTime</a>	07:10:03.026 PM 2/6/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1025
<a href="#">PidTagIm</a>	1

<b>Name</b>	<b>Value</b>
<a href="#">portance</a>	
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	07:10:03.026 PM 2/6/2008
<a href="#">PidTagMessageClasses</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:11:02.787 PM 2/6/2008
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	7210
<a href="#">PidTagNormalizedSubject</a>	Anne's Birthday
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 84002000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtf</a>	cb: 5487 lpb:



Name	Value
<a href="#">Compressed</a>	6B150000115A00004C5A4675219AA95B07000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5DF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBFAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFEA0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFB7E3CFE4DF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFF9FFEAF8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF20442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308D082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0ED003132F860881048A571A8308740BBCCA398C336BC3FBD4FBE5B38B F3FFF04FC15FC2629D50A6009E706780C2AFFFBF12C3FFB18F4510B35FB466A41096A2DFC70F C81697889761A6F0739D60BB1163892066D06D706FF3E0C93F45F15D40696C53894257B06683 80B06DDF10766721890055C3108850777E6ED586C1F1D622D743C225DB616DB997216850ACF 0D8C39D52335A60326DE7106B428742DA0553754A62DA717398516C46EB30631FDA7162F0AD E99C314E506D6C4D353D6067DA5372DCD780D14A63FBDC91AD1249A4C067F03DA0E7E0DA71 308740744C5C90DA7166107279D5DFB131808378DCB06EAF80D63207E0D4B1A0AFD074703A2 F2FA7A5D089905D40732EC7E0634EF0ABD2C09ED02ED3412FE3506EB60C8652F776700642F3 A50B530B7E433DCB066905C8291A6F07774E0F7C25067A0E573685A32DA71DCE19FE0BDFD33 DCE1A090E756DF15DCE162DF23F667AF0088E0728761AF90F3E0ACA03F6310AC719E70ACA0A8

Name	Value
	319ED06E62CE6AAD0C67F099506F639EA1DBD0FE6B88C099A0CD30EBF496F4EF70B2E11F80C 09D6088D1DA006780737973A796F0DF017DC16C799D6076DCB0A767A0EDD88781676497306 167A2DE66EBC1D600DEF1A691764541F091DF9670DCB04E5089809E7070B2C0A5E0FDF2B06C 9F20967287C0B6B06700C7D13E78678066D09D70DEF167A07361FF99A08740F1D3E0E1F4F1F2 B1E0E1A6F06F4EF03D704E50885078B2C0E2106FEA7967F05C967070898067104F30DF8850AD 91A830ADE0E0649D706730F9E1106264A8C08850ADE1A5E096F14FBEC196F28980AF40655C F2B072BE7AEB2A9C0E6F28740FB9168F9D3F36010EF916776FC69FB21AFB08740FF8171FCE2F DE4FD93F2A2EDB1FD01FF732E6AF7C14F20B660763450776BFFA4B15E9000D2A5D04540B5C1E 611E900FDAAD265AF40023596F088D09761EF20FE74D6C08740FB00EB2103C7AFD05D40FFAF0 0ADE08841E100AFD0AF416721BEB0FF14500FD0D040E100B2A1F912A4B1ABE0FF03D001C1AC A067309E8103C167216710FFAA71E100DA11FA41FB008850DA11AD10FE700632965082A009F10 B6328740A5E2FFB2A1CA71E3F0A5F0C831EE60A5F0AD01DC70709AC0ACA0ADC1694F20057F F28106721C1B2AD903D10885078609E70FFAEF2E3F0ADB09B21F3F1DB50894096F1EF4550AF8 08841A4B16EDA019DF014B09FA5F00941A5F0D60088416378ADE0FF87E0BB6187C0A4C0F8A1C A901221F791FB8850B1D063E1110632B1D01213AF00BB8740A8406813830392E22067ACD2FDE DF163F1D005736720DA20144263300708121692F1D0747862785CFF0970B6C03D709660ADB00 1C0E251F471FE6C06C16310F8512C40D3519732B5B0CB9690809277F0F1666D17C0D4F0FDE9A 120C28081808832B5B0973023F0BF3D90F80088D0ACB074D087C06C96FEF5D4001C007D0E1 00758800CE52ACD1FF9631EA319B51E9F58772967067A0EB91FF9AD0A6F0FB001F93AD641EA0 8920EB23CF890180B0AE80EA216C76F271AE81FFE310AEB0231187E067102392A4B1DEF1FF3F A0E6119AD0B2D18901AE80189087E0FC202ED5942316525023B2CE61241FFF252F263F237056 30AE808D0E0E0280FFB291F2A2F6C5A60AE80CCD027CF2C9F7D2DA529268C5E902B6F305F2 D8562FF5D703851318F234344B02F2F33FF350FFF361F236157D0377223FF38DF39EF31DFDF5C 00377F3D0F3E1F3F2F23614A703C0FFF41AF2BF43C5E561A790E560B2C08740FFCE43ACD2AB BFACCFADDDFAEEFAFFE48B2FF5381C208CCAFB21FB32FB43FB54FB65FFF95A859F0505F5160528 CCFE113119E5069C1F94769E360209AF14C103A6F5CD301C064E05DA0204C609D60657F5E115 76F587F598F66C063C1D40A0D7E0A48B28204F731F17289434A2073C7EE60ED7065807832363 BE06261FF66F0EC30678080D187616271C7D780D1FF1DF062619AC864E6BA5563C6978680D1F C3939D8A063379670A5E00A404A11FF642AC572654A6A44BA5550E167496A44BF63649807696 F6A7F6B8F97A4396D0BF302A2ED8120316E33708F719F72A7EF7DA1736F747F72A33765F776F 725CEE34796F7A7F725C357C7F7D8F725CFE367F8F809F725CD57082AF83BF726B6E3885AF86B F725C396E33978633FB8A5C4D506373258C1F8D2876448E2FFF8D287954903F8D287C64924F8 D287F74FF945F8D288284966F8D288594987F8D28FF88A49A8F8D288BB4890F9CD352726D38F F01C00A406C90D6D06E4F6F5F9E8F6C94FBD0B26D29544EE0BB71A43B6D0BDC61B94BC22050 4F51F0F0B0C068CA31FFDF90A15FA26FA37FA486A70CDB01ED70FFA606A99FAAAFBBFD3E0CE 23AD394DD0FDF49067AE5FAF6FB07FB1866CFCD4C0BB4C61C1F073B34FB45F74939587F5E5 412D25A905581B853B49E6D5650FBF2F61C5154F381B85FBCCFB56FA69F7F6D94ADC0F9E1ED8 1BF8FC09F674936FF6CFCD0F0E01ADC0FAD1C47FC58FC69DFFA70CC864DFB04DC0C93FCA4F C6CAB20C7FC864BC77CDEFCEFFC71557206D1A4DFD19C0694CE0C8B67325D24FD35FC715FE3 4D4EFD5F97644D70FD81FC715A00CDFD5B5CD52D69FDC6FC6AC36DE6FDF76FFDB6FE10FC6B B5DB2E32FBC72DFEFE58FFDC6AC38E78FE896E48FEA2FC6BB8A5C5FE85A7954EE0FEF1F6C943 76CFC44BD4F706BCD4FF30FF41FA70C4305B08DFEB0664BD0C8BFF72FF83FF4F1D07CFFFA57F 65FFC2FF42ED4DCA57D1BF00BFC7C68FD08FC8A7204163BEB061D0FFE90F056FCB3F078FDFA 3091F0A2F0B3FFFD04FD1580DFF0F0F101FD49FD5AF12EFFF13FF150FD95FDA6F183F194F1A5F DE1F8FDF2C1D8CBD0FA775526576FFB0FFA12F1EFFF17F9C791BACDFA3A867258F8F269F27AF B1868A5C51756F61B0DF2AFF2C0F2D1F9CA66CFC4961D064C0FF36F02F7F308F1FDFE2DFE3E9 1D8F35BFFF36CFE73FE84C39CF3ADF3BEFEBCEFCDCFF3EEF3FFF410FF05FF16C440F451F462FFF F4EFF58492F4A3F4B4FF93FFA4F4E0FFF4F1F502FFDFFF0C535F546F557F028FFF039C587F598 F5A9F071F082F5DC3EDAFF5F2F0BAF0CBF5849633F644F109F11AFF5D69682F693F158F47BF 17AF6D1F6E2FFF1ADF704F1CFF726F737F202F759F224CFF77BF78CF374F7AEF396C7CDF7DEF3 C6FFF800F3E8C81FF830F418F852F43AC871FFF882F46AF8A4F48CC8C3F8D4F4BCF4CDDFF678F 91CF92DF511F522F629F96AF97BFFF566F577F9B1F9C2F9D3F5BBF5CCFA06FFFA17F8E1F610F62 1FF22FA6CF654FA8EFFF583AAAEFABFF6A4F6B5F5D69AFDFB0EFFF6F3F8F6F715FB4CFB5DF748F B7FF76AFFBA1FBB2F79DFBD4F224CBF6C07F7EFFF2C29F396CC48FC59F841FC7BF3E8CC9A8FF FCABF893FCCDF43ACCECFDF8E5FD1FFFF48CCD3EFD4FF937F948FAF3FD97FDA8FFF98CF99D FAA4FDE5FDF6F9E1F9F2FE2CFFFE3DFE4EFA36FA47FE81FE92FD5CFA8BFF9A9CF2034ED8FEE9F AD1FAE2F5858FFF29FF3AFB1FFB30F5D69F78FF89FB6EFFFD71FB90FFC7FFD8FBC3FFFAFBE5F01

Name	Value
	CFFF02DFC18F04FF224C071F082FC6AF0A4FFF396C0C3F0D4FCBCF0F6F3E8C115F126FFFD0EF148F43AC167F178FD60F19AF48CCFF1B9F1CAFDB2FDC3FF6EF212F223FE07FFFE18FF1FF260F271FE5CFE6DF2A7F2B8FFF2C9FEB1FEC2F2FCF30DF1D7FF06FF17FFC2035353F364FF4CFF5DF58583A4FFF3B5FF9AFFABF5D693F3F404FFE9F1ECFFF00BF442F453F03EF475F060F497F4A8FFF093F4CAF7BFC4ECF4FDF0E5F51FF811CFF53EF54FF137F571F863C590F5A1F189FFF5C3F8B5C5E2F5F3F1DBF615F907C634FFF645F22DF23EF3E9F68DF69EF282F293FFF39AF6DBF6ECF2D7F2E8F722F733F744F7F32CF33DF777F788F652F381F392F20FE367CEF7DFF3C7F3D8FA00881FF830FFF415F426FA51986EF87FF464F667F486FFF8BDF8CEF4B9F8F0F4DBF912F923F50EFFF945FC3AC967F978F560F99AFC8CC9B9FFF9CAF5B2F9ECFCECA0BFA1CF604FA3EFFF30CA5DFA6EF656FA90FD82CAAFFAC0FFF6A8F6B9F864FB08FB19F6FDF70EF815FFF5B6FB67F752F763FB9DFBAEFBFF7A7F4F7B8FBF2FC03FACD67166C3606D2C6174B7E47F3631ADEC53750062746C6520456D707D00C0730B60C49FC5AFC6BF7F4532FDB7EC49ED40ED30C130C98FCA9FCBAF0DC73E33B7ECC92552656665FE72ED30ED20CFAFD0BFD1CFD2D689DC3FCEA6D4AFD5BFD6CFD7DF8ECC426FFA6F24B0547F80C960DAD3D2C7A3AC104269626C7F506772613DCF4079DAD3DD2FD303ADE544F104320486500D33B7D7D607B5C2A5C64C730CF607483C360CF003031303530E7129632E713E6D038E7743464C24040373836643663D8D0328065353334313538E970E1E85034633532995084D09400F79950BD20E91033E9F0EAC0E774EB7E077FB0E7118A8063663131659030613162ED106165E6E07BEDDFECC33ED30EFB1E710DA6066F8663039EC56F12FE7B1F1FDF1DDFFF052F472F156F45EF4D7F6DFF7EFF8FFFFFA0FFB1FFC2FFD3FFE4FFF5F006F017FFF028F039F04AF05BF06CF07DF08EF09FFF0B0F0C1F0D2F0E3F0F4F105F116F127FFF138F149F15AF16BF17CF18DF19EF1AFFFF1C0F1D1F1E2F1F3F204F215F226F237FFF248F259F26AF27BF28CF29DF2AEF2BDCFE642BD5F4652DCF2EDF2FEF30FF320FFF331F342F353F364F375F386F397F3A8FFF3B9F3CAF3DBF3ECF3FDF40EF41FF430FFF441F452F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50DF51EF52FF540FFF551F562F573F584F595F5A6F5B7F5C8FFF5D9F5EAF5FBF60CF61DF62EF63FF650FFF661F672F683F694F6A5F6B6FF473E9F0A7EC61F4C16D123734E74434E701FE36EFE16D92BD206D71F0A26F5F706FFF717F728F739FE7B1EC82E7016BCF2CF6A263ADD064393877306277505633E9C1E98039E56066E8D0649DE96162ED30F5CFEF5730622CE0E97FB03366EA603877C0E6D0F55FF7C5F7D6F7E7F7F8F809F81AF82BF83CFFF66F85CC844F87DF88EF89FF8B0F8C1FFF8D2F8E3F8F4F905F916F927F938F84AFF95AF86CF97CF98DF99EF9AFF9C0F9D1FFF9E2F9F3FA04FA15FA26FA37F949FA59FFF96BFA7BFA8CFA9DFAAEFF31EE704ABD505E5D000AE00
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: FC39CE77217D824FB608D84F4DFDE22B
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0

Name	Value
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSubject</a>	Anne's Birthday
<a href="#">PidTagSubjectPrefix</a>	

Elizabeth saves her calendar to share with Shu. This would be the resulting iCalendar file.

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:PUBLISH
X-CALSTART:19751012T000000
X-WR-RELCALID:{00000018-0E80-EBB5-82FB-58F695E239B2}
X-WR-CALNAME:Birthdays
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T190802Z
DESCRIPTION:Happy Birthday to me!\n
DTEND;VALUE=DATE:19751013
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19751012
LAST-MODIFIED:20080206T190802Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=12;BYMONTH=10
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Elizabeth's Birthday
TRANSP:TRANSPARENT
UID:04000008200E00074C5B7101A82E008000000020C397BAB068C80100000000000000
01000000D4429044CA28924C8FD122A133685E4A
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN
">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f

```

```

rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">Happy Birthday to me!</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n<
/BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T190926Z
DESCRIPTION:Gift ideas: Baseball tickets\n
DTEND;VALUE=DATE:19780228
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19780227
LAST-MODIFIED:20080206T190926Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=27;BYMONTH=2
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Shu's Birthday
TRANSP:TRANSPARENT
UID:040000008200E00074C5B7101A82E0080000000E0243DD0B068C80100000000000000
01000000EE6CCE82EE4BC14BB01478A948D182FB
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">Gift ideas: Baseball tickets</FONT></SPAN><SPAN LANG="en-us"></SPAN></
P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191003Z
DESCRIPTION:Gift ideas: New camera phone\n
DTEND;VALUE=DATE:19820708
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19820707
LAST-MODIFIED:20080206T191003Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=7;BYMONTH=7
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Anne's Birthday
TRANSP:TRANSPARENT

```

```

UID:040000008200E00074C5B7101A82E0080000000307DD3F5B068C80100000000000000
01000000FC39CE77217D824FB608D84F4FDFE22B
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN"
>\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version
08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from
text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Gift
ideas: New camera phone</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

Shu opens the iCalendar file. The following tables represent the contents of the Birthday calendar's Folder object and its three Calendar objects in Shu's store.

The following are the properties on the Folder object:

Name	Value
<a href="#">PidTagAccess</a>	63
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagContainerClass</a>	IPF.Appointment
<a href="#">PidTagContainerContents</a>	Object
<a href="#">PidTagContainerHierarchy</a>	Object
<a href="#">PidTagContentCount</a>	3
<a href="#">PidTagExtendedFolderFlags</a>	cb: 16 lpb: 01040006000A04080000000000000000
<a href="#">PidTagFolderAssociatedContents</a>	Object
<a href="#">PidTagFolderType</a>	1
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 42820000
<a href="#">PidTagSubfolders</a>	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

Name	Value
<a href="#">PidLidAllowExter</a>	TRUE

Name	Value
<a href="#">nalCheck</a>	
<a href="#">PidAppointmentDuration</a>	1440
<a href="#">PidAppointmentEndWhole</a>	07:00:00.000 AM 10/13/1975
<a href="#">PidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidAppointmentRecur</a>	cb: 80 lpb: 043004300D2002000000A0FF05000C00000000000000C000000232000000A0000000000000000000000000080B4BF0BDF80E95A063000000930000000000000A005000000000000000000000
<a href="#">PidAppointmentSequence</a>	0
<a href="#">PidAppointmentStartWhole</a>	07:00:00.000 AM 10/12/1975
<a href="#">PidAppointmentStateFlags</a>	0
<a href="#">PidAppointmentSubType</a>	TRUE
<a href="#">PidBusynessStatus</a>	0
<a href="#">PidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000000D4429044CA28924C8FD122A133685E4A
<a href="#">PidClientEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidClientStart</a>	07:00:00.000 AM 10/12/1975
<a href="#">PidClientCo</a>	12:00:00.000 AM 10/13/1975

Name	Value
<a href="#">mmonEnd</a>	
<a href="#">PidLidCommonStart</a>	12:00:00.000 AM 10/12/1975
<a href="#">PidLidComparisonType</a>	0
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectID</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C8010000000000000001000000D4429044CA28924C8FD122A133685E4A
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	
<a href="#">PidLidOwnerCriticalChange</a>	07:12:51.000 PM 2/6/2008
<a href="#">PidLidRecurrencePattern</a>	every October 12
<a href="#">PidLidRecurrenceType</a>	4
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	10080
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignaTime</a>	07:00:00.000 AM 10/5/2008





Name	Value
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetContentPage</a>	1252
<a href="#">PidTagLastModificationTime</a>	07:14:57.374 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	1316
<a href="#">PidTagNormalizedSubject</a>	Elizabeth's Birthday
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 44002000
<a href="#">PidTagReplyRequested</a>	FALSE
<a href="#">PidTagResponseRequested</a>	FALSE
<a href="#">PidTagRtfCompressed</a>	cb: 652 lpb: 88020000AB0500004C5A46750D2BFF6703000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005

Name	Value
	B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC0318104709486170707920C4426900206864614F602C20CA20078021247C353634C14C52F749D949E7479D3914D034D048C251EFFF52FF487F498F556F53BF54CF45490AA2FF55580A8145870AB15DA855ED01C034C1BE503FBF421F615F39F54C212F3A9F5F38EF1F65320137C025937D67A0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 075E5DFBAF3BBF4C960BE7A3EE7F6988
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagStartDate</a>	12:00:00.000 AM 10/12/1975
<a href="#">PidTagSubject</a>	Elizabeth's Birthday
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for Shu's Birthday:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	1440
<a href="#">PidLidAppointmentEndWhole</a>	08:00:00.000 AM 2/28/1978
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentRecur</a>	cb: 80 lpb: 043004300D200200000060AE0000C00000000000001B00000023200000A000000000000000000000000000A0CCD20BDF80E95A06300000093000000000000A0050000000000000000000000000000000000

Name	Value
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	08:00:00.000 AM 2/27/1978
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	TRUE
<a href="#">PidLidBusyStatus</a>	0
<a href="#">PidLidCalendarGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000E0243DD0B068C8010000000000000010000 000EE6CCE82EE4BC14BB01478A948D182FB
<a href="#">PidLidClientEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClientStart</a>	08:00:00.000 AM 2/27/1978
<a href="#">PidLidCommonEnd</a>	12:00:00.000 AM 2/28/1978
<a href="#">PidLidCommonStart</a>	12:00:00.000 AM 2/27/1978
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidFInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000E0243DD0B068C8010000000000000010000 000EE6CCE82EE4BC14BB01478A948D182FB
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE

Name	Value
<a href="#">g</a>	
<a href="#">PidLidLocation</a>	
<a href="#">PidLidOwnerCriticalChange</a>	07:12:51.000 PM 2/6/2008
<a href="#">PidLidRecurrencePattern</a>	every February 27
<a href="#">PidLidRecurrenceType</a>	4
<a href="#">PidLidRecurrence</a>	TRUE
<a href="#">PidLidReminderDelta</a>	10080
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	08:00:00.000 AM 2/20/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 AM 2/27/2008
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)

Name	Value
<a href="#">PidLidTimeZoneStruct</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000300000002000200000000000000
<a href="#">PidLidWhere</a>	
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	Gift ideas: Baseball tickets
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagCreationTime</a>	07:14:57.405 PM 2/6/2008
<a href="#">PidTagEndDate</a>	12:00:00.000 AM 2/28/1978
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1025
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetContentPage</a>	1252
<a href="#">PidTagLastModificationTime</a>	07:14:57.405 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocalId</a>	1033

Name	Value
<a href="#">PidTagMessageSize</a>	1328
<a href="#">PidTagNormalizedSubject</a>	Shu's Birthday
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 64002000
<a href="#">PidTagReplyRequested</a>	FALSE
<a href="#">PidTagResponseRequested</a>	FALSE
<a href="#">PidTagRtfCompressed</a>	cb: 660 lpb: 90020000B20500004C5A46752E94CCFE03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC3B1810470947069005400F40656190733A20424FA065620740550320740DE06B14B073247C35BE3634C14C5249D949E7479D3914D0FF34D048C2525F536F487F498F55DF542FFF553F45490AA255C80A8145870AB15E18F7565D01C034C1503FBF421F61CF39F5FD4C212F3A9F38EF1F65320137C02593027D6810
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: AED5FBFB128A3248A17206F1F43C721C
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagStartDate</a>	12:00:00.000 AM 2/27/1978
<a href="#">PidTagSubject</a>	Shu's Birthday

Name	Value
<a href="#">PidTagSubjectPrifix</a>	

The following are the properties on the Calendar object for Anne's Birthday:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	1440
<a href="#">PidLidAppointmentEndWhole</a>	07:00:00.000 AM 7/8/1982
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentRecurrence</a>	cb: 80 lpb: 043004300D200200000020FA03000C000000000000007000000232000000A00000000000000000000000000000000C2F50BDF80E95A063000000930000000000000A0050000000000000000000000000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	07:00:00.000 AM 7/7/1982
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	TRUE
<a href="#">PidLidBusyStatus</a>	0



Name	Value
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000307DD3F5B068C8010000000000000001000000FC39CE77217D824FB608D84F4FD22B
<a href="#">PidLidClientEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClientStart</a>	07:00:00.000 AM 7/7/1982
<a href="#">PidLidCommonEnd</a>	12:00:00.000 AM 7/8/1982
<a href="#">PidLidCommonStart</a>	12:00:00.000 AM 7/7/1982
<a href="#">PidLidComparisonType</a>	0
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000307DD3F5B068C8010000000000000001000000FC39CE77217D824FB608D84F4FD22B
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	
<a href="#">PidLidOwnerCriticalChange</a>	07:12:51.000 PM 2/6/2008
<a href="#">PidLidRecurrencePattern</a>	every July 7
<a href="#">PidLidRecurrenceType</a>	4
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderD</a>	10080

Name	Value
<a href="#">elta</a>	
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	07:00:00.000 AM 6/30/2008
<a href="#">PidLidReminderTime</a>	07:00:00.000 AM 7/7/2008
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000300000002 00020000000000000000
<a href="#">PidLidWhere</a>	
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	Gift ideas: New camera phone
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagCreationTime</a>	07:14:57.421 PM 2/6/2008

<b>Name</b>	<b>Value</b>
<a href="#">me</a>	
<a href="#">PidTagE ndDate</a>	12:00:00.000 AM 7/8/1982
<a href="#">PidTagH asAttach ments</a>	FALSE
<a href="#">PidTagIc onIndex</a>	1025
<a href="#">PidTagI mportan ce</a>	1
<a href="#">PidTagIn ternetCo depage</a>	1252
<a href="#">PidTagLa stModific ationTim e</a>	07:14:57.421 PM 2/6/2008
<a href="#">PidTagM essageCl ass</a>	IPM.Appointment
<a href="#">PidTagM essageFl ags</a>	1
<a href="#">PidTagM essagel ocaleId</a>	1033
<a href="#">PidTagM essageSi ze</a>	1316
<a href="#">PidTagN ormalize dSubject</a>	Anne's Birthday
<a href="#">PidTagR ecordKe y</a>	cb: 4 lpb: 84002000
<a href="#">PidTagR eplyReq uested</a>	FALSE
<a href="#">PidTagR esponse Request ed</a>	FALSE

Name	Value
<a href="#">PidTagRtfCompressed</a>	cb: 656 lpb: 8C020000B20500004C5A46752EC3261E03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC3B1810470947069005400F40656164733A07B3636107802C0020947068022065247C353634C1EF4C5249D949E7479D3914D034D048C2FF525F536F487F498F55DF542F553F4549FF0AA255C80A8145870AB15E18565D01C07D34C1503FBF421F61CF39F54C212FBF3A9F38EF1F65320137C025937D6810
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 43FBCD49108A1348A00F462127B474DB
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagStartTimeDate</a>	12:00:00.000 AM 7/7/1982
<a href="#">PidTagSubject</a>	Anne's Birthday
<a href="#">PidTagSubjectPrefix</a>	

### 3.2 Example Schedule for the Week of June 16, 2008

In this example, Elizabeth's primary calendar contains her schedule for the work-week of June 16, 2008. The following tables represent the contents of her calendar's **Folder object** and its four Calendar objects.

The following are the properties on the Folder object:

Name	Value
<a href="#">PidTagAccess</a>	63
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagComment</a>	Calendar Comment

Name	Value
<a href="#">PidTagContainerClass</a>	IPF.Appointment
<a href="#">PidTagContainerContents</a>	Object
<a href="#">PidTagContainerHierarchy</a>	Object
<a href="#">PidTagContentCount</a>	4
<a href="#">PidTagExtendedFolderFlags</a>	cb: 6 lpb: 010400001000
<a href="#">PidTagFolderAssociatedContents</a>	Object
<a href="#">PidTagFolderType</a>	1
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 22810000
<a href="#">PidTagSubfolders</a>	TRUE

The following are the properties on the Calendar object for Elizabeth's lunch break:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	07:00:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE

Name	Value
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentR Secur</a>	cb: 80 lpb: 043004300B2001000000C0210000010000000000000003E000000222000000500000000000000000000000000000080F8C50C000FC60C06300000093000000B2020000D002000000000000000000000000000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	06:30:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	1
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
<a href="#">PidLidClipEnd</a>	07:00:00.000 AM 6/20/2008
<a href="#">PidLidClipStart</a>	07:00:00.000 AM 6/16/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	07:00:00.000 PM 6/16/2008

Name	Value
<a href="#">PidLidCommonStart</a>	06:30:00.000 PM 6/16/2008
<a href="#">PidLidConfereencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidLocation</a>	
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
<a href="#">PidLidRecurrenceType</a>	2

<b>Name</b>	<b>Value</b>
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	06:15:00.000 PM 6/16/2008
<a href="#">PidLidReminderTime</a>	06:30:00.000 PM 6/16/2008
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsical</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFRecurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0



Name	Value
<a href="#">PidLidTask Role</a>	
<a href="#">PidLidTask State</a>	1
<a href="#">PidLidTask Status</a>	0
<a href="#">PidLidTask Version</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000030000000 20002000000000000000
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	07:20:16.812 PM 2/6/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C868F54E30FC5F6698C9FB4AE4839068B31854314F
<a href="#">PidTagConversationTopic</a>	Lunch
<a href="#">PidTagCreationTime</a>	07:19:19.224 PM 2/6/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE

<b>Name</b>	<b>Value</b>
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1025
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	07:30:58.552 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:20:16.812 PM 2/6/2008
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	7232
<a href="#">PidTagNormalizedSubject</a>	Lunch
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: A4002000
<a href="#">PidTagRep</a>	TRUE

Name	Value
<a href="#">lyRequest</a> <a href="#">ed</a>	
<a href="#">PidTagRes</a> <a href="#">ponseReq</a> <a href="#">uested</a>	TRUE
<a href="#">PidTagRtf</a> <a href="#">Compress</a> <a href="#">ed</a>	cb: 5468 lpb: 58150000DC5900004C5A4675BA50E15507000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFF94EE615FB76FE5DF991E655FD1AFAE0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14FOA8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFF9D9FFFAF8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700FD87D07996A289403D7062E091409140FF6020DBD05CD09702674080838FC18F21 778D8062F09D707688F08920A1E06D3C696862E080D05D608920756EBD9B41658DB06780975 98FE0448BA43420503D6061786082A06820D0466F6E748074748FD04E505B9F004EF07794A08 DD0669F0057F162E074684256308DD082909A60966C98C1A08572A108666CA0762B9FE0A2776 2A27772A0726362FF82903DA0A4628281A4D267308740679113A59489407065A071736365BC6 C6C8AB1A0409FE1A5F1739AB0BF6710BDC19EF1B580A190A8566CA865CE62A8658B30A87464 67A956AAD0F7AA568F90A8747682CF8AEF8BF8D0FFF8E1F8F2F903F914F925F936F947F958FFF 3DA0B2B19AFF9C0896E6993464B0EB40FF89609997B4419A58B22CB1F1B47AAEA0ED66C06657 B0963162AEE067809E70EF9A12B9BF9C08984432E7E0C65060107C2048A681A9408740CCA399 D336FFBD4FBE5FBF6BC390C05FC16FC27FC381FF9E60A7109F806780C3BFC022C50FB29FFF451 0B46FB576A52096A2C81FC926978A3DC3D1739E70BC21892066D06D70166FF3E0CA4F455D40

Name	Value
	<p>696C53DF894257B0668380B0DF107667218900E655C4208850776ED6969871D7325FD853C335  D85398A6DF616D972168AE50AE00DAA39E62335A606DE7108C6B428742DBE5537562DC51D2  7399616C46EB3063DC5162F047AEF09D414E506D6C4D3D6067CDDC3372DEB780D14A63DE71  AE227E49A5D067F03DA0E7E0DC51874074CE4C5C90DC5166107279E191DA62F580B078DE906  EB090D742E2B4B2B0C1B0E074703A2F2FA6E08990E95D40732EC8F0634EF0D3D09FE02A2ED4  512FE53066EB60652FF2776700642F3A50B640E613DE90ED66905C8291A8007774E0C33067A0  FDE753685A32DC51DEC1A0F0E113DEC1AFA1A0E936E0F5DEC162E10367B010FD88E0728761B  0A0F3E0ADB06310AD818F9F80ADB0A9419FE06E626AAED0B367F09A606F639FB1DDB06B88C0  FF9AB0CE40EDD496F40FE0B3F180C09E70C788D1DBE0678073797396F0E0E1E97DC16C799E70  76DE9067A0EFB8A98781676497306167A266EDA1F7D710E0D1A7A1764541F2719670DE90774E  5089809F8070B3D0A6F0F4906CBFA030967287C0B7C06700C8E1786780CF66D09E80E0D167A0  73619AB08740FFF3B3E2C1F6D1F491E2C1A8004EF03D709B4E50885078B3D0E3F06F7967F0FA  5C967070898067104F308850AEA177A940AEF0EDC0649E806730E2F062FE64A9D08850AEF1A6  F096F1BFD196F2938980B050655CF490727AEDA2EFAAD0E8D28740FD7168FBB36010F171FC67  76FE49FD01B0C087408171FEC2BFFFC4FF73F482EF91FEE101536AF9A1CB4F20B770763450776  BA5C15E907F02B2A6E04540B6D1E7F1EAE0ABE265BFB050041596F088D09761F10074D7D0FF8  740FCE0ED0105A7B0E05D40B010AEF0FF8841E2E0B0E0B0516721BFC014500FD0FFD150E2E0B  3B1FAF2A5C1ACF005B003A1FFADB067309F9105A167216710AB81E2E0BDFB1FC21FCE08850D  BF1AE20700812FF965082A0B020B7428740A6F2B3B1CB813FE5D0A700C941F040A700AE11707  0F79BD0ADB0AED1694F200B3728106721FF9832AEA03D10885078609F80B002E5D0FFAEC09C3  1F5D1DD30894096F14550B090FB8841A5C16EDBE19F0014B0A7000B21E7A700D71088416378  AEF087E0BC71FF87C0A5D0FA81CBA01401F9718850B2E0FE63E2F10812B2E013F3B0108740A9  506E6815630572E40067ADE2EFD163FFF3B0057536720DC001622633009F21872C1F3B0747862  785C0B50B7D0BF3D709660AEC003A0E461F6516C08A1FF6310FA312C40D4619732B6C0969080  927277F2D1666D19A0D600EB8120F3C3081808832B6C0973023F03D90F9E0EF88D0ADC074D  087C06C96F05D4003A0FB09B0E2E0758800CF62ADE19631EC11FF9C61EBD58772967067A0ED7  19BE0A800FFCCE02173AE7420808920ED03890180B0F3AF90EC016C76F451AF91E4F0AFC0FF24  F187E067102572A5C1E0D13FA0E7F13F9BE0B3E18901AF901A7087E0202EFFD6A424F65250259  2CF7125FF270F281FFF25505630AF9080D0EDC029EF2AFF2C0F7E6C5A60AF90CDE029AF2E7F2F  8529DF286C5E902D4F323F2F65625D703BB1FF336F252344B0310F35DF36EF37FF2541FF57D03  95225DF3ABF3BCF33DD5C00395FFF3EEF3FFF410F25414A703DEF438F449FFF45A5E741A8A0E7  40B3D08740CF53ADE2FFACCFADDFAEFFAFFF10E4A925381C318FFCDBFB32FB43FB54FB65FB7  6F95A85E20FF523F5340546CD0F114F19F60D90963B2F9C2FA0D0A4A928204F911F35289431D  4C0073F04061E06580783236FF3DC05F1166F0EE10678080D187615F21FFC8E780D11FD05F119  BD8619696E56076F3978680D13939DA805FE79670A6F0FF0C204BF160DAC68261FA66F4BB655  2C1FF63F966F4601488109935661F672F683F9D97A43969BB0482EF6120316AE2A376D3F6E46F  577DA1701F712F6F2A33F7730F741F6F0C34761F772F6F0C7EF1F7794F7A5F6F2A367C3F7D4F6F  0CD680777F5F806F6F1B38825F836F6F0C39DB6AE3978633870C4F30636FD588CFFF89D872F48  ADF89D876048CEF89D87914FF8EFF89D87C24910F89D87F34931F89D8FF8244952F89D885549  73F89D8886485BFFF9983545269E803A00C209960D7E06AFFDF6C0F9B3F9964D1C269D95450C  0BC81CFA0EB69BBDE414DA220505131F2D0FDB1D068CB41E1709E0F9F1FA02FA136FFA3BCDC  E15F50A2B6A64FA75FA86FD4F0EFCF33A9E94FB0F67067AB0FAC1FAD2DFAE3669ACD5D04E41  D9C073AFFFB10FCD63F935870CBC5320475761B503DBB14E6A0650F4D61E3154F561B50FFFFB9  7FB21FA34F6A44AA70FBC1EF61BC3FFBBD4F63F93669ACE1904FE1AA70FCB1FFC12FC23FC34D  A3BCC514E1904FA0C5EFFFC6FFC37AAEBCC514B927CA9FCBAFC3C5EB590069CA4D1BA0694EC  0C5666FD5F7CEFFD00FC3C534D19FD2A972F4D3BFFFD4CFC3C59CBCD265CA02D34FD91FC35C  FE36DB1FDC26D81FDDBF36B5A62DFDFFFCE62DC9FE23FC35C5201E45FE564E13FFFE6DFC36  B870CE50A7604EABFEBBCF9964EA3769AC4451506BC9FFEFBFF0CFEDA3BC430790FC10664DB0C  56FF3DFFFF4EFF1A1CD2CF707F30FF8DFF0DED18C3FF707CE6FFD6FC33FCD3FC5572041FE63BB  600910E5BF021FC7EF043FDC53FF05CF06DF07EFCFFCE080AAF0BBF0CCFFFD14FD25F0F9F10A  F11BFD60FD71F14EF7F15FF170FDACFDBDC1A3CB9BFA42552FC6576DC609DDF1BAFBE2F9929  185C7FDC53A517223F234F245FAE36870C51FC756F5E6027AF28BF29CF995669ACFE495E80617  034602C2F2D3F1C8FDF8FFFE0991A3F326F337FE3EFE4FC367F378FFF389FE87F698C3B9F3CAF3  DBFED0FEE1CFF40BF41CF42DFF19FF2A845DF46EF47FFFF5EFF6FF4ABF4BCF4CDFFAFFBBC50  0FFF511F522FFF3F004C552F563F574F03CFF04DF5A73EA5F5BDF085F096F54F95FEFFF60FF0D  4F0E5F5A1964DF65EF123F446FFF145F69CF6ADF178F6CFF19AF6F1F702FFF1CDF724F1EFC746F  757F33FF779F361CFF798F7A9F391F7CBF3B3C7EAF7FBF3E3FFF81DF405C83CF84DF435F86FF45</p>

Name	Value
	7C88EFF89FF487F498F643F8E7F8F8F4DCF4EDFFF5F4F935F946F531F542F97CF98DF99EFF586F597F9D1F9E2F8ACF5DBF5ECFEEDFFFA37F61FFA59F54EAA79FA8AF66FF680FFF5A19AC8FAD9F6BEF8C1F6E0FB17FB28FFF713FB4AF735FB6CFB7DF768FB9FF1EFCFFBC1FBD2F7BAFBF4F361CC13FC24F80CFFFC46F3B3CC65FC76F85EFC98F405CCB7FFFCC8F8B0FCEAF457CD09FD1AF902F913FFFABEFD62FD73F957F968FA6FFDB0FDC1FFF9ACF9BDFDF7FE08FE19FA01FA12FE4CFCFE5DFD27FA56FA67F2034EA3FEB4FFFA9CFAADF5508EF4FF05FAEAFABF5A19FFF43FF54FB39FD3CFB5BFF92FFA3FB8EFFFC5FBB0FFE7FFF8FBE3F01AF1EFC03CFFF04DFC35F06FF361C08EF09FFC87F0C1FFF3B3C0E0F0F1FCD9F113F405C132F143FFFD2BF165F457C184F195FD7DFD8EFF39FFF1DDF1EEFDD2FDE3FEFAF22BF23CFE27FFFE38F272F283F294FE7CFE8DF2C7F2D8FE71A2FED1FEE2F203531EF32FFF17FFFF28F550836FF380FF65FF76F5A193BEFFF3CFFFB4F1B7FFD6F40DF41EF09F440FFF02BF462F473F05EF495F78AC4B7F4C8FFF0B0F4EAF7DCC509F51AF102F53CF82ECFF55BF56CF154F58EF880C5ADF5BEF1A6FFF5E0F8D2C5FFF610F1F8F209F3B4F658FFF669F24DF25EF365F6A6F6B7F2A2F2B3FFF6EDF6FEF70FF2F7F308F742F753F61DFF334CF35DF2036799F7AAF392F3A3FFF9CB87EAF7FBF3E0F3F1FA1C9839F84AFF42FF632F451F888F899F484F8BBF4A6FFF8DDF8EEF4D9F910FC05C932F943F52BFFF965FC57C984F995F57DF9B7FCA9C9D6FFF9E7F5CFFA09FCFBCA28FA39F621FA5BFFFD4DCA7AFA8BF673F684F82FFAD3FAE4FFF6C8F6D9F7E0FB21FB32F71DF72EFB68F7FB79FB8AF772F783FBBDFBCEFA986716266C0106D6174B4947BE63101AA9C537562746C6520E8456D70FD7073D30C14FC25FEB36F7BF532B49C49E9F0E9E0BDE06FDC63F74FC85FC3EE33B49CC5D552F065666572E9E0E9D0CC5FCD6FFFCE7FCF86868CCB56D15FD26FD37FD48FD18B7C426F6F2160547C30C61087D783CF77A05C4269626C7C00E8677261CBF079D783D9DFCFB381AA9C544F43204865FD83003B7D7D7B5C2A5C641BC3E0CC1074C010CBB0303130B43530E3C232E3C3E38038E424043464BEF037383664360263D580326535334310C3538E620E50034633532BF9600818090B09600B9D0E5C033E6A03FE770E424E82E7C60E3C1873063668031316530613162E9C0DC6165E390EA8FEB7C33E9E0EC61C3E3C0D71066663039E906EDDFFF461EEADEE8DED02F122EE06F10EF187FFF38FF49FF5AFF6BFF7CFF8DFF9EFFAFFFFFC0FFD1FFE2FFF3F004F015F026F037FFF048F059F06AF07BF08CF09DF0AEF0BFFFF0D0F0E1F0F2F103F114F125F136F147FFF158F169F17AF18BF19CF1ADF1BEF1CFFFF1E0F1F1F202F213F224F235F246F257F7268F279F288C642885F1152A7F2B8FFF2C9F2DAF2EBF2FCF30DF31EF32FF340FFF351F362F373F384F395F3A6F3B7F3C8FFF3D9F3EAF3FBF40CF41DF42EF43FF450FFF461F472F483F494F4A5F4B6F4C7F4D8FFF4E9F4FAF50BF51CF52DF53FE54FF560FFF571F582F593F5A4F5B5F5C6F5D7F5E8FFF59F60AF61BF62CF63DF64EF65FF670F3F681FF123E6A0E911F17169C23734F5E3F434E3B136EC916A42B9D06A21FFED526C0F6D1F6E2F6F3F704FE461E93217E3B1687F29A663AA80643938B573E062740033E671E63039E210EA66E58064E61162E9E0F27F75F6B663EC71E7C034D700E6D0387470FFE380F20F790F7A1F7B2F7C3F7D4F7E5FFF7F6F807FF31F827C80FF848F859F86AFF87BF88CF89DF8AEF8BFF8D0F8E1F8F2FFF903F815F925F837F947F958F969F97AFF98BF99CF9ADF9BEF9CF9E0F9F1FA02FFF914FA24F936FA46FA57FA68FA79FEFCE17E3B4A885E28000AAB0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: DD26B2AEDF5D2145BCE907145185EA4D
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen

Name	Value
<a href="#">PidTagSenderSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSchedulingAddressType</a>	SMTP
<a href="#">PidTagSchedulingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSchedulingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSchedulingName</a>	Elizabeth Andersen
<a href="#">PidTagSchedulingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSubject</a>	Lunch
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0

Name	Value
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	60
<a href="#">PidLidAppointmentEndWhole</a>	04:00:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	3
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000001000000D3BDD3F67FDD814E823B9EE04A816204

Name	Value
<a href="#">PidLidClipEnd</a>	04:00:00.000 PM 6/16/2008
<a href="#">PidLidClipStart</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	04:00:00.000 PM 6/16/2008
<a href="#">PidLidCommonStart</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidFInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000001000000D3BDD3F67FDD814E823B9EE04A816204
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidLocation</a>	4567 Main St., Buffalo, NY 98052
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidPercentComplete</a>	0.000000



<b>Name</b>	<b>Value</b>
<a href="#">ete</a>	
<a href="#">PidLidPrivate</a>	TRUE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	720
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	03:00:00.000 AM 6/16/2008
<a href="#">PidLidReminderTime</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFRecurring</a>	FALSE

<b>Name</b>	<b>Value</b>
<a href="#">PidLidTask Mode</a>	0
<a href="#">PidLidTask NoCompute</a>	FALSE
<a href="#">PidLidTask Ordinal</a>	2147483647
<a href="#">PidLidTask Ownership</a>	0
<a href="#">PidLidTask Role</a>	
<a href="#">PidLidTask State</a>	1
<a href="#">PidLidTask Status</a>	0
<a href="#">PidLidTask Version</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagAlternateRecipientAllowed</a>	FALSE
<a href="#">PidTagBody</a>	
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	07:23:16.190 PM 2/6/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C868F5B91BC3FC330111494E81BFE46222628918C4

<b>Name</b>	<b>Value</b>
<a href="#">PidTagConversationTopic</a>	Doctor's Appointment
<a href="#">PidTagCreationTime</a>	07:20:46.387 PM 2/6/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1024
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	09:40:42.099 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:23:16.190 PM 2/6/2008
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	6934
<a href="#">PidTagNormalizedSubject</a>	Doctor's Appointment
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE

Name	Value
<a href="#">PidTagPriority</a>	1
<a href="#">PidTagReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientResponseProhibited</a>	TRUE
<a href="#">PidTagRecorKey</a>	cb: 4 lpb: E4002000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5515 lpb: 8715000F65A00004C5A4675A691184207000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF2110 7D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026A 1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0F 202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3F 3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F45 BF1B46CF1DE4394D6F4E74323338C54EE420076D204345028350A09F52AF53B53D72546F5573 797255D473332F4E6531362DB1580F038247FD09D16B55D4381F5AF759E15BBF0382DE540870 55D43D8F5AF63723515F8FB10382284865226007D02955D4FF42FF6277543F6416071001A00EB 064F5BB48685A8D384861673F0382420740FE740EB055D44D5F5AF75DB16B3F6443B25608907 46E224007906564F4FF2340529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73BB 5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFD6C8A307198490C731A276355A70DE0FF 83BF763F85D659660EF086EF79CF85D5FD5D09317C588ABE7DF885E460D75B60FF8D8F810F85 D56C890FD26701801F53DF7F54EF27D5719F87EF966F78160FE031FF2DBF8B2F5C0F7BA89BC1 78AF8E8F5FDFFF7F569BC17C5F627F6F649A9BB2616FFF667FA5FF689A9BB2656F91CF68BF9 36BFF90A96DEFADEF700FA768944F955F9A3FBD977731981F992FB6DF9B48329BFFF79D0F9E1F 9F2A329FFFA10FA21FA328DFB630C07FA4FFA60FA71C32A80FA91F7FC66FAB3D0E01C89FAD6F AE7F938932FFB04FB15FCA9FB37FBC31B4BFB5CF2236FD976832B88FB99FD7479B480FD0D88F F78B3F22459F1B33C06FC17F2236A319FE33CCAFCDDBF2236935CB642E2EFB5FFFFF70FDB65D8 7FD98FE86F9B4886B0EA2FFFB8DFBE9F9F3959D9FE05FF00FA3195DAFFFC54FF40FA6FE615FC97 FF7EFAB2E655FFE3BFFC1F935C695FD1BF004FD3DFEDB2EFE64FE75FEC3F977734EA1FEB2F08 DFFF9B489BD00A9FEF1FF02F9F39BC400E7FFF31FF42F0DC8F5DFF6EF046FA70DEDD0FF165FF B2FFC3FAB4C0E401A8FFF5F006FFD937A35024F035F1C9F057F0E3106BFF707CF0CAF9777350A 8F0B9F294F9B48FF0FF22B2F0FAF10BF9F5713F22F0F13AFBF14BF2E56164F175F24DFA70D361A 7FF71B8F38DFAB3D361EAF1FBF20CF936BFE3622BF23CF3D0F25EF2EA12728844FBF855F2E478 3AF2C0F88FE9401372ED8F78ABF8BCF9F39378A1F33EF8F9E4E02FF3F18915F926F937A3C7243 5F286F297FDF4DD52AFF4BFF5ADF9B48382EDF4F5FFF30FF9F2A789F52CF627FA3197C4F37BF7 B667FA6FE383AEF3BFF6A6FAB3D38FF3F1F563F413F936B7FDF442F72BF464C0193C1636F6C6F 727462A86C3B5C9F206486D0679F21466E86D07940756530796F65FDCC90357A9A7BB17B6F7C 797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFDF

Name	Value
	88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C646561 6170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D0646374 6C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C074 6F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E16 F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D006170 6151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699C 306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A131 739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFEDE06E E0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B3075 6EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E0 6060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572B 318666CB286B1F095B48762B48772B282636294A0FF4FB0B6729491B6E27940995079A1B7A40 99B507065B2817363656CDE6C9CC1B250B1F1B80173ACC079205FCFD1B101C790B3A0BA666C BA7562E7BA759D40BA846467BB66BCE0BC66FBA1A0BA847694DF9CF9E0F9F1FA02FFFA13FA2 4FA35FA46FA57FA68FA79F4FB0FFC4C1AD0FAE18A8F6AB4476C0FD509B70FFABA7C651AC68C4 3CC401C68AC0B078D0F66669C0A84162C0F07990B080AC226FCBCFAE18AA544C60384C709A2 048DFB891BB509950DEB3ABE336CF5FD06FFDD17B38D25FD36FD47FD581B070B920FFB19079 90D5BFD232D70FC4AF76B0C67F7FC786B730A8B2DA1FDB26A99AD5D1738FB080CE319B3078E 06D706F05F0C5D4BE456F50696C539B5269C0B7789392C0F1207679319B1055D620F99A60776 EE876AA81E912EA33D54497EA33AAB6ED716DA9316850C0102BEC73B072336C706DF9206B42 A39952EDB5537562EE2173AB71F46C46FD4063EE217500C100AF515160606D6C4D4F7067EE03 72B3F08792E14A63F041C03249B7E09F7A004FB0F9F0EE219950744C6EA073EE2105B07279F36 1EC3292C0787DF0606EC2A0E922F484C4C0C2F07470703A2F2FB8F09BA06F5073BA2EDAF0636 100E5C0B1F02EE6418A2FF70066FD70652F7779107C642F4C60C850F7E3F06078A05C6B94A1B A107786F032EB51F92368FF6C42EE21F091B300F2E3F091B3B0FB066BF2C5F09162F2D367C220 9AF072FF9971C2B005F0BFC07520BF91B190BFC0E3BB51B1F06E626AC0E07A00AC70EC6F63B1 C1EF806B9AD0ACC0E030FFFA4A90421F0C60192D0B0809AE1EDB0717990737973A900F2B18F D16C7A79B08076F06079B00188999167EA64A9406179B266FF71E8F0F2A1FDB9B17657510441 A880F06060609B90DDB19070C5E0B90006606CB240A882EF99D0C9D07910DAE178799078E0B 090F3F2A179B07361ACC099500583F491FF08A10661F491BA1061004F8060609A60A6378C5E0F5 C06F797A005CA880FE709B90792061409A60C0B1BB50C1009DFF9064B0907940F4C06264BBE0 FF9A60C101B900A901D1E1A9029B90C260E4655C0660727AFF72BCE0FAA23B99500F41680D83 722003416776FF10190ED1C2D099509381109211941143EF0652016110B113236A0B716130C9 80F2764660776BB7D170A01482B8F0DF5750C8E1F9C1FCB0BDF265C26015E5EFA9009AE0A971 E02D074E9B099500EB0FFED11777C2F06F50C220C1009A51F4B0FFC2F0C2617931D1D0266021 0E0340F4B0FFC5C10CC2B7D1BF0017801571BFC07940FFB1A1177179317920BD91F4B0EDC10D F1EF0EB09A60EDC1C0307019E2A86094B0FFC230C9529950B902C5C1DD71F7A0B910CFDB410 210B910C0217070ADE0BFC0FDC0E16961301D073A207931AA42C0B0FF4F209A608A70B190C2 12F7A0C0D0AE41FF07A1EF009B50A9015760C2A09A51B7D1FE6EEDB1B11026C0B9101CF1B91 0E8F0F99A516378C10099F0CE8199D0B7E0BF0C51DD9025D10B419A60C4F063F4C1BF19E2C4F 025C3C2209950BB60682733DB1742F5D067BFF201A163058019237F7930EDD027F275401BC22 A42058074F07862785C1D20C9E04F80A870EFC0D01570F63108216C1A7175200C01BF3E50E65 1A942C8D0A8A092A27704A1DC666D2B70E7E0FD5120F9A09390FF9A42C8D0A94036004FA00B B09AE0BFD0FB86E099D06CA9006F5015701B80F4B0FE759A10E152BFF1A841FDE1AE71FDA5FF 9982A88079B0FF41ADF0BA100EB03343FFC08432509B30FED39B1192C0C1A0FDD1FC6C760621 C1A1F6C0C1D036C199F0FF79203742B7D1F2A151B0F9C1ADF0C5F1CF9B11C1A02C4099F0202E E88436C6FF64603762E16137CF38DF39EF37206840BFC1A092E0FF903BBF3CCF3DDF6C6C70DF C1A0DFD03B7F404F4155293A3C70A0F73F1F440F4135626F804DC1453F36F3FF56C042DF47AF4 8BF49CF371169E04B22FF37AF4C8F4D9F45AD6E104B2F50BF51CFFF52DF37115C804FBF555F56 6F5775F911FFBAB0F910C5E09950E143BFF2BEDFBFEFFFC0FFC20FC31E5C626591D527DFAF53 FFFC64FC75FC86FC97FA7B86C0063FF65007F662CE2E126C1B170EAE875C2D5090D7E0A5C629 4140AE105229B535DD073C7021073F077907832364F9070B1FF7900FFE0799092E1997170C1D AE792E1FF31A070B1ADE87336A8F57216A99692E1FC3939EC507187A880B9001DF05DC1FF727 AD882739A7894CD756481759978947F71B49A20AB4577BF78CF79DFA9B439E77B5B165201312 0317C837EDF7FEFDF80F78FB181BF82CF80CA3384AF85BFFD80AC3487BF88CF80AC91018AEF8 BFFFD80CA368DDF8EEF80ACE86090FF920FDD80BB3893FF950F80AC397C83A996F63398AC610 06381759A6F9B788494FF9C7F9B7887A49E8F9B788AB4A09F9B78FF8DC4A2AF9B7890D4A4BF9

Name	Value
	<p>B7893E4A6CFFF9B7896F4A8DF9B789A04975FAB236612FF7B8815701DF0AB00E9C07C9F7DAFA  CDDFF7AB04E3B27B79546290CE91B28B7B5B73F0115F722050630104A0C3E068FFDD31F340AFA  FB0BFB1CFB2D6B55CEE1FF70F0B456B7EFB8FFBA0FE6E0E123BB89FB6180084067BCAFBDBFB  ECFBFD67B4C77E7B06011EB9073C19FC2AF759935F398ACCE6320476921C6A3C2EE7BA6F6500  6A63001540731C6AFCB1FC3BFFFB4EF7BE4BC100D910131CDDFCCEF7599FE367B4CF36061B1B  C100E81D2CFD3DFFFD4EDB55CD6B4F3606170D78FD89FD51AFFC05CD6B4CAC7DC3FDD4FD56  56AC07B6AFA4D2D70696090D7068175E09FE1AFFDD56534E33FE4498494E55FE66FD565BFAE5  CE405DBA2E4EFEABFD4FC36ECBFFEDC6E9BFEF5FD50B6C22F17FE002EE3FFBF3DFD4FC38F5D  FF6E6F2DFF87FD50BBF98ACF6AA87A4FC5FFD6FAB04377B4C7A4463206BDB9F015F026FB55C4  3FB19600DE0665F80D70F057F068F0341FFDECC08A704AF0A7F027EE32C08A7E00F8F0F0FD4D  FDEDF67204163CD00FF1AE0F75F13BFD98F15DFEDF3176F187FFF198FDE9FDFA81C4F1D5F1  E6E2EFE3FFF213F224F235FE7AFE8BF268F29F28AF1FEC6FED7C2BDCCB5FB5C5526576FEE  00AF72D4FCFCFAAC929FCEDF3B6B71F33DF34EF35FFBFD698AC51756FBF7000394F3A5F3B6F  AAF67B4C497020FF731046303DCF3EDF2E2FF12FF2392BDFFF440F451FF58FF69C481F492F4A3  FFA1FFFFB2C4D3F4E4F4F5FFEAFFFBC525F536FFF547F033F0448577F588F599F078F089FFF5C5F  5D6F5E7F0C4F0D5C61AF62BF63CFFF10DF11EC66CF67DF68EF156F167F6C13FFFBF6D7F19FF1  B0F6699718F729F1EEFFF1FFF6BB9767F778F23DF560F25FF7B6FFF7C7F292F7E9F2B4F80BF81C  F2E783EFFF309C860F871F459F893F47BC8B2F8C3FFF4ABF8E5F4CDC904F915F4F937F32F1FCF  F956F967F54FF989F571C9A8F9B9F5A1FFF5B2F75DFA01FA12F5F6F607F70EFA4FFFA60F64BF6  5CFA96FAA7FAB8F6A0F6B1FFFAEBAF9C6F6F5F706F007FB51F739FFF73F668AB93FBA4F789  F79AF6BB9BE2FFBF3F7D8F9DBF7FAFC31FC42F82DFC64FFF84FFC86FC97F882FCB9F309CCDBF  CECFF8D4FD0EF47BCD2DFD3EF926FD60F4CDCFFD7FFD90F978FDB2F51FCDD1FDE2F9CAFFFE  04F571CE23FE34FA1CFA2DFBD8FE7CFFFE8DFA71FA82FB89FECAFEDBFA6FAD7FFFF11FF22FF3  3FB1BFB2CFF6FF77FE41FF3B70FB81F2034FBDDFFCEFB6FBC7FFF66A800EF01FFC04FC15F6BB9  05DF06EFFFC53FE56FC75F0ACF0BDFCA8F0DFFCCAFF101F112FCDF134F309C156F167FD4FFF  F189F47BC1A8F1B9FDA1F1DBF4CDC1FAFFF20BDFD3F22DF51FC24CF25DFE45F27FFFF571C29EF  2AFFE97FEA8F053F2F7F308FFFEECFEFD004F345F356FF41FF52F38CFFF39DF3AEFF96FFA7F3E1  F3F2F2BCFFEBFF9FFCF2035438F449F031F042F66A8FF489F49AF07FF090F6BB94D8F4E9F0CEFF  F2D1F0F0F527F538F123F55AF145F57CFFF58DF178F5AFF8A4C5D1F5E2F1CAF604FFF8F6C623F6  34F21CF656F948C675F686FFF26EF6A8F99AC6C7F6D8F2C0F6FAF9ECCFF719F72AF312F323F4C  EF772F783F367FFF378F47FF7C0F7D1F3BCF3CDF807F818FFF829F411F422F85CF86DF737F466F  477FFC20368B3F8C4F4ACF4BDAE58904FFF915F4FAF50BFB369953F964F549F74CFFF56BF9A2F  9B3F59EF9D5F5C0F9F7FA08FFF5F3FA2AFD1FCA4CFA5DF645FA7FFD71CFFA9EFAAFF697FAD1FD  C3CAF0FB01F6E9FFB23FE15CB42FB53F73BFB75FE67CB94FFFA5F78DF79EF949FBEDFBFEF7E  2F7F3FFF8FAFC3BFC4CF837F848FC82FC93FCA4F9F88CF89DFCD7FCE8FB267166D1B0586D61  74C6348D8631BC3C53007562746C6520456DFA700F10731ED0D2EFD3FFD50F895FA32C3C4  9FB90FB80CF80D7DFD8EF1BD9FFD58E33C63CD775526566FC6572FB80FB70DDFFDF0FE01FE12  67F982CDF6E2FFE40FE51FE62F9D1C42F46F6F3300548DD0D7B0E923E11721B1FC4269626C8  DA067727A61DD9079E923EB7FE153BC3C54204F432048650F233B7DC07D7B5C2A5C64D580D  DB00674D1B0DD5030313035302DF56232F563F52038F5C4346481D090373836643663E720003  26535334313538C3F7C0F6A034633532A7A09320EFA250A7A0CB70F76033F840F910F5C40FF9  CE8E00F56198D063663131206530613162FB606165F7F530FC2FFD1C33FB80FE01F560E8B0F06  6663039FAA6FF7FF601004DFF002DFAE202C2FFA602AE0327052F063FFF074F085F096F0A7F0B8  F0C9F0DAF0EBFFF0FCF10DF11EF12FF140F151F162F173FFF184F195F1A6F1B7F1C8F1D9F1EAF1  FBFFF20CF21DF22EF23FF250F261F272F283FFF294F2A5F2B6F2C7F2D8F2E9F2FAF30BFFF31CF3  2DF33EF34FF360F371F382F393FFD3A2C643A2502B53C1F3D2F3E3F3F4FFF405F416F427F438F4  49F45AF46BF47CFFF48DF49EF4AFF4C0F4D1F4E2F4F3F504FFF515F526F537F548F559F56AF57B  F58CFFF59DF5AEF5BFF5D0F5E1F5F2F603F614FFF625F636F647F658F669F67AF68BF69CFFF6AD  F6BEF6CF6E0F6F1F702F713F724FFF735F746F757F768F779F78AF79BF02C34FF840FAB103117  B623734F59434FDF55136FE317BE2CB707BC1FEF27DAFFF7EBF7FCF80DF81EFF601FAD2F5517A  1F453B4663BC20643938858062AD85A033F811F7D039F3B066F7207A64F7B162FB80041F8796F  B8032F1C6206262397B10B7008610F520FF03AF8AAF8BBF8CCF8DDF8EEF8FFF910FFF921F04BF  941C929F962F973F984F995FFF9A6F9B7F9C8F9D9F9EAF9FBFA0CFA1DFFF92FFA3FF951FA61FA7  2FA83FA94FAA5FFAB6FAC7FAD8FAE9FAFAFB0BFB1CFA2EFFFB3EFA50FB60FB71FB82FB93F016  EF5540BBA25F42000BC50</p>
PidTagRtfI	TRUE

Name	Value
<a href="#">nSync</a>	
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: D3BDD3F67FDD814E823B9EE04A816204
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	2
<a href="#">PidTagSendingAddressType</a>	SMTP
<a href="#">PidTagSendingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSendingEntryId</a>	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSendingName</a>	Elizabeth Andersen
<a href="#">PidTagSearchingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSubject</a>	Doctor's Appointment
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

<b>Name</b>	<b>Value</b>
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeesList</a>	
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidApp</a>	1



Name	Value
<a href="#">AppointmentStateFlags</a>	
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAppointmentSequenceTime</a>	07:30:17.980 PM 2/6/2008
<a href="#">PidLidAttendeeCriticalChange</a>	12:00:00.000 AM 1/1/4501
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	2
<a href="#">PidLidCalendarType</a>	0
<a href="#">PidLidAttendeesString</a>	
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000005019899AB368C80100000000000000010000005D7DB73EA4A89A4894F5C022C6CAA58F
<a href="#">PidLidClipEnd</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidClipStart</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCom</a>	05:00:00.000 PM 6/18/2008

<b>Name</b>	<b>Value</b>
<a href="#">monEnd</a>	
<a href="#">PidLidCommonStart</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidConfereencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDeleteMail</a>	FALSE
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000005019899AB368C80100000000000000001000 00005D7DB73EA4A89A4894F5C022C6CAA58F
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidIsSilent</a>	FALSE
<a href="#">PidLidLocation</a>	Patrick's Office
<a href="#">PidLidMeetingType</a>	1
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	

Name	Value
<a href="#">PidLidOldLocation</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	07:30:17.980 PM 2/6/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	04:15:00.000 PM 6/18/2008
<a href="#">PidLidReminderTime</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidRequiredAttendees</a>	

Name	Value
<a href="#">PidLidResourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	1
<a href="#">PidLidSendMeetingAsical</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFRecurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0

<b>Name</b>	<b>Value</b>
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZone</a>	0
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidAttendeesString</a>	pcook@contoso.com
<a href="#">PidLidWeekInterval</a>	0
<a href="#">PidLidWhere</a>	
<a href="#">PidLidYearInterval</a>	0
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	Hey Patrick\,\n\nCan we sync up before the upcoming Fabrikam status meeting?\n\nThanks\,\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	07:29:58.164 PM 2/6/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C868F6A8B3838A8BC649774019A01F83B7E4B79818
<a href="#">PidTagConversationTopic</a>	Pre-status meeting sync-up
<a href="#">PidTagCreationTime</a>	07:27:11.156 PM 2/6/2008

<b>Name</b>	<b>Value</b>
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1026
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	07:30:18.762 PM 2/6/2008
<a href="#">PidTagLastVerbExecuted</a>	516
<a href="#">PidTagLastVerbExecutionTime</a>	07:30:00.000 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:29:58.117 PM 2/6/2008
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocationId</a>	1033
<a href="#">PidTagMessageSize</a>	8247
<a href="#">PidTagNormalizedSubject</a>	Pre-status meeting sync-up
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE

Name	Value
<a href="#">PidTagOwnerAppointmentId</a>	1246111704
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 04012000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5666 lpb: 1E1600004E5D00004C5A46755B24DBD807000601010B606E6731303266350064007263700DD 00E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B6 8330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D7637 301E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A502 00DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF211 07D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026 A1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAFO F202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3 F3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F4 5BF1F46CF028350A04D6F4E74323338C54EE420076D20434552342DBFCF53A63D72546F55737 9725234381FB94E6531365631580F03824709D17E6B52343D8F5AF733215BBF038254EF087052 3442FF5AF63723515F8F0382D8284865226007D02952344868FF620E543F6416071001A00EB06 4F54D5F5D5AF6384861673F038242074074FF0EB052346701699F5B2459E16B3F6443B2560890 746E224007906564F4FF5420529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73B B5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFF6C8A0DE0487F72BF275455A87518844 DF776A985E559663178A8490C7A2A85E4FD5D09317C588ABE7DF885E460D762E0FF8D8F810F8 5D56C890FD26D4F84BF585FFB74950FE139945F575F586F78250FE0FF86C9794F99CF5CAE9BB2 332F8E8F5DFFF7F569BC178AF627F6F6F649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F9 36BFF9D70AC4F6E6F6F7F708E9BC1944F955F7B9A3F977731981F992FB6DF9B4832EF9BFF9D0F 9E1F9F2A329FFFA10FA21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66FAB3D0E01C89FA D6FAE7F9389FE32B04FB15FCA9FB37FBC31B4BFB5CFFB2236976832B88FB99FD7479B480FD0E FD88F8B3F22459F1B33C06FC17F2236FDA31933CCAFCDBF2236935CB642E2EFFFFB5FFB70FDB6 5D87FD98FE86F9B48562FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF40FA6FE5DAFC 97FF7EFAB2EFF615FE3BFFC1F935C655FD1BF004FD3DFDFEDB2E64FE75FEC3F977734EA1FEB2F FF08DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0DC8F5DFF6EF046FA70DFFEDD0165 FFB2FFC3FAB4C0E401A8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07CF0CAF9777350 A8F0B9F294FFF9B480FF22B2F0FAF10BF9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36E F1A7F1B8F38DFAB3D361EAF1FBF20CFFD936B3622BF23CF3D0F25EF2EA127287F844F855F2E47 2AF8877F888F9B5737FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F926F937A3C72435 F286F297FFF4DD52AFF4BFF5ADF9B48750F4F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF 667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B723270DF446F457FB3A80193C1636F6C6 F727462A86C3B5C9F206483A0679F21466E83A07940756530796F65FDCC90357A9A7BB17B6F7 C797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFD F88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C64656

Name	Value
	16170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D064637 46C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C07 46F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E1 6F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D00617 06151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699 C306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A13 1739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFEDE06 EE0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B307 56EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E 06060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572 B318666CB286B1F0F5B48762B4872B2817940995079A113B6849B507065B281736365BC6C6C 9CC1B250B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955CE62B9559D40B9646467B A46BBC0F7BB46A1A0B9647694DF9CF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA79FFF4F B0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7C531AC68C31CC2E1C56ABF90ED78D06669C 0A84162BFD07990B0809FAC22CAFAE18AA5693F03430D8507C2048B771BA309950DEB3ABE3 36F7CE3FC4FD05B38D13FD24FD35FD463FFB070B800B1907990D4BFD112D60FC38FFF76B0C5 5FC666D0F0A8B2D91FDA26A99A3DD4D173B080CD119B3078E06D70266F05F0DB4F20456F506 96CBE539B5269C0789392C0F120767931CD90F1055D5209A60776EE7B6AA81BFE852E973AAB6 EA05D444ED716DA9315C6850BEF0EBD3B072336C706D19F9206B429952ED15537562A5ED817 3AB716C46FD4063ED818F7500BFE0AF5160606D6C4D4F709A67ED6372EFE792E14A63EFA1FDB F1249B6C07A004FB0F9F0ED8199509C744C6EA0ED8105B07279F2C1EA31929378EFC06EC180E 862F3E483C3A0C1D074703A2F2FB7D0D39BA06F50732ED9F0636100E4E055B1F02EE5612FF66 066FD7065E42F777910642F4C60C730F743DBEFC078A05C94A1B8F07786F0D451FDF874686C4 2ED81EFF1B300F243EFF1AFB3B0FA66F205EFF162F23367C100FD9AF0729971C19005F0BEA075 20BE718FB190BEA0BA31B1F06E626ABFC0B37A00AC706F63B1C1EEE06B9AD0FFACC0DF50FF04 A90421F0C4E192D0B080C79AE1ED107990737973A900F211E98FD16C79B08076EFC079B000E8 A999916764A9406179B266FED1F7E830F201B89176575103A1A880EFC07760609B90B19070C4 C0B7E005C06CBFB240A88299D0C8B07910D9E1787990CF78E0B090F20179B07361ACC09950FF 04E3F3F1080105C1F3F1B8F061004F809B60609A6078C4C0F5206F797A00FA5CA880709B90792 061409A60BF9177BA30BFE0FEF064B0907940F42062FE64BAC09A60BFE1B7E0A901D0C1A9029 39B90C140655C05C0727AFED2EFBCC0FA0299500EA1680CE3722002A1FC67760F790E31C1B09 95093810FF2BF10F410A305B200C1101112836A0AD1CB6130C860764660776BB6B170A07F13E 2B7D05750C7C1F921FC10BCD265BFC1401545A9009AE0A971023074E8F0FF99500E10FE3116D 7C1D06F50C100BFE0FF9A51F410C1D0C1417931D0B0266021E0FFE260F410C4A10C22B6B1BDE 016E014D1FFBEA07940B1A116D179317920BC71F410BFED210D510E109A60ED21BF10701942F FA86094B0C110C8329950B7E2C4A1DC913FF700B7F0DA410170B7F0E10707FADE0BEA0BFC 16961301C673A207931FFAA42BF904F209A608A70B190C0F2F700FFBFB0AE410701EE609B50A9 015760C180FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A516378BFE099F0CD61FF99 D0B6C00BB1DCB025310AA19A60C3D0FE63F4211942C3D02523C1009950BA406E68269316A2F 53067BED2010163FF04E018837930ED30275275401B2229A2C104E0747862785C1C80C8C0BF4 F80A870BFB014D0F59107816C19D1FF75200B613E50E571A942C7B0A8A092A272770401666D2 AD0E720FCB120FFD45093909A42C7B0A94036004FA00B10EF9AE0BEB086E099D06CA9006F501 4D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD059982A88079B0FEA1ADF08BF0FF0E103 2A3BF6431B09B30FE339B1192C0F3C080FD316C760581C081F620C0B0FF362199F0792036A2B 6B1F20151B0F9213FADF0C4D19B11C0802BA099F0202EFFE7C43626646036C2E081372F383F3 94FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080DEF03ADF3FAF40B529DF399C70A 03E7F436F4095626F804A61FF449F365356C0423F470F481F492F3671FF69E04A82370F4BEF4CF F450D6E104A8FFF501F512F523F36715C804F1F54BF55CFFF56D5F871B990F870C4C09950E063 BED2FFBDBFBECFBDFC0EFC1FE5BC26591D409FFDECFC41FC52FC63FC74FC85FA7B86C007F63 7F648065ACE2012621B170D3FB65FE7994126A8F6B9F6CAFE1E175D1D3EB7FAFD060E1FF406E 1F6F2F703FD4632C540D0A5BC22076A543208020ADDCB02001801E502031E0200150FFA9019B 00B250731F742F753FD4639B00FF31E0F6A10091790F7A1F7B2FD4636E0F3F7E2F7F3F713FDC0 5CD5068A06B617E6D80BF81CF82DF805458B1304073AC206D9BB100913F76AC544041FC6B73 769685CF86DF87EFE6A40500FE7ACD5030718C0F8D1F8E2F83EFD463BF8B9836000A4104829B 535D30730170E30080FBE07832364EF09631DC90FF0000DCC05EA199719641D9E75EA131007F 9631ADE898B6CC559796A9965EA139FE39EBB09707A880B7E01D505D2197FAFFD782991A9E1 4CC5564019B199E149734BFC2E0AB459D3F9E4F9F5FA9B439A0DBF315B200912031A203A45FA



Name	Value
	56FA677EE32A71FA82FA62C33AA2FAB3FA62CEE34AD3FAE4FA62C35B04FB15FA62CFE36B35FB 46FA62CE7A0B67FB78FA63B6E38B97FBA8FA62C39A203BDA633FFBE2C60607820A704BFEEFC0F 8AA14C1FFFFC0F8AD24C40FC0F8B034C61FC0F8B344FFC82FC0F8B654CA3FC0F8B964CC4FC0F 8FFBC74CE5FC0F8BF84BCDFD0A36592A108FF14D01D50BDC0E900A21FA32FD25FBDC4FBE2D2 A0F95461F02530D01B9FE4A126BFEF715ED27291EED004006210688530FF07A1D52FD63FD74F D856DADCEE110080FFD9D6DD6FDE7FDF8F219088D0E0DC60E07D07A067E22FE33FE44FE556A 0CC45772DD05F8093E073E71FE82F9B1935E5BE2C5425E2204768A1EC23E86EEDA1265006062 F61540691EC2FF09FFFE93FDA6FA164E1900CF10091F35FF46FF59B1936A0CC4C6102E1900DE1 F84FFFF95FFA6DDADCFC34FC3023D0FD0FFE1FFFA9AE5DCFC34F04701BF02CFFAE56A40F5A0 EA4D2CD0695FF0FC86A6F5061FFB072FFAE53408BF09C9AA140ADF0BEF7FFAE5D3DC09850122 0A6F103FFA7C36FF123F13460F3F14DFFA8B916216FFF042F713BF195FFA7C8B1B5F1C66185F1 DFF77FA8BBE2C1C2AAD2421DF22EFBDC437F5A0CC4462806B011F26DF273FDADCF643F2B078 A066DBF0FC8F2AFF2C0FFF28C1E5DC2E272A2F2FFF27FE08AC2E271F058F348FFA5F045FFC772 04163FF9CE095A01CDF393FFF0F3B5F13733CEFFF3DFF3F0F041F052841CF42DF43EF086FFF097 F46BF47CF48DF0D2F0E3F4C0F4D1F3F4E2F11EF12FC515CF0DFDB455265FE76EC00D4FF52CFF5 4FD0494F7C13733FDC37595F5A6F5B7FE556246C51757E6F95805ECF5FDF60EFD07628FC49FF9 5A0989057C0634F645F53AF16AF17B9FF515F698F6A9F1B0F1C1C6D9F6EAF6FBFFF1F9F20AC72 BF73CF74DF242F253C77DFFF78EF79FF28BF29C87CFF7E0F7F1F2D0FFF2E1F561CF33FFF44F31CF 32DC872F883FFF894F365F376C8C4F8D5F8E6F3AEF3BFFFF9193217F92FF3F7F408F8C19970F98 1FFF446F457F91399BFF9D0F495F7B8F4B7FFFA0EFA1FF4EAF41F50CFA63FA74F53FFFA96F56 1CAB8FAC9F6B1FAEBF6D3CB0AFFFB1BF703FB3DF725CB5CFB6DF755FB8FFFF777CBAEFBBFF7A 7FBE1F7C9CC00FC11FFF7F9F80AF9B5FC59FC6AF84EF85FF966FFCA7FCB8F8A3F8B4FCEEFCFFF D10F8F8FFF909FD43FD54FC1EF94DF95EF25FFDA9FFF991FDCBF8C0ADEBFD0FC9E1F9F2F9139F FE3AFE48FA30FC33FA52FE89FE9AFA85FFEBFCFAA7FEDEFEEFFADAFF11F561CF33FFF44F31CF 66F6D3CF85FF96FB7EFFF8FFF725CFD7F7FE8FB9D0F00AF777C029F03AFFFC2F05CF7C9C07BF08 CFC74FC85FE30FFF0D4F0E5FCC9FCDAFDE1F122F133FD1EFFFD2FF169F17AF18BFD73FD84F1BE F1CFFE7099FDC8FDD9F2034215F226FE0EFFFFE1FF8C28266F277FE5CFE6DF91392B5FFF2C6FEA BF0AEFECDF304F315FF00F337FFFF22F359F36AFF55F38CF561C3AEF3BFFFFA7F3E1F6D3C400F 411FFF9F433F725CFF452F463F04BF485F777C4A4F4B5F09DFFF4D7F7C9C4F6F507F0EFF100F2A BF54FFF560F144F155F25CF59DF5AEF199F1AAFFF5E4F5F5F606F1EEF1FFF639F64AF514FF3243 F254F2035690F6A1F289F29AFF8C286E1F6F2F2D7F2E8F9139730F741FFF326F529F348F77FF7 90F37BF7B2F39DFFF7D4F7E5F3D0F807FAFCC829F83AF422FFF85CFB4EC87BF88CF474F8AEFBA 0C8CDF8DEF4C6F900FBF2C91FF930F518F952FFC44C971F982F56AF57BF726F9CAF9DBFFF5 BFF5D0F6D7FA18FA29F614F625FA5FFFA70FA81F669F67AFAB4FAC5F98FF6BEFF96CFF2036B0B FB1CF704F715FD3D8FFB5CFB6DF752F763FD8E9BABFBBCF7A1FFF9A4F7C3FBFAFC0FB7F6FC2D F818CF4FFF6C0F84BFC82FF77CCA4FCB5F89DFDC7FFFCC9CCF6FD07F8EFFF29F01BCD48FD59F FF941FD7BF06DCD9AFDABF993FDCDF0BFCFFDFDF9E5F9F6FBA1FE45FE56FA3AFFFA4BFB5 2FE93FEA4FA8FFAA0FEDAFAEEBF3FEFCFAE4FAF5FF2FFF40FE0A67166B1F7306D6174EBB4B3063 1E1BC00537562746C652045F46D703490733F30F86FF97FFA8FF5B31532EBBC4921102100F500 FD5F37FE6FFF7FFB0E33EBBCFCF52565F8666572210020F0037F048F059FFF06A6F10C0276087F 098F0A9F0BAFC29CE8426F6F588054B350FD300EA3430697D77C4269626CB32067F472610310 790EA310FF06D3E1BC40544F4320486534A33B807D7D7B5C2A5C64FB000D033074F73002D03 03130355A301AE2321AE31AA0381B44340264F610373836643663010CA003265333343135863 81D401C2034633532CD20DFB8A0C7D0CD20F0F01CE0331DC01E901F1B441F4EB3801AE1BE50 6366314031653061316220E061EE651AB021AF229C33210023811AE0E10E3066663039202624F F1B81FF25CD25AD242228422526282E28A72AAFFF2BBF2CCF2DDF2EEF2FFF310F321F332FFF34 3F354F365F376F387F398F3A9F3BAFFF3CBF3DCF3EDF3FEF40FF420F431F442FFF453F464F475F 486F497F4A8F4B9F4CAFFF4DBF4ECF4FDF50EF51FF530F541F552FFF563F574F585F596F5A7F5B 8F5C9F5DAFFB5EBF5FAC645FA52835619F62AF63BFFF64CF65DF66EF67FF690F6A1F6B2F6C3FFF 6D4F6E5F6F6F707F718F729F73AF74BFFF75CF76DF77EF78FF7A0F7B1F7C2F7D3FFF7E4F7F5F80 6F817F828F839F84AF85BFFF86CF87DF88EF89FF8B0F8C1F8D2F8E3FFF8F4F905F916F927F938F 949F95AF96BFFF97CF98DF99EF9AFF9C0F9D1F9E2F9F3F9F28431DC020312891A0E237341B14F A341AD13623B1A162F0F0A1412472FFA32FA43FA54FA65FA76F1B8120521AD18B9F9F60C663E 1A0643938AB005A62AB20331D911D5039193066F51CA0641D31622100299FAD16BE50E265AA F0306234ABF0DC80AB90FF1AA0292FB02FB13FB24FB35FB46FB57FFFF68FB79F2A3FB99CB81FB BAFBCBFBDCFFFBEDFBFEFC0FFC20FC31FC42FC53FC64FFFC75FB87FC97FBA9FCB9FCCAFCDBFC ECFFCFDFD0EFD1FFD30FD41FD52FD63FD74FFFC86FD96FCA8FDB8FDC9FDDAFDEB26EE171A

Name	Value
	D4DFA519A000E1D0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 5D7DB73EA4A89A4894F5C022C6CAA58F
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSenderSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagRepresentingAddressType</a>	SMTP
<a href="#">PidTagRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagRepresentingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSubject</a>	Pre-status meeting sync-up
<a href="#">PidTagSub</a>	

Name	Value
<a href="#">jectPrefix</a>	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeesList</a>	
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	60
<a href="#">PidLidAppointmentEndWhole</a>	06:00:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentS</a>	0

Name	Value
<a href="#">equence</a>	
<a href="#">PidLidAppointmentStartWhole</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentStateFlags</a>	1
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAppointmentSequenceTime</a>	07:33:34.236 PM 2/6/2008
<a href="#">PidLidAttendeeCriticalChange</a>	12:00:00.000 AM 1/1/4501
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidAutoStartWhole</a>	0
<a href="#">PidLidBusyStatus</a>	2
<a href="#">PidLidCalendarType</a>	0
<a href="#">PidLidAttendeesString</a>	
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidCleaningGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8013B468C80100000000000000001000000FB83BE9C4AADB5439C06943C06CF7548
<a href="#">PidLidClipEnd</a>	06:00:00.000 PM 6/18/2008
<a href="#">PidLidClip</a>	05:00:00.000 PM 6/18/2008

<b>Name</b>	<b>Value</b>
<a href="#">Start</a>	
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	06:00:00.000 PM 6/18/2008
<a href="#">PidLidCommonStart</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidConfereencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDelegateMail</a>	FALSE
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8013B468C80100000000000000001000000FB83BE9C4AADB5439C06943C06CF7548
<a href="#">PidLidIndexedBusyStatus</a>	4294967295
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidIsSilent</a>	FALSE
<a href="#">PidLidLocation</a>	Conference Room 234
<a href="#">PidLidMeetingType</a>	1

<b>Name</b>	<b>Value</b>
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOldLocation</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	07:33:34.236 PM 2/6/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	04:45:00.000 PM 6/18/2008
<a href="#">PidLidRem</a>	05:00:00.000 PM 6/18/2008

<b>Name</b>	<b>Value</b>
<a href="#">inderTime</a>	
<a href="#">PidLidRequiredAttendees</a>	
<a href="#">PidLidResourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	1
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFRecurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	

Name	Value
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTea mTask</a>	FALSE
<a href="#">PidLidTim eZone</a>	0
<a href="#">PidLidTim eZoneDes cription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidToAt tendeesSt ring</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<a href="#">PidLidWee kInterval</a>	0
<a href="#">PidLidWhe re</a>	
<a href="#">PidLidYear Interval</a>	0
<a href="#">PidTagAcc ess</a>	7
<a href="#">PidTagAcc essLevel</a>	1
<a href="#">PidTagAlte rnateReci pientAllow ed</a>	TRUE
<a href="#">PidTagBod y</a>	Hey team\,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,\nElizabeth\n
<a href="#">PidTagBod yHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClie ntSubmitT ime</a>	07:33:21.098 PM 2/6/2008
<a href="#">PidTagCon versationI ndex</a>	cb: 22 lpb: 01C868F721A86B239086B07F46EFA8C8A4317448A56A
<a href="#">PidTagCon</a>	Fabrikam status meeting



<b>Name</b>	<b>Value</b>
<a href="#">versionTopic</a>	
<a href="#">PidTagCreationTime</a>	07:31:09.578 PM 2/6/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1026
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	07:33:34.361 PM 2/6/2008
<a href="#">PidTagLastVerbExecuted</a>	516
<a href="#">PidTagLastVerbExecutionTime</a>	07:33:00.000 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageDeliveryTime</a>	07:33:21.067 PM 2/6/2008
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	9584
<a href="#">PidTagNormalizedSubject</a>	Fabrikam status meeting

Name	Value
<a href="#">PidTagOriginatorDeliveryRequested</a>	FALSE
<a href="#">PidTagOwnerAppointmentId</a>	1252403160
<a href="#">PidTagPriority</a>	1
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 64012000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5635 lpb: FF150000515C00004C5A4675EDCA2E4F07000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF2110 7D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026A 1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0F 202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3F 3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F45 BF1F46CF028350A04D6F4E74323338C54EE420076D20434552342DBFCF53A63D72546F557379 725234381FB94E6531365631580F03824709D17E6B52343D8F5AF733215BBF038254EF0870523 442FF5AF63723515F8F0382D8284865226007D02952344868FF620E543F6416071001A00EB064 F54D5F5D5AF6384861673F038242074074FF0EB052346701699F5B2459E16B3F6443B25608907 46E224007906564F4FF5420529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73BB 5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFF6C8A0DE0487F72BF275455A87518844D F776A985E559663178A8490C7A2A85E4FD5D09317C588ABE7DF885E460D762E0FF8D8F810F85 D56C890FD26D4F84BF585FFB74950FE139945F575F586F78250FE0FF86C9794F99CF5CAE9BB23 32F8E8F5DFFF7F569BC178AF627F6F6F649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F93 6BFF9D70AC4F6E6F6F7F708E9BC1944F955F7B9A3F977731981F992FB6DF9B4832EF9BFF9D0F9 E1F9F2A329FFFA10FA21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66FAB3D0E01C89FAD 6FAE7F9389FE32B04FB15FCA9FB37FBC31B4BFB5CFFB2236976832B88FB99FD7479B480FD0EF D88F8B3F22459F1B33C06FC17F2236FDA31933CCAFCDDBF2236935CB642E2EFFFB5FFB70FDB65 D87FD98FE86F9B48562FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF40FA6FE5DAFC9 7FF7EFAB2EFF615FE3BFFC1F935C655FD1BF004FD3DFDFEDB2E64FE75FEC3F977734EA1FEB2FF F08DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0DC8F5DFF6EF046FA70DFFEDD0165F FB2FFC3FAB4C0E401A8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07CF0CAF9777350 A8F0B9F294FFF9B480FF22B2F0FAF10BF9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36E F1A7F1B8F38DFAB3D361EAF1FBF20CFFD936B3622BF23CF3D0F25EF2EA127287F844F855F2E47 2AF8877F888F9B5737FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F926F937A3C72435

Name	Value
	F286F297FFF4DD52AFF4BFF5ADF9B48750F4F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF 667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B723270DF446F457FB3A80193C1636F6C6 F727462A86C3B5C9F206483A0679F21466E83A07940756530796F65FDCC90357A9A7BB17B6F7 C797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659F0FE38846A8581853F86497A84867284DFD F88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C64656 16170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D064637 46C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C07 46F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E1 6F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D00617 06151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699 C306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A13 1739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFEDE06 EE0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B307 56EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E 06060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572 B318666CB286B1F0F5B48762B48772B2817940995079A113B6849B507065B281736365BC6C6C 9CC1B250B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955CE62B9559D40B9646467B A46BBC0F7BB46A1A0B9647694DF9CF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA79674F B0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7C531AC68C31CC2E1C56ABF90ED78D06669C 0A84162BFD07990B080DFAC22CAFAE18AA56764032C5009A20BE48B771BA309950DEB3ABE3 36CE3FFBCF4FD05B38D13FD24FD35FD463B070FFB800B1907990D4BFD112D60FC38F76B0FFC5 5FC666D0F0A8B2D91FDA26A99AD4D11E73B080CD119B3078E06D706F1305F0DB4F20456F506 96C53DF9B5269C0789392C0F1207679319B10E655D5209A60776EE7B6AA81E8525FE973AAB6E A05D444ED716DA93168AE50BEF0EBD3B072336C706DF9208C6B429952ED15537562ED81D273 AB716C46FD4063ED81750047BFE0AF5160606D6C4D4F7067CDED6372EFE792E14A63EFA1BF1 27E49B6C07A004FB0F9F0ED819950744E4C6EA0ED8105B07279F2C131F5929378EFC06EC180E 862F3E4C3A0C1C1D074703A2F2FB7D09BA0E96F50732ED9F0636100E4E0B1F02A2EE5612FF66 066FD70652FF2777910642F4C60C730F743EFC0AD78A05C94A1B8F07786F032F251FDF883686 C42ED81EFF1B300F243EFF1AFB3B0FA66F225EFF162F23367C100FD9AF0729971C19005F0BEA0 7520BE718FB190BEA0BA31B1F06E626ABFC0B37FA00AC706F63B1C1EEE06B9AD0FFACC0DF50FF 04A90421F0C4E192D0B080C79AE1ED107990737973A900F211E98FD16C79B08076EFC079B000 E8A999916764A9406179B266FED1F7E830F201B89176575103A1A880EFC07760609B90B19070 C4C0B7E005C06CBFB240A88299D0C8B07910D9E1787990CF78E0B090F20179B07361ACC0995 0FF04E3F3F1080105C1F3F1B8F061004F809B60609A6078C4C0F5206F797A00FA5CA880709B90 792061409A60BF9177BA30BFE0FEF064B0907940F42062FE64BAC09A60BFE1B7E0A901D0C1A9 02939B90C140655C05C0727AFED2EFBCC0FA0299500EA1680CE3722002A1FC67760F790E31C1 B0995093810FF2BF10F410A305B200C1101112836A0AD1CB6130C860764660776BB6B170A07F 13E2B7D05750C7C1F921FC10BCD265BFC1401545A9009AE0A971023074E8F0FF99500E10FE31 16D7C1D06F50C100BFE0FF9A51F410C1D0C1417931D0B0266021E0FFE260F410C4A10C22B6B1 BDE016E014D1FFBEA07940B1A116D179317920BC71F410BFED210D510E109A60ED21BF10701 942FFA86094B0C110C8329950B7E2C4A1DC913FF700B7F0DA410170B7F0BF017070F7ADE0BEA 0BFC16961301C673A207931FFAA42BF904F209A608A70B190C0F2F700FFBFB0AE410701EE069B 50A9015760C180FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A516378BF0E99F0CD61 FF99D0B6C00BB1DCB025310AA19A60C3D0FE63F4211942C3D02523C1009950BA406E6826931 6A2F53067BED2010163FF04E018837930ED30275275401B2229A2C104E0747862785C1C80C8C 0BF4F80A870BFB014D0F59107816C19D1FF75200B613E50E571A942C7B0A8A092A2727704016 66D2AD0E720FCB120FFF90093909A42C7B0A94036004FA00B10EF9AE0BEB086E099D06CA9006 F5014D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD059982A88079B0FEA1ADF0B8F0FF0 E1032A3BF6431B09B30FE339B1192C0F3C080FD316C760581C081F620C0B0FF362199F079203 6A2B6B1F20151B0F9213FADF0C4D19B11C0802BA099F0202EFFE7C43626646036C2E081372F3 83F394FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080DEF03ADF3FAF40B529DF399 C70A03E7F436F4095626F804A61FF449F365356C0423F470F481F492F3671FF69E04A82370F4BE F4CFF450D6E104A8FFF501F512F523F36715C804F1F54BF55CFF56D5F871B990F870C4A09950 E063BED2FFBDBFBECBDFC0EFC1FE5BC26591D409FFDECF41FC52FC63FC74FC85FA7B86C00 7F637F648065ACE2012621B170D3FB658C79209AF078302C0D0A5BC2FA206E654C761074316A 8F6B9F6CAFF9634271759AE26F7F708F719FD4636C732078402C602031E06E006FFA20EF31636 0C076F0B2509B0058B16F304076F0F660783346CD5068A06BFF6E30AFC09AB013605DF0737F7

Name	Value
	48F759F95D4632E6E6C5440416B736E56FA4505007ACD5030717A6F7B7F7C8FFFD462ABF05F8 0BB30D3FA6E6592930A417704829B535D307301700080FBE078FC32364EF08661DC90FF408FF 092E1FF99718671D9E792E131008661ADE888E6CFC55587C6A99692E13939EBB08737FFA880B 7E01D505D21882AD782894A8E44FFCC5564018B498E4487649A20AB458D6F778E7F8F8FA9B43 9910B15B2009120DE319233948F959F96A732974F985FDD965C339A5F9B6F965C349D6F9E7FD D965C35A07FA18F965C36A38FA49FDF965CE7A0A6AFA7BF966B38A9AFAABF6D965C399233AD D633AE5C606063FF9725B01FB1289A44B22FB1289D54B43FFFB128A064B64FB128A374B85FB1 28A684FFBA6FB128A994BC7FB128ACA4BE8FB128FFAFB4AD0FC0D36592913814D01D50ADF07 FE900924F935FC28FADF4E2D2912954FF61F0CD71C83B910BEF715ED279E06261FB040062106 8DC51F2A0C55FC66FC77FFFC886CB0CEE110080CA06CD9FCEAFCFBDFE600E043D13960E007A 067D25FD36BFD47FD58690FCE6F05F71EA2073D74F2BD85F8B4935AE5C5425E220476F68A1D C53D89E91565006062F6154FF0691DC5FE0CFD96FCA9F9194D1C00CF1EF0091E38FE49F8B493 690FCF2C06111FFD1C00DE1E87FE98FEA9DCB0CEC64F2C0FF23D0ED3FEE4FEACAD60CEC64E0 77F1EFAFF2FFEB156A40911A4D2CD0695FF0DFECB69725F64FF75FEB1534F8EFF9F9F9A44FB0 FFC1FEB15C40CF9B5F152FA9FFB006FEAAC36026F0376FF6F050FEABBBF8192072FE07203EF09 8FEAAC380B8FFF0C96088F0E2FEABBAE5C0C5A9D54120FAB131FADF43790FC4462806BF14FB7 170F181FCB0C432D0090A0665EE0FFECBF1B2F1C3F18F1D60C1E571A5F202FFF182EF8DC1E57F 5BF24BFEA8FF48FECA7F82041638D1085D00D0F296FEF3FFF2B8F03A32D1F2E2F2F34F44FF558 31FFFF330F341FF89FF9AF36EF37FF390FFD5FFFFE6F3C3F3D4F3E5F021F032C418CE10FF1CB75 52657677D0C52F42FFE57FFC0793FAC03A3CC67498F4A9F4BAFD586FD149C5173224EFF500F5 11FC0A690FCFE4985D088C047F0537F548F43DF06DFFF07E9418F59BF5ACF0B3F0C4C5DC5ED FFF5FEF0FCF10DC62EF63FF650F145F156CFF680F691F6A2F18EF19F86D2F6E3F6F4FFF1D3F1E4 F720F731F742F21FF230C775FFF786F797F268F279C7C7F7D8F7E9F2B1FFF2C2F81C311AF832F2 FAF30BF7C49873FFF884F349F35AF81698C2F8D3F398F6BBFF3BAF911F922F3EDF944F0FF966 F977FFF442F999F464C9BBF9CCF5B4F9EEF5D6CFFA0DFA1EF606FA40F628CA5FFA70F658FFFA9 2F67ACAB1FAC2F6AAFAE4F6CCCB03FFFB14F6FCF70DF8B8FB5CFB6DF751F762FFF869FBAAFBB BF7A6F7B7FBF1FC02FC13FFF7FBF80CFC46FC57FB21F850F861F162FFFCACF894FCCEF7C3ACEE FCFFF8E4F8F5FFF8169D3DFD4EF933FB36F955FD8CFD9DFFF988FDBBFF9AAFDE1FDF2F9DDFE14F 464CFE36FE47FA2FFE69F5D6CE88FE99FA81FFFEBBF628CEDAFEEBFAD3FF0DF67ACF2CFFFF3D FB25FF56F6CCCF7EFF8FFB77FB88FFD33FFD7FFE8FBCCFBDDFCFE452F036FFFC21FC32FF60CF 07DF08EFC76FC87F0C1FCF0D2FF9CFCCBFCDCFC2034118F129FFFD11FD22F7C58169F17AFD5FF D70F8169FF1B8F1C9FDAEFFB1FDD0F207F218FE03FFF23AFE25F25CF26DFE58F28FF464C2B1FF F2C2FEAAAF2E4F5D6C303F314FEFCF336FFF628C355F366FF4EF388F67AC3A7F3B8FFFA0F3DAF6 CCC3F9F40AFF2F003F1AEFFF452F463F047F058F15FF4A0F4B1F09CFFF0ADF4E7F4F8F509F0F1F 102F523CF54DFE7417F146F157F2035593F5A4F18CFFF19DF7C585E4F5F5F1DAF1EBF8169633FFF 644F229F42CF24BF682F693F27EF6B5FFF2A0F6D7F6E8F2D3F70AF9FFC72CF73DFFF325F75FFA5 1C77EF78FF377F7B1FAA3CFF7D0F7E1F3C9F803FAF5C822F833F41BFFF855FB47C874F885F46D F47EF629F8CDF8DEF4C2F4D3F5DAF91BF92CF517F528FFF962F973F984F56CF57DF9B7F9C8F 892FF35C1F5D2F2036A0EFA1FF607F618FFF408A5FFA70F655F666FC919AAEFABFFF6A4F8A7F 6C6FAFDFB0EF6F9FB30F71BFFF52FB63F74E8F85FE7ACBA7FBB8F7A0FFFBDAFECCCBF9FC0AF7 F2FC2FF1ECC4BFFFC5CF844FC7E7F0CC9DFCAEF896FCD0FFFFC2CCEFFD00F8E8F8F9FAA4FD4 8FD59FFF93DF94EFA55FD96FDA7F992F9A3FDDDF7FDEEFDFF9E7F9F8FE32FE43FD0D6716266 E760D66174DBE4A3363101D1EC537562746C6520E8456D7024C0732F60E89FE9AFDEBABA345 32DBEC4911401130E5306FED8FEE9FEFAFEB3E33DBECED2552F06566657211301120F3AFF4BF FFF5CFF6D6ADDCF2A6F8AFF9BFFACFFBDFD1E65C426F6F48B054A380ED6087FED3F6C7C7AC42 69626CA350E8677261F34079FED3012FF70381D1EC544F4320486524D3003B7D7D7B5C2A5C64 1BEB30F36074E760F300303130B435300B12320B130AD0380B74043464E64037383664360263 FCD03265353334310C35380D700C5034633532BFB50A8D0B800BD50E1200D10330DF03F0EC 00B740F7EA3B00B11AE80636680313165306131621110DC61650AE011DF12CC33113013B1C30 B10FE60666630391056152FFF0BB115FD15DD145218721556185E18D77F1ADF1BEF1CFF1E0F1F 1F202F213F224FFF235F246F257F268F279F28AF29BF2ACFFF2BDF2CEF2DFF2F0F301F312F323F 334FFF345F356F367F378F389F39AF3ABF3BCFFF3CDF3DEF3EFF400F411F422F433F444FFF455F 466F477F488F499F4AAF4BBF4CCFF74DDF4EEF4FDC644FD5186551CF52DFFF53EF54FF560F571 F582F593F5A4F5B5FFF5C6F5D7F5E8F5F9F60AF61BF62CF63DFFF64EF65FF67F0681F692F6A3F6 B4F6C5FFF6D6F6E7F6F8F709F71AF72BF73CF74DFFF75EF76FF780F791F7A2F7B3F7C4F7D5FFF7 E6F7F7F80F819F82AF83BF84CF85DFFF86EF87FF890F8A1F8B2F8C3F8D4F8E5F3F8F6F18730DF 0106118C191123734F50B44340B013613E19192E1209171FF14A2935F946F957F968F979F0BB1

Name	Value
	1082170B018FCF50F663D1D0643938B59B30629B50330DC10D80390960EA660CD0640D6162113019CF9D46926214316134F1B06637CCB0FF9BC00AD0195FA05FA16FA27FA38FA49FFFA5AFA6BFA7CF1A6FA9CCA84FABDFACEFFFADFFAF0FB01FB12FB23FB34FB45FB56FFFB67FB78FA8AFB9AFAACFBBCFBCDFBDEFBFFBEFFC00FC11FC22FC33FC44FC55FC66FFFC77FB89FC99FBABFCBBFFCCFCDDFCEE2F171E0B04CFD509D000D200
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: FB83BE9C4AADB5439C06943C06CF7548
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSenderSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagRepresentingAddressType</a>	SMTP
<a href="#">PidTagRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagRepresentingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
<a href="#">PidTagSubject</a>	Fabrikam status meeting
<a href="#">PidTagSubjectPrefix</a>	

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:PUBLISH
X-CALSTART:20080616T150000Z
X-CALEND:20080620T190000Z
X-CLIPSTART:20080616T070000Z
X-CLIPEND:20080621T070000Z
X-WR-RELCALID:{00000018-47DA-D2D5-82FB-58F6F5E139B2}
X-WR-CALNAME:Elizabeth Andersen
X-PRIMARY-CALENDAR:TRUE
X-OWNER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
X-MS-OLK-WKHRSTART;TZID="Pacific Time (US & Canada)":080000
X-MS-OLK-WKHREND;TZID="Pacific Time (US & Canada)":170000
X-MS-OLK-WKHRDAYS:MO,TU,WE,TH,FR
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191919Z
DESCRIPTION:\n
DTEND;TZID="Pacific Time (US & Canada)":20080616T120000
DTSTAMP:20080206T215757Z
DTSTART;TZID="Pacific Time (US & Canada)":20080616T113000
LAST-MODIFIED:20080206T193058Z
PRIORITY:5
RRULE:FREQ=WEEKLY;COUNT=5;BYDAY=MO,TU,WE,TH,FR
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E00800000000C0FE0C40B268C8010000000000000000
01000000DD26B2AEDF5D2145BCE907145185EA4D
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSSTATUS:TENTATIVE

```



```

rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey</FONT></SPAN><SPAN LANG="en-us"> <FONT FACE="Calibri">Patrick</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Can we sync up before the upcoming</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri"></FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">Fabrikam</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri"> status meeting?</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Thanks\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080206T193017Z
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080206T193109Z
DESCRIPTION:Hey team\,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,\nElizabeth\n
DTEND:20080618T180000Z
DTSTAMP:20080206T193334Z
DTSTART:20080618T170000Z
LAST-MODIFIED:20080206T193334Z
LOCATION:Conference Room 234
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Fabrikam status meeting
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E00800000000B0CF8013B468C801000000000000000010000000FB83BE9C4AADB5439C06943C06CF7548
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey team\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Let</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">'</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">s meet up to discuss the status of the Fabrikam Project</FONT></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri">.</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Thanks\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE

```



```

X-MS-OLK-ALLOWEXTERNALCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080206T193334Z
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

Shu opens the iCalendar file. The following tables represent the contents of Shu's copy of Elizabeth's Schedule.

The following are the properties on the Folder object:

Name	Value
<a href="#">PidTagAccess</a>	63
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagContainerClass</a>	IPF.Appointment
<a href="#">PidTagContainerContents</a>	Object
<a href="#">PidTagContainerHierarchy</a>	Object
<a href="#">PidTagContentCount</a>	4
<a href="#">PidTagExtendedFolderFlags</a>	cb: 16 lpb: 01040026000A04080000000000000000
<a href="#">PidTagFolderAssociatedContents</a>	Object
<a href="#">PidTagFolderType</a>	1
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 82820000
<a href="#">PidTagSubfolders</a>	FALSE

The following are the properties on the Calendar object for Elizabeth's lunch break:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	30

Name	Value
<a href="#">PidLidAppointmentEndWhole</a>	07:00:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentRecur</a>	cb: 80 lpb: 043004300B2001000000C02100000100000000000003E000000222000000500000000000000 0000000000000080F8C50C00FC60C0630000009300000B2020000D002000000000000000000 0000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	06:30:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidBusyStatus</a>	1
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C801000000000000000100000 00DD26B2AEDF5D2145BCE907145185EA4D
<a href="#">PidLidClientEnd</a>	07:00:00.000 AM 6/20/2008
<a href="#">PidLidClientStart</a>	07:00:00.000 AM 6/16/2008
<a href="#">PidLidCommonEnd</a>	12:00:00.000 PM 6/16/2008
<a href="#">PidLidCommonStart</a>	11:30:00.000 AM 6/16/2008

Name	Value
<a href="#">mmonStart</a>	
<a href="#">PidLidConferencingType</a>	0
<a href="#">PidLidInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000C0FE0C40B268C8010000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	
<a href="#">PidLidOwnerCriticalChange</a>	09:57:57.000 PM 2/6/2008
<a href="#">PidLidRecurrencePattern</a>	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
<a href="#">PidLidRecurrenceType</a>	2
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	1080
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	12:30:00.000 AM 6/16/2008
<a href="#">PidLidReminderTime</a>	06:30:00.000 PM 6/16/2008

Name	Value
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStruct</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000300000002000200000000000000
<a href="#">PidLidWhere</a>	
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagCreationTime</a>	10:35:40.383 PM 2/6/2008
<a href="#">PidTagEndDate</a>	12:00:00.000 PM 6/16/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1025
<a href="#">PidTagImportance</a>	1

Name	Value
<a href="#">PidTagInternetContentPage</a>	1252
<a href="#">PidTagLastModificationTime</a>	10:35:40.383 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	1269
<a href="#">PidTagNormalizedSubject</a>	Lunch
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: C4002000
<a href="#">PidTagReplyRequested</a>	FALSE
<a href="#">PidTagResponseRequested</a>	FALSE
<a href="#">PidTagRFCCompressed</a>	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5337B044614473012BC11C308EF09F73BDB18AF0E303511B20C606300500B09990164333616E00BA5342010822C2A5C0EB20190671D503320003C21444F4354595000452048544D4C20500055424C494320222D202F2F5733432010445422441F24332E322010454E7C223E11C31DC71E700AA321AC31FE391E801F32219D14D022AF22611D60F12400454144219D0EF1257F0E1082360EF03C4D45544107B0624129A03D224709F00490618A7405B02212B04F4E54216026542A3005E1457814616E677A6506527613112C8100900220202030382E30302D6036383A312D6130218E280F23933737411E805449544C45245E34D30EF022FD38351E802F30CF2EFFBF1DE53211336026DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4138F1212D2D12B16E2C812A740980200352203C907874FE2F00213CC005B000C005403C00396F173A7F3F1F1DF43626A1502044C049523D4C545221901DD35F3D72000042D51CD142D65C1E1072E70AB1449214605C71032143771D8B023826A15350414E204C8D4770472A3009F02D75732181FB42CF461E3914D03360475248694877BF43E84BD80A801D8B01C03351503E4FF740AF4FCF3885383351

Name	Value
	392F377F1DF5173091365024237D5610
<a href="#">PidTagRtfnSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: A68162A00BBC504CBEB81A7891BAA5C9
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagStartDate</a>	11:30:00.000 AM 6/16/2008
<a href="#">PidTagSubject</a>	Lunch
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	60
<a href="#">PidLidAppointmentEndWhole</a>	04:00:00.000 PM 6/16/2008
<a href="#">PidLidAppointmentNotAllDayPropose</a>	FALSE
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	03:00:00.000 PM 6/16/2008

<b>Name</b>	<b>Value</b>
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidBusyStatus</a>	3
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000E0E7F7AAB268C801000000000000000010000000D3BDD3F67FDD814E823B9EE04A816204
<a href="#">PidLidCommonEnd</a>	04:00:00.000 PM 6/16/2008
<a href="#">PidLidCommonStart</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidLidComparingType</a>	0
<a href="#">PidLidFInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000E0E7F7AAB268C801000000000000000010000000D3BDD3F67FDD814E823B9EE04A816204
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidLocation</a>	4567 Main St., Buffalo, NY 98052
<a href="#">PidLidOwnerCriticalChange</a>	09:57:57.000 PM 2/6/2008
<a href="#">PidLidRecurring</a>	FALSE

Name	Value
<a href="#">PidLidReminderDelta</a>	720
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	03:00:00.000 AM 6/16/2008
<a href="#">PidLidReminderTime</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidWhere</a>	4567 Main St., Buffalo, NY 98052
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagCreationTime</a>	10:35:40.398 PM 2/6/2008
<a href="#">PidTagEndDate</a>	04:00:00.000 PM 6/16/2008
<a href="#">PidTagHasAttach</a>	FALSE



Name	Value
<a href="#">ments</a>	
<a href="#">PidTagIconIndex</a>	1024
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetContentPage</a>	1252
<a href="#">PidTagLastModificationTime</a>	10:35:40.398 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	1047
<a href="#">PidTagNormalizedSubject</a>	Doctor's Appointment
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: E4002000
<a href="#">PidTagReplyRequested</a>	FALSE
<a href="#">PidTagResponseRequested</a>	FALSE
<a href="#">PidTagRFCCompressed</a>	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5337B044614473012BC11C308EF09F73BDB18AF0E303511B20C606300500B09990164333616E00BA5342010822C2A5C0EB20190671D503320003C21444F4354595000452048544D4C20500055424C494320222D202F2F5733432010445422441F24332E322010454E7C223E11C31DC71E700AA321AC31FE391E801F32219D14D022AF22611D60F12400

Name	Value
	454144219D0EF1257F0E1082360EF03C4D45544107B0624129A03D224709F00490618A7405B02212B04F4E54216026542A3005E1457814616E677A6506527613112C8100900220202030382E30302D6036383A312D6130218E280F23933737411E805449544C45245E34D30EF022FD38351E802F30CF2EFFBF1DE53211336026DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4138F1212D2D12B16E2C812A740980200352203C907874FE2F00213CC005B000C005403C00396F173A7F3F1F1DF43626A1502044C049523D4C545221901DD35F3D72000042D51CD142D65C1E1072E70AB1449214605C71032143771D8B023826A15350414E204C8D4770472A3009F02D75732181FB42CF461E3914D03360475248694877BF43E84BD80A801D8B01C03351503E4FF740AF4FCF3885383351392F377F1DF5173091365024237D5610
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 120CA1F78A8BAE4F852D3E90FD6C8F2A
<a href="#">PidTagSensitivity</a>	2
<a href="#">PidTagStartDate</a>	03:00:00.000 PM 6/16/2008
<a href="#">PidTagSubject</a>	Doctor's Appointment
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentSequence</a>	0

Name	Value
<a href="#">PidLidAppointmentStartWhole</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentSequenceTime</a>	07:30:17.000 PM 2/6/2008
<a href="#">PidLidAppointmentFillLocation</a>	FALSE
<a href="#">PidLidBusystatus</a>	2
<a href="#">PidLidCalendarGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000005019899AB368C80100000000000000010000 0005D7DB73EA4A89A4894F5C022C6CAA58F
<a href="#">PidLidCommonEndTime</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidCommonStartTime</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidComparingType</a>	0
<a href="#">PidLidFInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000005019899AB368C80100000000000000010000 0005D7DB73EA4A89A4894F5C022C6CAA58F
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidLocation</a>	Patrick's Office

<b>Name</b>	<b>Value</b>
<a href="#">PidLidOwnerCriticalChange</a>	07:30:17.000 PM 2/6/2008
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	04:15:00.000 PM 6/18/2008
<a href="#">PidLidReminderTime</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidWhere</a>	Patrick's Office
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	Hey Patrick,\n\nCan we sync up before the upcoming Fabrikam status meeting?\n\nThanks,\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagCreationTime</a>	10:35:40.414 PM 2/6/2008
<a href="#">PidTagEn</a>	05:00:00.000 PM 6/18/2008

<b>Name</b>	<b>Value</b>
<a href="#">dDate</a>	
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1026
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagLastModificationTime</a>	10:35:40.414 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	3364
<a href="#">PidTagNormalizedSubject</a>	Pre-status meeting sync-up
<a href="#">PidTagOwnerAppointmentId</a>	4294967295
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com
<a href="#">PidTagReceivedBy</a>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D545000736

Name	Value
<a href="#">EntryId</a>	9746F40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 04012000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 1033 lpb: 05040000890F00004C5A46753162233603000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC2318104709486579247C3536DF34C14C5249D949E7479D3914D034D0FF48C250CF51DF487F498F44D84B2F4C3F9B4D4F4E5B502C100510636B4F5FFF506F543F528F5E5F5F6F55BF56CF61DFEF58FF5A0F5B1F45322C5CDF5DEF61BFFF600F6B6F453A0AA26C080A8145870AB1EF70D8624D01C034C1503FBF421F748FFF42EF43FF450F461F71FF62EF63FF650FBF661F672F683F78E718B003A0772DA00073796E6320757020CE62011005B02DA0746869EF6AFFFF6C0F6D1F862F873F7C8F7D9F89AF7FBFBF80CF81DF79322DA083E005A06D0B80FE6784AF85BF898F87DF93CF94DF8B0FFF8C1F974F8E3F8F4F905F9B1F931F96FFF953F964FA19F986F997F579F9B8F9C9F1B9DAF78E74601A005106B616DFF9F4FA05FA42FA27FAE5FAF6FA5FA6BF5FB1DFA8EFA9FFAB0FA81373019074DDB4502078014B092113FACDFADEFFFB1BFB00FBC5F6F3F704F715F726F737FFF75DFC53F76AF77BF78CF79DF7AEFB2AFBFB3BFC94FB5DFB6EFB7FF4E5B542D61FC6B7369DFBBDFFBCEFBDFD5FFC01FFFC12FC23FC34FC45FC6BFDEDFC78FC89FFFC9AFCABFCBCFCDFCDEFE2EFD00FD11FEBD22F4E4C4518D07A01A014B0849FFFD58FD69FD7AFEF0DFE71FE82FF34FFFF19FF2AFD9EFDADFDC0FD1FDE2FE08FF7FF0F39C8EAC12F3A9F38EF1F6532010B37C025937D0580
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: A41B37520B24144FA86C2D77FB1567A5
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmail</a>	eandersen@contoso.com

Name	Value
<a href="#">IAddress</a>	
<a href="#">PidTagSenderEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddresses</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagStartDateTime</a>	04:30:00.000 PM 6/18/2008
<a href="#">PidTagSubject</a>	Pre-status meeting sync-up
<a href="#">PidTagSubjectPrefix</a>	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	60

Name	Value
<a href="#">PidLidAppointmentEndWhole</a>	06:00:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentSequenceTime</a>	07:33:34.000 PM 2/6/2008
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidBusyStatus</a>	2
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000B0CF8013B468C8010000000000000010000 000FB83BE9C4AADB5439C06943C06CF7548
<a href="#">PidLidCommonEnd</a>	06:00:00.000 PM 6/18/2008
<a href="#">PidLidCommonStart</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidFin</a>	TRUE



<b>Name</b>	<b>Value</b>
<a href="#">vited</a>	
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000B0CF8013B468C80100000000000000010000 000FB83BE9C4AADB5439C06943C06CF7548
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidLocation</a>	Conference Room 234
<a href="#">PidLidOwnerCriticalChange</a>	07:33:34.000 PM 2/6/2008
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	04:45:00.000 PM 6/18/2008
<a href="#">PidLidReminderTime</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	369
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidWhere</a>	Conference Room 234
<a href="#">PidTagAccess</a>	7

<b>Name</b>	<b>Value</b>
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	Hey team\,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagCreationTime</a>	10:35:40.429 PM 2/6/2008
<a href="#">PidTagEndDate</a>	06:00:00.000 PM 6/18/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1026
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagLastModificationTime</a>	10:35:40.429 PM 2/6/2008
<a href="#">PidTagMessageClass</a>	IPM.Appointment
<a href="#">PidTagMessageFlags</a>	1
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	4244
<a href="#">PidTagNormalizedSubject</a>	Fabrikam status meeting
<a href="#">PidTagOwnerAppointment</a>	4294967295

Name	Value
<a href="#">Id</a>	
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 24012000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 953 lpb: B5030000240D00004C5A46754D27F7AF03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E3222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F8200044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C23181047A94865793F21616DF22C251C353635614CF24A794A87FD483D3914D03570496251CF45CB0AA2FF52780A8146270AB15748483D01C03561FE50405F42BF5AFF438F449F45AF46BFFF586F48DF49EF4AFF4C0F4D1F4E2F5F7FE4C14B0505F516F527F538F6B4F6C5F7F62FF640F6ECF662F673F684F5FA327FF6D6069CF6ADF6EAF6CFF788F799F702FFF713F7C0F735F746F757F5FA2042007809114B02075703F206F200F51A6637E80042074682E40730190B2747E80206F3FA085524601A0DD05106B5020218003606A059069BFFF780F7BDF7A2F88EF89FF7D5F7E6F8C6FEF808F819F82AF5F932E877F888F8C5FFF8AAF960F55AF56BF57CF58DF59EF5C4FFF9EEF5D1F5E2F5F3F604F615F8D4F8E5F5FA2FF907F918F929F4EFB542E016BFE73504F958F969F97AF99CF9ADFFF9BEF9CFF9E0FA06FB88FA13FA24FA35FFFA46FA57FA68FA79FBC9FA9BFAACFABDFB54EEC4519707A01A014B068AE3FFFAF4FB05FB16FC98FCA9FC0DFC1EFC0DFFCB5FCC6FB3AFB4BFB5CFB6DFB7EFBA4FF7D8CF3A77C4712F3B3F398F200532A10B386026337DDF30

<b>Name</b>	<b>Value</b>
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSecurityKey</a>	cb: 16 lpb: 2D89627AB1028646855F0472CD3C0EA6
<a href="#">PidTagSecurityAddressType</a>	SMTP
<a href="#">PidTagSecurityEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSecurityEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSecurityName</a>	Elizabeth Andersen
<a href="#">PidTagSecuritySensitivity</a>	0
<a href="#">PidTagSecurityRepresentingAddressType</a>	SMTP
<a href="#">PidTagSecurityRepresentingEmailAddresses</a>	eandersen@contoso.com
<a href="#">PidTagSecurityRepresentingEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSecurityRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagStartDateTime</a>	05:00:00.000 PM 6/18/2008
<a href="#">PidTagSubject</a>	Fabrikam status meeting
<a href="#">PidTagSubjectPrefix</a>	

### 3.3 Example Single Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a meeting with an attendee, Shu, but later decides to cancel it.

#### 3.3.1 Organizer's Meeting Request

Elizabeth invites Shu to lunch at Fourth Coffee from noon to 12:30 P.M. (Pacific Time) on February 8, 2008.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
<a href="#">PidLidAgin gDontAge Me</a>	FALSE
<a href="#">PidLidAllAt tendeesSt ring</a>	sito@contoso.com
<a href="#">PidLidAllo wExternal Check</a>	TRUE
<a href="#">PidLidApp ointmentA uxiliaryFla gs</a>	0
<a href="#">PidLidApp ointmentC olor</a>	0
<a href="#">PidLidApp ointmentC ounterPro posal</a>	FALSE
<a href="#">PidLidApp ointmentD uration</a>	30
<a href="#">PidLidApp ointmentE ndWhole</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidApp ointmentN otAllowPr opose</a>	FALSE
<a href="#">PidLidApp ointmentP roposalNu mber</a>	0
<a href="#">PidLidApp</a>	0

Name	Value
<a href="#">AppointmentProposedDuration</a>	
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAttendeeCriticalChange</a>	05:39:55.801 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	1
<a href="#">PidLidAttendeesString</a>	
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000001000 00002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidClipEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidClipStart</a>	08:00:00.000 PM 2/8/2008

Name	Value
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidCommonStart</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidContactLinkName</a>	
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000000000010000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidIndendedBusyStatus</a>	2
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidLocation</a>	Fourth Coffee
<a href="#">PidLidMeetingType</a>	1
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOnlinePassword</a>	

Name	Value
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	05:39:55.801 PM 2/8/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	1525252321
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	7265
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTask</a>	0



<b>Name</b>	<b>Value</b>
<a href="#">Estimated Effort</a>	
<a href="#">PidLidTask FFixOffline</a>	FALSE
<a href="#">PidLidTask FRecurring</a>	FALSE
<a href="#">PidLidTask Mode</a>	0
<a href="#">PidLidTask NoCompute</a>	FALSE
<a href="#">PidLidTask Ordinal</a>	2147483647
<a href="#">PidLidTask Ownership</a>	0
<a href="#">PidLidTask Role</a>	
<a href="#">PidLidTask State</a>	1
<a href="#">PidLidTask Status</a>	0
<a href="#">PidLidTask Version</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidAttendeesString</a>	sito@contoso.com
<a href="#">PidLidWhere</a>	Fourth Coffee
<a href="#">PidTagAccess</a>	2
<a href="#">PidTagAccessLevel</a>	0
<a href="#">PidTagAlternateRecipients</a>	TRUE

Name	Value
<a href="#">pientAllowed</a>	
<a href="#">PidTagBody</a>	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*\n\nI haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	05:39:55.894 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
<a href="#">PidTagConversationTopic</a>	Lunch?
<a href="#">PidTagCreationTime</a>	05:39:55.801 PM 2/8/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagEndDate</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	05:39:55.910 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Request

<b>Name</b>	<b>Value</b>
<a href="#">PidTagMessageDeliveryTime</a>	05:39:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	12
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	8729
<a href="#">PidTagNextSendAcct</a>	00000002eandersen@contoso.comeandersen@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Lunch?
<a href="#">PidTagOriginalAuthorName</a>	
<a href="#">PidTagOriginalSensitivity</a>	0
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagOwnerAppointmentId</a>	2758289368
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientReassignmentProhibited</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 64052000
<a href="#">PidTagResponseRequested</a>	TRUE

Name	Value
<a href="#">PidTagRtfCompressed</a>	cb: 5750 lpb: 72160000AB5C00004C5A467577E57A7507000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616FE5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFAA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFA1F07CF9A389AC0098FEE0FEF1F9E29 FFB300D6FF20FF31FOCB8F4CF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6D0689E20749F0FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4427F9 7504E7073E0BB40D75054009DF04EFAA4A278408EC39DD19D319B9073F0AE708E7697009730B 2E06D696873E0A78F106E609730756EA8D1659BC0977880A4F99DF04499B420504E600661896 090B06820466F6E7A748EB4749DE05F50AC905FF0772BA2409BE066AC905773E07468DE42673 09BE090A0A7F06C9F106D00E5AE2472AE98666CAE06AD70B007CA62B00772AE02636290A04E A0FFB1F29091B262783095507891B3249750047065AE017363656C6CEF98C1ADD0AD71B38173 A8407810CEC1AFAC81C680AF20B5E66CB5F562B5F5F39940B6046467B6E6B860B7E69DA0FDB6 047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A 6C475B0CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0FD973062BC707880AC00A7A 2C6EFA9987DA5EC48B411B6D09550DDA3A76336FFCA7FCB8FCC9A85E0CDB6FCE7FCF8FA682FF ABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BFC2C4B2B0A442D53FD646A52AD0F11E73AC00 C951973077D06D706F8B04E0D76F456E40696C5397526F68B077838EF0F010767821971055F3 D1409660776EE346A611E3E2E5035C363046705F41A60231E8C139FE385B70A609E503F4B0EC D0A6406D0057E5A368B0FD0134EC616DA4C1687E50BB90E973ABF2E820E960F8106B4642955 2EAB5537562EB2173E9A6F16C46FC3063EB2173F0BC80A3AAD15F506D6C4D4E6067EB036672 ED878F114A63ED41BBB2493FB36078F04EA0F8E0EB219550744CA76D90EB2104A07279F06131 8EC3FA78ED606EBE20E3F2F1849DF0BE70E074703A2F2FB47097A06E4074732ED610635FF0E0

Name	Value
	80AD702E15E1012FF40066FC60652F77F97800642F4B50C370F4E3ED607790D65C90A1B59077 85E032EFF1F623FE686B32EB21ED91AE80EFE3ED91AF30D7F806EFC5ED9162EFD367BDA096F0 FE729571BE3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC6078F0D9A7F06F63AD41E C806B96D0A840FF9DE0FCA4A4940070C1518F00AC0096E1E3EAB07880737973A490EFB18361F 46C79AC0076ED6078A0FE889591D46764A4D06178A266FC71E3C0FBFA1B5317656410141A41 0ED605F50BB9790AD1070C130B48003606CADC0DFA41295D0C4F07800D60178788077D0E7AC 10EFA178A07361A84095500283FFF19105A10361F191B5905FF04E705F504D966078C130F2C06 F7978F05CFDA410709790781060309660BC31B6D03BBC80FC9064AC107830F1C06264FFB7609 660BC81B480A491CD01A4929790C9BDE0655C0360727AFC72B860777A295500C41680A8371 10004167FE760D190BD1BE50955011200D830E94DF0E430352FE610DB110236A08716020E5C4 A0764550776BB3516B601182BFB4705640C401F6C1F9B0B97265BDE0DF12E5A4906E0A501FF D074E4809550FF0BB0FBD11477BE706E40BDA0BC809651FFF1B0BE70BDE17821C9CF0255020D 0DE00FFF1B0C11109C2B351BA8014801271BB40FF7830AD21147178217810B911F1B0EAC1DF0 AF10BB09660EAC1BBB07016E2A3F0FF90B0BDB0C4729550B482C111D8A1F4A09FB490D661FF1 0B490BBA17070A960FBBB40BC616960201A06A6025FF096E0FBE696A40077821A5D2BC304E1 09660FF8960AD10BD92F4A0BC50A9C104A1EC00BF9750A4915650BE209651B3516EEAB17FAC9 025B0B49019F1B490E3C0965163FE78BC8095F0C9A195D0B3600951D8C0EF23D1084196609E2 063F1C116E29E20EF23C3BDA09550B6E06825331442F2D0F667BB72FEA163026016237820EAD 01F25F2743018C228420280747862FC785C1A20C5004E70A400BC501270FBF33105216C17717 41009013D40E1112FA4D2C3F0A4308ED27701A1666DF72970E2B0FA5120F6A00F009642C3F0F FA4D034F04E9008B096E0BB5085D095D0BE6CA4906E4012701880F1B0759610FFDC42BB71A3 D1FAE1A9F1FAA59582A410FF78A0FC41A970B5900BB03143BC043050FF3133E8999730FBD397 118EF0BD20FAD1FC6C760321BD21F3C0BD5035C195F0FF78103642B351EFA150A0F6C1A970C1 41CF9711BD202A4095F0202EE35435C6FF63503662DC5136CF37DF38EF36206730FBFD208F10 FC903ABF3BCF3CDF6C6B60DFBD20DB003A7F3F4F05529393C6F90F73E1F430F4035626E704C B1443F35F3FF55B041DF46AF47BF48CF361168D04A22FF36AF4B8F4C9F44AD6D004A2F4FBF50 CFFF51DF36115B704EBF545F556F5675F611FFB630F610C1309550DC33BB72BA5FBB6FFB7C7B D8FBE9FDADFC0CFDC5FC2EFC3FFFC50FA3B16AF0D2CF641ADDA124C1ACF0C9E7E820571350 6E3AABE066C1A861792CABE065EAC075F0D1BE20AEA06C60F5416B8085E03AF55069AB404D2 6DA1036DE276B047584D542DAEA06DC129AB41630E69F4A175B376B0555320260C20437470 603061292E0DFE0A5B626B9278D06BE109107810ABD09E43F48178E0713571352A7E73CFFF72 EC5B545C1F5D2F5E3F5F4F605F95B6BF5B625870A619688F699F6AAE49F2A0E305D1259072717 596E2A4E00B81FE2040A0EC7078F0FEF0B7D06CFOE0F11DA400205BF1A4910201722120BF6B9 070C0A4E07A20F2A0136120FB516F5C0083C1721B82C2208B501BF068FE3FE9417D3F7E4F6AC BA7707940B7D07FA61975668ED207E10222975376F073C7FF10FE20F9807832368FB08C01FFD 8A0FCE0D8D08F1195718C11D6079071FF2FA08C01A9688E86C8958D66A5267861FC3939E9508 CD7A410B4801AF076E1FF8DCAD3A28EEA93E4C895629190E993E47F8D0461D0A6C5930F941F 952FA54439FF96AB1352FE316D9097D39A2F9B3F9C47EE329CE9DF9BFC339FFFA10F9BFC3 4A30FA41F9BFC35A61FA72F9BFCFE36A92FAA3F9BFC330AC4FAD5F9C0B6E38AF4FB05F9BFC3 997D3B37633FFB3FC7A206FE09CD4B5BFB6C89FE4B7CFFFB6C8A2F4B9DFB6C8A604BBE6B6C8 A914FFBDFFB6C8AC24C00FB6C8AF34C21FB6C8FFB244C42FB6C8B554B2AFC6736E8296D8FF12 701AF0B390E49097EF98FFC82FB394FFDC7296C970002F71C5EB95B496F6ED11FF78926F71EC7 001A061B07260EA42CAFFFFCC0FCD1FCE26D0ACEBB1FE20CFA6D33F7FD44FD55FE1A0F690D6 AC7AA0054067FFD7FFD90FDA1FDB26969CE28079317C607E73DCEFDFF90E91F70CEBC24822 0DE4766C1E1F3DE3E96F65003A62E01FE540431E1FFE66FDF0FD03F9734D7605F0A91FE31E92F EA3F90E936969C4CFF7AC2D7600B81EE1FE2FF03DD0ACF204FFF2002270F2DFF3EFF06ADBAC F204E6175FF78FF89FF0B5686096BA4D2B7069BF79B0F2569CC5FBEFFCFF0B534FE8FFFF999F E400AF01BFF0B59ACFF55F62F7003F060FF04C36080F0916050FOAAFFD05B370C9FF91E612 098F0F2FF04CFF6B80113F12450E2F13CFF05BB3FC11FAAFA2F417AF18BFB39437969C445870F E6BF6EF1CAF1DBFD0AC72808D002D70FF78A0F25F20CF21DF1E91DBAC23F71FFFF25CF1DCEF E7C23F7FB5F2A5FF02FFA2FF1F247204163E850839112BF2F1FFFF4EFF5FF095232BF33CF34DFF 9EFFAF8FF379F38AF39BFFE3FFF4F3C8F3D9F3EAFFF02FF040F41DF42EF43FF07BF08CC472CFBE 6AFD115528300E1D0CACF489FEB1FFFC619454C0943D2074F2F503F514FDB26FD1A3C5180D25 49F55AF56BFC646969CFE498B706BC04D90591F5A2F497F0C7FFF0D89472F5F5F606F10DF11EC 636F647FFF658F156F167C688F699F6AAF19FF1B0CFF6DAF6EBF6FCF1E8F1F9872CF73DF74EFFF 22DF23EF77AF78BF79CF279F28AC7CFFF7E0F7F1F2C2F2D3C821F832F843F30BFFF31CF876317 4F88CF354F365F81E98CDFFF8DEF3A3F3B4F870991CF92DF3F2F715FFF414F96BF97CF447F99EF

Name	Value
	<p>469F9C0F9D1FFF49CF9F3F4BECA15FA26F60EFA48F630CFFA67FA78F660FA9AF682CAB9FACAF6  B2FFFAECF6D4CB0BFB1CF704FB3EF726CB5DFFF6EF756F767F912FBB6FBC7F7ABF7BCFFF8C3F  C04FC15F800F811FC4BFC5CFC6DFFF855F866FCA0FCB1FB7BF8AAF8BBF1BCFFFD06F8EEFD28F8  1DAD48FD59F93EF94FFFF8709D97FDA8F98DFB90F9AFFDE6FDF7FFF9E2FE19FA04FE3BFE4CFA3  7FE6EF4BECFFE90FEA1FA89FEC3F630CEE2FEF3FADBFFFF15F682CF34FF45FB2DFF67F6D4CF86F  FFF97FB7FFFB9F726CFD8FFE9FBD1FBE2FFFD8DF031F042FC26FC37FD3EF07FF090FFFC7BFC8CF  0C6F0D7F0E8FCD0FCE1F11BFCF12CFFF6FD25FD36F2034172F183FFFD6BFD7CF81F81C3F1D4F  DB9FDCAF8709FF212F223FE08F00BFE2AF261F727FE5DFFF294FE7FF2B6F2C7FEB2F2E9F4BEC3  0BFFF31CFF04F33EF630C35DF36EFF56F390FFF682C3AFF3C0FFA8F3E2F6D4C401F412FFFFFAF4  34F726C453F464F04CF05DF208FFF4ACF4BDF0A1F0B2F1B9F4FAF50BF0F6FFF107F541F552F563  F14BF15CF596F5A7FE7471F1A0F1B1F20355EDF5FEF1E6FFF1F7F81F863EF64FF234F245F87096  8DFFF69EF283F486F2A5F6DCFE6EDF2D8F70FFF2FAF731F742F32DF764FA59C786F797FFF37FF7  B9FAABC7D8F7E9F3D1F80BFAFDCFF82AF83BF423F85DFB4FC87CF88DF475FFF8AFFBA1C8CEF8  DFF4C7F4D8F683F927FFF938F51CF52DF634F975F986F571F582FFF9BCF9CDF9DEF5C6F5D7FA1  1FA22F8ECFF361BF62CF2036A68FA79F661F672FFF9C9A8AB9FACAF6AFF6C0FCEB9B08FB19FFF6  FEF901F720FB57FB68F753FB8AF775FFFBAFCBBD7F8FBDFDFED4CC01FC12F7FAFFFC34FF26CC5  3FC64F84CFC86FF78CCA5FFFCB6F89EFC8FFCACCF7FD08F8F0FD2AFF01CCD49FD5AF942F95  3FAFEFDA2FDB3FFF997F9A8FAAFFDF0FE01F9ECF9FDFE37F7FE48FE59FA41FA52FE8CFE9DF67  6716266EA006D6174E184A8D63101D78C537562746C6520E8456D702A60733500EE3FEF4FEBF  05FA8E532E18C4916E016D0EAD06FF32FF43FF54FF0DE33E18CF2C552F06566657216D016C0F9  4FFA5FFFFB6FFC76B37CF846FE4FFF5F006F017FD1EBFC426F64E5054A920F300870473FC67CD  4C4269626CA8F0E8677261F8E079047306CFFCA381D78C544F432048652A73003B7D7D7B5C2A  5C641BF0D0F90074ED00F8A0303130B4353010B23210B31070381114043464EBE03738366436  026302703265353334310C3538131011F034633532BFC2F0AE70BDA0C2F0E6C012B03313903F  14601114151EA95010B1E7806366803131653061316216B0DC61651080177F186C3316D01951  C310B004006666303915F61ACFFF11511B9D1B7D19F21E121AF61DFE1E77FF207F218F229F23A  F24BF25CF26DF27EFFF28FF2A0F2B1F2C2F2D3F2E4F2F5F306FFF317F328F339F34AF35BF36CF3  7DF38EFFF39FF3B0F3C1F3D2F3E3F3F4F405F416FFF427F438F449F45AF46BF47CF48DF49EFFF4  AFF4C0F4D1F4E2F4F3F504F515F526FF7537F548F557C6455751E05576F587FFF598F5A9F5BAF5  CBF5DCF5EDF5FEF60FFF620F631F642F653F664F675F686F697FFF6A8F6B9F6CAF6DBF6ECF6FD  F70EF71FFFF730F741F752F763F774F785F796F7A7FFF7B8F7C9F7DAF7EBF7FCF80DF81EF82FFFF  840F851F862F873F884F895F8A6F8B7FFF8C8F8D9F8EAF8FBF90CF91DF92EF93FF3F950F1E1313  9016011E6196B23734F510E43410A13619819732E6C09711FF1A4298FF9A0F9B1F9C2F9D3F115  116221710A1956F569663D770643938B5A0D062A0F03313611320390F00EA661270641301621  6D01F6FA2E635DC9034973032A19098B03661FFA16010701EFA5FFA70FA81FA92FAA3FFFAB4F  AC5FAD6F200FAF6CADEFB17FB28FFF39FB4AFB5BFB6CFB7DFB8EFB9FFBB0FFFBC1FBD2FAE4F  BF4FB06FC16FC27FC38FFFC49FC5AFC6BFC7CF8DFC9EFCAFFCC0FFFC1FBE3FCF3FC05FD15F  D26FD37FD48F2F1CBE10A4D5750F7000D7A0</p>
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 6484A55E0B54DF49870433A311A3335A
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 00000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP

Name	Value
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidTagSubject</a>	Lunch?
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagSubjectFlags</a>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T173955Z
DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*\n
n\nI haven't had a raspberry scone in forever! Want to head down to Fou
rth Coffee for lunch?\n
DTEND:20080208T203000Z
DTSTAMP:20080208T173955Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T173955Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch?
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000

```





Name	Value
<a href="#">pointmentStartWhole</a>	
<a href="#">PidAppointmentStateFlags</a>	3
<a href="#">PidAppointmentSubType</a>	FALSE
<a href="#">PidAppointmentStartCheck</a>	FALSE
<a href="#">PidAppointmentBusStatus</a>	1
<a href="#">PidAppointmentHighlight</a>	0
<a href="#">PidAppointmentGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000010000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidAppointmentCommonEndTime</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidAppointmentCommonStartTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidAppointmentReferencingType</a>	0
<a href="#">PidAppointmentInvited</a>	TRUE
<a href="#">PidAppointmentGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000010000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidAppointmentBusyStatus</a>	2
<a href="#">PidAppointmentException</a>	FALSE
<a href="#">PidAppointmentRecurring</a>	FALSE
<a href="#">PidAppointmentLocation</a>	Fourth Coffee

Name	Value
<a href="#">ation</a>	
<a href="#">PidLidMeetingType</a>	1
<a href="#">PidLidOwnerCriticalChange</a>	05:39:55.000 PM 2/8/2008
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	07:45:00.000 PM 2/8/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidWhere</a>	Fourth Coffee
<a href="#">PidNameContentTransferEncoding</a>	8bit
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n~*~*~*~*~*~*~*~*~*\nI haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n

<b>Name</b>	<b>Value</b>
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	05:40:59.000 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
<a href="#">PidTagConversationTopic</a>	Lunch?
<a href="#">PidTagCreationTime</a>	05:43:51.254 PM 2/8/2008
<a href="#">PidTagEndDate</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagInternetMessageId</a>	<000c01c86a79\$c5b80e20\$51282a60\$@com>
<a href="#">PidTagInternetReturnPath</a>	eandersen@contoso.com
<a href="#">PidTagLastModificationTime</a>	05:43:53.051 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Request
<a href="#">PidTagMessageDeliveryTime</a>	05:41:02.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536

<b>Name</b>	<b>Value</b>
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	4563
<a href="#">PidTagNextSendAccount</a>	00000002sito@contoso.comsito@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Lunch?
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagReceivedBySearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 44042000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 997 lpb: E10300008F0B00004C5A4675555055B303000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA53420591

Name	Value
	0822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6CD3181047A9576809F03A4D300510506461792C4D3065199075BD0AC0792F41508001D02F50200E20A63A2F8021804D2D51C1335202C02028474D542D2F5051E1DE29218000D006900DE020076252D0865505F0485E26616D7002804D4A9726457819416E61505029F22E251C353635614CF24A794A87FD483D3914D035704962595F45CB0AA2FF5A080A8146270AB15ED8483D01C03561FE50405F42BF628F438F449F45AF46BFFF5FFF48DF49EF4AFF4C0F4D1F4E2F4F3AE71AC050010861746816F1012009E0FF57EF58FF5A0F5B1F73EF5D3F5E4F5F5FFF606F617F63DF7CCF64AF65BF66CF67DF7F68EF69FF6B0F80DF6D2F6E3F6F4F4EFBFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858F9B4F87AFE788BF89CF4EFB492014702E900B909E279070054014703EC061202CA0F87370620490510104F002202E402B0B803FB2652E912154BF6E62B7A76055F9A68061014056C85700701705402CC0A62065A6F1646F77AF03A0AC31719B3FB2200A406E1460FE3F8CDF8DEF8EFF900FB03FB14F9F7FFFA08FB3BFB20FB31F924F935F946F957FDF968F98EFBF7F3A77A3112F3B3F398F2F200532A1386026337DC5E0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 93CF34ADBB6E4441A18B165C77A6F90D
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSendingAddressType</a>	SMTP

Name	Value
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartDateTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidTagSubject</a>	Lunch?
<a href="#">PidTagSubjectPrefix</a>	X
<a href="#">PidTagTransportMessageHeaders</a>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:41:02 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <site@contoso.com> Subject: Lunch? Date: Fri, 8 Feb 2008 09:40:59 -0800 Message-ID: <000c01c86a79\$c5b80e20\$51282a60\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqeZ49X1T+9kIZR5WRMHYt37LqHw== Content-Language: en-us

### 3.3.2 Attendee's Meeting Acceptance

Shu accepts Elizabeth's meeting request.

The following are the properties on the Calendar object that Shu sends:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeesList</a>	
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0

Name	Value
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAttendeeCriticalChange</a>	05:44:34.941 PM 2/8/2008
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	2
<a href="#">PidLidCalendarType</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidClipEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidClipStart</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidCommonStart</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidConferencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212

Name	Value
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDelegateMail</a>	FALSE
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidFInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000 0000000100000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidIsSilent</a>	TRUE
<a href="#">PidLidLocation</a>	Fourth Coffee
<a href="#">PidLidMeetingType</a>	0
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOldLocation</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	05:39:55.000 PM 2/8/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	0
<a href="#">PidLidReminderSet</a>	FALSE



<b>Name</b>	<b>Value</b>
<a href="#">PidLidReminderSignalTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidRequiredAttendees</a>	
<a href="#">PidLidResourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	7265
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFREcurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZone</a>	0
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidWeekInterval</a>	0
<a href="#">PidLidWhere</a>	Fourth Coffee

<b>Name</b>	<b>Value</b>
<a href="#">PidLidYearInterval</a>	0
<a href="#">PidTagAccess</a>	2
<a href="#">PidTagAccessLevel</a>	0
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagClientSubmitTime</a>	05:44:34.957 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F00002356500000064060
<a href="#">PidTagConversationTopic</a>	Lunch?
<a href="#">PidTagCreationTime</a>	05:44:34.926 PM 2/8/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagEndDate</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagLastModificationTime</a>	05:44:39.254 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Resp.Pos
<a href="#">PidTagMessageDeliveryTime</a>	05:44:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	12
<a href="#">PidTagMessageLocaleId</a>	0
<a href="#">PidTagMessageSize</a>	2877
<a href="#">PidTagNextSendAcct</a>	00000002sito@contoso.comsito@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Lunch?
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE

Name	Value
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientReassignmentProhibited</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: A4042000
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: D476AA2743B2CC4893A1B74E49A44E37
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 0000000062E9131048FE8D4D9EFD5A00AA41408DC2800000
<a href="#">PidTagStartDate</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidTagSubject</a>	Accepted: Lunch?
<a href="#">PidTagSubjectPrefix</a>	Accepted:
<a href="#">PidTagSubmitFlags</a>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=ACCEPTED:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T174434Z
DTEND:20080208T203000Z
DTSTAMP:20080208T174434Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T174439Z
LOCATION:Fourth Coffee
PRIORITY:5
SEQUENCE:0
SUMMARY:Accepted: Lunch?
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000
0100000002009EB53F098B249AD66CBE6BB3B8B99
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Elizabeth receives:

Name	Value
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAttendeeCriticalChange</a>	05:44:34.000 PM 2/8/2008
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidBusyStatus</a>	2
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000000 100000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidCommonEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidCommonStart</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidFInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000000 100000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidLocation</a>	Fourth Coffee
<a href="#">PidLidRecurring</a>	FALSE

<b>Name</b>	<b>Value</b>
<a href="#">PidLidReminderDelta</a>	1080
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	02:00:00.000 AM 2/8/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidResponseStatus</a>	3
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidWhere</a>	Fourth Coffee
<a href="#">PidNameContentTransferEncoding</a>	7bit
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagClientSubmitTime</a>	05:45:25.000 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F00002356500000064060
<a href="#">PidTagConversationTopic</a>	Accepted: Lunch?
<a href="#">PidTagCreationTime</a>	05:47:43.269 PM 2/8/2008
<a href="#">PidTagEndDate</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagInternetMessageId</a>	<000301c86a7a\$62c485e0\$284d91a0\$@com>

<b>Name</b>	<b>Value</b>
<a href="#">PidTagInternetReturnPath</a>	sito@contoso.com
<a href="#">PidTagLastModificationTime</a>	05:47:43.769 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Resp.Pos
<a href="#">PidTagMessageDeliveryTime</a>	05:45:25.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	4669
<a href="#">PidTagNextSendAcct</a>	00000002eandersen@contoso.comeandersen@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Accepted: Lunch?
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Elizabeth Andersen
<a href="#">PidTagReceivedBySearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 84052000
<a href="#">PidTagReplyRequested</a>	FALSE
<a href="#">PidTagResponseRequested</a>	FALSE
<a href="#">PidTagRtfInSync</a>	TRUE

Name	Value
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 6A67BE70BDD3E64B8F5B8971A79AF46B
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	sito@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Shu Ito
<a href="#">PidTagSenderSearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	sito@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Shu Ito
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagStartDate</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidTagSubject</a>	Accepted: Lunch?
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagTransportMessageHeader</a>	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:45:25 -0800 From: "Shu Ito" <sito@contoso.com> To: "Elizabeth Andersen" <eandersen@contoso.com> Subject: Accepted: Lunch? Date: Fri, 8 Feb 2008 09:45:25 -0800 Message-ID: <000301c86a7a\$62c485e0\$284d91a0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index:

Name	Value
	AchqeZ49X1T+9kIZR5WRMHYt37LqHwAAI1ZQAAAGQGA= Content-Language: en-us

### 3.3.3 Organizer's Cancellation

Elizabeth realizes that she has a conflicting meeting, so she cancels her lunch with Shu.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeesList</a>	
<a href="#">PidLidAllAttendeesString</a>	sito@contoso.com
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0



Name	Value
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentSequence</a>	1
<a href="#">PidLidAppointmentStartWhole</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidAppointmentStateFlags</a>	7
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAppointmentSequenceTime</a>	05:48:33.676 PM 2/8/2008
<a href="#">PidLidAttendeeCriticalChange</a>	05:52:48.957 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	0
<a href="#">PidLidCalendarType</a>	0
<a href="#">PidLidAttendeesString</a>	
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidClean</a>	cb: 56 lpb:

Name	Value
<a href="#">nGlobalObjectId</a>	04000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000001000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidClipEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidClipStart</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidCollaborateDomain</a>	
<a href="#">PidLidCommonEnd</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidCommonStart</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidConfigencingType</a>	0
<a href="#">PidLidContactLinkName</a>	
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDelegateMail</a>	FALSE
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidFInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000001000002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidIndexedBusyStatus</a>	0
<a href="#">PidLidIsException</a>	FALSE

<b>Name</b>	<b>Value</b>
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidIsSilent</a>	FALSE
<a href="#">PidLidLocation</a>	Fourth Coffee
<a href="#">PidLidMeetingType</a>	0
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOldLocation</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	05:52:48.957 PM 2/8/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurrenceType</a>	0
<a href="#">PidLidRecurring</a>	FALSE

<b>Name</b>	<b>Value</b>
<a href="#">PidLidRem inderDelta</a>	1525252321
<a href="#">PidLidRem inderSet</a>	FALSE
<a href="#">PidLidRem inderSign alTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidRem inderTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidReq uiredAtten dees</a>	
<a href="#">PidLidRes ourceAtte ndees</a>	
<a href="#">PidLidRes ponseStat us</a>	5
<a href="#">PidLidSen dMeetingA sIcal</a>	TRUE
<a href="#">PidLidSide Effects</a>	7265
<a href="#">PidLidSing leInvite</a>	FALSE
<a href="#">PidLidTask ActualEffo rt</a>	0
<a href="#">PidLidTask Complete</a>	FALSE
<a href="#">PidLidTask Estimated Effort</a>	0
<a href="#">PidLidTask FFixOffline</a>	FALSE
<a href="#">PidLidTask FRecurrin g</a>	FALSE
<a href="#">PidLidTask Mode</a>	0
<a href="#">PidLidTask NoComput</a>	FALSE



<b>Name</b>	<b>Value</b>
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	05:52:49.066 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 27 lpb: 01C86A799E363C85AB4DF7104F04B056C21082F5796400007335B0
<a href="#">PidTagConversationTopic</a>	Lunch?
<a href="#">PidTagCreationTime</a>	05:52:48.926 PM 2/8/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagEndDate</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	05:52:49.301 PM 2/8/2008
<a href="#">PidTagMessageClasses</a>	IPM.Schedule.Meeting.Canceled
<a href="#">PidTagMessageDeliveryTime</a>	05:52:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlag</a>	12

Name	Value
<a href="#">S</a>	
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	8826
<a href="#">PidTagNextSendAcct</a>	00000002eandersen@contoso.comeandersen@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Lunch?
<a href="#">PidTagOriginalAuthorName</a>	
<a href="#">PidTagOriginalSensitivity</a>	0
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagOwnerAppointmentId</a>	2758289368
<a href="#">PidTagPriority</a>	1
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientReassignmentProhibited</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: C4052000
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5760 lpb: 7C160000AD5C00004C5A46759798928207000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A

Name	Value
	<p>913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F  E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66  C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C  CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F  3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643  21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362  CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7  F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166  2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905  18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F  C65310685F7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF  778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF70F52CF53  DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F  616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFA6589  33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5  20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26  FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2  126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7  FBD8F9E2958CFDF4FEFFFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6  84FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29  FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5  F926A35013F024F1B8F046FD0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F  0FAFE4E712E2FF2DFF129F13AF2D46153F164F223CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF  B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF  8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C  F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA  2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A  679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D  0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635  08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7  410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920  0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790  114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9  0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731  30CB07F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36  E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4427F9  7504E7073E0BB40D75054009DF04EFAA4A278408EC39DD19D319B9073F0AE708E7697009730B  2E06D696873E0A78F106E609730756EA8D1659BC0977880A4F99DF04499B420504E600661896  090B06820466F6E7A748EB4749DE05F50AC905FF0772BA2409BE066AC905773E07468DE42673  09BE09A0A7F06C9F106D00E5AE2472AE98666CAE06AD70B007CA62B00772AE02636290A04E  A0FFB1F29091B262783095507891B3249750047065AE017363656C6CEF98C1ADD0AD71B38173  A8407810CEC1AFAC81C680AF20B5E66CB5F562B5F5F39940B6046467B6E6B860B7E69DA0FDB6  047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A  6C475B0CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0FD973062BC707880AC00A7A  2C6EFA9987DA5EC48B411B6D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FCE7FCF8FA682FF  ABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BFC2C4B2B0A442D53FD646A52AD0F11E73AC00  C951973077D06D706F8B04E0D76F456E40696C539752DD68B03177838EF0F0107678219710E6  55D1409660776EE356A611E3F2F9E513363046705F41A609E5A468B007FD016B60A602389398  30307F1D81A60285E0E5F071202191E8A3342F68C0E5F0F0D0EC616DA4C1685057BB90EA63AB  F2336B606DF8106B46429552EBA5537562EC1173E9A6F16C46FC3063EC1173F0BC80A3AAD15F  506D6C4D4E6067EBF36672EE778F114A63EE31BBB2493FB36078F04EA0F8E0EC119550744CA7  6D90EC1104A07279F151318EC3FA78EE506EBE20E402F2749DF0BE70E074703A2F2FB47097A0  6E4074732ED610635FF0E080AD702E15E1012FF4F066FC60652F77F97800642F4B50C370F5D3E  5E507790D65C90A1B5907785E032F0E1F713FE686B32EC11EE81AE80FD3EE81AF30D7F8F6F0B  5EE8162F0C367BDA096F0FE729571BE3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC  6078F0D9A7F06F63AD41ED706B96D0A840FF9DE0FD94A4940070C1518F00AC0096E1E3EBA07  880737973A490F0A18361F46C79AC0076EE5078A0FF789591D46764A4D06178A266FD61E3D0F</p>



Name	Value
	BF091B5317656410231A410EE505F50BB9790AD1070C130B48004506CADC0DFA41295D0C4F0 7800D60178788077D0E7AC10F09178A07361A84095500373FFF28106910451F281B5905FF04E7 05F504D966078C130F3B06F7978F05CFDA410709790781060309660BC31B6D03BBC80FD8064A C107830F2B06264FFB7609660BC81B480A491CD01A4929790C9BDE0655C0450727AFD62B860 77F89295500D31680B737110013167FE760E090CC1BE50955011200E730F84DF0F330442FF510 EA111136A09616020E5C4A0764550776BB3516B601272BFB4705640C401F7B1FAA0B97265BDE 0DF13D5A49096E0A50100C074E4909550FF0CA0FCC11567BE706E40BDA0BC809651FFF2A0BE7 0BDE17821CCF0255020D0DE00FFF2A0C1110AB2B351BA8015701361BB40FF7830AD21156178 217810B911F2A0EBB1DF0BE10CA09660EBB1BBB07017D2A3F0FF90B0BDB0C4729550B482C11 1D8A1F5909FB490D6610000B490BBA17070A960FBBB40BC616960201AF6A6025FF096E0FB8E2 6A40077821A5D2BC304E109660FF8960AD10BD92F590BC50A9C10591ECF0BF9750A4915650B E209651B3516EEBA17FAC9025B0B4901AE1B490E3D0965163FE78BC8095F0C9A195D0B3600A 41D8C0EF24C1093196609E2063F2B117D29E20EF24B3BDA09550B6E06826231532F3C0F667BB 72FF9163037017137820EBC01F26E2743019B229320370747862FC785C1B10C5004E70A400BC 501360FBF42106116C1861741009F13D40E1112FA4D2C3F0A4308ED2770291666DF72A60E2B0 FB4120F7900FF09642C3F0FFA4D034F04E9009A096E0BB5085D095D0BE6CA4906E4013601970 F2A0759610FFDC42BB71A3D1FBD1A9F1FB959582A410FF78A0FD31A970B5900CA03233BC0431 40FF3223E72A0030FCD297118EF0BD20FBC1FC66C760411BD21F4B0BD5036B195F0FF78103732 B351F09150A0F7B1A970C141CF9711BD202B3095F0202EE36436B6FF63503752DC5137BF38CF 39DF37106730BFB208F10FD803BAF3CBF3DCF6C6B60DFBD20DB003B6F403F4145293A2C6F9 0F73F0F43FF4125626E704CB1452F36E3FF55B042CF479F48AF49BF370168D04B12FF379F4C7F 4D8F459D6D004B1F50AF51BFFF52CF37015B704FAF554F565F5765F701FFB630F700C1309550D C33BB72BA5FBB6FFFBC7FBD8FBE9FDADFC0CFDC5FC2EFC3FFFFC50FA3B16AF0D2CF650ADDA1 25B1ACFOC9E8B9205714406E3AABE067B1A861792CABE065EBB075F1C14E20AEA06D66313 82085E03AD3E850AB404D2D6EA1336EE276B0B0474D542DAEA06EC129AB411C6369F59175B3 76B0555320182620437470612061292EFC0D0A5C526C9278D06CE10A0078103DABD043F5717 8E0723572352A7EFF74CF73EC5C445D0F5E1F5F2F603F614F7F95B65C525960A619697F6A8F6B 9F4F726F09802120ABE1EE9096E020F649F39006C120419071202BF0FF21B6207B206D312E819 0EE7079FFE0FA20D8C02013605CF07BA06DF0AB807F5CD2E0807120FF107121A402840165FE6 B3A107E1F7F2F803EA7707A40B7D07FA61976668ED208D10312975377F073F30000856161788 0C0C0A08C21D8A0FFFDD0D8D08F1195718C31D607907130907F8C21A9688EA6C8958D86A526 796139FE39EA408CF7A410B4801BE077E18DEAFFD3A28F0A9404C8956381910994048D24BF62 C0A6C5932F943F954FA5443996CBBF144282F2E3409A0F9B1F9C2B329D0FBB9E1F9C1C33A01F A12F9C1C34A32FBBA43F9C1C35A63FA74F9C1C36A94FBBAA5F9C1C37AC5FAD6F9C1C38AF6FD BB07F9C1C3997F3B39633B41C7B20FF70E09CF4B5DFB6E8A004B7EFB6E8A314FFB9FFB6E8A62 4BC0FB6E8A934BE1FB6E8FFAC44C02FB6E8AF54C23FB6E8B264C44FFFB6E8B574B2CF69364D 296F813601BE0FFB3B0E4A0980F991FC84FB3B4DE7296E9FF71003061C60B95D49716EE01799 27071FFED60029062A07360EB32CB1FCC2FCD3FFFCE46D0CCECA1FF10CFC6D35FD46FD57FDF E1A0F780D6CC7BA0063067D81FD92F77DA3FDB4696BC452D607A407D607357DD0FDE1F9109 35B41C54257220DE4767B1E213DE5E97165004962EF1FE540521E21FE68DF2FD05F9754D780 7F0B81FF21E94FEA5F910980D096CB4CFF7BC2D7800C71EE3FEF4FF05DD0CCF224FFF2202360F 2FFF40FF08ADBCCF224E6375FF7AFF8BFF0D5695096DA4D2C6069BF7AB0F2769CE5FC0FFD1FF 0D534FEAFFFFB9A00400CF01DFF0D5C9CCFF75F712FF005F062FF06C8120083F0945052F0ACF FDF07B370CBFFFB1E63209AF0F4FF06CFF6E80115F12650E4F13EFF07BB41C121AFA31417CF1 8DFB3B43796BC445960FE6BF70F1CCF1DDFD0CC73808D202E60FF79A0F27F20EF21FF1EB1DBC C2417201FFF25EF1DEEFE9C2417FB7F2A7FF04FFA4FF1F267204163E8708B9012CF2F2FFFF4FF3 14F096332DF33EF34FFFA0FFB18FF37BF38CF39DFFE5FFF6F3CAF3DBF3ECFFF031F042F41FF430 F441F07DF08EC474CE3E6CFD135526576E1F0CAEF48BFFFB3FC639456C0963D2274F4F505F51 6FF3DB461A5C517581F0D80F55BF56CFFBC65796BC498B906CC04DB0593F5A4FFF499F0C9F0D A9474F5F7F608F10FF120CFF638F649F65AF158F169C68AF69BF6ACFF1A1F1B2C6DCF6EDF6FE F1EAF1FB872EFF73FF750F22FF240F77CF78DF79EF27BFFF28CC7D1F7E2F7F3F2C4F2D5C823F8 34FFF845F30DF31EF8783176F88EF356F367FFF82098CFF8E0F3A5F3B6F872991EF92FFFF3F4F71 7F416F96DF97EF449F9A0F46BFFF9C2F9D3F49EF9F5F4C0CA17FA28F610FFFA4AF632CA69FA7A F662FA9CF684CABBFFACCF6B4FAEEF6D6CB0DFB1EF706FB40FFF728CB5FFB70F758F769F914F BB8FBC9FFF7ADF7BEF8C5FC06FC17F802F813FC4DFFFC5EFC6FF857F868FCA2FCB3FB7DF8ACFF F8BDF1BEFD08F8F0FD2AF81FAD4AFD5BFFF940F951F8729D99FDAAF98FFB92F9B1FFFDE8FDF9F 9E4FE1BFA06FE3DFE4EFA39FFFE70F4C0CE92FEA3FA8BFEC5F632CEE4FFFEF5FADDF17F684CF

Name	Value
	36FF47FB2FFF69FFF6D6CF88FF99FB81FFBBF728CFDAFFEBFFBD3FBE4FD8FF033F044FC28FC39FD40FFF081F092FC7DFC8EF0C8F0D9F0EAFCD2F3FCE3F11DF12EFFF8FD27FD38F2034FF174F185FD6DFD7EF82181C5F1D6FDBBFFDCCF8729214F225FE0AF00DFE2CF263FFF274FE5FF296FE81F2B8F2C9FEB4F2EBFFF4C0C30DF31EFF06F340F632C35FF370FFFF58F392F684C3B1F3C2FFAAF3E4F6D6CFF403F414FFFCF436F728C455F466F04EFFF05FF20AF4AEF4BFF0A3F0B4F1BBF4FCFFF50DF0F8F109F543F554F565F14DF15EF9F598F5A9F473F1A2F1B3F20355EFFFF600F1E8F1F9F8218640F651F236F247FFF872968FF6A0F285F488F2A7F6DEF6EFFFF2DAF711F2FCF733F744F32FF766FA5BCFF788F799F381F7BBFAADC7DAF7EBF3D3FFF80DAFFC82CF83DF425F85FFB51C87EFFF88FF477F8B1FBA3C8D0F8E1F4C9F4DAFFF685F929F93AF51EF52FF636F977F988FFF573F584F9BEF9CF9E0F5C8F5D9FA13FCFA24F8EEF61DF62EF2036A6AFA7BFFF663F674FC9C8ABBFACCF6B1F6C2FCED9FFB0AFB1BF700F903F722FB59FB6AF755FFF8CF777FBAEFBFFF7AAFE1FED6CC03FFFC14F7FCF36FF28CC55FC66F84EFC88FFF7ACCA7FCB8F8A0FCDAFFCCCF9FD0AFF8F2FD2CF01ECD4BFD5CF944F955FB00FFDA4FDB5F999F9AAAFAB1FDF2FE03F9EEFF9FFFE39FE4AFE5BFA43FA54FE8EFE9FF89D6967166ED206D6174E1A405A8F631D7AC537562746CA06520456D702A80733520AFEE5FEF6FF07FA90532E1AC491700BF16F0EAF0F34FF45FF56FF0FE33E1ACC1F2E5526566657216F016E0FFF96FFA7FFB8FFC96B39CF866FE6FFF7F47008F019FEC1C426F6F4E70541FA940F3200493FC87CD6C426962A26CA910677261F9007904930706EFFCC3D7AC544F43204802652A933B7D7D7B5C2A6C5C64F0F0F92074ED20F8C03D03130353010D23210D31090123811343464EC00373836086436630290326535333034313538133012103463FC3532C310AE90BDC0C310E6E012D0FE3313B014801134153EA97010D1B440006366313165306131726216D0616510A0179F188C330F16F0197110D0042066663039FF16161AEF11711BBB1B9D1A121E321B16FF1E1E1E97209F21AF22BF23CF24DF25EFFF26FF280F291F2A2F2B3F2C4F2D5F2E6FFF2F7F308F319F32AF33BF34CF35DF36EFFF37FF390F3A1F3B2F3C3F3D4F3E5F3F6FFF407F418F429F43AF44BF45CF46DF47EFFF48FF4A0F4B1F4C2F4D3F4E4F4F5F506FDF517F528F539F54AF559CF6455951E25FF578F589F59AF5ABF5BCF5CDF5DEF5EFFF600F611F622F633F644F655F666F677FFF688F699F6AA66BBF6CCF6DDF6EEF6FFFF710F721F732F743F754F765F776F787FFF798F7A9F7BAF7CBF7DCF7EDF7FEF80FFF820F831F842F853F864F875F886F897FFF8A8F8B9F8CAF8DBF8ECF8FDF90EF91FFF930F941F952F1E3313B016211E8196D2D4373411043410C13619A19752FFE6E097311A62991F9A2F9B3F9C4F9D5F5F1171164210C1958F56B663D79064D43938A0F062A1103313811340AA390F206612906413216216F0331F8FA3066230134011903662F037623661A18010901F1FA61FFF A72FA83FA94FAA5FAB6FAC7FAD8F202FFF8FA8CAE0FB19FB2AFB3BFB4CFB5DFB6EFFF7FFB90FB A1FBB2FBC3FBD4FAE6FBF6FFF80FC18FC29FC3AFC4BFC5CFC6DFC7EFFF8FFCA0FCB1FCC2FC D3FBE5FCF5FC07FFFD17FD28FD39FD4AF1CDE10C4D5950F900200D7C0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: F0D68CEF21B41F4198DC7344ED97D088
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSent</a>	cb: 70 lpb:

Name	Value
<a href="#">tRepresentingEntryId</a>	00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidTagSubject</a>	Canceled: Lunch?
<a href="#">PidTagSubjectPrefix</a>	Canceled:
<a href="#">PidTagSubmitFlags</a>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:CANCEL
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T175248Z
DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*\n\nOops! Forgot I have a meeting today. Maybe we can try again sometime
next week.\n
DTEND:20080208T203000Z
DTSTAMP:20080208T175248Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T175249Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1
SEQUENCE:1
SUMMARY;LANGUAGE=en-us:Canceled: Lunch?
TRANSP:TRANSPARENT
UID:040000008200E00074C5B7101A82E0080000000010C4F838346AC801000000000000000
0100000002009EB53F098B249AD66CBE6BB3B8B99
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN
">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calib
ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacifi

```



<b>Name</b>	<b>Value</b>
<a href="#">PidLidAppointmentSequenceTime</a>	05:48:33.000 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidBusyStatus</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidCommonEndTime</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidCommonStartTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidComparingType</a>	0
<a href="#">PidLidFInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	FALSE
<a href="#">PidLidLocation</a>	Fourth Coffee
<a href="#">PidLidOldLocation</a>	Fourth Coffee
<a href="#">PidLidOldWhenEndWhole</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidLidOldWhenStartWhole</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidOwnerCriticalChange</a>	05:52:48.000 PM 2/8/2008

<b>Name</b>	<b>Value</b>
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	1080
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	02:00:00.000 AM 2/8/2008
<a href="#">PidLidReminderTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidWhere</a>	Fourth Coffee
<a href="#">PidNameContentTransferEncoding</a>	7bit
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*\n\nOops! Forgot I have a meeting today. Maybe we can try again sometime next week.\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	05:53:43.000 PM 2/8/2008
<a href="#">PidTagConversation</a>	cb: 27 lpb: 01C86A799E363C85AB4DF7104F04B056C21082F5796400007335B0

<b>Name</b>	<b>Value</b>
<a href="#">nIndex</a>	
<a href="#">PidTagConversationTopic</a>	Canceled: Lunch?
<a href="#">PidTagCreationTime</a>	05:57:02.941 PM 2/8/2008
<a href="#">PidTagEndDate</a>	08:30:00.000 PM 2/8/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagInternetMessageId</a>	<000001c86a7b\$8bbd2690\$a33773b0\$@com>
<a href="#">PidTagInternetReturnPath</a>	eandersen@contoso.com
<a href="#">PidTagLastModificationTime</a>	05:57:03.222 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Canceled
<a href="#">PidTagMessageDeliveryTime</a>	05:53:44.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	5346
<a href="#">PidTagNet</a>	0000002sito@contoso.comsito@contoso.com

Name	Value
<a href="#">xtSendAct</a>	
<a href="#">PidTagNormalizedSubject</a>	Canceled: Lunch?
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagReceivedBySearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: E4042000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 1001 lpb: E5030000B00B00004C5A4675FB3BB89A03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C



Name	Value
	4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6CD3181047A9576809F03A4D300510506461792C4D3065199075BD0AC0792F41508001D02F50200E20A63A2F8021804D2D51C1335202C02028474D542D2F5051E1DE29218000D006900DE020076252D0865505F0485E26616D7002804D4A9726457819416E61505029F22E251C353635614CF24A794A87FD483D3914D035704962595F45CB0AA2FF5A080A8146270AB15ED8483D01C03561FE50405F42BF628F438F449F45AF46BFFF5FFF48DF49EF4AFF4C0F4D1F4E2F4F3AE71AC050010861746816F1012009E0FF57EF58FF5A0F5B1F73EF5D3F5E4F5F5FFF606F617F63DF7CCF64AF65BF66CF67DF7F68EF69FF6B0F80DF6D2F6E3F6F4F4EFBFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858F9B4F87AF0788BF89CF4EFB4F6F7073211154BF6E627355EA5C276147014056C8719072676F054049C62014702E90206120078014B0FD0B80673F200470506057DCA73FA84FAA4D5060622E40772E40630391CF9D10511020400B7120730370AA71CF54412C803F50AE71656B57DF8DDFF8EEF8FFFB23FB34F9F6FA07FB5BFB40FFFB51F923F934F945F956F967F98DFC17FFB3A68A3112F3B3F398F200532A138600526337DC7F0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 461F8812757FE740940F5650D9D171A2
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSearchKey</a>	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSendingAddressType</a>	SMTP
<a href="#">PidTagSendingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSendingEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A006100620065007

Name	Value
<a href="#">entingEntryId</a>	4006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSequenceKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartDateTime</a>	08:00:00.000 PM 2/8/2008
<a href="#">PidTagSubject</a>	Canceled: Lunch?
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagTransportMessageHeaders</a>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:53:44 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com> Subject: Canceled: Lunch? Date: Fri, 8 Feb 2008 09:53:43 -0800 Message-ID: <000001c86a7b\$8bbd2690\$a33773b0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content-Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Importance: High Thread-Index: AchqeZ42PIWrTfcQTwSwVsIQgvV5ZAAAczWw Content-Language: en-us

### 3.4 Example Recurring Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a recurring meeting with Shu, Patrick, and Anne, but cancels an instance that coincides with the company picnic. Shortly thereafter, Elizabeth corrects a typo in the Location field.

This section also documents Shu's tentative acceptance of the meeting series.

#### 3.4.1 Organizer's Meeting Request

Elizabeth organizes a weekly status meeting for Project Northwind on Wednesdays at 2:00 P.M. with Shu, Patrick, and Anne.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAttendeesList</a>	

Name	Value
<a href="#">PidLidAllAttendeesString</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	10:30:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentRecurrence</a>	cb: 80 lpb: 043004300B2001000000C0210000010000000000000000000008000000232000000A000000000000000 0000000000000000000003FC30CDF80E95A06300000093000004803000066030000000000000000000 000000
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	10:00:00.000 PM 2/13/2008

Name	Value
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAttendeeCriticalChange</a>	09:33:20.275 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	1
<a href="#">PidLidCalendarType</a>	1
<a href="#">PidLidAttendeesString</a>	
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000 0000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidClipEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClipStart</a>	08:00:00.000 AM 2/13/2008
<a href="#">PidLidCollaborateDone</a>	
<a href="#">PidLidCommonEnd</a>	10:30:00.000 PM 2/13/2008
<a href="#">PidLidCommonStart</a>	10:00:00.000 PM 2/13/2008

Name	Value
<a href="#">PidLidConf erencingT ype</a>	0
<a href="#">PidLidCont actLinkNa me</a>	
<a href="#">PidLidCurr entVersio n</a>	126212
<a href="#">PidLidCurr entVersio nName</a>	12.0
<a href="#">PidLidDay Interval</a>	0
<a href="#">PidLidDele gateMail</a>	FALSE
<a href="#">PidLidDire ctory</a>	
<a href="#">PidLidFInv ited</a>	TRUE
<a href="#">PidLidGlob alObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000 0000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidInte ndedBusy Status</a>	2
<a href="#">PidLidIsEx ception</a>	FALSE
<a href="#">PidLidIsRe curring</a>	TRUE
<a href="#">PidLidIsSil ent</a>	FALSE
<a href="#">PidLidLoca tion</a>	Conference Room 123
<a href="#">PidLidMee tingType</a>	1
<a href="#">PidLidMon thInterval</a>	0
<a href="#">PidLidNet ShowUrl</a>	
<a href="#">PidLidOldL</a>	

Name	Value
<a href="#">Location</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAliases</a>	
<a href="#">PidLidOwnerCriticalChange</a>	09:33:20.275 PM 2/8/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every Wednesday from 2:00 PM to 2:30 PM
<a href="#">PidLidRecurrenceType</a>	2
<a href="#">PidLidRecurrenceType</a>	48
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	1525252321
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidReminderTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidRequiredAttendees</a>	
<a href="#">PidLidRes</a>	

<b>Name</b>	<b>Value</b>
<a href="#">ourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsical</a>	TRUE
<a href="#">PidLidSideEffects</a>	7265
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFRecurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0

Name	Value
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZone</a>	13
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF000000000B000000010002000000000000000000000000030000000 20002000000000000000
<a href="#">PidLidAttendeesString</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<a href="#">PidLidWeekInterval</a>	1
<a href="#">PidLidWhere</a>	Conference Room 123
<a href="#">PidLidYearInterval</a>	0
<a href="#">PidTagAccess</a>	2
<a href="#">PidTagAccessLevel</a>	0
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*~*~*~*~*~*~*~*~*~*\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	09:33:20.588 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
<a href="#">PidTagConversationIndex</a>	Fabrikam Project Status Meeting



<b>Name</b>	<b>Value</b>
<a href="#">ConversationTopic</a>	
<a href="#">PidTagCreationTime</a>	09:33:20.275 PM 2/8/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagEndDate</a>	10:30:00.000 PM 2/13/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	09:33:21.243 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Request
<a href="#">PidTagMessageDeliveryTime</a>	09:33:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	12
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	10965
<a href="#">PidTagNextSendAcct</a>	0000002eandersen@contoso.comeandersen@contoso.com

Name	Value
<a href="#">PidTagNormalizedSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagOriginalAuthorName</a>	
<a href="#">PidTagOriginalSensitivity</a>	0
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagOwnerAppointmentId</a>	3249022936
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientRestrictionProhibited</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 24062000
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5789 lpb: 99160000ED5C00004C5A4675DF873B2307000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53

Name	Value
	DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFF6A7F925B8F996CDFACDF6EFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29 FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FD0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E471E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C37 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E7073E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267 309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B80F7B7E69DA0B 6047690DF98FF9A0F9B1FFFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFCC985E 0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76FE2456E40696C53975268B07783DB8EF 0F010767821971055D14096607C776EE346A611E3E2E50385E0307F4B606B51D019E503465E 715AE9137CA36EC616DA4C16850BB90E8C395ABF2336B606DF8106B42955251EA05537562EA 7173A6F16CFA46FC3063EA7173F0BC80AAD15F50A86D6C4D4E6067EA5372ECD7D98F114A63E C91BBB249B36078F0CF4EA0F8E0EA719550744C6D90EA71A904A07279EFB1318EC378ECB03E6 EBE20E3F2F0D49DF0BE707470383A2F2FB47097A06E40732E5DD610635FF0E080AD702EE1012 F45F35066FC60652F77780064BA2FE5F133F433ECB077905C90A1B5B5907785E032EF41F57368 6B32FFEA71ECE1AE80EF33ECE1AF30F756EF15B5ECE162EF2367BDA096F0729571FFBE3004E0B B407410BB11AD10BB40B6D171AD706E626ABC6078F0A7F06FF663AD41EBD06B96D0A8409DE 0FBF4FFA4940070C1518F00AC0096E1EA00788038737973A490EF0183616C793DAC0076ECB07 8A0FDD895916764F5A4D06178A266FBC1E3C0EEF1B531FE7656410091A410ECB05F509790AD1 0EE70C130B48002B06CADCOA41295D0F7C4F07800D60178788077D0AC10EEF1F978A07361A8 40955001D3F0E104F17F02B1F0E1B5905FF04E705F5096607853C130F2106F7978F05CA41070F F9790781060309660BC31B6D0BC80FBE0CE64AC107830F1106264B76096607FBC81B480A491C D01A4929790BDE065F25C02B0727AFBC2B860F6F295509D0B916809D37110FF9167760C69FF0 B21BE50955011200CD30DE40D9302A277FDB10D010F736A07C16020C4A076F94550776BB351 6B6010D2B4705640EFC401F611F900B97265BDE01235A490F796E0A501FF2074E48095500B00 FB21FF13C7BE706E40BDA0BC809651F100BE70FFBDE17821CCF0255020D0DE00F100C111FF09 12B351BA8013D011C1BB407830AD21FF13C178217810B911F100EA110A410B00F79660EA11BB B0701632A3F090B0BDB0FFC4729550B482C111D8A1F3F0B490D661E7FE60B490BBA1707A960 BB40BC61FE6960201956A6025FF096E0E8259650FF39107821A5D2BC304E1096608960AD10FF BD92F3F0BC50A9C103F1EB509750A491EF5650BE209651B3516EEA01AC9025B09FB4901941B4 90E3C096516378BC80FF95F0C9A195D0B36008A1D8C023210791FB96609E2063F11116329E20

Name	Value
	2313BDA0BB9550B6E06824831392F22067BB72FDFFDF16301D015737820EA2025427430071812 279201D0747862785CFF1970C5004E70A400BC5011C0F2810471FE6C16C1741008513D40E111 A4D2C3F0CBA4308ED27700F1666D28C0E2B0FDF9A120F5F00E509642C3F0A4D034F0BF4E9008 0096E0BB5085D095D06CA490EF6E4011C017D0F100759610DC42BB71FFA3D1FA31A9F1F9F595 82A41078A0FB91FFA970B5900B003093BC042FA03083E7E93F9730FB2397118EF0BD20FA216C 76FF0271BD21F310BD50351195F078103592FFB351EEF150A0F611A970C1419711BD20F32990 95F0202EE3543516635035B2FFDC51361F372F383F35706730BD208F10EFFBE03A0F3B1F3C2F6 C6B60BD20DB00F739CF3E9F3FA529388C6F903D6F425FFD3F85626E704951438F354355B0412 FFF45FF470F481F356168D0497235FF4ADFFF4BEF43FD6D00497F4F0F501F512F3561FF5B704E0 F53AF54BF55C5F561B630F560FFC1309550DC33BB72BA5FBB6FBC7FBD8FFFBE9FDADFCOCFCDC5 FC2EFC3FFC50FA3B17F6AF0D2CF636ADDA12411ACF0E5B820025712A06E3A204F63637F2E406 DC00151F0306AE07880A400733F00906C008F2065805CE0A832322F6631F4C0E5F1382074322 D703AB3E600AB404D205F506E41336E836028474D542D1EC06E12939AB416369F3F175B376B 05553302026204374705F806129782E0D0A5AB26AE278D06B30437FAC00658078D01B4176516 E2185E033F371F571F52A7E74EF740C5AA45B6FFF5C7F5D8F5E9F5FAF95B65AB257C0D0296767 DF68EF69FE48656C00EB812CC5740C4C2A5172717596E26BA0FB70E02A50202FD06BBF6ED1FE 701B40FF83C2AC006EC012A0835095F02E306BA09BF35085D346C99066106B616E30BDE9106F 105078D071E671F5543F31D46B7381C64501F07AC9902E61FFE8917E5F7FF6A1BA7707A60B7 D0D029FF7686903207310172975378106C707BB0E1EFC061783236DD309021D8A0FFFC30D8D 0798195719031D60779812EF0FF9021A96892A6C8959186A5267981A640FFE8A090F7A410B480 1A40780191EAD3A2FF930A9804C89561E19509980491246120DFA6C5972F983F994FA544399A CB12A2BFFD8173C09BF39E4F9F5FA06732A10FBBA21FA01C33A41FA52FA01C34A72FBBA83FA0 1C35AA3FAB4FA01C36AD4FBFAE5FA01CE330B06FB17FA02B38B36FDBB47FA01C399BF33219633 B81C7B40FF70A0A0F4B9DFBAE8A404BBEFBAE8A714FFBDFBAE8AA24C00FBAE8AD34C21FBAE 8FFB044C2FBAE8B354C63FBAE8B664C84FFFBAE8B974B6CFCA9363329AF811C01A40FFB7B0E 4909C0F9D1FCC4FB7B4DE729AE9FF70C02EC1CA0B99D49B16EC6179B27031F7EBC000F06100 68D861EF90CF1FD02FFFD13FD246D4CCEB01FD70D3C6D75FD86FBFD97FE1A0F5E0DAC7BC00 49067DC1FEFDD2FDE3FDF469ABC452BC07A60E730AE73E10FE21F950935B81C5423D2BC2047 6611E613E25E9B165002F6FD2D51540381E61FEA8FE32FD45F9B54BFDB8009E1FD81ED4FEE5F 9509369ABCFE4C7BE2DB800AD1F23FF34FF45D04CCFF624F62021C0F6BF80FF48ADFCCF624 BFEA37FBAFFCBFF4D567B09ADA4D2AC0FE697AD0F676A0E5000F011FF4D58130FF02BF03C8A4 0404CF05DFF4D5CDCC0375EFFB12045F0A2FF46C360C2F0D36092FFB0ECFF47B3710BF03B1EA 320DAF134FFFF46C6DE0155F1665124F17EFF47BB81C5F161AA7141BCF1CDFB7B4379ABC44FD 57C06BFB0F20CF21DFD4CC72D09120FF2CC079C0F67F24EF25FF22B1DFCC2817FF241F29EF21 EE029C2817FF7F2E7FF44FF3FE4FF66720416B60586116CF332FFFF8FF354F0D6336DF37EF38FF FE0FFF18FF3BBF3CCF3DDF02F5036F40AF41BF42CFFF071F082F45FF47F0481F0BDF0CEC4B4CF BEACFD535526BC0E5F0CEEF4CBFEF3FFCA39496C0D63D627534F545F556FDF46FD1E5C51831 258BF59CF5ADFC669ABC69ABC69ABC69ABC69ABC69ABC69ABC69ABC69ABC69ABC69ABC69ABC69 0C678F689FFF69AF198F1A9C6CAF6DBF6ECF1E1F1F2CFF71CF72DF73EF22AF23B876EF77FF790 FFF26FF280F7BCF7CDF7DEF2BBF2CCC811FFF822F833F304F315C863F874F885F34DFFF35EF8B8 31B6F8CEF396F3A7F860990FFFF920F3E5F3F6F8B2995EF96FF434F757FFF456F9ADF9BEF489F9 E0F4ABFA02FA13FFF4DEFA35F500CA57FA68F650FA8AF672CFFAA9FABAF6A2FADCF6C4CAFBBF 0CF6F4FFFB2EF716CB4DFB5EF746FB80F768CB9FFFBB0F798F7A9F954FB8FC09F7EDF7FEFF9 05FC46FC57F842F853FC8DFC9EFCACFFF897F8A8FCE2FCF3FBBDF8ECF8FDF1FEFFFD48F930FD6 AF85FAD8AFD9BF980F991FFF8B29DD9FDEAF9CFFBD2F9F1FE28FE39FFFA24FE5BFA46FE7DFE8E FA79FEB0F500CFED2FEE3FACBFF05F672CF24FF35FB1DFFFF57F6C4CF76FF87FB6FFFA9F716CF C8FFFD9FBC1FFBFF768C01AF02BFC13FC24FFFDCCF073F084FC68FC79FD80FC1F0D2FFFCBDF CCEF108F119F12AFD12FD23F15DFCF16EF038FD67FD78F20341B4F1C5FFFDADDFBEF8618205F 216FDFBFE0CF8B29FF254F265FE4AF04DFE6CF2A3F2B4FE9FFFF2D6FEC1F2F8F309FEF4F32BF50 0C34DFFF35EFF46F380F672C39FF3B0FF98F3D2FFF6C4C3F1F402FFEAF424F716C443F454FFF03 CF476F768C495F4A6F08EF09FF24AFF4EEF4FFF0E3F0F4F1FBF53CF54DF138FFF149F583F594F5 A5F18DF19EF5D8F5E9FE74B3F1E2F1F3F203562FF640F228FFF239F8618680F691F276F287F8B2 96CFFFF6E0F2C5F4C8F2E7F71EF72FF31AF751FFF33CF773F784F36FF7A6FA9BC7C8F7D9FFF3C1 F7FBFAEDC81AF82BF413F84DFB3FCFF86CF87DF465F89FFB91C8BEF8CFF48B7FFF8F1FBE3C910F 921F509F51AF6C5F969FFF97AF55EF56FF676F9B7F9C8F5B3F5C4FFF9FEFA0FFA20F608F619FA5 3FA64F92EFF365DF66EF2036AAAFABBF6A3F6B4FFFCDC8AFBFB0CF6F1F702FD2D9B4AFB5BFFF7 40F943F762FB99FBAAF795FBCCF7B7FFFBEFFBFF7EAFCC21FF16CC43FC54F83CFFFC76FF68CC9

Name	Value
	5FCA6F88EFCC8FFBACCE7FFFCF8F8E0FD1AF00CCD39FD4AF932FD6CFFF05ECD8BFD9CF984F995FB40FDE4FDF5FFF9D9F9EAF1FE32FE43FA2EFA3FFE79F7FE8AFE9BFA83FA94FECEFFEDFFDA96716266F1206D6174E5A4ACF63101DBAC537562746C6520E8456D702E80733920F25FF36FEBF47FAD0532E5AC491B001AF0EEF06FF74FF85FF96FF4FE33E5ACF6E552F0656665721AF01AE0FD6FFE7FFFFFF8F0096B79CFC66026F037F048F059FD1F01C426F6F527054AD40F7208708930087D16C4269626CAD10E8677261FD007908930AEF00C381DBAC544F432048652E93003B7D7D7B5C2A5C641BF4F0FD2074F120FCC0303130B4353014D23214D31490381534043464F0003738366436026306903265353334310C35381730161034633532BFC710B290C1C0C710EAE016D03317B03F18801534193EAD7014D1B840636680313165306131621AD0DC616514A01B9F1C8C331AF01D71C314D00820666630391A161EEFFF15711FBD1F9D1E1222321F16221E2297FF249F25AF26BF27CF28DF29EF2AFF2C0FFF2D1F2E2F2F3F304F315F326F337F348FFF359F36AF37BF38CF39DF3AEF3BFF3D0FFF3E1F3F2F403F414F425F436F447F458FFF469F47AF48BF49CF4ADF4BEF4CFF4E0FFF4F1F502F513F524F535F546F557F568FF7579F58AF599C64599522255B8F5C9FFF5DAF5EBF5FCF60DF61EF62FF640F651FFF662F673F684F695F6A6F6B7F6C8F6D9FFF6EAF6FBF70CF71DF72EF73FF750F761FFF772F783F794F7A5F7B6F7C7F7D8F7E9FFF7FAF80BF81CF82DF83EF84FF860F871FFF882F893F8A4F8B5F8C6F8D7F8E8F8F9FFF90AF91BF92CF93DF94EF95FF970F981F3F992F223317B01A2122819AD23734F515043414C1361DA19B52EAE09B31FF1E629D1F9E2F9F3FA04FA15F15711A421714C1998F5AB663DB90643938B5A4F062A5103317811740391320EA661690641721621AF0238FA70622631A3036623211E03961FC3661A5801490231FAA1FAB2FAC3FFFAD4FAE5FAF6FB07FB18F242FB38CB20FFFB59FB6AFB7BFB8CFB9DFBAEFBBFFBD0FFFB1FBF2FC03FC14FB26FC36FB48FC58FFFC69FC7AFC8BFC9CFCADFCBEFCFFCFE0FFFCF1FD02FD13FC25FD35FC47FD57FD68FBFD79FD8AF20DE14C4D995139000DBC0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 4E4AB1FE831C50439C4C0BB97CC890B4
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
<a href="#">PidTagSendingAddressType</a>	SMTP
<a href="#">PidTagSendingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSendingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSendingName</a>	Elizabeth Andersen
<a href="#">PidTagSearchingSearch</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
<a href="#">hKey</a>	
<a href="#">PidTagStartDate</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidTagSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagSubmitFlags</a>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080208T213320Z
DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM t
o 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room
123\n\n*~*~*~*~*~*~*~*~*~*\n\nHey all,\n\nLet's meet up every Wednesday
to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\
n
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T213320Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
LAST-MODIFIED:20080208T213321Z
LOCATION:Conference Room 123
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting

```

TRANSP:OPAQUE  
 UID:040000008200E00074C5B7101A82E00800000003046642B576AC8010000000000000000  
 010000000622C639E40D09342B747A1672730CBBA  
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US &amp; Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Where: Conference Room 123</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">\*\*\*\*\*</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Hey all\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Let's meet up every Wednesday to sync up on the status of the Fabrikam Project.</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Thanks\,</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Elizabeth</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>  
 X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE  
 X-MICROSOFT-CDO-IMPORTANCE:1  
 X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY  
 X-MICROSOFT-DISALLOW-COUNTER:FALSE  
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
 X-MS-OLK-AUTOSTARTCHECK:FALSE  
 X-MS-OLK-CONFTYPE:0  
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
 BEGIN:VALARM  
 TRIGGER:-PT15M  
 ACTION:DISPLAY  
 DESCRIPTION:Reminder  
 END:VALARM  
 END:VEVENT  
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointment</a>	cb: 80 lpb:





<b>Name</b>	<b>Value</b>
<a href="#">PidLidIntendedBusyStatus</a>	2
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	Conference Room 123
<a href="#">PidLidMeetingType</a>	524288
<a href="#">PidLidOwnerCriticalChange</a>	09:33:20.000 PM 2/8/2008
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	09:45:00.000 PM 2/13/2008
<a href="#">PidLidReminderTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTI</a>	cb: 48 lpb:

Name	Value
<a href="#">meZoneStruct</a>	E001000000000000C4FFFFFF00000000B000000010002000000000000000000000000300000002000200000000000000
<a href="#">PidLidWhere</a>	Conference Room 123
<a href="#">PidNameContentTransferEncoding</a>	8bit
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*~*~*~*~*~*~*~*~*~*~*~*\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	09:38:03.000 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
<a href="#">PidTagConversationTopic</a>	Fabrikam Project Status <b>meeting</b>
<a href="#">PidTagCreationTime</a>	09:46:20.686 PM 2/8/2008
<a href="#">PidTagEndDate</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1033
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	1252

<b>Name</b>	<b>Value</b>
<a href="#">PidTagInternetMessageId</a>	<000201c86a9a\$e4e37980\$aeea6c80\$@com>
<a href="#">PidTagInternetReturnPath</a>	eandersen@contoso.com
<a href="#">PidTagLastModificationTime</a>	09:46:21.388 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Request
<a href="#">PidTagMessageDeliveryTime</a>	09:38:09.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	5982
<a href="#">PidTagNextSendAct</a>	00000002sito@contoso.comsito@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00

Name	Value
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagReceivedBySearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 44052000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 1170 lpb: 8E040000481000004C5A4675C5EB0C9A03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A972645781941246E615150292E251C3536DF35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFF438F449F45AF46BF616F48DF49EF4AFFFF4C0F4D1F4E2F4F3A1AC050003E4151B0791AC06E632E4008003F010E2033FF595F5A6F5B7F5C8F75BF5EAF5FB60CFFF61DF62EF654F7E9F661F672F683F694FFF6A5F6B6F6C7F82AF6E9F6FAF70BF4EFBFC2A7E8D7F743F754F765F776F902FFF798F7A9F7BAF7CBF7DCF802F990F80FFFF820F831F842F853F864F875F9D1F897F678A8F8B9F4EFB486550D007406CFE2C8EAF8FBF90CF91DFA9EF93FF950FFF961F972F983F9A9FB2CF9B6F9C7F9D8FFF9E9F9FAFA0BFA1CFB6DFA3EFA4FFA60FE54EFB4C14B05C27AC00042007803114B0207570508F53A17379777370C2722F21744FD0C3D00190746FBC20C4503FA0C4924601A005106BF75730218003606A51C1594FA96FAA7FFFAB8FC83FADAFABFAFCFB0DFB1EFB44FFFD11FB51FB62FB73FB84FB95FBA6FBB7F5FD52FBD9FBEAFBFBF71BC542E016BFE73A85FC7CFC8DFC9EFE1EFC0FCDF1FFFCE2FC3FD04FD2AFEACFD37FD48FD59FFFD6AFD7BFD8CFD9DFEEDFDBFFDD0FDE1FB571BC4519707A01A014B068E07FFFE18FE29FE3AFFBCFFCDF31FF42FFF4FFFFD9FFEAFE5EFE6FFE80FE91FEA2FEC8FF70B0F3A77F6B12F3B3F398F200532A10B386026337D1170
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSe</a>	cb: 16 lpb: 87AB580213DFC242B9AC2642E98BE799

Name	Value
<a href="#">archKey</a>	
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSenderSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartDateTime</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidTagSubject</a>	Fabrikam Project Status Meeting

Name	Value
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagTransportMessageHeaders</a>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000201c86a9a\$e4e37980\$a6c80\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmY383gxIkTTcuQQ8HxB4a7ng== Content-Language: en-us

### 3.4.2 Organizer's Cancellation of an Instance

Elizabeth cancels the May 28th instance of the status meeting because it conflicts with the company picnic.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
<a href="#">PidLidAginaDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeesList</a>	
<a href="#">PidLidAllAttendeesString</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30

Name	Value
<a href="#">PidLidAppointmentEndWhole</a>	09:30:00.000 PM 5/28/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidAppointmentStateFlags</a>	7
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAppointmentSequenceTime</a>	09:33:20.275 PM 2/8/2008
<a href="#">PidLidAttendeeCriticalChange</a>	09:34:55.904 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBus</a>	0

Name	Value
<a href="#">yStatus</a>	
<a href="#">PidLidCalendarType</a>	1
<a href="#">PidLidCandidateString</a>	
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidClipEnd</a>	09:30:00.000 PM 5/28/2008
<a href="#">PidLidClipStart</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	09:30:00.000 PM 5/28/2008
<a href="#">PidLidCommonStart</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidConflictingType</a>	0
<a href="#">PidLidContactLinkName</a>	
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDelegateMail</a>	FALSE
<a href="#">PidLidDirectory</a>	



Name	Value
<a href="#">PidLidFExcptionalAttendees</a>	FALSE
<a href="#">PidLidFExcptionalBody</a>	FALSE
<a href="#">PidLidFInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C3046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidIntendedBusyStatus</a>	0
<a href="#">PidLidIsException</a>	TRUE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidIsSilent</a>	FALSE
<a href="#">PidLidLocation</a>	Conference Room 123
<a href="#">PidLidMeetingType</a>	0
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOldLocation</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	09:34:56.904 PM 2/8/2008

<b>Name</b>	<b>Value</b>
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every Wednesday from 2:00 PM to 2:30 PM
<a href="#">PidLidRecurrenceType</a>	2
<a href="#">PidLidRecurrenceType</a>	48
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	1525252321
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidReminderTime</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidRequiredAttendees</a>	
<a href="#">PidLidResourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	7265
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTask</a>	0

Name	Value
<a href="#">ActualEffort</a>	
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFREcurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZone</a>	13
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000030000000 20002000000000000000
<a href="#">PidLidToAt</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com

Name	Value
<a href="#">tendeesString</a>	
<a href="#">PidLidWeekInterval</a>	1
<a href="#">PidLidWhere</a>	Conference Room 123
<a href="#">PidLidYearInterval</a>	0
<a href="#">PidTagAccess</a>	2
<a href="#">PidTagAccessLevel</a>	0
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*~*~*~*~*~*~*~*~*~*\n\nCancelling the May 28th meeting due to a conflict with the Company Picnic.\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	09:34:56.013 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F00000E4080
<a href="#">PidTagConversationTopic</a>	Fabrikam Project Status Meeting
<a href="#">PidTagCreationTime</a>	09:34:55.888 PM 2/8/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagEndDate</a>	09:30:00.000 PM 5/28/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295

<b>Name</b>	<b>Value</b>
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	09:34:56.013 PM 2/8/2008
<a href="#">PidTagMessageClasses</a>	IPM.Schedule.Meeting.Canceled
<a href="#">PidTagMessageDeliveryTime</a>	09:34:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	12
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	10773
<a href="#">PidTagNextSendAcct</a>	00000002eandersen@contoso.comeandersen@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagOriginalAuthorName</a>	
<a href="#">PidTagOriginalSensitivity</a>	0
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagOwnerAppointment</a>	3249022936

Name	Value
<a href="#">tmentId</a>	
<a href="#">PidTagPriority</a>	1
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientRestrictionProhibited</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 64062000
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5773 lpb: 891600001A5D00004C5A467533CC81F007000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A08C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616FE5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFAA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29 FFBB300D6FF20FF31F0CB8F4CF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790

Name	Value
	114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E7073E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267 309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E69DA0B 6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A2727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFC0A985E 0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76F62456E40696C53975268B031B777838E F0F010767821971055D140F99660776EE356A611E3F2E51385E0FE37F0D06F81A60209604B50E 8D1E5133FD055E513A645E5A4A3B04B603030CA39EC616DA4C16850BB90E9A395ABF2336B60 6DF8106B42955251EAE5537562EB5173A6F16CFA46FC3063EB5173F0BC80AAD15F50A86D6C4 D4E6067EB3372EDB7D98F114A63ED71BBB249B36078F0CF4EA0F8E0EB519550744C6D90EB51 A904A07279F091318EC378ED903E6EBE20E402F1B49DF0BE707470383A2F2FB47097A06E4073 2E5DD610635FF0E080AD702EE1012F45F43066FC60652F77780064BE2F4B50C370F513ED9077 905C90A1B5B5907785E032F021F653686B32FFEB51EDC1AE80F013EDC1AF30F836EFF5B5EDC1 62F00367BDA096F0729571FFBE3004E0BB407410BB11AD10BB40B6D171AD706E626ABC6078F 0A7F06FF663AD41ECB06B96D0A8409DE0FCD4FA4940070C1518F00AC0096E1EAE0788038737 973A490EFE183616C793DAC0076ED9078A0FEB895916764F5A4D06178A266FCA1E3D0EFD1B5 31FE7656410171A410ED905F509790AD10EE70C130B48003906CADCOA41295D0F7C4F07800D 60178788077D0AC10EFD1F978A07361A840955002B3F1C105D17F0391F1C1B5905FF04E705F5 096607853C130F2F06F7978F05CA41070FF9790781060309660BC31B6D0BC80FCC0CE64AC107 830F1F06264B76096607FBC81B480A491CD01A4929790BDE065F25C0390727AFCA2B860F7D29 5509D0C71680AB37110007167760D49FF0C01BE509550E6F00DB30EC40E73038277FE910DE11 0536A08A16020C4A076F94550776BB3516B6011B2B4705640EFC401F6F1F9E0B97265BDE0131 5A490F796E0A501000074E49095500BE0FC01FF14A7BE706E40BDA0BC809651F1E0BE70FFBDE 17821CCF0255020D0DE00F1E0C111FF09F2B351BA8014B012A1BB407830AD21FF14A17821781 0B911F1E0EAF10B210BE0F79660EAF1BBB0701712A3F090B0BDB0FFC4729550B482C111D8A1F 4D0B490D661E7FF40B490BBA17070A960BB40BC61FE6960201A36A6025FF096E0E8F69650FF3 9107821A5D2BC304E1096608960AD10FFBD92F4D0BC50A9C104D1EC309750A491EF5650BE20 9651B3516EEAE1AC9025B09FB4901A21B490E3D096516378BC80FF95F0C9A195D0B3600981D8 C024110871FB96609E2063F1F117129E202403BDA0BB9550B6E06825731472F30067BB72FDDE D16302B016537820EB00263274300718F2288202B0747862785CFF1A50C5004E70A400BC5012 A0F3610551FE6C17A1741009313D40E111A4D2C3F0CBA4308ED27701D1666D29B0E2B0FDF8 120F6D00F309642C3F0A4D034F0BF4E9008E096E0BB5085D095D06CA490EF6E4012A018B0F1E 0759610DC42BB71FFA3D1FB11A9F1FAD59582A41078A0FC71FFA970B5900BE03183BC0430903 173E8BA3F9730FC0397118EF0BD20FB016C76FF0351BD21F3F0BD50361195F078103692FFB351 EFD150A0F6F1A970C1419711BD20F32A8095F0202EE3643616635036B2FFDC51371F382F393F3 6706730BD208F10EFFCC03B0F3C1F3D2F6C6B60BD20DB00F73ACF3F9F40A529398C6F903E6F4 35FFD4085626E704CB1448F364355B0422FFF46FF480F491F366168D04A7236FF4BDF44CEFF44 FD6D004A7F500F511F522F3661FF5B704F0F54AF55BF56C5F641B630F640FFC1309550DC33BB7 2BA5FBB6FBC7FBD8FFBE9FDADFC0FCDC5FC3FFC50FA3B17F6AF0D2CF646ADDA12501AC F0E6882072571380E3A6BE07880A40073510170792C20EDB0792E60386B6CE0F571382E603A E940AB404D1E2D6DD0E9106E1176B0474D54962DAF506DE129AB416369F4D10375B376B0555 320262043837470608061292E0D0A5BB2F76BE278D06C3043AC00668078D01C216B765176702 085E033714571452AFE7E743F735C5BA45C6F5D7F5E8F5F9FFF60AF95B65BB258C0E8C968CF69 DF6AEFF770C1B482FE6120ADD097006D04E971FF7DBF7ECEA950D0F16AFDA77079B0B7D0DF7 CDAADD0820F831F7FAF2070302B40CD8122648CD081506F2040F00561FFAF0E4E0A4E077F0A DD0815372202CB1DA6E6D2050F4E014E063397086DFF87EF849F85AE75D635D208110252975 30F77606CA07B00F0A061783236FFDD3092F1D8A0FD10D8D078D17BB19301FFD60778D12FE0 92F1A9689576C8959456FFA52678D1A640E98093C7A410B4801B20FF775194BAD3A295DA9AD

Name	Value
	4C89562E197D9FF9AD493F46220A6C599FF9B0F9C1FA544FF7D709DAA13828122E340A0DFA1E FA2FBEE32A3DFA4EFA2EC33A6EFA7FAA2ECE34A9FFAB0FA2EC35AD0FAE1FA2ECE36B01FB12 FA2EC37B32FB43FA2EC6E38B63FB74FA2EC399EC3BA6633FFBAEC7A906FF0A3C4BCAFBDB8A6 D4BEBFFBDB8A9E4C0CFBDB8ACF4C2DFBDB8B004FFC4EFBDB8B314C6FFBDB8B624C90FBDB8 FFB934CB1FBDB8BC44B99FCD6364329DC8FF12A01B20BA80E4A09EDF9FEFCF1FBA84FFDE729 DB970102FB1CCDB9CA49DE6ED41FF79026F81ECA001D062008BD0EA72D1EFFFFD2FFD40FD516 D79CEBE1FE50D696DA2F7FDB3FDC4F2070F6C0DD9C7B10057067DFDEEFDFFFE10FE2169D8C4 52CB079B05D1F0073E3DFE4EF97D935BAEC547924C220476711E8E3E52E9DE650FB03D62E415 40461E8EFED5FE5FFD72F7F9E24DE500AC1FE61F01FF12F97D936FD9D8C4C7B32DE500BB1F50 FF61FF72DFFD79CF8F4F8F022B0F9CFFADFF75AE29C7FF8F4ED07FE7FFF8FF7A568B09DAA4DFD 2BB0697A20F946A3B502DF03EFF7A5FE34057F0689A6D4079F08AFF7A5D09CDF0645FDE2072F 0CFF773C360EFF1006F70BFF119FF74B37138F0681ED02107FFF161FFF73C6DB0182F1935151F1A BFF74BBFBAEC18EAA9E41E9F1FAFBA84379D8CFA4458C06BDDF239F24AFD79C7220FF93F02D B07910F94F27BF28CF2581E29CFF2AE726EF2CBF24BE056C2AE7024F314FC7F71F011FF937204 16372A09260FF199F35FFFBCF381F103339AF3ABF3BCFFF00DF01E83E8F3F9F40AF052F063F437 FFF448F459F09E0AFF48CF49DF4AEF0EAF8F0FBC4E1CED9FD805526576E8C0FFD1BF4F8FF20F CD094C3C1033D8F7561F8F572F583FE216BAEC51756F9240DF5B8F5C9F5DAFCD3625BC499260 6C10FF5480600F611F506F136F14794E1F664FFF675F17CF18DC6A5F6B6F7C74D3F0BFF0CCF7F 708F719F20EF21FC749F75AF76BFFF257F268879BF7ACF7BDF29CF2ADF7E9FFF7FAF80BF2E8F2F 9C83EF84FF860F331FFF342C890F8A1F8B2F37AF38BF8E531E3FFF8FBF3C3F3D4F88D993CF94D F412F423FFF8DF998BF99CF461F784F483F9DAF9EBFFF4B6FA0DF4D8FA2FFA40F50BFA62F52DC FFA84FA95F67DFAB7F69FCAD6FAE7F6CFFF09F6F1CB28FB39F721FB5BF743CB7AFFFB8B773 FBADF795CBCCFDDDF7C5F7D6FFF981FC25FC36F81AF82BF932FC73FC84FFF86FF880FCBAFFCB7 FCD8CF84F8D5FD0FFFD20FBEAF919F92AF22BFD75F95DFD977FFF88CADD7FDC9F9ADF9BEF8DF 9E06FE17FFF9CFBFFFA1EFE55FE66FA51FE828FA73FFFEAAFEBBFAA6FEDDF52DC8EFFFF10FAF8FF FF32F69FCF51FF62FB4AFF84F6F1CFA3FFFFB4FB9CFFD6F743CFF5F006FBEEF028FFF795C047F05 8FC40FC51FDFCF0A0F0B1FFFC95FCA6FDADF0EEF0FFCCEAFCBF135FFF146F157FD3FFD50F18A F19BF065FD94FF9DA5F20341E1F1F2DDAFDEBF88E8FF232F243FE28FE39F8DF9281F292FE77F FF07AFE99F2D0F2E1FECCF303FEEEF325FFF336FF21F358F52DC37AF38BFF73F3ADFFF69FC3CCF 3DDFFC53FFF6F1C41EF42FFFF017F451F743C470F481F069F4A3F795CFF4C2F4D3F0BFF0CCF27 7F51BF52CF110FFF121F228F569F57AF165F176F5B0F5C1FFF5D2F1BAF1CBF605F616F4E0F20FF 220FFC203565CF66DF255F266F88E86ADFFF6BEF2A3F2B4F8DF96FCF70DF2F2F4F5FFF314F74BF 75CF3477F7EF369F7A0F7B1FFF39CF7D3FAC8C7F5F806F3EEF828FB1ACFF847F858F440F87AFB6 CC899F8AAF492FFF8CCFBEC8EBF8FCF4E4F91EFC10C93DFFF94EF536F547F6F2F996F9A7F58B F59CFFF6A3F9E4F9F5F5E0F5F1FA2BFA3CFA4DF7F635F646FA80FA91F95BF68AF69BF20FE36AD7 FAE8FD0F6E1FD098B28FB39FFF71EF72FF5A9B77FB88F76DF970F78CF6BFD77C14DF25F9 7E4FC1BFC2CF817FFFC4EFF43CC70FC81F869FCA3FF95CCC2FFCD3F8BBFCF5FFE7CD14FD25F9 0DFD47FFF039CD66FD77F95FFD99F08BCDB8FDC9FFF9B1F9C2FB6DFE11FE22FA06FA17FB1EFF FE5FFE70FA5BFA6CFA6FEB7FEC8FAB0F4FAC1FEFBFF0CFDD667166F3F06D2C6174E874AFC631 DE7C53750062746C6520456D707D3150733BF0F52FF63FF74FAFD532FDE87C491DD01DC0F1C 0FA1FFB2FFC3F0DF7CE33E87CF9B552656665FE721DC01DB0003F014F025F0366BA6C3FFF3605 3F064F075F086FF2EC426FFA6F554054B010F9F00B630357D43C104269626CAFE06772613DFFD 0790B630DBF0393DE7C544F104320486531633B7D7D607B5C2A5C64F7C0FFF07483F3F0FF903 03130353017A2963217A317603818043464F2D0403738366436630960328065353343135381 A00E118E034633532C9E0B560C490F7C9E0EDB019A0331A801B5018041C0E07B04017A1BB106 36631316590306131621DA0616517707B1E6F1F5C331DC0204117A00AF066F86630391CE621B F1841228D226DFF20E2250221E624EE2567276F287F298FFF2A9F2BAF2CBF2DCF2EDF2FEF307F 320FFF331F342F353F364F375F386F397F3A8FFF3B9F3CAF3DBF3ECF3DF3FF40EF41FF430FFF441F 452F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50DF51EF52FF540FFF551F562F573F58 4F595F5A6F5B7F5C6CFE645C6524F55E5F56F607F618F629FFF63AF64BF65CF66DF67EF68FF6A 0F6B1FFF6C2F6D3F6E4F6F5F706F717F728F739FFF74AF75BF76CF77DF78EF79FF7B0F7C1FFF7D 2F7E3F7F4F805F816F827F838F849FFF85AF86BF87CF88DF89EF8AFF8C0F8D1FFF8E2F8F3F90F4 915F926F937F948F959FFF96AF97BF98CF99DF9AEF9BFF25031A80A71CF125519DA2373417D43 41791FE3620719E22EDB09E0121329FEFA0FFFA20FA31FA42F18411D1217919C5F5D86A263DE 60643938A7C062A7E056331A511A103915F0661960647D19F1621DC0265FA9D61DC09E3039C1 11603239613661A8501760FF25EFACEFADFFAF0FB01FB12FB23FB34FFFB45F26FFB65CB4DFB86 FB97FBA8FB99FFBACAFBDBFBECFBDFFC0EFC1FFC30FC41FFF53FC63FB75FC85FC96FCA7FCB8F



Name	Value
	CC9FFFCDADFCEBFCFCFD0DFD1EFD2FFD40FC52FFFD62FC74FD84FD95FDA6FDB7F23AE17940BDC65166000DE90
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 7C15ABCFE6051740ABF0D32FD4D60241
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartTime</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidTagSubject</a>	Canceled: Fabrikam Project Status Meeting
<a href="#">PidTagSubjectPrefix</a>	Canceled:
<a href="#">PidTagSubjectFlags</a>	0

The following is the iCalendar generated to send over the wire:

```
BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
```

VERSION:2.0  
 METHOD:CANCEL  
 X-MS-OLK-FORCEINSPECTOROPEN:TRUE  
 BEGIN:VTIMEZONE  
 TZID:Pacific Standard Time  
 BEGIN:STANDARD  
 DTSTART:16011104T020000  
 RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11  
 TZOFFSETFROM:-0700  
 TZOFFSETTO:-0800  
 END:STANDARD  
 BEGIN:DAYLIGHT  
 DTSTART:16010311T020000  
 RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3  
 TZOFFSETFROM:-0800  
 TZOFFSETTO:-0700  
 END:DAYLIGHT  
 END:VTIMEZONE  
 BEGIN:VEVENT  
 ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com  
 ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com  
 ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com  
 CLASS:PUBLIC  
 CREATED:20080208T213455Z  
 DESCRIPTION:When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n\*\*\*\*\*  
 \*\n\nCancelling the May 28th meeting due to a conflict with the Company Picnic.\n  
 DTEND;TZID="Pacific Standard Time":20080528T143000  
 DTSTAMP:20080208T213456Z  
 DTSTART;TZID="Pacific Standard Time":20080528T140000  
 LAST-MODIFIED:20080208T213456Z  
 LOCATION:Conference Room 123  
 ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com  
 PRIORITY:1  
 RECURRENCE-ID;TZID="Pacific Standard Time":20080528T140000  
 SEQUENCE:0  
 SUMMARY;LANGUAGE=en-us:Canceled: Fabrikam Project Status Meeting  
 TRANSP:TRANSPARENT  
 UID:040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000000101000000622C639E40D09342B747A1672730CBBA  
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Where: Conference Room 123</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">\*\*\*\*\*</FONT></SPAN></P>\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Cancelling the May 28</FONT></SPAN><SPAN LANG="en-us"><SUP><FONT FACE="Calibri">th</FONT></SUP></SPAN><SPAN LANG="en-us"><FONT FACE="Calibri"> meeting due to a conflict with the Company Picnic.</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>  
 X-MICROSOFT-CDO-BUSYSTATUS:FREE  
 X-MICROSOFT-CDO-IMPORTANCE:2  
 X-MICROSOFT-DISALLOW-COUNTER:FALSE  
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE  
 X-MS-OLK-APPTSEQTIME:20080208T213320Z

X-MS-OLK-AUTOSTARTCHECK:FALSE  
X-MS-OLK-CONFTYPE:0  
X-MS-OLK-SENDER;CN="Elizabeth Andersen";mailto:eandersen@contoso.com  
END:VEVENT  
END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	09:30:00.000 PM 5/28/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentSequence</a>	0
<a href="#">PidLidAppointmentStartWhole</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidAppointmentStateFlags</a>	7
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentSequenceTime</a>	09:33:20.000 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidBus</a>	0

<b>Name</b>	<b>Value</b>
<a href="#">yStatus</a>	
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidCommonEndTime</a>	09:30:00.000 PM 5/28/2008
<a href="#">PidLidCommonStartTime</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidExceptionReplaceTime</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidLidInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C3046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidIsException</a>	TRUE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	Conference Room 123
<a href="#">PidLidMeetingType</a>	524288
<a href="#">PidLidOwnerCriticalChange</a>	09:34:56.000 PM 2/8/2008
<a href="#">PidLidRecurring</a>	FALSE
<a href="#">PidLidReminderDelta</a>	1080
<a href="#">PidLidReminderSet</a>	FALSE



<b>Name</b>	<b>Value</b>
<a href="#">dDate</a>	
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	1033
<a href="#">PidTagImportance</a>	2
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagInternetMessageId</a>	<000101c86a9a\$e4bae2e0\$ae30a8a0\$@com>
<a href="#">PidTagInternetReturnPath</a>	eandersen@contoso.com
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Canceled
<a href="#">PidTagMessageDeliveryTime</a>	09:38:09.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	6298
<a href="#">PidTagNextSendAcct</a>	0000002sito@contoso.comsito@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Canceled: Fabrikam Project Status Meeting
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressT</a>	SMTP

Name	Value
<a href="#">ype</a>	
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagReceivedBySearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 24052000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 1049 lpb: 15040000430D00004C5A467505CAF70503000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE200044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CCD318104709576809F03A4F100980C12BE0736461792C05D04FF078203238501001D02EB050603A532EE020E04D2D5100335132206028474D542D2EB05111296F20E000D006900DE020076251F055C305F047BE26616D70028049F7262644D818A16E614FE0292EF9247C353634C14C5249D949E7479DFE3914D034D048C2587F452B0AA259287F0A8145870AB15DF8479D01C034C150FF3FBF421F61AF42EF43FF450F461F5F1FFF483F494F4A5F4B6F4C7F4D8F4E9A1A20CB4F603DA16670616E632DA00800FB3E610E2033570F581F592F5A3F736FFF5C5F5D6F5E7F5F8F609F62FF7C4F63CFFF64DF65EF66FF680F691F6A2F805F6C4FE76D5F6E6F4E5B2A7E8B2F71EF72FFFF740F751F8DDF773F784F795F7A6F7B7FFF7DDF96BF7EAF7FBF80CF81DF82EF83FFF850F9ACF872F883F894F4E5B56817130FE6C18D02D803E804F3050258C5F8D6FFF8E7F8F8FA86FA97F9EFA00FABEFACF8C6559611AEB97375701311AF5FFFA21FA32FA43F9B93A640A6EFA7FFABCFFFAA1BB11BB93FAA1FBB4FBC5FAD4FAE5FFFBECFB38FB49FB5AF5633078014B0A60286640A503E806F20612005A0FB70D018D063054003F0A640A6330850B754F000705050500DE003006356FFFFB81FBE9FBCFCB6FCC7FC01FC1

Name	Value
	2FCEEFFCD3FCE4F91BF92CF93DF94EF95FF985FF7DAAF39C8C3C12F3A9F38EF1F6532010B37C025937DE120
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: C048B5D02653A341AD26DE38FC05E1B4
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00



Name	Value
<a href="#">archKey</a>	
<a href="#">PidTagStartDate</a>	09:00:00.000 PM 5/28/2008
<a href="#">PidTagSubject</a>	Canceled: Fabrikam Project Status Meeting
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagTransportMessageHeaders</a>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Canceled: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000101c86a9a9ae4bae2e0\$ae30a8a0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content-Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUMgQDagHwAADkCA Content-Language: en-us Importance: High

### 3.4.3 Organizer's Location Change of an Instance

Elizabeth realizes that she mistyped the Conference Room number, and sends out a meeting update.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
<a href="#">PidLidAginDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeesList</a>	
<a href="#">PidLidAllAttendeesString</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<a href="#">PidLidAllowExternalCheck</a>	TRUE
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0

Name	Value
<a href="#">PidLidAppointmentCounterProposal</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	10:30:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentNotAllowPropose</a>	FALSE
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0
<a href="#">PidLidAppointmentRecurrence</a>	cb: 84 lpb: 043004300B2001000000C0210000010000000000000000000008000000232000000A000000000000000 1000000A08DC50C000000000003FC30CDF80E95A0630000009300000480300006603000000000 0000000000000000
<a href="#">PidLidAppointmentSequence</a>	1
<a href="#">PidLidAppointmentStartWhole</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAppointmentSequenceTime</a>	09:33:20.275 PM 2/8/2008

Name	Value
<a href="#">PidLidAttendeeCriticalChange</a>	09:36:00.420 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	1
<a href="#">PidLidCalendarType</a>	1
<a href="#">PidLidAttendeesString</a>	
<a href="#">PidLidChangeHighlight</a>	136
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidClipEnd</a>	11:59:00.000 PM 8/31/4500
<a href="#">PidLidClipStart</a>	08:00:00.000 AM 2/13/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	10:30:00.000 PM 2/13/2008
<a href="#">PidLidCommonStart</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidConflictingType</a>	0
<a href="#">PidLidContactLinkName</a>	
<a href="#">PidLidCurrentVersion</a>	126212

<b>Name</b>	<b>Value</b>
<a href="#">PidLidCurrentVersionName</a>	12.0
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDelegateMail</a>	FALSE
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidFExceptionalAttendees</a>	FALSE
<a href="#">PidLidFInvited</a>	TRUE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000 0000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidIntendedBusyStatus</a>	2
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRescuing</a>	TRUE
<a href="#">PidLidIsSilent</a>	FALSE
<a href="#">PidLidLocation</a>	Conference Room 1234
<a href="#">PidLidMeetingType</a>	131072
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOldLocation</a>	Conference Room 123
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	

<b>Name</b>	<b>Value</b>
<a href="#">dees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	09:36:00.420 PM 2/8/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	every Wednesday from 2:00 PM to 2:30 PM
<a href="#">PidLidRecurrenceType</a>	2
<a href="#">PidLidRecurrenceType</a>	48
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	1525252321
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidReminderTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidRequiredAttendees</a>	
<a href="#">PidLidResourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSens</a>	TRUE

<b>Name</b>	<b>Value</b>
<a href="#">dMeetingAsIcal</a>	
<a href="#">PidLidSideEffects</a>	7265
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFRecurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZone</a>	13

Name	Value
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000030000000 20002000000000000000
<a href="#">PidLidAttendeesString</a>	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
<a href="#">PidLidWeekInterval</a>	1
<a href="#">PidLidWhere</a>	Conference Room 1234
<a href="#">PidLidYearInterval</a>	0
<a href="#">PidTagAccess</a>	2
<a href="#">PidTagAccessLevel</a>	0
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagBody</a>	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 1234\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	09:36:00.545 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD50
<a href="#">PidTagConversationTopic</a>	Fabrikam Project Status Meeting
<a href="#">PidTagCreationTime</a>	09:36:00.374 PM 2/8/2008
<a href="#">PidTagDeleteAfterSend</a>	FALSE

Name	Value
<a href="#">ubmit</a>	
<a href="#">PidTagEndDate</a>	10:30:00.000 PM 2/13/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	28591
<a href="#">PidTagLastModificationTime</a>	09:36:00.561 PM 2/8/2008
<a href="#">PidTagMessageClasses</a>	IPM.Schedule.Meeting.Request
<a href="#">PidTagMessageDeliveryTime</a>	09:36:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	12
<a href="#">PidTagMessageLocationId</a>	1033
<a href="#">PidTagMessageSize</a>	11174
<a href="#">PidTagNextSendAccount</a>	00000002eandersen@contoso.comeandersen@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagOriginalAuthorName</a>	



Name	Value
<a href="#">PidTagOriginalSensitivity</a>	0
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagOwnerAppointmentId</a>	3249022936
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientResponseProhibited</a>	FALSE
<a href="#">PidTagRecurrenceKey</a>	cb: 4 lpb: A4062000
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRtfCompressed</a>	cb: 5832 lpb: C41600003D5D00004C5A46755D154F9907000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF70F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFFF3BFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29

Name	Value
	FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DC4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E593026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A0701565079C 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E0703E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A506D6606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267 309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E69DA0B 6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A2727C1A1A7E89D6DC1BC9C3077C0F66675A09373062BC707880AC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFC9A985E 0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76F62456E40696C53975268B031B777838E F0F010767821971055D140F99660776EE356A611E3F2E513E8C0FD753039E8C0E513D055E665 63405400FF6F90A609E51360D03DF08D800120EC61726DA4C16850BB90E9A3ABF233656B606 DF8106B429552EAE553947562EB5173A6F16C6FC303E63EB5173F0BC80A0AD154506D6C6A4D 4E6067EB3372EDB78F114AF663ED71BBB249B36078F04EA0F8E073EB519550744C6D90EB5104 A072AA79F091318EC378ED906EBE200FE402F1B49DF0BE7074703A2F4E2FB47097A06E40732E D61063575FF0E080AD702EE1012FF4306691FC60652F777800642F4B506FC370F513ED9077905 C90A1B59077EF85E0E94078A0F653686B32EB51EDC17FAE80F013EDC1AF30F836EFF5EDC162E DF00367BDA096F0729571BE3004E07FBB407410BB11AD10BB40B6D1AD706E9C626AC6078F0 A7F06F430AD41FDECB06B96D0A8409DE0FCD4A49400703FC1518F00AC0096E1EAE0788073794 E73A690EFE183616C79AC00764FED9078A0FEB895916764A4D061BD78A266FCA1E3D0EFD1B5 31765641BF0171A410ED905F509790AD1070C130FBB48003906CADC0A41295D0C4F078007DD 60178788077D0AC10EFD178A073FE61A840955002B3F1C105D10391F1C1DFB5905FF04E705F5 0966078C130F2F0D46F7978F05CA4107097907810BF60309660BC31B6D0BC80FCC064AC10F37 830F1F06264B7609660BC81B4809FA491CD01A4929790BDE0655C03907C727AFCA2B860F7D2 95500C7168E70AB37110007167760D490C01BE50FF955011200DB30EC40E730382F8910DE15D 10536A08A16020C4A076455077FE6BB3516B6011B2B4705640C401F6F1FBF9E0B97265BDE013 15A49096E0A501FD000074E49095500BE0FC0114A7BE70FF6E40BDA0BC809651F1E0BE70BDE1 7821FFCCF0255020D0DE00F1E0C11109F2B351FFBA8014B012A1BB407830AD2114A17821FF78 10B911F1E0EAF10B210BE09660EAF1FDBBB0701712A3F090B0BDB0C4729550FFB482C111D8A1 F4D0B490D661FF40B490B9BBA17070A960BB40BC61696020BF1A36A6025FF096E0E776A40077 7821FFA5D2BC304E1096608960AD10BD92F4D0FFBC50A9C104D1EC309750A4915650BE20FB9 651B3516EEAE1AC9025B0B4901A21E7B490E3D096516378BC8095F0C9A1FF95D0B3600981D8 C02401087196609E20FE63F1F117129E2023F3BDA09550B6E06E6825631472F30067BB72FED16 3FF02B016537820EB002622743018F22872C102B0747862785C1A50C500BF4E70A400BC5012A 0F36105516C17A1FF741009313D40E111A4D2C3F0A4308ED2727701D1666D29A0E2B0FA8120F FE9400F309642C3F0A4D034F04E9008E0EF96E0BB5085D095D06CA4906E4012A0FB18B0F1E07 59610DC42BB71A3D1FB11FFA9F1FAD59582A41078A0FC71A970B590FF0BE03173BC043080316 3E73AFF70FC12CF97118EF0BD20FB016C760351BD21FFF3F0BD5035F195F078103672B351EFD 1FF50A0F6F1A970C1419711BD202A7095F0FC202EE36435F663503692DC5136FFFF380F391F36 506730BD208F10FCC03AEFFB3BFF3D0F6C6B60BD20DB003AAF3F7F7D408529396C6F903E4F43

Name	Value
	3F406562FF6E704CB1446F362355B0420F46DF47EFFF48FF364168D04A5236DF4BBF4CCF44DDF F6D004A5F4FEF50FF520F36415B704EEFFF548F559F56A5F641B630F640C1309550FFDC33BB72 BA5FBB6FBC7FBD8FBE9FDADFFFC0CFDC5FC2EFC3FFC50FA3B16AF0D2CF9F644ADDA124F1ACF 0E8C920571380C06E3A204F63632F206DC0DF0231F1106BD07880A4007301706CF08F8F20666 05DC0A832322F31F5A0D9F571382074322E503AF580AB402C4D2060306F31336F732847584D5 42DAF506F5129AB41630E69F4D175B376B0555320260C20437470606061292E0DDE0A5B926B D278D06C2043AC006660FF78D01C2176516F1185E0EAB072E572E5FC2A7E75EF750C5B845C4F 5D5F5E6FFF5F7F608F95B65B9258A0D02968BF69CFD6ADF2873C0B7D0FB11A9E140D0B4017F 6FD05C21ADD0970073CE7BC1FF2072B229750C48656CF0EC612C750CE24C2B3172717596E26 C9071D0FD2B302030B06CAF6FC1FF501C2088B27FAC0083A358812F106C90F43083A346B3C99 066F06B616F20E9F06F11309779D072D672E55440116B7386B6FA4502D07AC9902F41E9717F5 F806FFF6ACA7707B60B7D0D029778635B208113F0252975379106D607CB0F0A06178FC3236D D309521D8A0FD10D8D07A81FF7D619531D6077A812FD09521A96897A6FFC8959686A5267A81 A640E98095F7A410FFB4801B20790196EAD3A2980A9D04C895FF62C19A099D0496246200A6C5 9C2F9D3FFB9E4FA544399FCB1382FE6174B0A0F377A34FA45FA56732A60FA71FA51C3377A91F AA2FA51C34AC2FAD3FA51C3577AF3FB04FA51C36B24FB35FA51C3777B55FB66FA51C38B86FB9 7FA51C39FFA0F3BC96E6209FCB7C407190A5F4BEDFFFBE8A904C0EFBFE8AC14C2FFBFE8AF24F FC50FBFE8B234C71FBFE8B544C92FBFE8FFB854CB3FBFE8BB64CD4FBFE8BE74BBCCFFC93641 29FF812A01B20BCB0E4A0A10FFFA21FD14FBCB4DE729FE971B02FA1CF0BFF9ED4A016ED417AB 27121ECA001D061E0FE688BE00571D41FD52FD63FD956D9CCFFEBE1FE50D8C6DC5FDD6FDE7F 8330F6C0F7DFCC7CC0057067E11FE22FE33FE446DD9FBC452CA07B601F0073E60FE71FCF9A09 6B80D7DC24B2204766F1EB13DBE75EA0165003D62E31540461EB1FFF8F8E82FD95FA054E080 0AC1FE61F24FEFB35F9A09369FBC4C7CE2E0800BB1FFF73FF84FF95DD9CCFB24FB2022A0FBFFF FFD0FF98AE4CCFB24EF3700AF01BFF9D5EB68909FDA4D2BA0697BD0FB76A5E5F7050F06179FD 53407AF08B9A90409CFFF0ADFF9D5D2CC08750012095F0F2FF96CBF6BC0113F12450E2F13CFF9 7B3715BFFF08B1EF3212AF184FF96C6ED01A5F1B65FF174F1CEFF97BBD1C1B1AC4A420CF21DF D5BCB4379FBC4458A06B000F25CFCF26DFD9CC73C096207266DAE0FB7FFF29EF2AFF27B1E4CC 2D17291F2EEF26EE7F079C2D17047F337FF94F034FFB6720FE416C5059411BCF382FFDFF3A4F1 263FF3BDF3CEF3DFF030F041840BF41CF42DFFF075F086F45AF46BF47CF0C1F0D2F4AFF7F4CF0F 4D1F10DF11EC504CEFCFDA3552FF6CB083EF51BFF43FCF394E6C1263BFD827584F595F5A 6FE446235C518802DF5DBF5ECF5DFCF6627EC4994906C00FF56B0623F634F529F159F16A9504 F687FFF698F19FF1B0C6C8F6D9F6EAF1E8F1F9CFF71AF72BF73CF231F242C76CF77DF78EFFF27A F28B87BEF7CF7E0F2BFF2D0F80CFFF81DF82EF30BF31CC861F872F883F354FFF365C8B3F8C4F8 D5F39DF3AEF9083206FFF91EF3E6F3F7F8B0995FF970F435F446FFF90299AEF9BFF484F7A7F4A6 9FDFFA0EFFF4D9FA30F4FBFA52FA63F52EFA85F550CFFAA7FAB8F6A0FADAF6C2CAF9FB0AF6F2F FFB2CF714CB4BFB5CF744FB7EF766CB9DFFFBAEF796FBD0F7B8CBEFFC00F7B8E9F9FF4A4FC48 FC59F83DF84EF955FC96FCA7FFF892F8A3FCDDFCCEEFCFFF8E7F8F8FD32FFFD43FC0DF93CF94DF 24EFD98F980FDBAFF8AFADDAFDEBF9D0F9E1F9029E29FE3AFFFA1FFC22FA41FE78FE89FA74FE ABFA96FFFECDFEDEFAC9FF00F550CF22FF33FB1BFFFF55F6C2CF74FF85FB6DFFA7F714CFC6FFFF D7FBBFFFF9F766C018F029FC11F04BFFF7B8C06AF07BFC63FC74FE1FF0C3F0D4FFFCB8FCC9FDD 0F111F122FD0DFD1EF158FFF169F17AFD62FD73F1ADF1BEF088FDB7FF9DC8F2034204F215FDF DFE0EF8B18FF255F266FE4BFE5CF90292A4F2B5FE9AFF09DFEBC2F3F304FEEFF326F71F348F FF359FF44F37BF550C39DF3AEFF96F3D0FFF6C2C3EFF400FFE8F422F714C441F452FFF03AF474F 766C493F4A4F08CF4C6F7B8CFF4E5F4F6F0DEF0EFF29AF53EF54FF133FFF144F24BF58CF59DF18 8F199F5D3F5E4FFF5F5F1DDF1EEF628F639F503F232F243FFC203567FF690F278F289F8B186D0F FF6E1F2C6F2D7F902971FF730F315F518FFF337F76EF77FF36AF7A1F38CF7C3F7D4FFF3BFF7F6F AEB818F829F411F84BFB3DCFF86AF87BF463F89DFB8FC8BCF8CDF4B5FFF8EFFBE1C90EF91FF5 07F941FC33C960FFF971F559F56AF715F9B9F9CAF5AEF5BFFF6C6FA07FA18F603F614FA4EFA5F FA70F7F658F669FAA3FAB4F97EF6ADF6BEF20FE36AFAB0BF6F3F704FD2C8B4BFB5CFFF741F75 2FD7D9B9AFBABF790F993F7B2FFFBE9FBFAF7E5FC1CF807FC3EFC4FF83AFFFC71FF66CC93FCA4 F88CFCC6FFB8CCE5FFFCF6F8DEFD18F00ACD37FD48F930FD6AFF05CCD89FD9AF982FDBCFOAE CDDBFDECF9D4F9E5FB90FE34FE45FA29FA3AFB41FFFE82FE93FA7EFA8FFEC9FEDAFAEEBFAD3F 4FAE4FF1EFF2FFDF967166F6206D2C6174EAA4B1F631E0AC53750062746C6520456D707D3380 733E20F75FF86FF97FB20532FEAAC492001FF0F3F0FC4FFD5FFE6F0DF9E33EAACFBE552656 665FE721FF01FE0026F037F048F0596BC9C3F0166076F087F098F0A9FF51C426FFA6F577054B24 0FC200D930587D66C104269626CB2106772613D0200790D930FEF05C3E0AC544F10432048653 3933B7D7D607B5C2A5C64F9F002207483F62001C0303130353019D2963219D31990381A34346

Name	Value
	4F500403738366436630B903280653533343135381C30E11B1034633532CC10B790C6C0F7CC10EFE01BD0331CB01D801A341E3E07B27019D1F0A0636631316590306131621FD0616519A07B209F218C331FF0227119D00D2066F86630391F1623EF1A7124BD249DFF231227322416271E2797299F2AAF2BBFFF2CCF2DDF2EEF2FFF310F321F332F343FFF354F365F376F387F398F3A9F3BAF3CBFFF3DCF3EDF3FEF40FF420F431F442F453FFF464F475F486F497F4A8F4B9F4CAF4DBFFF4ECF4FDF50EF51FF530F541F552F563FFF574F585F596F5A7F5B8F5C9F5DAF5E9CFE645E952725608F619F62AF63BF64CFFF65DF66EF67FF690F6A1F6B2F6C3F6D4FFF6E5F6F6707F718F729F73AF74BF75CFFF76DF77EF78FF7A0F7B1F7C2F7D3F7E4FFF7F5F806F817F828F839F84AF85BF86CFFF87DF88EF89FF8B0F8C1F8D2F8E3F8F4FFF905F916F927F938F949F95AF96BF97CFFF98DF99EF9AFF9C0F9D1F9E2F27331CB0A71F2127819FD237341A043419C1FE3622A1A052EFE0A0312362A21FA32FFFA43FA54FA65F1A711F4219C19E8F5FB6A263E090643938A9F062AA1056331C811C40391820661B90647D1C21621FF0288FAC061A211FF139F1AD70613661AA801990281FAF1FFF02FB13FB24FB35FB46FB57FB68F292FFFB88CB70FBA9FBBABFCBFBDCFBEDFBFEFFFCOFFC20FC31FC42FC53FC64FB76FC86FFFB98FCA8FCB9FCCAFCD8FCECFDFD0EFFF1FFD30FD41FD52FD63FC75FD85FC97FFFDA7FDB8FDC9FDDAF25DE19C4DE9518900200E0C0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: D1EFB48D0B6B7E438A4F2517C2FB204A
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 000000007F8DC744E0B8DB42A8EDFEF6624383B4C2800000
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagStartTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidTagSubject</a>	Fabrikam Project Status Meeting

Name	Value
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagSubmitFlags</a>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080208T213600Z
DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM t
o 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room
1234\n\n*~*~*~*~*~*~*~*~*~*\n\n(Corrected a typo in the Conference Room nu
mber)\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the st
atus of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T213600Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
LAST-MODIFIED:20080208T213600Z
LOCATION:Conference Room 1234
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:1
SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000
010000000622C639E40D09342B747A1672730CBBA
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//E
N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f

```



Name	Value
<a href="#">PidLidAppointmentSequence</a>	1
<a href="#">PidLidAppointmentStartWhole</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentStateFlags</a>	3
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentSequenceTime</a>	09:33:20.000 PM 2/8/2008
<a href="#">PidLidAutoStartCheck</a>	FALSE
<a href="#">PidLidBusyStatus</a>	1
<a href="#">PidLidChangeHighlight</a>	0
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC801000000000000000010000 000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidClientEnd</a>	11:59:00.000 PM 12/31/4500
<a href="#">PidLidClientStart</a>	12:00:00.000 AM 2/13/2008
<a href="#">PidLidCommonEnd</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidLidCommonStart</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidConferenceType</a>	0
<a href="#">PidLidFIN</a>	TRUE

<b>Name</b>	<b>Value</b>
<a href="#">vited</a>	
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidIntendedBusyStatus</a>	2
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	Conference Room 1234
<a href="#">PidLidMeetingType</a>	1
<a href="#">PidLidOwnerCriticalChange</a>	09:36:00.000 PM 2/8/2008
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	15
<a href="#">PidLidReminderSet</a>	TRUE
<a href="#">PidLidReminderSignalTime</a>	09:45:00.000 PM 2/13/2008
<a href="#">PidLidReminderTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidResponseStatus</a>	5
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSmartNoAttach</a>	TRUE



Name	Value
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000000300000002000200000000000000
<a href="#">PidLidWhere</a>	Conference Room 1234
<a href="#">PidNameContentTransferEncoding</a>	8bit
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagBody</a>	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 1234\n\n*~*~*~*~*~*~*~*~*~*\n\n(Corrected a typo in the Conference Room number)\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
<a href="#">PidTagBodyHtml</a>	Err:0x8004010F=MAPI_E_NOT_FOUND
<a href="#">PidTagClientSubmitTime</a>	09:38:03.000 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD50
<a href="#">PidTagConversationTopic</a>	Fabrikam Project Status Meeting
<a href="#">PidTagCreationTime</a>	09:46:20.342 PM 2/8/2008
<a href="#">PidTagEndDate</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagImportance</a>	1

<b>Name</b>	<b>Value</b>
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagInternetMessageId</a>	<000001c86a9a\$e4972e40\$adc58ac0\$@com>
<a href="#">PidTagInternetReturnPath</a>	eandersen@contoso.com
<a href="#">PidTagLastModificationTime</a>	09:46:20.795 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Request
<a href="#">PidTagMessageDeliveryTime</a>	09:38:09.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536
<a href="#">PidTagMessageLocalId</a>	1033
<a href="#">PidTagMessageSize</a>	6205
<a href="#">PidTagNextSendAct</a>	00000002sito@contoso.comsito@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	sito@contoso.com

Name	Value
<a href="#">PidTagReceivedByEntryId</a>	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
<a href="#">PidTagReceivedByName</a>	Shu Ito
<a href="#">PidTagReceivedBySearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: 04052000
<a href="#">PidTagReplyRequested</a>	TRUE
<a href="#">PidTagResponseRequested</a>	TRUE
<a href="#">PidTagRTFCompressed</a>	cb: 1258 lpb: E6040000D1200004C5A4675C8A0DFDB03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E3222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A972645781941246E615150292E251C3536DF35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFF438F449F45AF46BF616F48DF49EF4AFFF4C0F4D1F4E2F4F3A1AC050003E4151B0F91AC06E632E4008003F010E2028A0FF595F5A6F5B7F5C8F75CF5EAF5FBF60CFFF61DF62EF654F7EAF661F672F683F694FFF6A5F6B6F6C7F82BF6E9F6FAF70BF4EFBFC2A7E8D8F744F755F766F777F903FFF799F7AAF7BBF7CCF7DDF803F991F810FFF821F832F843F854F865F876F9D2F898FD78A9F8BAF4EFB280850721AC051D0E53EB1613F20797053B00B803F20B34FD072FF6E7506D00490298EBFFF8FCF90DF91EFAC7F940F951F962F973FFF984F9AAF55F9B7F9C8F9D9F9EAF9FB7FA0CFA1DFB96FA3FFA50FA61F4EFB48E66550D007406C2CAAFFAC0FAD1FFFAE2FC63FB04FB15FB26FB37FB48FB6EFFF1FB7BFB8CFB9DFBAEFBFFBD0FBE1F5FD32FC03FC14FC25F4EFB4C14B05C1E27C8500420078014B0207570F3508F53A173797370DEC22F21A9427A73019074D870E0A03FA0A94246BB01A005106B5730218003606A51C1FF594FC5BF66CFC7DFE48FC9FFCB0FCC1FFFCDD2FCE3FD09FED6FD16FD27FD38FD49FFFD5AFD6BFD7CFF17FD99EFDAFFDC0F71BCF2542E016B73C4AFE41FE52FE63FFFE3FE85FE96FEA7FEB8FEC9FEEFF071FFFEFCFF0DFF1EFF2FFF40FF51FF62F0B2FAFF84FF95FFA6F71BC4514007AE210FDDE0068FCCFFDDFFEEFFFFF181F192FFF0F6F107F1B9F19EF1AFF023F034F045FBF056F067F08DF275F3A7713012F3

Name	Value
	B3F8F398F2B5532A13860544D4C1460027D2DC0
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 4C9FA520143E124791EFE52B0EF3BFF6
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Elizabeth Andersen
<a href="#">PidTagSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 116 lpb: 0000000812B1FA4BEA310199D6E00DD010F5402000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Elizabeth Andersen
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
<a href="#">PidTagStartDate</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidTagSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagTransportMessageHeaders</a>	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000001c86a9a\$e4972e40\$adc58ac0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmngQDagHwAAF91Q Content-Language: en-us

### 3.4.4 Attendee's Tentative Acceptance of the Series

Shu tentatively accepts the recurring meeting.

The following are the properties on the Calendar object that Shu sends:

Name	Value
<a href="#">PidLidAgingDontAgeMe</a>	FALSE
<a href="#">PidLidAllAttendeeList</a>	
<a href="#">PidLidAppointmentAuxiliaryFlags</a>	0
<a href="#">PidLidAppointmentColor</a>	0
<a href="#">PidLidAppointmentCounterProposed</a>	FALSE
<a href="#">PidLidAppointmentDuration</a>	30
<a href="#">PidLidAppointmentEndWhole</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentProposalNumber</a>	0
<a href="#">PidLidAppointmentProposedDuration</a>	0

Name	Value
<a href="#">PidLidAppointmentRecur</a>	cb: 84 lpb: 043004300B2001000000C02100000100000000000000000000008000000232000000A000000000 0000001000000A08DC50C00000000003FC30CDF80E95A0630000009300000480300006 603000000000000000000000000000
<a href="#">PidLidAppointmentSequence</a>	1
<a href="#">PidLidAppointmentStartWhole</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidAppointmentStateFlags</a>	0
<a href="#">PidLidAppointmentSubType</a>	FALSE
<a href="#">PidLidAppointmentMessageClass</a>	IPM.Appointment
<a href="#">PidLidAttendeeCriticalChange</a>	09:51:51.956 PM 2/8/2008
<a href="#">PidLidAutoFillLocation</a>	FALSE
<a href="#">PidLidAutoStartWhen</a>	0
<a href="#">PidLidBusyStatus</a>	2
<a href="#">PidLidCalendarType</a>	1
<a href="#">PidLidCleanGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000 010000000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidClipEnd</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidLidClipStart</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidCollaborateDoc</a>	
<a href="#">PidLidCommonEnd</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidLidCommonStart</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidConferencingType</a>	0
<a href="#">PidLidCurrentVersion</a>	126212
<a href="#">PidLidCurrentVersion</a>	12.0

Name	Value
<a href="#">sionName</a>	
<a href="#">PidLidDayInterval</a>	0
<a href="#">PidLidDelegateMail</a>	FALSE
<a href="#">PidLidDirectory</a>	
<a href="#">PidLidFInvited</a>	FALSE
<a href="#">PidLidGlobalObjectId</a>	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000000100000000622C639E40D09342B747A1672730CBBA
<a href="#">PidLidIntendedBusyStatus</a>	4294967295
<a href="#">PidLidIsException</a>	FALSE
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidIsSilent</a>	TRUE
<a href="#">PidLidLocation</a>	Conference Room 1234
<a href="#">PidLidMeetingType</a>	0
<a href="#">PidLidMonthInterval</a>	0
<a href="#">PidLidNetShowUrl</a>	
<a href="#">PidLidOldLocation</a>	
<a href="#">PidLidOnlinePassword</a>	
<a href="#">PidLidOptionalAttendees</a>	
<a href="#">PidLidOrganizerAlias</a>	
<a href="#">PidLidOwnerCriticalChange</a>	09:36:00.000 PM 2/8/2008
<a href="#">PidLidPercentComplete</a>	0.000000
<a href="#">PidLidPrivate</a>	FALSE
<a href="#">PidLidRecurrencePattern</a>	
<a href="#">PidLidRecurrenceType</a>	0

<b>Name</b>	<b>Value</b>
<a href="#">PidLidRecurrenceType</a>	48
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	0
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidReminderTime</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidLidRequiredAttendees</a>	
<a href="#">PidLidResourceAttendees</a>	
<a href="#">PidLidResponseStatus</a>	0
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSideEffects</a>	7265
<a href="#">PidLidSingleInvite</a>	FALSE
<a href="#">PidLidTaskActualEffort</a>	0
<a href="#">PidLidTaskComplete</a>	FALSE
<a href="#">PidLidTaskEstimatedEffort</a>	0
<a href="#">PidLidTaskFFixOffline</a>	FALSE
<a href="#">PidLidTaskFREcurring</a>	FALSE
<a href="#">PidLidTaskMode</a>	0
<a href="#">PidLidTaskNoCompute</a>	FALSE
<a href="#">PidLidTaskOrdinal</a>	2147483647
<a href="#">PidLidTaskOwnership</a>	0



Name	Value
<a href="#">PidLidTaskRole</a>	
<a href="#">PidLidTaskState</a>	1
<a href="#">PidLidTaskStatus</a>	0
<a href="#">PidLidTaskVersion</a>	1
<a href="#">PidLidTeamTask</a>	FALSE
<a href="#">PidLidTimeZone</a>	13
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStructure</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000030000000200020000000000000000
<a href="#">PidLidWeekInterval</a>	1
<a href="#">PidLidWhere</a>	Conference Room 1234
<a href="#">PidLidYearInterval</a>	0
<a href="#">PidTagAccess</a>	2
<a href="#">PidTagAccessLevel</a>	0
<a href="#">PidTagAlternateRecipientAllowed</a>	TRUE
<a href="#">PidTagClientSubmitTime</a>	09:51:51.971 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD5000005C6EC00000315CE0
<a href="#">PidTagConversationTopic</a>	Fabrikam Project Status Meeting
<a href="#">PidTagCreationTime</a>	09:51:51.940 PM 2/8/2008
<a href="#">PidTagDeleteAfterSubmit</a>	FALSE
<a href="#">PidTagEndDate</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagIconIndex</a>	4294967295

Name	Value
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetMailOverrideFormat</a>	1441792
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagLastModificationTime</a>	09:51:52.174 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Resp.Tent
<a href="#">PidTagMessageDeliveryTime</a>	09:51:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	12
<a href="#">PidTagMessageLocaleId</a>	0
<a href="#">PidTagMessageSize</a>	2448
<a href="#">PidTagNextSendAsCct</a>	0000002sito@contoso.comsito@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Fabrikam Project Status Meeting
<a href="#">PidTagOriginatorDeliveryReportRequested</a>	FALSE
<a href="#">PidTagPriority</a>	0
<a href="#">PidTagReadReceiptRequested</a>	FALSE
<a href="#">PidTagRecipientReassignmentProhibited</a>	FALSE
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: C4052000
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: 1D6F25F1B22E9943BDF49E328BCCA8ED
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentMailEntryId</a>	cb: 24 lpb: 0000000062E9131048FE8D4D9EFD5A00AA41408DC2800000
<a href="#">PidTagStartDate</a>	02:00:00.000 PM 2/13/2008

Name	Value
<a href="#">PidTagSubject</a>	Tentative: Fabrikam Project Status Meeting
<a href="#">PidTagSubjectPre fix</a>	Tentative:
<a href="#">PidTagSubmitFlags</a>	0

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=TENTATIVE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T215151Z
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T215151Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
LAST-MODIFIED:20080208T215152Z
LOCATION:Conference Room 1234
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:1
SUMMARY:Tentative: Fabrikam Project Status Meeting
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000
010000000622C639E40D09342B747A1672730CBBA
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
END:VCALENDAR

```



Name	Value
<a href="#">i</a>	
<a href="#">PidLidIsRecurring</a>	TRUE
<a href="#">PidLidLocation</a>	Conference Room 1234
<a href="#">PidLidRecurring</a>	TRUE
<a href="#">PidLidReminderDelta</a>	1080
<a href="#">PidLidReminderSet</a>	FALSE
<a href="#">PidLidReminderSignalTime</a>	04:00:00.000 AM 2/13/2008
<a href="#">PidLidReminderTime</a>	10:00:00.000 PM 2/13/2008
<a href="#">PidLidResponseStatus</a>	2
<a href="#">PidLidSendMeetingAsIcal</a>	TRUE
<a href="#">PidLidSmartNoAttach</a>	TRUE
<a href="#">PidLidTimeZoneDescription</a>	(GMT-08:00) Pacific Time (US & Canada)
<a href="#">PidLidTimeZoneStruct</a>	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000300000002000200000000000000
<a href="#">PidLidWhere</a>	Conference Room 1234
<a href="#">PidNameContentTransferEncoding</a>	7bit
<a href="#">PidTagAccess</a>	7
<a href="#">PidTagAccessLevel</a>	1
<a href="#">PidTagClientSubmitTime</a>	09:53:53.000 PM 2/8/2008
<a href="#">PidTagConversationIndex</a>	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD5000005C6EC00000315CE0
<a href="#">PidTagConversationTopic</a>	Tentative: Fabrikam Project Status Meeting

<b>Name</b>	<b>Value</b>
<a href="#">PidTagCreationTime</a>	09:56:53.622 PM 2/8/2008
<a href="#">PidTagEndDate</a>	02:30:00.000 PM 2/13/2008
<a href="#">PidTagHasAttachments</a>	FALSE
<a href="#">PidTagImportance</a>	1
<a href="#">PidTagInternetCodepage</a>	1252
<a href="#">PidTagInternetMessageId</a>	<000101c86a9d\$1aa91f00\$4ffb5d00\$@com>
<a href="#">PidTagInternetReturnPath</a>	sito@contoso.com
<a href="#">PidTagLastModificationTime</a>	09:56:53.810 PM 2/8/2008
<a href="#">PidTagMessageClass</a>	IPM.Schedule.Meeting.Resp.Tent
<a href="#">PidTagMessageDeliveryTime</a>	09:54:00.000 PM 2/8/2008
<a href="#">PidTagMessageFlags</a>	65536
<a href="#">PidTagMessageLocaleId</a>	1033
<a href="#">PidTagMessageSize</a>	3636
<a href="#">PidTagNextSendAcct</a>	00000002eandersen@contoso.comeandersen@contoso.com
<a href="#">PidTagNormalizedSubject</a>	Tentative: Fabrikam Project Status Meeting
<a href="#">PidTagProcessed</a>	TRUE
<a href="#">PidTagReceivedByAddressType</a>	SMTP
<a href="#">PidTagReceivedByEmailAddress</a>	eandersen@contoso.com
<a href="#">PidTagReceivedByEntryId</a>	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
<a href="#">PidTagReceived</a>	Elizabeth Andersen

Name	Value
<a href="#">ByName</a>	
<a href="#">PidTagReceivedBySearchKey</a>	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
<a href="#">PidTagRecordKey</a>	cb: 4 lpb: A4072000
<a href="#">PidTagReplyRequested</a>	FALSE
<a href="#">PidTagResponseRequested</a>	FALSE
<a href="#">PidTagRtfInSync</a>	TRUE
<a href="#">PidTagSearchKey</a>	cb: 16 lpb: EA371E1E49192D488B899F787104CFC2
<a href="#">PidTagSenderAddressType</a>	SMTP
<a href="#">PidTagSenderEmailAddress</a>	sito@contoso.com
<a href="#">PidTagSenderEntryId</a>	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
<a href="#">PidTagSenderName</a>	Shu Ito
<a href="#">PidTagSenderSearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
<a href="#">PidTagSensitivity</a>	0
<a href="#">PidTagSentRepresentingAddressType</a>	SMTP
<a href="#">PidTagSentRepresentingEmailAddress</a>	sito@contoso.com
<a href="#">PidTagSentRepresentingEntryId</a>	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
<a href="#">PidTagSentRepresentingName</a>	Shu Ito
<a href="#">PidTagSentRepresentingSearchKey</a>	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00

Name	Value
<a href="#">Key</a>	
<a href="#">PidTagStartDate</a>	02:00:00.000 PM 2/13/2008
<a href="#">PidTagSubject</a>	Tentative: Fabrikam Project Status Meeting
<a href="#">PidTagSubjectPrefix</a>	
<a href="#">PidTagTransportMessageHeaders</a>	Return-Path: <site@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:54:00 -0800 From: "Shu Ito" <site@contoso.com> To: "Elizabeth Andersen" <eandersen@contoso.com> Subject: Tentative: Fabrikam Project Status meeting Date: Fri, 8 Feb 2008 13:53:53 -0800 Message-ID: <000101c86a9d\$1aa91f00\$4ffb5d00\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAAF91QAABcbsAAADFc4A== Content-Language: en-us



## 4 Security Considerations

Authentication of the source of an iCalendar is not supported. As such, Calendar object(s) resulting from the import of an iCalendar are only as trustworthy as the source of an iCalendar. This has special implications with regard to spoofing the ORGANIZER and ATTENDEE properties.

The FMTTYPE parameter of the ATTACH property (section [2.2.1.20.1.2](#)) can be mislabeled and it is recommended that it be verified. See [\[MS-OXCMAIL\]](#) section 4.3. Furthermore, since the ATTACH property encodes binary files, it can contain malicious content. This is particularly interesting because virus scanners might not be able to parse iCalendar data.

## 5 Appendix A: Product Behavior

The information in this specification is applicable to the following product versions. References to product versions include released service packs.

- Microsoft® Office Outlook® 2003
- Microsoft® Exchange Server 2003
- Microsoft® Office Outlook® 2007
- Microsoft® Exchange Server 2007
- Microsoft® Outlook® 2010
- Microsoft® Exchange Server 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

[<1> Section 1.1](#): Neither Outlook nor Exchange shifts the UTC start and end times of an appointment when the user's time zone changes (except when running the Time Zone Data Update tool for Microsoft Office Outlook or the Exchange Calendar Update Tool). However, on export to the iCalendar format, Outlook 2003, Outlook 2007, and Outlook 2010 will treat the all day event as an appointment with start and end times at midnight in floating time. Exchange 2003, Exchange 2007, and Exchange 2010 use X-MICROSOFT-CDO-ALLDAYEVENT to indicate all day events. In Calendar Objects, all day appointments are represented by setting [PidLidAppointmentSubType](#) to a non-zero value, and [PidLidAppointmentDuration](#) to a value evenly divisible by 1440.

[<2> Section 2.2.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support multiple VCALENDAR components in an iCalendar stream. Outlook 2007 and Outlook 2010 only support multiple VCALENDAR components when the METHOD property is PUBLISH

[<3> Section 2.2.1.1](#): Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of METHOD. On export, both implementations will use the 'REPLY' value. On import, Outlook 2003 will treat the METHOD as 'PUBLISH', while Exchange 2003 will treat the METHOD as 'REPLY'.

[<4> Section 2.2.1.1](#): Note that it is possible for a collection of two or more VEVENT components to represent a single appointment. However, Outlook 2003 has limited support for iCalendars with multiple VEVENT components. Exchange 2003, Exchange 2007, and Exchange 2010 have no support. Refer to the documentation on the RECURRENCE-ID Property in section 2.2.1.20.20 for additional information.

[<5> Section 2.2.1.1](#): Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of METHOD. On export, both implementations will use the 'REPLY' value. On import, Outlook 2003 will treat the METHOD as 'PUBLISH', while Exchange 2003 will treat the METHOD as 'REPLY'.

[<6> Section 2.2.1.4](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<7> [Section 2.2.1.4](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<8> [Section 2.2.1.5](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<9> [Section 2.2.1.5](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<10> [Section 2.2.1.6](#): Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<11> [Section 2.2.1.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<12> [Section 2.2.1.7](#): Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<13> [Section 2.2.1.7](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<14> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (**WebDAV**), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<15> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<16> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<17> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<18> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<19> [Section 2.2.1.9](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<20> [Section 2.2.1.9](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<21> [Section 2.2.1.10](#): Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<22> [Section 2.2.1.10](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<23> [Section 2.2.1.11](#): Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<24> [Section 2.2.1.11](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<25> [Section 2.2.1.12:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<26> [Section 2.2.1.12:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<27> [Section 2.2.1.13:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<28> [Section 2.2.1.13:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<29> [Section 2.2.1.13.1:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<30> [Section 2.2.1.13.1:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<31> [Section 2.2.1.14:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<32> [Section 2.2.1.14:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<33> [Section 2.2.1.15:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<34> [Section 2.2.1.15:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<35> [Section 2.2.1.16:](#) Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<36> [Section 2.2.1.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<37> [Section 2.2.1.16:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<38> [Section 2.2.1.16:](#) Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<39> [Section 2.2.1.17:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<40> [Section 2.2.1.17:](#) On import, Outlook 2007 and Outlook 2010 do not explicitly truncate X-WR-CALNAME to 255 WCHARs or filter out carriage return (U+000D) or line feed (U+000A) characters. However, the presentation layer may render the [PidTagDisplayName](#) of the Folder Object poorly if the X-WR-CALNAME contains more than 255 WCHARs or contains carriage return (U+000D) or line feed (U+000A) characters.

<41> [Section 2.2.1.17:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<42> [Section 2.2.1.17:](#) Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<43> [Section 2.2.1.18](#): Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<44> [Section 2.2.1.18](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<45> [Section 2.2.1.19](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support more than one VTIMEZONE component per iCalendar file.

<46> [Section 2.2.1.19](#): Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

<47> [Section 2.2.1.19](#): Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

<48> [Section 2.2.1.19](#): Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

<49> [Section 2.2.1.19.1](#): Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

<50> [Section 2.2.1.19.1](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not override [PidLidTimeZoneDescription](#).

<51> [Section 2.2.1.19.2](#): Outlook 2003 uses the first occurrence of the STANDARD component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if more than one STANDARD component is present in a VTIMEZONE.

<52> [Section 2.2.1.19.2.1](#): Outlook 2003 requires that STANDARD components contain either an RRULE or an RDATE. If an RDATE is present, Outlook 2003 converts it to a SYSTEMTIME and stores the resulting value in [PidLidTimeZoneStruct.stStandardDate](#). If no RRULE is present, Exchange 2003, Exchange 2007, and Exchange 2010 will convert the DTSTART to a SYSTEMTIME and store the resulting value in [PidLidTimeZoneStruct.stStandardDate](#).

<53> [Section 2.2.1.19.2.1](#): Outlook 2007 and Outlook 2010 use the year 1601.

<54> [Section 2.2.1.19.2.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import VTIMEZONES with RRULEs that use BYMONTHDAY instead of BYDAY.

<55> [Section 2.2.1.19.2.2](#): For transitions between Daylight Saving Time and Standard Time based on a specific day of the month, Outlook 2003 instead omits the RRULE and exports [PidLidTimeZoneStruct.stStandardDate](#) as an RDATE. Exchange 2003, Exchange 2007, and Exchange 2010 omit both the RRULE and RDATE, relying on DTSTART to convey the transition date.

<56> [Section 2.2.1.19.2.3](#): Outlook 2003 exports the TZNAME property with value 'Standard Time'.

<57> [Section 2.2.1.19.3](#): Outlook 2003 uses the first occurrence of the DAYLIGHT component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if a VTIMEZONE contains more than one DAYLIGHT component.

<58> [Section 2.2.1.19.3](#): Exchange 2003, Exchange 2007, and Exchange 2010 do export a DAYLIGHT component for time zones that do not observe DST. In this case, the TZOFFSETFROM and TZOFFSETTO properties for both the DAYLIGHT and STANDARD components are all set to the same value.

<59> [Section 2.2.1.19.3.3](#): Outlook 2003 exports the TZNAME property with value 'Daylight Saving Time'.

<60> [Section 2.2.1.20.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<61> [Section 2.2.1.20.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<62> [Section 2.2.1.20.1](#): Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2007 (MIME), and Exchange 2010 (MIME) ignore ATTACH properties specified as CID URIs and, instead, import all of the MIME attachments into the Message object, regardless of whether or not they are referenced in the iCalendar stream.

<63> [Section 2.2.1.20.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<64> [Section 2.2.1.20.1](#): Prior to Exchange 2007 Service Pack 1, Exchange 2007 (MIME) does not export ATTACH properties specified as CID URIs.

<65> [Section 2.2.1.20.1](#): Prior to Exchange 2007 Service Pack 1, Exchange 2007 (MIME) does not export ATTACH properties specified as CID URIs.

<66> [Section 2.2.1.20.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

<67> [Section 2.2.1.20.1.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties

<68> [Section 2.2.1.20.1.4](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<69> [Section 2.2.1.20.1.4](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

<70> [Section 2.2.1.20.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not parse attendee properties with value 'invalid:nomail'.

<71> [Section 2.2.1.20.2](#): Outlook 2007 uses the table below in place of Table 19:

CUTYPE	ROLE	Append CN to...
RESOURCE	(any)	<a href="#">PidLidNonSendableBcc</a>
ROOM	(any)	<a href="#">PidLidNonSendableBcc</a>
(any)	OPT-PARTICIPANT	<a href="#">PidLidNonSendableCc</a>
(any)	NON-PARTICIPANT	<a href="#">PidLidNonSendableCc</a>
(any)	(any)	<a href="#">PidLidNonSendableTo</a>

<72> [Section 2.2.1.20.2](#): Outlook 2003 imports only one attendee property when the METHOD property has value 'REPLY'. For any other value of METHOD, Outlook 2003 does not import any attendee properties.

<73> [Section 2.2.1.20.2](#): Outlook 2003 does not perform address book lookups on attendee properties. A one-off EntryID is always created.

<74> [Section 2.2.1.20.2](#): Outlook 2003 does not set this property.

<75> [Section 2.2.1.20.2](#): Outlook 2003 does not set this property.

<76> [Section 2.2.1.20.2](#): Outlook 2003 does not set this property.

<77> [Section 2.2.1.20.2](#): Outlook 2003 incorrectly adds the RECIPIENT\_ORGANIZER (0x00000002) bit to this property.

<78> [Section 2.2.1.20.2](#): Outlook 2003 always uses MAPI\_TO (0x00000001).

<79> [Section 2.2.1.20.2](#): Outlook 2003, Exchange 2003, Outlook 2007, Exchange 2007, and Exchange 2010 do not import the PARTSTAT parameter as [PidTagRecipientTrackStatus](#).

<80> [Section 2.2.1.20.2](#): Outlook 2003, Exchange 2003, Outlook 2007, Exchange 2007, and Exchange 2010 do not import the X-MS-OLK-RESPTIME parameter.

<81> [Section 2.2.1.20.2](#): Exchange 2007 and Exchange 2010 use the table below in place of Table 21:CUTYPEROLE PidTagRecipientType (any) CHAIRMAPI\_TO (0x00000001) (any) REQ-PARTICIPANTMAPI\_TO (0x00000001) (any) OPT-PARTICIPANTMAPI\_CC (0x00000002) resource (any) MAPI\_BCC (0x00000003) ROOM (any) MAPI\_BCC (0x00000003) (any) NON-PARTICIPANTMAPI\_CC (0x00000002) (any) (any) MAPI\_TO (0x00000001) Outlook 2007 uses the table below in place of Table 21:CUTYPEROLE PidTagRecipientType RESOURCE (any) 0x00000003 ROOM (any) 0x00000003 (any) OPT-PARTICIPANT 0x00000002 (any) NON-PARTICIPANT0x00000002 (any) (any) 0x00000001

<82> [Section 2.2.1.20.2](#): Exchange 2007 and Exchange 2010 do not check [PidLidAppointmentStateFlags](#) before exporting attendee properties.

<83> [Section 2.2.1.20.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the attendee property if no SMTP address is available.

<84> [Section 2.2.1.20.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

<85> [Section 2.2.1.20.2.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

<86> [Section 2.2.1.20.2.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

<87> [Section 2.2.1.20.2.2](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

<88> [Section 2.2.1.20.2.3](#): Outlook 2003, Exchange 2003, Outlook 2007, Exchange 2007, and Exchange 2010 do not import the PARTSTAT parameter for calendars with a METHOD of PUBLISH.

<89> [Section 2.2.1.20.2.3](#): Outlook 2003, Exchange 2003, Outlook 2007, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of publish.



<90> [Section 2.2.1.20.2.3](#): Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of publish.

<91> [Section 2.2.1.20.2.4](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 export a ROLE of 'REQ-PARTICIPANT' instead of omitting the ROLE parameter.

<92> [Section 2.2.1.20.2.4](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

<93> [Section 2.2.1.20.2.6](#): Outlook 2003, Exchange 2003, Outlook 2007, Exchange 2007, and Exchange 2010 do not import the X-MS-OLK-RESPTIME parameter.

<94> [Section 2.2.1.20.2.6](#): Outlook 2003, Exchange 2003, Outlook 2007, Exchange 2007, and Exchange 2010 do not export the X-MS-OLK-RESPTIME parameter from [PidLidAppointmentReplyTime](#) ([\[MS-OXPROPS\]](#) section 2.25).

<95> [Section 2.2.1.20.3](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<96> [Section 2.2.1.20.3](#): Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

<97> [Section 2.2.1.20.3](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<98> [Section 2.2.1.20.3](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<99> [Section 2.2.1.20.3](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<100> [Section 2.2.1.20.3](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<101> [Section 2.2.1.20.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 map SENSITIVITY\_PERSONAL (0x00000001) to the 'PERSONAL' value of the CLASS property.

<102> [Section 2.2.1.20.4](#): Outlook 2003 does not support the 'X-PERSONAL' value of the CLASS property. SENSITIVITY\_PERSONAL (0x00000001) is exported as 'PRIVATE'.

<103> [Section 2.2.1.20.5](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Outlook 2003 do not import or export the COMMENT property. For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Outlook 2007 and Outlook 2010 will export [PidTagBody](#) as both COMMENT and DESCRIPTION. In this same case, Outlook 2007 and Outlook 2010 will import [PidTagBody](#) from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified. Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import [PidTagBody](#) from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

<104> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the contact property.

<105> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.



<106> [Section 2.2.1.20.6](#): Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

<107> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<108> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<109> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<110> [Section 2.2.1.20.6](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<111> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<112> [Section 2.2.1.20.6](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the contact property.

<113> [Section 2.2.1.20.7](#): Outlook 2003 Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the CREATED property.

<114> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<115> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<116> [Section 2.2.1.20.8](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<117> [Section 2.2.1.20.8](#): Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<118> [Section 2.2.1.20.8](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALNDAR-ALLDAYEVENT properties.

<119> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<120> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and

[PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<121> [Section 2.2.1.20.8](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

<122> [Section 2.2.1.20.8](#): Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

<123> [Section 2.2.1.20.8.1](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<124> [Section 2.2.1.20.8.1](#): Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

<125> [Section 2.2.1.20.8.1](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<126> [Section 2.2.1.20.8.1](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<127> [Section 2.2.1.20.8.2](#): Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<128> [Section 2.2.1.20.9](#): Exchange 2003 and Exchange 2007 always import DTSTAMP as [PidLidAttendeeCriticalChange](#).

<129> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<130> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<131> [Section 2.2.1.20.10](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<132> [Section 2.2.1.20.10](#): Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<133> [Section 2.2.1.20.10](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

<134> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and

[PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<135> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<136> [Section 2.2.1.20.10](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

<137> [Section 2.2.1.20.10](#): Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

<138> [Section 2.2.1.20.10.1](#): Outlook 2003, Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

<139> [Section 2.2.1.20.10.1](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<140> [Section 2.2.1.20.10.1](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<141> [Section 2.2.1.20.10.1](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<142> [Section 2.2.1.20.10.2](#): Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<143> [Section 2.2.1.20.11](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Outlook 2003 do not import or export the COMMENT property. For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Outlook 2007 and Outlook 2010 will export [PidTagBody](#) as both COMMENT and DESCRIPTION. In this same case, Outlook 2007 and Outlook 2010 will import [PidTagBody](#) from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified. Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import [PidTagBody](#) from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

<144> [Section 2.2.1.20.11.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<145> [Section 2.2.1.20.12](#): Outlook 2003 does not import or export the DURATION property.

<146> [Section 2.2.1.20.13](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-EXDATE property.

<147> [Section 2.2.1.20.13](#): In certain cases, RecurrencePattern.DeletedInstanceDates will be exported as a X-MICROSOFT-EXDATE instead of an EXDATE. See section [2.2.1.20.39](#). Exchange 2003, Exchange 2007, and Exchange 2010 export EXDATES with times set to noon in the time zone specified by [PidLidTimeZoneStruct](#).

<148> [Section 2.2.1.20.13.2](#): Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<149> [Section 2.2.1.20.14](#): Exchange 2003 and Exchange 2007 import LAST-MODIFIED as [PidLidAttendeeCriticalChange](#).

<150> [Section 2.2.1.20.14](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

<151> [Section 2.2.1.20.15](#): Outlook 2003 does not apply this filter.

<152> [Section 2.2.1.20.15](#): Outlook 2003 does not apply this filter.

<153> [Section 2.2.1.20.15](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<154> [Section 2.2.1.20.15.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<155> [Section 2.2.1.20.16](#): Outlook 2003 does not import the organizer property when the METHOD property has a value of 'REPLY'.

<156> [Section 2.2.1.20.16](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

<157> [Section 2.2.1.20.16](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

<158> [Section 2.2.1.20.16](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export BASE64-encoded ATTACH properties.

<159> [Section 2.2.1.20.16](#): If the METHOD property of the iCalendar is 'REPLY', Outlook 2003 exports the first entry in the recipient table as an organizer, ignoring the constraints set forth in Table 27. For other values of the METHOD property, Outlook 2003 exports the Address Book object specified by [PidTagSentRepresentingEntryId](#) as an organizer.

<160> [Section 2.2.1.20.16](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the organizer property if no SMTP address is available.

<161> [Section 2.2.1.20.18](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATES.

<162> [Section 2.2.1.20.18](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATES.

<163> [Section 2.2.1.20.18](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATES.

<164> [Section 2.2.1.20.18.2](#): Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<165> [Section 2.2.1.20.20](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<166> [Section 2.2.1.20.20](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<167> [Section 2.2.1.20.20](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<168> [Section 2.2.1.20.20](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<169> [Section 2.2.1.20.20](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<170> [Section 2.2.1.20.20](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

<171> [Section 2.2.1.20.20.2](#): Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<172> [Section 2.2.1.20.21](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

<173> [Section 2.2.1.20.21](#): Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

<174> [Section 2.2.1.20.21](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

<175> [Section 2.2.1.20.21](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

<176> [Section 2.2.1.20.21](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

<177> [Section 2.2.1.20.22](#): Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import a [PidLidAppointmentSequence](#) of 0x00000000 if no SEQUENCE property is specified.

<178> [Section 2.2.1.20.23](#): Outlook 2003 does not import or export the STATUS property.

<179> [Section 2.2.1.20.24](#): Outlook 2003 does not apply these filters.

<180> [Section 2.2.1.20.24](#): Outlook 2003 does not apply these filters.

<181> [Section 2.2.1.20.24](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<182> [Section 2.2.1.20.24](#): Outlook 2003 leaves [PidTagSubject](#) unset when no SUMMARY is present.

<183> [Section 2.2.1.20.24](#): Outlook 2003 omits the SUMMARY property if [PidTagSubject](#) is unset or empty.

<184> [Section 2.2.1.20.24.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<185> [Section 2.2.1.20.24.1](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<186> [Section 2.2.1.20.25](#): Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to PidNameCalendarTransparent.

<187> [Section 2.2.1.20.25](#): Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to PidNameCalendarTransparent.

<188> [Section 2.2.1.20.26](#): The ByteArrayID is case-sensitive in Outlook 2007 and Outlook 2010.

<189> [Section 2.2.1.20.27](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.

<190> [Section 2.2.1.20.27](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.

<191> [Section 2.2.1.20.28](#): Outlook 2007 and Outlook 2010 check to see if DTEND falls on midnight in the time zone specified by DTSTART.

<192> [Section 2.2.1.20.28](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

<193> [Section 2.2.1.20.28](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<194> [Section 2.2.1.20.28](#): Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<195> [Section 2.2.1.20.28](#): Exchange 2003, Exchange 2007, and Exchange 2010 export X-MICROSOFT-CDO-ALLDAYEVENT.

<196> [Section 2.2.1.20.29](#): Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export X-MICROSOFT-CDO-APPT-SEQUENCE.

<197> [Section 2.2.1.20.29](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<198> [Section 2.2.1.20.30](#): Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.

<199> [Section 2.2.1.20.30](#): Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.

<200> [Section 2.2.1.20.31](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-BUSYSTATUS property.



<201> [Section 2.2.1.20.33](#): Exchange 2003, Exchange 2007, and Exchange 2010 export a X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.

<202> [Section 2.2.1.20.34](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<203> [Section 2.2.1.20.34](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<204> [Section 2.2.1.20.34](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<205> [Section 2.2.1.20.34](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<206> [Section 2.2.1.20.35](#): Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

<207> [Section 2.2.1.20.36](#): Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

<208> [Section 2.2.1.20.36](#): Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

<209> [Section 2.2.1.20.37](#): If the METHOD property has value 'REPLY', Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) will import X-MICROSOFT-CDO-REPLYTIME as [PidLidAttendeeCriticalChange](#) in addition to [PidLidAppointmentReplyTime](#).

<210> [Section 2.2.1.20.37](#): Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-REPLYTIME property.

<211> [Section 2.2.1.20.38](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-DISALLOW-COUNTER property.

<212> [Section 2.2.1.20.39](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

<213> [Section 2.2.1.20.39](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

<214> [Section 2.2.1.20.40](#): Exchange 2003, Exchange 2007, Exchange 2010, Outlook 2003, and Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

<215> [Section 2.2.1.20.40](#): Exchange 2003, Exchange 2007, Exchange 2010, Outlook 2003, and Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

<216> [Section 2.2.1.20.41](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT property.

<217> [Section 2.2.1.20.42](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-BUSYSTATUS property.

<218> [Section 2.2.1.20.43](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-IMPORTANCE property.

<219> [Section 2.2.1.20.44](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<220> [Section 2.2.1.20.45.2](#): Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

<221> [Section 2.2.1.20.46](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ALLOWEXTERNCHECK property.

<222> [Section 2.2.1.20.47](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTLASTSEQUENCE property.

<223> [Section 2.2.1.20.48](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.

<224> [Section 2.2.1.20.48](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.

<225> [Section 2.2.1.20.49](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOFILLLOCATION property.

<226> [Section 2.2.1.20.50](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOSTARTCHECK property.

<227> [Section 2.2.1.20.51](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-COLLABORATEDOC property.

<228> [Section 2.2.1.20.52](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFHECK property.

<229> [Section 2.2.1.20.53](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFTYPE property.

<230> [Section 2.2.1.20.54](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-DIRECTORY property.

<231> [Section 2.2.1.20.55](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-MWSURL property.

<232> [Section 2.2.1.20.56](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-NETSHOWURL property.

<233> [Section 2.2.1.20.57](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ONLINEPASSWORD property.

<234> [Section 2.2.1.20.58](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ORGALIAS property.

<235> [Section 2.2.1.20.59](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).



<236> [Section 2.2.1.20.59](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<237> [Section 2.2.1.20.60](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<238> [Section 2.2.1.20.60](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<239> [Section 2.2.1.20.61](#): Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-SENDER property.

<240> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<241> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<242> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<243> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<244> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<245> [Section 2.2.1.20.61.1](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE

<246> [Section 2.2.1.20.62](#): Outlook 2003, Outlook 2007, Outlook 2010, and Exchange 2003 ignore TRIGGER properties that are specified as Date-Time.

<247> [Section 2.2.1.20.62](#): In this case, Exchange 2003, Exchange 2007, and Exchange 2010 set [PidLidReminderDelta](#) to 0x0000000F for all Calendar objects.

<248> [Section 2.2.1.20.62](#): Outlook 2003 does not set [PidLidReminderSignalTime](#).

<249> [Section 2.2.1.20.62](#): Outlook 2003, Outlook 2007, Outlook 2010, and Exchange 2003 ignore TRIGGER properties that are specified as Date-Time.

<250> [Section 2.3.1.2](#): For Outlook 2003, the maximum INTERVAL of a YEARLY recurrence is 1.

<251> [Section 2.3.1.10](#): Outlook 2003 does not apply this filter.

<252> [Section 2.3.1.11](#): Exchange 2003, Exchange 2007, and Exchange 2010 export a X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.

<253> [Section 2.3.2](#): Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

<254> [Section 2.3.2.1](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<255> [Section 2.3.2.1](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<256> [Section 2.3.2.1](#): Exchange 2007 (MIME) and Exchange 2010 (MIME) does not follow this guidance.

<257> [Section 2.3.2.1](#): Outlook 2003, Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

<258> [Section 2.3.2.1](#): Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<259> [Section 2.3.2.1](#): Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

<260> [Section 2.3.2.2](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<261> [Section 2.3.2.2](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<262> [Section 2.3.2.2](#): Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<263> [Section 2.3.2.2](#): Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

<264> [Section 2.3.2.3](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<265> [Section 2.3.2.3](#): Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

<266> [Section 2.3.2.3](#): Outlook 2003 imports **BYMONTHDAY** directly into **PatternTypeSpecific.Month.Day**.

<267> [Section 2.3.2.3](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<268> [Section 2.3.2.3](#): Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as **BYMONTHDAY**.

<269> [Section 2.3.2.3](#): Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<270> [Section 2.3.2.3](#): Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

<271> [Section 2.3.2.4](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<272> [Section 2.3.2.4](#): Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

<273> [Section 2.3.2.4](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<274> [Section 2.3.2.4](#): Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<275> [Section 2.3.2.4](#): Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

<276> [Section 2.3.2.5](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<277> [Section 2.3.2.5](#): Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

<278> [Section 2.3.2.5](#): Outlook 2003 imports **BYMONTHDAY** directly into **PatternTypeSpecific.Month.Day**.

<279> [Section 2.3.2.5](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<280> [Section 2.3.2.5](#): Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as **BYMONTHDAY**.

<281> [Section 2.3.2.5](#): Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<282> [Section 2.3.2.5](#): Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

<283> [Section 2.3.2.6](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<284> [Section 2.3.2.6](#): Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

<285> [Section 2.3.2.6](#): Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<286> [Section 2.3.2.6](#): Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<287> [Section 2.3.2.6](#): Outlook 2003 will export **FirstDOW** as the WKST recurrence part as specified in Table 48, regardless of whether or not it is relevant.

<288> [Section 2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

<289> [Section 2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

<290> [Section 2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Outlook 2003.

## 6 Change Tracking

This section identifies changes made to [MS-OXCICAL] protocol documentation between February 2010 and May 2010 releases. Changes are classed as major, minor, or editorial.

**Major** changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- A protocol is deprecated.
- The removal of a document from the documentation set.
- Changes made for template compliance.

**Minor** changes do not affect protocol interoperability or implementation. Examples are updates to fix technical accuracy or ambiguity at the sentence, paragraph, or table level.

**Editorial** changes apply to grammatical, formatting, and style issues.

**No changes** means that the document is identical to its last release.

Major and minor changes can be described further using the following revision types:

- New content added.
- Content update.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.

- Content removed for template compliance.
- Obsolete document removed.

Editorial changes always have the revision type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

**Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.

**Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

Changes are listed in the following table. If you need further information, please contact [protocol@microsoft.com](mailto:protocol@microsoft.com).

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<a href="#">1.3 Overview</a>	Updated the section title.	N	Content updated for template compliance.
<a href="#">2.2.1.20.1.2 Parameter: FMTTYPE</a>	55089 Revised normative language and deleted product behavior note in description of exporting FMTTYPE.	N	Content update.
<a href="#">2.2.1.20.2 Property: ATTENDEE</a>	53494 Added guidance for importing PidTagRecipientTrackStatus and PidTagRecipientTrackStatusTime.	N	Content update.
<a href="#">2.2.1.20.2.3 Parameter: PARTSTAT</a>	53494 Added guidance for importing PARTSTAT when the METHOD is PUBLISH.	N	Content update.
<a href="#">2.2.1.20.2.6 Parameter: X-MS-OLK-RESPTIME</a>	53494 Added information for "X-MS-OLK-RESPTIME" parameter.	N	New content added.
<a href="#">2.2.1.20.32 Property: X-MICROSOFT-CDO-IMPORTANCE</a>	55089 Revised normative language and removed product behavior note in description of exporting X-MICROSOFT-CDO-IMPORTANCE.	N	Content update.

## 7 Index

### A

[Applicability](#) 10

### B

[Birthday Calendar for 2008 example](#) 108

### C

[Change tracking](#) 352

[Common data types and fields](#) 11

### D

[Data types and fields - common](#) 11

Details

[common data types and fields](#) 11

### E

[Example](#) 108

Examples

[Birthday Calendar for 2008](#) 108

[Recurring Meeting Scenario](#) 262

Schedule for the Week of June 16

[2008](#) 152

[Single Meeting Scenario](#) 217

### F

[Fields - vendor-extensible](#) 10

### G

[Glossary](#) 7

### I

[Implementer - security considerations](#) 333

[Introduction](#) 7

### L

[Localization](#) 10

### N

[Normative references](#) 8

### O

[Overview](#) 9

### P

[Product behavior](#) 334

### R

[Recurring Meeting Scenario example](#) 262

References

[normative](#) 8

[Relationship to protocols and other structures](#) 9

### S

Schedule for the Week of June 16

[2008 example](#) 152

[Security - implementer considerations](#) 333

[Single Meeting Scenario example](#) 217

Structures

[overview](#) 11

### T

[Tracking changes](#) 352

### V

[Vendor-extensible fields](#) 10

[Versioning and Localization](#) 10