

[MS-OXCICAL]: iCalendar to Appointment Object Conversion Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplq@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability.
04/25/2008	0.2		Revised and updated property names and other technical content.
06/27/2008	1.0		Initial Release.
08/06/2008	1.01		Revised and edited technical content.
09/03/2008	1.02		Revised and edited technical content.
10/01/2008	1.03		Revised and edited technical content.
12/03/2008	1.04		Updated IP notice.
03/04/2009	1.05		Revised and edited technical content.
04/10/2009	2.0		Updated technical content and applicable product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	4.0.0	Major	Updated and revised the technical content.
02/10/2010	4.0.0	None	Version 4.0.0 release
05/05/2010	4.1.0	Minor	Updated the technical content.
08/04/2010	4.2	Minor	Clarified the meaning of the technical content.
11/03/2010	4.3	Minor	Clarified the meaning of the technical content.

Contents

1 Introduction	7
1.1 Glossary	7
1.2 References	8
1.2.1 Normative References	8
1.2.2 Informative References	10
1.3 Overview	10
1.4 Relationship to Protocols and Other Structures	10
1.5 Applicability Statement	10
1.6 Versioning and Localization	10
1.7 Vendor-Extensible Fields	10
2 Structures	12
2.1 Property Relevance	12
2.2 Hierarchy of Components, Properties, and Parameters	16
2.2.1 Component: VCALENDAR	17
2.2.1.1 Property: METHOD	17
2.2.1.2 Property: PRODID	18
2.2.1.3 Property: VERSION	18
2.2.1.4 Property: X-CALEND	18
2.2.1.4.1 Parameter: TZID	19
2.2.1.5 Property: X-CALSTART	19
2.2.1.5.1 Parameter: TZID	19
2.2.1.6 Property: X-CLIPEND	20
2.2.1.6.1 Parameter: TZID	20
2.2.1.7 Property: X-CLIPSTART	20
2.2.1.7.1 Parameter: TZID	21
2.2.1.8 Property: X-MICROSOFT-CALSCALE	21
2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN	23
2.2.1.10 Property: X-MS-WKHRDAYS	24
2.2.1.11 Property: X-MS-WKHREND	24
2.2.1.11.1 Parameter: TZID	24
2.2.1.12 Property: X-MS-WKHRSTART	25
2.2.1.12.1 Parameter: TZID	25
2.2.1.13 Property: X-OWNER	25
2.2.1.13.1 Parameter: CN	26
2.2.1.14 Property: X-PRIMARY-CALENDAR	26
2.2.1.15 Property: X-PUBLISHED-TTL	26
2.2.1.16 Property: X-WR-CALDESC	27
2.2.1.17 Property: X-WR-CALNAME	27
2.2.1.18 Property: X-WR-RELCALID	27
2.2.1.19 Component: VTIMEZONE	28
2.2.1.19.1 Property: TZID	29
2.2.1.19.2 Component: STANDARD	30
2.2.1.19.2.1 Property: DTSTART	30
2.2.1.19.2.2 Property: RRULE	32
2.2.1.19.2.3 Property: TZNAME	33
2.2.1.19.2.4 Property: TZOFFSETFROM	34
2.2.1.19.2.5 Property: TZOFFSETTO	34
2.2.1.19.3 Component: DAYLIGHT	34
2.2.1.19.3.1 Property: DTSTART	35

2.2.1.19.3.2	Property: RRULE	35
2.2.1.19.3.3	Property: TZNAME	35
2.2.1.19.3.4	Property: TZOFFSETFROM	36
2.2.1.19.3.5	Property: TZOFFSETTO	36
2.2.1.20	Component: VEVENT	36
2.2.1.20.1	Property: ATTACH	37
2.2.1.20.1.1	Parameter: ENCODING	39
2.2.1.20.1.2	Parameter: FMTTYPE	39
2.2.1.20.1.3	Parameter: VALUE	39
2.2.1.20.1.4	Parameter: X-FILENAME	40
2.2.1.20.2	Property: ATTENDEE	40
2.2.1.20.2.1	Parameter: CN	42
2.2.1.20.2.2	Parameter: CUTYPE	43
2.2.1.20.2.3	Parameter: PARTSTAT	43
2.2.1.20.2.4	Parameter: ROLE	44
2.2.1.20.2.5	Parameter: RSVP	44
2.2.1.20.2.6	Parameter: X-MS-OLK-RESPTIME	45
2.2.1.20.3	Property: CATEGORIES	45
2.2.1.20.4	Property: CLASS	46
2.2.1.20.5	Property: COMMENT	46
2.2.1.20.6	Property: CONTACT	47
2.2.1.20.7	Property: CREATED	47
2.2.1.20.8	Property: DTEND	48
2.2.1.20.8.1	Parameter: TZID	48
2.2.1.20.8.2	Parameter: VALUE	49
2.2.1.20.9	Property: DTSTAMP	49
2.2.1.20.9.1	Parameter: TZID	50
2.2.1.20.10	Property: DTSTART	50
2.2.1.20.10.1	Parameter: TZID	51
2.2.1.20.10.2	Parameter: VALUE	51
2.2.1.20.11	Property: DESCRIPTION	52
2.2.1.20.11.1	Parameter: LANGUAGE	52
2.2.1.20.12	Property: DURATION	52
2.2.1.20.13	Property: EXDATE	53
2.2.1.20.13.1	Parameter: TZID	54
2.2.1.20.13.2	Parameter: VALUE	54
2.2.1.20.14	Property: LAST-MODIFIED	54
2.2.1.20.15	Property: LOCATION	55
2.2.1.20.15.1	Parameter: LANGUAGE	55
2.2.1.20.16	Property: ORGANIZER	55
2.2.1.20.16.1	Parameter: CN	56
2.2.1.20.17	Property: PRIORITY	57
2.2.1.20.18	Property: RDATE	58
2.2.1.20.18.1	Parameter: TZID	60
2.2.1.20.18.2	Parameter: VALUE	60
2.2.1.20.19	Property: RRULE	61
2.2.1.20.20	Property: RECURRENCE-ID	61
2.2.1.20.20.1	Parameter: TZID	63
2.2.1.20.20.2	Parameter: VALUE	63
2.2.1.20.21	Property: RESOURCES	64
2.2.1.20.22	Property: SEQUENCE	64
2.2.1.20.23	Property: STATUS	64
2.2.1.20.24	Property: SUMMARY	65

2.2.1.20.24.1	Parameter: LANGUAGE	65
2.2.1.20.25	Property: TRANSP.....	66
2.2.1.20.26	Property: UID.....	66
2.2.1.20.27	Property: X-ALT-DESC.....	69
2.2.1.20.27.1	Parameter: FMTTYPE	70
2.2.1.20.28	Property: X-MICROSOFT-CDO-ALLDAYEVENT	70
2.2.1.20.29	Property: X-MICROSOFT-CDO-APPT-SEQUENCE	71
2.2.1.20.30	Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE	71
2.2.1.20.31	Property: X-MICROSOFT-CDO-BUSYSTATUS	71
2.2.1.20.32	Property: X-MICROSOFT-CDO-IMPORTANCE	72
2.2.1.20.33	Property: X-MICROSOFT-CDO-INSTTYPE	72
2.2.1.20.34	Property: X-MICROSOFT-CDO-INTENDEDSTATUS	72
2.2.1.20.35	Property: X-MICROSOFT-CDO-OWNERAPPTID	73
2.2.1.20.36	Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.....	73
2.2.1.20.37	Property: X-MICROSOFT-CDO-REPLYTIME	74
2.2.1.20.38	Property: X-MICROSOFT-DISALLOW-COUNTER	74
2.2.1.20.39	Property: X-MICROSOFT-EXDATE	74
2.2.1.20.39.1	Parameter: VALUE	75
2.2.1.20.40	Property: X-MICROSOFT-ISDRAFT	75
2.2.1.20.41	Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	75
2.2.1.20.42	Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS	76
2.2.1.20.43	Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE	76
2.2.1.20.44	Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS.....	76
2.2.1.20.45	Property: X-MICROSOFT-RRULE	77
2.2.1.20.45.1	Parameter: VALUE	77
2.2.1.20.45.2	Parameter: X-MICROSOFT-ISLEAPMONTH	77
2.2.1.20.46	Property: X-MS-OLK-ALLOWEXTERNCHECK.....	78
2.2.1.20.47	Property: X-MS-OLK-APPTLASTSEQUENCE	78
2.2.1.20.48	Property: X-MS-OLK-APPTSEQTIME.....	78
2.2.1.20.48.1	Parameter: TZID.....	78
2.2.1.20.49	Property: X-MS-OLK-AUTOFILLOCATION	79
2.2.1.20.50	Property: X-MS-OLK-AUTOSTARTCHECK.....	79
2.2.1.20.51	Property: X-MS-OLK-COLLABORATEDOC.....	79
2.2.1.20.52	Property: X-MS-OLK-CONFCHK	79
2.2.1.20.53	Property: X-MS-OLK-CONFTYPE.....	80
2.2.1.20.54	Property: X-MS-OLK-DIRECTORY	80
2.2.1.20.55	Property: X-MS-OLK-MWSURL.....	80
2.2.1.20.56	Property: X-MS-OLK-NETSHOWURL	80
2.2.1.20.57	Property: X-MS-OLK-ONLINEPASSWORD	81
2.2.1.20.58	Property: X-MS-OLK-ORGALIAS.....	81
2.2.1.20.59	Property: X-MS-OLK-ORIGALEND	81
2.2.1.20.60	Property: X-MS-OLK-ORIGINALSTART	82
2.2.1.20.61	Property: X-MS-OLK-SENDER.....	82
2.2.1.20.61.1	Parameter: CN.....	82
2.2.1.20.62	Component: VALARM	83
2.2.1.20.62.1	Property: TRIGGER	84
2.2.1.20.62.2	Property: ACTION	84
2.2.1.20.62.3	Property: DESCRIPTION.....	84
2.3	Additional Information on Recurrences	85
2.3.1	iCalendar Recurrence Syntax	85
2.3.1.1	Recurrence Part: FREQ	85
2.3.1.2	Recurrence Part: INTERVAL	85
2.3.1.3	Recurrence Part: BYMINUTE.....	86

2.3.1.4	Recurrence Part: BYHOUR.....	86
2.3.1.5	Recurrence Part: BYMONTHDAY.....	86
2.3.1.6	Recurrence Part: BYDAY	86
2.3.1.7	Recurrence Part: BYMONTH	87
2.3.1.8	Recurrence Part: BYSETPOS.....	87
2.3.1.9	Recurrence Part: WKST	88
2.3.1.10	Recurrence Part: UNTIL	88
2.3.1.11	Recurrence Part: COUNT.....	88
2.3.2	Recurrence Templates.....	89
2.3.2.1	Template: Daily Recurrences.....	90
2.3.2.2	Template: Weekly Recurrences.....	94
2.3.2.3	Template: Monthly Recurrences.....	97
2.3.2.4	Template: Monthly Nth Recurrences.....	99
2.3.2.5	Template: Yearly Recurrences	101
2.3.2.6	Template: Yearly Nth Recurrences	104
2.3.3	End-of-Month Concerns.....	106
2.3.4	Legacy UNTIL Concerns.....	106
3	Structure Examples	108
3.1	Example Birthday Calendar for 2008	108
3.2	Example Schedule for the Week of June 16, 2008	150
3.3	Example Single Meeting Scenario.....	212
3.3.1	Organizer's Meeting Request.....	212
3.3.2	Attendee's Meeting Acceptance	229
3.3.3	Organizer's Cancellation	238
3.4	Example Recurring Meeting Scenario.....	255
3.4.1	Organizer's Meeting Request.....	256
3.4.2	Organizer's Cancellation of an Instance	274
3.4.3	Organizer's Location Change of an Instance.....	292
3.4.4	Attendee's Tentative Acceptance of the Series	311
4	Security Considerations.....	322
5	Appendix A: Product Behavior	323
6	Change Tracking.....	343
7	Index	346

1 Introduction

The iCalendar file format, as specified in [\[RFC2445\]](#), specifies an extensible text structure that is capable of serializing a wide variety of calendar data, including meeting requests, task items, **free/busy** information, and exported calendars.

This document specifies how the iCalendar file format could be used by a **Calendar object** application as specified in [\[MS-OXOCAL\]](#) to communicate with other calendaring systems over non-**Message object** transports such as **SMTP**.

1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

- address book**
- Address Book object**
- appointment**
- attachment**
- Attachment object**
- attendee**
- Augmented Backus-Naur Form (ABNF)**
- base64 encoding**
- binary large object (BLOB)**
- busy**
- calendar**
- Calendar object**
- change number (CN)**
- code page**
- Coordinated Universal Time (UTC)**
- counter proposal**
- delegate**
- entry ID**
- exception**
- Folder object**
- free/busy**
- GUID**
- Hypertext Markup Language (HTML)**
- instance**
- little-endian**
- meeting request**
- Meeting Workspace**
- Message object**
- MIME**
- MIME part**
- one-off address**
- one-off EntryID**
- organizer**
- parameter**
- property(2)**
- recipient**
- recipient table**
- recurrence pattern**
- Recurring Calendar object**
- reminder**

Rich Text Format (RTF)
signal time
Simple Mail Transfer Protocol (SMTP)
Stream
tentative
Unicode
Uniform Resource Identifier (URI)
Uniform Resource Locator (URL)
WebDAV

The following terms are specific to this document:

all day: An all day appointment is an appointment with a floating start time at midnight of a given day, and a floating end time at midnight of another (or the same) day. <1>

component: In the context of [RFC2445], a component refers to a hierarchical object described in an iCalendar file. An iCalendar component can recursively contain any number of child components and any number of **properties**. More information regarding iCalendar components can be found in [RFC2445] section 4.6.

floating: In the context of [RFC2445], a floating time represents a time to be interpreted in the observer's location and does not necessarily translate into the same **Coordinated Universal Time (UTC)** time in different locations. For example, a reminder for an appointment that starts at 1/1/2008 at 2:00pm floating time would fire two hours earlier in Athens than it would in London. More information regarding the syntax and interpretation of floating times can be found in [RFC2445] section 4.3.5.

one-off: A recipient that is identified by a **one-off EntryID** and/or **one-off address** rather than an **Address Book object entry ID**.

primary calendar: A primary calendar is the calendar its owner schedules against. In particular, meeting requests and responses are processed against **Calendar objects** in the primary calendar. Non-primary calendars do not reflect the calendar owner's free/busy schedule and tend to be more thematic and informational in nature.

recurrence part: A name-value pair in a **property** of type Recurrence Rule ([RFC2445] section 4.3.10). All recurrence parts relevant to this specification are given under 2.3.1.

week independent: A BYDAY recurrence part is considered week independent if it does not specify any week numbers.

x-prop: In the context of [RFC2445], an x-prop refers to a **property**, parameter, or component that is not explicitly described in [RFC2445]. [RFC2445] section 4.8.8.1 requires that the names of all such nonstandard **properties**, parameters, and components begin with the substring 'X-'.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We

will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-LCID] Microsoft Corporation, "Windows Language Code Identifier (LCID) Reference", March 2007, <http://msdn.microsoft.com/en-us/library/cc233965.aspx>

[MS-OXCDATA] Microsoft Corporation, "[Data Structures](#)", April 2008.

[MS-OXCMAIL] Microsoft Corporation, "[RFC2822 and MIME to E-Mail Object Conversion Protocol Specification](#)", April 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", April 2008.

[MS-OXOABK] Microsoft Corporation, "[Address Book Object Protocol Specification](#)", April 2008.

[MS-OXOCAL] Microsoft Corporation, "[Appointment and Meeting Object Protocol Specification](#)", April 2008.

[MS-OXOMSG] Microsoft Corporation, "[E-Mail Object Protocol Specification](#)", April 2008.

[MS-OXPROPS] Microsoft Corporation, "[Exchange Server Protocols Master Property List](#)", April 2008.

[MS-OXRTFCP] Microsoft Corporation, "[Rich Text Format \(RTF\) Compression Protocol Specification](#)", April 2008.

[MS-OXRTFEX] Microsoft Corporation, "[Rich Text Format \(RTF\) Extensions Specification](#)", April 2008.

[RFC1766] Alvestrand, H., "Tags for the Identification of Languages", RFC 1766, March 1995, <http://www.ietf.org/rfc/rfc1766.txt>

[RFC2045] Freed, N., and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://www.ietf.org/rfc/rfc2045.txt>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

[RFC2368] Hoffman, P., Masinter, L., and Zawinski, J., "The mailto URL scheme", RFC 2368, July 1998, <http://www.ietf.org/rfc/rfc2368.txt>

[RFC2392] Levinson, E., "Content-ID and Message-ID Uniform Resource Locators", RFC 2392, August 1998, <ftp://ftp.rfc-editor.org/in-notes/rfc2392.txt>

[RFC2445] Dawson, F., and Stenerson, D., "Internet Calendaring and Scheduling Core Object Specification (iCalendar)", RFC 2445, November 1998, <http://www.ietf.org/rfc/rfc2445.txt>

[RFC2446] Silverberg, S., Mansour, S., Dawson, F., and Hopson, R., "iCalendar Transport-Independent Interoperability Protocol (iTIP) Scheduling Events, BusyTime, To-dos and Journal Entries", RFC 2446, November 1998, <http://www.ietf.org/rfc/rfc2446.txt>

[RFC2447] Dawson, F., Mansour, S., and Silverberg, S., "iCalendar Message-Based Interoperability Protocol (iMIP)", RFC 2447, November 1998, <ftp://ftp.rfc-editor.org/in-notes/rfc2447.txt>

[RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", STD 63, RFC 3629, November 2003, <http://www.ietf.org/rfc/rfc3629.txt>

[RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>

[RFC5234] Crocker, D., Ed., and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", STD 68, RFC 5234, January 2008, <http://www.ietf.org/rfc/rfc5234.txt>

1.2.2 Informative References

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

1.3 Overview

This document specifies how the iCalendar file format can be used by a Calendar object application as specified in [\[MS-OXOCAL\]](#) to communicate with other calendaring systems over non-Message object transports. More specifically, this document describes how to import iCalendar data into a Calendar object and how to export Calendar objects as iCalendar data.

1.4 Relationship to Protocols and Other Structures

This document specifies a mapping between the iCalendar file format [\[RFC2445\]](#) and a Calendar object (specified in [\[MS-OXOCAL\]](#)), which can be updated and sent using the protocols specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).

When used as a **meeting request**, the iCalendar file format can be embedded as a **MIME** part in an e-mail as described in [\[RFC2447\]](#) and specified in [\[MS-OXCMAIL\]](#).

1.5 Applicability Statement

This file format is applicable for scenarios where **calendar** data needs to be transported between a Calendar object source and a non-Calendar object or indeterminate destination. This file format is best avoided if 100 percent fidelity is required when transporting calendar data between a Calendar object source and a Calendar object destination.

1.6 Versioning and Localization

This document covers versioning issues in the following areas:

- **Structure Version:** The iCalendar file format defines a VERSION **property**, as specified in section [2.2.1.3](#).
- **Localization:** The iCalendar file format defines a LANGUAGE parameter, as specified in section [2.2.1.20.11.1](#), section [2.2.1.20.15.1](#), and section [2.2.1.20.24.1](#).

Versioning is not a concern for the iCalendar file format because only one version has been approved by the IETF as of Q1 2008.

Similarly, localization is generally not an issue because the default encoding of an iCalendar file is UTF-8 (specified in [\[RFC3629\]](#)), so all implementers are expected to handle **Unicode** data. Localization issues might arise if an implementation chooses to override the default character set in the context of a **MIME part**.

1.7 Vendor-Extensible Fields

[\[RFC2445\]](#) section 4.8.8.1 permits the insertion of non-standard **components**, properties, and **parameters** into the iCalendar file. The primary requirement of these extensible fields is that the

name begin with 'X-', and as such, they are often termed x-components, **x-props**, and x-parameters. This document specifies several x-props to increase the fidelity of the conversion between Calendar objects and the iCalendar file format.

2 Structures

The structure of the iCalendar text **stream** is described in [\[RFC2445\]](#) section 4.1.

2.1 Property Relevance

Section [2.2](#) specifies over 100 components, properties, and parameters that can be converted between the iCalendar and Calendar object. The following table provides recommendations regarding the actual relevance of each component, property, and parameter to the scenarios defined by five values of the METHOD property: 'PUBLISH' (PUB), 'REQUEST' (REQ), 'REPLY' (REP), 'COUNTER' (COU), and 'CANCEL' (CAN) [\[RFC2446\]](#).

For clarity, 'No's are represented by a blank space. The '•' symbol is used to indicate hierarchy placement.

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
VCALENDAR	2.2.1	Yes	Yes	Yes	Yes	Yes
• METHOD	2.2.1.1	Yes	Yes	Yes	Yes	Yes
• PRODID	2.2.1.2	Yes	Yes	Yes	Yes	Yes
• VERSION	2.2.1.3	Yes	Yes	Yes	Yes	Yes
• X-CALEND	2.2.1.4	Yes				
• • TZID	2.2.1.4.1	Yes				
• X-CALSTART	2.2.1.5	Yes				
• • TZID	2.2.1.5.1	Yes				
• X-CLIPEND	2.2.1.6	Yes				
• • TZID	2.2.1.6.1	Yes				
• X-CLIPSTART	2.2.1.7	Yes				
• • TZID	2.2.1.7.1	Yes				
• X-MICROSOFT-CALSCALE	2.2.1.8	Yes	Yes	Yes	Yes	Yes
• X-MS-OLK-FORCEINSPECTOROPEN	2.2.1.9	Yes				
• X-MS-WKHRDAYS	2.2.1.10	Yes				
• X-MS-WKHREND	2.2.1.11	Yes				
• • TZID	2.2.1.11.1	Yes				
• X-MS-WKHRSTART	2.2.1.12	Yes				
• • TZID	2.2.1.12.1	Yes				
• X-OWNER	2.2.1.13	Yes				
• • CN	2.2.1.13.1	Yes				

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• X-PRIMARY-CALENDAR	2.2.1.14	Yes				
• X-PUBLISHED-TTL	2.2.1.15	Yes				
• X-WR-CALDESC	2.2.1.16	Yes				
• X-WR-CALNAME	2.2.1.17	Yes				
• X-WR-RELCALID	2.2.1.18	Yes				
• VTIMEZONE	2.2.1.19	Yes	Yes	Yes	Yes	Yes
• • TZID	2.2.1.19.1	Yes	Yes	Yes	Yes	Yes
• • • STANDARD	2.2.1.19.2	Yes	Yes	Yes	Yes	Yes
• • • • DTSTART	2.2.1.19.2.1	Yes	Yes	Yes	Yes	Yes
• • • • RRULE	2.2.1.19.2.2	Yes	Yes	Yes	Yes	Yes
• • • • TZNAME	2.2.1.19.2.3	Yes	Yes	Yes	Yes	Yes
• • • • TZOFFSETFROM	2.2.1.19.2.4	Yes	Yes	Yes	Yes	Yes
• • • • TZOFFSETTO	2.2.1.19.2.5	Yes	Yes	Yes	Yes	Yes
• • DAYLIGHT	2.2.1.19.3	Yes	Yes	Yes	Yes	Yes
• • • DTSTART	2.2.1.19.3.1	Yes	Yes	Yes	Yes	Yes
• • • RRULE	2.2.1.19.3.2	Yes	Yes	Yes	Yes	Yes
• • • TZNAME	2.2.1.19.3.3	Yes	Yes	Yes	Yes	Yes
• • • TZOFFSETFROM	2.2.1.19.3.4	Yes	Yes	Yes	Yes	Yes
• • • TZOFFSETTO	2.2.1.19.3.5	Yes	Yes	Yes	Yes	Yes
• VEVENT	2.2.1.20	Yes	Yes	Yes	Yes	Yes
• • ATTACH	2.2.1.20.1	Yes				
• • • ENCODING	2.2.1.20.1.1	Yes				
• • • FMTPYPE	2.2.1.20.1.2	Yes				
• • • VALUE	2.2.1.20.1.3	Yes				
• • • X-FILENAME	2.2.1.20.1.4	Yes				
• • ATTENDEE	2.2.1.20.2	Yes	Yes	Yes	Yes	Yes
• • • CN	2.2.1.20.2.1	Yes	Yes	Yes	Yes	Yes
• • • CUTYPE	2.2.1.20.2.2	Yes	Yes	Yes	Yes	Yes
• • • PARTSTAT	2.2.1.20.2.3			Yes	Yes	
• • • ROLE	2.2.1.20.2.4	Yes	Yes	Yes	Yes	Yes

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
••• RSVP	2.2.1.20.2.5	Yes	Yes			Yes
•• CATEGORIES	2.2.1.20.3	Yes	Yes	Yes	Yes	Yes
•• CLASS	2.2.1.20.4	Yes	Yes	Yes	Yes	Yes
•• COMMENT	2.2.1.20.5			Yes	Yes	
•• CONTACT	2.2.1.20.6	Yes	Yes	Yes	Yes	Yes
•• CREATED	2.2.1.20.7					
•• DTEND	2.2.1.20.8	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.8.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.8.2	Yes	Yes	Yes	Yes	Yes
•• DTSTAMP	2.2.1.20.9	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.9.1					
•• DTSTART	2.2.1.20.10	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.10.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.10.2	Yes	Yes	Yes	Yes	Yes
•• DESCRIPTION	2.2.1.20.11	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	2.2.1.20.11.1	Yes	Yes	Yes	Yes	Yes
•• DURATION	2.2.1.20.12					
•• EXDATE	2.2.1.20.13	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.13.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.13.2	Yes	Yes	Yes	Yes	Yes
•• LAST-MODIFIED	2.2.1.20.14					
•• LOCATION	2.2.1.20.15	Yes	Yes	Yes	Yes	Yes
••• LANGUAGE	2.2.1.20.15.1	Yes	Yes	Yes	Yes	Yes
•• ORGANIZER	2.2.1.20.16	Yes	Yes	Yes	Yes	Yes
••• CN	2.2.1.20.16.1	Yes	Yes	Yes	Yes	Yes
•• PRIORITY	2.2.1.20.17	Yes	Yes	Yes	Yes	Yes
•• RDATE	2.2.1.20.18	Yes	Yes	Yes	Yes	Yes
••• TZID	2.2.1.20.18.1	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.18.2	Yes	Yes	Yes	Yes	Yes
•• RRULE	2.2.1.20.19	Yes	Yes	Yes	Yes	Yes

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
• • RECURRENCE-ID	2.2.1.20.20	Yes	Yes	Yes	Yes	Yes
• • • TZID	2.2.1.20.20.1	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.20.2	Yes	Yes	Yes	Yes	Yes
• • RESOURCES	2.2.1.20.21	Yes	Yes	Yes	Yes	Yes
• • SEQUENCE	2.2.1.20.22	Yes	Yes	Yes	Yes	Yes
• • STATUS	2.2.1.20.23					
• • SUMMARY	2.2.1.20.24	Yes	Yes	Yes	Yes	Yes
• • • LANGUAGE	2.2.1.20.24.1	Yes	Yes	Yes	Yes	Yes
• • TRANSP	2.2.1.20.25	Yes	Yes	Yes	Yes	Yes
• • UID	2.2.1.20.26	Yes	Yes	Yes	Yes	Yes
• • X-ALT-DESC	2.2.1.20.27	Yes				
• • • FMTTYPE	2.2.1.20.27.1	Yes				
• • X-MICROSOFT-CDO-ALLDAYEVENT	2.2.1.20.28	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-APPT-SEQUENCE	2.2.1.20.29					
• • X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE	2.2.1.20.30		Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-BUSYSTATUS	2.2.1.20.31	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-IMPORTANCE	2.2.1.20.32					
• • X-MICROSOFT-CDO-INSTTYPE	2.2.1.20.33					
• • X-MICROSOFT-CDO-INTENDEDSTATUS	2.2.1.20.34	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-OWNERAPPTID	2.2.1.20.35	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE	2.2.1.20.36	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-CDO-REPLYTIME	2.2.1.20.37	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-DISALLOW-COUNTER	2.2.1.20.38	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-EXDATE	2.2.1.20.39	Yes	Yes	Yes	Yes	Yes
• • • VALUE	2.2.1.20.39.1	Yes	Yes	Yes	Yes	Yes
• • X-MICROSOFT-ISDRAFT	2.2.1.20.40	Yes				
• • X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT	2.2.1.20.41					
• • X-MICROSOFT-MSNCALENDAR-BUSYSTATUS	2.2.1.20.42					
• • X-MICROSOFT-MSNCALENDAR-IMPORTANCE	2.2.1.20.43					

Component/Property/Parameter	Section	PUB	REQ	REP	COU	CAN
•• X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS	2.2.1.20.44					
•• X-MICROSOFT-RRULE	2.2.1.20.45	Yes	Yes	Yes	Yes	Yes
••• VALUE	2.2.1.20.45.1	Yes	Yes	Yes	Yes	Yes
••• X-MICROSOFT-ISLEAPMONTH	2.2.1.20.45.2	Yes	Yes	Yes	Yes	Yes
•• X-MS-OLK-ALLOWEXTERNCHECK	2.2.1.20.46					
•• X-MS-OLK-APPTLASTSEQUENCE	2.2.1.20.47					
•• X-MS-OLK-APPTSEQTIME	2.2.1.20.48					
••• TZID	2.2.1.20.48.1					
•• X-MS-OLK-AUTOFILLOCATION	2.2.1.20.49					
•• X-MS-OLK-AUTOSTARTCHECK	2.2.1.20.50					
•• X-MS-OLK-COLLABORATEDOC	2.2.1.20.51					
•• X-MS-OLK-CONFCHK	2.2.1.20.52					
•• X-MS-OLK-CONFTYPE	2.2.1.20.53					
•• X-MS-OLK-DIRECTORY	2.2.1.20.54					
•• X-MS-OLK-MWSURL	2.2.1.20.55					
•• X-MS-OLK-NETSHOWURL	2.2.1.20.56					
•• X-MS-OLK-ONLINEPASSWORD	2.2.1.20.57					
•• X-MS-OLK-ORGALIAS	2.2.1.20.58					
••X-MS-OLK-ORIGINALEND	2.2.1.20.59				Yes	
••X-MS-OLK-ORIGINALSTART	2.2.1.20.60				Yes	
•• X-MS-OLK-SENDER	2.2.1.20.61	Yes				
••• CN	2.2.1.20.61.1	Yes				
•• VALARM	2.2.1.20.62	Yes	Yes			Yes
••• TRIGGER	2.2.1.20.62.1	Yes	Yes			Yes
••• ACTION	2.2.1.20.62.2	Yes	Yes			Yes
••• DESCRIPTION	2.2.1.20.62.3	Yes	Yes			Yes

2.2 Hierarchy of Components, Properties, and Parameters

This subsection enumerates all iCalendar components, properties, and parameters that can be mapped to Calendar objects. The hierarchy presented in the header specifies all parent-child

relationships between these components, properties, and parameters. Any components, properties, and parameters not specified in this document SHOULD be ignored.

Unless otherwise specified, if the Calendar object property being exported is not set, then the corresponding property SHOULD NOT be exported. Similarly, unless otherwise specified, if the property being imported is not present, then the corresponding Calendar object property SHOULD be left unset.

2.2.1 Component: VCALENDAR

RFC Reference: [\[RFC2445\]](#) section 4.4

Number of Instances Allowed: 1+

Brief Description: The root component of a valid iCalendar file.

Importing To and Exporting From Calendar objects

A valid iCalendar file SHOULD [<2>](#) have exactly one VCALENDAR component as its root.

2.2.1.1 Property: METHOD

RFC Reference: [\[RFC2445\]](#) section 4.7.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Distinguishes normal **appointments** from meeting requests, responses, and cancellations.

Importing To Calendar objects

The METHOD property SHOULD [<3>](#) be imported as the [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) of all imported Calendar objects, as specified in the table later in this section. In the case where the METHOD property is set to 'REPLY', the [PidTagMessageClass](#) has several possible values depending on the PARTSTAT parameter of the ATTENDEE property of the VEVENT component. If the METHOD property is set to 'REPLY' or 'COUNTER', the iCalendar MUST have exactly one ATTENDEE property and exactly one such PARTSTAT parameter.

In the case where the METHOD property is set to 'REQUEST', 'REPLY', or 'CANCEL', the VCALENDAR file MUST define exactly one appointment. [<4>](#)

METHOD	PARTSTAT	PidLidAppointmentCounterProposal	PidTagMessageClass
(default)		FALSE or unset	IPM.appointment
PUBLISH		FALSE or unset	IPM.appointment
REQUEST		FALSE or unset	IPM.Schedule.meeting.Request
REPLY	ACCEPTED	FALSE or unset	IPM.Schedule.meeting.Resp.Pos
REPLY	TENTATIVE	FALSE or unset	IPM.Schedule.meeting.Resp.Tent
REPLY	DECLINED	FALSE or unset	IPM.Schedule.meeting.Resp.Neg

METHOD	PARTSTAT	PidLidAppointmentCounterProposal	PidTagMessageClass
COUNTER	TENTATIVE	TRUE	IPM.Schedule.meeting.Resp.Tent
CANCEL		FALSE or unset	IPM.Schedule.meeting.Canceled

Exporting From Calendar objects

For exports of calendars, the METHOD property MUST be left unset or set to 'PUBLISH'. For exports of individual Calendar objects, the [PidTagMessageClass](#) and [PidLidAppointmentCounterProposal](#) of the Calendar object SHOULD [<5>](#) be exported as the METHOD property as specified in the table earlier in this section.

2.2.1.2 Property: PRODID

RFC Reference: [\[RFC2445\]](#) section 4.7.3

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the application that generated the iCalendar file.

Importing To Calendar objects

When parsing an iCalendar file, if the value of the PRODID property begins with the substring '-//Microsoft Corporation//Outlook<SP>' and ends with the substring '<SP>MIMEDIR//EN', where '<SP>' represents the space character (U+0020), and if the integer part of the version number between the two substrings is between 1 and 11 (inclusive), then some behavior changes SHOULD be made as described in section [2.3.4](#).

Exporting From Calendar objects

The value assigned to PRODID MUST be unique for different implementations and different versions of an iCalendar converter.

2.2.1.3 Property: VERSION

RFC Reference: [\[RFC2445\]](#) section 4.7.4

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the version of an iCalendar file.

Importing To and Exporting From Calendar objects

The value of this property MUST be set to '2.0'.

2.2.1.4 Property: X-CALEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Identifies the end time of the last **instance** of an appointment in the iCalendar file.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

This property SHOULD<6> be computed as the end time of the last instance of an appointment in the iCalendar file. If the iCalendar contains appointments with **floating** and non-floating end times in such a way that the calendar's end time is dependent on the **recipient's** time zone, the X-CALEND property SHOULD<7> be declared twice: once with a floating calendar end time, and once with a non-floating calendar end time.

2.2.1.4.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.5 Property: X-CALSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1, 2

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Identifies the start time of the first instance of an appointment in the iCalendar file.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

This property SHOULD<8> be computed as the start time of the first instance of an appointment in the iCalendar file. If the iCalendar contains appointments with floating and non-floating start times in such a way that the calendar's start time is dependent on the recipient's time zone, the X-CALSTART property SHOULD<9> be declared twice: once with a floating calendar start time, and once with a non-floating calendar start time.

2.2.1.5.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.6 Property: X-CLIPEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Indicates the end of the date range that the user selected for export during the creation of the iCalendar file.

Importing To Calendar objects

This property SHOULD [<10>](#) be ignored.

Exporting From Calendar objects

This property SHOULD [<11>](#) be the end of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

2.2.1.6.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.7 Property: X-CLIPSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Indicates the start of the date range that the user selected for export during the creation of the iCalendar file.

Importing To Calendar objects

This property SHOULD [<12>](#) be ignored.

Exporting From Calendar objects

This property SHOULD [<13>](#) be the start of the date range that the user selected for export. If this iCalendar does not represent a calendar export, this property MUST be omitted.

2.2.1.7.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.8 Property: X-MICROSOFT-CALSCALE

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Identifies the calendar type of a non-Gregorian recurring appointment.

Importing To Calendar objects

If this property is specified, then it SHOULD [<14>](#) be imported for every VEVENT that declares an X-MICROSOFT-RRULE.

This property SHOULD [<15>](#) set the **CalendarType** field of [PidLidAppointmentRecur](#). See also sections [2.3.2.1](#), [2.3.2.2](#), [2.3.2.3](#), [2.3.2.4](#), [2.3.2.5](#), and [2.3.2.6](#).

X-MICROSOFT-CALSCALE Value	CalendarType
Not present or empty string (default)	0x0000
Gregorian	0x0001
Gregorian_us	0x0002
Japan	0x0003
Taiwan	0x0004
Korea	0x0005
Hijri	Either 0x0000 or 0x0006, as specified in the table for Hijri calendars that follows (the PatternType field SHOULD <16> also be overwritten as specified in the table for Hijri calendars that follows).
Thai	0x0007
Hebrew	0x0008
GregorianMeFrench	0x0009
GregorianArabic	0x000A

X-MICROSOFT-CALSCALE Value	CalendarType
GregorianXlitEnglish	0x000B
GregorianXlitFrench	0x000C
JapanLunar	0x000E
ChineseLunar	0x000F
Saka	0x0010
LunarEtoChn	0x0011
LunarEtoKor	0x0012
LunarRokuyou	0x0013
KoreaLunar	0x0014
Umalqura	0x0017

For appointments with a X-MICROSOFT-CALSCALE value of "Hijri", the value for **PatternType** and **CalendarType** depend upon the imported value of **PatternType**. **PatternType** should be determined as specified in section [2.3.2](#). The resulting value should then be overwritten as specified in the following table.

Imported PatternType Value	Hijri PatternType Value	Hijri CalendarType Value
0x0000	0x0000	0x0006
0x0001	0x0001	0x0006
0x0002	0x000A	0x0000
0x0003	0x000B	0x0000

Exporting From Calendar objects

Since this property is a child of the VCALENDAR, a VCALENDAR MUST NOT contain any two VEVENTs that would result in different values of X-MICROSOFT-CALSCALE.

If the **CalendarType** field of [PidLidAppointmentRecur](#) is non-zero, then this property SHOULD [<17>](#) be exported as specified in the following table.

CalendarType Value	X-MICROSOFT-CALSCALE Value
0x0001	Gregorian
0x0002	Gregorian_us
0x0003	Japan
0x0004	Taiwan
0x0005	Korea

CalendarType Value	X-MICROSOFT-CALSCALE Value
0x0006	Hijri
0x0007	Thai
0x0008	Hebrew
0x0009	GregorianMeFrench
0x000A	GregorianArabic
0x000B	GregorianXlitEnglish
0x000C	GregorianXlitFrench
0x000E	JapanLunar
0x000F	ChineseLunar
0x0010	Saka
0x0011	LunarEtoChn
0x0012	LunarEtoKor
0x0013	LunarRokuyou
0x0014	KoreaLunar
0x0017	Umalqura

Additionally, for certain values of the **PatternType** field of [PidLidAppointmentRecur](#), this property SHOULD [<18>](#) be exported as specified in the following table.

Special PatternType Value	X-MICROSOFT-CALSCALE Value
0x000A	Hijri
0x000B	Hijri

2.2.1.9 Property: X-MS-OLK-FORCEINSPECTOROPEN

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file only contains one appointment.

Importing To Calendar objects

If this property is set to TRUE, the iCalendar stream SHOULD [<19>](#) be imported as a single Calendar object, regardless of the number of VEVENT components present in the iCalendar. Note that it is possible for an iCalendar file containing multiple VEVENT components to represent a single appointment through the use of the RECURRENCE-ID property specified in section [2.2.1.20.20](#).

Exporting From Calendar objects

This property SHOULD [<20>](#) be set to 'TRUE' if the iCalendar file represents a single appointment rather than a calendar export.

2.2.1.10 Property: X-MS-WKHRDAYS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the days of the week in the calendar owner's workweek.

Importing To Calendar objects

This property SHOULD [<21>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the **primary calendar** of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<22>](#) be a comma-delimited list containing any number of the character codes for days of the week specified in section [2.3.1.6](#).

Each element MUST NOT appear more than once, but the order of the elements does not matter. The syntax of this format is the same as the syntax of a **week independent** BYDAY **recurrence part** specified in [2.3.1.6](#).

2.2.1.11 Property: X-MS-WKHREND

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([\[RFC2445\]](#) section 4.3.12)

Brief Description: Specifies the end time of the calendar owner's workday.

Importing To Calendar objects

This property SHOULD [<23>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<24>](#) be the end time of the calendar owner's workday, specified as a local time with the TZID parameter (section [2.2.1.11.1](#)).

2.2.1.11.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.12 Property: X-MS-WKHRSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Local Time ([\[RFC2445\]](#) section 4.3.12)

Brief Description: Specifies the starting time of the calendar owner's workday.

Importing To Calendar objects

This property SHOULD [<25>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<26>](#) be the start time of the calendar owner's workday, specified as a local time with the TZID parameter (section [2.2.1.12.1](#)).

2.2.1.12.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.13 Property: X-OWNER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: Specifies the calendar owner of a primary calendar.

Importing To Calendar objects

This property SHOULD [<27>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<28>](#) be the e-mail address of the owner.

2.2.1.13.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the display name of the owner of a primary calendar.

Importing To Calendar objects

This parameter SHOULD [<29>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this parameter SHOULD be omitted. Otherwise, this parameter SHOULD [<30>](#) be the display name of the owner.

2.2.1.14 Property: X-PRIMARY-CALENDAR

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the iCalendar file represents a primary calendar.

Importing To Calendar objects

This property SHOULD [<31>](#) be ignored.

Exporting From Calendar objects

If this iCalendar does not represent the primary calendar of the owner, this property SHOULD be omitted. Otherwise, this property SHOULD [<32>](#) be set to 'TRUE'.

2.2.1.15 Property: X-PUBLISHED-TTL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6)

Brief Description: Specifies a suggested iCalendar file download frequency for clients and servers with sync capabilities.

Importing To Calendar objects

This property SHOULD [<33>](#) be ignored.

Exporting From Calendar objects

If this iCalendar is being automatically published to a remote location at regular intervals, this property SHOULD [<34>](#) be set to that interval with a minimum granularity of minutes.

2.2.1.16 Property: X-WR-CALDESC

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the description of the calendar.

Importing To Calendar objects

This property SHOULD [<35>](#) be ignored.

Exporting From Calendar objects

If this iCalendar represents an export of a calendar, and if the owner has provided a description of the calendar, this property SHOULD [<36>](#) be set to the owner's specified text, which SHOULD [<37>](#) be truncated to a length of 255 WCHARs if the length exceeds 255 WCHARs. The truncation SHOULD [<38>](#) split surrogate pairs.

2.2.1.17 Property: X-WR-CALNAME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the name of the calendar.

Importing To Calendar objects

This property SHOULD [<39>](#) be imported directly into [<40>](#) the [PidTagDisplayName](#) of the **Folder object** representing the newly-created destination of the imported appointments.

Exporting From Calendar objects

This property MUST be omitted if the iCalendar represents a single appointment or **meeting**.

If this iCalendar represents a calendar export, this property SHOULD [<41>](#) be set to the value of [PidTagDisplayName](#) on the Folder object representing the calendar being exported.

If the calendar is the owner's primary calendar, this property SHOULD [<42>](#) instead be set to a more descriptive locale-dependent string containing the owner's name (e.g. 'Elizabeth Andersen calendar').

2.2.1.18 Property: X-WR-RELCALID

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies a **globally unique identifier** for the calendar.

Importing To Calendar objects

This property SHOULD<43> be used and persisted by the iCalendar renderer to decide whether the import overwrites an existing calendar or creates a new calendar.

Exporting From Calendar objects

This property MUST be omitted if the iCalendar represents a single appointment or meeting.

If this iCalendar represents a calendar export, this property SHOULD<44> be set to a value that will be globally unique for different calendars, but consistent across multiple exports of the same calendar.

2.2.1.19 Component: VTIMEZONE

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 0+<45>

Brief Description: Specifies any time zones referenced by TZID parameters.

Importing To Calendar objects

Since TZIDs can be referenced by many properties, including several x-props in the root component, VTIMEZONEs MUST be used to resolve all local times in the iCalendar file, even if the TZID reference occurs before the VTIMEZONE definition. This section discusses how to import a VTIMEZONE into a [PidLidTimeZoneStruct](#) structure ([\[MS-OXOCAL\]](#)).

Field of the PidLidTimeZoneStruct structure	Value
IBias	See section 2.2.1.19.2.5
IStandardBias	Set to 0x00000000
IDaylightBias	See section 2.2.1.19.3.5
stStandardDate	See sections 2.2.1.19.2.1 and 2.2.1.19.2.2
stDaylightDate	See sections 2.2.1.19.3.1 and 2.2.1.19.3.2
wStandardYear	Set to the wYear field of stStandardDate
wDaylightYear	Set to the wYear field of stDaylightDate

If this VTIMEZONE is imported as [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), and/or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#),<46> then the following table specifies the contents of the resulting **BLOB** (the structure of this BLOB is specified in [\[MS-OXOCAL\]](#)). See section [2.2.1.20.8.1](#) and section [2.2.1.20.10.1](#) for more information.

Field of the blob	Value
Major Version	Constant specified by [MS-OXOCAL]
Minor Version	Constant specified by [MS-OXOCAL]
cbHeader	Set to (0x0006 + 0x0002 * cchKeyName)
Reserved	Constant specified by [MS-OXOCAL]

Field of the blob	Value
cchKeyName	Set to the number of characters in KeyName
KeyName	See section 2.2.1.19.1
cRules	Set to 0x0001
TZRules [1].Major Version	Constant specified by [MS-OXOCAL]
TZRules [1].Minor Version	Constant specified by [MS-OXOCAL]
TZRules [1].Reserved	Constant specified by [MS-OXOCAL]
TZRules [1].TZRule flags	Set to 0x0002 for PidLidAppointmentTimeZoneDefinitionStartDisplay and PidLidAppointmentTimeZoneDefinitionEndDisplay . Set to 0x0003 for PidLidAppointmentTimeZoneDefinitionRecur .
TZRules [1].wYear	Set to 0x0641
TZRules [1].X	Constant specified by [MS-OXOCAL]
TZRules [1].IBias	Import the same as the IBias field of a PidLidTimeZoneStruct structure
TZRules [1].IStandardBias	Import the same as the IStandardBias field of a PidLidTimeZoneStruct structure
TZRules [1].IDaylightBias	Import the same as the IDaylightBias field of a PidLidTimeZoneStruct structure
TZRules [1].stStandardDate	Import the same as the stStandardDate field of a PidLidTimeZoneStruct structure
TZRules [1].stDaylightDate	Import the same as the stDaylightDate field of a PidLidTimeZoneStruct structure

Exporting From Calendar objects

A VTIMEZONE component MUST be declared for each unique value of any TZID parameters in the iCalendar. Note that the comparison used to match TZID parameters to VTIMEZONE components SHOULD [<47>](#) be case-insensitive.

If exporting a VTIMEZONE from a [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#), the **IBias**, **IStandardBias**, **IDaylightBias**, **stStandardDate**, and **stDaylightDate** subfields of the TZRule entry with the TZRULE_FLAG_EFFECTIVE_TZREG (0x0002) bit set in the **TZRule flags** field MUST be exported as a [PidLidTimeZoneStruct](#) structure as specified in the following subsections. [<48>](#)

2.2.1.19.1 Property: TZID

RFC Reference: [\[RFC2445\]](#) section 4.8.3.1

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the time zone. This string will be compared (case-insensitive) [<49>](#) to TZID parameters in the rest of the iCalendar to identify the time zone being referenced by the parameter's parent property.

Importing To Calendar objects

This property SHOULD be imported as specified in section [2.2.1.20.8.1](#) and section [2.2.1.20.10.1](#).

Exporting From Calendar objects

If the system's local time zone is being exported as a VTIMEZONE, then this name MUST be derived from the system API that supplied the time zone.

If the [PidLidTimeZoneStruct](#) property is being exported as a VTIMEZONE, this name SHOULD be derived from [PidLidTimeZoneDescription](#), but MAY be set to any unique string.

If the [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) property is being exported as a VTIMEZONE, then the value of TZID MUST [<50>](#) be derived from the KeyName field of the [PidLidAppointmentTimeZoneDefinitionRecur](#) structure ([\[MS-OXOCAL\]](#) section 2.2.1.41) contained in the property.

In all cases, TZIDs for different time zones MUST be unique, and each unique TZID MUST NOT be defined more than once.

2.2.1.19.2 Component: STANDARD

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 1+

Brief Description: A specification of the Standard portion of the time zone.

Importing To Calendar objects

If more than one STANDARD component is defined in the VTIMEZONE, only the STANDARD component with the largest DTSTART SHOULD [<51>](#) be parsed.

Exporting From Calendar objects

Exactly one STANDARD component SHOULD be exported for each VTIMEZONE.

2.2.1.19.2.1 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The effective start date of this onset of Standard time.

Importing To Calendar objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the **stStandardDate** field of the [PidLidTimeZoneStruct](#) structure MUST be set to 0x00.

If the VTIMEZONE being imported contains one or more DAYLIGHT sub-components and the STANDARD component contains an RRULE property, the fields of the **stStandardDate** field of the [PidLidTimeZoneStruct](#) structure are set according to the following table.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set as specified in section 2.2.1.19.2.2 .
wMonth	Set as specified in section 2.2.1.19.2.2 .
wDayOfWeek	Set as specified in section 2.2.1.19.2.2 .
wDay	Set as specified in section 2.2.1.19.2.2 .
wHour	The hour portion of DTSTART
wMinute	The minute portion of DTSTART
wSecond	The second portion of DTSTART
wMilliseconds	Set to 0x0000

If an RRULE property is not specified for this component, the **stStandardDate** field of the [PidLidTimeZoneStruct](#) structure SHOULD [<52>](#) be imported as specified in the following table.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0000
wMonth	The month portion of DTSTART
wDayOfWeek	The day of the week of the date specified by DTSTART. Possible values are specified later in this section.
wDay	The occurrence of the day of week in the month for the date specified by DTSTART (if this is the 2nd Monday of May, wDay is set to 2). If this is the last occurrence of the day of the week in the month, wDay is set to 0x0005. Possible values are specified later in this section.
wHour	The hour portion of DTSTART
wMinute	The minute portion of DTSTART
wSecond	The second portion of DTSTART
wMilliseconds	Set to 0x0000

The following table lists the possible values of the **wDayOfWeek** subfield of the **stStandardDate** field in the [PidLidTimeZoneStruct](#) structure.

wDayOfWeek	Meaning
0x0000	Sunday
0x0001	Monday

wDayOfWeek	Meaning
0x0002	Tuesday
0x0003	Wednesday
0x0004	Thursday
0x0005	Friday
0x0006	Saturday

The following table lists the possible values of the **wDay** subfield of the **stStandardDate** field in the [PidLidTimeZoneStruct](#) structure.

wDay	Meaning
0x0001	First occurrence of the day of the week
0x0002	Second occurrence of the day of the week
0x0003	Third occurrence of the day of the week
0x0004	Fourth occurrence of the day of the week
0x0005	Last occurrence of the day of the week

Exporting From Calendar objects

This MUST be set to the onset of the Standard portion of the time zone for some year before the first appointment in the iCalendar. <53> This property is specified in the local time of the VTIMEZONE component, but the TZID parameter of this property is omitted.

2.2.1.19.2.2 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: A rule describing the onset of Standard time for years following DTSTART.

Importing To Calendar objects

If this VTIMEZONE component has no DAYLIGHT sub-component, all the bytes in the **stStandardDate** field of the [PidLidTimeZoneStruct](#) structure MUST be set to 0x00 (as specified in [2.2.1.19.2.1](#)). The remainder of this subsection only pertains to the case where the VTIMEZONE being imported contains one or more DAYLIGHT sub-components.

For basic information regarding the Recurrence rule format, see [\[RFC2445\]](#) section 4.3.10 and section [2.3.1](#) of this document.

Time zone recurrences MUST be of frequency YEARLY and MUST specify either a BYDAY or a BYMONTHDAY, but not both.

If a BYDAY is specified, it MUST specify a single occurrence of a single day of the week (e.g. BYDAY=2MO, but not BYDAY=MO or BYDAY=1MO,3MO). The recurrence is imported into the **stStandardDate** field of the [PidLidTimeZoneStruct](#) structure using the following table.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0000
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	The day of the week specified by the BYDAY recurrence part. See section 2.2.1.19.2.1 and section 2.3.1.6 .
wDay	The occurrence of the day of the week specified by the BYDAY recurrence part. See section 2.2.1.19.2.1 and section 2.3.1.6 .

If a BYMONTHDAY is specified, it MUST specify a single day of the month (BYMONTHDAY=12, but not BYMONTHDAY=14,15). The recurrence SHOULD<54> be imported into the **stStandardDate** field of the [PidLidTimeZoneStruct](#) structure as specified in the following table.

Field of PidLidTimeZoneStruct.stStandardDate	Value
wYear	Set to 0x0001
wMonth	The value of the BYMONTH recurrence part, or, if not present, the month portion of DTSTART property.
wDayOfWeek	Set to 0x0000.
wDay	The value of the BYMONTHDAY recurrence part.

Exporting From Calendar objects

For basic information regarding the Recurrence rule format, see [\[RFC2445\]](#) section 4.3.10 and section [2.3.1](#) of this document.

If the time zone does not observe Daylight Saving Time (DST), this property MUST be omitted.

If the time zone transitions between Daylight Saving Time and Standard Time based on an occurrence of a day of the week, this property MUST be of the form
FREQ=YEARLY;BYDAY=byday;BYMONTH=bymonth.

If the time zone transitions between Daylight Saving Time and Standard Time based on a specific day of the month, this property SHOULD<55> be of the form
FREQ=YEARLY;BYMONTHDAY=bymonthday;BYMONTH=bymonth.

2.2.1.19.2.3 Property: TZNAME

RFC Reference: [\[RFC2445\]](#) section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the standard portion of the time zone.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

This property SHOULD [<56>](#) be omitted.

2.2.1.19.2.4 Property: TZOFFSETFROM

RFC Reference: [\[RFC2445\]](#) section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Daylight portion of the time zone.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IDaylightBias}))$.

2.2.1.19.2.5 Property: TZOFFSETO

RFC Reference: [\[RFC2445\]](#) section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

Importing To Calendar objects

The **IBias** field of the [PidLidTimeZoneStruct](#) structure MUST be set to $(-1 * \text{offsetMinutes})$, where `offsetMinutes` is the value of `TZOFFSETO` in minutes.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IStandardBias}))$.

2.2.1.19.3 Component: DAYLIGHT

RFC Reference: [\[RFC2445\]](#) section 4.6.5

Number of Instances Allowed: 0+

Brief Description: A specification of the Daylight portion of the time zone.

Importing To Calendar objects

If more than one DAYLIGHT component is defined in the VTIMEZONE, only the DAYLIGHT component with the largest DTSTART SHOULD [<57>](#) be parsed.

If no DAYLIGHT components are defined in the VTIMEZONE then all the bytes in the **IDaylightBias**, **IStandardBias**, **stDaylightDate**, and **stStandardDate** fields of the [PidLidTimeZoneStruct](#) MUST be set to 0x00.

Exporting From Calendar objects

If this time zone observes Daylight Saving Time, exactly one DAYLIGHT component MUST be exported for each VTIMEZONE.

If this time zone does not observe DST, this component SHOULD [<58>](#) be omitted.

2.2.1.19.3.1 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The effective start date of this onset of Daylight Saving Time.

Importing To and Exporting From Calendar objects

The behavior of this property is identical to the behavior of the DTSTART property of the STANDARD component (section [2.2.1.19.2.1](#)) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

2.2.1.19.3.2 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0,1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: A rule describing the onset of Daylight Saving Time for years following DTSTART.

Importing To and Exporting From Calendar objects

The behavior of this property is identical to the behavior of the RRULE property of the STANDARD component (section [2.2.1.19.2.2](#)) with the exception that **stDaylightDate** is modified instead of **stStandardDate**.

2.2.1.19.3.3 Property: TZNAME

RFC Reference: [\[RFC2445\]](#) section 4.8.3.2

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The name of the daylight portion of the time zone.

Importing To Calendar objects

This property MUST be ignored on import.

Exporting From Calendar objects

This property SHOULD [<59>](#) be omitted.

2.2.1.19.3.4 Property: TZOFFSETFROM

RFC Reference: [\[RFC2445\]](#) section 4.8.3.3

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-offset of the Standard portion of the time zone.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IStandardBias}))$.

2.2.1.19.3.5 Property: TZOFFSETTO

RFC Reference: [\[RFC2445\]](#) section 4.8.3.4

Number of Instances Allowed: 1

Format: UTC-Offset ([\[RFC2445\]](#) section 4.3.14)

Brief Description: The UTC-Offset of the Daylight portion of the time zone.

Importing To Calendar objects

The **IDaylightBias** field of [PidLidTimeZoneStruct](#) structure MUST be set to $(-1 * \text{offsetMinutes} - \text{IBias})$, where `offsetMinutes` is the value of `TZOFFSETTO` measured in minutes.

Exporting From Calendar objects

This property MUST be the UTC-Offset representation of $(-1 * (\text{PidLidTimeZoneStruct.IBias} + \text{PidLidTimeZoneStruct.IDaylightBias}))$.

2.2.1.20 Component: VEVENT

RFC Reference: [\[RFC2445\]](#) section 4.6.1

Number of Instances Allowed: 1+

Brief Description: A specification of an appointment or an **exception** to a recurring appointment.

Importing To Calendar objects

With the exception of those containing RECURRENCE-ID properties (section [2.2.1.20.20](#)), all VEVENT components MUST map to a new Calendar object.

Exporting From Calendar objects

Each Calendar object MUST be exported to its own VEVENT component. Certain exceptions to recurring appointments can also be exported as separate VEVENT components as specified in section [2.2.1.20.20](#).

2.2.1.20.1 Property: ATTACH

RFC Reference: [\[RFC2445\]](#) section 4.8.1.1

Number of Instances Allowed: 0+

Format: **URI** ([\[RFC2445\]](#) section 4.3.13), Binary ([\[RFC2445\]](#) section 4.3.1)

Brief Description: An **attachment** to the appointment.

Importing To Calendar objects

If the VALUE parameter of this property is BINARY, then this property SHOULD [<60>](#) be parsed as a **base64-encoded** stream (specified in [\[RFC2045\]](#) section 6.8), decoded into its raw binary form, and stored in [PidTagAttachDataBinary](#) of a new **Attachment object** with properties specified in the following table.

Attachment object property	Value
PidTagAttachDataBinary	See above
PidTagAttachEncoding	Set to an empty PtypBinary
PidTagAttachExtension	Set to the substring following the last instance of a '.' character (U+002E) in X-FILENAME (section 2.2.1.20.1.4). If no instances of a period exist in X-FILENAME, set to a zero-length string ("").
PidTagAttachFilename	Set to the value of X-FILENAME (section 2.2.1.20.1.4)
PidTagAttachFlags	Set to 0x00000000
PidTagAttachLongFilename	Set to the value of X-FILENAME (section 2.2.1.20.1.4)
PidTagAttachMethod	Set to 0x00000001
PidTagAttachMimeTag	Imported from FMTTYPE (section 2.2.1.20.1.2)
PidTagAttachmentContactPhoto	Set to FALSE
PidTagAttachmentFlags	Set to 0x00000000
PidTagAttachmentHidden	Set to FALSE
PidTagAttachmentLinkId	Set to 0x00000000
PidTagDisplayName	Set to the value of X-FILENAME (section 2.2.1.20.1.4)
PidTagExceptionEndTime	Set to 0x0CB34557A3DD4000
PidTagExceptionStartTime	Set to 0x0CB34557A3DD4000
PidTagRenderingPosition	Set to 0xFFFFFFFF

If the VALUE parameter of this property is "URI" or not defined, then this property SHOULD [<61>](#) be parsed as a URI. CID URIs (specified in [\[RFC2392\]](#)) SHOULD [<62>](#) be used, for the case in which the iCalendar is embedded in a multi-part MIME e-mail to determine which attachments from the MIME will be imported into the Calendar object. Other URIs SHOULD [<63>](#) be imported into a new Attachment object with properties specified in the following table.

Attachment object property	Value
PidTagAttachDataBinary	Set to an 8-bit text stream, containing the following text encoded in the active code page (line breaks are encoded as 0x0D followed by 0x0A): [InternetShortcut] URL=urivalue
PidTagAttachEncoding	Set to an empty PtypBinary
PidTagAttachExtension	Set to ".url"
PidTagAttachFilename	Set to the filename parsed from the URI with a.url extension added. With respect to [RFC3986] , the filename is the last segment in the hier-part of the URI.
PidTagAttachFlags	Set to 0x00000000
PidTagAttachLongFilename	Same as PidTagAttachFilename
PidTagAttachMethod	Set to 0x00000001
PidTagAttachMimeTag	Set to the value of FMTTYPE (section 2.2.1.20.1.2)
PidTagAttachmentContactPhoto	Set to FALSE
PidTagAttachmentFlags	Set to 0x00000000
PidTagAttachmentHidden	Set to FALSE
PidTagAttachmentLinkId	Set to 0x00000000
PidTagDisplayName	Same as PidTagAttachFilename
PidTagExceptionEndTime	Set to 0x0CB34557A3DD4000
PidTagExceptionStartTime	Set to 0x0CB34557A3DD4000
PidTagRenderingPosition	Set to 0xFFFFFFFF

Exporting From Calendar objects

If this iCalendar is being generated as part of a MIME meeting request, all attachments in the **attachments table** that meet the constraints in the following table SHOULD [<64>](#) be exported as a CID URI (specified in [\[RFC2392\]](#)). In this case, the value of this property MUST be a CID URI generated by treating [PidTagAttachContentId](#) as a CID. If [PidTagAttachContentId](#) does not exist, a [\[RFC2392\]](#)-compliant CID SHOULD [<65>](#) be generated and stored in [PidTagAttachContentId](#).

If this iCalendar is being generated as part of a calendar export, all attachments in the attachments table that meet the constraints in the following table SHOULD [<66>](#) be exported as base64-encoded binary streams. The value of this property MUST be the base64 encoding of [PidTagAttachDataBinary](#) (base64 encoding is specified in [\[RFC2045\]](#) section 6.8).

Attachment Object Property	Constraint
PidTagAttachmentFlags	MUST NOT have any bits set to 1 in the bit mask 0x00000007
PidTagAttachmentHidden	MUST be unset or, if set, MUST be FALSE
PidTagAttachMethod	MUST be 0x00000001

2.2.1.20.1.1 Parameter: ENCODING

RFC Reference: [\[RFC2445\]](#) section 4.2.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the encoding of a binary attachment.

Importing To and Exporting From Calendar objects

If the VALUE parameter of this ATTACH is BINARY, then this parameter MUST be base64. Otherwise, this parameter MUST be omitted.

2.2.1.20.1.2 Parameter: FMTTYPE

RFC Reference: [\[RFC2445\]](#) section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the MIME content type of an attachment.

Importing To Calendar objects

This parameter SHOULD [<67>](#) be imported as [PidTagAttachMimeTag](#).

Exporting From Calendar objects

This parameter MAY take the value of [PidTagAttachMimeTag](#).

2.2.1.20.1.3 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Distinguishes encoded binary attachments from URI attachments.

Importing To Calendar objects

This parameter distinguishes attachments encoded in the iCalendar from URIs referencing resources outside the iCalendar. See section [2.2.1.20.1](#).

Exporting From Calendar objects

If this iCalendar is being generated as part of a MIME meeting request, this parameter SHOULD be omitted.

If this iCalendar is being generated as part of a calendar export, this parameter SHOULD be BINARY.

2.2.1.20.1.4 Parameter: X-FILENAME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Supplies a filename for an encoded binary attachment.

Importing To Calendar objects

If the VALUE parameter of this ATTACH is BINARY, this X-FILENAME parameter SHOULD [<68>](#) be sanitized as specified in [\[MS-OXCMAIL\]](#) section 2.2.4.1.1 and imported as [PidTagAttachFilename](#), [PidTagAttachLongFilename](#), and [PidTagDisplayName](#). The filename extension parsed from this parameter is imported as [PidTagAttachExtension](#) as specified in section [2.2.1.20.1](#).

Otherwise, the X-FILENAME parameter is ignored.

Exporting From Calendar objects

If the VALUE parameter of this ATTACH is BINARY, then this parameter SHOULD [<69>](#) take the value of [PidTagAttachLongFilename](#).

Otherwise, this **parameter** SHOULD be omitted.

2.2.1.20.2 Property: ATTENDEE

RFC Reference: [\[RFC2445\]](#) section 4.8.4.1

Number of Instances Allowed: 0+

Format: Calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: An **attendee** for a meeting.

Importing To Calendar objects

If this property has the special value 'invalid:nomail', then the **CN** of this attendee SHOULD [<70>](#) be added to a list delimited by "; " (U+003B followed by U+0020) in the appropriate string property, as specified in the following table. If an attendee matches more than one row in the following table, the first matching row applies.

CUTYPE	ROLE	Append CN to...
RESOURCE	(any)	PidLidNonSendableBcc
ROOM	(any)	PidLidNonSendableBcc
(any)	OPT-PARTICIPANT	PidLidNonSendableCc
(any)	NON-PARTICIPANT	PidLidNonSendableBcc<71>

CUTYPE	ROLE	Append CN to...
(any)	(any)	PidLidNonSendableTo

If this property is not 'invalid:nomail', it SHOULD<72> be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD<73> be resolved against the **address book** [\[MS-OXOABK\]](#). If no match was found, a **one-off EntryID** ([\[MS-OXCDATA\]](#) section 2.2.5.1) MUST be created using the SMTP address and the CN parameter. The **Address Book object** MUST be added to the **recipient table** of the Calendar object with properties specified in the following table.

Recipient Table Property	Value										
PidTagAddressType	Resolved from the address book (see above). In the case of a one-off , set to 'SMTP'.										
PidTagDisplayName	Resolved from the address book (see above). In the case of a one-off, set to the value of the CN parameter.										
PidTagDisplayType	Set to 0x00000000<74>										
PidTagEmailAddress	Resolved from the address book (see above). In the case of a one-off, set to the SMTP address parsed from the mailto URI.										
PidTagEntryId	Resolved from the address book (see above). In the case of a one-off, use the one-off EntryID.										
PidTagRecipientDisplayName	Copy of PidTagDisplayName<75>										
PidTagRecipientEntryId	Copy of PidTagEntryId<76>										
PidTagRecipientFlags	Set to 0x00000001<77>										
PidTagRecipientType	See the next table.<78>										
PidTagRecipientTrackStatus	Import from PARTSTAT as follows:<79> <table border="1" data-bbox="623 1106 1224 1373"> <thead> <tr> <th>PARTSTAT</th> <th>PidTagRecipientTrackStatus</th> </tr> </thead> <tbody> <tr> <td>ACCEPTED</td> <td>0x00000003</td> </tr> <tr> <td>DECLINED</td> <td>0x00000004</td> </tr> <tr> <td>TENTATIVE</td> <td>0x00000002</td> </tr> <tr> <td>(Any other value)</td> <td>0x00000000</td> </tr> </tbody> </table>	PARTSTAT	PidTagRecipientTrackStatus	ACCEPTED	0x00000003	DECLINED	0x00000004	TENTATIVE	0x00000002	(Any other value)	0x00000000
PARTSTAT	PidTagRecipientTrackStatus										
ACCEPTED	0x00000003										
DECLINED	0x00000004										
TENTATIVE	0x00000002										
(Any other value)	0x00000000										
PidTagRecipientTrackStatusTime	Import from X-MS-OLK-RESPTIME if present.<80>										

The correct value of [PidTagRecipientType](#) SHOULD<81> be determined based on the CUTYPE and ROLE parameters as specified in the following table. If an attendee matches more than one row in the following table, the first matching row applies.

CUTYPE	ROLE	PidTagRecipientType
RESOURCE	(Any)	0x00000003

CUTYPE	ROLE	PidTagRecipientType
ROOM	(Any)	0x00000003
(any)	NON-PARTICIPANT	0x00000003
(any)	OPT-PARTICIPANT	0x00000002
(any)	(Any)	0x00000001

Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then attendee properties SHOULD NOT<82> be exported.

Each row in the recipient table of the Calendar object that satisfies the constraints in the following table MUST be exported as an attendee property. The value of the property MUST be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the recipient from the address book [MS-OXOABK]. If the recipient does not have an SMTP address, then the value of the property SHOULD<83> be set to 'invalid:nomail'.

Recipient Table Property	Constraint
PidTagRecipientFlags	The bit denoted by 0x00000020 MUST be 0 and the bit denoted by 0x00000002 MUST be 0
PidTagRecipientType	MUST NOT be 0x00000000

In addition, each of the semicolon-delimited entries in [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#) SHOULD<84> be exported with a URI of 'invalid:nomail'. For handling of [PidLidNonSendableBcc](#), see [2.2.1.20.21](#).

2.2.1.20.2.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of an attendee.

Importing To Calendar objects

See section [2.2.1.20.2.2](#).

Exporting From Calendar objects

For attendees exported from the recipient table, this parameter SHOULD be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagDisplayName](#) from the recipient table, if necessary).

For attendees exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD<85> be taken from the semicolon-delimited lists.

2.2.1.20.2.2 Parameter: CUTYPE

RFC Reference: [\[RFC2445\]](#) section 4.2.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The type of attendee.

Importing To Calendar objects

See section [2.2.1.20.2](#).

Exporting From Calendar objects

For attendees exported from the recipient table, this parameter SHOULD [<86>](#) only be exported if the [PidTagRecipientType](#) is 0x00000003. In this case, the CUTYPE SHOULD [<87>](#) be set to **resource**.

For attendees exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD be omitted.

2.2.1.20.2.3 Parameter: PARTSTAT

RFC Reference: [\[RFC2445\]](#) section 4.2.12

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The attendee's response status.

Importing To Calendar objects

Import behavior for the PARTSTAT parameter into the recipient table is specified in section [2.2.1.20.2](#).

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter is used in conjunction with the METHOD property to determine the [PidTagMessageClass](#) of the Calendar object. See section [2.2.1.1](#).

For calendars with a METHOD of PUBLISH, if the attendee is the user, the PARTSTAT parameter SHOULD [<88>](#) also be imported to the [PidLidResponseStatus](#) of the Calendar object as follows.

PARTSTAT	PidLidResponseStatus
ACCEPTED	0x00000003
DECLINED	0x00000004
TENTATIVE	0x00000002
(Any other value)	Not imported

Exporting From Calendar objects

For calendars with a METHOD of COUNTER or REPLY, the PARTSTAT parameter MUST be exported based on the [PidTagMessageClass](#) of the Calendar object. See section [2.2.1.1](#).

For calendars with a METHOD of publish, if the attendee is being exported from a row in the recipient table, the PARTSTAT parameter SHOULD [<89>](#) be exported from the [PidTagRecipientTrackStatus](#) of the recipient as specified in the following table. If [PidTagRecipientTrackStatus](#) could not be exported because it is unset or 0 and the attendee is the user, then the [PidLidResponseStatus](#) of the Calendar object SHOULD [<90>](#) be exported instead as specified in the following table.

PidTagRecipientTrackStatus or PidLidResponseStatus	PARTSTAT
0x00000003	ACCEPTED
0x00000004	DECLINED
0x00000002	TENTATIVE
(Other)	(Not exported)

2.2.1.20.2.4 Parameter: ROLE

RFC Reference: [\[RFC2445\]](#) section 4.2.16

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The participation role of the attendee.

Importing To Calendar objects

See section [2.2.1.20.2](#).

Exporting From Calendar objects

For ATTENDEES exported from the recipient table, this parameter SHOULD be exported based on the [PidTagRecipientType](#), as specified in the following table.

PidTagRecipientType	ROLE
0x00000002	OPT-PARTICIPANT
0x00000003	NON-PARTICIPANT
(otherwise)	(omit) <91>

For ATTENDEES exported from [PidLidNonSendableTo](#), this parameter SHOULD be omitted.

For ATTENDEES exported from [PidLidNonSendableCc](#), this parameter SHOULD [<92>](#) be exported as OPT-PARTICIPANT.

2.2.1.20.2.5 Parameter: RSVP

RFC Reference: [\[RFC2445\]](#) section 4.2.17

Number of Instances Allowed: 0,1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: To specify whether there is an expectation of a reply from this attendee.

Importing To Calendar objects

If any ATTENDEE property in the VEVENT has its RSVP parameter set to TRUE or if the VEVENT is being imported with a [PidTagMessageClass](#) of "IPM.appointment", then [PidTagResponseRequested](#) and [PidTagReplyRequested](#) on the Calendar object MUST both be set to TRUE. Otherwise, [PidTagResponseRequested](#) and [PidTagReplyRequested](#) MUST both be set to FALSE.

Exporting From Calendar objects

For ATTENDEES exported from the recipient table, this parameter MUST be exported from [PidTagResponseRequested](#) on the Calendar object.

For ATTENDEES exported from [PidLidNonSendableTo](#) and [PidLidNonSendableCc](#), this parameter SHOULD be omitted.

2.2.1.20.2.6 Parameter: X-MS-OLK-RESPTIME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The time that the ATTENDEE responded to the meeting request.

Importing To Calendar objects

Section [2.2.1.20.2](#) specifies how X-MS-OLK-RESPTIME is imported into the recipient table.

For calendars with a METHOD of PUBLISH, if the attendee is the user, the X-MS-OLK-RESPTIME parameter SHOULD also be imported to the [PidLidAppointmentReplyTime](#) ([\[MS-OXPROPS\]](#) section 2.24) of the Calendar object. <93>

Exporting From Calendar objects

For calendars with a METHOD of PUBLISH, if the attendee is being exported from a row in the recipient table, the X-MS-OLK-RESPTIME parameter MAY be exported in **UTC** format from the [PidTagRecipientTrackStatusTime](#) ([\[MS-OXPROPS\]](#) section 2.1014) of the recipient. If [PidTagRecipientTrackStatus](#) ([\[MS-OXPROPS\]](#) section 2.1013) could not be exported as specified in section [2.2.1.20.2.3](#) because it is unset or 0 and the attendee is the user, the [PidLidAppointmentReplyTime](#) ([\[MS-OXPROPS\]](#) section 2.24) of the Calendar object SHOULD be exported in UTC format instead. <94>

2.2.1.20.3 Property: CATEGORIES

RFC Reference: [\[RFC2445\]](#) section 4.8.1.2

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: A list of categories assigned to the appointment.

Importing To Calendar objects

All instances of the CATEGORIES property SHOULD be parsed into a single array of strings. Several rules apply to the import of categories:

- All separator characters, semicolon (U+003B), comma (U+002C), arabic semicolon (U+061B), small semicolon (U+FE54), full-width semicolon (U+FF1B), SHOULD [<95>](#) be removed.
- All contiguous sequences of whitespace [<96>](#) characters SHOULD [<97>](#) be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD be trimmed.
- Strings SHOULD [<98>](#) be truncated to a length of 255 WCHARs if the length exceeds 255 WCHARs, but the truncation SHOULD NOT [<99>](#) split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD [<100>](#) be removed.

The resulting string array is stored in [PidNameKeywords](#).

Exporting From Calendar objects

[PidNameKeywords](#) SHOULD be exported as a comma-delimited list in the CATEGORIES property.

2.2.1.20.4 Property: CLASS

RFC Reference: [\[RFC2445\]](#) section 4.8.1.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The privacy or classification level of an appointment.

Importing To and Exporting From Calendar objects

The CLASS property MUST map to [PidTagSensitivity](#) as specified in the following table.

CLASS	PidTagSensitivity
PRIVATE	0x00000002
CONFIDENTIAL	0x00000003
PUBLIC	0x00000000
X-PERSONAL <101>	0x00000001 <102>

2.2.1.20.5 Property: COMMENT

RFC Reference: [\[RFC2445\]](#) section 4.8.1.4 and [\[RFC2446\]](#) section 3.2.3

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In a meeting response, this property represents an optional plain-text **message** from the attendee intended for the **organizer**.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD<103> be mapped directly to [PidTagBody](#). The COMMENT property SHOULD be ignored for other values of METHOD.

Also see the documentation for DESCRIPTION in section [2.2.1.20.11](#).

2.2.1.20.6 Property: CONTACT

RFC Reference: [\[RFC2445\]](#) section 4.8.4.2

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: A **contact** for an appointment.

Importing To Calendar objects

All instances of the CONTACT property SHOULD<104> be appended to single array of strings. Several rules apply to the import of contacts.

- All semicolons (U+003B) SHOULD<105> be removed.
- All contiguous sequences of whitespace<106> characters SHOULD<107> be truncated to a single space (U+0020) character.
- Whitespace at the start and end of each string SHOULD<108> be trimmed.
- Strings SHOULD<109> be truncated to a length of 500 WCHARs if their length exceeds 500 WCHARs, but the truncation SHOULD NOT<110> split surrogate pairs.
- All case-insensitive duplicate occurrences and zero-length strings in the array SHOULD<111> be removed.

The resulting string array is stored in [PidLidContacts](#).

Exporting From Calendar objects

Each string in the array of strings in [PidLidContacts](#) SHOULD<112> be exported as a new CONTACT property.

2.2.1.20.7 Property: CREATED

RFC Reference: [\[RFC2445\]](#) section 4.8.7.1

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The creation time of an appointment.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

The [PidTagCreationTime](#) of a Calendar object SHOULD [<113>](#) be exported as a CREATED property, specified in UTC.

2.2.1.20.8 Property: DTEND

RFC Reference: [\[RFC2445\]](#) section 4.8.2.2

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The end time of an appointment. If the item is a **counter proposal**, then this is the proposed end time of the meeting.

Importing To Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD be imported as [PidLidAppointmentProposedEndWhole.<114>](#)

If the METHOD property of the VCALENDAR component is not set to 'COUNTER', or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD [<115>](#) be imported as [PidLidAppointmentEndWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<116>](#) be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD [<117>](#) be imported as an **all day** appointment: [PidLidAppointmentSubType](#) MUST be set to 0x00000001. Note that this logic SHOULD [<118>](#) also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section [2.2.1.20.28](#)) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (section [2.2.1.20.41](#)).

Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then [PidLidAppointmentProposedEndWhole](#) SHOULD [<119>](#) be exported as a new DTEND property. For other values of METHOD, the [PidLidAppointmentEndWhole](#) of a Calendar object SHOULD [<120>](#) be exported as a new DTEND property.

If this is an all day appointment, then this property SHOULD [<121>](#) be exported in floating time with the Date format ([\[RFC2445\]](#) section 4.3.4).

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD [<122>](#) be specified as a local time with a TZID parameter.

2.2.1.20.8.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Importing To Calendar objects

If this appointment is recurring, and if there is a TZID parameter, and if neither [PidLidTimeZoneStruct](#) nor [PidLidTimeZoneDescription](#) has been imported from DTSTART (section 2.2.1.20.10), then [PidLidTimeZoneStruct](#) MUST be imported from the VTIMEZONE referenced by the TZID parameter, [PidLidTimeZoneDescription](#) MUST be imported from the TZID parameter, and [PidLidAppointmentTimeZoneDefinitionRecur](#) SHOULD <123> be imported from the VTIMEZONE referenced by the TZID parameter. Otherwise, this parameter SHOULD be ignored.

Furthermore, [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) SHOULD <124> be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

Exporting From Calendar objects

If this is a recurring non-all day appointment, then the DTEND property MUST be specified as a local time. It MUST be accompanied by a TZID parameter that is equal to the TZID property of the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionRecur<125>](#) or the combination of [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#).

If this is a non-recurring non-all day appointment and if [PidLidAppointmentTimeZoneDefinitionEndDisplay](#) is set, then the DTEND property SHOULD <126> be specified as a local time. It MUST be accompanied by a TZID parameter that is equal to the TZID property of the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionEndDisplay](#).

2.2.1.20.8.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD <127> be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the DTEND property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTEND property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.9 Property: DTSTAMP

RFC Reference: [\[RFC2445\]](#) section 4.8.7.2

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The creation time of the iCalendar.

Importing To Calendar objects

If the METHOD (specified in section [2.2.1.1](#)) is 'REPLY' or 'COUNTER', then this property SHOULD be imported as [PidLidAttendeeCriticalChange.<128>](#)

If the METHOD is not 'REPLY' or 'COUNTER', then this property MUST be imported as [PidLidOwnerCriticalChange](#).

Exporting From Calendar objects

If the METHOD (specified in section [2.2.1.1](#)) is 'REPLY' or 'COUNTER', then [PidLidAttendeeCriticalChange](#) MUST be exported as DTSTAMP.

If the METHOD is not 'REPLY' or 'COUNTER', then [PidLidOwnerCriticalChange](#) MUST be exported as DTSTAMP. If [PidLidOwnerCriticalChange](#) is undefined, the current system time SHOULD be used.

2.2.1.20.9.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.10 Property: DTSTART

RFC Reference: [\[RFC2445\]](#) section 4.8.2.4

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The start time of an appointment. If the item is a counter proposal, this is the proposed start time of the meeting.

Importing To Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then this property SHOULD<[129](#)> be imported as [PidLidAppointmentProposedStartWhole](#).

If the METHOD property of the VCALENDAR component is not set to 'COUNTER' or if either X-MS-OLK-ORIGINALEND or X-MS-OLK-ORIGINALSTART is not specified, then this property SHOULD<[130](#)> be imported as [PidLidAppointmentStartWhole](#), and [PidLidAppointmentDuration](#) SHOULD<[131](#)> be set to the number of minutes between DTSTART and DTEND.

If DTSTART and DTEND are both specified in floating time, and if both occur at midnight of their respective days, then the appointment SHOULD<[132](#)> be imported as an all day appointment: [PidLidAppointmentSubType](#) MUST be set to 0x00000001. Note that this logic SHOULD<[133](#)> also be triggered by X-MICROSOFT-CDO-ALLDAYEVENT (section [2.2.1.20.28](#)) and X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT (section [2.2.1.20.41](#)).

Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', then [PidLidAppointmentProposedStartWhole](#) SHOULD<134> be exported as a new DTSTART property. For other values of METHOD, the [PidLidAppointmentStartWhole](#) of a Calendar object SHOULD<135> be exported as a DTSTART property.

If this is an all day appointment, then this property SHOULD<136> be exported in floating time with the Date format.

If this is a recurring non-all day appointment, then this property MUST be specified as a local time with a TZID parameter.

Non-recurring non-all day appointments SHOULD<137> be specified as a local time with a TZID parameter.

2.2.1.20.10.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Importing To Calendar objects

If this appointment is recurring, and if there is a TZID parameter, then [PidLidTimeZoneStruct](#) MUST be imported from the VTIMEZONE referenced by the TZID parameter, [PidLidTimeZoneDescription](#) MUST be imported from the TZID parameter, and [PidLidAppointmentTimeZoneDefinitionRecur](#) SHOULD<138> be imported from the VTIMEZONE referenced by the TZID parameter.

Furthermore, [PidLidAppointmentTimeZoneDefinitionStartDisplay](#) SHOULD<139> be imported from the VTIMEZONE referenced by the TZID parameter.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

Exporting From Calendar objects

If this is a recurring non-all day appointment, then the DTSTART property MUST be specified as a local time. It MUST be accompanied by a TZID parameter referencing the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionRecur<140>](#) or the combination of [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#).

If this is a non-recurring non-all day appointment and if [PidLidAppointmentTimeZoneDefinitionStartDisplay](#) is set, then the DTSTART property SHOULD<141> be specified as a local time. It MUST be accompanied by a TZID parameter referencing the VTIMEZONE described by [PidLidAppointmentTimeZoneDefinitionStartDisplay](#).

2.2.1.20.10.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD<142> be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the DTSTART property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the DTSTART property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.11 Property: DESCRIPTION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the plain-text body of an appointment.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', this property SHOULD<143> be ignored. For other values of METHOD, this property MUST be mapped directly to [PidTagBody](#).

Also see the documentation for COMMENT in section [2.2.1.20.5](#).

2.2.1.20.11.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

Importing To Calendar objects

This parameter SHOULD<144> be interpreted as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding language code identifier, as specified in [\[MS-LCID\]](#).

Exporting From Calendar objects

This parameter SHOULD NOT be exported (section [2.2.1.20.24.1](#)).

2.2.1.20.12 Property: DURATION

RFC Reference: [\[RFC2445\]](#) section 4.8.2.5

Number of Instances Allowed: 0, 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6)

Brief Description: Specifies the duration of an appointment.

Importing To Calendar objects

If only one of DTSTART and DTEND is present, the DURATION property SHOULD [<145>](#) be used to compute the missing property.

Exporting From Calendar objects

This parameter SHOULD NOT be exported.

2.2.1.20.13 Property: EXDATE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.1

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

Importing To Calendar objects

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

All valid EXDATES SHOULD [<146>](#) be gathered into the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)) after the following validation:

- All EXDATES MUST be converted to the time zone specified by [PidLidTimeZoneStruct](#).
- The time information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- All entries that do not have a date matching the start date of an instance in the **recurrence pattern** MUST be removed.
- The **DeletedInstanceDates** field of the **RecurrencePattern** structure MUST be sorted chronologically with the earliest dates at the start.

Note that additional EXDATES could be derived from the RECURRENCE-IDs of other VEVENTs (section [2.2.1.20.20](#)).

Exporting From Calendar objects

The EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

In certain cases, an X-MICROSOFT-EXDATE SHOULD [<147>](#) be exported in place of an EXDATE. See section [2.2.1.20.39](#).

If there are entries in the **DeletedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [MS-OXOCAL]), the date-times of each day specified by the **DeletedInstanceDates** field of the **RecurrencePattern** structure SHOULD <148> be added with the time specified by the **StartTimeOffset** field of the **RecurrencePattern** structure and exported in a multi-valued EXDATE property. However, exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section [2.2.1.20.20](#)) SHOULD NOT also be exported as an EXDATE.

If the recurrence is an all day recurrence, the EXDATEs MUST be specified in the Date format.

2.2.1.20.13.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.13.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD <149> be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the EXDATE property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the EXDATE property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.14 Property: LAST-MODIFIED

RFC Reference: [\[RFC2445\]](#) section 4.8.7.3

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: The last modification time of an appointment.

Importing To Calendar object

This property SHOULD be ignored. <150>

Exporting From Calendar objects

The [PidTagLastModificationTime](#) of a Calendar object SHOULD <151> be exported as a LAST-MODIFIED property, specified in UTC.

2.2.1.20.15 Property: LOCATION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the location of an appointment.

Importing To Calendar objects

This property SHOULD <152> be stripped of all carriage returns (U+000D) and line feeds (U+000A), and SHOULD <153> be truncated to a length of 255 WCHARs if its length exceeds 255 WCHARs. The truncation SHOULD NOT <154> split surrogate pairs. This property MUST be stored in [PidLidLocation](#).

Exporting From Calendar objects

[PidLidLocation](#) MUST be exported as a LOCATION property.

2.2.1.20.15.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the language of the property.

Importing To Calendar objects

This parameter SHOULD <155> be interpreted as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding language code identifier, as specified in [\[MS-LCID\]](#).

Exporting From Calendar objects

This parameter SHOULD NOT be exported. See section [2.2.1.20.24.1](#).

2.2.1.20.16 Property: ORGANIZER

RFC Reference: [\[RFC2445\]](#) section 4.8.4.3

Number of Instances Allowed: 0, 1

Format: Calendar User Address ([\[RFC2445\]](#) section 4.3.3)

Brief Description: The organizer of a meeting.

Importing To Calendar objects

This property SHOULD<156> be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD be resolved against the address book [\[MS-OXOABK\]](#). If no match was found, a one-off EntryID ([\[MS-OXCADATA\]](#) section 2.2.5.1) MUST be created using the SMTP address and the CN parameter. The Address Book object MUST be added to the recipient table of the Calendar object with properties specified in the following table.

Recipient Table Property	Value
PidTagAddressType	Resolved from the address book (see above).
PidTagDisplayName	Resolved from the address book (see above).
PidTagDisplayType	Set to 0x00000000<157>
PidTagEmailAddress	Resolved from the address book (see above).
PidTagEntryId	Resolved from the address book (see above).
PidTagRecipientDisplayName	Copy of PidTagDisplayName <158>
PidTagRecipientEntryId	Copy of PidTagEntryId <159>
PidTagRecipientFlags	Set to 0x00000003.
PidTagRecipientType	Set to 0x00000001.

Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then an organizer property MUST NOT be exported.

The row in the recipient table of the Calendar object that satisfies the constraints in the following table SHOULD<160> be exported as an organizer property. The value of the property MUST be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the recipient from the address book [\[MS-OXOABK\]](#). If the recipient does not have an SMTP address, then the value of the property SHOULD<161> be set to 'invalid:nomail'.

Recipient Table Property	Constraint
PidTagRecipientFlags	The bit denoted by 0x00000020 MUST be 0
PidTagRecipientFlags or PidTagRecipientType	The bit denoted by 0x00000002 of PidTagRecipientFlags MUST be 1 or The PidTagRecipientType MUST be 0x00000000

2.2.1.20.16.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of the organizer.

Importing To Calendar objects

See section [2.2.1.20.16](#).

Exporting From Calendar objects

This parameter SHOULD be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagDisplayName](#) from the recipient table, if necessary).

2.2.1.20.17 Property: PRIORITY

RFC Reference: [\[RFC2445\]](#) section 4.8.1.9

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

Importing To Calendar objects

If [PidTagImportance](#) cannot be imported from X-MICROSOFT-CDO-IMPORTANCE (section [2.2.1.20.32](#)) or X-MICROSOFT-MSNCALENDAR-IMPORTANCE (section [2.2.1.20.43](#)), then this property MUST be imported into [PidTagImportance](#) as specified by the following table.

PRIORITY	PidTagImportance
0	(unset)
1	0x00000002
2	0x00000002
3	0x00000002
4	0x00000002
5	0x00000001
6	0x00000000
7	0x00000000
8	0x00000000
9	0x00000000

Exporting From Calendar objects

[PidTagImportance](#) MUST be exported as the PRIORITY property as specified by the following table.

PidTagImportance	PRIORITY
0x00000002	1
0x00000001	5
0x00000000	9

2.2.1.20.18 Property: RDATE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.3

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4), Period of Time ([\[RFC2445\]](#) section 4.3.9)

Brief Description: Specifies the start time of additional instances of the recurring appointment which have been created by the organizer.

Importing To Calendar objects

If this property is specified, an RRULE MUST also be specified in the same VEVENT.

RDATEs in Period of Time format SHOULD be ignored. All valid RDATEs SHOULD [<162>](#) be gathered into the **ModifiedInstanceDates** field of the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)) after the following validation:

- All RDATEs MUST be converted to the time zone specified by [PidLidTimeZoneStruct](#).
- The time-of-day information MUST be stripped off (all entries MUST fall on midnight).
- All duplicate entries MUST be removed.
- Each RDATE MUST be pairable with an EXDATE to represent a moved instance of a recurring appointment. The moved instance obeys the following rules:
 - An instance MUST NOT be moved before the previous instance or after the next instance.
 - An instance MUST NOT be moved such that the intersection of its span with the span of any other instance of the appointment has a non-zero duration.
 - An instance MUST NOT be moved such that its start time falls on the same calendar day as that of another instance.
- The **ModifiedInstanceDates** field in the **RecurrencePattern** structure MUST be sorted chronologically with the earliest dates at the start.

In addition, all valid RDATEs SHOULD [<163>](#) be stored in the **ExceptionInfo** field of the [PidLidAppointmentRecur](#) structure (see [\[MS-OXOCAL\]](#)). The contents of each **ExceptionInfo** block MUST be set as specified in the following table.

ExceptionInfo Field	Value
StartDateTime	Set to the RDATE value, in the time zone specified by PidLidTimeZoneStruct
EndDateTime	Set to StartDateTime + the duration of the appointment
OriginalStartDate	Set to the paired EXDATE value, in the time zone specified by PidLidTimeZoneStruct
OverrideFlags	Set to 0x00000000
SubjectLength/Subject	(unset)
MeetingType	(unset)

ExceptionInfo Field	Value
ReminderDelta	(unset)
ReminderSet	(unset)
LocationLength/Location	(unset)
BusyStatus	(unset)
Attachment	(unset)
SubType	(unset)
AppointmentColor	(unset)

Note that additional RDATEs could be derived from the DTSTARTs of other VEVENTs. See section [2.2.1.20.20](#). For exceptions generated by RECURRENCE-IDs, fields in the **ExceptionInfo** structure MUST be set according to the following table.

ExceptionInfo Field	Value
StartDateTime	Set to PidLidAppointmentStartWhole from the exception Calendar object, in the time zone specified by PidLidTimeZoneStruct
EndDateTime	Set to PidLidAppointmentEndWhole from the exception Calendar object, in the time zone specified by PidLidTimeZoneStruct
OriginalStartDate	Set to PidLidExceptionReplaceTime from the exception Calendar object, in the time zone specified by PidLidTimeZoneStruct
OverrideFlags	Set the appropriate flags specified in the next table.
SubjectLength/Subject	Set to PidTagSubject from the exception Calendar object, leave unset if PidTagSubject is not present
MeetingType	(unset)
ReminderDelta	Set to PidLidReminderDelta from the exception Calendar object, leave unset if PidLidReminderDelta is not present
ReminderSet	Set to FALSE if PidLidReminderDelta is not present, leave unset otherwise
LocationLength/Location	Set to PidLidLocation from the exception Calendar object, leave unset if PidLidLocation is not present
BusyStatus	Set to PidLidBusyStatus from the exception Calendar object, leave unset if PidLidBusyStatus is not present
Attachment	(unset)
SubType	Set to PidLidAppointmentSubType from the exception Calendar object, leave unset if PidLidAppointmentSubType is not present
AppointmentColor	(unset)

The following table specifies the valid values for the **OverrideFlags** field of the **ExceptionInfo** structure.

OverrideFlags Flag	Meaning
0x0001	SubjectLength and Subject are set.
0x0004	ReminderDelta is set.
0x0008	ReminderSet is set.
0x0010	LocationLength and Location are set.
0x0020	BusyStatus is set.
0x0080	SubType is set.
0x0200	PidTagRtfCompressed or PidTagBody from the exception Calendar object is present.

Exporting From Calendar objects

The RDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If there are entries in the **ModifiedInstanceDates** field in the **RecurrencePattern** structure embedded within the [PidLidAppointmentRecur](#) structure (see [MS-OXOCAL]), the date-times of all instances of the recurrence pattern falling on the days specified by the **ModifiedInstanceDates** field in the **RecurrencePattern** structure SHOULD [<164>](#) be exported in an RDATE, but exceptions exported as a separate VEVENT with a RECURRENCE-ID (see section [2.2.1.20.20](#)) MUST NOT also be exported as an RDATE.

If the exception is an all day appointment, the RDATE MUST be specified in the Date format.

2.2.1.20.18.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.18.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [<165>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the RDATE property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RDATE property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.19 Property: RRULE

RFC Reference: [\[RFC2445\]](#) section 4.8.5.4

Number of Instances Allowed: 0, 1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

Importing To and Exporting From Calendar objects

Section [2.3.2](#) specifies how the RRULE property is imported and exported.

2.2.1.20.20 Property: RECURRENCE-ID

RFC Reference: [\[RFC2445\]](#) section 4.8.4.4

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The original starting time of a moved exception of a recurring appointment.

Importing To Calendar objects

This property MUST be imported into [PidLidExceptionReplaceTime](#), in UTC.

In addition, if the VCALENDAR contains a recurring VEVENT with the same UID, but no RECURRENCE-ID, this entire VEVENT SHOULD [<166>](#) be treated as an exception of the recurring VEVENT. In particular:

- Instead of creating a new Calendar object in the Folder object for this VEVENT, a new Attachment object in the **Recurring Calendar object** SHOULD [<167>](#) be created (with properties specified in the following table), and [PidTagAttachDataObject](#) SHOULD [<168>](#) be opened as a Calendar object and used to import this VEVENT.
- The [PidTagMessageClass](#) of this Calendar object SHOULD [<169>](#) be overwritten to 'IPM.OLE.CLASS.{00061055-0000-0000-C000-000000000046}'.
- The recurring VEVENT SHOULD [<170>](#) treat this VEVENT's RECURRENCE-ID as an EXDATE, and this VEVENT's DTSTART as an RDATE. See section [2.2.1.20.18](#) for the effect of this exception on [PidLidAppointmentRecur](#).

Attachment Object Property	Value
PidTagAttachDataObject	Open this property as a Calendar object interface and import the VEVENT
PidTagAttachMethod	Set to 0x00000005

Attachment Object Property	Value
PidTagRenderingPosition	Set to 0xFFFFFFFF
PidTagDisplayName	Set to the PidTagSubject of this Calendar object.
PidTagExceptionStartTime	Set to the PidLidAppointmentStartWhole of this Calendar object, local to the time zone specified by PidLidTimeZoneStruct of this Calendar object.
PidTagAttachEncoding	Set to an empty PtypBinary
PidTagExceptionEndTime	Set to the PidLidAppointmentEndWhole of this Calendar object, local to the time zone specified by PidLidTimeZoneStruct of this Calendar object.
PidTagAttachmentFlags	Set to 0x00000002
PidTagAttachmentLinkId	Set to 0x00000000
PidTagAttachFlags	Set to 0x00000000
PidTagAttachmentHidden	Set to TRUE
PidTagAttachmentContactPhoto	Set to FALSE

Exporting From Calendar objects

If [PidLidExceptionReplaceTime](#) is set, then it MUST be exported as a RECURRENCE-ID. Otherwise, if an InstanceDate can be parsed from the 17th, 18th, 19th, and 20th bytes of [PidLidGlobalObjectId](#) as specified in section [2.2.1.20.26](#), then that date combined with the time in [PidLidStartRecurrenceTime](#) (in the time zone specified by [PidLidTimeZoneStruct](#)) MUST be exported as a RECURRENCE-ID.

In addition, exceptions to recurring appointments SHOULD [<171>](#) be exported as a separate VEVENTs with a RECURRENCE-ID under either of the **conditions** below. Exceptions that do not fit either of these conditions MAY instead be exported as an RDATE (see section [2.2.1.20.18](#)).

- Exceptions stored as an Attachment object with [PidTagAttachMethod](#) set to 0x00000005 and with the bit denoted by 0x00000002 set to 1 in [PidTagAttachmentFlags](#).
- Exceptions which do anything other than, or in addition to, moving the start time of an instance without changing the duration.

The RECURRENCE-ID of new VEVENTs MUST be exported from the **OriginalStartDate** field of the corresponding **ExceptionInfo** block. Furthermore, the new VEVENTs MUST export the same UID as the recurring VEVENT. The remaining properties MUST be exported from the Calendar object embedded in [PidTagAttachDataObject](#) of the Attachment object. If no Attachment object exists for this exception, then the **ExceptionInfo's** fields MUST be exported as properties of the new VEVENT as specified in the following table.

ExceptionInfo Field	Export as...
StartDateTime / MeetingType	Export as DTSTART (see section 2.2.1.20.10)
EndDateTime / MeetingType	Export as DTEND (see section 2.2.1.20.8)

ExceptionInfo Field	Export as...
fOriginalStartDate	Export as RECURRENCE-ID
SubjectLength / Subject	Export as SUMMARY (see section 2.2.1.20.24), if Subject is set
ReminderDelta / ReminderSet	Export as a VALARM sub-component (see section 2.2.1.20.62), if ReminderDelta is set and if ReminderSet is not FALSE
LocationLength / Location	Export as LOCATION (see section 2.2.1.20.15), if Location is set
BusyStatus	Export as TRANSP (see section 2.2.1.20.25) and X-MICROSOFT-CDO-BUSYSTATUS (see section 2.2.1.20.31), if BusyStatus is set

If RECURRENCE-ID is exported (as specified above) and the recurring parent is not all day, RECURRENCE-ID MUST be specified local to the time zone specified in [PidLidTimeZoneStruct](#).

If RECURRENCE-ID is exported (as specified above) and the recurring parent is all day, then the RECURRENCE-ID MUST be specified in the Date format ([\[RFC2445\]](#) section 4.3.4).

2.2.1.20.20.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.20.2 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD [<172>](#) be ignored since a parser can determine whether a property is in the Date format ([\[RFC2445\]](#) section 4.3.4) or Date-Time format ([\[RFC2445\]](#) section 4.3.5) without an explicit declaration in the VALUE parameter.

Exporting From Calendar objects

If the RECURRENCE-ID property is specified in the Date format ([\[RFC2445\]](#) section 4.3.4), the VALUE parameter MUST be exported as 'DATE'. If the RECURRENCE-ID property is specified in the Date-Time format ([\[RFC2445\]](#) section 4.3.5), the VALUE parameter SHOULD be omitted, but MAY be exported as 'DATE-TIME'.

2.2.1.20.21 Property: RESOURCES

RFC Reference: [\[RFC2445\]](#) section 4.8.1.10

Number of Instances Allowed: 0+

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: resource (such as rooms or equipment) for a meeting.

Importing To Calendar objects

All instances of the resources property SHOULD [<173>](#) be parsed as a comma-delimited list of strings into a string array. For each string in the array:

- All semicolons (U+003B) MUST be filtered out.
- All adjacent sequences of whitespace [<174>](#) MUST be compressed to a single space (U+0020).
- All whitespace [<175>](#) at the beginning and end of the string MUST be filtered out.
- Zero-length strings MUST be ignored.

All remaining strings in the array SHOULD [<176>](#) be added to a list delimited by ";" (U+003B) followed by U+0020) in [PidLidNonSendableBcc](#).

Exporting From Calendar objects

The semicolon-delimited entries in [PidLidNonSendableBcc](#) SHOULD [<177>](#) be exported as a comma-delimited list in a RESOURCES property.

2.2.1.20.22 Property: SEQUENCE

RFC Reference: [\[RFC2445\]](#) section 4.8.7.4

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the revision sequence number of the meeting request.

Importing To Calendar objects

If [PidLidAppointmentSequence](#) cannot be imported from X-MICROSOFT-CDO-APPT-SEQUENCE (section [2.2.1.20.29](#)), then this property MUST be imported into [PidLidAppointmentSequence](#). If no SEQUENCE property exists, [PidLidAppointmentSequence](#) SHOULD [<178>](#) be left unset.

Exporting From Calendar objects

[PidLidAppointmentSequence](#) MUST be exported as the SEQUENCE property. If [PidLidAppointmentSequence](#) is not set, the SEQUENCE property MUST be exported as 0.

2.2.1.20.23 Property: STATUS

RFC Reference: [\[RFC2445\]](#) section 4.8.1.11

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the confirmation level of the appointment.

Importing To Calendar objects

If [PidLidBusyStatus](#) cannot be imported from TRANSP (section [2.2.1.20.25](#)), X-MICROSOFT-CDO-BUSYSTATUS (section [2.2.1.20.31](#)), or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (section [2.2.1.20.42](#)), this property SHOULD<179> be imported into [PidLidBusyStatus](#) as specified in the following table.

STATUS	PidLidBusyStatus
CANCELLED	0x00000000
TENTATIVE	0x00000001
CONFIRMED	0x00000002

Exporting From Calendar objects

This property SHOULD NOT be exported.

2.2.1.20.24 Property: SUMMARY

RFC Reference: [\[RFC2445\]](#) section 4.8.1.12

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the subject of an appointment.

Importing To Calendar objects

This property SHOULD<180> be stripped of all carriage returns (U+000D) and line feeds (U+000A), and SHOULD<181> be truncated to a length of 255 WCHARs if its length exceeds 255 WCHARs. The truncation SHOULD NOT<182> split surrogate pairs. This property MUST be stored in [PidTagSubject](#). If this property could not be imported, [PidTagSubject](#) SHOULD<183> be set to the zero-length string.

Exporting From Calendar objects

[PidTagSubject](#) MUST be exported as a SUMMARY property. If [PidTagSubject](#) is not set, then the zero-length string SHOULD<184> be exported as a SUMMARY property.

2.2.1.20.24.1 Parameter: LANGUAGE

RFC Reference: [\[RFC2445\]](#) section 4.2.10

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the language of the property.

Importing To Calendar objects

This parameter SHOULD<185> be parsed as an [\[RFC1766\]](#) language tag and stored in [PidTagMessageLocaleId](#) as the corresponding [\[MS-LCID\]](#) language code identifier.

Exporting From Calendar objects

[PidTagMessageLocaleId](#) SHOULD<186> be converted from an [\[MS-LCID\]](#) language code identifier to an [\[RFC1766\]](#) language tag and exported as a LANGUAGE parameter.

2.2.1.20.25 Property: TRANSP

RFC Reference: [\[RFC2445\]](#) section 4.8.2.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies whether or not this appointment is intended to be visible in availability searches.

Importing To Calendar objects

If [PidLidBusyStatus](#) cannot be imported from X-MICROSOFT-CDO-BUSYSTATUS (section [2.2.1.20.31](#)) or X-MICROSOFT-MSNCALENDAR-BUSYSTATUS (section [2.2.1.20.42](#)), this property SHOULD<187> be imported into [PidLidBusyStatus](#) as specified in the following table.

STATUS	PidLidBusyStatus
TRANSPARENT	0x00000000
OPAQUE	0x00000002

Exporting From Calendar objects

This property SHOULD<188> be exported from [PidLidBusyStatus](#) as specified in the following table.

PidLidBusyStatus	STATUS
0x00000000	TRANSPARENT
0x00000001	OPAQUE
0x00000002	OPAQUE
0x00000003	OPAQUE

2.2.1.20.26 Property: UID

RFC Reference: [\[RFC2445\]](#) section 4.8.4.7

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides a globally unique identifier for the appointment.

Importing To Calendar objects

There are two supported forms of textual representation of the UID property. The **Augmented Backus-Naur Form (ABNF)** ([\[RFC5234\]](#)) grammar for this value is:

```
UID = EncodedGlobalId / ThirdPartyGlobalId

EncodedGlobalId      = Header GlobalIdData
ThirdPartyGlobalId   = 1*UTF8-octets      ; Assuming UTF-8 is the encoding

Header = ByteArrayID InstanceDate CreationDateTime Padding DataSize

ByteArrayID          = "040000008200E00074C5B7101A82E008"
InstanceDate         = InstanceYear InstanceMonth InstanceDay
InstanceYear         = 4*4HEXDIG          ; UInt16
InstanceMonth        = 2*2HEXDIG          ; UInt8
InstanceDay          = 2*2HEXDIG          ; UInt8
CreationDateTime     = FileTime
FileTime             = 16*16HEXDIG        ; UInt64
Padding              = 16*16HEXDIG        ; "0000000000000000" recommended
DataSize             = 8*8HEXDIG          ; UInt32 little-endian
GlobalIdData         = 2*HEXDIG

UTF8-octets = *( UTF8-char )
UTF8-char   = UTF8-1 / UTF8-2 / UTF8-3 / UTF8-4
UTF8-1      = %x00-7F
UTF8-2      = %xC2-DF UTF8-tail
UTF8-3      = %xE0 %xA0-BF UTF8-tail / %xE1-EC 2( UTF8-tail ) /
              %xED %x80-9F UTF8-tail / %xEE-EF 2( UTF8-tail )
UTF8-4      = %xF0 %x90-BF 2( UTF8-tail ) / %xF1-F3 3( UTF8-tail ) /
              %xF4 %x80-8F 2( UTF8-tail )
UTF8-tail   = %x80-BF
```

To be of type **EncodedGlobalId**, the value of the UID property MUST satisfy the following constraints:

1. Every character MUST be a HEXDIG.
2. The length of the string MUST be eighty-two (82) characters or more.
3. The length of the string MUST be evenly divisible by 2.
4. The first thirty-two characters MUST match (case insensitive) [<189>](#) "040000008200E00074C5B7101A82E008".

Otherwise, the UID property is of type **ThirdPartyGlobalId**.

If the UID is of type **EncodedGlobalId**, then the data MUST be decoded to its binary representation (every two HEXDIGs compose one byte).

A temporary variable *EffectiveInstanceDate* is defined as follows:

- If the UID is of type **EncodedGlobalId** and if the **InstanceDate** portion of the UID is a valid date in the range of January 1st, 1601 to December 31st, 4500 (inclusive), then the *EffectiveInstanceDate* is the **ThirdPartyGlobalId** portion of the UID.
- If the UID is of type **EncodedGlobalId** but the **ThirdPartyGlobalId** portion of the UID is not a valid date in the range of January 1st, 1601 to December 31st, 4500 (inclusive), then the

EffectiveInstanceDate is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).

- If the UID is of type **ThirdPartyGlobalId**, then the *EffectiveInstanceDate* is the date from the RECURRENCE-ID property (in its local time zone). In the case where RECURRENCE-ID property is not present, the *EffectiveInstanceDate* is zero (Year = Month = Day = 0).

If the UID is of type **EncodedGlobalId**, it MUST be imported into [PidLidGlobalObjectId](#) as specified below (the [PidLidGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.27):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate*'s year.
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate*'s year.
- The **M** field MUST be set to the value of the *EffectiveInstanceDate*'s month.
- The **D** field MUST be set to the value of the *EffectiveInstanceDate*'s day.
- The **Creation Time** field MUST be set to the CreationDateTime value.
- The **X** field MUST be set to the Padding value.
- The **Size** field MUST be set to the DataSize value.
- The **Data** field MUST be set to the binary value of GlobalIdData.

If the UID is of type **EncodedGlobalId**, it MUST also be imported into [PidLidCleanGlobalObjectId](#) as specified below (the [PidLidCleanGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.28):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to 0x00.
- The **YL** field MUST be set to 0x00.
- The **M** field MUST be set to 0x00.
- The **D** field MUST be set to 0x00.
- The **Creation Time** field MUST be set to the CreationDateTime value.
- The **X** field MUST be set to the Padding value.
- The **Size** field MUST be set to the DataSize value.
- The **Data** field MUST be set to the binary value of GlobalIdData.

If the UID is of type **ThirdPartyGlobalId**, it MUST be imported into [PidLidGlobalObjectId](#) as specified below (the [PidLidGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.27):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.

- The **YH** field MUST be set to the high byte of the *EffectiveInstanceDate*'s year.
- The **YL** field MUST be set to the low byte of the *EffectiveInstanceDate*'s year.
- The **M** field MUST be set to the value of the *EffectiveInstanceDate*'s month.
- The **D** field MUST be set to the value of the *EffectiveInstanceDate*'s day.
- The **Creation Time** field MUST be set to 0x0000000000000000.
- The **X** field MUST be set to 0x0000000000000000.
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C.
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8).

If the UID is of type **ThirdPartyGlobalId**, it MUST also be imported into [PidLidCleanGlobalObjectId](#) as specified below (the [PidLidCleanGlobalObjectId](#) structure is specified in [\[MS-OXOCAL\]](#) section 2.2.1.28):

- The **Byte Array ID** field MUST be set to: 0x04, 0x00, 0x00, 0x00, 0x82, 0x00, 0xE0, 0x00, 0x74, 0xC5, 0xB7, 0x10, 0x1A, 0x82, 0xE0, 0x08.
- The **YH** field MUST be set to 0x00.
- The **YL** field MUST be set to 0x00.
- The **M** field MUST be set to 0x00.
- The **D** field MUST be set to 0x00.
- The **Creation Time** field MUST be set to 0x0000000000000000.
- The **X** field MUST be set to 0x0000000000000000.
- The **Size** field MUST be set to the number of OCTETS in **ThirdPartyGlobalId** (UTF-8 encoded length) + 0x0000000C.
- The **Data** field MUST be set to the following bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, followed by the value of **ThirdPartyGlobalId** (encoded in UTF-8).

Exporting From Calendar objects

If the **Data** field (as specified in [\[MS-OXOCAL\]](#) section 2.2.1.27) of [PidLidGlobalObjectId](#) begins with the following 12 bytes: 0x76, 0x43, 0x61, 0x6C, 0x2D, 0x55, 0x69, 0x64, 0x01, 0x00, 0x00, 0x00, the remainder of the **Data** field (starting at the 13th byte) MUST be treated as a UTF-8 encoded string and exported directly as the UID property.

Otherwise, a modified copy of [PidLidGlobalObjectId](#), with the **YH**, **YL**, **M**, and **D** fields set to 0x00, MUST be encoded as a hexadecimal string, and exported as the UID property.

2.2.1.20.27 Property: X-ALT-DESC

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Provides an alternate format for the DESCRIPTION property (an **HTML** body).

Importing To Calendar objects

If the FMTTYPE parameter is 'text/HTML', then the HTML SHOULD<190> be converted to encapsulated **RTF** (see [MS-OXRTFEX]) and stored in [PidTagRtfCompressed](#) (see [MS-OXRTFCP]).

If the FMTTYPE parameter is absent or undocumented, then the X-ALT-DESC property SHOULD be ignored.

Exporting From Calendar objects

[PidTagRtfCompressed](#) SHOULD<191> be converted to HTML and exported as an X-ALT-DESC property with a FMTTYPE parameter of 'text/HTML'.

2.2.1.20.27.1 Parameter: FMTTYPE

RFC Reference: [RFC2445] section 4.2.8

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the text format of the X-ALT-DESC property.

Importing To and Exporting From Calendar objects

See section [2.2.1.20.27](#).

2.2.1.20.28 Property: X-MICROSOFT-CDO-ALLDAYEVENT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([RFC2445] section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

Importing To Calendar objects

If this property is set to TRUE and if DTSTART and DTEND are both specified as local times falling at midnight in their respective<192> time zones, then this appointment SHOULD<193> be imported as an all day appointment. Specifically, [PidLidAppointmentSubType](#) SHOULD<194> be set to 0x00000001 and [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#) SHOULD<195> be set to fall on midnight of the current system time zone (in UTC).

Exporting From Calendar objects

This property SHOULD NOT<196> be exported. Section [2.2.1.20.10](#) specifies how to correctly export all day events.

2.2.1.20.29 Property: X-MICROSOFT-CDO-APPT-SEQUENCE

RFC Reference: N/A

Number of Instances Allowed: 0,1

Format: Integer ([RFC2445] section 4.3.8)

Brief Description: Specifies the sequence number of the meeting request.

Importing To Calendar objects

This property SHOULD<197> be imported into [PidLidAppointmentSequence](#).

Exporting From Calendar objects

This property SHOULD NOT<198> be exported. Section [2.2.1.20.22](#) specifies how to correctly export [PidLidAppointmentSequence](#) using the SEQUENCE property.

2.2.1.20.30 Property: X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([RFC2445] section 4.3.5)

Brief Description: Specifies the time at which the attendee accepted, **tentatively** accepted, or declined the meeting request.

Importing To Calendar objects

This property MAY<199> be imported as [PidLidAttendeeCriticalChange](#).

Exporting From Calendar objects

[PidLidAttendeeCriticalChange](#) MAY<200> be exported as X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE.

2.2.1.20.31 Property: X-MICROSOFT-CDO-BUSYSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([RFC2445] section 4.3.11)

Brief Description: Specifies the BUSY status of an appointment.

Importing To and Exporting From Calendar objects

This property SHOULD<201> be mapped into [PidLidBusyStatus](#) as specified by the following table.

X-MICROSOFT-CDO-BUSYSTATUS	PidLidBusyStatus
FREE	0x00000000
TENTATIVE	0x00000001

X-MICROSOFT-CDO-BUSYSTATUS	PidLidBusyStatus
BUSY	0x00000002
OOF	0x00000003

2.2.1.20.32 Property: X-MICROSOFT-CDO-IMPORTANCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

Importing To Calendar objects

This property SHOULD be imported into [PidTagImportance](#) as specified by the following table.

X-MICROSOFT-CDO-IMPORTANCE	PidTagImportance
0	0x00000000
1	0x00000001
2	0x00000002

Exporting From Calendar objects

This property SHOULD be exported as specified in the preceding table.

2.2.1.20.33 Property: X-MICROSOFT-CDO-INSTTYPE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Indicates whether the VEVENT represents a non-recurring appointment, a recurring appointment, or an exception to a recurring appointment.

Importing To Calendar objects

This property SHOULD be ignored.

Exporting From Calendar objects

This property SHOULD NOT [<202>](#) be exported. The instance type of a VEVENT can be correctly determined based on the existence of the RRULE and RECURRENCE-ID properties.

2.2.1.20.34 Property: X-MICROSOFT-CDO-INTENDEDSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the **busy** status that the meeting organizer intends the attendee's copy of the meeting to have.

Importing To Calendar objects

This property SHOULD [<203>](#) be imported into [PidLidIntendedBusyStatus](#) using the same import mapping as X-MICROSOFT-CDO-BUSYSTATUS as specified in section [2.2.1.20.31](#).

If the METHOD property is REQUEST and an X-MICROSOFT-CDO-INTENDEDSTATUS property is absent, then [PidLidIntendedBusyStatus](#) SHOULD [<204>](#) copy the value of [PidLidBusyStatus](#), defaulting to 0x00000002 if [PidLidBusyStatus](#) was not set, and [PidLidBusyStatus](#) SHOULD [<205>](#) be set to 0x00000001.

Exporting From Calendar objects

If the METHOD property is REQUEST, [PidLidIntendedBusyStatus](#) SHOULD [<206>](#) be exported as X-MICROSOFT-CDO-INTENDEDSTATUS using the mapping specified in section [2.2.1.20.31](#).

2.2.1.20.35 Property: X-MICROSOFT-CDO-OWNERAPPTID

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Provides an **identifier** for the appointment which is unique in the scope of the organizer's primary calendar.

Importing To and Exporting From Calendar objects

This property SHOULD [<207>](#) be directly imported to and exported from [PidTagOwnerAppointmentId](#).

2.2.1.20.36 Property: X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time at which the organizer requested, updated, or cancelled the meeting.

Importing To Calendar objects

When present, this property MAY [<208>](#) be imported as [PidLidOwnerCriticalChange](#).

Exporting From Calendar objects

[PidLidOwnerCriticalChange](#) MAY [<209>](#) be exported as X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE.

2.2.1.20.37 Property: X-MICROSOFT-CDO-REPLYTIME

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time in which the attendee responded to a meeting request.

Importing To Calendar objects

This property MAY [<210>](#) be imported as [PidLidAppointmentReplyTime](#).

Exporting From Calendar objects

[PidLidAppointmentReplyTime](#) MAY [<211>](#) be exported as X-MICROSOFT-CDO-REPLYTIME.

2.2.1.20.38 Property: X-MICROSOFT-DISALLOW-COUNTER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not the organizer is willing to receive counter-proposals.

Importing To and Exporting From Calendar objects

This property SHOULD [<212>](#) be directly imported to and exported from [PidLidAppointmentNotAllowPropose](#).

2.2.1.20.39 Property: X-MICROSOFT-EXDATE

RFC Reference: N/A

Number of Instances Allowed: 0+

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of instances of the recurring appointment which have been deleted.

Importing To Calendar objects

If this property is specified, an X-MICROSOFT-RRULE MUST also be specified in the same VEVENT.

This property SHOULD [<213>](#) be imported in the same way that the EXDATE property is imported. See section [2.2.1.20.13](#).

Exporting From Calendar objects

The X-MICROSOFT-EXDATE property MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

If the **CalendarType** field of [PidLidAppointmentRecur](#) is non-zero or if the **PatternType** field is 0x000A or 0x000B, this property SHOULD [<214>](#) be exported in place of the EXDATE property. If

exported, the value of this property MUST be exactly what the value of the EXDATE property would have been (see section [2.2.1.20.13](#)).

2.2.1.20.39.1 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD be ignored.

Exporting From Calendar objects

This parameter MUST be exported as 'DATE-TIME'.

2.2.1.20.40 Property: X-MICROSOFT-ISDRAFT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

Importing To Calendar objects

For iCalendar files with a method of REQUEST, REPLY, CANCEL, or COUNTER, [PidLidFInvited](#) MUST be set to TRUE regardless of the value of X-MICROSOFT-ISDRAFT.

For iCalendar files with a method of publish, [PidLidFInvited](#) SHOULD<215> be set to TRUE if the VEVENT is a meeting and X-MICROSOFT-ISDRAFT is not set to TRUE. Otherwise, [PidLidFInvited](#) SHOULD be set to FALSE.

Exporting From Calendar objects

For iCalendar files with a method of PUBLISH, if the organizer of the meeting is the user and if [PidLidFInvited](#) is not TRUE, then X-MICROSOFT-ISDRAFT SHOULD<216> be exported as TRUE.

For all other cases, X-MICROSOFT-ISDRAFT MUST NOT be exported.

2.2.1.20.41 Property: X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether an appointment is intended to be treated as all day.

Importing To and Exporting From Calendar objects

This property is synonymous with X-MICROSOFT-CDO-ALLDAYEVENT.<217> See section [2.2.1.20.28](#) for usage.

2.2.1.20.42 Property: X-MICROSOFT-MSNCALENDAR-BUSYSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status of an appointment.

Importing To Calendar objects

This property is synonymous with X-MICROSOFT-CDO-BUSYSTATUS (see section [2.2.1.20.31](#)) and SHOULD<218> be imported into [PidLidBusyStatus](#) as specified in section [2.2.1.20.31](#).

Exporting From Calendar objects

This property SHOULD NOT be exported.

2.2.1.20.43 Property: X-MICROSOFT-MSNCALENDAR-IMPORTANCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the importance of an appointment.

Importing To and Exporting From Calendar objects

This property is synonymous<219> with X-MICROSOFT-CDO-IMPORTANCE. See section [2.2.1.20.32](#) for usage.

2.2.1.20.44 Property: X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the busy status that the meeting organizer intends the attendee's copy of the meeting to have.

Importing To Calendar objects

This property is synonymous with X-MICROSOFT-CDO-INTENDEDSTATUS (see section [2.2.1.20.34](#)) and SHOULD<220> be imported into [PidLidIntendedBusyStatus](#) as specified in section [2.2.1.20.31](#).

Exporting From Calendar objects

This property SHOULD NOT be exported.

2.2.1.20.45 Property: X-MICROSOFT-RRULE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Recurrence rule ([\[RFC2445\]](#) section 4.3.10)

Brief Description: Specifies the recurrence pattern of a recurring appointment.

Importing To and Exporting From Calendar objects

Section [2.3.2](#) specifies how the X-MICROSOFT-RRULE property is imported and exported.

If this property is specified, an X-MICROSOFT-CALSCALE MUST also be specified in the same VEVENT.

2.2.1.20.45.1 Parameter: VALUE

RFC Reference: [\[RFC2445\]](#) section 4.2.20

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the format of this property.

Importing To Calendar objects

This parameter SHOULD be ignored.

Exporting From Calendar objects

This parameter MUST be exported as 'RECUR'.

2.2.1.20.45.2 Parameter: X-MICROSOFT-ISLEAPMONTH

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether the month specified in a yearly non-Gregorian recurrence is a leap month of that calendar.

Importing To Calendar objects

This parameter SHOULD be ignored. The month of a yearly recurrence is determined from DTSTART.

Exporting From Calendar objects

If the recurrence is a Yearly (section [2.3.2.5](#)) or Yearly Nth (section [2.3.2.6](#)), this property SHOULD<221> be exported as a Boolean ([\[RFC2445\]](#) section 4.3.2) indicating whether or not the month of the recurrence is a leap month.

2.2.1.20.46 Property: X-MS-OLK-ALLOWEXTERNCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether attendees not directly invited by the organizer can connect to the conferencing instance (see the [PidLidAllowExternalCheck](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<222>](#) be directly imported to and exported from [PidLidAllowExternalCheck](#).

2.2.1.20.47 Property: X-MS-OLK-APPTLASTSEQUENCE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the last-known maximum sequence number of a meeting.

Importing To and Exporting From Calendar objects

This property SHOULD [<223>](#) be directly imported to and exported from [PidLidAppointmentLastSequence](#).

2.2.1.20.48 Property: X-MS-OLK-APPTSEQTIME

RFC Reference: N/A

Number of Instances Allowed: 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: The creation time of the iCalendar.

Importing To Calendar objects

This property SHOULD [<224>](#) be imported (in UTC) to [PidLidAppointmentSequenceTime](#).

Exporting From Calendar objects

[PidLidAppointmentSequenceTime](#) SHOULD [<225>](#) be exported as this property (in UTC).

2.2.1.20.48.1 Parameter: TZID

RFC Reference: [\[RFC2445\]](#) section 4.2.19

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: In conjunction with a matching VTIMEZONE, specifies the time zone of a Date-Time property provided in local time.

Refer to [\[RFC2445\]](#) section 4.2.19 for additional details on the TZID parameter.

2.2.1.20.49 Property: X-MS-OLK-AUTOFILLLOCATION

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether the location is being automatically populated with recipients of type Resource.

Importing To and Exporting From Calendar objects

This property SHOULD [<226>](#) be directly imported to and exported from [PidLidAutoFillLocation](#).

2.2.1.20.50 Property: X-MS-OLK-AUTOSTARTCHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not to automatically start the conferencing application when a **reminder** for the meeting fires (see the [PidLidAutoStartCheck](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<227>](#) be directly imported to and exported from [PidLidAutoStartCheck](#).

2.2.1.20.51 Property: X-MS-OLK-COLLABORATEDOC

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the path to the conferencing collaboration document (see the [PidLidCollaborateDoc](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<228>](#) be directly imported to and exported from [PidLidCollaborateDoc](#).

2.2.1.20.52 Property: X-MS-OLK-CONFHECK

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Boolean ([\[RFC2445\]](#) section 4.3.2)

Brief Description: Specifies whether or not conferencing is enabled on this appointment (see the [PidLidConferencingCheck](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<229>](#) be directly imported to and exported from [PidLidConferencingCheck](#).

2.2.1.20.53 Property: X-MS-OLK-CONFTYPE

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the type of conferencing that is enabled on the appointment (see the [PidLidConferencingType](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<230>](#) be directly imported to and exported from [PidLidConferencingType](#).

2.2.1.20.54 Property: X-MS-OLK-DIRECTORY

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the path to the conferencing server (see the [PidLidDirectory](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<231>](#) be directly imported to and exported from [PidLidDirectory](#).

2.2.1.20.55 Property: X-MS-OLK-MWSURL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the **URL** of the **Meeting Workspace** (see the [PidLidMeetingWorkspaceUrl](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<232>](#) be directly imported to and exported from [PidLidMeetingWorkspaceUrl](#).

2.2.1.20.56 Property: X-MS-OLK-NETSHOWURL

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the URL of the NetShow conference (see the [PidLidNetShowUrl](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<233>](#) be directly imported to and exported from [PidLidNetShowUrl](#).

2.2.1.20.57 Property: X-MS-OLK-ONLINEPASSWORD

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the password to the conferencing instance (see the [PidLidOnlinePassword](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<234>](#) be directly imported to and exported from [PidLidOnlinePassword](#).

2.2.1.20.58 Property: X-MS-OLK-ORGALIAS

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the e-mail address of the conferencing instance's organizer (see the [PidLidOrganizerAlias](#) entry in [\[MS-OXPROPS\]](#)).

Importing To and Exporting From Calendar objects

This property SHOULD [<235>](#) be directly imported to and exported from [PidLidOrganizerAlias](#).

2.2.1.20.59 Property: X-MS-OLK-ORIGINALEND

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original end time of a meeting on a counter proposal.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD [<236>](#) be directly mapped to [PidLidAppointmentEndWhole](#), and [PidLidAppointmentDuration](#) SHOULD [<237>](#) be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALEND MUST be ignored and MUST NOT be exported.

2.2.1.20.60 Property: X-MS-OLK-ORIGINALSTART

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5), Date ([\[RFC2445\]](#) section 4.3.4)

Brief Description: Specifies the original start time of a meeting on a counter proposal.

Importing To and Exporting From Calendar objects

If the METHOD property of the VCALENDAR component is set to 'COUNTER', this property SHOULD<238> be directly mapped to [PidLidAppointmentStartWhole](#), and [PidLidAppointmentDuration](#) SHOULD<239> be set to the number of minutes between X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND.

For other values of METHOD, X-MS-OLK-ORIGINALSTART MUST be ignored and MUST NOT be exported.

2.2.1.20.61 Property: X-MS-OLK-SENDER

RFC Reference: N/A

Number of Instances Allowed: 0, 1

Format: URI ([\[RFC2445\]](#) section 4.3.13)

Brief Description: The **delegate** sending the meeting on behalf of the organizer.

Importing To Calendar objects

This property SHOULD<240> be parsed as a valid mailto URI (specified in [\[RFC2368\]](#)). The resulting SMTP address SHOULD<241> be resolved against the address book [\[MS-OXOABK\]](#). If no match was found, a one-off EntryID ([\[MS-OXCDATA\]](#) section 2.2.5.1) SHOULD<242> be created using the SMTP address and the CN parameter. If resolved successfully, the Address Book object SHOULD<243> be imported into [PidTagSenderAddressType](#), [PidTagSenderEmailAddress](#), [PidTagSenderEntryId](#), and [PidTagSenderName](#).

Exporting From Calendar objects

If the 0x00000001 flag of [PidLidAppointmentStateFlags](#) is 0, then an X-MS-OLK-SENDER property MUST NOT be exported. Also, if [PidTagSenderEntryId](#) refers to the same Address Book object as the organizer, then the X-MS-OLK-SENDER property SHOULD NOT be exported.

The value of this property SHOULD<244> be a mailto URI (specified in [\[RFC2368\]](#)) with the SMTP address of the Address Book object [\[MS-OXOABK\]](#) referenced by [PidTagSenderEntryId](#). If the Address Book object does not have an SMTP address, then the value of the property SHOULD<245> be set to 'invalid:nomail'.

2.2.1.20.61.1 Parameter: CN

RFC Reference: [\[RFC2445\]](#) section 4.2.2

Number of Instances Allowed: 0,1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: The display name of the delegate sending the meeting on behalf of the organizer.

Importing To Calendar objects

See section [2.2.1.20.61](#).

Exporting From Calendar objects

This parameter SHOULD<246> be exported from the [PidTagDisplayName](#) from the Address Book object (falling back on the [PidTagSenderName](#) from the Calendar object, if necessary).

2.2.1.20.62 Component: VALARM

RFC Reference: [\[RFC2445\]](#) section 4.6.6

Number of Instances Allowed: 0, 1

Brief Description: Specifies a reminder for an appointment.

Importing To Calendar objects

If there is a VALARM component with a TRIGGER property specified as a Duration ([\[RFC2445\]](#) section 4.3.6) or a Date-Time ([\[RFC2445\]](#) section 4.3.5), then it MUST be parsed according to the following table.

Named Property	Value
PidLidReminderDelta	If TRIGGER is specified as a Duration, PidLidReminderDelta MUST be set to the absolute value of the number of minutes specified by the TRIGGER property. If TRIGGER is specified as a Date-Time, PidLidReminderDelta SHOULD<247> be set to the difference in minutes between DTSTART and the value of TRIGGER. If no such TRIGGER property could be parsed, PidLidReminderDelta SHOULD<248> be set to 0x0000000F for non-all day appointments and 0x00000438 for all day appointments.
PidLidReminderTime	MUST be set to the next instance of the appointment, in UTC. If all instances of the appointment are in the past, then this property SHOULD NOT be set.
PidLidReminderSignalTime	If TRIGGER is specified as a Duration, PidLidReminderSignalTime SHOULD<249> be set to PidLidReminderDelta minutes earlier than PidLidReminderTime . If TRIGGER is specified as a Date-Time, PidLidReminderSignalTime SHOULD<250> be set to the value of TRIGGER in UTC. If PidLidReminderTime is not set, then this property SHOULD NOT be set.
PidLidReminderSet	MUST be set to TRUE if and only if PidLidReminderDelta was successfully parsed from a TRIGGER property and PidLidReminderTime was set.

Exporting From Calendar objects

If [PidLidReminderSet](#) is TRUE, then a VALARM component MUST be exported with the properties specified in the following table.

VALARM Property	Value
TRIGGER	MUST be set to a Duration ([RFC2445] section 4.3.6) representing the number of minutes specified by PidLidReminderDelta . If PidLidReminderDelta is set to

VALARM Property	Value
	0x5AE980E1, TRIGGER MUST be exported as 15 minutes.
ACTION	MUST be set to 'DISPLAY'
DESCRIPTION	MUST be set to 'Reminder'

2.2.1.20.62.1 Property: TRIGGER

RFC Reference: [\[RFC2445\]](#) section 4.8.6.3

Number of Instances Allowed: 1

Format: Duration ([\[RFC2445\]](#) section 4.3.6), Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the **signal time** of the reminder as an interval, in minutes, before the beginning of an instance of the appointment.

Importing To and Exporting From Calendar objects

See [2.2.1.20.62](#).

2.2.1.20.62.2 Property: ACTION

RFC Reference: [\[RFC2445\]](#) section 4.8.6.1

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the action to take when the reminder is signaled.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

See [2.2.1.20.62](#).

2.2.1.20.62.3 Property: DESCRIPTION

RFC Reference: [\[RFC2445\]](#) section 4.8.1.5

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Provides a plain-text description for the reminder.

Importing To Calendar objects

This property SHOULD be ignored on import.

Exporting From Calendar objects

See [2.2.1.20.62](#).

2.3 Additional Information on Recurrences

Additional information that is necessary to specify a mapping from iCalendar RRULEs to [PidLidAppointmentRecur](#) can be found below.

2.3.1 iCalendar Recurrence Syntax

An iCalendar recurrence data type is a semicolon-delimited list of [recurrence parts](#). The ordering of these recurrence parts does not matter, but a single iCalendar recurrence MUST NOT contain more than one instance of the same recurrence part.

2.3.1.1 Recurrence Part: **FREQ**

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 1

Format: Text ([\[RFC2445\]](#) section 4.3.11)

Brief Description: Specifies the frequency of the recurrence.

The FREQ recurrence part MUST be set to one of the values defined in the following table.

FREQ Value	Meaning
DAILY	The appointment occurs every <interval> days. Supported configurations of DAILY recurrences are specified in section 2.3.2.1 .
WEEKLY	The appointment occurs every <interval> weeks. Supported configurations of WEEKLY recurrences are specified in section 2.3.2.2 .
MONTHLY	The appointment occurs every <interval> months. Supported configurations of MONTHLY recurrences are specified in section 2.3.2.3 and section 2.3.2.4 .
YEARLY	The appointment occurs every <interval> years. Supported configurations of YEARLY recurrences are specified in section 2.3.2.5 and section 2.3.2.6 .

2.3.1.2 Recurrence Part: **INTERVAL**

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies a multiplier for the period of a recurrence.

The INTERVAL recurrence part MUST be within the bounds defined in the following table. If an INTERVAL is omitted, the recurrence MUST be parsed as though the INTERVAL were 1.

FREQ Value	Minimum INTERVAL	Maximum INTERVAL
DAILY	1	999

FREQ Value	Minimum INTERVAL	Maximum INTERVAL
WEEKLY	1	99
MONTHLY	1	99
YEARLY	1	8<251>

2.3.1.3 Recurrence Part: BYMINUTE

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the minute(s) on which a recurrence occurs.

The BYMINUTE recurrence part MUST be an integer between 0 and 59 (inclusive). Furthermore, the BYMINUTE recurrence part MUST NOT specify more than one value. If no BYMINUTE is specified, the minute from the DTSTART property MUST be used.

2.3.1.4 Recurrence Part: BYHOUR

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the hour(s) on which a recurrence occurs.

The BYHOUR recurrence part MUST be an integer between 0 and 23 (inclusive). Furthermore, the BYHOUR recurrence part MUST NOT specify more than one value. If no BYHOUR is specified, the hour from the DTSTART property MUST be used.

2.3.1.5 Recurrence Part: BYMONTHDAY

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day(s) of the month on which a recurrence occurs.

The BYMONTHDAY recurrence part MUST be -1, or an integer between 1 and 31 (inclusive). Furthermore, the BYMONTHDAY recurrence part MUST NOT specify more than one value. If no BYMONTHDAY is specified, the day of month from the DTSTART property MUST be used.

2.3.1.6 Recurrence Part: BYDAY

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Text ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day(s) of the week on which a recurrence occurs.

The BYDAY recurrence part MUST be a comma-delimited list of elements consisting of an optional week number followed by a mandatory 2-character code for the day of week. A BYDAY recurrence part with no week number will be termed week independent.

The following table specifies the possible values for the mandatory character code for the day of the week.

Day of Week Character Code	Meaning
SU	Sunday
MO	Monday
TU	Tuesday
WE	Wednesday
TH	Thursday
FR	Friday
SA	Saturday

The following table specifies the possible values for the optional week number.

Week Number	Meaning
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

2.3.1.7 Recurrence Part: BYMONTH

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the month(s) on which a recurrence occurs.

The BYMONTH recurrence part MUST be an integer between 1 and 12 (inclusive). Furthermore, the BYMONTH recurrence part MUST NOT specify more than one value. If no BYMONTH is specified, the month from the DTSTART property MUST be used.

2.3.1.8 Recurrence Part: BYSETPOS

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: Dependent on the recurrence template (section [2.3.2](#))

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the instances of a multi-BYDAY appointment to use each INTERVAL (see section [2.3.2.4](#) and [2.3.2.6](#)).

The BYSETPOS recurrence part MUST be -1 or an integer between 1 and 4 (inclusive), as specified in the following table. Furthermore, the BYSETPOS recurrence part MUST NOT specify more than one value.

BYSETPOS Value	Meaning
-1	Last instance
1	First instance
2	Second instance
3	Third instance
4	Fourth instance

2.3.1.9 Recurrence Part: WKST

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Text ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the day of week on which a week is considered to start.

The WKST recurrence part MUST one of the day of week character codes specified in section [2.3.1.6](#). If no WKST recurrence part is specified, 'SU' MUST be used.

2.3.1.10 Recurrence Part: UNTIL

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Date-Time ([\[RFC2445\]](#) section 4.3.5)

Brief Description: Specifies the time of the last instance of a recurring appointment (inclusive).

The UNTIL recurrence part MUST be a Date-Time occurring after the DTSTART property. The UNTIL recurrence part MUST NOT be specified in conjunction with the COUNT recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501 in the time zone specified by [PidLidTimeZoneStruct](#), the recurrence SHOULD [<252>](#) be treated as infinitely recurring.

2.3.1.11 Recurrence Part: COUNT

RFC Reference: [\[RFC2445\]](#) section 4.3.10

Number of Instances Allowed: 0, 1

Format: Integer ([\[RFC2445\]](#) section 4.3.8)

Brief Description: Specifies the number of instances in a recurring appointment.

The COUNT recurrence part MUST be an Integer between 1 and 999 (inclusive). The COUNT recurrence part MUST NOT be specified in conjunction with the UNTIL recurrence part. If neither an UNTIL nor a COUNT is specified, the recurrence MUST be treated as infinitely recurring. If the last instance of a recurring appointment would occur on or after January 1, 4501, the recurrence SHOULD [<253>](#) be treated as infinitely recurring.

2.3.2 Recurrence Templates

The RRULE and X-MICROSOFT-RRULE properties MUST NOT be exported for non-recurring appointments or exceptions of recurring appointments.

Although the syntax permits a wide variety of recurrences, only RRULE properties and X-MICROSOFT-RRULE properties fitting the templates enumerated in this section SHOULD [<254>](#) be mapped into the [PidLidAppointmentRecur](#) structure.

Implementations SHOULD gracefully fail to map any recurrences that do not fit the templates enumerated in this section.

The following sections express the templates in ABNF notation ([\[RFC5234\]](#)). Below are common rules used in the templates:

```
common-parts      = [interval-part] [byhour-part] [byminute-part]
                   [(until-part / count-part)] [wkst-part]

interval-part     = ";INTERVAL=" 1*DIGIT           ; See 2.3.1.2
byminute-part    = ";BYMINUTE=" 1*2DIGIT         ; See 2.3.1.3
byhour-part      = ";BYHOUR=" 1*2DIGIT           ; See 2.3.1.4
bymonthday-part  = ";BYMONTHDAY=" ["-"]1*2DIGIT   ; See 2.3.1.5
byday-part       = ";BYDAY=" byday-list          ; See 2.3.1.6
byday-nth-part   = ";BYDAY=" byday-nth-list       ; See 2.3.1.6
bymonth-part     = ";BYMONTH=" 1*2DIGIT          ; See 2.3.1.7
bysetpos-part    = ";BYSETPOS=" weeknum          ; See 2.3.1.8
wkst-part        = ";WKST=" dayofweek             ; See 2.3.1.9
until-part       = ";UNTIL=" datetime            ; See 2.3.1.10
count-part       = ";COUNT=" 1*3DIGIT           ; See 2.3.1.11

byday-list       = byday-elm *(", " byday-elm)
byday-elm        = [weeknum] dayofweek
dayofweek        = "SU" / "MO" / "TU" / "WE" / "TH" / "FR" / "SA"

weeknum          = "-1" / "1" / "2" / "3" / "4"
byday-nth-list   = dayofweek
byday-nth-list   =/ "SA,SU"                       ; Any ordering
byday-nth-list   =/ "MO,TU,WE,TH,FR"              ; Any ordering
byday-nth-list   =/ "SU,MO,TU,WE,TH,FR,SA"        ; Any ordering
datetime         = year month day "T" hour minute second ["Z"]
year             = 4DIGIT
month            = 2DIGIT
day              = 2DIGIT
hour             = 2DIGIT
minute           = 2DIGIT
second           = "00"
```

2.3.2.1 Template: Daily Recurrences

ABNF Description

```
daily-template= "FREQ=DAILY" [common-parts]
```

Template Examples

Every day:

```
FREQ=DAILY
```

Every day at 3:30 P.M.:

```
FREQ=DAILY;BYMINUTE=30;BYHOUR=15
```

Every 3 days:

```
FREQ=DAILY;INTERVAL=3
```

Every 3 days at 3:30 P.M.:

```
FREQ=DAILY;INTERVAL=3;BYMINUTE=30;BYHOUR=15
```

Every 3 days at 3:30 P.M. for 30 instances:

```
FREQ=DAILY;INTERVAL=3;BYMINUTE=30;BYHOUR=15;COUNT=30
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<255>](#) be imported into [PidLidAppointmentRecur](#) as specified in the following table. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200A
PatternType	Set to 0x0000. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to (1440 * INTERVAL)

AppointmentRecurrencePattern Field	Value
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST (see the following table for how to map WKST values to FirstDOW values)
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

The following table specifies how to map WKST values to **FirstDOW** values.

WKST Value	FirstDOW Value
SU	0x00000000
MO	0x00000001
TU	0x00000002
WE	0x00000003
TH	0x00000004
FR	0x00000005
SA	0x00000006

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<256>](#) be exported as the property specified in the following table. If a case matches more than one row, the first matching row applies.

CalendarType field	PatternType field	Recurrence property
0x0000	0x0000	RRULE
0x0000	0x0001	RRULE
0x0000	0x0002	RRULE
0x0000	0x0003	RRULE
0x0000	0x000A	X-MICROSOFT-RRULE
0x0000	0x000B	X-MICROSOFT-RRULE
(any)	0x0000	RRULE <257>
(any)	0x0001	RRULE <258>
0x0001	(any)	RRULE
0x0002	(any)	RRULE
0x0003	(any)	RRULE
0x0004	(any)	RRULE
0x0005	(any)	RRULE
0x0006	(any)	X-MICROSOFT-RRULE
0x0007	(any)	RRULE
0x0008	(any)	X-MICROSOFT-RRULE
0x0009	(any)	RRULE
0x000A	(any)	RRULE

CalendarType field	PatternType field	Recurrence property
0x000B	(any)	RRULE
0x000C	(any)	RRULE
0x000E	(any)	X-MICROSOFT-RRULE
0x000F	(any)	X-MICROSOFT-RRULE
0x0010	(any)	X-MICROSOFT-RRULE
0x0011	(any)	X-MICROSOFT-RRULE
0x0012	(any)	X-MICROSOFT-RRULE
0x0013	(any)	X-MICROSOFT-RRULE
0x0014	(any)	X-MICROSOFT-RRULE
0x0017	(any)	X-MICROSOFT-RRULE

The exported property MUST be assigned the value generated by the Recurrence template specified in the following table.

PatternType field	Period field	Recurrence template
0x0000	(any)	Daily Recurrence (section 2.3.2.1)
0x0001	(any)	Weekly Recurrence (section 2.3.2.2)
0x0002	(not evenly divisible by 12)	Monthly Recurrence (section 2.3.2.3)
0x0002	(evenly divisible by 12)	Yearly Recurrence (section 2.3.2.5)
0x0003	(not evenly divisible by 12)	Monthly Nth Recurrence (section 2.3.2.4)
0x0003	(evenly divisible by 12)	Yearly Nth Recurrence (section 2.3.2.6)
0x000A	(not evenly divisible by 12)	Monthly Recurrence (section 2.3.2.3)
0x000A	(evenly divisible by 12)	Yearly Recurrence (section 2.3.2.5)
0x000B	(not evenly divisible by 12)	Monthly Nth Recurrence (section 2.3.2.4)
0x000B	(evenly divisible by 12)	Yearly Nth Recurrence (section 2.3.2.6)

If [PidLidAppointmentRecur](#) is being exported with the Daily Recurrence template, it MUST contain the recurrence parts specified in the following table.

Recurrence Part	Value
FREQ	Set to 'DAILY'
INTERVAL	Set to (Period / 1440). If the value is 1, omit this recurrence part.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence

Recurrence Part	Value
	part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <259><260> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<261> be omitted.

2.3.2.2 Template: Weekly Recurrences

ABNF Description

```
weekly-template= "FREQ=WEEKLY" [byday-part] [common-parts]
```

Template Examples

Every Monday and Tuesday:

```
FREQ=WEEKLY;BYDAY=MO,TU
```

Every Monday and Tuesday at 3:30 P.M.:

```
FREQ=WEEKLY;BYDAY=MO,TU;BYMINUTE=30;BYHOUR=15
```

The Monday and Tuesday of every two weeks, for 7 occurrences:

```
FREQ=WEEKLY;BYDAY=MO,TU;INTERVAL=2;COUNT=7
```

The Sunday and Monday of every two weeks, as interpreted by someone who considers a week to start on Monday (common in Europe). This is different in that, after a Sunday instance, there will be a seven-day gap before the next instance on a Monday:

```
FREQ=WEEKLY;BYDAY=SU,MO;INTERVAL=2;WKST=MO
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD<262> be imported into [PidLidAppointmentRecur](#) as specified in the following table. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE. The BYDAY recurrence part MUST be week independent.

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200B

AppointmentRecurrencePattern Field	Value
PatternType	Set to 0x0001. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to the value of INTERVAL
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	Set to a bitmask representation of BYDAY as specified in the table that follows this table. If no BYDAY is specified, the day of week for DTSTART (in the time zone specified by PidLidTimeZoneStruct) MUST be used.
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST as specified in section 2.3.2.1 .
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)

AppointmentRecurrencePattern Field	Value
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

The following table specifies how to map BYDAY values to a **PatternTypeSpecific.Week.Sa-Su** bitmask.

BYDAY Value	PatternTypeSpecific.Week.Sa-Su bit
SU	0x00000001
MO	0x00000002
TU	0x00000004
WE	0x00000008
TH	0x00000010
FR	0x00000020
SA	0x00000040

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<263>](#) be exported as the property specified by the table of recurrence properties in section [2.3.2.1](#). The exported property MUST be assigned the value generated by the Recurrence template specified by the table of Recurrence templates specified in section [2.3.2.1](#).

If [PidLidAppointmentRecur](#) is being exported with the Weekly Recurrence template, then it MUST contain the recurrence parts specified in the following table.

Recurrence Part	Value
FREQ	Set to 'WEEKLY'
INTERVAL	Set to Period. If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the PatternTypeSpecific.Week.Sa-Su bitmask.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <264> <265> Otherwise, omit this recurrence part.
WKST	If Period is greater than 1, FirstDOW MUST be exported as the WKST recurrence part as specified in section 2.3.2.1 . Otherwise, the WKST recurrence part SHOULD <266> be omitted.

2.3.2.3 Template: Monthly Recurrences

ABNF Description

```
monthly-template= "FREQ=MONTHLY" [bymonthday-part] [common-parts]
```

Template Examples

The last day of every month:

```
FREQ=MONTHLY;BYMONTHDAY=-1
```

The 10th day of every month at 3:30 P.M:

```
FREQ=MONTHLY;BYMONTHDAY=10;BYMINUTE=30;BYHOUR=15
```

The 15th day of every 3 months, for 7 occurrences:

```
FREQ=MONTHLY;BYMONTHDAY=15;INTERVAL=3;COUNT=7
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<267>](#) be imported into [PidLidAppointmentRecur](#) as specified in the following table. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200C. If the INTERVAL is evenly divisible by 12, RecurFrequency MAY <268> be set to 0x200D.
PatternType	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to the value of INTERVAL
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, PatternTypeSpecific.Month.Day SHOULD <269> be set to 0x0000001F.
PatternTypeSpecific.MonthNth.Sa-	(unset)

AppointmentRecurrencePattern Field	Value
Su	
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST as specified in section 2.3.2.1 .
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13 .
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18 .
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<270>](#) be exported as the property specified by the table of recurrence properties in section [2.3.2.1](#). The exported property MUST be assigned the value generated by the Recurrence template specified by the table of Recurrence templates specified in section [2.3.2.1](#).

If [PidLidAppointmentRecur](#) is being exported with the Monthly Recurrence Template, it MUST contain the recurrence parts specified in the following table.

Recurrence Part	Value
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period . If the value is 1, omit this recurrence part.
BYMONTHDAY	Set to PatternTypeSpecific.Month.Day . If PatternTypeSpecific.Month.Day is 0x0000001F, BYMONTHDAY SHOULD <271> be set to -1.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <272> <273> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <274> be omitted.

2.3.2.4 Template: Monthly Nth Recurrences

ABNF Description

```

monthlynth-template= "FREQ=MONTHLY" monthlynth-args
monthlynth-args= byday-nth-part bysetpos-part [common-parts]

```

Template Examples

The 3rd Sunday of every month:

```
FREQ=MONTHLY;BYDAY=SU;BYSETPOS=3
```

The last weekday of every month at 3:30 P.M.:

```
FREQ=MONTHLY;BYDAY=MO,TU,WE,TH,FR;BYSETPOS=-1;BYMINUTE=30;BYHOUR=15
```

The first Monday of every month, for 7 occurrences:

```
FREQ=MONTHLY;BYDAY=MO;BYSETPOS=1;COUNT=7
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<275>](#) be imported into [PidLidAppointmentRecur](#) as specified in the following table. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004

AppointmentRecurrencePattern Field	Value
RecurFrequency	Set to 0x200C. If the INTERVAL is evenly divisible by 12, RecurFrequency MAY <276> be set to 0x200D.
PatternType	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to the value of INTERVAL
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	Set to a bitmask representation of BYDAY as specified in section 2.3.2.2 .
PatternTypeSpecific.MonthNth.N	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, PatternTypeSpecific.MonthNth.N MUST be set to 0x00000005.
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST as specified in section 2.3.2.1 .
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. Note that this value MUST always be evenly divisible by 1440.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight January 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009

AppointmentRecurrencePattern Field	Value
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<277>](#) be exported as the property specified by the table of recurrence properties in section [2.3.2.1](#). The exported property MUST be assigned the value generated by the Recurrence template specified by the table of Recurrence templates specified in section [2.3.2.1](#).

If [PidLidAppointmentRecur](#) is being exported with the Monthly Nth Recurrence template, then it MUST contain the recurrence parts specified in the following table.

Recurrence Part	Value
FREQ	Set to 'MONTHLY'
INTERVAL	Set to Period . If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the PatternTypeSpecific.MonthNth.Sa-Su bitmask as specified in section 2.3.2.2 .
BYSETPOS	Set to PatternTypeSpecific.MonthNth.N . If PatternTypeSpecific.MonthNth.N is 0x00000005, set BYSETPOS to -1.
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <278> <279> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <280> be omitted.

2.3.2.5 Template: Yearly Recurrences

ABNF Description

```
yearly-template= "FREQ=YEARLY" yearly-args
yearly-args= [bymonthday-part] [bymonth-part] [common-parts]
```

Template Examples

The last day of every September:

FREQ=YEARLY;BYMONTHDAY=-1;BYMONTH=9

The 10th day of every January at 3:30 P.M.:

FREQ=YEARLY;BYMONTHDAY=10;BYMONTH=1;BYMINUTE=30;BYHOUR=15

The 15th day of March, every 3 years, for 7 occurrences:

FREQ=YEARLY;BYMONTHDAY=15;BYMONTH=3;INTERVAL=3;COUNT=7

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD [<281>](#) be imported into [PidLidAppointmentRecur](#) as specified in the following table. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200D. If the INTERVAL is not 1, RecurFrequency SHOULD <282> be set to 0x200C.
PatternType	Set to 0x0002. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to (12 * INTERVAL)
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	Set to the value of BYMONTHDAY. If the value of BYMONTHDAY is -1, PatternTypeSpecific.Month.Day SHOULD <283> be set to 0x0000001F.
PatternTypeSpecific.MonthNth.Sa-Su	(unset)
PatternTypeSpecific.MonthNth.N	(unset)
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.

AppointmentRecurrencePattern Field	Value
FirstDOW	Set to the correct value based on WKST as specified in section 2.3.2.1 .
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART. If the BYMONTHDAY is specified, it MUST override the day portion of DTSTART.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD [<284>](#) be exported as the property specified by the table of recurrence properties in section [2.3.2.1](#). The exported property MUST be assigned the value generated by the Recurrence template specified by the table of Recurrence templates specified in section [2.3.2.1](#).

If [PidLidAppointmentRecur](#) is being exported with the Yearly Recurrence Template, then it MUST contain the recurrence parts specified in the following table.

Recurrence Part	Value
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12). If the value is 1, omit this recurrence part.
BYMONTHDAY	Set to PatternTypeSpecific.Month.Day . If PatternTypeSpecific.Month.Day is 0x0000001F, BYMONTHDAY SHOULD <285> be set to -1.

Recurrence Part	Value
BYMONTH	Set to the month from FirstDateTime .
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone. <286><287> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD <288> be omitted.

2.3.2.6 Template: Yearly Nth Recurrences

ABNF Description

```
yearlynth-template= "FREQ=YEARLY" yearlynth-args [common-parts]
yearlynth-args= byday-nth-part bysetpos-part bymonth-part
```

Template Examples

The 3rd Sunday of every June:

```
FREQ=YEARLY;BYDAY=SU;BYSETPOS=3;BYMONTH=6
```

The last weekday of every April at 3:30 P.M.:

```
FREQ=YEARLY;BYDAY=MO, TU, WE, TH, FR;BYSETPOS=-1;BYMONTH=4;BYMINUTE=30;BYHOUR=15
```

The first Monday of every October, every 3 years, for 7 occurrences:

```
FREQ=YEARLY;BYDAY=MO;BYSETPOS=1;BYMONTH=10;COUNT=7
```

Importing To Calendar objects

An RRULE or X-MICROSOFT-RRULE matching this template SHOULD <289> be imported into [PidLidAppointmentRecur](#) as specified in the following table. A VEVENT MUST NOT specify both an RRULE and an X-MICROSOFT-RRULE.

AppointmentRecurrencePattern Field	Value
ReaderVersion	Set to 0x3004
WriterVersion	Set to 0x3004
RecurFrequency	Set to 0x200D. If the INTERVAL is not 1, RecurFrequency SHOULD <290> be set to 0x200C.
PatternType	Set to 0x0003. Can be overridden by X-MICROSOFT-CALSCALE, see section 2.2.1.8 .

AppointmentRecurrencePattern Field	Value
CalendarType	Imported from X-MICROSOFT-CALSCALE (see section 2.2.1.8).
FirstDateTime	Set as specified in [MS-OXOCAL] section 2.2.1.44.1.
Period	Set to (12 * INTERVAL)
SlidingFlag	Set to 0x00000000
PatternTypeSpecific.Week.Sa-Su	(unset)
PatternTypeSpecific.Month.Day	(unset)
PatternTypeSpecific.MonthNth.Sa-Su	Set to a bitmask representation of BYDAY as specified in section 2.3.2.2 .
PatternTypeSpecific.MonthNth.N	Set to the value of BYSETPOS. If the value of BYSETPOS is -1, PatternTypeSpecific.MonthNth.N MUST be set to 0x00000005.
EndType	If the recurrence is infinite, set EndType to 0x00002023. If the recurrence is specified with a COUNT, set EndType to 0x00002022. Otherwise, set EndType to 0x00002021.
OccurrenceCount	Set to the number of occurrences of the recurrence based on UNTIL or COUNT. If the recurrence is infinite, set OccurrenceCount to 0x0000000A.
FirstDOW	Set to the correct value based on WKST as specified in section 2.3.2.1 .
DeletedInstanceCount / DeletedInstanceDates	See section 2.2.1.20.13
ModifiedInstanceCount / ModifiedInstanceDates	See section 2.2.1.20.18
StartDate	Set to the date portion of DTSTART, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. Note that this value MUST always be evenly divisible by 1440. If BYMONTH is specified, it MUST override the month portion of DTSTART.
EndDate	Set to the start date of the last instance of a recurrence, in the time zone specified by PidLidTimeZoneStruct . This date is stored in minutes after midnight Jan 1, 1601. If the recurrence is infinite, set EndDate to 0x5AE980DF. Note that this value MUST always be evenly divisible by 1440, except for the special value 0x5AE980DF.
ReaderVersion2	Set to 0x00003006
WriterVersion2	Set to 0x00003009
StartTimeOffset	Set to (60*BYHOUR + BYMINUTE)
EndTimeOffset	Set to (StartTimeOffset + PidLidAppointmentDuration)

AppointmentRecurrencePattern Field	Value
ExceptionCount / ExceptionInfo	See section 2.2.1.20.18
(ReservedBlocks and ExtendedExceptions)	Refer to [MS-OXOCAL]

Exporting From Calendar objects

The [PidLidAppointmentRecur](#) structure SHOULD<291> be exported as the property specified by the table of recurrence properties in section [2.3.2.1](#). The exported property MUST be assigned the value generated by the Recurrence template specified by the table of Recurrence templates specified in section [2.3.2.1](#).

If [PidLidAppointmentRecur](#) is being exported with the Yearly Nth Recurrence Template, it MUST contain the recurrence parts specified in the following table.

Recurrence Part	Value
FREQ	Set to 'YEARLY'
INTERVAL	Set to (Period / 12). If the value is 1, omit this recurrence part.
BYDAY	Set to the BYDAY representation of the PatternTypeSpecific.MonthNth.Sa-Su bitmask as specified in section 2.3.2.2 .
BYSETPOS	Set to PatternTypeSpecific.MonthNth.N . If PatternTypeSpecific.MonthNth.N is 0x00000005, set BYSETPOS to -1.
BYMONTH	Set to the month from FirstDateTime .
COUNT	If EndType is 0x00002022, set to OccurrenceCount . Otherwise, omit this recurrence part.
UNTIL	If EndType is 0x00002021, set to (EndDate + StartTimeOffset), converted from the time zone specified by PidLidTimeZoneStruct to the UTC time zone.<292><293> Otherwise, omit this recurrence part.
WKST	The WKST recurrence part SHOULD<294> be omitted.

2.3.3 End-of-Month Concerns

[\[RFC2445\]](#) specifies that Monthly Recurrences (section [2.3.2.3](#)) in which the BYMONTHDAY recurrence part is 29, 30, or 31 MUST skip over months that do not have a sufficient number of days. Conversely, [\[MS-OXOCAL\]](#) specifies that Monthly Recurrences with a **PatternTypeSpecific.Month.Day** of 0x0000001D, 0x0000001E, or 0x0000001F MUST occur on the last day of months that do not have a sufficient number of days.

2.3.4 Legacy UNTIL Concerns

If the PROPID property (see section [2.2.1.2](#)) indicates that a version of the MIMEDIR between 1 and 11 (inclusive) generated the iCalendar file and if the UNTIL recurrence part is specified with a trailing 'Z', it SHOULD NOT<295> be treated as a UTC Date-time. Instead, only the year, month, and day of the Date-time SHOULD<296> be retained, and the UNTIL recurrence part

SHOULD<297> be interpreted as 11:59 P.M. of that day (in the time zone specified by [PidLidTimeZoneStruct](#)).

3 Structure Examples

The following subsections contain annotated iCalendar files representing several example scenarios.

3.1 Example Birthday Calendar for 2008

In this example, Elizabeth has a non-primary calendar containing the birthdays of herself (October 12, 1975) and her closest friends: Shu (February 27, 1978) and Anne (July 7, 1982). Elizabeth sets 7-day reminders on all the birthdays so she has enough time to prepare. The following tables represent the contents of the Birthday calendar's Folder object and its three Calendar objects.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	3
PidTagExtendedFolderFlags	cb: 6 lpb: 010400001000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 42820000
PidTagSubfolders	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterPro	FALSE

Name	Value
posal	
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	07:00:00.000 AM 10/13/1975
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300D2002000000A0FF05000C00000000000000C000000232000000A00000000000000000000000000000080B4BF0BDF80E95A063000000930000000000000A00500000000000000000000000000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	07:00:00.000 AM 10/12/1975
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	TRUE
PidLidBusyStatus	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000000D4429044CA28924C8FD122A133685E4A
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	07:00:00.000 AM 10/12/1975

Name	Value
PidLidCollaborateDolc	
PidLidCommonEnd	07:00:00.000 AM 10/13/1975
PidLidCommonStart	07:00:00.000 AM 10/12/1975
PidLidConferenceingType	0
PidLidDirectory	
PidLidInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000020C397BAB068C80100000000000000001000000D4429044CA28924C8FD122A133685E4A
PidLidIntendedBusyStatus	4294967295
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAlias	
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every October 12
PidLidRecurrenceType	4
PidLidRec	TRUE

Name	Value
urring	
PidLidRem inderDelta	10080
PidLidRem inderSet	TRUE
PidLidRem inderSign alTime	07:00:00.000 AM 10/5/2008
PidLidRem inderTime	07:00:00.000 AM 10/12/1975
PidLidRes ponseStat us	0
PidLidSide Effects	369
PidLidTask ActualEffo rt	0
PidLidTask Complete	FALSE
PidLidTask Estimated Effort	0
PidLidTask FFixOffline	FALSE
PidLidTask FRecurrin g	FALSE
PidLidTask Mode	0
PidLidTask NoComput e	FALSE
PidLidTask Ordinal	2147483647
PidLidTask Ownershi p	0
PidLidTask State	1
PidLidTask	0

Name	Value
Status	
PidLidTaskVersion	1
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000030000000 20002000000000000000
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Happy Birthday to me!
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:09:23.410 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F3C8BB8D59608633DA442BBBCF672A6A13DFFD
PidTagConversationTopic	Elizabeth's Birthday
PidTagCreationTime	07:08:02.739 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591

Name	Value
PidTagLastModificationTime	07:08:02.739 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:09:23.410 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocationId	1033
PidTagMessageSize	7224
PidTagNormalizedSubject	Elizabeth's Birthday
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 44002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5487 lpb: 6B150000125A00004C5A4675A0C61C7507000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10

Name	Value
	F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5DF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F47FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFEA0FFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7E11FE22FFFBC7E3CFE4DF25F94FDDBC0044FE91F7FEA2F993CFC30087FED58F816A39F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFFA8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FAA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF0779A08DD0669DF0E25762E074684256308DD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0C7DDB15BF05620392048A571A830778740CCA398C336BC3FBD4FBE5B3 8FFBF3FC04FC15FC2639D50A6009E706780FFC2BFBF12C40FB18F4510B35FB466A410BF96A2C7 1FC82697889761A6F0739D60C7BB11892066D06D706FF3E0C94FC420455D40696C53894257B0 B7668380B0DF10766721890055C320F98850776ED5B6C1F1D652D773C226E5DB616D9721685 0ACF0D9039D52CA335A606DE7106B428742DA4528537562DAB17398516C467DEB3063DAB16 2F0ADE09C314E506DD46C4D3D6067DA9372DD1780D1EC4A63DCD1AD1249A4C067F03DA0E7 E7E0ADB18740744C5C90DAB16610547279DF1131808378DCF06E1FAF80D662E114B1A0AFD07 4703A9C2F2FA5D089905D40732EC7F0AE634EF0D2E09ED02ED3612FE3902266EB60652F77670 0642FDF3A50B530E473DCF066905C8291A6F0DA7774E032DF81E5B3685A32DAB1FFDD219FE0 DF73DD21A090E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0ACA06310AC719E70A CA0A8319ED0386E626AADC067F099506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70B2 E180C09D6088D1DA406780739C797396F0DF417DC16C799D609E76DCF067A0EE18878167649 7307A21967287C0B6B0FB6700C7E178678066D09D70DF3167A0FC736199A08707F7B2C0A5E0F2F 06C9F20967287C0B6B0FB6700C7E178678066D09D70DF3167A0FC736199A08707F7B2C0A5E0F2F 1F2F1BFE121A6F04EF03D704E50885078B2C0A9E2506F7967F05C96707089807F67104F308850 AD91A830ADE0EC2064E79D706730E1506264A8C08850ADE13FA5E096F1BEC196F28980AF406

Name	Value
	55CF9F2F0727AEC02A9C0E7328740FBD1CE68FA136010EFD16776FCA9FB61FFAFB087408171F D22FE24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450FC776BA4B15E900112A5D04540B 5C1F7E651E940AAD265AF40027596F088D0FB9761EF6074D6F08740FB40EB610407FFAFD05D4 0AF00ADE08841E140AFD0AF41FF6721BEB014500FD0D060E140B2A1F952FFA4B1ABE00410020 1ACA067309E810401FF67216710AA71E140DA51FA81FB408850FBDA51AD10700672965082A0A F10B632FF8740A5E2B2A1CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169FF4F200 99728106721C1B2AD903D108850FF78609E70AEF2E430ADB09B21F431DB90BF894096F14550A F808841A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78ADE087E0BB6187C0A4C0F8E 1CAB0EF1261F7D18850B1D063E1510672B1D0EF1253AF008740A8406813C303D2E260F667AC D2EE3163F21005B36720DA601F14826330085216D2F210747862FC785C09B0B6C03D709660A DB00200FBE2C1F4B16C07016310F8912C40D3712F9732B5B09690809277F131666DF71800D52 0E9E120E63081808832B5B0FF973023F03D90F84088D0ACB074D087C0BE6C96F05D400200081 0E140758800FFCE72ACD19631EA719B51EA3587729670FF67A0EBD19AD0A6F0FB401FD3AD641 EE03F8920EB63890180B0AE80EA616C76FFF2B1AE81E350AEB0235187E0671023D2FFA4B1DF3 13FA0E6519AD0B2D18901AE80F318D087E0202ED5C42356525023F2FFCE81245F256F267F23B 05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7280F2CDF2DE52926CC5E902BAF309 FFD2DC5625D70385131CF238344B02F6FFF343F354F365F23A157D037B2243F391FFF3A2F323D 5C0037BF3D4F3E5F3F6F23A1FF4A703C4F41EF42FF4405E5A1A790E5A0FB24063ACD2 ABBFACCFADDDFAEEFFFAFFE48F25381C209CCCFB21FB32FB43FFFB54FB65F95A859F050AF51B0 52DCD0014F13519E50C1FB82A0707961A0695D671068F0D05B404D902064E0217F5E1157BF58 CF59DF453063B2D42B0D7E0A48F28204F771F1B289434A6073C7EEA0EDB065807832363C2062 71FF66F0EC70678080D187616281C7E780D1FF1E3062719AC864F6BA5563D6978680D1FC3939 D8E063479670A5E00A804A51FF643AC582655A6A54BA55513167596A54FF63749807697F6A8F 6B9F97A450716D39F302E2EDC120316E43709F71AF72B7EF7DA1737F846F728A33766F777F726 CEE34797F7A8F726C357C8F7D9F726CFE367F9F80AF726CD5A082BF83CF727BEE3885BF86CF7 26C396E4397865062FB6D394D906373358C2F8D3876548E3FFF8D387964904F8D387C74925F8 D387F84FF946F8D388294967F8D3885A4988F8D38FF88B49A9F8D388BC4891F9CE352C26D48F F0200A806CA0D7006E5F6F9E9F6CA4FBD0D26D39544F20BB71A44B6D1BDCA1B94C022050 4F91F130B0C068CA51FFDFD0A16FA27FA38FA496A71CDB41EDB0FFA616A9AFAABFABCDFD400C E43AD494E10FDF4D067AE6FAF7FB08FB1966D0CD4F0BB4CA1C1F073B55FB46F759358ACF25 41312204755D1B863B4AE6D66F650F3361C9154F3C1B86FBCDFB57FFFA6AF6D4ADD0FA21ED C1BF9FC0AF6759FE366D0CDF04E41ADD0FB11C48FC59FFFC6ADA71CC874DFF04E00C94FCA5 FC6DAFFB21CC874BC87CDFCF0FC72557706D2AFA4D1A00694D20C8C67335D25FD36FFDC725 34D4FFD6097654D71FD82FC725BFA01CD5C5CD62D6AFDC7FC6BC36DE7FFFDF86DB7FE11FC6 CB5DA2E33FD1C2DFFFFBE59FC6BC38E79FE8A6E49FEA3FC6CBBFB4CE86A91F4EE1FEF276CA4 376D0CF7A444FB06BCD5FF31FF42FA71C43FB05FEF0664C10C8CFF73FF84FF501FFD08CFA67F 66FFC3FF43ED4ECFA67D1CF8F00CFC69FD09FC8B7204163BEC0FF61E0E91F057FCB4F079FDFB 3092F0A3FFF0B4FD05FD1680E0F0F1F102FD4AFD5BFFF12FF140F151FD96FDA7F184F195F1A6F 1FDE2FDF3C1D9CBD1FA785526576FFFC0A13F1F0FC18F9C891BBCDFB3A8771F259F26AF27BF B196BB4C51756FBF61C02B0F2C1F2D2F9CB66D0C4961E0FF64D037302F8F309F1FEFE2EFE3F91 D9FFF35CF36DFE74FE85C39DF3AEF3BFFEBDFFFECEC3EFF400F411FF06FF17C441F452FFF463FF 4FFF608493F4A4F4B5FF94FFA5FFF4E1F4F2503FFE0FFF1C536F547F58FFF029F03AC588F599F 5AAF072F083F5DD3FFEDBF5F3F0BBF0CCF5859634F645F10AFF11BF5D79683F694F159F47CF1 7BF6D2FFF6E3F1AEF705F1D0F727F738F203F75AFF225C77CF78DF375F7AFF397C7CEF7DFFFF3 C7F801F3E9C820F831F419F853F43BCFF872F883F46BF8A5F48DC8C4F8D5F4BDFFF4CEF679F91 DF92EF512F523F62AF96BFF97CF567F578F9B2F9C3F9D4F5BCF5CDFFFA07FA18F8E2F611F622F F23FA6DF655FFFA8FF584AAFFAC0F6A5F6B6F5D79AFEFFB0FF6F4F8F7F16FB4DFB5E9F749FB8 0FFF76BFA2FBB3F79EFBD5F225CBF7FC08FF77F0FC2AF397CC49FC5AF842F7CF3F9CFFC9BFC ACF894FCCF43BCCEDCFEF8E6FFFD20F48DCD3FFD50F938F949FAF4FD98FFFD9A9F98DF99EFA A5FDE6FDF7F9E2F9F3FFFE2DFE3EFE4FFA37FA48FE82FE93FD5DFF3A8CFA9DF2034ED9FEEAFAD 2FAE3FFF5868F2AFF3BFB20FB31F5D79F79FF8AFFFB6FFD72FB91FFC8FFD9FBC4FFFBFB6FFF01 DF02EFC19F050F225C072F083FC6BFFF0A5F397C0C4F0D5FCBDF0F7F3E9C116FFF127FD0FF149 F43BC168F179FD61F19BFFF48DC1BAF1CBFDB3FDC4FF6FF213F224FFFE08FE19FF20F261F272F E5DFE6EF2A8FFF2B9F2CAFEB2FEC3F2FDF30EF1D8FF07FF9F18F2035354F365FF4DF5EF5868FF 3A5F3B6FF9BFFACF5D793F4F405FFFAFFF1EDF00CF443F454F03FF476F061F498FFF4A9F094F4C BF7C0C4EDF4FEF0E6F520FFF812C53FF550F138F572F864C591F5A2FFF18AF5C4F8B6C5E3F5F4F 1DCF616F908CFF635F646F22EF23FF3EAF68EF69FF283FFF294F39BF6DC6EDF2D8F2E9F723F73

Name	Value
	4FFF745F32DF33EF778F789F653F382F393FFC20367CFF7E0F3C8F3D9FA018820FFF831F416F427FA52986FF880F465F668FFF487F8BEF8CFF4BAF8F1F4DCF913F924FFF50FF946FC3BC968F979F561F99BFC8DCFF9BAF9CBF5B3F9EDFCDFCA0CFA1DF605FFFA3FFD31CA5EFA6FF657FA91FD83CAB0FFFAC1F6A9F6BAF865FB09FB1AF6FEF70FFFF816FB57FB68F753F764FB9EFBAFFBC0F9F7A8F7B9FBF3FC04FACE67166C370586D6174B7F47F4631ADFC53007562746C6520456DFA7000D0730B70C4AFC5BFC6CF7F55FA32B7FC49ED50ED40C140C99FCAAF1BCBBFC74E33B7FCC935526566FC6572ED40ED30CFBFD0CFD1DFD2E67F89ECCEB6D4BFD5CFD6DFD7EF8EDC42F46F6F24C0547F90C970DAE3D2D721A3BC4269626C7F6067727A61CF5079DAE3DD3FD313ADFC54204F4320486500E33B7DC07D7B5C2A5C64C740CF700674C370CF1030313035302DE72232E723E6E038E784346481C250373836643663D8E0003265353334313538C3E980E86034633532996084E0EF94109960BD30E92033EA00EAD0E7840FEB8E7FC0E7218A9063663131206530613162ED206165F7E6F0EDEFEEEDC33ED40EFC1E720DA70F066663039EC66F13FE7C1F20DFFF1EDF062F482F166F46EF4E7F6EFF7FFFF90FFA1FFB2FFC3FFD4FFE5FFF6F007FFF018F029F03AF04BF05CF06DF07EF08FFFF0A0F0B1F0C2F0D3F0E4F0F5F106F117FFF128F139F14AF15BF16CF17DF18EF19FFFF1B0F1C1F1D2F1E3F1F4F205F216F227FFF238F249F25AF26BF27CF28DF29EF2AFFFD2BEC642BE5F4752DDF2EEF2FFF310FFF321F332F343F354F365F376F387F398FFF3A9F3BAF3CBF3DCF3EDF3FEF40FF420FFF431F442F453F464F475F486F497F4A8FFF4B9F4CAF4DBF4ECF4FDF50EF51FF530FFF541F552F563F574F585F596F5A7F5B8FFF5C9F5DAF5EBF5FCF60DF61EF62FF640FFF651F662F673F684F695F6A6F6B7FF6834FEA00EC71F4D16D223734E75434FDE71136EFF16DA2BD306D81F0B26F6FFF707F718F729F73AFE7C1EC92E7116BDF452D0663ADE0643938774062AD776033E9D1E99039E57066E8E07A64E97162ED40F5DF7956E77039E63277077D06633A8C077D0E6E0FFF56F7C6F7D7F7E8F7F9F80AF81BF82CFFF83DF67F85DC845F87EF88FF8A0F8B1FFF8C2F8D3F8E4F8F5F906F917F928F939FFF84BF95BF86DF97DF98EF99FF9B0F9C1FFF9D2F9E3F9F4FA05FA16FA27FA38F94AFFFA5AF96CFA7CFA8DFA9EFAAFF32EE7140BABE5E5E000AE10
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: D4429044CA28924C8FD122A133685E4A
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSendingAddressType	SMTP

Name	Value
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Elizabeth's Birthday
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Shu's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	08:00:00.000 AM 2/28/1978
PidLidAppointmentN	FALSE

Name	Value
otAllowPropose	
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300D200200000060AE0000C00000000000001B000000232000000A00000000000000 000000000000000A0CCD20BDF80E95A06300000093000000000000A0050000000000000000 00000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 AM 2/27/1978
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	TRUE
PidLidBusyStatus	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C8010000000000000001000 0000EE6CCE82EE4BC14BB01478A948D182FB
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	08:00:00.000 AM 2/27/1978
PidLidCollaborateDoc	
PidLidCommonEnd	08:00:00.000 AM 2/28/1978
PidLidCommonStart	08:00:00.000 AM 2/27/1978
PidLidConf	0

Name	Value
erencingType	
PidLidDirectory	
PidLidInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C8010000000000000001000000EE6CCE82EE4BC14BB01478A948D182FB
PidLidIntendedBusyStatus	4294967295
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAlias	
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every February 27
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	TRUE
PidLidReminderSignificantTime	08:00:00.000 AM 2/20/2008

Name	Value
PidLidReminderTime	08:00:00.000 AM 2/27/1978
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF000000000B00000001000200000000000000000000000000000000030000000 20002000000000000000

Name	Value
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Gift ideas: Baseball tickets
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:09:59.726 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F3DE6068478E475FED423EB16D884456F7FA1A
PidTagConversationTopic	Shu's Birthday
PidTagCreationTime	07:09:26.913 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:09:26.913 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:09:59.726 PM 2/6/2008
PidTagMessage	1

Name	Value
ssageFlags	
PidTagMessageLocationId	1033
PidTagMessageSize	7217
PidTagNormalizedSubject	Shu's Birthday
PidTagOriginatorDeliveryRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 64002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5488 lpb: 6C150000195A00004C5A46755A0567E507000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A

Name	Value
	FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBFAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095Dafb33FE1FFFF94EE615FB76FE5DF991E655FD1AFEA0FFFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC 7FE11FE22FFFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFFAF8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525 0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308DD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 29F9AF889403D7062E0C7DBB14300B310382048A571A830F78740CCA398C336BC3FBD4FBE5BC AF00FBF4FC05FC16FC2729D50A6009E706780FFC2BFBF12C40FB18F4510B35FB466A410BF96A2 C71FC82697889761A6F0739D60C7BB11892066D06D706FF3E0C94FC420455D40696C53894257 B0B7668380B0DF10766721890055C320F98850776ED5B6C1F1D652D773C226E5DB616D97216 850ACF0D9039D52CA335A606DE7106B428742DA4528537562DAB17398516C467DEB3063DAB 162F0ADE09C314E506DD46C4D3D6067DA9372DD1780D1EC4A63DCD1AD1249A4C067F03DA0 E7E7E0DAB18740744C5C90DAB16610547279DFF131808378DCF06E1FAF80D662E114B1A0AFD 07470AC2F2FA5D089905D40732CE7F0AE634EF0D2E09ED02ED3612FE3902266EB60652F776 700642FDF3A50B530E473DCF066905C8291A6F0DA7774E032DF81E5B3685A32DAB1FFDD219F E0DF73DD21A090E796DF55DD21DA62DF6367AF0088E0728761AF90FFF3E0ACA06310AC719E7 0ACA0A8319ED0386E626AADC067F099506F63FB9EA1DC106B88C099A0CD50EC3496F47FEF70 B2E180C09D6088D1DA406780739C797396F0DF417DC16C799D609E76DCF067A0EE188781676 497307A6167A266EC01D630DF31A691767F4541F0D19670DCF04E5089809E7070F7B2C0A5E0F 2F06C9F20967287C0B6B0FB6700C7E178678066D09D70DF3167A0FC736199A08740F213E121F 531F2F1BFE121A6F04EF03D704E50885078B2C0A9E2506F7967F05C96707089807F67104F3088 50AD91A830ADE0EC2064E79D706730E1506264A8C08850ADE13FA5E096F1BEC196F28980AF4 0655CF9F2F0727AEC02A9C0E7328740FBD1CE68FA136010EFD16776FCA9FB61FFAFB08740817 1FD22FE24FDD3F2E2EDF1BBFD41FFB36AF8014F20B660763450FC776BA4B15E900112A5D0454 0B5C1F7E651E940AAD265AF40027596F088D0FB9761EF6074D6F08740FB40EB610407FFAFD05 D40AF00ADE08841E140AFD0AF41FF6721BEB014500FD0D060E140B2A1F952FFA4B1ABE0004100 201ACA067309E810401FF67216710AA71E140DA51FA81FB408850FBDA51AD10700672965082A 0AF10B632FF8740A5E2B2A1CA91E430A5F0C841EEA073A5F0AD0170709AC0ACA0ADC169FF4F2 0099728106721C1B2AD903D108850FF78609E70AEF2E430ADB09B21F431DB90BF894096F1455 0AF808841A4B16EDA417F9DF014B0A5F00981A5F0D630884163FE78ADE087E0BB6187C0A4C0F 8E1CAB0EF1261F7D18850B1D063E1510672B1D0EF1253AF008740A8406813C303D2E260F667A CD2EE3163F21005B36720DA601F14826330085216D2F210747862FC785C09B0B6C03D709660A DB00200FBE2C1F4B16C07016310F8912C40D3712F9732B5B09690809277F131666DF71800D52 0E9E120E63081808832B5B0FF973023F03D90F84088D0ACB074D087C0BE6C96F05D400200081 0E140758800FFCE72ACD19631EA719B51EA3587729670FF67A0EBD19AD0A6F0FB401FD3AD641

Name	Value
	EE03F8920EB63890180B0AE80EA616C76FFF2B1AE81E350AEB0235187E0671023D2FFA4B1DF3 13FA0E6519AD0B2D18901AE80F318D087E0202ED5C42356525023F2FFCE81245F256F267F23B 05630AE8080D0EFEC20284F295F2A6F6C5A60AE80CCF0F7280F2CDF2DE52926CC5E902BAF309 FFD2DC5625D70385131CF238344B02F6FFF343F354F365F23A157D037B2243F391FFF3A2F323D 5C0037BF3D4F3E5F3F6F23A1FF4A703C4F41EF42FF4405E5A1A790E5A0FFB2C08740CE63ACD2 ABBFACCFADFAEEFFFAFFE48F25381C209CCCFB21FB32FB43FFFB54FB65F95A859F050AF51B0 52DCD001A713519E50C1FA4769E3A0209AF17D4C503A61A1665007014A4061E16BFD6400735 E1157BF58CF59DF784063B2F9D42B0D0A48F28204F771F1B289431D4A6073EEA05C506580783 236FF3C2062E166F05C71C8315F1162E2C7E7FF80D11E3062E19AC86566BA5564469786F980D 13939D8E063B79670A5E00A80FF4A5164AAC58265CA6AC4BA55513167C97F6AC463E4980769E 6FAFF6C0F97A439E76D8B02E2EDC120316EB3710F721FDF73277DA173EF74FF72FA3376DF77E FDD72DC3479EF7AFF72DC357CFF7E0FFD72DC36800F811F72DCD5A0832F843FDD72EB38862F 873F72DC396EB39786F6338ADC4D906373A58C9F8DA876C4FF8EAF8DA879D490BF8DA87CE49 2CF8DA8FF7FF494DF8DA8830496EF8DA8861498FFFF8DA889249B0F8DA88C34898F9D5352C2F F6DB802000A806D10D7006ECF6FDF9F0FF76D14D0D26DA9544F20BB71A4BB6D8B73DCA14C0 220504F91F130B0C068FFCA51DFD0A1DFA2EFA3FFA506A78CDB41FF5C50A686AA1FAB2FAC3FD 400CE43ADB9FB4E10F4D067AEDFAFEFB0FFB2066D7C77D4F04CA1C1F073B3CFB4DF67C935FD 8ADC5413125AF055D1B8D3B51E6DD6F650F3361C9154F3C1B8DFBD4FB5B3E71F6E14AE40F A21EDC1C00FC11F67C9FE366D7CDDFF04E41AE40FB11C4FFC60FFFC71DA78CC8E4DF04E00C9B FCACFC74AFFB28CC8E4BCF7CE6FCF7FC79557706D9AFA4D1A00694D20C93673A5D2CFD3DFFD C79534D56FD67976C4D78FD89FC795BFA08CD635CDD2D71FDCEFC72C36DEFFFDFF6DBEFE1 8FC73B5E12E3AFBCF2E06FFFE60FC72C5071E82FE934E50FEAAFC73BBF8ADCE8DA79D4EE8FEF 9FD14376D7C7A444FB06BCDCFF38FF49FA78C43FB05F0FEF0664C10C93FF7AFF8BFF571FFD0F CFAD7F6DFFCAFF4AED55CFAD7D23F8F013FC70FD10FC927204163BF6D50E98F05EFCBFBF0 80FE023099FOAAFF0BBFD0CFD1D80E7F0F8F109FD51FD62FFF136F147F158FD9DFDAEF18BF19 CF1ADF1FDE9DFAC1E0CBD8FA7F5526576FF0030A1AF1F7FC1FF9CF91C2CE023A8E71F260F27 1F282FB2068ADC51756FBF62302B7F2C8F2D9F9D266D7C496250FF65405BE02FFF310F205FE35 FE4691E0FFF363F374FE7BFE8CC3A4F3B5F3C6FEC4FFED5C3F6F407F418FF0DFF1EC448F459FF F46AFF56FF67849AF4ABF4BCFF9BFFACFFF4E8F4F9F50AFFE7FFF8C53DF54E55FFFF030F041C5 C585A0F5B1F079F08AF5E43FFE2F5FAFC2F0D3F58C963BF64CF111FFF122F5DE968AF69BF160 F483F182F6D9FFF6EAF1B5F70CF1D7F72EF73FF20AF761FFF22CC783F794F37CF7B6F39EC7D5F7 E6FFF3CEF808F3F0C827F838F420F85AF442CFF879F88AF472F8ACF494C8CBF8DCFC4CFFF4D5F 680F924F935F519F52AF631F972FFF983F56EF57FF9B9F9CAF9DBF5C3F5D4FFFA0EFA1FF8E9F61 8F629FF2AFA74F65CFFFA96F58BAAB6FAC7F6ACF6BDF5DE9B05FFF616F6BF8FEF71DFB54FB65 F750FB87FFF772FBA9FBBAF7A5FBD9C22CCBFEC0FFFF7FC31F39ECC50FC61F849FC83F30C FFA2FCB3F89BFCDF5442CCF4FD05F8EDFFD27F494CD46FD57F93FF950FAFBFD9FFFD80F99 4F9A5FAACFDEDDFEF9E9FAFFFE34FE45FE56FA3EFA4FFE89FE9AFD64FF3A93FAA4F2034EE0 FEF1FAD9FAEAFFF58D8F31FF42FB27FB38F5DE9F80FF91FFF76FD79FB98FFCFFFE0FBCBF002FB EDFFF024F035FC20F057F22CC079F08AFC72FFF0ACF39EC0CBF0DCFC44F0FEF3F0C11DFFF12EF D16F150F442C16FF180FD68F1A2FFF494C1C1F1D2FDBAFDCBFF76F21AF22BFFFE0FFE20FF27F2 68D279FE64FE75F2AFFFF2C0F2D1FEB9FECAF304F315F1DFFF0EFF9F1FF203535BF36CFF54FF65F 58D8FF3ACF3BDFFA2FFB3F5DE93FBF40CFFF1FFF1F4F013F44AF45BF046F47DF068F49FF4B0F 09BF4D2F7C7C4F4F505F0EDF527FFF819C546F557F13FF579F86BC598F5A9FFF191F5CBF8BDC5 EAF5FBF1E3F61DF90FCFF63CF64DF235F246F3F1F695F6A6F28AFF29BF3A2F6E3F6F4F2DFF2F0 F72AF73BFFF74CF334F345F77FF790F65AF389F39AFC20367D6F7E7F3CFF3E0FA088827FFF838 F41DF42EFA599876F887F46CF66FFFF48EF8C5F8D6F4C1F8F8F4E3F91AF92BFFF516F94DFC42C9 6FF980F568F9A2FC94CFF9C1F9D2F5BAF9F4FCE6CA13FA24F60CFFFA46FD38CA65FA76F65EFA9 8FD8ACAB7FFAC8F6B0FC1F86CFB10FB21F705F716FFF81DFB5EFB6FF75AF76BFBA5FBB6FBC7 F9F7AFF7C0BF AFC0BFAD567166C3E0586D6174B8647FB631AE6C53007562746C6520456DFA7 00140730BE0C51FC62FC73F7FC5FA32B86C49EDC0EDB0C1B0CA0FCB1F1BCC2FC7BE33B86CC9 A5526566FC6572EDB0EDA0D02FD13FD24FD3567F8A5CCF26D52FD63FD74FD85F8F4C42F46F6 F2530548000C9E0DB53D34721A42C4269626C7FD067727A61CFC079DB53DDAFD383AE6C5420 4F4320486501533B7DC07D7B5C2A5C64C7B0CFE00674C3E0CF8030313035302DE79232E793E7 5038E7F4346481C2C0373836643663D950003265353334313538C3E9F0E8D03463353299D085 50EF948099D0BDA0E99033EA70EB40E7F40FEBFE8030E7918B0063663131206530613162ED90 6165F7E760EE5FEF4C33EDB0F031E790DAE0F066663039ECD6F1AFE831F27DFFF25DF0D2F4F2F 1D6F4DEF557F75FF86FFFF97FFA8FFB9FFCAFFDBFFCECFFDF00EFFF01FF030F041F052F063F074F

Name	Value
	085F096FFF0A7F0B8F0C9F0DAF0EBF0FCF10DF11EFFF12FF140F151F162F173F184F195F1A6FFF1B7F1C8F1D9F1EAF1FBF20CF21DF22EFFF23FF250F261F272F283F294F2A5F2B6FFD2C5C642C55F4E52E4F2F5F306F317FFF328F339F34AF35BF36CF37DF38EF39FFFF3B0F3C1F3D2F3E3F3F4F405F416F427FFF438F449F45AF46BF47CF48DF49EF4AFFFF4C0F4D1F4E2F4F3F504F515F526F537FFF548F559F56AF57BF58CF59DF5AEF5BFFFF5D0F5E1F5F2F603F614F625F636F647FFF658F669F67AF68BF69CF6ADF6BEFF4F34FEA70ECE1F5416D923734E7C434FDE78136F0616E12BDA06DF1F1226DFFF70EF71FF730F741FE831ED02E7816C4F452D7663AE5064393877B062AD77D033EA41EA0039E5E066E950FA64E9E162EDB0F64F79C6EDB0EAD1FBED40DAD033A9307840E750F5DF7CDFFF7DEF7EFF800F811F822F833F844FF6EFF864C84CF885F896F8A7F8B8F8C9F8DAFFF8EBF8FCF90DF91EF92FF940F852F962FFF874F984F995F9A6F9B7F9C8F9D9F9EAF9F9BFA0CFA1DFA2EFA3FF951FA61F973FFFA83FA94FAA5FAB6FF39EE784AC55E6500200AE80
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: EE6CCE82EE4BC14BB01478A948D182FB
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSendingAddressType	SMTP
PidTagSendingEmailAddress	eandersen@contoso.com
PidTagSendingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSendingName	Elizabeth Andersen

Name	Value
PidTagSchedulingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Shu's Birthday
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Anne's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	07:00:00.000 AM 7/8/1982
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointment	cb: 80 lpb:

Name	Value
AppointmentRecurrence	043004300D200200000020FA03000C0000000000000007000000232000000A00000000000000000000000000000000C2F50BDF80E95A0630000009300000000000000A00500000000000000000000000000000
AppointmentSequence	0
AppointmentStartWhole	07:00:00.000 AM 7/7/1982
AppointmentStateFlags	0
AppointmentSubType	TRUE
AppointmentBusyStatus	0
AppointmentGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3F5B068C80100000000000000001000000FC39CE77217D824FB608D84F4DFE22B
AppointmentEnd	11:59:00.000 PM 8/31/4500
AppointmentStart	07:00:00.000 AM 7/7/1982
AppointmentaborateDoc	
AppointmentEnd	07:00:00.000 AM 7/8/1982
AppointmentStart	07:00:00.000 AM 7/7/1982
AppointmentReferencingType	0
AppointmentDirectory	
AppointmentInvited	FALSE
AppointmentGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000307DD3F5B068C80100000000000000001000000FC39CE77217D824FB608D84F4DFE22B
AppointmentInte	4294967295

Name	Value
ndedBusyStatus	
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAlias	
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every July 7
PidLidRecurrenceType	4
PidLidRecurrence	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	TRUE
PidLidReminderSignalTime	07:00:00.000 AM 6/30/2008
PidLidReminderTime	07:00:00.000 AM 7/7/1982
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidTaskActualEffort	0

Name	Value
PidLidTask Complete	FALSE
PidLidTask Estimated Effort	0
PidLidTask FFixOffline	FALSE
PidLidTask FRecurring	FALSE
PidLidTask Mode	0
PidLidTask NoCompute	FALSE
PidLidTask Ordinal	2147483647
PidLidTask Ownership	0
PidLidTask State	1
PidLidTask Status	0
PidLidTask Version	1
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF000000000B0000000100020000000000000000000000000030000000 20002000000000000000
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Gift ideas: New camera phone
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClient	07:11:02.787 PM 2/6/2008

Name	Value
ntSubmitTime	
PidTagConversationIndex	cb: 22 lpb: 01C868F403F66EEAF5116F004F0E9DD1B6F04D65D9A5
PidTagConversationTopic	Anne's Birthday
PidTagCreationTime	07:10:03.026 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:10:03.026 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:11:02.787 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocationId	1033
PidTagMessageSize	7210
PidTagNormalizedSubject	Anne's Birthday

Name	Value
PidTagOriginatorDeliveryRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 84002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5487 lpb: 6B150000115A00004C5A4675219AA95B07000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5 29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F 649A89A2616F667F93EFFF689A89A2656F7FBF6B8F815B7E996DEF7F9BDF700F9558823F834F8 82F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792 EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2A FA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933B A9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FFF8D2 959DFCE4FDDFF91095DAFB33FE1FFFF94EE615FB76FE5DF991E655FD1AFEAOFFF814C695FBFAF EE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF8F8FD0FDE1F8D290F11FC 7FE11FE22FFFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35F FF03FF14F0A8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFFFD9FFEAF8D4 701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360C9F0DAF0EBF815B 3610AFF11BF2AFF13DF1C911518723F734F1C37EF719F19FF76EE4D11371CC878AF79BFFD8D2 937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF893838 1CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38 FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C06 78D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6 C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D439525

Name	Value
	0FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402 080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D16 1759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676 884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796 C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D 0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674 D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D40749631 44E0696700F587D07988104E9702674080838FC1EF8F218D8062F09D707688F08920A1E0786D 696862E080D05D608920757A6E9A31658DB0678097598FE044698BA420503D6061786082A068 A020466F6E748074748FD0B74E509DF04EF07794A08DD0669DF0E25762E074684256308DD082 905D99506C91405C009F84729FF866AE6C9F669ED0A16762A167729F62FC636282903DA0A352 8281A3C267304F87406791A484894070659F6173F063656C6C8AB19F309ED1A4E1FE7399A067 10BDC19DE1B580A080A7463A6CA75562A7558B30A7646467DFA846A9C0A9468F90A7647682C F8AEFF8BFF8D0F8E1F8F2F903F914F925F936FFF947F958F3DA0B1A199EF9AF896E69824FF64B 0EB4089609887B3319948B11CB0E1B7B36AAD9066C06657B0963162ADD0FF67809D609902B8 AF9AF889403D7062E0ED003132F860881048A571A8308740BBCCA398C336BC3FBD4FBE5B38B F3FFF04FC15FC2629D50A6009E706780C2AFFBF12C3FFB18F4510B35FB466A41096A2DFC70F C81697889761A6F0739D60BB1163892066D06D706FF3E0C93F45F15D40696C53894257B06683 80B06DDF10766721890055C3108850777E6ED586C1F1D622D743C225DB616DB997216850ACF 0D8C39D52335A60326DE7106B428742DA0553754A62DA717398516C46EB30631FDA7162F0AD E09C314E506D6C4D353D6067DA5372DCD780D14A63FBDC91AD1249A4C067F03DA0E7E0DA71 398740744C5C90DA7166107279D5DFB131808378DCB06EAF80D63207E0D4B1A0AFD074703A2 F2FA7A5D089905D40732EC7E0634EF0ABD2C09ED02ED3412FE35066EB60C86521776700642F3 A50B530B7E433DCB066905C8291A6F07774E0F7C25067A0E573685A32DA71DCE19FE0BDF33 DCE1A090E756DF15DCE162DF23F667AF0088E0728761AF90F3E0ACA03F6310AC719E70ACA0A8 319ED06E62CE6AADC067F099506F639EA1DBD0FE6B88C099A0CD30EBF496F4EF70B2E11F80C 09D6088D1DA006780737973A796F0DF017DC16C799D6076DCB0A767A0EDD88781676497306 167A2DE66EBC1D600DEF1A691764541F091DF9670DCB04E5089809E7070B2C0A5E0FDF2B06C 9F20967287C0B6B06700C7D13E78678066D09D70DEF167A07361FF99A08740F123E0E1F4F1F2 B1E0E1A6F06F4EF03D704E50885078B2C0E2106FEA7967F05C967070898067104F30DF8850AD 91A830ADE0EBE0649D706730F9E1106264A8C08850ADE1A5E096F14FBEC196F28980AF40655C F2B072BE7AEBBC2A9C0E6F28740FB9168F9D3F36010EF916776FC69FB21AFB08740FF8171FCE2F DE4FD93F2A2EDB1FD01FF732E6AF7C14F20B660763450776BFFA4B15E9000D2A5D04540B5C1E 611E900FDAAD265AF40023596F088D09761EF20FE74D6C08740FB00EB2103C7AFD05D40FFAF0 0ADE08841E100AFD0AF416721BEB0FF14500FD0D040E100B2A1F912A4B1ABE0FF03D001C1AC A067309E8103C167216710FFAA71E100DA11FA41FB008850DA11AD10FE700632965082A0AF10 B6328740A5E2FFB2A1CA71E3F0A5F0C831EE60A5F0AD01DC70709AC0ACA0ADC1694F200957F F28106721C1B2AD903D10885078609E70FFAEF2E3F0ADB09B21F3F1DB50894096F1EF4550AF8 08841A4B16EDA019DF014B09FA5F00941A5F0D60088416378ADE0FF87E0BB6187C0A4C0F8A1C A901221F791FB8850B1D063E1110632B1D01213AF00BB8740A8406813830392E22067ACD2FDE DF163F1D005736720DA20144263300708121692F1D0747862785CFF0970B6C03D709660ADB00 1C0E281F471FE6C06C16310F8512C40D3519732B5B0CB9690809277F0F1666D17C0D4F0FDE9A 120C25081808832B5B0973023F0BF3D90F80088D0ACB074D087C06C96F0EF5D4001C007D0E1 00758800CE52ACD1FF9631EA319B51E9F58772967067A0EB91FF9AD0A6F0FB001F93AD641EA0 8920EB23CF890180B0AE80EA216C76F271AE81FFE310AEB0231187E067102392A4B1DEF1FF3F A0E6119AD0B2D18901AE80189087E0FC202ED5942316525023B2CE61241FFF252F263F237056 30AE8080D0EBE0280FFB291F2A2F6C5A60AE80CCD027CF2C9F7D2DA529268C5E902B6F305F2 D8562FF5D703851318F234344B02F2F33FF350FFF361F236157D0377223FF38DF39EF31FDFF5C 00377F3D0F3E1F3F2F23614A703C0FFF41AF42BF43C5E561A790E560B2C08740FFCE43ACD2AB BFACCFADDFAEFAFF48B2FF5381C208CCAFB21FB32FB43FB54FB65FFF95A859F0505F5160528 CCFE113119E5069C1F94769E360209AF14C103A6F5CD301C064E05DA0204C609D60657F5E115 76F587F598F66C063C1D40A0D7E0A48B28204F731F17289434A2073C7EE60ED7065807832363 BE06261FF66F0EC30678080D187616271C7D780D1FF1DF062619AC864E6BA5563C6978680D1F C3939D8A063379670A5E00A404A1FF642AC572654A6A44BA5550E167496A44BF63649807696 F6A7F6B8F97A4396D0BF302A2ED8120316E33708F719F72A7EF7DA1736F747F727A33765F776F 725CEE34796F7A7F725C357C7F7D8F725CFE367F8F809F725CD57082AF83BF726B6E3885AF86B F725C396E33978633FB8A5C4D506373258C1F8D2876448E2FFF8D287954903F8D287C64924F8

Name	Value
	D287F74FF945F8D288284966F8D288594987F8D28FF88A49A8F8D288BB4890F9CD352726D38F F01C00A406C90D6D06E4F6F5F9E8F6C94FBD0B26D29544EE0BB71A43B6D0BDC61B94BC22050 4F51F0F0B0C068CA31FFDF90A15FA26FA37FA486A70CDB01ED70FFA606A99FAAABBBFD3E0CE 23AD394DD0DF49067AE5FAF6FB07FB1866CFCD4C0BB4C61C1F073B34FB45F6749358A5C7E5 412D25A905581B853B49E6D5650FBF2F61C5154F381B85FBCCFB56FA69F7F6D94ADC0F9E1ED8 1BF8FC09F674936FF6CFCD4F04E01ADC0FAD1C47FC58FC69DFFA70CC864DFB04DC0C93FCA4F C6CAB20C7FC864BC77CDEFCEFFC71557206D1A4DFD19C0694CE0C8B67325D24FD35FC715FE3 4D4EFD5F97644D70FD81FC715A00CDF5B5CD52D69FDC6FC6AC36DE6FDF76FFDB6FE10FC6B B5DB2E32FBC72DFE58FFDC6AC38E78FE896E48FEA2FC6BB8A5C5FE85A7954EE0FEF1F6C943 76CFC44BD4F706BCD4FF30FF41FA70C4305B0FDFEB0664BD0C8BFF72FF83FF4F1D07CFFFA57F 65FFC2FF42ED4DCFA57D1BF00BFC7C68FD08FC8A7204163BEB061D0FFE90F056FCB3F078FDFA 3091F0A2F0B3FFFD04FD1580DFF0F0F101FD49FD5AF12EFFF13FF150FD95FDA6F183F194F1A5F DE1F8DF2C1D8CDB0FA775526576FFB0FFA12F1EFC17F9C791BACDFA3A867258F8F269F27AF B1868A5C51756F61B0DF2AFF2C0F2D1F9CA66CFC4961D064C0FF36F02F7F308F1FDFE2DFE3E9 1D8F35BFFF36CFE73FE84C39CF3ADF3BEFEBFCEDCFF3EEF3FFF410FF05FF16C440F451F462FFF F4EFF5F8492F4A3F4B4FF93FFA4F4E0FFF4F1F502FFDFFF0C535F546F557F028FFF039C587F598 F5A9F071F082F5DC3EDAFF5F2F0BAF0CBF5849633F644F109F11AFF5D69682F693F158F47BF 17AF6D1F6E2FFF1ADF704F1CF726F737F202F759F224CFF77BF78CF374F7AEF396C7C7DF7DE3 C6FFF800F3E8C81FF830F418F852F43AC871FFF882F46AF8A4F48CC8C3F8D4F4BCF4CDFFF678F 91CF92DF511F522F629F96AF97BFFF566F577F9B1F9C2F9D3F5BBF5CCFA06FFFA17F8E1F610F62 1FF22FA6CF654FA8EFFF583AAAEFABFF6A4F6B5F5D69AFDFB0EFFF6F3F8F6F715FB4CFB5DF748F B7FF76AFFFB1FBB2F79DFBD4F224CBF6FC07F7EFFF29F396CC48FC59F841FC7BF3E8CC9AFF FCABF893FCCDF43ACCECFCDF8E5FD1FFF48CCD3EFD4FF937F948FAF3FD97F8A8FFF98CF99D FAA4FDE5FDF6F9E1F9F2FE2CFFE3DFE4EFA36FA47FE81FE92FD5CFA8BF9A9CF36C2034ED8FE9F AD1FAE2F5858FFF29FF3AFB1FFB30F5D69F78FF89FB6EFFF71FB90FFC7FFD8FBC3FFFAFBE5F01 CFFF02DFC18F04FF224C071F082FC6AF0A4FFF396C0C3F0D4FCBCF0F6F3E8C115F126FFF0E1 48F43AC167F178FD60F19AF48CCFF1B9F1CAFDB2FDC3FF6EF212F223FE07FFF18FF1FF260F271 FE5CFE6DF2A7F2B8FFF2C9FEB1FEC2F2FCF30DF1D7FF06FF17FFC2035353F364FF4CFF5DF58583 A4FFF3B5FF9AFFABF5D693F3F404FFE9F1ECFFF00BF442F453F03EF475F060F497F4A8FFF093F4 CAF7BC4ECF4FDF0E5F51FF811CFF53EF54FF137F571F863C590F5A1F189FFF53F8B5C5E2F5F3 F1DBF615F907C634FFF645F22DF23EF3E9F68DF69EF282F293FFF39AF6DBF6ECF2D7F2E8F722F 733F744F7F32CF33DF777F788F652F381F392F20FE367CE7DFF3C7F3D8FA00881FF830FFF415F 426FA51986EF87FF464F667F486FFF8BDF8CEFA4B9F8F0F4DBF912F923F50EFFF945FC3AC967F97 8F560F99AFC8CC9B9FFF9CA5B2F9ECFDECA0BFA1CF604FA3EFFF30CA5DFA6EF656FA90FD8 2CAAFFAC0FFF6A8F6B9F864FB08FB19F6DF70EF815FFF56F6B7F752F763FB9DFBAEFBFF7A7 F4F78FBF2FC03FACD67166C3606D2C6174B7E47F3631ADEC53750062746C6520456D707D00 C0730B60C49FC5AFC6BF7F4532FDB7EC49ED40ED30C130C98FCA9FCBAF0DC73E33B7ECC9255 2656665FE72ED30ED20CFADF0BFD1CFD2D689DC3FCEA6D4AFD5BFD6CFD7DF8ECC426FFA6F2 4B0547F80C960DAD3D2C7A3AC104269626C7F506772613DCF4079DAD3DD2FD303ADE544F1 04320486500D33B7D7D607B5C2A5C64C730CF607483C360CF003031303530E7129632E713E6 D038E7743464C24040373836643663D8D0328065353334313538E970E1E85034633532995084 D09400F79950BD20E91033E9F0EAC0E774EB7E077FB0E7118A8063663131659030613162ED10 6165E6E07BEDDFECC33ED30EFB1E710DA6066F8663039EC56F12FE7B1F1FDF1DDFFF052F472 F156F45EF4D7F6DFF7EFF8FFFFA0FFB1FFC2FFD3FFE4FFF5F006F017FFF028F039F04AF05BF06C F07DF08EF09FFF0B0F0C1F0D2F0E3F0F4F105F116F127FFF138F149F15AF16BF17CF18DF19EF1 AFFFF1C0F1D1F1E2F1F3F204F215F226F237FFF248F259F26AF27BF28CF29DF2AEF2BDCFE642B D5F4652DCF2EDF2FEF30FF320FFF331F342F353F364F375F386F397F3A8FFF3B9F3CAF3DBF3ECF 3FD40EF41FF430FFF441F452F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50DF51EF52 FF540FFF551F562F573F584F595F5A6F5B7F5C8FFF5D9F5EAF5FBF60CF61DF62EF63FF650FFF66 1F672F683F694F6A5F6B6FF473E9F0A7EC61F4C16D123734E74434E701FE36EFE16D92BD206D7 1F0A26F5F706FFF717F728F739FE7B1EC82E7016BCF2CF6A263ADD064393877306277505633E9 C1E98039E56066E8D0649DE96162ED30F5CFEF5730622CE0E97FB03366EA603877C0E6D0F55F FF7C5F7D6F7E7F7F8F809F81AF82BF83CFFFF66F85CC844F87DF88EF89FF8B0F8C1FFF8D2F8E3F 8F4F905F916F927F938F84AFF95AF86CF97CF98DF99EF9A9FF9C0F9D1FFF9E2F9F3FA04FA15FA2 6FA37F949FA59FFF96BFA7BFA8CFA9DFAAEFF31EE704ABD505E5D000AE00
PidTagRtfI	TRUE

Name	Value
nSync	
PidTagSearchKey	cb: 16 lpb: FC39CE77217D824FB608D84F4FDFE22B
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSendingAddressType	SMTP
PidTagSendingEmailAddress	eandersen@contoso.com
PidTagSendingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSendingName	Elizabeth Andersen
PidTagSearchingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Anne's Birthday
PidTagSubjectPrefix	

Elizabeth saves her calendar to share with Shu. This would be the resulting iCalendar file.

BEGIN:VCALENDAR
 PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
 VERSION:2.0
 METHOD:PUBLISH
 X-CALSTART:19751012T000000
 X-WR-RELCALID:{00000018-0E80-EBB5-82FB-58F695E239B2}
 X-WR-CALNAME:Birthdays
 BEGIN:VEVENT
 CLASS:PUBLIC
 CREATED:20080206T190802Z
 DESCRIPTION:Happy Birthday to me!\n
 DTEND;VALUE=DATE:19751013
 DTSTAMP:20080206T191251Z
 DTSTART;VALUE=DATE:19751012
 LAST-MODIFIED:20080206T190802Z
 PRIORITY:5
 RRULE:FREQ=YEARLY;BYMONTHDAY=12;BYMONTH=10
 SEQUENCE:0
 SUMMARY;LANGUAGE=en-us:Elizabeth's Birthday
 TRANSP:TRANSPARENT
 UID:040000008200E00074C5B7101A82E008000000020C397BAB068C8010000000000000000
 01000000D4429044CA28924C8FD122A133685E4A
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR>Happy Birthday to me!</P>\n\n</BODY>\n</HTML>
 X-MICROSOFT-CDO-BUSYSTATUS:FREE
 X-MICROSOFT-CDO-IMPORTANCE:1
 X-MICROSOFT-DISALLOW-COUNTER:FALSE
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE
 X-MS-OLK-CONFTYPE:0
 BEGIN:VALARM
 TRIGGER:-PT10080M
 ACTION:DISPLAY
 DESCRIPTION:Reminder
 END:VALARM
 END:VEVENT
 BEGIN:VEVENT
 CLASS:PUBLIC
 CREATED:20080206T190926Z
 DESCRIPTION:Gift ideas: Baseball tickets\n
 DTEND;VALUE=DATE:19780228
 DTSTAMP:20080206T191251Z
 DTSTART;VALUE=DATE:19780227
 LAST-MODIFIED:20080206T190926Z
 PRIORITY:5
 RRULE:FREQ=YEARLY;BYMONTHDAY=27;BYMONTH=2
 SEQUENCE:0
 SUMMARY;LANGUAGE=en-us:Shu's Birthday
 TRANSP:TRANSPARENT
 UID:040000008200E00074C5B7101A82E0080000000E0243DD0B068C8010000000000000000
 01000000EE6CCE82EE4BC14BB01478A948D182FB
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR>Gift ideas: Baseball tickets</P>\n\n</BODY>\n</HTML>

```

P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191003Z
DESCRIPTION:Gift ideas: New camera phone\n
DTEND;VALUE=DATE:19820708
DTSTAMP:20080206T191251Z
DTSTART;VALUE=DATE:19820707
LAST-MODIFIED:20080206T191003Z
PRIORITY:5
RRULE:FREQ=YEARLY;BYMONTHDAY=7;BYMONTH=7
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Anne's Birthday
TRANSP:TRANSPARENT
UID:040000008200E00074C5B7101A82E0080000000307DD3F5B068C80100000000000000
01000000FC39CE77217D824FB608D84F4FDFE22B
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR><SPAN LANG="en-us"><FONT FACE="Calibri">Gift ideas: New camera phone</FONT></SPAN><SPAN LANG="en-us"></SPAN></P>\n\n</BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:FREE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT10080M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

```

Shu opens the iCalendar file. The following tables represent the contents of the Birthday calendar's Folder object and its three Calendar objects in Shu's **store**.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1

Name	Value
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	3
PidTagExtendedFolderFlags	cb: 16 lpb: 01040006000A04080000000000000000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 42820000
PidTagSubfolders	FALSE

The following are the properties on the Calendar object for Elizabeth's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	07:00:00.000 AM 10/13/1975
PidLidAppointmentNotAllPropose	FALSE
PidLidAppointmentRecur	cb: 80 lpb: 043004300D2002000000A0FF05000C0000000000000000000000232000000A0000000000000000000000000000080B4BF0BDF80E95A063000000930000000000000A0050000000000000000000000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	07:00:00.000 AM 10/12/1975

Name	Value
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	TRUE
PidLidBusyStatus	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000020C397BAB068C8010000000000000001000000D4429044CA28924C8FD122A133685E4A
PidLidClientEnd	11:59:00.000 PM 8/31/4500
PidLidClientStart	07:00:00.000 AM 10/12/1975
PidLidCommonEnd	12:00:00.000 AM 10/13/1975
PidLidCommonStart	12:00:00.000 AM 10/12/1975
PidLidConferenceType	0
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000020C397BAB068C8010000000000000001000000D4429044CA28924C8FD122A133685E4A
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	
PidLidOwnerCriticalChange	07:12:51.000 PM 2/6/2008

Name	Value
PidLidRecurrencePattern	every October 12
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	07:00:00.000 AM 10/5/2008
PidLidReminderTime	07:00:00.000 AM 10/12/2008
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000300000002 000200000000000000
PidLidWhere	
PidTagAccess	7
PidTagAccessLevel	1

Name	Value
PidTagBody	Happy Birthday to me!
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	07:14:57.374 PM 2/6/2008
PidTagEndDate	12:00:00.000 AM 10/13/1975
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetContentPage	1252
PidTagLastModificationTime	07:14:57.374 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocalId	1033
PidTagMessageSize	1316
PidTagNormalizedSubject	Elizabeth's Birthday
PidTagRecordKey	cb: 4 lpb: 44002000
PidTagRead	FALSE

Name	Value
eReplyRequested	
PidTagResponseRequested	FALSE
PidTagRtfCompressed	cb: 652 lpb: 88020000AB0500004C5A46750D2BFF6703000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC0318104709486170707920C4426900206864614F602C20CA20078021247C353634C14C52F749D949E7479D3914D034D048C251EFFF52FF487F498F556F53BF54CF45490AA2FF55580A8145870AB15DA855ED01C034C1BE503FBF421F615F39F54C212F3A9F5F38EF1F65320137C025937D67A0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 075E5DFBAF3BBF4C960BE7A3EE7F6988
PidTagSensitivity	0
PidTagStartDate	12:00:00.000 AM 10/12/1975
PidTagSubject	Elizabeth's Birthday
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Shu's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE

Name	Value
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	08:00:00.000 AM 2/28/1978
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentRecur	cb: 80 lpb: 043004300D200200000060AE00000C00000000000001B000000232000000A000000000000000 000000000000000A0CCD20BDF80E95A06300000093000000000000A005000000000000000000 000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 AM 2/27/1978
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	TRUE
PidLidBusyStatus	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0243DD0B068C80100000000000000010000 000EE6CCE82EE4BC14BB01478A948D182FB
PidLidClientEnd	11:59:00.000 PM 8/31/4500
PidLidClientStart	08:00:00.000 AM 2/27/1978
PidLidCommonEnd	12:00:00.000 AM 2/28/1978

Name	Value
PidLidCommonStart	12:00:00.000 AM 2/27/1978
PidLidReferencingType	0
PidLidInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000E0243DD0B068C801000000000000001000000EE6CCE82EE4BC14BB01478A948D182FB
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	
PidLidOwnerCriticalChange	07:12:51.000 PM 2/6/2008
PidLidRecurrencePattern	every February 27
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	08:00:00.000 AM 2/20/2008
PidLidReminderTime	08:00:00.000 AM 2/27/2008

Name	Value
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000300000002 000200000000000000
PidLidWhere	
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Gift ideas: Baseball tickets
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	07:14:57.405 PM 2/6/2008
PidTagEndDate	12:00:00.000 AM 2/28/1978
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	1252

Name	Value
PidTagLastModificationTime	07:14:57.405 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocalId	1033
PidTagMessageSize	1328
PidTagNormalizedSubject	Shu's Birthday
PidTagRecordKey	cb: 4 lpb: 64002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfCompressed	cb: 660 lpb: 90020000B20500004C5A46752E94CCFE03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC3B1810470947069005400F40656190733A20424FA065620740550320740DE06B14B073247C35BE3634C14C5249D949E7479D3914D0FF34D048C2525F536F487F498F55DF542FFF553F45490AA255C80A8145870AB15E18F7565D01C034C1503FBF421F61CF39F5FD4C212F3A9F38EF1F65320137C02593027D6810

Name	Value
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: AED5FBFB128A3248A17206F1F43C721C
PidTagSensitivity	0
PidTagStartDate	12:00:00.000 AM 2/27/1978
PidTagSubject	Shu's Birthday
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Anne's Birthday:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	1440
PidLidAppointmentEndWhole	07:00:00.000 AM 7/8/1982
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300D200200000020FA03000C00000000000007000000232000000A000000000000000000000000000000C2F50BDF80E95A0630000009300000000000000A0050000000000000000000000000
PidLidAppointmentSequence	0
PidLidApptStart	07:00:00.000 AM 7/7/1982

Name	Value
pointmentStartWhole	
PidAppointmentStateFlags	0
PidAppointmentSubType	TRUE
PidBusyStatus	0
PidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000307DD3F5B068C8010000000000000001000000FC39CE77217D824FB608D84F4FD22B
PidClientEnd	11:59:00.000 PM 8/31/4500
PidClientStart	07:00:00.000 AM 7/7/1982
PidCommonEnd	12:00:00.000 AM 7/8/1982
PidCommonStart	12:00:00.000 AM 7/7/1982
PidConferenceType	0
PidFInvited	FALSE
PidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000307DD3F5B068C8010000000000000001000000FC39CE77217D824FB608D84F4FD22B
PidIsException	FALSE
PidIsRecurring	TRUE
PidLocation	
PidO	07:12:51.000 PM 2/6/2008

Name	Value
wnerCriticalChange	
PidLidRecurrencePattern	every July 7
PidLidRecurrenceType	4
PidLidRecurring	TRUE
PidLidReminderDelta	10080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	07:00:00.000 AM 6/30/2008
PidLidReminderTime	07:00:00.000 AM 7/7/2008
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000300000002 000200000000000000
PidLidWhere	
PidTagAccess	7

Name	Value
PidTagAccessLevel	1
PidTagBody	Gift ideas: New camera phone
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	07:14:57.421 PM 2/6/2008
PidTagEndDate	12:00:00.000 AM 7/8/1982
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetContentPage	1252
PidTagLastModificationTime	07:14:57.421 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	1316
PidTagNormalizedSubject	Anne's Birthday
PidTagR	cb: 4 lpb: 84002000

Name	Value
ecordKey	
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRFCCompressed	cb: 656 lpb: 8C020000B20500004C5A46752EC3261E03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC3B1810470947069005400F40656164733A07B3636107802C0020947068022065247C353634C1EF4C5249D949E7479D3914D034D048C2FF525F536F487F498F55DF542F553F4549FF0AA255C80A8145870AB15E18565D01C07D34C1503FBF421F61CF39F54C212FBF3A9F38EF1F65320137C025937D6810
PidTagRFCInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 43FBCD49108A1348A00F462127B474DB
PidTagSensitivity	0
PidTagStartDateTime	12:00:00.000 AM 7/7/1982
PidTagSubject	Anne's Birthday
PidTagSubjectPrefix	

3.2 Example Schedule for the Week of June 16, 2008

In this example, Elizabeth's primary calendar contains her schedule for the work-week of June 16, 2008. The following tables represent the contents of her calendar's Folder object and its four Calendar objects.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagComment	Calendar Comment
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	4
PidTagExtendedFolderFlags	cb: 6 lpb: 010400001000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 22810000
PidTagSubfolders	TRUE

The following are the properties on the Calendar object for Elizabeth's lunch break:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	07:00:00.000 PM 6/16/2008
PidLidAppointment	FALSE

Name	Value
ointmentNotAllowPropose	
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300B2001000000C0210000010000000000000003E000000222000000500000000000000000000000000000080F8C50C000FC60C06300000093000000B2020000D002000000000000000000000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	06:30:00.000 PM 6/16/2008
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	FALSE
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
PidLidClipEnd	07:00:00.000 AM 6/20/2008
PidLidClipStart	07:00:00.000 AM 6/16/2008
PidLidCollaborateDoc	
PidLidCommonEnd	07:00:00.000 PM 6/16/2008

Name	Value
PidLidCommonStart	06:30:00.000 PM 6/16/2008
PidLidConfencingType	0
PidLidDirectory	
PidLidInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
PidLidIntendedBusyStatus	4294967295
PidLidLocation	
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAlias	
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
PidLidRecurrenceType	2
PidLidRecurring	TRUE
PidLidReminderDelta	15
PidLidReminderSet	FALSE

Name	Value
PidLidReminderSign alTime	06:15:00.000 PM 6/16/2008
PidLidReminderTime	06:30:00.000 PM 6/16/2008
PidLidResponseStat us	0
PidLidSide Effects	369
PidLidTask ActualEffo rt	0
PidLidTask Complete	FALSE
PidLidTask Estimated Effort	0
PidLidTask FFixOffline	FALSE
PidLidTask FRecurrin g	FALSE
PidLidTask Mode	0
PidLidTask NoComput e	FALSE
PidLidTask Ordinal	2147483647
PidLidTask Ownershi p	0
PidLidTask State	1
PidLidTask Status	0
PidLidTask Version	1
PidLidTimeZoneDes cription	(GMT-08:00) Pacific Time (US & Canada)

Name	Value
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF000000000B000000010002000000000000000000000000030000000 20002000000000000000
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:20:16.812 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F54E30FC5F6698C9FB4AE4839068B31854314F
PidTagConversationTopic	Lunch
PidTagCreationTime	07:19:19.224 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:30:58.552 PM 2/6/2008
PidTagMessageClasses	IPM.Appointment
PidTagMessage	07:20:16.812 PM 2/6/2008

Name	Value
ssageDeliveryTime	
PidTagMessageFlags	1
PidTagMessageLocationId	1033
PidTagMessageSize	7232
PidTagNormalizedSubject	Lunch
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: A4002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5468 lpb: 58150000DC5900004C5A4675BA50E15507000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F1F1A2400501AAF20EF 21107D4361F706D0072105D06115D01DE410101E66FF03E319FF1B0B01301C721BB21C501C10 F326A122216C6922611DE40FE1190FFF246F1B2F1C3F1D4E0FE11FC1287F298FFF2A9F2BAF2CB E0F202DDF2EEF2FF73102FF30C430A22704225327B714D0334F345FFF2FFF310F321F1E4F392F3 A3F3B4F3C5FFF0FF00E103DAF3EBF3FCF40DF41EF1160FF237F442F259F26AF27B72358439F4A1 F3745BF46CF1DE4394D6F4E7432338A384EE420076D20434502833F50A052AF53B53D72546F5 5737972B755D4332F1F56361FC5584F4709D17E6B55D4381F5AF759E15BBF038254EF087055D 43D8F1F563723515F8F0382D8284865226007D02955D442FFFF6277543F6416071001A00EB064 F548685D1EED384861673F0382420740747F0EB055D44D5F5AF75DB16B3F644356590890746E 224007906564F530FF5298490C5418274555A70DE071AF575E7F73B759660EF074DF5B0E73B65 D0931FF5DB878AE5F5673B660D75B607B7F6A8EFF73B66C890FD267016D7F53DF54EF27D5DF5

Name	Value
	<p>29F75DF845F59650FD1312DBF791FFF5C0F5D1789A259EF7C7F5FDF60E589A2FF5DBF627F6F6F649A89A2616F667F93EFFF689A89A26567F7FB6B8F815B7E996DEF7F9BDF700F9558823F834F882F856731EF860F871FA4CF89383289EF8AFF8C0FFD8D1A328DEF8EFF900F9118A420AE6FF792EF93FF950C3295FF970FB45F992DDF0E01B68F9B5F9C6F8179329E3F9F4F7FB88FA16FAA21A2AFA3BF2236855832FFA67FA78FC53789380FD0C67F792F2245BD8D0B33AE5FAF6F2236910933BA9FFFBBAF2236814CA432D0DFA3EFA4FFC955FFC66FC77FD65F893874A0D81FAB7FAC8FF8D2959DFCE4FDDFF91095DAFB33FE1FFF94EE615FB76FE5DF991E655FD1AFEAOFFF814C695FBFAFEE3FC1CFDBA2D43FD54FFBDA2F856734D80FD91FF6CF893889C0FFF88FDD0FDE1F8D290F11FC7FE11FE22FFFFBC7E3CFE4DFF25F94FDDBC0044FE91F7FEA2F993CFC30087FED4FEE5F816A35FF03FF14FOA8FF36FFC21F4AFF5BFFA9FFD856735F87FF98F173F8938FDE2191FFF9DF9FEAF8D4701E21CFF019F02AF1C46EF043F054F12CF94FD36086F097F26CFBD992D360CF90DAF0EBF815BA910AFFF11BF2AFF13DF1C911518723F734F1C37EF19F19FF76EE4D11371CC878AF79BFFD8D2937780F21DF7D8E3BF22D087F4FFF805F816A2A62314F165F176F3BC518EFF739EF48CF8938381CCF3D4F1EEF8D1ADE3820CF40CF22EF91183824AF25BF7B333F94FD3828DF29EF585F992D38FF2D0F442F2F815B60225ECF325F336F0370A881B1636F6C6F727450626C3B5C8D106474C0678D8D116E74C06730756530675FFA65BA8035688A69A1695F6A6968747F6A9268FF6CCF6C8D6C0F6A3F688F65FD8DD038725A7371732F743968747462BF72CF769F765D75DF740F77D4395250FF7B247C8174A37C80725F6B0776BF7500A181B12A5C64654F517063112B85C244B173AE402080867061F98121716C6310455067A0CFA067A0A13CE06463746C82907283902599307080D161759D605C611E73829083F03D5084F26E756D2589806184B0746F84F0646AC8757374CFA0676884E0CFA0A7680145506801697482A0308200305C6E6F7144D15D306F744C65208D7086B0796C5CB068FD8D20748D7082EF83FF850F861F872F4F7DC08AF04F604F4173316310615F815357D0901081D18C006C4F2067FC3130BA808A118DD08F848F218159DB8A20911333563091026674D09372CE63786062E093136E7093699504416310736E6578748F2173B7887067005D4074963144E0696700FD87D07996A289403D7062E091409140FF6020DBD05CD09702674080838FC18F21778D8062F09D707688F08920A1E06D3C696862E080D05D608920756EBD9B41658DB0678097598FE0448BA43420503D6061786082A06820D0466F6E748074748FD04E505B9F004EF07794A08DD0669F0057F162E074684256308DD082909A60966C98C1A08572A108666CA0762B9FE0A27762A27772A0726362FF82903DA0A4628281A4D267308740679113A59489407065A071736365BC6C6C8AB1A0409FE1A5F1739AB0BF6710BDC19EF1B580A190A8566CA865CE62A8658B30A8746467A956AAD0F7AA568F90A8747682CF8AEF8BFF8D0FFF8E1F8F2F903F914F925F936F947F958FFF3DA0B2B19AFF9C0896E6993464B0EB40FF89609997B4419A58B22CB1F1B47AAEA0ED66C06657B0963162AEE067809E70EF9A12B9BF9C08984432E7E0C65060107C2048A681A9408740CCA399D336FFBD4FBE5FBF6BC390C05FC16FC27FC381FF9E60A7109F806780C3BFC022C50FB29FFF4510B46FB576A52096A2C81FC926978A3DC3D1739E70BC21892066D06D70166FF3E0CA4F455D40696C53DF894257B0668380B0DF107667218900E655C4208850776ED6969871D7325FD85C335D85398A6DF616D972168AE50AE00DAA39E62335A606DE7108C6B428742DBE5537562DC51D27399616C46EB3063DC5162F047AEF09D414E506D6C4D3D6067CDDC3372DEB780D14A63DE71AE227E49A5D067F03DA0E7E0DC51874074CE4C5C90DC5166107279E191DA62F580B078DE906EB090D742E2B4B2B0C1B0E074703A2F2FA6E08990E95D40732EC8F0634EF0D3D09FE02A2ED4512FE53066EB60652FF2776700642F3A50B640E613DE90ED66905C8291A8007774E0C33067A0FDE753685A32DC51DEC1A0F0E113DEC1AFA1A0E936E0F5DEC162E10367B010FD88E028761B0A0F3E0ADB06310AD818F9F80ADB0A9419FE06E626AAED0B367F09A606F639FB1DDDB08B88C0FF9AB0CE40EDD496F40FE0B3F180C09E70C788D1DBE0678073797396F0E0E1E97DC16C799E7076DE9067A0EFB8A98781676497306167A266EDA1F7D710E0D1A7A1764541F2719670DE90774E5089809F8070B3D0A6F0F4906CBFA030967287C0B7C06700C8E1786780CF66D09E80E0D167A073619AB08740FFF3B3E2C1F6D1F491E2C1A8004EF03D709B4E50885078B3D0E3F06F7967F0FA5C967070898067104F308850AEA177A940AEF0EDC0649E806730E2F062FE64A9D08850AEF1A6F096F1BFD196F2938980B050655CF490727AEDA2EFAAD0E8D28740FD7168FBB36010F171FC6776FE49FD01B0C087408171FEC2BFFFC4FF73F482EF91FEE101536AF9A1CB4F20B770763450776BA5C15E907F02B2A6E04540B6D1E7F1EAE0ABE265BFB050041596F088D09761F10074D7D0FF8740FCE0ED0105A7B0E05D40B010AEF0FF8841E2E0B0E0B0516721BFC014500FD0FFD150E2E0B3B1FAF2A5C1ACF005B003A1FFADB067309F9105A167216710AB81E2E0BDFB1FC21FCE08850DBF1AE20700812FF965082A0B020B7428740A6F2B3B1CB813FE5D0A700C941F040A700AE117070F79BD0ADB0AED1694F200B3728106721FF9832AEA03D10885078609F80B002E5D0FAEC09C31F5D1DD30894096F14550B090FB8841A5C16EDBE19F0014B0A7000B21E7A700D71088416378AEF087E0BC71FF87C0A5D0FA81CBA01401F9718850B2E0FE63E2F10812B2E013F3B0108740A9</p>

Name	Value
	506E6815630572E40067ADE2EFD163FFF3B007536720DC001622633009F21872C1F3B0747862 785C0B50B7D0BF3D709660AEC003A0E461F6516C08A1FF6310FA312C40D4619732B6C0969080 927277F2D1666D19A0D600EB8120FFC33081808832B6C0973023F03D90F9E0EF88D0ADC074D 087C06C96F05D4003A0FB09B0E2E0758800CF62ADE19631EC11FF9C61EBD58772967067A0ED7 19BE0A800FFCE02173AE7420808920ED03890180B0F3AF90EC016C76F451AF91E4F0AFC0FF24 F187E067102572A5C1E0D13FA0E7F13F9BE0B3E18901AF901A7087E0202EFFD6A424F65250259 2CF7125FF270F281FFF25505630AF9080D0EDC029EF2AFF2C0F7E6C5A60AF90CDE029AF2E7F2F 8529DF286C5E902D4F323F2F65625D703BB1FF336F252344B0310F35DF36EF37FF2541FF57D03 95225DF3ABF3BCF33DD5C00395FFF3EEF3FFF410F25414A703DEF438F449FFF45A5E741A8A0E7 40B3D08740CF53ADE2FFACCFADDFAEFFAFBB10E4A925381C318FFCDBFB32FB43FB54FB65FB7 6F95A85E20FF523F5340546CD0F114F19F60D90963B2F9C2FA0D0A4A928204F911F35289431D 4C0073F04061E06580783236FF3DC05F1166F0EE10678080D187615F21FFC8E780D11FD05F119 BD8619696E56076F3978680D13939DA805FE79670A6F0FF0C204BF160DAC68261FA66F4BB655 2C1FF63F966F4601488109935661F672F683F9D97A43969BB0482EF6120316AE37F6D3F6E4F6F 577DA1701F712F6F2A33F7730F741F6F0C34761F772F6F0C7EF1F7794F7A5F6F2A367C3F7D4F6F 0CD680777F5F806F6F1B38825F836F6F0C39DB6AE3978633870C4F30636FD588CFFF89D872F48 ADF89D876048CEF89D87914FF8EFF89D87C24910F89D87F34931F89D8FF8244952F89D885549 73F89D8886485BFFF9983545269E803A00C209960D7E06AFFDF6C0F9B3F9964D1C269D95450C 0BC81CFA0EB69BBDE414DA220505131F2D0FDB1D068CB41E1709E0F9F1FA02FA136FFA3BCDC E15F50A2B6A64FA75FA86FD4F0EFCF33A9E94FB0F67067AB0FAC1FAD2FDFAE3669ACD5D04E41 D9C073AFFFB10FCD63F935870CBC5320475761B503DBB14E6A0650F4D61E3154F561B50FFF9B 7FB21FA34F6A44AA70FBC1EF61BC3FFBBD4F63F93669ACE1904FE1AA70FCB1FFC12FC23FC34D A3BC5514E1904FA0C5EFFFC6FFC37AAEBCC514B927CA9FCBAFC3C5EB590069CA4D1BA0694EC 0C5666FD5F7CEFFD0FC3C534D19FD2A972F4D3BFFFD4FC3C59CBCCD265CA02D34FD91FC35C FE36DB1FDC26D81FDDBF36B5A62DFDFFCE62DC9FE23FC35C5201E45FE564E13FFFE6DFC36 B870CE50A7604EABFBCF9964EA3769AC4451506BC9FFEFBFF0CFEDA3BC430790FC10664DB0C 56FF3DFFFF4EFF1A1CD2CF707F30FF8DFF0DED18C3FF707CE6FFD6FC33FCD3FC5572041FE63BB 600910E5BF021FC7EF043FDC53FF05CF06DF07EFCFFCE080AAF0BBF0CFFFD14FD25F0F9F10A F11BFD60FD71F14EF7F15FF170FDACFDBDC1A3CB9BFA42552FC6576DC609DDF1BAFBE2F9929 185CF7DC53A517223F234F245FAE36870C51FC756F5E6027AF28BF29CF995669ACFE49580617 034602C2F2D3F1C8FDF8FFFE0991A3F326F337FE3EFE4FC367F378FF9389FE87FE98C3B9F3CAF3 DBFED0FEE1CFF40BF41CF42DFF19FF2A845DF46EF47FFFF5EFF6FF4ABF4BCF4CDFFAAFFBBC50 0FFF511F522FFF3F004C552F563F574F03CFFF04DF5A73EA5F5BDF085F096F54F95FEFF60FF0D 4F0E5F5A1964DF65EF123F446FFF145F69CF6ADF178F6CFF19AF6F1F702FFF1CDF724F1EFC746F 757F33FF779F361CFF798F7A9F391F7CBF3B3C7EAF7FBF3E3FFF81DF405C83CF84DF435F86FF45 7C88EFF89FF487F498F643F8E7F8F8F4DCF4EDFFF5F4F935F946F531F542F67CF98DF99EFF58 6F597F9D1F9E2F8ACF5DBF5ECFEEDFFFA37F61FFA59F54EAA79FA8AF66FF60FFF5A19AC8FAD9 F6BEF8C1F6E0FB17FB28FFF713FB4AF735FB6CFB7DF768FB9FF1EFCFFBC1FBD2F7BAFBF4F361C C13FC24F80CFFFC46F3B3CC65FC76F85EFC98F405CCB7FFFCC8F8B0FCEAF457CD09FD1AF902F 913FFFABEFD62FD73F957F968FA6FFDB0FDC1FFF9ACF9BDFDF7FE08FE19FA01FA12FE4CFCFE5D FD27FA56FA67F2034EA3FEB4FFFA9CFAADF5508EF4FF05FAEAFABF5A19FFF43FF54FB39DF3CF B5BFF92FFA3FB8EFFFFC5FBB0FFE7FFF8FBE3F01AF1EFC03CFFF04DFC35F96FF361C08EF09FFC8 7F0C1FFF3B3C0E0F0F1FCD9F113F405C132F143FFFD2BF165F457C184F195FD7DFD8EFF39FFF1 DDF1EEFDD2FDE3FEEAF22BF23CFE27FFFE38F272F283F294FE7CFE8DF2C7F2D8FE71A2FED1FEE 2F203531EF32FFF17FFFF28F550836FF380FF65FF76F5A193BEFFF3CFFFB4F1B7FFD6F40DF41EF0 09F440FFF02BF462F473F05EF495F78AC4B7F4C8FFF0B0F4EAF7DCC509F51AF102F53CF82ECFF5 5BF56CF154F58EF880C5ADF5BEF1A6FFF5E0F8D2C5FFF610F1F8F209F3B4F658FFF669F24DF25E F365F6A6F6B7F2A2F2B3FFF6EDF6FEF70FF2F7F308F742F753F61DFF334CF35DF2036799F7AAF3 92F3A3FFF9CB87EAF7FBF3E0F3F1FA1C9839F84AFF42FF632F451F888F899F484F8BBF4A6FFF8 DDF8EEF4D9F910FC05C932F943F52BFFF965FC57C984F995F57DF9B7FCA9C9D6FFF9E7F5CFFA0 9FCFBCA28FA39F621FA5BFFFD4DCA7AFA8BF673F684F82FFAD3FAE4FFF6C8F6D9F7E0FB21FB32 F71DF72EFB68F7FB79FB8AF772F783FBBDFBCEFA986716266C0106D6174B4947BE63101AA9C5 37562746C6520E8456D70FD70730D30C14FC25FEB36F7BF532B49C49E9F0E9E0BDE06FC63FC 74FC85FC3EE33B49CC5D552F065666572E9E0E9D0CC5FCD6FFFCF7FCF86868CCB56D15FD26F D37FD48FD18B7C426F6F2160547C30C61087D783CF77A05C4269626C7C00E8677261CBF079D 783D9DFCFB381AA9C544F43204865FD83003B7D7D7B5C2A5C641BC3E0CC1074C010CBB03031 30B43530E3C232E3C3E38038E424043464BEF037383664360263D5803265353334310C3538E6

Name	Value
	20E50034633532BF9600818090B09600B9D0E5C033E6A03FE770E424E82E7C60E3C1873063668031316530613162E9C0DC6165E390EA8FEB7C33E9E0EC61C3E3C0D71066663039E906EDDFFF E461EEADEE8DED02F122EE06F10EF187FFF38FF49FF5AFF6BFF7CFF8DFF9EFFAFFFFFC0FFD1FFE 2FFF3F004F015F026F037FFF048F059F06AF07BF08CF09DF0AEF0BFFFF0D0F0E1F0F2F103F114F1 25F136F147FFF158F169F17AF18BF19CF1ADF1BEF1CFFFF1E0F1F1F202F213F224F235F246F257F F7268F279F288C642885F1152A7F2B8FFF2C9F2DAF2EBF2FCF30DF31EF32FF340FFF351F362F37 3F384F395F3A6F3B7F3C8FFF3D9F3EAF3FBF40CF41DF42EF43FF450FFF461F472F483F494F4A5F 4B6F4C7F4D8FFF4E9F4FAF50BF51CF52DF53EF54FF560FFF571F582F593F5A4F5B5F5C6F5D7F5E 8FFF5F9F60AF61BF62CF63DF64EF65FF670F3F681FF123E6A0E911F17169C23734F5E3F434E3B1 36EC916A42B9D06A21FFED526C0F6D1F6E2F6F3F704FE461E93217E3B1687F29A663AA806439 38B573E062740033E671E63039E210EA66E58064E61162E9E0F27F75F6B663EC71E7C034D700E 6D0387470FFE380F20F790F7A1F7B2F7C3F7D4F7E5FFF7F6F807FF31F827C80FF848F859F86AFF F87BF88CF89DF8AEF8BFF8D0F8E1F8F2FFF903F815F925F837F947F958F969F97AFF98BF99CF9 ADF9BEF9CFF9E0F9F1FA02FFF914FA24F936FA46FA57FA68FA79FEFCE17E3B4A885E28000AAB0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: DD26B2AEDF5D2145BCE907145185EA4D
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSendingAddressType	SMTP
PidTagSendingEmailAddress	eandersen@contoso.com
PidTagSendingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E6465 7273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00

Name	Value
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentSearchingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Lunch
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	60
PidLidAppointmentEndWhole	04:00:00.000 PM 6/16/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentP	0

Name	Value
ProposedDuration	
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	03:00:00.000 PM 6/16/2008
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	FALSE
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	3
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000001000000D3BDD3F67FDD814E823B9EE04A816204
PidLidClipEnd	04:00:00.000 PM 6/16/2008
PidLidClipStart	03:00:00.000 PM 6/16/2008
PidLidCollaborateDoc	
PidLidCommonEnd	04:00:00.000 PM 6/16/2008
PidLidCommonStart	03:00:00.000 PM 6/16/2008
PidLidReferencingType	0
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C80100000000000000001000000D3BDD3F67FDD814E823B9EE04A816204

Name	Value
	0000D3BDD3F67FDD814E823B9EE04A816204
PidLidIntendedBusyStatus	4294967295
PidLidLocation	4567 Main St., Buffalo, NY 98052
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAlias	
PidLidPercentComplete	0.000000
PidLidPrivate	TRUE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	720
PidLidReminderSet	TRUE
PidLidReminderSignalTime	03:00:00.000 AM 6/16/2008
PidLidReminderTime	03:00:00.000 PM 6/16/2008
PidLidResponseStatus	0
PidLidSideEffects	369

Name	Value
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFREcurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClient	07:23:16.190 PM 2/6/2008

Name	Value
ntSubmitTime	
PidTagConversationIndex	cb: 22 lpb: 01C868F5B91BC3FC330111494E81BFE46222628918C4
PidTagConversationTopic	Doctor's Appointment
PidTagCreationTime	07:20:46.387 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1024
PidTagImportance	2
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:40:42.099 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:23:16.190 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	6934
PidTagNormalizedSubject	Doctor's Appointment

Name	Value
PidTagOriginatorDeliveryRequested	FALSE
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecipientRestrictionProhibited	TRUE
PidTagRecordKey	cb: 4 lpb: E4002000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5515 lpb: 8715000F65A00004C5A4675A691184207000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF2110 7D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026A 1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0F 202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFF310F321F1E4F392F3A3F 3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F45 BF1B46CF1DE4394D6F4E74323338C54EE420076D204345028350A09F52AF53B53D72546F5573 797255D473332F4E6531362DB1580F038247FD09D16B55D4381F5AF759E15BBF0382DE540870 55D43D8F5AF63723515F8FB10382284865226007D02955D4FF42FF6277543F6416071001A00EB 064F5BB48685A8D384861673F0382420740FE740EB055D44D5F5AF75DB16B3F6443B25608907 46E224007906564F4FF2340529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73BB 5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFD6C8A307198490C731A276355A70DE0FF 83BF763F85D659660EF086EF79CF85D5FD5D09317C588ABE7DF885E460D75B60FF8D8F810F85 D56C890FD26701801F53DF7F54EF27D5719F87EF966F78160FE031FF2DBF8B2F5C0F7BA89BC1 78AF8E8F5DFFF7F569BC17C5F627F6F649A9BB2616FFF667FA5FF689A9BB2656F91CF6B8F9 36BFF90A96DEFADDEF700FA768944F955F9A3FBD977731981F992FB6DF9B48329BFFF79D0F9E1F 9F2A329FFFA10FA21FA328DFB630C07FA4FFA60FA71C32A80FA91F7FC66FAB3D0E01C89FAD6F AE7F938932FFB04FB15FCA9FB37FBC31B4BFB5CF2236FD976832B88FB99FD7479B480FD0D88F F78B3F22459F1B33C06FC17F2236A319FE33CCAFCD8F2236935CB642E2EFB5FFFFB70FDB65D8 7FD98FE86F9B4886B0EA2FFFBD8FBE9F9F3959DFE05FF00FA3195DAFFFC54FF40FA6FE615FC97 FF7EFAB2E655FFFE3BFFC1F935C695FD1BF004FD3DFEDB2EFE64FE75FEC3F977734EA1FEB2F08 DFFF9B489BD00A9FEF1FF02F9F39BC400E7FFF31FF42F0DC8F5DFF6EF046FA70DEDD0FF165FF B2FFC3FAB4C0E401A8FFF5F006FFD937A35024F035F1C9F057F0E3106BFF707CF0CAF9777350A 8F0B9F294F9B48FF0FF22B2F0FAF10BF9F5713F22F0F13AFBF14BF2E56164F175F24DFA70D361A 7FF71B8F38DFAB3D361EAF1FBF20CF936BFE3622BF23CF3D0F25EF2EA12728844FBF855F2E478

Name	Value
	3AF2C0F88FE9401372ED8F78ABF8BCF9F39378A1F33EF8F9E4E02FF3F18915F926F937A3C7243 5F286F297FDF4DD52AFF4BFF5ADF9B48382EDF4F5FFF30FF9F2A789F52CF627FA3197C4F37BF7 B667FA6FE383AEF3BFF6A6FAB3D38FF3F1F563F413F936B7FDF442F72BF464C0193C1636F6C6F 727462A86C3B5C9F206486D0679F21466E86D07940756530796F65FDCC90357A9A7BB17B6F7C 797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFDF 88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C646561 6170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D0646374 6C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C074 6F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E16 F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D006170 6151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699C 306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A131 739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFEDE06E E0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B3075 6EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E0 6060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572B 318666CB286B1F095B48762B48772B282636294A0FF4FB0B6729491B6E27940995079A1B7A40 99B507065B2817363656CDE6C9CC1B250B1F1B80173ACC079205FCDF21B101C790B3A0BA666C BA7562E7BA759D40BA846467BB66BCE0BC66FBA1A0BA847694DF9CFF9E0F9F1FA02FFFA13FA2 4FA35FA46FA57FA68FA79F4FB0FFC4C1AD0FAE18A8F6AB4476C0FD509B70FFABA7C651AC68C4 3CC401C68AC0B078D0F66669C0A84162C0F07990B080AC226FCBCFAE18AA544C60384C709A2 048DFB891BB509950DEB3ABE336CF5FD06FFDD17B38D25FD36FD47FD581B070B920FFB19079 90D5BF232D70FC4AF76B0C67F7FC786B730A8B2DA1FDB26A99AD5D1738FB080CE319B3078E 06D706F05F0C5D4BE456F50696C539B5269C0B7789392C0F1207679319B1055D620F99A60776 EE876AA81E912EA33D54497EA33AAB6ED716DA9316850C0102BEC73B072336C706DF9206B42 A39952EDB5537562EE2173AB71F46C46FD4063EE217500C100AF515160606D6C4D4F7067EE03 72B3F08792E14A63F041C03249B7E09F7A004FB09F0EE219950744C6EA073EE2105B07279F36 1EC3292C0787DF0606EC2A0E922F484C4C0C2F07470703A2F2FB8F09BA06F5073BA2EDAF0636 100E5C0B1F02EE6418A2FF70066FD70652F7779107C642F4C60C850F7E3F06078A05C6B94A1B A107786F032EB51F92368FF6C42EE21F091B300F2E3F091B3B0FB066BF2C5F09162F162D367C220 9AF072FF9971C2B005F0BFC07520BF91B190BFC0E3BB51B1F06E626AC0E07A00AC70EC6F63B1 C1EF806B9AD0ACC0E030FFFA4A90421F0C60192D0B0809AE1EDB0717990737973A900F2B18F D16C7A79B08076F06079B00188999167EA64A9406179B266FF71E8F0F2A1FDB9B17657510441 A880F06060609B90DDB19070C5E0B90006606CB240A882EF99D0C9D07910DAE178799078E0B 090F3F2A179B07361ACC099500583F491FF08A10661F491BA1061004F8060609A60A678C5E0F5 C06F797A005CA880FE709B90792061409A60C0B1BB50C1009DFF9064B097940F4C6264BBE0 FF9A60C101B900A901D1E1A9029B90C260E4655C0660727AFF72BCE0FAA23B9500F41680D83 722003416776FF10190ED1C2D099509381109211941143EF0652016110B113236A0B716130C9 80F2764660776BB7D170A01482B8F0DF5750C8E1F9C1FCB0BDF265C26015E5EFA9009AE0A971 02D074E9B099500EB0FFFED11777C2F06F50C220C1009A51F4B0FFC2F0C2617931D1D0266021 E0E340F4B0FFC5C10CC2B7D1BF0017801571BFC07940FFB1A1177179317920BD91F4B0EDC10D F1EF0EB09A60EDC1C0307019E2A86094B0FFC230C9529950B902C5C1DD71F7A0B910CFDB410 210B910C0217070ADE0BFC0FDC0E16961301D073A207931AA42C0B0FF4F209A608A70B190C2 12F7A0C0D0AE41FF07A1EF009B50A9015760C2A09A51B7D1FE6EEDB1B11026C0B9101CF1B91 0E8F0F99A516378C10099F0CE8199D0B7E0BF0C51DD9025D10B419A60C4F063F4C1BF19E2C4F 025C3C2209950BB60682733DB1742F5D067BFF201A163058019237F7930EDD027F275401BC22 A42058074F07862785C1D20C9E04F80A870EFC0D01570F63108216C1A7175200C01BF3E50E65 1A942C8D0A8A092A27704A1DC666D2B70E7E0FD5120F9A09390FF9A42C8D0A994036004FA00B B09AE0BFD0FB86E099D06CA9006F5015701B80F4B0FE759A10E152BFF1A841FDE1AE71FDA5FF 9982A88079B0FF41ADF0BA100EB03343FFC08432509B30FED39B1192C0C1A0FDD1FC6C760621 C1A1F6C0C1D036C199F0FF79203742B7D1F2A151B0F9C1ADF0C5F1CF9B11C1A02C4099F0202E E88436C6FF64603762E16137CF38DF39EF37206840BFC1A092E0FF903BBF3CCF3DDF6C6C70DF C1A0DFD03B7F404F4155293A3C70A0F73F1F440F4135626F804DC1453F36F3FF56C042DF47AF4 8BF49CF371169E04B22FF37AF4C8F4D9F45AD6E104B2F50BF51CFF52DF37115C804FBBF555F56 6F5775F911FFBAB0F910C5E09950E143BFF2BEDBFBFFC0FFC20FC31E5C626591D527DFAF53 FFFC64FC75FC86FC97FA7B86C0063FF65007F662CE2E126C1B170EAE875C2D5090D7E0A5C629 4140AE105229B535DD073C7021073F077907832364F9070B1FF7900FFE0799092E1997170C1D

Name	Value
	AE792E1FF31A070B1ADE87336A8F57216A99692E1FC3939EC507187A880B9001DF05DC1FF727 AD882739A7894CD756481759978947F71B49A20AB4577BF78CF79DFA9B439E77B5B165201312 0317C837EDF7FEFDF80F78FB181BF82CF80CA3384AF85BFFD80AC3487BF88CF80AC91018AEF8 BFFFD80CA368DDF8EEF80ACE86090FF920FDD80BB3893FF950F80AC397C83A996F63398AC610 06381759A6F9B788494FF9C7F9B7887A49E8F9B788AB4A09F9B78FF8DC4A2AF9B7890D4A4BF9 B7893E4A6CFFF9B7896F4A8DF9B789A04975FAB236612FF7B8815701DF0AB00E9C07C9F7DAFA CDF77AB04E3B27B79546290CE91B28B7B5B73F0115F722050630104A0C3E068FFDD31F340AFA FB0BFB1CFB2D6B55CEEB1FF70F0B456B7EFB8FFBA0FE6E0E123BB89FB6180084067BCAFBDBFB ECFBFD67B4C77E7B06011EB9073C19FC2AF759935F398ACCE6320476921C6A3C2EE7BA6F6500 6A63001540731C6AFCB1FC3BFFFB4EF7BE4BC100D910131CDDFCCEEF7599FE367B4CF36061B1B C100E81D2CFD3DFFFD4EDB55CD6B4F3606170D78FD89FD51AFFC05CD6B4CAC7DC3FDD4FD56 56AC07B6AFA4D2D70696090D7068175E09FE1AFFDD56534E33FE4498494E55FE66FD565BFAE5 CE405DBA2E4EFEABFD4FC36ECBFFEDC6E9BFEF5FD50B6C22F17FE002EE3FFBF3DFD4FC38F5D FF6E6F2DFF87FD50BBF98ACF6AA87A4FC5FFD6FAB04377B4C7A4463206BDB9F015F026FB55C4 3FB19600DE0665F80D70F057F068F0341FFDECC08A704AFOA7F027EE32C08A7E00F8F0F0FD4D FDEDFD6F7204163CD00FF1AE0F75F13BFD98F15DFEDF3176F187FFF198FDE9FDFA81C4F1D5F1 E6FE2EFE3FFFF213F224F235FE7AFE8BF268F279F28AF1FEC6FED7C2BDCCB5FB5C5526576FFEE 00AF7F2D4FCFCFAAC929FCEDF3B6B71F33DF34EF35FFBFD698AC51756FBF700C394F3A5F3B6F AAF67B4C497020FF731046303DC3EDF2E2FF12FF2392BDF440F451FF58FF69C481F492F4A3 FFA1FFFFB2C4D3F4E4F4F5FFFAFFBC525F536FFF547F033F0448577F588F599F078F089FFF5C5F 5D6F5E7F0C4F0D5C61AF62BF63CFFF10DF11EC66CF67DF68EF156F167F6C13FFFBF6D7F19FF1 B0F6699718F729F1EEFFFF1FFF6BB9767F778F23DF560F25FF7B6FFF7C7F292F7E9F2B4F80BF81C F2E7F83EFFF309C860F871F459F893F47BC8B2F8C3FFF4ABF8E5F4CD904F915F4FDF937F51FCF 956F967F54FF989F571C9A8F9B9F5A1FFF5B2F75DFA01FA12F5F6F607F70EFA4FFFA60F64BF6 5CFA96FAA7FAB8F6A0F6B1FFFAEBAFC9C6F6F5F706F007FB51F739FFFB73F668AB93FBA4F789 F79AF6BB9BE2FFBF3F7D8F9DBF7FAFC31FC42F82DFC64FFF84FFC86FC97F882FCB9F309CCDBF CECFF8D4FD0EF47BCD2DFD3EF926FD60F4CDCFFD7FFD90F978FDB2F51FCDD1FDE2F9CAFFFE 04F571CE23FE34FA1CFA2DFBD8FE7CFFFE8DFA71FA82FB89FECAFEDBFAC6FAD7FFFF11FF22FF3 3FB1BF2CFF66FF77FE41FF3B70FB81F2034FBDFFCFE6B6FBC7FFF66A800EF01FFC04FC15F6BB9 05DF06EFFF53FE56FC75F0ACF0BDFCA8F0DFCCAFF101F112FCDFD134F309C156F167FD4FFF F189F47BC1A8F1B9FDA1F1DBF4CDC1FAFFF20BDFD3F22DF51FC24CF25DFE45F27FFFF571C29EF 2AFFE97FEA8F053F2F7F308FFFECCFEFDF004F345F356FF41FF52F38CFFF39DF3AEFF96FFA7F3E1 F3F2F2BCFFEBFF9FFCF2035438F449F031F042F66A8FF489F49AF07FF090F6BB94D8F4E9F0CEFF F2D1F0F0F527F538F123F55AF145F57CFFF58DF178F5AFF8A4C5D1F5E2F1CAF604FFF8F6C623F6 34F21CF656F948C675F686FFF26EF6A8F99AC6C7F6D8F2C0F6FAF9ECCFF719F72AF312F323F4C EF772F783F367FF378F47FF7C0F7D1F3BCF3CDF807F818FF829F411F422F85CF86DF737F466F 477FFC20368B3F8C4F4ACF4BDFAE58904FFF915F4FAF50BFB369953F964F549F74CFFF56B9A2F 9B3F59EF9D5F5C0F9F7FA08FFF5F3FA2AFD1FCA4CFA5DF645FA7FFD71CFFA9EFAAFF697FAD1FD C3CAF0FB01F6E9FFFB23FE15CB42FB53F73BFB75FE67CB94FFFBA5F78DF79EF949FBEDFBFEF7E 2F7F3FFF8FAFC3BFC4CF837F848FC82FC93CA4F9F88CF89DFCD7FCE8FB267166D1B0586D61 74C6348D8631BC3C53007562746C6520456DFA700F10731ED0D2EFD3FFD50F8D95FA32C63C4 9FB90FB80CF80D7DFD8EF1BD9FFD58E33C63CD775526566FC6572FB80FB70DDFFDF0FE1FE12 67F982CDC6E2FFE40FE51FE62F9D1C42F46F6F3300548DD0D7B0E923E11721B14C269626C8 DA06772A61DD9079E923EB7FE153BC3C54204F432048650F233B7DC07D7B5C2A5C64D580D DB00674D1B0DD5030313035302DF56232F563F52038F5C4346481D090373836643663E720003 265353334313538C3F7C0F6A034633532A7A09320EFA250A7A0CB70F76033F840F910F5C40FF9 CE8E00F56198D063663131206530613162FB606165F7F530FC2FFD1C33FB80FE01F560E8B0F06 6663039FAA6FF7FF601004DFF002DFAE202C2FFA602AE0327052F063FFF074F085F096F0A7F0B8 F0C9F0DAF0EBFFF0FCF10DF11EF12FF140F151F162F173FFF184F195F1A6F1B7F1C8F1D9F1EAF1 FBFFF20CF21DF22EF23FF250F261F272F283FFF294F2A5F2B6F2C7F2D8F2E9F2FAF30BFFF31CF3 2DF33EF34FF360F371F382F393FFD3A2C643A2502B53C1F3D2F3E3F3F4FFF405F416F427F438F4 49F45AF46BF47CFFF48DF49EF4AFF4C0F4D1F4E2F4F3F504FFF515F526F537F548F559F56AF57B F58CFFF59DF5AEF5BFF5D0F5E1F5F2F603F614FFF625F636F647F658F669F67AF68BF69CFFF6AD F6BEF6CFF6E0F6F1F702F713F724FFF735F746F757F768F779F78AF79BF802C34FF840FAB103117 B623734F59434FDF55136FE317BE2CB707BC1FEF27DAFFF7EBF7FCF80DF81EFF601FAD2F5517A 1F453B4663BC20643938858062AD85A033F811F7D039F3B066F7207A64F7B162FB80041F8796F B8032F1C6206262397B10B7008610F520FF03AF8AAF8BBF8CCF8DDF8EEF8FFF910FFF921F04BF

Name	Value
	941C929F962F973F984F995FFF9A6F9B7F9C8F9D9F9EAF9FBFA0CFA1DFFF92FFA3FF951FA61FA72FA83FA94FAA5FFFAB6FAC7FAD8FAE9FAFAFB0BFB1CFA2EFFFB3EFA50FB60FB71FB82FB93F016EF5540BBA25F42000BC50
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: D3BDD3F67FDD814E823B9EE04A816204
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	2
PidTagSendingAddressType	SMTP
PidTagSendingEmailAddress	eandersen@contoso.com
PidTagSendingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSendingName	Elizabeth Andersen
PidTagSearchingKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Doctor's Appointment

Name	Value
PidTagSubjectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	05:00:00.000 PM 6/18/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	04:30:00.000 PM 6/18/2008
PidLidAppointment	1

Name	Value
AppointmentStateFlags	
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentSequenceTime	07:30:17.980 PM 2/6/2008
PidLidAttendeeCriticalChange	12:00:00.000 AM 1/1/4501
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCalendarType	0
PidLidAttendeesString	
PidLidChangeHighlight	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000005019899AB368C801000000000000000010000005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidClipEnd	05:00:00.000 PM 6/18/2008
PidLidClipStart	04:30:00.000 PM 6/18/2008
PidLidCollaborateDoc	
PidLidCommonEnd	05:00:00.000 PM 6/18/2008
PidLidCommonStart	04:30:00.000 PM 6/18/2008

Name	Value
PidLidConf erencingT ype	0
PidLidDay Interval	0
PidLidDele gateMail	FALSE
PidLidDire ctory	
PidLidFInv ited	TRUE
PidLidGlob alObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000005019899AB368C8010000000000000001000 00005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidInte ndedBusy Status	4294967295
PidLidIsEx ception	FALSE
PidLidIsRe curring	FALSE
PidLidIsSil ent	FALSE
PidLidLoca tion	Patrick's Office
PidLidMee tingType	1
PidLidMon thInterval	0
PidLidNet ShowUrl	
PidLidOldL ocation	
PidLidOnli nePasswo rd	
PidLidOpti onalAtten dees	
PidLidOrg anizerAlia	

Name	Value
s	
PidLidOwnerCriticalChange	07:30:17.980 PM 2/6/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignalTime	04:15:00.000 PM 6/18/2008
PidLidReminderTime	04:30:00.000 PM 6/18/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	1
PidLidSideEffects	369
PidLidTaskActualEffort	0

Name	Value
rt	
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZone	0
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidAttendeesString	pcook@contoso.com
PidLidWeekInterval	0
PidLidWhere	
PidLidYearInterval	0

Name	Value
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Hey Patrick\,\n\nCan we sync up before the upcoming Fabrikam status meeting?\n\nThanks\,\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:29:58.164 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F6A8B3838A8BC649774019A01F83B7E4B79818
PidTagConversationTopic	Pre-status meeting sync-up
PidTagCreationTime	07:27:11.156 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	1
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:30:18.762 PM 2/6/2008
PidTagLastVerbExecuted	516
PidTagLastVerbExecutionTime	07:30:00.000 PM 2/6/2008
PidTagMe	IPM.Appointment

Name	Value
ssageClasses	
PidTagMessageDeliveryTime	07:29:58.117 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	8247
PidTagNormalizedSubject	Pre-status meeting sync-up
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	1246111704
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 04012000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5666 lpb: 1E1600004E5D00004C5A46755B24DBD807000601010B606E6731303266350064007263700DD 00E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B6 8330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D7637 301E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A502 00DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF211 07D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026 A1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0

Name	Value
	F202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3 F3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F4 5BF1F46CF028350A04D6F4E74323338C54EE420076D20434552342DBFCF53A63D72546F55737 9725234381FB94E6531365631580F03824709D17E6B52343D8F5AF733215BBF038254EF087052 3442FF5AF63723515F8F0382D8284865226007D02952344868FF620E543F6416071001A00EB06 4F54D5F5D5AF6384861673F038242074074FF0EB052346701699F5B2459E16B3F6443B2560890 746E224007906564F4FF5420529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73B B5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFF6C8A0DE0487F72BF275455A87518844 DF776A985E559663178A8490C7A2A85E4FD5D09317C588ABE7DF885E460D762E0FF8D8F810F8 5D56C890FD26D4F84BF585FFB74950FE139945F575F586F78250FE0FF86C9794F99CF5CAE9BB2 332F8E8F5DFFF7F569BC178AF627F6F6F649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F9 36BFF9D70AC4F6E6F67F708E9BC1944F955F7B9A3F977731981F992F6B6DF9B4832EF9BFF9D0F 9E1F9F2A329FFFA10FA21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66FAB3D0E01C89FA D6FAE7F9389FE32B04FB15FCA9FB37FBC31B4BFB5CFFB2236976832B88FB99FD7479B480FD0E FD88F8B3F22459F1B33C06FC17F2236FDA31933CCAFCD8BF2236935CB642E2EFFFFB5FFB70FDB6 5D87FD98FE86F9B48562FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF40FA6FE5DAFC 977F7EFAB2EFF615FE3BFFC1F935C655FD1BF004FD3DFDFEDB2E64FE75FEC3F977734EA1FEB2F FF08DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0DC8F5DFF6EF0470DFEDD0165 FFB2FC3FAB4C0E401A8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07CFOCAF9777350 A8F0B9F294FFF9B480FF22B2F0FAF10BF9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36E F1A7F1B8F38DFAB3D361EAF1FBF20CFFD936B3622BF23CF3D0F25EF2EA127287F844F855F2E47 2AF8877F888F9B5737FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F926F937A3C72435 F286F297FFF4DD52AFF4BFF5ADF9B48750F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF 667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B723270DF446F457FB3A80193C16366C6 F727462A86C3B5C9F206483A0679F21466E83A07940756530796F65FDCC90357A9A7BB17B6F7 C797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFD F88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C64656 16170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EFD0D64637 46C94A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C07 46F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6FD7156E1 6F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D00617 06151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699 C306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A13 1739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFED0E EE0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B307 56EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F674928474A1E 06060B110AD610077A6B09FE066B1105774F07874684268409FE094A0AC706CCBAAD1B29572 B318666CB286B1F0F5B48762B48772B2817940995079A113B6849B507065B281736365BC6C6C 9CC1B250B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955CE62B9559D40B9646467B A46BBC0F7BB46A1A0B9647694DF9CF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA79FFF4F B0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7C531AC68C31CC2E1C56ABF90ED78D06669C 0A84162BFD07990B0809FAC22CAFAE18AA5693F03430D8507C2048B771BA309590DEB3ABE3 36F7CE3FCF4FD05B38D13FD24FD35FD463FFB070B800B1907990D4BFD112D60FC38FFF76B0C5 5FC666D0F0A8B2D91FDA26A99A3DD4D173B080CD119B3078E06D70266F05F0DB4F20456F506 96CBE539B5269C0789392C0F120767931CD9B1055D5209A60776EE7B6AA81BFE852E973AAB6 EA05D444ED716DA9315C6850BEF0EBD3B072336C706D19F9206B429952ED15537562A5ED817 3AB716C46FD4063ED818F7500BFE0AF5160606D6C4D4F709A67ED6372EFE792E14A63EFA1FDB F1249B6C07A004FB0F9F0ED8199509C744C6EA0ED8105B07279F2C1EA3192378EFC06EC180E 862F3E483C3A0C1D074703A2F2FB7D0D39BA06F50732ED9F0636100E4E055B1F02EE5612FF66 066FD7065E42F777910642F4C60C730F743DBEFC078A05C94A1B8F07786F0D451FDF874686C4 2ED81EFF1B300F243EFF1AFB3B0FA66F225EFF162F23367C100FD9AF0729971C19005F0BEA075 20BE718FB190BEA0BA31B1F06E626ABFC0B37A00AC706F63B1C1EEE06B9AD0FFACCD0DF50FF04 A90421F0C4E192D0B080C79AE1ED107990737973A900F211E98FD16C79B08076EFC079B000E8 A999916764A9406179B266FED1F7E830F201B89176575103A1A880EFC07760609B90B19070C4 C0B7E005C06CBFB240A88299D0C8B07910D9E1787990CF78E0B090F20179B07361ACC09950FF 04E3F3F1080105C1F3F1B8F061004F809B60609A6078C4C0F5206F797A00FA5CA880709B90792 061409A60BF9177BA30BFE0FEF064B0907940F42062FE64BAC09A60BFE1B7E0A901D0C1A9029

Name	Value
	39B90C140655C05C0727AFED2EFBCC0FA0299500EA1680CE3722002A1FC67760F790E31C1B09 95093810FF2BF10F410A305B200C1101112836A0AD1CB6130C860764660776BB6B170A07F13E 2B7D05750C7C1F921FC10BCD265BFC1401545A9009AE0A971023074E8F0FF99500E10FE3116D 7C1D06F50C100BF0E0FF9A51F410C1D0C1417931D0B0266021E0FFE260F410C4A10C22B6B1BDE 016E014D1FFBEA07940B1A116D179317920BC71F410BFED210D510E109A60ED21BF10701942F FA86094B0C110C8329950B7E2C4A1DC913FF700B7F0DA410170B7F0BF017070F7ADE0BEA0BFC 16961301C673A207931FFAA42BF904F209A608A70B190C0F2F700FFBFB0AE410701EE609B50A9 015760C180FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A516378BFE099F0CD61FF99 D0B6C00BB1DCB025310AA19A60C3D0FE63F4211942C3D02523C1009950BA406E68269316A2F 53067BED2010163FF04E018837930ED30275275401B2229A2C104E0747862785C1C80C8C0BF4 F80A870BFB014D0F59107816C19D1FF75200B613E50E571A942C7B0A8A092A272770401666D2 AD0E720FCB120FFD45093909A42C7B0A94036004FA00B10EF9AE0BEB086E099D06CA9006F501 4D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD059982A88079B0FEA1ADF0B8F0FF0E103 2A3BF6431B09B30FE339B1192C0F3C080FD316C760581C081F620C0B0FF362199F0792036A2B 6B1F20151B0F9213FADF0C4D19B11C0802BA099F0202EFFE7C43626646036C2E081372F383F3 94FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080DEF03ADF3FAF40B529DF399C70A 03E7F436F4095626F804A61FF449F365356C0423F470F481F492F3671FF69E04A82370F4BEF4CF F450D6E104A8FFF501F512F523F36715C804F1F54BF55CFFF56D5F871B990F870C4C09950E063 BED2FFBDBFBECFBDFC0EFC1FE5BC26591D409FFDECFC41FC52FC63FC74FC85FA7B86C007F63 7F648065ACE2012621B170D3FB65FE7994126A8F6B9F6CAFE1E175D1D3EB7FAFD060E1FF406E 1F6F2F703FD4632C540D0A5BC22076A543208020ADDCB02001801E502031E0200150FFA9019B 00B250731F742F753FD4639B00FF31E0F6A10091790F7A1F7B2FD4636E0F3F7E2F7F3F713FDC0 5CD5068A06B617E6D80BF81CF82DF805458B1304073AC206D9BB100913F76AC544041FC6B73 769685CF86DF87EFE6A40500FE7ACD5030718C0F8D1F8E2F83EFD463BF8B9836D00A4104829B 535D30730170E30080FBE07832364EF09631DC90FF0000DCC05EA199719641D9E75EA131007F 9631ADE898B6CC559796A9965EA139FE39EBB09707A880B7E01D505D2197FAFFD782991A9E1 4CC5564019B199E149734BFC2E0AB459D3F9E4F9F5FA9B439A0DBF315B200912031A203A45FA 56FA677EE32A71FA82FA62C33AA2FAB3FA62CEE34AD3FAE4FA62C35B04FB15FA62CFE36B35FB 46FA62CE7A0B67FB78FA63B6E38B97FBA8FA62C39A203BDA633FFBE2C60607820A704BFEEFC0F 8AA14C1FFFFC0F8AD24C40FC0F8B034C61FC0F8B344FFC82FC0F8B654CA3FC0F8B964CC4FC0F 8FFBC74CE5FC0F8BF84BCDFD0A36592A108FF14D01D50BDC0E900A21FA32FD25FBDC44FE2D2 A0F95461F02530D01B9FE4A126BFEF715ED27291EED004006210688530FF07A1D52FD63FD74F D856DADCEE110080FFD9D6DD6FDE7FDF8F219088D0E0DC60E07D07A067E22FE33FE44FE556A 0CC45772DD05F8093E073E71FE82F9B1935E5BE2C5425E2204768A1EC23E86EEDA1265006062 F61540691EC2FF09FFFE93FDA6FA164E1900CF10091F35FF46FF59B1936A0CC4C6102E1900DE1 F84FFFF95FFA6DDADCFC34FC3023D0FD0FFE1FFFA9AE5DCFC34F04701BF02CFFA5E6A005A0 EA4D2CD0695FF0FC86A6F5061FFB072FFAE53408BF09C9AA140ADF0BEF7FFAE5D3DC09850122 0A6F103FFA7C36FF123F13460F3F14DFFA8B916216FFF042F713BF195FFA7C381B5F1C66185F1 DFF7FFA8BBE2C1C2AAD2421DF22EFBDC437F5A0CC4462806B011F26DF27EFDADCF643F2B078 A066DBF0FC8F2AFF2C0FFF28C1E5DC2E272A2F2FFF27FE08AC2E271F058F348FFA5F045FFC772 04163FF9CE095A01CDF393FFF0F3B5F13733CEFFF3DFF3F0F041F052841CF42DF43EF086FFF097 F46BF47CF48DF0D2F0E3F4C0F4D1F3F4E2F11EF12FC515CF0DFDB455265FE76EC00D4FF52CFF5 4FD0494F7C13733FDC37595F5A6F5B7FE556246C51757E6F95805ECF5FDF60EFD07628FC49FF9 5A0989057C0634F645F53AF16AF17B9FF515F698F6A9F1B0F1C1C6D9F6EAF6FBFFF1F9F20AC72 BF73CF74DF242F253C77DFFF78EF79FF28BF29C87CFF7E0F7F1F2D0FFF2E1F81DF82EF83FF31CF 32DC872F883FFF894F365F376C8C4F8D5F8E6F3AEF3BFFFF9193217F92FF3F7F408F8C19970F98 1FFF446F457F91399BFF9D0F495F7B8F4B7FFFA0EFA1FF4EAF4A1F50CFA63FA74F53FFFFA96F56 1CAB8FAC9F6B1FAEBF6D3CB0AFFFB1BF703BF3DFF725CB5CFB6DF755FB8FFFF77CBAEFBFFF7A 7FBE1F7C9CC00FC11FFF7F9F80AF9B5FC59FC6AF84EF85FF966FFCA7FCB8F8A3F8B4FCEEFCCFF D10F8F8FFF909FD43FD54FC1EF94DF95EF25FFDA9FFF991FDCBF8C0ADEBDFCF9E1F9F2F9139F FE3AFE4BFA30FC33FA52FE89FE9AFA85FFFEBFCFAA7FEDEFEEFFADAFF11F561CF33FFFF44FB2CFF 66F6D3CF85FF96FB7EFFB8FFF725CFD7FFE8FBDF0F00AF777C029F03AFFFC22F05CF7C9C07BF08 CFC74FC85FE30FFF0D4F0E5FCC9FCDAFDE1F122F133FD1EFFFD2FF169F17AF18BFD73FD84F1BE F1CFFE7099FDC8FDD9F2034215F226FE0EFFF1FF8C28266F277FE5CFE6DF91392B5FFF2C6FEA BF0AEFCDF304F315FF00F337FFF22F359F36AFF55F38CF561C3AEF3BFFFFFFA7F3E1F6D3C400F 411FFF9F433F725CFF452F463F04BF485F777C4A4F4B5F09DFFF4D7F7C9C4F6F507F0EFF100F2A BF54FFFF560F144F155F25CF59DF5AEF199F1AAFFF5E4F5F5F606F1EEF1FFF639F64AF514FF3243

Name	Value
	F254F2035690F6A1F289F29AFF8C286E1F6F2F2D7F2E8F9139730F741FFF326F529F348F77FF790F37BF7B2F39DFFF7D4F7E5F3D0F807FAFCC829F83AF422FFF85CFB4EC87BF88CF474F8AEFBA0C8CDF8DEF4C6F900FBF2C91FF930F518F952FFFC44C971F982F56AF57BF726F9CAF9DBFFF5BFF5D0F6D7FA18FA29F614F625FA5FFFA70FA81F669F67AFAB4FAC5F98FF6BEFF96CFF2036B0BF1CF704F715FD3D8FFB5CFB6DF752F763FD8E9BABFBBCF7A1FFF9A4F7C3FBFAFC0BF7F6FC2DF818FC4FFFC60F84BFC82FF77CCA4FCB5F89DFCD7FFF9C9CCF6FD07F8EFFF29F01BCD48FD59FF941FD7BF06DCD9AFDABF993FDCDF0BFCFFDECFDF9E5F9F6FBA1FE45FE56FA3AFFFA4BFB52FE93FEA4FA8FFAA0FEDAFEEBF3FEFCFAE4FAF5FF2FFF40FE0A67166B1F7306D6174EBB4B30631E1BC00537562746C652045F46D703490733F30F86FF97FFA8FF5B31532EBBC4921102100F500FD5F37FE6FFF7FFB0E33EBBCFCF5265F8666572210020F0037F048F059FFF06A6F10C0276087F098F0A9F0BAFC29CE8426F6F588054B350FD300EA3430697D77C4269626CB32067F472610310790EA310FF06D3E1BC40544F4320486534A33B807D7D7B5C2A5C64FB000D033074F73002D0303130355A301AE2321AE31AA0381B44340264F610373836643663010CA03265353334313586381D401C2034633532CD20DFB8A0C7D0CD20F0F01CE0331DC01E901F1B441F4EB3801AE1BE506366314031653061316220E061EE651AB021AF229C33210023811AE0E10E3066663039202624FF1B81FF25CD25AD242228422526282E28A72AAFFF2BBF2CCF2DDF2EEF2FFF310F321F332FFF343F354F365F376F387F398F3A9F3BAFFF3CBF3DCF3EDF3FEF40FF420F431F442FFF453F464F475F486F497F4A8F4B9F4CAFFF4DBF4ECF4FDF50EF51FF530F541F552FFF563F574F585F596F5A7F5B8F5C9F5DAFFB5EBF5FAC645FA52835619F62AF63BFFF64CF65DF66EF67FF690F6A1F6B2F6C3FFF6D4F6E5F6F6F70F718F729F73AF74BFFF75CF76DF77EF78FF7A0F7B1F7C2F7D3FFF7E4F7F5F806F817F828F839F84AF85BFFF86CF87DF88EF89FF8B0F8C1F8D2F8E3FFF8F4F905F916F927F938F949F95AF96BFFF97CF98DF99EF9AFF9C0F9D1F9E2F9F3F9F28431DC020312891A0E237341B14FA341AD13623B1A162F0F0A1412472FFA32FA43FA54FA65FA76F1B8120521AD18B9F9F60C663E1A0643938AB005A62AB20331D911D5039193066F51CA0641D31622100299FAD16BE50E265AA0F0306234ABF0DC80AB90FF1AA0292FB02FB13FB24FB35FB46FB57FFF68FB79F2A3FB99CB81FBBABFCBFBDCFFFBEDFBFEFC0FFC20FC31FC42FC53FC64FFFC75FB87FC97FBA9FCB9FCCAFCDBFC ECFCCFD0EFD1FFD30FD41FD52FD63FD74FFFC86FD96FCA8FDB8FDC9FDDAFDEB26EE171AD4DFA519A000E1D0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 5D7DB73EA4A89A4894F5C022C6CAA58F
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSent	SMTP

Name	Value
tRepresentingAddressType	
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Pre-status meeting sync-up
PidTagSubjectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	60
PidLidAppointmentE	06:00:00.000 PM 6/18/2008

Name	Value
ndWhole	
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	05:00:00.000 PM 6/18/2008
PidLidAppointmentStateFlags	1
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentSequenceTime	07:33:34.236 PM 2/6/2008
PidLidAttendeeCriticalChange	12:00:00.000 AM 1/1/4501
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCalendarType	0
PidLidCcAt	

Name	Value
tendeesString	
PidLidChangeHighlight	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000B0CF8013B468C8010000000000000001000000FB83BE9C4AADB5439C06943C06CF7548
PidLidClipEnd	06:00:00.000 PM 6/18/2008
PidLidClipStart	05:00:00.000 PM 6/18/2008
PidLidCollaborateDoc	
PidLidCommonEnd	06:00:00.000 PM 6/18/2008
PidLidCommonStart	05:00:00.000 PM 6/18/2008
PidLidConfiguringType	0
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000B0CF8013B468C8010000000000000001000000FB83BE9C4AADB5439C06943C06CF7548
PidLidIntendedBusyStatus	4294967295
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidIsSil	FALSE

Name	Value
ent	
PidLidLocation	Conference Room 234
PidLidMeetingType	1
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	07:33:34.236 PM 2/6/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	15

Name	Value
PidLidReminderSet	TRUE
PidLidReminderSignalTime	04:45:00.000 PM 6/18/2008
PidLidReminderTime	05:00:00.000 PM 6/18/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	1
PidLidSideEffects	369
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFREcurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTask	1

Name	Value
State	
PidLidTask Status	0
PidLidTask Version	1
PidLidTimeZone	0
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidWeekInterval	0
PidLidWhere	
PidLidYearInterval	0
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Hey team\,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	07:33:21.098 PM 2/6/2008
PidTagConversationIndex	cb: 22 lpb: 01C868F721A86B239086B07F46EFA8C8A4317448A56A
PidTagConversationTopic	Fabrikam status meeting
PidTagCreationTime	07:31:09.578 PM 2/6/2008
PidTagDeleteAfterSubmit	FALSE

Name	Value
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	2
PidTagInternetCodepage	28591
PidTagLastModificationTime	07:33:34.361 PM 2/6/2008
PidTagLastVerbExecuted	516
PidTagLastVerbExecutionTime	07:33:00.000 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageDeliveryTime	07:33:21.067 PM 2/6/2008
PidTagMessageFlags	1
PidTagMessageLocaleId	1033
PidTagMessageSize	9584
PidTagNormalizedSubject	Fabrikam status meeting
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	1252403160

Name	Value
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecordKey	cb: 4 lpb: 64012000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5635 lpb: FF150000515C00004C5A4675EDCA2E4F07000601010B606E6731303266350064007263700DD0 0E0032050C60630D446633313530423700F5737473680570627463680FD23610840900110B68 330EB0111A62690FD70DA43333891426666514A374686507809F146715D71560014015D76373 01E8F302A413B064690336020011000AC00873657402D170727132A500002A0AA16E6F1A5020 0DF0D51BA13614B0300FF0341C2101D0991C10347D076D02833334191F8F1A2F1B3620EF2110 7D436106D0FB072105D06115D01DE410101E6603E3FF1F3F1B0B01301C721BB21C501C1026A 1F922216C6922611DE40FE1190F246FFF1B2F1C3F1D4E0FE10050286F297F2A8FFF2B9F2CAF0F 202DDF2EEF2FF7310230C4FF30A22704225327B714D0334F345F2FFFFF310F321F1E4F392F3A3F 3B4F3C5F0FF0FF0E103DAF3EBF3FCF40DF41EF1160237FFF442F259F26AF27B72358439F4A1F45 BF1F46CF028350A04D6F4E74323338C54EE420076D20434552342DBFCF53A63D72546F557379 725234381FB94E6531365631580F03824709D17E6B52343D8F5AF733215BBF038254EF0870523 442FF5AF63723515F8F0382D8284865226007D02952344868FF620E543F6416071001A00EB064 F54D5F5D5AF6384861673F038242074074FF0EB052346701699F5B2459E16B3F6443B25608907 46E224007906564F4FF5420529F53AF223A55A65420563F574FFF73BC5965542059EF5AFF73BB 5D085420FF5DBF5ECF73BB60D65420696F6A7F73BBFF6C8A0DE0487F2BF275455A87518844D F776A985E559663178A8490C7A2A85E4FD5D09317C588ABE7DF885E460D762E0FF8D8F810F85 D56C890FD26D4F84BF585FFB74950FE139945F575F586F78250FE0FF86C9794F99CF5CAE9BB23 32F8E8F5DFFF7F569BC178AF627F6F649A9BB27C5FFF667FA5FF689A9BB2616F91CF6B8F93 6BFF9D70AC4F6E6F6F7F708E9BC1944F955F7B9A3F977731981F992FB6DF9B4832EF9BFF9D0F9 E1F9F2A329FFFA10FA21FBFA328B630C07FA4FFA60FA71C32A80FFFA91FC66FAB3D0E01C89FAD 6FAE7F9389FE32B04FB15FCA9FB37FBC31B4BFB5CFFB2236976832B88FB99FD7479B480FD0FE D88F8B3F22459F1B33C06FC17F2236FDA31933CCAFCDDBF2236935CB642E2EFFF5FFB70FDB65 D87FD98FE86F9B48562FF7DCDFEC2F9F1B34DF5FE06FC28FA328FF59DFC54FF40FA6F5CAE9BC9 7FF7EFAB2EFF615FE3BFFC1F935C655FD1BF004FD3DFDFEDB2E64FE75FEC3F977734EA1FEB2FF F08DF9B489BD00A9FEF1FF02F9F39BC40FF0E7FF31FF42F0DC8F5DFF6EF046FA70DFEDD0165F FB2FFC3FAB4C0E401A8FFF5FFB006F937A35024F035F1C9F057F0E31EF06BF07CF0CAF9777350 A8F0B9F294FFF9B480FF22B2F0FAF10BF9F5713F22F0F7F13AF14BF2E56164F175F24DFA70D36E F1A7F1B8F38DFAB3D361EAF1FBF20CFFD936B3622BF23CF3D0F25EF2EA127287F844F855F2E47 2AF8877F888F9B5737FF86DF2FEF8C3F4DF332D88E1F8F2F4DA8FF3F18915F926F937A3C72435 F286F297FFF4DD52AFF4BFF5ADF9B48750F4F4F5E9FFD9F1B3832DF52DF34FFA328789F37BFBF 667FA6FE7C4F3BEF6A5FAB2E383F1FFF563F413F936B723270DF446F457FB3A80193C1636F6C6 F727462A86C3B5C9F206483A0679F21466E83A07940756530796F65FDCC90357A9A7BB17B6F7 C797A847CA2BF7B0F7EDF7E9D7E1F7C4F7A9F659FE0FE38846A8581853F86497A84867284DFD F88AF886D87EF861F89E43964608D34FF8E9186B38E90846F7D1788CF871093C1D02A5C64656 16170752197D29556C173C05020929670619331FC716C7520576079B0E1B079B04EF0D064637 46C9A07295A0AB40127092E16175AF705C61738F94A096004F6097026E756D9B90126196C07 46F9700646A75E47374E1B0676896F0E1B07A115357607A11697494B03094105C186E6F7156E1 6F406F7465A6209F8098C0796C6EC0689F30FE749F8094FF960F971F982F993F8FD0A79D00617

Name	Value
	06151733175206193632F69E0A22093E19E106C61306731FE30CC909C219FE0A194A13193699 C306DA323336840A3126686E0A58263E78A7074F0A5236E70A579A7147520A0736E657874A13 1739A80DB79106F5074A84156F069791099E0FE79A8B29B504F8074F0A350A3507230FFEDE06 EE0A91279509293A1D1A1319F903B7500AF80769B009B30B3F06D699E6874F092E06F709B307 56EAD515E659FC07990A969A1F0449DB4201A504F70618A7094B0682046E86F6E74928474A1E 06060B110AD610077A6B09FE066B1105774F07874684268409FE09A40AC706CCBAAD1B29572 B318666CB286B1F0F5B48762B48772B2817940995079A113B6849B507065B281736365BC6C6C 9CC1B250B1F1B6E173ACC0BF7920CFD1B101C790B3A0B9466CB955CE62B9559D40B9646467B A46BBC0F7BB46A1A0B9647694DF9CF9E0F9F1FFFA02FA13FA24FA35FA46FA57FA68FA79FFF4F B0C3A1AD0FAE18A8F6AB4476C0FD50FF9B70ABA7C531AC68C31CC2E1C56ABF90ED78D06669C 0A84162BFD07990B080DFAC22CAFAE18AA56764032C5009A20BE48B771BA309950DEB3ABE3 36CE3FFBCF4FD05B38D13FD24FD35FD463B070FFB800B1907990D4BFD112D60FC38F76B0FFC5 5FC666D0F0A8B2D91FDA26A99AD4D11E73B080CD119B3078E06D706F1305F0DB4F20456F506 96C53DF9B5269C0789392C0F1207679319B10E655D5209A60776EE7B6AA81E8525FE973AAB6E A05D444ED716DA93168AE50BEF0EBD3B072336C706DF9208C6B429952ED15537562ED81D273 AB716C46FD4063ED81750047BF0EAF5160606D6C4D4F7067CDED6372EFE792E14A63EFA1BF1 27E49B6C07A004FB0F9F0ED819950744E4C6EA0ED8105B07279F2C131F5929378EFC06EC180E 862F3E4C3A0C1C1D074703A2F2FB7D09BA0E96F50732ED9F0636100E4E0F4102A4EE5612FF6E 066FD70652FF2777910642F4C60C730F743EFC0AD78A05C94A1B8F07786F032F251FDF883686 C42ED81EFF1B300F243EFF1AFB3B0FA66F225EFF162F23367C100FD9AF0729971C19005F0BEA0 7520BE718FB190BEA0BA31B1F06E626ABFC0B37A00AC706F63B1C1EEE06B9AD0FFACC0DF50FF 04A90421F0C4E192D0B080C79AE1ED107990737973A900F211E98FD16C79B08076EFC079B000 E8A999916764A9406179B266FED1F7E830F201B89176575103A1A880EFC07760609B90B19070 C4C0B7E005C06CBFB240A88299D0C8B07910D9E1787990CF78E0B09F20179B07361ACC0995 0FF04E3F3F1080105C1F3F1B8F061004F809B60609A6078C4C0F5206F797A00FA5CA880709B90 792061409A60BF9177BA30BFE0FEF064B0907940F42062FE64BAC09A60BFE1B7E0A901D0C1A9 02939B90C140655C05C0727AFED2EFBBC0FA0299500EA1680CE3722002A1FC67760F790E31C1 B0995093810FF2BF10F410A305B200C1101112836A0AD1CB6130C860764660776BB6B170A07F 13E2B7D05750C7C1F921FC10BCD265BFC1401545A9009AE0A971023074E8F0FF99500E10FE31 16D7C1D06F50C100BFE0FF9A51F410C1D0C1417931D0B0266021E0FFE260F410C2A10C22B6B1 BDE016E014D1FFBEA07940B1A116D179317920BC71F410BFED210D510E109A60ED21BF10701 942FFA86094B0C110C8329950B7E2C4A1DC913FF700B7F0DA410170B7F0BF017070F7ADE0BEA 0BFC16961301C673A207931FFAA42BF904F209A608A70B190C0F2F700FFBFB0AE410701EE609B 50A9015760C180FB9A51B6B16EED11B11026C0B7F01C51E7B7F0E8309A516378BFE099F0CD61 FF99D0B6C00BB1DCB025310AA19A60C3D0FE63F4211942C3D02523C1009950BA406E6826931 6A2F3067BED2010163FF04E018837930ED30275275401B2229A2C104E0747862785C1C80C8C 0BF4F80A870BFB014D0F59107816C19D1FF75200B613E50E571A942C7B0A8A092A2727704016 66D2AD0E720FCB120FFF90093909A42C7B0A94036004FA00B10EF9AE0BEB086E099D06CA9006 F5014D0FB1AE0F410759A10E072BED1A841FD41FFAE71FD059982A88079B0FEA1ADF0B8F0FF0 E1032A3BF6431B09B30FE339B1192C0F3C080FD316C760581C081F620C0B0FF362199F079203 6A2B6B1F20151B0F9213FADF0C4D19B11C0802BA099F0202EFFE7C43626646036C2E081372F3 83F394FFF36806840C08092E0FEF03B1F3C2F3D3F7E6C6C70C080DEF03ADF3FAF40B529DF399 C70A03E7F436F4095626F804A61FF449F365356C0423F470F481F492F3671FF69E04A82370F4BE F4CFF450D6E104A8FFF501F512F523F36715C804F1F54BF55CFFF56D5F871B990F870C4C09950 E063BED2FFBDBFBECBFD0EFC1FE5BC26591D409FFDECFC41FC52FC63FC74FC85FA7B86C00 7F637F648065ACE2012621B170D3FB658C79209AF078302C0D0A5BC2FA206E654C761074316A 8F6B9F6CAFF9634271759AE26F7F08F719FD4636C732078402C602031E0E006FFA20EF31636 0C076F0B2509B0058B16F304076F0F660783346CD5068A06BFF6E30AFC09AB013605DF0737F7 48F759F95D4632E6E6C5440416B736E56FA4505007ACD5030717A6F7B7F7C8FFFD462ABF05F8 0BB30D3FA6E6592930A417704829B535D307301700080FB0E78FC32364EF08661DC90FF408FF 092E1FF99718671D9E792E131008661ADE888E6CFC55587C6A99692E13939EBB08737FFA880B 7E01D505D21882AD782894A8E44FFCC5564018B498E4487649A20AB458D6F778E7F8F8FA9B43 9910B15B2009120DE319233948F959F96A732974F985FDD965C339A5F9B6F965C349D6F9F7D D965C35A07FA18F965C36A38FA49FDF965CE7A0A6AFA7BF966B38A9FAAAB6D965C399233AD D633AE5C606063FF9725B01FB1289A44B22FB1289D54B43FFF128A064B64FB128A374B85FB1 28A684FFBA6FB128A994BC7FB128ACA4BE8FB128FFAFB4AD0FC0D36592913814D01D50ADF07 FE900924F935FC28FADF4E2D2912954FF61F0CD71C83B910BEF715ED279E06261FB040062106

Name	Value
	<p>8DC51F2A0C55FC66FC77FFFC886CB0CEE110080CA06CD9FCEAFCFBDFE600E043D13960E007A 067D25FD36FBFD47FD58690FCE6F05F71EA2073D74F2BD85F8B4935AE5C5425E220476F68A1D C53D89E91565006062F6154FF0691DC5FE0CFD96FCA9F9194D1C00CF1EF0091E38FE49F8B493 690FCF2C06111FFD1C00DE1E87FE98FEA9DCB0CEC64F2C0FF23D0ED3FEE4FEACAD60CEC64E0 77F1EFAFF2FFEB156A40911A4D2CD0695FF0DFECB69725F64FF75FEB1534F8EFF9F9FF9A44FB0 FFC1FEB15C40CF9B5F152FA9FFB006FEAAC36026F0376FF6F050FEABBBF8192072FE07203EF09 8FEAAC380B8FFF0C96088F0E2FEABBAE5C0C5A9D54120FAB131FADF43790FC4462806BF14FB7 170F181FCB0C432D0090A0665EE0FFECBF1B2F1C3F18F1D60C1E571A5F202FFF182EF8DC1E57F 5BF24BFEA8FF48FECA7F82041638D1085D00D0F296FEF3FFF2B8F03A32D1F2E2F2F3FF44FF558 31FFFF330F341FF89FF9AF36EF37FF390FFD5FFFFE6F3C3F3D4F3E5F021F032C418CE10FF1CB75 52657677D0C52F42FFE57FFC0793FAC03A3CC67498F4A9F4BAFD586FD149C5173224E5F500F5 11FC0A690CFE4985D088C047F0537F548F43DF06DFFF07E9418F59BF5ACF0B3F0C4C5DC5E0 FFF5FEF0FCF10DC62EF63FF650F145F156CFF680F691F6A2F18EF19F86D2F6E3F6F4FFF1D3F1E4 F720F731F742F21FF230C775FFF786F797F268F279C7C7F7D8F7E9F2B1FFF2C2F81C311AF832F2 FAF30BF7C49873FFF884F349F35AF81698C2F8D3F398F6BBFFF3BAF911F922F3EDF944F40FF966 F977FFF442F999F464C9BBF9CCF5B4F9EEF5D6CFFA0DFA1EF606FA40F628CA5FFA70F658FFFA9 2F67ACAB1FAC2F6AAFAE4F6CCCB03FFF14F6FCF70DF8B8FB5CFB6DF751F762FFF869FBAAFB BF7A6F7B7FBF1FC02FC13FFF7FBF80CFC46FC57FB21F850F861F162FFFCACF896FCCEFFC3ACEE FCFFF8E4F8F5FFF8169D3DFD4EF933FB36F955FD8CFD9DFFF988FDBBFF9AAFDE1FDF2F9DDDFE14F 464CFE636FE47FA2FFE69F5D6CE88FE99FA81FFEBBF628CEDAFEEBFAD3FF0DF67ACF2CFFFF3D FB25FF5FF6CCCF7EFF8FFB77FB88FFD33FFD7FFE8FBCCFBDDFCE4F025F036FFFC21FC32F06CF 07DF08EFC76FC87F0C1FCF0D2FF9CFCCBFCDCFC2034118F129FFFD11FD22F7C58169F17AFD5FF D70F8169FF1B8F1C9FDAEFFB1FDD0F207F218FE03FFF23AFE25F25CF26DFE58F28FF464C2B1FF F2C2FEAAF2E4F5D6C30F314FEFCF336FFF628C355F366FF4EF388F67AC3A7F3B8FFFA0F3DAF6 CCC3F9F40AFF2F003F1AEFFF452F463F047F058F15FF4A0F4B1F09CFF0ADF4E7F4F8F509F0F1F 102F53CF54DFE7417F146F157F2035593F5A4F18CFFF19DF7C585E4F5F5F1DAF1EBF8169633FFF 644F229F42CF24BF682F693F27EF6B5FFF2A0F6D7F6E8F2D3F70AF9FFC72CF73DFFF325F75FFA5 1C77EF78FF377F7B1FAA3CFF7D0F7E1F3C9F803FAF5C822F833F41BFFF855FB47C874F885F46D F47EF629F8CDDFF8DEF4C2F4D3F5DAF91BF92CF517F528FFF962F973F984F56CF57DF9B7F9C8F 892F35C1F5D2F2036A0EFA1FF607F618FFF408A5FFA70F655F666FC919AAEFABFFFF6A4F8A7F 6C6FAFDFB0EF6F9FB30F71BFFFB52FB63F74EFB85FE7ACBA7FBB8F7A0FFFBDAFECCCBF9FC0AF7 F2FC2CFF1ECC4BFFFC5CF844FC7EFF70CC9DFCAEF896FCD0FFFFC2CCEFFD00F8E8F8F9FAA4FD4 8FD59FF93DF94EFA55FD96FDA7F992F9A3FDDDF7FDEEFDFFF9E7F9F8FE32FE43FD0D6716266 E7606D6174DBE4A3363101D1EC537562746C6520E8456D7024C0732F60E89FE9AFEBEABFA345 32DBEC4911401130E5306FED8FEE9FEFAFEB3E33DBECED2552F06566657211301120F3AFF4BF FFF5CF6D6ADDCF2A6F8AFF9BFFACFFBDFD1E65C426F6F48B054A380ED6087FED3F6C7C7AC42 69626CA350E8677261F34079FED3012FF70381D1EC544F4320486524D3003B7D7D7B5C2A5C64 1BEB30F36074E760F300303130B435300B12320B130AD0380B74043464E64037383664360263 FCD03265353334310C35380D700C5034633532BFBD50A8D0B800BD50E1200D10330DF03F0EC 00B740F7EA3B00B11AE80636680313165306131621110DC61650AE011DF12CC33113013B1C30 B10FE60666630391056152FFF0BB115FD15DD145218721556185E18D77F1ADF1BEF1CFF1E0F1F 1F20F213F224FFF235F246F257F268F279F28AF29BF2ACFFF2BDF2CEF2DFF2F0F301F312F323F 334FFF345F356F367F378F389F39AF3ABF3BCFFF3CDF3DEF3EFF400F411F422F433F444FFF455F 466F477F488F499F4AAF4BBF4CCFF4DDF4EEF4FDC644FD5186551CF52DFFF53EF54FF560F571 F582F593F5A4F5B5FFF5C6F5D7F5E8F5F9F60AF61BF62CF63DFFF64EF65FF670F681F692F6A3F6 B4F6C5FFF6D6F6E7F6F8F709F71AF72BF73CF74DFFF75EF76FF780F791F7A2F7B3F7C4F7D5FFF7 E6F7F7F80F819F82AF83BF84CF85DFFF86EF87FF890F8A1F8B2F8C3F8D4F8E5F3F8F6F18730DF 0106118C191123734F50B44340B013613E19192E1209171FF14A2935F946F957F968F979F0BB1 1082170B018FCF50F663D1D0643938B59B30629B50330DC10D80390960EA660CD0640D61621 13019CF9D46926214316134F1B06637CCB0FF9BC00AD0195FA05FA16FA27FA38FA49FFFA5AFA 6BFA7CF1A6FA9CCA84FABDFACEFFFADFFA0FB01FB12FB23FB34FB45FB56FFF67FB78FA8AFB9 AFAACFBBCFBCDFBDEFFFBEFFC00FC11FC22FC33FC44FC55FC66FFFC77FB89FC99FBABFCBBFFCC CFCDDFCEEF2F171E0B04CFD509D000D200</p>
PidTagRtfInSync	TRUE

Name	Value
PidTagSearchKey	cb: 16 lpb: FB83BE9C4AADB5439C06943C06CF7548
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagRepresentingAddressType	SMTP
PidTagRepresentingEmailAddress	eandersen@contoso.com
PidTagRepresentingEntryId	cb: 70 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagRepresentingName	Elizabeth Andersen
PidTagRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSubject	Fabrikam status meeting
PidTagSubjectPrefix	

BEGIN:VCALENDAR
 PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
 VERSION:2.0

METHOD:PUBLISH
X-CALSTART:20080616T150000Z
X-CALEND:20080620T190000Z
X-CLIPSTART:20080616T070000Z
X-CLIPEND:20080621T070000Z
X-WR-RELCALID:{00000018-47DA-D2D5-82FB-58F6F5E139B2}
X-WR-CALNAME:Elizabeth Andersen
X-PRIMARY-CALENDAR:TRUE
X-OWNER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
X-MS-OLK-WKHRSTART;TZID="Pacific Time (US & Canada)":080000
X-MS-OLK-WKHREND;TZID="Pacific Time (US & Canada)":170000
X-MS-OLK-WKHRDAYS:MO,TU,WE,TH,FR
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
CLASS:PUBLIC
CREATED:20080206T191919Z
DESCRIPTION:\n
DTEND;TZID="Pacific Time (US & Canada)":20080616T120000
DTSTAMP:20080206T215757Z
DTSTART;TZID="Pacific Time (US & Canada)":20080616T113000
LAST-MODIFIED:20080206T193058Z
PRIORITY:5
RRULE:FREQ=WEEKLY;COUNT=5;BYDAY=MO,TU,WE,TH,FR
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E00800000000C0FE0C40B268C8010000000000000000
010000000DD26B2AEDF5D2145BCE907145185EA4D
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR></P>\n\n</
BODY>\n</HTML>
X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
BEGIN:VEVENT
CLASS:PRIVATE
CREATED:20080206T192046Z
DESCRIPTION:\n
DTEND:20080616T160000Z

DTSTAMP:20080206T215757Z
DTSTART:20080616T150000Z
LAST-MODIFIED:20080206T214042Z
LOCATION:4567 Main St.\, Buffalo\, NY 98052
PRIORITY:1
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Doctor's Appointment
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E0080000000E0E7F7AAB268C80100000000000000
01000000D3BDD3F67FDD814E823B9EE04A816204
X-ALT-DESC;FMTTYPE=text/html:

X-MICROSOFT-CDO-BUSYSTATUS:OOF
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT720M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
CLASS:PUBLIC
CREATED:20080206T192711Z
DESCRIPTION:Hey Patrick\,\n\nCan we sync up before the upcoming Fabrikam status meeting?\n\nThanks\,\n\nElizabeth\n
DTEND:20080618T170000Z
DTSTAMP:20080206T193017Z
DTSTART:20080618T163000Z
LAST-MODIFIED:20080206T193018Z
LOCATION:Patrick's Office
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Pre-status meeting sync-up
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E00800000005019899AB368C801000000000000000
0100000005D7DB73EA4A89A4894F5C022C6CAA58F
X-ALT-DESC;FMTTYPE=text/html:

X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080206T193017Z
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080206T193109Z
DESCRIPTION:Hey team\,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,\nElizabeth\n
DTEND:20080618T180000Z
DTSTAMP:20080206T193334Z
DTSTART:20080618T170000Z
LAST-MODIFIED:20080206T193334Z
LOCATION:Conference Room 234
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Fabrikam status meeting
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E0080000000B0CF8013B468C8010000000000000000010000000FB83BE9C4AADB5439C06943C06CF7548
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR>Hey team\,</P>\n\n<P DIR=LTR>Let's meet up to discuss the status of the Fabrikam Project.</P>\n\n<P DIR=LTR>Thanks\,</P>\n\n<P DIR=LTR>Elizabeth</P>\n\n</BODY>\n</HTML>

X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:2
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-APPTSEQTIME:20080206T193334Z
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

Shu opens the iCalendar file. The following tables represent the contents of Shu's copy of Elizabeth's Schedule.

The following are the properties on the Folder object:

Name	Value
PidTagAccess	63
PidTagAccessLevel	1
PidTagContainerClass	IPF.Appointment
PidTagContainerContents	Object
PidTagContainerHierarchy	Object
PidTagContentCount	4
PidTagExtendedFolderFlags	cb: 16 lpb: 01040026000A04080000000000000000
PidTagFolderAssociatedContents	Object
PidTagFolderType	1
PidTagRecordKey	cb: 4 lpb: 82820000
PidTagSubfolders	FALSE

The following are the properties on the Calendar object for Elizabeth's lunch break:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	07:00:00.000 PM 6/16/2008
PidLidAppointmentNotAllPropose	FALSE
PidLidAp	cb: 80 lpb:

Name	Value
pointme ntRecur	043004300B2001000000C021000001000000000000003E00000022200000050000000000000000000000000000080F8C50C000FC60C0630000009300000B2020000D002000000000000000000000
PidLidAp pointme ntSeque nce	0
PidLidAp pointme ntStartW hole	06:30:00.000 PM 6/16/2008
PidLidAp pointme ntStateF lags	0
PidLidAp pointme ntSubTy pe	FALSE
PidLidAu toStartC heck	FALSE
PidLidBu syStatus	1
PidLidCle anGlobal ObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C80100000000000000001000000DD26B2AEDF5D2145BCE907145185EA4D
PidLidCli pEnd	07:00:00.000 AM 6/20/2008
PidLidCli pStart	07:00:00.000 AM 6/16/2008
PidLidCo mmonEn d	12:00:00.000 PM 6/16/2008
PidLidCo mmonSt art	11:30:00.000 AM 6/16/2008
PidLidCo nferenci ngType	0
PidLidFI nvited	FALSE
PidLidGl obalObje	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000C0FE0C40B268C8010000000000000000100000

Name	Value
ctId	00DD26B2AEDF5D2145BCE907145185EA4D
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	
PidLidOwnerCriticalChange	09:57:57.000 PM 2/6/2008
PidLidRecurrencePattern	every Monday, Tuesday, Wednesday, Thursday, and Friday from 11:30 AM to 12:00 PM
PidLidRecurrenceType	2
PidLidRecurring	TRUE
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	12:30:00.000 AM 6/16/2008
PidLidReminderTime	06:30:00.000 PM 6/16/2008
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE

Name	Value
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000000000300000002000200000000000000
PidLidWidth	
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.383 PM 2/6/2008
PidTagEndDate	12:00:00.000 PM 6/16/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1025
PidTagImportance	1
PidTagInternetContentPage	1252
PidTagLastModificationTime	10:35:40.383 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1

Name	Value
ags	
PidTagMessageId	1033
PidTagMessageSize	1269
PidTagNormalizedSubject	Lunch
PidTagRecordKey	cb: 4 lpb: C4002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRFCCompressed	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5337B044614473012BC11C308EF09F73BDB18AF0E303511B20C606300500B09990164333616E00BA5342010822C2A5C0EB20190671D503320003C21444F4354595000452048544D4C20500055424C494320222D202F2F5733432010445422441F24332E322010454E7C223E11C31DC71E700AA321AC31FE391E801F32219D14D022AF22611D60F12400454144219D0EF1257F0E1082360EF03C4D45544107B0624129A03D224709F00490618A7405B02212B04F4E54216026542A3005E1457814616E677A6506527613112C8100900220202030382E30302D6036383A312D6130218E280F23933737411E805449544C45245E34D30EF022FD38351E802F30CF2EFFBF1DE53211336026DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4138F1212D2D12B16E2C812A740980200352203C907874FE2F00213CC005B000C005403C00396F173A7F3F1F1DF43626A1502044C049523D4C545221901DD35F3D72000042D51CD142D65C1E1072E70AB1449214605C71032143771D8B023826A15350414E204C8D4770472A3009F02D75732181FB42CF461E3914D03360475248694877BF43E84BD80A801D8B01C03351503E4FF740AF4FCF3885383351392F377F1DF5173091365024237D5610
PidTagRFCInSync	TRUE
PidTagSearchKey	cb: 16 lpb: A68162A00BBC504CBEB81A7891BAA5C9
PidTagSensitivity	0
PidTagStartTime	11:30:00.000 AM 6/16/2008

Name	Value
PidTagSubject	Lunch
PidTagSubjectPrefix	

The following are the properties on the Calendar object for Elizabeth's doctor appointment:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	60
PidLidAppointmentEndWhole	04:00:00.000 PM 6/16/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	03:00:00.000 PM 6/16/2008
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	FALSE
PidLidAutoFillLocation	FALSE
PidLidBusy	3

Name	Value
syStatus	
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C801000000000000000010000000D3BDD3F67FDD814E823B9EE04A816204
PidLidCommonEndTime	04:00:00.000 PM 6/16/2008
PidLidCommonStartTime	03:00:00.000 PM 6/16/2008
PidLidConferenceType	0
PidLidInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000000E0E7F7AAB268C801000000000000000010000000D3BDD3F67FDD814E823B9EE04A816204
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	4567 Main St., Buffalo, NY 98052
PidLidOwnerCriticalChange	09:57:57.000 PM 2/6/2008
PidLidRecurring	FALSE
PidLidReminderDelta	720
PidLidReminderSet	FALSE
PidLidReminderSignalTime	03:00:00.000 AM 6/16/2008
PidLidRe	03:00:00.000 PM 6/16/2008

Name	Value
minderTime	
PidLidResponseStatus	0
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidWhere	4567 Main St., Buffalo, NY 98052
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.398 PM 2/6/2008
PidTagEndDate	04:00:00.000 PM 6/16/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1024
PidTagImportance	2
PidTagInternetContentPage	1252
PidTagLastModificationTime	10:35:40.398 PM 2/6/2008

Name	Value
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocalId	1033
PidTagMessageSize	1047
PidTagNormalizedSubject	Doctor's Appointment
PidTagRecordKey	cb: 4 lpb: E4002000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRFCCompressed	cb: 556 lpb: 28020000920400004C5A467517CE658C03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5337B044614473012BC11C308EF09F73BDB18AF0E303511B20C606300500B09990164333616E00BA5342010822C2A5C0EB20190671D503320003C21444F4354595000452048544D4C20500055424C494320222D202F2F5733432010445422441F24332E322010454E7C223E11C31DC71E700AA321AC31FE391E801F32219D14D022AF22611D60F12400454144219D0EF1257F0E1082360EF03C4D45544107B0624129A03D224709F00490618A7405B02212B04F4E54216026542A3005E1457814616E677A6506527613112C8100900220202030382E30302D6036383A312D6130218E280F23933737411E805449544C45245E34D30EF022FD38351E802F30CF2EFFBF1DE53211336026DF252F1DF43516E0E03C424F4459219D1CD137CFA31E4138F1212D2D12B16E2C812A740980200352203C907874FE2F00213CC005B000C005403C00396F173A7F3F1F1DF43626A1502044C049523D4C545221901DD35F3D72000042D51CD142D65C1E1072E70AB1449214605C71032143771D8B023826A15350414E204C8D4770472A3009F02D75732181FB42CF461E3914D03360475248694877BF43E84BD80A801D8B01C03351503E4FF740AF4FCF3885383351392F377F1DF5173091365024237D5610
PidTagRFCInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 120CA1F78A8BAE4F852D3E90FD6C8F2A

Name	Value
PidTagSensitivity	2
PidTagStartDate	03:00:00.000 PM 6/16/2008
PidTagSubject	Doctor's Appointment
PidTagSubjectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project pre-meeting:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	05:00:00.000 PM 6/18/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	04:30:00.000 PM 6/18/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAppointment	07:30:17.000 PM 2/6/2008

Name	Value
tSequenceTime	
PidLidAutoFillLocation	FALSE
PidLidBusystatus	2
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000005019899AB368C80100000000000000010000 0005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidCommonEndTime	05:00:00.000 PM 6/18/2008
PidLidCommonStart	04:30:00.000 PM 6/18/2008
PidLidReferencingType	0
PidLidFInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000005019899AB368C80100000000000000010000 0005D7DB73EA4A89A4894F5C022C6CAA58F
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Patrick's Office
PidLidOwnerCriticalChange	07:30:17.000 PM 2/6/2008
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	FALSE
PidLidRe	04:15:00.000 PM 6/18/2008

Name	Value
minderSignalTime	
PidLidReminderTime	04:30:00.000 PM 6/18/2008
PidLidResponseStatus	5
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidWhere	Patrick's Office
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Hey Patrick\,\n\nCan we sync up before the upcoming Fabrikam status meeting?\n\nThanks\,\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.414 PM 2/6/2008
PidTagEndDate	05:00:00.000 PM 6/18/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1026
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagLastModificationTime	10:35:40.414 PM 2/6/2008

Name	Value
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocalId	1033
PidTagMessageSize	3364
PidTagNormalizedSubject	Pre-status meeting sync-up
PidTagOwnerAppointmentId	4294967295
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagRecordKey	cb: 4 lpb: 04012000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1033 lpb: 05040000890F00004C5A46753162233603000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F90740696205

Name	Value
	10028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C424F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CC2318104709486579247C3536DF34C14C5249D949E7479D3914D034D0FF48C250CF51DF487F498F44D84B2F4C3F9B4D4F4E5B502C100510636B4F5FFF506F543F528F5E5F5F6F55BF56CF61DFEF58FF5A0F5B1F45322C5CDF5DEF61BFFF600F6B6F453A0AA26C080A8145870AB1EF70D8624D01C034C1503FBF421F748FFF42EF43FF450F461F71FF62EF63FF650FBF661F672F683F78E718B003A0772DA00073796E6320757020CE62011005B02DA0746869EF6AFFFF6C0F6D1F862F873F7C8F7D9F89AF7FBFBF80CF81DF79322DA083E005A06D0B80FE6784AF85BF898F87DF93CF94DF8B0FFF8C1F974F8E3F8F4F905F9B1F931F96EFF953F964FA19F986F997F579F9B8F9C9F1B9DAF78E74601A005106B616DFF9F4FA05FA42FA27FAE5FAF6FA5AFA6BF5FB1DFA8EFA9FFAB0FA81373019074DDB45020078014B092113FACDFADEFFFB1BFB00FBC5F6F3F704F715F726F737FFF75DFC53F76AF77BF78CF79DF7AEFB2AFBFB3BFC94FB5DFB6EFB7FF4E5B542D61FC6B7369DFBDBFCEFBDFD5FFC01FFF C12FC23FC34FC45FC6BFDEDFC78FC89FFFC9AFCABFCBCFCDFCDEF2EFD00FD11FEBD22F4E4C4518D07A01A014B0849FFFD58FD69FD7AFEFCCFF0DFE71FE82FF34FFFF19FF2AFD9EFDAFFDC0FD1DFDE2FE08FF7FF0F39C8EAC12F3A9F38EF1F6532010B37C025937D0580
PidTagRtfInSync	TRUE
PidTagSe archKey	cb: 16 lpb: A41B37520B24144FA86C2D77FB1567A5
PidTagSe nderAddr essageType	SMTP
PidTagSe nderEmail Address	eandersen@contoso.com
PidTagSe nderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSe nderName	Elizabeth Andersen
PidTagSe nsitivity	0
PidTagSe ntRepresentingAddressType	SMTP
PidTagSe	eandersen@contoso.com

Name	Value
ntRepresentingEmailAddress	
PidTagSequenceId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSequenceName	Elizabeth Andersen
PidTagStartTime	04:30:00.000 PM 6/18/2008
PidTagSubject	Pre-status meeting sync-up
PidTagSubjectPrefix	

The following are the properties on the Calendar object for the Fabrikam Project meeting:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	60
PidLidAppointmentEndWhole	06:00:00.000 PM 6/18/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	05:00:00.000 PM 6/18/2008

Name	Value
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAppointmentSequenceTime	07:33:34.000 PM 2/6/2008
PidLidAppointmentFillLocation	FALSE
PidLidAppointmentStatus	2
PidLidAppointmentGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000B0CF8013B468C8010000000000000001000000FB83BE9C4AADB5439C06943C06CF7548
PidLidAppointmentCommonEndTime	06:00:00.000 PM 6/18/2008
PidLidAppointmentCommonStartTime	05:00:00.000 PM 6/18/2008
PidLidAppointmentReferencingType	0
PidLidAppointmentInvited	TRUE
PidLidAppointmentGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E0080000000B0CF8013B468C8010000000000000001000000FB83BE9C4AADB5439C06943C06CF7548
PidLidAppointmentIsException	FALSE
PidLidAppointmentIsRecurring	FALSE
PidLidAppointmentLocation	Conference Room 234
PidLidAppointmentOwnerCriticalChange	07:33:34.000 PM 2/6/2008
PidLidAppointmentRecurrence	FALSE

Name	Value
urring	
PidLidReminderDelta	15
PidLidReminderSet	FALSE
PidLidReminderSignalTime	04:45:00.000 PM 6/18/2008
PidLidReminderTime	05:00:00.000 PM 6/18/2008
PidLidResponseStatus	5
PidLidSideEffects	369
PidLidSmartNoAttach	TRUE
PidLidWhere	Conference Room 234
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	Hey team\,\n\nLet's meet up to discuss the status of the Fabrikam Project.\n\nThanks\,\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagCreationTime	10:35:40.429 PM 2/6/2008
PidTagEndDate	06:00:00.000 PM 6/18/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1026

Name	Value
PidTagImportance	2
PidTagInternetCodepage	1252
PidTagLastModificationTime	10:35:40.429 PM 2/6/2008
PidTagMessageClass	IPM.Appointment
PidTagMessageFlags	1
PidTagMessageLocalId	1033
PidTagMessageSize	4244
PidTagNormalizedSubject	Fabrikam status meeting
PidTagOwnerAppointmentId	4294967295
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagRecordKey	cb: 4 lpb: 24012000

Name	Value
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 953 lpb: B5030000240D00004C5A46754D27F7AF03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C23181047A94865793F21616DF22C251C353635614CF24A794A87FD483D3914D03570496251CF45CB0AA2FF52780A8146270AB15748483D01C03561FE50405F42BF5AFF438F449F45AF46BFFF586F48DF49EF4AFF4C0F4D1F4E2F5F7FE4C14B0505F516F527F538F6B4F6C5F7F62FF640F6ECF662F673F684F5FA327FF6D6069CF6ADF6EAF6CFF788F799F702FFF713F7C0F735F746F757F5FA2042007809114B02075703F206F200F51A6637E80042074682E40730190B2747E80206F3FA085524601A0DD05106B5020218003606A059069BFFF780F7BDF7A2F88EF89FF7D5F7E6F8C6FEF808F819F82AF5F932E877F888F8C5FFF8AAF960F55AF56BF57CF58DF59EF5C4FFF9EEF5D1F5E2F5F3F604F615F8D4F8E5F5FA2FF907F918F929F4EFB542E016BFE73504F958F969F97AF9AF99CF9ADFFF9BEF9CF9E0FA06FB88FA13FA24FA35FFFA46FA57FA68FA79FBC9FA9BFAACFABDFB54EEC4519707A01A014B068AE3FFFAF4FB05FB16FC98FCA9FC0DFC1EFC0DFFCB5FCC6FB3AFB4BFB5CFB6DFB7EFBA4FF7D8CF3A77C4712F3B3F398F200532A10B386026337DDF30
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 2D89627AB1028646855F0472CD3C0EA6
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen

Name	Value
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagStartDateTime	05:00:00.000 PM 6/18/2008
PidTagSubject	Fabrikam status meeting
PidTagSubjectPrefix	

3.3 Example Single Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a meeting with an attendee, Shu, but later decides to cancel it.

3.3.1 Organizer's Meeting Request

Elizabeth invites Shu to lunch at Fourth Coffee from noon to 12:30 P.M. (Pacific Time) on February 8, 2008.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAttendeesString	sito@contoso.com
PidLidAllowExternal	TRUE

Name	Value
Check	
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment

Name	Value
ass	
PidLidAttendeeCriticalChange	05:39:55.801 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidAttendeesString	
PidLidChangeHighlight	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000001000 00002009EB53F098B249AD66CBE6BB3B8B99
PidLidClipEnd	08:30:00.000 PM 2/8/2008
PidLidClipStart	08:00:00.000 PM 2/8/2008
PidLidCollaborateDoc	
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidConferenceType	0
PidLidContactLinkName	
PidLidDirectory	
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC80100000000000000001000 00002009EB53F098B249AD66CBE6BB3B8B99

Name	Value
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Fourth Coffee
PidLidMeetingType	1
PidLidNetShowUrl	
PidLidOnlinePassword	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	05:39:55.801 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	1525252321
PidLidReminderSet	TRUE
PidLidReminderSignalTime	08:00:00.000 PM 2/8/2008

Name	Value
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidResponseStatus	5
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidAttendeesString	sito@contoso.com

Name	Value
PidLidWhere	Fourth Coffee
PidTagAccess	2
PidTagAccessLevel	0
PidTagBody	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n~*~*~*~*~*~*~*~*~*\nI haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	05:39:55.894 PM 2/8/2008
PidTagConversationIndex	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:39:55.801 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLast	05:39:55.910 PM 2/8/2008

Name	Value
tModificationTime	
PidTagMessageClasses	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	05:39:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocationId	1033
PidTagMessageSize	8729
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	2758289368
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientResignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: 64052000

Name	Value
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5750 lpb: 72160000AB5C00004C5A467577E57A7507000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29 FFB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF09B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196FF1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF08D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4427F9 7504E7073E0BB40D75054009DF04EFAA4A278408EC39DD19D319B9073F0AE708E7697009730B 2E06D696873E0A78F106E609730756EA8D1659BC0977880A4F99DF04499B420504E600661896 090B06820466F6E7A748EB4749DE05F50AC905FF0772BA2409BE066AC905773E07468DE42673 09BE09A0A7F06C9F106D00E5AE2472AE98666CAE06AD70B007CA62B00772AE02636290A04E A0FFB1F29091B262783095507891B3249750047065AE017363656C6CEFF98C1ADD0AD71B38173 A8407810CEC1AFAC81C680AF20B5E66CB5F562B5F5F39940B6046467B6E6B860B7E69DA0FDB6 047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A 6C475B0CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0FD973062BC707880AC00A7A 2C6EFA9987DA5EC48B411B6D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FCE7FCF8FA682FF ABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BFC2C4B2B0A442D53FD646A52AD0F11E73AC00 C951973077D06D706F8B04E0D76F456E40696C5397526F68B077838EF0F010767821971055F3 D1409660776EE346A611E3E2E5035C363046705F41A60231E8C139FE385B70A609E503F4B0EC

Name	Value
	D0A6406D0057E5A368B0FD0134EC616DA4C1687E50BB90E973ABF2E820E960F8106B4642955 2EAB5537562EB2173E9A6F16C46FC3063EB2173F0BC80A3AAD15F506D6C4D4E6067EB036672 ED878F114A63ED41BBB2493FB36078F04EAOE8E0EB219550744CA76D90EB2104A07279F06131 8EC3FA78ED606EBE20E3F2F1849DF0BE70E074703A2F2FB47097A06E4074732ED610635FF0E0 80AD702E15E1012FF40066FC60652F77F97800642F4B50C370F4E3ED607790D65C90A1B59077 85E032EFF1F623FE686B32EB21ED91AE80EFE3ED91AF30D7F806EFC5ED9162EFD367BDA096F0 FE729571BE3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC6078F0D9A7F06F63AD41E C806B96D0A840FF9DE0FCA4A4940070C1518F00AC0096E1E3EAB07880737973A490EFB18361F 46C79AC0076ED6078A0FE889591D46764A4D06178A266FC71E3C0FBFEFA1B5317656410141A41 0ED605F50BB9790AD1070C130B48003606CADCODFA41295D0C4F07800D60178788077D0E7AC 10EFA178A07361A84095500283FFF19105A10361F191B5905FF04E705F504D966078C130F2C06 F7978F05CFDA410709790781060309660BC31B6D03BBC80FC9064AC107830F1C06264FFB7609 660BC81B480A491CD01A4929790C9BDE0655C0360727AFC72B86077F7A295500C41680A8371 10004167FE760D190BD1BE50955011200D830E94DF0E430352FE610DB110236A08716020E5C4 A0764550776BB3516B601182BFB4705640C401F6C1F9B0B97265BDE0DF12E5A49096E0A501FF D074E4809550FF0BB0FBD11477BE706E40BDA0BC809651FFF1B0BE70BDE17821CCF0255020D 0DE00FFF1B0C11109C2B351BA8014801271BB40FF7830AD21147178217810B911F1B0EAC1DF0 AF10BB09660EAC1BBB07016E2A3F0FF90B0BDB0C4729550B482C111D8A1F4A09FB490D661FF1 0B490BBA17070A960FBBB40BC616960201A06A6025FF096E0FBE696A40077821A5D2BC304E1 09660FF8960AD10BD92F4A0BC50A9C104A1EC00BF9750A4915650BE209651B3516EEAB17FAC9 025B0B49019F1B490E3C0965163FE78BC8095F0C9A195D0B3600951D8C0EF23D1084196609E2 063F1C116E29E20EF23C3BDA09550B6E06825331442F2D0F667BB72FEA163028016237820EAD 01F25F2743018C228420280747862FC785C1A20C5004E70A400BC501270FBF33105216C17717 41009013D40E1112FA4D2C3F0A4308ED27701A1666DF72970E2B0FA5120F6A00F009642C3F0F FA4D034F04E9008B096E0BB5085D095D0BE6CA4906E4012701880F1B0759610FFDC42BB71A3 D1FAE1A9F1FAA59582A410FF78A0FC41A970B5900BB03143BC043050FF3133E8999730FBD397 118EF0BD20FAD1FC6C760321BD21F3C0BD5035C195F0FF78103642B351EFA150A0F6C1A970C1 41CF9711BD202A4095F0202EE35435C6FF63503662DC5136CF37DF38EF36206730BFBD208F10 FC903ABF3BCF3CDF6C6B60DFBD20DB003A7F3F4F405529393C6F90F73E1F430F4035626E704C B1443F35F3FF55B041DF46AF47BF48CF361168D04A22FF36AF4B8F4C9F44AD6D004A2F4FBF50 CFF51DF36115B704EBF545F556F5675F611FFB630F610C1309550DC33BB72BA5FBB6FFB7FB D8FBE9FDADF0CFDC5FC2EFC3FFFC50FA3B16AF0D2CF641ADDA124C1ACF0C9E7E820571350 6E3AABE066C1A861792CABE065EAC075F0D1BE20AEA06C60F5416B8085E03AF55069AB404D2 D6DA1336DE276B047584D542DAEA06DC129AB41630E69F4A175B376B0555320260C20437470 603061292E0DFE0A5B626B9278D06BE109107810ABD09E43F48178E0713571352A7E73CFFF72 EC5B545C1F5D2F5E3F5F4F605F95B6BF5B625870A619688F699F6AAE49F2A0E305D1259072717 596E2A4E00B81FE2040A0EC7078F0FEF0B7D06CF0E0F11DA400205BF1A4910201722120BF6B9 070C0A4E07A20F2A0136120FB516F5C0083C1721B82C2208B501BF068FE3FE9417D3F7E4F6AC BA7707940B7D07FA61975668ED207E10222975376F073C7FF10FE20F9807832368FB08C01FFD 8A0FCE0D8D08F1195718C11D6079071FF2FA08C01A9688E86C8958D66A5267861FC3939E9508 CD7A410B4801AF076E1FF8DCAD3A28EEA93E4C895629190E993E47F8D0461D0A6C5930F941F 952FA54439FF96AB1352FE316D9097D39A2F9B3F9C47EE329CE9DF9BFC339FFFA10F9FBCEE3 4A30FA41F9BFC35A61FA72F9BFCFE36A92FAA3F9BFC330AC4FAD5F9C0B6E38AF4FB05F9BFC3 997D3B37633FFB3FC7A206FE09CD4B5BFB6C89FE4B7CFFFB6C8A2F4B9DFB6C8A604BBEFB6C8 A914FFBDFFB6C8AC24C00FB6C8AF34C21FB6C8FFB244C42FB6C8B554B2AFC67363E296D8FF12 701AF0B390E49097EF98FFC82FB394FFDE7296C970002F71C5EB95B496F6ED11FF78926F71EC7 001A061B07260EA42CAFFFFCC0FCD1FCE26D0ACEBB1FE20CFA6D33F7FD44FD55FE1A0F690D6 AC7AA0054067FFD7FFD90FDA1FDB26969CE28079317C607E73DCFEFDF90E91F70CEBC24822 0DE4766C1E1F3DE3E96F65003A62E01FE540431E1FFE66FDF0FD03F9734D7605F0A91FE31E92F EA3F90E936969C4CFF7AC2D7600B81EE1FEF2FF03DD0ACF204FFF2002270F2DFF3EFF06ADBAC F204E6175FF78FF89FF0B5686096BA4D2B7069BF79B0F2569CC5FBEFFCFF0B534FE8FFFF999F E400AF01BFF0B5C9ACFF55F6F2F7003F060FF04C36080F0916050FOAFFDF05B370C9FFF91E612 098F0F2FF04CFF6B80113F12450E2F13CFF05BB3FC11FAAFA2F417AF18BFB39437969C445870F E6BF6EF1CAF1DBFD0AC72808D002D70FF78A0F25F20CF21DF1E91DBAC23F71FFF725CF1DCEF E7C23F7B5F2A5FF02FFA2FF1F247204163E850839112BF2F1FFFF4EFF5FF095232BF33CF34DFF 9EFFAF8FF379F38AF39BFFE3FFF4F3C8F3D9F3EAFFF02FF040F41DF42EF43FF07BF08CC472CFBE 6AFD115528300E1D0CACF489FEB1FFFC619454C0943D2074F2F503F514FDB26FD1A3C5180D25

Name	Value
	<p>49F55AF56BFC646969CFE498B706BC04D90591F5A2F497F0C7FFF0D89472F5F5F606F10DF11EC636F647FFF658F156F167C688F699F6AAF19FF1B0CFF6DAF6EBF6FCF1E8F1F9872CF73DF74EFFF22DF23EF77AF78BF79CF279F28AC7CFFF7E0F7F1F2C2F2D3C821F832F843F30BFFF31CF8763174F88CF354F365F81E98CDF8DEF83A3F3B4F870991CF92DF3F2F715FFF414F96BF97CF447F99EF469F9C0F9D1FFF49CF9F3F4BECA15FA26F60EFA48F630CFFA67FA78F660FA9AF682CAB9FACAF6B2FFFAECF6D4CB0BFB1CF704FB3EF726CB5DFFF6B6EF756F767F912FBB6FBC7F7ABF7BCFFF8C3FC04FC15F800F811FC4BFC5CFC6DFFF855F866FCA0FCB1FB7BF8AAF8BBF1BCFFFD06F8EEFD28F81DAD48FD59F93EF94FFF8709D97FDA8F98DFB90FAFFDE6FDF7FFF9E2FE19FA04FE3BFE4CFA37FE6EF4BECFFE90FEA1FA89FEC3F630CEE2FEF3FADBF5F5F682CF34FF45FB2DFF67F6D4CF86FFF97FB7FFF9F726CFD8FFE9FBD1FBE2FFF8DF031F042FC26FC37FD3EF07FF090FFFC7BFC8FC0C6F0D7F0E8FCD0FCE1F11BFCF12CFFF6FD25FD36F2034172F183FFF6BFD7CF81F81C3F1D4FDB9FDCAF8709FF212F223FE08F00BFE2AF261F272FE5DFFF294FE7FF2B6F2C7FEB2F2E9F4BEC30BFFF31CFF04F33EF630C35DF36EFF56F390FFF682C3AFF3C0FFA8F3E2F6D4C401F412FFFFFAF434F726C453F464F04CF05DF208FFF4ACF4BDF0A1F0B2F1B9F4FAF50BF0F6FFF107F541F552F563F14BF15CF596F5A7FE7471F1A0F1B1F20355EDF5FEF1E6FFF1F7F81F863EF64FF234F245F870968DFFF69EF283F486F2A5F6DCFE6DF2D8F70FFF2FAF731F742F32DF764FA59C786F797FFF37FF7B9FAABC7D8F7E9F3D1F80BFAFDCFF82AF83BF423F85DFB4FC87CF88DF475FFF8AFFBA1C8CEF8DFF4C7F4D8F683F927FFF938F51CF52DF634F975F986F571F582FFF9BCF9CDF9DEF5C6F5D7FA11FA22F8ECFF361BF62CF2036A68FA79F661F672FFFC9A8AB9FACAF6AFF6C0FCEB9B08FB19FFF6FEF901F720FB57FB68F753FB8AF775FFFACFBBD7F8FBDFED4CC01FC12F7FAFFFC34FF26CC53FC64F84CFC86FF78CCA5FFFCB6F89EFC8DFCCACCF7FD08F8F0FD2AFF01CCD49FD5AF942F953FAFEFDA2FDB3FFF997F9A8FAAFFDF0FE01F9ECF9DFE37F7FE48FE59FA41FA52FE8CFE9DFD676716266ED006D6174E184A8D63101D78C537562746C6520E8456D702A60733500EE3FEF4FEBF05FA8E532E18C4916E016D0EAD06FF32FF43FF54FF0DE33E18CF2C552F06566657216D016C0F94FFA5FFFFB6FFC76B37CF846FE4FFF5F006F017FD1EBFC426F6F4E5054A920F300870473FC67CD4C4269626CA8F0E8677261F8E079047306CFFCA381D78C544F432048652A73003B7D7D7B5C2A5C641BF0D0F90074ED00F8A0303130B4353010B23210B31070381114043464EBE03738366436026302703265353334310C3538131011F034633532BFC2F0AE70BDA0C2F0E6C012B03313903F14601114151EA95010B1E7806366803131653061316216B0DC61651080177F186C3316D01951C310B004006666303915F61ACFFF11511B9D1B7D19F21E121AF61DFE1E77FF207F218F229F23AF24BF25CF26DF27EFFF28FF2A0F2B1F2C2F2D3F2E4F2F5F306FFF317F328F339F34AF35BF36CF37DF38EFFF39FF3B0F3C1F3D2F3E3F3F4F405F416FFF427F438F449F45AF46BF47CF48DF49EFFF4AFF4C0F4D1F4E2F4F3F504F515F526FF7537F548F557C6455751E05576F587FFF598F5A9F5BAF5CBF5DCF5EDF5FEF60FFF620F631F642F653F664F675F686F697FFF6A8F6B9F6CAF6DBF6ECF6FD7F0EF71FFF730F741F752F763F774F785F796F7A7FFF7B8F7C9F7DAF7EBF7FCF80DF81EF82FFFF840F851F862F873F884F895F8A6F8B7FFF8C8F8D9F8EAF8FBF90CF91DF92EF93FF3F950F1E13139016011E6196B23734F510E43410A13619819732E6C09711FF1A4298FF9A0F9B1F9C2F9D3F115116221710A1956F569663D770643938B5A0D062A0F03313611320390F00EA6612706413016216D01F6FA2E635DC9034973032A19098B03661FFA16010701EFA5FFA70FA81FA92FAA3FFFAB4FAC5FAD6F200FAF6CADEFB17FB28FFF39FB4AFB5BFB6CFB7DFB8EFB9FFBB0FFFBC1FBD2FAE4FBF4FB06FC16FC27FC38FFFC49FC5AFC6BFC7FC8DFC9EFCACFFCC0FFFC1FBE3FCF3FC05FD15FD26FD37FD48F2F1CBE10A4D5750F7000D7A0</p>
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 6484A55E0B54DF49870433A311A3335A
PidTagSensitivity	0
PidTagSensitivityRepresentingAddressType	SMTP

Name	Value
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTime	08:00:00.000 PM 2/8/2008
PidTagSubject	Lunch?
PidTagSubjectPrefix	

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T173955Z
DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*\n\nI haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n
DTEND:20080208T203000Z
DTSTAMP:20080208T173955Z
DTSTART:20080208T200000Z
LAST-MODIFIED:20080208T173955Z
LOCATION:Fourth Coffee
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:5
SEQUENCE:0
SUMMARY;LANGUAGE=en-us:Lunch?
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve

```

rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
rom text/rtf format -->\n\n<P DIR=LTR><FONT FACE="Calib
ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacifi
c Time (US &\; Canada).</P>\n\n<P DIR=LTR><SPAN LANG="en-
us">Where: Fourth Coffee</P>\n\n<P DIR=
LTR>*****~***~***~***~***~***~**</SP
AN></P>\n\n<P DIR=LTR>I haven't
had a raspberry scone in forever! \; Want to head down to Fourth Coffe
e for lunch?</P>\n\n</BODY>\n</HTM
L>

X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
X-MICROSOFT-CDO-IMPORTANCE:1
X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY
X-MICROSOFT-DISALLOW-COUNTER:FALSE
X-MS-OLK-ALLOWEXTERNCHECK:TRUE
X-MS-OLK-AUTOSTARTCHECK:FALSE
X-MS-OLK-CONFTYPE:0
X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
BEGIN:VALARM
TRIGGER:-PT15M
ACTION:DISPLAY
DESCRIPTION:Reminder
END:VALARM
END:VEVENT
END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008

Name	Value
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidChangeHighlight	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidCommonEndTime	08:30:00.000 PM 2/8/2008
PidLidCommonStartTime	08:00:00.000 PM 2/8/2008
PidLidComparingType	0
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Fourth Coffee
PidLidMeetingType	1

Name	Value
e	
PidLidOwnerCriticalChange	05:39:55.000 PM 2/8/2008
PidLidRecurring	FALSE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignalTime	07:45:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidResponseStatus	5
PidLidSmartNoAttach	TRUE
PidLidWhere	Fourth Coffee
PidNameContentTransferEncoding	8bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n~*~*~*~*~*~*~*~*~*\n\nI haven't had a raspberry scone in forever! Want to head down to Fourth Coffee for lunch?\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	05:40:59.000 PM 2/8/2008

Name	Value
PidTagConversationIndex	cb: 22 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:43:51.254 PM 2/8/2008
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000c01c86a79\$c5b80e20\$51282a60\$@com>
PidTagLastModificationTime	05:43:53.051 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	05:41:02.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocalId	1033
PidTagMessageSize	4563
PidTagNextSendAct	00000002sito@contoso.comsito@contoso.com

Name	Value
PidTagNormalizedSubject	Lunch?
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: 44042000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRTFCompressed	cb: 997 lpb: E10300008F0B00004C5A4675555055B303000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6CD3181047A9576809F03A4D300510506461792C4D3065199075BD0AC0792F41508001D02F50200E20A63A2F8021804D2D51C1335202C02028474D542D2F5051E1DE29218000D006900DE020076252D

Name	Value
	0865505F0485E26616D7002804D4A9726457819416E61505029F22E251C353635614CF24A794A87FD483D3914D035704962595F45CB0AA2FF5A080A8146270AB15ED8483D01C03561FE50405F42BF628F438F449F45AF46BFF5FFF48DF49EF4AFF4C0F4D1F4E2F4F3AE71AC050010861746816F1012009E0FF57EF58FF5A0F5B1F73EF5D3F5E4F5FFF606F617F63DF7CCF64AF65BF66CF67DF7F68EF69FF6B0F80DF6D2F6E3F6F4F4EFBFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858F9B4F87AFE788BF89CF4EFB492014702E900B909E279070054014703EC061202CA0F87370620490510104F002202E402B0B803FB2652E912154BF6E62B7A76055F9A68061014056C85700701705402CC0A62065A6F1646F77AF03A0AC31719B3FB2200A406E1460FE3F8CDF8DEF8EFF900FB03FB14F9F7FFFA08FB3BFB20FB31F924F935F946F957FDF968F98EFBF7F3A77A3112F3B3F398F2F200532A1386026337DC5E0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 93CF34ADBB6E4441A18B165C77A6F90D
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000

Name	Value
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSequenceKey	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E434F4D00
PidTagStartDateTime	08:00:00.000 PM 2/8/2008
PidTagSubject	Lunch?
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:41:02 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <site@contoso.com> Subject: Lunch? Date: Fri, 8 Feb 2008 09:40:59 -0800 Message-ID: <000c01c86a79\$c5b80e20\$51282a60\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqeZ49X1T+9kIZR5WRMHYt37LqHw== Content-Language: en-us

3.3.2 Attendee's Meeting Acceptance

Shu accepts Elizabeth's meeting request.

The following are the properties on the Calendar object that Shu sends:

Name	Value
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0

Name	Value
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	0
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAttendeeCriticalChange	05:44:34.941 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCalendarType	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidClipEnd	08:30:00.000 PM 2/8/2008
PidLidClipStart	08:00:00.000 PM 2/8/2008
PidLidCollaborateDoc	
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidConferencingType	0
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidIntendedBusyStatus	4294967295
PidLidIsException	FALSE
PidLidIsRecurring	FALSE

Name	Value
PidLidIsSilent	TRUE
PidLidLocation	Fourth Coffee
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	05:39:55.000 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	0
PidLidReminderSet	FALSE
PidLidReminderSignalTime	08:00:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	0
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0

Name	Value
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZone	0
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidWeekInterval	0
PidLidWhere	Fourth Coffee
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagClientSubmitTime	05:44:34.957 PM 2/8/2008
PidTagConversationIndex	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F00002356500000064060
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:44:34.926 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	1252

Name	Value
e	
PidTagLastModificationTime	05:44:39.254 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Pos
PidTagMessageDeliveryTime	05:44:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	0
PidTagMessageSize	2877
PidTagNextSendAcct	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReassignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: A4042000
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: D476AA2743B2CC4893A1B74E49A44E37
PidTagSensitivity	0
PidTagStartDate	08:00:00.000 PM 2/8/2008
PidTagSubject	Accepted: Lunch?
PidTagSubjectPrefix	Accepted:

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=ACCEPTED:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T174434Z
DTEND:20080208T203000Z

```

DTSTAMP:20080208T174434Z
 DTSTART:20080208T200000Z
 LAST-MODIFIED:20080208T174439Z
 LOCATION:Fourth Coffee
 PRIORITY:5
 SEQUENCE:0
 SUMMARY:Accepted: Lunch?
 TRANSP:OPAQUE
 UID:040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000
 010000002009EB53F098B249AD66CBE6BB3B8B99
 X-MICROSOFT-CDO-BUSYSTATUS:BUSY
 X-MICROSOFT-CDO-IMPORTANCE:1
 X-MS-OLK-AUTOFILLLOCATION:FALSE
 X-MS-OLK-CONFTYPE:0
 END:VEVENT
 END:VCALENDAR

The following are the properties on the Calendar object that Elizabeth receives:

Name	Value
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAttendeeCriticalChange	05:44:34.000 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000010C4F838346AC8010000000000000000 100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008

Name	Value
PidLidConferencingType	0
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000010C4F838346AC801000000000000000 100000002009EB53F098B249AD66CBE6BB3B8B99
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidLocation	Fourth Coffee
PidLidRecurring	FALSE
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	02:00:00.000 AM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidResponseStatus	3
PidLidSmartNoAttach	TRUE
PidLidWhere	Fourth Coffee
PidNameContentTransferEncoding	7bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagClientSubmitTime	05:45:25.000 PM 2/8/2008
PidTagConversationIndex	cb: 32 lpb: 01C86A799E3D5F54FEF6421947959130762DDFB2EA1F00002356500000064060
PidTagConversationTopic	Accepted: Lunch?
PidTagCreationTime	05:47:43.269 PM 2/8/2008

Name	Value
ime	
PidTagEndDate	08:30:00.000 PM 2/8/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000301c86a7a\$62c485e0\$284d91a0\$@com>
PidTagLastModificationTime	05:47:43.769 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Pos
PidTagMessageDeliveryTime	05:45:25.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocaleId	1033
PidTagMessageSize	4669
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Accepted: Lunch?
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	eandersen@contoso.com
PidTagReceivedByEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagReceivedByName	Elizabeth Andersen
PidTagReceivedBySearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
PidTagRecordKey	cb: 4 lpb: 84052000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 6A67BE70BDD3E64B8F5B8971A79AF46B
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	sito@contoso.com
PidTagSenderEntryId	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSenderName	Shu Ito
PidTagSenderSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	sito@contoso.com
PidTagSentRepresentingEntryId	cb: 84 lpb: 0000000812B1FA4BEA310199D6E00DD010F54020000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSentRepresentingName	Shu Ito
PidTagSentRepresentingSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagStartDate	08:00:00.000 PM 2/8/2008

Name	Value
PidTagSubject	Accepted: Lunch?
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:45:25 -0800 From: "Shu Ito" <sito@contoso.com> To: "Elizabeth Andersen" <eandersen@contoso.com> Subject: Accepted: Lunch? Date: Fri, 8 Feb 2008 09:45:25 -0800 Message-ID: <000301c86a7a\$62c485e0\$284d91a0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqeZ49X1T+9kIZR5WRMHyt37LqHwAAI1ZQAAAGQGA= Content-Language: en-us

3.3.3 Organizer's Cancellation

Elizabeth realizes that she has a conflicting meeting, so she cancels her lunch with Shu.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAllAttendeesString	sito@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008
PidLidAppointmentNotAllowPropose	FALSE

Name	Value
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	7
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentSequenceTime	05:48:33.676 PM 2/8/2008
PidLidAttendeeCriticalChange	05:52:48.957 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	0
PidLidCalendarType	0
PidLidAttendeesString	
PidLidChangeHighlight	0

Name	Value
PidLidCleanGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000001000002009EB53F098B249AD66CBE6BB3B8B99
PidLidClipEnd	08:30:00.000 PM 2/8/2008
PidLidClipStart	08:00:00.000 PM 2/8/2008
PidLidCollaborateDoc	
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidConfiguringType	0
PidLidContactLinkName	
PidLidDayInterval	0
PidLidDeleteMail	FALSE
PidLidDirectory	
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 04000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000001000002009EB53F098B249AD66CBE6BB3B8B99
PidLidIndendedBusyStatus	0
PidLidIsException	FALSE
PidLidIsRecurring	FALSE
PidLidIsSilent	FALSE
PidLidLoca	Fourth Coffee

Name	Value
tion	
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	05:52:48.957 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrenceType	0
PidLidRecurrenceType	0
PidLidRecurring	FALSE
PidLidReminderDelta	1525252321
PidLidReminderSet	FALSE

Name	Value
PidLidReminderSign alTime	08:00:00.000 PM 2/8/2008
PidLidReminderTime	08:00:00.000 PM 2/8/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	5
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTask	0

Name	Value
Status	
PidLidTaskVersion	1
PidLidTimeZone	0
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidAttendeesString	sito@contoso.com
PidLidWeekInterval	0
PidLidWhere	Fourth Coffee
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagBody	When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*~*~*~*~*~*~*~*~*~*\n\nOops! Forgot I have a meeting today. Maybe we can try again sometime next week.\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	05:52:49.066 PM 2/8/2008
PidTagConversationIndex	cb: 27 lpb: 01C86A799E363C85AB4DF7104F04B056C21082F5796400007335B0
PidTagConversationTopic	Lunch?
PidTagCreationTime	05:52:48.926 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEnd	08:30:00.000 PM 2/8/2008

Name	Value
Date	
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	2
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	05:52:49.301 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveryTime	05:52:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	1033
PidTagMessageSize	8826
PidTagNextSendAcct	0000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Lunch?
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReport	FALSE

Name	Value
rtRequested	
PidTagOwnerAppointmentId	2758289368
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecipientResponseProhibited	FALSE
PidTagRecurrenceKey	cb: 4 lpb: C4052000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5760 lpb: 7C160000AD5C00004C5A46759798928207000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFF6A7F925B8F996CDFACDF6EFFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9CFAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFAA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFA1F07CF9A389AC0098FEE0FEF1F9E29 FFBB300D6FF20FF31FOCB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A

Name	Value
	<p>679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A4427F9 7504E7073E0BB40D75054009DF04EFAA4A278408EC39DD19D319B9073F0AE708E7697009730B 2E06D696873E0A78F106E609730756EA8D1659BC0977880A4F99DF04499B420504E600661896 090B06820466F6E7A748EB4749DE05F50AC905FF0772BA2409BE066AC905773E07468DE42673 09BE090A0A7F06C9F106D00E5AE2472AE98666CAE06AD70B007CA62B00772AE02636290A04E A0FFB1F29091B262783095507891B3249750047065AE017363656C6CEF98C1ADD0AD71B38173 A8407810CEC1AFAC81C680AF20B5E66CB5F562B5F5F39940B6046467B6E6B860B7E69DA0FDB6 047690DF98FF9A0F9B1F9C2F9D3FFF8FA19E6F9F7FA08FA19FA2AFA3B7ACB0FFA86FA97AA486A 6C475B0CAB09770A727BFC1A1A7E89D6DC1BCBC3077C06675A0FD973062BC707880AC00A7A 2C6EFA9987DA5EC48B411B6D09550DDA3A76336FFCA7FCB8FCC9A85E0CD6FCE7FCF8FA682FF ABF0B4A0AD107880D0DF68B0D20F9DBEFFC1BFC2C4B2B0A442D53FD646A52AD0F11E73AC00 C951973077D06D706F8B04E0D76F456E40696C539752DD68B03177838EF0F0107678219710E6 55D1409660776EE356A611E3F2F9E513363046705F41A609E5A468B007FD016B60A602383938 30307F1D81A60285E0E5F071202191E8A3342F68C0E5F0F0D0EC616DA4C1685057BB90EA63AB F2336B606DF8106B46429552EBA5537562EC1173E9A6F16C46FC3063EC1173F0BC80A3AAD15F 506D6C4D4E6067EBF36672EE778F114A63EE31BBB2493FB36078F04EA0F8E0EC119550744CA 6D90EC1104A07279F151318EC3FA78EE506EBE20E402F2749DF0BE70E074703A2F2FB47097A0 6E4074732ED610635FF0E080AD702E15E1012FF4F066FC60652F77F97800642F4B50C370F5D3E E507790D65C90A1B5907785E032F0E1F713FE686B32EC11EE81AE80F0D3EE81AF30D7F8F6F0B 5EE8162F0C367BDA096F0FE729571BE3004E0BB407410BB11AD10C7BB40B6D1AD706E626ABC 6078F0D9A7F06F63AD41ED706B96D0A840FF9DE0FD94A4940070C1518F00AC0096E1E3EBA07 880737973A490F0A18361F46C79AC0076EE5078A0FF789591D46764A4D06178A266FD61E3CD0F BF091B5317656410231A410EE505F50BB9790AD1070C130B48004506CAD0DFA41295D0C4F0 7800D60178788077D0E7AC10F09178A07361A84095500373FFF28106910451F281B5905FF04E7 05F504D966078C130F3B06F7978F05CFDA410709790781060309660BC31B6D03BBC80FD8064A C107830F2B06264FFB7609660BC81B480A491CD01A4929790C9BDE0655C0450727AFD62BB60 77F89295500D31680B737110013167FE760E090CC1BE50955011200E730F84DF0F3304422FF510 EA111136A09616020E5C4A0764550776BB3516B601272BFB4705640C401F7B1FAA0B97265BDE 0DF13D5A49096E0A50100C074E4909550FF0CA0FCC11567BE706E40BDA0BC809651FFF2A0BE7 0BDE17821CCF0255020D0DE00FFF2A0C1110AB2B351BA8015701361BB40FF7830AD21156178 217810B911F2A0EBB1DF0BE10CA09660EBB1BBB07017D2A3F0FF90B0BDB0C4729550B482C11 1D8A1F5909FB490D6610000B490BBA17070A960FBBB40BC616960201AF6A6025FF096E0FB8E2 6A40077821A5D2BC304E109660FF8960AD10BD92F590BC50A9C10591ECF0BF9750A4915650B E209651B3516EEBA17FAC9025B0B4901AE1B490E3D0965163FE78BC8095F0C9A195D0B3600A 41D8C0EF24C1093196609E2063F2B117D29E20EF24B3BDA09550B6E06826231532F3C0F667BB 72FF9163037017137820EBC01F26E2743019B229320370747862FC785C1B10C5004E70A400BC 501360FBF42106116C1861741009F13D40E1112FA4D2C3F0A4308ED2770291666DF72A60E2B0 FB4120F7900FF09642C3F0FFA4D034F04E9009A096E0BB5085D095D0BE6CA4906E4013601970 F2A0759610FFDC42BB71A3D1FBD1A9F1FB959582A410FF78A0FD31A970B5900CA03233BC0431 40FF3223E72A0030FCD297118EF0BD20FBC1FC6C760411BD21F4B0BD5036B195F0FF78103732 B351F09150A0F7B1A970C141CF9711BD202B3095F0202EE36436B6FF63503752DC51737BF38CF 39DF37106730BFB208F10FD803BAF3CBF3DCF6C6B60DFBD20DB003B6F403F4145293A2C6F9 0F73F0F43FF4125626E704CB1452F36E3FF55B042CF479F48AF49BF370168D04B12FF379F4C7F 4D8F459D6D004B1F50AF51BFFF52CF37015B704FAF554F565F5765F701FFB630F700C1309550D C33BB72BA5FBB6FFFBC7FBD8FBE9FDADFC0FDC5FC2EFC3FFFFC50FA3B16AF0D2CF650ADDA1 25B1ACF0C9E8B9205714406E3AABE067B1A861792CABE065EBB075F1C14E20AEA06D60F6313 82085E03AD3E850AB404D2D6EA1336EE276B0B0474D542DAEA06EC129AB411C6369F59175B3 76B0555320182620437470612061292EFC0D0A5C526C9278D06CE10A0078103DABD043F5717 8E0723572352A7EFF74CF73EC5C445D0F5E1F5F2F603F614F7F95B65C525960A619697F6A8F6B</p>

Name	Value
	<p>9F4F726F09802120ABE1EE9096E020F649F39006C120419071202BF0FF21B6207B206D312E819 0EE7079FFE0FA20D8C02013605CF07BA06DF0AB807F5CD2E0807120FF107121A402840165FE6 B3A107E1F7F2F803EA7707A40B7D07FA61976668ED208D10312975377F073F30000856161788 0C0C0A08C21D8A0FFFDD0D8D08F1195718C31D607907130907F8C21A9688EA6C8958D86A526 796139FE39EA408CF7A410B4801BE077E18DEAFFD3A28F0A9404C8956381910994048D24BF62 C0A6C5932F943F954FA5443996CBBF144282F2E3409A0F9B1F9C2B329D0FBB9E1F9C1C33A01F A12F9C1C34A32FBBA43F9C1C35A63FA74F9C1C36A94FBBAA5F9C1C37AC5FAD6F9C1C38AF6FD BB07F9C1C3997F3B39633B41C7B20FF70E09CF4B5DFB6E8A004B7EFB6E8A314FFB9FFB6E8A62 4BC0FB6E8A934BE1FB6E8FFAC44C02FB6E8AF54C23FB6E8B264C44FFFB6E8B574B2CFC69364D 296F813601BE0FFB3B0E4A0980F991FC84FB3B4DE7296E9FF71003061C60B95D49716EE01799 27071FFED60029062A07360EB32CB1FCC2FCD3FFFC46D0CCECA1FF10CFC6D35FD46FD57FDF E1A0F780D6CC7BA0063067D81FD92F77DA3FDB4696BC452D607A407D607357DD0FDE1F9109 35B41C54257220DE4767B1E213DE5E97165004962EF1FE540521E21FE68FDF2FD05F9754D780 7F0B81FF21E94FEA5F910980D096CB4CFF7BC2D7800C71EE3FEF4FF05DD0CCF224FFF2202360F 2FFF40FF08ADBCCF224E6375FF7AFF8BFF0D5695096DA4D2C6069BF7AB0F2769CE5FC0FFD1FF 0D534FEAFFFFF9A00400CF01DFF0D5C9CCFF75F712FF005F062FF06C8120083F0945052F0ACF FDF07B370CBFFF1E63209A0F4FF06CFF6E80115F12650E4F13EFF07BB41C121AFA31417CF1 8DFB3B43796BC445960FE6BF70F1CCF1DDFD0CC73808D202E60FF79A0F27F5FADDF117F684C C2417201FFF25EF1DEEFE9C2417FB7F2A7FF04FFA4FF1F267204163E8708B9012CF2F2FFFF4FF3 14F096332DF33EF34FFFA0FFB18FF37BF38CF39DFFE5FFF6F3CAF3DBF3ECFFF031F042F41FF430 F441F07DF08EC474CE3E6CFD135526576E1F0CAEF48BFFFE3FC639456C0963D2274F4F505F51 6FF3DB461A5C517581F0D80F55BF56CFFBC65796BC498B906CC04DB0593F5A4FFF499F0C9F0D A9474F5F7F608F10FF120CFF638F649F65AF158F169C68AF69BF6ACFFF1A1F1B2C6DCF6EDF6FE F1EAF1FB872EFFF73FF750F22FF240F77CF78DF79EF27BFFF28CC7D1F7E2F73F2C4F2D5C823F8 34FFF845F30DF31EF8783176F88EF356F367FFF82098CFF8E0F3A5F3B6F872991EF92FFFF3F4F71 7F416F96DF97EF449F9A0F46BFFF9C2F9D3F49EF9F5F4C0CA17FA28F610FFA4AF632CA69FA7A F662FA9CF684CABBFFACCF6B4FAEEF6D6CB0DFB1EF706FB40FFF728CB5FFB70F758F769F914F BB8FBC9FFF7ADF7BEF8C5FC06FC17F802F813FC4DFFFC5EFC6FF857F868FCA2FCB3FB7DF8ACFF F8BDF1BEFD08F8F0FD2AF81FAD4AFD5BFFF940F951F8729D99FDAAF98FFB92F9B1FFFDE8FDF9F 9E4FE1BFA0FE3DFE4EFA39FFFE70F4C0CE92FEA3FA8BFEC5F632CEE4FFFE5FADDF117F684C 36FF47FB2FFF69FFF6D6CF88FF99FB81FFBFB728CFDAFFEBFFBDB3FBE4FD8FF033F044FC28FC39 FD40FFF081F092FC7DFC8EF0C8F0D9F0EAFCD2F3FCE3F11DF12EFF8FD27FD38F2034FF174F18 5FD6DFD7EF82181C5F1D6FDBBFFDCCF8729214F225FE0AF00DFE2CF263FFF274FE5FF296FE81 F2B8F2C9FEB4F2EBFFF4C0C30DF31EFF06F340F632C35FF370FFF58F392F684C3B1F3C2FFAAF3 E4F6D6CFF403F414FFFCF436F728C455F466F04EFFF05FF20AF4AEF4BFF0A3F0B4F1BBF4FCFFF5 0DF0F109F543F554F565F14DF15EF9F598F5A9F473F1A2F1B3F20355EFFF600F1E8F1F9821 8640F651F236F247FFF872968FF6A0F285F488F2A7F6DEF6EFFFF2DAF711F2FCF733F744F32FF7 66FA5BCFF788F799F381F7BFAADC7DAF7EBF3D3FFF80DAFFC82CF83DF425F85FFB51C87EFFF 88FF477F8B1FBA3C8D0F8E1F4C9F4DAFFF685F929F93AF51EF52FF636F977F988FFF573F584F9B EF9CFF9E0F5C8F5D9FA13FCFA24F8EEF61DF62EF2036A6AFA7BFFF663F674FC9C8ABBFACCF6B1 F6C2FCED9FFB0AFB1BF700F903F722FB59FB6AF755FFF8CF777FBAEFBFF7AAFE1FED6CC03F FFC14F7FCFC36FF28CC55FC66F84EFC88FFF7ACCA7FCB8F8A0FCDAFFCCCF9FD0A3FF8F2FD2C F01ECD4BFD5CF944F955FB00FFFDA4FDB5F999F9AAFAB1FDF2FE03F9EEFFF9FFFE39FE4AFE5BF A43FA54FE8EFE9FF89D6967166ED206D6174E1A405A8F631D7AC537562746CA06520456D702A 80733520AFEE5FEF6FF07FA90532E1AC491700BF16F0EAF0F34FF45FF56FF0FE33E1ACC1F2E552 6566657216F016E0FFF96FFA7FFB8FFC96B39CF866FE6FFF7F47008F019FEC1C426F6F4E70541F A940F3200493FC87CD6C426962A26CA910677261F9007904930706EFFCC3D7AC544F43204802 652A933B7D7D7B5C2A6C5C64F0F0F92074ED20F8C03D03130353010D23210D31001238113 43464EC00373836086436630290326535333034313538133012103463FC3532C310AE90BDC0C 310E6E012D0FE3313B014801134153EA97010D1B440006366313165306131726216D0616510A 0179F188C330F16F0197110D0042066663039FF16161AEF11711BBB1B9D1A121E321B16FF1E1 E1E97209F21AF22BF23CF24DF25EFFF26FF280F291F2A2F2B3F2C4F2D5F2E6FFF2F7F308F319F3 2AF33BF34CF35DF36EFFF37FF390F3A1F3B2F3C3F3D4F3E5F3F6FFF407F418F429F43AF44BF45C 46DF47EFFF48FF4A0F4B1F4C2F4D3F4E4F4F506FDF517F528F539F54AF559C6455951E25FF5 78F589F59AF5ABF5BCF5CDF5DEF5EFFF600F611F622F633F644F655F666F677FFF688F699F6AA F6BBF6CCF6DDF6EEF6FFF710F721F732F743F754F765F776F787FFF798F7A9F7BAF7CBF7DCF7 EDF7FEF80FFF820F831F842F853F864F875F886F897FFF8A8F8B9F8CAF8DBF8ECF8DF90EF91F</p>

Name	Value
	FFF930F941F952F1E3313B016211E8196D2D4373411043410C13619A19752FFE6E097311A62991F9A2F9B3F9C4F9D5F5F1171164210C1958F56B663D79064D43938A0F062A1103313811340AA390F206612906413216216F0331F8FA3066230134011903662F037623661A18010901F1FA61FFF A72FA83FA94FAA5FAB6FAC7FAD8F202FFFAF8CAE0FB19FB2AFB3BFB4CFB5DFB6EFFF7FFB90FB A1FBB2FBC3FBD4FAE6FBF6FFFB08FC18FC29FC3AFC4BFC5CFC6DFC7EFFF8FFCA0FCB1FCC2FC D3FBE5FCF5FC07FFFD17FD28FD39FD4AF1CDE10C4D5950F900200D7C0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: F0D68CEF21B41F4198DC7344ED97D088
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTime	08:00:00.000 PM 2/8/2008
PidTagSubject	Canceled: Lunch?
PidTagSubjectPrefix	Canceled:

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:CANCEL
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VEVENT

```

ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
 CLASS:PUBLIC
 CREATED:20080208T175248Z
 DESCRIPTION:When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00)
 Pacific Time (US & Canada).\nWhere: Fourth Coffee\n\n*****\n\nOops! Forgot I have a meeting today. Maybe we can try again sometime
 next week.\n
 DTEND:20080208T203000Z
 DTSTAMP:20080208T175248Z
 DTSTART:20080208T200000Z
 LAST-MODIFIED:20080208T175249Z
 LOCATION:Fourth Coffee
 ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 PRIORITY:1
 SEQUENCE:1
 SUMMARY;LANGUAGE=en-us:Canceled: Lunch?
 TRANSP:TRANSPARENT
 UID:040000008200E00074C5B7101A82E008000000010C4F838346AC8010000000000000000
 0100000002009EB53F098B249AD66CBE6BB3B8B99
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
 rom text/rtf format -->\n\n<P DIR=LTR<FONT FACE="Calib
 ri">When: Friday\, February 08\, 2008 12:00 PM-12:30 PM (GMT-08:00) Pacifi
 c Time (US & Canada).</P>\n\n<P DIR=LTR<SPAN LANG="en-
 us">Where: Fourth Coffee</P>\n\n<P DIR=
 LTR>*****</SP
 AN></P>\n\n<P DIR=LTR>Oops! \n
 Forgot I have a meeting today. \n; Maybe we can try again sometime nex
 t week.</P>\n\n</BODY>\n</HTML>
 X-MICROSOFT-CDO-BUSYSTATUS:FREE
 X-MICROSOFT-CDO-IMPORTANCE:2
 X-MICROSOFT-DISALLOW-COUNTER:FALSE
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE
 X-MS-OLK-APPTSEQTIME:20080208T174833Z
 X-MS-OLK-AUTOSTARTCHECK:FALSE
 X-MS-OLK-CONFTYPE:0
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 END:VEVENT
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	08:30:00.000 PM 2/8/2008

Name	Value
e	
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	08:00:00.000 PM 2/8/2008
PidLidAppointmentStateFlags	7
PidLidAppointmentSubType	FALSE
PidLidAppointmentSequenceTime	05:48:33.000 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidCommonEnd	08:30:00.000 PM 2/8/2008
PidLidCommonStart	08:00:00.000 PM 2/8/2008
PidLidComparingType	0
PidLidFInvited	TRUE
PidLidGlobal	cb: 56 lpb:

Name	Value
baObject Id	040000008200E00074C5B7101A82E008000000010C4F838346AC80100000000000000010000 0002009EB53F098B249AD66CBE6BB3B8B99
PidLidIsE xception	FALSE
PidLidIsR ecurring	FALSE
PidLidLoc ation	Fourth Coffee
PidLidOld Location	Fourth Coffee
PidLidOld WhenEnd Whole	08:30:00.000 PM 2/8/2008
PidLidOld WhenSta rtWhole	08:00:00.000 PM 2/8/2008
PidLidOw nerCriti calChange	05:52:48.000 PM 2/8/2008
PidLidRec urring	FALSE
PidLidRe minderD elta	1080
PidLidRe minderSe t	FALSE
PidLidRe minderSi gnalTime	02:00:00.000 AM 2/8/2008
PidLidRe minderTi me	08:00:00.000 PM 2/8/2008
PidLidRes ponseSta tus	5
PidLidSm artNoAtt ach	TRUE
PidLidWh ere	Fourth Coffee
PidName	7bit

Name	Value
ss	
PidTagMessageDeliveryTime	05:53:44.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocalId	1033
PidTagMessageSize	5346
PidTagNextSendAccount	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Canceled: Lunch?
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: E4042000
PidTagReplyRequested	TRUE

Name	Value
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1001 lpb: E5030000B00B00004C5A4675FB3BB89A03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6CD3181047A9576809F03A4D300510506461792C4D3065199075BD0AC0792F41508001D02F50200E20A63A2F8021804D2D51C1335202C02028474D542D2F5051E1DE29218000D006900DE020076252D0865505F0485E26616D7002804D4A9726457819416E61505029F22E251C353635614CF24A794A87FD483D3914D035704962595F45CB0AA2FF5A080A8146270AB15ED8483D01C03561FE50405F42BF628F438F449F45AF46BFFF5FFF48DF49EF4AFF4C0F4D1F4E2F4F3AE71AC050010861746816F1012009E0FF57EF58FF5A0F5B1F73EF5D3F5E4F5F5FFF606F617F63DF7CCF64AF65BF66CF67DFF68EF69FF6B0F80DF6D2F6E3F6F4F4EFBFC2A7E8BAF726F737F748F759F8E5FFF77BF78CF79DF7AEF7BFF7E5F973F7F2FFF803F814F825F836F847F858F9B4F87AF0788BF89CF4EFB4F6F7073211154BF6E627355EA5C276147014056C8719072676F054049C62014702E90206120078014B0FD0B80673F200470506057DCA73FA84FAA4D5060622E40772E40630391CF9D10511020400B7120730370AA71CF54412C803F50AE71656B57DF8DDFFF8EEF8FFF23FB34F9F6FA07FB5BFB40FFF51F923F934F945F956F967F98DFC17FFB3A68A3112F3B3F398F200532A138600526337DC7F0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 461F8812757FE740940F5650D9D171A2
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00

Name	Value
chKey	
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSequenceKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTimeDate	08:00:00.000 PM 2/8/2008
PidTagSubject	Canceled: Lunch?
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 09:53:44 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <site@contoso.com> Subject: Canceled: Lunch? Date: Fri, 8 Feb 2008 09:53:43 -0800 Message-ID: <000001c86a7b\$8bbd2690\$a33773b0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content-Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Importance: High Thread-Index: AchqeZ42PIWrTfcQTwSwVsIQgvV5ZAAAczWw Content-Language: en-us

3.4 Example Recurring Meeting Scenario

This subsection describes a multi-step scenario in which an organizer, Elizabeth, sets up a recurring meeting with Shu, Patrick, and Anne, but cancels an instance that coincides with the company picnic. Shortly thereafter, Elizabeth corrects a typo in the Location field.

This section also documents Shu's tentative acceptance of the meeting series.

3.4.1 Organizer's Meeting Request

Elizabeth organizes a weekly status meeting for Project Northwind on Wednesdays at 2:00 P.M. with Shu, Patrick, and Anne.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAllAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	10:30:00.000 PM 2/13/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300B2001000000C021000001000000000000000008000000232000000A000000000000000 00000000000000000003FC30CDF80E95A0630000009300000480300006603000000000000000000

Name	Value
	000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	10:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAttendeeCriticalChange	09:33:20.275 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidCalendarType	1
PidLidCattendeesString	
PidLidChangeHighlight	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000 0000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	08:00:00.000 AM 2/13/2008
PidLidCollaborateDoc	

Name	Value
PidLidCommonEnd	10:30:00.000 PM 2/13/2008
PidLidCommonStart	10:00:00.000 PM 2/13/2008
PidLidConfereencingType	0
PidLidContactLinkName	
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 123
PidLidMeetingType	1
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	

Name	Value
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	09:33:20.275 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every Wednesday from 2:00 PM to 2:30 PM
PidLidRecurrenceType	2
PidLidRecurrenceType	48
PidLidRecurrence	TRUE
PidLidReminderDelta	1525252321
PidLidReminderSet	TRUE
PidLidReminderSignalTime	10:00:00.000 PM 2/13/2008
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	

Name	Value
PidLidResponseStatus	5
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZone	13
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF000000000B0000000100020000000000000000000000000030000000 2000200000000000000000

Name	Value
PidLidToAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidWeekInterval	1
PidLidWhere	Conference Room 123
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagBody	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*~*~*~*~*~*~*~*~*~*\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:33:20.588 PM 2/8/2008
PidTagConversationIndex	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
PidTagConversationTopic	Fabrikam Project Status Meeting
PidTagCreationTime	09:33:20.275 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	10:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1

Name	Value
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:33:21.243 PM 2/8/2008
PidTagMessageClasses	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:33:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	1033
PidTagMessageSize	10965
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	3249022936
PidTagPriority	0
PidTagReadReceiptR	FALSE

Name	Value
equested	
PidTagRecipientReasonProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: 24062000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5789 lpb: 99160000ED5C00004C5A4675DF873B2307000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFF6A7F925B8F996CDFACDF6EFFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8F9E2958CFDF4FEFFFAA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFFF3BFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29 FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046DFD0D2105AF06BFB0B9F966735097F0A8FFF28F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAFF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E7073E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267

Name	Value
	<p>309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E69DA0B 6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFC9A85E 0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76FE2456E40696C53975268B07783DB8EF 0F010767821971055D14096607C776EE346A611E3E2E50385E0307F4B606B51D019E503A645E 715AE9137CA36EC616DA4C16850BB90E8C395ABF2336B606DF8106B42955251EA05537562EA 7173A6F16CFA46FC3063EA7173F0BC80AAD15F50A86D6C4D4E6067EA5372ECD7D98F114A63E C91BBB249B36078F0CF4EA0F8E0EA719550744C6D90EA71A904A07279EFB1318EC378ECB03E6 EBE20E3F2F0D49DF0BE707470383A2F2FB47097A06E40732E5DD610635FF0E080AD702EE1012 F45F35066FC60652F77780064BA2FE5F133F433ECB077905C90A1B5B5907785E032EF41F57368 6B32FFE7A1ECE1AE80EF33ECE1AF30F756EF15B5ECE162EF2367BDA096F0729571FFBE3004E0B B407410BB11AD10BB40B6D171AD706E626ABC6078F0A7F06FF663AD41EBD06B96D0A8409DE 0FBF44A4940070C1518F00AC0096E1EA00788038737973A490EF0183616C793DAC0076ECB07 8A0FDD895916764F5A4D06178A266FBC1E030EEF1B531FE7656410091A4103172EC050790AD1 0EE70C130B48002B06CADCOA41295D0F7C4F07C800D60178788077D0AC10EEF1F978A07361A8 40955001D3F0E104F17F02B1F0E1B5905FF04E705F5096607853C130F2106F7978F05CA41070F F9790781060309660BC31B6D0BC80FB0E0CE64AC107830F1106264B76096607FBC81B480A491C D01A4929790BDE065F25C02B0727AFBC2B860F6F295509D0B916809D37110FF9167760C69FF0 B21BE50955011200CD30DE40D9302A277FDB10D010F736A07C16020C4A076F94550776BB351 6B6010D2B4705640EFC401F611F900B97265BDE01235A490F796E0A501FF2074E48095500B0 FB21FF13C7BE706E40BDA0BC809651F100BE70FFBDE17821CCF0255020D0DE00F100C111FF09 12B351BA8013D011C1BB407830AD21FF13C178217810B911F100EA110A410B00F79660EA11BB B0701632A3F090B0BDB0FFC4729550B482C111D8A1F3F0B490D661E7FE60B490BBA17070A960 BB40BC61FE6960201956A6025FF096E0E8259650FF39107821A5D2BC304E1096608960AD10FF BD92F3F0BC50A9C103F1EB509750A491EF5650BE209651B3516EEA01AC9025B09FB4901941B4 90E3C096516378BC80FF95F0C9A195D0B3E008A1D8C023210791FB96609E2063F1111632920 2313BDA0BB9550B6E06824831392F22067BB72FDFDF16301D015737820EA2025427430071812 279201D0747862785CFF1970C5004E70A400BC5011C0F2810471FE6C16C1741008513D40E111 A4D2C3F0CBA4308ED27700F1666D28C0E2B0FDF9A120F5F00E509642C3F0A4D034F0BF4E9008 0096E0BB5085D095D06CA490EF6E4011C017D0F100759610DC42BB71FFA3D1FA31A9F1F9F595 82A41078A0FB91FFA970B5900B003093BC042FA03083E7E93F9730FB2397118EF0BD20FA216C 76FF0271BD21F310BD50351195F078103592FFB351EEF150A0F611A970C1419711BD2032990 95F0202EE3543516635035B2FFDC51361F372F383F35706730BD208F10EFFBE03A0F3B1F3C2F6 C6B60BD20DB00F739CF3E9F3FA529388C6F903D6F425FFD3F85626E704951438F354355B0412 FFF45FF470F481F356168D0497235FF4ADFFF4BEF43FD6D00497F4F0F501F512F3561FF5B704E0 F53AF54BF55C5F561B630F560FFC1309550DC33BB72BA5FBB6FBC7FBD8FFFBE9FDADFC0CFDC5 FC2EFC3FFC50FA3B17F6AF0D2CF636ADDA12411ACF0E5B820025712A06E3A204F63637F2E406 D00151F0306AE07880A400733F00906C008F2065805CE0A832322F6631F4C0E5F1382074322 D703AB3E600AB404D205F506E41336E836028474D542D1EC06E612939AB416369F3F175B376B 05553302026204374705F806129782E0D0A5AB26AE278D06B30437FAC00658078D01B4176516 E2185E033F371F571F52A7E74EF740C5AA45B6FFF5C7F5D8F5E9F5FAF95B65AB257C0D0296767 DF68EF69FE48656C00EB812CC5740C4C2A5172717596E26BA0FB70E02A50202FD06BBF6ED1FE 701B40FF83C2AC006EC012A0835095F02E306BA09BF35085D346C99066106B616E30BDE9106F 105078D071E671F5543F31D46B7381C64501F07AC9902E61FFE8917E5F7F6FA1BA7707A60B7 D0D029FF7686903207310172975378106C707BB0E1EFC061783236DD309021D8A0FFFC30D8D 0798195719031D60779812EF0FF9021A96892A6C8959186A5267981A640FFE8A090F7A410B480 1A40780191EAD3A2FF930A9804C89561E19509980491246120DFA6C5972F983F994FA544399A CB12A2BFFD8173C09BF39E4F9F5FA06732A10FBBA21FA01C33A41FA52FA01C34A72FBBA83FA0 1C35AA3FAB4FA01C36AD4FBFAE5FA01CE330B06FB17FA02B38B36FDBB47FA01C399BF3B79633 B81C7B40FF70A0A0F4B9DFBAE8A404BBEFBAE8A714FFBDFBAE8AA2400FBAE8AD34C21FBAE 8FFB044C2FBFAE8B354C63FBAE8B664C84FFFBAE8B974B6CFCA9363329AF811C01A40FFB7B0E 4909C0F9D1FCC4FB7B4DE729AE9FF70C02EC1CA0B99D49B16EC6179B27031F7EBC000F06100 68D861EF90CF1FD02FFD13FD246D4CCEB01FD70D3C6D75FD86FBFD97FE1A0F5E0DAC7BC00</p>

Name	Value
	<p>49067DC1FEFDD2FDE3FDF469ABC452BC07A60E730AE73E10FE21F950935B81C5423D2BC2047 6611E613E25E9B165002F6FD2D51540381E61FEA8FE32FD45F9B54BFDB8009E1FD81ED4FEE5F 9509369ABCFC7BE2DB800AD1F23FF34FF45DD4CCFF624F62021C0F6FFF80FF48ADFCCF624 BFEA37FBAFFCBFF4D567B09ADA4D2AC0FE697AD0F676A0E5000F011FF4D58130FF02BF03C8A4 0404CF05DFF4D5CDCC0375EFFB12045F0A2FF46C360C2F0D36092FFB0ECCFF47B3710BF03B1EA 320DAF134FFFF46C6DE0155F1665124F17EFF47BB81C5F161AA7141BCF1CDFB7B4379ABC44FD 57C06BFB0F20CF21DFD4CC72D09120FF2CC079C0F67F24EF25FF22B1DFCC2817FF241F29EF21 EE029C2817FF7F2E7FF44FF3FE4FF66720416B60586116CF332FFFF8FF354F0D6336DF37EF38FF FE0FFF18FF3BBF3CCF3DDF025F036F40AF41BF42CFFF071F082F45FF470F481F0BDF0CEC4B4CF BEACFD535526BC0E5F0CEE4CBBFE3FFCA39496C0D63D627534F545F556DFD46FD1E5C51831 258BF59CF5ADFC669ABCFC69A906B1051B05D3F5E4F4D9F109FFF11A94B4F637F648F14FF16 0C678F689FFF69AF198F1A9C6CAF6DBF6ECF1E1F1F2CFF71CF72DF73EF22AF23B876EF77FF790 FFF26FF280F7BCF7CDF7DEF2BBF2CCC811FFF822F833F304F315C863F874F885F34DFFF35EF8B8 31B6F8CEF396F3A7F860990FFF920F3E5F3F6F8B2995EF96FF434F757FFF456F9ADF9BEF489F9 E0F4ABFA02FA13FFF4DEFA35F500CA57FA68F650FA8AF672CFFAA9FABAF6A2FADCF6C4CAFBBF 0CF6F4FFF2EF716CB4DFB5EF746FB80F768CB9FFFBB0F798F7A9F954FBF8FC09F7EDF7FEFF9 05FC46CF57F842F853FC8DFC9EFCAFFFF897F8A8FCE2FCF3FBBDF8ECF8FDF1FEFFFD48F930FD6 AF5FAD8AFD9BF980F991FFF8B29DD9FDEAF9CF6BD2F9F1FE28FE39FFA24F85BFA467DFE8E FA79FEB0F500CFFED2FEE3FACBFF05F672CF24FF35FB1DFFFF57F6C4CF76FF87FB6FFFA9F716CF C8FFFD9FBC1FFBF768C01AF02BFC13FC24FFDCFF073F084FC68FC79FD80F0C1F0D2FFFCBDF CCEF108F119F12AFD12FD23F15DFCF16EF038FD67FD78F20341B4F1C5FFFDADFBDEF8618205F 216FDFBF0CF8B29FF254F265FE4AF04DFE6CF2A3F2B4FE9FFFF2D6FEC1F2F8F309FEF4F32BF50 0C34DFFF35EFF46F380F672C39FF3B0FF98F3D2FFF6C4C3F1F402FFEAF424F716C443F4545FF03 CF47F768C495F4A6F08EF09FF24AFFF4EEF4CF0F4F1FBF53CF54DF138FFF149F583F594F5 A5F18DF19EF5D8F5E9FE74B3F1E2F1F3F203562FF640F228FFF239F8618680F691F276F287F8B2 96CFFF6E0F2C5F4C8F2E7F71EF72FF31AF751FFF33CF773F784F36FF7A6FA9BC7C8F7D9FFF3C1 F7FBFAEDC81AF82BF413F84DFB3FCFF86CF87DF465F89FFB91C8BEF8CFF4B7FFF8F1FBE3C910F 921F509F51AF6C5F969FFF97AF55EF56FF676F9B7F9C8F5B3F5C4FFF9FEFA0FFA20F608F619FA5 3FA64F92EFF365DF66EF2036AAAFABBF6A3F6B4FFFCD8AFBFB0CF6F1F702FD2D9B4AFB5BFFF7 40F943F762FB99FBAAF795FBCCF7B7FFFBEFFBFFF7EAFCC21FF16CC34FC54DF3CFFCF76FF68CC9 5FA6F88EFCC8FFBACCE7FFF8F8E0FD1AF00CCD39FD4AF932FD6CFFF05ECD8BFD9CF984F99 5FB40FDE4FDF5FFF9D9F9EAF1FE32FE43FA2EFA3FFE79F7FE8AFE9BFA83FA94FECEFDFFDA9 6716266F1206D6174E5A4ACF63101DBAC537562746C6520E8456D702E80733920F25FF36FEBF 47FAD0532E5AC491B001AF0EEF06FF74FF85FF96FF4FE33E5ACF6E552F0656665721AF01AE0FD 6FFE7FFFFF8F0096B79CFC66026F037F048F059FD1F01C426F6F527054AD40F7208708930087D 16C4269626CAD10E8677261FD007908930AEF00C381DBAC544F432048652E93003B7D7D7B5C 2AC641BF4F0FD2074F120FCC0303130B4353014D23214D31490381534043464F00037383664 36026306903265353334310C35381730161034633532BFC710B290C1C0C710EAE016D03317B0 3F18801534193EAD7014D1B840636680313165306131621AD0DC616514A01B9F1C8C331AF01 D71C314D00820666630391A161EEFFF15711FBD1F9D1E1222321F16221E2297FF249F25AF26BF 27CF28DF29EF2AFF2C0FFF2D1F2E2F2F3F304F315F326F33F348FFF359F36AF37BF38CF39DF3A EF3BFF3D0FFF3E1F3F2F403F414F425F436F44F458FFF469F47AF48BF49CF4ADF4BEF4CF4FA FF4F1F502F513F524F535F546F557F568FF7579F58AF599C6459952255B8F5C9FFF5DAF5EBF5F CF60DF61EF62FF640F651FFF662F673F684F695F6A6F6B7F6C8F6D9FFF6EAF6FBF70CF71DF72EF 73FF750F761FFF772F783F794F7A5F7B6F7C7F7D8F7E9FFF7FAF80BF81CF82DF83EF84FF860F87 1FFF882F893F8A4F8B5F8C6F8D7F8E8F89FFF90AF91BF92CF93DF94FE95FF970F981F3F992F22 3317B01A2122819AD23734F515043414C1361DA19B52EAE09B31FF1E629D1F9E2F9F3FA04FA1 5F15711A421714C1998F5AB663DB90643938B5A4F062A5103317811740391320EA6616906417 21621AF0238FA70622631A3036623211E03961FC3661A5801490231FAA1FAB2FAC3FFFAD4FAE5 FAF6FB07FB18F242FB38CB20FFFB59FB6AFB7BFB8CFB9DFBAEFBBFFBD0FFFB1FBF2FC03FC14F B26FC36FB48FC58FFFC69FC7AFC8BFC9CFCADFCBEFCFFCE0FFFCF1FD02FD13FC25FD35FC47F D57FD68FBFD79FD8AF20DE14C4D995139000DBC0</p>
PidTagRtfInSync	TRUE
PidTagSea	cb: 16 lpb: 4E4AB1FE831C50439C4C0BB97CC890B4

Name	Value
rchKey	
PidTagSensitivity	0
PidTagSensitivityRepresentingAddressType	SMTP
PidTagSensitivityRepresentingEmailAddress	eandersen@contoso.com
PidTagSensitivityRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSensitivityRepresentingName	Elizabeth Andersen
PidTagSensitivityRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTime	10:00:00.000 PM 2/13/2008
PidTagSubject	Fabrikam Project Status Meeting
PidTagSubjectPrefix	

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800

```

TZOFFSETTO:-0700
 END:DAYLIGHT
 END:VTIMEZONE
 BEGIN:VEVENT
 ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
 ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
 ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
 CLASS:PUBLIC
 CREATED:20080208T213320Z
 DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth
 n
 DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
 DTSTAMP:20080208T213320Z
 DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
 LAST-MODIFIED:20080208T213321Z
 LOCATION:Conference Room 123
 ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 PRIORITY:5
 RRULE:FREQ=WEEKLY;BYDAY=WE
 SEQUENCE:0
 SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting
 TRANSP:OPAQUE
 UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000010000000622C639E40D09342B747A1672730CBBA
 X-ALT-DESC;FMTTYPE=text/html:<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2//EN">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server version 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted from text/rtf format -->\n\n<P DIR=LTR>When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).</P>\n\n<P DIR=LTR>Where: Conference Room 123</P>\n\n<P DIR=LTR>Hey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.</P>\n\n<P DIR=LTR>Thanks,\n\nElizabeth</P>\n\n</BODY>\n</HTML>
 X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
 X-MICROSOFT-CDO-IMPORTANCE:1
 X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY
 X-MICROSOFT-DISALLOW-COUNTER:FALSE
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE
 X-MS-OLK-AUTOSTARTCHECK:FALSE
 X-MS-OLK-CONFTYPE:0
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 BEGIN:VALARM
 TRIGGER:-PT15M
 ACTION:DISPLAY
 DESCRIPTION:Reminder
 END:VALARM
 END:VEVENT
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	02:30:00.000 PM 2/13/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentRecurrence	cb: 80 lpb: 043004300B2001000000C0210000010000000000000000800000023200000A000000000000000 00000000000000000000003FC30CDF80E95A063000000930000048030000660300000000000000000 000000
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	02:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAutoStartCheck	FALSE
PidLidBusynessStatus	1
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E0080000000003046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
PidLidClientEnd	11:59:00.000 PM 12/31/4500

Name	Value
PidLidClientStart	12:00:00.000 AM 2/13/2008
PidLidCommonEnd	02:30:00.000 PM 2/13/2008
PidLidCommonStart	02:00:00.000 PM 2/13/2008
PidLidConferenceType	0
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	Conference Room 123
PidLidMeetingType	524288
PidLidOwnerCriticalChange	09:33:20.000 PM 2/8/2008
PidLidRecurring	TRUE
PidLidReminderDelta	15
PidLidReminderSet	TRUE
PidLidReminderSignalTime	09:45:00.000 PM 2/13/2008

Name	Value
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidResponseStatus	5
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000000300000002000200000000000000
PidLidWhere	Conference Room 123
PidNameContentTransferEncoding	8bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*~*~*~*~*~*~*~*~*~*~*~*\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:38:03.000 PM 2/8/2008
PidTagConversationIndex	cb: 22 lpb: 01C86A9A3998DFCDE0C489134DCB9043C1F10786BB9E
PidTagConversationTopic	Fabrikam Project Status meeting
PidTagCreationTime	09:46:20.686 PM 2/8/2008

Name	Value
PidTagEndDate	02:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1033
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000201c86a9a\$e4e37980\$aeea6c80\$@com>
PidTagLastModificationTime	09:46:21.388 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:38:09.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocalId	1033
PidTagMessageSize	5982
PidTagNextSendAcct	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagRe	SMTP

Name	Value
ceivedByAddressType	
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 0000000812B1FA4BEA310199D6E00DD010F540200000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: 44052000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1170 lpb: 8E040000481000004C5A4675C5EB0C9A03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E32222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A972645781941246E615150292E251C3536DF35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFF438F449F45AF46BF616F48DF49EF4AFF44C0F4D1F4E2F4F3A1AC050003E4151B0791AC06E632E4008003F010E2033FF595F5A6F5B7F5C8F75BF5EAF5FBF60CFF61DF62EF654F7E9F661F672F683F694FFF6A5F6B6F6C7F82AF6E9F6FAF70BF4EFBFC2A7E8D7F743F754F765F776F902FFF798F7A9F7BAF7CBF7DCF802F990F80FFFF820F831F842F853F864F875F9D1F897F678A8F8B9F4EFB486550D007406CFE2C8EAF8FBF90CF91DFA9EF93FF950FFF961F972F983F9A9FB2CF9B6F9CF79D8FFF9E9F9FAFA0BFA1CFB6DFA3EFA4FFA60FE54EF

Name	Value
	B4C14B05C27AC00042007803114B0207570508F53A17379777370C2722F21744FD0C3D00190746FBC20C4503FA0C4924601A005106BF75730218003606A51C1594FA96FAA7FFFAB8FC83FADAFABEFAFCFB0DFB1EFB44FFFD11FB51FB62FB73FB84FB95FBA6FBB7F5FD52FBD9FBEAFBFBF71BC542E016BFE73A85FC7CFC8DFC9EFE1EFC0FCD1FFFCE2FCF3FD04FD2AFEACFD37FD48FD59FFFD6AFD7BFD8CFD9DFEEDFDBFFDD0FDE1FB571BC4519707A01A014B068E07FFFE18FE29FE3AFFBCFFCDFF31FF42FFF4FFF4FFF9FFEAFE5EFE6FFE80FE91FEA2FEC8FF70B0F3A77F6B12F3B3F398F200532A10B386026337D1170
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 87AB580213DFC242B9AC2642E98BE799
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSearchKey	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSendingAddressType	SMTP
PidTagSendingEmailAddress	eandersen@contoso.com
PidTagSendingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSendingName	Elizabeth Andersen

Name	Value
me	
PidTagSe ntRepres entingSe archKey	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E434F4D00
PidTagSt artDate	02:00:00.000 PM 2/13/2008
PidTagSu bject	Fabrikam Project Status Meeting
PidTagSu bjectPrefi x	
PidTagTr ansportM essageHe aders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000201c86a9a\$e4e37980\$aeaa6c80\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmY383gxIkTTcuQQ8HxB4a7ng== Content-Language: en-us

3.4.2 Organizer's Cancellation of an Instance

Elizabeth cancels the May 28th instance of the status meeting because it conflicts with the company picnic.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAllAt tendeesSt ring	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidAllo wExternal Check	TRUE
PidLidApp ointmentA uxiliaryFla gs	0
PidLidApp ointmentC olor	0
PidLidApp ointmentC ounterPro posal	FALSE

Name	Value
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	09:30:00.000 PM 5/28/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentSequence	0
PidLidAppointmentStartWhole	09:00:00.000 PM 5/28/2008
PidLidAppointmentStateFlags	7
PidLidAppointmentSubType	FALSE
PidLidAppointmentMessageClass	IPM.Appointment
PidLidAppointmentSequenceTime	09:33:20.275 PM 2/8/2008
PidLidAttendeeCriticalChange	09:34:55.904 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBus	0

Name	Value
yStatus	
PidLidCalendarType	1
PidLidCcatendeestring	
PidLidChangeHighlight	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	09:30:00.000 PM 5/28/2008
PidLidClipStart	09:00:00.000 PM 5/28/2008
PidLidCollaborateDoc	
PidLidCommonEnd	09:30:00.000 PM 5/28/2008
PidLidCommonStart	09:00:00.000 PM 5/28/2008
PidLidConfereencingType	0
PidLidContactLinkName	
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidExceptionalAtteendees	FALSE
PidLidExceptionalBody	FALSE

Name	Value
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C3046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	0
PidLidIsException	TRUE
PidLidIsRecurring	TRUE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 123
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	09:34:56.904 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE

Name	Value
PidLidRecurrencePattern	every Wednesday from 2:00 PM to 2:30 PM
PidLidRecurrenceType	2
PidLidRecurrenceType	48
PidLidRecurring	FALSE
PidLidReminderDelta	1525252321
PidLidReminderSet	FALSE
PidLidReminderSignalTime	09:00:00.000 PM 5/28/2008
PidLidReminderTime	09:00:00.000 PM 5/28/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	5
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTask	FALSE

Name	Value
FRecurring	
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZone	13
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000030000000 20002000000000000000
PidLidAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidWeekInterval	1
PidLidWhere	Conference Room 123
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagBody	When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*~*~*~*~*~*~*~*~*~*\n\nCancelling the May

Name	Value
	28th meeting due to a conflict with the Company Picnic.\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:34:56.013 PM 2/8/2008
PidTagConversationIndex	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F00000E4080
PidTagConversationTopic	Fabrikam Project Status Meeting
PidTagCreationTime	09:34:55.888 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	09:30:00.000 PM 5/28/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	2
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	28591
PidTagLastModificationTime	09:34:56.013 PM 2/8/2008
PidTagMessageClasses	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveryTime	09:34:00.000 PM 2/8/2008

Name	Value
PidTagMessageFlags	12
PidTagMessageLocationId	1033
PidTagMessageSize	10773
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	3249022936
PidTagPriority	1
PidTagReadReceiptRequested	FALSE
PidTagRecipientReassignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: 64062000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5773 lpb: 891600001A5D00004C5A467533CC81F007000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66

Name	Value
	C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF53105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DFF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFFF6A7F925B8F996CDFACDF6EFAA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8FE2958CFDF4FEFFFFA2095C9FC43FF2FFA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FE1F929 FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889AF 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7F275F286F4CC529EF4AEF59C FA93838FF2DC4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A067689CF0E0A07015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E290149A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E7073E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267 309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E69DA0B 6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880ACC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFFC9A985E 0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76F62456E40696C53975268B031B777838E F0F010767821971055D140F99660776EE356A611E3F2E51385E0FE37F0D06F81A60209604B50E 8D1E5133FD055E513A645E5A4A3B04B603030CA39EC616DA4C16850BB90E9A395ABF2336B60 6DF8106B42955251EAE5537562EB5173A6F16CFA46FC3063EB5173F0BC80AAD15F50A86D6C4 D4E6067EB3372EDB7D98F114A63ED71BBB249B36078F0CF4EA0F8E0EB519550744C6D90EB51 A904A07279F091318EC378ED903E6EBE20E402F1B49DF0BE707470383A2F2FB47097A06E4073 2E5DD610635FF0E080AD702EE1012F45F43066FC60652F77780064BE2F4B50C370F513ED9077 905C90A1B5B5907785E032F021F653686B32FFEB51EDC1AE80F013EDC1AF30F836EFF5B5EDC1 62F00367BDA096F0729571FFBE3004E0BB407410BB11AD10BB40B6D171AD706E626ABC6078F 0A7F06FF663AD41ECB06B96D0A8409DE0FCD4FFA4940070C1518F00AC0096E1EAE0788038737 973A490EFE183616C793DAC0076ED9078A0FEB895916764F5A4D06178A266FCA1E3D0EFD1B5 31FE7656410171A410ED905F509790AD10EE70C130B48003906CADC0A41295D0F7C4F07800D 60178788077D0AC10EFD1F978A07361A840955002B3F1C105D17F0391F1C1B5905FF04E705F5

Name	Value
	096607853C130F2F06F7978F05CA41070FF9790781060309660BC31B6D0BC80FCC0CE64AC107 830F1F06264B76096607FBC81B480A491CD01A4929790BDE065F25C0390727AFA2B860F7D29 5509D0C71680AB37110007167760D49FF0C01BE509550E6F00DB30EC40E73038277FE910DE11 0536A08A16020C4A076F94550776BB3516B6011B2B4705640EFC401F6F1F9E0B97265BDE0131 5A490F796E0A501000074E49095500BE0FC01FF14A7BE706E40BDA0BC809651F1E0BE70FFBDE 17821CCF0255020D0DE00F1E0C111FF09F2B351BA8014B012A1BB407830AD21FF14A17821781 0B911F1E0EAF10B210BE0F79660EAF1BBB0701712A3F090B0BDB0FFC4729550B482C111D8A1F 4D0B490D661E7FF40B490BBA17070A960BB40BC61FE6960201A36A6025FF096E0E8F69650FF3 9107821A5D2BC304E1096608960AD10FFBD92F4D0BC50A9C104D1EC309750A491EF5650BE20 9651B3516EEAE1AC9025B09FB4901A21B490E3D096516378BC80FF95F0C9A195D0B3600981D8 C024110871FB96609E2063F1F117129E202403BDA0BB9550B6E06825731472F30067BB72FDFF D16302B016537820EB00263274300718F2288202B0747862785CFF1A50C5004E70A400BC5012 A0F3610551FE6C17A1741009313D40E111A4D2C3F0CBA4308ED27701D1666D29B0E2B0FDFA8 120F6D00F309642C3F0A4D034F0BF4E9008E096E0BB5085D095D06CA490EF6E4012A018B0F1E 0759610DC42BB71FFA3D1FB11A9F1FAD59582A41078A0FC71FFA970B5900BE03183BC0430903 173E8BA3F9730FC0397118EF0BD20FB016C76FF0351BD21F3F0BD50361195F078103692FFB351 EFD150A0F6F1A970C1419711BD20F32A8095F0202EE3643616635036B2FFDC51371F382F393F3 6706730BD208F10EFFC03B0F3C1F3D2F6C6B60BD20DB00F73ACF3F9F40A529398C6F906F4 35FFD4085626E704CB1448F364355B0422FFF46FF480F491F366168D04A7236FF4BDFFF4CEF44 FD6D004A7F500F511F522F3661FF5B704F0F54AF55BF56C5F641B630F640FFC1309550DC33BB7 2BA5FBB6FBC7FBD8FFBE9FDADFC0CFDC5FC2EFC3FFC50FA3B17F6AF0D2CF646ADDA12501AC F0E6882072571380E3A6BE07880A40073510170792C20EDB0792E60386B6CE0F571382E603A E940AB404D1E2D6DD0E9106E1176B0474D54962DAF506DE129AB416369F4D10375B376B0555 320262043837470608061292E0D0A5BB2F76BE278D06C3043AC00668078D01C216B765176702 085E033714571452AFE7E743F735C5BA45C6F5D7F5E8F5F9FFF60AF95B65BB258C0E8C968CF69 DF6AEFF770C1B482FE6120ADD097006D04E971FF7DBF7ECEA950D0F16AFDA77079B0B7D0DF7 CDAADD0820F831F7FAF2070302B40CD8122648CD081506F2040F00561FFAFE0F4E0A4E077F0A DD0815372202CB1DA6E6D2050F4E014E063397086DFFF87EF849F85AE75D635D208110252975 3077606CA07B00F0A061783236FFDD3092F1D8A0FD10D8D078D17BB19301FFD60778D12FE0 92F1A9689576C8959456FFA52678D1A640E9803C7A410B4801B20F7F45194BAD3A295DA9AD 4C89562E197D9FF9AD493F46220A6C599FF9B0F9C1FA544FF7D709DAA13828122E340A0DFA1E FA2FBEE32A3DFA4EFA2EC33A6EFA7FAA2ECE34A9FFAB0FA2EC35AD0FAE1FA2ECE36B01FB12 FA2EC37B32FB43FA2EC6E38B63FB74FA2EC399EC3BA6633FFBAEC7A906FF0A3C4BCAFBDB8A6 D4BEBFFBDB8A9E4C0CFBDB8ACF4C2DFBDB8B004FFC4EFBDB8B314C6FFBDB8B624C90FBDB8 FFB934CB1FBDB8BC44B99FCD6364329DC8FF12A01B20BA80E4A09ED9F9FEFC1FBA84FFDE729 DB970102FB1CCDB9CA49DE6ED41FF79026F81ECA001D062008BD0EA72D1EFFFD2FFD40F516 D79CEBE1FE50D696DA2F7FDB3FDC4F2070F6C0BD9C7B10057067DFDEEFFDFFE10FE2169D8C4 52CB079B05D1F0073E3DFE4EF97D935BAEC547924C220476711E8E3E52E9DE650FB03D62E415 40461E8EFED5FE5FFD72F7F9E24DE500AC1FE61F01FF12F97D936FD9D8C4C7B32DE500BB1F50 FF61FF72DFFD79CF8F4F8F022B0F9CFFADFF75AE29C7FF8F4ED07FE7FFF8FF7A568B09DAA4DFD 2BB0697A20F946A3B502DF03EFF7A5FE34057F0689A6D4079F08AFF7A5D09CDF0645FDE2072F 0CFFF73C360EFF1006F70BFF119FF74B37138F0681ED02107FFF161FF73C6DB0182F1935151F1A BFF74BBFAEC18EAA9E41E9F1FAFBA84379D8CFA4458C06BFDFF239F24AFD79C7220FF93F02D B07910F94F27BF28CF2581E29CFF2AE726EF2CBF24BE056C2AE7024F314FC7F71F011FF937204 16372A09260FF199F35FFFBCF381F103339AF3ABF3BCFFF00DF01E83E8F3F9F40AF052F063F437 FFF448F459F09EFA0FF48CF49DF4AEF0EAF8F0FBC4E1CED9FD805526576E8C0FFD1BF4F8FF20F CD094C3C1033D8F7561F8F572F583FE216BAEC51756F9240DF5B8F5C9F5DAFCD3625BC499260 6C10FF5480600F611F506F136F14794E1F664FFF675F17CF18DC6A5F6B6FC7C1F51D6CFF6F7F 708F719F20EF21FC749F75AF76BFFF257F268879BF7ACF7BDF29CF2ADF7E9FFF7FAF80BF2E8F2F 9C83EF84FF860F331FFF342C890F8A1F8B2F37AF38BF8E531E3FFF8FBF3C3F3D4F88D993CF94D F412F423FFF8DF998BF99CF461F784F483F9DAF9EBFFF4B6FA0DF4D8FA2FFA40F50BFA62F52DC FFA84FA95F67DFAB7F69FCAD6FAE7F6CFFFB09F6F1CB28FB39F721FB5BF743CB7AFFFB8B773 FBADF95CBCCBDDDF7C5F7D6FFF981FC25FC36F81AF82BF932FC73FC84FFF86FF880FCBAFCCB FCD8CF84F8D5FD0FFFD20FBEAF919F92AF22BFD75F95DFD97FFF88CADB7FDC8F9ADF9BEF8DF 9E06FE17FFF9FCBFFFA1EFE55FE66FA51FE88FA73FFFAAFEBBFAA6FEDDF52DCEFFFF10FAF8FF FF32F69FCF51FF62FB4AFF84F6F1CFA3FFFFB4FB9CFFD6F743CFF5F006FBEEF028FFF795C047F05 8FC40FC51FD0CF0A0F0B1FFFC95FCA6FDADF0EEF0FFCFCEAFCFB135FFF146F157FD3FFD50F18A

Name	Value
	F19BF065FD94FF9DA5F20341E1F1F2FDDAFDEBF88E8FF232F243FE28FE39F8DF9281F292FE77FF07AFE99F2D0F2E1FECCF303FEEEF325FFF336FF21F358F52DC37AF38BFF73F3ADFFF69FC3CCF3DDFFC5F3FFF6F1C41EF42FFFF017F451F743C470F481F069F4A3F795CFF4C2F4D3F0BBF0CCF277F51BF52CF110FFF121F228F569F57AF165F176F5B0F5C1FFF5D2F1BAF1CBF605F616F4E0F20FF220FFC203565CF66DF255F266F88E86ADFFF6BEF2A3F2B4F8DF96FCF70DF2F2F4F5FFF314F7ABF75CF347F77EF369F7A0F7B1FFF39CF7D3FAC8C7F5F806F3EEF828FB1ACFF847F858F440F87AFB6CC899F8AAF492FFF8CCFBEC8EBF8FCF4E4F91EFC10C93DFFF94EF536F547F6F2F996F9A7F58BF59CFFF6A3F9E4F9F5F5E0F5F1FA2BFA3CFA4DF7F635F646FA80FA91F95BF68AF69BF20FE36AD7FAE8F6D0F6E1FD098B28FB39FFF71EF72FFD5A9B77FB88F76DF970F78FFFBC6FBDF7F7C2FBF9F7E4FC1BFC2CF817FFFC4EFF43CC70FC81F869FCA3FF95CCC2FFFC3F8BBFCF5FFE7CD14FD25F90DF47FFF039CD66FD77F95FFD99F08BCDB8FDC9FFF9B1F9C2FB6DFE11FE22FA06FA17FB1EFFFE5FFE70FA5BFA6CFA6FEB7FEC8FAB0F4FAC1FEFBFF0CFDD667166F3F06D2C6174E874AFC631DE7C57350062746C6520456D707D3150733BF0F52FF63FF74FAFD532FDE87C491DD01DC0F1C0FA1FFB2FFC3F0DF7CE33E87CF9B552656665FE721DC01DB0003F014F025F0366BA6C3FFF36053F064F075F086FF2EC426FFA6F554054B010F9F00B630357D43C104269626CAFE06772613DFFD0790B630DBF0393DE7C544F104320486531633B7D7D607B5C2A5C64F7C0FFF07483F30FFF90303130353017A2963217A317603818043464F2D04037383664366309603280653533343135381A00E118E034633532C9E0B560C490F7C9E0EDB019A0331A801B5018041C0E07B04017A1BB10636631316590306131621DA0616517707B1E6F1F5C331DC0204117A00AF066F86630391CE621BF1841228D226DFF20E2250221E624EE2567276F287F298FFF2A9F2BAF2CBF2DCF2EDF2FEF30FF320FFF331F342F353F364F375F386F397F3A8FFF3B9F3CAF3DBF3ECF3FDF40EF41FF430FFF441F452F463F474F485F496F4A7F4B8FFF4C9F4DAF4EBF4FCF50DF51EF52FF540FFF551F562F573F584F595F5A6F5B7F5C6CFE645C6524F55E5F56F607F618F629FFF63AF64BF65CF66DF67EF68FF6A0F6B1FFF6C2F6D3F6E4F6F5F706F717F728F739FFF74AF75BF76CF77DF78EF79FF7B0F7C1FFF7D2F7E3F7F4F805F816F827F838F849FFF85AF86BF87CF88DF89EF8AFF8C0F8D1FFF8E2F8F3F904F915F926F937F948F959FFF96AF97BF98CF99DF9AEF9BFF25031A80A71CF125519DA2373417D4341791FE3620719E22EDB09E0121329FEFA0FFFA20FA31FA42F18411D1217919C5F5D86A263DE60643938A7C062A7E056331A511A103915F0661960647D19F1621DC0265FA9D61DC09E3039C111603239613661A8501760FF25EFAFEADFFA0FB01FB12FB23FB34FFFB45F26FFB65CB4DFB86FB97FBA8FBB9FFFBACAFBDBFBECFBDFC0EFC1FFC30FC41FFFB53FC63FB75FC85FC96FCA7FCB8FCC9FFFCDAFCEBFCFCFD0DFD1EFD2FFD40FC52FFFD62FC74FD84FD95FDA6FDB7F23AE17940BDC65166000DE90
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 7C15ABCFE6051740ABF0D32FD4D60241
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSent	Elizabeth Andersen

Name	Value
tRepresentingName	
PidTagSchedulingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartDate	09:00:00.000 PM 5/28/2008
PidTagSubject	Canceled: Fabrikam Project Status Meeting
PidTagSubjectPrefix	Canceled:

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:CANCEL
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Standard Time
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com
ATTENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
ATTENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
CLASS:PUBLIC
CREATED:20080208T213455Z
DESCRIPTION:When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n\n*****\n\n*\n\nCancelling the May 28th meeting due to a conflict with the Company Picnic.\n
DTEND;TZID="Pacific Standard Time":20080528T143000
DTSTAMP:20080208T213456Z
DTSTART;TZID="Pacific Standard Time":20080528T140000
LAST-MODIFIED:20080208T213456Z
LOCATION:Conference Room 123
ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
PRIORITY:1

```


Name	Value
PidLidAppointmentStartWhole	09:00:00.000 PM 5/28/2008
PidLidAppointmentStateFlags	7
PidLidAppointmentSubType	FALSE
PidLidAppointmentSequenceTime	09:33:20.000 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	0
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC801000000000000000010000 000622C639E40D09342B747A1672730CBBA
PidLidCommonEnd	09:30:00.000 PM 5/28/2008
PidLidCommonStart	09:00:00.000 PM 5/28/2008
PidLidComparingType	0
PidLidExceptionReplaceTime	09:00:00.000 PM 5/28/2008
PidLidFInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00807D8051C3046642B576AC801000000000000000010000 000622C639E40D09342B747A1672730CBBA
PidLidIsException	TRUE
PidLidIsR	TRUE

Name	Value
ecurring	
PidLidLocation	Conference Room 123
PidLidMeetingType	524288
PidLidOwnerCriticalChange	09:34:56.000 PM 2/8/2008
PidLidRecurring	FALSE
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminderSignalTime	03:00:00.000 AM 5/28/2008
PidLidReminderTime	09:00:00.000 PM 5/28/2008
PidLidResponseStatus	5
PidLidSmartNoAttach	TRUE
PidLidWhere	Conference Room 123
PidNameContentTransferEncoding	7bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	When: Wednesday\, May 28\, 2008 2:00 PM-2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 123\n~*~*~*~*~*~*~*~*~*\n\nCancelling the May 28th meeting due to a conflict with the Company Picnic.\n

Name	Value
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:38:03.000 PM 2/8/2008
PidTagConversationIndex	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F00000E4080
PidTagConversationTopic	Canceled: Fabrikam Project Status Meeting
PidTagCreationTime	09:46:20.655 PM 2/8/2008
PidTagEndDate	09:30:00.000 PM 5/28/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	1033
PidTagImportance	2
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000101c86a9a\$e4bae2e0\$ae30a8a0\$@com>
PidTagMessageClass	IPM.Schedule.Meeting.Canceled
PidTagMessageDeliveryTime	09:38:09.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocalId	1033
PidTagMessageSize	6298

Name	Value
e	
PidTagNextSendAct	00000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Canceled: Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: 24052000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1049 lpb: 15040000430D00004C5A467505CAF70503000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B5335B044614473012BF02003403C643F9074069620510028011C308EF09F7B63B1A1F0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671EC03300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432180444454442094332E32218045F84E223E11C31F371FE00AA3231CFC31391FF020A2230D14D0241F23D1E31ED02570454144230D0EF126EF050E10360EF03C4D455441C507B0412B103D224709F0049014617405B02216F04F4E544D22D0542BA005E1457814616EF4676506527613112DF100900220402030382E30302ED0367438312ED13022FE297F25033782371FF05449544C4525CEA6340EF0246D38351FF02F323F7F306F1F55338134D0284F269F1F6435C116E03C42

Name	Value
	4F4459230D1E4147393F1FB13A61212D2D16F16E552DF1740980200352203E0078FC742F00213E3005B000C005403D702F3ADF3BEF408F1F643628115020804449523D4C54522300BF1F433EE2000044451E4144465C1F80CE720AB1460214605C71032144E7051EFB3828115350414E201A4C48E0472BA009F02D75734722F1443F478E3134381FF046E12C81204641432B9118B549CCD318104709576809F03A4F100980C12BE0736461792C05D04FF078203238501001D02EB050603A532EE020E04D2D5100335132206028474D542D2EB05111296F20E000D006900DE020076251F055C305F047BE26616D70028049F7262644D818A16E614FE0292EF9247C353634C14C5249D949E7479DFE3914D034D048C2587F452B0AA259287F0A8145870AB15DF8479D01C034C150FF3FBF421F61AF42EF43FF450F461F5F1FFF483F494F4A5F4B6F4C7F4D8F4E9A1A20CB4F603DA16670616E632DA00800FB3E610E2033570F581F592F5A3F736FFF5C5F5D6F5E7F5F8F609F62FF7C4F63CFFF64DF65EF66FF680F691F6A2F805F6C4FE76D5F6E6F4E5B2A7E8B2F71EF72FFFF740F751F8DDF773F784F795F7A6F7B77FF7DDF96BF7EAF7FBF80CF81DF82EF83FFF850F9ACF872F883F894F4E5B56817130FE6C18D02D803E804F3050258C5F8D6FFF8E7F8F8FA86FA97F9EFA00FABEFACF8C6559611AEB97375701311AF5FFFA21FA32FA43F9B93A640A6EFA7FFABCFFFAA1BB11BB93FAA1FBB4FBC5FAD4FAE5FFFBECFB38FB49FB5AF5633078014B0A60286640A503E806F20612005A0FB70D018D063054003F0A640A6330850B754F000705050500DE003006356FFFB81FBE9FBCFECB6FCC7FC01FC12FCEFFFFCD3FCE4F91BF92CF93DF94EF95FF985FF7DAAF39C8C3C12F3A9F38EF1F6532010B37C025937DE120
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: C048B5D02653A341AD26DE38FC05E1B4
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmail	eandersen@contoso.com

Name	Value
aiiAddresses	
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSequenceKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartDateTime	09:00:00.000 PM 5/28/2008
PidTagSubject	Canceled: Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Canceled: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000101c86a9a\$e4bae2e0\$ae30a8a0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=CANCEL; charset="utf-8" Content-Transfer-Encoding: 7bit X-Priority: 1 (Highest) X-MSMail-Priority: High X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmQGdagHwAADkCA Content-Language: en-us Importance: High

3.4.3 Organizer's Location Change of an Instance

Elizabeth realizes that she mistyped the Conference Room number, and sends out a meeting update.

The following are the properties on the Calendar object that Elizabeth sends:

Name	Value
PidLidAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidAllowExternalCheck	TRUE
PidLidAppointmentA	0

Name	Value
AuxiliaryFlags	
PidLidAppointmentColor	0
PidLidAppointmentCounterProposal	FALSE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	10:30:00.000 PM 2/13/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentProposalNumber	0
PidLidAppointmentProposedDuration	0
PidLidAppointmentRecurrence	cb: 84 lpb: 043004300B2001000000C021000001000000000000000008000000232000000A000000000000000 1000000A08DC50C00000000003FC30CDF80E95A0630000009300000480300006603000000000 0000000000000000
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	10:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAppointment	IPM.Appointment

Name	Value
MessageClass	
PidLidAppointmentSequenceTime	09:33:20.275 PM 2/8/2008
PidLidAttendeeCriticalChange	09:36:00.420 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidCalendarType	1
PidLidAttendeesString	
PidLidChangeHighlight	136
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000 0000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	11:59:00.000 PM 8/31/4500
PidLidClipStart	08:00:00.000 AM 2/13/2008
PidLidCollaborateDoc	
PidLidCommonEnd	10:30:00.000 PM 2/13/2008
PidLidCommonStart	10:00:00.000 PM 2/13/2008
PidLidConflictingType	0
PidLidContactLinkName	

Name	Value
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidFEoptionalAttendees	FALSE
PidLidFInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000001000000622C639E40D09342B747A1672730CBBA
PidLidIndexedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidIsSilent	FALSE
PidLidLocation	Conference Room 1234
PidLidMeetingType	131072
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	Conference Room 123
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	

Name	Value
s	
PidLidOwnerCriticalChange	09:36:00.420 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	every Wednesday from 2:00 PM to 2:30 PM
PidLidRecurrenceType	2
PidLidRecurrenceType	48
PidLidRecurring	TRUE
PidLidReminderDelta	1525252321
PidLidReminderSet	TRUE
PidLidReminderSignalTime	10:00:00.000 PM 2/13/2008
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	5
PidLidSideEffects	7265
PidLidTaskActualEffort	0

Name	Value
rt	
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFREcurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0
PidLidTaskVersion	1
PidLidTimeZone	13
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000000030000000 20002000000000000000
PidLidAttendeesString	sito@contoso.com; pcook@contoso.com; aweiler@contoso.com
PidLidWeekInterval	1
PidLidWhere	Conference Room 1234

Name	Value
ernetCodePage	
PidTagLastModificationTime	09:36:00.561 PM 2/8/2008
PidTagMessageClasses	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:36:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	1033
PidTagMessageSize	11174
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginalSensitivity	0
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagOwnerAppointmentId	3249022936
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReassignmentProhibited	FALSE

Name	Value
PidTagRecOrdKey	cb: 4 lpb: A4062000
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 5832 lpb: C41600003D5D00004C5A46755D154F9907000601010B606E6731303266350064007263700DD0 0E00321D0C60630D4401340131737473E26805706263681035090010C03433371044680EB011 8762699311910D773333131666651393F87468650780135714C7145001403914C7637301E802 A412D064698F0336020010C00AC073657402D1507072713200002A0AA16E5A6F1940200DF01A 913613A030383530341B1101D01B00347DF3076D02833334180F191F1A281B42C71B041AE21F E17D436106D00721FD05D06114C01CD411A01D5603E31E2F3F19FB01301B621AA21B4020C66 C69FB21511CD4311B2017FF235F1A1F1B2FFF1C3E27010050275F286F297F2A8F2B9FFF0F202C CF2DDF1F7F208F26A713C0323FFF334F2EEF2FFF310F1D3F381F392F3A3FFF3B4F3FA00E103C9F 3DAF3EBF3FCF40DFFE36225F430F247F258F26982248428F6F490F44AF45BF1CD4394C5F4D643 21433384DD420076D2043457F02834F90519F52A53C62535F546379CE7254C4321F4D5531362 CA156FFF503824709D16B54C4370F59E758D17B5AAF038254087054C43C7F59E637C722415E7 F0382284865215007D0FE2954C441EF6167532F6306071001A0EF0EB063E54758597D38475166 2F0382FA420740740EB054C44C4F59E75CA1CB6A2F6333560890746E21300790FE6563E411905 18F529F212A54965310FF552F563F72AC5855531058DF59EF72ABFF5BF853105CAF5DBF72AB5F C65310685FF7696F72AB6B7A30708847FC720A2653FF54970DE082AF752F84C658560EF085DF 778BF84C55BF9317B4889AE7CE884D4FF5FC75A508C7F7FFF84C56B7926F265F1FF7F0F52CF53 DF26C5708F86DF955F7706FD2700312CAF8A1F5AFF7A989AB1779FFF8D7F5ECF7E469AB17B4F 616F6E5F638AFF9AA2605F656FA4EF678A9AA2645F90BFF6A7F925B8F996CDFACDF6E6FFA6589 33FF7944F992F966731970F981FB5CF9A38DE329AEF9BFF9D0F9E1A329EEF9FFF7FA10FA218B5 20BF6FA3EFA4FFA60C32FFA6FFA80FC55FAA2D0E01C78FAC5FAD6FFD927932AF3FB04FC98FB26 FBB21B3AFF7B4BF2126965832B77FB88FD6379A38DF26F0D77F8A2F21359E0B33BF5FC06FFB2 126A20933CB9FCCAF2126924CB532FFE1DFB4EFB5FFDA55D76FD87FE75F9A38FF85A0E91FBC7 FBD8FE9E2958CFDF4FEFFFAA2095C9FC43FF2FA5EE604FC86FF6DFFFAA1E644FE2AFFB0F924C6 84FD0AFFF3FBFD2CFECA2E53FE64FEB2F966734E90FFFEA1F07CF9A389AC0098FEE0FEF1F9E29 FFBB300D6FF20FF31F0CB8F4CFF5DF035FFFA5FDECC0154FFA1FFB2FAA3C0D30197FF7FE4FFF5 F926A35013F024F1B8F046FDF0D2105AF06BF0B9F966735097F0A8FFF283F9A380EE22A1F0E9F 0FAF9E4712E2FF2DFF129F13AF2D46153F164F23CFA5FDDE36196F1A7F37CFAA2D361D9F1EAF B1FBF925B3621AF22BF3BFF24DF2D91FF2618833F844F2D37829F2AFF87EE92F1DE372DC889A 8ABF9E2937890F32DFFF8E8E4CF23E08904F915F926A3B62424F7275F286F4CC529EF4AEF59C F9A3838FF2DCF4E4F2FEF9E1A778F51BF616FA209EF7B3F36AF656FA5EE3839DF3AEF695FFDAA 2D383E0F552F402F925B7ECF431F0771AF453C92B1636F6C6F72A074626C3B5C9E106485C01A 679E116E85C07830756530F5785F65CB8035798A7AA17A5F7B69FF79747B9279FF7DCF7D8D7D 0F7B3F798FFA659ED038835A8471842F853979747F856283CF879F875D86DF850F88D4393F635 08C248D8185A38D8092A22A5C54646560517074113368D17325BF40208EC670618F61716C3F7 410565078A0E0A078A04DE06463B4746C90A07291A0AA30708F11C46175AE605C617390A0920 0A34E5093026E756D96A06192C004746F9300646A757374F9E0A0676892F0E0A079015650790 114697490B03090105C6E6F867155D16E306F7465209A70A994C0796C6DB0689E20749A70FF9 0FF920F931F942F953F836099006060C9604173317410616678A09E208B8FE19A106C60206731 30CB807F98219BE09D949D318F9698309EE333DB67309ED26685D0A11263896073E039A0B36 E70A109A2A47410736EE86578749D3173968078006E40B674A3D155E069780095E079A442479 7504E7073E039393068B039FE366DD0A4A278408EC39DD19D319B903B73F0AE707697009730 B2E06D699E6873E08F106E609730756EA8D15E659BC07880A4F99DF04499B4201A504E606189 6090B0682046E86F6E748EB4749DE05F50AC90AD5FF077A2409BE066AC905773E07874684267 309BE090A0A7F06C979F106D00AE2472AE98666CAE062BAD70B00762B00772AE026362FF90A0 4EA0B1F29091B26278309550789113B32497507065AE01736365BC6C6C98C1ADDD0AD71B3817 3A840BF7810CEC1AC81C680AF20B5E66CB5F5CE62B5F59940B6046467B6E6B860F7B7E69DA0B 6047690DF98FF9A0F9B1FFF9C2F9D3F8FA19E6F9F7FA08FA19FA2AFFFA3B7ACB0A86FA97AA486 A6C475B0CAB0FF9770A727C1A1A7E89D6DC1BCBC3077C0F66675A0973062BC707880AC00A7A 27FC6EFA998A5E47530592049C0962048FFB411B6D09550DDA3A763A6A0CA8FCB9FFCCA985E

Name	Value
	0CD6FCE7FCF8FD092ABF0B4A0FFAD107880D0DF68B0D20F9DBEC1BFC2C4BFB2B0A442D53FD6 46A52AD0F173AC00C7C951973077D06D706F04E0D76F62456E40696C53975268B031B777838E F0F010767821971055D140F99660776EE356A611E3F2E513E8C0FD753039E8C0E513D055E665 63405400FF6F90A609E5136D03DF08D800120EC61726DA4C16850BB90E9A3ABF233656B606 DF8106B429552EAE553947562EB5173A6F16C46FC303E63EB5173F0BC80AAD15F506D6C6A4D 4E6067EB3372EDB78F114AF663ED71BBB249B36078F04EA0F8E073EB519550744C6D90EB5104 A072AA79F091318EC378ED906EBE200FE402F1B49DF0BE7074703A2F4E2FB47097A06E40732E D61063575FF0E080AD702EE1012FF4306691FC60652F777800642F4B506FC370F513ED9077905 C90A1B59077EF85E0E94078A0F653686B32EB51EDC17FAE80F013EDC1AF30F836EFF5EDC162E DF00367BDA096F0729571BE3004E07FBB407410BB11AD10BB40B6D1AD706E9C626ABC6078F0 A7F06F63AD41FDECB06B96D0A8409DE0FCD4A49400703FC1518F00AC0096E1EAE0788073794 E73A490EFE183616C79AC00764FED9078A0FEB895916764A4D061BD78A266FCA1E3D0EFD1B5 31765641BF0171A410ED905F509790AD1070C130FBB48003906CADCOA41295D0C4F078007DD 60178788077D0AC10EFD178A073FE61A840955002B3F1C105D10391F1C1DFB5905FF04E705F5 0966078C130F2F0D46F7978F05CA4107097907810BF60309660BC31B6D0BC80FCC064AC10F37 830F1F06264B7609660BC81B4809FA491CD01A4929790BDE0655C03907C727AFA2B860F7D2 95500C7168E70AB37110007167760D490C01BE50FF955011200DB30EC40E730382FE910DE15D 10536A08A16020C4A076455077FE6BB3516B6011B2B4705640C401F6F1FBF9E0B97265BDE013 15A49096E0A501FD000074E49095500BE0FC0114A7BE70FF6E40BDA0BC809651F1E0BE70BDE1 7821FFCCF0255020D0DE00F1E0C11109F2B351FFBA8014B012A1BB407830AD2114A17821FF78 10B911F1E0EAF10B210BE09660EAF1FDBBB0701712A3F090B0BDB0C4729550FFB482C111D8A1 F4D0B490D661FF40B490B9BBA17070A960BB40BC61696020BF1A36A6025FF096E0E776A40077 7821FFA5D2BC304E1096608960AD10BD92F4D0FFBC50A9C104D1EC309750A4915650BE20FB9 651B3516EEAE1AC9025B0B4901A21E7B490E3D096516378BC8095F0C9A1FF95D0B3600981D8 C02401087196609E20FE63F1F117129E2023BDA09550B6E06E6825631472F30067BB72FED16 3FF02B016537820EB002622743018F22872C102B0747862785C1A50C500BF4E70A400BC5012A 0F36105516C17A1FF741009313D40E111A4D2C3F0A4308ED2727701D1666D29A0E2B0FA8120F FE9400F309642C3F0A4D034F04E9008E0EF96E0BB5085D095D06CA4906E4012A0FB18B0F1E07 59610DC42BB71A3D1FB11FFA9F1FAD59582A41078A0FC71A970B590FF0BE03173BC043080316 3E73AFF70FC12CF97118EF0BD20FB016C760351BD21FFF3F0BD5035F195F0B103672B351EFD 1FF50A0F6F1A970C1419711BD202A7095F0FC202EE36435F663503692DC5136FFFF380F391F36 506730BD208F10FCC03AEFFB3BFF3D0F6C6B60BD20DB003AAF3F7F7D408529396C6F903E4F43 3F406562FF6E704CB1446F362355B0420F46DF47EFFF48FF364168D0A45236DF4BBF4CCF44DDF F6D004A5F4FEF50FF520F36415B704EEFFF548F559F56A5F641B630F640C1309550FFDC33BB72 BA5FBB6FBC7FBD8FBE9FDADFFFC0CFDC5FC2EFC3FFC50FA3B16AF0D2CF9F644ADDA124F1ACF 0E8C920571380C06E3A204F63632F206DC0DF0231F1106BD07880A4007301706CF08F8F20666 05DC0A832322F31F5A0D9F571382074322E503AF580AB402C4D2060306F31336F732847584D5 42DAF506F5129AB41630E69F4D175B376B0555320260C20437470606061292E0DDE0A5B926B D278D06C2043AC006660FF78D01C2176516F1185E0EAB072E572E5FC2A7E75EF750C5B845C4F 5D5F5E6FFF5F7F608F95B65B9258A0D02968BF69CFD6ADF2873C0B7D0FB11A9E140D0B4017F 6FD05C21ADD0970073CE7BC1FF2072B229750C48656CF0EC612C750CE24C2B3172717596E26 C9071D0FD2B302030B06CAF6FC1FF501C2088B27FAC0083A358812F106C90F43083A346B3C99 066F06B616F20E9F06F11309779D072D672E5440116B7386B6FA4502D07AC9902F41E9717F5 F806FFF6AFCA7707B60B7D0D029778635B208113F0252975379106D607CB0F0A06178FC3236D D309521D8A0FD10D8D07A81FF7D619531D6077A812FD09521A96897A6FFC8959686A5267A81 A640E98095F7A410FFB4801B20790196EAD3A2980A9D04C895FF62C19A099D0496246200A6C5 9C2F9D3FFB9E4FA544399FCB1382FE6174B0A0F377A34FA45FA56732A60FA71FA51C3377A91F AA2FA51C34AC2FAD3FA51C3577AF3FB04FA51C36B24FB35FA51C3777B55FB66FA51C38B86FB9 7FA51C39FFA0F3BC96E6209FCB7C407190A5F4BEDFFFBE8A904C0EFBFE8AC14C2FFBFE8AF24F FC50FBFE8B234C71FBFE8B544C92FBFE8FFB854CB3FBFE8BB64CD4FBFE8BE74BBCFFFCF93641 29FF812A01B20BCB0E4A0A10FFFA21FD14FBCB4DE729FE971B02FA1CF0BFF9ED4A016ED417AB 27121ECA001D061E0FE688BE00571D41FD52FD63FD956D9CCFFEBE1FE50D8C6DC5FDD6FDE7F 8330F6C0F7DFCC7CC0057067E11FE22FE33FE446DD9FBC452CA07B601F0073E60FE71FCF9A09 6B80D7DC24B2204766F1EB13DBE75EA0165003D62E31540461EB1FFF8FE82FD95FA054E080 0AC1FE61F24FEBF35F9A09369FBC47CE2E0800BB1FFF73FF84FF95DD9CCFB24FB2022A0FBFFF FFD0FF98AE4CCFB24EF3700AF01BFF9D5EB68909FDA4D2BA0697BD0FB76A5E5F7050F061FF9D 53407AF08B9A90409CFFF0ADFF9D5D2CC08750012095F0F2FF96CBF6BC0113F12450E2F13CFF9

Name	Value
	<p>7B3715BFFF08B1EF3212AF184FF96C6ED01A5F1B65FF174F1CEFF97BBD1C1B1AC4A420CF21DF D5BCB4379FBC4458A06B000F25CF26DFD9CC73C096207266DAE0FB7FFF29EF2AFF27B1E4CC 2D17291F2EEF26EE7F079C2D17047F337FF94F034FFB6720FE416C5059411BCF382FFDFF3A4F1 263FF3BDF3CEF3DFF030F041840BF41CF42DFFF075F086F45AF46BF47CF0C1F0D2F4AFF7F4COF 4D1F10DF11EC504CEFCFDA3552FF6CB0EAF0D3EF51BFF43FCF394E6C1263BFD27584F595F5A 6FE446235C518802DF5DBF5ECF5FDFCF6627EC4994906C00FF56B0623F634F529F159F16A9504 F687FFF698F19FF1B0C6C8F6D9F6EAF1E8F1F9CFF71AF72BF73CF231F242C76CF77DF78EFF27A F28B87BEF7CFF7E0F2BFF2D0F80CFFF81DF82EF30BF31CC861F872F883F354FFF365C8B3F8C4F8 D5F39DF3AEF9083206FFF91EF3E6F3F7F8B0995FF970F435F446FFF90299AEF9BFF484F7A7F4A6 F9FDFA0EFFF4D9FA30F4FBFA52FA63F52EFA85F550CFFAA7FAB8F6A0FADAF6C2CAF9FB0AF6F2F FFB2CF714CB4BFB5CF744FB7EF766CB9DFFBBAEF796FBD0F7B8CBEFFC00F7E8F7F9FFF9A4FC48 FC59F83DF84EF955FC96FCA7FFF892F8A3FCDDFCCEFF8E7F8F8FD32FFD43FC0DF93CF94DF 24EFD98F980FDBAFF8AFADDAFDEBF9D0F9E1F9029E29FE3AFFFA1FFC22FA41FE78FE89FA74FE ABFA96FFFECDFEDEFAC9FF00F550CF22FF33FB1BFFFF55F6C2CF74FF85FB6DFFA7F714CFC6FFFF D7FBBFFF9F766C018F029FC11F04BFFF7B8C06AF07BFC63FC74FE1FF0C3F0D4FFFCB8FCC9FDD 0F111F122FD0DFD1EF158FFF169F17AFD62FD73F1ADF1BEF088FDB7FF9DC8F2034204F215FDF DFE0EF8B18FF255F266FE4BFE5CF90292A4F2B5FE9AFF09DFEBCF2F3F304FEFF326FF11F348F FF359FF44F37BF550C39DF3AEFF96F3D0FFF6C2C3EFF400FFE8F422F714C441F452FFF03AF47F 766C493F4A4F08CF4C6F7B8CFF4E5F4F6F0DEF0EFF29AF53EF54FF133FFF144F24BF58CF59DF18 8F199F5D3F5E4FFF5F5F1DDF1EEF628F639F503F232F243FFC203567FF690F278F289F8B186D0F FF6E1F2C6F2D7F902971FF730F315F518FFF337F76EF77FF36AF7A1F38CF7C3F7D4FFF3BFF7F6F AEB818F829F411F84BFB3DCFF86AF87BF463F89DFB8FC8BCF8CDF4B5FFF8EFFBE1C90EF91FF5 07F941FC33C960FFF971F559F56AF715F9B9F9CAF5AEF5BFFFF6C6FA07FA18F603F614FA4EFA5F FA70F7F658F669FAA3FAB4F97EF6ADF6BEF20FE36AFAB0BF6F3F704FD2C8B4BFB5CFFF741F75 2FD7D9B9AFBABF790F993F7B2FFFB9FBFAF7E5FC1CF807FC3EFC4FF83AFFFC71FF66CC93FCA4 F88CFCC6FFB8CCE5FFFCF6F8DEFD18F00ACD37FD48F930FD6AFF05CCD89FD9AF982FDBCF0AE CDDBFDECF9D4F9E5FB90FE34FE45FA29FA3AFB41FFFE82FE93FA7EFA8FFEC9FEDAFAEEBFAD3F 4FAE4FF1EFF2FFDF967166F6206D2C6174EAA4B1F631E0AC53750062746C6520456D707D3380 733E20F75FF86FF97FB20532FDEAAC4920001FF0F3F0FC4FFD5FFE6F0DF9FE33EAACFB5E52656 665FE21FF01FE0026F037F048F0596BC9C3F0166076F087F098F0A9FF51C426FFA6F577054B24 0FC200D930587D66C104269626CB2106772613D0200790D930FEF05C3E0AC544F10432048653 3933B7D7D607B5C2A5C64F9F002207483F62001C0303130353019D2963219D31990381A34346 4F500403738366436630B903280653533343135381C30E11B1034633532CC10B790C6C0F7CC1 0EFE01BD0331CB01D801A341E3E07B27019D1F0A0636631316590306131621FD0616519A07B2 09F218C331FF0227119D00D2066F86630391F1623EF1A7124BD249DFF231227322416271E2797 299F2AAF2BBFFF2CCF2DDF2EEF2FFF310F321F332F343FFF354F365F376F387F398F3A9F3BAF3C BFFF3DCF3EDF3FEF40FF420F431F442F453FFF464F475F486F497F4A8F4B9F4CAF4DBFFF4ECF4F DF50EF51FF530F541F552F563FFF574F585F596F5A7F5B8F5C9F5DAF5E9CFE645E952725608F61 9F62AF63BF64CFFF65DF66EF67FF690F6A1F6B2F6C3F6D4FFF6E5F6F6707F718F729F73AF74BF 75CFFF76DF77EF78FF7A0F7B1F7C2F7D3F7E4FFF7F5F806F817F828F839F84AF85BF86CFFF87DF 88EF89FF8B0F8C1F8D2F8E3F8F4FFF905F916F927F938F949F95AF96BF97CFFF98DF99EF9AFF9C 0F9D1F9E2F27331CB0A71F2127819FD237341A043419C1FE3622A1A052EFE0A0312362A21FA3 2FFFA43FA54FA65F1A711F4219C19E8F5FB6A263E090643938A9F062AA1056331C811C4039182 0661B90647D1C21621FF0288FAC061A211FF139F1AD70613661AA801990281FAF1FFF02FB13F B24FB35FB46FB57FB68F292FFF88CB70FBA9FBBAFBBCFBDCFBEDFBFEFFFC0FFC20FC31FC42FC 53FC64FB76FC86FFF98FCA8FCB9FCCAFCD8FCCEFCDFD0EFFF1FFD30FD41FD52FD63FC75FD 85FC97FFFDA7FDB8FDC9FDDAF25DE19C4DE9518900200E0C0</p>
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: D1EFB48D0B6B7E438A4F2517C2FB204A
PidTagSensitivity	0

Name	Value
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com
PidTagSentRepresentingEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagStartTime	10:00:00.000 PM 2/13/2008
PidTagSubject	Fabrikam Project Status Meeting
PidTagSubjectPrefix	

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REQUEST
X-MS-OLK-FORCEINSPECTOROPEN:TRUE
BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;CN=sito@contoso.com;RSVP=TRUE:mailto:sito@contoso.com

```

ATTEENDEE;CN=pcook@contoso.com;RSVP=TRUE:mailto:pcook@contoso.com
 ATTEENDEE;CN=aweiler@contoso.com;RSVP=TRUE:mailto:aweiler@contoso.com
 CLASS:PUBLIC
 CREATED:20080208T213600Z
 DESCRIPTION:When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM t
 o 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room
 1234\n\n*~*~*~*~*~*~*~*~*~*\n\n(Corrected a typo in the Conference Room nu
 mber)\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the st
 atus of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
 DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
 DTSTAMP:20080208T213600Z
 DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
 EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
 LAST-MODIFIED:20080208T213600Z
 LOCATION:Conference Room 1234
 ORGANIZER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 PRIORITY:5
 RRULE:FREQ=WEEKLY;BYDAY=WE
 SEQUENCE:1
 SUMMARY;LANGUAGE=en-us:Fabrikam Project Status Meeting
 TRANSP:OPAQUE
 UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000
 010000000622C639E40D09342B747A1672730CBBA
 X-ALT-DESC;FMTTYPE=text/html:

 N">\n<HTML>\n<HEAD>\n<META NAME="Generator" CONTENT="MS Exchange Server ve
 rsion 08.00.0681.000">\n<TITLE></TITLE>\n</HEAD>\n<BODY>\n<!-- Converted f
 rom text/rtf format -->\n\n<P DIR=LTR><FONT FACE="Calib
 ri">When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30
 PM (GMT-08:00) Pacific Time (US & Canada).</P>\n\n<P DI
 R=LTR>Where: Conference Room 1234<
 /FONT></P>\n\n<P DIR=LTR>*~
 ~~*~*~*~*~*~*~*~*</P>\n\n<P DIR=LTR><FONT
 FACE="Calibri">(Corrected a typo in the Conference Room number)</S
 PAN></P>\n\n<P DIR=LTR>Hey all,</
 FONT></P>\n\n<P DIR=LTR>Let
 's meet up every Wednesday to sync up on the status of the Fabrikam Proj
 ect.</P>\n\n<P DIR=LTR><FONT FACE="Calibr
 i">Thanks,</P>\n\n<P DIR=LTR><FONT FACE=
 "Calibri">Elizabeth</P>\n\n</BODY>
 \n</HTML>
 X-MICROSOFT-CDO-BUSYSTATUS:TENTATIVE
 X-MICROSOFT-CDO-IMPORTANCE:1
 X-MICROSOFT-CDO-INTENDEDSTATUS:BUSY
 X-MICROSOFT-DISALLOW-COUNTER:FALSE
 X-MS-OLK-ALLOWEXTERNCHECK:TRUE
 X-MS-OLK-APPTSEQTIME:20080208T213320Z
 X-MS-OLK-AUTOSTARTCHECK:FALSE
 X-MS-OLK-CONFTYPE:0
 X-MS-OLK-SENDER;CN="Elizabeth Andersen":mailto:eandersen@contoso.com
 BEGIN:VALARM
 TRIGGER:-PT15M
 ACTION:DISPLAY
 DESCRIPTION:Reminder
 END:VALARM
 END:VEVENT
 END:VCALENDAR

The following are the properties on the Calendar object that Shu receives:

Name	Value
PidLidAllowExternalCheck	TRUE
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	02:30:00.000 PM 2/13/2008
PidLidAppointmentNotAllowPropose	FALSE
PidLidAppointmentRecurrence	cb: 84 lpb: 043004300B2001000000C02100000100000000000000008000000232000000A000000000000000 1000000A08DC50C00000000003FC30CDF80E95A06300000093000004803000066030000000000 00000000000000
PidLidAppointmentSequence	1
PidLidAppointmentStartWhole	02:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAppointmentSequenceTime	09:33:20.000 PM 2/8/2008
PidLidAutoStartCheck	FALSE
PidLidBusyStatus	1
PidLidChangeHigh	0

Name	Value
light	
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
PidLidClientEnd	11:59:00.000 PM 12/31/4500
PidLidClientStart	12:00:00.000 AM 2/13/2008
PidLidCommonEnd	02:30:00.000 PM 2/13/2008
PidLidCommonStart	02:00:00.000 PM 2/13/2008
PidLidConferenceType	0
PidLidInvited	TRUE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC80100000000000000010000 000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusyStatus	2
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	Conference Room 1234
PidLidMeetingType	1
PidLidOwnerCriticalChange	09:36:00.000 PM 2/8/2008
PidLidRecurring	TRUE
PidLidReminderDelta	15

Name	Value
PidLidReminderSet	TRUE
PidLidReminderSignalTime	09:45:00.000 PM 2/13/2008
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidResponseStatus	5
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B000000010002000000000000000000000300000002 000200000000000000
PidLidWhere	Conference Room 1234
PidNameContentTransferEncoding	8bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagBody	When: Occurs every Wednesday effective 2/13/2008 from 2:00 PM to 2:30 PM (GMT-08:00) Pacific Time (US & Canada).\nWhere: Conference Room 1234\n\n*~*~*~*~*~*~*~*~*~*\n\n(Corrected a typo in the Conference Room number)\n\nHey all,\n\nLet's meet up every Wednesday to sync up on the status of the Fabrikam Project.\n\nThanks,\n\nElizabeth\n
PidTagBodyHtml	Err:0x8004010F=MAPI_E_NOT_FOUND
PidTagClientSubmitTime	09:38:03.000 PM 2/8/2008
PidTagConversation	cb: 27 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD50

Name	Value
nIndex	
PidTagConversationTopic	Fabrikam Project Status Meeting
PidTagCreationTime	09:46:20.342 PM 2/8/2008
PidTagEndDate	02:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000001c86a9a\$e4972e40\$adc58ac0\$@com>
PidTagLastModificationTime	09:46:20.795 PM 2/8/2008
PidTagMessageClass	IPM.Schedule.Meeting.Request
PidTagMessageDeliveryTime	09:38:09.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocalId	1033
PidTagMessageSize	6205
PidTagNextSendAcct	00000002sito@contoso.comsito@contoso.com
PidTagNo	Fabrikam Project Status Meeting

Name	Value
rmalized Subject	
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	sito@contoso.com
PidTagReceivedByEntryId	cb: 54 lpb: 00000000812B1FA4BEA310199D6E00DD010F5402000000005368752049746F00534D5450007369746F40636F6E746F736F2E636F6D00
PidTagReceivedByName	Shu Ito
PidTagReceivedBySearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: 04052000
PidTagReplyRequested	TRUE
PidTagResponseRequested	TRUE
PidTagRtfCompressed	cb: 1258 lpb: E6040000D1200004C5A4675C8A0DFDB03000A00726370673132358232034368746D6C310331F862696404000330010301F70A80FF02A403E40713028010830050045608559F07B211B50E510301020063680AC07073657432060006C311B533DB044614473012BF02003403C5165AF9074069620510028011C308EF09F7B63B1ABF0E303511B20C60630050330B090164333616E00BA534205910822A5C0EB20190671F603300203C21444F4354590050452048544D4C20005055424C49432022402D2F2F5733432220444454442134332E3222045F84E223E11C31FD720800AA323BCFC31392090214223AD14D024BF2471E31F70261045414423AD0EF1278F050E10360EF03C4D455441C507B0412BB03D224709F0049014617405B02216F04F4E544D2370542C4005E1457814616EF4676506527613112E9100900220402030382E30302F70367438312F7130239E2A1F25A337823720905449544C45266EA6340EF0250D383520902F32DF7F310F1FF53421357028EF273F200435C116E03C424F445923AD1EE14739DF20513B01212D2D16F16E552E91740980200352203EA078FC742F00213ED005B000C005403E102F3B7F3C8F412F20043628B15020804449523D4C545223A0BF1FE33F82000044E51EE144E65C2020CE720AB146A214605C7103214587051F9B3828B15350414E201A4C4980472C4009F02D757347239144DF482E313438209046E12D21204641432C3119554A6C13181047A9576809F03A204FAC636308700420652E91794FB0E309802C8073646150D0011105901474692E9020234031332F6701D02F503ED4323A2F8021804D153F206F531133535328474DEC542D2F50533129218000D006906D0DE020076254405505F0485E26D8616D7002804A9726457819412

Name	Value
	46E615150292E251C3536DF35614CF24A794A87483D3914D03570FF49625ACF45CB0AA25B780A8146270AB1EF6048483D01C0356150405F42BF63FFFF438F449F45AF46BF616F48DF49EF4AFFF4C0F4D1F4E2F4F3A1AC050003E4151B0F91AC06E632E4008003F010E2028A0FF595F5A6F5B7F5C8F75CF5EAF5FBF60CFFF61DF62EF654F7EAF661F672F683F694FFF6A5F6B6F6C7F82BF6E9F6FAF70BF4EFBFC2A7E8D8F744F755F766F777F903FFF799F7AAF7BBF7CCF7DDF803F991F810FFF821F832F843F854F865F876F9D2F898FD78A9F8BAF4EFB280850721AC051D0E53EB1613F20797053B00B803F20B34FD072FF6E7506D00490298EBFFF8FCF90DF91EFAC7F940F951F962F973FFF984F9AAF55F9B7F9C8F9D9F9EAF9FB7FA0CFA1DFB96FA3FFA50FA61F4EFB48E66550D007406C2CAAFFAC0FAD1FFFAE2FC63FB04FB15FB26FB37FB48FB6EFFFCF1FB7BFB8CFB9DFBAEFBBFFBD0FBE1F5FD32FC03FC14FC25F4EFB4C14B05C1E27C8500420078014B0207570F3508F53A173797370DEC22F21A9427A73019074D870E0A03FA0A94246BB01A005106B5730218003606A51C1FF594FC5BF6CFC7DFE48FC9FFCB0FCC1FFFCDD2FCE3FD09FED6FD16FD27FD38FD49FFFD5AFD6BFD7CFF17FD9EFD AFFDC0F71BCF2542E016B73C4AFE41FE52FE63FFF3FE85FE96FEA7FEB8FEC9FEEFF071FFFEFCFF0DFF1EFF2FFF40FF51FF62F0B2FAFF84FF95FFA6F71BC4514007AE210FDDE0068FCCFFDDFFEEFFFF181F192FFF0F6F107F1B9F19EF1AFF023F034F045FBF056F067F08DF275F3A7713012F3B3F8F398F2B5532A13860544D4C1460027D2DC0
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 4C9FA520143E124791EFE52B0EF3BFF6
PidTagSenderAddressType	SMTP
PidTagSenderEmailAddress	eandersen@contoso.com
PidTagSenderEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D0054005000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSenderName	Elizabeth Andersen
PidTagSenderSearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSentRepresentingAddressType	SMTP
PidTagSentRepresentingEmailAddress	eandersen@contoso.com

Name	Value
PidTagSentRepresentingEntryId	cb: 116 lpb: 00000000812B1FA4BEA310199D6E00DD010F54020000008045006C0069007A0061006200650074006800200041006E00640065007200730065006E00000053004D00540050000000650061006E00640065007200730065006E00400063006F006E0074006F0073006F002E0063006F006D000000
PidTagSentRepresentingName	Elizabeth Andersen
PidTagSentRepresentingSearchKey	cb: 27 lpb: 534D54503A45414E444455253454E40434F4E544F534F2E434F4D00
PidTagStartDateTime	02:00:00.000 PM 2/13/2008
PidTagSubject	Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <eandersen@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:38:09 -0800 From: "Elizabeth Andersen" <eandersen@contoso.com> To: <sito@contoso.com>, <pcook@contoso.com>, <aweiler@contoso.com> Subject: Fabrikam Project Status Meeting Date: Fri, 8 Feb 2008 13:38:03 -0800 Message-ID: <000001c86a9a9e4972e40\$adc58ac0\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REQUEST; charset="utf-8" Content-Transfer-Encoding: 8bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAAF91Q Content-Language: en-us

3.4.4 Attendee's Tentative Acceptance of the Series

Shu tentatively accepts the recurring meeting.

The following are the properties on the Calendar object that Shu sends:

Name	Value
PidLidAppointmentAuxiliaryFlags	0
PidLidAppointmentColor	0
PidLidAppointmentCounterProposed	FALSE
PidLidAppointmentDuration	30
PidLidAppointment	02:30:00.000 PM 2/13/2008

Name	Value
PidLidConferencingType	0
PidLidDayInterval	0
PidLidDelegateMail	FALSE
PidLidDirectory	
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E00800000003046642B576AC80100000000000000 010000000622C639E40D09342B747A1672730CBBA
PidLidIntendedBusinessStatus	4294967295
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidIsSilent	TRUE
PidLidLocation	Conference Room 1234
PidLidMeetingType	0
PidLidMonthInterval	0
PidLidNetShowUrl	
PidLidOldLocation	
PidLidOnlinePassword	
PidLidOptionalAttendees	
PidLidOrganizerAlias	
PidLidOwnerCriticalChange	09:36:00.000 PM 2/8/2008
PidLidPercentComplete	0.000000
PidLidPrivate	FALSE
PidLidRecurrencePattern	
PidLidRecurrence	0

Name	Value
Type	
PidLidRecurrenceType	48
PidLidRecurring	TRUE
PidLidReminderDelta	0
PidLidReminderSet	FALSE
PidLidReminderSignalTime	02:00:00.000 PM 2/13/2008
PidLidReminderTime	02:00:00.000 PM 2/13/2008
PidLidRequiredAttendees	
PidLidResourceAttendees	
PidLidResponseStatus	0
PidLidSideEffects	7265
PidLidTaskActualEffort	0
PidLidTaskComplete	FALSE
PidLidTaskEstimatedEffort	0
PidLidTaskFFixOffline	FALSE
PidLidTaskFRecurring	FALSE
PidLidTaskMode	0
PidLidTaskNoCompute	FALSE
PidLidTaskOrdinal	2147483647
PidLidTaskOwnership	0
PidLidTaskState	1
PidLidTaskStatus	0

Name	Value
PidLidTaskVersion	1
PidLidTimeZone	13
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStructure	cb: 48 lpb: E001000000000000C4FFFFFF00000000B0000000100020000000000000000000000300000020002000000000000000
PidLidWeekInterval	1
PidLidWhere	Conference Room 1234
PidLidYearInterval	0
PidTagAccess	2
PidTagAccessLevel	0
PidTagClientSubmitTime	09:51:51.971 PM 2/8/2008
PidTagConversationIndex	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD5000005C6EC00000315CE0
PidTagConversationTopic	Fabrikam Project Status Meeting
PidTagCreationTime	09:51:51.940 PM 2/8/2008
PidTagDeleteAfterSubmit	FALSE
PidTagEndDate	02:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagIconIndex	4294967295
PidTagImportance	1
PidTagInternetMailOverrideFormat	1441792
PidTagInternetCodepage	1252
PidTagLastModified	09:51:52.174 PM 2/8/2008

Name	Value
ationTime	
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Tent
PidTagMessageDeliveryTime	09:51:00.000 PM 2/8/2008
PidTagMessageFlags	12
PidTagMessageLocaleId	0
PidTagMessageSize	2448
PidTagNextSendAsCct	0000002sito@contoso.comsito@contoso.com
PidTagNormalizedSubject	Fabrikam Project Status Meeting
PidTagOriginatorDeliveryReportRequested	FALSE
PidTagPriority	0
PidTagReadReceiptRequested	FALSE
PidTagRecipientReassignmentProhibited	FALSE
PidTagRecordKey	cb: 4 lpb: C4052000
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: 1D6F25F1B22E9943BDF49E328BCCA8ED
PidTagSensitivity	0
PidTagStartDate	02:00:00.000 PM 2/13/2008
PidTagSubject	Tentative: Fabrikam Project Status Meeting
PidTagSubjectPrefix	Tentative:

The following is the iCalendar generated to send over the wire:

```

BEGIN:VCALENDAR
PRODID:-//Microsoft Corporation//Outlook 12.0 MIMEDIR//EN
VERSION:2.0
METHOD:REPLY
X-MS-OLK-FORCEINSPECTOROPEN:TRUE

```

```

BEGIN:VTIMEZONE
TZID:Pacific Time (US & Canada)
BEGIN:STANDARD
DTSTART:16011104T020000
RRULE:FREQ=YEARLY;BYDAY=1SU;BYMONTH=11
TZOFFSETFROM:-0700
TZOFFSETTO:-0800
END:STANDARD
BEGIN:DAYLIGHT
DTSTART:16010311T020000
RRULE:FREQ=YEARLY;BYDAY=2SU;BYMONTH=3
TZOFFSETFROM:-0800
TZOFFSETTO:-0700
END:DAYLIGHT
END:VTIMEZONE
BEGIN:VEVENT
ATTENDEE;PARTSTAT=TENTATIVE:mailto:sito@contoso.com
CLASS:PUBLIC
CREATED:20080208T215151Z
DTEND;TZID="Pacific Time (US & Canada)":20080213T143000
DTSTAMP:20080208T215151Z
DTSTART;TZID="Pacific Time (US & Canada)":20080213T140000
EXDATE;TZID="Pacific Time (US & Canada)":20080528T140000
LAST-MODIFIED:20080208T215152Z
LOCATION:Conference Room 1234
PRIORITY:5
RRULE:FREQ=WEEKLY;BYDAY=WE
SEQUENCE:1
SUMMARY:Tentative: Fabrikam Project Status Meeting
TRANSP:OPAQUE
UID:040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000
010000000622C639E40D09342B747A1672730CBBA
X-MICROSOFT-CDO-BUSYSTATUS:BUSY
X-MICROSOFT-CDO-IMPORTANCE:1
X-MS-OLK-AUTOFILLLOCATION:FALSE
X-MS-OLK-CONFTYPE:0
END:VEVENT
END:VCALENDAR

```

The following are the properties on the Calendar object that Elizabeth receives:

Name	Value
PidLidAppointmentDuration	30
PidLidAppointmentEndWhole	02:30:00.000 PM 2/13/2008
PidLidAppointmentRecur	cb: 84 lpb: 043004300B2001000000C02100000100000000000000008000000232000000A000000000 000001000000A08DC50C00000000003FC30CDF80E95A0630000009300000480300006603 0000000000000000000000000000
PidLidAppointmentSequence	1

Name	Value
PidLidAppointmentStartWhole	02:00:00.000 PM 2/13/2008
PidLidAppointmentStateFlags	3
PidLidAppointmentSubType	FALSE
PidLidAttendeeCriticalChange	09:51:51.000 PM 2/8/2008
PidLidAutoFillLocation	FALSE
PidLidBusyStatus	2
PidLidCleanGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000 10000000622C639E40D09342B747A1672730CBBA
PidLidClipEnd	11:59:00.000 PM 12/31/4500
PidLidClipStart	12:00:00.000 AM 2/13/2008
PidLidCommonEnd	02:30:00.000 PM 2/13/2008
PidLidCommonStart	02:00:00.000 PM 2/13/2008
PidLidConferenceType	0
PidLidFInvited	FALSE
PidLidGlobalObjectId	cb: 56 lpb: 040000008200E00074C5B7101A82E008000000003046642B576AC8010000000000000000 10000000622C639E40D09342B747A1672730CBBA
PidLidIsException	FALSE
PidLidIsRecurring	TRUE
PidLidLocation	Conference Room 1234
PidLidRecurring	TRUE
PidLidReminderDelta	1080
PidLidReminderSet	FALSE
PidLidReminder	04:00:00.000 AM 2/13/2008

Name	Value
SignalTime	
PidLidReminderTime	10:00:00.000 PM 2/13/2008
PidLidResponseStatus	2
PidLidSmartNoAttach	TRUE
PidLidTimeZoneDescription	(GMT-08:00) Pacific Time (US & Canada)
PidLidTimeZoneStruct	cb: 48 lpb: E001000000000000C4FFFFFF00000000B00000001000200000000000000000000003000 000020002000000000000000
PidLidWhere	Conference Room 1234
PidNameContentTransferEncoding	7bit
PidTagAccess	7
PidTagAccessLevel	1
PidTagClientSubmitTime	09:53:53.000 PM 2/8/2008
PidTagConversationIndex	cb: 37 lpb: 01C86A9A3987AFC2DD387B2642D2B93549A04036A01F000017DD5000005C6EC0000031 5CE0
PidTagConversationTopic	Tentative: Fabrikam Project Status Meeting
PidTagCreationTime	09:56:53.622 PM 2/8/2008
PidTagEndDate	02:30:00.000 PM 2/13/2008
PidTagHasAttachments	FALSE
PidTagImportance	1
PidTagInternetCodepage	1252
PidTagInternetMessageId	<000101c86a9d\$1aa91f00\$4ffb5d00\$@com>
PidTagLastModificationTime	09:56:53.810 PM 2/8/2008

Name	Value
PidTagMessageClass	IPM.Schedule.Meeting.Resp.Tent
PidTagMessageDeliveryTime	09:54:00.000 PM 2/8/2008
PidTagMessageFlags	65536
PidTagMessageLocaleId	1033
PidTagMessageSize	3636
PidTagNextSendAcct	00000002eandersen@contoso.comeandersen@contoso.com
PidTagNormalizedSubject	Tentative: Fabrikam Project Status Meeting
PidTagProcessed	TRUE
PidTagReceivedByAddressType	SMTP
PidTagReceivedByEmailAddress	eandersen@contoso.com
PidTagReceivedByEntryId	cb: 70 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000000456C697A616265746820416E64657273656E00534D54500065616E64657273656E40636F6E746F736F2E636F6D00
PidTagReceivedByName	Elizabeth Andersen
PidTagReceivedBySearchKey	cb: 27 lpb: 534D54503A45414E44455253454E40434F4E544F534F2E434F4D00
PidTagRecordKey	cb: 4 lpb: A4072000
PidTagReplyRequested	FALSE
PidTagResponseRequested	FALSE
PidTagRtfInSync	TRUE
PidTagSearchKey	cb: 16 lpb: EA371E1E49192D488B899F787104CFC2
PidTagSenderAddressType	SMTP

Name	Value
PidTagSenderEmailAddress	sito@contoso.com
PidTagSenderEntryId	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSenderName	Shu Ito
PidTagSenderSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagSensitivity	0
PidTagSendingAddressType	SMTP
PidTagSendingEmailAddress	sito@contoso.com
PidTagSendingEntryId	cb: 84 lpb: 00000000812B1FA4BEA310199D6E00DD010F540200000180530068007500200049007400 6F00000053004D005400500000007300690074006F00400063006F006E0074006F007300 6F002E0063006F006D000000
PidTagSendingName	Shu Ito
PidTagSendingSearchKey	cb: 22 lpb: 534D54503A5349544F40434F4E544F534F2E434F4D00
PidTagStartDate	02:00:00.000 PM 2/13/2008
PidTagSubject	Tentative: Fabrikam Project Status Meeting
PidTagSubjectPrefix	
PidTagTransportMessageHeaders	Return-Path: <sito@contoso.com> Received: from terminal123 ([123.45.67.89]) by mail.contoso.com with ExampleMailServer ; Fri, 8 Feb 2008 13:54:00 -0800 From: "Shu Ito" <sito@contoso.com> To: "Elizabeth Andersen" <eandersen@contoso.com> Subject: Tentative: Fabrikam Project Status meeting Date: Fri, 8 Feb 2008 13:53:53 -0800 Message-ID: <000101c86a9d\$1aa91f00\$4ffb5d00\$@com> MIME-Version: 1.0 Content-Type: text/calendar; method=REPLY; charset="utf-8" Content-Transfer-Encoding: 7bit X-Mailer: Microsoft Office Outlook 12.0 Thread-Index: AchqmjmHr8LdOHsmQtK5NUmgQDagHwAAF91QAABcbsAAADFc4A== Content-Language: en-us

4 Security Considerations

Authentication of the source of an iCalendar is not supported. As such, Calendar object(s) resulting from the import of an iCalendar are only as trustworthy as the source of an iCalendar. This has special implications with regard to spoofing the ORGANIZER and ATTENDEE properties.

The FMTTYPE parameter of the ATTACH property (section [2.2.1.20.1.2](#)) can be mislabeled and it is recommended that it be verified. See [\[MS-OXCMAIL\]](#) section 4.3. Furthermore, since the ATTACH property encodes binary files, it can contain malicious content. This is particularly interesting because virus scanners might not be able to parse iCalendar data.

5 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products:

- Microsoft® Office Outlook® 2003
- Microsoft® Exchange Server 2003
- Microsoft® Office Outlook® 2007
- Microsoft® Exchange Server 2007
- Microsoft® Exchange Server 2007 Service Pack 3 (SP3)
- Microsoft® Outlook® 2010
- Microsoft® Exchange Server 2010
- Microsoft® Exchange Server 2010 Service Pack 1 (SP1)

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

[<1> Section 1.1:](#) Neither Outlook nor Exchange shifts the UTC start and end times of an appointment when the user's time zone changes (except when running the Time Zone Data Update tool for Microsoft Office Outlook or the Exchange Calendar Update Tool). However, on export to the iCalendar format, Office Outlook 2003, Office Outlook 2007, and Outlook 2010 will treat the all day event as an appointment with start and end times at midnight in floating time. Exchange 2003, Exchange 2007, and Exchange 2010 use X-MICROSOFT-CDO-ALLDAYEVENT to indicate all day events. In Calendar Objects, all day appointments are represented by setting [PidLidAppointmentSubType](#) to a nonzero value, and [PidLidAppointmentDuration](#) to a value evenly divisible by 1440.

[<2> Section 2.2.1:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support multiple VCALENDAR components in an iCalendar stream. Office Outlook 2007 and Outlook 2010 only support multiple VCALENDAR components when the METHOD property is PUBLISH

[<3> Section 2.2.1.1:](#) Office Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of METHOD. On export, both implementations will use the 'REPLY' value. On import, Office Outlook 2003 will treat the METHOD as 'PUBLISH', while Exchange 2003 will treat the METHOD as 'REPLY'.

[<4> Section 2.2.1.1:](#) Note that it is possible for a collection of two or more VEVENT components to represent a single appointment. However, Office Outlook 2003 has limited support for iCalendars with multiple VEVENT components. Exchange 2003, Exchange 2007, and Exchange 2010 have no support. Refer to the documentation on the RECURRENCE-ID Property in section 2.2.1.20.20 for additional information.

<5> [Section 2.2.1.1](#): Office Outlook 2003 and Exchange 2003 do not implement the 'COUNTER' value of METHOD. On export, both implementations will use the 'REPLY' value. On import, Office Outlook 2003 will treat the METHOD as 'PUBLISH', while Exchange 2003 will treat the METHOD as 'REPLY'.

<6> [Section 2.2.1.4](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<7> [Section 2.2.1.4](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<8> [Section 2.2.1.5](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<9> [Section 2.2.1.5](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<10> [Section 2.2.1.6](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<11> [Section 2.2.1.6](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<12> [Section 2.2.1.7](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<13> [Section 2.2.1.7](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<14> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (**WebDAV**), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<15> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<16> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<17> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<18> [Section 2.2.1.8](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-CALSCALE property.

<19> [Section 2.2.1.9](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<20> [Section 2.2.1.9](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<21> [Section 2.2.1.10](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<22> [Section 2.2.1.10](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<23> [Section 2.2.1.11](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<24> [Section 2.2.1.11](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<25> [Section 2.2.1.12](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<26> [Section 2.2.1.12](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<27> [Section 2.2.1.13](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<28> [Section 2.2.1.13](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<29> [Section 2.2.1.13.1](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<30> [Section 2.2.1.13.1](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<31> [Section 2.2.1.14](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<32> [Section 2.2.1.14](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<33> [Section 2.2.1.15](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<34> [Section 2.2.1.15](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<35> [Section 2.2.1.16](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<36> [Section 2.2.1.16](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<37> [Section 2.2.1.16](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<38> [Section 2.2.1.16](#): Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<39> [Section 2.2.1.17](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<40> [Section 2.2.1.17](#): On import, Office Outlook 2007 and Outlook 2010 do not explicitly truncate X-WR-CALNAME to 255 WCHARs or filter out carriage return (U+000D) or line feed (U+000A) characters. However, the presentation layer may render the [PidTagDisplayName](#) of the Folder object

poorly if the X-WR-CALNAME contains more than 255 WCHARs or contains carriage return (U+000D) or line feed (U+000A) characters.

<41> [Section 2.2.1.17](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<42> [Section 2.2.1.17](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<43> [Section 2.2.1.18](#): Office Outlook 2007 and Outlook 2010 use this property for purposes outside the scope of this protocol.

<44> [Section 2.2.1.18](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not support this property.

<45> [Section 2.2.1.19](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support more than one VTIMEZONE component per iCalendar file.

<46> [Section 2.2.1.19](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

<47> [Section 2.2.1.19](#): Office Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

<48> [Section 2.2.1.19](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#), [PidLidAppointmentTimeZoneDefinitionStartDisplay](#), or [PidLidAppointmentTimeZoneDefinitionEndDisplay](#). These implementations only use [PidLidTimeZoneDescription](#) and [PidLidTimeZoneStruct](#) when exporting or importing VTIMEZONE components and TZID parameters.

<49> [Section 2.2.1.19.1](#): Office Outlook 2007 and Outlook 2010 use a case-sensitive TZID comparison function.

<50> [Section 2.2.1.19.1](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not override [PidLidTimeZoneDescription](#).

<51> [Section 2.2.1.19.2](#): Office Outlook 2003 uses the first occurrence of the STANDARD component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if more than one STANDARD component is present in a VTIMEZONE. Exchange 2010 SP1 parses all STANDARD components within a VTIMEZONE.

<52> [Section 2.2.1.19.2.1](#): Office Outlook 2003 requires that STANDARD components contain either an RRULE or an RDATE. If an RDATE is present, Office Outlook 2003 converts it to a SYSTEMTIME and stores the resulting value in [PidLidTimeZoneStruct.stStandardDate](#). If no RRULE is present, Exchange 2003, Exchange 2007, and Exchange 2010 will convert the DTSTART to a SYSTEMTIME and store the resulting value in [PidLidTimeZoneStruct.stStandardDate](#).

<53> [Section 2.2.1.19.2.1](#): Office Outlook 2007 and Outlook 2010 use the year 1601.

<54> [Section 2.2.1.19.2.2](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import VTIMEZONES with RRULEs that use BYMONTHDAY instead of BYDAY.

<55> [Section 2.2.1.19.2.2:](#) For transitions between Daylight Saving Time and Standard Time based on a specific day of the month, Office Outlook 2003 instead omits the RRULE and exports [PidLidTimeZoneStruct.stStandardDate](#) as an RDATE. Exchange 2003, Exchange 2007, and Exchange 2010 omit both the RRULE and RDATE, relying on DTSTART to convey the transition date.

<56> [Section 2.2.1.19.2.3:](#) Office Outlook 2003 exports the TZNAME property with value 'Standard Time'.

<57> [Section 2.2.1.19.3:](#) Office Outlook 2003 uses the first occurrence of the DAYLIGHT component in the VTIMEZONE. Exchange 2003, Exchange 2007, and Exchange 2010 fail if a VTIMEZONE contains more than one DAYLIGHT component. Exchange 2010 SP1 parses all DAYLIGHT components within a VTIMEZONE.

<58> [Section 2.2.1.19.3:](#) Exchange 2003, Exchange 2007, and Exchange 2010 do export a DAYLIGHT component for time zones that do not observe DST. In this case, the TZOFFSETFROM and TZOFFSETTO properties for both the DAYLIGHT and STANDARD components are all set to the same value.

<59> [Section 2.2.1.19.3.3:](#) Office Outlook 2003 exports the TZNAME property with value 'Daylight Saving Time'.

<60> [Section 2.2.1.20.1:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<61> [Section 2.2.1.20.1:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<62> [Section 2.2.1.20.1:](#) Office Outlook 2003, Office Outlook 2007, Outlook 2010, Exchange 2007 (MIME), and Exchange 2010 (MIME) ignore ATTACH properties specified as CID URIs and, instead, import all of the MIME attachments into the Message object, regardless of whether or not they are referenced in the iCalendar stream.

<63> [Section 2.2.1.20.1:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<64> [Section 2.2.1.20.1:](#) Prior to Exchange 2007 SP1, Exchange 2007 (MIME) does not export ATTACH properties specified as CID URIs.

<65> [Section 2.2.1.20.1:](#) Prior to Exchange 2007 SP1, Exchange 2007 (MIME) does not export ATTACH properties specified as CID URIs.

<66> [Section 2.2.1.20.1:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export base64-encoded ATTACH properties.

<67> [Section 2.2.1.20.1.2:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<68> [Section 2.2.1.20.1.4:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 ignore ATTACH properties.

<69> [Section 2.2.1.20.1.4:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export base64-encoded ATTACH properties.

<70> [Section 2.2.1.20.2:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not parse attendee properties with value 'invalid:nomail'.

<71> [Section 2.2.1.20.2](#): Office Outlook 2007 uses the following table in place of the table in section [2.2.1.20.2](#):

CUTYPE	ROLE	Append CN to...
RESOURCE	(any)	PidLidNonSendableBcc
ROOM	(any)	PidLidNonSendableBcc
(any)	OPT-PARTICIPANT	PidLidNonSendableCc
(any)	NON-PARTICIPANT	PidLidNonSendableCc
(any)	(any)	PidLidNonSendableTo

<72> [Section 2.2.1.20.2](#): Office Outlook 2003 imports only one attendee property when the METHOD property has value 'REPLY'. For any other value of METHOD, Office Outlook 2003 does not import any attendee properties.

<73> [Section 2.2.1.20.2](#): Office Outlook 2003 does not perform address book lookups on attendee properties. A one-off EntryID is always created.

<74> [Section 2.2.1.20.2](#): Office Outlook 2003 does not set this property.

<75> [Section 2.2.1.20.2](#): Office Outlook 2003 does not set this property.

<76> [Section 2.2.1.20.2](#): Office Outlook 2003 does not set this property.

<77> [Section 2.2.1.20.2](#): Office Outlook 2003 incorrectly adds the RECIPIENT_ORGANIZER (0x00000002) bit to this property.

<78> [Section 2.2.1.20.2](#): Office Outlook 2003 always uses MAPI_TO (0x00000001).

<79> [Section 2.2.1.20.2](#): Office Outlook 2003, Exchange 2003, Office Outlook 2007, Exchange 2007, and Exchange 2010 do not import the PARTSTAT parameter as [PidTagRecipientTrackStatus](#).

<80> [Section 2.2.1.20.2](#): Office Outlook 2003, Exchange 2003, Office Outlook 2007, Exchange 2007, and Exchange 2010 do not import the X-MS-OLK-RESPTIME parameter.

<81> [Section 2.2.1.20.2](#): Exchange 2007 and Exchange 2010 use the following table in place of the table in section [2.2.1.20.2](#):

CUTYPE	ROLE	PidTagRecipientType
(Any)	CHAIR	0x00000001
(Any)	REQ-PARTICIPANT	0x00000001
(Any)	OPT-PARTICIPANT	0x00000002
RESOURCE	(Any)	0x00000003
ROOM	(Any)	0x00000003
(Any)	NON-PARTICIPANT	0x00000002
(Any)	(Any)	0x00000001

Office Outlook 2007 uses the table below in place of the table in section [2.2.1.20.2](#):

CUTYPE	ROLE	PidTagRecipientType
RESOURCE	(Any)	0x00000003
ROOM	(Any)	0x00000003
(Any)	OPT-PARTICIPANT	0x00000002
(Any)	NON-PARTICIPANT	0x00000002
(Any)	(Any)	0x00000001

<82> [Section 2.2.1.20.2](#): Exchange 2007 and Exchange 2010 do not check [PidLidAppointmentStateFlags](#) before exporting attendee properties.

<83> [Section 2.2.1.20.2](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the attendee property if no SMTP address is available.

<84> [Section 2.2.1.20.2](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

<85> [Section 2.2.1.20.2.1](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

<86> [Section 2.2.1.20.2.2](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

<87> [Section 2.2.1.20.2.2](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the CUTYPE parameter.

<88> [Section 2.2.1.20.2.3](#): Office Outlook 2003, Exchange 2003, Office Outlook 2007, Exchange 2007, and Exchange 2010 do not import the PARTSTAT parameter for calendars with a METHOD of PUBLISH.

<89> [Section 2.2.1.20.2.3](#): Office Outlook 2003, Exchange 2003, Office Outlook 2007, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of publish.

<90> [Section 2.2.1.20.2.3](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and Exchange 2010 do not export the PARTSTAT parameter for calendars with a METHOD of publish.

<91> [Section 2.2.1.20.2.4](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 export a ROLE of 'REQ-PARTICIPANT' instead of omitting the ROLE parameter.

<92> [Section 2.2.1.20.2.4](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export [PidLidNonSendableTo](#), [PidLidNonSendableCc](#), or [PidLidNonSendableBcc](#).

<93> [Section 2.2.1.20.2.6](#): Exchange 2003, Exchange 2007, Exchange 2010, Office Outlook 2003, and Office Outlook 2007 do not import the X-MS-OLK-RESPTIME parameter.

<94> [Section 2.2.1.20.2.6](#): Exchange 2003, Exchange 2007, Exchange 2010, Office Outlook 2003, and Office Outlook 2007 do not export the X-MS-OLK-RESPTIME parameter from [PidLidAppointmentReplyTime](#) ([\[MS-OXPROPS\]](#) section 2.24).

[<95> Section 2.2.1.20.3:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<96> Section 2.2.1.20.3:](#) Office Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

[<97> Section 2.2.1.20.3:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<98> Section 2.2.1.20.3:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<99> Section 2.2.1.20.3:](#) Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

[<100> Section 2.2.1.20.3:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<101> Section 2.2.1.20.4:](#) Exchange 2003, Exchange 2007, and Exchange 2010 map SENSITIVITY_PERSONAL (0x00000001) to the 'PERSONAL' value of the CLASS property.

[<102> Section 2.2.1.20.4:](#) Office Outlook 2003 does not support the 'X-PERSONAL' value of the CLASS property. SENSITIVITY_PERSONAL (0x00000001) is exported as 'PRIVATE'.

[<103> Section 2.2.1.20.5:](#) Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Office Outlook 2003 do not import or export the COMMENT property. For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Office Outlook 2007 and Outlook 2010 will export [PidTagBody](#) as both COMMENT and DESCRIPTION. In this same case, Office Outlook 2007 and Outlook 2010 will import [PidTagBody](#) from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified. Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import [PidTagBody](#) from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

[<104> Section 2.2.1.20.6:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the contact property.

[<105> Section 2.2.1.20.6:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<106> Section 2.2.1.20.6:](#) Office Outlook 2007 and Outlook 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

[<107> Section 2.2.1.20.6:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<108> Section 2.2.1.20.6:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

[<109> Section 2.2.1.20.6:](#) Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<110> [Section 2.2.1.20.6](#): Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<111> [Section 2.2.1.20.6](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not apply this filter.

<112> [Section 2.2.1.20.6](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the contact property.

<113> [Section 2.2.1.20.7](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the CREATED property.

<114> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<115> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<116> [Section 2.2.1.20.8](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<117> [Section 2.2.1.20.8](#): Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<118> [Section 2.2.1.20.8](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

<119> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<120> [Section 2.2.1.20.8](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<121> [Section 2.2.1.20.8](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

<122> [Section 2.2.1.20.8](#): Office Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

<123> [Section 2.2.1.20.8.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#).

<124> [Section 2.2.1.20.8.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionEndDisplay](#).

<125> [Section 2.2.1.20.8.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#).

<126> [Section 2.2.1.20.8.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionEndDisplay](#).

<127> [Section 2.2.1.20.8.2](#): Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<128> [Section 2.2.1.20.9](#): Exchange 2003 and Exchange 2007 always import DTSTAMP as [PidLidAttendeeCriticalChange](#).

<129> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<130> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<131> [Section 2.2.1.20.10](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<132> [Section 2.2.1.20.10](#): Exchange 2003, Exchange 2007, and Exchange 2010 require that X-MICROSOFT-CDO-ALLDAYEVENT be set to 'TRUE' if the Calendar object is to be imported as all day. Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day. Exchange 2010 SP1 imports an appointment as an all day appointment if the VALUE parameter is set to 'DATE' for the DTSTART property and the DTEND and DURATION properties are missing.

<133> [Section 2.2.1.20.10](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

<134> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<135> [Section 2.2.1.20.10](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<136> [Section 2.2.1.20.10](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not export all day appointments in floating time.

<137> [Section 2.2.1.20.10](#): Office Outlook 2007 exports non-recurring, non-all day appointments in UTC time.

<138> [Section 2.2.1.20.10.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#).

<139> [Section 2.2.1.20.10.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionStartDisplay](#).

<140> [Section 2.2.1.20.10.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionRecur](#).

<141> [Section 2.2.1.20.10.1](#): Office Outlook 2003, Office Outlook 2007, Exchange 2003, Exchange 2007, and the initial release version of Exchange 2010 do not export or import [PidLidAppointmentTimeZoneDefinitionStartDisplay](#).

<142> [Section 2.2.1.20.10.2](#): Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<143> [Section 2.2.1.20.11](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), and Office Outlook 2003 do not import or export the COMMENT property. For backwards compatibility, if the METHOD property of the VCALENDAR component is set to 'REPLY' or 'COUNTER', then Office Outlook 2007 and Outlook 2010 will export [PidTagBody](#) as both COMMENT and DESCRIPTION. In this same case, Office Outlook 2007 and Outlook 2010 will import [PidTagBody](#) from COMMENT, falling back on DESCRIPTION if a COMMENT is not specified. Regardless of the METHOD property of the VCALENDAR, Exchange 2007 (MIME) and Exchange 2010 (MIME) will always import [PidTagBody](#) from DESCRIPTION, falling back on the COMMENT property if no DESCRIPTION is specified.

<144> [Section 2.2.1.20.11.1](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<145> [Section 2.2.1.20.12](#): Office Outlook 2003 does not import or export the DURATION property.

<146> [Section 2.2.1.20.13](#): Exchange 2003, Exchange 2007, Exchange 2007 SP1, Exchange 2007 SP2, and Exchange 2010 ignore all instances of EXDATE except the last one in the VEVENT. Exchange 2003, Exchange 2007 SP2, and Exchange 2010 also ignore instances of EXDATE that have more than one value.

<147> [Section 2.2.1.20.13](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not support the X-MICROSOFT-EXDATE property.

<148> [Section 2.2.1.20.13](#): In certain cases, RecurrencePattern.DeletedInstanceDates will be exported as a X-MICROSOFT-EXDATE instead of an EXDATE. See section [2.2.1.20.39](#). Exchange 2003, Exchange 2007, and Exchange 2010 export EXDATES with times set to noon in the time zone specified by [PidLidTimeZoneStruct](#).

<149> [Section 2.2.1.20.13.2](#): Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<150> [Section 2.2.1.20.14](#): Exchange 2003 and Exchange 2007 import LAST-MODIFIED as [PidLidAttendeeCriticalChange](#).

<151> [Section 2.2.1.20.14](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

<152> [Section 2.2.1.20.15](#): Office Outlook 2003 does not apply this filter.

<153> [Section 2.2.1.20.15](#): Office Outlook 2003 does not apply this filter.

<154> [Section 2.2.1.20.15](#): Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<155> [Section 2.2.1.20.15.1](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<156> [Section 2.2.1.20.16](#): Office Outlook 2003 does not import the organizer property when the METHOD property has a value of 'REPLY'.

<157> [Section 2.2.1.20.16](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export base64-encoded ATTACH properties.

<158> [Section 2.2.1.20.16](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export base64-encoded ATTACH properties.

<159> [Section 2.2.1.20.16](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not export base64-encoded ATTACH properties.

<160> [Section 2.2.1.20.16](#): If the METHOD property of the iCalendar is 'REPLY', Office Outlook 2003 exports the first entry in the recipient table as an organizer, ignoring the constraints specified in section [2.2.1.20.16](#). For other values of the METHOD property, Office Outlook 2003 exports the Address Book object specified by [PidTagSentRepresentingEntryId](#) as an organizer.

<161> [Section 2.2.1.20.16](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 omit the organizer property if no SMTP address is available.

<162> [Section 2.2.1.20.18](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATES.

<163> [Section 2.2.1.20.18](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATES.

<164> [Section 2.2.1.20.18](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not support RDATES.

<165> [Section 2.2.1.20.18.2](#): Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

<166> [Section 2.2.1.20.20](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR

component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<167> Section 2.2.1.20.20](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<168> Section 2.2.1.20.20](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<169> Section 2.2.1.20.20](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<170> Section 2.2.1.20.20](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<171> Section 2.2.1.20.20](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 only import or export the RECURRENCE-ID property in the context of a VCALENDAR component with exactly one VEVENT child and with a METHOD property of value 'REQUEST', 'REPLY', or 'CANCEL'.

[<172> Section 2.2.1.20.20.2](#): Office Outlook 2003 requires that a VALUE parameter be set to 'DATE' for both DTSTART and DTEND if the Calendar object is to be imported as all day.

[<173> Section 2.2.1.20.21](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

[<174> Section 2.2.1.20.21](#): Exchange 2007 and Exchange 2010 consider all of the following to be whitespace characters: U+0009, U+000A, U+000B, U+000C, U+000D, U+0020, U+0085, U+00A0, U+1680, U+2000, U+2001, U+2002, U+2003, U+2004, U+2005, U+2006, U+2007, U+2008, U+2009, U+200A, U+200B, U+2028, U+2029, U+202F, U+3000.

[<175> Section 2.2.1.20.21](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

[<176> Section 2.2.1.20.21](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LAST-MODIFIED property.

[<177> Section 2.2.1.20.21](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the RESOURCES property.

[<178> Section 2.2.1.20.22](#): Office Outlook 2003, Office Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import a [PidLidAppointmentSequence](#) of 0x00000000 if no SEQUENCE property is specified.

[<179> Section 2.2.1.20.23](#): Office Outlook 2003 does not import or export the STATUS property.

[<180> Section 2.2.1.20.24](#): Office Outlook 2003 does not apply these filters.

[<181> Section 2.2.1.20.24](#): Office Outlook 2003 does not apply these filters.

<182> [Section 2.2.1.20.24](#): Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<183> [Section 2.2.1.20.24](#): Office Outlook 2003 leaves [PidTagSubject](#) unset when no SUMMARY is present.

<184> [Section 2.2.1.20.24](#): Office Outlook 2003 omits the SUMMARY property if [PidTagSubject](#) is unset or empty.

<185> [Section 2.2.1.20.24.1](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<186> [Section 2.2.1.20.24.1](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the LANGUAGE parameter.

<187> [Section 2.2.1.20.25](#): Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to [PidNameCalendarTransparent](#).

<188> [Section 2.2.1.20.25](#): Exchange 2003, Exchange 2007, and Exchange 2010 map the TRANSP property directly to [PidNameCalendarTransparent](#).

<189> [Section 2.2.1.20.26](#): The ByteArrayID is case-sensitive in Office Outlook 2007 and Outlook 2010.

<190> [Section 2.2.1.20.27](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.

<191> [Section 2.2.1.20.27](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-ALT-DESC property.

<192> [Section 2.2.1.20.28](#): Office Outlook 2007 and Outlook 2010 check to see if DTEND falls on midnight in the time zone specified by DTSTART.

<193> [Section 2.2.1.20.28](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-ALLDAYEVENT or X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT properties.

<194> [Section 2.2.1.20.28](#): Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<195> [Section 2.2.1.20.28](#): Office Outlook 2007 and Outlook 2010 do not have logic to avoid splitting surrogate pairs.

<196> [Section 2.2.1.20.28](#): Exchange 2003, Exchange 2007, and Exchange 2010 export X-MICROSOFT-CDO-ALLDAYEVENT.

<197> [Section 2.2.1.20.29](#): Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not import or export X-MICROSOFT-CDO-APPT-SEQUENCE.

<198> [Section 2.2.1.20.29](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<199> [Section 2.2.1.20.30](#): Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.

<200> [Section 2.2.1.20.30](#): Exchange 2003 and Exchange 2007 (WebDAV) import and export the X-MICROSOFT-CDO-ATTENDEE-CRITICAL-CHANGE property.

<201> [Section 2.2.1.20.31](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-BUSYSTATUS property.

<202> [Section 2.2.1.20.33](#): Exchange 2003, Exchange 2007, and Exchange 2010 export an X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.

<203> [Section 2.2.1.20.34](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<204> [Section 2.2.1.20.34](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<205> [Section 2.2.1.20.34](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<206> [Section 2.2.1.20.34](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<207> [Section 2.2.1.20.35](#): Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

<208> [Section 2.2.1.20.36](#): Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

<209> [Section 2.2.1.20.36](#): Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-OWNER-CRITICAL-CHANGE property.

<210> [Section 2.2.1.20.37](#): If the METHOD property has value 'REPLY', Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) will import X-MICROSOFT-CDO-REPLYTIME as [PidLidAttendeeCriticalChange](#) in addition to [PidLidAppointmentReplyTime](#).

<211> [Section 2.2.1.20.37](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV) import and export the X-MICROSOFT-CDO-REPLYTIME property.

<212> [Section 2.2.1.20.38](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-DISALLOW-COUNTER property.

<213> [Section 2.2.1.20.39](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

<214> [Section 2.2.1.20.39](#): Exchange 2003, Exchange 2007 (WebDAV), Exchange 2010 (WebDAV), Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-EXDATE property.

<215> [Section 2.2.1.20.40](#): Exchange 2003, Exchange 2007, Exchange 2010, Office Outlook 2003, and Office Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

<216> [Section 2.2.1.20.40](#): Exchange 2003, Exchange 2007, Exchange 2010, Office Outlook 2003, and Office Outlook 2007 do not import or export the X-MICROSOFT-ISDRAFT property. Specifically, on import, those implementations always treat X-MICROSOFT-ISDRAFT as unset.

<217> [Section 2.2.1.20.41](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-ALLDAYEVENT property.

<218> [Section 2.2.1.20.42](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-BUSYSTATUS property.

<219> [Section 2.2.1.20.43](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MICROSOFT-MSNCALENDAR-IMPORTANCE property.

<220> [Section 2.2.1.20.44](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<221> [Section 2.2.1.20.45.2](#): Office Outlook 2003, Office Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

<222> [Section 2.2.1.20.46](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ALLOWEXTERNCHECK property.

<223> [Section 2.2.1.20.47](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTLASTSEQUENCE property.

<224> [Section 2.2.1.20.48](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.

<225> [Section 2.2.1.20.48](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-APPTSEQTIME property.

<226> [Section 2.2.1.20.49](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOFILLLOCATION property.

<227> [Section 2.2.1.20.50](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-AUTOSTARTCHECK property.

<228> [Section 2.2.1.20.51](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-COLLABORATEDOC property.

<229> [Section 2.2.1.20.52](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFHECK property.

<230> [Section 2.2.1.20.53](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-CONFTYPE property.

<231> [Section 2.2.1.20.54](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-DIRECTORY property.

<232> [Section 2.2.1.20.55](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-MWSURL property.

<233> [Section 2.2.1.20.56](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-NETSHOWURL property.

<234> [Section 2.2.1.20.57](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ONLINEPASSWORD property.

<235> [Section 2.2.1.20.58](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-ORGALIAS property.

<236> [Section 2.2.1.20.59](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always

ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<237> [Section 2.2.1.20.59](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<238> [Section 2.2.1.20.60](#): Regardless of the METHOD property of the VCALENDAR, Exchange 2003 and Office Outlook 2003 always map DTSTART and DTEND to [PidLidAppointmentStartWhole](#) and [PidLidAppointmentEndWhole](#), respectively. Exchange 2003 and Office Outlook 2003 always ignore X-MS-OLK-ORIGINALSTART and X-MS-OLK-ORIGINALEND. Furthermore, Exchange 2003 and Office Outlook 2003 never export [PidLidAppointmentProposedStartWhole](#) or [PidLidAppointmentProposedEndWhole](#).

<239> [Section 2.2.1.20.60](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set [PidLidAppointmentDuration](#).

<240> [Section 2.2.1.20.61](#): Office Outlook 2003, Exchange 2003, Exchange 2007, and Exchange 2010 do not import or export the X-MS-OLK-SENDER property.

<241> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<242> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<243> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<244> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<245> [Section 2.2.1.20.61](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE.

<246> [Section 2.2.1.20.61.1](#): Exchange 2003, Exchange 2007, and Exchange 2010 export [PidLidAppointmentSequence](#) as X-MICROSOFT-CDO-APPT-SEQUENCE

<247> [Section 2.2.1.20.62](#): Office Outlook 2003, Office Outlook 2007, Outlook 2010, and Exchange 2003 ignore TRIGGER properties that are specified as Date-Time.

<248> [Section 2.2.1.20.62](#): In this case, Exchange 2003, Exchange 2007, and Exchange 2010 set [PidLidReminderDelta](#) to 0x0000000F for all Calendar objects.

<249> [Section 2.2.1.20.62](#): Office Outlook 2003 does not set [PidLidReminderSignalTime](#).

<250> [Section 2.2.1.20.62](#): Office Outlook 2003, Office Outlook 2007, Outlook 2010, and Exchange 2003 ignore TRIGGER properties that are specified as Date-Time.

<251> [Section 2.3.1.2](#): For Office Outlook 2003, the maximum INTERVAL of a YEARLY recurrence is 1.

<252> [Section 2.3.1.10](#): Office Outlook 2003 does not apply this filter.

<253> [Section 2.3.1.11](#): Exchange 2003, Exchange 2007, and Exchange 2010 export a X-MICROSOFT-CDO-INSTTYPE with values: 0 if the appointment is non-recurring, 1 if the appointment is recurring, and 3 if the appointment is an exception of a recurring appointment.

<254> [Section 2.3.2](#): Office Outlook 2003, Office Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007 (WebDAV), and Exchange 2010 (WebDAV) do not import or export the X-MICROSOFT-RRULE property.

<255> [Section 2.3.2.1](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<256> [Section 2.3.2.1](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<257> [Section 2.3.2.1](#): Exchange 2007 (MIME) and Exchange 2010 (MIME) do not follow this guidance.

<258> [Section 2.3.2.1](#): Office Outlook 2003, Office Outlook 2007, and Outlook 2010 do not import or export the X-MICROSOFT-CDO-OWNERAPPTID property.

<259> [Section 2.3.2.1](#): Office Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<260> [Section 2.3.2.1](#): If EndType is 0x00002021, Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2 set the UNTIL recurrence part to midnight on the date specified by **EndDate**.

<261> [Section 2.3.2.1](#): Office Outlook 2003 will export **FirstDOW** as the WKST recurrence part, regardless of whether or not it is relevant.

<262> [Section 2.3.2.2](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<263> [Section 2.3.2.2](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<264> [Section 2.3.2.2](#): Office Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<265> [Section 2.3.2.2](#): If EndType is 0x00002021, Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2 set the UNTIL recurrence part to midnight on the date specified by **EndDate**.

<266> [Section 2.3.2.2](#): Office Outlook 2003 will export **FirstDOW** as the WKST recurrence part, regardless of whether it is relevant.

<267> [Section 2.3.2.3](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<268> [Section 2.3.2.3](#): Office Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

<269> [Section 2.3.2.3](#): Office Outlook 2003 imports BYMONTHDAY directly into **PatternTypeSpecific.Month.Day**.

<270> [Section 2.3.2.3](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<271> [Section 2.3.2.3](#): Office Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as BYMONTHDAY.

<272> [Section 2.3.2.3](#): Office Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<273> [Section 2.3.2.3](#): If EndType is 0x00002021, Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2 set the UNTIL recurrence part to midnight on the date specified by **EndDate**.

<274> [Section 2.3.2.3](#): Office Outlook 2003 will export **FirstDOW** as the WKST recurrence part, regardless of whether it is relevant.

<275> [Section 2.3.2.4](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<276> [Section 2.3.2.4](#): Office Outlook 2007 and Outlook 2010 will promote MONTHLY recurrences with an INTERVAL of 12 to a YEARLY recurrence.

<277> [Section 2.3.2.4](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<278> [Section 2.3.2.4](#): Office Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<279> [Section 2.3.2.4](#): If EndType is 0x00002021, Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2 set the UNTIL recurrence part to midnight on the date specified by **EndDate**.

<280> [Section 2.3.2.4](#): Office Outlook 2003 will export **FirstDOW** as the WKST recurrence part, regardless of whether or not it is relevant.

<281> [Section 2.3.2.5](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<282> [Section 2.3.2.5](#): Office Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

<283> [Section 2.3.2.5](#): Office Outlook 2003 imports BYMONTHDAY directly into **PatternTypeSpecific.Month.Day**.

<284> [Section 2.3.2.5](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<285> [Section 2.3.2.5](#): Office Outlook 2003 exports **PatternTypeSpecific.Month.Day** directly as BYMONTHDAY.

<286> [Section 2.3.2.5](#): Office Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<287> [Section 2.3.2.5](#): If EndType is 0x00002021, Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2 set the UNTIL recurrence part to midnight on the date specified by **EndDate**.

<288> [Section 2.3.2.5](#): Office Outlook 2003 will export **FirstDOW** as the WKST recurrence part, regardless of whether or not it is relevant.

<289> [Section 2.3.2.6](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<290> [Section 2.3.2.6](#): Office Outlook 2003 does not support Yearly Recurrence with an INTERVAL other than 1.

<291> [Section 2.3.2.6](#): Office Outlook 2003 does not import or export the X-MICROSOFT-CDO-INTENDEDSTATUS or X-MICROSOFT-MSNCALENDAR-INTENDEDSTATUS properties.

<292> [Section 2.3.2.6](#): Office Outlook 2007 and Outlook 2010 export 0x00002021 **EndType** values as a COUNT part instead of an UNTIL part.

<293> [Section 2.3.2.6](#): If EndType is 0x00002021, Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2 set the UNTIL recurrence part to midnight on the date specified by **EndDate**.

<294> [Section 2.3.2.6](#): Office Outlook 2003 will export **FirstDOW** as the WKST recurrence part, regardless of whether it is relevant.

<295> [Section 2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Office Outlook 2003.

<296> [Section 2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Office Outlook 2003.

<297> [Section 2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not implement this compatibility fix for Office Outlook 2003.

6 Change Tracking

This section identifies changes that were made to the [MS-OXCICAL] protocol document between the August 2010 and November 2010 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- Changes made for template compliance.
- Removal of a document from the documentation set.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.

- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change Type
2.2.1.20.13 Property: EXDATE	57909 Updated behavior note for multiple EXDATE values.	N	Product behavior note updated.
2.3.2.1 Template: Daily Recurrences	57909 Added behavior note for exporting "UNTIL" recurrence part in Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2.	N	New product behavior note added.
2.3.2.2 Template: Weekly Recurrences	57909 Added behavior note for exporting "UNTIL" recurrence part in Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2.	N	New product behavior note added.
2.3.2.3 Template: Monthly Recurrences	57909 Added behavior note for exporting "UNTIL" recurrence part in Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2.	N	New product behavior note added.
2.3.2.4 Template: Monthly Nth Recurrences	57909 Added behavior note for exporting "UNTIL" recurrence part in Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2.	N	New product behavior note added.
2.3.2.5 Template: Yearly Recurrences	57909 Added behavior note for exporting "UNTIL" recurrence part in Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2.	N	New product behavior note added.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change Type
2.3.2.6 Template: Yearly Nth Recurrences	57909 Added behavior note for exporting "UNTIL" recurrence part in Exchange 2007, Exchange 2007 SP1, and Exchange 2007 SP2.	N	New product behavior note added.
5 Appendix A: Product Behavior	57909 Added Microsoft Exchange Server 2007 SP3 to the list of applicable products.	N	Content updated.

7 Index

A

[Applicability](#) 10

B

[Birthday Calendar for 2008 example](#) 108

C

[Change tracking](#) 343

[Common data types and fields](#) 12

D

[Data types and fields - common](#) 12

Details

[common data types and fields](#) 12

E

[Example](#) 108

Examples

[Birthday Calendar for 2008](#) 108

[Recurring Meeting Scenario](#) 255

Schedule for the Week of June 16

[2008](#) 150

[Single Meeting Scenario](#) 212

F

[Fields - vendor-extensible](#) 10

G

[Glossary](#) 7

I

[Implementer - security considerations](#) 322

[Introduction](#) 7

L

[Localization](#) 10

N

[Normative references](#) 8

O

[Overview \(synopsis\)](#) 10

P

[Product behavior](#) 323

R

[Recurring Meeting Scenario example](#) 255

References

[normative](#) 8

[Relationship to protocols and other structures](#) 10

S

Schedule for the Week of June 16

[2008 example](#) 150

[Security - implementer considerations](#) 322

[Single Meeting Scenario example](#) 212

Structures

[overview](#) 12

T

[Tracking changes](#) 343

V

[Vendor-extensible fields](#) 10

[Versioning and Localization](#) 10