

# [MS-OXOCNTC]: Contact Object Protocol Specification

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplq@microsoft.com](mailto:iplq@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1	Major	Initial Availability.
04/25/2008	0.2	Minor	Revised and updated property names and other technical content.
06/27/2008	1.0	Major	Initial Release.
08/06/2008	1.0.1	Editorial	Revised and edited technical content.
09/03/2008	1.0.2	Editorial	Revised and edited technical content.
12/03/2008	1.0.3	Editorial	Revised and edited technical content.
03/04/2009	1.0.4	Editorial	Revised and edited technical content.
04/10/2009	2.0	Major	Updated technical content for new product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	4.0.0	Major	Updated and revised the technical content.

# Table of Contents

<b>1 Introduction .....</b>	<b>8</b>
1.1 Glossary.....	8
1.2 References.....	9
1.2.1 Normative References .....	9
1.2.2 Informative References .....	10
1.3 Protocol Overview .....	10
1.4 Relationship to Other Protocols.....	10
1.5 Prerequisites/Preconditions.....	11
1.6 Applicability Statement.....	11
1.7 Versioning and Capability Negotiation.....	11
1.8 Vendor-Extensible Fields .....	11
1.9 Standards Assignments .....	11
<b>2 Messages .....</b>	<b>12</b>
2.1 Transport.....	12
2.2 Message Syntax.....	12
2.2.1 Contact Object Properties.....	12
2.2.1.1 Contact Name Properties .....	12
2.2.1.1.1 PidTagNickname.....	12
2.2.1.1.2 PidTagGeneration.....	12
2.2.1.1.3 PidTagDisplayNamePrefix .....	12
2.2.1.1.4 PidTagSurname .....	12
2.2.1.1.5 PidTagMiddleName .....	12
2.2.1.1.6 PidTagGivenName .....	13
2.2.1.1.7 PidTagInitials .....	13
2.2.1.1.8 PidTagDisplayName.....	13
2.2.1.1.9 PidLidYomiFirstName.....	13
2.2.1.1.10 PidLidYomiLastName .....	13
2.2.1.1.11 PidLidFileUnder.....	13
2.2.1.1.12 PidLidFileUnderId .....	13
2.2.1.1.13 PidLidFileUnderList .....	15
2.2.1.2 Electronic Address Properties.....	15
2.2.1.2.1 PidLidEmail1DisplayName, PidLidEmail2DisplayName, PidLidEmail3DisplayName.....	16
2.2.1.2.2 PidLidEmail1AddressType, PidLidEmail2AddressType, PidLidEmail3AddressType .....	16
2.2.1.2.3 PidLidEmail1EmailAddress, PidLidEmail2EmailAddress, PidLidEmail3EmailAddress .....	16
2.2.1.2.4 PidLidEmail1OriginalDisplayName, PidLidEmail2OriginalDisplayName, PidLidEmail3OriginalDisplayName .....	16
2.2.1.2.5 PidLidEmail1OriginalEntryId, PidLidEmail2OriginalEntryId, PidLidEmail3OriginalEntryId.....	17
2.2.1.2.6 PidTagPrimaryFaxNumber, PidTagBusinessFaxNumber, PidTagHomeFaxNumber.....	17
2.2.1.2.7 PidLidFax1AddressType, PidLidFax2AddressType, PidLidFax3AddressType ...	17
2.2.1.2.8 PidLidFax1EmailAddress, PidLidFax2EmailAddress, PidLidFax3EmailAddress .....	17
2.2.1.2.9 PidLidFax1OriginalDisplayName, PidLidFax2OriginalDisplayName, PidLidFax3OriginalDisplayName .....	17

2.2.1.2.10	PidLidFax1OriginalEntryId, PidLidFax2OriginalEntryId, PidLidFax3OriginalEntryId.....	17
2.2.1.2.11	PidLidEmailList .....	17
2.2.1.2.12	PidLidAddressBookProviderEmailList .....	17
2.2.1.2.13	PidLidAddressBookProviderArrayType .....	18
2.2.1.3	Physical Address Properties .....	18
2.2.1.3.1	PidLidWorkAddressStreet, PidTagHomeAddressStreet, PidTagOtherAddressStreet, PidTagStreetAddress .....	19
2.2.1.3.2	PidLidWorkAddressCity, PidTagHomeAddressCity, PidTagOtherAddressCity, PidTagLocality.....	19
2.2.1.3.3	PidLidWorkAddressState, PidTagHomeAddressStateOrProvince, PidTagOtherAddressStateOrProvince, PidTagStateOrProvince .....	20
2.2.1.3.4	PidLidWorkAddressPostalCode, PidTagHomeAddressPostalCode, PidTagOtherAddressPostalCode, PidTagPostalCode .....	20
2.2.1.3.5	PidLidWorkAddressCountry, PidTagHomeAddressCountry, PidTagOtherAddressCountry, PidTagCountry .....	20
2.2.1.3.6	PidLidWorkAddressCountryCode, PidLidHomeAddressCountryCode, PidLidOtherAddressCountryCode, PidLidAddressCountryCode .....	20
2.2.1.3.7	PidLidWorkAddressPostOfficeBox, PidTagHomeAddressPostOfficeBox, PidTagOtherAddressPostOfficeBox, PidTagPostOfficeBox.....	20
2.2.1.3.8	PidLidWorkAddress, PidLidHomeAddress, PidLidOtherAddress, PidTagPostalAddress.....	20
2.2.1.3.9	PidLidPostalAddressId.....	20
2.2.1.4	Telephone Properties .....	21
2.2.1.4.1	PidTagPagerTelephoneNumber .....	21
2.2.1.4.2	PidTagCallbackTelephoneNumber .....	21
2.2.1.4.3	PidTagBusinessTelephoneNumber.....	21
2.2.1.4.4	PidTagHomeTelephoneNumber .....	21
2.2.1.4.5	PidTagPrimaryTelephoneNumber .....	21
2.2.1.4.6	PidTagBusiness2TelephoneNumber.....	21
2.2.1.4.7	PidTagMobileTelephoneNumber .....	21
2.2.1.4.8	PidTagRadioTelephoneNumber.....	22
2.2.1.4.9	PidTagCarTelephoneNumber.....	22
2.2.1.4.10	PidTagOtherTelephoneNumber.....	22
2.2.1.4.11	PidTagAssistantTelephoneNumber .....	22
2.2.1.4.12	PidTagHome2TelephoneNumber .....	22
2.2.1.4.13	PidTagTtyTddPhoneNumber .....	22
2.2.1.4.14	PidTagCompanyMainTelephoneNumber.....	22
2.2.1.4.15	PidTagTelexNumber.....	22
2.2.1.4.16	PidTagIsdnNumber.....	22
2.2.1.5	Event Properties.....	22
2.2.1.5.1	PidTagBirthday.....	22
2.2.1.5.2	PidLidBirthdayLocal .....	22
2.2.1.5.3	PidLidBirthdayEventEntryId .....	23
2.2.1.5.4	PidTagWeddingAnniversary .....	23
2.2.1.5.5	PidLidWeddingAnniversaryLocal .....	23
2.2.1.5.6	PidLidAnniversaryEventEntryId .....	23
2.2.1.6	Professional Properties .....	23
2.2.1.6.1	PidTagTitle .....	23
2.2.1.6.2	PidTagCompanyName.....	23
2.2.1.6.3	PidTagDepartmentName.....	23
2.2.1.6.4	PidLidDepartment.....	23
2.2.1.6.5	PidTagOfficeLocation .....	23

2.2.1.6.6	PidTagManagerName	24
2.2.1.6.7	PidTagAssistant	24
2.2.1.6.8	PidLidYomiCompanyName	24
2.2.1.6.9	PidTagProfession	24
2.2.1.7	Business Card Properties	24
2.2.1.7.1	PidLidBusinessCardDisplayDefinition	24
2.2.1.7.1.1	PidLidBusinessCardDisplayDefinition Buffer Format	24
2.2.1.7.1.1.1	MajorVersion and MinorVersion	26
2.2.1.7.1.1.2	TemplateID	26
2.2.1.7.1.1.3	ImageAlignment	26
2.2.1.7.1.1.4	ImageSource	27
2.2.1.7.1.1.5	BackgroundColor	27
2.2.1.7.1.1.6	ImageArea	27
2.2.1.7.1.2	FieldInfo Buffer Format	27
2.2.1.7.1.2.1	TextPropertyID	28
2.2.1.7.1.2.2	TextFormat	29
2.2.1.7.1.2.3	LabelFormat	29
2.2.1.7.1.2.4	FontSize	30
2.2.1.7.1.2.5	LabelOffset	30
2.2.1.7.1.2.6	ValueFontColor	30
2.2.1.7.1.2.7	LabelFontColor	30
2.2.1.7.1.3	ExtraInfo Buffer Format	30
2.2.1.7.2	PidLidBusinessCardCardPicture	31
2.2.1.7.3	PidLidContactUserField1, PidLidContactUserField2, PidLidContactUserField3, PidLidContactUserField4	31
2.2.1.8	Contact Photo Properties	31
2.2.1.8.1	PidLidHasPicture	31
2.2.1.8.2	Contact Photo Attachment	31
2.2.1.9	Other Contact Properties	31
2.2.1.9.1	PidLidReferenceEntryId	31
2.2.1.9.2	PidTagHobbies	32
2.2.1.9.3	PidTagSpouseName	32
2.2.1.9.4	PidTagLanguage	32
2.2.1.9.5	PidTagLocation	32
2.2.1.9.6	PidLidInstantMessagingAddress	32
2.2.1.9.7	PidTagOrganizationalIdNumber	32
2.2.1.9.8	PidTagCustomerId	32
2.2.1.9.9	PidTagGovernmentIdNumber	32
2.2.1.9.10	PidLidFreeBusyLocation	32
2.2.1.9.11	PidTagAccount	32
2.2.1.9.12	PidLidHtml	32
2.2.1.9.13	PidTagPersonalHomePage	32
2.2.1.9.14	PidTagBusinessHomePage	33
2.2.1.9.15	PidTagFtpSite	33
2.2.1.9.16	PidTagComputerNetworkName	33
2.2.1.9.17	PidTagChildrensNames	33
2.2.1.9.18	PidLidContactCharacterSet	33
2.2.1.9.19	PidLidAutoLog	33
2.2.1.9.20	PidTagGender	33
2.2.1.9.21	PidTagReferredByName	33
2.2.1.9.22	PidLidContactItemData	34
2.2.1.9.23	PidTagUserX509Certificate	34
2.2.1.9.24	PidLidBilling	34

2.2.1.9.25	PidLidReferredBy .....	34
2.2.1.10	Additional Property Constraints.....	34
2.2.1.10.1	PidTagNormalizedSubject .....	35
2.2.1.10.2	PidTagMessageClass.....	35
2.2.2	Personal Distribution List Properties.....	35
2.2.2.1	Personal Distribution List Name Properties.....	35
2.2.2.1.1	PidTagDisplayName.....	35
2.2.2.1.2	PidLidDistributionListName .....	35
2.2.2.1.3	PidLidFileUnder .....	35
2.2.2.1.4	PidLidFileUnderId .....	35
2.2.2.2	Personal Distribution List Member Properties .....	35
2.2.2.2.1	PidLidDistributionListMembers .....	35
2.2.2.2.2	PidLidDistributionListOneOffMembers.....	36
2.2.2.2.3	PidLidDistributionListChecksum .....	36
2.2.2.2.4	PidLidDistributionListStream.....	36
2.2.2.2.4.1	PidLidDistributionListStream Buffer Format.....	36
2.2.2.2.4.2	DistListMemberInfo Format .....	38
2.2.2.2.4.3	ExtraMemberInfoData Format.....	39
2.2.2.2.5	Wrapped EntryId Format.....	39
2.2.2.3	Other Personal Distribution List Properties .....	41
2.2.2.3.1	PidLidAddressBookProviderArrayType .....	41
2.2.2.4	Additional Property Constraints.....	41
2.2.2.4.1	PidTagNormalizedSubject.....	41
2.2.2.4.2	PidTagMessageClass.....	41
2.2.3	Contact Folder Syntax.....	41
<b>3</b>	<b>Protocol Details.....</b>	<b>42</b>
3.1	Client and Server Details.....	42
3.1.1	Abstract Data Model.....	42
3.1.1.1	Contact Object.....	42
3.1.1.1.1	Name Subobject.....	42
3.1.1.1.2	E-Mail Subobjects.....	42
3.1.1.1.3	Physical Address Subobjects.....	42
3.1.1.1.4	Event Subobjects .....	42
3.1.1.1.5	Professional Subobject .....	42
3.1.1.1.6	Business Card Subobject.....	42
3.1.1.1.7	Contact Photo Subobject .....	43
3.1.1.2	Personal Distribution Lists .....	43
3.1.1.3	Contact Folders .....	43
3.1.2	Timers .....	43
3.1.3	Initialization.....	43
3.1.4	Higher-Layer Triggered Events .....	43
3.1.4.1	Contact Object Events.....	43
3.1.4.1.1	Creating a Contact .....	43
3.1.4.1.2	Deleting a Contact.....	43
3.1.4.1.3	Modifying a Contact.....	43
3.1.4.1.3.1	Modifying a Contact Name Property.....	43
3.1.4.1.3.2	Modifying a Physical Address Property.....	44
3.1.4.1.3.3	Modifying an E-mail Address Property.....	45
3.1.4.1.3.4	Updating a FAX Number .....	46
3.1.4.1.3.5	Modifying an Event Property.....	46
3.1.4.1.3.6	Modifying a Business Card Property.....	48
3.1.4.1.3.7	Modifying a Contact Photo Property.....	48

3.1.4.2	Personal Distribution List Events .....	48
3.1.4.2.1	Creating a Personal Distribution List .....	48
3.1.4.2.2	Deleting a Personal Distribution List.....	48
3.1.4.2.3	Modifying a Personal Distribution List.....	49
3.1.4.2.3.1	Naming a Personal Distribution List .....	49
3.1.4.2.3.2	Adding a Member to a Personal Distribution List .....	49
3.1.4.2.3.3	Removing a Member from a Personal Distribution List.....	49
3.1.4.2.3.4	Updating the Checksum of a Personal Distribution List.....	50
3.1.5	Message Processing Events and Sequencing Rules .....	50
3.1.6	Timer Events.....	50
3.1.7	Other Local Events .....	50
<b>4</b>	<b>Protocol Examples .....</b>	<b>51</b>
4.1	Creating a Contact .....	51
4.2	Creating a Personal Distribution List .....	59
<b>5</b>	<b>Security.....</b>	<b>65</b>
5.1	Security Considerations for Implementers.....	65
5.2	Index of Security Parameters .....	65
<b>6</b>	<b>Appendix A: Product Behavior .....</b>	<b>66</b>
<b>7</b>	<b>Change Tracking .....</b>	<b>70</b>
<b>8</b>	<b>Index.....</b>	<b>73</b>

# 1 Introduction

This document specifies the Contact Object Protocol, a **Message object** that serves as the basic organizational unit for personal information, such as phone numbers, e-mail addresses, and mailing addresses. It also serves as the basic organizational unit for **collections** of e-mail addresses, which can be used to create mailing lists.

This document extends the Message and Attachment Object Protocol, as specified in [\[MS-OXCMSG\]](#), and specifies the **properties** that are set on **Contact objects** and **Personal Distribution List objects** in addition to the Message object properties specified in [\[MS-OXCMSG\]](#) section 2.2.1. This specification assumes that the reader has familiarity with the concepts and requirements of [\[MS-OXCMSG\]](#). Those concepts and requirements are not repeated in this specification.

## 1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

- action**
- address book**
- Address Book object**
- address type**
- appointment**
- Appointment object**
- attachment**
- binary large object (BLOB)**
- character set**
- collections**
- condition**
- Contact object**
- Coordinated Universal Time (UTC)**
- cyclic redundancy check (CRC)(1)**
- display template**
- distribution list**
- Entry ID**
- folder**
- free/busy**
- Global Address List**
- journal**
- Journal object**
- .jpg**
- little-endian**
- locale**
- message**
- mailbox**
- mail user**
- Message object**
- one-off Entry ID**
- portable network graphics (PNG)**
- property**
- property ID**
- remote operation (ROP)**
- Simple Mail Transfer Protocol (SMTP)**
- store**
- subobjects**



## Unicode URL

The following terms are specific to this document:

**BMP:** A standard format used to store device-independent and application-independent images. The number of bits per pixel (1, 4, 8, 15, 24, 32, or 64) for a given BMP file is specified in a file header. BMP files with 24 bits per pixel are common.

**enhanced metafile format (EMF):** A file format that supports device-independent definitions of images.

**GIF:** A common format for images that appear on Web pages. **GIFs** work well for line drawings, pictures with blocks of solid color, and pictures with sharp boundaries between colors. GIFs are compressed, but no information is lost in the compression process; a decompressed image is exactly the same as the original.

**EXIF:** A file format used for photographs captured by digital cameras. An EXIF file contains an image that is compressed according to the .jpg specification. An EXIF file also contains information about the photograph (date taken, shutter speed, exposure time, and so on) and information about the camera (manufacturer, model, and so on).

**ICO:** A file format used for icons in the operating system.

**Personal Distribution List object:** A **Message object** that contains properties that pertain specifically to user-created distribution lists.

**point:** A unit of length used in typography to specify text character height and width.

**TIFF:** A flexible and extendable format that is supported by a wide variety of platforms and image-processing applications. TIFF files can store images with an arbitrary number of bits per pixel and can employ a variety of compression algorithms.

**Windows metafile format (WMF):** A file format used by Windows that supports definitions of images.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[ISO/IEC 8802-3] International Organization for Standardization, "Information technology -- Telecommunications and information exchange between systems -- Local and metropolitan area networks -- Specific requirements -- Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications", ISO/IEC 8802-3:2000, [http://www.iso.org/iso/iso\\_catalogue/catalogue\\_tc/catalogue\\_detail.htm?csnumber=31002](http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=31002).

[MS-OXCDATA] Microsoft Corporation, "[Data Structures](#)", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "[Folder Object Protocol Specification](#)", June 2008.

[MS-OXCICAL] Microsoft Corporation, "[iCalendar to Appointment Object Conversion Protocol Specification](#)", June 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", June 2008.

[MS-OXCPRPT] Microsoft Corporation, "[Property and Stream Object Protocol Specification](#)", June 2008.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", June 2008.

[MS-OXOABK] Microsoft Corporation, "[Address Book Object Protocol Specification](#)", June 2008.

[MS-OXOCAL] Microsoft Corporation, "[Appointment and Meeting Object Protocol Specification](#)", June 2008.

[MS-OXPROPS] Microsoft Corporation, "[Exchange Server Protocols Master Property List](#)", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC2247] Kille, S., et al., "Using Domains in LDAP/X.500 Distinguished Names", RFC 2247, January 1998, <http://www.ietf.org/rfc/rfc2247.txt>.

[RFC959] Postel, J. and Reynolds, J., "File Transfer Protocol (FTP)", RFC 959, October 1985, <http://www.ietf.org/rfc/rfc959.txt>.

## 1.2.2 Informative References

None.

## 1.3 Protocol Overview

A Contact object is a Message object that represents a person or an entity. A Personal Distribution List object is a Message object that represents a group of e-mail addresses.

This protocol is an extension of the Message and Attachment object protocol, as specified in [\[MS-OXCMSG\]](#), and specifies the representation of a **contact** or personal **distribution list** in a messaging **store**. This document specifies the properties that are unique to Contact objects and Personal Distribution List objects, and the interdependencies that exist between subsets of these properties. A Contact object can contain subsets of properties that together define a **subobject** stored on a Contact object, such as an e-mail address or a mailing address.

## 1.4 Relationship to Other Protocols

The Contact Object Protocol Specification is an extension to the Message and Attachment Object protocol, as specified in [\[MS-OXCMSG\]](#), which specifies Message objects. [\[MS-OXCMSG\]](#) specifies the **ROPs** used to create and modify Message objects, and the properties that are common to all Message objects.

This protocol also requires an understanding of properties, as specified in [\[MS-OXPROPS\]](#), and **folders**, as specified in [\[MS-OXCFOLD\]](#).

## **1.5 Prerequisites/Preconditions**

None.

## **1.6 Applicability Statement**

A client can use this protocol to represent contact information and personal distribution lists electronically in a user's **mailbox**.

## **1.7 Versioning and Capability Negotiation**

None.

## **1.8 Vendor-Extensible Fields**

None.

## **1.9 Standards Assignments**

None.

## 2 Messages

### 2.1 Transport

None.

### 2.2 Message Syntax

Contact objects and Personal Distribution List objects can be created and modified by clients and servers. Except where noted, this section defines constraints under which both clients and servers operate.

Protocol clients operate on Contact objects and Personal Distribution List objects using the Message and Attachment Object Protocol, as specified in [\[MS-OXCMSG\]](#). The details of how a protocol server operates on Contact objects and Personal Distribution List objects is implementation-dependent. The results of any such operations are exposed to clients in a manner that is consistent with this protocol.

Unless otherwise specified, a Contact object or a Personal Distribution List object adheres to all property constraints specified in [\[MS-OXPROPS\]](#) and [\[MS-OXCMSG\]](#). A Contact object or a Personal Distribution List object MAY also contain other properties [<1><2><3>](#) as specified in [\[MS-OXPROPS\]](#), but these properties have no impact on this protocol.

#### 2.2.1 Contact Object Properties

The properties specified in section [2.2.1](#) are specific to Contact objects. They SHOULD only be set on Contact object. Unless otherwise specified, each of these properties are optional and they only need to be set when there is user data that needs to be stored.

##### 2.2.1.1 Contact Name Properties

The properties specified in section [2.2.1.1](#) can be set on a Contact object and are used to specify the name of the person represented by the contact.

###### 2.2.1.1.1 PidTagNickname

This optional **PtypString** property specifies the nickname of the contact.

###### 2.2.1.1.2 PidTagGeneration

This optional **PtypString** property specifies the generation suffix of the contact, such as "Jr.", "Sr.", or "III".

###### 2.2.1.1.3 PidTagDisplayNamePrefix

This optional **PtypString** property specifies the title of the contact, such as "Mr.", "Mrs.".

###### 2.2.1.1.4 PidTagSurname

This optional **PtypString** property specifies the surname (family name) of the contact.

###### 2.2.1.1.5 PidTagMiddleName

This optional **PtypString** property specifies the middle name(s) of the contact.

#### 2.2.1.1.6 PidTagGivenName

This optional **PtypString** property specifies the given name (first name) of the contact.

#### 2.2.1.1.7 PidTagInitials

This optional **PtypString** property specifies the initials of the contact.

#### 2.2.1.1.8 PidTagDisplayName

This optional **PtypString** property specifies the full name of the contact. This property is computed by the application according to an implementation-dependent algorithm that uses the values of the [PidTagDisplayNamePrefix](#), [PidTagGivenName](#), [PidTagMiddleName](#), [PidTagSurname](#), and [PidTagGeneration](#) properties.

#### 2.2.1.1.9 PidLidYomiFirstName

This optional **PtypString** property specifies the phonetic pronunciation of the contact's given name.

#### 2.2.1.1.10 PidLidYomiLastName

This optional **PtypString** property specifies the phonetic pronunciation of the contact's surname.

#### 2.2.1.1.11 PidLidFileUnder

This **PtypString** property SHOULD be set to the name under which to file this contact when displaying a list of contacts. The application SHOULD treat this property as an empty **PtypString** if it is missing from the Contact object.

#### 2.2.1.1.12 PidLidFileUnderId

This **PtypInteger32** property specifies how to generate and recompute the value of the [PidLidFileUnder](#) property when other **Contact Name** properties change. This property SHOULD be set to one of the values in the following table. If this property is missing or set to a value not in the following table, the application can choose its own logic to recompute the value of [PidLidFileUnder](#) as other **Contact Name** properties change.

In the following table, the notation <PropertyName> is used to specify "the value of PropertyName". For example, if the value of the [PidTagSurname](#) property is "Smith", and the value of the [PidTagGivenName](#) property is "Ben", then "< [PidTagGivenName](#) > < [PidTagSurname](#) >" specifies the string "Ben Smith". In the table, "\r" specifies a carriage return character, "\n" specifies a line feed character, and <space> represents a space character.

The following table shows the format of the **PtypString** property [PidLidFileUnder](#) when all of the properties are present. If a property is not present, then the separator characters surrounding it can be removed by the application.

Computing the value of the [PidLidFileUnder](#) property based on [PidLidFileUnderId](#) property value

Value of the PidLidFileUnderId property	Meaning of the PidLidFileUnder property
0x00000000	Empty <b>PtypString</b> .

Value of the PidLidFileUnderId property	Meaning of the PidLidFileUnder property
0x00003001	"< <a href="#">PidTagDisplayName</a> >"
0x00003A06	"< <a href="#">PidTagGivenName</a> >"
0x00003A11	"< <a href="#">PidTagSurname</a> >"
0x00003A16	"< <a href="#">PidTagCompanyName</a> >"
0x00008017	"< <a href="#">PidTagSurname</a> >,<space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >"
0x00008018	"< <a href="#">PidTagCompanyName</a> >\r\n< <a href="#">PidTagSurname</a> >,<space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >"
0x00008019	"< <a href="#">PidTagSurname</a> >,<space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >\r\n< <a href="#">PidTagCompanyName</a> >"
0x00008030	"< <a href="#">PidTagSurname</a> >< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >"
0x00008031	"< <a href="#">PidTagSurname</a> ><space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >"
0x00008032	"< <a href="#">PidTagCompanyName</a> >\r\n< <a href="#">PidTagSurname</a> >< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >"
0x00008033	"< <a href="#">PidTagCompanyName</a> >\r\n< <a href="#">PidTagSurname</a> ><space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >"
0x00008034	"< <a href="#">PidTagSurname</a> >< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >\r\n< <a href="#">PidTagCompanyName</a> >"
0x00008035	"< <a href="#">PidTagSurname</a> ><space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> >\r\n< <a href="#">PidTagCompanyName</a> >"
0x00008036	"< <a href="#">PidTagSurname</a> ><space>< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> ><space>< <a href="#">PidTagGeneration</a> >"
0x00008037	"< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> ><space>< <a href="#">PidTagSurname</a> ><space>< <a href="#">PidTagGeneration</a> >"
0x00008038	"< <a href="#">PidTagSurname</a> >< <a href="#">PidTagGivenName</a> ><space>< <a href="#">PidTagMiddleName</a> ><space>< <a href="#">PidTagGeneration</a> >"
0xffffffffd	Specifies that, when displaying the Contact object, the application is to attempt to use the current value of <a href="#">PidLidFileUnder</a> and other Contact properties to find a "best match" for <a href="#">PidLidFileUnderId</a> to one of the previous values in this table.
0xffffffe	Specifies that, when displaying the Contact object, the application is to choose the appropriate default values (according to the language <b>locale</b> ) for <a href="#">PidLidFileUnderId</a> and update <a href="#">PidLidFileUnder</a> to match the choice.
0xfffffff	<a href="#">PidLidFileUnder</a> is a user-provided <b>PtypString</b> , and SHOULD NOT be changed when another <b>Contact Name</b> property changes.

### 2.2.1.1.13 PidLidFileUnderList

This optional **PtypMultipleInteger32** property specifies a list of possible values for [PidLidFileUnderId](#). Each value in the **multi-value property** MUST be one of the allowed values for [PidLidFileUnderId](#) specified in section [2.2.1.1.12](#). <4>

### 2.2.1.2 Electronic Address Properties

The Contact object has built-in properties for up to three different e-mail addresses (Email1, Email2, and Email3) and three different fax addresses (Primary Fax, Business Fax, and Home Fax). Each of these electronic addresses is optional, and each consists of a group of related properties associated with it.

Unless otherwise specified, when creating or modifying a Contact object, all properties in a group MUST be set, changed, or deleted together at the same time. Specifications of similar properties are grouped together in sections [2.2.1.2.1](#) through [2.2.1.2.13](#). The following table specifies the properties in each electronic address group.

Group name	Description	Properties in group
Email1	Refers to the group of properties that define the first e-mail address for a contact.	<a href="#">PidLidEmail1DisplayName</a> <a href="#">PidLidEmail1AddressType</a> <a href="#">PidLidEmail1EmailAddress</a> <a href="#">PidLidEmail1OriginalDisplayName</a> <a href="#">PidLidEmail1OriginalEntryId</a>
Email2	Refers to the group of properties that define the second e-mail address for a contact.	<a href="#">PidLidEmail2DisplayName</a> <a href="#">PidLidEmail2AddressType</a> <a href="#">PidLidEmail2EmailAddress</a> <a href="#">PidLidEmail2OriginalDisplayName</a> <a href="#">PidLidEmail2OriginalEntryId</a>
Email3	Refers to the group of properties that define the third e-mail address for a contact.	<a href="#">PidLidEmail3DisplayName</a> <a href="#">PidLidEmail3AddressType</a> <a href="#">PidLidEmail3EmailAddress</a> <a href="#">PidLidEmail3OriginalDisplayName</a> <a href="#">PidLidEmail3OriginalEntryId</a>
Primary Fax	Refers to the group of properties that define the primary fax address for a contact.	<a href="#">PidTagPrimaryFaxNumber</a> <a href="#">PidLidFax1AddressType</a> <a href="#">PidLidFax1EmailAddress</a> <a href="#">PidLidFax1OriginalDisplayName</a> <a href="#">PidLidFax1OriginalEntryId</a>
Business Fax	Refers to the group of properties that define the business fax address for a contact.	<a href="#">PidTagBusinessFaxNumber</a> , <a href="#">PidLidFax2AddressType</a> , <a href="#">PidLidFax2EmailAddress</a> , <a href="#">PidLidFax2OriginalDisplayName</a> <a href="#">PidLidFax2OriginalEntryId</a>
Home Fax	Refers to the group of properties that define the home fax address for a contact.	<a href="#">PidTagHomeFaxNumber</a> <a href="#">PidLidFax3AddressType</a>

Group name	Description	Properties in group
		<a href="#">PidLidFax3EmailAddress</a> <a href="#">PidLidFax3OriginalDisplayName</a> <a href="#">PidLidFax3OriginalEntryId</a>

If any of the e-mail addresses are defined for the contact, then the properties [PidLidAddressBookProviderArrayType](#) and [PidLidAddressBookProviderEmailList](#) MUST be defined as well.

For each e-mail address, if one property is defined, then the entire set of properties MUST be defined, and [PidLidAddressBookProviderArrayType](#) and [PidLidAddressBookProviderEmailList](#) MUST be defined as well.

If [PidTagPrimaryFaxNumber](#), [PidTagBusinessFaxNumber](#), or [PidTagHomeFaxNumber](#) is defined, then the [PidLidAddressBookProviderArrayType](#) and [PidLidAddressBookProviderEmailList](#) properties SHOULD be defined, as well as the rest of the Primary Fax, Business Fax, or Home Fax properties respectively. <5>

#### 2.2.1.2.1 PidLidEmail1DisplayName, PidLidEmail2DisplayName, PidLidEmail3DisplayName

This **PtypString** property specifies the user-readable **display name** for the e-mail address.

#### 2.2.1.2.2 PidLidEmail1AddressType, PidLidEmail2AddressType, PidLidEmail3AddressType

This **PtypString** property specifies the **address type** of the electronic address; if present, the property value MUST be a valid <6> address type.

#### 2.2.1.2.3 PidLidEmail1EmailAddress, PidLidEmail2EmailAddress, PidLidEmail3EmailAddress

This **PtypString** property specifies the e-mail address of the contact. The value of this property MUST be appropriate <7> for the address type specified for this e-mail address. Address types are specified by the [PidLidEmail1AddressType](#), [PidLidEmail2AddressType](#), [PidLidEmail3AddressType](#) properties.

#### 2.2.1.2.4 PidLidEmail1OriginalDisplayName, PidLidEmail2OriginalDisplayName, PidLidEmail3OriginalDisplayName

This **PtypString** property SHOULD specify the **SMTP** e-mail address corresponding to the e-mail address specified in section 2.2.1.2.3 for the Contact object. If the value of the [PidLidEmail1AddressType](#), [PidLidEmail2AddressType](#), or [PidLidEmail3AddressType](#) property is "SMTP", the value of the respective [PidLidEmail1OriginalDisplayName](#), [PidLidEmail2OriginalDisplayName](#), or [PidLidEmail3OriginalDisplayName](#) property SHOULD equal the value of the respective [PidLidEmail1EmailAddress](#), [PidLidEmail2EmailAddress](#), or [PidLidEmail3EmailAddress](#) property. The purpose of this property is to display an alternative user-friendly address that is equivalent to the one in the [PidLidEmail1EmailAddress](#), [PidLidEmail2EmailAddress](#), or [PidLidEmail3EmailAddress](#) property.



#### **2.2.1.2.5 PidLidEmail1OriginalEntryId, PidLidEmail2OriginalEntryId, PidLidEmail3OriginalEntryId**

This **PtypBinary** property specifies the **EntryID** of the object corresponding to this electronic address. It MUST be either a **one-off EntryID** for this electronic address or a valid **Address Book object** EntryID.

#### **2.2.1.2.6 PidTagPrimaryFaxNumber, PidTagBusinessFaxNumber, PidTagHomeFaxNumber**

This **PtypString** property specifies the fax number for the contact. The **PtypString** MUST NOT be longer than 255 characters, not including the terminating NULL character. There are no other restrictions on the format of this **PtypString**.

#### **2.2.1.2.7 PidLidFax1AddressType, PidLidFax2AddressType, PidLidFax3AddressType**

This **PtypString** property, if present, MUST be set to "FAX".

#### **2.2.1.2.8 PidLidFax1EmailAddress, PidLidFax2EmailAddress, PidLidFax3EmailAddress**

This **PtypString** property, if present, SHOULD contain a user-readable display name, followed by the "@" character, followed by a fax number.

#### **2.2.1.2.9 PidLidFax1OriginalDisplayName, PidLidFax2OriginalDisplayName, PidLidFax3OriginalDisplayName**

This **PtypString** property, if present, MUST be set to the same value as [PidTagNormalizedSubject](#), as specified in section [2.2.1.10.1](#).

#### **2.2.1.2.10 PidLidFax1OriginalEntryId, PidLidFax2OriginalEntryId, PidLidFax3OriginalEntryId**

This **PtypBinary** property, if present, MUST specify the one-off EntryID corresponding to this fax address.

#### **2.2.1.2.11 PidLidEmailList**

The value of this **PtypMultipleInteger32** property MUST be ignored. [<8>](#)

#### **2.2.1.2.12 PidLidAddressBookProviderEmailList**

This **PtypMultipleInteger32** property specifies which electronic address properties are set on the Contact object. Each **PtypInteger32** value in this property MUST be unique in the property and MUST be set to one of the values in the following table. If this property is set, then [PidLidAddressBookProviderArrayType](#) MUST also be set. These two properties MUST be kept synchronized with each other. [<9>](#)

For example, if one of the values in [PidLidAddressBookProviderEmailList](#) is "0x00000000", then [PidLidAddressBookProviderArrayType](#) would have the bit "0x00000001" set.

Value	Meaning
0x00000000	Email1 is defined for the contact.
0x00000001	Email2 is defined for the contact.
0x00000002	Email3 is defined for the contact.
0x00000003	Business fax is defined for the contact.
0x00000004	Home fax is defined for the contact.
0x00000005	Primary fax is defined for the contact.

### 2.2.1.2.13 PidLidAddressBookProviderArrayType

This **PtypInteger32** property specifies the state of the contact's electronic addresses and represents a set of bit-flags. The value of the [PidLidAddressBookProviderArrayType](#) property MUST be a combination of flags that specify the state of the Contact object. Individual flags are specified in the following table. If this property is set, then [PidLidAddressBookProviderEmailList](#) MUST be set as well. These two properties MUST be kept in sync with each other.

For example, if this property has the bit "0x00000001" set, then one of the values of [PidLidAddressBookProviderEmailList](#) would be "0x00000000".

Bit	Meaning
0x00000001	Email1 is defined for the contact.
0x00000002	Email2 is defined for the contact.
0x00000004	Email3 is defined for the contact.
0x00000008	Business fax is defined for the contact.
0x00000010	Home fax is defined for the contact.
0x00000020	Primary fax is defined for the contact.

### 2.2.1.3 Physical Address Properties

The Contact object provides built-in support for three physical addresses: Home Address, Work Address, and Other Address. One of the addresses can be marked as the Mailing Address. Each of these physical addresses is optional, and each consists of a group of related properties associated with it.

When creating or modifying a Contact object, all properties in a group MUST be set, changed, or deleted together at the same time. Specifications of similar properties are grouped together in sections [2.2.1.3.1](#) through [2.2.1.3.9](#).

Unless otherwise specified, for each physical address, when one property is set, all of the properties for that address MUST also be set. The following table specifies the properties in each physical address group.

Group name	Properties in group
Home Address	<a href="#">PidTagHomeAddressStreet</a> <a href="#">PidTagHomeAddressCity</a> <a href="#">PidTagHomeAddressStateOrProvince</a> <a href="#">PidTagHomeAddressPostalCode</a> <a href="#">PidTagHomeAddressCountry</a> <a href="#">PidLidHomeAddressCountryCode</a> <a href="#">PidTagHomeAddressPostOfficeBox</a> <a href="#">PidLidHomeAddress</a>
Work Address	<a href="#">PidLidWorkAddressStreet</a> <a href="#">PidLidWorkAddressCity</a> <a href="#">PidLidWorkAddressState</a> <a href="#">PidLidWorkAddressPostalCode</a> <a href="#">PidLidWorkAddressCountry</a> <a href="#">PidLidWorkAddressCountryCode</a> <a href="#">PidLidWorkAddressPostOfficeBox</a> <a href="#">PidLidWorkAddress.</a>
Other Address	<a href="#">PidTagOtherAddressStreet</a> <a href="#">PidTagOtherAddressCity</a> <a href="#">PidTagOtherAddressStateOrProvince</a> <a href="#">PidTagOtherAddressPostalCode</a> <a href="#">PidTagOtherAddressCountry</a> <a href="#">PidLidOtherAddressCountryCode</a> <a href="#">PidTagOtherAddressPostOfficeBox</a> <a href="#">PidLidOtherAddress.</a>
Mailing Address	<a href="#">PidTagStreetAddress</a> <a href="#">PidTagLocality</a> <a href="#">PidTagStateOrProvince</a> <a href="#">PidTagPostalCode</a> <a href="#">PidTagCountry</a> <a href="#">PidLidAddressCountryCode</a> <a href="#">PidTagPostOfficeBox</a> <a href="#">PidTagPostalAddress</a>

### 2.2.1.3.1 PidLidWorkAddressStreet, PidTagHomeAddressStreet, PidTagOtherAddressStreet, PidTagStreetAddress

This **PtypString** property specifies the street portion of the contact's work, home, other, or mailing address. [<10>](#)

### 2.2.1.3.2 PidLidWorkAddressCity, PidTagHomeAddressCity, PidTagOtherAddressCity, PidTagLocality

This **PtypString** property specifies the city or locality portion of the contact's work, home, other, or mailing address.

### 2.2.1.3.3 PidLidWorkAddressState, PidTagHomeAddressStateOrProvince, PidTagOtherAddressStateOrProvince, PidTagStateOrProvince

This **PtypString** property specifies the state or province portion of the contact's work, home, other, or mailing address.

### 2.2.1.3.4 PidLidWorkAddressPostalCode, PidTagHomeAddressPostalCode, PidTagOtherAddressPostalCode, PidTagPostalCode

This **PtypString** property specifies the postal code (ZIP code) portion of the contact's work, home, other, or mailing address.

### 2.2.1.3.5 PidLidWorkAddressCountry, PidTagHomeAddressCountry, PidTagOtherAddressCountry, PidTagCountry

This **PtypString** property specifies the country or region portion of the contact's work, home, other, or mailing address.

### 2.2.1.3.6 PidLidWorkAddressCountryCode, PidLidHomeAddressCountryCode, PidLidOtherAddressCountryCode, PidLidAddressCountryCode

This **PtypString** property specifies the country code portion of the contact's work, home, other, or mailing address.

### 2.2.1.3.7 PidLidWorkAddressPostOfficeBox, PidTagHomeAddressPostOfficeBox, PidTagOtherAddressPostOfficeBox, PidTagPostOfficeBox

This **PtypString** property specifies the post office box portion of the contact's work, home, other, or mailing address. [<11>](#)

### 2.2.1.3.8 PidLidWorkAddress, PidLidHomeAddress, PidLidOtherAddress, PidTagPostalAddress

This **PtypString** property specifies the complete address of the contact's work, home, other, or mailing address. This property SHOULD be a combination of other physical address properties, and is based on client locale.

### 2.2.1.3.9 PidLidPostalAddressId

This optional **PtypInteger32** property specifies which physical address is the mailing address for this contact. If present, the property MUST have one of the values specified in the following **table**. If not set, the application SHOULD assume that the value is "0x00000000".

Value	Description
0x00000000	No address is selected as the mailing address. <a href="#">PidTagStreetAddress</a> , <a href="#">PidTagLocality</a> , <a href="#">PidTagStateOrProvince</a> , <a href="#">PidTagPostalCode</a> , <a href="#">PidTagCountry</a> , <a href="#">PidLidAddressCountryCode</a> , and <a href="#">PidTagPostalAddress</a> all MUST NOT be set.
0x00000001	The Home Address is the mailing address. The values of the <a href="#">PidTagStreetAddress</a> , <a href="#">PidTagLocality</a> , <a href="#">PidTagStateOrProvince</a> , <a href="#">PidTagPostalCode</a> , <a href="#">PidTagPostOfficeBox</a> , <a href="#">PidTagCountry</a> , <a href="#">PidLidAddressCountryCode</a> , and <a href="#">PidTagPostalAddress</a> properties MUST be equal to the values of the <a href="#">PidTagHomeAddressStreet</a> , <a href="#">PidTagHomeAddressCity</a> , <a href="#">PidTagHomeAddressStateOrProvince</a> ,

Value	Description
	<a href="#">PidTagHomeAddressPostalCode</a> , <a href="#">PidTagHomeAddressPostOfficeBox</a> , <a href="#">PidTagHomeAddressCountry</a> , <a href="#">PidLidHomeAddressCountryCode</a> , and <a href="#">PidLidHomeAddress</a> properties, respectively.
0x00000002	The Work Address is the mailing address. The values of the <a href="#">PidTagStreetAddress</a> , <a href="#">PidTagLocality</a> , <a href="#">PidTagStateOrProvince</a> , <a href="#">PidTagPostalCode</a> , <a href="#">PidTagPostOfficeBox</a> , <a href="#">PidTagCountry</a> , <a href="#">PidLidAddressCountryCode</a> , and <a href="#">PidTagPostalAddress</a> properties MUST be equal to the values of the <a href="#">PidLidWorkAddressStreet</a> , <a href="#">PidLidWorkAddressCity</a> , <a href="#">PidLidWorkAddressState</a> , <a href="#">PidLidWorkAddressPostalCode</a> , <a href="#">PidLidWorkAddressPostOfficeBox</a> , <a href="#">PidLidWorkAddressCountry</a> , <a href="#">PidLidWorkAddressCountryCode</a> , and <a href="#">PidLidWorkAddress</a> properties, respectively.
0x00000003	The Other Address is the mailing address. The values of the <a href="#">PidTagStreetAddress</a> , <a href="#">PidTagLocality</a> , <a href="#">PidTagStateOrProvince</a> , <a href="#">PidTagPostalCode</a> , <a href="#">PidTagPostOfficeBox</a> , <a href="#">PidTagCountry</a> , <a href="#">PidLidAddressCountryCode</a> , and <a href="#">PidTagPostalAddress</a> properties MUST be equal to the values of the <a href="#">PidTagOtherAddressStreet</a> , <a href="#">PidTagOtherAddressCity</a> , <a href="#">PidTagOtherAddressStateOrProvince</a> , <a href="#">PidTagOtherAddressPostalCode</a> , <a href="#">PidTagOtherAddressPostOfficeBox</a> , <a href="#">PidTagOtherAddressCountry</a> , <a href="#">PidLidOtherAddressCountryCode</a> , and <a href="#">PidLidOtherAddress</a> properties, respectively.

#### 2.2.1.4 Telephone Properties

The following properties all specify optional telephone numbers for the contact. If present, each property MUST NOT exceed a length of 255 characters, excluding the NULL character. Each of the properties in this section are optional.

##### 2.2.1.4.1 PidTagPagerTelephoneNumber

This **PtypString** property specifies the pager telephone number.

##### 2.2.1.4.2 PidTagCallbackTelephoneNumber

This **PtypString** property specifies the callback telephone number.

##### 2.2.1.4.3 PidTagBusinessTelephoneNumber

This **PtypString** property specifies the business telephone number.

##### 2.2.1.4.4 PidTagHomeTelephoneNumber

This **PtypString** property specifies the home telephone number.

##### 2.2.1.4.5 PidTagPrimaryTelephoneNumber

This **PtypString** property specifies the primary telephone number.

##### 2.2.1.4.6 PidTagBusiness2TelephoneNumber

This **PtypString** property specifies the second business telephone number.

##### 2.2.1.4.7 PidTagMobileTelephoneNumber

This **PtypString** property specifies the mobile telephone number.

#### **2.2.1.4.8 PidTagRadioTelephoneNumber**

This **PtypString** property specifies the radio telephone number.

#### **2.2.1.4.9 PidTagCarTelephoneNumber**

This **PtypString** property specifies the car telephone number.

#### **2.2.1.4.10 PidTagOtherTelephoneNumber**

This **PtypString** property specifies an alternate telephone number.

#### **2.2.1.4.11 PidTagAssistantTelephoneNumber**

This **PtypString** property specifies the telephone number of the contact's assistant.

#### **2.2.1.4.12 PidTagHome2TelephoneNumber**

This **PtypString** property specifies a second home telephone number.

#### **2.2.1.4.13 PidTagTtyTddPhoneNumber**

This **PtypString** property specifies the telephone number for the contact's text telephone (TTY) or telecommunication device for the deaf (TDD).

#### **2.2.1.4.14 PidTagCompanyMainTelephoneNumber**

This **PtypString** property specifies the company phone number.

#### **2.2.1.4.15 PidTagTelexNumber**

This **PtypString** property specifies the telex number.

#### **2.2.1.4.16 PidTagIsdnNumber**

This **PtypString** property specifies the integrated services digital network (ISDN) number.

### **2.2.1.5 Event Properties**

There are two **events** associated with a contact, a birthday and an anniversary. Each event is defined by two properties: a **PtypTime** property and an object EntryID property. If one of the two properties is set for an event, the other **MUST** also be set. If either event is defined for a contact, then [PidLidReferenceEntryId](#) SHOULD be set and its value SHOULD be equal to the value of [PidTagEntryId](#).

#### **2.2.1.5.1 PidTagBirthday**

If present, this **PtypTime** ([\[MS-OXCDATA\]](#), section [2.12.1](#)) property specifies the birthday of the contact, at 0:00 in the client's local time zone. This time is then converted and saved in **UTC** time.

#### **2.2.1.5.2 PidLidBirthdayLocal**

If present, this **PtypTime** property specifies the birthday of the contact, at 0:00 in the client's local time zone and it is saved without any time zone conversions.

### 2.2.1.5.3 PidLidBirthdayEventEntryId

If present, this **PtypBinary** property specifies the object EntryID of an optional **Appointment object** [MS-OXOCAL] that represents the contact's birthday. The Appointment object specified by [PidLidBirthdayEventEntryId](#) MUST be linked to this contact using [PidLidContactLinkEntry](#), [PidLidContactLinkSearchKey](#), and [PidLidContactLinkName](#), as specified in [MS-OXCMSG] section 2.2.1.21.

### 2.2.1.5.4 PidTagWeddingAnniversary

If present, this **PtypTime** property specifies the wedding anniversary of the contact, at 0:00 in the client's local time zone. This time is then converted and saved in UTC time.

### 2.2.1.5.5 PidLidWeddingAnniversaryLocal

If present, this **PtypTime** property specifies the wedding anniversary of the contact, at 0:00 in the client's local time zone and it is saved without any time zone conversions.

### 2.2.1.5.6 PidLidAnniversaryEventEntryId

If present, this **PtypBinary** property specifies the object EntryID of the Appointment object, [MS-OXOCAL] that represents the contact's anniversary. The Appointment object specified by [PidLidAnniversaryEventEntryId](#) MUST be linked to this contact using [PidLidContactLinkEntry](#), [PidLidContactLinkSearchKey](#), and [PidLidContactLinkName](#), as specified in [MS-OXCMSG] section 2.2.1.21.

## 2.2.1.6 Professional Properties

The following properties are used to store professional details for the person represented by the contact.

### 2.2.1.6.1 PidTagTitle

This optional **PtypString** property specifies the job title of the contact.

### 2.2.1.6.2 PidTagCompanyName

This optional **PtypString** property specifies the company that employs the contact.

### 2.2.1.6.3 PidTagDepartmentName

This optional **PtypString** property specifies the name of the department to which the contact belongs.

### 2.2.1.6.4 PidLidDepartment

This optional **PtypString** property MUST be ignored. <12>

### 2.2.1.6.5 PidTagOfficeLocation

This optional **PtypString** property specifies the location of the office that the contact works in.

### 2.2.1.6.6 PidTagManagerName

This optional **PtypString** property specifies the name of the contact's manager.

### 2.2.1.6.7 PidTagAssistant

This optional **PtypString** property specifies the name of the contact's assistant.

### 2.2.1.6.8 PidLidYomiCompanyName

This optional **PtypString** property specifies the phonetic pronunciation of the contact's company name.

### 2.2.1.6.9 PidTagProfession

This optional **PtypString** property specifies the profession of the contact.

## 2.2.1.7 Business Card Properties

The properties specified in this section can be used to customize the display of contact information in business card format. <13> The business card format is a collection of information about how to display contact data to the user.

### 2.2.1.7.1 PidLidBusinessCardDisplayDefinition

[PidLidBusinessCardDisplayDefinition](#) is an optional **PtypBinary** property that contains user customization details for displaying a contact as a business card. The layout of a business card can be represented as an image and a number of text fields. The image can be either a contact photo, specified in section [2.2.1.8](#), or a card picture, specified in section [2.2.1.7.2](#). Text fields consist of a value from another **PtypString** property set on the Contact object and an optional customized label string provided by the user.

The following sections specify the format of the [PidLidBusinessCardDisplayDefinition](#) property. Note that multi-byte values are stored in **little-endian** format in the buffer.

#### 2.2.1.7.1.1 PidLidBusinessCardDisplayDefinition Buffer Format

The following diagram specifies the buffer format of the [PidLidBusinessCardDisplayDefinition](#) property.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
MajorVersion								MinorVersion								TemplateID								CountOfFields							
FieldInfoSize								ExtraInfoSize								ImageAlignment								ImageSource							
BackgroundColor																															
ImageArea								Reserved																							



...	FieldInfo1 (variable)
...	
FieldInfoN (variable)	
...	
ExtraInfo (variable)	
...	

**MajorVersion (1 byte):** An 8-bit value that specifies the major version number, as specified in section [2.2.1.7.1.1.1](#).

**MinorVersion (1 byte):** An 8-bit value that specifies the minor version number, as specified in section [2.2.1.7.1.1.1](#).

**TemplateID (1 byte):** An 8-bit value that specifies the **display template** to use, as specified in section [2.2.1.7.1.1.2](#).

**CountOfFields (1 byte):** An 8-bit value that specifies the count of **FieldInfo** structures in the [PidLidBusinessCardDisplayDefinition](#) property.

**FieldInfoSize (1 byte):** An 8-bit value that specifies the size, in bytes, of **FieldInfo** structures, as specified in section [2.2.1.7.1.2](#). This value MUST be greater or equal to "0x10".

**ExtraInfoSize (1 byte):** An 8-bit value that specifies the size, in bytes, of any additional data provided in the **ExtraInfo** Byte Array, as specified in section [2.2.1.7.1.3](#).

**ImageAlignment (1 byte):** An 8-bit value that specifies the image alignment in the image area, as specified in section [2.2.1.7.1.1.3](#).

**ImageSource (1 byte):** An 8-bit value that specifies the image source, as specified in section [2.2.1.7.1.1.4](#).

**BackgroundColor (4 bytes):** A **PtypInteger32** that specifies the background business card color, as specified in section [2.2.1.7.1.1.5](#).

**ImageArea (1 byte):** An 8-bit value that specifies the percent of space on the card that the image will take up, as specified in section [2.2.1.7.1.1.6](#).

**Reserved (4 bytes):** MUST be set to "0x00000000".

**FieldInfo1 (variable):** A structure that contains field information, as specified in section [2.2.1.7.1.2](#).

**FieldInfoN (variable):** A structure that contains field information, as specified in section [2.2.1.7.1.2](#). The number of **FieldInfo** structures included in the buffer is equal to the value of **CountOfFields**.

**ExtraInfo (variable):** A byte array that specifies additional information, as specified in [2.2.1.7.1.3](#).

#### 2.2.1.7.1.1.1 MajorVersion and MinorVersion

The value of the **MajorVersion** field MUST be "0x03" or greater. A user agent implementing this protocol SHOULD set the value of **MajorVersion** to "0x03" and SHOULD set the value of **MinorVersion** to "0x00".

#### 2.2.1.7.1.1.2 TemplateID

This field represents the business card layout type. The value of this field MUST be set to one of the following values.

Value	Description
0x00	The image will be left aligned, stretching the full height of the card vertically; text fields will appear to the right of the image.
0x01	The image will be right aligned, stretching the full height of the card vertically; text fields will appear to the left of the image.
0x02	The image will be aligned to the top, stretching the full width of the card horizontally; text fields will appear under the image.
0x03	The image will be aligned to the bottom, stretching the full width of the card horizontally; text fields will appear above the image.
0x04	No image is included in the card, only text fields are included. <a href="#">PidLidBusinessCardCardPicture</a> SHOULD NOT be set on the Contact object in this case.
0x05	The image will be used as a background for the card, stretching the full height and width of the card. Text fields are displayed on top of the image.

#### 2.2.1.7.1.1.3 ImageAlignment

This field indicates how the image is aligned in the image area. The value of this field is ignored for text-only cards (i.e. when the value of **TemplateID** is "0x04"). The value of this field MUST have one of the following values:

Value	Description
0x00	Image is stretched to fit.
0x01	Align top left.
0x02	Align top center.
0x03	Align top right.
0x04	Align middle left.
0x05	Align middle center.
0x06	Align middle right.
0x07	Align bottom left.

Value	Description
0x08	Align bottom center.
0x09	Align bottom right.

#### 2.2.1.7.1.1.4 ImageSource

The business card can display up to one image on the card. That image can be obtained from either the contact photo, as specified in section [2.2.1.8](#), or the card picture, as specified in section [2.2.1.7.2](#). If the value of the **ImageSource** field is "0x00", the contact photo SHOULD be used; otherwise, the card picture property SHOULD be used. If the value of this field is "0x00", the [PidLidBusinessCardCardPicture](#) property SHOULD NOT exist on the Contact object. The value of this field is ignored for text-only cards (when the value of **TemplateID** is "0x04").

#### 2.2.1.7.1.1.5 BackgroundColor


A **PttypInteger32** value representing the color of the card background, expressed as 0x00BBGRR, where the high byte is "0x00", the next highest byte identifies the blue intensity value, the next highest byte identifies the green intensity value, and the lowest byte identifies the red intensity value.

#### 2.2.1.7.1.1.6 ImageArea

This field indicates the percentage of space on the card on which to display the image. The value of this field SHOULD be between "0x04" and "0x32" (representing 4% and respectively 50%). The value of this field is ignored for text-only cards and background image cards (when the value of **TemplateID** is "0x04" or "0x05").

#### 2.2.1.7.1.2 FieldInfo Buffer Format

The following diagram specifies the buffer format of the **FieldInfo** structure.



**TextPropertyID (2 bytes):** A 16-bit value that specifies the **property ID** of the field, as specified in section [2.2.1.7.1.2.1](#).

**TextFormat (1 byte):** An 8-bit value that specifies the text decoration and alignment information, as specified in section [2.2.1.7.1.2.2](#).

**LabelFormat (1 byte):** An 8-bit value that specifies the label information, as specified in section [2.2.1.7.1.2.3](#).

**FontSize (1 byte):** An 8-bit value that specifies the font size in **points**, as specified in section [2.2.1.7.1.2.4](#).

**Reserved (1 byte):** MUST be set to "0x00".

**LabelOffset (2 bytes):** A **PtypInteger16** value that specifies the byte offset into extra byte information, as specified in section [2.2.1.7.1.2.5](#).

**ValueFontColor (4 bytes):** A **PtypInteger32** value that specifies the color reference code for the value font color, as specified in section [2.2.1.7.1.2.6](#).

**LabelFontColor (4 bytes):** A **PtypInteger32** value that specifies the color reference code for the label font color, as specified in section [2.2.1.7.1.2.7](#).

### 2.2.1.7.1.2.1 TextPropertyID

The value of this field MUST be either 0x0000, representing an empty field, or the property ID of one of the properties from the following list. Note that all properties in the list are **PtypString** properties.

Allowed properties

[PidTagDisplayName](#)

[PidTagTitle](#)

[PidTagDepartmentName](#)

[PidTagCompanyName](#)

[PidTagBusinessTelephoneNumber](#)

[PidTagBusiness2TelephoneNumber](#)

[PidTagBusinessFaxNumber](#)

[PidTagCompanyMainTelephoneNumber](#)

[PidTagHomeTelephoneNumber](#)

[PidTagHome2TelephoneNumber](#)

[PidTagHomeFaxNumber](#)

[PidTagMobileTelephoneNumber](#)

[PidTagAssistantTelephoneNumber](#)

[PidTagOtherTelephoneNumber](#)

[PidTagTtyTddPhoneNumber](#)

[PidTagPrimaryTelephoneNumber](#)

[PidTagPrimaryFaxNumber](#)

[PidTagPagerTelephoneNumber](#)

[PidLidWorkAddress](#)

[PidLidHomeAddress](#)

[PidLidOtherAddress](#)

[PidLidInstantMessagingAddress](#)

[PidTagBusinessHomePage](#)

[PidTagPersonalHomePage](#)

[PidLidContactUserField1](#)

[PidLidContactUserField2](#)

[PidLidContactUserField3](#)

[PidLidContactUserField4](#)

[PidLidEmail1OriginalDisplayName](#)

[PidLidEmail2OriginalDisplayName](#)

[PidLidEmail3OriginalDisplayName](#)


#### 2.2.1.7.1.2.2 TextFormat

This byte value contains bit flags that indicate alignment and font formatting for the text value of the field. If none of the bits defined in the following diagram are set, the field text is displayed as a single line, left-aligned. The **Right align** and **Center align** bits MUST be mutually exclusive.

0	1	2	3	4	5	6	7
MUST be 0		Center align	Right align	Underline	Italic	Bold	Multiline

#### 2.2.1.7.1.2.3 LabelFormat

This byte value contains bit flags that indicate the presence and alignment of a custom label associated with the field text. If none of the bits defined in the following diagram are set, the field has no label. The **Label to the right** and **Label to the left** bits MUST be mutually exclusive.



#### 2.2.1.7.1.2.4 FontSize

**FontSize** MUST be a value between "0x03" and "0x20" (representing 3 and 32) indicating the font size, in points, to be used by this field text. The value of this field MUST be set to "0x00" if the field represents an empty line.

#### 2.2.1.7.1.2.5 LabelOffset

**LabelOffset** MUST be set to the byte offset into the **ExtraInfo** buffer pointing to the start of the label string. If the field does not have a label, the value of **LabelOffset** MUST be "0xFFFE". All label strings MUST be stored as **Unicode**, null-terminated **PtypStrings** in the **ExtraInfo** buffer. Each label SHOULD be limited to 16 Unicode characters, including the terminating character. The value of **LabelOffset** MUST be less than the value of the **ExtraInfoSize** field, which is the total size of the **ExtraInfo** buffer.

#### 2.2.1.7.1.2.6 ValueFontColor

**ValueFontColor** is a color reference code indicating the font color of the value. (0x00BBGGRR), where the high byte is "0x00", the next highest byte identifies the blue intensity value, the next highest byte identifies the green intensity value, and the lowest byte identifies the red intensity value.

#### 2.2.1.7.1.2.7 LabelFontColor

**LabelFontColor** is a color reference code indicating the font color of the label (0x00BBGGRR), where the high byte is "0x00", the next highest byte identifies the blue intensity value, the next highest byte identifies the green intensity value, and the lowest byte identifies the red intensity value.

#### 2.2.1.7.1.3 ExtraInfo Buffer Format

This byte array buffer contains a set of Unicode **PtypString** values of labels that have been customized by the user. The labels MUST be stored as Unicode **PtypStrings**, each ending in a terminating NULL character. Each of these **PtypStrings** SHOULD be referenced by a **LabelOffset** field in one or more **FieldInfo** structures, as specified in section [2.2.1.7.1.2](#). The total size, in bytes, of the **ExtraInfo** field MUST be specified by the value of the **ExtraInfoSize** field.

### 2.2.1.7.2 PidLidBusinessCardCardPicture

A **PtypBinary** property that contains the image to be used on a business card, whose value MUST be either a **portable network graphics (PNG)** or **.jpg** stream. This property SHOULD be used in conjunction with [PidLidBusinessCardDisplayDefinition](#) as follows: [PidLidBusinessCardCardPicture](#) SHOULD NOT be present on a Contact object if [PidLidBusinessCardDisplayDefinition](#) is not present. This property also SHOULD NOT be present if the data in [PidLidBusinessCardDisplayDefinition](#) (as specified in section [2.2.1.7.1.1](#)) does not require a card image.

### 2.2.1.7.3 PidLidContactUserField1, PidLidContactUserField2, PidLidContactUserField3, PidLidContactUserField4

These four optional **PtypString** properties can be used to add custom text to a business card representation of a Contact object. These properties contain text that is unrelated to any other contact-specific property.

### 2.2.1.8 Contact Photo Properties

The property and **attachment** specified in this section are optional and represent an optional photo associated with the contact. [<14>](#)

#### 2.2.1.8.1 PidLidHasPicture

If this **PtypBoolean** property exists and is set to TRUE ("0x00000001"), then the corresponding attachment specified in section [2.2.1.8.2](#) SHOULD exist, and the application SHOULD use it as the contact photo. If this property does not exist, or exists and is FALSE ("0x00000000"), then there is no corresponding attachment.

#### 2.2.1.8.2 Contact Photo Attachment

The contact photo attachment is a picture attached to the Contact object. For more details about Message object attachments, see [\[MS-OXCMSG\]](#) section 2.2.2. Additionally, the following properties MUST be set on the attachment object, as specified in [\[MS-OXPROPS\]](#):

- The value of the PtypBoolean [PidTagAttachmentContactPhoto](#) property MUST be set to TRUE ("0x00000001"). There SHOULD [<15>](#) only be one attachment with [PidTagAttachmentContactPhoto](#) set to TRUE on a given Contact object. For more details about [PidTagAttachmentContactPhoto](#), see [\[MS-OXPROPS\]](#) section 2.668.
- The value of the PtypBinary [PidTagAttachDataBinary](#) property, which is the contents of the attachment, SHOULD [<16>](#) be a **stream** in .jpg format.
- The value of the PtypString [PidTagAttachExtension](#) PtypString property MUST be set to ".jpg".
- The value of the [PidTagDisplayName](#) and [PidTagAttachFilename](#) PtypString properties MUST be set to "ContactPicture.jpg".

### 2.2.1.9 Other Contact Properties

#### 2.2.1.9.1 PidLidReferenceEntryId

If present, this **PtypBinary** property is equal to the value of the EntryID of the Contact object unless the Contact object is a copy of an earlier original.

#### **2.2.1.9.2 PidTagHobbies**

This optional **PtypString** property specifies the hobbies of the contact.

#### **2.2.1.9.3 PidTagSpouseName**

This optional **PtypString** property specifies the name of the contact's spouse.

#### **2.2.1.9.4 PidTagLanguage**

This optional **PtypString** property specifies the language that the contact uses.

#### **2.2.1.9.5 PidTagLocation**

This optional **PtypString** property specifies the location of the contact. For example, this could be the building and office number of the contact.

#### **2.2.1.9.6 PidLidInstantMessagingAddress**

This optional **PtypString** property specifies the contact's instant messaging address.

#### **2.2.1.9.7 PidTagOrganizationalIdNumber**

This optional **PtypString** property specifies an organizational ID number for the contact, such as an employee ID number.

#### **2.2.1.9.8 PidTagCustomerId**

This optional **PtypString** property specifies the contact's customer ID number.

#### **2.2.1.9.9 PidTagGovernmentIdNumber**

This optional **PtypString** property specifies the contact's government ID number.

#### **2.2.1.9.10 PidLidFreeBusyLocation**

This optional **PtypString** property specifies a **URL** path from which a client can retrieve **free/busy** information for the contact as an iCal file, as specified in [\[MS-OXCICAL\]](#).

#### **2.2.1.9.11 PidTagAccount**

This optional **PtypString** property specifies the account name of the contact. [<17>](#)

#### **2.2.1.9.12 PidLidHtml**

This optional **PtypString** property specifies the contact's business web page URL. The value of this property, if present, SHOULD be the same as the value of [PidTagBusinessHomePage](#).

#### **2.2.1.9.13 PidTagPersonalHomePage**

This optional **PtypString** property specifies the contact's personal web page URL.



#### 2.2.1.9.14 PidTagBusinessHomePage

This optional **PtypString** property specifies the contact's business web page URL. The value of this property, if present, SHOULD be the same as the value of [PidLidHtml](#).

#### 2.2.1.9.15 PidTagFtpSite

This optional **PtypString** property specifies the contact's File Transfer Protocol (FTP) URL. FTP is a protocol used to transfer data, as specified in [\[RFC959\]](#).

#### 2.2.1.9.16 PidTagComputerNetworkName

This optional **PtypString** property specifies the name of the network to which the contact's computer is connected. [<18>](#)

#### 2.2.1.9.17 PidTagChildrensNames

This optional **PtypMultipleString** property specifies the names of the contact's children.

#### 2.2.1.9.18 PidLidContactCharacterSet

This optional unsigned **PtypInteger32** property specifies the **character set** [<19>](#) used for this Contact object. Applications use this property to aid in generating a character-set-dependent list of choices for the properties [PidLidFileUnder](#), [PidLidFileUnderList](#), and [PidLidFileUnderId](#). If the value of the [PidLidContactCharacterSet](#) property is "0x00000000" or "0x00000001", applications SHOULD treat this property as not being set.

#### 2.2.1.9.19 PidLidAutoLog

This optional **PtypBoolean** property specifies to the application whether to create a **Journal object** for each **action** associated with this Contact object.

#### 2.2.1.9.20 PidTagGender

This optional **PtypInteger16** property specifies the gender of the contact. If present, the property MUST be one of the following values.

Value	Meaning
0x0000	The contact's gender is unspecified.
0x0001	The contact is female.
0x0002	The contact is male.

#### 2.2.1.9.21 PidTagReferredByName

This optional **PtypString** property specifies the name of the person who referred this contact to the user.

### 2.2.1.9.22 PidLidContactItemData

This optional **PtypMultipleInteger32** property can be used to help display the contact information. If present, the property MUST have six entries, each corresponding to a visible field in the application's user interface.

The meaning of each entry in the **PtypMultipleInteger32** property is defined in the following table.

One-based index into the multi-valued property	The value MUST be one of the following	Meaning
1	0x00000001	The application SHOULD display the contact's home address.
	0x00000002 or 0x00000000	The application SHOULD display the contact's work address.
	0x00000003	The application SHOULD display the contact's other address.
2	0x00008080	The application SHOULD display Email1.
	0x00008090	The application SHOULD display Email2.
	0x000080A0	The application SHOULD display Email3.
3,4,5,6	Property ID of any of the Telephone properties specified in section <a href="#">2.2.1.4</a> or of any of the Fax Numbers specified in section <a href="#">2.2.1.2.6</a> .	The application SHOULD display the corresponding property.

### 2.2.1.9.23 PidTagUserX509Certificate

This optional **PtypMultipleBinary** property specifies a list of certificates for the contact. The format and semantics of this property are the same as specified in [\[MS-OXOABK\]](#) for the [PidTagUserX509Certificate](#).

### 2.2.1.9.24 PidLidBilling

This optional **PtypString** property specifies billing information for the contact.

### 2.2.1.9.25 PidLidReferredBy

This optional **PtypString** property specifies the name of the person who referred the contact to the user.

### 2.2.1.10 Additional Property Constraints

This protocol specifies additional constraints on the following properties in addition to those specified in [\[MS-OXCMSG\]](#).

### 2.2.1.10.1 PidTagNormalizedSubject

This optional **PtypString** property specifies a combination of the full name and company name of the contact. This property is computed by the application according to an implementation-dependent algorithm that uses values of the [PidTagGivenName](#), [PidTagMiddleName](#), [PidTagSurname](#), [PidTagGeneration](#), and [PidTagCompanyName](#) properties. <20>

### 2.2.1.10.2 PidTagMessageClass

A Contact object MUST have this **PtypString** property set to "IPM.Contact", or a **PtypString** prefixed with "IPM.Contact."

## 2.2.2 Personal Distribution List Properties

The properties specified in this section are specific to Personal Distribution List objects. They SHOULD only be set on Personal Distribution List objects. Unless otherwise specified, each of these properties are optional and they only need to be set when there is user data that needs to be stored.

### 2.2.2.1 Personal Distribution List Name Properties

The following properties are used to display the name of the Personal Distribution List object.

#### 2.2.2.1.1 PidTagDisplayName

This **PtypString** property specifies the user-visible name of the personal distribution list.

#### 2.2.2.1.2 PidLidDistributionListName

This **PtypString** property specifies the name of the personal distribution list. The value of this property SHOULD <21> be the same as the value of the [PidTagDisplayName](#) property.

#### 2.2.2.1.3 PidLidFileUnder

The value of this **PtypString** property MUST be the same as the value of the [PidTagDisplayName](#) property.

#### 2.2.2.1.4 PidLidFileUnderId

This optional **PtypInteger32** property SHOULD <22> be set to "0xffffffff", if present.

### 2.2.2.2 Personal Distribution List Member Properties

#### 2.2.2.2.1 PidLidDistributionListMembers

This **PtypMultipleBinary** property specifies the list of EntryIDs of the objects corresponding to the members of the personal distribution list. Members of the personal distribution list can be other personal distribution lists, electronic addresses contained in a contact, **Global Address List** users or distribution lists, or one-off e-mail addresses. The format of each EntryID MUST be either a one-off EntryID, as specified in [\[MS-OXCDATA\]](#) section 2.2.5.1, or a **Wrapped** EntryID, as specified in section [2.2.2.2.5](#).

When setting this property, the client or the server MUST ensure its total size is less than 15,000 bytes.

### 2.2.2.2.2 PidLidDistributionListOneOffMembers

This **PtypMultipleBinary** property specifies the list of one-off EntryIDs corresponding to the members of the personal distribution list. These one-off EntryIDs encapsulate display names and e-mail addresses of the personal distribution list members.

If the client or the server set this property, <23> it MUST be synchronized with [PidLidDistributionListMembers](#): for each entry in the [PidLidDistributionListOneOffMembers](#) property, there MUST be an entry in the same position in the [PidLidDistributionListMembers](#) property.

When setting this property, the client or the server MUST ensure that its total size is less than 15,000 bytes in size.

### 2.2.2.2.3 PidLidDistributionListChecksum

This **PtypInteger32** property specifies the 32-bit **cyclic redundancy check (CRC)** polynomial checksum, as specified in [\[ISO/IEC 8802-3\]](#), calculated on the value of [PidLidDistributionListMembers](#), as specified in section 3.1.4.2.3.4. The value of this property can be used to detect when the [PidLidDistributionListMembers](#) property was updated without updating the other personal distribution list member properties (by computing the CRC on the existing value of [PidLidDistributionListMembers](#) and comparing it with the value of the [PidLidDistributionListChecksum](#) property). <24>


### 2.2.2.2.4 PidLidDistributionListStream

This **PtypBinary** property specifies the list of EntryIDs and one-off EntryIDs corresponding to the members of the personal distribution list. Members of the personal distribution list can be other personal distribution lists, electronic addresses contained in a contact, Global Address List users or distribution lists, or one-off e-mail addresses. The format of each EntryID MUST be as described in [PidLidDistributionListMembers](#) and the format for each one-off EntryID MUST be as described in [PidLidDistributionListOneOffMembers](#).

[PidLidDistributionListStream](#) is intended to allow distribution lists to grow past the size limits of [PidLidDistributionListMembers](#) and [PidLidDistributionListOneOffMembers](#). This property SHOULD be used if either [PidLidDistributionListMembers](#) or [PidLidDistributionListOneOffMembers](#) would be over 15,000 bytes. If this property is set then [PidLidDistributionListMembers](#), [PidLidDistributionListOneOffMembers](#) and [PidLidDistributionListChecksum](#) SHOULD be ignored. <25>

#### 2.2.2.2.4.1 PidLidDistributionListStream Buffer Format

The following diagram specifies the buffer format of the [PidLidDistributionListStream](#) property.



CountOfEntries
TotalEntryIDSize
TotalOneOffSize
TotalExtraSize
DistListMemberInfo (variable)
...
Terminator1
Terminator2

**StreamVersion (2 bytes):** MUST be set to 0x0001.

**Reserved (2 bytes):** MUST be set to "0x0000".

**BuildVersion (4 bytes):** A 32-bit value that takes the major version number, as specified in section [2.2.1.7.1.1.1](#), and multiplies it by 10,000. The minor version, also specified in section [2.2.1.7.1.1.1](#), is then added to the result.

**DistListStreamFlags (4 bytes):** This 32-bit value contains bit flags that indicate overall behavior of the personal distribution list, as specified in the table below.

	0	1	2	3	4	5	6	7	8	9	1	0	1	2	3	4	5	6	7	8	9	2	0	1	2	3	4	5	6	7	8	9	3	0	1
Always Use Stream	Reserved																																		

If the Always Use Stream bit is set then a client MUST save the personal distribution list members in the stream, even if the members would normally fit in [PidLidDistributionListMembers](#) and [PidLidDistributionListOneOffMembers](#).

When modifying the personal distribution list a client MUST preserve any data in the Reserved portion of this value. When creating a new personal distribution list this value MUST set the reserved bits to 0.

**CountOfEntries (4 bytes):** A 32-bit value that specifies the number of **DistListMemberInfo** structures in the [PidLidDistributionListStream](#).

**TotalEntryIDSize (4 bytes):** Value representing the sum of the sizes (in bytes) of the EntryIDs stored in each **DistListMemberInfo**.

**TotalOneOffSize (4 bytes):** Value representing the sum of the sizes (in bytes) of the one-off EntryIDs stored in each **DistListMemberInfo**.

**TotalExtraSize (4 bytes):** Value representing the sum of the sizes (in bytes) of the ExtraMemberInfo data for each member of the distribution list.

**DistListMemberInfo (variable):** An array of structures that contain information about one member of the Personal Distribution List, as specified in section [2.2.2.2.4.2](#).

**Terminator1 (4 bytes):** MUST be set to "0x00000000".

**Terminator2 (4 bytes):** MUST be set to "0x00000000".

#### 2.2.2.2.4.2 DistListMemberInfo Format

The following table specifies the format of each **DistListMemberInfo** structure stored in the [PidLidDistributionListStream](#) buffer.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
EntryIdSize																															
EntryIdData (variable)																															
...																															
one-offEntryIdSize																															
one-offEntryIdData (variable)																															
...																															
ExtraMemberInfoSize																															
ExtraMemberInfoData (variable)																															
...																															

**EntryIdSize (4 bytes):** A 32-bit value representing the count of bytes contained in **EntryIdData**.

**EntryIdData (variable):** A byte array corresponding to the byte array of a **PtypBinary** representing the EntryID of this member of the personal distribution list. Members can be other personal distribution lists, electronic addresses contained in a contact, Global Address List users or distribution lists, or one-off e-mail addresses. The format of each EntryID MUST

be either a one-off EntryID, as specified in [\[MS-OXCDATA\]](#) section 2.2.5.1, or a **WrappedEntryId**, as specified in section [2.2.2.2.5](#).

**one-offEntryIdSize (4 bytes):** A 32-bit value denoting the count of bytes contained in **one-offEntryIdData**. If there is no corresponding **one-offEntryID** for this member, this value MUST be set to 0x00000000.

**one-offEntryIdData (variable):** A byte array corresponding to the byte array of a **PtypBinary** representing the **one-offEntryId** of this member of the personal distribution list. These one-off EntryIDs encapsulate display names and e-mail addresses of the personal distribution list members.


**ExtraMemberInfoSize (4 bytes):** A 32-bit value denoting the count of bytes contained in the **ExtraMemberInfoData** structure.

**ExtraMemberInfoData (variable):** A structure containing additional client specific information about this member of the personal distribution list. The format of this structure is specified in section [2.2.2.2.4.3](#).

### 2.2.2.2.4.3 ExtraMemberInfoData Format

The **ExtraMemberInfoData** contains additional information about a member of a Personal Distribution List. This contains a set of **ExtraInfoID**, **ExtraInfoSize**, and **ExtraInfoData** segments. When adding or modifying a set of **ExtraInfoID**, **ExtraInfoSize**, and **ExtraInfoData** to the **ExtraMemberInfoData** structure, a client MUST maintain existing data but can change the ordering of the ID/Size/Data sets within the structure.

The following diagram specifies the format of the **ExtraMemberInfoData** buffer.



**ExtraInfoID (2 bytes):** A 16-bit value that specifies a unique identifier for the block to follow. This value MUST NOT be 0. [<26>](#)

**ExtraInfoSize (2 bytes):** An unsigned 16-bit value that specifies the count of bytes in the **ExtraInfoData** stream. This value SHOULD NOT be 0.

**ExtraInfoData (variable):** A set of sequential bytes containing client-defined data. The size of this field, in bytes, MUST be the same as the value of the preceding **ExtraInfoSize** field. The data contained within these bytes is client specific and the format is determined by the value of the **ExtraInfoID** field.

### 2.2.2.2.5 Wrapped EntryId Format

When used as members of a personal distribution list, **Address Book** EntryIDs can be wrapped inside a Wrapped EntryID. The format of the Wrapped EntryID is specified in the following diagram.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Flags																															
Provider_UID																															
...																															
...																															
...																															
Type				Embedded_EntryID (variable)																											
...																															

**Flags (4 bytes):** MUST be "0x00000000".

**Provider\_UID (16 bytes):** MUST be "%xC0.91.AD.D3.51.9D.CF.11.A4.A9.00.AA.00.47.FA.A4".

**Type (1 byte):** This bit-field specifies how the next field is interpreted, and MUST be a combination of flags from the following table.

Bit Mask	Description
0x0F	<p>The lower 4 bits of the <b>Type</b> field are interpreted as an unsigned integer value that specifies what type of EntryID is embedded in this Wrapped EntryID. These bits MUST be set to one of the following values:</p> <ul style="list-style-type: none"> <li>A value of 0 designates a one-off EntryID; the <b>Embedded_EntryID</b> field MUST be a one-off EntryID as specified in <a href="#">[MS-OXCDATA]</a> section 2.2.5.1.</li> <li>A value of 3 designates a Contact object EntryID; the <b>Embedded_EntryID</b> field MUST be the <b>Message</b> EntryID (as specified in <a href="#">[MS-OXCDATA]</a> section 2.2.4.2) of a Message Contact object.</li> <li>A value of 4 designates a Personal Distribution List object EntryID; the <b>Embedded_EntryID</b> field MUST be the Message EntryID (as specified in <a href="#">[MS-OXCDATA]</a> section 2.2.4.2) of a Personal Distribution List object.</li> <li>A value of 5 designates a Global Address List local <b>mail user</b> EntryID; the <b>Embedded_EntryID</b> field MUST be the Global Address List EntryID (as specified in <a href="#">[MS-OXCDATA]</a> section 2.2.5.2) of a user in the Global Address List.</li> <li>A value of 6 designates a Global Address List distribution list EntryID; the <b>Embedded_EntryID</b> field MUST be the Global Address List EntryID (as specified in <a href="#">[MS-OXCDATA]</a> section 2.2.5.2) of a distribution list in the Global Address List.</li> </ul>
0x70	<p>The next 3 bits of the <b>Type</b> field are interpreted as an unsigned integer value. If the embedded EntryID is a one-off EntryID, this value MUST be 0. Otherwise, if the</p>



Bit Mask	Description
	<p>embedded EntryID is not a Contact object EntryID, this value MUST be 3.            If the embedded EntryID is a Contact object EntryID, this unsigned integer MUST have one of the following values:</p> <ul style="list-style-type: none"> <li>▪ 0 (denoting a Business Fax electronic address)</li> <li>▪ 1 (denoting a Home Fax electronic address)</li> <li>▪ 2 (denoting a Primary Fax electronic address)</li> <li>▪ 4 (denoting an Email1 address)</li> <li>▪ 5 (denoting an Email2 address)</li> <li>▪ 6 (denoting an Email3 address)</li> </ul> <p>Note that this value MUST NOT be set to 7.</p>
0x80	<p>If the embedded EntryID is a one-off EntryID, this bit MUST NOT be set. Otherwise, this bit MUST be set.</p>

**Embedded\_EntryID (variable):** This field represents an EntryID that MUST be interpreted according to the **Type** field, more specifically according to the value contained in the lower 4 bits of the **Type** field, as specified in the previous table.

### 2.2.2.3 Other Personal Distribution List Properties

#### 2.2.2.3.1 PidLidAddressBookProviderArrayType

This **PtypInteger32** property SHOULD [<27>](#) be set to "0x00000000".

#### 2.2.2.4 Additional Property Constraints

This protocol specifies additional constraints on the following properties beyond what is specified in [\[MS-OXCMSG\]](#).

##### 2.2.2.4.1 PidTagNormalizedSubject

The value of this **PtypString** property MUST be the same as the value of the [PidTagDisplayName](#) property.

##### 2.2.2.4.2 PidTagMessageClass

A Personal Distribution List object MUST have this **PtypString** property set to "IPM.DistList", or a **PtypString** prefixed with "IPM.DistList".

### 2.2.3 Contact Folder Syntax

Contact folders are folders [\[MS-OXCFOLD\]](#) that have the value of the [PidTagContainerClass](#) **PtypString** property set to "IPF.Contact", or a **PtypString** prefixed with "IPF.Contact.". For more details about [PidTagContainerClass](#), see [\[MS-OXPROPS\]](#) section 2.718. In all other respects, they conform to the folder syntax and functionality specified by [\[MS-OXCFOLD\]](#).

Contact object and Personal Distribution List objects SHOULD be created in contact folders.

## 3 Protocol Details

### 3.1 Client and Server Details

The client and server roles create and manipulate contacts and personal distribution lists, and otherwise operate within their roles, as specified in [\[MS-OXCMSG\]](#).

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation could maintain to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

##### 3.1.1.1 Contact Object

Contact objects extend the Message objects specified in [\[MS-OXCMSG\]](#) and define additional contact-specific properties. These properties are either stand-alone properties, or they are used in groups to define conceptual subobjects. Each of these subobjects are defined in sections [3.1.1.1.1](#) through [3.1.1.1.7](#).

###### 3.1.1.1.1 Name Subobject

This subobject contains all the properties relating to the contact's name. It parses the name and keeps all of the properties synchronized with one another.

###### 3.1.1.1.2 E-Mail Subobjects

These subobjects contain e-mail properties. There are six such objects: one for each of the three e-mail addresses and one for each of the three fax addresses.

###### 3.1.1.1.3 Physical Address Subobjects

These subobjects contain business address, home address, and other address properties. They parse an address and keep all of the properties synchronized with one another. There is also one property that specifies which of the Physical Address subobjects is the Mailing Address subobject.

###### 3.1.1.1.4 Event Subobjects

These subobjects contain information about the birthday and anniversary properties and maintain the property that links to the corresponding Appointment objects in the calendar module.

###### 3.1.1.1.5 Professional Subobject

This subobject contains the contact's company, job title, and related properties.

###### 3.1.1.1.6 Business Card Subobject

The **Business Card** object is a set of related properties that are used to customize the visual representation of a contact. A **Business Card** object can contain one image and one or more text fields.

### 3.1.1.1.7 Contact Photo Subobject

The **Contact Photo** object is a set of related properties that specifies an optional image of the person or entity represented by the Contact object. This image exists independently of the **Business Card** object, but can be used by it.

### 3.1.1.2 Personal Distribution Lists

Personal Distribution List objects extend the Message object specified in [\[MS-OXCMSG\]](#). Conceptually, personal distribution lists represent a list of e-mail addresses.

### 3.1.1.3 Contact Folders

Contact folders are folders identified by a special value that are used to store Contact objects and Personal Distribution List objects.

## 3.1.2 Timers

None.

## 3.1.3 Initialization

None.

## 3.1.4 Higher-Layer Triggered Events

### 3.1.4.1 Contact Object Events

#### 3.1.4.1.1 Creating a Contact

To create a Contact object, the server or client creates a Message object ([\[MS-OXCMSG\]](#) section 3.1.4.2), sets properties in accordance with the requirements in section [2.2.1](#) of this specification and [\[MS-OXCPRPT\]](#), and saves the resulting Message object as described in [\[MS-OXCMSG\]](#) section 3.1.4.3.

#### 3.1.4.1.2 Deleting a Contact

Contact objects have no special semantics in relation to deletion beyond what is specified in [\[MS-OXCFCOLD\]](#).

#### 3.1.4.1.3 Modifying a Contact

When modifying a Contact object, the client or server opens a Message object as specified in [\[MS-OXCMSG\]](#) section 3.1.4.1, modifies any of the properties in accordance with the requirements in section [2](#) and sections [3.1.4.1.3.1](#) through [3.1.4.1.3.7](#) of this specification, and [\[MS-OXCPRPT\]](#), and saves the Message object as described in [\[MS-OXCMSG\]](#) section 3.1.4.3.

#### 3.1.4.1.3.1 Modifying a Contact Name Property

Contact name properties **MUST** be modified at the same time in order to preserve their relationship. The following table specifies the properties that **SHOULD** be updated when another property is changed (according to the definition of each property in section [2.2.1](#) of this specification). More than one **condition** can be met at the same time.

Changed <b>property</b>	Additional <b>conditions</b>	<b>Properties that SHOULD &lt;28&gt; be updated</b>
<a href="#">PidTagGeneration</a>	None.	<a href="#">PidTagDisplayName</a> , <a href="#">PidTagNormalizedSubject</a>
<a href="#">PidTagGeneration</a> or <a href="#">PidTagSurname</a> or <a href="#">PidTagMiddleName</a> or <a href="#">PidTagGivenName</a> or <a href="#">PidTagDisplayName</a> or <a href="#">PidTagCompanyName</a>	Value of the <a href="#">PidLidFileUnderId</a> property is not 0x00000000 or 0xffffffff.	<a href="#">PidLidFileUnder</a>
<a href="#">PidTagDisplayNamePrefix</a>	None.	<a href="#">PidTagDisplayName</a>
<a href="#">PidTagSurname</a> or <a href="#">PidTagMiddleName</a> or <a href="#">PidTagGivenName</a>	None.	<a href="#">PidTagDisplayName</a> , <a href="#">PidTagNormalizedSubject</a> , <a href="#">PidTagInitials</a>
<a href="#">PidTagDisplayName</a>	None.	<a href="#">PidTagDisplayNamePrefix</a> , <a href="#">PidTagGivenName</a> , <a href="#">PidTagMiddleName</a> , <a href="#">PidTagSurname</a> , <a href="#">PidTagNormalizedSubject</a> , <a href="#">PidTagGeneration</a>

The application SHOULD also update [PidLidFax1EmailAddress](#), [PidLidFax2EmailAddress](#), or [PidLidFax3EmailAddress](#) as needed to reflect any updates to the contact name properties if the contact has a primary fax, business fax, or home fax address, respectively.

### 3.1.4.1.3.2 Modifying a Physical Address Property

Physical address properties MUST be modified at the same time as to preserve their relationship.

The following table specifies the properties that SHOULD <29> be updated if another property is changed (according to the definition of each property in section [2.2.1](#) of this specification). More than one condition can be met at the same time.

Changed <b>property</b>	<b>Properties that SHOULD be updated</b>
<a href="#">PidLidPostalAddressId</a>	<a href="#">PidTagPostalAddress</a> , <a href="#">PidTagStreetAddress</a> , <a href="#">PidTagLocality</a> , <a href="#">PidTagStateOrProvince</a> , <a href="#">PidTagPostalCode</a> , <a href="#">PidTagCountry</a> , <a href="#">PidLidAddressCountryCode</a>
<a href="#">PidLidWorkAddress</a>	<a href="#">PidLidWorkAddressStreet</a> , <a href="#">PidLidWorkAddressCity</a> , <a href="#">PidLidWorkAddressState</a> , <a href="#">PidLidWorkAddressPostalCode</a> , <a href="#">PidLidWorkAddressCountry</a> , <a href="#">PidLidWorkAddressCountryCode</a>
<a href="#">PidLidHomeAddress</a>	<a href="#">PidTagHomeAddressStreet</a> , <a href="#">PidTagHomeAddressCity</a> , <a href="#">PidTagHomeAddressStateOrProvince</a> , <a href="#">PidTagHomeAddressPostalCode</a> , <a href="#">PidTagHomeAddressCountry</a> , <a href="#">PidLidHomeAddressCountryCode</a>
<a href="#">PidLidOtherAddress</a>	<a href="#">PidTagOtherAddressStreet</a> , <a href="#">PidTagOtherAddressCity</a> , <a href="#">PidTagOtherAddressStateOrProvince</a> , <a href="#">PidTagOtherAddressPostalCode</a> , <a href="#">PidTagOtherAddressCountry</a> , <a href="#">PidLidOtherAddressCountryCode</a>
<a href="#">PidTagHomeAddressStreet</a>	<a href="#">PidLidHomeAddress</a>

Changed property	Properties that SHOULD be updated
<a href="#">PidLidWorkAddressStreet</a>	<a href="#">PidLidWorkAddress</a>
<a href="#">PidTagOtherAddressStreet</a>	<a href="#">PidLidOtherAddress</a>
<a href="#">PidTagHomeAddressCity</a>	<a href="#">PidLidHomeAddress</a>
<a href="#">PidLidWorkAddressCity</a>	<a href="#">PidLidWorkAddress</a>
<a href="#">PidTagOtherAddressCity</a>	<a href="#">PidLidOtherAddress</a>
<a href="#">PidTagHomeAddressStateOrProvince</a>	<a href="#">PidLidHomeAddress</a>
<a href="#">PidLidWorkAddressState</a>	<a href="#">PidLidWorkAddress</a>
<a href="#">PidTagOtherAddressStateOrProvince</a>	<a href="#">PidLidOtherAddress</a>
<a href="#">PidTagHomeAddressPostalCode</a>	<a href="#">PidLidHomeAddress</a>
<a href="#">PidLidWorkAddressPostalCode</a>	<a href="#">PidLidWorkAddress</a>
<a href="#">PidTagOtherAddressPostalCode</a>	<a href="#">PidLidOtherAddress</a>
<a href="#">PidTagHomeAddressCountry</a>	<a href="#">PidLidHomeAddress</a>
<a href="#">PidLidWorkAddressCountry</a>	<a href="#">PidLidWorkAddress</a>
<a href="#">PidTagOtherAddressCountry</a>	<a href="#">PidLidOtherAddress</a>
<a href="#">PidLidHomeAddressCountryCode</a>	<a href="#">PidLidHomeAddress</a>
<a href="#">PidLidWorkAddressCountryCode</a>	<a href="#">PidLidWorkAddress</a>
<a href="#">PidLidOtherAddressCountryCode</a>	<a href="#">PidLidOtherAddress</a>

[PidTagPostalAddress](#), [PidTagStreetAddress](#), [PidTagLocality](#), [PidTagStateOrProvince](#), [PidTagPostalCode](#), and [PidTagCountry](#), [PidLidAddressCountryCode](#) SHOULD NOT be set without also setting one of the other addresses (either home address, business address, or other address) and [PidLidPostalAddressId](#).

If the home address, business address, or other address is updated, and [PidLidPostalAddressId](#) is set and the physical address that it maps to is changed, then the mailing address MUST be updated if appropriate. See section [2.2.1.3.9](#) for more details.

### 3.1.4.1.3.3 Modifying an E-mail Address Property

Electronic address properties MUST be modified at the same time in order to preserve their relationship. The following table specifies the properties that SHOULD be updated when another property is changed (according to the definition of each property in section [2.2.1](#) of this specification). More than one condition can be met at the same time. The following table includes property names for the first e-mail address only ([PidLidEmail1EmailType](#)), but the same logic also applies to the [PidLidEmail2EntryId](#) and [PidLidEmail3EntryId](#) properties. <30>

Changed property	Additional conditions	Properties that SHOULD be updated
<a href="#">PidLidEmail1OriginalEntryId</a>	<a href="#">PidLidEmail1OriginalEntryId</a> is	<a href="#">PidLidEmail1DisplayName</a> ,

Changed property	Additional conditions	Properties that SHOULD be updated
	now either an empty <b>PtypBinary</b> , or it is not set.	<a href="#">PidLidEmail1EmailAddress</a> , <a href="#">PidLidEmail1AddressType</a>
	<a href="#">PidLidEmail1OriginalEntryId</a> is now a non-empty PtypBinary.	<a href="#">PidLidEmail1EmailAddress</a> , <a href="#">PidLidEmail1AddressType</a> , <a href="#">PidLidEmail1DisplayName</a> , <a href="#">PidLidEmail1OriginalDisplayName</a>
<a href="#">PidLidEmail1DisplayName</a>	<a href="#">PidLidEmail1OriginalEntryId</a> is a one-off EntryID.	<a href="#">PidLidEmail1OriginalEntryId</a>
<a href="#">PidLidEmail1AddressType</a>	<a href="#">PidLidEmail1OriginalEntryId</a> is a one-off EntryID.	<a href="#">PidLidEmail1OriginalEntryId</a>
<a href="#">PidLidEmail1EmailAddress</a>	<a href="#">PidLidEmail1OriginalEntryId</a> is a one-off EntryID.	<a href="#">PidLidEmail1OriginalEntryId</a>
	None.	<a href="#">PidLidEmail1OriginalDisplayName</a>
<a href="#">PidLidEmail1OriginalDisplayName</a>	None.	None.

[PidLidEmail1OriginalDisplayName](#) SHOULD only be updated when the other e-mail properties are updated.

#### 3.1.4.1.3.4 Updating a FAX Number

The electronic fax properties MUST be modified at the same time to preserve their relationship. When one of the fax numbers ([PidTagPrimaryFaxNumber](#), [PidTagBusinessFaxNumber](#), [PidTagHomeFaxNumber](#)) is defined, the following properties MUST be set, as specified in section [2.2.1](#) and the following table.

The fax properties SHOULD only be updated when the corresponding fax number is updated.

Fax number	Properties that SHOULD <a href="#">&lt;31&gt;</a> be updated or defined
<a href="#">PidTagPrimaryFaxNumber</a>	<a href="#">PidLidFax1AddressType</a> , <a href="#">PidLidFax1EmailAddress</a> , <a href="#">PidLidFax1OriginalDisplayName</a> , <a href="#">PidLidFax1OriginalEntryId</a>
<a href="#">PidTagBusinessFaxNumber</a>	<a href="#">PidLidFax2AddressType</a> , <a href="#">PidLidFax2EmailAddress</a> , <a href="#">PidLidFax2OriginalDisplayName</a> , <a href="#">PidLidFax2OriginalEntryId</a>
<a href="#">PidTagHomeFaxNumber</a>	<a href="#">PidLidFax3AddressType</a> , <a href="#">PidLidFax3EmailAddress</a> , <a href="#">PidLidFax3OriginalDisplayName</a> , <a href="#">PidLidFax3OriginalEntryId</a>

#### 3.1.4.1.3.5 Modifying an Event Property

Event properties MUST be modified at the same time to preserve their relationship.

The following table specifies the properties to be updated or defined when another property is changed as specified in section [2.2.1.5](#).

Changed property	Conditions	Properties to be Updated or Defined
<a href="#">PidTagBirthday</a>	None.	<a href="#">PidLidReferenceEntryId</a> , <a href="#">PidLidBirthdayEventEntryId</a> , <a href="#">PidLidBirthdayLocal</a> See the following paragraph for more details.
<a href="#">PidLidBirthdayLocal</a>	None.	<a href="#">PidLidReferenceEntryId</a> , <a href="#">PidLidBirthdayEventEntryId</a> , <a href="#">PidTagBirthday</a> See the following paragraph for more details
<a href="#">PidTagWeddingAnniversary</a>	None.	<a href="#">PidLidReferenceEntryId</a> , <a href="#">PidLidAnniversaryEventEntryId</a> , <a href="#">PidLidWeddingAnniversaryLocal</a> See the following paragraph for more details.
<a href="#">PidLidWeddingAnniversaryLocal</a>	None.	<a href="#">PidLidReferenceEntryId</a> , <a href="#">PidLidAnniversaryEventEntryId</a> , <a href="#">PidTagWeddingAnniversary</a> See the following paragraph for more details.
<a href="#">PidLidBirthdayEventEntryId</a>	None.	<a href="#">PidTagBirthday</a> , <a href="#">PidLidBirthdayLocal</a>
<a href="#">PidLidAnniversaryEventEntryId</a>	None.	<a href="#">PidTagWeddingAnniversary</a> , <a href="#">PidLidWeddingAnniversaryLocal</a>
<a href="#">PidTagNormalizedSubject</a>	<a href="#">PidLidBirthdayEventEntryId</a> or <a href="#">PidLidAnniversaryEventEntryId</a> is set.	Update the value of the <a href="#">PidTagSubjectPrefix</a> property on the corresponding Appointment object to match the name of the contact.
<a href="#">PidLidPrivate</a>	<a href="#">PidLidBirthdayEventEntryId</a> or <a href="#">PidLidAnniversaryEventEntryId</a> is set.	Update the value of the <a href="#">PidLidPrivate</a> property on the corresponding Appointment object to match the one on the contact. For more details about <a href="#">PidLidPrivate</a> , see <a href="#">[MS-OXPROPS]</a> section 2.212.

When the property [PidTagBirthday](#) or [PidLidBirthdayLocal](#) is updated, the client SHOULD update the **appointment** associated with this contact's birthday ([PidLidBirthdayEventEntryId](#)) to match the time specified in [PidTagBirthday](#). If no appointment has been created, the client SHOULD create an Appointment object, save the Appointment object's EntryID to [PidLidBirthdayEventEntryId](#), and link the Appointment object to the Contact object using [PidLidContactLinkEntry](#), [PidLidContactLinkSearchKey](#), and [PidLidContactLinkName](#), as specified in [\[MS-OXCMSG\]](#) section 2.2.1.21.

When the property [PidTagWeddingAnniversary](#) or [PidLidWeddingAnniversaryLocal](#) is updated, the client SHOULD update the appointment associated with this contact's anniversary ([PidLidAnniversaryEventEntryId](#)) to match the time specified in [PidTagWeddingAnniversary](#). If no appointment has been created, the client SHOULD create an Appointment object, save the Appointment object's EntryID to [PidLidAnniversaryEventEntryId](#), and link the Appointment object to

the Contact object using [PidLidContactLinkEntry](#), [PidLidContactLinkSearchKey](#), and [PidLidContactLinkName](#), as specified in [\[MS-OXCMSG\]](#) section 2.2.1.21.

### 3.1.4.1.3.6 Modifying a Business Card Property

Business card properties MUST be modified at the same time as to preserve their relationship. The following table specifies which properties MUST be updated when another property is updated.

Changed property	Conditions	Properties that MUST be updated
<b>PidLidBusinessCardCardPicture</b>	On removal or addition.	<b>PidLidBusinessCardDisplayDefinition's ImageSource</b> MUST be updated to account for the Card Picture, as specified in section <a href="#">2.2.1.7.1.1.4</a> .
<b>PidLidBusinessCardDisplayDefinition</b>	When the <b>ImageSource</b> section of the buffer changes.	<b>PidLidBusinessCardCardPicture</b> MUST be added or removed.

### 3.1.4.1.3.7 Modifying a Contact Photo Property

Contact photo properties MUST be modified at the same time as to preserve their relationship. The following table specifies which properties MUST be updated when another property is updated.

Changed property	Conditions	Properties that MUST be updated
<b>PidLidBusinessCardCardPicture</b>	On removal or addition.	<b>PidLidBusinessCardDisplayDefinition's ImageSource</b> MUST be updated to account for the Card Picture, as specified in section <a href="#">2.2.1.7.1.1.4</a> .
<b>PidLidBusinessCardDisplayDefinition</b>	When the <b>ImageSource</b> section of the buffer changes.	<b>PidLidBusinessCardCardPicture</b> MUST be added or removed.

## 3.1.4.2 Personal Distribution List Events

The following events pertain to Personal Distribution List objects.

### 3.1.4.2.1 Creating a Personal Distribution List

To create a Personal Distribution List object, the server or client creates a Message object ([\[MS-OXCMSG\]](#) section 3.1.4.2), sets properties in accordance with the requirements in section [2.2.2](#) of this specification and [\[MS-OXCPRPT\]](#), and saves the resulting Message object as described in [\[MS-OXCMSG\]](#) section 3.1.4.3.

### 3.1.4.2.2 Deleting a Personal Distribution List

Personal Distribution List objects have no special semantics in relation to deletion beyond what is specified in [\[MS-OXCFOLD\]](#).



### 3.1.4.2.3 Modifying a Personal Distribution List

When modifying a Personal Distribution List object, the client or server opens a Message object [\[MS-OXCMSG\]](#) section 3.1.4.1, modifies any of the properties in accordance with the requirements in section 2 and sections [3.1.4.2.3.1](#) through [3.1.4.2.3.4](#) of this specification, and [\[MS-OXCPRPT\]](#), and saves the Message object as described in [\[MS-OXCMSG\]](#) section 3.1.4.3.

It is possible that personal distribution lists contain circular references to one another. Such circular references SHOULD be avoided but are permitted under this protocol, and the application MUST be able to handle circular references.

#### 3.1.4.2.3.1 Naming a Personal Distribution List

When the application changes the name of a personal distribution list, either by user input or by other means, the following properties MUST be updated.

property	Value
<b>PidTagDisplayName</b>	The name of the Personal Distribution List object.
<b>PidLidDistributionListName</b>	The name of the <b>Personal</b> distribution list object.
<b>PidLidFileUnder</b>	The name of the <b>Personal</b> distribution list object.
<b>PidLidFileUnderId</b>	This MUST be set to "0xffffffff".
<b>PidTagNormalizedSubject</b>	This MUST be set to the same value as <b>PidLidDistributionListName</b> .

#### 3.1.4.2.3.2 Adding a Member to a Personal Distribution List

Personal Distribution List objects SHOULD NOT contain duplicate entries for the same members. Whenever a member is added to a personal distribution list, the application SHOULD check that the new member isn't already in the list. Then the application MUST update **PidLidDistributionListMembers** and **PidLidDistributionListOneOffMembers**.

The EntryID corresponding to the member MUST be added to **PidLidDistributionListMembers**, and the one-off EntryID corresponding to the member MUST be added to **PidLidDistributionListOneOffMembers**. The new values MUST be added such that the entry is in the same position of both multi-valued properties.

After updating these properties, the application SHOULD update the **PidLidDistributionListChecksum** property, as specified in section [3.1.4.2.3.4](#).

#### 3.1.4.2.3.3 Removing a Member from a Personal Distribution List

Whenever a member is removed from a personal distribution list, the application MUST update **PidLidDistributionListMembers** and **PidLidDistributionListOneOffMembers**.

The EntryID corresponding to the member MUST be removed from **PidLidDistributionListMembers**, and the one-off EntryID corresponding to the member MUST be removed from **PidLidDistributionListOneOffMembers**.

After updating these properties, the application SHOULD update the **PidLidDistributionListChecksum** property, as specified in section [3.1.4.2.3.4](#).

#### 3.1.4.2.3.4 Updating the Checksum of a Personal Distribution List

Whenever a member is added to or removed from a personal distribution list, the value of the property **PidLidDistributionListChecksum** SHOULD [<32>](#) be updated. The checksum MUST be calculated starting with a seed value of "0x00000000" and then iterating through each byte of the each **PtypBinary** value in the multi-valued **PidLidDistributionListMembers** property. Use the following algorithm to update **PidLidDistributionListChecksum** value (where CRC is defined in [\[ISO/IEC 8802-3\]](#)).

```
SET CheckSum = 0
FOR EACH PtypBinaryValue in PidLidDistributionListMembers
FOR EACH byteValue in PtypBinaryValue
Checksum = CRC(Checksum, byteValue)
ENDFOR
ENDFOR
```

#### 3.1.5 Message Processing Events and Sequencing Rules

None.

#### 3.1.6 Timer Events

None.

#### 3.1.7 Other Local Events

None.

## 4 Protocol Examples

### 4.1 Creating a Contact

A user creates a contact with a name (Jacqueline Haddad), e-mail address (someone@example.com), and phone number (555-1234), and then saves it. The following is a description of what a client might do to accomplish the user's intentions, and the responses a server might return.

Before manipulating Contact objects, the client needs to ask the server to perform a mapping from named properties to property identifiers, using [RopGetPropertyIdsFromNames](#):

Property	Property set GUID	Name ID
<b>PidLidFileUnderList</b>	{00062004-0000-0000-c000-000000000046}	0x8026
<b>PidLidAutoLog</b>	{00062004-0000-0000-c000-000000000046}	0x8025
<b>PidLidAddressBookProviderEmailList</b>	{00062004-0000-0000-c000-000000000046}	0x8028
<b>PidLidAddressBookProviderArrayType</b>	{00062004-0000-0000-c000-000000000046}	0x8029
<b>PidLidFileUnder</b>	{00062004-0000-0000-c000-000000000046}	0x8005
<b>PidLidFileUnderId</b>	{00062004-0000-0000-c000-000000000046}	0x8006
<b>PidLidContactCharacterSet</b>	{00062004-0000-0000-c000-000000000046}	0x8023
<b>PidLidEmail1DisplayName</b>	{00062004-0000-0000-c000-000000000046}	0x8080
<b>PidLidEmail1AddressType</b>	{00062004-0000-0000-c000-000000000046}	0x8082
<b>PidLidEmail1EmailAddress</b>	{00062004-0000-0000-c000-000000000046}	0x8083
<b>PidLidEmail1OriginalDisplayName</b>	{00062004-0000-0000-c000-000000000046}	0x8084
<b>PidLidEmail1OriginalEntryId</b>	{00062004-0000-0000-c000-000000000046}	0x8085

The server returns the following property IDs in response to [RopGetPropertyIdsFromNames](#).

Property	Property ID
<b>PidLidFileUnderList</b>	0x827b
<b>PidLidAutoLog</b>	0x8280
<b>PidLidAddressBookProviderEmailList</b>	0x81d4
<b>PidLidAddressBookProviderArrayType</b>	0x81d5
<b>PidLidFileUnder</b>	0x8016
<b>PidLidFileUnderId</b>	0x81da
<b>PidLidContactCharacterSet</b>	0x8286
<b>PidLidEmail1DisplayName</b>	0x 8013

Property	Property ID
<b>PidLidEmail1AddressType</b>	0x81ce
<b>PidLidEmail1EmailAddress</b>	0x 8010
<b>PidLidEmail1OriginalDisplayName</b>	0x801f
<b>PidLidEmail1OriginalEntryId</b>	0x81cf

To create a Contact object, the client uses [RopCreateMessage](#) ([MS-OXCMSG] section 2.2.3.2). The server returns a success code and a handle to a Message object.

After the user has input his content for the Contact object, the client uses [RopSetProperties](#) ([MS-OXCPRPT] section 2.2.5) to transmit the user's data to the server.

Property	Property type	Data	Meaning
<b>PidTagDisplayNamePrefix</b>	<b>PtypString</b>	00 00	""
<b>PidTagSurname</b>	<b>PtypString</b>	48 00 61 00 64 00 64 00 61 00 64 00 00 00	"Haddad"
<b>PidTagMiddleName</b>	<b>PtypString</b>	00 00	""
<b>PidTagGivenName</b>	<b>PtypString</b>	4a 00 61 00 63 00 71 00 75 00 65 00 6c 00 69 00 6e 00 65 00 00 00	"Jacqueline"
<b>PidLidFileUnderList</b>	<b>PtypMultipleInteger32</b>	05 00 00 00 17 80 00 00 37 80 00 00 16 3a 00 00 19 80 00 00 18 80 00 00	cValues: 0x00000005 lp1: {0x00008017; 0x00008037; 0x00003a16; 0x00008019; 0x00008018}

Property	Property type	Data	Meaning
<b>PidLidAddressBookProvider EmailList</b>	<b>PtypMultipleInteger32</b>	01 00 00 00 00 00 00 00	cValues: 0x00000001 lpl: {0x00000000}
<b>PidLidAddressBookProvider ArrayType</b>	<b>PtypInteger32</b>	0x0000 0001	Email1 is defined
<b>PidLidFileUnder</b>	<b>PtypString</b>	48 00 61 00 64 00 64 00 61 00 64 00 2c 00 20 00 4a 00 61 00 63 00 71 00 75 00 65 00 6c 00 69 00 6e 00 65 00 00 00	"Haddad, Jacqueline"
<b>PidLidFileUnderId</b>	<b>PtypInteger32</b>	0x0000 8017	<b>PidLidFileUnder</b> is "<PidTagSurname>, <PidTagGivenName> <PidTagMiddleName>"
<b>PidTagGeneration</b>	<b>PtypString</b>	00 00	" "
<b>PidTagInitials</b>	<b>PtypString</b>	4a 00 2e 00 48 00 2e 00 00 00	"J.H."
<b>PidLidAutoLog</b>	<b>PtypBoolean</b>	0x00	FALSE
<b>PidTagBusinessTelephoneN umber</b>	<b>PtypString</b>	35 00 35 00 35 00 2d 00 31 00 32 00 33 00 34 00 00	"555-1234"

Property	Property type	Data	Meaning
<b>PidLidContactCharacterSet</b>	<b>PtypInteger32</b>	0x0000 0100	US character set
<b>PidTagDisplayName</b>	<b>PtypString</b>	4a 00 61 00 63 00 71 00 75 00 65 00 6c 00 69 00 6e 00 65 00 20 00 48 00 61 00 64 00 64 00 61 00 64 00 00 00	"Jacqueline Haddad"
<b>PidLidEmail1DisplayName</b>	<b>PtypString</b>	75 00 73 00 65 00 72 00 31 00 30 00 20 00 28 00 75 00 73 00 65 00 72 00 31 00 30 00 40 00 73 00 7a 00 66 00 6b 00 75 00 6b 00 2d 00 64 00 6f 00 6d 00 2e 00 65 00 78 00 61 00 6d 00 70 00 6c 00 65 00 2e 00 63 00 6f 00 6d 00	"user10 (user10@szfkuk- dom.example.com) "

Property	Property type	Data	Meaning
		29 00 00 00	
<b>PidLidEmail1AddressType</b>	<b>PtypString</b>	45 00 58 00 00 00	"EX"
<b>PidLidEmail1EmailAddress</b>	<b>PtypString</b>	2f 00 6f 00 3d 00 46 00 69 00 72 00 73 00 74 00 20 00 4f 00 72 00 67 00 61 00 6e 00 69 00 7a 00 61 00 74 00 69 00 6f 00 6e 00 2f 00 6f 00 75 00 3d 00 45 00 78 00 63 00 68 00 61 00 6e 00 67 00 65 00 20 00 41 00 64 00 6d 00 69 00 6e 00 69 00 73 00 74 00 72 00 61 00 74 00 69 00 76 00 65 00 20 00 47 00 72 00 6f 00 75 00	"/o=First Organization/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipient s/cn=user10"

Property	Property type	Data	Meaning
		70 00 20 00 28 00 46 00 59 00 44 00 49 00 42 00 4f 00 48 00 46 00 32 00 33 00 53 00 50 00 44 00 4c 00 54 00 29 00 2f 00 63 00 6e 00 3d 00 52 00 65 00 63 00 69 00 70 00 69 00 65 00 6e 00 74 00 73 00 2f 00 63 00 6e 00 3d 00 75 00 73 00 65 00 72 00 31 00 30 00 00 00	
<b>PidLidEmail1OriginalDisplay Name</b>	<b>PtypString</b>	75 00 73 00 65 00 72 00 31 00 30 00 40 00 73 00 7a 00 66 00 6b 00 75 00 6b 00 2d 00 64 00 6f 00	"user10@szfkuk- dom.example.com"



Property	Property type	Data	Meaning
		6d 00 2e 00 65 00 78 00 61 00 6d 00 70 00 6c 00 65 00 2e 00 63 00 6f 00 6d 00 00 00	
<b>PidLidEmail1OriginalEntryId</b>	<b>PtypBinary</b>	7d 00 00 00 DC A7 40 C8 C0 42 10 1A B4 B9 08 00 2B 2F E1 82 01 00 00 00 00 00 00 00 2F 6F 3D 46 69 72 73 74 20 4F 72 67 61 6E 69 7A 61 74 69 6F 6E 2F 6F 75 3D 45 78 63 68 61 6E 67 65 20 41 64 6D 69 6E 69 73 74 72 61 74 69 76 65 20 47 72 6F 75 70 20 28 46 59 44 49 42 4F 48 46	Size: 125 bytes ....@..B .....+/ ..... ../o=Fir st Organ ization/ ou=Excha nge Admi nistrati ve Group (FYDIBO HF23SPDL T)/cn=Re cipients /cn=user 10.

Property	Property type	Data	Meaning
		32 33 53 50 44 4C 54 29 2F 63 6E 3D 52 65 63 69 70 69 65 6E 74 73 2F 63 6E 3D 75 73 65 72 31 30 00	
<b>PidTagRtfCompressed</b>	<b>PtypBinary</b>	e6 14 E2 14 00 00 93 52 00 00 4C 5A 46 75 62 F8 7E BB 07 00 06 01 01 0B 60 6E 67 31 30 32 66 35 00 64 00 72 63 70 0D D0 0E 00 32 05 0C 60 63 0D 44 66 33 31 35 30 42 37 00 F5 73 74 73 68 05 70 62 74 ... (remai nder of proper ty exclud ed for brevit	Size: 5350 bytes .....R.. LZFub.~. .....`n g102f5.d .rcp.... 2..`c.Df 3150B7.. stsh.pbt

Property	Property type	Data	Meaning
		y)	
<b>PidTagMessageClass</b>	<b>PtypString</b>	49 00 50 00 4d 00 2e 00 43 00 6f 00 6e 00 74 00 61 00 63 00 74 00 00 00	"IPM.Contact"
<b>PidTagIconIndex</b>	<b>PtypInteger32</b>	00 20 00 00	512
<b>PidTagSubjectPrefix</b>	<b>PtypString</b>	00	" "
<b>PidTagSubject</b>	<b>PtypString</b>	4a 00 61 00 63 00 71 00 75 00 65 00 6c 00 69 00 6e 00 65 00 20 00 48 00 61 00 64 00 64 00 61 00 64 00 00 00	"Jacqueline Haddad"

When the user is ready to save his or her changes, the client uses **RopSaveChangesMessage** to commit the properties on the server.

The values of some properties will change during the execution of **RopSaveChangesMessage**; however, none of the properties that change are specified contact properties.

## 4.2 Creating a Personal Distribution List

A user creates a personal distribution list that contains the previous sample contact and another e-mail address (user1@example.com). The following is a description of what a client might do to accomplish the user's intentions, and the responses a server might return.

Before manipulating Contact objects, the client needs to ask the server to perform a mapping from named properties to property identifiers, using [RopGetPropertyIdsFromNames](#) ([\[MS-OXCPRPT\]](#) section 2.2.12).

Property	Property set GUID	Name ID
<b>PidLidAutoLog</b>	{00062004-0000-0000-c000-000000000046}	0x8025
<b>PidLidAddressBookProviderArrayType</b>	{00062004-0000-0000-c000-000000000046}	0x8029
<b>PidLidFileUnder</b>	{00062004-0000-0000-c000-000000000046}	0x8005
<b>PidLidFileUnderId</b>	{00062004-0000-0000-c000-000000000046}	0x8006
<b>PidLidDistributionListName</b>	{00062004-0000-0000-c000-000000000046}	0x8053
<b>PidLidDistributionListChecksum</b>	{00062004-0000-0000-c000-000000000046}	0x804c
<b>PidLidDistributionListMembers</b>	{00062004-0000-0000-c000-000000000046}	0x8055
<b>PidLidDistributionListOneOffMembers</b>	{00062004-0000-0000-c000-000000000046}	0x8054

The server returns the following property IDs in response to [RopGetPropertyIdsFromNames](#).

Property	Property ID
<b>PidLidAutoLog</b>	0x8280
<b>PidLidAddressBookProviderArrayType</b>	0x81d5
<b>PidLidFileUnder</b>	0x8016
<b>PidLidFileUnderId</b>	0x81da
<b>PidLidDistributionListName</b>	0x81c9
<b>PidLidDistributionListChecksum</b>	0x81c7
<b>PidLidDistributionListMembers</b>	0x81c8
<b>PidLidDistributionListOneOffMembers</b>	0x81ca

To create a Personal Distribution List object, the client uses [RopCreateMessage](#) ([MS-OXCMSG] section 2.2.3.2). The server returns a success code and a handle to a Message object.

After the user has input content for the Personal Distribution List object, the client uses [RopSetProperties](#) ([MS-OXCPRPT] section 2.2.5) to transmit his data to the server.

Property	Property type	Data	Meaning
<b>PidTagDisplayNamePrefix</b>	<b>PtypString</b>	00 00	""
<b>PidLidAddressBookProviderArrayType</b>	<b>PtypInteger32</b>	0x00000000	0
<b>PidLidFileUnder</b>	<b>PtypString</b>	46 00 72 00 69 00 65 00 6e 00 64 00 73 00 00 00	"Friends"

Property	Property type	Data	Meaning
<b>PidLidFileUnderId</b>	<b>PtypInteger32</b>	0xffffffff	-1
<b>PidLidAutoLog</b>	<b>PtypBoolean</b>	0x00	FALSE
<b>PidTagDisplayName</b>	<b>PtypString</b>	46 00 72 00 69 00 65 00 6e 00 64 00 73 00 00 00	"Friends"
<b>PidLidDistributionListName</b>	<b>PtypString</b>	46 00 72 00 69 00 65 00 6e 00 64 00 73 00 00 00	"Friends"
<b>PidLidDistributionListChecksum</b>	<b>PtypInteger32</b>	0x0xd4b0223a	-726654406
<b>PidLidDistributionListMembers</b>	<b>PtypMultipleBinary</b>	02 00 00 00 64 00 00 00 00 00 81 2b 1f a4 be a3 10 19 9d 6e 00 dd 01 0f 54 02 00 00 01 80 54 00 68 00 6f 00 6d 00 61 00 73 00 20 00 48 00 61 00 6d 00 62 00 6f 00 72 00 67 00 00 00 53 00 4d 00 54 00 50 00 00 00 75 00 73 00 65 00 72 00 31 00 40 00 65 00 78 00 61 00 6d 00 70 00 6c 00 65 00 2e 00 63 00 6f 00 6d 00 00 00  5b 00 00 00 00 00 c0 91 ad d3 51 9d cf 11 a4 a9	2 binary large objects (BLOBs) to follow BLOB1 Size: 100 bytes .....+.. .....n.. ..T..... T.h.o.m. a.s. .H. a.m.b.o. r.g...S. M.T.P... u.s.e.r. l.@.e.x. a.m.p.l. e...c.o. m...  BLOB2 Size:91 bytes ..... Q..... .G..... ..BB.`.. G..\w.K ...a*{.I .NK.R..Z S.....N ...a*{.I .NK.R..Z S..... ...

Property	Property type	Data	Meaning
		00 aa 00 47 fa a4 c3 00 00 00 00 c2 42 42 82 60 00 16 47 ad a9 5c 07 77 b7 4b e2 07 00 61 2a 7b ab 49 f6 4e 4b 9c 52 db fb 5a 53 aa 1c 00 00 00 f0 4e a6 00 00 61 2a 7b ab 49 f6 4e 4b 9c 52 db fb 5a 53 aa 1c 00 00 00 f0 d5 b0 00 00	
<b>PidLidDistributionListOneOffMembers</b>	<b>PtypMultipleBinary</b>	02 00 00 00 64 00 00 00 00 00 81 2b 1f a4 be a3 10 19 9d 6e 00 dd 01 0f 54 02 00 00 01 80 54 00 68 00 6f 00 6d 00 61 00 73 00 20 00 48 00 61 00 6d 00 62 00 6f 00 72 00 67 00 00 00 53 00 4d 00 54 00 50 00 00 00 75 00 73 00 65 00 72 00 31 00 40 00 65 00 78 00 61 00 6d 00 70 00 6c 00 65 00 2e 00 63 00 6f 00 6d 00 00 00 ac 00 00 00 00 00 81 2b 1f a4 be a3 10 19 9d 6e 00 dd	2 BLOBs to follow BLOB1 Size: 100 bytes .....+.. .....n.. ..T..... T.h.o.m. a.s. .H. a.m.b.o. r.g...S. M.T.P... u.s.e.r. l.@.e.x. a.m.p.l. e...c.o. m... BLOB2 Size: 172 bytes .....+.. .....n.. ..T..... u.s.e.r. 1.0. .(. u.s.e.r. 1.0.@.s. z.f.k.u. k.-.d.o. m...e.x. a.m.p.l. e...c.o.

Property	Property type	Data	Meaning
		01 0F 54 02 00 00 01 80 75 00 73 00 65 00 72 00 31 00 30 00 20 00 28 00 75 00 73 00 65 00 72 00 31 00 30 00 40 00 73 00 7a 00 66 00 6b 00 75 00 6b 00 2d 00 64 00 6f 00 6d 00 2e 00 65 00 78 00 6a 00 6d 00 70 00 6c 00 65 00 2e 00 63 00 6f 00 6d 00 29 00 00 00 53 00 4d 00 54 00 50 00 00 00 75 00 73 00 65 00 72 00 31 00 30 00 40 00 73 00 7a 00 66 00 6b 00 75 00 6b 00 2d 00 64 00 6f 00 6d 00 2e 00 65 00 78 00 6a 00 6d 00 70 00 6c 00 65 00 2e 00 63 00 6f 00 6d 00 00 00	m.)...S. M.T.P... u.s.e.r. l.o.@.s. z.f.k.u. k.-.d.o. m...e.x. a.m.p.l. e...c.o. m...
<b>PidTagMessageClass</b>	<b>PtypString</b>	49 00 50 00 4d 00 2e 00 44 00 69 00 73 00 74 00 4c 00 69 00 73 00 74 00 00 00	"IPM.DistList"
<b>PidTagIconIndex</b>	<b>PtypInteger32</b>	0x00000202	514
<b>PidTagSubjectPrefix</b>	<b>PtypString</b>	00 00	""
<b>PidTagSubject</b>	<b>PtypString</b>	46 00 72 00 69 00 65 00 6e 00 64 00 73 00 00 00	"Friends"

When the user is ready to save his or her changes, the client uses **RopSaveChangesMessage** to commit the properties on the server.

The values of some properties will change during the execution of **RopSaveChangesMessage**; however, none of the properties that change are specified contact properties.



## 5 Security

### 5.1 Security Considerations for Implementers

There are no special security considerations specific to the Contact Object Protocol. General security considerations pertaining to the underlying transport apply, as specified in [\[MS-OXCMSG\]](#) and [\[MS-OXCPRPT\]](#).

### 5.2 Index of Security Parameters

None.

## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following product versions. References to product versions include released service packs.

- Microsoft Office Outlook 2003
- Microsoft Exchange Server 2003
- Microsoft Office Outlook 2007
- Microsoft Exchange Server 2007
- Microsoft Outlook 2010
- Microsoft Exchange Server 2010
- Microsoft Office Communicator 2007 R2
- Microsoft Communicator 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

<1> [Section 2.2](#): Outlook 2003, Outlook 2007, and Outlook 2010 set the following properties regardless of user input; their values have no meaning in the context of this protocol: [PidLidAgingDontAgeMe](#), [PidLidCurrentVersion](#), [PidLidCurrentVersionName](#), [PidLidValidFlagStringProof](#), [PidTagAlternateRecipientAllowed](#), [PidTagClientSubmitTime](#), [PidTagDeleteAfterSubmit](#), [PidTagImportance](#), [PidTagMessageDeliveryTime](#), [PidTagMessageLocaleId](#), [PidTagOriginatorDeliveryReportRequested](#), [PidLidSideEffects](#), [PidTagPriority](#), [PidTagReadReceiptRequested](#), [PidTagSensitivity](#).

<2> [Section 2.2](#): Outlook 2007 and Outlook 2010 set the following properties regardless of user input; their values have no meaning in the context of this protocol: [PidLidReminderSet](#), [PidLidTaskActualEffort](#), [PidLidTaskComplete](#), [PidLidTaskAssigner](#), [PidLidTaskAcceptanceState](#), [PidLidTaskEstimatedEffort](#), [PidLidTaskFFixOffline](#), [PidLidTaskFRecurring](#), [PidLidTaskMode](#), [PidLidTaskNoCompute](#), [PidLidTaskOrdinal](#), [PidLidTaskOwnership](#), [PidLidTaskRole](#), [PidLidTaskState](#), [PidLidTaskStatus](#), [PidLidTaskVersion](#), and [PidLidTeamTask](#).

<3> [Section 2.2](#): Outlook 2003, Outlook 2007, and Outlook 2010 sometimes set the following properties: [PidLidEmail1RichTextFormat](#), [PidLidEmail2RichTextFormat](#), [PidLidEmail3RichTextFormat](#), and [PidLidReferredBy](#).

<4> [Section 2.2.1.1.13](#): The [PidLidFileUnderList](#) property is set by Outlook 2003, Outlook 2007, and Outlook 2010, but it is never used by Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2010, Exchange 2007, or Exchange 2003.

<5> [Section 2.2.1.2](#): Outlook 2003, Outlook 2007, and Outlook 2010 set the [PidLidAddressBookProviderEmailList](#) and [PidLidAddressBookProviderArrayType](#) and Primary Fax, Business Fax, or Home Fax properties only if they are able to interpret the value of the [PidTagPrimaryFaxNumber](#), [PidTagBusinessFaxNumber](#), or [PidTagHomeFaxNumber](#) property,

respectively, as an actual fax phone number. Exchange 2007 and Exchange 2010 set the [PidLidAddressBookProviderEmailList](#) and [PidLidAddressBookProviderArrayType](#) properties whenever the FaxNumber **string property** is set. Exchange 2003 always sets the [PidLidAddressBookProviderArrayType](#) property to "0x00000000" and never sets the [PidLidAddressBookProviderEmailList](#) property unless an e-mail address is defined for the contact.

<6> [Section 2.2.1.2.2](#): Common address types used by Outlook and Exchange are "SMTP" and "EX", but can be any of the strings returned from RopAddressTypes, or even a third-party defined string.

<7> [Section 2.2.1.2.3](#): Each address type has a specific format. The format of "EX" e-mail addresses is specified in [\[RFC2247\]](#). The format of "SMTP" e-mail addresses is specified in [\[RFC821\]](#). The e-mail type string is intended to provide an avenue for various third-party delivery mechanisms to define their own e-mail format. A [Contact object](#) is simply used as **storage** for these values, and e-mail types and e-mail addresses have no special meaning in the context of this protocol.

<8> [Section 2.2.1.2.11](#): Outlook 2003, Outlook 2007, and Outlook 2010 set this multi-valued LONG property to contain the three values "0x0008080", "0x0008090", and "0x00080A0" whenever one e-mail address is defined. Exchange 2003, Exchange 2007, and Exchange 2010 do not set this property.

<9> [Section 2.2.1.2.12](#): The fact that there are two properties ([PidLidAddressBookProviderEmailList](#) and [PidLidAddressBookProviderArrayType](#)) containing similar information is an application optimization.

<10> [Section 2.2.1.3.1](#): Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007, and Exchange 2010 also use this property to store the post office box part of the address, if it exists.

<11> [Section 2.2.1.3.7](#): Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2003, Exchange 2007, and Exchange 2010 do not use the post office box properties when generating the full address, or when parsing the full address into components. Instead, they place the post office box data as part of the street address.

<12> [Section 2.2.1.6.4](#): Outlook 2003, Outlook 2007, and Outlook 2010 always set this property to an empty string.

<13> [Section 2.2.1.7](#): The business card properties are only implemented in Outlook 2010 and Outlook 2007 and are ignored by Outlook 2003 and the server.

<14> [Section 2.2.1.8](#): Contact Photo properties are only used by Outlook 2003, Outlook 2007, Outlook 2010, Exchange 2007, and Exchange 2010.

<15> [Section 2.2.1.8.2](#): If there is more than one attachment that has this **property set**, the application is free to pick any of the marked attachments as the contact photo.

<16> [Section 2.2.1.8.2](#): Outlook 2003, Outlook 2007, Exchange 2007, and Exchange 2010 save the contact photo attachment in .jpg format. However, Outlook 2003, Outlook 2007, and Outlook 2010 will show the photo if it is in any of the following formats: **BMP**, **GIF**, .jpg, **EXIF**, **PNG**, **TIFF**, **EMF**, **WMF**, **ICO**.

<17> [Section 2.2.1.9.11](#): The value of this property is not used by either the client or the server.

<18> [Section 2.2.1.9.16](#): The value of this property is not used by either the client or the server.

<19> [Section 2.2.1.9.18](#): For US English, Outlook 2003, Outlook 2007, and Outlook 2010 set this value to the more generic "0x00000100", denoting a "Western" character set. Exchange 2003 and Exchange 2007 do not set or use this property.

<20> [Section 2.2.1.10.1](#): Outlook 2003, Outlook 2007, and Outlook 2010 use the value of the [PidTagNormalizedSubject](#) property as the caption of the window displaying information about this contact. The value of the very similar [PidTagDisplayName](#) property might contain characters that cannot be displayed as a window caption.

<21> [Section 2.2.2.1.2](#): For a newly-created distribution list without a name at all, Outlook 2003, Outlook 2007, and Outlook 2010 do not set the property [PidLidDistributionListName](#) to any value. In the same scenario, Outlook 2003, Outlook 2007, and Outlook 2010 set [PidTagDisplayName](#) to the string containing just a terminating NULL character. In every other case, Outlook 2003, Outlook 2007, and Outlook 2010 keep these two properties the same. Exchange 2003, Exchange 2007, and Exchange 2010 never set this property.

<22> [Section 2.2.2.1.4](#): Exchange 2007 and Exchange 2010 set this property to 0 when it creates a distribution list.

<23> [Section 2.2.2.2.2](#): Exchange 2003 does not set or update this property.

<24> [Section 2.2.2.2.3](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set or update this property.

<25> [Section 2.2.2.2.4](#): [PidLidDistributionListStream](#) is only supported and understood by Outlook 2007 and Outlook 2010. All versions of Exchange and earlier versions of Outlook do not set or read this property. They will always ignore this property if set, and will instead read the information from [PidLidDistributionListMembers](#), [PidLidDistributionListOneOffMembers](#), and [PidLidDistributionListChecksum](#).

<26> [Section 2.2.2.2.4.3](#): This value is broken into ranges for specific clients. The ranges specified for **ExtraInfoID** are reserved for future use. Currently Outlook and Exchange do not use the **ExtraMemberInfoData** field.

Value	Client
1 – 1000 (inclusive)	Outlook
1001 – 2000 (inclusive)	Exchange
2001 – 3000 (inclusive)	Communicator
3001 – 60,000 (inclusive)	All other clients



<27> [Section 2.2.2.3.1](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not set this property.

<28> [Section 3.1.4.1.3.1](#): Not all properties will need to be updated every time. Applications use the specifications in section [2.2.1.3](#) to determine whether an update is required.

<29> [Section 3.1.4.1.3.2](#): Not all properties will need to be updated every time. Applications use the specifications in section [2.2.1.3](#) to determine whether an update is required.

<30> [Section 3.1.4.1.3.3](#): Not all properties will need to be updated every time. Applications use the specifications in [2.2.1.2](#) to determine whether an update is required.

<31> [Section 3.1.4.1.3.4](#): Not all properties will need to be updated every time. Applications use the specifications in [2.2.1.2](#) to determine whether an update is required.

<32> [Section 3.1.4.2.3.4](#): Exchange 2003, Exchange 2007, and Exchange 2010 do not update this property.

## 7 Change Tracking

This section identifies changes made to [MS-OXOCNTC] protocol documentation between July 2009 and November 2009 releases. Changes are classed as major, minor, or editorial.

**Major** changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- A protocol is deprecated.
- The removal of a document from the documentation set.
- Changes made for template compliance.

**Minor** changes do not affect protocol interoperability or implementation. Examples are updates to fix technical accuracy or ambiguity at the sentence, paragraph, or table level.

**Editorial** changes apply to grammatical, formatting, and style issues.

**No changes** means that the document is identical to its last release.

Major and minor changes can be described further using the following revision types:

- New content added.
- Content update.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.

- Content removed for template compliance.
- Obsolete document removed.

Editorial changes always have the revision type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

**Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.

**Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

Changes are listed in the following table. If you need further information, please contact [protocol@microsoft.com](mailto:protocol@microsoft.com).

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<a href="#">1.1 Glossary</a>	52326 Added terms to glossary.	N	Content update.
<a href="#">1.1 Glossary</a>	52545 Removed term from glossary.	N	Content removed.
<a href="#">1.1 Glossary</a>	53081 Updated term.	N	Content update.
<a href="#">1.1 Glossary</a>	49696 Added term "CRC".	N	Content update.
<a href="#">2.2 Message Syntax</a>	52114 Updated sentence to match the optional behavior.	N	Content update.
<a href="#">2.2.1.2.9 PidLidFax1OriginalDisplayName, PidLidFax2OriginalDisplayName, PidLidFax3OriginalDisplayName</a>	49351 Added reference to section 2.2.1.10.1.	N	Content update.
<a href="#">2.2.1.5.1 PidTagBirthday</a>	48251 Added property reference to [MS-OXCDATA].	N	Content update.
<a href="#">2.2.1.7.1.1 PidLidBusinessCardDisplayDefinition Buffer Format</a>	49372 Updated descriptions to match each other.	N	Content update.
<a href="#">2.2.1.8.1 PidLidHasPicture</a>	48857 Clarified existence of contact photo attachment.	Y	Content update.
<a href="#">2.2.1.8.2 Contact Photo Attachment</a>	48863 Added reference for "PidTagAttachmentContactPhoto".	N	Content update.

<b>Section</b>	<b>Tracking number (if applicable) and description</b>	<b>Major change (Y or N)</b>	<b>Revision Type</b>
<a href="#">2.2.2 Personal Distribution List Properties</a>	49352 Added a sentence indicating that these properties are optional.	N	Content update.
<a href="#">2.2.2.2.4.3 ExtraMemberInfoData Format</a>	49353 Moved implementation-specific description of ExtraInfoID to Behavior Note.	Y	Product behavior note updated.
<a href="#">2.2.3 Contact Folder Syntax</a>	48864 Added reference to "PidTagContainerClass".	N	Content update.
<a href="#">3.1.4.1.3.2 Modifying a Physical Address Property</a>	48865 Updated references from "PidTagPostalAddress" to "PidLidPostalAddressId".	N	Content update.
<a href="#">3.1.4.1.3.3 Modifying an E-mail Address Property</a>	48869 Updated title to reflect content.	N	Content update.
<a href="#">3.1.4.1.3.3 Modifying an E-mail Address Property</a>	48867 Updated "'primary" to "first".	N	Content update.
<a href="#">3.1.4.1.3.5 Modifying an Event Property</a>	48870 Added reference to "PidLidPrivate".	N	Content update.
<a href="#">3.1.4.2.3.4 Updating the Checksum of a Personal Distribution List</a>	49696 Updated "CRC32" to "CRC".	N	Content update.
<a href="#">4.1 Creating a Contact</a>	49355 Changed "RopSaveChanges" to "RopSaveChangesMessage".	N	Content update.
<a href="#">4.2 Creating a Personal Distribution List</a>	49355 Changed "RopSaveChanges" to "RopSaveChangesMessage".	N	Content update.
<a href="#">6 Appendix A: Product Behavior</a>	49353 Added Microsoft Office Communicator to list.	Y	New content added.



## 8 Index

### A

Abstract data model  
[client](#) 42  
[server](#) 42  
[Applicability](#) 11

### C

[Change tracking](#) 70  
Client  
[abstract data model](#) 42

### D

Data model – abstract  
[client](#) 42  
[server](#) 42  
[DistListMemberInfo packet](#) 38

### E

[Examples - overview](#) 51  
[ExtraMemberInfoData packet](#) 39

### F

[FieldInfo packet](#) 27

### G

[Glossary](#) 8

### I

[Implementer - security considerations](#) 65  
[Introduction](#) 8

### M

Messages  
[overview](#) 12

### N

[Normative references](#) 9

### O

[Overview \(synopsis\)](#) 10

### P

[PidLidBusinessCardDisplayDefinition packet](#) 24  
[PidLidDistributionListStream Buffer packet](#) 36  
[Preconditions](#) 11  
[Prerequisites](#) 11  
[Product behavior](#) 66

### R

References  
[normative](#) 9  
[Relationship to other protocols](#) 10

### S

Security  
[implementer considerations](#) 65  
[overview](#) 65  
Server  
[abstract data model](#) 42

### T

[Tracking changes](#) 70

### W

[Wrapped EntryId packet](#) 39