

[MS-OXOFLAG]: Informational Flagging Protocol Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp/default.mspx>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Preliminary Documentation. This documentation is preliminary documentation for these protocols. Since the documentation may change between this preliminary version and the final version, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and networking programming art, and assumes that the reader is either familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for a Licensee to develop an implementation. Licensees who have access to Microsoft programming tools and environments are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.

Table of Contents

1	<i>Introduction</i>	4
1.1	Glossary.....	4
1.2	References.....	5
1.2.1	Normative References.....	5
1.2.2	Informative References.....	6
1.3	Protocol Overview.....	6
1.4	Relationship to Other Protocols.....	7
1.5	Prerequisites/Preconditions.....	7
1.6	Applicability Statement.....	7
1.7	Versioning and Capability Negotiation.....	7
1.8	Vendor-Extensible Fields.....	7
1.9	Standards Assignments.....	7
2	<i>Messages</i>	7
2.1	Transport.....	7
2.2	Message Syntax.....	7
2.2.1	Properties Specific to the Informational Flagging Protocol.....	8
2.2.2	Properties Shared with the Task Object Protocol.....	14
2.2.3	Properties Shared with the Reminder Settings Protocol.....	14
3	<i>Protocol Details</i>	15
3.1	Client and Server Details.....	15
3.1.1	Abstract Data Model.....	15
3.1.2	Timers.....	16
3.1.3	Initialization.....	16
3.1.4	Higher-Layer Triggered Events.....	16
3.1.5	Message Processing Events and Sequencing Rules.....	22
3.1.6	Timer Events.....	22
3.1.7	Other Local Events.....	22
4	<i>Protocol Examples</i>	22
4.1	Color Flagged Object.....	24
4.2	Time Flagged Object.....	25
4.3	Completed Object.....	27
4.4	Flagging a Draft Message Object for the Sender and Recipient.....	28
5	<i>Security</i>	34
5.1	Security Considerations for Implementers.....	34
5.2	Index of Security Parameters.....	34
6	<i>Appendix A: Office/Exchange Behavior</i>	34
7	<i>Index</i>	38

1 Introduction

Flagging is a way for message objects to be marked for follow up. As part of the Informational Flagging Protocol, flagging related properties are set on the message object. The values of these properties can then be used to identify flagged messages.

The Informational Flagging Protocol specifies:

- Properties that, when set, can be used by a client or server to identify message objects as being flagged.
- How flag-related properties can be used to track the progress and completion of an associated work item.
- A method by which the sender of a message can specify the flag-related properties of the object delivered to the recipient(s) independently of the flag-related properties of the copy of the object saved in the sender's mailbox.

1.1 Glossary

The following terms are defined in the [MS-OXGLOS]:

Coordinated Universal Time (UTC)

complete flag

draft message object

meeting-related object

message

message object

property

recipient

recipient reminder

reminder

sender flag

sender reminder

store

task object

The following data type is defined in [MS-DTYP]:

WCHAR

The following terms are defined in [MS-OXCDATA]:

PtypInteger32

PtypTime

PtypBoolean

PtypBinary

PtypString

PtypTime

PtypFloating64

The following terms are specific to this document:

basic flag: A flag on a **message object** that indicates that the object has an associated work item or shares a defining characteristic with other message objects with such flags.

color flag: A flag that extends the concept of a **basic flag** by associating one of a chosen set of color values with a flagged **message object**.

consolidated todo list: A list of all tasks and flagged **message objects** in a user's mailbox.

primary flag storage location: The usual storage location of flagging properties (as opposed to the secondary flag storage location).

recipient flag: A collection of property values that indicate that a **draft message object** has been marked such that it will appear **basic flagged** to **recipients**.

secondary flag storage location: A binary property that is used to encode a second set of flagging properties, which do not affect the flagged state of the message object.

time flag: A flag that extends the concept of a **basic flag** by associating time-related properties such as start and due dates with the flag information on the **message object**. A time flagged message object is also marked with a red **color flag**, but it is not considered to be color flagged by definition.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-DTYP] Microsoft Corporation, "Windows Data Types", March 2007,
<http://go.microsoft.com/fwlink/?LinkId=111558>.

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", April 2008.

[MS-OXCMMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", April 2008.

[MS-OXCPRPT] Microsoft Corporation, "Property and Stream Object Protocol Specification", April 2008.

[MS-OXGLOS] Microsoft Corporation, "Office Exchange Protocols Master Glossary", April 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", April 2008.

[MS-OXOJRN] Microsoft Corporation, "Journal Object Protocol Specification", April 2008.

[MS-OXOMSG] Microsoft Corporation, "E-mail Object Protocol Specification", April 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", April 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", April 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", April 2008.

[MS-OXPROPS] Microsoft Corporation, "Office Exchange Protocols Master Property List Specification", April 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

1.2.2 Informative References

None.

1.3 Protocol Overview

The Informational Flagging Protocol specifies a set of properties that a messaging system can use to identify message objects as not flagged, basic flagged, color flagged, time flagged, or completed. Objects that are flagged can also have additional associated information such as flag color, start date, or due date to help users further organize their flagged objects; for example, users can assign start and due dates to their flagged objects to prioritize their work, or they can assign a flag color to group related objects.

This protocol specifies a method for a **draft message object** to be marked with a recipient flag, such that recipients will see the message object as basic flagged upon receipt. This protocol also specifies a method for a **draft message object** to be marked with a sender flag,

6 of 38

which is a time flag that is displayed on the copy of the message object saved in the sender's mailbox and is not exposed to the message recipients.

1.4 Relationship to Other Protocols

The Informational Flagging Protocol specification relies on an understanding of how to work with **message object** properties, **task object** properties, and message submission. For more details see [MS-OXCMSG], [MS-OXOTASK], and [MS-OXOMSG]. Sender flags are also closely related to sender reminders, which are specified in [MS-OXORMDR].

1.5 Prerequisites/Preconditions

The Informational Flagging Protocol specification assumes that the messaging client has previously acquired a handle to the message object on which it intends to operate.

1.6 Applicability Statement

The Informational Flagging Protocol specification can be used to specify flags for the message objects. This protocol is intended to be a complement, and not a substitute for full task management, which is specified in [MS-OXOTASK].

1.7 Versioning and Capability Negotiation

None.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

The Informational Flagging Protocol extends the protocol specified in [MS-OXCMSG] and uses the protocol specified in [MS-OXCPRT] as an underlying transport.

2.2 Message Syntax

Message objects can be flagged by clients and servers. Except where noted below, this section defines constraints to which both clients and servers **MUST** adhere when flagging message objects.

Clients operate on message objects by using the [MS-OXCMSG] protocol. How a server operates on message objects is implementation-dependent but the results of any such

operations **MUST** be exposed to clients in a manner that is consistent with the Informational Flagging Protocol.

[MS-OXPROPS] specifies the definitions of each property, including the property name, property tag, and property type.

Unless otherwise noted below the client **MUST** include the properties as specified in the documentation for the specific type of message object that is to have its flag state changed.

When a value is specified as not present the property **MUST NOT** exist on the message object, and **MUST** be deleted if it exists. Setting a property value to 0 or a zero-length string does not delete the property from the message object.

2.2.1 Properties Specific to the Informational Flagging Protocol

2.2.1.1 PidTagFlagStatus

Type: PtypInteger32.

Specifies the flag state of the message object, **MUST NOT** exist on a **meeting-related object**, and **SHOULD NOT** exist on a task object<1>. On other **message objects**, this property **MUST** be set to one of the values below:

Numeric Value	Name	Meaning
Not present	N/A	Unflagged
0x00000001	followupComplete	Flagged complete
0x00000002	followupFlagged	Flagged

2.2.1.2 PidTagFollowupIcon

Type: PtypInteger32.

Specifies the flag color of the message object and **MUST NOT** exist unless the value of the property **PidTagFlagStatus** is set to followupFlagged or if the message object is a meeting-related object. This property **SHOULD NOT** exist on a task object<2>. On other message objects, this property **MUST** be set to one of the values below:

Numeric Value	Name	Meaning
Not present	N/A	No color
0x00000001	followupIcon1	Purple flag
0x00000002	followupIcon2	Orange flag
0x00000003	followupIcon3	Green flag
0x00000004	followupIcon4	Yellow flag

0x00000005	followupIcon5	Blue flag
0x00000006	followupIcon6	Red flag

2.2.1.3 PidTagFlagCompleteTime

Type: PtypTime.

Specifies the date and time in **UTC** that the message object was flagged completed and the property is deleted if the message object is not flagged complete. The time's smallest resolution **MUST** be minutes (i.e. the value **MUST** be a multiple of 600,000,000). This property **MUST NOT** exist if the object is a meeting-related object and **SHOULD NOT** exist on a task object<3>.

2.2.1.4 PidTagReplyRequested

Type: PtypBoolean.

This property **SHOULD NOT** be changed by this protocol if the object is a meeting-related object as this property has a specialized meaning for meeting-related objects (see [MS-OXOCAL]). This property **SHOULD NOT** exist if the object is a task object<4>. This property **SHOULD** be set to 0x01 if the object is flagged and set to 0x00 or deleted otherwise<5> <6>.

2.2.1.5 PidTagResponseRequested

Type: PtypBoolean.

Has identical values and semantics to **PidTagReplyRequested** in terms of this protocol and, therefore, the client **MUST** update these values in an identical manner.

2.2.1.6 PidTagToDoItemFlags

Type: PtypInteger32.

A bit field in which each bit **SHOULD** be set to 1 if the associated condition in the table below applies and 0 otherwise<7>. The possible bit values are:

Numeric Value	Name	Meaning
Not present	N/A	Unflagged
0x00000001	todoTimeFlagged	Object is time flagged<8>
0x00000008	todoRecipientFlagged	SHOULD only be set on a draft message object, and means that the object is flagged for recipients.

All bits not specified in the above table are reserved. They **MUST** be ignored, but **SHOULD** be preserved if they are set.

2.2.1.7 PidTagSwappedToDoData

Type: PtypBinary.

Acts as the secondary flag storage location if sender flags or sender reminders are supported<9>. This secondary storage location can be used by the client to maintain a second set of property values relating to the Informational Flagging Protocol that do not affect the flagged state of the message object.

This structure provides a location at which the client can store all of the properties relating to the Informational Flagging Protocol that are supported in sender flags and all properties relating to the Reminder Settings Protocol that are supported in sender reminders without exposing the sender flag or sender reminder information to the recipients of a message. Similarly, this structure provides a location at which all of the properties relating to the Informational Flagging Protocol that are supported in recipient flags and properties relating to the Reminder Settings Protocol that are supported in recipient reminders can be stored for informational purposes on a previously sent message.

The structure contains the following members:

Member	Type	Meaning
ulVersion	PtypInteger32	Version of the binary structure. This protocol only specifies version 0x00000001. The contents of this structure MUST be ignored if the version number is not 0x00000001.
dwFlags	PtypInteger32	A bit field that determines the validity of the member fields below. The bits are specified in the next table.
dwToDoItem	PtypInteger32	Corresponds to PidTagToDoItemFlags.
wszFlagTo	WCHAR[256]	Corresponds to PidLidFlagRequest.
rtmStartDate	PtypInteger32	Corresponds to PidLidTaskStartDate.
rtmDueDate	PtypInteger32	Corresponds to PidLidTaskDueDate.
rtmReminder	PtypInteger32	Corresponds to PidLidReminderTime, PidLidReminderSignalTime, and PidTagReplyTime. When swapping the contents of the primary and secondary flag storage location, the data of rtmReminder is written to three properties: PidLidReminderTime, PidLidReminderSignalTime, and PidTagReplyTime, and the data in PidLidReminderTime is written to rtmReminder. (See [MS-OXORMDR] for details on the reminder properties.)

fReminderSet	PtypInteger32	Corresponds to PidLidReminderSet (See [MS-OXORMDR]). This property is treated as a Boolean with 0x00000000 and 0x00000001 as valid values.
--------------	---------------	--

The rtmStartDate, rtmDueDate, and rtmReminder fields are stored as a PtypInteger32 expressed as the number of minutes since January 1, 1601 midnight in UTC time. Clients **MUST** write the value 0x5AE980E0 to indicate no date and time.

The dwFlags field has the following valid bit values. The bit specified in the table below **MUST** be 1 if the corresponding data member in the structure above has valid data and **MUST** be 0 otherwise.

Bit	Validity of data field
0x00000001	dwToDoItem
0x00000008	rtmStartDate
0x00000010	rtmDueDate
0x00000020	wszFlagTo
0x00000040	fReminderSet
0x00000080	rtmReminder

2.2.1.8 PidTagSwappedToDoStore

Type: PtypBinary.

If PidTagSwappedToDoData is set on a draft message object, then the value of this property **MUST** be set to the value of PidTagStoreEntryId of the message. This property is used to determine the need for post-transmit processing of an e-mail as specified in section 3.1.4.2.

2.2.1.9 PidLidFlagRequest

Type: PtypString.

Contains user-specifiable text to be associated with the flag and **SHOULD** be set if the message object is flagged or completed, but **SHOULD NOT** exist for a meeting-related object. See section 2.2.1.10 for a list of defaults suggested to the user. Clients **MAY** choose not to support this property, and always write "Follow up" (translated to the user's language if appropriate) as the value of the string when this property needs to be set<10>. This property **SHOULD** be conditionally ignored based on the values of PidLidFlagString and PidLidValidFlagStringProof – see sections 2.2.1.10 and 2.2.1.11 for details<11>.

2.2.1.10 PidLidFlagString

Type: PtypInteger32.

Contains an index identifying one of a set of pre-defined text strings to be associated with the flag. If set, clients SHOULD use the corresponding string value in the tables below indicated by PidLidFlagString (for example, to substitute a string that is translated into the current user's language) and SHOULD ignore the value set in PidLidFlagRequest and PidLidValidFlagStringProof<12>).

Defaults suggested to the user for contact objects:

Value	English String
0x00000000 or not present	Follow the guidance related to displaying PidLidFlagRequest
0x0000006E	"Follow up"
0x0000006F	"Call"
0x00000070	"Arrange Meeting"
0x00000071	"Send E-mail"
0x00000072	"Send Letter"

Defaults suggested to the user for all other message objects:

Value	English String
0x00000000 or not present	Follow the guidance related to displaying PidLidFlagRequest
0x00000001	"Call"
0x00000002	"Do not Forward"
0x00000003	"Follow up"
0x00000004	"For Your Information"
0x00000005	"Forward"
0x00000006	"No Response Necessary"
0x00000007	"Read"
0x00000008	"Reply"

0x00000009	"Reply to All"
0x0000000A	"Review"

All strings specified above can be translated to the user's language if appropriate.

2.2.1.11 PidLidValidFlagStringProof

Type: PtypTime.

On non-sendable objects (received mail and non-mail objects), clients **SHOULD** set this value to the value of PidTagMessageDeliveryTime when modifying PidLidFlagRequest<13>.

This property can be used to validate whether PidLidFlagRequest was set by an agent with knowledge of PidTagMessageDeliveryTime<14>. Since the value of PidTagMessageDeliveryTime cannot be predicted by the sender, if the value of PidLidValidFlagStringProof is equal to the value of PidTagMessageDeliveryTime, it is reasonably certain that the value of PidLidFlagRequest did not originate from the sender of the message. A client can decide how to present the value of PidLidFlagRequest to the end user based on the result of this comparison in accordance with the specific security policy of the client. If the value of PidLidFlagRequest is ignored due to the presence of a value for PidLidFlagString, this property **MUST** be ignored.

2.2.1.12 PidLidToDoTitle

Type: PtypString.

Contains user-specifiable text to identify this message object in a consolidated todo list. PidLidToDoTitle **MUST NOT** be set on a task object. To indicate an empty property, PidLidToDoTitle **SHOULD NOT** be set to the zero-length string, and instead **SHOULD** be deleted. When flagging a message object, and the property does not exist, a client **SHOULD** write the value of PidTagNormalizedSubject to this property.

In a consolidated todo list, if this property does not exist, a client **SHOULD** substitute the value of the PidTagNormalizedSubject<15> property when displaying this property in the todo list.

On a draft message object, if the client implements sender flags, this property **SHOULD** be set to the same value as PidLidFlagRequest.

2.2.1.13 PidLidToDoOrdinalDate

Type: PtypTime.

This property **SHOULD** be used to determine the sort order of objects in a consolidated todo list. When an object is flagged, this property **SHOULD**<16> be set to the current time in UTC. If the client allows a user to reorder tasks within the consolidated task list via dragging or other mechanism, the client can use any suitable algorithm to determine the new value of this property such that the task appears in the correct place when this property is used as a sorting

field. When this property is used to perform a sort of objects and the resultant sort results in a tie, the `PidLidToDoSubOrdinal` property is used to break the tie.

2.2.1.14 `PidLidToDoSubOrdinal`

Type: `PtypString`.

When the `PidLidToDoOrdinalDate` property is used to perform a sort of objects and the resultant sort results in a tie, this property is used to break the tie. If used, this property **MUST** be sorted lexicographically. The component characters of the string **MUST** consist of only the numerals '0' through '9'. This property **SHOULD** be initially set to "5555555". The length of this property **MUST NOT** exceed 254 characters (excluding the terminating NULL character).

2.2.2 Properties Shared with the Task Object Protocol

The following properties are shared by the Informational Flagging Protocol Specification and Task Object Protocol Specification:

- `PidLidTaskStartDate`
- `PidLidTaskDueDate`
- `PidLidTaskDateCompleted`
- `PidLidTaskComplete`
- `PidLidTaskStatus`
- `PidLidPercentComplete`
- `PidLidCommonStart`
- `PidLidCommonEnd`

Unless noted below, their semantics and accepted values are identical to those specified in [MS-OXOTASK].

2.2.2.1 `PidLidTaskStatus`

Type: `PtypInteger32`.

For a time flagged message object, the value of this property **MUST** be set to 0x00000002 if the task is completed and **SHOULD** be set to 0x00000000 otherwise.

2.2.2.2 `PidLidPercentComplete`

Type: `PtypFloating64`.

For a time flagged message object, the value of this property **MUST** be set to 1.0 if the object is flagged completed and **SHOULD** be set to 0.0 otherwise.

2.2.3 Properties Shared with the Reminder Settings Protocol

The following properties are shared by the Reminder Settings protocol:

- PidLidReminderSet
- PidLidReminderTime
- PidLidReminderSignalTime
- PidTagReplyTime

Unless noted below, their semantics and accepted values are identical to those specified in [MS-OXORMDR].

2.2.3.1 PidTagReplyTime

Type: PtypTime.

On a draft message object, if the sender desires to set a deadline for the recipient(s), this property is set to the desired deadline in UTC. This property SHOULD be deleted when clearing the flag from the message object<17>.

3 Protocol Details

3.1 Client and Server Details

Message objects can be flagged by clients and servers. Except where noted below, this section defines constraints to which clients and servers adhere when flagging message objects.

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

A message object is always considered to be in one of these states with respect to the Informational Flagging Protocol:

- Basic flagged
- Color flagged
- Time flagged
- Flagged complete
- Unflagged

Otherwise, the abstract data model of the Informational Flagging Protocol does not differ significantly from the abstract data model of the message object to which this protocol is being applied.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Higher-Layer Triggered Events

3.1.4.1 Flagging a Message Object

Most message objects can be flagged, but appointment objects (as specified in [MS-OXOCAL]), journal objects (as specified in [MS-EXOJRN]), and sticky notes (as specified in [MS-OXONOTE]) SHOULD NOT be flagged<18>.

3.1.4.1.1 Setting a Color Flag

The following properties MUST be set to these values on any message object when flagging a message with a color flag<19>:

Property	Value
PidTagFollowupIcon	Not present for no color or followupIcon1 – followupIcon6

For all message objects that are not meeting-related objects, the following properties SHOULD also be set:

Property	Value
PidLidFlagRequest	SHOULD be a non-zero length string. "Follow up" SHOULD be used as the default if none specified explicitly by the user.
PidLidFlagString	See section 2.2.1.10<20>.
PidLidValidFlagStringProof	Equal to PidTagMessageDeliveryTime of the message object <21>.

For all message objects that are not meeting-related objects or task objects<22>, the following properties SHOULD also be set:

Property	Value
PidTagFlagStatus	followupFlagged (0x00000002)
PidTagFlagCompleteTime	Not present

PidTagReplyRequested	0x01<23>
PidTagResponseRequested	0x01<24>

3.1.4.1.2 Setting a Basic Flag

A basic flag is identical to the color flag specified in section 3.1.4.1 except the property PidTagFollowupIcon is not set<25>. Meeting-related objects cannot have a basic flag.

3.1.4.1.3 Setting a Time Flag

The following properties SHOULD be set to these values on any message object when flagging a message with a time flag<26>:

Property	Value
PidTagFollowupIcon	followupIcon6 (0x00000006)
PidTagToDoItemFlags	todoTimeFlagged (0x00000001) bit set to 1
PidLidToDoOrdinalDate	Equal to the current time in UTC if PidLidToDoOrdinalDate does not already exist
PidLidToDoSubOrdinal	"5555555" if PidLidToDoSubOrdinal does not already exist
PidLidTaskStartDate	User specified
PidLidTaskDueDate	User specified
PidLidCommonStart	See [MS-OXOTASK]
PidLidCommonEnd	See [MS-OXOTASK]
PidLidTaskDateCompleted	Not present
PidLidTaskComplete	0x00
PidLidTaskStatus	0x00000000
PidLidPercentComplete	0.0

Note that even if the user specifies "no date" for the start and due dates, the flag is still considered as a time flag if the todoTimeFlagged (0x00000001) bit in the property PidTagToDoItemFlags is set to 1.

For all message objects that are not task objects, the following properties SHOULD also be set:

Property	Value
PidLidToDoTitle	Equal to PidTagNormalizedSubject if PidLidToDoTitle does not already exist

For all message objects that are not meeting-related objects, the following properties SHOULD also be set:

Property	Value
PidLidFlagRequest	SHOULD be a non-zero length string. "Follow up" SHOULD be used as the default if none specified explicitly by the user. Only set if PidLidFlagRequest does not already exist.
PidLidFlagString	See section 2.2.1.10<27>. Only set if PidLidFlagString does not already exist.
PidLidValidFlagStringProof	Equal to PidTagMessageDeliveryTime of the message object<28>. Only set if PidLidValidFlagStringProof does not already exist.

For all message objects that are not meeting-related objects or task objects, the following properties SHOULD also be set:

Property	Value
PidTagFlagStatus	followupFlagged (0x00000002)
PidTagFlagCompleteTime	Not present
PidTagReplyRequested	0x01<29>
PidTagResponseRequested	0x01<30>

3.1.4.1.4 Setting a Complete Flag

The following properties SHOULD be set to these values on any message object when marking a flagged message object complete<31>:

Property	Value
PidTagFollowupIcon	Not present
PidTagToDoItemFlags	todoTimeFlagged (0x00000001) bit set to 1

PidLidToDoOrdinalDate	Equal to the current time in UTC if PidLidToDoOrdinalDate does not already exist
PidLidToDoSubOrdinal	"555555" if PidLidToDoSubOrdinal does not already exist
PidLidTaskDateCompleted	Equal to the current date
PidLidTaskComplete	0x01
PidLidTaskStatus	0x00000002
PidLidPercentComplete	1.0

For all message objects that are not task objects, the following properties **SHOULD** also be set:

Property	Value
PidLidToDoTitle	Equal to PidTagNormalizedSubject if PidLidToDoTitle does not already exist

For all message objects that are not meeting-related objects<32>, the following properties **SHOULD** be set with the following values:

Property	Value
PidLidFlagRequest	SHOULD be a non-zero length string. "Follow up" SHOULD be used as the default if none explicitly specified by the user. Set only if PidLidFlagRequest does not already exist.
PidLidFlagString	See section 2.2.1.10<33>. Only set if PidLidFlagString does not already exist.
PidLidValidFlagStringProof	Equal to PidTagMessageDeliveryTime of the message object<34>. Only set if PidLidValidFlagStringProof does not already exist.

For all message objects that are not meeting-related objects or task objects, the following properties **SHOULD** also be set:

Property	Value
PidTagFlagStatus	followupComplete (0x00000001)

PidTagFlagCompleteTime	Current time in UTC
PidTagReplyRequested	0x00<35>
PidTagResponseRequested	0x00<36>

3.1.4.1.5 Setting a Recipient Flag

Recipient flags are set on draft message objects and are basic flags when they arrive in the recipients' mailbox. A message flagged for its recipients has the following properties set:

Property	Value
PidTagFlagStatus	MUST be set to followupFlagged (0x00000002)
PidTagReplyRequested	SHOULD be set to 0x01<37>
PidTagResponseRequested	SHOULD be set to 0x01<38>
PidLidFlagRequest	SHOULD be a non-zero length string. "Follow up" SHOULD be used as the default if none explicitly specified by the user.
PidLidFlagString	See section 2.2.1.10<39>
PidLidTaskStatus	SHOULD set to 0x00000000<40>
PidLidPercentComplete	SHOULD set to 0.0<41>
PidLidTaskComplete	SHOULD set to 0x00<42>

If the client supports sender flags, then PidTagSwappedToDoStore MUST be set as specified in section 2.2.1.8 to trigger the post-transmit processing specified in section 3.1.4.3.

3.1.4.1.6 Setting a Sender Flag

On a draft message object, a client can set both sender flag properties and recipient flag properties<43>. The recipient flag properties MUST be set in the primary flag storage location as specified in 3.1.4.1.5; the sender flag properties MUST be set in the secondary flag storage location in PidTagSwappedToDoData, and PidTagSwappedToDoStore MUST be set as specified in section 2.2.1.8 to trigger the post-transmit processing specified in section 3.1.4.3.

3.1.4.2 Clearing a Flag on a Message Object

3.1.4.2.1 Clearing a Flag on a Meeting-Related Object

Clearing a flag on a meeting-related object is identical to clearing a flag on a message except that the following properties MUST NOT be deleted or altered: PidTagFlagStatus,

PidTagFlagCompleteTime, PidTagReplyRequested, PidTagResponseRequested, PidLidFlagRequest, PidLidFlagString, and PidLidValidFlagStringProof.

3.1.4.2.2 Clearing a Flag on a Task Object

Flagging a task is a shortcut for the user to change the values of PidLidTaskStartDate and PidLidTaskDueDate. A client can, in this way, always view an uncompleted task as having a time flag. Because of this, clearing a flag on a task can be viewed as equivalent to deleting the task object.

3.1.4.2.3 Clearing a Flag on Other Message Objects

To clear a flag from a message object, the properties specified in section 2.2 SHOULD be deleted with the following exceptions. These properties MUST be set to these values:

Property	Value
PidTagToDoItemFlags	Set the todoTimeFlagged (0x00000001) bit to 0
PidLidTaskComplete	0x00
PidLidTaskStatus	0x00000000
PidLidPercentComplete	0.0

The following properties MAY be set to the following values instead of being deleted from the object<44>.

Property	Value
PidTagReplyRequested	0x00<45>
PidTagResponseRequested	0x00<46>
PidLidFlagRequest	Zero-length string
PidLidFlagString	0x00000000
PidLidToDoOrdinalDate	4501/01/01 00:00:00.000
PidLidToDoSubOrdinal	Zero-length string

3.1.4.3 Post-Transmit Processing of a Flagged Message

Once a message that has a value set for the PidTagSwappedToDoStore property has been sent, a client that supports sender flags or sender reminders MUST<47> take the following actions:

If the value of PidTagSwappedToDoStore matches the value of PidTagStoreEntryId of the message object, it MUST swap the contents of PidTagSwappedToDoData and the primary

flag location as shown by the mapping in section 2.2.1.7. After the operation, the previous contents of the primary flag storage location **MUST** now be in the secondary flag storage location and vice versa. The value of PidLidValidFlagStringProof **MUST** also be set equal to the value of PidTagMessageDeliveryTime.

If the value of PidTagSwappedToDoStore does not match the value of PidTagStoreEntryId, the client **MUST** clear the PidTagSwappedToDoData property.

In both cases, PidTagSwappedToDoStore **MUST** be deleted.

3.1.5 Message Processing Events and Sequencing Rules

None.

3.1.6 Timer Events

None.

3.1.7 Other Local Events

None.

4 Protocol Examples

All examples in this section assume that the user who is flagging the object resides in the Pacific Standard Time Zone (UTC-8). The following are descriptions of what a client might do to accomplish the scenarios and the responses a server might return.

Before flagging any message objects, the client needs to ask the server to perform a mapping from named properties to property identifiers, using RopGetPropertyIDsFromNames:

Property	Property Set GUID	Name or ID
PidLidFlagRequest	{00062008-0000-0000-C000-000000000046}	0x8530
PidLidFlagString	{00062008-0000-0000-C000-000000000046}	0x85C0
PidLidValidFlagStringProof	{00062008-0000-0000-C000-000000000046}	0x85BF
PidLidToDoTitle	{00062008-0000-0000-C000-000000000046}	0x85A4
PidLidToDoOrdinalDate	{00062008-0000-0000-C000-000000000046}	0x85A0
PidLidToDoSubOrdinal	{00062008-0000-0000-C000-000000000046}	0x85A1
PidLidTaskStartDate	{00062003-0000-0000-C000-000000000046}	0x8104
PidLidTaskDueDate	{00062003-0000-0000-C000-000000000046}	0x8105
PidLidCommonStart	{00062008-0000-0000-C000-000000000046}	0x8516

Property	Property Set GUID	Name or ID
PidLidCommonEnd	{00062008-0000-0000-C000-000000000046}	0x8517
PidLidTaskDateCompleted	{00062003-0000-0000-C000-000000000046}	0x810F
PidLidTaskComplete	{00062003-0000-0000-C000-000000000046}	0x811C
PidLidTaskStatus	{00062003-0000-0000-C000-000000000046}	0x8101
PidLidPercentComplete	{00062003-0000-0000-C000-000000000046}	0x8102
PidLidReminderSet	{00062008-0000-0000-C000-000000000046}	0x8503
PidLidReminderDelta	{00062008-0000-0000-C000-000000000046}	0x8501
PidLidReminderTime	{00062008-0000-0000-C000-000000000046}	0x8502
PidLidReminderSignalTime	{00062008-0000-0000-C000-000000000046}	0x8560

The server might respond with the following identifiers, which will be used in the examples that follow (the actual identifiers are at the discretion of the server):

Property	Property Identifier
PidLidFlagRequest	0x802A
PidLidFlagString	0x83C0
PidLidValidFlagStringProof	0x83CA
PidLidToDoTitle	0x8018
PidLidToDoOrdinalDate	0x830D
PidLidToDoSubOrdinal	0x830E
PidLidTaskStartDate	0x8143
PidLidTaskDueDate	0x8144
PidLidCommonStart	0x81BC
PidLidCommonEnd	0x81BB
PidLidTaskDateCompleted	0x8149
PidLidTaskComplete	0x8148
PidLidTaskStatus	0x8145

PidLidPercentComplete	0x8146
PidLidReminderSet	0x8004
PidLidReminderDelta	0x81FF
PidLidReminderTime	0x8005
PidLidReminderSignalTime	0x8006

4.1 Color Flagged Object

Ryan Gregg has a message in his Inbox related to the "Woodgrove Bank" account, which he has associated in his mind to the orange flag. He uses the default request string designated by the client which is "Follow up"<48>.

The client sends a RopOpenMessage request and waits for the server to respond. The server response contains a handle to the message object.

The client sends a RopGetPropertiesSpecific request to retrieve some properties of the message object.

Property	Property ID	Property Type
PidTagMessageDeliveryTime	0x0E06	0x0040 (PtypTime)

The client receives a ROP response buffer from the server with the requested values:

Property	Property ID	Property Type	Value
PidTagMessageDeliveryTime	0x0E06	0x0040 (PtypTime)	2008/02/11 22:41:24.765

The client then sends a RopSetProperties request to set the flagging properties:

Property	Property ID	Property Type	Value
PidTagFlagStatus	0x1090	0x0003 (PtypInteger32)	0x00000002
PidTagFollowupIcon	0x1095	0x0003 (PtypInteger32)	0x00000002
PidTagReplyRequested	0x0C17	0x000B (PtypBoolean)	0x01

PidTagResponseRequested	0x0063	0x000B (PtypBoolean)	0x01
PidLidFlagRequest	0x802A	0x001F (PtypString)	"Follow up"
PidLidFlagString	0x83C0	0x0003 (PtypInteger32)	0x00000003
PidLidValidFlagStringProof	0x83CA	0x0040 (PtypTime)	2008/02/11 22:41:24.765

Finally, the client then sends a RopSaveChangesMessage request to persist the object on the server, and a RopRelease request to release the object.

The above properties are all that is strictly necessary to color flag an object. Clients can set the other properties discussed in section 2.2.1.7 to appropriate values<49> if desired.

4.2 Time Flagged Object

Kendall Keil has a message in his Inbox with the subject "Contoso Project" and he wants to be sure to remember to follow up on that message starting on 2008/02/11, and needs to be done by 2008/02/12. He uses the default request string designated by the client which is "Follow up". He flags the item on 2008/02/11 22:16:28.177 (UTC).

As before, the client first retrieves a handle to the message object using RopOpenMessage.

Besides a handle, the following relevant data is returned from the response to the RopOpenMessage request:

Property	Property ID	Property Type	Value
PidTagNormalizedSubject	0x0E1D	0x001F (PtypString)	"Contoso Project"

The client sends a RopGetPropertiesSpecific request to retrieve the state of the message object:

Property	Property ID	Property Type
PidTagMessageDeliveryTime	0x0E06	0x0040 (PtypTime)

The client receives a ROP response buffer from the server with the requested values:

Property	Property ID	Property Type	Value
PidTagMessageDeliveryTime	0x0E06	0x0040 (PtypTime)	2008/02/11 22:41:24.765

The client then sends a RopSetProperties request to set the flagging properties:

Property	Property ID	Property Type	Value
PidTagFlagStatus	0x1090	0x0003 (PtypInteger32)	0x00000002
PidTagFollowupIcon	0x1095	0x0003 (PtypInteger32)	0x00000006
PidTagReplyRequested	0x0C17	0x000B (PtypBoolean)	0x01
PidTagResponseRequested	0x0063	0x000B (PtypBoolean)	0x01
PidTagToDoItemFlags	0x0E2B	0x0003 (PtypInteger32)	0x00000001
PidLidFlagRequest	0x802A	0x001F (PtypString)	"Follow up"
PidLidFlagString	0x83C0	0x0003 (PtypInteger32)	0x00000003
PidLidValidFlagStringProof	0x83CA	0x0040 (PtypTime)	2008/02/11 22:41:24.765
PidLidToDoTitle	0x8018	0x001F (PtypString)	"Contoso Project"
PidLidToDoOrdinalDate	0x830D	0x0040 (PtypTime)	2008/02/11 22:16:28.177
PidLidToDoSubOrdinal	0x830E	0x001F (PtypString)	"5555555"
PidLidTaskStartDate	0x8143	0x0040 (PtypTime)	2008/02/11 00:00:00.000
PidLidTaskDueDate	0x8144	0x0040 (PtypTime)	2008/02/12 00:00:00.000
PidLidCommonStart	0x81BC	0x0040 (PtypTime)	2008/02/11 08:00:00.000
PidLidCommonEnd	0x81BB	0x0040 (PtypTime)	2008/02/12 08:00:00.000

Finally, the client then sends a RopSaveChangesMessage request to persist the object on the server, and a RopRelease request to release the object.

4.3 Completed Object

Kendall Keil is now finished with the work item associated with the message in the previous example. As before, the client first retrieves a handle to the message object using RopOpenMessage.

The client sends a RopSetProperties request to set the flagging properties:

Property	Property ID	Property Type	Value
PidTagFlagStatus	0x1090	0x0003 (PtypInteger32)	0x00000001
PidTagFlagCompleteTime	0x1091	0x0040 (PtypTime)	2008/02/11 22:23:00.000
PidTagReplyRequested	0x0C17	0x000B (PtypBoolean)	0x00
PidTagResponseRequested	0x0063	0x000B (PtypBoolean)	0x00
PidLidTaskDateCompleted	0x8149	0x0040 (PtypTime)	2008/02/11 08:00:00.000
PidLidTaskComplete	0x8148	0x000B (PtypBoolean)	0x01
PidLidTaskStatus	0x8145	0x0003 (PtypInteger32)	0x00000002
PidLidPercentComplete	0x8146	0x0005 (PtypFloating64)	1.0
PidLidReminderSet	0x8004	0x000B (PtypBoolean)	0x00

The application sends a RopDeletePropertiesNoReplicate request:

Property	Property ID	Property Type
PidTagFollowupIcon	0x1095	0x0003 (PtypInteger32)

Finally, the client then sends a RopSaveChangesMessage request to persist the object on the server, and a RopRelease request to release the object.

4.4 Flagging a Draft Message Object for the Sender and Recipient

Randy Byrne is planning to send a contract to a customer on 2008/03/07. He wants his co-worker, Marina Dukhon, to review the contract before he sends it out. He sends a message to Marina with a sender flag which has a due date of 2008/03/07 with a request string of "Forward", and a recipient flag to Marina with a reminder on 2008/03/06 at 4:00 P.M. local time and a request string of "Review".

As before, the client first retrieves a handle to the message object using RopOpenMessage.

The client sends a RopSetProperties request to set the flagging properties:

Property	Property ID	Property Type	Value
PidTagFlagStatus	0x1090	0x0003 (PtypInteger32)	0x00000002
PidTagReplyRequested	0x0C17	0x000B (PtypBoolean)	0x01
PidTagResponseRequested	0x0063	0x000B (PtypBoolean)	0x01
PidTagReplyTime	0x0030	0x0040 (PtypTime)	2008/03/07 00:00:00.000
PidTagToDoItemFlags	0x0E2B	0x0003 (PtypInteger32)	0x00000008
PidTagSwappedToDoData	0x0E2D	0x0102 (PtypBinary)	See below
PidTagSwappedToDoStore	0xE2C	0x0102 (PtypBinary)	See below
PidLidFlagRequest	0x802A	0x001F (PtypString)	"Review"
PidLidFlagString	0x83C0	0x0003 (PtypInteger32)	0x0000000A
PidLidToDoTitle	0x8018	0x001F (PtypString)	"Review"
PidLidTaskStatus	0x8147	0x0003 (PtypInteger32)	0x00000000
PidLidPercentComplete	0x8146	0x0005 (PtypFloating64)	0.0
PidLidTaskComplete	0x8148	0x000B (PtypBoolean)	0x00
PidLidReminderSet	0x8004	0x000B (PtypBoolean)	0x01
PidLidReminderDelta	0x81FF	0x0003 (PtypInteger32)	0x00000000
PidLidReminderTime	0x8005	0x0040 (PtypTime)	2008/03/07 00:00:00.000
PidLidReminderSignalTime	0x8006	0x0040 (PtypTime)	2008/03/07 00:00:00.000

The value of PidTagSwappedToDoStore is set to the value of PidTagStoreEntryId of the message object.

The value of PidTagSwappedToDoData is:

```
000: 01 00 00 00 79 00 00 00 01 00 00 00 46 00 6F 00
010: 72 00 77 00 61 00 72 00 64 00 00 00 00 00 00 00
020: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
030: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
040: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
050: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
060: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
070: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
080: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
090: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0A0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0B0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0C0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0D0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0E0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0F0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
100: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
110: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
120: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
130: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
140: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
150: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
160: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
170: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
180: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
190: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1A0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1B0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
```

```

1C0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1D0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1E0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1F0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
200: 00 00 00 00 00 00 00 00 00 00 00 00 00 E0 80 E9 5A
210: 60 C0 C3 0C 00 00 00 00 00 00 00 00 00 00 00 00 00

```

This corresponds to the following values:

Member	Value
ulVersion	0x00000001
dwFlags	0x00000079
dwToDoItem	0x00000001
wszFlagTo	"Forward"
rtmStartDate	0x5AE980E0 (None)
rtmDueDate	0x0CC3C060 (2008/03/07 00:00:00.000)
rtmReminder	0x00000000
fReminderSet	0x00000000

Finally, the client then sends a RopSubmitMessage request to send the message to the intended recipients, and a RopRelease request to release the object.

When the above message is sent and is found by the client in Randy's mailbox at 2008/03/03 21:03:29.438, the value of PidTagSwappedToDoStore on the message object is compared to the value of PidTagStoreEntryId of the message object, and if they are equal, the contents of the primary and secondary flag storage locations are swapped. The client retrieves a handle to the object by sending a RopOpenMessage request, and gets the relevant flagging properties by sending a RopGetPropertiesSpecific request. The values of the properties returned would be identical to the values set above, except for the following which is changed by the server during message delivery:

Property	Property ID	Property Type	Value
PidTagMessageDeliveryTime	0x0E06	0x0040 (PtypTime)	2008/03/03 21:03:00.000

The client sends a RopSetProperties request to perform the swap:

Property	Property ID	Property Type	Value
PidTagFlagStatus	0x1090	0x0003 (PtypInteger32)	0x00000002
PidTagFollowupIcon	0x1095	0x0003 (PtypInteger32)	0x00000006
PidTagReplyRequested	0x0C17	0x000B (PtypBoolean)	0x01
PidTagResponseRequested	0x0063	0x000B (PtypBoolean)	0x01
PidTagToDoItemFlags	0x0E2B	0x0003 (PtypInteger32)	0x00000001
PidTagSwappedToDoData	0x0E2D	0x0102 (PtypBinary)	See below
PidLidFlagRequest	0x802A	0x001F (PtypString)	"Forward"
PidLidFlagString	0x83C0	0x0003 (PtypInteger32)	0x00000000
PidLidValidFlagStringProof	0x83CA	0x0040 (PtypTime)	2008/03/03 21:03:00.000
PidLidToDoTitle	0x8018	0x001F (PtypString)	"Contoso Project"
PidLidToDoOrdinalDate	0x830D	0x0040 (PtypTime)	2008/03/03 21:03:29.438<50>
PidLidToDoSubOrdinal	0x830E	0x001F (PtypString)	"5555555"
PidLidTaskDueDate	0x8144	0x0040 (PtypTime)	2008/03/07 00:00:00.000
PidLidCommonEnd	0x81BB	0x0040 (PtypTime)	2008/03/07 08:00:00.000
PidLidTaskComplete	0x8148	0x000B (PtypBoolean)	0x00
PidLidTaskStatus	0x8145	0x0003 (PtypInteger32)	0x00000000
PidLidPercentComplete	0x8146	0x0005 (PtypFloating64)	0.0
PidLidReminderSet	0x8004	0x000B (PtypBoolean)	0x00

The value of PidTagSwappedToDoData is:

```
000: 01 00 00 00 F9 00 00 00 01 00 00 00 52 00 65 00
010: 76 00 69 00 65 00 77 00 00 00 00 00 00 00 00 00
020: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
030: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
040: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
050: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
060: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
070: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
080: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
090: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0A0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0B0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0C0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0D0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0E0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0F0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
100: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
110: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
120: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
130: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
140: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
150: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
160: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
170: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
180: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
190: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1A0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1B0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1C0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
```

```

1D0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1E0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1F0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
200: 00 00 00 00 00 00 00 00 00 00 00 00 00 E0 80 E9 5A
210: E0 80 E9 5A 60 C0 C3 0C 01 00 00 00

```

This corresponds to the following values:

Member	Value
ulVersion	0x00000001
dwFlags	0x000000F9
dwToDoItem	0x00000001
wszFlagTo	"Review"
rtmStartDate	0x5AE980E0 (None)
rtmDueDate	0x5AE980E0 (None)
rtmReminder	0x0CC3C060 (2008/03/07 00:00:00.000)
fReminderSet	0x00000001

The application sends a RopDeletePropertiesNoReplicate request:

Property	Property ID	Property Type
PidTagSwappedToDoStore	0xE2C	0x0102 (PtypBinary)
PidLidTaskStartDate	0x8143	0x0040 (PtypTime)
PidLidCommonStart	0x81BC	0x0040 (PtypTime)
PidLidTaskDateCompleted	0x8149	0x0040 (PtypTime)
PidLidReminderTime	0x8005	0x0040 (PtypTime)
PidLidReminderSignalTime	0x8006	0x0040 (PtypTime)
PidTagReplyTime	0x0030	0x0040 (PtypTime)

Finally, the client then sends a RopSaveChangesMessage request to persist the object on the server, and a RopRelease request to release the object.

5 Security

5.1 Security Considerations for Implementers

There are no security considerations specific to the Informational Flagging Protocol. General security considerations pertaining to the underlying transport apply, as specified in [MS-OXCMSG] and [MS-OXOMSG].

5.2 Index of Security Parameters

None.

6 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office and Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that Office/Exchange does not follow the prescription.

<1> While the default interface in Outlook 2003 does not give a way for the user to set the value of PidTagFlagStatus on a **task object**, the user can manipulate the view column set in a way that this property would be set.

<2> While the default interface in Outlook 2003 does not give a way for the user to set the value of PidTagFollowupIcon on a task object, the user can manipulate the view column set in a way that this property would be set.

<3> While the default interface in Outlook 2003 does not give a way for the user to set the value of PidTagFlagCompleteTime on a task object, the user can manipulate the view column set in a way that this property would be set.

<4> While the default interface in Outlook 2003 does not give a way for the user to set the value of PidTagReplyRequested and PidTagResponseRequested on a task object, the user can manipulate the view column set in a way that this property would be set.

<5> Exchange does not set PidTagReplyRequested or PidTagResponseRequested

<6> In Outlook 2007, when swapping the contents of the primary and secondary flagging storage location, the properties PidTagReplyRequested and PidTagResponseRequested do not get updated according to the new flagging state of the primary flagging storage location to the correct value.

<7> Outlook 2003 and Exchange 2003 do not read or write this flag.

<8> In Exchange 2007, if an unflagged object is flagged complete (without first being time flagged), the bit todoTimeFlagged (0x00000001) of PidTagToDoItemFlags is not set.

<9> Sender flags are not supported in Outlook 2003 or Exchange.

<10>Exchange follows this convention.

<11>Exchange does not understand PidLidFlagString or PidLidValidFlagStringProof so the value of PidLidFlagRequest is always used.

<12>Exchange does not read or write this property. Depending on how the user flags the object, Outlook does not always set this property.

<13>Exchange does not read or write this property. Depending on how the user flags the object, Outlook does not always set this property.

<14>Exchange does not read or write this property.

<15>Outlook 2007 substitutes the concatenated values of PidTagSubjectPrefix and PidTagNormalizedSubject when displaying a message object without a value in the PidLidToDoTitle property.

<16>Outlook 2003 and Exchange 2003 do not read or write this property.

<17>Exchange does not set or clear PidTagReplyTime.

<18>The default Outlook user interface does not permit users to flag appointment objects, journal objects, or sticky notes, but it is possible to manipulate the UI in non-standard ways in order to set flag-related properties on such objects.

<19>Users cannot apply color flags in Outlook 2007 or Exchange 2007.

<20>Exchange does not set this property.

<21>Exchange does not set this property.

-
- <22>Outlook 2003 writes these properties on Task objects as well.
- <23>Exchange does not set this property.
- <24>Exchange does not set this property.
- <25>Except for receiving a recipient flag, basic flags cannot be set in Outlook 2007.
- <26>Users cannot apply time flags in Outlook 2003 or Exchange 2003.
- <27>Exchange does not set this property.
- <28>Exchange does not set this property.
- <29>Exchange does not set this property.
- <30> Exchange does not set this property.
- <31>In addition to the exceptions as noted for individual properties, Outlook 2003 and Exchange 2003 also do not set the following properties when marking a message object complete: PidTagToDoItemFlags, PidLidToDoTitle, PidLidToDoOrdinalDate, PidLidToDoSubOrdinal, PidLidTaskDateCompleted, PidLidTaskComplete, PidLidTaskStatus, and PidLidPercentComplete. Note that since Outlook 2003 and Exchange 2003 also does not set PidTagFlagStatus for meeting-related objects, those objects cannot be flagged complete in Outlook 2003 and Exchange 2003.
- <32>Outlook 2003 does not support time flags. PidTagFlagStatus cannot be set on a meeting-related object, therefore, Outlook 2003 does not support marking a meeting-related object as complete.
- <33>Exchange does not set this property.
- <34>Exchange does not set this property.
- <35>Exchange does not set this property.
- <36>Exchange does not set this property.
- <37>Exchange does not set this property.
- <38>Exchange does not set this property.
- <39>Exchange does not set this property.
- <40>Outlook 2003 and Exchange do not follow this guidance.
- <41> Outlook 2003 and Exchange do not follow this guidance.
- <42> Outlook 2003 and Exchange do not follow this guidance.
- <43> Sender flags are not supported in Outlook 2003. Only recipient flags can be set in Outlook 2003
- <44> Outlook follows this guidance.
- <45> Exchange does neither; it does not set or clear this property.

<46> Exchange does neither; it does not set or clear this property.

<47> Outlook 2003 and Exchange do not support sender flags, and thus do not support this portion of the protocol.

<48> This example applies to Outlook 2003 and Exchange 2003, as Outlook 2007 and Exchange 2007 do not allow users to flag an object with a color.

<49> Because time flags were introduced in Outlook 2007, and color flags are supported in Outlook 2003 and discontinued in Outlook 2007, this color flagging example shows what properties are set by Outlook 2003. By following this example, some properties could end up unsynchronized with each other (i.e. applying a color flag on an object that was previously flagged complete by Outlook 2007 following this example would not reset the value of PidLidTaskComplete). Other clients which only support color flags can choose to go further than this example and set or reset all of the other properties to the appropriate values.

<50> Outlook 2007 sets the value of PidLidTodoOrdinalDate to 4501/1/1 00:00:0000 and PidLidTodoSubOrdinal to the zero-length string. The example shows what an ideal client does.

7 Index

- Applicability statement, 7
- Client and server details, 15
- Color flagged object, 24
- Completed object, 27
- Glossary, 4
- Informative references, 6
- Introduction, 4
- Message syntax, 7
- Messages, 7
 - Message syntax, 7
 - Transport, 7
- Normative references, 5
- Office/Exchange Behavior, 34
- Prerequisites/preconditions, 7
- Protocol details, 15
 - Client and server details, 15
- Protocol examples, 22
 - Color flagged object, 24
 - Completed object, 27
 - Flagging a draft message object for the sender and recipient, 28
 - Time flagged object, 25
- Protocol overview, 6
- References, 5
 - Informative references, 6
 - Normative references, 5
- Relationship to other protocols, 7
- Security, 34
 - Index of security parameters, 34
 - Security considerations for implementers, 34
- Security considerations for implementers, 34
- Standards assignments, 7
- Time flagged object, 25
- Transport, 7
- Vendor-extensible fields, 7
- Versioning and capability negotiation, 7