

[MS-OXPROPS]: Office Exchange Protocols Master Property List Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp/default.mspx>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Preliminary Documentation. This documentation is preliminary documentation for these protocols. Since the documentation may change between this preliminary version and the final version, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and networking programming art, and assumes that the reader is either familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for a Licensee to develop an implementation. Licensees who have access to Microsoft programming tools and environments are free to take advantage of them.

1 of 194

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability

Preliminary

Table of Contents

1	<i>Introduction</i>	24
1.1	Glossary	24
1.2	References	24
1.2.1	Normative References	24
1.2.2	Informative References	27
1.3	Structure Overview (Synopsis)	27
1.3.1	Common Message Classes	28
1.3.2	Commonly Used Property Sets	29
1.3.3	Property ID Ranges	29
1.4	Relationship to Protocols and Other Structures	31
1.5	Applicability Statement	31
1.6	Versioning and Localization	31
1.7	Vendor-Extensible Fields	31
2	<i>Structures</i>	31
2.1	PidLidAddressBookProviderArrayType	31
2.2	PidLidAddressBookProviderEmailList	31
2.3	PidLidAddressCountryCode	32
2.4	PidLidAllAttendeesString	32
2.5	PidLidAnniversaryEventEntryId	32
2.6	PidLidAppointmentAuxiliaryFlags	32
2.7	PidLidAppointmentColor	32
2.8	PidLidAppointmentCounterProposal	33
2.9	PidLidAppointmentDuration	33
2.10	PidLidAppointmentEndWhole	33
2.11	PidLidAppointmentLastSequence	33
2.12	PidLidAppointmentMessageClass	33
2.13	PidLidAppointmentNotAllowPropose	34
2.14	PidLidAppointmentProposalNumber	34
2.15	PidLidAppointmentProposedDuration	34
2.16	PidLidAppointmentProposedEndWhole	34
2.17	PidLidAppointmentProposedStartWhole	34
2.18	PidLidAppointmentRecur	35
2.19	PidLidAppointmentReplyName	35
2.20	PidLidAppointmentReplyTime	35
2.21	PidLidAppointmentSequence	35
2.22	PidLidAppointmentSequenceTime	35
2.23	PidLidAppointmentStartWhole	36
2.24	PidLidAppointmentStateFlags	36
2.25	PidLidAppointmentSubType	36
2.26	PidLidAppointmentTimeZoneDefinitionEndDisplay	36
2.27	PidLidAppointmentTimeZoneDefinitionRecur	36

2.28	PidLidAppointmentTimeZoneDefinitionStartDisplay	37
2.29	PidLidAppointmentUnsendableRecipients.....	37
2.30	PidLidAttendeeCriticalChange.....	37
2.31	PidLidAutoFillLocation	37
2.32	PidLidAutoLog.....	37
2.33	PidLidAutoProcessState	38
2.34	PidLidAutoStartCheck	38
2.35	PidLidBirthdayEventEntryId	38
2.36	PidLidBusinessCardCardPicture	38
2.37	PidLidBusinessCardDisplayDefinition	38
2.38	PidLidBusyStatus	39
2.39	PidLidCalendarType	39
2.40	PidLidCcAttendeesString	39
2.41	PidLidChangeHighlight	39
2.42	PidLidCleanGlobalObjectId	39
2.43	PidLidClipEnd.....	40
2.44	PidLidClipStart.....	40
2.45	PidLidCommonEnd	40
2.46	PidLidCommonStart	40
2.47	PidLidConferencingCheck	40
2.48	PidLidContactCharacterSet	41
2.49	PidLidContactItemData	41
2.50	PidLidContactItemData2	41
2.51	PidLidContactLinkEntry	41
2.52	PidLidContactLinkName	41
2.53	PidLidContactLinkSearchKey	42
2.54	PidLidContacts	42
2.55	PidLidContactUserField1	42
2.56	PidLidContactUserField2	42
2.57	PidLidContactUserField3	42
2.58	PidLidContactUserField4	43
2.59	PidLidDepartment	43
2.60	PidLidDistributionListChecksum	43
2.61	PidLidDistributionListMembers.....	43
2.62	PidLidDistributionListName	43
2.63	PidLidDistributionListOneOffMembers	44
2.64	PidLidEmail1AddressType	44
2.65	PidLidEmail1DisplayName	44
2.66	PidLidEmail1EmailAddress	44
2.67	PidLidEmail1EmailType	44
2.68	PidLidEmail1EntryId	45
2.69	PidLidEmail1OriginalDisplayName	45

2.70	PidLidEmail1OriginalEntryId	45
2.71	PidLidEmail1RichTextFormat	45
2.72	PidLidEmail2AddressType	45
2.73	PidLidEmail2DisplayName	46
2.74	PidLidEmail2EmailAddress	46
2.75	PidLidEmail2EmailType	46
2.76	PidLidEmail2EntryId	46
2.77	PidLidEmail2OriginalDisplayName	46
2.78	PidLidEmail2OriginalEntryId	47
2.79	PidLidEmail2RichTextFormat	47
2.80	PidLidEmail3AddressType	47
2.81	PidLidEmail3DisplayName	47
2.82	PidLidEmail3EmailAddress	47
2.83	PidLidEmail3EmailType	48
2.84	PidLidEmail3EntryId	48
2.85	PidLidEmail3OriginalDisplayName	48
2.86	PidLidEmail3OriginalEntryId	48
2.87	PidLidEmail3RichtextFormat	48
2.88	PidLidEmailList	49
2.89	PidLidExceptionReplaceTime	49
2.90	PidLidFax1AddressType	49
2.91	PidLidFax1DisplayName	49
2.92	PidLidFax1EmailAddress	49
2.93	PidLidFax1EmailType	50
2.94	PidLidFax1EntryId	50
2.95	PidLidFax1OriginalDisplayName	50
2.96	PidLidFax1OriginalEntryId	50
2.97	PidLidFax1RichTextFormat	50
2.98	PidLidFax2AddressType	51
2.99	PidLidFax2DisplayName	51
2.100	PidLidFax2EmailAddress	51
2.101	PidLidFax2EmailType	51
2.102	PidLidFax2EntryId	51
2.103	PidLidFax2OriginalDisplayName	52
2.104	PidLidFax2OriginalEntryId	52
2.105	PidLidFax2RichTextFormat	52
2.106	PidLidFax3AddressType	52
2.107	PidLidFax3DisplayName	52
2.108	PidLidFax3EmailAddress	53
2.109	PidLidFax3EmailType	53
2.110	PidLidFax3EntryId	53
2.111	PidLidFax3OriginalDisplayName	53

2.112	PidLidFax3OriginalEntryId.....	53
2.113	PidLidFax3RichTextFormat.....	54
2.114	PidLidFExceptionalAttendees.....	54
2.115	PidLidFExceptionalBody.....	54
2.116	PidLidFileUnder.....	54
2.117	PidLidFileUnderId	54
2.118	PidLidFileUnderList	55
2.119	PidLidFInvited.....	55
2.120	PidLidFlagRequest.....	55
2.121	PidLidFlagString	55
2.122	PidLidForwardInstance.....	55
2.123	PidLidFreeBusyLocation.....	56
2.124	PidLidGlobalObjectId.....	56
2.125	PidLidHasPicture	56
2.126	PidLidHomeAddress.....	56
2.127	PidLidHomeAddressCountryCode	56
2.128	PidLidHtml	57
2.129	PidLidInstantMessagingAddress.....	57
2.130	PidLidIntendedBusyStatus.....	57
2.131	PidLidInternetAccountName.....	57
2.132	PidLidInternetAccountStamp	57
2.133	PidLidIsException.....	58
2.134	PidLidIsRecurring	58
2.135	PidLidIsSilent	58
2.136	PidLidLinkedTaskItems.....	58
2.137	PidLidLocation	58
2.138	PidLidLogDocumentPosted	59
2.139	PidLidLogDocumentPrinted	59
2.140	PidLidLogDocumentRouted	59
2.141	PidLidLogDocumentSaved	59
2.142	PidLidLogDuration	59
2.143	PidLidLogEnd	60
2.144	PidLidLogFlags	60
2.145	PidLidLogStart	60
2.146	PidLidLogType	60
2.147	PidLidLogTypeDesc	60
2.148	PidLidMeetingType	61
2.149	PidLidMeetingWorkspaceUrl	61
2.150	PidLidNonSendableBcc	61
2.151	PidLidNonSendableCc.....	61
2.152	PidLidNonSendableTo	61
2.153	PidLidNonSendBccTrackStatus	62

2.154	PidLidNonSendCcTrackStatus.....	62
2.155	PidLidNonSendToTrackStatus.....	62
2.156	PidLidNoteColor	62
2.157	PidLidNoteHeight	62
2.158	PidLidNoteWidth	63
2.159	PidLidNoteX.....	63
2.160	PidLidNoteY.....	63
2.161	PidLidOldLocation.....	63
2.162	PidLidOldWhenEndWhole.	63
2.163	PidLidOldWhenStartWhole	64
2.164	PidLidOwnerCriticalChange	64
2.165	PidLidPercentComplete	64
2.166	PidLidPostalAddressId.....	64
2.167	PidLidPostRssChannel.....	64
2.168	PidLidPostRssChannelLink.....	65
2.169	PidLidPostRssItemGuid.....	65
2.170	PidLidPostRssItemHash	65
2.171	PidLidPostRssItemLink	65
2.172	PidLidPostRssItemXml	65
2.173	PidLidPostRssSubscription.....	66
2.174	PidLidPrivate	66
2.175	PidLidRecurrencePattern	66
2.176	PidLidRecurrenceType	66
2.177	PidLidRecurring	66
2.178	PidLidReferenceEntryId	67
2.179	PidLidReminderDelta	67
2.180	PidLidReminderFileParameter	67
2.181	PidLidReminderOverride	67
2.182	PidLidReminderPlaySound	67
2.183	PidLidReminderSet	68
2.184	PidLidReminderSignalTime	68
2.185	PidLidReminderTime	68
2.186	PidLidReminderType	68
2.187	PidLidResponseStatus.....	68
2.188	PidLidSharingAnonymity	69
2.189	PidLidSharingBindingEntryId.....	69
2.190	PidLidSharingBrowseUrl	69
2.191	PidLidSharingCapabilities	69
2.192	PidLidSharingConfigurationUrl	69
2.193	PidLidSharingDataRangeEnd.....	70
2.194	PidLidSharingDataRangeStart.....	70
2.195	PidLidSharingDetail.....	70

2.196	PidLidSharingExtensionXml.....	70
2.197	PidLidSharingFilter	70
2.198	PidLidSharingFlags.....	71
2.199	PidLidSharingFlavor	71
2.200	PidLidSharingFolderEntryId	71
2.201	PidLidSharingIndexEntryId.....	71
2.202	PidLidSharingInitiatorEntryId	71
2.203	PidLidSharingInitiatorName.....	72
2.204	PidLidSharingInitiatorSsmtp.....	72
2.205	PidLidSharingInstanceGuid.....	72
2.206	PidLidSharingLastAutoSyncTime	72
2.207	PidLidSharingLastSyncTime	72
2.208	PidLidSharingLocalComment.....	73
2.209	PidLidSharingLocalLastModificationTime.....	73
2.210	PidLidSharingLocalName	73
2.211	PidLidSharingLocalPath	73
2.212	PidLidSharingLocalStoreUid	73
2.213	PidLidSharingLocalType	74
2.214	PidLidSharingLocalUid	74
2.215	PidLidSharingOriginalMessageEntryId	74
2.216	PidLidSharingParentBindingEntryId	74
2.217	PidLidSharingParticipants	74
2.218	PidLidSharingPermissions	75
2.219	PidLidSharingProviderExtension	75
2.220	PidLidSharingProviderGuid	75
2.221	PidLidSharingProviderName	75
2.222	PidLidSharingProviderUrl	75
2.223	PidLidSharingRangeEnd	76
2.224	PidLidSharingRangeStart	76
2.225	PidLidSharingReciprocation	76
2.226	PidLidSharingRemoteByteSize	76
2.227	PidLidSharingRemoteComment	76
2.228	PidLidSharingRemoteCrc	77
2.229	PidLidSharingRemoteLastModificationTime	77
2.230	PidLidSharingRemoteMessageCount	77
2.231	PidLidSharingRemoteName	77
2.232	PidLidSharingRemotePass	77
2.233	PidLidSharingRemotePath	78
2.234	PidLidSharingRemoteStoreUid	78
2.235	PidLidSharingRemoteType	78
2.236	PidLidSharingRemoteUid	78
2.237	PidLidSharingRemoteUser	78

2.238	PidLidSharingRemoteVersion.....	79
2.239	PidLidSharingResponseTime	79
2.240	PidLidSharingResponseType	79
2.241	PidLidSharingRoamLog	79
2.242	PidLidSharingStart	79
2.243	PidLidSharingStatus	80
2.244	PidLidSharingStop	80
2.245	PidLidSharingSyncFlags	80
2.246	PidLidSharingSyncInterval	80
2.247	PidLidSharingTimeToLive	80
2.248	PidLidSharingTimeToLiveAuto	81
2.249	PidLidSharingWebUrl	81
2.250	PidLidSharingWorkingHoursDays	81
2.251	PidLidSharingWorkingHoursEnd	81
2.252	PidLidSharingWorkingHoursStart	81
2.253	PidLidSharingWorkingHoursTimeZone	82
2.254	PidLidSideEffects	82
2.255	PidLidSmartNoAttach	82
2.256	PidLidSpamOriginalFolder	82
2.257	PidLidTaskAcceptanceState	82
2.258	PidLidTaskAccepted	83
2.259	PidLidTaskActualEffort	83
2.260	PidLidTaskAssigner	83
2.261	PidLidTaskAssigners	83
2.262	PidLidTaskComplete	83
2.263	PidLidTaskDateCompleted	84
2.264	PidLidTaskDeadOccurrence	84
2.265	PidLidTaskDueDate	84
2.266	PidLidTaskEstimatedEffort	84
2.267	PidLidTaskFCreator	84
2.268	PidLidTaskFFixOffline	85
2.269	PidLidTaskFRecurring	85
2.270	PidLidTaskGlobalId	85
2.271	PidLidTaskHistory	85
2.272	PidLidTaskLastDelegate	85
2.273	PidLidTaskLastUpdate	86
2.274	PidLidTaskLastUser	86
2.275	PidLidTaskMode	86
2.276	PidLidTaskMultipleRecipients	86
2.277	PidLidTaskOrdinal	86
2.278	PidLidTaskOwner	87
2.279	PidLidTaskOwnership	87

2.280	PidLidTaskRecurrence.....	87
2.281	PidLidTaskResetReminder.....	87
2.282	PidLidTaskStartDate	87
2.283	PidLidTaskState	88
2.284	PidLidTaskStatus	88
2.285	PidLidTaskStatusOnComplete	88
2.286	PidLidTaskUpdates	88
2.287	PidLidTaskVersion	88
2.288	PidLidTimeZone	89
2.289	PidLidTimeZoneDescription	89
2.290	PidLidTimeZoneStruct	89
2.291	PidLidToAttendeesString	89
2.292	PidLidToDoOrdinalDate	89
2.293	PidLidToDoSubOrdinal.....	90
2.294	PidLidToDoTitle	90
2.295	PidLidUserX509Certificate	90
2.296	PidLidUseTnef	90
2.297	PidLidValidFlagStringProof.....	90
2.298	PidLidVerbResponse	91
2.299	PidLidVerbStream.....	91
2.300	PidLidWhere.....	91
2.301	PidLidWorkAddress.....	91
2.302	PidLidWorkAddressCity	91
2.303	PidLidWorkAddressCountry	92
2.304	PidLidWorkAddressCountryCode	92
2.305	PidLidWorkAddressPostalCode	92
2.306	PidLidWorkAddressPostOfficeBox	92
2.307	PidLidWorkAddressState	92
2.308	PidLidWorkAddressStreet	93
2.309	PidLidYomiCompanyName	93
2.310	PidLidYomiFirstName	93
2.311	PidLidYomiLastName	93
2.312	PidNameApplicationName	93
2.313	PidNameAudioNotes	94
2.314	PidNameAuthor	94
2.315	PidNameByteCount	94
2.316	PidNameCategory	94
2.317	PidNameCharacterCount	94
2.318	PidNameComments	95
2.319	PidNameCompany	95
2.320	PidNameContentClass	95
2.321	PidNameCreateDateTimeReadOnly	95

2.322	PidNameEditTime.....	95
2.323	PidNameExchangeJunkEmailMoveStamp.....	96
2.324	PidNameHiddenCount.....	96
2.325	PidNameInstantMessagingAddress1	96
2.326	PidNameInstantMessagingAddress2	96
2.327	PidNameInstantMessagingAddress2	96
2.328	PidNameKeywords	97
2.329	PidNameLastAuthor.....	97
2.330	PidNameLastPrinted	97
2.331	PidNameLastSaveDateTime.....	97
2.332	PidNameLineCount.....	97
2.333	PidNameManager.....	98
2.334	PidNameMultimediaClipCount.....	98
2.335	PidNameMultimediaMessagingServiceAddress	98
2.336	PidNameNoteCount	98
2.337	PidNameOMSAccountGuid.....	98
2.338	PidNameOMSMessageType	99
2.339	PidNameOMSScheduleTime	99
2.340	PidNameOMSServiceType	99
2.341	PidNameOMSSourceType	99
2.342	PidNameOutlookPhishingstamp	99
2.343	PidNamePageCount	100
2.344	PidNameParagraphCount	100
2.345	PidNamePresentationFormat	100
2.346	PidNameRevisionNumber	100
2.347	PidNameRightsManagementLicense	100
2.348	PidNameSecurity.....	101
2.349	PidNameSlideCount.....	101
2.350	PidNameSubject.....	101
2.351	PidNameTemplate.....	101
2.352	PidNameTitle.....	101
2.353	PidNameWordCount.....	102
2.354	PidNameXSharingBrowseUrl	102
2.355	PidNameXSharingCapabilities.....	102
2.356	PidNameXSharingConfigUrl	102
2.357	PidNameXSharingExendedCaps.....	102
2.358	PidNameXSharingFlavor.....	103
2.359	PidNameXSharingInstanceGuid	103
2.360	PidNameXSharingLocalType	103
2.361	PidNameXSharingProviderGuid.....	103
2.362	PidNameXSharingProviderName	103
2.363	PidNameXSharingProviderUrl.....	104

2.364	PidNameXSharingRemoteName	104
2.365	PidNameXSharingRemotePath	104
2.366	PidNameXSharingRemoteStoreUid.....	104
2.367	PidNameXSharingRemoteType	104
2.368	PidNameXSharingRemoteUid	105
2.369	PidTag7BitDisplayName	105
2.370	PidTagAccess	105
2.371	PidTagAccessLevel.....	105
2.372	PidTagAccount	105
2.373	PidTagAdditionalRenEntryIds	106
2.374	PidTagAdditionalRenEntryIdsEx.....	106
2.375	PidTagAddressBookContainerId	106
2.376	PidTagAddressBookEntryId.....	106
2.377	PidTagAddressBookExtensionAttribute1	106
2.378	PidTagAddressBookExtensionAttribute10.....	107
2.379	PidTagAddressBookExtensionAttribute11.....	107
2.380	PidTagAddressBookExtensionAttribute12.....	107
2.381	PidTagAddressBookExtensionAttribute13.....	107
2.382	PidTagAddressBookExtensionAttribute14.....	107
2.383	PidTagAddressBookExtensionAttribute15.....	108
2.384	PidTagAddressBookExtensionAttribute2.....	108
2.385	PidTagAddressBookExtensionAttribute3.....	108
2.386	PidTagAddressBookExtensionAttribute4.....	108
2.387	PidTagAddressBookExtensionAttribute5.....	109
2.388	PidTagAddressBookExtensionAttribute6.....	109
2.389	PidTagAddressBookExtensionAttribute7.....	109
2.390	PidTagAddressBookExtensionAttribute8.....	109
2.391	PidTagAddressBookExtensionAttribute9.....	110
2.392	PidTagAddressBookFolderPathname	110
2.393	PidTagAddressBookHierarchicalChildDepartments	110
2.394	PidTagAddressBookHierarchicalDepartmentMembers	110
2.395	PidTagAddressBookHierarchicalParentDepartment.....	110
2.396	PidTagAddressBookHierarchicalRootDepartment	111
2.397	PidTagAddressBookHierarchicalShowInDepartments.....	111
2.398	PidTagAddressBookHomeMessageDatabase	111
2.399	PidTagAddressBookIsMaster	111
2.400	PidTagAddressBookIsMemberOfDistributionList	111
2.401	PidTagAddressBookManageDistributionList	112
2.402	PidTagAddressBookManager	112
2.403	PidTagAddressBookManagerDistinguishedName	112
2.404	PidTagAddressBookMember	112
2.405	PidTagAddressBookMessageId	112

2.406	PidTagAddressBookNetworkAddress	113
2.407	PidTagAddressBookObjectDistinguishedName	113
2.408	PidTagAddressBookObjectGuid.....	113
2.409	PidTagAddressBookOwner	113
2.410	PidTagAddressBookOwnerBackLink	113
2.411	PidTagAddressBookParentEntryId	114
2.412	PidTagAddressBookPhoneticCompanyName	114
2.413	PidTagAddressBookPhoneticDepartmentName	114
2.414	PidTagAddressBookPhoneticDisplayName	114
2.415	PidTagAddressBookPhoneticGivenName.....	114
2.416	PidTagAddressBookPhoneticSurname	115
2.417	PidTagAddressBookProxyAddresses	115
2.418	PidTagAddressBookPublicDelegates	115
2.419	PidTagAddressBookReports	115
2.420	PidTagAddressBookRoomCapacity	115
2.421	PidTagAddressBookRoomContainers	116
2.422	PidTagAddressBookRoomDescription	116
2.423	PidTagAddressBookSeniorityIndex.....	116
2.424	PidTagAddressBookTargetAddress	116
2.425	PidTagAddressBookX509Certificate.....	116
2.426	PidTagAddressType	117
2.427	PidTagAnr	117
2.428	PidTagAssistant.....	117
2.429	PidTagAssistantTelephoneNumber.....	117
2.430	PidTagAssociated.....	117
2.431	PidTagAttachAdditionalInformation	118
2.432	PidTagAttachContentBase	118
2.433	PidTagAttachContentId	118
2.434	PidTagAttachContentLocation	118
2.435	PidTagAttachDataBinary	118
2.436	PidTagAttachDataObject	119
2.437	PidTagAttachEncoding	119
2.438	PidTagAttachExtension	119
2.439	PidTagAttachFilename	119
2.440	PidTagAttachFlags	119
2.441	PidTagAttachLongFilename.....	120
2.442	PidTagAttachLongPathname.....	120
2.443	PidTagAttachmentContactPhoto	120
2.444	PidTagAttachmentFlags.....	120
2.445	PidTagAttachmentHidden	120
2.446	PidTagAttachmentLinkId	121
2.447	PidTagAttachMethod	121

2.448	PidTagAttachMimeType	121
2.449	PidTagAttachNumber	121
2.450	PidTagAttachRendering	121
2.451	PidTagAttachSize	121
2.452	PidTagAttachTag	122
2.453	PidTagAttachTransportName	122
2.454	PidTagAttributeHidden	122
2.455	PidTagBirthday	122
2.456	PidTagBlockStatus	122
2.457	PidTagBody	123
2.458	PidTagBodyHtml	123
2.459	PidTagBusiness2TelephoneNumber	123
2.460	PidTagBusiness2TelephoneNumberNumbers	123
2.461	PidTagBusinessFaxNumber	123
2.462	PidTagBusinessHomePage	124
2.463	PidTagBusinessTelephoneNumber	124
2.464	PidTagCallbackTelephoneNumber	124
2.465	PidTagCarTelephoneNumber	124
2.466	PidTagChangeKey	124
2.467	PidTagChangeNumber	125
2.468	PidTagChildrensNames	125
2.469	PidTagClientActions	125
2.470	PidTagClientSubmitTime	125
2.471	PidTagCnsetRead	125
2.472	PidTagCnsetSeen	126
2.473	PidTagCnsetSeenFAI	126
2.474	PidTagComment	126
2.475	PidTagCompanyMainTelephoneNumber	126
2.476	PidTagCompanyName	126
2.477	PidTagComputerNetworkName	127
2.478	PidTagConflictEntryId	127
2.479	PidTagConflictItems	127
2.480	PidTagContainerClass	127
2.481	PidTagContainerContents	127
2.482	PidTagContainerFlags	128
2.483	PidTagContentCount	128
2.484	PidTagContentFilterSpamConfidenceLeve	128
2.485	PidTagContentUnreadCount	128
2.486	PidTagConversationIndex	128
2.487	PidTagConversationTopic	128
2.488	PidTagCountry	129
2.489	PidTagCreationTime	129

2.490	PidTagCustomerId	129
2.491	PidTagDamBackPatched	129
2.492	PidTagDamOriginalEntryId	129
2.493	PidTagDefaultPostMessageClass	130
2.494	PidTagDeferredDeliveryTime	130
2.495	PidTagDeferredSendNumber	130
2.496	PidTagDeferredSendTime	130
2.497	PidTagDeferredSendUnits	130
2.498	PidTagDelegateFlags	131
2.499	PidTagDeleteAfterSubmit	131
2.500	PidTagDeletedAssociatedMessageCount	131
2.501	PidTagDeletedAssociatedMessageSizeExtended	131
2.502	PidTagDeletedMessageCount	131
2.503	PidTagDeletedMessageSizeExtended	131
2.504	PidTagDeletedNormalMessageSizeExtended	132
2.505	PidTagDeletedOn	132
2.506	PidTagDepartmentName	132
2.507	PidTagDepth	132
2.508	PidTagDisplayBcc	132
2.509	PidTagDisplayCc	133
2.510	PidTagDisplayName	133
2.511	PidTagDisplayNamePrefix	133
2.512	PidTagDisplayTo	133
2.513	PidTagDisplayType	134
2.514	PidTagDisplayTypeEx	134
2.515	PidTagEmailAddress	134
2.516	PidTagEndDate	134
2.517	PidTagEntryId	134
2.518	PidTagExceptionEndTime	134
2.519	PidTagExceptionReplaceTime	135
2.520	PidTagExceptionStartTime	135
2.521	PidTagExpiryNumber	135
2.522	PidTagExpiryTime	135
2.523	PidTagExpiryUnits	135
2.524	PidTagExtendedFolderFlags	136
2.525	PidTagExtendedRuleMessageActions	136
2.526	PidTagExtendedRuleMessageCondition	136
2.527	PidTagExtendedRuleSizeLimit	136
2.528	PidTagFlagCompleteTime	136
2.529	PidTagFlagStatus	136
2.530	PidTagFolderId	137
2.531	PidTagFolderType	137

2.532	PidTagFollowupIcon.....	137
2.533	PidTagFreeBusyCountMonths	137
2.534	PidTagFreeBusyEntryIds.....	137
2.535	PidTagFreeBusyMessageEmailAddress	138
2.536	PidTagFreeBusyPublishEnd	138
2.537	PidTagFreeBusyPublishStart	138
2.538	PidTagFreeBusyRangeTimestamp	138
2.539	PidTagFtpSite	138
2.540	PidTagGatewayNeedsToRefresh	138
2.541	PidTagGender	139
2.542	PidTagGeneration	139
2.543	PidTagGivenName	139
2.544	PidTagGovernmentIdNumber	139
2.545	PidTagHasAttachments	139
2.546	PidTagHasDeferredActionMessages	140
2.547	PidTagHasRules	140
2.548	PidTagHierarchyChangeNumber	140
2.549	PidTagHobbies	140
2.550	PidTagHome2TelephoneNumber	140
2.551	PidTagHome2TelephoneNumbers	140
2.552	PidTagHomeAddressCity	141
2.553	PidTagHomeAddressCountry	141
2.554	PidTagHomeAddressPostalCode	141
2.555	PidTagHomeAddressPostOfficeBox	141
2.556	PidTagHomeAddressStateOrProvince	142
2.557	PidTagHomeAddressStreet	142
2.558	PidTagHomeFaxNumber	142
2.559	PidTagHomeTelephoneNumber	142
2.560	PidTagHtml	142
2.561	PidTagIconIndex	143
2.562	PidTagIdsetDeleted	143
2.563	PidTagIdsetExpired	143
2.564	PidTagIdsetGiven	143
2.565	PidTagIdsetRead	143
2.566	PidTagIdsetSoftDeleted	143
2.567	PidTagIdsetUnread	144
2.568	PidTagImportance	144
2.569	PidTagInConflict	144
2.570	PidTagIncrementalSyncMessagePartial	144
2.571	PidTagIncrSyncGroupId	144
2.572	PidTagInitialDetailsPane	145
2.573	PidTagInitials	145

2.574	PidTagInReplyToId	145
2.575	PidTagInstanceKey	145
2.576	PidTagInternetCodepage	145
2.577	PidTagInternetMailOverrideFormat.....	145
2.578	PidTagInternetMessageId	146
2.579	PidTagIpmAppointmentEntryId.....	146
2.580	PidTagIpmContactEntryId.....	146
2.581	PidTagIpmDraftsEntryId	146
2.582	PidTagIpmJournalEntryId	146
2.583	PidTagIpmNoteEntryId	147
2.584	PidTagIpmTaskEntryId	147
2.585	PidTagIsdnNumber	147
2.586	PidTagJunkAddRecipientsToSafeSendersList.....	147
2.587	PidTagJunkIncludeContacts	147
2.588	PidTagJunkPermanentlyDelete	148
2.589	PidTagJunkPhishingEnableLinks.....	148
2.590	PidTagJunkPostmarkOutgoingMail	148
2.591	PidTagJunkThreshold	148
2.592	PidTagKeyword	148
2.593	PidTagLanguage.....	148
2.594	PidTagLastModificationTime	149
2.595	PidTagLastModifierName	149
2.596	PidTagLocaleId	149
2.597	PidTagLocality	149
2.598	PidTagLocation	149
2.599	PidTagMailboxOwnerEntryId	150
2.600	PidTagMailboxOwnerName	150
2.601	PidTagManagerName	150
2.602	PidTagMappingSignature	150
2.603	PidTagMaximumSubmitMessageSize.....	150
2.604	PidTagMemberId	151
2.605	PidTagMemberName	151
2.606	PidTagMemberRights	151
2.607	PidTagMessageCcMe	151
2.608	PidTagMessageClass	151
2.609	PidTagMessageCodepage	152
2.610	PidTagMessageDeliveryTime	152
2.611	PidTagMessageFlags	152
2.612	PidTagMessageHandlingSystemCommonName	152
2.613	PidTagMessageLocaleId.....	152
2.614	PidTagMessageRecipientMe	152
2.615	PidTagMessageSize	153

2.616	PidTagMessageSizeExtended.....	153
2.617	PidTagMessageStatus	153
2.618	PidTagMessageToMe	153
2.619	PidTagMid	153
2.620	PidTagMiddleName	154
2.621	PidTagMobileTelephoneNumber.....	154
2.622	PidTagNewFXFolder	154
2.623	PidTagNickname	154
2.624	PidTagNormalizedSubject.....	154
2.625	PidTagObjectType	155
2.626	PidTagOfficeLocation.....	155
2.627	PidTagOfflineAddressBookCompressedSize.....	155
2.628	PidTagOfflineAddressBookContainerGuid.....	155
2.629	PidTagOfflineAddressBookDistinguishedName	155
2.630	PidTagOfflineAddressBookFileSize.....	155
2.631	PidTagOfflineAddressBookFileType	156
2.632	PidTagOfflineAddressBookLanguageid	156
2.633	PidTagOfflineAddressBookMessageClass.....	156
2.634	PidTagOfflineAddressBookName	156
2.635	PidTagOfflineAddressBookSequence	156
2.636	PidTagOfflineAddressBookShaHash	157
2.637	PidTagOfflineAddressBookTruncatedProperties.....	157
2.638	PidTagOrganizationalIdNumber	157
2.639	PidTagOriginalDeliveryTime	157
2.640	PidTagOriginalDisplayBcc	157
2.641	PidTagOriginalDisplayCc	158
2.642	PidTagOriginalDisplayName	158
2.643	PidTagOriginalDisplayTo	158
2.644	PidTagOriginalEntryId.....	158
2.645	PidTagOriginalMessageEntryId	158
2.646	PidTagOriginalSearchKey	159
2.647	PidTagOriginalSenderAddressType	159
2.648	PidTagOriginalSenderEmailAddress	159
2.649	PidTagOriginalSenderEntryId	159
2.650	PidTagOriginalSenderName	159
2.651	PidTagOriginalSenderSearchKey	160
2.652	PidTagOriginalSensitivity.....	160
2.653	PidTagOriginalSentRepresentingAddressType.....	160
2.654	PidTagOriginalSentRepresentingEmailAddress	160
2.655	PidTagOriginalSentRepresentingEntryId	160
2.656	PidTagOriginalSentRepresentingName	161
2.657	PidTagOriginalSentRepresentingSearchKey	161

2.658	PidTagOriginalSubject.....	161
2.659	PidTagOriginalSubmitTime	161
2.660	PidTagOriginatorDeliveryReportRequested.....	162
2.661	PidTagOriginatorNonDeliveryReportRequested	162
2.662	PidTagOtherAddressCity.....	162
2.663	PidTagOtherAddressCountry	162
2.664	PidTagOtherAddressPostalCode.....	162
2.665	PidTagOtherAddressPostOfficeBox	163
2.666	PidTagOtherAddressStateOrProvince.....	163
2.667	PidTagOtherAddressStreet	163
2.668	PidTagOtherTelephoneNumber	163
2.669	PidTagOutOfOfficeState	163
2.670	PidTagOwnerAppointmentId	164
2.671	PidTagPagerTelephoneNumber	164
2.672	PidTagParentFolderId	164
2.673	PidTagParentKey	164
2.674	PidTagParentSourceKey.....	164
2.675	PidTagPersonalHomePage	165
2.676	PidTagPostalAddress	165
2.677	PidTagPostalCode	165
2.678	PidTagPostOfficeBox	165
2.679	PidTagPredecessorChangeList	165
2.680	PidTagPreferredByName	166
2.681	PidTagPrimaryFaxNumber.....	166
2.682	PidTagPrimaryTelephoneNumber	166
2.683	PidTagPriority	166
2.684	PidTagProcessed	166
2.685	PidTagProfession	167
2.686	PidTagProhibitReceiveQuota	167
2.687	PidTagProhibitSendQuota	167
2.688	PidTagRadioTelephoneNumber	167
2.689	PidTagRead	167
2.690	PidTagReadReceiptEntryId	168
2.691	PidTagReadReceiptRequested	168
2.692	PidTagReadReceiptSearchKey	168
2.693	PidTagReceivedByAddressType	168
2.694	PidTagReceivedByEmailAddress	168
2.695	PidTagReceivedByEntryId	169
2.696	PidTagReceivedByName.....	169
2.697	PidTagReceivedBySearchKey	169
2.698	PidTagReceivedRepresentingAddressType	169
2.699	PidTagReceivedRepresentingEmailAddress	169

2.700	PidTagReceivedRepresentingEntryId	170
2.701	PidTagReceivedRepresentingName.....	170
2.702	PidTagReceivedRepresentingSearchKey	170
2.703	PidTagRecipientFlags	170
2.704	PidTagRecipientProposed.....	170
2.705	PidTagRecipientProposedEndTime	171
2.706	PidTagRecipientProposedStartTime	171
2.707	PidTagRecipientReassignmentProhibited.....	171
2.708	PidTagRecipientTrackStatus	171
2.709	PidTagRecipientTrackStatusTime.....	171
2.710	PidTagRecipientType.....	172
2.711	PidTagRecordKey	172
2.712	PidTagReferredByName.....	172
2.713	PidTagRemindersOnlineEntryId	172
2.714	PidTagRenderingPosition	172
2.715	PidTagReplyRecipientEntries	172
2.716	PidTagReplyRecipientNames.....	173
2.717	PidTagReplyRequested.....	173
2.718	PidTagReplyTime	173
2.719	PidTagReportTag	173
2.720	PidTagReportText	173
2.721	PidTagReportTime	174
2.722	PidTagResponseRequested.....	174
2.723	PidTagRights	174
2.724	PidTagRoamingDatatypes	174
2.725	PidTagRoamingDictionary	174
2.726	PidTagRoamingXmlStream	175
2.727	PidTagRtfCompressed	175
2.728	PidTagRtfInSync	175
2.729	PidTagRuleActionNumber.....	175
2.730	PidTagRuleActions	175
2.731	PidTagRuleActionType	175
2.732	PidTagRuleCondition.....	176
2.733	PidTagRuleError	176
2.734	PidTagRuleFolderEntryId	176
2.735	PidTagRuleId.....	176
2.736	PidTagRuleLevel.....	176
2.737	PidTagRuleMessageLevel	177
2.738	PidTagRuleMessageProviderData	177
2.739	PidTagRuleMessageSequence.....	177
2.740	PidTagRuleMessageState	177
2.741	PidTagRuleMessageUserFlags.....	177

2.742	PidTagRuleName	177
2.743	PidTagRuleProvider	178
2.744	PidTagRuleProviderData	178
2.745	PidTagRuleSequence	178
2.746	PidTagRuleState	178
2.747	PidTagRuleUserFlags	178
2.748	PidTagScheduleInfoAppointmentTombstone	179
2.749	PidTagScheduleInfoAutoAcceptAppointments	179
2.750	PidTagScheduleInfoDelegateEntryIds	179
2.751	PidTagScheduleInfoDelegateNames	179
2.752	PidTagScheduleInfoDelegatorWantsCopy	179
2.753	PidTagScheduleInfoDelegatorWantsInfo	179
2.754	PidTagScheduleInfoDisallowOverlappingAppts	180
2.755	PidTagScheduleInfoDisallowRecurringAppts	180
2.756	PidTagScheduleInfoDontMailDelegates	180
2.757	PidTagScheduleInfoFreeBusy	180
2.758	PidTagScheduleInfoFreeBusyAway	180
2.759	PidTagScheduleInfoFreeBusyBusy	181
2.760	PidTagScheduleInfoFreeBusyMerged	181
2.761	PidTagScheduleInfoFreeBusyTentative	181
2.762	PidTagScheduleInfoMonthsAway	181
2.763	PidTagScheduleInfoMonthsBusy	181
2.764	PidTagScheduleInfoMonthsMerged	181
2.765	PidTagScheduleInfoMonthsTentative	182
2.766	PidTagScheduleInfoResourceType	182
2.767	PidTagSchedulePlusFreeBusyEntryId	182
2.768	PidTagSearchFolderDefinition	182
2.769	PidTagSearchFolderEfpFlags	182
2.770	PidTagSearchFolderExpiration	183
2.771	PidTagSearchFolderId	183
2.772	PidTagSearchFolderLastUsed	183
2.773	PidTagSearchFolderReCreateInfo	183
2.774	PidTagSearchFolderStorageType	183
2.775	PidTagSearchFolderTag	183
2.776	PidTagSearchFolderTemplateId	184
2.777	PidTagSearchKey	184
2.778	PidTagSenderAddressType	184
2.779	PidTagSenderEmailAddress	184
2.780	PidTagSenderEntryId	184
2.781	PidTagSenderIdStatus	185
2.782	PidTagSenderName	185
2.783	PidTagSenderSearchKey	185

2.784	PidTagSenderTelephoneNumber	185
2.785	PidTagSendInternetEncoding	185
2.786	PidTagSendRichInfo	186
2.787	PidTagSensitivity	186
2.788	PidTagSentMailEntryId	186
2.789	PidTagSentMailSvrEID	186
2.790	PidTagSentRepresentingAddressType	186
2.791	PidTagSentRepresentingEmailAddress	187
2.792	PidTagSentRepresentingEntryId	187
2.793	PidTagSentRepresentingName	187
2.794	PidTagSentRepresentingSearchKey	187
2.795	PidTagSmtpAddress	187
2.796	PidTagSortLocaleId	188
2.797	PidTagSourceKey	188
2.798	PidTagSpouseName	188
2.799	PidTagStartDate	188
2.800	PidTagStateOrProvince	188
2.801	PidTagStatus	189
2.802	PidTagStoreState	189
2.803	PidTagStoreSupportMask	189
2.804	PidTagStoreUserId	189
2.805	PidTagStreetAddress	189
2.806	PidTagSubfolders	190
2.807	PidTagSubject	190
2.808	PidTagSubjectPrefix	190
2.809	PidTagSurname	190
2.810	PidTagSwappedToDoData	190
2.811	PidTagSwappedToDoStore	190
2.812	PidTagTargetEntryId	191
2.813	PidTagTelecommunicationsDeviceForDeafTelephoneNumber	191
2.814	PidTagTelexNumber	191
2.815	PidTagTemplateId	191
2.816	PidTagTitle	191
2.817	PidTagToDoItemFlags	192
2.818	PidTagTransmittableDisplayName	192
2.819	PidTagTransportMessageHeaders	192
2.820	PidTagUserCertificate	192
2.821	PidTagUserX509Certificate	192
2.822	PidTagVoiceMessageAttachmentOrder	193
2.823	PidTagWeddingAnniversary	193
3	Structure Examples	193
4	Security Considerations	193

5	<i>Appendix A: Office/Exchange Behavior.....</i>	193
6	<i>Index.....</i>	194

Preliminary

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

message class

named property

property

property ID

property set

property tag

The following terms are specific to this document:

Dispid: see Long ID.

tagged property: A property defined by a 16-bit property ID and a 16-bit property type. The property ID for a tagged property MUST fall in the range 0x001 – 0x7FFF. Property IDs in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", April 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", April 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", April 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-mail Object Conversion Protocol Specification", April 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", April 2008.

[MS-OXCPERM] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", April 2008.

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", April 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", April 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", April 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", April 2008.

[MS-OXGLOS] Microsoft Corporation, "Office Exchange Protocols Master Glossary", April 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", April 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", April 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", April 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", April 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", April 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", April 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", April 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", April 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", April 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", April 2008.

[MS-OXOMSG] Microsoft Corporation, "E-mail Object Protocol Specification", April 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", April 2008.

[MS-OXOPFFB] Microsoft Corporation, "Public Folder Based Free/Busy Protocol Specification", April 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", April 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", April 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-mail Object Protocol Specification", April 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", April 2008.

[MS-OXORULE] Microsoft Corporation, "E-mail Rules Protocol Specification", April 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", April 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", April 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", April 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", April 2008.

[MS-OXOUML] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", April 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", April 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", April 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", April 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", April 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", April 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", April 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", April 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview (*Synopsis*)

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each property:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a tagged property.

Property long ID (LID): An unsigned 32-bit quantity that, along with the property set, identifies a named property.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

27 of 194

1.3.1 Common Message Classes

Applications MUST set certain required properties corresponding to the object's **message class**. Applications SHOULD handle the case where required properties are missing; treating a message object as IPM.Note is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk “*” denotes that any string MAY appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSP]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM.DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRN]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]
RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights-managed email	IPM.Note with PidNameContentClass=rpmsg.message	[MS-OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

1.3.2 Commonly Used Property Sets

In the property index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified messaging	PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term “non-transmittable” refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. **Property**

IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.

- Clients MAY use properties in ranges specified as message class-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any named property for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's property set MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved
0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0x8FFF	Reserved for mapping to named properties

1.4 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.5 Applicability Statement

This document provides the numeric values needed to encode property names, tags, and types in **ROP** buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

Section 1.3.3, “Property ID ranges,” specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x80DD
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAddressCountryCode

2.4 PidLidAllAttendeesString

Canonical name: PidLidAllAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8238
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidAllAttendeesString

2.5 PidLidAnniversaryEventEntryId

Canonical name: PidLidAnniversaryEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x804E
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAnniversaryEventEID

2.6 PidLidAppointmentAuxiliaryFlags

Canonical name: PidLidAppointmentAuxiliaryFlags
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8207
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptAuxFlags

2.7 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8214
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidApptColor

2.8 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8257

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptCounterProposal

2.9 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8213

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptDuration

2.10 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptEndWhole

2.11 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.12 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.13 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptNotAllowPropose

2.14 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8259

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposalNum

2.15 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8256

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposedDuration

2.16 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8251

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposedEndWhole

2.17 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8250

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptProposedStartWhole

2.18 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidApptRecur

2.19 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8230

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptReplyName

2.20 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8220

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptReplyTime

2.21 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptSequence

2.22 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8202

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptSeqTime

2.23 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptStartWhole

2.24 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptStateFlags

2.25 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptSubType

2.26 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x825F

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefEndDisplay

2.27 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8260

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefRecur

2.28 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x825E

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidApptTZDefStartDisplay

2.29 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x823D

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidApptUnsendableRecips

2.30 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0001

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_ATTENDEE_CRITICAL_CHANGE

2.31 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x823A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidAutoFillLocation

2.32 PidLidAutoLog

Canonical name: PidLidAutoLog

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8025

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXCNTC]

Alternate names: dispidAutoLog

2.33 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x851A

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: dispidSniffState

2.34 PidLidAutoStartCheck

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidAutoStartCheck

2.35 PidLidBirthdayEventEntryId

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBirthdayEventEID

2.36 PidLidBusinessCardCardPicture

Canonical name: PidLidBusinessCardCardPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8041

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBCCardPicture

2.37 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8040

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBCDisplayDefinition

2.38 PidLidBusyStatus

Canonical name: PidLidBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8205

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidBusyStatus

2.39 PidLidCalendarType

Canonical name: PidLidCalendarType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x001C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_CALENDAR_TYPE

2.40 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x823C

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidCCAttendeesString

2.41 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8204

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidChangeHighlight

2.42 PidLidCleanGlobalObjectId

Canonical name: PidLidCleanGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0023

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidCleanGlobalObjId

2.43 PidLidClipEnd

Canonical name: PidLidClipEnd

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8236

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidClipEnd

2.44 PidLidClipStart

Canonical name: PidLidClipStart

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8235

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidClipStart

2.45 PidLidCommonEnd

Canonical name: PidLidCommonEnd

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8517

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXOTASK]

Alternate names: dispidCommonEnd

2.46 PidLidCommonStart

Canonical name: PidLidCommonStart

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8516

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXOTASK]

Alternate names: dispidCommonStart

2.47 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidConfCheck

2.48 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8023
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactCharSet

2.49 PidLidContactItemData

Canonical name: PidLidContactItemData
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8007
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactItemData

2.50 PidLidContactItemData2

Canonical name: PidLidContactItemData2
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x800B
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactItemData2

2.51 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x8585
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMSG]
Alternate names: dispidContactLinkEntry

2.52 PidLidContactLinkName

Canonical name: PidLidContactLinkName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x8586
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXCMSG]
Alternate names: dispidContactLinkName

2.53 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x8584
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMMSG]
Alternate names: dispidContactLinkSearchKey

2.54 PidLidContacts

Canonical name: PidLidContacts
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x853A
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCMMSG]
Alternate names: dispidContacts

2.55 PidLidContactUserField1

Canonical name: PidLidContactUserField1
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x804F
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField1

2.56 PidLidContactUserField2

Canonical name: PidLidContactUserField2
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8050
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2

2.57 PidLidContactUserField3

Canonical name: PidLidContactUserField3
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8051
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField3

2.58 PidLidContactUserField4

Canonical name: PidLidContactUserField4

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8052

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactUserField4

2.59 PidLidDepartment

Canonical name: PidLidDepartment

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8010

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDepartment

2.60 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x804C

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLChecksum

2.61 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8055

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLMembers

2.62 PidLidDistributionListName

Canonical name: PidLidDistributionListName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8053

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLName

2.63 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8054

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLOneOffMembers

2.64 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8082

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1AddrType

2.65 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8080

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1DisplayName

2.66 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8083

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1EmailAddress

2.67 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8087

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1EmailType

2.68 PidLidEmail1EntryId

Canonical name: PidLidEmail1EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8081

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1EntryID

2.69 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8084

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalDisplayName

2.70 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8085

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1OriginalEntryID

2.71 PidLidEmail1RichTextFormat

Canonical name: PidLidEmail1RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8086

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail1RTF

2.72 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8092

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2AddrType

2.73 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8090

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2DisplayName

2.74 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8093

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EmailAddress

2.75 PidLidEmail2EmailType

Canonical name: PidLidEmail2EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8097

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EmailType

2.76 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8091

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EntryID

2.77 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8094

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2OriginalDisplayName

2.78 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8095

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2OriginalEntryID

2.79 PidLidEmail2RichTextFormat

Canonical name: PidLidEmail2RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8096

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2RTF

2.80 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3AddrType

2.81 PidLidEmail3DisplayName

Canonical name: PidLidEmail3DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3DisplayName

2.82 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3EmailAddress

2.83 PidLidEmail3EmailType

Canonical name: PidLidEmail3EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3EmailType

2.84 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3EntryID

2.85 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3OriginalDisplayName

2.86 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3OriginalEntryID

2.87 PidLidEmail3RichtextFormat

Canonical name: PidLidEmail3RichtextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80A6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail3RTF

2.88 PidLidEmailList

Canonical name: PidLidEmailList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8027
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmailList

2.89 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8228
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExceptionReplaceTime

2.90 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x80B2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1AddrType

2.91 PidLidFax1DisplayName

Canonical name: PidLidFax1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x80B0
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1DisplayName

2.92 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x80B3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1EmailAddress

2.93 PidLidFax1EmailType

Canonical name: PidLidFax1EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80B7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1EmailType

2.94 PidLidFax1EntryId

Canonical name: PidLidFax1EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80B1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1EntryID

2.95 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80B4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1OriginalDisplayName

2.96 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80B5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1OriginalEntryID

2.97 PidLidFax1RichTextFormat

Canonical name: PidLidFax1RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80B6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1RTF

2.98 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2AddrType

2.99 PidLidFax2DisplayName

Canonical name: PidLidFax2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2DisplayName

2.100 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2EmailAddress

2.101 PidLidFax2EmailType

Canonical name: PidLidFax2EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2EmailType

2.102 PidLidFax2EntryId

Canonical name: PidLidFax2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2EntryID

2.103 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2OriginalDisplayName

2.104 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2OriginalEntryID

2.105 PidLidFax2RichTextFormat

Canonical name: PidLidFax2RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80C6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax2RTF

2.106 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3AddrType

2.107 PidLidFax3 DisplayName

Canonical name: PidLidFax3 DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3 DisplayName

2.108 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EmailAddress

2.109 PidLidFax3EmailType

Canonical name: PidLidFax3EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D7

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EmailType

2.110 PidLidFax3EntryId

Canonical name: PidLidFax3EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3EntryID

2.111 PidLidFax3OriginalDisplayName

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalDisplayName

2.112 PidLidFax3OriginalEntryId

Canonical name: PidLidFax3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalEntryID

2.113 PidLidFax3RichTextFormat

Canonical name: PidLidFax3RichTextFormat
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x80D6
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3RTF

2.114 PidLidFExceptionalAttendees

Canonical name: PidLidFExceptionalAttendees
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x822B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFExceptionalAttendees

2.115 PidLidFExceptionalBody

Canonical name: PidLidFExceptionalBody
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8206
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFExceptionalBody

2.116 PidLidFileUnder

Canonical name: PidLidFileUnder
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8005
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnder

2.117 PidLidFileUnderId

Canonical name: PidLidFileUnderId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8006
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderId

2.118 PidLidFileUnderList

Canonical name: PidLidFileUnderList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8026
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderList

2.119 PidLidFInvited

Canonical name: PidLidFInvited
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8229
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFInvited

2.120 PidLidFlagRequest

Canonical name: PidLidFlagRequest
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x8530
Data type: PtypString, 0x001F
Area: Flagging
References: [MS-OXOFLAG]
Alternate names: dispidRequest

2.121 PidLidFlagString

Canonical name: PidLidFlagString
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x85C0
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidFlagStringEnum

2.122 PidLidForwardInstance

Canonical name: PidLidForwardInstance
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x820A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFwdInstanc

2.123 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80D8

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFreeBusyLocation

2.124 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0003

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_GLOBAL_OBJID

2.125 PidLidHasPicture

Canonical name: PidLidHasPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8015

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHasPicture

2.126 PidLidHomeAddress

Canonical name: PidLidHomeAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x801A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHomeAddress

2.127 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80DA

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHomeAddressCountryCode

2.128 PidLidHtml

Canonical name: PidLidHtml

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x802B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidHTML

2.129 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x8062

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidInstMsg

2.130 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x8224

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidIntendedBusyStatus

2.131 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8580

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: dispidInetAcctName

2.132 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8581

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: dispidInetAcctStamp

2.133 PidLidIsException

Canonical name: PidLidIsException
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x000A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_IS_EXCEPTION

2.134 PidLidIsRecurring

Canonical name: PidLidIsRecurring
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0005
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_IS_RECURRENING

2.135 PidLidIsSilent

Canonical name: PidLidIsSilent
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0004
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: LID_IS_SILENT

2.136 PidLidLinkedTaskItems

Canonical name: PidLidLinkedTaskItems
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x820C
Data type: PtypMultipleBinary, 0x1102
Area: Tasks
References: [MS-OXOCAL]
Alternate names: dispidLinkedTaskItems

2.137 PidLidLocation

Canonical name: PidLidLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x8208
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidLocation

2.138 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8711
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogDocPosted

2.139 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x870E
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogDocPrinted

2.140 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8710
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogDocRouted

2.141 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x870F
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogDocSaved

2.142 PidLidLogDuration

Canonical name: PidLidLogDuration
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8707
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogDuration

2.143 *PidLidLogEnd*

Canonical name: PidLidLogEnd
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8708
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogEnd

2.144 *PidLidLogFlags*

Canonical name: PidLidLogFlags
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x870C
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogFlags

2.145 *PidLidLogStart*

Canonical name: PidLidLogStart
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8706
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogStart

2.146 *PidLidLogType*

Canonical name: PidLidLogType
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8700
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogType

2.147 *PidLidLogTypeDesc*

Canonical name: PidLidLogTypeDesc
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x8712
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRLN]
Alternate names: dispidLogTypeDesc

2.148 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidMeetingType

2.149 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8209

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidMWSURL

2.150 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8538

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidNonSendableBCC

2.151 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8537

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidNonSendableCC

2.152 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8536

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidNonSendableTo

2.153 *PidLidNonSendBccTrackStatus*

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL]

Alternate names: dispidNonSendBccTrackStatus

2.154 *PidLidNonSendCcTrackStatus*

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL]

Alternate names: dispidNonSendCcTrackStatus

2.155 *PidLidNonSendToTrackStatus*

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL]

Alternate names: dispidNonSendToTrackStatus

2.156 *PidLidNoteColor*

Canonical name: PidLidNoteColor

Property set: PSETID_Note {0006200E-0000-0000-C000-00000000046}

Property long ID (LID): 0x8B00

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteColor

2.157 *PidLidNoteHeight*

Canonical name: PidLidNoteHeight

Property set: PSETID_Note {0006200E-0000-0000-C000-00000000046}

Property long ID (LID): 0x8B03

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteHeight

2.158 PidLidNoteWidth

Canonical name: PidLidNoteWidth

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x8B02

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteWidth

2.159 PidLidNoteX

Canonical name: PidLidNoteX

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x8B04

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteX

2.160 PidLidNoteY

Canonical name: PidLidNoteY

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x8B05

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteY

2.161 PidLidOldLocation

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0028

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOldLocation

2.162 PidLidOldWhenEndWhole

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOldWhenEndWhole

2.163 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0029

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidOldWhenStartWhole

2.164 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_OWNER_CRITICAL_CHANGE

2.165 PidLidPercentComplete

Canonical name: PidLidPercentComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8102

Data type: PtypFloating64, 0x0005

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidPercentComplete

2.166 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidPostalAddressId

2.167 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x8904

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannel

2.168 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x8900
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssChannelLink

2.169 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x8903
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemGuid

2.170 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x8902
Data type: PtypInteger32, 0x0003
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemHash

2.171 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x8901
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemLink

2.172 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x8905
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemXml

2.173 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription

Property set: PSETID_PostRss {00062041-0000-0000-C000-00000000046}

Property long ID (LID): 0x8906

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssSubscription

2.174 PidLidPrivate

Canonical name: PidLidPrivate

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8506

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: dispidPrivate

2.175 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x8232

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidRecurPattern

2.176 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x8231

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidRecurType

2.177 PidLidRecurring

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x8223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidRecurring

2.178 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x85BD

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidReferenceEID

2.179 PidLidReminderDelta

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderDelta

2.180 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x851F

Data type: PtypString, 0x001F

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderFileParam

2.181 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderOverride

2.182 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x851E

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderPlaySound

2.183 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderSet

2.184 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8560

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderNextTime

2.185 PidLidReminderTime

Canonical name: PidLidReminderTime

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8502

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderTime

2.186 PidLidReminderType

Canonical name: PidLidReminderType

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x851D

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR]

Alternate names: dispidReminderType

2.187 PidLidResponseStatus

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-00000000046}

Property long ID (LID): 0x8218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidResponseStatus

2.188 *PidLidSharingAnonymity*

Canonical name: PidLidSharingAnonymity

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A19

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingAnonymity

2.189 *PidLidSharingBindingEntryId*

Canonical name: PidLidSharingBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A2D

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBindingEid

2.190 *PidLidSharingBrowseUrl*

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A51

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBrowseUrl

2.191 *PidLidSharingCapabilities*

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingCaps

2.192 *PidLidSharingConfigurationUrl*

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A24

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingConfigUrl

2.193 PidLidSharingDataRangeEnd

Canonical name: PidLidSharingDataRangeEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A45
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingDataRangeEnd

2.194 PidLidSharingDataRangeStart

Canonical name: PidLidSharingDataRangeStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A44
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingDataRangeStart

2.195 PidLidSharingDetail

Canonical name: PidLidSharingDetail
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A2B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingDetail

2.196 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A21
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingExtXml

2.197 PidLidSharingFilter

Canonical name: PidLidSharingFilter
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A13
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFilter

2.198 PidLidSharingFlags

Canonical name: PidLidSharingFlags

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A0A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingFlags

2.199 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A18

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingFlavor

2.200 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A15

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingFolderEid

2.201 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A2E

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingIndexEid

2.202 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A09

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInitiatorEid

2.203 *PidLidSharingInitiatorName*

Canonical name: PidLidSharingInitiatorName

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A07

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInitiatorName

2.204 *PidLidSharingInitiatorSmtip*

Canonical name: PidLidSharingInitiatorSmtip

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A08

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInitiatorSmtip

2.205 *PidLidSharingInstanceGuid*

Canonical name: PidLidSharingInstanceGuid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A1C

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingInstanceGuid

2.206 *PidLidSharingLastAutoSyncTime*

Canonical name: PidLidSharingLastAutoSyncTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A55

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLastAutoSync

2.207 *PidLidSharingLastSyncTime*

Canonical name: PidLidSharingLastSyncTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A1F

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLastSync

2.208 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A4D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalComment

2.209 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A23

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalLastMod

2.210 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A0F

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalName

2.211 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A0E

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalPath

2.212 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A49

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalStoreUid

2.213 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A14

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalType

2.214 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A10

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingLocalUid

2.215 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A29

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingOriginalMessageEid

2.216 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A5C

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingParentBindingEid

2.217 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A1E

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingParticipants

2.218 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A1B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingPermissions

2.219 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A0B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderExtension

2.220 PidLidSharingProviderGuid

Canonical name: PidLidSharingProviderGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A01
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderGuid

2.221 PidLidSharingProviderName

Canonical name: PidLidSharingProviderName
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A02
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderName

2.222 PidLidSharingProviderUrl

Canonical name: PidLidSharingProviderUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A03
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderUrl

2.223 *PidLidSharingRangeEnd*

Canonical name: PidLidSharingRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A47

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeEnd

2.224 *PidLidSharingRangeStart*

Canonical name: PidLidSharingRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A46

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRangeStart

2.225 *PidLidSharingReciprocation*

Canonical name: PidLidSharingReciprocation

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A1A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingReciprocation

2.226 *PidLidSharingRemoteByteSize*

Canonical name: PidLidSharingRemoteByteSize

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A4B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteByteSize

2.227 *PidLidSharingRemoteComment*

Canonical name: PidLidSharingRemoteComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A2F

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteComment

2.228 *PidLidSharingRemoteCrc*

Canonical name: PidLidSharingRemoteCrc

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A4C

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteCrc

2.229 *PidLidSharingRemoteLastModificationTime*

Canonical name: PidLidSharingRemoteLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A22

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteLastMod

2.230 *PidLidSharingRemoteMessageCount*

Canonical name: PidLidSharingRemoteMessageCount

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A4F

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteMsgCount

2.231 *PidLidSharingRemoteName*

Canonical name: PidLidSharingRemoteName

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A05

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteName

2.232 *PidLidSharingRemotePass*

Canonical name: PidLidSharingRemotePass

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A0D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemotePass

2.233 *PidLidSharingRemotePath*

Canonical name: PidLidSharingRemotePath

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A04

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemotePath

2.234 *PidLidSharingRemoteStoreUid*

Canonical name: PidLidSharingRemoteStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A48

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteStoreUid

2.235 *PidLidSharingRemoteType*

Canonical name: PidLidSharingRemoteType

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A1D

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteType

2.236 *PidLidSharingRemoteUid*

Canonical name: PidLidSharingRemoteUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A06

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteUid

2.237 *PidLidSharingRemoteUser*

Canonical name: PidLidSharingRemoteUser

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A0C

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteUser

2.238 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A5B

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRemoteVersion

2.239 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A28

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingResponseTime

2.240 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A27

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingResponseType

2.241 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A4E

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingRoamLog

2.242 PidLidSharingStart

Canonical name: PidLidSharingStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A25

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingStart

2.243 *PidLidSharingStatus*

Canonical name: PidLidSharingStatus
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A00
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStatus

2.244 *PidLidSharingStop*

Canonical name: PidLidSharingStop
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A26
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStop

2.245 *PidLidSharingSyncFlags*

Canonical name: PidLidSharingSyncFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A60
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncFlags

2.246 *PidLidSharingSyncInterval*

Canonical name: PidLidSharingSyncInterval
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A2A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncInterval

2.247 *PidLidSharingTimeToLive*

Canonical name: PidLidSharingTimeToLive
Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}
Property long ID (LID): 0x8A2C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingTimeToLive

2.248 *PidLidSharingTimeToLiveAuto*

Canonical name: PidLidSharingTimeToLiveAuto

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A56

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingTimeToLiveAuto

2.249 *PidLidSharingWebUrl*

Canonical name: PidLidSharingWebUrl

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8596

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWebUrl

2.250 *PidLidSharingWorkingHoursDays*

Canonical name: PidLidSharingWorkingHoursDays

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A42

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursDays

2.251 *PidLidSharingWorkingHoursEnd*

Canonical name: PidLidSharingWorkingHoursEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A41

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursEnd

2.252 *PidLidSharingWorkingHoursStart*

Canonical name: PidLidSharingWorkingHoursStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A40

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursStart

2.253 *PidLidSharingWorkingHoursTimeZone*

Canonical name: PidLidSharingWorkingHoursTimeZone

Property set: PSETID_Sharing {00062040-0000-0000-C000-00000000046}

Property long ID (LID): 0x8A43

Data type: PtypBinary, 0x0102

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursTZ

2.254 *PidLidSideEffects*

Canonical name: PidLidSideEffects

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8510

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-OXCMSG], [MS-OXOCAL]

Alternate names: dispidSideEffects

2.255 *PidLidSmartNoAttach*

Canonical name: PidLidSmartNoAttach

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8514

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [MS-OXCMSG]

Alternate names: dispidSmartNoAttach

2.256 *PidLidSpamOriginalFolder*

Canonical name: PidLidSpamOriginalFolder

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x859C

Data type: PtypBinary, 0x0102

Area: Spam

References: [MS-OXCSPAM]

Alternate names: dispidSpamOriginalFolder

2.257 *PidLidTaskAcceptanceState*

Canonical name: PidLidTaskAcceptanceState

Property set: PSETID_Task {00062003-0000-0000-C000-00000000046}

Property long ID (LID): 0x812A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDelegValue

2.258 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8108

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskAccepted

2.259 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8110

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskActualEffort

2.260 PidLidTaskAssigner

Canonical name: PidLidTaskAssigner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8121

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDelegator

2.261 PidLidTaskAssingers

Canonical name: PidLidTaskAssingers

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8117

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMyDelegators

2.262 PidLidTaskComplete

Canonical name: PidLidTaskComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x811C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskComplete

2.263 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x810F
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskDateCompleted

2.264 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x8109
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskDeadOccur

2.265 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x8105
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOTASK], [MS-OXORMDR]
Alternate names: dispidTaskDueDate

2.266 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x8111
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskEstimatedEffort

2.267 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x811E
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskFCreator

2.268 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x812C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskFFixOffline

2.269 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8126

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskFRecur

2.270 PidLidTaskGlobalId

Canonical name: PidLidTaskGlobalId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8519

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskGlobalObjId

2.271 PidLidTaskHistory

Canonical name: PidLidTaskHistory

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x811A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskHistory

2.272 PidLidTaskLastDelegate

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8125

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastDelegate

2.273 *PidLidTaskLastUpdate*

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8115

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUpdate

2.274 *PidLidTaskLastUser*

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8122

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUser

2.275 *PidLidTaskMode*

Canonical name: PidLidTaskMode

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x8518

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMode

2.276 *PidLidTaskMultipleRecipients*

Canonical name: PidLidTaskMultipleRecipients

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8120

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMultRecips

2.277 *PidLidTaskOrdinal*

Canonical name: PidLidTaskOrdinal

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8123

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskOrdinal

2.278 *PidLidTaskOwner*

Canonical name: PidLidTaskOwner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x811F

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskOwner

2.279 *PidLidTaskOwnership*

Canonical name: PidLidTaskOwnership

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8129

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskOwnership

2.280 *PidLidTaskRecurrence*

Canonical name: PidLidTaskRecurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8116

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK], [MS-OXORMDR]

Alternate names: dispidTaskRecur

2.281 *PidLidTaskResetReminder*

Canonical name: PidLidTaskResetReminder

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8107

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK], [MS-OXORMDR]

Alternate names: dispidTaskResetReminder

2.282 *PidLidTaskStartDate*

Canonical name: PidLidTaskStartDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8104

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskStartDate

2.283 *PidLidTaskState*

Canonical name: PidLidTaskState

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8113

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskState

2.284 *PidLidTaskStatus*

Canonical name: PidLidTaskStatus

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8101

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskStatus

2.285 *PidLidTaskStatusOnComplete*

Canonical name: PidLidTaskStatusOnComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8119

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskSOC

2.286 *PidLidTaskUpdates*

Canonical name: PidLidTaskUpdates

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x811B

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskUpdates

2.287 *PidLidTaskVersion*

Canonical name: PidLidTaskVersion

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x8112

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskVersion

2.288 *PidLidTimeZone*

Canonical name: PidLidTimeZone

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x000C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_TIME_ZONE

2.289 *PidLidTimeZoneDescription*

Canonical name: PidLidTimeZoneDescription

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8234

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidTimeZoneDesc

2.290 *PidLidTimeZoneStruct*

Canonical name: PidLidTimeZoneStruct

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x8233

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXOCAL]

Alternate names: dispidTimeZoneStruct

2.291 *PidLidToAttendeesString*

Canonical name: PidLidToAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x823B

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidToAttendeesString

2.292 *PidLidToDoOrdinalDate*

Canonical name: PidLidToDoOrdinalDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x85A0

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidToDoOrdinalDate

2.293 *PidLidToDoSubOrdinal*

Canonical name: PidLidToDoSubOrdinal

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x85A1

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidToDoSubOrdinal

2.294 *PidLidToDoTitle*

Canonical name: PidLidToDoTitle

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x85A4

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidToDoTitle

2.295 *PidLidUserX509Certificate*

Canonical name: PidLidUserX509Certificate

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x80D9

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEMSAbX509Cert

2.296 *PidLidUseTnef*

Canonical name: PidLidUseTnef

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8582

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [MS-OXOMSG]

Alternate names: dispidUseTNEF

2.297 *PidLidValidFlagStringProof*

Canonical name: PidLidValidFlagStringProof

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x85BF

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidValidFlagStringProof

2.298 PidLidVerbResponse

Canonical name: PidLidVerbResponse

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8524

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: dispidVerbResponse

2.299 PidLidVerbStream

Canonical name: PidLidVerbStream

Property set: PSETID_Common {00062008-0000-0000-C000-00000000046}

Property long ID (LID): 0x8520

Data type: PtypBinary, 0x0102

Area: Run-time configuration

References: [MS-OXOMSG]

Alternate names: dispidVerbStream

2.300 PidLidWhere

Canonical name: PidLidWhere

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0002

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL]

Alternate names: LID_WHERE

2.301 PidLidWorkAddress

Canonical name: PidLidWorkAddress

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x801B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddress

2.302 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity

Property set: PSETID_Address {00062004-0000-0000-C000-00000000046}

Property long ID (LID): 0x8046

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCity

2.303 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8049

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountry

2.304 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x80DB

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountryCode

2.305 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8048

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressPostalCode

2.306 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x804A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressPostOfficeBox

2.307 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x8047

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressState

2.308 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x8045
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressStreet

2.309 PidLidYomiCompanyName

Canonical name: PidLidYomiCompanyName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x802E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiCompanyName

2.310 PidLidYomiFirstName

Canonical name: PidLidYomiFirstName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x802C
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiFirstName

2.311 PidLidYomiLastName

Canonical name: PidLidYomiLastName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x802D
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiLastName

2.312 PidNameApplicationName

Canonical name: PidNameApplicationName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: AppName
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC]
Alternate names:

2.313 PidNameAudioNotes

Canonical name: PidNameAudioNotes

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: UMAudioNotes

Data type: PtypString, 0x001F

Area: UM

References: [MS-OXOUM]

Alternate names: UMAudioNotes

2.314 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.315 PidNameByteCount

Canonical name: PidNameByteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ByteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.316 PidNameCategory

Canonical name: PidNameCategory

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Category

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.317 PidNameCharacterCount

Canonical name: PidNameCharacterCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CharCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.318 PidNameComments

Canonical name: PidNameComments

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Comments

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.319 PidNameCompany

Canonical name: PidNameCompany

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Company

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.320 PidNameContentClass

Canonical name: PidNameContentClass

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Class

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [MS-OXORMMS]

Alternate names:

2.321 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CreateDtmRo

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.322 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.323 *PidNameExchangeJunkEmailMoveStamp*

Canonical name: PidNameExchangeJunkEmailMoveStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/junkemailmovestamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCSPAM], [MS-OXORSS]

Alternate names:

2.324 *PidNameHiddenCount*

Canonical name: PidNameHiddenCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HiddenCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.325 *PidNameInstantMessagingAddress1*

Canonical name: PidNameInstantMessagingAddress1

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: IMAddress

Data type: PtypString, 0x001F

Area: Sync

References: [MS-OXOCNTC]

Alternate names: IMAddress

2.326 *PidNameInstantMessagingAddress2*

Canonical name: PidNameInstantMessagingAddress2

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: IMAddress2

Data type: PtypString, 0x001F

Area: Sync

References: [MS-OXOCNTC]

Alternate names: IMAddress2

2.327 *PidNameInstantMessagingAddress2*

Canonical name: PidNameInstantMessagingAddress2

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: IMAddress3

Data type: PtypString, 0x001F

Area: Sync

References: [MS-OXOCNTC]

Alternate names: IMAddress3

2.328 *PidNameKeywords*

Canonical name: PidNameKeywords

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXCMMSG], [MS-OXODOC]

Alternate names:

2.329 *PidNameLastAuthor*

Canonical name: PidNameLastAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastAuthor

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.330 *PidNameLastPrinted*

Canonical name: PidNameLastPrinted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastPrinted

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.331 *PidNameLastSaveDateTime*

Canonical name: PidNameLastSaveDateTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastSaveDtm

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC]

Alternate names:

2.332 *PidNameLineCount*

Canonical name: PidNameLineCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LineCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.333 *PidNameManager*

Canonical name: PidNameManager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Manager

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.334 *PidNameMultimediaClipCount*

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.335 *PidNameMultimediaMessagingServiceAddress*

Canonical name: PidNameMultimediaMessagingServiceAddress

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: MMS

Data type: PtypString, 0x001F

Area: Sync

References: [MS-OXCNTC]

Alternate names: MMS

2.336 *PidNameNoteCount*

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.337 *PidNameOMSAccountGuid*

Canonical name: PidNameOMSAccountGuid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSAccountGuid

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.338 *PidNameOMSMessageType*

Canonical name: PidNameOMSMessageType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSMessageType

Data type: PtypString, 0x001F

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.339 *PidNameOMSScheduleTime*

Canonical name: PidNameOMSScheduleTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSScheduleTime

Data type: PtypTime, 0x0040

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.340 *PidNameOMSServiceType*

Canonical name: PidNameOMSServiceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSServiceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.341 *PidNameOMSSourceType*

Canonical name: PidNameOMSSourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSSourceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.342 *PidNameOutlookPhishingstamp*

Canonical name: PidNameOutlookPhishingstamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.343 *PidNamePageCount*

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.344 *PidNameParagraphCount*

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.345 *PidNamePresentationFormat*

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.346 *PidNameRevisionNumber*

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.347 *PidNameRightsManagementLicense*

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.348 *PidNameSecurity*

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.349 *PidNameSlideCount*

Canonical name: PidNameSlideCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: SlideCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.350 *PidNameSubject*

Canonical name: PidNameSubject

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.351 *PidNameTemplate*

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.352 *PidNameTitle*

Canonical name: PidNameTitle

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Title

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC]

Alternate names:

2.353 *PidNameWordCount*

Canonical name: PidNameWordCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: WordCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC]

Alternate names:

2.354 *PidNameXSharingBrowseUrl*

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.355 *PidNameXSharingCapabilities*

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.356 *PidNameXSharingConfigUrl*

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.357 *PidNameXSharingExendedCaps*

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.358 PidNameXSharingFlavor

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.359 PidNameXSharingInstanceId

Canonical name: PidNameXSharingInstanceId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.360 PidNameXSharingLocalType

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.361 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.362 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.363 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.364 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.365 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Path

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.366 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Store-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.367 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.368 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.369 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A,

PR_7BIT_DISPLAY_NAME_W

2.370 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_ACCESS, ptagAccess

2.371 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.372 PidTagAccount

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W

2.373 *PidTagAdditionalRenEntryIds*

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXOSFLD], [MS-OXPHISH]

Alternate names: PR_ADDITIONAL_RN_ENTRYIDS, ptagAdditionalRenEntryIds

2.374 *PidTagAdditionalRenEntryIdsEx*

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_RN_ENTRYIDS_EX,

ptagAdditionalRenEntryIdsEx

2.375 *PidTagAddressBookContainerId*

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.376 *PidTagAddressBookEntryId*

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFCOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.377 *PidTagAddressBookExtensionAttribute1*

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.378 *PidTagAddressBookExtensionAttribute10*

Canonical name: PidTagAddressBookExtensionAttribute10

Property ID: 0x8036

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_10,
PR_EMS_AB_EXTENSION_ATTRIBUTE_10_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_10_W

2.379 *PidTagAddressBookExtensionAttribute11*

Canonical name: PidTagAddressBookExtensionAttribute11

Property ID: 0x8C57

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_11,
PR_EMS_AB_EXTENSION_ATTRIBUTE_11_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_11_W

2.380 *PidTagAddressBookExtensionAttribute12*

Canonical name: PidTagAddressBookExtensionAttribute12

Property ID: 0x8C58

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_12,
PR_EMS_AB_EXTENSION_ATTRIBUTE_12_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_12_W

2.381 *PidTagAddressBookExtensionAttribute13*

Canonical name: PidTagAddressBookExtensionAttribute13

Property ID: 0x8C59

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_13,
PR_EMS_AB_EXTENSION_ATTRIBUTE_13_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_13_W

2.382 *PidTagAddressBookExtensionAttribute14*

Canonical name: PidTagAddressBookExtensionAttribute14

Property ID: 0x8C60

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_14,
PR_EMS_AB_EXTENSION_ATTRIBUTE_14_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_14_W

2.383 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.384 PidTagAddressBookExtensionAttribute2

Canonical name: PidTagAddressBookExtensionAttribute2

Property ID: 0x802E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_2,
PR_EMS_AB_EXTENSION_ATTRIBUTE_2_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_2_W

2.385 PidTagAddressBookExtensionAttribute3

Canonical name: PidTagAddressBookExtensionAttribute3

Property ID: 0x802F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_3,
PR_EMS_AB_EXTENSION_ATTRIBUTE_3_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_3_W

2.386 PidTagAddressBookExtensionAttribute4

Canonical name: PidTagAddressBookExtensionAttribute4

Property ID: 0x8030

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_4,

PR_EMS_AB_EXTENSION_ATTRIBUTE_4_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_4_W

2.387 PidTagAddressBookExtensionAttribute5

Canonical name: PidTagAddressBookExtensionAttribute5

Property ID: 0x8031

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_5,
PR_EMS_AB_EXTENSION_ATTRIBUTE_5_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_5_W

2.388 PidTagAddressBookExtensionAttribute6

Canonical name: PidTagAddressBookExtensionAttribute6

Property ID: 0x8032

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_6,
PR_EMS_AB_EXTENSION_ATTRIBUTE_6_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_6_W

2.389 PidTagAddressBookExtensionAttribute7

Canonical name: PidTagAddressBookExtensionAttribute7

Property ID: 0x8033

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_7,
PR_EMS_AB_EXTENSION_ATTRIBUTE_7_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_7_W

2.390 PidTagAddressBookExtensionAttribute8

Canonical name: PidTagAddressBookExtensionAttribute8

Property ID: 0x8034

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_8,
PR_EMS_AB_EXTENSION_ATTRIBUTE_8_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_8_W

2.391 *PidTagAddressBookExtensionAttribute9*

Canonical name: PidTagAddressBookExtensionAttribute9

Property ID: 0x8035

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_9,
PR_EMS_AB_EXTENSION_ATTRIBUTE_9_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_9_W

2.392 *PidTagAddressBookFolderPathname*

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_FOLDER_PATHNAME,
PR_EMS_AB_FOLDER_PATHNAME_A, PR_EMS_AB_FOLDER_PATHNAME_W

2.393 *PidTagAddressBookHierarchicalChildDepartments*

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.394 *PidTagAddressBookHierarchicalDepartmentMembers*

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.395 *PidTagAddressBookHierarchicalParentDepartment*

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.396 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.397 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.398 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A, PR_EMS_AB_HOME_MDB_W

2.399 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFFB

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MASTER

2.400 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList

Property ID: 0x8008

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL, PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.401 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList

Property ID: 0x6704

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGE_DL

2.402 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager

Property ID: 0x8005

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A, PR_EMS_AB_MANAGER_W

2.403 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName

Property ID: 0x8005

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER_T

2.404 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember

Property ID: 0x8009

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A, PR_EMS_AB_MEMBER_W

2.405 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR]

Alternate names: ptagAddrbookMID

2.406 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress

Property ID: 0x8170

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_NETWORK_ADDRESS,
PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.407 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName

Property ID: 0x803C

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJ_DIST_NAME,
PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.408 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid

Property ID: 0x8C6D

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OBJECT_GUID

2.409 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner

Property ID: 0x800C

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.410 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.411 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.412 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,

PR_EMS_AB_PHONETIC_COMPANY_NAME_A,

PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.413 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.414 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,

PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,

PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.415 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.416 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.417 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PROXY_ADDRESSES,
PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.418 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,
PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.419 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A,
PR_EMS_AB_REPORTS_W

2.420 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.421 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers
Property ID: 0x8C96
Data type: PtypMultipleString, 0x101F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_ROOM_CONTAINERS,
PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.422 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription
Property ID: 0x0809
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_ROOM_DESCRIPTION,
PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.423 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex
Property ID: 0x8CA0
Data type: PtypInteger32, 0x0003
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.424 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress
Property ID: 0x8011
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.425 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate
Property ID: 0x8C6A
Data type: PtypMultipleBinary, 0x1102
Area: Exchange Address Book

References: [MS-OXOABK]
Alternate names: PR_EMSS_AB_X509_CERT

2.426 PidTagAddressType

Canonical name: PidTagAddressType
Property ID: 0x3002
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXCMAIL]
Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType, PR_ADDRTYPE_W

2.427 PidTagAnr

Canonical name: PidTagAnr
Property ID: 0x360C
Data type: PtypString, 0x001F
Area: Address Book
References: [MS-OXOABK]
Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.428 PidTagAssistant

Canonical name: PidTagAssistant
Property ID: 0x3A30
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W

2.429 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber
Property ID: 0x3A2E
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER, PR_ASSISTANT_TELEPHONE_NUMBER_A, PR_ASSISTANT_TELEPHONE_NUMBER_W

2.430 PidTagAssociated

Canonical name: PidTagAssociated
Property ID: 0x67AA
Data type: PtypBoolean, 0x000B
Area: Sync

References: [MS-OXCFXICS]
Alternate names: ptagAssociated

2.431 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation
Property ID: 0x370F
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.432 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase
Property ID: 0x3711
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_CONTENT_BASE,
PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.433 PidTagAttachContentId

Canonical name: PidTagAttachContentId
Property ID: 0x3712
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A,
PR_ATTACH_CONTENT_ID_W

2.434 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation
Property ID: 0x3713
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_CONTENT_LOCATION,
PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.435 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary
Property ID: 0x3701
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.436 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.437 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_ENCODING

2.438 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A, PR_ATTACH_EXTENSION_W

2.439 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.440 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_FLAGS

2.441 *PidTagAttachLongFilename*

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_FILENAME,

PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W

2.442 *PidTagAttachLongPathname*

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_LONG_PATHNAME,

PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname,

PR_ATTACH_LONG_PATHNAME_W

2.443 *PidTagAttachmentContactPhoto*

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.444 *PidTagAttachmentFlags*

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXOCAL]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.445 *PidTagAttachmentHidden*

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXOCAL]

Alternate names: PR_ATTACHMENT_HIDDEN

2.446 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.447 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.448 PidTagAttachMimeType

Canonical name: PidTagAttachMimeType

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A,

PR_ATTACH_MIME_TAG_W

2.449 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.450 PidTagAttachRendering

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG]

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.451 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.452 *PidTagAttachTag*

Canonical name: PidTagAttachTag
Property ID: 0x370A
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_TAG

2.453 *PidTagAttachTransportName*

Canonical name: PidTagAttachTransportName
Property ID: 0x370C
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_ATTACH_TRANSPORT_NAME,
PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.454 *PidTagAttributeHidden*

Canonical name: PidTagAttributeHidden
Property ID: 0x10F4
Data type: PtypBoolean, 0x000B
Area: Access Control Properties
References: [MS-OXCFOLD]
Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden

2.455 *PidTagBirthday*

Canonical name: PidTagBirthday
Property ID: 0x3A42
Data type: PtypTime, 0x0040
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_BIRTHDAY

2.456 *PidTagBlockStatus*

Canonical name: PidTagBlockStatus
Property ID: 0x1096
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties

References: [MS-OXOMSG]
Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.457 PidTagBody

Canonical name: PidTagBody

Property ID: 0x1000

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W

2.458 PidTagBodyHtml

Canonical name: PidTagBodyHtml

Property ID: 0x1013

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml, PR_BODY_HTML_W

2.459 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER, PR_BUSINESS2_TELEPHONE_NUMBER_A, PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER

2.460 PidTagBusiness2TelephonesNumbers

Canonical name: PidTagBusiness2TelephonesNumbers

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.461 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A, PR_BUSINESS_FAX_NUMBER_W

2.462 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A, PR_BUSINESS_HOME_PAGE_W

2.463 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_BUSINESS_TELEPHONE_NUMBER, PR_BUSINESS_TELEPHONE_NUMBER_A, PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER

2.464 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER, PR_CALLBACK_TELEPHONE_NUMBER_A, PR_CALLBACK_TELEPHONE_NUMBER_W

2.465 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber

Property ID: 0x3A1E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_CAR_TELEPHONE_NUMBER, PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W

2.466 PidTagChangeKey

Canonical name: PidTagChangeKey

Property ID: 0x65E2

Data type: PtypBinary, 0x0102
Area: History Properties
References: [MS-OXCFXICS], [MS-OXCSYNC], [MS-OXCMSG]
Alternate names: PR_CHANGE_KEY

2.467 *PidTagChangeNumber*

Canonical name: PidTagChangeNumber
Property ID: 0x67A4
Data type: PtypInteger64, 0x0014
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagCn

2.468 *PidTagChildrensNames*

Canonical name: PidTagChildrensNames
Property ID: 0x3A58
Data type: PtypMultipleString, 0x101F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A, PR_CHILDRENS_NAMES_W

2.469 *PidTagClientActions*

Canonical name: PidTagClientActions
Property ID: 0x6645
Data type: PtypBinary, 0x0102
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.470 *PidTagClientSubmitTime*

Canonical name: PidTagClientSubmitTime
Property ID: 0x0039
Data type: PtypTime, 0x0040
Area: Message Time Properties
References: [MS-OXOMSG]
Alternate names: PR_CLIENT_SUBMIT_TIME

2.471 *PidTagCnsetRead*

Canonical name: PidTagCnsetRead
Property ID: 0x67D2
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]
Alternate names: ptagCnsetRead

2.472 *PidTagCnsetSeen*

Canonical name: PidTagCnsetSeen
Property ID: 0x6796
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeen

2.473 *PidTagCnsetSeenFAI*

Canonical name: PidTagCnsetSeenFAI
Property ID: 0x67DA
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeenFAI

2.474 *PidTagComment*

Canonical name: PidTagComment
Property ID: 0x3004
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXCFOLD], [MS-OXCSTOR], [MS-OXOABK]
Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment,
PR_COMMENT_W

2.475 *PidTagCompanyMainTelephoneNumber*

Canonical name: PidTagCompanyMainTelephoneNumber
Property ID: 0x3A57
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER,
PR_COMPANY_MAIN_PHONE_NUMBER_A,
PR_COMPANY_MAIN_PHONE_NUMBER_W

2.476 *PidTagCompanyName*

Canonical name: PidTagCompanyName
Property ID: 0x3A16
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A,
PR_COMPANY_NAME_W

2.477 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COMPUTER_NETWORK_NAME,
PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W

2.478 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.479 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ITEMS

2.480 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties

References: [MS-OXOSFLD], [MS-OXOCAL], [MS-OXOCNTC]

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A,
ptagContainerClass, PR_CONTAINER_CLASS_W

2.481 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXOABK]

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.482 *PidTagContainerFlags*

Canonical name: PidTagContainerFlags

Property ID: 0x3600

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_CONTAINER_FLAGS

2.483 *PidTagContentCount*

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL]

Alternate names: PR_CONTENT_COUNT, ptagContentCount

2.484 *PidTagContentFilterSpamConfidenceLeve*

Canonical name: PidTagContentFilterSpamConfidenceLeve

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCSPAM]

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.485 *PidTagContentUnreadCount*

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL]

Alternate names: PR_CONTENT_UNREAD, ptagContentUnread

2.486 *PidTagConversationIndex*

Canonical name: PidTagConversationIndex

Property ID: 0x0071

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.487 *PidTagConversationTopic*

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A, ptagConversationTopic, PR_CONVERSATION_TOPIC_W

2.488 PidTagCountry

Canonical name: PidTagCountry

Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W, PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A, PR_BUSINESS_ADDRESS_COUNTRY_W

2.489 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_CREATION_TIME, ptagCreationTime

2.490 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A, PR_CUSTOMER_ID_W

2.491 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched

Property ID: 0x6647

Data type: PtypBoolean, 0x000B

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.492 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId

Property ID: 0x6646

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.493 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass
Property ID: 0x36E5
Data type: PtypString, 0x001F
Area: MapiContainer
References: [MS-OXOCAL]
Alternate names: PR_DEF_POST_MSGCLASS

2.494 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime
Property ID: 0x000F
Data type: PtypTime, 0x0040
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime

2.495 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber
Property ID: 0x3FEB
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_NUMBER

2.496 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime
Property ID: 0x3FEF
Data type: PtypTime, 0x0040
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.497 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits
Property ID: 0x3FEC
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_UNITS

2.498 PidTagDelegateFlags

Canonical name: PidTagDelegateFlags

Property ID: 0x686B

Data type: PtypMultipleInteger32, 0x1003

Area: MessageClassDefinedTransmittable

References: [MS-OXODLGT]

Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.499 PidTagDeleteAfterSubmit

Canonical name: PidTagDeleteAfterSubmit

Property ID: 0x0E01

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.500 PidTagDeletedAssociatedMessageCount

Canonical name: PidTagDeletedAssociatedMessageCount

Property ID: 0x6643

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXCSTOR]

Alternate names: PR_DELETED_ASSOC_MSG_COUNT

2.501 PidTagDeletedAssociatedMessageSizeExtended

Canonical name: PidTagDeletedAssociatedMessageSizeExtended

Property ID: 0x669D

Data type: PtypInteger64, 0x0014

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_DELETED_ASSOC_MESSAGE_SIZE_EXTENDED, ptagDeletedAssocMessageSizeExtended

2.502 PidTagDeletedMessageCount

Canonical name: PidTagDeletedMessageCount

Property ID: 0x6640

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXCSTOR]

Alternate names: PR_DELETED_MSG_COUNT

2.503 PidTagDeletedMessageSizeExtended

Canonical name: PidTagDeletedMessageSizeExtended

Property ID: 0x669B

Data type: PtypInteger64, 0x0014
Area: ExchangeAdministrative
References: [MS-OXCSTOR]
Alternate names: PR_DELETED_MESSAGE_SIZE_EXTENDED,
ptagDeletedMessageSizeExtended

2.504 PidTagDeletedNormalMessageSizeExtended

Canonical name: PidTagDeletedNormalMessageSizeExtended
Property ID: 0x669C
Data type: PtypInteger64, 0x0014
Area: ExchangeAdministrative
References: [MS-OXCSTOR]
Alternate names: PR_DELETED_NORMAL_MESSAGE_SIZE_EXTENDED,
ptagDeletedNormalMessageSizeExtended

2.505 PidTagDeletedOn

Canonical name: PidTagDeletedOn
Property ID: 0x668F
Data type: PtypTime, 0x0040
Area: ExchangeFolder
References: [MS-OXCFOLD]
Alternate names: PR_DELETED_ON, ptagDeletedOn

2.506 PidTagDepartmentName

Canonical name: PidTagDepartmentName
Property ID: 0x3A18
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A,
PR_DEPARTMENT_NAME_W

2.507 PidTagDepth

Canonical name: PidTagDepth
Property ID: 0x3005
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-OXCTABL], [MS-OXOABK]
Alternate names: PR_DEPTH, ptagDepth

2.508 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc
Property ID: 0x0E02
Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXOMSG]

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W

2.509 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXOMSG]

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W

2.510 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-OXCMSG], [MS-OXCFOLD], [MS-OXOCNTC], [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W

2.511 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W

2.512 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.513 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.514 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXOABK]

Alternate names: PR_DISPLAY_TYPE_EX

2.515 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A,

PR_EMAIL_ADDRESS_W

2.516 PidTagEndDate

Canonical name: PidTagEndDate

Property ID: 0x0061

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOCAL]

Alternate names: PR_END_DATE

2.517 PidTagEntryId

Canonical name: PidTagEntryId

Property ID: 0x0FFF

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_ENTRYID, ptagEntryId

2.518 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040
Area: MessageClassDefinedNonTransmittable
References: [MS-OXOCAL]
Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.519 *PidTagExceptionReplaceTime*

Canonical name: PidTagExceptionReplaceTime
Property ID: 0x7FF9
Data type: PtypTime, 0x0040
Area: MessageClassDefinedNonTransmittable
References: [MS-OXOCAL]
Alternate names: PR_EXCEPTION_REPLACE TIME

2.520 *PidTagExceptionStartTime*

Canonical name: PidTagExceptionStartTime
Property ID: 0x7FFB
Data type: PtypTime, 0x0040
Area: MessageClassDefinedNonTransmittable
References: [MS-OXOCAL]
Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.521 *PidTagExpiryNumber*

Canonical name: PidTagExpiryNumber
Property ID: 0x3FED
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_NUMBER

2.522 *PidTagExpiryTime*

Canonical name: PidTagExpiryTime
Property ID: 0x0015
Data type: PtypTime, 0x0040
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_TIME, ptagExpiryTime

2.523 *PidTagExpiryUnits*

Canonical name: PidTagExpiryUnits
Property ID: 0x3FEE
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_UNITS

2.524 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags

Property ID: 0x36DA

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOCFG], [MS-OXOSRCH]

Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.525 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions

Property ID: 0x0E99

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.526 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition

Property ID: 0x0E9A

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.527 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit

Property ID: 0x0E9B

Data type: PtypInteger32, 0x0003

Area: Rules

References: [MS-OXCSTOR]

Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.528 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime

Property ID: 0x1091

Data type: PtypTime, 0x0040

Area: Miscellaneous Properties

References: [MS-OXOFLAG]

Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime

2.529 PidTagFlagStatus

Canonical name: PidTagFlagStatus

Property ID: 0x1090

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXOFLAG]

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.530 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS]

Alternate names: ptagFID

2.531 PidTagFolderType

Canonical name: PidTagFolderType

Property ID: 0x3601

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCFOLD]

Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.532 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon

Property ID: 0x1095

Data type: PtypInteger32, 0x0003

Area: RenMessageFolder

References: [MS-OXOFLAG]

Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.533 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths

Property ID: 0x6869

Data type: PtypInteger32, 0x0003

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.534 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds

Property ID: 0x36E4

Data type: PtypMultipleBinary, 0x1102

Area: MapiContainer

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.535 *PidTagFreeBusyMessageEmailAddress*

Canonical name: PidTagFreeBusyMessageEmailAddress

Property ID: 0x6849

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_EMA

2.536 *PidTagFreeBusyPublishEnd*

Canonical name: PidTagFreeBusyPublishEnd

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_END

2.537 *PidTagFreeBusyPublishStart*

Canonical name: PidTagFreeBusyPublishStart

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_START

2.538 *PidTagFreeBusyRangeTimestamp*

Canonical name: PidTagFreeBusyRangeTimestamp

Property ID: 0x6868

Data type: PtypTime, 0x0040

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.539 *PidTagFtpSite*

Canonical name: PidTagFtpSite

Property ID: 0x3A4C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W

2.540 *PidTagGatewayNeedsToRefresh*

Canonical name: PidTagGatewayNeedsToRefresh

Property ID: 0x6846

Data type: PtypBoolean, 0x000B

Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB]
Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.541 PidTagGender

Canonical name: PidTagGender
Property ID: 0x3A4D
Data type: PtypInteger16, 0x0002
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GENDER

2.542 PidTagGeneration

Canonical name: PidTagGeneration
Property ID: 0x3A05
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W

2.543 PidTagGivenName

Canonical name: PidTagGivenName
Property ID: 0x3A06
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W

2.544 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber
Property ID: 0x3A07
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_GOVERNMENT_ID_NUMBER,
PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W

2.545 PidTagHasAttachments

Canonical name: PidTagHasAttachments
Property ID: 0x0E1B
Data type: PtypBoolean, 0x000B
Area: Message Attachment Properties
References: [MS-OXCMSG]
Alternate names: PR_HASATTACH, ptagHasAttach

2.546 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.547 PidTagHasRules

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [MS-OXCFOLD], [MS-OXORULE]

Alternate names: PR_HAS_RULES, ptagHasRules

2.548 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber

Property ID: 0x663E

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_HIERARCHY_CHANGE_NUM

2.549 PidTagHobbies

Canonical name: PidTagHobbies

Property ID: 0x3A43

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOBBIEST, PR_HOBBIEST_A, PR_HOBBIEST_W

2.550 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber

Property ID: 0x3A2F

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOME2_TELEPHONE_NUMBER,

PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W

2.551 PidTagHome2Telephones

Canonical name: PidTagHome2Telephones

Property ID: 0x3A2F

140 of 194

[MS-OXPROPS] - v0.1

Office Exchange Protocols Master Property List Specification

Copyright © 2008 Microsoft Corporation.

Release: Friday, April 4, 2008

Data type: PtypMultipleString, 0x101F
Area: MapiMailUser
References: [MS-OXOCNTC]
Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.552 *PidTagHomeAddressCity*

Canonical name: PidTagHomeAddressCity

Property ID: 0x3A59

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A,
PR_HOME_ADDRESS_CITY_W

2.553 *PidTagHomeAddressCountry*

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_COUNTRY,
PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W

2.554 *PidTagHomeAddressPostalCode*

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE,
PR_HOME_ADDRESS_POSTAL_CODE_A,
PR_HOME_ADDRESS_POSTAL_CODE_W

2.555 *PidTagHomeAddressPostOfficeBox*

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,
PR_HOME_ADDRESS_POST_OFFICE_BOX_A,
PR_HOME_ADDRESS_POST_OFFICE_BOX_W

2.556 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_A,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_W

2.557 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A,
PR_HOME_ADDRESS_STREET_W

2.558 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A,
PR_HOME_FAX_NUMBER_W

2.559 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_HOME_TELEPHONE_NUMBER,
PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W

2.560 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_HTML, ptagHtml

2.561 *PidTagIconIndex*

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXOCAL], [MS-OXOTASK]

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.562 *PidTagIdsetDeleted*

Canonical name: PidTagIdsetDeleted

Property ID: 0x67E5

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagIdsetDeleted

2.563 *PidTagIdsetExpired*

Canonical name: PidTagIdsetExpired

Property ID: 0x6793

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagMidsetExpired

2.564 *PidTagIdsetGiven*

Canonical name: PidTagIdsetGiven

Property ID: 0x4017

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagIdsetGiven

2.565 *PidTagIdsetRead*

Canonical name: PidTagIdsetRead

Property ID: 0x402D

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagIdsetRead

2.566 *PidTagIdsetSoftDeleted*

Canonical name: PidTagIdsetSoftDeleted

Property ID: 0x4021

Data type: PtypBinary, 0x0102

Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagSoftDeletes

2.567 PidTagIdsetUnread

Canonical name: PidTagIdsetUnread
Property ID: 0x402E
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetUnread

2.568 PidTagImportance

Canonical name: PidTagImportance
Property ID: 0x0017
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCMSG]
Alternate names: PR_IMPORTANCE, ptagImportance

2.569 PidTagInConflict

Canonical name: PidTagInConflict
Property ID: 0x666C
Data type: PtypBoolean, 0x000B
Area: Conflict Note
References: [MS-OXCSYNC]
Alternate names: PR_IN_CONFLICT, ptagInConflict

2.570 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial
Property ID: 0x407A
Data type: PtypInteger32, 0x0003
Area: ICS
References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncMsgPartial

2.571 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId
Property ID: 0x407C
Data type: PtypInteger32, 0x0003
Area: ICS
References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncGroupId

2.572 *PidTagInitialDetailsPane*

Canonical name: PidTagInitialDetailsPane

Property ID: 0x3F08

Data type: PtypInteger32, 0x0003

Area: MAPI Display Tables

References: [MS-OXOABK]

Alternate names: PR_INITIAL_DETAILS_PANE

2.573 *PidTagInitials*

Canonical name: PidTagInitials

Property ID: 0x3A0A

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W

2.574 *PidTagInReplyToId*

Canonical name: PidTagInReplyToId

Property ID: 0x1042

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A, PR_IN_REPLY_TO_ID_W

2.575 *PidTagInstanceKey*

Canonical name: PidTagInstanceKey

Property ID: 0x0FF6

Data type: PtypBinary, 0x0102

Area: Table Properties

References: [MS-OXOABK]

Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.576 *PidTagInternetCodepage*

Canonical name: PidTagInternetCodepage

Property ID: 0x3FDE

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG]

Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.577 *PidTagInternetMailOverrideFormat*

Canonical name: PidTagInternetMailOverrideFormat

Property ID: 0x5902

145 of 194

[MS-OXPROPS] - v0.1

Office Exchange Protocols Master Property List Specification

Copyright © 2008 Microsoft Corporation.

Release: Friday, April 4, 2008

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXOMSG], [MS-OXCMAIL]

Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.578 *PidTagInternetMessageId*

Canonical name: PidTagInternetMessageId

Property ID: 0x1035

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.579 *PidTagIpmAppointmentEntryId*

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.580 *PidTagIpmContactEntryId*

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]

Alternate names: PR_IPM_CONTACT_ENTRYID

2.581 *PidTagIpmDraftsEntryId*

Canonical name: PidTagIpmDraftsEntryId

Property ID: 0x36D7

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]

Alternate names: PR_IPM_DRAFTS_ENTRYID

2.582 *PidTagIpmJournalEntryId*

Canonical name: PidTagIpmJournalEntryId

Property ID: 0x36D2

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]
Alternate names: PR_IPM_JOURNAL_ENTRYID

2.583 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD]
Alternate names: PR_IPM_NOTE_ENTRYID

2.584 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD]
Alternate names: PR_IPM_TASK_ENTRYID

2.585 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A,
PR_ISDN_NUMBER_W

2.586 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList
Property ID: 0x6103
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.587 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts
Property ID: 0x6100
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.588 *PidTagJunkPermanentlyDelete*

Canonical name: PidTagJunkPermanentlyDelete

Property ID: 0x6102

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.589 *PidTagJunkPhishingEnableLinks*

Canonical name: PidTagJunkPhishingEnableLinks

Property ID: 0x6107

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM], [MS-OXPHISH]

Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.590 *PidTagJunkPostmarkOutgoingMail*

Canonical name: PidTagJunkPostmarkOutgoingMail

Property ID: 0x6109

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_POSTMARK_OUTGOING_MAIL

2.591 *PidTagJunkThreshold*

Canonical name: PidTagJunkThreshold

Property ID: 0x6101

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_THRESHOLD

2.592 *PidTagKeyword*

Canonical name: PidTagKeyword

Property ID: 0x3A0B

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.593 *PidTagLanguage*

Canonical name: PidTagLanguage

Property ID: 0x3A0C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W

2.594 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime

Property ID: 0x3008

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMSG], [MS-OXCSYNC], [MS-OXOABK]

Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime

2.595 PidTagLastModifierName

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [MS-OXCMSG]

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.596 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.597 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W, PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A, PR_BUSINESS_ADDRESS_LOCALITY_W

2.598 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W

2.599 PidTagMailboxOwnerId

Canonical name: PidTagMailboxOwnerId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerId

2.600 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAILBOX_OWNER_NAME,

PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,

PR_MAILBOX_OWNER_NAME_W

2.601 PidTagNameManager

Canonical name: PidTagNameManager

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,

PR_MANAGER_NAME_W

2.602 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [MS-OXOABK]

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.603 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.604 PidTagMemberId

Canonical name: PidTagMemberId

Property ID: 0x6671

Data type: PtypInteger64, 0x0014

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_ID, ptagMemberId

2.605 PidTagMemberName

Canonical name: PidTagMemberName

Property ID: 0x6672

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.606 PidTagMemberRights

Canonical name: PidTagMemberRights

Property ID: 0x6673

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.607 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.608 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMSG], [MS-OXOMSG], [MS-OXOUM], [MS-OXPROPS]

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W

2.609 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXCMSG]

Alternate names: PR_MESSAGE_CODEPAGE

2.610 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXOMSG]

Alternate names: PR_MESSAGE_DELIVERY_TIME

2.611 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.612 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W

2.613 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG]

Alternate names: PR_MESSAGE_LOCALE_ID

2.614 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.615 PidTagMessageSize

Canonical name: PidTagMessageSize
Property ID: 0x0E08
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCMSG], [MS-OXCFOLD], [MS-OXCSTOR]
Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.616 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended
Property ID: 0x0E08
Data type: PtypInteger64, 0x0014
Area: General Message Properties
References: [MS-OXCMSG], [MS-OXCFOLD], [MS-OXCSTOR]
Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.617 PidTagMessageStatus

Canonical name: PidTagMessageStatus
Property ID: 0x0E17
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCSYNC]
Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.618 PidTagMessageToMe

Canonical name: PidTagMessageToMe
Property ID: 0x0057
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.619 PidTagMid

Canonical name: PidTagMid
Property ID: 0x674A
Data type: PtypInteger64, 0x0014
Area: ID Properties
References: [MS-OXCFXICS]
Alternate names: ptagMID

2.620 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC]

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A,
PR_MIDDLE_NAME_W

2.621 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_MOBILE_TELEPHONE_NUMBER,
PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W

2.622 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagNewFXFolder

2.623 PidTagNickname

Canonical name: PidTagNickname

Property ID: 0x3A4F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W

2.624 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject

Property ID: 0x0E1D

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMSG], [MS-OXOCNTC]

Alternate names: PR_NORMALIZED SUBJECT, PR_NORMALIZED SUBJECT_A,
ptagNormalizedSubject, PR_NORMALIZED SUBJECT_W

2.625 *PidTagObjectType*

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXOABK]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.626 *PidTagOfficeLocation*

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A, PR_OFFICE_LOCATION_W

2.627 *PidTagOfflineAddressBookCompressedSize*

Canonical name: PidTagOfflineAddressBookCompressedSize

Property ID: 0x6809

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_COMPRESSED_SIZE

2.628 *PidTagOfflineAddressBookContainerGuid*

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.629 *PidTagOfflineAddressBookDistinguishedName*

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.630 *PidTagOfflineAddressBookFileSize*

Canonical name: PidTagOfflineAddressBookFileSize

Property ID: 0x680A

Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_FILE_SIZE

2.631 PidTagOfflineAddressBookFileType

Canonical name: PidTagOfflineAddressBookFileType
Property ID: 0x6808
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_FILETYPE

2.632 PidTagOfflineAddressBookLanguageid

Canonical name: PidTagOfflineAddressBookLanguageid
Property ID: 0x6807
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_LANGID

2.633 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass
Property ID: 0x6803
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_MESSAGE_CLASS

2.634 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName
Property ID: 0x6800
Data type: PtypString, 0x001F
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.635 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence
Property ID: 0x6801
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_SEQUENCE

2.636 *PidTagOfflineAddressBookShaHash*

Canonical name: PidTagOfflineAddressBookShaHash

Property ID: 0x6806

Data type: PtypBinary, 0x0102

Area: Offline Address Book Properties

References: [MS-OXPFOAB]

Alternate names: PR_OAB_SHA_HASH

2.637 *PidTagOfflineAddressBookTruncatedProperties*

Canonical name: PidTagOfflineAddressBookTruncatedProperties

Property ID: 0x6805

Data type: PtypMultipleInteger32, 0x1003

Area: Offline Address Book Properties

References: [MS-OXOAB]

Alternate names: PR_OAB_TRUNCATED_PROPS

2.638 *PidTagOrganizationalIdNumber*

Canonical name: PidTagOrganizationalIdNumber

Property ID: 0x3A10

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,

PR_ORGANIZATIONAL_ID_NUMBER_A, PR_ORGANIZATIONAL_ID_NUMBER_W

2.639 *PidTagOriginalDeliveryTime*

Canonical name: PidTagOriginalDeliveryTime

Property ID: 0x0055

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.640 *PidTagOriginalDisplayBcc*

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A,

ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W

2.641 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A, ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W

2.642 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME, PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName, PR_ORIGINAL_DISPLAY_NAME_W

2.643 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A, ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W

2.644 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.645 PidTagOriginalMessageEntryId

Canonical name: PidTagOriginalMessageEntryId

Property ID: 0x300F

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCSYNC]

Alternate names: PR_ORIG_ENTRYID

2.646 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey

Property ID: 0x3A14

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.647 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType

Property ID: 0x0066

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE,

PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType,

PR_ORIGINAL_SENDER_ADDRTYPE_W

2.648 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS,

PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A,

PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.649 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.650 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_NAME,

PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,
PR_ORIGINAL_SENDER_NAME_W

2.651 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,
ptagOriginalSenderSearchKey

2.652 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.653 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,
ptagOriginalSentRepresentingAddrType,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.654 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.655 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID, ptagOriginalSentRepresentingEntryId

2.656 *PidTagOriginalSentRepresentingName*

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME, PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName, PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.657 *PidTagOriginalSentRepresentingSearchKey*

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY, ptagOriginalSentRepresentingSearchKey

2.658 *PidTagOriginalSubject*

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_ORIGINAL SUBJECT, PR_ORIGINAL SUBJECT_A, ptagOriginalSubject, PR_ORIGINAL SUBJECT_W

2.659 *PidTagOriginalSubmitTime*

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime

2.660 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED

2.661 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.662 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A, PR_OTHER_ADDRESS_CITY_W

2.663 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_COUNTRY, PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W

2.664 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE, PR_OTHER_ADDRESS_POSTAL_CODE_A, PR_OTHER_ADDRESS_POSTAL_CODE_W

2.665 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_A,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_W

2.666 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W

2.667 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_ADDRESS_STREET,
PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W

2.668 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK]

Alternate names: PR_OTHER_TELEPHONE_NUMBER,
PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W

2.669 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [MS-OXCSTOR]
Alternate names: PR_OOF_STATE, ptagOOFState

2.670 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerApppointmentId
Property ID: 0x0062
Data type: PtypInteger32, 0x0003
Area: Appointment
References: [MS-OXOCAL]
Alternate names: PR_OWNER_APPT_ID

2.671 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber
Property ID: 0x3A21
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_PAGER_TELEPHONE_NUMBER,
PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W

2.672 PidTagParentFolderId

Canonical name: PidTagParentFolderId
Property ID: 0x6749
Data type: PtypInteger64, 0x0014
Area: ID Properties
References: [MS-OXCFXICS]
Alternate names: ptagParentFID

2.673 PidTagParentKey

Canonical name: PidTagParentKey
Property ID: 0x0025
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_PARENT_KEY, ptagParentKey

2.674 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey
Property ID: 0x65E1
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCFXICS], [MS-OXCSYNC]
Alternate names: PR_PARENT_SOURCE_KEY

2.675 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage

Property ID: 0x3A50

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W

2.676 PidTagPostalAddress

Canonical name: PidTagPostalAddress

Property ID: 0x3A15

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W

2.677 PidTagPostalCode

Canonical name: PidTagPostalCode

Property ID: 0x3A2A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE, PR_BUSINESS_ADDRESS_POSTAL_CODE_A, PR_BUSINESS_ADDRESS_POSTAL_CODE_W

2.678 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A, PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W

2.679 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.680 PidTagPreferredByName

Canonical name: PidTagPreferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC]

Alternate names: PR_PREFERRED_BY_NAME, PR_PREFERRED_BY_NAME_A, PR_PREFERRED_BY_NAME_W

2.681 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A, PR_PRIMARY_FAX_NUMBER_W

2.682 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber

Property ID: 0x3A1A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_PRIMARY_TELEPHONE_NUMBER, PR_PRIMARY_TELEPHONE_NUMBER_A, PR_PRIMARY_TELEPHONE_NUMBER_W

2.683 PidTagPriority

Canonical name: PidTagPriority

Property ID: 0x0026

Data type: PtypInteger32, 0x0003

Area: Email

References: [MS-OXCMSG]

Alternate names: PR_PRIORITY, ptagPriority

2.684 PidTagProcessed

Canonical name: PidTagProcessed

Property ID: 0x7D01

Data type: PtypBoolean, 0x000B

Area: Calendar
References: [MS-OXOCAL], [MS-OXOTASK]
Alternate names: PR_PROCESSED

2.685 PidTagProfession

Canonical name: PidTagProfession
Property ID: 0x3A46
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W

2.686 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota
Property ID: 0x666A
Data type: PtypInteger32, 0x0003
Area: Exchange Administrative
References: [MS-OXCSTOR]
Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.687 PidTagProhibitSendQuota

Canonical name: PidTagProhibitSendQuota
Property ID: 0x666E
Data type: PtypInteger32, 0x0003
Area: Exchange Administrative
References: [MS-OXCSTOR]
Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.688 PidTagRadioTelephoneNumber

Canonical name: PidTagRadioTelephoneNumber
Property ID: 0x3A1D
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_RADIO_TELEPHONE_NUMBER,
PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.689 PidTagRead

Canonical name: PidTagRead
Property ID: 0x0E69
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable
References: [MS-OXCTABL]
Alternate names: PR_READ, ptagRead

2.690 PidTagReadReceiptEntryId

Canonical name: PidTagReadReceiptEntryId

Property ID: 0x0046

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.691 PidTagReadReceiptRequested

Canonical name: PidTagReadReceiptRequested

Property ID: 0x0029

Data type: PtypBoolean, 0x000B

Area: Email

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested

2.692 PidTagReadReceiptSearchKey

Canonical name: PidTagReadReceiptSearchKey

Property ID: 0x0053

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.693 PidTagReceivedByAddressType

Canonical name: PidTagReceivedByAddressType

Property ID: 0x0075

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR RECEIVED_BY_ADDRTYPE,
PR RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType,
PR RECEIVED_BY_ADDRTYPE_W

2.694 PidTagReceivedByEmailAddress

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR RECEIVED_BY_EMAIL_ADDRESS,
PR RECEIVED_BY_EMAIL_ADDRESS_A,
PR RECEIVED_BY_EMAIL_ADDRESS_W

2.695 PidTagReceivedByEntryId

Canonical name: PidTagReceivedByEntryId

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_ENTRYID

2.696 PidTagReceivedByName

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A,
PR_RECEIVED_BY_NAME_W

2.697 PidTagReceivedBySearchKey

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.698 PidTagReceivedRepresentingAddressType

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE,
PR_RCVD_REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType,
PR_RCVD_REPRESENTING_ADDRTYPE_W

2.699 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS,
PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A,
PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.700 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD REPRESENTING_ENTRYID,
ptagRcvdRepresentingEntryId

2.701 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD REPRESENTING_NAME,
PR_RCVD REPRESENTING_NAME_A, ptagRcvdRepresentingName,
PR_RCVD REPRESENTING_NAME_W

2.702 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_RCVD REPRESENTING_SEARCH_KEY,
ptagRcvdRepresentingSearchKey

2.703 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags

Property ID: 0x5FFD

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_FLAGS

2.704 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed

Property ID: 0x5FE1

Data type: PtypBoolean, 0x000B

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.705 *PidTagRecipientProposedEndTime*

Canonical name: PidTagRecipientProposedEndTime

Property ID: 0x5FE4

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDENDTIME,
ptagRecipientProposedEndTime

2.706 *PidTagRecipientProposedStartTime*

Canonical name: PidTagRecipientProposedStartTime

Property ID: 0x5FE3

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME,
ptagRecipientProposedStartTime

2.707 *PidTagRecipientReassignmentProhibited*

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED,
ptagRecipientReassignmentProhibited

2.708 *PidTagRecipientTrackStatus*

Canonical name: PidTagRecipientTrackStatus

Property ID: 0x5FFF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.709 *PidTagRecipientTrackStatusTime*

Canonical name: PidTagRecipientTrackStatusTime

Property ID: 0x5FFB

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME,
ptagRecipientTrackStatusTime

2.710 PidTagRecipientType

Canonical name: PidTagRecipientType

Property ID: 0x0C15

Data type: PtypInteger32, 0x0003

Area: MapiRecipient

References: [MS-OXCMSG], [MS-OXOMSG], [MS-OXOCAL]

Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.711 PidTagRecordKey

Canonical name: PidTagRecordKey

Property ID: 0x0FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_RECORD_KEY, ptagRecordKey

2.712 PidTagReferredByName

Canonical name: PidTagReferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_REFERRED_BY_NAME, PR_REFERRED_BY_NAME_A, PR_REFERRED_BY_NAME_W

2.713 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId

Property ID: 0x36D5

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOSFLD]

Alternate names: PR_Rem_Online_EntryId, ptagRemOnlineEntryId

2.714 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [MS-OXCMSG]

Alternate names: PR_RENDERING_POSITION, ptagRenderingPosition

2.715 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXCMAIL]

Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries

2.716 *PidTagReplyRecipientNames*

Canonical name: PidTagReplyRecipientNames

Property ID: 0x0050

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXCMAIL]

Alternate names: PR_REPLY_RECIPIENT_NAMES,
PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames,
PR_REPLY_RECIPIENT_NAMES_W

2.717 *PidTagReplyRequested*

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [MS-OXOMSG], [MS-OXOFLAG], [MS-OXOCAL]

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.718 *PidTagReplyTime*

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_REPLY_TIME

2.719 *PidTagReportTag*

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TAG, ptagReportTag

2.720 *PidTagReportText*

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.721 PidTagReportTime

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXCSPAM]

Alternate names: PR_REPORT_TIME, ptagReportTime

2.722 PidTagResponseRequested

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXOFLAG], [MS-OXOCAL]

Alternate names: PR_RESPONSE_REQUESTED

2.723 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.724 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.725 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.726 *PidTagRoamingXmlStream*

Canonical name: PidTagRoamingXmlStream
Property ID: 0x7C08
Data type: PtypBinary, 0x0102
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_ROAMING_XMLSTREAM

2.727 *PidTagRtfCompressed*

Canonical name: PidTagRtfCompressed
Property ID: 0x1009
Data type: PtypBinary, 0x0102
Area: Email
References: [MS-OXCMSG]
Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.728 *PidTagRtfInSync*

Canonical name: PidTagRtfInSync
Property ID: 0x0E1F
Data type: PtypBoolean, 0x000B
Area: Email
References: [MS-OXCMSG]
Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.729 *PidTagRuleActionNumber*

Canonical name: PidTagRuleActionNumber
Property ID: 0x6650
Data type: PtypInteger32, 0x0003
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.730 *PidTagRuleActions*

Canonical name: PidTagRuleActions
Property ID: 0x6680
Data type: PtypServerEntryId, 0x00FE
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.731 *PidTagRuleActionType*

Canonical name: PidTagRuleActionType
Property ID: 0x6649
Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.732 *PidTagRuleCondition*

Canonical name: PidTagRuleCondition
Property ID: 0x6679
Data type: PtypServerEntryId, 0x00FD
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.733 *PidTagRuleError*

Canonical name: PidTagRuleError
Property ID: 0x6648
Data type: PtypInteger32, 0x0003
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_ERROR, ptagRuleError

2.734 *PidTagRuleFolderEntryId*

Canonical name: PidTagRuleFolderEntryId
Property ID: 0x6651
Data type: PtypBinary, 0x0102
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.735 *PidTagRuleId*

Canonical name: PidTagRuleId
Property ID: 0x6674
Data type: PtypInteger64, 0x0014
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ID, ptagRuleId

2.736 *PidTagRuleLevel*

Canonical name: PidTagRuleLevel
Property ID: 0x6683
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.737 *PidTagRuleMessageLevel*

Canonical name: PidTagRuleMessageLevel

Property ID: 0x65ED

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.738 *PidTagRuleMessageProviderData*

Canonical name: PidTagRuleMessageProviderData

Property ID: 0x65EE

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.739 *PidTagRuleMessageSequence*

Canonical name: PidTagRuleMessageSequence

Property ID: 0x65F3

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.740 *PidTagRuleMessageState*

Canonical name: PidTagRuleMessageState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.741 *PidTagRuleMessageUserFlags*

Canonical name: PidTagRuleMessageUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.742 *PidTagRuleName*

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName, PR_RULE_NAME_W

2.743 PidTagRuleProvider

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.744 PidTagRuleProviderData

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.745 PidTagRuleSequence

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.746 PidTagRuleState

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_STATE, ptagRuleState

2.747 PidTagRuleUserFlags

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.748 PidTagScheduleInfoAppointmentTombstone

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOCAL]

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.749 PidTagScheduleInfoAutoAcceptAppointments

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.750 PidTagScheduleInfoDelegateEntryIds

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.751 PidTagScheduleInfoDelegateNames

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.752 PidTagScheduleInfoDelegatorWantsCopy

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.753 PidTagScheduleInfoDelegatorWantsInfo

Canonical name: PidTagScheduleInfoDelegatorWantsInfo

Property ID: 0x684B

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties
References: [MS-OXODLGT], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.754 PidTagScheduleInfoDisallowOverlappingAppts

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts

Property ID: 0x686F

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.755 PidTagScheduleInfoDisallowRecurringAppts

Canonical name: PidTagScheduleInfoDisallowRecurringAppts

Property ID: 0x686E

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.756 PidTagScheduleInfoDontMailDelegates

Canonical name: PidTagScheduleInfoDontMailDelegates

Property ID: 0x6843

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.757 PidTagScheduleInfoFreeBusy

Canonical name: PidTagScheduleInfoFreeBusy

Property ID: 0x686C

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY

2.758 PidTagScheduleInfoFreeBusyAway

Canonical name: PidTagScheduleInfoFreeBusyAway

Property ID: 0x6856

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.759 PidTagScheduleInfoFreeBusyBusy

Canonical name: PidTagScheduleInfoFreeBusyBusy

Property ID: 0x6854

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.760 PidTagScheduleInfoFreeBusyMerged

Canonical name: PidTagScheduleInfoFreeBusyMerged

Property ID: 0x6850

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.761 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.762 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.763 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.764 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.765 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative

Property ID: 0x6851

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.766 PidTagScheduleInfoResourceType

Canonical name: PidTagScheduleInfoResourceType

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.767 PidTagSchedulePlusFreeBusyEntryId

Canonical name: PidTagSchedulePlusFreeBusyEntryId

Property ID: 0x6622

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXOPFFB]

Alternate names: PR_PLUS_FREE_BUSY_ENTRYID

2.768 PidTagSearchFolderDefinition

Canonical name: PidTagSearchFolderDefinition

Property ID: 0x6845

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_DEFINITION

2.769 PidTagSearchFolderEfpFlags

Canonical name: PidTagSearchFolderEfpFlags

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_EFP_FLAGS

2.770 *PidTagSearchFolderExpiration*

Canonical name: PidTagSearchFolderExpiration

Property ID: 0x683A

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_EXPIRATION

2.771 *PidTagSearchFolderId*

Canonical name: PidTagSearchFolderId

Property ID: 0x6842

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_ID

2.772 *PidTagSearchFolderLastUsed*

Canonical name: PidTagSearchFolderLastUsed

Property ID: 0x6834

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_LAST_USED

2.773 *PidTagSearchFolderReCreateInfo*

Canonical name: PidTagSearchFolderReCreateInfo

Property ID: 0x6844

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_RECREATE_INFO

2.774 *PidTagSearchFolderStorageType*

Canonical name: PidTagSearchFolderStorageType

Property ID: 0x6846

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_STORAGE_TYPE

2.775 *PidTagSearchFolderTag*

Canonical name: PidTagSearchFolderTag

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_TAG

2.776 PidTagSearchFolderTemplateId

Canonical name: PidTagSearchFolderTemplateId

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_TEMPLATE_ID

2.777 PidTagSearchKey

Canonical name: PidTagSearchKey

Property ID: 0x300B

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.778 PidTagSenderAddressType

Canonical name: PidTagSenderAddressType

Property ID: 0x0C1E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENDER_ADDRTYPE, PR_SENDER_ADDRTYPE_A, ptagSenderAddrType, PR_SENDER_ADDRTYPE_W

2.779 PidTagSenderEmailAddress

Canonical name: PidTagSenderEmailAddress

Property ID: 0x0C1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENDER_EMAIL_ADDRESS, PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.780 PidTagSenderEntryId

Canonical name: PidTagSenderEntryId

Property ID: 0x0C19

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG], [MS-OXORSS]
Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.781 PidTagSenderIdStatus

Canonical name: PidTagSenderIdStatus
Property ID: 0x4079
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCSPAM]
Alternate names: PR_SENDER_ID_STATUS

2.782 PidTagSenderName

Canonical name: PidTagSenderName
Property ID: 0x0C1A
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOMSG], [MS-OXORSS]
Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W

2.783 PidTagSenderSearchKey

Canonical name: PidTagSenderSearchKey
Property ID: 0x0C1D
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXOMSG]
Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.784 PidTagSenderTelephoneNumber

Canonical name: PidTagSenderTelephoneNumber
Property ID: 0x6802
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXOUM]
Alternate names: InternalSchemaSenderTelephoneNumber

2.785 PidTagSendInternetEncoding

Canonical name: PidTagSendInternetEncoding
Property ID: 0x3A71
Data type: PtypInteger32, 0x0003
Area: Address Properties
References: [MS-OXOABK]
Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.786 *PidTagSendRichInfo*

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXOABK], [MS-OXOMSG], [MS-OXCMAIL]

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.787 *PidTagSensitivity*

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR_SENSITIVITY, ptagSensitivity

2.788 *PidTagSentMailEntryId*

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOMSG]

Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.789 *PidTagSentMailSvrEID*

Canonical name: PidTagSentMailSvrEID

Property ID: 0x6740

Data type: PtypServerEntryId, 0x00FB

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: ptagSentMailSvrEID

2.790 *PidTagSentRepresentingAddressType*

Canonical name: PidTagSentRepresentingAddressType

Property ID: 0x0064

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENT_REPRESENTING_ADDRTYPE,

PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType,

PR_SENT_REPRESENTING_ADDRTYPE_W

2.791 PidTagSentRepresentingEmailAddress

Canonical name: PidTagSentRepresentingEmailAddress

Property ID: 0x0065

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG], [MS-OXORSS]

Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS,

PR_SENT_REPRESENTING_EMAIL_ADDRESS_A,

PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.792 PidTagSentRepresentingEntryId

Canonical name: PidTagSentRepresentingEntryId

Property ID: 0x0041

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.793 PidTagSentRepresentingName

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOMSG], [MS-OXORSS]

Alternate names: PR_SENT_REPRESENTING_NAME,

PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName,

PR_SENT_REPRESENTING_NAME_W

2.794 PidTagSentRepresentingSearchKey

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXOMSG]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY,

ptagSentRepresentingSearchKey

2.795 PidTagSmtpAddress

Canonical name: PidTagSmtpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXCMAIL]

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A, PR_SMTP_ADDRESS_W

2.796 PidTagSortLocaleId

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OXPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.797 PidTagSourceKey

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_SOURCE_KEY

2.798 PidTagSpouseName

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A, PR_SPOUSE_NAME_W

2.799 PidTagStartDate

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope

References: [MS-OXOCAL]

Alternate names: PR_START_DATE

2.800 PidTagStateOrProvince

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A, PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE,

PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W

2.801 *PidTagStatus*

Canonical name: PidTagStatus

Property ID: 0x360B

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCMSG]

Alternate names: PR_STATUS

2.802 *PidTagStoreState*

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_STORE_STATE

2.803 *PidTagStoreSupportMask*

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXMSG]

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.804 *PidTagStoreUserEntryId*

Canonical name: PidTagStoreUserEntryId

Property ID: 0x7CF6

Data type: PtypBinary, 0x0102

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCSTOR]

Alternate names: PR_STORE_USER_ENTRYID

2.805 *PidTagStreetAddress*

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A,

PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET,

PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W

2.806 PidTagSubfolders

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [MS-OXCFOLD]

Alternate names: PR_SUBFOLDERS, ptagSubFolders

2.807 PidTagSubject

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG]

Alternate names: PR SUBJECT, PR SUBJECT_A, ptagSubject, PR SUBJECT_W

2.808 PidTagSubjectPrefix

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR SUBJECT_PREFIX, PR SUBJECT_PREFIX_A, ptagSubjectPrefix, PR SUBJECT_PREFIX_W

2.809 PidTagSurname

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR SURNAME, PR SURNAME_A, PR SURNAME_W

2.810 PidTagSwappedToDoData

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedTodoData

2.811 PidTagSwappedToDoStore

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102
Area: MapiNonTransmittable
References: [MS-OXOFLAG], [MS-OXORMDR]
Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedTodoStore

2.812 PidTagTargetEntryId

Canonical name: PidTagTargetEntryId
Property ID: 0x3010
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCSYNC]
Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.813 PidTagTelecommunicationsDeviceForDeafPhoneNumber

Canonical name: PidTagTelecommunicationsDeviceForDeafPhoneNumber
Property ID: 0x3A4B
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_TTYTDD_PHONE_NUMBER,
PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W

2.814 PidTagTelexNumber

Canonical name: PidTagTelexNumber
Property ID: 0x3A2C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,
PR_TELEX_NUMBER_W

2.815 PidTagTemplateid

Canonical name: PidTagTemplateid
Property ID: 0x3902
Data type: PtypBinary, 0x0102
Area: MapiAddressBook
References: [MS-OXOABK]
Alternate names: PR_TEMPLATEID

2.816 PidTagTitle

Canonical name: PidTagTitle
Property ID: 0x3A17
Data type: PtypString, 0x001F
Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]
Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W

2.817 PidTagToDoItemFlags

Canonical name: PidTagToDoItemFlags
Property ID: 0x0E2B
Data type: PtypInteger32, 0x0003
Area: MapiNonTransmittable
References: [MS-OXOFLAG]
Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.818 PidTagTransmittableDisplayName

Canonical name: PidTagTransmittableDisplayName
Property ID: 0x3A20
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK]
Alternate names: PR_TRANSMITTABLE_DISPLAY_NAME, PR_TRANSMITTABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName, PR_TRANSMITTABLE_DISPLAY_NAME_W

2.819 PidTagTransportMessageHeaders

Canonical name: PidTagTransportMessageHeaders
Property ID: 0x007D
Data type: PtypString, 0x001F
Area: EMail
References: [MS-OXOMSG], [MS-OXCMAIL]
Alternate names: PR_TRANSPORT_MESSAGE_HEADERS, PR_TRANSPORT_MESSAGE_HEADERS_A, PR_TRANSPORT_MESSAGE_HEADERS_W

2.820 PidTagUserCertificate

Canonical name: PidTagUserCertificate
Property ID: 0x3A22
Data type: PtypBinary, 0x0102
Area: MapiMailUser
References: [MS-OXOABK]
Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate

2.821 PidTagUserX509Certificate

Canonical name: PidTagUserX509Certificate
Property ID: 0x3A70
Data type: PtypMultipleBinary, 0x1102
Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_USER_X509_CERTIFICATE

2.822 PidTagVoiceMessageAttachmentOrder

Canonical name: PidTagVoiceMessageAttachmentOrder

Property ID: 0x6805

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXOUM]

Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.823 PidTagWeddingAnniversary

Canonical name: PidTagWeddingAnniversary

Property ID: 0x3A41

Data type: PtypTime, 0x0040

Area: MapiMailUser

References: [MS-OXOCNTC], [MS-OXOABK]

Alternate names: PR_WEDDING_ANNIVERSARY

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

6 Index

Appendix A

Office/Exchange behavior, 193

Introduction, 24

Applicability statement, 31

Glossary, 24

References, 24

Relationship to protocols and other structures, 31

Structure overview (synopsis), 27

Vendor-extensible fields, 31

Versioning and localization, 31

References

Informative references, 27

Normative references, 24

Security considerations, 193

Structure examples, 193

Structures, 31

Preliminary