

# [MS-OXPROPS]: Office Exchange Protocols Master Property List Specification

## Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting [protocol@microsoft.com](mailto:protocol@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.

## Table of Contents

<b>1</b>	<b>Introduction</b>	<b>24</b>
1.1	Glossary	24
1.2	References	24
1.2.1	Normative References	24
1.2.2	Informative References	27
1.3	Structure Overview	27
1.3.1	Common Message Classes	27
1.3.2	Commonly Used Property Sets	28
1.3.3	Property ID Ranges	29
1.4	Relationship to Protocols and Other Structures	30
1.5	Applicability Statement	31
1.6	Versioning and Localization	31
1.7	Vendor-Extensible Fields	31
<b>2</b>	<b>Structures</b>	<b>31</b>
2.1	PidLidAddressBookProviderArrayType	31
2.2	PidLidAddressBookProviderEmailList	31
2.3	PidLidAddressCountryCode	31
2.4	PidLidAgingDontAgeMe	32
2.5	PidLidAllAttendeesList	32
2.6	PidLidAllAttendeesString	32
2.7	PidLidAllowExternalCheck	32
2.8	PidLidAnniversaryEventEntryId	32
2.9	PidLidAppointmentAuxiliaryFlags	33
2.10	PidLidAppointmentColor	33
2.11	PidLidAppointmentCounterProposal	33
2.12	PidLidAppointmentDuration	33
2.13	PidLidAppointmentEndDate	34
2.14	PidLidAppointmentEndWhole	34
2.15	PidLidAppointmentLastSequence	34
2.16	PidLidAppointmentMessageClass	34
2.17	PidLidAppointmentNotAllowPropose	34
2.18	PidLidAppointmentProposalNumber	35
2.19	PidLidAppointmentProposedDuration	35
2.20	PidLidAppointmentProposedEndWhole	35
2.21	PidLidAppointmentProposedStartWhole	35
2.22	PidLidAppointmentRecur	35
2.23	PidLidAppointmentReplyName	36
2.24	PidLidAppointmentReplyTime	36
2.25	PidLidAppointmentSequence	36
2.26	PidLidAppointmentSequenceTime	36
2.27	PidLidAppointmentStartDate	37
2.28	PidLidAppointmentStartWhole	37
2.29	PidLidAppointmentStateFlags	37

2.30	PidLidAppointmentSubType.....	37
2.31	PidLidAppointmentTimeZoneDefinitionEndDisplay.....	37
2.32	PidLidAppointmentTimeZoneDefinitionRecur.....	38
2.33	PidLidAppointmentTimeZoneDefinitionStartDisplay.....	38
2.34	PidLidAppointmentUnsendableRecipients.....	38
2.35	PidLidAttendeeCriticalChange.....	38
2.36	PidLidAutoFillLocation.....	38
2.37	PidLidAutoLog.....	39
2.38	PidLidAutoProcessState.....	39
2.39	PidLidAutoStartCheck.....	39
2.40	PidLidAutoStartWhen.....	39
2.41	PidLidBirthdayEventEntryId.....	40
2.42	PidLidBusinessCardCardPicture.....	40
2.43	PidLidBusinessCardDisplayDefinition.....	40
2.44	PidLidBusyStatus.....	40
2.45	PidLidCalendarType.....	40
2.46	PidLidCategories.....	41
2.47	PidLidCcAttendeesString.....	41
2.48	PidLidChangeHighlight.....	41
2.49	PidLidClassification.....	41
2.50	PidLidClassificationDescription.....	41
2.51	PidLidClassificationGuid.....	42
2.52	PidLidClassificationKeep.....	42
2.53	PidLidClassified.....	42
2.54	PidLidCleanGlobalObjectId.....	42
2.55	PidLidClipEnd.....	43
2.56	PidLidClipStart.....	43
2.57	PidLidCollaborateDoc.....	43
2.58	PidLidCommonEnd.....	43
2.59	PidLidCommonStart.....	43
2.60	PidLidCompanies.....	44
2.61	PidLidConferencingCheck.....	44
2.62	PidLidConferencingType.....	44
2.63	PidLidContactCharacterSet.....	44
2.64	PidLidContactItemData.....	44
2.65	PidLidContactLinkEntry.....	45
2.66	PidLidContactLinkName.....	45
2.67	PidLidContactLinkSearchKey.....	45
2.68	PidLidContacts.....	45
2.69	PidLidContactUserField1.....	46
2.70	PidLidContactUserField2.....	46
2.71	PidLidContactUserField3.....	46
2.72	PidLidContactUserField4.....	46
2.73	PidLidCurrentVersion.....	46

2.74	PidLidCurrentVersionName.....	47
2.75	PidLidDayInterval.....	47
2.76	PidLidDelegateMail.....	47
2.77	PidLidDepartment.....	47
2.78	PidLidDirectory.....	47
2.79	PidLidDistributionListChecksum.....	48
2.80	PidLidDistributionListMembers.....	48
2.81	PidLidDistributionListName.....	48
2.82	PidLidDistributionListOneOffMembers.....	48
2.83	PidLidEmail1AddressType.....	49
2.84	PidLidEmail1DisplayName.....	49
2.85	PidLidEmail1EmailAddress.....	49
2.86	PidLidEmail1EmailType.....	49
2.87	PidLidEmail1OriginalDisplayName.....	49
2.88	PidLidEmail1OriginalEntryId.....	50
2.89	PidLidEmail2AddressType.....	50
2.90	PidLidEmail2DisplayName.....	50
2.91	PidLidEmail2EmailAddress.....	50
2.92	PidLidEmail2EntryId.....	50
2.93	PidLidEmail2OriginalDisplayName.....	51
2.94	PidLidEmail2OriginalEntryId.....	51
2.95	PidLidEmail3AddressType.....	51
2.96	PidLidEmail3DisplayName.....	51
2.97	PidLidEmail3EmailAddress.....	52
2.98	PidLidEmail3EntryId.....	52
2.99	PidLidEmail3OriginalDisplayName.....	52
2.100	PidLidEmail3OriginalEntryId.....	52
2.101	PidLidEmailList.....	52
2.102	PidLidExceptionReplaceTime.....	53
2.103	PidLidFax1AddressType.....	53
2.104	PidLidFax1EmailAddress.....	53
2.105	PidLidFax1OriginalDisplayName.....	53
2.106	PidLidFax1OriginalEntryId.....	53
2.107	PidLidFax2AddressType.....	54
2.108	PidLidFax2EmailAddress.....	54
2.109	PidLidFax2OriginalDisplayName.....	54
2.110	PidLidFax2OriginalEntryId.....	54
2.111	PidLidFax3AddressType.....	55
2.112	PidLidFax3EmailAddress.....	55
2.113	PidLidFax3OriginalDisplayName.....	55
2.114	PidLidFax3OriginalEntryId.....	55
2.115	PidLidFExceptionalAttendees.....	55
2.116	PidLidFExceptionalBody.....	56
2.117	PidLidFileUnder.....	56

2.118	PidLidFileUnderId .....	56
2.119	PidLidFileUnderList .....	56
2.120	PidLidFInvited.....	56
2.121	PidLidFlagRequest.....	57
2.122	PidLidFlagString .....	57
2.123	PidLidForwardInstance.....	57
2.124	PidLidFreeBusyLocation .....	57
2.125	PidLidGlobalObjectId.....	58
2.126	PidLidHasPicture .....	58
2.127	PidLidHomeAddress.....	58
2.128	PidLidHomeAddressCountryCode .....	58
2.129	PidLidHtml .....	58
2.130	PidLidInstantMessagingAddress.....	59
2.131	PidLidIntendedBusyStatus.....	59
2.132	PidLidInternetAccountName.....	59
2.133	PidLidInternetAccountStamp .....	59
2.134	PidLidIsException .....	59
2.135	PidLidIsRecurring .....	60
2.136	PidLidIsSilent .....	60
2.137	PidLidLinkedTaskItems.....	60
2.138	PidLidLocation .....	60
2.139	PidLidLogDocumentPosted .....	61
2.140	PidLidLogDocumentPrinted.....	61
2.141	PidLidLogDocumentRouted.....	61
2.142	PidLidLogDocumentSaved .....	61
2.143	PidLidLogDuration .....	61
2.144	PidLidLogEnd .....	62
2.145	PidLidLogFlags .....	62
2.146	PidLidLogStart .....	62
2.147	PidLidLogType .....	62
2.148	PidLidLogTypeDesc .....	62
2.149	PidLidMeetingType .....	63
2.150	PidLidMeetingWorkspaceUrl.....	63
2.151	PidLidMonthInterval.....	63
2.152	PidLidNetShowUrl.....	63
2.153	PidLidNonSendableBcc.....	64
2.154	PidLidNonSendableCc.....	64
2.155	PidLidNonSendableTo.....	64
2.156	PidLidNonSendBccTrackStatus.....	64
2.157	PidLidNonSendCcTrackStatus.....	64
2.158	PidLidNonSendToTrackStatus.....	65
2.159	PidLidNoteColor .....	65
2.160	PidLidNoteHeight .....	65
2.161	PidLidNoteWidth .....	65

2.162	PidLidNoteX.....	65
2.163	PidLidNoteY.....	66
2.164	PidLidOldLocation.....	66
2.165	PidLidOldWhenEndWhole.....	66
2.166	PidLidOldWhenStartWhole.....	66
2.167	PidLidOnlinePassword.....	67
2.168	PidLidOptionalAttendees.....	67
2.169	PidLidOrganizerAlias.....	67
2.170	PidLidOriginalStoreEntryId.....	67
2.171	PidLidOtherAddress.....	67
2.172	PidLidOtherAddressCountryCode.....	68
2.173	PidLidOwnerCriticalChange.....	68
2.174	PidLidPercentComplete.....	68
2.175	PidLidPostalAddressId.....	68
2.176	PidLidPostRssChannel.....	68
2.177	PidLidPostRssChannelLink.....	69
2.178	PidLidPostRssItemGuid.....	69
2.179	PidLidPostRssItemHash.....	69
2.180	PidLidPostRssItemLink.....	69
2.181	PidLidPostRssItemXml.....	70
2.182	PidLidPostRssSubscription.....	70
2.183	PidLidPrivate.....	70
2.184	PidLidRecurrencePattern.....	70
2.185	PidLidRecurrenceType.....	70
2.186	PidLidRecurring.....	71
2.187	PidLidReferenceEntryId.....	71
2.188	PidLidReminderDelta.....	71
2.189	PidLidReminderFileParameter.....	71
2.190	PidLidReminderOverride.....	72
2.191	PidLidReminderPlaySound.....	72
2.192	PidLidReminderSet.....	72
2.193	PidLidReminderSignalTime.....	72
2.194	PidLidReminderTime.....	72
2.195	PidLidReminderType.....	73
2.196	PidLidRequiredAttendees.....	73
2.197	PidLidResourceAttendees.....	73
2.198	PidLidResponseStatus.....	73
2.199	PidLidSendMeetingAsIcal.....	73
2.200	PidLidSharingAnonymity.....	74
2.201	PidLidSharingBindingEntryId.....	74
2.202	PidLidSharingBrowseUrl.....	74
2.203	PidLidSharingCapabilities.....	74
2.204	PidLidSharingConfigurationUrl.....	75
2.205	PidLidSharingDataRangeEnd.....	75

2.206	PidLidSharingDataRangeStart.....	75
2.207	PidLidSharingDetail.....	75
2.208	PidLidSharingExtensionXml.....	75
2.209	PidLidSharingFilter.....	76
2.210	PidLidSharingFlags.....	76
2.211	PidLidSharingFlavor.....	76
2.212	PidLidSharingFolderEntryId.....	76
2.213	PidLidSharingIndexEntryId.....	76
2.214	PidLidSharingInitiatorEntryId.....	77
2.215	PidLidSharingInitiatorName.....	77
2.216	PidLidSharingInitiatorSmtpt.....	77
2.217	PidLidSharingInstanceGuid.....	77
2.218	PidLidSharingLastAutoSyncTime.....	78
2.219	PidLidSharingLastSyncTime.....	78
2.220	PidLidSharingLocalComment.....	78
2.221	PidLidSharingLocalLastModificationTime.....	78
2.222	PidLidSharingLocalName.....	78
2.223	PidLidSharingLocalPath.....	79
2.224	PidLidSharingLocalStoreUid.....	79
2.225	PidLidSharingLocalType.....	79
2.226	PidLidSharingLocalUid.....	79
2.227	PidLidSharingOriginalMessageEntryId.....	79
2.228	PidLidSharingParentBindingEntryId.....	80
2.229	PidLidSharingParticipants.....	80
2.230	PidLidSharingPermissions.....	80
2.231	PidLidSharingProviderExtension.....	80
2.232	PidLidSharingProviderGuid.....	81
2.233	PidLidSharingProviderName.....	81
2.234	PidLidSharingProviderUrl.....	81
2.235	PidLidSharingRangeEnd.....	81
2.236	PidLidSharingRangeStart.....	81
2.237	PidLidSharingReciprocation.....	82
2.238	PidLidSharingRemoteByteSize.....	82
2.239	PidLidSharingRemoteComment.....	82
2.240	PidLidSharingRemoteCrc.....	82
2.241	PidLidSharingRemoteLastModificationTime.....	82
2.242	PidLidSharingRemoteMessageCount.....	83
2.243	PidLidSharingRemoteName.....	83
2.244	PidLidSharingRemotePass.....	83
2.245	PidLidSharingRemotePath.....	83
2.246	PidLidSharingRemoteStoreUid.....	84
2.247	PidLidSharingRemoteType.....	84
2.248	PidLidSharingRemoteUid.....	84
2.249	PidLidSharingRemoteUser.....	84

2.250	PidLidSharingRemoteVersion.....	84
2.251	PidLidSharingResponseTime.....	85
2.252	PidLidSharingResponseType.....	85
2.253	PidLidSharingRoamLog.....	85
2.254	PidLidSharingStart.....	85
2.255	PidLidSharingStatus.....	85
2.256	PidLidSharingStop.....	86
2.257	PidLidSharingSyncFlags.....	86
2.258	PidLidSharingSyncInterval.....	86
2.259	PidLidSharingTimeToLive.....	86
2.260	PidLidSharingTimeToLiveAuto.....	87
2.261	PidLidSharingWorkingHoursDays.....	87
2.262	PidLidSharingWorkingHoursEnd.....	87
2.263	PidLidSharingWorkingHoursStart.....	87
2.264	PidLidSharingWorkingHoursTimeZone.....	87
2.265	PidLidSideEffects.....	88
2.266	PidLidSingleInvite.....	88
2.267	PidLidSmartNoAttach.....	88
2.268	PidLidSpamOriginalFolder.....	88
2.269	PidLidTaskAcceptanceState.....	88
2.270	PidLidTaskAccepted.....	89
2.271	PidLidTaskActualEffort.....	89
2.272	PidLidTaskAssigner.....	89
2.273	PidLidTaskAssigners.....	89
2.274	PidLidTaskComplete.....	90
2.275	PidLidTaskDateCompleted.....	90
2.276	PidLidTaskDeadOccurrence.....	90
2.277	PidLidTaskDueDate.....	90
2.278	PidLidTaskEstimatedEffort.....	90
2.279	PidLidTaskFCreator.....	91
2.280	PidLidTaskFFixOffline.....	91
2.281	PidLidTaskFRecurring.....	91
2.282	PidLidTaskGlobalId.....	91
2.283	PidLidTaskHistory.....	91
2.284	PidLidTaskLastDelegate.....	92
2.285	PidLidTaskLastUpdate.....	92
2.286	PidLidTaskLastUser.....	92
2.287	PidLidTaskMode.....	92
2.288	PidLidTaskMultipleRecipients.....	93
2.289	PidLidTaskNoCompute.....	93
2.290	PidLidTaskOrdinal.....	93
2.291	PidLidTaskOwner.....	93
2.292	PidLidTaskOwnership.....	93
2.293	PidLidTaskRecurrence.....	94



2.294	PidLidTaskResetReminder .....	94
2.295	PidLidTaskRole .....	94
2.296	PidLidTaskStartDate .....	94
2.297	PidLidTaskState .....	94
2.298	PidLidTaskStatus .....	95
2.299	PidLidTaskStatusOnComplete .....	95
2.300	PidLidTaskUpdates .....	95
2.301	PidLidTaskVersion .....	95
2.302	PidLidTeamTask .....	96
2.303	PidLidTimeZone .....	96
2.304	PidLidTimeZoneDescription .....	96
2.305	PidLidTimeZoneStruct .....	96
2.306	PidLidToAttendeesString .....	96
2.307	PidLidToDoOrdinalDate .....	97
2.308	PidLidToDoSubOrdinal .....	97
2.309	PidLidToDoTitle .....	97
2.310	PidLidUseTnef .....	97
2.311	PidLidValidFlagStringProof .....	97
2.312	PidLidVerbResponse .....	98
2.313	PidLidVerbStream .....	98
2.314	PidLidWeekInterval .....	98
2.315	PidLidWhere .....	98
2.316	PidLidWorkAddress .....	99
2.317	PidLidWorkAddressCity .....	99
2.318	PidLidWorkAddressCountry .....	99
2.319	PidLidWorkAddressCountryCode .....	99
2.320	PidLidWorkAddressPostalCode .....	99
2.321	PidLidWorkAddressPostOfficeBox .....	100
2.322	PidLidWorkAddressState .....	100
2.323	PidLidWorkAddressStreet .....	100
2.324	PidLidYearInterval .....	100
2.325	PidLidYomiCompanyName .....	100
2.326	PidLidYomiFirstName .....	101
2.327	PidLidYomiLastName .....	101
2.328	PidLidInfoPathFormName .....	101
2.329	PidNameAcceptLanguage .....	101
2.330	PidNameApplicationName .....	102
2.331	PidNameAttachmentMacContentType .....	102
2.332	PidNameAttachmentMacInfo .....	102
2.333	PidNameAudioNotes .....	102
2.334	PidNameAuthor .....	102
2.335	PidNameByteCount .....	103
2.336	PidNameCategory .....	103
2.337	PidNameCharacterCount .....	103

2.338	PidNameComments .....	103
2.339	PidNameCompany .....	103
2.340	PidNameContentBase .....	104
2.341	PidNameContentClass .....	104
2.342	PidNameContentTransferEncoding .....	104
2.343	PidNameContentType.....	104
2.344	PidNameCreateDateTimeReadOnly .....	105
2.345	PidNameCrossReference .....	105
2.346	PidNameEditTime.....	105
2.347	PidNameExchangeJunkEmailMoveStamp .....	105
2.348	PidNameHiddenCount.....	105
2.349	PidNameKeywords .....	106
2.350	PidNameLastAuthor.....	106
2.351	PidNameLastPrinted .....	106
2.352	PidNameLastSaveDateTime.....	106
2.353	PidNameLineCount.....	106
2.354	PidNameManager.....	107
2.355	PidNameMultimediaClipCount.....	107
2.356	PidNameNoteCount .....	107
2.357	PidNameOMSAccountGuid.....	107
2.358	PidNameOMSMobileModel .....	108
2.359	PidNameOMSScheduleTime .....	108
2.360	PidNameOMSServiceType .....	108
2.361	PidNameOMSSourceType .....	108
2.362	PidNamePhishingStamp .....	108
2.363	PidNamePageCount .....	109
2.364	PidNameParagraphCount .....	109
2.365	PidNamePresentationFormat.....	109
2.366	PidNameRevisionNumber.....	109
2.367	PidNameRightsManagementLicense.....	109
2.368	PidNameSecurity.....	110
2.369	PidNameSlideCount.....	110
2.370	PidNameSubject.....	110
2.371	PidNameTemplate.....	110
2.372	PidNameTitle.....	111
2.373	PidNameWordCount.....	111
2.374	PidNameXSharingBrowseUrl .....	111
2.375	PidNameXSharingCapabilities.....	111
2.376	PidNameXSharingConfigUrl .....	111
2.377	PidNameXSharingExendedCaps.....	112
2.378	PidNameXSharingFlavor.....	112
2.379	PidNameXSharingInstanceGuid .....	112
2.380	PidNameXSharingLocalType .....	112
2.381	PidNameXSharingProviderGuid.....	112

2.382	PidNameXSharingProviderName .....	113
2.383	PidNameXSharingProviderUrl .....	113
2.384	PidNameXSharingRemoteName .....	113
2.385	PidNameXSharingRemotePath .....	113
2.386	PidNameXSharingRemoteStoreUid .....	114
2.387	PidNameXSharingRemoteType .....	114
2.388	PidNameXSharingRemoteUid .....	114
2.389	PidNameQuarantineOriginalSender .....	114
2.390	PidNameXCallId .....	114
2.391	PidNameXFaxNumberOfPages .....	115
2.392	PidNameXSenderTelephoneNumber .....	115
2.393	PidNameXVoiceMessageAttachmentOrder .....	115
2.394	PidNameXVoiceMessageDuration .....	115
2.395	PidNameXVoiceMessageSenderName .....	115
2.396	PidTag7BitDisplayName .....	116
2.397	PidTagAccess .....	116
2.398	PidTagAccessLevel .....	116
2.399	PidTagAccount .....	116
2.400	PidTagAdditionalRenEntryIds .....	117
2.401	PidTagAdditionalRenEntryIdsEx .....	117
2.402	PidTagAddressBookContainerId .....	117
2.403	PidTagAddressBookDisplayNamePrintable .....	117
2.404	PidTagAddressBookEntryId .....	117
2.405	PidTagAddressBookExtensionAttribute1 .....	118
2.406	PidTagAddressBookExtensionAttribute15 .....	118
2.407	PidTagAddressBookFolderPathname .....	118
2.408	PidTagAddressBookHierarchicalChildDepartments .....	118
2.409	PidTagAddressBookHierarchicalDepartmentMembers .....	118
2.410	PidTagAddressBookHierarchicalParentDepartment .....	119
2.411	PidTagAddressBookHierarchicalRootDepartment .....	119
2.412	PidTagAddressBookHierarchicalShowInDepartments .....	119
2.413	PidTagAddressBookHomeMessageDatabase .....	119
2.414	PidTagAddressBookIsMaster .....	119
2.415	PidTagAddressBookIsMemberOfDistributionList .....	120
2.416	PidTagAddressBookManageDistributionList .....	120
2.417	PidTagAddressBookManager .....	120
2.418	PidTagAddressBookManagerDistinguishedName .....	120
2.419	PidTagAddressBookMember .....	120
2.420	PidTagAddressBookMessageId .....	121
2.421	PidTagAddressBookNetworkAddress .....	121
2.422	PidTagAddressBookObjectDistinguishedName .....	121
2.423	PidTagAddressBookObjectGuid .....	121
2.424	PidTagAddressBookOwner .....	121
2.425	PidTagAddressBookOwnerBackLink .....	122

2.426	PidTagAddressBookParentEntryId .....	122
2.427	PidTagAddressBookPhoneticCompanyName .....	122
2.428	PidTagAddressBookPhoneticDepartmentName .....	122
2.429	PidTagAddressBookPhoneticDisplayName .....	122
2.430	PidTagAddressBookPhoneticGivenName .....	123
2.431	PidTagAddressBookPhoneticSurname .....	123
2.432	PidTagAddressBookProxyAddresses .....	123
2.433	PidTagAddressBookPublicDelegates .....	123
2.434	PidTagAddressBookReports .....	124
2.435	PidTagAddressBookRoomCapacity .....	124
2.436	PidTagAddressBookRoomContainers .....	124
2.437	PidTagAddressBookRoomDescription .....	124
2.438	PidTagAddressBookSeniorityIndex .....	124
2.439	PidTagAddressBookTargetAddress .....	125
2.440	PidTagAddressBookX509Certificate .....	125
2.441	PidTagAddressType .....	125
2.442	PidTagAlternateRecipientAllowed .....	125
2.443	PidTagAnr .....	125
2.444	PidTagAssistant .....	126
2.445	PidTagAssistantTelephoneNumber .....	126
2.446	PidTagAssociated .....	126
2.447	PidTagAttachAdditionalInformation .....	126
2.448	PidTagAttachContentBase .....	126
2.449	PidTagAttachContentId .....	127
2.450	PidTagAttachContentLocation .....	127
2.451	PidTagAttachDataBinary .....	127
2.452	PidTagAttachDataObject .....	127
2.453	PidTagAttachEncoding .....	127
2.454	PidTagAttachExtension .....	128
2.455	PidTagAttachFilename .....	128
2.456	PidTagAttachFlags .....	128
2.457	PidTagAttachLongFilename .....	128
2.458	PidTagAttachLongPathname .....	129
2.459	PidTagAttachmentContactPhoto .....	129
2.460	PidTagAttachmentFlags .....	129
2.461	PidTagAttachmentHidden .....	129
2.462	PidTagAttachmentLinkId .....	129
2.463	PidTagAttachMethod .....	130
2.464	PidTagAttachMimeTag .....	130
2.465	PidTagAttachNumber .....	130
2.466	PidTagAttachPathname .....	130
2.467	PidTagAttachPayloadClass .....	131
2.468	PidTagAttachPayloadProviderGuidString .....	131
2.469	PidTagAttachRendering .....	131

2.470	PidTagAttachSize.....	131
2.471	PidTagAttachTag .....	131
2.472	PidTagAttachTransportName.....	132
2.473	PidTagAttributeHidden.....	132
2.474	PidTagAttributeReadOnly .....	132
2.475	PidTagAttributeSystem.....	132
2.476	PidTagAutoForwarded.....	132
2.477	PidTagAutoResponseSuppress.....	133
2.478	PidTagBirthday .....	133
2.479	PidTagBlockStatus .....	133
2.480	PidTagBody.....	133
2.481	PidTagBodyContentId .....	133
2.482	PidTagBodyContentLocation .....	134
2.483	PidTagBodyHtml .....	134
2.484	PidTagBusiness2TelephoneNumber .....	134
2.485	PidTagBusiness2TelephoneNumbers .....	134
2.486	PidTagBusinessFaxNumber .....	134
2.487	PidTagBusinessHomePage.....	135
2.488	PidTagBusinessTelephoneNumber .....	135
2.489	PidTagCallbackTelephoneNumber .....	135
2.490	PidTagCallId.....	135
2.491	PidTagCarTelephoneNumber.....	135
2.492	PidTagChangeKey .....	136
2.493	PidTagChangeNotificationGuid.....	136
2.494	PidTagChangeNumber .....	136
2.495	PidTagChildrensNames .....	136
2.496	PidTagClientActions.....	136
2.497	PidTagClientSubmitTime .....	137
2.498	PidTagCnsetRead.....	137
2.499	PidTagCnsetSeen .....	137
2.500	PidTagCnsetSeenFAI.....	137
2.501	PidTagCodePageId.....	137
2.502	PidTagComment .....	138
2.503	PidTagCompanyMainTelephoneNumber.....	138
2.504	PidTagCompanyName.....	138
2.505	PidTagComputerNetworkName.....	138
2.506	PidTagConflictEntryId.....	139
2.507	PidTagConflictItems .....	139
2.508	PidTagContainerClass.....	139
2.509	PidTagContainerContents.....	139
2.510	PidTagContainerFlags.....	139
2.511	PidTagContainerHierarchy .....	140
2.512	PidTagContentCount.....	140
2.513	PidTagContentFilterSpamConfidenceLevel.....	140

2.514	PidTagContentUnreadCount .....	140
2.515	PidTagConversationIndex .....	140
2.516	PidTagConversationKey .....	141
2.517	PidTagConversationTopic .....	141
2.518	PidTagCorrelateMtsid .....	141
2.519	PidTagCountry .....	141
2.520	PidTagCreateTemplates .....	141
2.521	PidTagCreationTime .....	142
2.522	PidTagCreationVersion .....	142
2.523	PidTagCreatorAddressType .....	142
2.524	PidTagCreatorEmailAddress .....	142
2.525	PidTagCreatorEntryId .....	142
2.526	PidTagCreatorName .....	142
2.527	PidTagCreatorSimpleDisplayName .....	143
2.528	PidTagCustomerId .....	143
2.529	PidTagDamBackPatched .....	143
2.530	PidTagDamOriginalEntryId .....	143
2.531	PidTagDefaultPostMessageClass .....	143
2.532	PidTagDeferredDeliveryTime .....	144
2.533	PidTagDeferredSendNumber .....	144
2.534	PidTagDeferredSendTime .....	144
2.535	PidTagDeferredSendUnits .....	144
2.536	PidTagDelegatedByRule .....	144
2.537	PidTagDelegateFlags .....	145
2.538	PidTagDelegation .....	145
2.539	PidTagDeleteAfterSubmit .....	145
2.540	PidTagDeletedOn .....	145
2.541	PidTagDepartmentName .....	145
2.542	PidTagDepth .....	146
2.543	PidTagDisplayBcc .....	146
2.544	PidTagDisplayCc .....	146
2.545	PidTagDisplayName .....	146
2.546	PidTagDisplayNamePrefix .....	146
2.547	PidTagDisplayTo .....	147
2.548	PidTagDisplayType .....	147
2.549	PidTagDisplayTypeEx .....	147
2.550	PidTagEcWarning .....	147
2.551	PidTagEmailAddress .....	148
2.552	PidTagEmailAddress1 .....	148
2.553	PidTagEndDate .....	148
2.554	PidTagEntryId .....	148
2.555	PidTagExceptionEndTime .....	148
2.556	PidTagExceptionReplaceTime .....	149
2.557	PidTagExceptionStartTime .....	149

2.558	PidTagExpiryNumber	149
2.559	PidTagExpiryTime	149
2.560	PidTagExpiryUnits	149
2.561	PidTagExtendedFolderFlags	150
2.562	PidTagExtendedRuleMessageActions	150
2.563	PidTagExtendedRuleMessageCondition	150
2.564	PidTagExtendedRuleSizeLimit	150
2.565	PidTagFaxNumberOfPages	150
2.566	PidTagFlagCompleteTime	151
2.567	PidTagFlagStatus	151
2.568	PidTagFolderAssociatedContents	151
2.569	PidTagFolderId	151
2.570	PidTagFolderType	151
2.571	PidTagFollowupIcon	152
2.572	PidTagFreeBusyCountMonths	152
2.573	PidTagFreeBusyEntryIds	152
2.574	PidTagFreeBusyMessageEmailAddress	152
2.575	PidTagFreeBusyPublishEnd	152
2.576	PidTagFreeBusyPublishStart	152
2.577	PidTagFreeBusyRangeTimestamp	153
2.578	PidTagFtpSite	153
2.579	PidTagFXDelProp	153
2.580	PidTagGatewayNeedsToRefresh	153
2.581	PidTagGender	153
2.582	PidTagGeneration	154
2.583	PidTagGivenName	154
2.584	PidTagGovernmentIdNumber	154
2.585	PidTagHasAttachments	154
2.586	PidTagHasDeferredActionMessages	154
2.587	PidTagHasNamedProperties	155
2.588	PidTagHasRules	155
2.589	PidTagHierarchyChangeNumber	155
2.590	PidTagHobbies	155
2.591	PidTagHome2TelephoneNumber	155
2.592	PidTagHome2TelephoneNumbers	156
2.593	PidTagHomeAddressCity	156
2.594	PidTagHomeAddressCountry	156
2.595	PidTagHomeAddressPostalCode	156
2.596	PidTagHomeAddressPostOfficeBox	156
2.597	PidTagHomeAddressStateOrProvince	157
2.598	PidTagHomeAddressStreet	157
2.599	PidTagHomeFaxNumber	157
2.600	PidTagHomeTelephoneNumber	157
2.601	PidTagHtml	157

2.602	PidTagIconIndex .....	158
2.603	PidTagIdsetDeleted .....	158
2.604	PidTagIdsetExpired .....	158
2.605	PidTagIdsetGiven .....	158
2.606	PidTagIdsetRead .....	158
2.607	PidTagIdsetSoftDeleted .....	159
2.608	PidTagIdsetUnread .....	159
2.609	PidTagImapCachedMsgsize .....	159
2.610	PidTagImportance .....	159
2.611	PidTagInConflict .....	159
2.612	PidTagIncrementalSyncMessagePartial .....	160
2.613	PidTagIncrSyncGroupId .....	160
2.614	PidTagInitialDetailsPane .....	160
2.615	PidTagInitials .....	160
2.616	PidTagInReplyToId .....	160
2.617	PidTagInstanceKey .....	161
2.618	PidTagInstanceNum .....	161
2.619	PidTagInstID .....	161
2.620	PidTagInternetArticleNumber .....	161
2.621	PidTagInternetCodepage .....	161
2.622	PidTagInternetMailOverrideFormat .....	162
2.623	PidTagInternetMessageId .....	162
2.624	PidTagInternetReferences .....	162
2.625	PidTagInternetReturnPath .....	162
2.626	PidTagIpmAppointmentEntryId .....	162
2.627	PidTagIpmContactEntryId .....	163
2.628	PidTagIpmDraftsEntryId .....	163
2.629	PidTagIpmJournalEntryId .....	163
2.630	PidTagIpmNoteEntryId .....	163
2.631	PidTagIpmTaskEntryId .....	163
2.632	PidTagIsdnNumber .....	163
2.633	PidTagItemTemporaryFlags .....	164
2.634	PidTagJunkAddRecipientsToSafeSendersList .....	164
2.635	PidTagJunkIncludeContacts .....	164
2.636	PidTagJunkPermanentlyDelete .....	164
2.637	PidTagJunkPhishingEnableLinks .....	164
2.638	PidTagJunkThreshold .....	165
2.639	PidTagKeyword .....	165
2.640	PidTagLanguage .....	165
2.641	PidTagLastModificationTime .....	165
2.642	PidTagLastModifierEntryId .....	165
2.643	PidTagLastModifierName .....	166
2.644	PidTagLastModifierSimpleDisplayName .....	166
2.645	PidTagLastVerbExecuted .....	166



2.646	PidTagLastVerbExecutionTime	166
2.647	PidTagListHelp	166
2.648	PidTagListSubscribe	167
2.649	PidTagListUnsubscribe	167
2.650	PidTagLocalCommitTime	167
2.651	PidTagLocaleId	167
2.652	PidTagLocality	167
2.653	PidTagLocation	168
2.654	PidTagMailboxOwnerEntryId	168
2.655	PidTagMailboxOwnerName	168
2.656	PidTagManagerName	168
2.657	PidTagMappingSignature	168
2.658	PidTagMaximumSubmitMessageSize	169
2.659	PidTagMemberId	169
2.660	PidTagMemberName	169
2.661	PidTagMemberRights	169
2.662	PidTagMessageAttachments	169
2.663	PidTagMessageCcMe	170
2.664	PidTagMessageClass	170
2.665	PidTagMessageCodepage	170
2.666	PidTagMessageDeliveryTime	170
2.667	PidTagMessageEditorFormat	171
2.668	PidTagMessageFlags	171
2.669	PidTagMessageHandlingSystemCommonName	171
2.670	PidTagMessageLocaleId	171
2.671	PidTagMessageRecipientMe	171
2.672	PidTagMessageRecipients	172
2.673	PidTagMessageSize	172
2.674	PidTagMessageSizeExtended	172
2.675	PidTagMessageStatus	172
2.676	PidTagMessageSubmissionId	172
2.677	PidTagMessageToMe	173
2.678	PidTagMid	173
2.679	PidTagMiddleName	173
2.680	PidTagMobileTelephoneNumber	173
2.681	PidTagNewFXFolder	173
2.682	PidTagNextSendAcct	174
2.683	PidTagNickname	174
2.684	PidTagNormalizedSubject	174
2.685	PidTagNormalMessageSize	174
2.686	PidTagObjectType	174
2.687	PidTagOfficeLocation	175
2.688	PidTagOfflineAddressBookContainerGuid	175
2.689	PidTagOfflineAddressBookDistinguishedName	175

2.690	PidTagOfflineAddressBookMessageClass .....	175
2.691	PidTagOfflineAddressBookName .....	175
2.692	PidTagOfflineAddressBookSequence .....	176
2.693	PidTagOfflineAddressBookTruncatedProperties .....	176
2.694	PidTagOrdinalMost .....	176
2.695	PidTagOrganizationalIdNumber .....	176
2.696	PidTagOriginalAuthorName .....	176
2.697	PidTagOriginalDeliveryTime .....	177
2.698	PidTagOriginalDisplayBcc .....	177
2.699	PidTagOriginalDisplayCc .....	177
2.700	PidTagOriginalDisplayName .....	177
2.701	PidTagOriginalDisplayTo .....	178
2.702	PidTagOriginalEntryId .....	178
2.703	PidTagOriginalMessageClass .....	178
2.704	PidTagOriginalSearchKey .....	178
2.705	PidTagOriginalSenderAddressType .....	178
2.706	PidTagOriginalSenderEmailAddress .....	179
2.707	PidTagOriginalSenderEntryId .....	179
2.708	PidTagOriginalSenderName .....	179
2.709	PidTagOriginalSenderSearchKey .....	179
2.710	PidTagOriginalSensitivity .....	179
2.711	PidTagOriginalSentRepresentingAddressType .....	180
2.712	PidTagOriginalSentRepresentingEmailAddress .....	180
2.713	PidTagOriginalSentRepresentingEntryId .....	180
2.714	PidTagOriginalSentRepresentingName .....	180
2.715	PidTagOriginalSentRepresentingSearchKey .....	181
2.716	PidTagOriginalSubject .....	181
2.717	PidTagOriginalSubmitTime .....	181
2.718	PidTagOriginatorDeliveryReportRequested .....	181
2.719	PidTagOriginatorNonDeliveryReportRequested .....	181
2.720	PidTagOtherAddressCity .....	182
2.721	PidTagOtherAddressCountry .....	182
2.722	PidTagOtherAddressPostalCode .....	182
2.723	PidTagOtherAddressPostOfficeBox .....	182
2.724	PidTagOtherAddressStateOrProvince .....	182
2.725	PidTagOtherAddressStreet .....	183
2.726	PidTagOtherTelephoneNumber .....	183
2.727	PidTagOutOfOfficeState .....	183
2.728	PidTagOwnerAppointmentId .....	183
2.729	PidTagPagerTelephoneNumber .....	183
2.730	PidTagParentEntryId .....	184
2.731	PidTagParentFolderId .....	184
2.732	PidTagParentKey .....	184
2.733	PidTagParentSourceKey .....	184

2.734	PidTagPersonalHomePage .....	184
2.735	PidTagPostalAddress .....	185
2.736	PidTagPostalCode .....	185
2.737	PidTagPostOfficeBox .....	185
2.738	PidTagPredecessorChangeList .....	185
2.739	PidTagPrimaryFaxNumber .....	186
2.740	PidTagPrimarySendAccount .....	186
2.741	PidTagPrimarySmtpAddress .....	186
2.742	PidTagPrimaryTelephoneNumber .....	186
2.743	PidTagPriority .....	186
2.744	PidTagProcessed .....	187
2.745	PidTagProfession .....	187
2.746	PidTagProhibitReceiveQuota .....	187
2.747	PidTagProhibitSendQuota .....	187
2.748	PidTagProviderSubmitTime .....	187
2.749	PidTagPurportedSenderDomain .....	187
2.750	PidTagRadioTelephoneNumber .....	188
2.751	PidTagRead .....	188
2.752	PidTagReadReceiptEntryId .....	188
2.753	PidTagReadReceiptRequested .....	188
2.754	PidTagReadReceiptSearchKey .....	188
2.755	PidTagReceivedByAddressType .....	189
2.756	PidTagReceivedByEmailAddress .....	189
2.757	PidTagReceivedByEntryId .....	189
2.758	PidTagReceivedByFlags .....	189
2.759	PidTagReceivedByName .....	190
2.760	PidTagReceivedBySearchKey .....	190
2.761	PidTagReceivedRepresentingAddressType .....	190
2.762	PidTagReceivedRepresentingEmailAddress .....	190
2.763	PidTagReceivedRepresentingEntryId .....	191
2.764	PidTagReceivedRepresentingFlags .....	191
2.765	PidTagReceivedRepresentingName .....	191
2.766	PidTagReceivedRepresentingSearchKey .....	191
2.767	PidTagReceivedRepresentingSimpleDisplayName .....	191
2.768	PidTagReceivedRepresentingSimpleDisplayName .....	192
2.769	PidTagRecipientDisplayName .....	192
2.770	PidTagRecipientEntryId .....	192
2.771	PidTagRecipientFlags .....	192
2.772	PidTagRecipientOrder .....	192
2.773	PidTagRecipientProposed .....	193
2.774	PidTagRecipientProposedEndTime .....	193
2.775	PidTagRecipientProposedStartTime .....	193
2.776	PidTagRecipientReassignmentProhibited .....	193
2.777	PidTagRecipientResourceState .....	193

2.778	PidTagRecipientTrackStatus	194
2.779	PidTagRecipientTrackStatusTime	194
2.780	PidTagRecipientType	194
2.781	PidTagRecordKey	194
2.782	PidTagReferredByName	194
2.783	PidTagRemindersOnlineEntryId	195
2.784	PidTagRemoteHeaderLoc	195
2.785	PidTagRenderingPosition	195
2.786	PidTagReplyRecipientEntries	195
2.787	PidTagReplyRecipientNames	195
2.788	PidTagReplyRequested	196
2.789	PidTagReplyTemplateId	196
2.790	PidTagReplyTime	196
2.791	PidTagReportEntryId	196
2.792	PidTagReportSearchKey	196
2.793	PidTagReportTag	197
2.794	PidTagReportText	197
2.795	PidTagReportTime	197
2.796	PidTagResolveMethod	197
2.797	PidTagResponseRequested	197
2.798	PidTagResponsibility	198
2.799	PidTagRights	198
2.800	PidTagRoamingDatatypes	198
2.801	PidTagRoamingDictionary	198
2.802	PidTagRoamingXmlStream	198
2.803	PidTagRowid	199
2.804	PidTagRowType	199
2.805	PidTagRtfCompressed	199
2.806	PidTagRtfInSync	199
2.807	PidTagRtfSyncBodyCount	199
2.808	PidTagRtfSyncBodyCrc	200
2.809	PidTagRtfSyncBodyTag	200
2.810	PidTagRtfSyncPrefixCount	200
2.811	PidTagRtfSyncTrailingCount	200
2.812	PidTagRuleActionNumber	200
2.813	PidTagRuleActions	201
2.814	PidTagRuleActionType	201
2.815	PidTagRuleCondition	201
2.816	PidTagRuleError	201
2.817	PidTagRuleFolderEntryId	201
2.818	PidTagRuleId	201
2.819	PidTagRuleLevel	202
2.820	PidTagRuleMessageLevel	202
2.821	PidTagRuleMessageProviderData	202

2.822	PidTagRuleMessageSequence.....	202
2.823	PidTagRuleMessageState .....	202
2.824	PidTagRuleMsgActions.....	203
2.825	PidTagRuleMsgCondition .....	203
2.826	PidTagRuleMsgLevel .....	203
2.827	PidTagRuleMsgName.....	203
2.828	PidTagRuleMsgProvider .....	203
2.829	PidTagRuleMsgProviderData.....	204
2.830	PidTagRuleMsgSequence.....	204
2.831	PidTagRuleMsgState .....	204
2.832	PidTagRuleMsgUserFlags.....	204
2.833	PidTagRuleName .....	204
2.834	PidTagRuleProvider.....	205
2.835	PidTagRuleProviderData.....	205
2.836	PidTagRuleSequence .....	205
2.837	PidTagRuleState.....	205
2.838	PidTagRuleUserFlags .....	205
2.839	PidTagScheduleInfoAppointmentTombstone .....	206
2.840	PidTagScheduleInfoAutoAcceptAppointments .....	206
2.841	PidTagScheduleInfoDelegateEntryIds.....	206
2.842	PidTagScheduleInfoDelegateNames .....	206
2.843	PidTagScheduleInfoDelegateNamesW .....	206
2.844	PidTagScheduleInfoDelegatorWantsCopy.....	206
2.845	PidTagScheduleInfoDelegatorWantsInfo .....	207
2.846	PidTagScheduleInfoDisallowOverlappingAppts .....	207
2.847	PidTagScheduleInfoDisallowRecurringAppts .....	207
2.848	PidTagScheduleInfoDontMailDelegates .....	207
2.849	PidTagScheduleInfoFreeBusy.....	207
2.850	PidTagScheduleInfoFreeBusyAway.....	208
2.851	PidTagScheduleInfoFreeBusyBusy .....	208
2.852	PidTagScheduleInfoFreeBusyMerged.....	208
2.853	PidTagScheduleInfoFreeBusyTentative .....	208
2.854	PidTagScheduleInfoMonthsAway .....	208
2.855	PidTagScheduleInfoMonthsBusy.....	209
2.856	PidTagScheduleInfoMonthsMerged .....	209
2.857	PidTagScheduleInfoMonthsTentative .....	209
2.858	PidTagScheduleInfoResourceType.....	209
2.859	PidTagSchedulePlusFreeBusyEntryId.....	209
2.860	PidTagScriptData .....	209
2.861	PidTagSearchFolderDefinition.....	210
2.862	PidTagSearchFolderEfpFlags.....	210
2.863	PidTagSearchFolderExpiration .....	210
2.864	PidTagSearchFolderId .....	210
2.865	PidTagSearchFolderLastUsed.....	210

2.866	PidTagSearchFolderRecreateInfo .....	211
2.867	PidTagSearchFolderStorageType .....	211
2.868	PidTagSearchFolderTag .....	211
2.869	PidTagSearchFolderTemplateId .....	211
2.870	PidTagSearchKey .....	211
2.871	PidTagSecureSubmitFlags .....	212
2.872	PidTagSecurityDescriptor .....	212
2.873	PidTagSecurityDescriptorAsXml .....	212
2.874	PidTagSelectable .....	212
2.875	PidTagSenderAddressType .....	212
2.876	PidTagSenderEmailAddress .....	213
2.877	PidTagSenderEntryId .....	213
2.878	PidTagSenderFlags .....	213
2.879	PidTagSenderIdStatus .....	213
2.880	PidTagSenderName .....	213
2.881	PidTagSenderSearchKey .....	214
2.882	PidTagSenderSimpleDisplayName .....	214
2.883	PidTagSenderTelephoneNumber .....	214
2.884	PidTagSendInternetEncoding .....	214
2.885	PidTagSendRichInfo .....	214
2.886	PidTagSensitivity .....	215
2.887	PidTagSentMailEntryId .....	215
2.888	PidTagSentMailSvrEID .....	215
2.889	PidTagSentRepresentingAddressType .....	215
2.890	PidTagSentRepresentingEmailAddress .....	216
2.891	PidTagSentRepresentingEntryId .....	216
2.892	PidTagSentRepresentingFlags .....	216
2.893	PidTagSentRepresentingName .....	216
2.894	PidTagSentRepresentingSearchKey .....	217
2.895	PidTagSentRepresentingSimpleDisplayName .....	217
2.896	PidTagSmtppAddress .....	217
2.897	PidTagSortLocaleId .....	217
2.898	PidTagSourceKey .....	217
2.899	PidTagSpouseName .....	218
2.900	PidTagStartDate .....	218
2.901	PidTagStateOrProvince .....	218
2.902	PidTagStoreEntryId .....	218
2.903	PidTagStoreState .....	218
2.904	PidTagStoreSupportMask .....	219
2.905	PidTagStreetAddress .....	219
2.906	PidTagSubfolders .....	219
2.907	PidTagSubject .....	219
2.908	PidTagSubjectPrefix .....	219
2.909	PidTagSubmitFlags .....	220

2.910	PidTagSurname .....	220
2.911	PidTagSwappedToDoData .....	220
2.912	PidTagSwappedToDoStore .....	220
2.913	PidTagTargetEntryId .....	220
2.914	PidTagTcvConstLongOne .....	221
2.915	PidTagTelecommunicationsDeviceForDeafTelephoneNumber .....	221
2.916	PidTagTelexNumber .....	221
2.917	PidTagTemplateData .....	221
2.918	PidTagTemplateid .....	221
2.919	PidTagTextAttachmentCharset .....	222
2.920	PidTagTitle .....	222
2.921	PidTagTnefCorrelationKey .....	222
2.922	PidTagToDoItemFlags .....	222
2.923	PidTagTransmittableDisplayName .....	222
2.924	PidTagTransportMessageHeaders .....	223
2.925	PidTagTrustSender .....	223
2.926	PidTagTtyTddPhoneNumber .....	223
2.927	PidTagUrlCompName .....	223
2.928	PidTagUrlCompNameSet .....	223
2.929	PidTagUserCertificate .....	224
2.930	PidTagUserEntryId .....	224
2.931	PidTagUserX509Certificate .....	224
2.932	PidTagViewDescriptorBinary .....	224
2.933	PidTagViewDescriptorName .....	224
2.934	PidTagViewDescriptorStrings .....	225
2.935	PidTagViewDescriptorVersion .....	225
2.936	PidTagVoiceMessageAttachmentOrder .....	225
2.937	PidTagVoiceMessageDuration .....	225
2.938	PidTagVoiceMessageSenderName .....	225
2.939	PidTagWeddingAnniversary .....	225
<b>3</b>	<b><i>Structure Examples</i></b> .....	<b>226</b>
<b>4</b>	<b><i>Security Considerations</i></b> .....	<b>226</b>
<b>5</b>	<b><i>Appendix A: Office/Exchange Behavior</i></b> .....	<b>226</b>
	<b><i>Index</i></b> .....	<b>227</b>

# 1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

## 1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

**message class**  
**named property**  
**property**  
**property ID**  
**property set**

The following terms are specific to this document:

**tagged property:** A property defined by a 16-bit **property ID** and a 16-bit **property type**. The **property ID** for a **tagged property** **MUST** fall in the range 0x001 – 0x7FFF. **Property IDs** in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either **MAY**, **SHOULD**, or **SHOULD NOT**.

## 1.2 References

### 1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", April 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", April 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", April 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-mail Object Conversion Protocol Specification", April 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", April 2008.



[MS-OXCPerm] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", April 2008.

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", April 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", April 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", April 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", April 2008.

[MS-OXGLOS] Microsoft Corporation, "Office Exchange Protocols Master Glossary", April 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", April 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", April 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", April 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", April 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", April 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", April 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", April 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", April 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", April 2008.

[MS-OXOJRN] Microsoft Corporation, "Journal Object Protocol Specification", April 2008.

[MS-OXOMSG] Microsoft Corporation, "E-mail Object Protocol Specification", April 2008.

**[MS-OXPROPS] - v1.0**

Office Exchange Protocols Master Property List Specification

Copyright © 2008 Microsoft Corporation.

Release: Friday, June 27, 2008

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", April 2008.

[MS-OXOPFFB] Microsoft Corporation, "Public Folder Based Free/Busy Protocol Specification", April 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", April 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", April 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-mail Object Protocol Specification", April 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", April 2008.

[MS-OXORULE] Microsoft Corporation, "E-mail Rules Protocol Specification", April 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", April 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", April 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", April 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", April 2008.

[MS-OXOUM] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", April 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", April 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", April 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", April 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", April 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", April 2008.

**[MS-OXPROPS] - v1.0**

Office Exchange Protocols Master Property List Specification  
Copyright © 2008 Microsoft Corporation.  
Release: Friday, June 27, 2008

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", April 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", April 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

## 1.2.2 Informative References

None.

## 1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**:

**Alternate names:** Any additional names used to refer to this property.

**Area:** A group of properties with related functionality.

**Canonical name:** The name used to refer to this property in other protocol specifications.

**data type:** A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

**property ID:** An unsigned 16-bit quantity that identifies a **tagged property**.

**Property long ID (LID):** An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

**property name:** A string that, along with the property set, identifies a named property.

**property set:** A GUID that identifies a group of properties with a similar purpose.

**References:** One or more protocol documents that specify the semantics and allowed values for this property.

### 1.3.1 Common Message Classes

Applications **MUST** set certain required properties corresponding to the object's **message class**. Applications **SHOULD** handle the case where required properties are missing; treating a message object as **IPM.Note** is a common fallback strategy. The following table lists several

common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk "\*" denotes that any string MAY appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSG]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRNL]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]
RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights- managed email	IPM.Note with PidNameContentClass= rmsg.message	[MS-OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

### 1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified messaging	PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

### 1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.

- Clients MAY use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved
0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0x8FFF	Reserved for mapping to named properties

## 1.4 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

### ***1.5 Applicability Statement***

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

### ***1.6 Versioning and Localization***

None.

### ***1.7 Vendor-Extensible Fields***

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

## **2 Structures**

### ***2.1 PidLidAddressBookProviderArrayType***

**Canonical name:** PidLidAddressBookProviderArrayType

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008029

**Data type:** PtypInteger32, 0x0003

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidABPArrayType

### ***2.2 PidLidAddressBookProviderEmailList***

**Canonical name:** PidLidAddressBookProviderEmailList

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008028

**Data type:** PtypMultipleInteger32, 0x1003

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidABPEmailList

### ***2.3 PidLidAddressCountryCode***

**Canonical name:** PidLidAddressCountryCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080DD

**Data type:** PtypString, 0x001F

**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidAddressCountryCode

## ***2.4 PidLidAgingDontAgeMe***

**Canonical name:** PidLidAgingDontAgeMe  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000850E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Common  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]  
**Alternate names:** dispidAgingDontAgeMe

## ***2.5 PidLidAllAttendeesList***

**Canonical name:** PidLidAllAttendeesList  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000001D  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_ALL\_ATTENDEES\_LIST

## ***2.6 PidLidAllAttendeesString***

**Canonical name:** PidLidAllAttendeesString  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008238  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidAllAttendeesString

## ***2.7 PidLidAllowExternalCheck***

**Canonical name:** PidLidAllowExternalCheck  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008246  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidAllowExternCheck

## ***2.8 PidLidAnniversaryEventEntryId***

**Canonical name:** PidLidAnniversaryEventEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}



**Property long ID (LID):** 0x0000804E  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidAnniversaryEventEID

## ***2.9 PidLidAppointmentAuxiliaryFlags***

**Canonical name:** PidLidAppointmentAuxiliaryFlags  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008207  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptAuxFlags

## ***2.10 PidLidAppointmentColor***

**Canonical name:** PidLidAppointmentColor  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008214  
**Data type:** PtypInteger32, 0x0003  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptColor

## ***2.11 PidLidAppointmentCounterProposal***

**Canonical name:** PidLidAppointmentCounterProposal  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008257  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptCounterProposal

## ***2.12 PidLidAppointmentDuration***

**Canonical name:** PidLidAppointmentDuration  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008213  
**Data type:** PtypInteger32, 0x0003  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptDuration

### ***2.13 PidLidAppointmentEndDate***

**Canonical name:** PidLidAppointmentEndDate

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008211

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXOCAL]

**Alternate names:** dispidApptEndDate

### ***2.14 PidLidAppointmentEndWhole***

**Canonical name:** PidLidAppointmentEndWhole

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000820E

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** dispidApptEndWhole

### ***2.15 PidLidAppointmentLastSequence***

**Canonical name:** PidLidAppointmentLastSequence

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008203

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptLastSequence

### ***2.16 PidLidAppointmentMessageClass***

**Canonical name:** PidLidAppointmentMessageClass

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000024

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptMessageClass

### ***2.17 PidLidAppointmentNotAllowPropose***

**Canonical name:** PidLidAppointmentNotAllowPropose

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000825A

**Data type:** PtypBoolean, 0x000B

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptNotAllowPropose

### ***2.18 PidLidAppointmentProposalNumber***

**Canonical name:** PidLidAppointmentProposalNumber  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008259  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptProposalNum

### ***2.19 PidLidAppointmentProposedDuration***

**Canonical name:** PidLidAppointmentProposedDuration  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008256  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptProposedDuration

### ***2.20 PidLidAppointmentProposedEndWhole***

**Canonical name:** PidLidAppointmentProposedEndWhole  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008251  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptProposedEndWhole

### ***2.21 PidLidAppointmentProposedStartWhole***

**Canonical name:** PidLidAppointmentProposedStartWhole  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008250  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptProposedStartWhole

### ***2.22 PidLidAppointmentRecur***

**Canonical name:** PidLidAppointmentRecur  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008216

**Data type:** PtypBinary, 0x0102  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK]  
**Alternate names:** dispidApptRecur

### ***2.23 PidLidAppointmentReplyName***

**Canonical name:** PidLidAppointmentReplyName  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008230  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptReplyName

### ***2.24 PidLidAppointmentReplyTime***

**Canonical name:** PidLidAppointmentReplyTime  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008220  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptReplyTime

### ***2.25 PidLidAppointmentSequence***

**Canonical name:** PidLidAppointmentSequence  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008201  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptSequence

### ***2.26 PidLidAppointmentSequenceTime***

**Canonical name:** PidLidAppointmentSequenceTime  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008202  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptSeqTime

### ***2.27 PidLidAppointmentStartDate***

**Canonical name:** PidLidAppointmentStartDate

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008212

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXOCAL]

**Alternate names:** dispidApptStartDate

### ***2.28 PidLidAppointmentStartWhole***

**Canonical name:** PidLidAppointmentStartWhole

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000820D

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** dispidApptStartWhole

### ***2.29 PidLidAppointmentStateFlags***

**Canonical name:** PidLidAppointmentStateFlags

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008217

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]

**Alternate names:** dispidApptStateFlags

### ***2.30 PidLidAppointmentSubType***

**Canonical name:** PidLidAppointmentSubType

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008215

**Data type:** PtypBoolean, 0x000B

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptSubType

### ***2.31 PidLidAppointmentTimeZoneDefinitionEndDisplay***

**Canonical name:** PidLidAppointmentTimeZoneDefinitionEndDisplay

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000825F

**Data type:** PtypBinary, 0x0102

**Area:** Calendar

**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptTZDefEndDisplay

### ***2.32 PidLidAppointmentTimeZoneDefinitionRecur***

**Canonical name:** PidLidAppointmentTimeZoneDefinitionRecur  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008260  
**Data type:** PtypBinary, 0x0102  
**Area:** Calendar  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptTZDefRecur

### ***2.33 PidLidAppointmentTimeZoneDefinitionStartDisplay***

**Canonical name:** PidLidAppointmentTimeZoneDefinitionStartDisplay  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000825E  
**Data type:** PtypBinary, 0x0102  
**Area:** Calendar  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptTZDefStartDisplay

### ***2.34 PidLidAppointmentUnsendableRecipients***

**Canonical name:** PidLidAppointmentUnsendableRecipients  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823D  
**Data type:** PtypBinary, 0x0102  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptUnsendableRecips

### ***2.35 PidLidAttendeeCriticalChange***

**Canonical name:** PidLidAttendeeCriticalChange  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000001  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_ATTENDEE\_CRITICAL\_CHANGE

### ***2.36 PidLidAutoFillLocation***

**Canonical name:** PidLidAutoFillLocation  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823A

**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidAutoFillLocation

### ***2.37 PidLidAutoLog***

**Canonical name:** PidLidAutoLog  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008025  
**Data type:** PtypBoolean, 0x000B  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidAutoLog

### ***2.38 PidLidAutoProcessState***

**Canonical name:** PidLidAutoProcessState  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000851A  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXOMSG]  
**Alternate names:** dispidSniffState

### ***2.39 PidLidAutoStartCheck***

**Canonical name:** PidLidAutoStartCheck  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008244  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXORMDR]  
**Alternate names:** dispidAutoStartCheck

### ***2.40 PidLidAutoStartWhen***

**Canonical name:** PidLidAutoStartWhen  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008245  
**Data type:** PtypInteger32, 0x0003  
**Area:** Conferencing  
**References:** [MS-OXCICAL]  
**Alternate names:** dispidAutoStartWhen

### ***2.41 PidLidBirthdayEventEntryId***

**Canonical name:** PidLidBirthdayEventEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804D  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidBirthdayEventEID

### ***2.42 PidLidBusinessCardCardPicture***

**Canonical name:** PidLidBusinessCardCardPicture  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008041  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidBCCardPicture

### ***2.43 PidLidBusinessCardDisplayDefinition***

**Canonical name:** PidLidBusinessCardDisplayDefinition  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008040  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidBCDisplayDefinition

### ***2.44 PidLidBusyStatus***

**Canonical name:** PidLidBusyStatus  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008205  
**Data type:** PtypInteger32, 0x0003  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** dispidBusyStatus

### ***2.45 PidLidCalendarType***

**Canonical name:** PidLidCalendarType  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000001C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings



**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_CALENDAR\_TYPE

### ***2.46 PidLidCategories***

**Canonical name:** PidLidCategories  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00002328  
**Data type:** PtypMultipleString, 0x101F  
**Area:** Common  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidCategories

### ***2.47 PidLidCcAttendeesString***

**Canonical name:** PidLidCcAttendeesString  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823C  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidCCAttendeesString

### ***2.48 PidLidChangeHighlight***

**Canonical name:** PidLidChangeHighlight  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008204  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidChangeHighlight

### ***2.49 PidLidClassification***

**Canonical name:** PidLidClassification  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B6  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassification

### ***2.50 PidLidClassificationDescription***

**Canonical name:** PidLidClassificationDescription  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B7

**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassDesc

### ***2.51 PidLidClassificationGuid***

**Canonical name:** PidLidClassificationGuid  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B8  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassGuid

### ***2.52 PidLidClassificationKeep***

**Canonical name:** PidLidClassificationKeep  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085BA  
**Data type:** PtypBoolean, 0x000B  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassKeep

### ***2.53 PidLidClassified***

**Canonical name:** PidLidClassified  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B5  
**Data type:** PtypBoolean, 0x000B  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassified

### ***2.54 PidLidCleanGlobalObjectId***

**Canonical name:** PidLidCleanGlobalObjectId  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000023  
**Data type:** PtypBinary, 0x0102  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidCleanGlobalObjId

### ***2.55 PidLidClipEnd***

**Canonical name:** PidLidClipEnd

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008236

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidClipEnd

### ***2.56 PidLidClipStart***

**Canonical name:** PidLidClipStart

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008235

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidClipStart

### ***2.57 PidLidCollaborateDoc***

**Canonical name:** PidLidCollaborateDoc

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008247

**Data type:** PtypString, 0x001F

**Area:** Conferencing

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidCollaborateDoc

### ***2.58 PidLidCommonEnd***

**Canonical name:** PidLidCommonEnd

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008517

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]

**Alternate names:** dispidCommonEnd

### ***2.59 PidLidCommonStart***

**Canonical name:** PidLidCommonStart

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008516

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]  
**Alternate names:** dispidCommonStart

### ***2.60 PidLidCompanies***

**Canonical name:** PidLidCompanies  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008539  
**Data type:** PtypMultipleString, 0x101F  
**Area:** General Message Properties  
**References:** [MS-OXOJRN]  
**Alternate names:** dispidCompanies

### ***2.61 PidLidConferencingCheck***

**Canonical name:** PidLidConferencingCheck  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008240  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidConfCheck

### ***2.62 PidLidConferencingType***

**Canonical name:** PidLidConferencingType  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008241  
**Data type:** PtypInteger32, 0x0003  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidConfType

### ***2.63 PidLidContactCharacterSet***

**Canonical name:** PidLidContactCharacterSet  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008023  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidContactCharSet

### ***2.64 PidLidContactItemData***

**Canonical name:** PidLidContactItemData  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008007  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidContactItemData

### ***2.65 PidLidContactLinkEntry***

**Canonical name:** PidLidContactLinkEntry  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008585  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]  
**Alternate names:** dispidContactLinkEntry

### ***2.66 PidLidContactLinkName***

**Canonical name:** PidLidContactLinkName  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008586  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]  
**Alternate names:** dispidContactLinkName

### ***2.67 PidLidContactLinkSearchKey***

**Canonical name:** PidLidContactLinkSearchKey  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008584  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]  
**Alternate names:** dispidContactLinkSearchKey

### ***2.68 PidLidContacts***

**Canonical name:** PidLidContacts  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000853A  
**Data type:** PtypMultipleString, 0x101F  
**Area:** General Message Properties  
**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL]  
**Alternate names:** dispidContacts

### ***2.69 PidLidContactUserField1***

**Canonical name:** PidLidContactUserField1

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000804F

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidContactUserField1

### ***2.70 PidLidContactUserField2***

**Canonical name:** PidLidContactUserField2

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008050

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidContactUserField2

### ***2.71 PidLidContactUserField3***

**Canonical name:** PidLidContactUserField3

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008051

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidContactUserField3

### ***2.72 PidLidContactUserField4***

**Canonical name:** PidLidContactUserField4

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008052

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidContactUserField4

### ***2.73 PidLidCurrentVersion***

**Canonical name:** PidLidCurrentVersion

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008552

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]  
**Alternate names:** dispidCurrentVersion

### ***2.74 PidLidCurrentVersionName***

**Canonical name:** PidLidCurrentVersionName  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008554  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]  
**Alternate names:** dispidCurrentVersionName

### ***2.75 PidLidDayInterval***

**Canonical name:** PidLidDayInterval  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000011  
**Data type:** PtypInteger16, 0x0002  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_DAY\_INTERVAL

### ***2.76 PidLidDelegateMail***

**Canonical name:** PidLidDelegateMail  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000009  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_DELEGATE\_MAIL

### ***2.77 PidLidDepartment***

**Canonical name:** PidLidDepartment  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008010  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDepartment

### ***2.78 PidLidDirectory***

**Canonical name:** PidLidDirectory  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008242

**Data type:** PtypString, 0x001F  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidDirectory

### ***2.79 PidLidDistributionListChecksum***

**Canonical name:** PidLidDistributionListChecksum  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDLChecksum

### ***2.80 PidLidDistributionListMembers***

**Canonical name:** PidLidDistributionListMembers  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008055  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Contact Properties  
**References:** [MS-OXCADATA], [MS-OXOCNTC]  
**Alternate names:** dispidDLMembers

### ***2.81 PidLidDistributionListName***

**Canonical name:** PidLidDistributionListName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008053  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDLName

### ***2.82 PidLidDistributionListOneOffMembers***

**Canonical name:** PidLidDistributionListOneOffMembers  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008054  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDLOneOffMembers



### ***2.83 PidLidEmail1AddressType***

**Canonical name:** PidLidEmail1AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008082  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1AddrType

### ***2.84 PidLidEmail1DisplayName***

**Canonical name:** PidLidEmail1DisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008080  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1DisplayName

### ***2.85 PidLidEmail1EmailAddress***

**Canonical name:** PidLidEmail1EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008083  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1EmailAddress

### ***2.86 PidLidEmail1EmailType***

**Canonical name:** PidLidEmail1EmailType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008087  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1EmailType

### ***2.87 PidLidEmail1OriginalDisplayName***

**Canonical name:** PidLidEmail1OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008084  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1OriginalDisplayName

### ***2.88 PidLidEmail1OriginalEntryId***

**Canonical name:** PidLidEmail1OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008085  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1OriginalEntryID

### ***2.89 PidLidEmail2AddressType***

**Canonical name:** PidLidEmail2AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008092  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2AddrType

### ***2.90 PidLidEmail2DisplayName***

**Canonical name:** PidLidEmail2DisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008090  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2DisplayName

### ***2.91 PidLidEmail2EmailAddress***

**Canonical name:** PidLidEmail2EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008093  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2EmailAddress

### ***2.92 PidLidEmail2EntryId***

**Canonical name:** PidLidEmail2EntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008091

**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2EntryID

### ***2.93 PidLidEmail2OriginalDisplayName***

**Canonical name:** PidLidEmail2OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008094  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2OriginalDisplayName

### ***2.94 PidLidEmail2OriginalEntryId***

**Canonical name:** PidLidEmail2OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008095  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2OriginalEntryID

### ***2.95 PidLidEmail3AddressType***

**Canonical name:** PidLidEmail3AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A2  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3AddrType

### ***2.96 PidLidEmail3DisplayName***

**Canonical name:** PidLidEmail3DisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A0  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3DisplayName

### ***2.97 PidLidEmail3EmailAddress***

**Canonical name:** PidLidEmail3EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A3  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3EmailAddress

### ***2.98 PidLidEmail3EntryId***

**Canonical name:** PidLidEmail3EntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A1  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3EntryID

### ***2.99 PidLidEmail3OriginalDisplayName***

**Canonical name:** PidLidEmail3OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A4  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3OriginalDisplayName

### ***2.100 PidLidEmail3OriginalEntryId***

**Canonical name:** PidLidEmail3OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A5  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3OriginalEntryID

### ***2.101 PidLidEmailList***

**Canonical name:** PidLidEmailList  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008027  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmailList

### ***2.102 PidLidExceptionReplaceTime***

**Canonical name:** PidLidExceptionReplaceTime  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008228  
**Data type:** PtypTime, 0x0040  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidExceptionReplaceTime

### ***2.103 PidLidFax1AddressType***

**Canonical name:** PidLidFax1AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B2  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1AddrType

### ***2.104 PidLidFax1EmailAddress***

**Canonical name:** PidLidFax1EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B3  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1EmailAddress

### ***2.105 PidLidFax1OriginalDisplayName***

**Canonical name:** PidLidFax1OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B4  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1OriginalDisplayName

### ***2.106 PidLidFax1OriginalEntryId***

**Canonical name:** PidLidFax1OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B5

**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1OriginalEntryID

### ***2.107 PidLidFax2AddressType***

**Canonical name:** PidLidFax2AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C2  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2AddrType

### ***2.108 PidLidFax2EmailAddress***

**Canonical name:** PidLidFax2EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C3  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2EmailAddress

### ***2.109 PidLidFax2OriginalDisplayName***

**Canonical name:** PidLidFax2OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C4  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2OriginalDisplayName

### ***2.110 PidLidFax2OriginalEntryId***

**Canonical name:** PidLidFax2OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C5  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2OriginalEntryID

### ***2.111 PidLidFax3AddressType***

**Canonical name:** PidLidFax3AddressType

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080D2

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidFax3AddrType

### ***2.112 PidLidFax3EmailAddress***

**Canonical name:** PidLidFax3EmailAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080D3

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidFax3EmailAddress

### ***2.113 PidLidFax3OriginalDisplayName***

**Canonical name:** PidLidFax3OriginalDisplayName

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080D4

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidFax3OriginalDisplayName

### ***2.114 PidLidFax3OriginalEntryId***

**Canonical name:** PidLidFax3OriginalEntryId

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080D5

**Data type:** PtypBinary, 0x0102

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidFax3OriginalEntryID

### ***2.115 PidLidFExceptionalAttendees***

**Canonical name:** PidLidFExceptionalAttendees

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000822B

**Data type:** PtypBoolean, 0x000B

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidFExceptionalAttendees

### ***2.116 PidLidFExceptionalBody***

**Canonical name:** PidLidFExceptionalBody  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008206  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidFExceptionalBody

### ***2.117 PidLidFileUnder***

**Canonical name:** PidLidFileUnder  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008005  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFileUnder

### ***2.118 PidLidFileUnderId***

**Canonical name:** PidLidFileUnderId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008006  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFileUnderId

### ***2.119 PidLidFileUnderList***

**Canonical name:** PidLidFileUnderList  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008026  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFileUnderList

### ***2.120 PidLidFInvited***

**Canonical name:** PidLidFInvited  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008229



**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidFInvited

### ***2.121 PidLidFlagRequest***

**Canonical name:** PidLidFlagRequest  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008530  
**Data type:** PtypString, 0x001F  
**Area:** Flagging  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]  
**Alternate names:** dispidRequest

### ***2.122 PidLidFlagString***

**Canonical name:** PidLidFlagString  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085C0  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOFLAG]  
**Alternate names:** dispidFlagStringEnum

### ***2.123 PidLidForwardInstance***

**Canonical name:** PidLidForwardInstance  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000820A  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidFwrInstance

### ***2.124 PidLidFreeBusyLocation***

**Canonical name:** PidLidFreeBusyLocation  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080D8  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFreeBusyLocation

### ***2.125 PidLidGlobalObjectId***

**Canonical name:** PidLidGlobalObjectId

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000003

**Data type:** PtypBinary, 0x0102

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]

**Alternate names:** LID\_GLOBAL\_OBJID

### ***2.126 PidLidHasPicture***

**Canonical name:** PidLidHasPicture

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008015

**Data type:** PtypBoolean, 0x000B

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidHasPicture

### ***2.127 PidLidHomeAddress***

**Canonical name:** PidLidHomeAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000801A

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidHomeAddress

### ***2.128 PidLidHomeAddressCountryCode***

**Canonical name:** PidLidHomeAddressCountryCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080DA

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidHomeAddressCountryCode

### ***2.129 PidLidHtml***

**Canonical name:** PidLidHtml

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000802B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidHTML

### ***2.130 PidLidInstantMessagingAddress***

**Canonical name:** PidLidInstantMessagingAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008062  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidInstMsg

### ***2.131 PidLidIntendedBusyStatus***

**Canonical name:** PidLidIntendedBusyStatus  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008224  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidIntendedBusyStatus

### ***2.132 PidLidInternetAccountName***

**Canonical name:** PidLidInternetAccountName  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008580  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXOMSG]  
**Alternate names:** dispidInetAcctName

### ***2.133 PidLidInternetAccountStamp***

**Canonical name:** PidLidInternetAccountStamp  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008581  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXOMSG]  
**Alternate names:** dispidInetAcctStamp

### ***2.134 PidLidIsException***

**Canonical name:** PidLidIsException  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000000A

**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]  
**Alternate names:** LID\_IS\_EXCEPTION

### ***2.135 PidLidIsRecurring***

**Canonical name:** PidLidIsRecurring  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000005  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_IS\_RECURRING

### ***2.136 PidLidIsSilent***

**Canonical name:** PidLidIsSilent  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000004  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_IS\_SILENT

### ***2.137 PidLidLinkedTaskItems***

**Canonical name:** PidLidLinkedTaskItems  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000820C  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Tasks  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidLinkedTaskItems

### ***2.138 PidLidLocation***

**Canonical name:** PidLidLocation  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008208  
**Data type:** PtypString, 0x001F  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidLocation

### ***2.139 PidLidLogDocumentPosted***

**Canonical name:** PidLidLogDocumentPosted  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008711  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocPosted

### ***2.140 PidLidLogDocumentPrinted***

**Canonical name:** PidLidLogDocumentPrinted  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000870E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocPrinted

### ***2.141 PidLidLogDocumentRouted***

**Canonical name:** PidLidLogDocumentRouted  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008710  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocRouted

### ***2.142 PidLidLogDocumentSaved***

**Canonical name:** PidLidLogDocumentSaved  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000870F  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocSaved

### ***2.143 PidLidLogDuration***

**Canonical name:** PidLidLogDuration  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008707  
**Data type:** PtypInteger32, 0x0003  
**Area:** Journal

**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDuration

### ***2.144 PidLidLogEnd***

**Canonical name:** PidLidLogEnd  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008708  
**Data type:** PtypTime, 0x0040  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogEnd

### ***2.145 PidLidLogFlags***

**Canonical name:** PidLidLogFlags  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000870C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogFlags

### ***2.146 PidLidLogStart***

**Canonical name:** PidLidLogStart  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008706  
**Data type:** PtypTime, 0x0040  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogStart

### ***2.147 PidLidLogType***

**Canonical name:** PidLidLogType  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008700  
**Data type:** PtypString, 0x001F  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogType

### ***2.148 PidLidLogTypeDesc***

**Canonical name:** PidLidLogTypeDesc  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008712

**Data type:** PtypString, 0x001F  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogTypeDesc

### ***2.149 PidLidMeetingType***

**Canonical name:** PidLidMeetingType  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000026  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidMeetingType

### ***2.150 PidLidMeetingWorkspaceUrl***

**Canonical name:** PidLidMeetingWorkspaceUrl  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008209  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidMWSURL

### ***2.151 PidLidMonthInterval***

**Canonical name:** PidLidMonthInterval  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000013  
**Data type:** PtypInteger16, 0x0002  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_MONTH\_INTERVAL

### ***2.152 PidLidNetShowUrl***

**Canonical name:** PidLidNetShowUrl  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008248  
**Data type:** PtypString, 0x001F  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidNetShowURL

### ***2.153 PidLidNonSendableBcc***

**Canonical name:** PidLidNonSendableBcc

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008538

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidNonSendableBCC

### ***2.154 PidLidNonSendableCc***

**Canonical name:** PidLidNonSendableCc

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008537

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidNonSendableCC

### ***2.155 PidLidNonSendableTo***

**Canonical name:** PidLidNonSendableTo

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008536

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidNonSendableTo

### ***2.156 PidLidNonSendBccTrackStatus***

**Canonical name:** PidLidNonSendBccTrackStatus

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008545

**Data type:** PtypMultipleInteger32, 0x1003

**Area:** General Message Properties

**References:** [MS-OXOCAL]

**Alternate names:** dispidNonSendBccTrackStatus

### ***2.157 PidLidNonSendCcTrackStatus***

**Canonical name:** PidLidNonSendCcTrackStatus

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008544

**Data type:** PtypMultipleInteger32, 0x1003

**Area:** General Message Properties



**References:** [MS-OXOCAL]  
**Alternate names:** dispidNonSendCcTrackStatus

### ***2.158 PidLidNonSendToTrackStatus***

**Canonical name:** PidLidNonSendToTrackStatus  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008543  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** General Message Properties  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidNonSendToTrackStatus

### ***2.159 PidLidNoteColor***

**Canonical name:** PidLidNoteColor  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B00  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteColor

### ***2.160 PidLidNoteHeight***

**Canonical name:** PidLidNoteHeight  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B03  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteHeight

### ***2.161 PidLidNoteWidth***

**Canonical name:** PidLidNoteWidth  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B02  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteWidth

### ***2.162 PidLidNoteX***

**Canonical name:** PidLidNoteX  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B04

**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteX

### ***2.163 PidLidNoteY***

**Canonical name:** PidLidNoteY  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B05  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteY

### ***2.164 PidLidOldLocation***

**Canonical name:** PidLidOldLocation  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000028  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOldLocation

### ***2.165 PidLidOldWhenEndWhole***

**Canonical name:** PidLidOldWhenEndWhole  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000002A  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOldWhenEndWhole

### ***2.166 PidLidOldWhenStartWhole***

**Canonical name:** PidLidOldWhenStartWhole  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000029  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOldWhenStartWhole

### ***2.167 PidLidOnlinePassword***

**Canonical name:** PidLidOnlinePassword

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008249

**Data type:** PtypString, 0x001F

**Area:** Conferencing

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidOnlinePassword

### ***2.168 PidLidOptionalAttendees***

**Canonical name:** PidLidOptionalAttendees

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000007

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL]

**Alternate names:** LID\_OPTIONAL\_ATTENDEES

### ***2.169 PidLidOrganizerAlias***

**Canonical name:** PidLidOrganizerAlias

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008243

**Data type:** PtypString, 0x001F

**Area:** Conferencing

**References:** [MS-OXCICAL]

**Alternate names:** dispidOrgAlias

### ***2.170 PidLidOriginalStoreEntryId***

**Canonical name:** PidLidOriginalStoreEntryId

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008237

**Data type:** PtypBinary, 0x0102

**Area:** Meetings

**References:** [MS-OXOCAL]

**Alternate names:** dispidOrigStoreEid

### ***2.171 PidLidOtherAddress***

**Canonical name:** PidLidOtherAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000801C

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidOtherAddress

### ***2.172 PidLidOtherAddressCountryCode***

**Canonical name:** PidLidOtherAddressCountryCode  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080DC  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidOtherAddressCountryCode

### ***2.173 PidLidOwnerCriticalChange***

**Canonical name:** PidLidOwnerCriticalChange  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000001A  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_OWNER\_CRITICAL\_CHANGE

### ***2.174 PidLidPercentComplete***

**Canonical name:** PidLidPercentComplete  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008102  
**Data type:** PtypFloating64, 0x0005  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]  
**Alternate names:** dispidPercentComplete

### ***2.175 PidLidPostalAddressId***

**Canonical name:** PidLidPostalAddressId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008022  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidPostalAddressId

### ***2.176 PidLidPostRssChannel***

**Canonical name:** PidLidPostRssChannel  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008904  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssChannel

### ***2.177 PidLidPostRssChannelLink***

**Canonical name:** PidLidPostRssChannelLink  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008900  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssChannelLink

### ***2.178 PidLidPostRssItemGuid***

**Canonical name:** PidLidPostRssItemGuid  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008903  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemGuid

### ***2.179 PidLidPostRssItemHash***

**Canonical name:** PidLidPostRssItemHash  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008902  
**Data type:** PtypInteger32, 0x0003  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemHash

### ***2.180 PidLidPostRssItemLink***

**Canonical name:** PidLidPostRssItemLink  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008901  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemLink

### ***2.181 PidLidPostRssItemXml***

**Canonical name:** PidLidPostRssItemXml

**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008905

**Data type:** PtypString, 0x001F

**Area:** RSS

**References:** [MS-OXORSS]

**Alternate names:** dispidPostRssItemXml

### ***2.182 PidLidPostRssSubscription***

**Canonical name:** PidLidPostRssSubscription

**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008906

**Data type:** PtypString, 0x001F

**Area:** RSS

**References:** [MS-OXORSS]

**Alternate names:** dispidPostRssSubscription

### ***2.183 PidLidPrivate***

**Canonical name:** PidLidPrivate

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008506

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]

**Alternate names:** dispidPrivate

### ***2.184 PidLidRecurrencePattern***

**Canonical name:** PidLidRecurrencePattern

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008232

**Data type:** PtypString, 0x001F

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidRecurPattern

### ***2.185 PidLidRecurrenceType***

**Canonical name:** PidLidRecurrenceType

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008231

**Data type:** PtypInteger32, 0x0003

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidRecurType

### ***2.186 PidLidRecurring***

**Canonical name:** PidLidRecurring  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008223  
**Data type:** PtypBoolean, 0x000B  
**Area:** Calendar  
**References:** [MS-OXCADATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS]  
**Alternate names:** dispidRecurring

### ***2.187 PidLidReferenceEntryId***

**Canonical name:** PidLidReferenceEntryId  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085BD  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidReferenceEID

### ***2.188 PidLidReminderDelta***

**Canonical name:** PidLidReminderDelta  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008501  
**Data type:** PtypInteger32, 0x0003  
**Area:** Reminders  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF]  
**Alternate names:** dispidReminderDelta

### ***2.189 PidLidReminderFileParameter***

**Canonical name:** PidLidReminderFileParameter  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000851F  
**Data type:** PtypString, 0x001F  
**Area:** Reminders  
**References:** [MS-OXORMDR]  
**Alternate names:** dispidReminderFileParam

### ***2.190 PidLidReminderOverride***

**Canonical name:** PidLidReminderOverride

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000851C

**Data type:** PtypBoolean, 0x000B

**Area:** Reminders

**References:** [MS-OXORMDR]

**Alternate names:** dispidReminderOverride

### ***2.191 PidLidReminderPlaySound***

**Canonical name:** PidLidReminderPlaySound

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000851E

**Data type:** PtypBoolean, 0x000B

**Area:** Reminders

**References:** [MS-OXORMDR]

**Alternate names:** dispidReminderPlaySound

### ***2.192 PidLidReminderSet***

**Canonical name:** PidLidReminderSet

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008503

**Data type:** PtypBoolean, 0x000B

**Area:** Reminders

**References:** [MS-OXCADATA], [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-OXOTASK], [MS-OXTNEF], [MS-OXWAVLS]

**Alternate names:** dispidReminderSet

### ***2.193 PidLidReminderSignalTime***

**Canonical name:** PidLidReminderSignalTime

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008560

**Data type:** PtypTime, 0x0040

**Area:** Reminders

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** dispidReminderNextTime

### ***2.194 PidLidReminderTime***

**Canonical name:** PidLidReminderTime

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008502

**Data type:** PtypTime, 0x0040



**Area:** Reminders

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** dispidReminderTime

### ***2.195 PidLidReminderType***

**Canonical name:** PidLidReminderType

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000851D

**Data type:** PtypInteger32, 0x0003

**Area:** Reminders

**References:** [MS-OXORMDR]

**Alternate names:** dispidReminderType

### ***2.196 PidLidRequiredAttendees***

**Canonical name:** PidLidRequiredAttendees

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000006

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL]

**Alternate names:** LID\_REQUIRED\_ATTENDEES

### ***2.197 PidLidResourceAttendees***

**Canonical name:** PidLidResourceAttendees

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000008

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL]

**Alternate names:** LID\_RESOURCE\_ATTENDEES

### ***2.198 PidLidResponseStatus***

**Canonical name:** PidLidResponseStatus

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008218

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidResponseStatus

### ***2.199 PidLidSendMeetingAsIcal***

**Canonical name:** PidLidSendMeetingAsIcal

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008200  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL]  
**Alternate names:** dispidSendMtgAsICAL

### ***2.200 PidLidSharingAnonymity***

**Canonical name:** PidLidSharingAnonymity  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A19  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingAnonymity

### ***2.201 PidLidSharingBindingEntryId***

**Canonical name:** PidLidSharingBindingEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2D  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingBindingEid

### ***2.202 PidLidSharingBrowseUrl***

**Canonical name:** PidLidSharingBrowseUrl  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A51  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingBrowseUrl

### ***2.203 PidLidSharingCapabilities***

**Canonical name:** PidLidSharingCapabilities  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A17  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingCaps

### ***2.204 PidLidSharingConfigurationUrl***

**Canonical name:** PidLidSharingConfigurationUrl  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A24  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingConfigUrl

### ***2.205 PidLidSharingDataRangeEnd***

**Canonical name:** PidLidSharingDataRangeEnd  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A45  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingDataRangeEnd

### ***2.206 PidLidSharingDataRangeStart***

**Canonical name:** PidLidSharingDataRangeStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A44  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingDataRangeStart

### ***2.207 PidLidSharingDetail***

**Canonical name:** PidLidSharingDetail  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingDetail

### ***2.208 PidLidSharingExtensionXml***

**Canonical name:** PidLidSharingExtensionXml  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A21  
**Data type:** PtypString, 0x001F  
**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingExtXml

### ***2.209 PidLidSharingFilter***

**Canonical name:** PidLidSharingFilter  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A13  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFilter

### ***2.210 PidLidSharingFlags***

**Canonical name:** PidLidSharingFlags  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFlags

### ***2.211 PidLidSharingFlavor***

**Canonical name:** PidLidSharingFlavor  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A18  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFlavor

### ***2.212 PidLidSharingFolderEntryId***

**Canonical name:** PidLidSharingFolderEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A15  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFolderEid

### ***2.213 PidLidSharingIndexEntryId***

**Canonical name:** PidLidSharingIndexEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2E

**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingIndexEid

### ***2.214 PidLidSharingInitiatorEntryId***

**Canonical name:** PidLidSharingInitiatorEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A09  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInitiatorEid

### ***2.215 PidLidSharingInitiatorName***

**Canonical name:** PidLidSharingInitiatorName  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A07  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInitiatorName

### ***2.216 PidLidSharingInitiatorSntp***

**Canonical name:** PidLidSharingInitiatorSntp  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A08  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInitiatorSntp

### ***2.217 PidLidSharingInstanceGuid***

**Canonical name:** PidLidSharingInstanceGuid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1C  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInstanceGuid

### ***2.218 PidLidSharingLastAutoSyncTime***

**Canonical name:** PidLidSharingLastAutoSyncTime

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A55

**Data type:** PtypTime, 0x0040

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLastAutoSync

### ***2.219 PidLidSharingLastSyncTime***

**Canonical name:** PidLidSharingLastSyncTime

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A1F

**Data type:** PtypTime, 0x0040

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLastSync

### ***2.220 PidLidSharingLocalComment***

**Canonical name:** PidLidSharingLocalComment

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A4D

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLocalComment

### ***2.221 PidLidSharingLocalLastModificationTime***

**Canonical name:** PidLidSharingLocalLastModificationTime

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A23

**Data type:** PtypTime, 0x0040

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLocalLastMod

### ***2.222 PidLidSharingLocalName***

**Canonical name:** PidLidSharingLocalName

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A0F

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalName

### ***2.223 PidLidSharingLocalPath***

**Canonical name:** PidLidSharingLocalPath  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0E  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalPath

### ***2.224 PidLidSharingLocalStoreUid***

**Canonical name:** PidLidSharingLocalStoreUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A49  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalStoreUid

### ***2.225 PidLidSharingLocalType***

**Canonical name:** PidLidSharingLocalType  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A14  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalType

### ***2.226 PidLidSharingLocalUid***

**Canonical name:** PidLidSharingLocalUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A10  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalUid

### ***2.227 PidLidSharingOriginalMessageEntryId***

**Canonical name:** PidLidSharingOriginalMessageEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A29

**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingOriginalMessageEid

### ***2.228 PidLidSharingParentBindingEntryId***

**Canonical name:** PidLidSharingParentBindingEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A5C  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingParentBindingEid

### ***2.229 PidLidSharingParticipants***

**Canonical name:** PidLidSharingParticipants  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1E  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingParticipants

### ***2.230 PidLidSharingPermissions***

**Canonical name:** PidLidSharingPermissions  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingPermissions

### ***2.231 PidLidSharingProviderExtension***

**Canonical name:** PidLidSharingProviderExtension  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0B  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderExtension



### ***2.232 PidLidSharingProviderGuid***

**Canonical name:** PidLidSharingProviderGuid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A01  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderGuid

### ***2.233 PidLidSharingProviderName***

**Canonical name:** PidLidSharingProviderName  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A02  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderName

### ***2.234 PidLidSharingProviderUrl***

**Canonical name:** PidLidSharingProviderUrl  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A03  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderUrl

### ***2.235 PidLidSharingRangeEnd***

**Canonical name:** PidLidSharingRangeEnd  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A47  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRangeEnd

### ***2.236 PidLidSharingRangeStart***

**Canonical name:** PidLidSharingRangeStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A46  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRangeStart

### ***2.237 PidLidSharingReciprocation***

**Canonical name:** PidLidSharingReciprocation  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingReciprocation

### ***2.238 PidLidSharingRemoteByteSize***

**Canonical name:** PidLidSharingRemoteByteSize  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteByteSize

### ***2.239 PidLidSharingRemoteComment***

**Canonical name:** PidLidSharingRemoteComment  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2F  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteComment

### ***2.240 PidLidSharingRemoteCrc***

**Canonical name:** PidLidSharingRemoteCrc  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteCrc

### ***2.241 PidLidSharingRemoteLastModificationTime***

**Canonical name:** PidLidSharingRemoteLastModificationTime  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A22

**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteLastMod

### ***2.242 PidLidSharingRemoteMessageCount***

**Canonical name:** PidLidSharingRemoteMessageCount  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4F  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteMsgCount

### ***2.243 PidLidSharingRemoteName***

**Canonical name:** PidLidSharingRemoteName  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A05  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteName

### ***2.244 PidLidSharingRemotePass***

**Canonical name:** PidLidSharingRemotePass  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0D  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemotePass

### ***2.245 PidLidSharingRemotePath***

**Canonical name:** PidLidSharingRemotePath  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A04  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemotePath

### ***2.246 PidLidSharingRemoteStoreUid***

**Canonical name:** PidLidSharingRemoteStoreUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A48  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteStoreUid

### ***2.247 PidLidSharingRemoteType***

**Canonical name:** PidLidSharingRemoteType  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1D  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteType

### ***2.248 PidLidSharingRemoteUid***

**Canonical name:** PidLidSharingRemoteUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A06  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteUid

### ***2.249 PidLidSharingRemoteUser***

**Canonical name:** PidLidSharingRemoteUser  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0C  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteUser

### ***2.250 PidLidSharingRemoteVersion***

**Canonical name:** PidLidSharingRemoteVersion  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A5B  
**Data type:** PtypString, 0x001F  
**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteVersion

### ***2.251 PidLidSharingResponseTime***

**Canonical name:** PidLidSharingResponseTime  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A28  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingResponseTime

### ***2.252 PidLidSharingResponseType***

**Canonical name:** PidLidSharingResponseType  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A27  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingResponseType

### ***2.253 PidLidSharingRoamLog***

**Canonical name:** PidLidSharingRoamLog  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4E  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRoamLog

### ***2.254 PidLidSharingStart***

**Canonical name:** PidLidSharingStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A25  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingStart

### ***2.255 PidLidSharingStatus***

**Canonical name:** PidLidSharingStatus  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A00

**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingStatus

### ***2.256 PidLidSharingStop***

**Canonical name:** PidLidSharingStop  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A26  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingStop

### ***2.257 PidLidSharingSyncFlags***

**Canonical name:** PidLidSharingSyncFlags  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A60  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingSyncFlags

### ***2.258 PidLidSharingSyncInterval***

**Canonical name:** PidLidSharingSyncInterval  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingSyncInterval

### ***2.259 PidLidSharingTimeToLive***

**Canonical name:** PidLidSharingTimeToLive  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingTimeToLive

### ***2.260 PidLidSharingTimeToLiveAuto***

**Canonical name:** PidLidSharingTimeToLiveAuto  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A56  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingTimeToLiveAuto

### ***2.261 PidLidSharingWorkingHoursDays***

**Canonical name:** PidLidSharingWorkingHoursDays  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A42  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursDays

### ***2.262 PidLidSharingWorkingHoursEnd***

**Canonical name:** PidLidSharingWorkingHoursEnd  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A41  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursEnd

### ***2.263 PidLidSharingWorkingHoursStart***

**Canonical name:** PidLidSharingWorkingHoursStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A40  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursStart

### ***2.264 PidLidSharingWorkingHoursTimeZone***

**Canonical name:** PidLidSharingWorkingHoursTimeZone  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A43  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursTZ

### ***2.265 PidLidSideEffects***

**Canonical name:** PidLidSideEffects  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008510  
**Data type:** PtypInteger32, 0x0003  
**Area:** Run-time configuration  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]  
**Alternate names:** dispidSideEffects

### ***2.266 PidLidSingleInvite***

**Canonical name:** PidLidSingleInvite  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000000B  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_SINGLE\_INVITE

### ***2.267 PidLidSmartNoAttach***

**Canonical name:** PidLidSmartNoAttach  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008514  
**Data type:** PtypBoolean, 0x000B  
**Area:** Run-time configuration  
**References:** [MS-OXCICAL], [MS-OXCMSG]  
**Alternate names:** dispidSmartNoAttach

### ***2.268 PidLidSpamOriginalFolder***

**Canonical name:** PidLidSpamOriginalFolder  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000859C  
**Data type:** PtypBinary, 0x0102  
**Area:** Spam  
**References:** [MS-OXCSPAM]  
**Alternate names:** dispidSpamOriginalFolder

### ***2.269 PidLidTaskAcceptanceState***

**Canonical name:** PidLidTaskAcceptanceState  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}



**Property long ID (LID):** 0x0000812A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOTASK]  
**Alternate names:** dispidTaskDelegValue

### ***2.270 PidLidTaskAccepted***

**Canonical name:** PidLidTaskAccepted  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008108  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOSFLD], [MS-OXOTASK]  
**Alternate names:** dispidTaskAccepted

### ***2.271 PidLidTaskActualEffort***

**Canonical name:** PidLidTaskActualEffort  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008110  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskActualEffort

### ***2.272 PidLidTaskAssigner***

**Canonical name:** PidLidTaskAssigner  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008121  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOTASK]  
**Alternate names:** dispidTaskDelegator

### ***2.273 PidLidTaskAssigners***

**Canonical name:** PidLidTaskAssigners  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008117  
**Data type:** PtypBinary, 0x0102  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskMyDelegators

### ***2.274 PidLidTaskComplete***

**Canonical name:** PidLidTaskComplete

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000811C

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

**Alternate names:** dispidTaskComplete

### ***2.275 PidLidTaskDateCompleted***

**Canonical name:** PidLidTaskDateCompleted

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000810F

**Data type:** PtypTime, 0x0040

**Area:** Tasks

**References:** [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

**Alternate names:** dispidTaskDateCompleted

### ***2.276 PidLidTaskDeadOccurrence***

**Canonical name:** PidLidTaskDeadOccurrence

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008109

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskDeadOccur

### ***2.277 PidLidTaskDueDate***

**Canonical name:** PidLidTaskDueDate

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008105

**Data type:** PtypTime, 0x0040

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

**Alternate names:** dispidTaskDueDate

### ***2.278 PidLidTaskEstimatedEffort***

**Canonical name:** PidLidTaskEstimatedEffort

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008111

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

**Alternate names:** dispidTaskEstimatedEffort

### ***2.279 PidLidTaskFCreator***

**Canonical name:** PidLidTaskFCreator

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000811E

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskFCreator

### ***2.280 PidLidTaskFFixOffline***

**Canonical name:** PidLidTaskFFixOffline

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000812C

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

**Alternate names:** dispidTaskFFixOffline

### ***2.281 PidLidTaskFRecurring***

**Canonical name:** PidLidTaskFRecurring

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008126

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

**Alternate names:** dispidTaskFRecur

### ***2.282 PidLidTaskGlobalId***

**Canonical name:** PidLidTaskGlobalId

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008519

**Data type:** PtypBinary, 0x0102

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskGlobalObjId

### ***2.283 PidLidTaskHistory***

**Canonical name:** PidLidTaskHistory

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000811A

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskHistory

### ***2.284 PidLidTaskLastDelegate***

**Canonical name:** PidLidTaskLastDelegate

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008125

**Data type:** PtypString, 0x001F

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskLastDelegate

### ***2.285 PidLidTaskLastUpdate***

**Canonical name:** PidLidTaskLastUpdate

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008115

**Data type:** PtypTime, 0x0040

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskLastUpdate

### ***2.286 PidLidTaskLastUser***

**Canonical name:** PidLidTaskLastUser

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008122

**Data type:** PtypString, 0x001F

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskLastUser

### ***2.287 PidLidTaskMode***

**Canonical name:** PidLidTaskMode

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008518

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** dispidTaskMode

### ***2.288 PidLidTaskMultipleRecipients***

**Canonical name:** PidLidTaskMultipleRecipients  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008120  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskMultRecips

### ***2.289 PidLidTaskNoCompute***

**Canonical name:** PidLidTaskNoCompute  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008124  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL]  
**Alternate names:** dispidTaskNoCompute

### ***2.290 PidLidTaskOrdinal***

**Canonical name:** PidLidTaskOrdinal  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008123  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskOrdinal

### ***2.291 PidLidTaskOwner***

**Canonical name:** PidLidTaskOwner  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000811F  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskOwner

### ***2.292 PidLidTaskOwnership***

**Canonical name:** PidLidTaskOwnership  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008129  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskOwnership

### ***2.293 PidLidTaskRecurrence***

**Canonical name:** PidLidTaskRecurrence  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008116  
**Data type:** PtypBinary, 0x0102  
**Area:** Tasks  
**References:** [MS-OXORMDR], [MS-OXOTASK]  
**Alternate names:** dispidTaskRecur

### ***2.294 PidLidTaskResetReminder***

**Canonical name:** PidLidTaskResetReminder  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008107  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXORMDR], [MS-OXOTASK]  
**Alternate names:** dispidTaskResetReminder

### ***2.295 PidLidTaskRole***

**Canonical name:** PidLidTaskRole  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008127  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskRole

### ***2.296 PidLidTaskStartDate***

**Canonical name:** PidLidTaskStartDate  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008104  
**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]  
**Alternate names:** dispidTaskStartDate

### ***2.297 PidLidTaskState***

**Canonical name:** PidLidTaskState  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008113  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]  
**Alternate names:** dispidTaskState

### ***2.298 PidLidTaskStatus***

**Canonical name:** PidLidTaskStatus  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008101  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]  
**Alternate names:** dispidTaskStatus

### ***2.299 PidLidTaskStatusOnComplete***

**Canonical name:** PidLidTaskStatusOnComplete  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008119  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskSOC

### ***2.300 PidLidTaskUpdates***

**Canonical name:** PidLidTaskUpdates  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000811B  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskUpdates

### ***2.301 PidLidTaskVersion***

**Canonical name:** PidLidTaskVersion  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008112  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskVersion

### ***2.302 PidLidTeamTask***

**Canonical name:** PidLidTeamTask

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008103

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXCFCICS], [MS-OXCICAL]

**Alternate names:** dispidTeamTask

### ***2.303 PidLidTimeZone***

**Canonical name:** PidLidTimeZone

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x0000000C

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** LID\_TIME\_ZONE

### ***2.304 PidLidTimeZoneDescription***

**Canonical name:** PidLidTimeZoneDescription

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008234

**Data type:** PtypString, 0x001F

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidTimeZoneDesc

### ***2.305 PidLidTimeZoneStruct***

**Canonical name:** PidLidTimeZoneStruct

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008233

**Data type:** PtypBinary, 0x0102

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidTimeZoneStruct

### ***2.306 PidLidToAttendeesString***

**Canonical name:** PidLidToAttendeesString

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000823B

**Data type:** PtypString, 0x001F

**Area:** Meetings



**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidToAttendeesString

### ***2.307 PidLidToDoOrdinalDate***

**Canonical name:** PidLidToDoOrdinalDate  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085A0  
**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOFLAG]  
**Alternate names:** dispidToDoOrdinalDate

### ***2.308 PidLidToDoSubOrdinal***

**Canonical name:** PidLidToDoSubOrdinal  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085A1  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOFLAG]  
**Alternate names:** dispidToDoSubOrdinal

### ***2.309 PidLidToDoTitle***

**Canonical name:** PidLidToDoTitle  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085A4  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]  
**Alternate names:** dispidToDoTitle

### ***2.310 PidLidUseTnef***

**Canonical name:** PidLidUseTnef  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008582  
**Data type:** PtypBoolean, 0x000B  
**Area:** Run-time configuration  
**References:** [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]  
**Alternate names:** dispidUseTNEF

### ***2.311 PidLidValidFlagStringProof***

**Canonical name:** PidLidValidFlagStringProof  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085BF

**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXOFLAG]  
**Alternate names:** dispidValidFlagStringProof

### ***2.312 PidLidVerbResponse***

**Canonical name:** PidLidVerbResponse  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008524  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXOMSG]  
**Alternate names:** dispidVerbResponse

### ***2.313 PidLidVerbStream***

**Canonical name:** PidLidVerbStream  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008520  
**Data type:** PtypBinary, 0x0102  
**Area:** Run-time configuration  
**References:** [MS-OXOMSG]  
**Alternate names:** dispidVerbStream

### ***2.314 PidLidWeekInterval***

**Canonical name:** PidLidWeekInterval  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000012  
**Data type:** PtypInteger16, 0x0002  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_WEEK\_INTERVAL

### ***2.315 PidLidWhere***

**Canonical name:** PidLidWhere  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000002  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_WHERE

### ***2.316 PidLidWorkAddress***

**Canonical name:** PidLidWorkAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000801B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidWorkAddress

### ***2.317 PidLidWorkAddressCity***

**Canonical name:** PidLidWorkAddressCity

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008046

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidWorkAddressCity

### ***2.318 PidLidWorkAddressCountry***

**Canonical name:** PidLidWorkAddressCountry

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008049

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidWorkAddressCountry

### ***2.319 PidLidWorkAddressCountryCode***

**Canonical name:** PidLidWorkAddressCountryCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080DB

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidWorkAddressCountryCode

### ***2.320 PidLidWorkAddressPostalCode***

**Canonical name:** PidLidWorkAddressPostalCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008048

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressPostalCode

### ***2.321 PidLidWorkAddressPostOfficeBox***

**Canonical name:** PidLidWorkAddressPostOfficeBox  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804A  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressPostOfficeBox

### ***2.322 PidLidWorkAddressState***

**Canonical name:** PidLidWorkAddressState  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008047  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressState

### ***2.323 PidLidWorkAddressStreet***

**Canonical name:** PidLidWorkAddressStreet  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008045  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressStreet

### ***2.324 PidLidYearInterval***

**Canonical name:** PidLidYearInterval  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000014  
**Data type:** PtypInteger16, 0x0002  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_YEAR\_INTERVAL

### ***2.325 PidLidYomiCompanyName***

**Canonical name:** PidLidYomiCompanyName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000802E

**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidYomiCompanyName

### ***2.326 PidLidYomiFirstName***

**Canonical name:** PidLidYomiFirstName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000802C  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidYomiFirstName

### ***2.327 PidLidYomiLastName***

**Canonical name:** PidLidYomiLastName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000802D  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidYomiLastName

### ***2.328 PidLidInfoPathFormName***

**Canonical name:** PidLidInfoPathFormName  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x85B1  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXCMAIL]  
**Alternate names:**

### ***2.329 PidNameAcceptLanguage***

**Canonical name:** PidNameAcceptLanguage  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** Accept-Language  
**Data type:** PtypString, 0x001F  
**Area:** Email  
**References:** [MS-OXCMAIL]  
**Alternate names:** AcceptLanguage

### ***2.330 PidNameApplicationName***

**Canonical name:** PidNameApplicationName

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** AppName

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.331 PidNameAttachmentMacContentType***

**Canonical name:** PidNameAttachmentMacContentType

**Property set:** PSETID\_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

**Property name:** AttachmentMacContentType

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.332 PidNameAttachmentMacInfo***

**Canonical name:** PidNameAttachmentMacInfo

**Property set:** PSETID\_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

**Property name:** AttachmentMacInfo

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.333 PidNameAudioNotes***

**Canonical name:** PidNameAudioNotes

**Property set:** PSETID\_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

**Property name:** UMAudioNotes

**Data type:** PtypString, 0x001F

**Area:** UM

**References:** [MS-OXOUM]

**Alternate names:** UMAudioNotes

### ***2.334 PidNameAuthor***

**Canonical name:** PidNameAuthor

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Author

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.335 PidNameByteCount***

**Canonical name:** PidNameByteCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** ByteCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.336 PidNameCategory***

**Canonical name:** PidNameCategory

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Category

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.337 PidNameCharacterCount***

**Canonical name:** PidNameCharacterCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** CharCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.338 PidNameComments***

**Canonical name:** PidNameComments

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Comments

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.339 PidNameCompany***

**Canonical name:** PidNameCompany

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Company

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.340 PidNameContentBase***

**Canonical name:** PidNameContentBase

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Base

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCMAIL]

**Alternate names:** BodyContentBase

### ***2.341 PidNameContentClass***

**Canonical name:** PidNameContentClass

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Class

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXBBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE]

**Alternate names:**

### ***2.342 PidNameContentTransferEncoding***

**Canonical name:** PidNameContentTransferEncoding

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Transfer-Encoding

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCICAL]

**Alternate names:**

### ***2.343 PidNameContentType***

**Canonical name:** PidNameContentType

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Type

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCMAIL]

**Alternate names:**



### ***2.344 PidNameCreateDateTimeReadOnly***

**Canonical name:** PidNameCreateDateTimeReadOnly

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** CreateDtmRo

**Data type:** PtypTime, 0x0040

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.345 PidNameCrossReference***

**Canonical name:** PidNameCrossReference

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Xref

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.346 PidNameEditTime***

**Canonical name:** PidNameEditTime

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** EditTime

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.347 PidNameExchangeJunkEmailMoveStamp***

**Canonical name:** PidNameExchangeJunkEmailMoveStamp

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** <http://schemas.microsoft.com/exchange/junkemailmovestamp>

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXCSPAM], [MS-OXORSS]

**Alternate names:**

### ***2.348 PidNameHiddenCount***

**Canonical name:** PidNameHiddenCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** HiddenCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.349 PidNameKeywords***

**Canonical name:** PidNameKeywords

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Keywords

**Data type:** PtypMultipleString, 0x101F

**Area:** General Message Properties

**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC]

**Alternate names:**

### ***2.350 PidNameLastAuthor***

**Canonical name:** PidNameLastAuthor

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** LastAuthor

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.351 PidNameLastPrinted***

**Canonical name:** PidNameLastPrinted

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** LastPrinted

**Data type:** PtypTime, 0x0040

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.352 PidNameLastSaveDateTime***

**Canonical name:** PidNameLastSaveDateTime

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** LastSaveDtm

**Data type:** PtypTime, 0x0040

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.353 PidNameLineCount***

**Canonical name:** PidNameLineCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** LineCount  
**Data type:** PtypInteger32, 0x0003  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.354 PidNameManager***

**Canonical name:** PidNameManager  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** Manager  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.355 PidNameMultimediaClipCount***

**Canonical name:** PidNameMultimediaClipCount  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** MMClipCount  
**Data type:** PtypInteger32, 0x0003  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.356 PidNameNoteCount***

**Canonical name:** PidNameNoteCount  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** NoteCount  
**Data type:** PtypInteger32, 0x0003  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.357 PidNameOMSAccountGuid***

**Canonical name:** PidNameOMSAccountGuid  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** OMSAccountGuid  
**Data type:** PtypString, 0x001F  
**Area:** SMS  
**References:** [MS-OXOSMMS]  
**Alternate names:**

### ***2.358 PidNameOMSMobileModel***

**Canonical name:** PidNameOMSMobileModel  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** OMSMobileModel  
**Data type:** PtypString, 0x001F  
**Area:** SMS  
**References:** [MS-OXOSMMS]  
**Alternate names:**

### ***2.359 PidNameOMSScheduleTime***

**Canonical name:** PidNameOMSScheduleTime  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** OMSScheduleTime  
**Data type:** PtypTime, 0x0040  
**Area:** SMS  
**References:** [MS-OXOSMMS]  
**Alternate names:**

### ***2.360 PidNameOMSServiceType***

**Canonical name:** PidNameOMSServiceType  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** OMSServiceType  
**Data type:** PtypInteger32, 0x0003  
**Area:** SMS  
**References:** [MS-OXOSMMS]  
**Alternate names:**

### ***2.361 PidNameOMSSourceType***

**Canonical name:** PidNameOMSSourceType  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** OMSSourceType  
**Data type:** PtypInteger32, 0x0003  
**Area:** SMS  
**References:** [MS-OXOSMMS]  
**Alternate names:**

### ***2.362 PidNamePhishingStamp***

**Canonical name:** PidNamePhishingStamp  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** <http://schemas.microsoft.com/outlook/phishingstamp>  
**Data type:** PtypInteger32, 0x0003  
**Area:** Secure Messaging Properties

**References:** [MS-OXPHISH]

**Alternate names:**

### ***2.363 PidNamePageCount***

**Canonical name:** PidNamePageCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** PageCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.364 PidNameParagraphCount***

**Canonical name:** PidNameParagraphCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** ParCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.365 PidNamePresentationFormat***

**Canonical name:** PidNamePresentationFormat

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** PresFormat

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.366 PidNameRevisionNumber***

**Canonical name:** PidNameRevisionNumber

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** RevNumber

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.367 PidNameRightsManagementLicense***

**Canonical name:** PidNameRightsManagementLicense

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** DRMLicense

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Secure Messaging Properties

**References:** [MS-OXORMMS]

**Alternate names:**

### ***2.368 PidNameSecurity***

**Canonical name:** PidNameSecurity

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Security

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.369 PidNameSlideCount***

**Canonical name:** PidNameSlideCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** SlideCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.370 PidNameSubject***

**Canonical name:** PidNameSubject

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Subject

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.371 PidNameTemplate***

**Canonical name:** PidNameTemplate

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Template

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.372 PidNameTitle***

**Canonical name:** PidNameTitle

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Title

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.373 PidNameWordCount***

**Canonical name:** PidNameWordCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** WordCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.374 PidNameXSharingBrowseUrl***

**Canonical name:** PidNameXSharingBrowseUrl

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Browse-Url

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.375 PidNameXSharingCapabilities***

**Canonical name:** PidNameXSharingCapabilities

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Capabilities

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.376 PidNameXSharingConfigUrl***

**Canonical name:** PidNameXSharingConfigUrl

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Config-Url

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.377 PidNameXSharingExendedCaps***

**Canonical name:** PidNameXSharingExendedCaps

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Exended-Caps

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.378 PidNameXSharingFlavor***

**Canonical name:** PidNameXSharingFlavor

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Flavor

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.379 PidNameXSharingInstanceGuid***

**Canonical name:** PidNameXSharingInstanceGuid

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Instance-Guid

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.380 PidNameXSharingLocalType***

**Canonical name:** PidNameXSharingLocalType

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Local-Type

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.381 PidNameXSharingProviderGuid***

**Canonical name:** PidNameXSharingProviderGuid

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Provider-Guid



**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.382 PidNameXSharingProviderName***

**Canonical name:** PidNameXSharingProviderName  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Provider-Name  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.383 PidNameXSharingProviderUrl***

**Canonical name:** PidNameXSharingProviderUrl  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Provider-Url  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.384 PidNameXSharingRemoteName***

**Canonical name:** PidNameXSharingRemoteName  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Remote-Name  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.385 PidNameXSharingRemotePath***

**Canonical name:** PidNameXSharingRemotePath  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Remote-Path  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.386 PidNameXSharingRemoteStoreUid***

**Canonical name:** PidNameXSharingRemoteStoreUid

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Store-Uid

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.387 PidNameXSharingRemoteType***

**Canonical name:** PidNameXSharingRemoteType

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Type

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.388 PidNameXSharingRemoteUid***

**Canonical name:** PidNameXSharingRemoteUid

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Uid

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.389 PidNameQuarantineOriginalSender***

**Canonical name:** PidNameQuarantineOriginalSender

**Property set:** PSETID\_PublicStrings

**Property name:** "ÿ"quarantine-original-sender""

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.390 PidNameXCallId***

**Canonical name:** PidNameXCallId

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-CallID""

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.391 PidNameXFaxNumberOfPages***

**Canonical name:** PidNameXFaxNumberOfPages

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-FaxNumberOfPages""

**Data type:** PtypInteger16, 0x0002

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.392 PidNameXSenderTelephoneNumber***

**Canonical name:** PidNameXSenderTelephoneNumber

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-CallingTelephoneNumber""

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.393 PidNameXVoiceMessageAttachmentOrder***

**Canonical name:** PidNameXVoiceMessageAttachmentOrder

**Property set:** PSETID\_InternetHeaders

**Property name:** ""X-AttachmentOrder""

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.394 PidNameXVoiceMessageDuration***

**Canonical name:** PidNameXVoiceMessageDuration

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-VoiceMessageDuration""

**Data type:** PtypInteger16, 0x0002

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.395 PidNameXVoiceMessageSenderName***

**Canonical name:** PidNameXVoiceMessageSenderName

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-VoiceMessageSenderName""

**Data type:** PtypString, 0x001F  
**Area:** Unified Messaging  
**References:** [MS-OXCMAIL]  
**Alternate names:**

### ***2.396 PidTag7BitDisplayName***

**Canonical name:** PidTag7BitDisplayName  
**Property ID:** 0x39FF  
**Data type:** PtypString, 0x001F  
**Area:** Address Book  
**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]  
**Alternate names:** PR\_7BIT\_DISPLAY\_NAME, PR\_7BIT\_DISPLAY\_NAME\_A, PR\_7BIT\_DISPLAY\_NAME\_W

### ***2.397 PidTagAccess***

**Canonical name:** PidTagAccess  
**Property ID:** 0x0FF4  
**Data type:** PtypInteger32, 0x0003  
**Area:** Access Control Properties  
**References:** [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRNL]  
**Alternate names:** PR\_ACCESS, ptagAccess

### ***2.398 PidTagAccessLevel***

**Canonical name:** PidTagAccessLevel  
**Property ID:** 0x0FF7  
**Data type:** PtypInteger32, 0x0003  
**Area:** Access Control Properties  
**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]  
**Alternate names:** PR\_ACCESS\_LEVEL, ptagAccessLevel

### ***2.399 PidTagAccount***

**Canonical name:** PidTagAccount  
**Property ID:** 0x3A00  
**Data type:** PtypString, 0x001F  
**Area:** Address Book  
**References:** [MS-OXCFXICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]  
**Alternate names:** PR\_ACCOUNT, PR\_ACCOUNT\_A, PR\_ACCOUNT\_W

### ***2.400 PidTagAdditionalRenEntryIds***

**Canonical name:** PidTagAdditionalRenEntryIds

**Property ID:** 0x36D8

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Outlook Application

**References:** [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

**Alternate names:** PR\_ADDITIONAL\_REN\_ENTRYIDS, ptagAdditionalRenEntryIds

### ***2.401 PidTagAdditionalRenEntryIdsEx***

**Canonical name:** PidTagAdditionalRenEntryIdsEx

**Property ID:** 0x36D9

**Data type:** PtypBinary, 0x0102

**Area:** Outlook Application

**References:** [MS-OXOSFLD]

**Alternate names:** PR\_ADDITIONAL\_REN\_ENTRYIDS\_EX, ptagAdditionalRenEntryIdsEx

### ***2.402 PidTagAddressBookContainerId***

**Canonical name:** PidTagAddressBookContainerId

**Property ID:** 0xFFFFD

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_CONTAINERID

### ***2.403 PidTagAddressBookDisplayNamePrintable***

**Canonical name:** PidTagAddressBookDisplayNamePrintable

**Property ID:** 0x39FF

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXCMSG]

**Alternate names:** PR\_EMS\_AB\_DISPLAY\_NAME\_PRINTABLE, PR\_EMS\_AB\_DISPLAY\_NAME\_PRINTABLE\_A, PR\_EMS\_AB\_DISPLAY\_NAME\_PRINTABLE\_W

### ***2.404 PidTagAddressBookEntryId***

**Canonical name:** PidTagAddressBookEntryId

**Property ID:** 0x663B

**Data type:** PtypBinary, 0x0102

**Area:** Address Book

**References:** [MS-OXCFOLD]

**Alternate names:** PR\_ADDRESS\_BOOK\_ENTRYID, ptagAddressBookEntryId

### ***2.405 PidTagAddressBookExtensionAttribute1***

**Canonical name:** PidTagAddressBookExtensionAttribute1

**Property ID:** 0x802D

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_1,  
PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_1\_A,  
PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_1\_W

### ***2.406 PidTagAddressBookExtensionAttribute15***

**Canonical name:** PidTagAddressBookExtensionAttribute15

**Property ID:** 0x8C61

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_15,  
PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_15\_A,  
PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_15\_W

### ***2.407 PidTagAddressBookFolderPathname***

**Canonical name:** PidTagAddressBookFolderPathname

**Property ID:** 0x8004

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_FOLDER\_PATHNAME,  
PR\_EMS\_AB\_FOLDER\_PATHNAME\_A, PR\_EMS\_AB\_FOLDER\_PATHNAME\_W

### ***2.408 PidTagAddressBookHierarchicalChildDepartments***

**Canonical name:** PidTagAddressBookHierarchicalChildDepartments

**Property ID:** 0x8C9A

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_CHILD\_DEPARTMENTS

### ***2.409 PidTagAddressBookHierarchicalDepartmentMembers***

**Canonical name:** PidTagAddressBookHierarchicalDepartmentMembers

**Property ID:** 0x8C97

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_DEPARTMENT\_MEMBERS

### ***2.410 PidTagAddressBookHierarchicalParentDepartment***

**Canonical name:** PidTagAddressBookHierarchicalParentDepartment

**Property ID:** 0x8C99

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_PARENT\_DEPARTMENT

### ***2.411 PidTagAddressBookHierarchicalRootDepartment***

**Canonical name:** PidTagAddressBookHierarchicalRootDepartment

**Property ID:** 0x8C98

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_ROOT\_DEPARTMENT

### ***2.412 PidTagAddressBookHierarchicalShowInDepartments***

**Canonical name:** PidTagAddressBookHierarchicalShowInDepartments

**Property ID:** 0x8C94

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_SHOW\_IN\_DEPARTMENTS

### ***2.413 PidTagAddressBookHomeMessageDatabase***

**Canonical name:** PidTagAddressBookHomeMessageDatabase

**Property ID:** 0x8006

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

**Alternate names:** PR\_EMS\_AB\_HOME\_MDB, PR\_EMS\_AB\_HOME\_MDB\_A, PR\_EMS\_AB\_HOME\_MDB\_W

### ***2.414 PidTagAddressBookIsMaster***

**Canonical name:** PidTagAddressBookIsMaster

**Property ID:** 0xFFFFB

**Data type:** PtypBoolean, 0x000B

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]  
**Alternate names:** PR\_EMS\_AB\_IS\_MASTER

### ***2.415 PidTagAddressBookIsMemberOfDistributionList***

**Canonical name:** PidTagAddressBookIsMemberOfDistributionList

**Property ID:** 0x8008

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_IS\_MEMBER\_OF\_DL,  
PR\_EMS\_AB\_IS\_MEMBER\_OF\_DL\_A, PR\_EMS\_AB\_IS\_MEMBER\_OF\_DL\_W

### ***2.416 PidTagAddressBookManageDistributionList***

**Canonical name:** PidTagAddressBookManageDistributionList

**Property ID:** 0x6704

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK], [MS-OXOABKT]

**Alternate names:** PR\_EMS\_AB\_MANAGE\_DL

### ***2.417 PidTagAddressBookManager***

**Canonical name:** PidTagAddressBookManager

**Property ID:** 0x8005

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_MANAGER, PR\_EMS\_AB\_MANAGER\_A,  
PR\_EMS\_AB\_MANAGER\_W

### ***2.418 PidTagAddressBookManagerDistinguishedName***

**Canonical name:** PidTagAddressBookManagerDistinguishedName

**Property ID:** 0x8005

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_MANAGER\_T

### ***2.419 PidTagAddressBookMember***

**Canonical name:** PidTagAddressBookMember

**Property ID:** 0x8009

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]



**Alternate names:** PR\_EMS\_AB\_MEMBER, PR\_EMS\_AB\_MEMBER\_A, PR\_EMS\_AB\_MEMBER\_W

### ***2.420 PidTagAddressBookMessageId***

**Canonical name:** PidTagAddressBookMessageId

**Property ID:** 0x674F

**Data type:** PtypInteger64, 0x0014

**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCSTOR]

**Alternate names:** ptagAddrbookMID

### ***2.421 PidTagAddressBookNetworkAddress***

**Canonical name:** PidTagAddressBookNetworkAddress

**Property ID:** 0x8170

**Data type:** PtypMultipleString, 0x101F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_NETWORK\_ADDRESS, PR\_EMS\_AB\_NETWORK\_ADDRESS\_A, PR\_EMS\_AB\_NETWORK\_ADDRESS\_W

### ***2.422 PidTagAddressBookObjectDistinguishedName***

**Canonical name:** PidTagAddressBookObjectDistinguishedName

**Property ID:** 0x803C

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OBJ\_DIST\_NAME, PR\_EMS\_AB\_OBJ\_DIST\_NAME\_A, PR\_EMS\_AB\_OBJ\_DIST\_NAME\_W

### ***2.423 PidTagAddressBookObjectGuid***

**Canonical name:** PidTagAddressBookObjectGuid

**Property ID:** 0x8C6D

**Data type:** PtypBinary, 0x0102

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OBJECT\_GUID

### ***2.424 PidTagAddressBookOwner***

**Canonical name:** PidTagAddressBookOwner

**Property ID:** 0x800C

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OWNER\_O

### ***2.425 PidTagAddressBookOwnerBackLink***

**Canonical name:** PidTagAddressBookOwnerBackLink

**Property ID:** 0x8024

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OWNER\_BL\_O

### ***2.426 PidTagAddressBookParentEntryId***

**Canonical name:** PidTagAddressBookParentEntryId

**Property ID:** 0xFFFC

**Data type:** PtypBinary, 0x0102

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PARENT\_ENTRYID

### ***2.427 PidTagAddressBookPhoneticCompanyName***

**Canonical name:** PidTagAddressBookPhoneticCompanyName

**Property ID:** 0x8C91

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_COMPANY\_NAME,

PR\_EMS\_AB\_PHONETIC\_COMPANY\_NAME\_A,

PR\_EMS\_AB\_PHONETIC\_COMPANY\_NAME\_W

### ***2.428 PidTagAddressBookPhoneticDepartmentName***

**Canonical name:** PidTagAddressBookPhoneticDepartmentName

**Property ID:** 0x8C90

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_DEPARTMENT\_NAME,

PR\_EMS\_AB\_PHONETIC\_DEPARTMENT\_NAME\_A,

PR\_EMS\_AB\_PHONETIC\_DEPARTMENT\_NAME\_W

### ***2.429 PidTagAddressBookPhoneticDisplayName***

**Canonical name:** PidTagAddressBookPhoneticDisplayName

**Property ID:** 0x8C92

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_DISPLAY\_NAME,  
PR\_EMS\_AB\_PHONETIC\_DISPLAY\_NAME\_A,  
PR\_EMS\_AB\_PHONETIC\_DISPLAY\_NAME\_W

### ***2.430 PidTagAddressBookPhoneticGivenName***

**Canonical name:** PidTagAddressBookPhoneticGivenName

**Property ID:** 0x8C8E

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_GIVEN\_NAME,  
PR\_EMS\_AB\_PHONETIC\_GIVEN\_NAME\_A,  
PR\_EMS\_AB\_PHONETIC\_GIVEN\_NAME\_W

### ***2.431 PidTagAddressBookPhoneticSurname***

**Canonical name:** PidTagAddressBookPhoneticSurname

**Property ID:** 0x8C8F

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_SURNAME,  
PR\_EMS\_AB\_PHONETIC\_SURNAME\_A, PR\_EMS\_AB\_PHONETIC\_SURNAME\_W

### ***2.432 PidTagAddressBookProxyAddresses***

**Canonical name:** PidTagAddressBookProxyAddresses

**Property ID:** 0x800F

**Data type:** PtypMultipleString, 0x101F

**Area:** Exchange Address Book

**References:** [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

**Alternate names:** PR\_EMS\_AB\_PROXY\_ADDRESSES,  
PR\_EMS\_AB\_PROXY\_ADDRESSES\_A, PR\_EMS\_AB\_PROXY\_ADDRESSES\_W

### ***2.433 PidTagAddressBookPublicDelegates***

**Canonical name:** PidTagAddressBookPublicDelegates

**Property ID:** 0x8015

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK], [MS-OXODLGT]

**Alternate names:** PR\_EMS\_AB\_PUBLIC\_DELEGATES,  
PR\_EMS\_AB\_PUBLIC\_DELEGATES\_A, PR\_EMS\_AB\_PUBLIC\_DELEGATES\_W

### ***2.434 PidTagAddressBookReports***

**Canonical name:** PidTagAddressBookReports

**Property ID:** 0x800E

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_REPORTS, PR\_EMS\_AB\_REPORTS\_A,  
PR\_EMS\_AB\_REPORTS\_W

### ***2.435 PidTagAddressBookRoomCapacity***

**Canonical name:** PidTagAddressBookRoomCapacity

**Property ID:** 0x0807

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_ROOM\_CAPACITY

### ***2.436 PidTagAddressBookRoomContainers***

**Canonical name:** PidTagAddressBookRoomContainers

**Property ID:** 0x8C96

**Data type:** PtypMultipleString, 0x101F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_ROOM\_CONTAINERS,  
PR\_EMS\_AB\_ROOM\_CONTAINERS\_A, PR\_EMS\_AB\_ROOM\_CONTAINERS\_W

### ***2.437 PidTagAddressBookRoomDescription***

**Canonical name:** PidTagAddressBookRoomDescription

**Property ID:** 0x0809

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_ROOM\_DESCRIPTION,  
PR\_EMS\_AB\_ROOM\_DESCRIPTION\_A, PR\_EMS\_AB\_ROOM\_DESCRIPTION\_W

### ***2.438 PidTagAddressBookSeniorityIndex***

**Canonical name:** PidTagAddressBookSeniorityIndex

**Property ID:** 0x8CA0

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_SENIORITY\_INDEX

### ***2.439 PidTagAddressBookTargetAddress***

**Canonical name:** PidTagAddressBookTargetAddress

**Property ID:** 0x8011

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_TARGET\_ADDRESS,  
PR\_EMS\_AB\_TARGET\_ADDRESS\_A, PR\_EMS\_AB\_TARGET\_ADDRESS\_W

### ***2.440 PidTagAddressBookX509Certificate***

**Canonical name:** PidTagAddressBookX509Certificate

**Property ID:** 0x8C6A

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Exchange Address Book

**References:** [MS-OXOAB], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_X509\_CERT

### ***2.441 PidTagAddressType***

**Canonical name:** PidTagAddressType

**Property ID:** 0x3002

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOABK], [MS-OXOABKT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPSVAL]

**Alternate names:** PR\_ADDRRTYPE, PR\_ADDRRTYPE\_A, ptagAddrType,  
PR\_ADDRRTYPE\_W

### ***2.442 PidTagAlternateRecipientAllowed***

**Canonical name:** PidTagAlternateRecipientAllowed

**Property ID:** 0x0002

**Data type:** PtypBoolean, 0x000B

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

**Alternate names:** PR\_ALTERNATE\_RECIPIENT\_ALLOWED,  
ptagAlternateRecipientAllowed

### ***2.443 PidTagAnr***

**Canonical name:** PidTagAnr

**Property ID:** 0x360C

**Data type:** PtypString, 0x001F

**Area:** Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_ANR, PR\_ANR\_A, PR\_ANR\_W

#### ***2.444 PidTagAssistant***

**Canonical name:** PidTagAssistant

**Property ID:** 0x3A30

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_ASSISTANT, PR\_ASSISTANT\_A, PR\_ASSISTANT\_W

#### ***2.445 PidTagAssistantTelephoneNumber***

**Canonical name:** PidTagAssistantTelephoneNumber

**Property ID:** 0x3A2E

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_ASSISTANT\_TELEPHONE\_NUMBER,  
PR\_ASSISTANT\_TELEPHONE\_NUMBER\_A,  
PR\_ASSISTANT\_TELEPHONE\_NUMBER\_W

#### ***2.446 PidTagAssociated***

**Canonical name:** PidTagAssociated

**Property ID:** 0x67AA

**Data type:** PtypBoolean, 0x000B

**Area:** Sync

**References:** [MS-OXCFXICS]

**Alternate names:** ptagAssociated

#### ***2.447 PidTagAttachAdditionalInformation***

**Canonical name:** PidTagAttachAdditionalInformation

**Property ID:** 0x370F

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL], [MS-OXCMSG]

**Alternate names:** PR\_ATTACH\_ADDITIONAL\_INFO

#### ***2.448 PidTagAttachContentBase***

**Canonical name:** PidTagAttachContentBase

**Property ID:** 0x3711

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL], [MS-OXCMSG]

**Alternate names:** PR\_ATTACH\_CONTENT\_BASE,  
PR\_ATTACH\_CONTENT\_BASE\_A, PR\_ATTACH\_CONTENT\_BASE\_W

#### ***2.449 PidTagAttachContentId***

**Canonical name:** PidTagAttachContentId

**Property ID:** 0x3712

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],  
[MS-OXOSMMS]

**Alternate names:** PR\_ATTACH\_CONTENT\_ID, PR\_ATTACH\_CONTENT\_ID\_A,  
PR\_ATTACH\_CONTENT\_ID\_W

#### ***2.450 PidTagAttachContentLocation***

**Canonical name:** PidTagAttachContentLocation

**Property ID:** 0x3713

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_CONTENT\_LOCATION,  
PR\_ATTACH\_CONTENT\_LOCATION\_A, PR\_ATTACH\_CONTENT\_LOCATION\_W

#### ***2.451 PidTagAttachDataBinary***

**Canonical name:** PidTagAttachDataBinary

**Property ID:** 0x3701

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-  
OXOJRN], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_DATA\_BIN, ptagAttachDataBin

#### ***2.452 PidTagAttachDataObject***

**Canonical name:** PidTagAttachDataObject

**Property ID:** 0x3701

**Data type:** PtypComObject, 0x000D

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-  
OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_DATA\_OBJ, ptagAttachDataObj

#### ***2.453 PidTagAttachEncoding***

**Canonical name:** PidTagAttachEncoding

**Property ID:** 0x3702

**Data type:** PtypBinary, 0x0102  
**Area:** Message Attachment Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]  
**Alternate names:** PR\_ATTACH\_ENCODING

### ***2.454 PidTagAttachExtension***

**Canonical name:** PidTagAttachExtension  
**Property ID:** 0x3703  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties  
**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]  
**Alternate names:** PR\_ATTACH\_EXTENSION, PR\_ATTACH\_EXTENSION\_A, PR\_ATTACH\_EXTENSION\_W

### ***2.455 PidTagAttachFilename***

**Canonical name:** PidTagAttachFilename  
**Property ID:** 0x3704  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]  
**Alternate names:** PR\_ATTACH\_FILENAME, PR\_ATTACH\_FILENAME\_A, ptagAttachFilename, PR\_ATTACH\_FILENAME\_W

### ***2.456 PidTagAttachFlags***

**Canonical name:** PidTagAttachFlags  
**Property ID:** 0x3714  
**Data type:** PtypInteger32, 0x0003  
**Area:** Message Attachment Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]  
**Alternate names:** PR\_ATTACH\_FLAGS

### ***2.457 PidTagAttachLongFilename***

**Canonical name:** PidTagAttachLongFilename  
**Property ID:** 0x3707  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties  
**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX]



**Alternate names:** PR\_ATTACH\_LONG\_FILENAME,  
PR\_ATTACH\_LONG\_FILENAME\_A, PR\_ATTACH\_LONG\_FILENAME\_W

### ***2.458 PidTagAttachLongPathname***

**Canonical name:** PidTagAttachLongPathname

**Property ID:** 0x370D

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_LONG\_PATHNAME,  
PR\_ATTACH\_LONG\_PATHNAME\_A, ptagAttachLongPathname,  
PR\_ATTACH\_LONG\_PATHNAME\_W

### ***2.459 PidTagAttachmentContactPhoto***

**Canonical name:** PidTagAttachmentContactPhoto

**Property ID:** 0x7FFF

**Data type:** PtypBoolean, 0x000B

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

**Alternate names:** PR\_ATTACHMENT\_CONTACTPHOTO

### ***2.460 PidTagAttachmentFlags***

**Canonical name:** PidTagAttachmentFlags

**Property ID:** 0x7FFD

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR]

**Alternate names:** PR\_ATTACHMENT\_FLAGS, ptagAttachmentFlags

### ***2.461 PidTagAttachmentHidden***

**Canonical name:** PidTagAttachmentHidden

**Property ID:** 0x7FFE

**Data type:** PtypBoolean, 0x000B

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

**Alternate names:** PR\_ATTACHMENT\_HIDDEN

### ***2.462 PidTagAttachmentLinkId***

**Canonical name:** PidTagAttachmentLinkId

**Property ID:** 0x7FFA

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRN], [MS-OXORMDR]

**Alternate names:** PR\_ATTACHMENT\_LINKID, ptagAttachmentLinkId

### ***2.463 PidTagAttachMethod***

**Canonical name:** PidTagAttachMethod

**Property ID:** 0x3705

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRN], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_METHOD, ptagAttachMethod

### ***2.464 PidTagAttachMimeTag***

**Canonical name:** PidTagAttachMimeTag

**Property ID:** 0x370E

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

**Alternate names:** PR\_ATTACH\_MIME\_TAG, PR\_ATTACH\_MIME\_TAG\_A, PR\_ATTACH\_MIME\_TAG\_W

### ***2.465 PidTagAttachNumber***

**Canonical name:** PidTagAttachNumber

**Property ID:** 0x0E21

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

**Alternate names:** PR\_ATTACH\_NUM, ptagAttachNum

### ***2.466 PidTagAttachPathname***

**Canonical name:** PidTagAttachPathname

**Property ID:** 0x3708

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_PATHNAME, PR\_ATTACH\_PATHNAME\_A, ptagAttachPathname, PR\_ATTACH\_PATHNAME\_W

### ***2.467 PidTagAttachPayloadClass***

**Canonical name:** PidTagAttachPayloadClass

**Property ID:** 0x371A

**Data type:** PtypString, 0x001F

**Area:** Outlook Application

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_ATTACH\_PAYLOAD\_CLASS,  
PR\_ATTACH\_PAYLOAD\_CLASS\_A, PR\_ATTACH\_PAYLOAD\_CLASS\_W,  
ptagAttachPayloadClass

### ***2.468 PidTagAttachPayloadProviderGuidString***

**Canonical name:** PidTagAttachPayloadProviderGuidString

**Property ID:** 0x3719

**Data type:** PtypString, 0x001F

**Area:** Outlook Application

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_ATTACH\_PAYLOAD\_PROV\_GUID\_STR,  
PR\_ATTACH\_PAYLOAD\_PROV\_GUID\_STR\_A,  
PR\_ATTACH\_PAYLOAD\_PROV\_GUID\_STR\_W

### ***2.469 PidTagAttachRendering***

**Canonical name:** PidTagAttachRendering

**Property ID:** 0x3709

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_RENDERING, ptagAttachRendering

### ***2.470 PidTagAttachSize***

**Canonical name:** PidTagAttachSize

**Property ID:** 0x0E20

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

**Alternate names:** PR\_ATTACH\_SIZE, ptagAttachSize

### ***2.471 PidTagAttachTag***

**Canonical name:** PidTagAttachTag

**Property ID:** 0x370A

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXORMMS], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_TAG

### ***2.472 PidTagAttachTransportName***

**Canonical name:** PidTagAttachTransportName

**Property ID:** 0x370C

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_TRANSPORT\_NAME,  
PR\_ATTACH\_TRANSPORT\_NAME\_A, PR\_ATTACH\_TRANSPORT\_NAME\_W

### ***2.473 PidTagAttributeHidden***

**Canonical name:** PidTagAttributeHidden

**Property ID:** 0x10F4

**Data type:** PtypBoolean, 0x000B

**Area:** Access Control Properties

**References:** [MS-OXCFOLD], [MS-OXTNEF]

**Alternate names:** PR\_ATTR\_HIDDEN, ptagAttrHidden

### ***2.474 PidTagAttributeReadOnly***

**Canonical name:** PidTagAttributeReadOnly

**Property ID:** 0x10F6

**Data type:** PtypBoolean, 0x000B

**Area:** Access Control Properties

**References:** [MS-OXTNEF]

**Alternate names:** PR\_ATTR\_READONLY, ptagAttrReadonly

### ***2.475 PidTagAttributeSystem***

**Canonical name:** PidTagAttributeSystem

**Property ID:** 0x10F5

**Data type:** PtypBoolean, 0x000B

**Area:** Access Control Properties

**References:** [MS-OXTNEF]

**Alternate names:** PR\_ATTR\_SYSTEM, ptagAttrSystem

### ***2.476 PidTagAutoForwarded***

**Canonical name:** PidTagAutoForwarded

**Property ID:** 0x0005

**Data type:** PtypBoolean, 0x000B

**Area:** General Report Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_AUTO\_FORWARDED, ptagAutoForwarded

### ***2.477 PidTagAutoResponseSuppress***

**Canonical name:** PidTagAutoResponseSuppress

**Property ID:** 0x3FDF

**Data type:** PtypInteger32, 0x0003

**Area:** Email

**References:** [MS-OXCMAIL], [MS-OXORULE]

**Alternate names:** PR\_AUTO\_RESPONSE\_SUPPRESS, ptagAutoResponseSuppress

### ***2.478 PidTagBirthday***

**Canonical name:** PidTagBirthday

**Property ID:** 0x3A42

**Data type:** PtypTime, 0x0040

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BIRTHDAY

### ***2.479 PidTagBlockStatus***

**Canonical name:** PidTagBlockStatus

**Property ID:** 0x1096

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_BLOCK\_STATUS, ptagBlockStatus

### ***2.480 PidTagBody***

**Canonical name:** PidTagBody

**Property ID:** 0x1000

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXBBODY], [MS-OXCDATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_BODY, PR\_BODY\_A, ptagBody, PR\_BODY\_W

### ***2.481 PidTagBodyContentId***

**Canonical name:** PidTagBodyContentId

**Property ID:** 0x1015

**Data type:** PtypString, 0x001F

**Area:** Exchange

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_BODY\_CONTENT\_ID, PR\_BODY\_CONTENT\_ID\_A, PR\_BODY\_CONTENT\_ID\_W

### ***2.482 PidTagBodyContentLocation***

**Canonical name:** PidTagBodyContentLocation

**Property ID:** 0x1014

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_BODY\_CONTENT\_LOCATION,  
PR\_BODY\_CONTENT\_LOCATION\_A, PR\_BODY\_CONTENT\_LOCATION\_W

### ***2.483 PidTagBodyHtml***

**Canonical name:** PidTagBodyHtml

**Property ID:** 0x1013

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

**Alternate names:** PR\_BODY\_HTML, PR\_BODY\_HTML\_A, ptagBodyHtml,  
PR\_BODY\_HTML\_W

### ***2.484 PidTagBusiness2TelephoneNumber***

**Canonical name:** PidTagBusiness2TelephoneNumber

**Property ID:** 0x3A1B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS2\_TELEPHONE\_NUMBER,  
PR\_BUSINESS2\_TELEPHONE\_NUMBER\_A,  
PR\_BUSINESS2\_TELEPHONE\_NUMBER\_W, PR\_OFFICE2\_TELEPHONE\_NUMBER

### ***2.485 PidTagBusiness2TelephoneNumbers***

**Canonical name:** PidTagBusiness2TelephoneNumbers

**Property ID:** 0x3A1B

**Data type:** PtypMultipleString, 0x101F

**Area:** Contact Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_BUSINESS2\_TELEPHONE\_NUMBER\_A\_MV

### ***2.486 PidTagBusinessFaxNumber***

**Canonical name:** PidTagBusinessFaxNumber

**Property ID:** 0x3A24

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS\_FAX\_NUMBER, PR\_BUSINESS\_FAX\_NUMBER\_A, PR\_BUSINESS\_FAX\_NUMBER\_W

### ***2.487 PidTagBusinessHomePage***

**Canonical name:** PidTagBusinessHomePage

**Property ID:** 0x3A51

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS\_HOME\_PAGE, PR\_BUSINESS\_HOME\_PAGE\_A, PR\_BUSINESS\_HOME\_PAGE\_W

### ***2.488 PidTagBusinessTelephoneNumber***

**Canonical name:** PidTagBusinessTelephoneNumber

**Property ID:** 0x3A08

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS\_TELEPHONE\_NUMBER, PR\_BUSINESS\_TELEPHONE\_NUMBER\_A, PR\_BUSINESS\_TELEPHONE\_NUMBER\_W, PR\_OFFICE\_TELEPHONE\_NUMBER

### ***2.489 PidTagCallbackTelephoneNumber***

**Canonical name:** PidTagCallbackTelephoneNumber

**Property ID:** 0x3A02

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_CALLBACK\_TELEPHONE\_NUMBER, PR\_CALLBACK\_TELEPHONE\_NUMBER\_A, PR\_CALLBACK\_TELEPHONE\_NUMBER\_W

### ***2.490 PidTagCallId***

**Canonical name:** PidTagCallId

**Property ID:** 0x6806

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaCallID

### ***2.491 PidTagCarTelephoneNumber***

**Canonical name:** PidTagCarTelephoneNumber

**Property ID:** 0x3A1E

**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_CAR\_TELEPHONE\_NUMBER,  
PR\_CAR\_TELEPHONE\_NUMBER\_A, PR\_CAR\_TELEPHONE\_NUMBER\_W

### ***2.492 PidTagChangeKey***

**Canonical name:** PidTagChangeKey  
**Property ID:** 0x65E2  
**Data type:** PtypBinary, 0x0102  
**Area:** History Properties  
**References:** [MS-OXCFCOLD], [MS-OXCFCXICS], [MS-OXCFCMSG], [MS-OXCFCPRPT],  
[MS-OXCFCSYNC]  
**Alternate names:** PR\_CHANGE\_KEY

### ***2.493 PidTagChangeNotificationGuid***

**Canonical name:** PidTagChangeNotificationGuid  
**Property ID:** 0x6637  
**Data type:** PtypGuid, 0x0048  
**Area:** Exchange  
**References:** [MS-OXCNOTIF]  
**Alternate names:** PR\_CHANGE\_NOTIFICATION\_GUID

### ***2.494 PidTagChangeNumber***

**Canonical name:** PidTagChangeNumber  
**Property ID:** 0x67A4  
**Data type:** PtypInteger64, 0x0014  
**Area:** Sync  
**References:** [MS-OXCFCXICS], [MS-OXCFCSTOR]  
**Alternate names:** ptagCn

### ***2.495 PidTagChildrensNames***

**Canonical name:** PidTagChildrensNames  
**Property ID:** 0x3A58  
**Data type:** PtypMultipleString, 0x101F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** PR\_CHILDRENS\_NAMES, PR\_CHILDRENS\_NAMES\_A,  
PR\_CHILDRENS\_NAMES\_W

### ***2.496 PidTagClientActions***

**Canonical name:** PidTagClientActions  
**Property ID:** 0x6645



**Data type:** PtypBinary, 0x0102  
**Area:** Server-side Rules Properties  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_CLIENT\_ACTIONS, ptagClientActions

### ***2.497 PidTagClientSubmitTime***

**Canonical name:** PidTagClientSubmitTime  
**Property ID:** 0x0039  
**Data type:** PtypTime, 0x0040  
**Area:** Message Time Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF]  
**Alternate names:** PR\_CLIENT\_SUBMIT\_TIME

### ***2.498 PidTagCnsetRead***

**Canonical name:** PidTagCnsetRead  
**Property ID:** 0x67D2  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagCnsetRead

### ***2.499 PidTagCnsetSeen***

**Canonical name:** PidTagCnsetSeen  
**Property ID:** 0x6796  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagCnsetSeen

### ***2.500 PidTagCnsetSeenFAI***

**Canonical name:** PidTagCnsetSeenFAI  
**Property ID:** 0x67DA  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagCnsetSeenFAI

### ***2.501 PidTagCodePageId***

**Canonical name:** PidTagCodePageId  
**Property ID:** 0x66C3  
**Data type:** PtypInteger32, 0x0003  
**Area:** Exchange Profile Configuration

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_CODE\_PAGE\_ID, ptagCodePageId

### ***2.502 PidTagComment***

**Canonical name:** PidTagComment

**Property ID:** 0x3004

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK]

**Alternate names:** PR\_COMMENT, PR\_COMMENT\_A, ptagComment, PR\_COMMENT\_W

### ***2.503 PidTagCompanyMainTelephoneNumber***

**Canonical name:** PidTagCompanyMainTelephoneNumber

**Property ID:** 0x3A57

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_COMPANY\_MAIN\_PHONE\_NUMBER, PR\_COMPANY\_MAIN\_PHONE\_NUMBER\_A, PR\_COMPANY\_MAIN\_PHONE\_NUMBER\_W

### ***2.504 PidTagCompanyName***

**Canonical name:** PidTagCompanyName

**Property ID:** 0x3A16

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_COMPANY\_NAME, PR\_COMPANY\_NAME\_A, PR\_COMPANY\_NAME\_W

### ***2.505 PidTagComputerNetworkName***

**Canonical name:** PidTagComputerNetworkName

**Property ID:** 0x3A49

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_COMPUTER\_NETWORK\_NAME, PR\_COMPUTER\_NETWORK\_NAME\_A, PR\_COMPUTER\_NETWORK\_NAME\_W

### ***2.506 PidTagConflictEntryId***

**Canonical name:** PidTagConflictEntryId

**Property ID:** 0x3FF0

**Data type:** PtypBinary, 0x0102

**Area:** ICS

**References:** [MS-OXCSYNC]

**Alternate names:** PR\_CONFLICT\_ENTRYID, ptagConflictEntryId

### ***2.507 PidTagConflictItems***

**Canonical name:** PidTagConflictItems

**Property ID:** 0x1098

**Data type:** PtypMultipleBinary, 0x1102

**Area:** ICS

**References:** [MS-OXCSYNC]

**Alternate names:** PR\_CONFLICT\_ITEMS

### ***2.508 PidTagContainerClass***

**Canonical name:** PidTagContainerClass

**Property ID:** 0x3613

**Data type:** PtypString, 0x001F

**Area:** Container Properties

**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE]

**Alternate names:** PR\_CONTAINER\_CLASS, PR\_CONTAINER\_CLASS\_A, ptagContainerClass, PR\_CONTAINER\_CLASS\_W

### ***2.509 PidTagContainerContents***

**Canonical name:** PidTagContainerContents

**Property ID:** 0x360F

**Data type:** PtypComObject, 0x000D

**Area:** Container Properties

**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]

**Alternate names:** PR\_CONTAINER\_CONTENTS, ptagContainerContents

### ***2.510 PidTagContainerFlags***

**Canonical name:** PidTagContainerFlags

**Property ID:** 0x3600

**Data type:** PtypInteger32, 0x0003

**Area:** Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_CONTAINER\_FLAGS

### ***2.511 PidTagContainerHierarchy***

**Canonical name:** PidTagContainerHierarchy

**Property ID:** 0x360E

**Data type:** PtypComObject, 0x000D

**Area:** Container Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL]

**Alternate names:** PR\_CONTAINER\_HIERARCHY, ptagContainerHierarchy

### ***2.512 PidTagContentCount***

**Canonical name:** PidTagContentCount

**Property ID:** 0x3602

**Data type:** PtypInteger32, 0x0003

**Area:** Folder Properties

**References:** [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

**Alternate names:** PR\_CONTENT\_COUNT, ptagContentCount

### ***2.513 PidTagContentFilterSpamConfidenceLevel***

**Canonical name:** PidTagContentFilterSpamConfidenceLevel

**Property ID:** 0x4076

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_CONTENT\_FILTER\_SCL, ptagContentFilterSCL

### ***2.514 PidTagContentUnreadCount***

**Canonical name:** PidTagContentUnreadCount

**Property ID:** 0x3603

**Data type:** PtypInteger32, 0x0003

**Area:** Folder Properties

**References:** [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]

**Alternate names:** PR\_CONTENT\_UNREAD, ptagContentUnread

### ***2.515 PidTagConversationIndex***

**Canonical name:** PidTagConversationIndex

**Property ID:** 0x0071

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]

**Alternate names:** PR\_CONVERSATION\_INDEX, ptagConversationIndex

### ***2.516 PidTagConversationKey***

**Canonical name:** PidTagConversationKey

**Property ID:** 0x000B

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXTNEF]

**Alternate names:** PR\_CONVERSATION\_KEY, ptagConversationKey

### ***2.517 PidTagConversationTopic***

**Canonical name:** PidTagConversationTopic

**Property ID:** 0x0070

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF]

**Alternate names:** PR\_CONVERSATION\_TOPIC, PR\_CONVERSATION\_TOPIC\_A, ptagConversationTopic, PR\_CONVERSATION\_TOPIC\_W

### ***2.518 PidTagCorrelateMtsid***

**Canonical name:** PidTagCorrelateMtsid

**Property ID:** 0x0E0D

**Data type:** PtypBinary, 0x0102

**Area:** Exchange

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_CORRELATE\_MTSID

### ***2.519 PidTagCountry***

**Canonical name:** PidTagCountry

**Property ID:** 0x3A26

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_COUNTRY, PR\_COUNTRY\_A, PR\_COUNTRY\_W, PR\_BUSINESS\_ADDRESS\_COUNTRY, PR\_BUSINESS\_ADDRESS\_COUNTRY\_A, PR\_BUSINESS\_ADDRESS\_COUNTRY\_W

### ***2.520 PidTagCreateTemplates***

**Canonical name:** PidTagCreateTemplates

**Property ID:** 0x3604

**Data type:** PtypComObject, 0x000D

**Area:** Address Book

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_CREATE\_TEMPLATES

### ***2.521 PidTagCreationTime***

**Canonical name:** PidTagCreationTime

**Property ID:** 0x3007

**Data type:** PtypTime, 0x0040

**Area:** Message Time Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_CREATION\_TIME, ptagCreationTime

### ***2.522 PidTagCreationVersion***

**Canonical name:** PidTagCreationVersion

**Property ID:** 0x0E19

**Data type:** PtypInteger64, 0x0014

**Area:** Message Time Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_CREATION\_VERSION

### ***2.523 PidTagCreatorAddressType***

**Canonical name:** PidTagCreatorAddressType

**Property ID:** 0x4022

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXCMAIL]

**Alternate names:** ptagCreatorAddrType

### ***2.524 PidTagCreatorEmailAddress***

**Canonical name:** PidTagCreatorEmailAddress

**Property ID:** 0x4023

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXCMAIL]

**Alternate names:** ptagCreatorEmailAddr

### ***2.525 PidTagCreatorEntryId***

**Canonical name:** PidTagCreatorEntryId

**Property ID:** 0x3FF9

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_CREATOR\_ENTRYID, ptagCreatorEntryId

### ***2.526 PidTagCreatorName***

**Canonical name:** PidTagCreatorName

**Property ID:** 0x3FF8

**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCFCICS], [MS-OXCMSG], [MS-OXTNEF]  
**Alternate names:** PR\_CREATOR\_NAME, PR\_CREATOR\_NAME\_A, ptagCreatorName, PR\_CREATOR\_NAME\_W

### ***2.527 PidTagCreatorSimpleDisplayName***

**Canonical name:** PidTagCreatorSimpleDisplayName  
**Property ID:** 0x4038  
**Data type:** PtypString, 0x001F  
**Area:** TransportEnvelope  
**References:** [MS-OXTNEF]  
**Alternate names:** ptagCreatorSimpleDispName

### ***2.528 PidTagCustomerId***

**Canonical name:** PidTagCustomerId  
**Property ID:** 0x3A4A  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_CUSTOMER\_ID, PR\_CUSTOMER\_ID\_A, PR\_CUSTOMER\_ID\_W

### ***2.529 PidTagDamBackPatched***

**Canonical name:** PidTagDamBackPatched  
**Property ID:** 0x6647  
**Data type:** PtypBoolean, 0x000B  
**Area:** Server-side Rules Properties  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_DAM\_BACK\_PATCHED, ptagDamBackPatched

### ***2.530 PidTagDamOriginalEntryId***

**Canonical name:** PidTagDamOriginalEntryId  
**Property ID:** 0x6646  
**Data type:** PtypBinary, 0x0102  
**Area:** Server-side Rules Properties  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_DAM\_ORIGINAL\_ENTRYID

### ***2.531 PidTagDefaultPostMessageClass***

**Canonical name:** PidTagDefaultPostMessageClass  
**Property ID:** 0x36E5  
**Data type:** PtypString, 0x001F

**Area:** MapiContainer  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_DEF\_POST\_MSGCLASS

### ***2.532 PidTagDeferredDeliveryTime***

**Canonical name:** PidTagDeferredDeliveryTime  
**Property ID:** 0x000F  
**Data type:** PtypTime, 0x0040  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_DELIVERY\_TIME, ptagDeferredDeliveryTime

### ***2.533 PidTagDeferredSendNumber***

**Canonical name:** PidTagDeferredSendNumber  
**Property ID:** 0x3FEB  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_SEND\_NUMBER

### ***2.534 PidTagDeferredSendTime***

**Canonical name:** PidTagDeferredSendTime  
**Property ID:** 0x3FEF  
**Data type:** PtypTime, 0x0040  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_SEND\_TIME, ptagDeferredSendTime

### ***2.535 PidTagDeferredSendUnits***

**Canonical name:** PidTagDeferredSendUnits  
**Property ID:** 0x3FEC  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_SEND\_UNITS

### ***2.536 PidTagDelegatedByRule***

**Canonical name:** PidTagDelegatedByRule  
**Property ID:** 0x3FE3  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiStatus  
**References:** [MS-OXODLGT], [MS-OXORULE]  
**Alternate names:** PR\_DELEGATED\_BY\_RULE



### ***2.537 PidTagDelegateFlags***

**Canonical name:** PidTagDelegateFlags

**Property ID:** 0x686B

**Data type:** PtypMultipleInteger32, 0x1003

**Area:** MessageClassDefinedTransmittable

**References:** [MS-OXODLGT]

**Alternate names:** PR\_DELEGATE\_FLAGS, ptagDelegateFlags

### ***2.538 PidTagDelegation***

**Canonical name:** PidTagDelegation

**Property ID:** 0x007E

**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** PR\_DELEGATION

### ***2.539 PidTagDeleteAfterSubmit***

**Canonical name:** PidTagDeleteAfterSubmit

**Property ID:** 0x0E01

**Data type:** PtypBoolean, 0x000B

**Area:** MapiNonTransmittable

**References:** [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]

**Alternate names:** PR\_DELETE\_AFTER\_SUBMIT, ptagDeleteAfterSubmit

### ***2.540 PidTagDeletedOn***

**Canonical name:** PidTagDeletedOn

**Property ID:** 0x668F

**Data type:** PtypTime, 0x0040

**Area:** ExchangeFolder

**References:** [MS-OXCFOLD]

**Alternate names:** PR\_DELETED\_ON, ptagDeletedOn

### ***2.541 PidTagDepartmentName***

**Canonical name:** PidTagDepartmentName

**Property ID:** 0x3A18

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_DEPARTMENT\_NAME, PR\_DEPARTMENT\_NAME\_A, PR\_DEPARTMENT\_NAME\_W

### ***2.542 PidTagDepth***

**Canonical name:** PidTagDepth

**Property ID:** 0x3005

**Data type:** PtypInteger32, 0x0003

**Area:** MapiCommon

**References:** [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]

**Alternate names:** PR\_DEPTH, ptagDepth

### ***2.543 PidTagDisplayBcc***

**Canonical name:** PidTagDisplayBcc

**Property ID:** 0x0E02

**Data type:** PtypString, 0x001F

**Area:** Message Properties

**References:** [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_DISPLAY\_BCC, PR\_DISPLAY\_BCC\_A, ptagDisplayBcc, PR\_DISPLAY\_BCC\_W

### ***2.544 PidTagDisplayCc***

**Canonical name:** PidTagDisplayCc

**Property ID:** 0x0E03

**Data type:** PtypString, 0x001F

**Area:** Message Properties

**References:** [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_DISPLAY\_CC, PR\_DISPLAY\_CC\_A, ptagDisplayCc, PR\_DISPLAY\_CC\_W

### ***2.545 PidTagDisplayName***

**Canonical name:** PidTagDisplayName

**Property ID:** 0x3001

**Data type:** PtypString, 0x001F

**Area:** MapiCommon

**References:** [MS-NSPI], [MS-OXCADATA], [MS-OXCFCOLD], [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXSHARE], [MS-XWDVSEC]

**Alternate names:** PR\_DISPLAY\_NAME, PR\_DISPLAY\_NAME\_A, ptagDisplayName, PR\_DISPLAY\_NAME\_W

### ***2.546 PidTagDisplayNamePrefix***

**Canonical name:** PidTagDisplayNamePrefix

**Property ID:** 0x3A45

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_DISPLAY\_NAME\_PREFIX, PR\_DISPLAY\_NAME\_PREFIX\_A, PR\_DISPLAY\_NAME\_PREFIX\_W

### ***2.547 PidTagDisplayTo***

**Canonical name:** PidTagDisplayTo

**Property ID:** 0x0E04

**Data type:** PtypString, 0x001F

**Area:** Message Properties

**References:** [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_DISPLAY\_TO, PR\_DISPLAY\_TO\_A, ptagDisplayTo, PR\_DISPLAY\_TO\_W

### ***2.548 PidTagDisplayType***

**Canonical name:** PidTagDisplayType

**Property ID:** 0x3900

**Data type:** PtypInteger32, 0x0003

**Area:** MapiAddressBook

**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

**Alternate names:** PR\_DISPLAY\_TYPE, ptagDisplayType

### ***2.549 PidTagDisplayTypeEx***

**Canonical name:** PidTagDisplayTypeEx

**Property ID:** 0x3905

**Data type:** PtypInteger32, 0x0003

**Area:** MapiAddressBook

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

**Alternate names:** PR\_DISPLAY\_TYPE\_EX

### ***2.550 PidTagEcWarning***

**Canonical name:** PidTagEcWarning

**Property ID:** 0x400F

**Data type:** PtypInteger32, 0x0003

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS]

**Alternate names:** ptagEcWarning

### ***2.551 PidTagEmailAddress***

**Canonical name:** PidTagEmailAddress

**Property ID:** 0x3003

**Data type:** PtypString, 0x001F

**Area:** MapiCommon

**References:** [MS-NSPI], [MS-OXCADATA], [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]

**Alternate names:** PR\_EMAIL\_ADDRESS, PR\_EMAIL\_ADDRESS\_A, PR\_EMAIL\_ADDRESS\_W

### ***2.552 PidTagEmailAddress1***

**Canonical name:** PidTagEmailAddress1

**Property ID:** 0x8093

**Data type:** PtypString, 0x001F

**Area:** ExchangeDirectorySchemaDefined

**References:** [MS-OXPROTO]

**Alternate names:** PR\_EMAIL\_ADDRESS\_1

### ***2.553 PidTagEndDate***

**Canonical name:** PidTagEndDate

**Property ID:** 0x0061

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF]

**Alternate names:** PR\_END\_DATE

### ***2.554 PidTagEntryId***

**Canonical name:** PidTagEntryId

**Property ID:** 0x0FFF

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-NSPI], [MS-OXCADATA], [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPerm], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS]

**Alternate names:** PR\_ENTRYID, ptagEntryId

### ***2.555 PidTagExceptionEndTime***

**Canonical name:** PidTagExceptionEndTime

**Property ID:** 0x7FFC

**Data type:** PtypTime, 0x0040  
**Area:** MessageClassDefinedNonTransmittable  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** PR\_EXCEPTION\_ENDTIME, ptagExceptionEndTime

### ***2.556 PidTagExceptionReplaceTime***

**Canonical name:** PidTagExceptionReplaceTime  
**Property ID:** 0x7FF9  
**Data type:** PtypTime, 0x0040  
**Area:** MessageClassDefinedNonTransmittable  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_EXCEPTION\_REPLACETIME

### ***2.557 PidTagExceptionStartTime***

**Canonical name:** PidTagExceptionStartTime  
**Property ID:** 0x7FFB  
**Data type:** PtypTime, 0x0040  
**Area:** MessageClassDefinedNonTransmittable  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** PR\_EXCEPTION\_STARTTIME, ptagExceptionStartTime

### ***2.558 PidTagExpiryNumber***

**Canonical name:** PidTagExpiryNumber  
**Property ID:** 0x3FED  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_EXPIRY\_NUMBER

### ***2.559 PidTagExpiryTime***

**Canonical name:** PidTagExpiryTime  
**Property ID:** 0x0015  
**Data type:** PtypTime, 0x0040  
**Area:** MapiEnvelope  
**References:** [MS-OXCMAIL], [MS-OXOMSG]  
**Alternate names:** PR\_EXPIRY\_TIME, ptagExpiryTime

### ***2.560 PidTagExpiryUnits***

**Canonical name:** PidTagExpiryUnits  
**Property ID:** 0x3FEE  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiStatus

**References:** [MS-OXOMSG]  
**Alternate names:** PR\_EXPIRY\_UNITS

### ***2.561 PidTagExtendedFolderFlags***

**Canonical name:** PidTagExtendedFolderFlags  
**Property ID:** 0x36DA  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiContainer  
**References:** [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]  
**Alternate names:** PR\_EXTENDED\_FOLDER\_FLAGS, ptagExtendedFolderFlags

### ***2.562 PidTagExtendedRuleMessageActions***

**Canonical name:** PidTagExtendedRuleMessageActions  
**Property ID:** 0x0E99  
**Data type:** PtypBinary, 0x0102  
**Area:** Rules  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_EXTENDED\_RULE\_MSG\_ACTIONS

### ***2.563 PidTagExtendedRuleMessageCondition***

**Canonical name:** PidTagExtendedRuleMessageCondition  
**Property ID:** 0x0E9A  
**Data type:** PtypBinary, 0x0102  
**Area:** Rules  
**References:** [MS-OXCPRPT], [MS-OXORULE]  
**Alternate names:** PR\_EXTENDED\_RULE\_MSG\_CONDITION

### ***2.564 PidTagExtendedRuleSizeLimit***

**Canonical name:** PidTagExtendedRuleSizeLimit  
**Property ID:** 0x0E9B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Rules  
**References:** [MS-OXCSTOR], [MS-OXORULE]  
**Alternate names:** PR\_EXTENDED\_RULE\_SIZE\_LIMIT

### ***2.565 PidTagFaxNumberOfPages***

**Canonical name:** PidTagFaxNumberOfPages  
**Property ID:** 0x6804  
**Data type:** PtypInteger32, 0x0003  
**Area:** Unified Messaging Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** InternalSchemaFaxNumberOfPages

### ***2.566 PidTagFlagCompleteTime***

**Canonical name:** PidTagFlagCompleteTime

**Property ID:** 0x1091

**Data type:** PtypTime, 0x0040

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** PR\_FLAG\_COMPLETE\_TIME, ptagFlagCompleteTime

### ***2.567 PidTagFlagStatus***

**Canonical name:** PidTagFlagStatus

**Property ID:** 0x1090

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

**Alternate names:** PR\_FLAG\_STATUS, ptagFlagStatus

### ***2.568 PidTagFolderAssociatedContents***

**Canonical name:** PidTagFolderAssociatedContents

**Property ID:** 0x3610

**Data type:** PtypComObject, 0x000D

**Area:** MapiContainer

**References:** [MS-OXCFXICS], [MS-OXCICAL]

**Alternate names:** PR\_FOLDER\_ASSOCIATED\_CONTENTS

### ***2.569 PidTagFolderId***

**Canonical name:** PidTagFolderId

**Property ID:** 0x6748

**Data type:** PtypInteger64, 0x0014

**Area:** ID Properties

**References:** [MS-OXCFCFOLD], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

**Alternate names:** ptagFID

### ***2.570 PidTagFolderType***

**Canonical name:** PidTagFolderType

**Property ID:** 0x3601

**Data type:** PtypInteger32, 0x0003

**Area:** MapiContainer

**References:** [MS-OXCFCFOLD], [MS-OXCICAL], [MS-OXOSRCH]

**Alternate names:** PR\_FOLDER\_TYPE, ptagFolderType

### ***2.571 PidTagFollowupIcon***

**Canonical name:** PidTagFollowupIcon

**Property ID:** 0x1095

**Data type:** PtypInteger32, 0x0003

**Area:** RenMessageFolder

**References:** [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]

**Alternate names:** PR\_FOLLOWUP\_ICON, ptagFollowupIcon

### ***2.572 PidTagFreeBusyCountMonths***

**Canonical name:** PidTagFreeBusyCountMonths

**Property ID:** 0x6869

**Data type:** PtypInteger32, 0x0003

**Area:** MessageClassDefinedTransmittable

**References:** [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_COUNT\_MONTHS

### ***2.573 PidTagFreeBusyEntryIds***

**Canonical name:** PidTagFreeBusyEntryIds

**Property ID:** 0x36E4

**Data type:** PtypMultipleBinary, 0x1102

**Area:** MapiContainer

**References:** [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]

**Alternate names:** PR\_FREEBUSY\_ENTRYIDS, ptagFreeBusyEntryIds

### ***2.574 PidTagFreeBusyMessageEmailAddress***

**Canonical name:** PidTagFreeBusyMessageEmailAddress

**Property ID:** 0x6849

**Data type:** PtypString, 0x001F

**Area:** MessageClassDefinedTransmittable

**References:** [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_EMA

### ***2.575 PidTagFreeBusyPublishEnd***

**Canonical name:** PidTagFreeBusyPublishEnd

**Property ID:** 0x6848

**Data type:** PtypInteger32, 0x0003

**Area:** Free/Busy Properties

**References:** [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_PUBLISH\_END

### ***2.576 PidTagFreeBusyPublishStart***

**Canonical name:** PidTagFreeBusyPublishStart

**Property ID:** 0x6847



**Data type:** PtypInteger32, 0x0003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_FREEBUSY\_PUBLISH\_START

### ***2.577 PidTagFreeBusyRangeTimestamp***

**Canonical name:** PidTagFreeBusyRangeTimestamp  
**Property ID:** 0x6868  
**Data type:** PtypTime, 0x0040  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_FREEBUSY\_RANGE\_TIMESTAMP

### ***2.578 PidTagFtpSite***

**Canonical name:** PidTagFtpSite  
**Property ID:** 0x3A4C  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_FTP\_SITE, PR\_FTP\_SITE\_A, PR\_FTP\_SITE\_W

### ***2.579 PidTagFXDelProp***

**Canonical name:** PidTagFXDelProp  
**Property ID:** 0x4016  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagFXDelProp

### ***2.580 PidTagGatewayNeedsToRefresh***

**Canonical name:** PidTagGatewayNeedsToRefresh  
**Property ID:** 0x6846  
**Data type:** PtypBoolean, 0x000B  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_GATEWAY\_NEEDS\_TO\_REFRESH

### ***2.581 PidTagGender***

**Canonical name:** PidTagGender  
**Property ID:** 0x3A4D  
**Data type:** PtypInteger16, 0x0002  
**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_GENDER

### ***2.582 PidTagGeneration***

**Canonical name:** PidTagGeneration  
**Property ID:** 0x3A05  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_GENERATION, PR\_GENERATION\_A, PR\_GENERATION\_W

### ***2.583 PidTagGivenName***

**Canonical name:** PidTagGivenName  
**Property ID:** 0x3A06  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_GIVEN\_NAME, PR\_GIVEN\_NAME\_A, PR\_GIVEN\_NAME\_W

### ***2.584 PidTagGovernmentIdNumber***

**Canonical name:** PidTagGovernmentIdNumber  
**Property ID:** 0x3A07  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_GOVERNMENT\_ID\_NUMBER,  
PR\_GOVERNMENT\_ID\_NUMBER\_A, PR\_GOVERNMENT\_ID\_NUMBER\_W

### ***2.585 PidTagHasAttachments***

**Canonical name:** PidTagHasAttachments  
**Property ID:** 0x0E1B  
**Data type:** PtypBoolean, 0x000B  
**Area:** Message Attachment Properties  
**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG]  
**Alternate names:** PR\_HASATTACH, ptagHasAttach

### ***2.586 PidTagHasDeferredActionMessages***

**Canonical name:** PidTagHasDeferredActionMessages  
**Property ID:** 0x3FEA  
**Data type:** PtypBoolean, 0x000B  
**Area:** Rules  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_HAS\_DAMS, ptagHasDAMs

### ***2.587 PidTagHasNamedProperties***

**Canonical name:** PidTagHasNamedProperties

**Property ID:** 0x664A

**Data type:** PtypBoolean, 0x000B

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXCFXICS], [MS-OXCMSG]

**Alternate names:** PR\_HAS\_NAMED\_PROPERTIES, ptagHasNamedProperties

### ***2.588 PidTagHasRules***

**Canonical name:** PidTagHasRules

**Property ID:** 0x663A

**Data type:** PtypBoolean, 0x000B

**Area:** ExchangeFolder

**References:** [MS-OXORULE]

**Alternate names:** PR\_HAS\_RULES, ptagHasRules

### ***2.589 PidTagHierarchyChangeNumber***

**Canonical name:** PidTagHierarchyChangeNumber

**Property ID:** 0x663E

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeFolder

**References:** [MS-OXCFOLD]

**Alternate names:** PR\_HIERARCHY\_CHANGE\_NUM

### ***2.590 PidTagHobbies***

**Canonical name:** PidTagHobbies

**Property ID:** 0x3A43

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOBBIES, PR\_HOBBIES\_A, PR\_HOBBIES\_W

### ***2.591 PidTagHome2TelephoneNumber***

**Canonical name:** PidTagHome2TelephoneNumber

**Property ID:** 0x3A2F

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME2\_TELEPHONE\_NUMBER,  
PR\_HOME2\_TELEPHONE\_NUMBER\_A, PR\_HOME2\_TELEPHONE\_NUMBER\_W

### ***2.592 PidTagHome2TelephoneNumbers***

**Canonical name:** PidTagHome2TelephoneNumbers

**Property ID:** 0x3A2F

**Data type:** PtypMultipleString, 0x101F

**Area:** MapiMailUser

**References:** [MS-OXOABK]

**Alternate names:** PR\_HOME2\_TELEPHONE\_NUMBER\_A\_MV

### ***2.593 PidTagHomeAddressCity***

**Canonical name:** PidTagHomeAddressCity

**Property ID:** 0x3A59

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_CITY, PR\_HOME\_ADDRESS\_CITY\_A,  
PR\_HOME\_ADDRESS\_CITY\_W

### ***2.594 PidTagHomeAddressCountry***

**Canonical name:** PidTagHomeAddressCountry

**Property ID:** 0x3A5A

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_COUNTRY,  
PR\_HOME\_ADDRESS\_COUNTRY\_A, PR\_HOME\_ADDRESS\_COUNTRY\_W

### ***2.595 PidTagHomeAddressPostalCode***

**Canonical name:** PidTagHomeAddressPostalCode

**Property ID:** 0x3A5B

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_POSTAL\_CODE,  
PR\_HOME\_ADDRESS\_POSTAL\_CODE\_A,  
PR\_HOME\_ADDRESS\_POSTAL\_CODE\_W

### ***2.596 PidTagHomeAddressPostOfficeBox***

**Canonical name:** PidTagHomeAddressPostOfficeBox

**Property ID:** 0x3A5E

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_POST\_OFFICE\_BOX,

PR\_HOME\_ADDRESS\_POST\_OFFICE\_BOX\_A,  
PR\_HOME\_ADDRESS\_POST\_OFFICE\_BOX\_W

### ***2.597 PidTagHomeAddressStateOrProvince***

**Canonical name:** PidTagHomeAddressStateOrProvince

**Property ID:** 0x3A5C

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_STATE\_OR\_PROVINCE,  
PR\_HOME\_ADDRESS\_STATE\_OR\_PROVINCE\_A,  
PR\_HOME\_ADDRESS\_STATE\_OR\_PROVINCE\_W

### ***2.598 PidTagHomeAddressStreet***

**Canonical name:** PidTagHomeAddressStreet

**Property ID:** 0x3A5D

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_STREET, PR\_HOME\_ADDRESS\_STREET\_A,  
PR\_HOME\_ADDRESS\_STREET\_W

### ***2.599 PidTagHomeFaxNumber***

**Canonical name:** PidTagHomeFaxNumber

**Property ID:** 0x3A25

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_FAX\_NUMBER, PR\_HOME\_FAX\_NUMBER\_A,  
PR\_HOME\_FAX\_NUMBER\_W

### ***2.600 PidTagHomeTelephoneNumber***

**Canonical name:** PidTagHomeTelephoneNumber

**Property ID:** 0x3A09

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_TELEPHONE\_NUMBER,  
PR\_HOME\_TELEPHONE\_NUMBER\_A, PR\_HOME\_TELEPHONE\_NUMBER\_W

### ***2.601 PidTagHtml***

**Canonical name:** PidTagHtml

**Property ID:** 0x1013

**Data type:** PtypBinary, 0x0102  
**Area:** General Message Properties  
**References:** [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS]  
**Alternate names:** PR\_HTML, ptagHtml

### ***2.602 PidTagIconIndex***

**Canonical name:** PidTagIconIndex  
**Property ID:** 0x1080  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]  
**Alternate names:** PR\_ICON\_INDEX, ptagIconIndex

### ***2.603 PidTagIdsetDeleted***

**Canonical name:** PidTagIdsetDeleted  
**Property ID:** 0x67E5  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetDeleted

### ***2.604 PidTagIdsetExpired***

**Canonical name:** PidTagIdsetExpired  
**Property ID:** 0x6793  
**Data type:** PtypBinary, 0x0102  
**Area:** Sync  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagMidsetExpired

### ***2.605 PidTagIdsetGiven***

**Canonical name:** PidTagIdsetGiven  
**Property ID:** 0x4017  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetGiven

### ***2.606 PidTagIdsetRead***

**Canonical name:** PidTagIdsetRead  
**Property ID:** 0x402D

**Data type:** PtypBinary, 0x0102  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetRead

### ***2.607 PidTagIdsetSoftDeleted***

**Canonical name:** PidTagIdsetSoftDeleted  
**Property ID:** 0x4021  
**Data type:** PtypBinary, 0x0102  
**Area:** Sync  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagSoftDeletes

### ***2.608 PidTagIdsetUnread***

**Canonical name:** PidTagIdsetUnread  
**Property ID:** 0x402E  
**Data type:** PtypBinary, 0x0102  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetUnread

### ***2.609 PidTagImapCachedMsgsize***

**Canonical name:** PidTagImapCachedMsgsize  
**Property ID:** 0x10F0  
**Data type:** PtypBinary, 0x0102  
**Area:** RenMessageFolder  
**References:** [MS-OXTNEF]  
**Alternate names:** ptagImapCachedMsgsize

### ***2.610 PidTagImportance***

**Canonical name:** PidTagImportance  
**Property ID:** 0x0017  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF]  
**Alternate names:** PR\_IMPORTANCE, ptagImportance

### ***2.611 PidTagInConflict***

**Canonical name:** PidTagInConflict  
**Property ID:** 0x666C  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conflict Note

**References:** [MS-OXCSYNC]  
**Alternate names:** PR\_IN\_CONFLICT, ptagInConflict

### ***2.612 PidTagIncrementalSyncMessagePartial***

**Canonical name:** PidTagIncrementalSyncMessagePartial  
**Property ID:** 0x407A  
**Data type:** PtypInteger32, 0x0003  
**Area:** ICS  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIncrSyncMsgPartial

### ***2.613 PidTagIncrSyncGroupId***

**Canonical name:** PidTagIncrSyncGroupId  
**Property ID:** 0x407C  
**Data type:** PtypInteger32, 0x0003  
**Area:** ICS  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIncrSyncGroupId

### ***2.614 PidTagInitialDetailsPane***

**Canonical name:** PidTagInitialDetailsPane  
**Property ID:** 0x3F08  
**Data type:** PtypInteger32, 0x0003  
**Area:** MAPI Display Tables  
**References:** [MS-NSPI], [MS-OXOABK]  
**Alternate names:** PR\_INITIAL\_DETAILS\_PANE

### ***2.615 PidTagInitials***

**Canonical name:** PidTagInitials  
**Property ID:** 0x3A0A  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_INITIALS, PR\_INITIALS\_A, PR\_INITIALS\_W

### ***2.616 PidTagInReplyToId***

**Canonical name:** PidTagInReplyToId  
**Property ID:** 0x1042  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL], [MS-OXOMSG]  
**Alternate names:** PR\_IN\_REPLY\_TO\_ID, PR\_IN\_REPLY\_TO\_ID\_A, PR\_IN\_REPLY\_TO\_ID\_W



### ***2.617 PidTagInstanceKey***

**Canonical name:** PidTagInstanceKey

**Property ID:** 0x0FF6

**Data type:** PtypBinary, 0x0102

**Area:** Table Properties

**References:** [MS-NSPI], [MS-OXCADATA], [MS-OXCFCICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOABKT]

**Alternate names:** PR\_INSTANCE\_KEY, ptagInstanceKey

### ***2.618 PidTagInstanceNum***

**Canonical name:** PidTagInstanceNum

**Property ID:** 0x674E

**Data type:** PtypInteger32, 0x0003

**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCTABL], [MS-OXOPFFB]

**Alternate names:** ptagInstanceNum

### ***2.619 PidTagInstID***

**Canonical name:** PidTagInstID

**Property ID:** 0x674D

**Data type:** PtypInteger64, 0x0014

**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCTABL], [MS-OXOPFFB]

**Alternate names:** ptagInstID

### ***2.620 PidTagInternetArticleNumber***

**Canonical name:** PidTagInternetArticleNumber

**Property ID:** 0x0E23

**Data type:** PtypInteger32, 0x0003

**Area:** MIME Properties

**References:** [MS-OXCFCICS]

**Alternate names:** PR\_INTERNET\_ARTICLE\_NUMBER

### ***2.621 PidTagInternetCodepage***

**Canonical name:** PidTagInternetCodepage

**Property ID:** 0x3FDE

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]

**Alternate names:** PR\_INTERNET\_CPID, ptagInternetCpid

### ***2.622 PidTagInternetMailOverrideFormat***

**Canonical name:** PidTagInternetMailOverrideFormat

**Property ID:** 0x5902

**Data type:** PtypInteger32, 0x0003

**Area:** MIME Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]

**Alternate names:** PR\_INETMAIL\_OVERRIDE\_FORMAT, ptagInetMailOverrideFormat

### ***2.623 PidTagInternetMessageId***

**Canonical name:** PidTagInternetMessageId

**Property ID:** 0x1035

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_INTERNET\_MESSAGE\_ID, PR\_INTERNET\_MESSAGE\_ID\_A, PR\_INTERNET\_MESSAGE\_ID\_W

### ***2.624 PidTagInternetReferences***

**Canonical name:** PidTagInternetReferences

**Property ID:** 0x1039

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_INTERNET\_REFERENCES, PR\_INTERNET\_REFERENCES\_A, PR\_INTERNET\_REFERENCES\_W

### ***2.625 PidTagInternetReturnPath***

**Canonical name:** PidTagInternetReturnPath

**Property ID:** 0x1046

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCICAL]

**Alternate names:** PR\_INTERNET\_RETURN\_PATH, PR\_INTERNET\_RETURN\_PATH\_A, PR\_INTERNET\_RETURN\_PATH\_W

### ***2.626 PidTagIpmAppointmentEntryId***

**Canonical name:** PidTagIpmAppointmentEntryId

**Property ID:** 0x36D0

**Data type:** PtypBinary, 0x0102

**Area:** Folder Properties

**References:** [MS-OXODLGT], [MS-OXOSFLD]

**Alternate names:** PR\_IPM\_APPOINTMENT\_ENTRYID

### ***2.627 PidTagIpmContactEntryId***

**Canonical name:** PidTagIpmContactEntryId  
**Property ID:** 0x36D1  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_CONTACT\_ENTRYID

### ***2.628 PidTagIpmDraftsEntryId***

**Canonical name:** PidTagIpmDraftsEntryId  
**Property ID:** 0x36D7  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_DRAFTS\_ENTRYID

### ***2.629 PidTagIpmJournalEntryId***

**Canonical name:** PidTagIpmJournalEntryId  
**Property ID:** 0x36D2  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_JOURNAL\_ENTRYID

### ***2.630 PidTagIpmNoteEntryId***

**Canonical name:** PidTagIpmNoteEntryId  
**Property ID:** 0x36D3  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_NOTE\_ENTRYID

### ***2.631 PidTagIpmTaskEntryId***

**Canonical name:** PidTagIpmTaskEntryId  
**Property ID:** 0x36D4  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_TASK\_ENTRYID

### ***2.632 PidTagIsdnNumber***

**Canonical name:** PidTagIsdnNumber  
**Property ID:** 0x3A2D

**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_ISDN\_NUMBER, PR\_ISDN\_NUMBER\_A, PR\_ISDN\_NUMBER\_W

### ***2.633 PidTagItemTemporaryflags***

**Canonical name:** PidTagItemTemporaryflags  
**Property ID:** 0x1097  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFOLD]  
**Alternate names:** PR\_ITEM\_TMPFLAGS

### ***2.634 PidTagJunkAddRecipientsToSafeSendersList***

**Canonical name:** PidTagJunkAddRecipientsToSafeSendersList  
**Property ID:** 0x6103  
**Data type:** PtypInteger32, 0x0003  
**Area:** Spam  
**References:** [MS-OXCSPAM]  
**Alternate names:** PR\_JUNK\_ADD\_RECIPS\_TO\_SSL

### ***2.635 PidTagJunkIncludeContacts***

**Canonical name:** PidTagJunkIncludeContacts  
**Property ID:** 0x6100  
**Data type:** PtypInteger32, 0x0003  
**Area:** Spam  
**References:** [MS-OXCSPAM]  
**Alternate names:** PR\_JUNK\_INCLUDE\_CONTACTS

### ***2.636 PidTagJunkPermanentlyDelete***

**Canonical name:** PidTagJunkPermanentlyDelete  
**Property ID:** 0x6102  
**Data type:** PtypInteger32, 0x0003  
**Area:** Spam  
**References:** [MS-OXCSPAM]  
**Alternate names:** PR\_JUNK\_PERMANENTLY\_DELETE

### ***2.637 PidTagJunkPhishingEnableLinks***

**Canonical name:** PidTagJunkPhishingEnableLinks  
**Property ID:** 0x6107  
**Data type:** PtypBoolean, 0x000B  
**Area:** Spam

**References:** [MS-OXCSPAM], [MS-OXPHISH]  
**Alternate names:** PR\_JUNK\_PHISHING\_ENABLE\_LINKS

### ***2.638 PidTagJunkThreshold***

**Canonical name:** PidTagJunkThreshold  
**Property ID:** 0x6101  
**Data type:** PtypInteger32, 0x0003  
**Area:** Spam  
**References:** [MS-OXCSPAM]  
**Alternate names:** PR\_JUNK\_THRESHOLD

### ***2.639 PidTagKeyword***

**Canonical name:** PidTagKeyword  
**Property ID:** 0x3A0B  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_KEYWORD, PR\_KEYWORD\_A, PR\_KEYWORD\_W

### ***2.640 PidTagLanguage***

**Canonical name:** PidTagLanguage  
**Property ID:** 0x3A0C  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_LANGUAGE, PR\_LANGUAGE\_A, PR\_LANGUAGE\_W

### ***2.641 PidTagLastModificationTime***

**Canonical name:** PidTagLastModificationTime  
**Property ID:** 0x3008  
**Data type:** PtypTime, 0x0040  
**Area:** Message Time Properties  
**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK], [MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]  
**Alternate names:** PR\_LAST\_MODIFICATION\_TIME, ptagLastModificationTime

### ***2.642 PidTagLastModifierEntryId***

**Canonical name:** PidTagLastModifierEntryId  
**Property ID:** 0x3FFB  
**Data type:** PtypBinary, 0x0102  
**Area:** History Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_LAST\_MODIFIER\_ENTRYID, ptagLastModifierEntryId

### ***2.643 PidTagLastModifierName***

**Canonical name:** PidTagLastModifierName

**Property ID:** 0x3FFA

**Data type:** PtypString, 0x001F

**Area:** History Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXTNEF]

**Alternate names:** PR\_LAST\_MODIFIER\_NAME, PR\_LAST\_MODIFIER\_NAME\_A, ptagLastModifierName, PR\_LAST\_MODIFIER\_NAME\_W

### ***2.644 PidTagLastModifierSimpleDisplayName***

**Canonical name:** PidTagLastModifierSimpleDisplayName

**Property ID:** 0x4039

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagLastModifierSimpleDispName

### ***2.645 PidTagLastVerbExecuted***

**Canonical name:** PidTagLastVerbExecuted

**Property ID:** 0x1081

**Data type:** PtypInteger32, 0x0003

**Area:** History Properties

**References:** [MS-OXCICAL]

**Alternate names:** PR\_LAST\_VERB\_EXECUTED, ptagLastVerbExecuted

### ***2.646 PidTagLastVerbExecutionTime***

**Canonical name:** PidTagLastVerbExecutionTime

**Property ID:** 0x1082

**Data type:** PtypTime, 0x0040

**Area:** History Properties

**References:** [MS-OXCICAL]

**Alternate names:** PR\_LAST\_VERB\_EXECUTION\_TIME, ptagLastVerbExecutionTime

### ***2.647 PidTagListHelp***

**Canonical name:** PidTagListHelp

**Property ID:** 0x1043

**Data type:** PtypString, 0x001F

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_LIST\_HELP, PR\_LIST\_HELP\_A, PR\_LIST\_HELP\_W

### ***2.648 PidTagListSubscribe***

**Canonical name:** PidTagListSubscribe

**Property ID:** 0x1044

**Data type:** PtypString, 0x001F

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_LIST\_SUBSCRIBE, PR\_LIST\_SUBSCRIBE\_A,  
PR\_LIST\_SUBSCRIBE\_W

### ***2.649 PidTagListUnsubscribe***

**Canonical name:** PidTagListUnsubscribe

**Property ID:** 0x1045

**Data type:** PtypString, 0x001F

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_LIST\_UNSUBSCRIBE, PR\_LIST\_UNSUBSCRIBE\_A,  
PR\_LIST\_UNSUBSCRIBE\_W

### ***2.650 PidTagLocalCommitTime***

**Canonical name:** PidTagLocalCommitTime

**Property ID:** 0x6709

**Data type:** PtypTime, 0x0040

**Area:** Server

**References:** [MS-OXCMSG]

**Alternate names:** PR\_LOCAL\_COMMIT\_TIME, ptagLocalCommitTime

### ***2.651 PidTagLocaleId***

**Canonical name:** PidTagLocaleId

**Property ID:** 0x66A1

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCMSG], [MS-OXCSTOR]

**Alternate names:** PR\_LOCALE\_ID, ptagLocaleId

### ***2.652 PidTagLocality***

**Canonical name:** PidTagLocality

**Property ID:** 0x3A27

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_LOCALITY, PR\_LOCALITY\_A, PR\_LOCALITY\_W,  
PR\_BUSINESS\_ADDRESS\_LOCALITY, PR\_BUSINESS\_ADDRESS\_LOCALITY\_A,  
PR\_BUSINESS\_ADDRESS\_LOCALITY\_W

### ***2.653 PidTagLocation***

**Canonical name:** PidTagLocation

**Property ID:** 0x3A0D

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS]

**Alternate names:** PR\_LOCATION, PR\_LOCATION\_A, PR\_LOCATION\_W

### ***2.654 PidTagMailboxOwnerEntryId***

**Canonical name:** PidTagMailboxOwnerEntryId

**Property ID:** 0x661B

**Data type:** PtypBinary, 0x0102

**Area:** Message Store Properties

**References:** [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** PR\_MAILBOX\_OWNER\_ENTRYID, ptagMailboxOwnerEntryId

### ***2.655 PidTagMailboxOwnerName***

**Canonical name:** PidTagMailboxOwnerName

**Property ID:** 0x661C

**Data type:** PtypString, 0x001F

**Area:** Message Store Properties

**References:** [MS-OXCSTOR], [MS-OXOCAL]

**Alternate names:** PR\_MAILBOX\_OWNER\_NAME,  
PR\_MAILBOX\_OWNER\_NAME\_A, ptagMailboxOwnerName,  
PR\_MAILBOX\_OWNER\_NAME\_W

### ***2.656 PidTagManagerName***

**Canonical name:** PidTagManagerName

**Property ID:** 0x3A4E

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_MANAGER\_NAME, PR\_MANAGER\_NAME\_A,  
PR\_MANAGER\_NAME\_W

### ***2.657 PidTagMappingSignature***

**Canonical name:** PidTagMappingSignature

**Property ID:** 0x0FF8

**Data type:** PtypBinary, 0x0102



**Area:** Miscellaneous Properties  
**References:** [MS-NSPI], [MS-OXOABK]  
**Alternate names:** PR\_MAPPING\_SIGNATURE, ptagMappingSignature

### ***2.658 PidTagMaximumSubmitMessageSize***

**Canonical name:** PidTagMaximumSubmitMessageSize  
**Property ID:** 0x666D  
**Data type:** PtypInteger32, 0x0003  
**Area:** Message Store Properties  
**References:** [MS-OXCSTOR]  
**Alternate names:** PR\_MAX\_SUBMIT\_MESSAGE\_SIZE

### ***2.659 PidTagMemberId***

**Canonical name:** PidTagMemberId  
**Property ID:** 0x6671  
**Data type:** PtypInteger64, 0x0014  
**Area:** Access Control Properties  
**References:** [MS-OXCPERM]  
**Alternate names:** PR\_MEMBER\_ID, ptagMemberId

### ***2.660 PidTagMemberName***

**Canonical name:** PidTagMemberName  
**Property ID:** 0x6672  
**Data type:** PtypString, 0x001F  
**Area:** Access Control Properties  
**References:** [MS-OXCPERM]  
**Alternate names:** PR\_MEMBER\_NAME, PR\_MEMBER\_NAME\_A, ptagMemberName, PR\_MEMBER\_NAME\_W

### ***2.661 PidTagMemberRights***

**Canonical name:** PidTagMemberRights  
**Property ID:** 0x6673  
**Data type:** PtypInteger32, 0x0003  
**Area:** Access Control Properties  
**References:** [MS-OXCFOLD], [MS-OXCPERM], [MS-OXODLGT]  
**Alternate names:** PR\_MEMBER\_RIGHTS, ptagMemberRights

### ***2.662 PidTagMessageAttachments***

**Canonical name:** PidTagMessageAttachments  
**Property ID:** 0x0E13  
**Data type:** PtypComObject, 0x000D  
**Area:** Message Attachment Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS]

**Alternate names:** PR\_MESSAGE\_ATTACHMENTS, ptagMessageAttachments

### ***2.663 PidTagMessageCcMe***

**Canonical name:** PidTagMessageCcMe

**Property ID:** 0x0058

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_CC\_ME, ptagMessageCcMe

### ***2.664 PidTagMessageClass***

**Canonical name:** PidTagMessageClass

**Property ID:** 0x001A

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXBBODY], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUM], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_CLASS, PR\_MESSAGE\_CLASS\_A, ptagMessageClass, PR\_MESSAGE\_CLASS\_W

### ***2.665 PidTagMessageCodepage***

**Canonical name:** PidTagMessageCodepage

**Property ID:** 0x3FFD

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_CODEPAGE

### ***2.666 PidTagMessageDeliveryTime***

**Canonical name:** PidTagMessageDeliveryTime

**Property ID:** 0x0E06

**Data type:** PtypTime, 0x0040

**Area:** Message Time Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS],

[MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_DELIVERY\_TIME

### ***2.667 PidTagMessageEditorFormat***

**Canonical name:** PidTagMessageEditorFormat

**Property ID:** 0x5909

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MSG\_EDITOR\_FORMAT, ptagMsgEditorFormat

### ***2.668 PidTagMessageFlags***

**Canonical name:** PidTagMessageFlags

**Property ID:** 0x0E07

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_FLAGS, ptagMessageFlags

### ***2.669 PidTagMessageHandlingSystemCommonName***

**Canonical name:** PidTagMessageHandlingSystemCommonName

**Property ID:** 0x3A0F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_MHS\_COMMON\_NAME, PR\_MHS\_COMMON\_NAME\_A, PR\_MHS\_COMMON\_NAME\_W

### ***2.670 PidTagMessageLocaleId***

**Canonical name:** PidTagMessageLocaleId

**Property ID:** 0x3FF1

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_LOCALE\_ID

### ***2.671 PidTagMessageRecipientMe***

**Canonical name:** PidTagMessageRecipientMe

**Property ID:** 0x0059

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties  
**References:** [MS-OXOMSG], [MS-OXTNEF]  
**Alternate names:** PR\_MESSAGE\_RECIP\_ME, ptagMessageRecipMe

### ***2.672 PidTagMessageRecipients***

**Canonical name:** PidTagMessageRecipients  
**Property ID:** 0x0E12  
**Data type:** PtypComObject, 0x000D  
**Area:** Address Properties  
**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]  
**Alternate names:** PR\_MESSAGE\_RECIPIENTS, ptagMessageRecipients

### ***2.673 PidTagMessageSize***

**Canonical name:** PidTagMessageSize  
**Property ID:** 0x0E08  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOCFG], [MS-XPFOAB]  
**Alternate names:** PR\_MESSAGE\_SIZE, ptagMessageSize

### ***2.674 PidTagMessageSizeExtended***

**Canonical name:** PidTagMessageSizeExtended  
**Property ID:** 0x0E08  
**Data type:** PtypInteger64, 0x0014  
**Area:** General Message Properties  
**References:** [MS-OXCFOLD], [MS-OXCSTOR]  
**Alternate names:** PR\_MESSAGE\_SIZE\_EXTENDED, ptagMessageSizeExtended

### ***2.675 PidTagMessageStatus***

**Canonical name:** PidTagMessageStatus  
**Property ID:** 0x0E17  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCSYNC]  
**Alternate names:** PR\_MSG\_STATUS, ptagMsgStatus

### ***2.676 PidTagMessageSubmissionId***

**Canonical name:** PidTagMessageSubmissionId  
**Property ID:** 0x0047  
**Data type:** PtypBinary, 0x0102  
**Area:** Email

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_SUBMISSION\_ID, ptagMessageSubmissionId

### ***2.677 PidTagMessageToMe***

**Canonical name:** PidTagMessageToMe

**Property ID:** 0x0057

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_TO\_ME, ptagMessageToMe

### ***2.678 PidTagMid***

**Canonical name:** PidTagMid

**Property ID:** 0x674A

**Data type:** PtypInteger64, 0x0014

**Area:** ID Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

**Alternate names:** ptagMID

### ***2.679 PidTagMiddleName***

**Canonical name:** PidTagMiddleName

**Property ID:** 0x3A44

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOCNTC]

**Alternate names:** PR\_MIDDLE\_NAME, PR\_MIDDLE\_NAME\_A, PR\_MIDDLE\_NAME\_W

### ***2.680 PidTagMobileTelephoneNumber***

**Canonical name:** PidTagMobileTelephoneNumber

**Property ID:** 0x3A1C

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_MOBILE\_TELEPHONE\_NUMBER, PR\_MOBILE\_TELEPHONE\_NUMBER\_A, PR\_MOBILE\_TELEPHONE\_NUMBER\_W

### ***2.681 PidTagNewFXFolder***

**Canonical name:** PidTagNewFXFolder

**Property ID:** 0x4011

**Data type:** PtypBinary, 0x0102

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS]  
**Alternate names:** ptagNewFXFolder

### ***2.682 PidTagNextSendAcct***

**Canonical name:** PidTagNextSendAcct  
**Property ID:** 0x0E29  
**Data type:** PtypString, 0x001F  
**Area:**  
**References:** [MS-OXCICAL], [MS-OXOMSG]  
**Alternate names:** PR\_NEXT\_SEND\_ACCT

### ***2.683 PidTagNickname***

**Canonical name:** PidTagNickname  
**Property ID:** 0x3A4F  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]  
**Alternate names:** PR\_NICKNAME, PR\_NICKNAME\_A, PR\_NICKNAME\_W

### ***2.684 PidTagNormalizedSubject***

**Canonical name:** PidTagNormalizedSubject  
**Property ID:** 0x0E1D  
**Data type:** PtypString, 0x001F  
**Area:** Email  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF]  
**Alternate names:** PR\_NORMALIZED\_SUBJECT, PR\_NORMALIZED\_SUBJECT\_A, ptagNormalizedSubject, PR\_NORMALIZED\_SUBJECT\_W

### ***2.685 PidTagNormalMessageSize***

**Canonical name:** PidTagNormalMessageSize  
**Property ID:** 0x66B3  
**Data type:** PtypInteger32, 0x0003  
**Area:** Server  
**References:** [MS-OXCFOLD]  
**Alternate names:** PR\_NORMAL\_MESSAGE\_SIZE

### ***2.686 PidTagObjectType***

**Canonical name:** PidTagObjectType  
**Property ID:** 0x0FFE

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-EXOAB], [MS-EXOABK], [MS-EXOMSG], [MS-EXOSRCH]

**Alternate names:** PR\_OBJECT\_TYPE, ptagObjectType

### ***2.687 PidTagOfficeLocation***

**Canonical name:** PidTagOfficeLocation

**Property ID:** 0x3A19

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-NSPI], [MS-EXOABK], [MS-EXOCNTC]

**Alternate names:** PR\_OFFICE\_LOCATION, PR\_OFFICE\_LOCATION\_A, PR\_OFFICE\_LOCATION\_W

### ***2.688 PidTagOfflineAddressBookContainerGuid***

**Canonical name:** PidTagOfflineAddressBookContainerGuid

**Property ID:** 0x6802

**Data type:** PtypString, 0x001F

**Area:** Offline Address Book Properties

**References:** [MS-EXOAB], [MS-EXPFOAB]

**Alternate names:** PR\_OAB\_CONTAINER\_GUID, PR\_OAB\_CONTAINER\_GUID\_W

### ***2.689 PidTagOfflineAddressBookDistinguishedName***

**Canonical name:** PidTagOfflineAddressBookDistinguishedName

**Property ID:** 0x6804

**Data type:** PtypString, 0x001F

**Area:** Offline Address Book Properties

**References:** [MS-EXOAB], [MS-EXPFOAB]

**Alternate names:** PR\_OAB\_DN, PR\_OAB\_DN\_W

### ***2.690 PidTagOfflineAddressBookMessageClass***

**Canonical name:** PidTagOfflineAddressBookMessageClass

**Property ID:** 0x6803

**Data type:** PtypInteger32, 0x0003

**Area:** Offline Address Book Properties

**References:** [MS-EXPFOAB]

**Alternate names:** PR\_OAB\_MESSAGE\_CLASS

### ***2.691 PidTagOfflineAddressBookName***

**Canonical name:** PidTagOfflineAddressBookName

**Property ID:** 0x6800

**Data type:** PtypString, 0x001F  
**Area:** Offline Address Book Properties  
**References:** [MS-OXOAB], [MS-OXPFOAB]  
**Alternate names:** PR\_OAB\_NAME, PR\_OAB\_NAME\_W

### ***2.692 PidTagOfflineAddressBookSequence***

**Canonical name:** PidTagOfflineAddressBookSequence  
**Property ID:** 0x6801  
**Data type:** PtypInteger32, 0x0003  
**Area:** Offline Address Book Properties  
**References:** [MS-OXOAB], [MS-OXPFOAB]  
**Alternate names:** PR\_OAB\_SEQUENCE

### ***2.693 PidTagOfflineAddressBookTruncatedProperties***

**Canonical name:** PidTagOfflineAddressBookTruncatedProperties  
**Property ID:** 0x6805  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Offline Address Book Properties  
**References:** [MS-OXOAB]  
**Alternate names:** PR\_OAB\_TRUNCATED\_PROPS

### ***2.694 PidTagOrdinalMost***

**Canonical name:** PidTagOrdinalMost  
**Property ID:** 0x36E2  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** PR\_ORDINAL\_MOST

### ***2.695 PidTagOrganizationalIdNumber***

**Canonical name:** PidTagOrganizationalIdNumber  
**Property ID:** 0x3A10  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_ORGANIZATIONAL\_ID\_NUMBER,  
PR\_ORGANIZATIONAL\_ID\_NUMBER\_A, PR\_ORGANIZATIONAL\_ID\_NUMBER\_W

### ***2.696 PidTagOriginalAuthorName***

**Canonical name:** PidTagOriginalAuthorName  
**Property ID:** 0x004D  
**Data type:** PtypString, 0x001F  
**Area:** Email



**References:** [MS-OXCICAL]

**Alternate names:** PR\_ORIGINAL\_AUTHOR\_NAME,  
PR\_ORIGINAL\_AUTHOR\_NAME\_A, ptagOriginalAuthorName,  
PR\_ORIGINAL\_AUTHOR\_NAME\_W

### ***2.697 PidTagOriginalDeliveryTime***

**Canonical name:** PidTagOriginalDeliveryTime

**Property ID:** 0x0055

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DELIVERY\_TIME, ptagOriginalDeliveryTime

### ***2.698 PidTagOriginalDisplayBcc***

**Canonical name:** PidTagOriginalDisplayBcc

**Property ID:** 0x0072

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_BCC, PR\_ORIGINAL\_DISPLAY\_BCC\_A,  
ptagOriginalDisplayBcc, PR\_ORIGINAL\_DISPLAY\_BCC\_W

### ***2.699 PidTagOriginalDisplayCc***

**Canonical name:** PidTagOriginalDisplayCc

**Property ID:** 0x0073

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_CC, PR\_ORIGINAL\_DISPLAY\_CC\_A,  
ptagOriginalDisplayCc, PR\_ORIGINAL\_DISPLAY\_CC\_W

### ***2.700 PidTagOriginalDisplayName***

**Canonical name:** PidTagOriginalDisplayName

**Property ID:** 0x3A13

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_NAME,  
PR\_ORIGINAL\_DISPLAY\_NAME\_A, ptagOriginalDisplayName,  
PR\_ORIGINAL\_DISPLAY\_NAME\_W

### ***2.701 PidTagOriginalDisplayTo***

**Canonical name:** PidTagOriginalDisplayTo

**Property ID:** 0x0074

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_TO, PR\_ORIGINAL\_DISPLAY\_TO\_A, ptagOriginalDisplayTo, PR\_ORIGINAL\_DISPLAY\_TO\_W

### ***2.702 PidTagOriginalEntryId***

**Canonical name:** PidTagOriginalEntryId

**Property ID:** 0x3A12

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXCSYNC], [MS-OXOABK]

**Alternate names:** PR\_ORIGINAL\_ENTRYID, ptagOriginalEntryId

### ***2.703 PidTagOriginalMessageClass***

**Canonical name:** PidTagOriginalMessageClass

**Property ID:** 0x004B

**Data type:** PtypString, 0x001F

**Area:** Secure Messaging Properties

**References:** [MS-OXTNEF]

**Alternate names:** PR\_ORIG\_MESSAGE\_CLASS, PR\_ORIG\_MESSAGE\_CLASS\_A, PR\_ORIG\_MESSAGE\_CLASS\_W

### ***2.704 PidTagOriginalSearchKey***

**Canonical name:** PidTagOriginalSearchKey

**Property ID:** 0x3A14

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_ORIGINAL\_SEARCH\_KEY, ptagOriginalSearchKey

### ***2.705 PidTagOriginalSenderAddressType***

**Canonical name:** PidTagOriginalSenderAddressType

**Property ID:** 0x0066

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_ADDRTYPE, PR\_ORIGINAL\_SENDER\_ADDRTYPE\_A, ptagOriginalSenderAddrType, PR\_ORIGINAL\_SENDER\_ADDRTYPE\_W

### ***2.706 PidTagOriginalSenderEmailAddress***

**Canonical name:** PidTagOriginalSenderEmailAddress

**Property ID:** 0x0067

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_EMAIL\_ADDRESS,  
PR\_ORIGINAL\_SENDER\_EMAIL\_ADDRESS\_A,  
PR\_ORIGINAL\_SENDER\_EMAIL\_ADDRESS\_W

### ***2.707 PidTagOriginalSenderEntryId***

**Canonical name:** PidTagOriginalSenderEntryId

**Property ID:** 0x005B

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_ENTRYID, ptagOriginalSenderEntryId

### ***2.708 PidTagOriginalSenderName***

**Canonical name:** PidTagOriginalSenderName

**Property ID:** 0x005A

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_NAME,  
PR\_ORIGINAL\_SENDER\_NAME\_A, ptagOriginalSenderName,  
PR\_ORIGINAL\_SENDER\_NAME\_W

### ***2.709 PidTagOriginalSenderSearchKey***

**Canonical name:** PidTagOriginalSenderSearchKey

**Property ID:** 0x005C

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_SEARCH\_KEY,  
ptagOriginalSenderSearchKey

### ***2.710 PidTagOriginalSensitivity***

**Canonical name:** PidTagOriginalSensitivity

**Property ID:** 0x002E

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCICAL], [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENSITIVITY, ptagOriginalSensitivity

### ***2.711 PidTagOriginalSentRepresentingAddressType***

**Canonical name:** PidTagOriginalSentRepresentingAddressType

**Property ID:** 0x0068

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_ADDRTYPE,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_ADDRTYPE\_A,  
ptagOriginalSentRepresentingAddrType,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_ADDRTYPE\_W

### ***2.712 PidTagOriginalSentRepresentingEmailAddress***

**Canonical name:** PidTagOriginalSentRepresentingEmailAddress

**Property ID:** 0x0069

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_EMAIL\_ADDRESS,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_A,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_W

### ***2.713 PidTagOriginalSentRepresentingEntryId***

**Canonical name:** PidTagOriginalSentRepresentingEntryId

**Property ID:** 0x005E

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_ENTRYID,  
ptagOriginalSentRepresentingEntryId

### ***2.714 PidTagOriginalSentRepresentingName***

**Canonical name:** PidTagOriginalSentRepresentingName

**Property ID:** 0x005D

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_NAME,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_NAME\_A, ptagOriginalSentRepresentingName,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_NAME\_W

### ***2.715 PidTagOriginalSentRepresentingSearchKey***

**Canonical name:** PidTagOriginalSentRepresentingSearchKey

**Property ID:** 0x005F

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_SEARCH\_KEY, ptagOriginalSentRepresentingSearchKey

### ***2.716 PidTagOriginalSubject***

**Canonical name:** PidTagOriginalSubject

**Property ID:** 0x0049

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCSYNC], [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SUBJECT, PR\_ORIGINAL\_SUBJECT\_A, ptagOriginalSubject, PR\_ORIGINAL\_SUBJECT\_W

### ***2.717 PidTagOriginalSubmitTime***

**Canonical name:** PidTagOriginalSubmitTime

**Property ID:** 0x004E

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SUBMIT\_TIME, ptagOriginalSubmitTime

### ***2.718 PidTagOriginatorDeliveryReportRequested***

**Canonical name:** PidTagOriginatorDeliveryReportRequested

**Property ID:** 0x0023

**Data type:** PtypBoolean, 0x000B

**Area:** MIME Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_ORIGINATOR\_DELIVERY\_REPORT\_REQUESTED

### ***2.719 PidTagOriginatorNonDeliveryReportRequested***

**Canonical name:** PidTagOriginatorNonDeliveryReportRequested

**Property ID:** 0x0C08

**Data type:** PtypBoolean, 0x000B

**Area:** MIME Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINATOR\_NON\_DELIVERY\_REPORT\_REQUESTED

### ***2.720 PidTagOtherAddressCity***

**Canonical name:** PidTagOtherAddressCity

**Property ID:** 0x3A5F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_CITY, PR\_OTHER\_ADDRESS\_CITY\_A, PR\_OTHER\_ADDRESS\_CITY\_W

### ***2.721 PidTagOtherAddressCountry***

**Canonical name:** PidTagOtherAddressCountry

**Property ID:** 0x3A60

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_COUNTRY, PR\_OTHER\_ADDRESS\_COUNTRY\_A, PR\_OTHER\_ADDRESS\_COUNTRY\_W

### ***2.722 PidTagOtherAddressPostalCode***

**Canonical name:** PidTagOtherAddressPostalCode

**Property ID:** 0x3A61

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_POSTAL\_CODE, PR\_OTHER\_ADDRESS\_POSTAL\_CODE\_A, PR\_OTHER\_ADDRESS\_POSTAL\_CODE\_W

### ***2.723 PidTagOtherAddressPostOfficeBox***

**Canonical name:** PidTagOtherAddressPostOfficeBox

**Property ID:** 0x3A64

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_POST\_OFFICE\_BOX, PR\_OTHER\_ADDRESS\_POST\_OFFICE\_BOX\_A, PR\_OTHER\_ADDRESS\_POST\_OFFICE\_BOX\_W

### ***2.724 PidTagOtherAddressStateOrProvince***

**Canonical name:** PidTagOtherAddressStateOrProvince

**Property ID:** 0x3A62

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_OTHER\_ADDRESS\_STATE\_OR\_PROVINCE,  
PR\_OTHER\_ADDRESS\_STATE\_OR\_PROVINCE\_A,  
PR\_OTHER\_ADDRESS\_STATE\_OR\_PROVINCE\_W

### ***2.725 PidTagOtherAddressStreet***

**Canonical name:** PidTagOtherAddressStreet  
**Property ID:** 0x3A63  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_OTHER\_ADDRESS\_STREET,  
PR\_OTHER\_ADDRESS\_STREET\_A, PR\_OTHER\_ADDRESS\_STREET\_W

### ***2.726 PidTagOtherTelephoneNumber***

**Canonical name:** PidTagOtherTelephoneNumber  
**Property ID:** 0x3A1F  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_OTHER\_TELEPHONE\_NUMBER,  
PR\_OTHER\_TELEPHONE\_NUMBER\_A, PR\_OTHER\_TELEPHONE\_NUMBER\_W

### ***2.727 PidTagOutOfOfficeState***

**Canonical name:** PidTagOutOfOfficeState  
**Property ID:** 0x661D  
**Data type:** PtypBoolean, 0x000B  
**Area:** Message Store Properties  
**References:** [MS-OXCSTOR]  
**Alternate names:** PR\_OOF\_STATE, ptagOOFState

### ***2.728 PidTagOwnerAppointmentId***

**Canonical name:** PidTagOwnerAppointmentId  
**Property ID:** 0x0062  
**Data type:** PtypInteger32, 0x0003  
**Area:** Appointment  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF]  
**Alternate names:** PR\_OWNER\_APPT\_ID

### ***2.729 PidTagPagerTelephoneNumber***

**Canonical name:** PidTagPagerTelephoneNumber  
**Property ID:** 0x3A21  
**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PAGER\_TELEPHONE\_NUMBER,  
PR\_PAGER\_TELEPHONE\_NUMBER\_A, PR\_PAGER\_TELEPHONE\_NUMBER\_W

### ***2.730 PidTagParentEntryId***

**Canonical name:** PidTagParentEntryId

**Property ID:** 0x0E09

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD],  
[MS-OXPFOAB]

**Alternate names:** PR\_PARENT\_ENTRYID, ptagParentEntryId

### ***2.731 PidTagParentFolderId***

**Canonical name:** PidTagParentFolderId

**Property ID:** 0x6749

**Data type:** PtypInteger64, 0x0014

**Area:** ID Properties

**References:** [MS-OXCFXICS]

**Alternate names:** ptagParentFID

### ***2.732 PidTagParentKey***

**Canonical name:** PidTagParentKey

**Property ID:** 0x0025

**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_PARENT\_KEY, ptagParentKey

### ***2.733 PidTagParentSourceKey***

**Canonical name:** PidTagParentSourceKey

**Property ID:** 0x65E1

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_PARENT\_SOURCE\_KEY

### ***2.734 PidTagPersonalHomePage***

**Canonical name:** PidTagPersonalHomePage

**Property ID:** 0x3A50

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser



**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PERSONAL\_HOME\_PAGE, PR\_PERSONAL\_HOME\_PAGE\_A, PR\_PERSONAL\_HOME\_PAGE\_W

### ***2.735 PidTagPostalAddress***

**Canonical name:** PidTagPostalAddress

**Property ID:** 0x3A15

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_POSTAL\_ADDRESS, PR\_POSTAL\_ADDRESS\_A, PR\_POSTAL\_ADDRESS\_W

### ***2.736 PidTagPostalCode***

**Canonical name:** PidTagPostalCode

**Property ID:** 0x3A2A

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_POSTAL\_CODE, PR\_POSTAL\_CODE\_A, PR\_POSTAL\_CODE\_W, PR\_BUSINESS\_ADDRESS\_POSTAL\_CODE, PR\_BUSINESS\_ADDRESS\_POSTAL\_CODE\_A, PR\_BUSINESS\_ADDRESS\_POSTAL\_CODE\_W

### ***2.737 PidTagPostOfficeBox***

**Canonical name:** PidTagPostOfficeBox

**Property ID:** 0x3A2B

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_POST\_OFFICE\_BOX, PR\_POST\_OFFICE\_BOX\_A, PR\_POST\_OFFICE\_BOX\_W, PR\_BUSINESS\_ADDRESS\_POST\_OFFICE\_BOX, PR\_BUSINESS\_ADDRESS\_POST\_OFFICE\_BOX\_A, PR\_BUSINESS\_ADDRESS\_POST\_OFFICE\_BOX\_W

### ***2.738 PidTagPredecessorChangeList***

**Canonical name:** PidTagPredecessorChangeList

**Property ID:** 0x65E3

**Data type:** PtypBinary, 0x0102

**Area:** Sync

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_PREDECESSOR\_CHANGE\_LIST

### ***2.739 PidTagPrimaryFaxNumber***

**Canonical name:** PidTagPrimaryFaxNumber

**Property ID:** 0x3A23

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PRIMARY\_FAX\_NUMBER, PR\_PRIMARY\_FAX\_NUMBER\_A, PR\_PRIMARY\_FAX\_NUMBER\_W

### ***2.740 PidTagPrimarySendAccount***

**Canonical name:** PidTagPrimarySendAccount

**Property ID:** 0x0E28

**Data type:** PtypString, 0x001F

**Area:** MapiNonTransmittable

**References:** [MS-OXOMSG]

**Alternate names:** PR\_PRIMARY\_SEND\_ACCT

### ***2.741 PidTagPrimarySntpAddress***

**Canonical name:** PidTagPrimarySntpAddress

**Property ID:** 0x39FE

**Data type:** PtypString, 0x001F

**Area:** MapiAddressBook

**References:** [MS-OXCFXICS], [MS-OXOSRCH]

**Alternate names:** ptagPrimarySMTPAddress

### ***2.742 PidTagPrimaryTelephoneNumber***

**Canonical name:** PidTagPrimaryTelephoneNumber

**Property ID:** 0x3A1A

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PRIMARY\_TELEPHONE\_NUMBER, PR\_PRIMARY\_TELEPHONE\_NUMBER\_A, PR\_PRIMARY\_TELEPHONE\_NUMBER\_W

### ***2.743 PidTagPriority***

**Canonical name:** PidTagPriority

**Property ID:** 0x0026

**Data type:** PtypInteger32, 0x0003

**Area:** Email

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_PRIORITY, ptagPriority

### ***2.744 PidTagProcessed***

**Canonical name:** PidTagProcessed

**Property ID:** 0x7D01

**Data type:** PtypBoolean, 0x000B

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]

**Alternate names:** PR\_PROCESSED

### ***2.745 PidTagProfession***

**Canonical name:** PidTagProfession

**Property ID:** 0x3A46

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PROFESSION, PR\_PROFESSION\_A, PR\_PROFESSION\_W

### ***2.746 PidTagProhibitReceiveQuota***

**Canonical name:** PidTagProhibitReceiveQuota

**Property ID:** 0x666A

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Administrative

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_PROHIBIT\_RECEIVE\_QUOTA, ptagProhibitReceiveQuota

### ***2.747 PidTagProhibitSendQuota***

**Canonical name:** PidTagProhibitSendQuota

**Property ID:** 0x666E

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeAdministrative

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_PROHIBIT\_SEND\_QUOTA, ptagProhibitSendQuota

### ***2.748 PidTagProviderSubmitTime***

**Canonical name:** PidTagProviderSubmitTime

**Property ID:** 0x0048

**Data type:** PtypTime, 0x0040

**Area:** Email

**References:** [MS-OXOMSG]

**Alternate names:** PR\_PROVIDER\_SUBMIT\_TIME

### ***2.749 PidTagPurportedSenderDomain***

**Canonical name:** PidTagPurportedSenderDomain

**Property ID:** 0x4083

**Data type:** PtypString, 0x001F  
**Area:** TransportEnvelope  
**References:** [MS-OXCMAIL]  
**Alternate names:** PR\_PURPORTED\_SENDER\_DOMAIN

### ***2.750 PidTagRadioTelephoneNumber***

**Canonical name:** PidTagRadioTelephoneNumber  
**Property ID:** 0x3A1D  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_RADIO\_TELEPHONE\_NUMBER,  
PR\_RADIO\_TELEPHONE\_NUMBER\_A, PR\_RADIO\_TELEPHONE\_NUMBER\_W

### ***2.751 PidTagRead***

**Canonical name:** PidTagRead  
**Property ID:** 0x0E69  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCTABL]  
**Alternate names:** PR\_READ, ptagRead

### ***2.752 PidTagReadReceiptEntryId***

**Canonical name:** PidTagReadReceiptEntryId  
**Property ID:** 0x0046  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_READ\_RECEIPT\_ENTRYID, ptagReadReceiptEntryId

### ***2.753 PidTagReadReceiptRequested***

**Canonical name:** PidTagReadReceiptRequested  
**Property ID:** 0x0029  
**Data type:** PtypBoolean, 0x000B  
**Area:** Email  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],  
[MS-OXOTASK], [MS-OXTNEF]  
**Alternate names:** PR\_READ\_RECEIPT\_REQUESTED, ptagReadReceiptRequested

### ***2.754 PidTagReadReceiptSearchKey***

**Canonical name:** PidTagReadReceiptSearchKey  
**Property ID:** 0x0053  
**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXOMSG]

**Alternate names:** PR\_READ\_RECEIPT\_SEARCH\_KEY, ptagReadReceiptSearchKey

### ***2.755 PidTagReceivedByAddressType***

**Canonical name:** PidTagReceivedByAddressType

**Property ID:** 0x0075

**Data type:** PtypString, 0x001F

**Area:** MapiEnvelope

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_ADDRTYPE, PR\_RECEIVED\_BY\_ADDRTYPE\_A, ptagReceivedByAddrType, PR\_RECEIVED\_BY\_ADDRTYPE\_W

### ***2.756 PidTagReceivedByEmailAddress***

**Canonical name:** PidTagReceivedByEmailAddress

**Property ID:** 0x0076

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_EMAIL\_ADDRESS, PR\_RECEIVED\_BY\_EMAIL\_ADDRESS\_A, PR\_RECEIVED\_BY\_EMAIL\_ADDRESS\_W

### ***2.757 PidTagReceivedByEntryId***

**Canonical name:** PidTagReceivedByEntryId

**Property ID:** 0x003F

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_ENTRYID

### ***2.758 PidTagReceivedByFlags***

**Canonical name:** PidTagReceivedByFlags

**Property ID:** 0x401B

**Data type:** PtypInteger32, 0x0003

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagRcvdByFlags

### ***2.759 PidTagReceivedByName***

**Canonical name:** PidTagReceivedByName

**Property ID:** 0x0040

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_NAME, PR\_RECEIVED\_BY\_NAME\_A, PR\_RECEIVED\_BY\_NAME\_W

### ***2.760 PidTagReceivedBySearchKey***

**Canonical name:** PidTagReceivedBySearchKey

**Property ID:** 0x0051

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_SEARCH\_KEY

### ***2.761 PidTagReceivedRepresentingAddressType***

**Canonical name:** PidTagReceivedRepresentingAddressType

**Property ID:** 0x0077

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_ADDRTYPE, PR\_RCVD\_REPRESENTING\_ADDRTYPE\_A, ptagRcvdRepresentingAddrType, PR\_RCVD\_REPRESENTING\_ADDRTYPE\_W

### ***2.762 PidTagReceivedRepresentingEmailAddress***

**Canonical name:** PidTagReceivedRepresentingEmailAddress

**Property ID:** 0x0078

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_EMAIL\_ADDRESS, PR\_RCVD\_REPRESENTING\_EMAIL\_ADDRESS\_A, PR\_RCVD\_REPRESENTING\_EMAIL\_ADDRESS\_W

### ***2.763 PidTagReceivedRepresentingEntryId***

**Canonical name:** PidTagReceivedRepresentingEntryId

**Property ID:** 0x0043

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_ENTRYID, ptagRcvdRepresentingEntryId

### ***2.764 PidTagReceivedRepresentingFlags***

**Canonical name:** PidTagReceivedRepresentingFlags

**Property ID:** 0x401C

**Data type:** PtypInteger32, 0x0003

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagRcvdRepresentingFlags

### ***2.765 PidTagReceivedRepresentingName***

**Canonical name:** PidTagReceivedRepresentingName

**Property ID:** 0x0044

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_NAME, PR\_RCVD\_REPRESENTING\_NAME\_A, ptagRcvdRepresentingName, PR\_RCVD\_REPRESENTING\_NAME\_W

### ***2.766 PidTagReceivedRepresentingSearchKey***

**Canonical name:** PidTagReceivedRepresentingSearchKey

**Property ID:** 0x0052

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_SEARCH\_KEY, ptagRcvdRepresentingSearchKey

### ***2.767 PidTagReceivedRepresentingSimpleDisplayName***

**Canonical name:** PidTagReceivedRepresentingSimpleDisplayName

**Property ID:** 0x4035

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope  
**References:** [MS-OXCMAIL], [MS-OXTNEF]  
**Alternate names:** ptagRcvdRepresentingSimpleDispName

### ***2.768 PidTagReceivedRepresentingSimpleDisplayName***

**Canonical name:** PidTagReceivedRepresentingSimpleDisplayName  
**Property ID:** 0x4035  
**Data type:** PtypString, 0x001F  
**Area:** Unified Messaging  
**References:** [MS-OXTNEF]  
**Alternate names:**

### ***2.769 PidTagRecipientDisplayName***

**Canonical name:** PidTagRecipientDisplayName  
**Property ID:** 0x5FF6  
**Data type:** PtypString, 0x001F  
**Area:** TransportRecipient  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_DISPLAY\_NAME,  
PR\_RECIPIENT\_DISPLAY\_NAME\_W

### ***2.770 PidTagRecipientEntryId***

**Canonical name:** PidTagRecipientEntryId  
**Property ID:** 0x5FF7  
**Data type:** PtypBinary, 0x0102  
**Area:** ID Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_ENTRYID, ptagRecipientEntryId

### ***2.771 PidTagRecipientFlags***

**Canonical name:** PidTagRecipientFlags  
**Property ID:** 0x5FFD  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportRecipient  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_FLAGS

### ***2.772 PidTagRecipientOrder***

**Canonical name:** PidTagRecipientOrder  
**Property ID:** 0x5FDF  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportRecipient



**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_ORDER, ptagRecipientOrder

### ***2.773 PidTagRecipientProposed***

**Canonical name:** PidTagRecipientProposed  
**Property ID:** 0x5FE1  
**Data type:** PtypBoolean, 0x000B  
**Area:** TransportRecipient  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_RECIPIENT\_PROPOSED, ptagRecipientProposed

### ***2.774 PidTagRecipientProposedEndTime***

**Canonical name:** PidTagRecipientProposedEndTime  
**Property ID:** 0x5FE4  
**Data type:** PtypTime, 0x0040  
**Area:** TransportRecipient  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_RECIPIENT\_PROPOSEDENDTIME, ptagRecipientProposedEndTime

### ***2.775 PidTagRecipientProposedStartTime***

**Canonical name:** PidTagRecipientProposedStartTime  
**Property ID:** 0x5FE3  
**Data type:** PtypTime, 0x0040  
**Area:** TransportRecipient  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_RECIPIENT\_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

### ***2.776 PidTagRecipientReassignmentProhibited***

**Canonical name:** PidTagRecipientReassignmentProhibited  
**Property ID:** 0x002B  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiEnvelope  
**References:** [MS-OXCICAL], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_REASSIGNMENT\_PROHIBITED, ptagRecipientReassignmentProhibited

### ***2.777 PidTagRecipientResourceState***

**Canonical name:** PidTagRecipientResourceState  
**Property ID:** 0x5FDE  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportRecipient

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_RESOURCESTATE

### ***2.778 PidTagRecipientTrackStatus***

**Canonical name:** PidTagRecipientTrackStatus  
**Property ID:** 0x5FFF  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportRecipient  
**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_TRACKSTATUS, ptagRecipientTrackStatus

### ***2.779 PidTagRecipientTrackStatusTime***

**Canonical name:** PidTagRecipientTrackStatusTime  
**Property ID:** 0x5FFB  
**Data type:** PtypTime, 0x0040  
**Area:** TransportRecipient  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_RECIPIENT\_TRACKSTATUS\_TIME, ptagRecipientTrackStatusTime

### ***2.780 PidTagRecipientType***

**Canonical name:** PidTagRecipientType  
**Property ID:** 0x0C15  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiRecipient  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]  
**Alternate names:** PR\_RECIPIENT\_TYPE, ptagRecipientType

### ***2.781 PidTagRecordKey***

**Canonical name:** PidTagRecordKey  
**Property ID:** 0x0FF9  
**Data type:** PtypBinary, 0x0102  
**Area:** ID Properties  
**References:** [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]  
**Alternate names:** PR\_RECORD\_KEY, ptagRecordKey

### ***2.782 PidTagReferredByName***

**Canonical name:** PidTagReferredByName  
**Property ID:** 0x3A47  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_REREFERRED\_BY\_NAME, PR\_REREFERRED\_BY\_NAME\_A, PR\_REREFERRED\_BY\_NAME\_W

### ***2.783 PidTagRemindersOnlineEntryId***

**Canonical name:** PidTagRemindersOnlineEntryId

**Property ID:** 0x36D5

**Data type:** PtypBinary, 0x0102

**Area:** MapiContainer

**References:** [MS-OXOSFLD]

**Alternate names:** PR\_REM\_ONLINE\_ENTRYID, ptagRemOnlineEntryId

### ***2.784 PidTagRemoteHeaderLoc***

**Canonical name:** PidTagRemoteHeaderLoc

**Property ID:** 0x0078

**Data type:** PtypString, 0x001F

**Area:** MapiEnvelope

**References:** [MS-OXODLGT]

**Alternate names:** PR\_REMOTE\_HEADER\_LOC

### ***2.785 PidTagRenderingPosition***

**Canonical name:** PidTagRenderingPosition

**Property ID:** 0x370B

**Data type:** PtypInteger32, 0x0003

**Area:** MapiAttachment

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_RENDERING\_POSITION, ptagRenderingPosition

### ***2.786 PidTagReplyRecipientEntries***

**Canonical name:** PidTagReplyRecipientEntries

**Property ID:** 0x004F

**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXCMAIL], [MS-OXOMSG]

**Alternate names:** PR\_REPLY\_RECIPIENT\_ENTRIES, ptagReplyRecipientEntries

### ***2.787 PidTagReplyRecipientNames***

**Canonical name:** PidTagReplyRecipientNames

**Property ID:** 0x0050

**Data type:** PtypString, 0x001F

**Area:** MapiEnvelope

**References:** [MS-OXCMAIL], [MS-OXOMSG]  
**Alternate names:** PR\_REPLY\_RECIPIENT\_NAMES,  
PR\_REPLY\_RECIPIENT\_NAMES\_A, ptagReplyRecipientNames,  
PR\_REPLY\_RECIPIENT\_NAMES\_W

### ***2.788 PidTagReplyRequested***

**Canonical name:** PidTagReplyRequested  
**Property ID:** 0x0C17  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiRecipient  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]  
**Alternate names:** PR\_REPLY\_REQUESTED, ptagReplyRequested

### ***2.789 PidTagReplyTemplateId***

**Canonical name:** PidTagReplyTemplateId  
**Property ID:** 0x65C2  
**Data type:** PtypBinary, 0x0102  
**Area:** Rules  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_REPLY\_TEMPLATE\_ID, ptagReplyTemplateId

### ***2.790 PidTagReplyTime***

**Canonical name:** PidTagReplyTime  
**Property ID:** 0x0030  
**Data type:** PtypTime, 0x0040  
**Area:** MapiEnvelope  
**References:** [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR]  
**Alternate names:** PR\_REPLY\_TIME

### ***2.791 PidTagReportEntryId***

**Canonical name:** PidTagReportEntryId  
**Property ID:** 0x0045  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_REPORT\_ENTRYID, ptagReportEntryId

### ***2.792 PidTagReportSearchKey***

**Canonical name:** PidTagReportSearchKey  
**Property ID:** 0x0054  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope

**References:** [MS-OXOMSG]

**Alternate names:** PR\_REPORT\_SEARCH\_KEY, ptagReportSearchKey

### ***2.793 PidTagReportTag***

**Canonical name:** PidTagReportTag

**Property ID:** 0x0031

**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXOMSG]

**Alternate names:** PR\_REPORT\_TAG, ptagReportTag

### ***2.794 PidTagReportText***

**Canonical name:** PidTagReportText

**Property ID:** 0x1001

**Data type:** PtypString, 0x001F

**Area:** MapiMessage

**References:** [MS-OXOMSG]

**Alternate names:** PR\_REPORT\_TEXT, PR\_REPORT\_TEXT\_A, ptagReportText, PR\_REPORT\_TEXT\_W

### ***2.795 PidTagReportTime***

**Canonical name:** PidTagReportTime

**Property ID:** 0x0032

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_REPORT\_TIME, ptagReportTime

### ***2.796 PidTagResolveMethod***

**Canonical name:** PidTagResolveMethod

**Property ID:** 0x3FE7

**Data type:** PtypInteger32, 0x0003

**Area:** MapiStatus

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_RESOLVE\_METHOD, ptagResolveMethod

### ***2.797 PidTagResponseRequested***

**Canonical name:** PidTagResponseRequested

**Property ID:** 0x0063

**Data type:** PtypBoolean, 0x000B

**Area:** MapiEnvelope

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-

OXOMSG], [MS-OXORMDR], [MS-OXTNEF]  
**Alternate names:** PR\_RESPONSE\_REQUESTED

### ***2.798 PidTagResponsibility***

**Canonical name:** PidTagResponsibility  
**Property ID:** 0x0E0F  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** PR\_RESPONSIBILITY, ptagResponsibility

### ***2.799 PidTagRights***

**Canonical name:** PidTagRights  
**Property ID:** 0x6639  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeFolder  
**References:** [MS-OXCFOLD]  
**Alternate names:** PR\_RIGHTS, ptagRights

### ***2.800 PidTagRoamingDatatypes***

**Canonical name:** PidTagRoamingDatatypes  
**Property ID:** 0x7C06  
**Data type:** PtypInteger32, 0x0003  
**Area:** Configuration  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_ROAMING\_DATATYPES

### ***2.801 PidTagRoamingDictionary***

**Canonical name:** PidTagRoamingDictionary  
**Property ID:** 0x7C07  
**Data type:** PtypBinary, 0x0102  
**Area:** Configuration  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_ROAMING\_DICTIONARY

### ***2.802 PidTagRoamingXmlStream***

**Canonical name:** PidTagRoamingXmlStream  
**Property ID:** 0x7C08  
**Data type:** PtypBinary, 0x0102  
**Area:** Configuration  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_ROAMING\_XMLSTREAM

### ***2.803 PidTagRowid***

**Canonical name:** PidTagRowid  
**Property ID:** 0x3000  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiCommon  
**References:** [MS-OXCFXICS]  
**Alternate names:** PR\_ROWID, ptagRowId

### ***2.804 PidTagRowType***

**Canonical name:** PidTagRowType  
**Property ID:** 0x0FF5  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCTABL]  
**Alternate names:** PR\_ROW\_TYPE, ptagRowType

### ***2.805 PidTagRtfCompressed***

**Canonical name:** PidTagRtfCompressed  
**Property ID:** 0x1009  
**Data type:** PtypBinary, 0x0102  
**Area:** Email  
**References:** [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]  
**Alternate names:** PR\_RTF\_COMPRESSED, ptagRTFCompressed

### ***2.806 PidTagRtfInSync***

**Canonical name:** PidTagRtfInSync  
**Property ID:** 0x0E1F  
**Data type:** PtypBoolean, 0x000B  
**Area:** Email  
**References:** [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]  
**Alternate names:** PR\_RTF\_IN\_SYNC, ptagRTFInSync

### ***2.807 PidTagRtfSyncBodyCount***

**Canonical name:** PidTagRtfSyncBodyCount  
**Property ID:** 0x1007  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiMessage  
**References:** [MS-OXTNEF]  
**Alternate names:** PR\_RTF\_SYNC\_BODY\_COUNT, ptagRTFSyncBodyCount

### ***2.808 PidTagRtfSyncBodyCrc***

**Canonical name:** PidTagRtfSyncBodyCrc

**Property ID:** 0x1006

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_BODY\_CRC, ptagRTFSyncBodyCRC

### ***2.809 PidTagRtfSyncBodyTag***

**Canonical name:** PidTagRtfSyncBodyTag

**Property ID:** 0x1008

**Data type:** PtypString, 0x001F

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_BODY\_TAG, PR\_RTF\_SYNC\_BODY\_TAG\_A, ptagRTFSyncBodyTag, PR\_RTF\_SYNC\_BODY\_TAG\_W

### ***2.810 PidTagRtfSyncPrefixCount***

**Canonical name:** PidTagRtfSyncPrefixCount

**Property ID:** 0x1010

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_PREFIX\_COUNT

### ***2.811 PidTagRtfSyncTrailingCount***

**Canonical name:** PidTagRtfSyncTrailingCount

**Property ID:** 0x1011

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_TRAILING\_COUNT

### ***2.812 PidTagRuleActionNumber***

**Canonical name:** PidTagRuleActionNumber

**Property ID:** 0x6650

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ACTION\_NUMBER, ptagRuleActionNumber



### ***2.813 PidTagRuleActions***

**Canonical name:** PidTagRuleActions

**Property ID:** 0x6680

**Data type:** PtypServerEntryId, 0x00FE

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_ACTIONS, ptagRuleActions

### ***2.814 PidTagRuleActionType***

**Canonical name:** PidTagRuleActionType

**Property ID:** 0x6649

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ACTION\_TYPE, ptagRuleActionType

### ***2.815 PidTagRuleCondition***

**Canonical name:** PidTagRuleCondition

**Property ID:** 0x6679

**Data type:** PtypServerEntryId, 0x00FD

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_CONDITION, ptagRuleCondition

### ***2.816 PidTagRuleError***

**Canonical name:** PidTagRuleError

**Property ID:** 0x6648

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ERROR, ptagRuleError

### ***2.817 PidTagRuleFolderEntryId***

**Canonical name:** PidTagRuleFolderEntryId

**Property ID:** 0x6651

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_FOLDER\_ENTRYID, ptagRuleFolderEntryId

### ***2.818 PidTagRuleId***

**Canonical name:** PidTagRuleId

**Property ID:** 0x6674

**Data type:** PtypInteger64, 0x0014  
**Area:** Server-Side Rules Properties  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_RULE\_ID, ptagRuleId

### ***2.819 PidTagRuleLevel***

**Canonical name:** PidTagRuleLevel  
**Property ID:** 0x6683  
**Data type:** PtypInteger32, 0x0003  
**Area:** Server-Side Rules Properties  
**References:** [MS-OXODLGT], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_LEVEL, ptagRuleLevel

### ***2.820 PidTagRuleMessageLevel***

**Canonical name:** PidTagRuleMessageLevel  
**Property ID:** 0x65ED  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_LEVEL, ptagRuleMsgLevel

### ***2.821 PidTagRuleMessageProviderData***

**Canonical name:** PidTagRuleMessageProviderData  
**Property ID:** 0x65EE  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_PROVIDER\_DATA, ptagRuleMsgProviderData

### ***2.822 PidTagRuleMessageSequence***

**Canonical name:** PidTagRuleMessageSequence  
**Property ID:** 0x65F3  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_SEQUENCE, ptagRuleMsgSequence

### ***2.823 PidTagRuleMessageState***

**Canonical name:** PidTagRuleMessageState  
**Property ID:** 0x65E9  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_STATE, ptagRuleMsgState

### ***2.824 PidTagRuleMsgActions***

**Canonical name:** PidTagRuleMsgActions  
**Property ID:** 0x65EF  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM]  
**Alternate names:** PR\_RULE\_MSG\_ACTIONS, ptagRuleMsgActions

### ***2.825 PidTagRuleMsgCondition***

**Canonical name:** PidTagRuleMsgCondition  
**Property ID:** 0x65F0  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM]  
**Alternate names:** PR\_RULE\_MSG\_CONDITION, ptagRuleMsgCondition

### ***2.826 PidTagRuleMsgLevel***

**Canonical name:** PidTagRuleMsgLevel  
**Property ID:** 0x65ED  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_LEVEL, ptagRuleMsgLevel

### ***2.827 PidTagRuleMsgName***

**Canonical name:** PidTagRuleMsgName  
**Property ID:** 0x65EC  
**Data type:** PtypString, 0x001F  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** ptagRuleMsgName

### ***2.828 PidTagRuleMsgProvider***

**Canonical name:** PidTagRuleMsgProvider  
**Property ID:** 0x65EB  
**Data type:** PtypString, 0x001F  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** ptagRuleMsgProvider

### ***2.829 PidTagRuleMsgProviderData***

**Canonical name:** PidTagRuleMsgProviderData

**Property ID:** 0x65EE

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_PROVIDER\_DATA, ptagRuleMsgProviderData

### ***2.830 PidTagRuleMsgSequence***

**Canonical name:** PidTagRuleMsgSequence

**Property ID:** 0x65F3

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_SEQUENCE, ptagRuleMsgSequence

### ***2.831 PidTagRuleMsgState***

**Canonical name:** PidTagRuleMsgState

**Property ID:** 0x65E9

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_STATE, ptagRuleMsgState

### ***2.832 PidTagRuleMsgUserFlags***

**Canonical name:** PidTagRuleMsgUserFlags

**Property ID:** 0x65EA

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_USER\_FLAGS, ptagRuleMsgUserFlags

### ***2.833 PidTagRuleName***

**Canonical name:** PidTagRuleName

**Property ID:** 0x6682

**Data type:** PtypString, 0x001F

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_NAME, PR\_RULE\_NAME\_A, ptagRuleName, PR\_RULE\_NAME\_W

### ***2.834 PidTagRuleProvider***

**Canonical name:** PidTagRuleProvider

**Property ID:** 0x6681

**Data type:** PtypString, 0x001F

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_PROVIDER, ptagRuleProvider, PR\_RULE\_PROVIDER\_W

### ***2.835 PidTagRuleProviderData***

**Canonical name:** PidTagRuleProviderData

**Property ID:** 0x6684

**Data type:** PtypBinary, 0x0102

**Area:** Server-Side Rules Properties

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_PROVIDER\_DATA, ptagRuleProviderData

### ***2.836 PidTagRuleSequence***

**Canonical name:** PidTagRuleSequence

**Property ID:** 0x6676

**Data type:** PtypInteger32, 0x0003

**Area:** Server-Side Rules Properties

**References:** [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_SEQUENCE, ptagRuleSequence

### ***2.837 PidTagRuleState***

**Canonical name:** PidTagRuleState

**Property ID:** 0x6677

**Data type:** PtypInteger32, 0x0003

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_STATE, ptagRuleState

### ***2.838 PidTagRuleUserFlags***

**Canonical name:** PidTagRuleUserFlags

**Property ID:** 0x6678

**Data type:** PtypInteger32, 0x0003

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_USER\_FLAGS, ptagRuleUserFlags

### ***2.839 PidTagScheduleInfoAppointmentTombstone***

**Canonical name:** PidTagScheduleInfoAppointmentTombstone

**Property ID:** 0x686A

**Data type:** PtypBinary, 0x0102

**Area:** Free/Busy Properties

**References:** [MS-OXOCAL]

**Alternate names:** PR\_SCHDINFO\_APPT\_TOMBSTONE

### ***2.840 PidTagScheduleInfoAutoAcceptAppointments***

**Canonical name:** PidTagScheduleInfoAutoAcceptAppointments

**Property ID:** 0x686D

**Data type:** PtypBoolean, 0x000B

**Area:** Free/Busy Properties

**References:** [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** PR\_SCHDINFO\_AUTO\_ACCEPT\_APPTS

### ***2.841 PidTagScheduleInfoDelegateEntryIds***

**Canonical name:** PidTagScheduleInfoDelegateEntryIds

**Property ID:** 0x6845

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Free/Busy Properties

**References:** [MS-OXODLGT]

**Alternate names:** PR\_SCHDINFO\_DELEGATE\_ENTRYIDS

### ***2.842 PidTagScheduleInfoDelegateNames***

**Canonical name:** PidTagScheduleInfoDelegateNames

**Property ID:** 0x6844

**Data type:** PtypMultipleString, 0x101F

**Area:** Free/Busy Properties

**References:** [MS-OXMSG], [MS-OXODLGT]

**Alternate names:** PR\_SCHDINFO\_DELEGATE\_NAMES

### ***2.843 PidTagScheduleInfoDelegateNamesW***

**Canonical name:** PidTagScheduleInfoDelegateNamesW

**Property ID:** 0x684A

**Data type:** PtypString, 0x001F

**Area:** Free/Busy Properties

**References:** [MS-OXODLGT]

**Alternate names:** PR\_SCHDINFO\_DELEGATE\_NAMES\_W

### ***2.844 PidTagScheduleInfoDelegatorWantsCopy***

**Canonical name:** PidTagScheduleInfoDelegatorWantsCopy

**Property ID:** 0x6842

**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXODLGT], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_BOSS\_WANTS\_COPY

### ***2.845 PidTagScheduleInfoDelegatorWantsInfo***

**Canonical name:** PidTagScheduleInfoDelegatorWantsInfo  
**Property ID:** 0x684B  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_BOSS\_WANTS\_INFO

### ***2.846 PidTagScheduleInfoDisallowOverlappingAppts***

**Canonical name:** PidTagScheduleInfoDisallowOverlappingAppts  
**Property ID:** 0x686F  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_DISALLOW\_OVERLAPPING\_APPTS

### ***2.847 PidTagScheduleInfoDisallowRecurringAppts***

**Canonical name:** PidTagScheduleInfoDisallowRecurringAppts  
**Property ID:** 0x686E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_DISALLOW\_RECURRING\_APPTS

### ***2.848 PidTagScheduleInfoDontMailDelegates***

**Canonical name:** PidTagScheduleInfoDontMailDelegates  
**Property ID:** 0x6843  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_DONT\_MAIL\_DELEGATES

### ***2.849 PidTagScheduleInfoFreeBusy***

**Canonical name:** PidTagScheduleInfoFreeBusy  
**Property ID:** 0x686C  
**Data type:** PtypBinary, 0x0102  
**Area:** Free/Busy Properties

**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY

### ***2.850 PidTagScheduleInfoFreeBusyAway***

**Canonical name:** PidTagScheduleInfoFreeBusyAway  
**Property ID:** 0x6856  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_OOF

### ***2.851 PidTagScheduleInfoFreeBusyBusy***

**Canonical name:** PidTagScheduleInfoFreeBusyBusy  
**Property ID:** 0x6854  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_BUSY

### ***2.852 PidTagScheduleInfoFreeBusyMerged***

**Canonical name:** PidTagScheduleInfoFreeBusyMerged  
**Property ID:** 0x6850  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_MERGED

### ***2.853 PidTagScheduleInfoFreeBusyTentative***

**Canonical name:** PidTagScheduleInfoFreeBusyTentative  
**Property ID:** 0x6852  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_TENTATIVE

### ***2.854 PidTagScheduleInfoMonthsAway***

**Canonical name:** PidTagScheduleInfoMonthsAway  
**Property ID:** 0x6855  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_OOF



### ***2.855 PidTagScheduleInfoMonthsBusy***

**Canonical name:** PidTagScheduleInfoMonthsBusy  
**Property ID:** 0x6853  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXMSG], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_BUSY

### ***2.856 PidTagScheduleInfoMonthsMerged***

**Canonical name:** PidTagScheduleInfoMonthsMerged  
**Property ID:** 0x684F  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_MERGED

### ***2.857 PidTagScheduleInfoMonthsTentative***

**Canonical name:** PidTagScheduleInfoMonthsTentative  
**Property ID:** 0x6851  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_TENTATIVE

### ***2.858 PidTagScheduleInfoResourceType***

**Canonical name:** PidTagScheduleInfoResourceType  
**Property ID:** 0x6841  
**Data type:** PtypInteger32, 0x0003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_RESOURCE\_TYPE

### ***2.859 PidTagSchedulePlusFreeBusyEntryId***

**Canonical name:** PidTagSchedulePlusFreeBusyEntryId  
**Property ID:** 0x6622  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeMessageStore  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SPLUS\_FREE\_BUSY\_ENTRYID

### ***2.860 PidTagScriptData***

**Canonical name:** PidTagScriptData  
**Property ID:** 0x0004

**Data type:** PtypBinary, 0x0102  
**Area:** Exchange Address Book  
**References:** [MS-OXOABKT]  
**Alternate names:** PR\_EMS\_SCRIPT\_BLOB

### ***2.861 PidTagSearchFolderDefinition***

**Canonical name:** PidTagSearchFolderDefinition  
**Property ID:** 0x6845  
**Data type:** PtypBinary, 0x0102  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_DEFINITION

### ***2.862 PidTagSearchFolderEfpFlags***

**Canonical name:** PidTagSearchFolderEfpFlags  
**Property ID:** 0x6848  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_EFP\_FLAGS

### ***2.863 PidTagSearchFolderExpiration***

**Canonical name:** PidTagSearchFolderExpiration  
**Property ID:** 0x683A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_EXPIRATION

### ***2.864 PidTagSearchFolderId***

**Canonical name:** PidTagSearchFolderId  
**Property ID:** 0x6842  
**Data type:** PtypBinary, 0x0102  
**Area:** Search  
**References:** [MS-OXOCFG], [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_ID

### ***2.865 PidTagSearchFolderLastUsed***

**Canonical name:** PidTagSearchFolderLastUsed  
**Property ID:** 0x6834  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search

**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_LAST\_USED

### ***2.866 PidTagSearchFolderRecreateInfo***

**Canonical name:** PidTagSearchFolderRecreateInfo  
**Property ID:** 0x6844  
**Data type:** PtypBinary, 0x0102  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_RECREATE\_INFO

### ***2.867 PidTagSearchFolderStorageType***

**Canonical name:** PidTagSearchFolderStorageType  
**Property ID:** 0x6846  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_STORAGE\_TYPE

### ***2.868 PidTagSearchFolderTag***

**Canonical name:** PidTagSearchFolderTag  
**Property ID:** 0x6847  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_TAG

### ***2.869 PidTagSearchFolderTemplateId***

**Canonical name:** PidTagSearchFolderTemplateId  
**Property ID:** 0x6841  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_TEMPLATE\_ID

### ***2.870 PidTagSearchKey***

**Canonical name:** PidTagSearchKey  
**Property ID:** 0x300B  
**Data type:** PtypBinary, 0x0102  
**Area:** ID Properties  
**References:** [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-

OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]  
**Alternate names:** PR\_SEARCH\_KEY, ptagSearchKey

### ***2.871 PidTagSecureSubmitFlags***

**Canonical name:** PidTagSecureSubmitFlags

**Property ID:** 0x65C6

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange

**References:** [MS-OXCFXICS]

**Alternate names:** PR\_SECURE\_SUBMIT\_FLAGS, ptagSecureSubmitFlags

### ***2.872 PidTagSecurityDescriptor***

**Canonical name:** PidTagSecurityDescriptor

**Property ID:** 0x0E27

**Data type:** PtypBinary, 0x0102

**Area:** Access Control Properties

**References:** [MS-OXCMSG]

**Alternate names:** PR\_NT\_SECURITY\_DESCRIPTOR

### ***2.873 PidTagSecurityDescriptorAsXml***

**Canonical name:** PidTagSecurityDescriptorAsXml

**Property ID:** 0x0E6A

**Data type:** PtypString, 0x001F

**Area:** Access Control Properties

**References:** [MS-OXCPERM]

**Alternate names:** PR\_NT\_SECURITY\_DESCRIPTOR\_AS\_XML,

PR\_NT\_SECURITY\_DESCRIPTOR\_AS\_XML\_A,

PR\_NT\_SECURITY\_DESCRIPTOR\_AS\_XML\_W

### ***2.874 PidTagSelectable***

**Canonical name:** PidTagSelectable

**Property ID:** 0x3609

**Data type:** PtypBoolean, 0x000B

**Area:** AB Container

**References:** [MS-OXOABKT]

**Alternate names:** PR\_SELECTABLE

### ***2.875 PidTagSenderAddressType***

**Canonical name:** PidTagSenderAddressType

**Property ID:** 0x0C1E

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-

OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_ADDRRTYPE, PR\_SENDER\_ADDRRTYPE\_A, ptagSenderAddrType, PR\_SENDER\_ADDRRTYPE\_W

### ***2.876 PidTagSenderEmailAddress***

**Canonical name:** PidTagSenderEmailAddress

**Property ID:** 0x0C1F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_EMAIL\_ADDRESS, PR\_SENDER\_EMAIL\_ADDRESS\_A, PR\_SENDER\_EMAIL\_ADDRESS\_W

### ***2.877 PidTagSenderEntryId***

**Canonical name:** PidTagSenderEntryId

**Property ID:** 0x0C19

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_ENTRYID, ptagSenderEntryId

### ***2.878 PidTagSenderFlags***

**Canonical name:** PidTagSenderFlags

**Property ID:** 0x4019

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagSenderFlags

### ***2.879 PidTagSenderIdStatus***

**Canonical name:** PidTagSenderIdStatus

**Property ID:** 0x4079

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXCMAIL], [MS-OXCSPAM]

**Alternate names:** PR\_SENDER\_ID\_STATUS

### ***2.880 PidTagSenderName***

**Canonical name:** PidTagSenderName

**Property ID:** 0x0C1A

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_NAME, PR\_SENDER\_NAME\_A, ptagSenderName, PR\_SENDER\_NAME\_W

### ***2.881 PidTagSenderSearchKey***

**Canonical name:** PidTagSenderSearchKey

**Property ID:** 0x0C1D

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

**Alternate names:** PR\_SENDER\_SEARCH\_KEY, ptagSenderSearchKey

### ***2.882 PidTagSenderSimpleDisplayName***

**Canonical name:** PidTagSenderSimpleDisplayName

**Property ID:** 0x4030

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagSenderSimpleDispName

### ***2.883 PidTagSenderTelephoneNumber***

**Canonical name:** PidTagSenderTelephoneNumber

**Property ID:** 0x6802

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaSenderTelephoneNumber

### ***2.884 PidTagSendInternetEncoding***

**Canonical name:** PidTagSendInternetEncoding

**Property ID:** 0x3A71

**Data type:** PtypInteger32, 0x0003

**Area:** Address Properties

**References:** [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

**Alternate names:** PR\_SEND\_INTERNET\_ENCODING, ptagSendInternetEncoding

### ***2.885 PidTagSendRichInfo***

**Canonical name:** PidTagSendRichInfo

**Property ID:** 0x3A40

**Data type:** PtypBoolean, 0x000B

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

**Alternate names:** PR\_SEND\_RICH\_INFO, ptagSendRichInfo

### ***2.886 PidTagSensitivity***

**Canonical name:** PidTagSensitivity

**Property ID:** 0x0036

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS]

**Alternate names:** PR\_SENSITIVITY, ptagSensitivity

### ***2.887 PidTagSentMailEntryId***

**Canonical name:** PidTagSentMailEntryId

**Property ID:** 0x0E0A

**Data type:** PtypBinary, 0x0102

**Area:** MapiNonTransmittable

**References:** [MS-OXCICAL]

**Alternate names:** PR\_SENTMAIL\_ENTRYID, ptagSentMailEntryId

### ***2.888 PidTagSentMailSvrEID***

**Canonical name:** PidTagSentMailSvrEID

**Property ID:** 0x6740

**Data type:** PtypServerEntryId, 0x00FB

**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCSTOR], [MS-OXOMSG]

**Alternate names:** ptagSentMailSvrEID

### ***2.889 PidTagSentRepresentingAddressType***

**Canonical name:** PidTagSentRepresentingAddressType

**Property ID:** 0x0064

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_ADDRTYPE, PR\_SENT\_REPRESENTING\_ADDRTYPE\_A, ptagSentRepresentingAddrType, PR\_SENT\_REPRESENTING\_ADDRTYPE\_W

### ***2.890 PidTagSentRepresentingEmailAddress***

**Canonical name:** PidTagSentRepresentingEmailAddress

**Property ID:** 0x0065

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_EMAIL\_ADDRESS, PR\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_A, PR\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_W

### ***2.891 PidTagSentRepresentingEntryId***

**Canonical name:** PidTagSentRepresentingEntryId

**Property ID:** 0x0041

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_ENTRYID, ptagSentRepresentingEntryId

### ***2.892 PidTagSentRepresentingFlags***

**Canonical name:** PidTagSentRepresentingFlags

**Property ID:** 0x401A

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagSentRepresentingFlags

### ***2.893 PidTagSentRepresentingName***

**Canonical name:** PidTagSentRepresentingName

**Property ID:** 0x0042

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_NAME, PR\_SENT\_REPRESENTING\_NAME\_A, ptagSentRepresentingName, PR\_SENT\_REPRESENTING\_NAME\_W



### ***2.894 PidTagSentRepresentingSearchKey***

**Canonical name:** PidTagSentRepresentingSearchKey

**Property ID:** 0x003B

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

**Alternate names:** PR\_SENT\_REPRESENTING\_SEARCH\_KEY, ptagSentRepresentingSearchKey

### ***2.895 PidTagSentRepresentingSimpleDisplayName***

**Canonical name:** PidTagSentRepresentingSimpleDisplayName

**Property ID:** 0x4031

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagSentRepresentingSimpleDispName

### ***2.896 PidTagSmtAddress***

**Canonical name:** PidTagSmtAddress

**Property ID:** 0x39FE

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

**Alternate names:** PR\_SMTP\_ADDRESS, PR\_SMTP\_ADDRESS\_A, PR\_SMTP\_ADDRESS\_W

### ***2.897 PidTagSortLocaleId***

**Canonical name:** PidTagSortLocaleId

**Property ID:** 0x6705

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeAdministrative

**References:** [MS-OXCSTOR], [MS-OXPFOAB]

**Alternate names:** PR\_SORT\_LOCALE\_ID, ptagSortLocaleId

### ***2.898 PidTagSourceKey***

**Canonical name:** PidTagSourceKey

**Property ID:** 0x65E0

**Data type:** PtypBinary, 0x0102

**Area:** Sync

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_SOURCE\_KEY

### ***2.899 PidTagSpouseName***

**Canonical name:** PidTagSpouseName

**Property ID:** 0x3A48

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_SPOUSE\_NAME, PR\_SPOUSE\_NAME\_A, PR\_SPOUSE\_NAME\_W

### ***2.900 PidTagStartDate***

**Canonical name:** PidTagStartDate

**Property ID:** 0x0060

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF]

**Alternate names:** PR\_START\_DATE

### ***2.901 PidTagStateOrProvince***

**Canonical name:** PidTagStateOrProvince

**Property ID:** 0x3A28

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_STATE\_OR\_PROVINCE, PR\_STATE\_OR\_PROVINCE\_A, PR\_STATE\_OR\_PROVINCE\_W, PR\_BUSINESS\_ADDRESS\_STATE\_OR\_PROVINCE, PR\_BUSINESS\_ADDRESS\_STATE\_OR\_PROVINCE\_A, PR\_BUSINESS\_ADDRESS\_STATE\_OR\_PROVINCE\_W

### ***2.902 PidTagStoreEntryId***

**Canonical name:** PidTagStoreEntryId

**Property ID:** 0x0FFB

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXOFLAG], [MS-OXSHARE]

**Alternate names:** PR\_STORE\_ENTRYID, ptagStoreEntryId

### ***2.903 PidTagStoreState***

**Canonical name:** PidTagStoreState

**Property ID:** 0x340E

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessageStore

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_STORE\_STATE

### ***2.904 PidTagStoreSupportMask***

**Canonical name:** PidTagStoreSupportMask

**Property ID:** 0x340D

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXMSG]

**Alternate names:** PR\_STORE\_SUPPORT\_MASK, ptagStoreSupportMask

### ***2.905 PidTagStreetAddress***

**Canonical name:** PidTagStreetAddress

**Property ID:** 0x3A29

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_STREET\_ADDRESS, PR\_STREET\_ADDRESS\_A,  
PR\_STREET\_ADDRESS\_W, PR\_BUSINESS\_ADDRESS\_STREET,  
PR\_BUSINESS\_ADDRESS\_STREET\_A, PR\_BUSINESS\_ADDRESS\_STREET\_W

### ***2.906 PidTagSubfolders***

**Canonical name:** PidTagSubfolders

**Property ID:** 0x360A

**Data type:** PtypBoolean, 0x000B

**Area:** MapiContainer

**References:** [MS-OXCFOLD], [MS-OXCICAL]

**Alternate names:** PR\_SUBFOLDERS, ptagSubFolders

### ***2.907 PidTagSubject***

**Canonical name:** PidTagSubject

**Property ID:** 0x0037

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],  
[MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC],  
[MS-OXOJRN], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-  
OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS]

**Alternate names:** PR\_SUBJECT, PR\_SUBJECT\_A, ptagSubject, PR\_SUBJECT\_W

### ***2.908 PidTagSubjectPrefix***

**Canonical name:** PidTagSubjectPrefix

**Property ID:** 0x003D

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-

OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS], [MS-OXSHARE], [MS-OXTNEF]

**Alternate names:** PR\_SUBJECT\_PREFIX, PR\_SUBJECT\_PREFIX\_A, ptagSubjectPrefix, PR\_SUBJECT\_PREFIX\_W

### ***2.909 PidTagSubmitFlags***

**Canonical name:** PidTagSubmitFlags

**Property ID:** 0x0E14

**Data type:** PtypInteger32, 0x0003

**Area:** MapiNonTransmittable

**References:** [MS-OXCICAL]

**Alternate names:** PR\_SUBMIT\_FLAGS, ptagSubmitFlags

### ***2.910 PidTagSurname***

**Canonical name:** PidTagSurname

**Property ID:** 0x3A11

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_SURNAME, PR\_SURNAME\_A, PR\_SURNAME\_W

### ***2.911 PidTagSwappedToDoData***

**Canonical name:** PidTagSwappedToDoData

**Property ID:** 0x0E2D

**Data type:** PtypBinary, 0x0102

**Area:** MapiNonTransmittable

**References:** [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** PR\_SWAPPED\_TODO\_DATA, ptagSwappedToDoData

### ***2.912 PidTagSwappedToDoStore***

**Canonical name:** PidTagSwappedToDoStore

**Property ID:** 0x0E2C

**Data type:** PtypBinary, 0x0102

**Area:** MapiNonTransmittable

**References:** [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

**Alternate names:** PR\_SWAPPED\_TODO\_STORE, ptagSwappedToDoStore

### ***2.913 PidTagTargetEntryId***

**Canonical name:** PidTagTargetEntryId

**Property ID:** 0x3010

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCFXICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]  
**Alternate names:** PR\_TARGET\_ENTRYID, ptagTargetEntryId

### ***2.914 PidTagTcvConstLongOne***

**Canonical name:** PidTagTcvConstLongOne  
**Property ID:** 0x8008  
**Data type:** PtypInteger32, 0x0003  
**Area:** PST Internal  
**References:** [MS-OXCTABL]  
**Alternate names:** PR\_TCV\_CONST\_LONG\_ONE

### ***2.915 PidTagTelecommunicationsDeviceForDeafTelephoneNumber***

**Canonical name:** PidTagTelecommunicationsDeviceForDeafTelephoneNumber  
**Property ID:** 0x3A4B  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_TTYTDD\_PHONE\_NUMBER,  
PR\_TTYTDD\_PHONE\_NUMBER\_A, PR\_TTYTDD\_PHONE\_NUMBER\_W

### ***2.916 PidTagTelexNumber***

**Canonical name:** PidTagTelexNumber  
**Property ID:** 0x3A2C  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_TELEX\_NUMBER, PR\_TELEX\_NUMBER\_A,  
PR\_TELEX\_NUMBER\_W

### ***2.917 PidTagTemplateData***

**Canonical name:** PidTagTemplateData  
**Property ID:** 0x0001  
**Data type:** PtypBinary, 0x0102  
**Area:** Exchange Address Book  
**References:** [MS-OXOABKT]  
**Alternate names:** PR\_EMS\_TEMPLATE\_BLOB

### ***2.918 PidTagTemplateid***

**Canonical name:** PidTagTemplateid  
**Property ID:** 0x3902  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiAddressBook

**References:** [MS-NSPI], [MS-OXOABK]  
**Alternate names:** PR\_TEMPLATEID

### ***2.919 PidTagTextAttachmentCharset***

**Canonical name:** PidTagTextAttachmentCharset  
**Property ID:** 0x371B  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** ptagTextAttachmentCharset

### ***2.920 PidTagTitle***

**Canonical name:** PidTagTitle  
**Property ID:** 0x3A17  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_TITLE, PR\_TITLE\_A, PR\_TITLE\_W

### ***2.921 PidTagTnefCorrelationKey***

**Canonical name:** PidTagTnefCorrelationKey  
**Property ID:** 0x007F  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]  
**Alternate names:** PR\_TNEF\_CORRELATION\_KEY

### ***2.922 PidTagToDoItemFlags***

**Canonical name:** PidTagToDoItemFlags  
**Property ID:** 0x0E2B  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]  
**Alternate names:** PR\_TODO\_ITEM\_FLAGS, ptagToDoItemFlags

### ***2.923 PidTagTransmittableDisplayName***

**Canonical name:** PidTagTransmittableDisplayName  
**Property ID:** 0x3A20  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]  
**Alternate names:** PR\_TRANSMITTABLE\_DISPLAY\_NAME,

PR\_TRANSMITTABLE\_DISPLAY\_NAME\_A, ptagTransmittableDisplayName,  
PR\_TRANSMITTABLE\_DISPLAY\_NAME\_W

### ***2.924 PidTagTransportMessageHeaders***

**Canonical name:** PidTagTransportMessageHeaders

**Property ID:** 0x007D

**Data type:** PtypString, 0x001F

**Area:** EMail

**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]

**Alternate names:** PR\_TRANSPORT\_MESSAGE\_HEADERS,

PR\_TRANSPORT\_MESSAGE\_HEADERS\_A,

PR\_TRANSPORT\_MESSAGE\_HEADERS\_W

### ***2.925 PidTagTrustSender***

**Canonical name:** PidTagTrustSender

**Property ID:** 0x0E79

**Data type:** PtypInteger32, 0x0003

**Area:** MapiNonTransmittable

**References:** [MS-OXCFCICS], [MS-OXCMSG]

**Alternate names:** PR\_TRUST\_SENDER, ptagTrustSender

### ***2.926 PidTagTtyTddPhoneNumber***

**Canonical name:** PidTagTtyTddPhoneNumber

**Property ID:** 0x3A4B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** PR\_TTYTDD\_PHONE\_NUMBER

### ***2.927 PidTagUrlCompName***

**Canonical name:** PidTagUrlCompName

**Property ID:** 0x10F3

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_URL\_COMP\_NAME, PR\_URL\_COMP\_NAME\_A,

PR\_URL\_COMP\_NAME\_W, ptagURLCompName

### ***2.928 PidTagUrlCompNameSet***

**Canonical name:** PidTagUrlCompNameSet

**Property ID:** 0x0E62

**Data type:** PtypBoolean, 0x000B

**Area:** ID Properties

**References:** [MS-OXCMSG]  
**Alternate names:** ptagURLCompNameSet

### ***2.929 PidTagUserCertificate***

**Canonical name:** PidTagUserCertificate  
**Property ID:** 0x3A22  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiMailUser  
**References:** [MS-OXOAB], [MS-OXOABK]  
**Alternate names:** PR\_USER\_CERTIFICATE, ptagUserCertificate

### ***2.930 PidTagUserEntryId***

**Canonical name:** PidTagUserEntryId  
**Property ID:** 0x6619  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeMessageStore  
**References:** [MS-OXCSTOR]  
**Alternate names:** PR\_USER\_ENTRYID, ptagUserEntryId

### ***2.931 PidTagUserX509Certificate***

**Canonical name:** PidTagUserX509Certificate  
**Property ID:** 0x3A70  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** MapiMailUser  
**References:** [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_USER\_X509\_CERTIFICATE

### ***2.932 PidTagViewDescriptorBinary***

**Canonical name:** PidTagViewDescriptorBinary  
**Property ID:** 0x7001  
**Data type:** PtypBinary, 0x0102  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_VD\_BINARY

### ***2.933 PidTagViewDescriptorName***

**Canonical name:** PidTagViewDescriptorName  
**Property ID:** 0x7006  
**Data type:** PtypString, 0x001F  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_VD\_NAME, PR\_VD\_NAME\_W



### ***2.934 PidTagViewDescriptorStrings***

**Canonical name:** PidTagViewDescriptorStrings

**Property ID:** 0x7002

**Data type:** PtypString, 0x001F

**Area:** MessageClassDefinedTransmittable

**References:** [MS-OXOCFG]

**Alternate names:** PR\_VD\_STRINGS, PR\_VD\_STRINGS\_W

### ***2.935 PidTagViewDescriptorVersion***

**Canonical name:** PidTagViewDescriptorVersion

**Property ID:** 0x7007

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXOCFG]

**Alternate names:** PR\_VD\_VERSION

### ***2.936 PidTagVoiceMessageAttachmentOrder***

**Canonical name:** PidTagVoiceMessageAttachmentOrder

**Property ID:** 0x6805

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL], [MS-OXOUM]

**Alternate names:** InternalSchemaVoiceMessageAttachmentOrder

### ***2.937 PidTagVoiceMessageDuration***

**Canonical name:** PidTagVoiceMessageDuration

**Property ID:** 0x6801

**Data type:** PtypInteger32, 0x0003

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaVoiceMessageDuration

### ***2.938 PidTagVoiceMessageSenderName***

**Canonical name:** PidTagVoiceMessageSenderName

**Property ID:** 0x6803

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaVoiceMessageSenderName

### ***2.939 PidTagWeddingAnniversary***

**Canonical name:** PidTagWeddingAnniversary

**Property ID:** 0x3A41

**Data type:** PtypTime, 0x0040

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_WEDDING\_ANNIVERSARY

### **3 Structure Examples**

None.

### **4 Security Considerations**

There are no security considerations unique to this specification.

### **5 Appendix A: Office/Exchange Behavior**

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

## Index

### Appendix A

Office/Exchange behavior, 226

### Introduction, 24

Applicability statement, 31

Glossary, 24

References, 24

Relationship to protocols and other structures, 30

Structure overview (synopsis), 27

Vendor-extensible fields, 31

Versioning and localization, 31

### References

Informative references, 27

Normative references, 24

Security considerations, 226

Structure examples, 226

Structures, 31