

# [MS-OXPROPS]: Exchange Server Protocols Master Property List Specification

## Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting [protocol@microsoft.com](mailto:protocol@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

| Revision Summary      |                   |         |   |
|-----------------------|-------------------|---------|---|
| Author                | Date              | Version | Comments  |
| Microsoft Corporation | April 4, 2008     | 0.1     | Initial Availability.   |
| Microsoft Corporation | April 25, 2008    | 0.2     | Revised and updated property names and other technical content. |
| Microsoft Corporation | June 27, 2008     | 1.0     | Initial Release.  |
| Microsoft Corporation | August 6, 2008    | 1.01    | Updated references to reflect date of initial release.          |
| Microsoft Corporation | September 3, 2008 | 1.02    | Changed title of document.                                      |

# Table of Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>Introduction.....</b>                            | <b>24</b> |
| 1.1      | Glossary.....                                       | 24        |
| 1.2      | References.....                                     | 24        |
| 1.2.1    | Normative References.....                           | 24        |
| 1.2.2    | Informative References.....                         | 27        |
| 1.3      | Structure Overview.....                             | 27        |
| 1.3.1    | Common Message Classes.....                         | 27        |
| 1.3.2    | Commonly Used Property Sets.....                    | 28        |
| 1.3.3    | Property ID Ranges.....                             | 29        |
| 1.4      | Relationship to Protocols and Other Structures..... | 30        |
| 1.5      | Applicability Statement.....                        | 31        |
| 1.6      | Versioning and Localization.....                    | 31        |
| 1.7      | Vendor-Extensible Fields.....                       | 31        |
| <b>2</b> | <b>Structures.....</b>                              | <b>31</b> |
| 2.1      | PidLidAddressBookProviderArrayType.....             | 31        |
| 2.2      | PidLidAddressBookProviderEmailList.....             | 31        |
| 2.3      | PidLidAddressCountryCode.....                       | 31        |
| 2.4      | PidLidAgingDontAgeMe.....                           | 32        |
| 2.5      | PidLidAllAttendeesList.....                         | 32        |
| 2.6      | PidLidAllAttendeesString.....                       | 32        |
| 2.7      | PidLidAllowExternalCheck.....                       | 32        |
| 2.8      | PidLidAnniversaryEventEntryId.....                  | 32        |
| 2.9      | PidLidAppointmentAuxiliaryFlags.....                | 33        |
| 2.10     | PidLidAppointmentColor.....                         | 33        |
| 2.11     | PidLidAppointmentCounterProposal.....               | 33        |
| 2.12     | PidLidAppointmentDuration.....                      | 33        |
| 2.13     | PidLidAppointmentEndWhole.....                      | 34        |
| 2.14     | PidLidAppointmentLastSequence.....                  | 34        |
| 2.15     | PidLidAppointmentMessageClass.....                  | 34        |
| 2.16     | PidLidAppointmentNotAllowPropose.....               | 34        |
| 2.17     | PidLidAppointmentProposalNumber.....                | 34        |
| 2.18     | PidLidAppointmentProposedDuration.....              | 35        |
| 2.19     | PidLidAppointmentProposedEndWhole.....              | 35        |
| 2.20     | PidLidAppointmentProposedStartWhole.....            | 35        |
| 2.21     | PidLidAppointmentRecur.....                         | 35        |
| 2.22     | PidLidAppointmentReplyName.....                     | 35        |
| 2.23     | PidLidAppointmentReplyTime.....                     | 36        |
| 2.24     | PidLidAppointmentSequence.....                      | 36        |
| 2.25     | PidLidAppointmentSequenceTime.....                  | 36        |
| 2.26     | PidLidAppointmentStartWhole.....                    | 36        |
| 2.27     | PidLidAppointmentStateFlags.....                    | 37        |
| 2.28     | PidLidAppointmentSubType.....                       | 37        |

|      |   |    |
|------|---|----|
| 2.29 | PidLidAppointmentTimeZoneDefinitionEndDisplay   | 37 |
| 2.30 | PidLidAppointmentTimeZoneDefinitionRecur        | 37 |
| 2.31 | PidLidAppointmentTimeZoneDefinitionStartDisplay | 37 |
| 2.32 | PidLidAppointmentUnsendableRecipients           | 38 |
| 2.33 | PidLidAttendeeCriticalChange                    | 38 |
| 2.34 | PidLidAutoFillLocation                          | 38 |
| 2.35 | PidLidAutoLog                                   | 38 |
| 2.36 | PidLidAutoProcessState                          | 38 |
| 2.37 | PidLidAutoStartCheck                            | 39 |
| 2.38 | PidLidAutoStartWhen                             | 39 |
| 2.39 | PidLidBirthdayEventEntryId                      | 39 |
| 2.40 | PidLidBusinessCardCardPicture                   | 39 |
| 2.41 | PidLidBusinessCardDisplayDefinition             | 40 |
| 2.42 | PidLidBusyStatus                                | 40 |
| 2.43 | PidLidCalendarType                              | 40 |
| 2.44 | PidLidCategories                                | 40 |
| 2.45 | PidLidCcAttendeesString                         | 40 |
| 2.46 | PidLidChangeHighlight                           | 41 |
| 2.47 | PidLidClassification                            | 41 |
| 2.48 | PidLidClassificationDescription                 | 41 |
| 2.49 | PidLidClassificationGuid                        | 41 |
| 2.50 | PidLidClassificationKeep                        | 41 |
| 2.51 | PidLidClassified                                | 42 |
| 2.52 | PidLidCleanGlobalObjectId                       | 42 |
| 2.53 | PidLidClipEnd                                   | 42 |
| 2.54 | PidLidClipStart                                 | 42 |
| 2.55 | PidLidCollaborateDoc                            | 43 |
| 2.56 | PidLidCommonEnd                                 | 43 |
| 2.57 | PidLidCommonStart                               | 43 |
| 2.58 | PidLidCompanies                                 | 43 |
| 2.59 | PidLidConferencingCheck                         | 43 |
| 2.60 | PidLidConferencingType                          | 44 |
| 2.61 | PidLidContactCharacterSet                       | 44 |
| 2.62 | PidLidContactItemData                           | 44 |
| 2.63 | PidLidContactLinkEntry                          | 44 |
| 2.64 | PidLidContactLinkName                           | 44 |
| 2.65 | PidLidContactLinkSearchKey                      | 45 |
| 2.66 | PidLidContacts                                  | 45 |
| 2.67 | PidLidContactUserField1                         | 45 |
| 2.68 | PidLidContactUserField2                         | 45 |
| 2.69 | PidLidContactUserField3                         | 46 |
| 2.70 | PidLidContactUserField4                         | 46 |
| 2.71 | PidLidCurrentVersion                            | 46 |
| 2.72 | PidLidCurrentVersionName                        | 46 |

|       |                                     |    |
|-------|-------------------------------------|----|
| 2.73  | PidLidDayInterval                   | 46 |
| 2.74  | PidLidDelegateMail                  | 47 |
| 2.75  | PidLidDepartment                    | 47 |
| 2.76  | PidLidDirectory                     | 47 |
| 2.77  | PidLidDistributionListChecksum      | 47 |
| 2.78  | PidLidDistributionListMembers       | 47 |
| 2.79  | PidLidDistributionListName          | 48 |
| 2.80  | PidLidDistributionListOneOffMembers | 48 |
| 2.81  | PidLidEmail1AddressType             | 48 |
| 2.82  | PidLidEmail1DisplayName             | 48 |
| 2.83  | PidLidEmail1EmailAddress            | 49 |
| 2.84  | PidLidEmail1EmailType               | 49 |
| 2.85  | PidLidEmail1OriginalDisplayName     | 49 |
| 2.86  | PidLidEmail1OriginalEntryId         | 49 |
| 2.87  | PidLidEmail2AddressType             | 49 |
| 2.88  | PidLidEmail2DisplayName             | 50 |
| 2.89  | PidLidEmail2EmailAddress            | 50 |
| 2.90  | PidLidEmail2EntryId                 | 50 |
| 2.91  | PidLidEmail2OriginalDisplayName     | 50 |
| 2.92  | PidLidEmail2OriginalEntryId         | 50 |
| 2.93  | PidLidEmail3AddressType             | 51 |
| 2.94  | PidLidEmail3DisplayName             | 51 |
| 2.95  | PidLidEmail3EmailAddress            | 51 |
| 2.96  | PidLidEmail3EntryId                 | 51 |
| 2.97  | PidLidEmail3OriginalDisplayName     | 52 |
| 2.98  | PidLidEmail3OriginalEntryId         | 52 |
| 2.99  | PidLidEmailList                     | 52 |
| 2.100 | PidLidExceptionReplaceTime          | 52 |
| 2.101 | PidLidFax1AddressType               | 52 |
| 2.102 | PidLidFax1EmailAddress              | 53 |
| 2.103 | PidLidFax1OriginalDisplayName       | 53 |
| 2.104 | PidLidFax1OriginalEntryId           | 53 |
| 2.105 | PidLidFax2AddressType               | 53 |
| 2.106 | PidLidFax2EmailAddress              | 53 |
| 2.107 | PidLidFax2OriginalDisplayName       | 54 |
| 2.108 | PidLidFax2OriginalEntryId           | 54 |
| 2.109 | PidLidFax3AddressType               | 54 |
| 2.110 | PidLidFax3EmailAddress              | 54 |
| 2.111 | PidLidFax3OriginalDisplayName       | 55 |
| 2.112 | PidLidFax3OriginalEntryId           | 55 |
| 2.113 | PidLidFExceptionalAttendees         | 55 |
| 2.114 | PidLidFExceptionalBody              | 55 |
| 2.115 | PidLidFileUnder                     | 55 |
| 2.116 | PidLidFileUnderId                   | 56 |

|       |                                    |    |
|-------|------------------------------------|----|
| 2.117 | PidLidFileUnderList .....          | 56 |
| 2.118 | PidLidFInvited.....                | 56 |
| 2.119 | PidLidFlagRequest.....             | 56 |
| 2.120 | PidLidFlagString .....             | 56 |
| 2.121 | PidLidForwardInstance.....         | 57 |
| 2.122 | PidLidFreeBusyLocation .....       | 57 |
| 2.123 | PidLidGlobalObjectId.....          | 57 |
| 2.124 | PidLidHasPicture .....             | 57 |
| 2.125 | PidLidHomeAddress.....             | 58 |
| 2.126 | PidLidHomeAddressCountryCode ..... | 58 |
| 2.127 | PidLidHtml .....                   | 58 |
| 2.128 | PidLidInstantMessagingAddress..... | 58 |
| 2.129 | PidLidIntendedBusyStatus.....      | 58 |
| 2.130 | PidLidInternetAccountName.....     | 59 |
| 2.131 | PidLidInternetAccountStamp .....   | 59 |
| 2.132 | PidLidIsException.....             | 59 |
| 2.133 | PidLidIsRecurring .....            | 59 |
| 2.134 | PidLidIsSilent.....                | 59 |
| 2.135 | PidLidLinkedTaskItems.....         | 60 |
| 2.136 | PidLidLocation.....                | 60 |
| 2.137 | PidLidLogDocumentPosted .....      | 60 |
| 2.138 | PidLidLogDocumentPrinted.....      | 60 |
| 2.139 | PidLidLogDocumentRouted.....       | 61 |
| 2.140 | PidLidLogDocumentSaved .....       | 61 |
| 2.141 | PidLidLogDuration .....            | 61 |
| 2.142 | PidLidLogEnd .....                 | 61 |
| 2.143 | PidLidLogFlags.....                | 61 |
| 2.144 | PidLidLogStart.....                | 62 |
| 2.145 | PidLidLogType .....                | 62 |
| 2.146 | PidLidLogTypeDesc .....            | 62 |
| 2.147 | PidLidMeetingType .....            | 62 |
| 2.148 | PidLidMeetingWorkspaceUrl.....     | 62 |
| 2.149 | PidLidMonthInterval.....           | 63 |
| 2.150 | PidLidNetShowUrl.....              | 63 |
| 2.151 | PidLidNonSendableBcc.....          | 63 |
| 2.152 | PidLidNonSendableCc.....           | 63 |
| 2.153 | PidLidNonSendableTo.....           | 64 |
| 2.154 | PidLidNonSendBccTrackStatus.....   | 64 |
| 2.155 | PidLidNonSendCcTrackStatus.....    | 64 |
| 2.156 | PidLidNonSendToTrackStatus.....    | 64 |
| 2.157 | PidLidNoteColor .....              | 64 |
| 2.158 | PidLidNoteHeight .....             | 65 |
| 2.159 | PidLidNoteWidth .....              | 65 |
| 2.160 | PidLidNoteX.....                   | 65 |

|       |                               |    |
|-------|-------------------------------|----|
| 2.161 | PidLidNoteY                   | 65 |
| 2.162 | PidLidOldLocation             | 65 |
| 2.163 | PidLidOldWhenEndWhole         | 66 |
| 2.164 | PidLidOldWhenStartWhole       | 66 |
| 2.165 | PidLidOnlinePassword          | 66 |
| 2.166 | PidLidOptionalAttendees       | 66 |
| 2.167 | PidLidOrganizerAlias          | 67 |
| 2.168 | PidLidOriginalStoreEntryId    | 67 |
| 2.169 | PidLidOtherAddress            | 67 |
| 2.170 | PidLidOtherAddressCountryCode | 67 |
| 2.171 | PidLidOwnerCriticalChange     | 67 |
| 2.172 | PidLidPercentComplete         | 68 |
| 2.173 | PidLidPostalAddressId         | 68 |
| 2.174 | PidLidPostRssChannel          | 68 |
| 2.175 | PidLidPostRssChannelLink      | 68 |
| 2.176 | PidLidPostRssItemGuid         | 68 |
| 2.177 | PidLidPostRssItemHash         | 69 |
| 2.178 | PidLidPostRssItemLink         | 69 |
| 2.179 | PidLidPostRssItemXml          | 69 |
| 2.180 | PidLidPostRssSubscription     | 69 |
| 2.181 | PidLidPrivate                 | 70 |
| 2.182 | PidLidRecurrencePattern       | 70 |
| 2.183 | PidLidRecurrenceType          | 70 |
| 2.184 | PidLidRecurring               | 70 |
| 2.185 | PidLidReferenceEntryId        | 70 |
| 2.186 | PidLidReminderDelta           | 71 |
| 2.187 | PidLidReminderFileParameter   | 71 |
| 2.188 | PidLidReminderOverride        | 71 |
| 2.189 | PidLidReminderPlaySound       | 71 |
| 2.190 | PidLidReminderSet             | 72 |
| 2.191 | PidLidReminderSignalTime      | 72 |
| 2.192 | PidLidReminderTime            | 72 |
| 2.193 | PidLidReminderType            | 72 |
| 2.194 | PidLidRequiredAttendees       | 72 |
| 2.195 | PidLidResourceAttendees       | 73 |
| 2.196 | PidLidResponseStatus          | 73 |
| 2.197 | PidLidSendMeetingAsIcal       | 73 |
| 2.198 | PidLidSharingAnonymity        | 73 |
| 2.199 | PidLidSharingBindingEntryId   | 73 |
| 2.200 | PidLidSharingBrowseUrl        | 74 |
| 2.201 | PidLidSharingCapabilities     | 74 |
| 2.202 | PidLidSharingConfigurationUrl | 74 |
| 2.203 | PidLidSharingDataRangeEnd     | 74 |
| 2.204 | PidLidSharingDataRangeStart   | 75 |

|       |  |    |
|-------|--|----|
| 2.205 | PidLidSharingDetail.....                     | 75 |
| 2.206 | PidLidSharingExtensionXml.....               | 75 |
| 2.207 | PidLidSharingFilter.....                     | 75 |
| 2.208 | PidLidSharingFlags.....                      | 75 |
| 2.209 | PidLidSharingFlavor.....                     | 76 |
| 2.210 | PidLidSharingFolderEntryId.....              | 76 |
| 2.211 | PidLidSharingIndexEntryId.....               | 76 |
| 2.212 | PidLidSharingInitiatorEntryId.....           | 76 |
| 2.213 | PidLidSharingInitiatorName.....              | 76 |
| 2.214 | PidLidSharingInitiatorSntp.....              | 77 |
| 2.215 | PidLidSharingInstanceGuid.....               | 77 |
| 2.216 | PidLidSharingLastAutoSyncTime.....           | 77 |
| 2.217 | PidLidSharingLastSyncTime.....               | 77 |
| 2.218 | PidLidSharingLocalComment.....               | 78 |
| 2.219 | PidLidSharingLocalLastModificationTime.....  | 78 |
| 2.220 | PidLidSharingLocalName.....                  | 78 |
| 2.221 | PidLidSharingLocalPath.....                  | 78 |
| 2.222 | PidLidSharingLocalStoreUid.....              | 78 |
| 2.223 | PidLidSharingLocalType.....                  | 79 |
| 2.224 | PidLidSharingLocalUid.....                   | 79 |
| 2.225 | PidLidSharingOriginalMessageEntryId.....     | 79 |
| 2.226 | PidLidSharingParentBindingEntryId.....       | 79 |
| 2.227 | PidLidSharingParticipants.....               | 79 |
| 2.228 | PidLidSharingPermissions.....                | 80 |
| 2.229 | PidLidSharingProviderExtension.....          | 80 |
| 2.230 | PidLidSharingProviderGuid.....               | 80 |
| 2.231 | PidLidSharingProviderName.....               | 80 |
| 2.232 | PidLidSharingProviderUrl.....                | 81 |
| 2.233 | PidLidSharingRangeEnd.....                   | 81 |
| 2.234 | PidLidSharingRangeStart.....                 | 81 |
| 2.235 | PidLidSharingReciprocation.....              | 81 |
| 2.236 | PidLidSharingRemoteByteSize.....             | 81 |
| 2.237 | PidLidSharingRemoteComment.....              | 82 |
| 2.238 | PidLidSharingRemoteCrc.....                  | 82 |
| 2.239 | PidLidSharingRemoteLastModificationTime..... | 82 |
| 2.240 | PidLidSharingRemoteMessageCount.....         | 82 |
| 2.241 | PidLidSharingRemoteName.....                 | 82 |
| 2.242 | PidLidSharingRemotePass.....                 | 83 |
| 2.243 | PidLidSharingRemotePath.....                 | 83 |
| 2.244 | PidLidSharingRemoteStoreUid.....             | 83 |
| 2.245 | PidLidSharingRemoteType.....                 | 83 |
| 2.246 | PidLidSharingRemoteUid.....                  | 84 |
| 2.247 | PidLidSharingRemoteUser.....                 | 84 |
| 2.248 | PidLidSharingRemoteVersion.....              | 84 |

|       |                                   |    |
|-------|-----------------------------------|----|
| 2.249 | PidLidSharingResponseTime         | 84 |
| 2.250 | PidLidSharingResponseType         | 84 |
| 2.251 | PidLidSharingRoamLog              | 85 |
| 2.252 | PidLidSharingStart                | 85 |
| 2.253 | PidLidSharingStatus               | 85 |
| 2.254 | PidLidSharingStop                 | 85 |
| 2.255 | PidLidSharingSyncFlags            | 85 |
| 2.256 | PidLidSharingSyncInterval         | 86 |
| 2.257 | PidLidSharingTimeToLive           | 86 |
| 2.258 | PidLidSharingTimeToLiveAuto       | 86 |
| 2.259 | PidLidSharingWorkingHoursDays     | 86 |
| 2.260 | PidLidSharingWorkingHoursEnd      | 87 |
| 2.261 | PidLidSharingWorkingHoursStart    | 87 |
| 2.262 | PidLidSharingWorkingHoursTimeZone | 87 |
| 2.263 | PidLidSideEffects                 | 87 |
| 2.264 | PidLidSingleInvite                | 87 |
| 2.265 | PidLidSmartNoAttach               | 88 |
| 2.266 | PidLidSpamOriginalFolder          | 88 |
| 2.267 | PidLidTaskAcceptanceState         | 88 |
| 2.268 | PidLidTaskAccepted                | 88 |
| 2.269 | PidLidTaskActualEffort            | 88 |
| 2.270 | PidLidTaskAssigner                | 89 |
| 2.271 | PidLidTaskAssigners               | 89 |
| 2.272 | PidLidTaskComplete                | 89 |
| 2.273 | PidLidTaskDateCompleted           | 89 |
| 2.274 | PidLidTaskDeadOccurrence          | 90 |
| 2.275 | PidLidTaskDueDate                 | 90 |
| 2.276 | PidLidTaskEstimatedEffort         | 90 |
| 2.277 | PidLidTaskFCreator                | 90 |
| 2.278 | PidLidTaskFFixOffline             | 90 |
| 2.279 | PidLidTaskFRecurring              | 91 |
| 2.280 | PidLidTaskGlobalId                | 91 |
| 2.281 | PidLidTaskHistory                 | 91 |
| 2.282 | PidLidTaskLastDelegate            | 91 |
| 2.283 | PidLidTaskLastUpdate              | 91 |
| 2.284 | PidLidTaskLastUser                | 92 |
| 2.285 | PidLidTaskMode                    | 92 |
| 2.286 | PidLidTaskMultipleRecipients      | 92 |
| 2.287 | PidLidTaskNoCompute               | 92 |
| 2.288 | PidLidTaskOrdinal                 | 93 |
| 2.289 | PidLidTaskOwner                   | 93 |
| 2.290 | PidLidTaskOwnership               | 93 |
| 2.291 | PidLidTaskRecurrence              | 93 |
| 2.292 | PidLidTaskResetReminder           | 93 |



|       |                                      |     |
|-------|--------------------------------------|-----|
| 2.293 | PidLidTaskRole.....                  | 94  |
| 2.294 | PidLidTaskStartDate.....             | 94  |
| 2.295 | PidLidTaskState.....                 | 94  |
| 2.296 | PidLidTaskStatus.....                | 94  |
| 2.297 | PidLidTaskStatusOnComplete.....      | 95  |
| 2.298 | PidLidTaskUpdates.....               | 95  |
| 2.299 | PidLidTaskVersion.....               | 95  |
| 2.300 | PidLidTeamTask.....                  | 95  |
| 2.301 | PidLidTimeZone.....                  | 95  |
| 2.302 | PidLidTimeZoneDescription.....       | 96  |
| 2.303 | PidLidTimeZoneStruct.....            | 96  |
| 2.304 | PidLidToAttendeesString.....         | 96  |
| 2.305 | PidLidToDoOrdinalDate.....           | 96  |
| 2.306 | PidLidToDoSubOrdinal.....            | 96  |
| 2.307 | PidLidToDoTitle.....                 | 97  |
| 2.308 | PidLidUseTnef.....                   | 97  |
| 2.309 | PidLidValidFlagStringProof.....      | 97  |
| 2.310 | PidLidVerbResponse.....              | 97  |
| 2.311 | PidLidVerbStream.....                | 98  |
| 2.312 | PidLidWeekInterval.....              | 98  |
| 2.313 | PidLidWhere.....                     | 98  |
| 2.314 | PidLidWorkAddress.....               | 98  |
| 2.315 | PidLidWorkAddressCity.....           | 98  |
| 2.316 | PidLidWorkAddressCountry.....        | 99  |
| 2.317 | PidLidWorkAddressCountryCode.....    | 99  |
| 2.318 | PidLidWorkAddressPostalCode.....     | 99  |
| 2.319 | PidLidWorkAddressPostOfficeBox.....  | 99  |
| 2.320 | PidLidWorkAddressState.....          | 99  |
| 2.321 | PidLidWorkAddressStreet.....         | 100 |
| 2.322 | PidLidYearInterval.....              | 100 |
| 2.323 | PidLidYomiCompanyName.....           | 100 |
| 2.324 | PidLidYomiFirstName.....             | 100 |
| 2.325 | PidLidYomiLastName.....              | 101 |
| 2.326 | PidLidInfoPathFormName.....          | 101 |
| 2.327 | PidNameAcceptLanguage.....           | 101 |
| 2.328 | PidNameApplicationName.....          | 101 |
| 2.329 | PidNameAttachmentMacContentType..... | 101 |
| 2.330 | PidNameAttachmentMacInfo.....        | 102 |
| 2.331 | PidNameAudioNotes.....               | 102 |
| 2.332 | PidNameAuthor.....                   | 102 |
| 2.333 | PidNameByteCount.....                | 102 |
| 2.334 | PidNameCategory.....                 | 102 |
| 2.335 | PidNameCharacterCount.....           | 103 |
| 2.336 | PidNameComments.....                 | 103 |

|       |                                   |     |
|-------|-----------------------------------|-----|
| 2.337 | PidNameCompany                    | 103 |
| 2.338 | PidNameContentBase                | 103 |
| 2.339 | PidNameContentClass               | 104 |
| 2.340 | PidNameContentTransferEncoding    | 104 |
| 2.341 | PidNameContentType                | 104 |
| 2.342 | PidNameCreateDateTimeReadOnly     | 104 |
| 2.343 | PidNameCrossReference             | 104 |
| 2.344 | PidNameEditTime                   | 105 |
| 2.345 | PidNameExchangeJunkEmailMoveStamp | 105 |
| 2.346 | PidNameHiddenCount                | 105 |
| 2.347 | PidNameKeywords                   | 105 |
| 2.348 | PidNameLastAuthor                 | 105 |
| 2.349 | PidNameLastPrinted                | 106 |
| 2.350 | PidNameLastSaveDateTime           | 106 |
| 2.351 | PidNameLineCount                  | 106 |
| 2.352 | PidNameManager                    | 106 |
| 2.353 | PidNameMultimediaClipCount        | 107 |
| 2.354 | PidNameNoteCount                  | 107 |
| 2.355 | PidNameOMSAccountGuid             | 107 |
| 2.356 | PidNameOMSMobileModel             | 107 |
| 2.357 | PidNameOMSScheduleTime            | 107 |
| 2.358 | PidNameOMSServiceType             | 108 |
| 2.359 | PidNameOMSSourceType              | 108 |
| 2.360 | PidNamePhishingStamp              | 108 |
| 2.361 | PidNamePageCount                  | 108 |
| 2.362 | PidNameParagraphCount             | 108 |
| 2.363 | PidNamePresentationFormat         | 109 |
| 2.364 | PidNameRevisionNumber             | 109 |
| 2.365 | PidNameRightsManagementLicense    | 109 |
| 2.366 | PidNameSecurity                   | 109 |
| 2.367 | PidNameSlideCount                 | 110 |
| 2.368 | PidNameSubject                    | 110 |
| 2.369 | PidNameTemplate                   | 110 |
| 2.370 | PidNameTitle                      | 110 |
| 2.371 | PidNameWordCount                  | 110 |
| 2.372 | PidNameXSharingBrowseUrl          | 111 |
| 2.373 | PidNameXSharingCapabilities       | 111 |
| 2.374 | PidNameXSharingConfigUrl          | 111 |
| 2.375 | PidNameXSharingExendedCaps        | 111 |
| 2.376 | PidNameXSharingFlavor             | 111 |
| 2.377 | PidNameXSharingInstanceGuid       | 112 |
| 2.378 | PidNameXSharingLocalType          | 112 |
| 2.379 | PidNameXSharingProviderGuid       | 112 |
| 2.380 | PidNameXSharingProviderName       | 112 |

|       |  |     |
|-------|--|-----|
| 2.381 | PidNameXSharingProviderUrl.....                      | 113 |
| 2.382 | PidNameXSharingRemoteName .....                      | 113 |
| 2.383 | PidNameXSharingRemotePath .....                      | 113 |
| 2.384 | PidNameXSharingRemoteStoreUid.....                   | 113 |
| 2.385 | PidNameXSharingRemoteType.....                       | 113 |
| 2.386 | PidNameXSharingRemoteUid .....                       | 114 |
| 2.387 | PidNameQuarantineOriginalSender.....                 | 114 |
| 2.388 | PidNameXCallId .....                                 | 114 |
| 2.389 | PidNameXFaxNumberOfPages .....                       | 114 |
| 2.390 | PidNameXSenderTelephoneNumber.....                   | 114 |
| 2.391 | PidNameXVoiceMessageAttachmentOrder.....             | 115 |
| 2.392 | PidNameXVoiceMessageDuration .....                   | 115 |
| 2.393 | PidNameXVoiceMessageSenderName .....                 | 115 |
| 2.394 | PidTag7BitDisplayName .....                          | 115 |
| 2.395 | PidTagAccess .....                                   | 116 |
| 2.396 | PidTagAccessLevel.....                               | 116 |
| 2.397 | PidTagAccount.....                                   | 116 |
| 2.398 | PidTagAdditionalRenEntryIds .....                    | 116 |
| 2.399 | PidTagAdditionalRenEntryIdsEx.....                   | 116 |
| 2.400 | PidTagAddressBookContainerId .....                   | 117 |
| 2.401 | PidTagAddressBookDisplayNamePrintable .....          | 117 |
| 2.402 | PidTagAddressBookEntryId.....                        | 117 |
| 2.403 | PidTagAddressBookExtensionAttribute1 .....           | 117 |
| 2.404 | PidTagAddressBookExtensionAttribute15.....           | 117 |
| 2.405 | PidTagAddressBookFolderPathname .....                | 118 |
| 2.406 | PidTagAddressBookHierarchicalChildDepartments .....  | 118 |
| 2.407 | PidTagAddressBookHierarchicalDepartmentMembers ..... | 118 |
| 2.408 | PidTagAddressBookHierarchicalParentDepartment.....   | 118 |
| 2.409 | PidTagAddressBookHierarchicalRootDepartment .....    | 118 |
| 2.410 | PidTagAddressBookHierarchicalShowInDepartments.....  | 119 |
| 2.411 | PidTagAddressBookHomeMessageDatabase .....           | 119 |
| 2.412 | PidTagAddressBookIsMaster.....                       | 119 |
| 2.413 | PidTagAddressBookIsMemberOfDistributionList .....    | 119 |
| 2.414 | PidTagAddressBookManageDistributionList .....        | 119 |
| 2.415 | PidTagAddressBookManager .....                       | 120 |
| 2.416 | PidTagAddressBookManagerDistinguishedName .....      | 120 |
| 2.417 | PidTagAddressBookMember .....                        | 120 |
| 2.418 | PidTagAddressBookMessageId .....                     | 120 |
| 2.419 | PidTagAddressBookNetworkAddress .....                | 120 |
| 2.420 | PidTagAddressBookObjectDistinguishedName .....       | 121 |
| 2.421 | PidTagAddressBookObjectGuid.....                     | 121 |
| 2.422 | PidTagAddressBookOwner .....                         | 121 |
| 2.423 | PidTagAddressBookOwnerBackLink .....                 | 121 |
| 2.424 | PidTagAddressBookParentEntryId.....                  | 121 |

|       |   |     |
|-------|---|-----|
| 2.425 | PidTagAddressBookPhoneticCompanyName    | 122 |
| 2.426 | PidTagAddressBookPhoneticDepartmentName | 122 |
| 2.427 | PidTagAddressBookPhoneticDisplayName    | 122 |
| 2.428 | PidTagAddressBookPhoneticGivenName      | 122 |
| 2.429 | PidTagAddressBookPhoneticSurname        | 122 |
| 2.430 | PidTagAddressBookProxyAddresses         | 123 |
| 2.431 | PidTagAddressBookPublicDelegates        | 123 |
| 2.432 | PidTagAddressBookReports                | 123 |
| 2.433 | PidTagAddressBookRoomCapacity           | 123 |
| 2.434 | PidTagAddressBookRoomContainers         | 124 |
| 2.435 | PidTagAddressBookRoomDescription        | 124 |
| 2.436 | PidTagAddressBookSeniorityIndex         | 124 |
| 2.437 | PidTagAddressBookTargetAddress          | 124 |
| 2.438 | PidTagAddressBookX509Certificate        | 124 |
| 2.439 | PidTagAddressType                       | 125 |
| 2.440 | PidTagAlternateRecipientAllowed         | 125 |
| 2.441 | PidTagAnr                               | 125 |
| 2.442 | PidTagAssistant                         | 125 |
| 2.443 | PidTagAssistantTelephoneNumber          | 125 |
| 2.444 | PidTagAssociated                        | 126 |
| 2.445 | PidTagAttachAdditionalInformation       | 126 |
| 2.446 | PidTagAttachContentBase                 | 126 |
| 2.447 | PidTagAttachContentId                   | 126 |
| 2.448 | PidTagAttachContentLocation             | 126 |
| 2.449 | PidTagAttachDataBinary                  | 127 |
| 2.450 | PidTagAttachDataObject                  | 127 |
| 2.451 | PidTagAttachEncoding                    | 127 |
| 2.452 | PidTagAttachExtension                   | 127 |
| 2.453 | PidTagAttachFilename                    | 128 |
| 2.454 | PidTagAttachFlags                       | 128 |
| 2.455 | PidTagAttachLongFilename                | 128 |
| 2.456 | PidTagAttachLongPathname                | 128 |
| 2.457 | PidTagAttachmentContactPhoto            | 128 |
| 2.458 | PidTagAttachmentFlags                   | 129 |
| 2.459 | PidTagAttachmentHidden                  | 129 |
| 2.460 | PidTagAttachmentLinkId                  | 129 |
| 2.461 | PidTagAttachMethod                      | 129 |
| 2.462 | PidTagAttachMimeType                    | 130 |
| 2.463 | PidTagAttachNumber                      | 130 |
| 2.464 | PidTagAttachPathname                    | 130 |
| 2.465 | PidTagAttachPayloadClass                | 130 |
| 2.466 | PidTagAttachPayloadProviderGuidString   | 130 |
| 2.467 | PidTagAttachRendering                   | 131 |
| 2.468 | PidTagAttachSize                        | 131 |

|       |   |     |
|-------|---|-----|
| 2.469 | PidTagAttachTag .....                       | 131 |
| 2.470 | PidTagAttachTransportName.....              | 131 |
| 2.471 | PidTagAttributeHidden.....                  | 131 |
| 2.472 | PidTagAttributeReadOnly .....               | 132 |
| 2.473 | PidTagAttributeSystem.....                  | 132 |
| 2.474 | PidTagAutoForwarded.....                    | 132 |
| 2.475 | PidTagAutoResponseSuppress.....             | 132 |
| 2.476 | PidTagBirthday .....                        | 132 |
| 2.477 | PidTagBlockStatus.....                      | 133 |
| 2.478 | PidTagBody.....                             | 133 |
| 2.479 | PidTagBodyContentId .....                   | 133 |
| 2.480 | PidTagBodyContentLocation .....             | 133 |
| 2.481 | PidTagBodyHtml .....                        | 133 |
| 2.482 | PidTagBusiness2TelephoneNumber.....         | 134 |
| 2.483 | PidTagBusiness2TelephoneNumbers .....       | 134 |
| 2.484 | PidTagBusinessFaxNumber .....               | 134 |
| 2.485 | PidTagBusinessHomePage.....                 | 134 |
| 2.486 | PidTagBusinessTelephoneNumber.....          | 134 |
| 2.487 | PidTagCallbackTelephoneNumber .....         | 135 |
| 2.488 | PidTagCallId.....                           | 135 |
| 2.489 | PidTagCarTelephoneNumber.....               | 135 |
| 2.490 | PidTagChangeKey .....                       | 135 |
| 2.491 | PidTagChangeNotificationGuid.....           | 136 |
| 2.492 | PidTagChangeNumber .....                    | 136 |
| 2.493 | PidTagChildrensNames .....                  | 136 |
| 2.494 | PidTagClientActions.....                    | 136 |
| 2.495 | PidTagClientSubmitTime .....                | 136 |
| 2.496 | PidTagCnsetRead .....                       | 137 |
| 2.497 | PidTagCnsetSeen .....                       | 137 |
| 2.498 | PidTagCnsetSeenFAI.....                     | 137 |
| 2.499 | PidTagCodePageId.....                       | 137 |
| 2.500 | PidTagComment .....                         | 137 |
| 2.501 | PidTagCompanyMainTelephoneNumber.....       | 138 |
| 2.502 | PidTagCompanyName.....                      | 138 |
| 2.503 | PidTagComputerNetworkName.....              | 138 |
| 2.504 | PidTagConflictEntryId.....                  | 138 |
| 2.505 | PidTagConflictItems .....                   | 138 |
| 2.506 | PidTagContainerClass.....                   | 139 |
| 2.507 | PidTagContainerContents.....                | 139 |
| 2.508 | PidTagContainerFlags.....                   | 139 |
| 2.509 | PidTagContainerHierarchy .....              | 139 |
| 2.510 | PidTagContentCount.....                     | 139 |
| 2.511 | PidTagContentFilterSpamConfidenceLevel..... | 140 |
| 2.512 | PidTagContentUnreadCount .....              | 140 |

|       |  |     |
|-------|--|-----|
| 2.513 | PidTagConversationIndex .....            | 140 |
| 2.514 | PidTagConversationKey .....              | 140 |
| 2.515 | PidTagConversationTopic .....            | 140 |
| 2.516 | PidTagCountry .....                      | 141 |
| 2.517 | PidTagCreationTime .....                 | 141 |
| 2.518 | PidTagCreatorEntryId .....               | 141 |
| 2.519 | PidTagCreatorName .....                  | 141 |
| 2.520 | PidTagCreatorSimpleDisplayName .....     | 141 |
| 2.521 | PidTagCustomerId .....                   | 142 |
| 2.522 | PidTagDamBackPatched .....               | 142 |
| 2.523 | PidTagDamOriginalEntryId .....           | 142 |
| 2.524 | PidTagDefaultPostMessageClass .....      | 142 |
| 2.525 | PidTagDeferredDeliveryTime .....         | 142 |
| 2.526 | PidTagDeferredSendNumber .....           | 143 |
| 2.527 | PidTagDeferredSendTime .....             | 143 |
| 2.528 | PidTagDeferredSendUnits .....            | 143 |
| 2.529 | PidTagDelegatedByRule .....              | 143 |
| 2.530 | PidTagDelegateFlags .....                | 143 |
| 2.531 | PidTagDelegation .....                   | 143 |
| 2.532 | PidTagDeleteAfterSubmit .....            | 144 |
| 2.533 | PidTagDeletedOn .....                    | 144 |
| 2.534 | PidTagDepartmentName .....               | 144 |
| 2.535 | PidTagDepth .....                        | 144 |
| 2.536 | PidTagDisplayBcc .....                   | 144 |
| 2.537 | PidTagDisplayCc .....                    | 145 |
| 2.538 | PidTagDisplayName .....                  | 145 |
| 2.539 | PidTagDisplayNamePrefix .....            | 145 |
| 2.540 | PidTagDisplayTo .....                    | 145 |
| 2.541 | PidTagDisplayType .....                  | 146 |
| 2.542 | PidTagDisplayTypeEx .....                | 146 |
| 2.543 | PidTagEcWarning .....                    | 146 |
| 2.544 | PidTagEmailAddress .....                 | 146 |
| 2.545 | PidTagEmailAddress1 .....                | 147 |
| 2.546 | PidTagEndDate .....                      | 147 |
| 2.547 | PidTagEntryId .....                      | 147 |
| 2.548 | PidTagExceptionEndTime .....             | 147 |
| 2.549 | PidTagExceptionReplaceTime .....         | 147 |
| 2.550 | PidTagExceptionStartTime .....           | 148 |
| 2.551 | PidTagExpiryNumber .....                 | 148 |
| 2.552 | PidTagExpiryTime .....                   | 148 |
| 2.553 | PidTagExpiryUnits .....                  | 148 |
| 2.554 | PidTagExtendedFolderFlags .....          | 148 |
| 2.555 | PidTagExtendedRuleMessageActions .....   | 148 |
| 2.556 | PidTagExtendedRuleMessageCondition ..... | 149 |

|       |                                   |     |
|-------|-----------------------------------|-----|
| 2.557 | PidTagExtendedRuleSizeLimit       | 149 |
| 2.558 | PidTagFaxNumberOfPages            | 149 |
| 2.559 | PidTagFlagCompleteTime            | 149 |
| 2.560 | PidTagFlagStatus                  | 149 |
| 2.561 | PidTagFolderAssociatedContents    | 150 |
| 2.562 | PidTagFolderId                    | 150 |
| 2.563 | PidTagFolderType                  | 150 |
| 2.564 | PidTagFollowupIcon                | 150 |
| 2.565 | PidTagFreeBusyCountMonths         | 150 |
| 2.566 | PidTagFreeBusyEntryIds            | 151 |
| 2.567 | PidTagFreeBusyMessageEmailAddress | 151 |
| 2.568 | PidTagFreeBusyPublishEnd          | 151 |
| 2.569 | PidTagFreeBusyPublishStart        | 151 |
| 2.570 | PidTagFreeBusyRangeTimestamp      | 151 |
| 2.571 | PidTagFtpSite                     | 151 |
| 2.572 | PidTagFXDelProp                   | 152 |
| 2.573 | PidTagGatewayNeedsToRefresh       | 152 |
| 2.574 | PidTagGender                      | 152 |
| 2.575 | PidTagGeneration                  | 152 |
| 2.576 | PidTagGivenName                   | 152 |
| 2.577 | PidTagGovernmentIdNumber          | 153 |
| 2.578 | PidTagHasAttachments              | 153 |
| 2.579 | PidTagHasDeferredActionMessages   | 153 |
| 2.580 | PidTagHasNamedProperties          | 153 |
| 2.581 | PidTagHasRules                    | 153 |
| 2.582 | PidTagHierarchyChangeNumber       | 154 |
| 2.583 | PidTagHobbies                     | 154 |
| 2.584 | PidTagHome2TelephoneNumber        | 154 |
| 2.585 | PidTagHome2TelephoneNumbers       | 154 |
| 2.586 | PidTagHomeAddressCity             | 154 |
| 2.587 | PidTagHomeAddressCountry          | 155 |
| 2.588 | PidTagHomeAddressPostalCode       | 155 |
| 2.589 | PidTagHomeAddressPostOfficeBox    | 155 |
| 2.590 | PidTagHomeAddressStateOrProvince  | 155 |
| 2.591 | PidTagHomeAddressStreet           | 155 |
| 2.592 | PidTagHomeFaxNumber               | 156 |
| 2.593 | PidTagHomeTelephoneNumber         | 156 |
| 2.594 | PidTagHtml                        | 156 |
| 2.595 | PidTagIconIndex                   | 156 |
| 2.596 | PidTagIdsetDeleted                | 157 |
| 2.597 | PidTagIdsetExpired                | 157 |
| 2.598 | PidTagIdsetGiven                  | 157 |
| 2.599 | PidTagIdsetRead                   | 157 |
| 2.600 | PidTagIdsetSoftDeleted            | 157 |

|       |   |     |
|-------|---|-----|
| 2.601 | PidTagIdsetUnread.....                        | 157 |
| 2.602 | PidTagImapCachedMsgsize.....                  | 158 |
| 2.603 | PidTagImportance.....                         | 158 |
| 2.604 | PidTagInConflict.....                         | 158 |
| 2.605 | PidTagIncrementalSyncMessagePartial.....      | 158 |
| 2.606 | PidTagIncrSyncGroupId.....                    | 158 |
| 2.607 | PidTagInitialDetailsPane.....                 | 159 |
| 2.608 | PidTagInitials.....                           | 159 |
| 2.609 | PidTagInReplyToId.....                        | 159 |
| 2.610 | PidTagInstanceKey.....                        | 159 |
| 2.611 | PidTagInstanceNum.....                        | 159 |
| 2.612 | PidTagInstID.....                             | 160 |
| 2.613 | PidTagInternetArticleNumber.....              | 160 |
| 2.614 | PidTagInternetCodepage.....                   | 160 |
| 2.615 | PidTagInternetMailOverrideFormat.....         | 160 |
| 2.616 | PidTagInternetMessageId.....                  | 160 |
| 2.617 | PidTagInternetReferences.....                 | 161 |
| 2.618 | PidTagInternetReturnPath.....                 | 161 |
| 2.619 | PidTagIpmAppointmentEntryId.....              | 161 |
| 2.620 | PidTagIpmContactEntryId.....                  | 161 |
| 2.621 | PidTagIpmDraftsEntryId.....                   | 161 |
| 2.622 | PidTagIpmJournalEntryId.....                  | 162 |
| 2.623 | PidTagIpmNoteEntryId.....                     | 162 |
| 2.624 | PidTagIpmTaskEntryId.....                     | 162 |
| 2.625 | PidTagIsdnNumber.....                         | 162 |
| 2.626 | PidTagItemTemporaryflags.....                 | 162 |
| 2.627 | PidTagJunkAddRecipientsToSafeSendersList..... | 163 |
| 2.628 | PidTagJunkIncludeContacts.....                | 163 |
| 2.629 | PidTagJunkPermanentlyDelete.....              | 163 |
| 2.630 | PidTagJunkPhishingEnableLinks.....            | 163 |
| 2.631 | PidTagJunkThreshold.....                      | 163 |
| 2.632 | PidTagKeyword.....                            | 163 |
| 2.633 | PidTagLanguage.....                           | 164 |
| 2.634 | PidTagLastModificationTime.....               | 164 |
| 2.635 | PidTagLastModifierEntryId.....                | 164 |
| 2.636 | PidTagLastModifierName.....                   | 164 |
| 2.637 | PidTagLastModifierSimpleDisplayName.....      | 165 |
| 2.638 | PidTagLastVerbExecuted.....                   | 165 |
| 2.639 | PidTagLastVerbExecutionTime.....              | 165 |
| 2.640 | PidTagListHelp.....                           | 165 |
| 2.641 | PidTagListSubscribe.....                      | 165 |
| 2.642 | PidTagListUnsubscribe.....                    | 166 |
| 2.643 | PidTagLocalCommitTime.....                    | 166 |
| 2.644 | PidTagLocaleId.....                           | 166 |



|       |   |     |
|-------|---|-----|
| 2.645 | PidTagLocality .....                              | 166 |
| 2.646 | PidTagLocation .....                              | 166 |
| 2.647 | PidTagMailboxOwnerEntryId .....                   | 167 |
| 2.648 | PidTagMailboxOwnerName .....                      | 167 |
| 2.649 | PidTagManagerName .....                           | 167 |
| 2.650 | PidTagMappingSignature .....                      | 167 |
| 2.651 | PidTagMaximumSubmitMessageSize .....              | 167 |
| 2.652 | PidTagMemberId .....                              | 168 |
| 2.653 | PidTagMemberName .....                            | 168 |
| 2.654 | PidTagMemberRights .....                          | 168 |
| 2.655 | PidTagMessageAttachments .....                    | 168 |
| 2.656 | PidTagMessageCcMe .....                           | 168 |
| 2.657 | PidTagMessageClass .....                          | 169 |
| 2.658 | PidTagMessageCodepage .....                       | 169 |
| 2.659 | PidTagMessageDeliveryTime .....                   | 169 |
| 2.660 | PidTagMessageEditorFormat .....                   | 169 |
| 2.661 | PidTagMessageFlags .....                          | 170 |
| 2.662 | PidTagMessageHandlingSystemCommonName .....       | 170 |
| 2.663 | PidTagMessageLocaleId .....                       | 170 |
| 2.664 | PidTagMessageRecipientMe .....                    | 170 |
| 2.665 | PidTagMessageRecipients .....                     | 170 |
| 2.666 | PidTagMessageSize .....                           | 171 |
| 2.667 | PidTagMessageSizeExtended .....                   | 171 |
| 2.668 | PidTagMessageStatus .....                         | 171 |
| 2.669 | PidTagMessageSubmissionId .....                   | 171 |
| 2.670 | PidTagMessageToMe .....                           | 171 |
| 2.671 | PidTagMid .....                                   | 172 |
| 2.672 | PidTagMiddleName .....                            | 172 |
| 2.673 | PidTagMobileTelephoneNumber .....                 | 172 |
| 2.674 | PidTagNewFXFolder .....                           | 172 |
| 2.675 | PidTagNextSendAcct .....                          | 172 |
| 2.676 | PidTagNickname .....                              | 173 |
| 2.677 | PidTagNormalizedSubject .....                     | 173 |
| 2.678 | PidTagNormalMessageSize .....                     | 173 |
| 2.679 | PidTagObjectType .....                            | 173 |
| 2.680 | PidTagOfficeLocation .....                        | 173 |
| 2.681 | PidTagOfflineAddressBookContainerGuid .....       | 174 |
| 2.682 | PidTagOfflineAddressBookDistinguishedName .....   | 174 |
| 2.683 | PidTagOfflineAddressBookMessageClass .....        | 174 |
| 2.684 | PidTagOfflineAddressBookName .....                | 174 |
| 2.685 | PidTagOfflineAddressBookSequence .....            | 174 |
| 2.686 | PidTagOfflineAddressBookTruncatedProperties ..... | 175 |
| 2.687 | PidTagOrdinalMost .....                           | 175 |
| 2.688 | PidTagOrganizationalIdNumber .....                | 175 |

|       |  |     |
|-------|--|-----|
| 2.689 | PidTagOriginalAuthorName .....                   | 175 |
| 2.690 | PidTagOriginalDeliveryTime .....                 | 175 |
| 2.691 | PidTagOriginalDisplayBcc .....                   | 176 |
| 2.692 | PidTagOriginalDisplayCc .....                    | 176 |
| 2.693 | PidTagOriginalDisplayName .....                  | 176 |
| 2.694 | PidTagOriginalDisplayTo .....                    | 176 |
| 2.695 | PidTagOriginalEntryId .....                      | 176 |
| 2.696 | PidTagOriginalMessageClass .....                 | 177 |
| 2.697 | PidTagOriginalSearchKey .....                    | 177 |
| 2.698 | PidTagOriginalSenderAddressType .....            | 177 |
| 2.699 | PidTagOriginalSenderEmailAddress .....           | 177 |
| 2.700 | PidTagOriginalSenderEntryId .....                | 178 |
| 2.701 | PidTagOriginalSenderName .....                   | 178 |
| 2.702 | PidTagOriginalSenderSearchKey .....              | 178 |
| 2.703 | PidTagOriginalSensitivity .....                  | 178 |
| 2.704 | PidTagOriginalSentRepresentingAddressType .....  | 178 |
| 2.705 | PidTagOriginalSentRepresentingEmailAddress ..... | 179 |
| 2.706 | PidTagOriginalSentRepresentingEntryId .....      | 179 |
| 2.707 | PidTagOriginalSentRepresentingName .....         | 179 |
| 2.708 | PidTagOriginalSentRepresentingSearchKey .....    | 179 |
| 2.709 | PidTagOriginalSubject .....                      | 180 |
| 2.710 | PidTagOriginalSubmitTime .....                   | 180 |
| 2.711 | PidTagOriginatorDeliveryReportRequested .....    | 180 |
| 2.712 | PidTagOriginatorNonDeliveryReportRequested ..... | 180 |
| 2.713 | PidTagOtherAddressCity .....                     | 180 |
| 2.714 | PidTagOtherAddressCountry .....                  | 181 |
| 2.715 | PidTagOtherAddressPostalCode .....               | 181 |
| 2.716 | PidTagOtherAddressPostOfficeBox .....            | 181 |
| 2.717 | PidTagOtherAddressStateOrProvince .....          | 181 |
| 2.718 | PidTagOtherAddressStreet .....                   | 181 |
| 2.719 | PidTagOtherTelephoneNumber .....                 | 182 |
| 2.720 | PidTagOutOfOfficeState .....                     | 182 |
| 2.721 | PidTagOwnerAppointmentId .....                   | 182 |
| 2.722 | PidTagPagerTelephoneNumber .....                 | 182 |
| 2.723 | PidTagParentEntryId .....                        | 182 |
| 2.724 | PidTagParentFolderId .....                       | 183 |
| 2.725 | PidTagParentKey .....                            | 183 |
| 2.726 | PidTagParentSourceKey .....                      | 183 |
| 2.727 | PidTagPersonalHomePage .....                     | 183 |
| 2.728 | PidTagPostalAddress .....                        | 183 |
| 2.729 | PidTagPostalCode .....                           | 184 |
| 2.730 | PidTagPostOfficeBox .....                        | 184 |
| 2.731 | PidTagPredecessorChangeList .....                | 184 |
| 2.732 | PidTagPrimaryFaxNumber .....                     | 184 |

|       |   |     |
|-------|---|-----|
| 2.733 | PidTagPrimarySendAccount .....                    | 185 |
| 2.734 | PidTagPrimarySmtpAddress .....                    | 185 |
| 2.735 | PidTagPrimaryTelephoneNumber .....                | 185 |
| 2.736 | PidTagPriority .....                              | 185 |
| 2.737 | PidTagProcessed .....                             | 185 |
| 2.738 | PidTagProfession .....                            | 186 |
| 2.739 | PidTagProhibitReceiveQuota .....                  | 186 |
| 2.740 | PidTagProhibitSendQuota .....                     | 186 |
| 2.741 | PidTagProviderSubmitTime .....                    | 186 |
| 2.742 | PidTagPurportedSenderDomain .....                 | 186 |
| 2.743 | PidTagRadioTelephoneNumber .....                  | 186 |
| 2.744 | PidTagRead .....                                  | 187 |
| 2.745 | PidTagReadReceiptEntryId .....                    | 187 |
| 2.746 | PidTagReadReceiptRequested .....                  | 187 |
| 2.747 | PidTagReadReceiptSearchKey .....                  | 187 |
| 2.748 | PidTagReceivedByAddressType .....                 | 187 |
| 2.749 | PidTagReceivedByEmailAddress .....                | 188 |
| 2.750 | PidTagReceivedByEntryId .....                     | 188 |
| 2.751 | PidTagReceivedByFlags .....                       | 188 |
| 2.752 | PidTagReceivedByName .....                        | 188 |
| 2.753 | PidTagReceivedBySearchKey .....                   | 189 |
| 2.754 | PidTagReceivedRepresentingAddressType .....       | 189 |
| 2.755 | PidTagReceivedRepresentingEmailAddress .....      | 189 |
| 2.756 | PidTagReceivedRepresentingEntryId .....           | 189 |
| 2.757 | PidTagReceivedRepresentingFlags .....             | 190 |
| 2.758 | PidTagReceivedRepresentingName .....              | 190 |
| 2.759 | PidTagReceivedRepresentingSearchKey .....         | 190 |
| 2.760 | PidTagReceivedRepresentingSimpleDisplayName ..... | 190 |
| 2.761 | PidTagReceivedRepresentingSimpleDisplayName ..... | 190 |
| 2.762 | PidTagRecipientDisplayName .....                  | 191 |
| 2.763 | PidTagRecipientEntryId .....                      | 191 |
| 2.764 | PidTagRecipientFlags .....                        | 191 |
| 2.765 | PidTagRecipientOrder .....                        | 191 |
| 2.766 | PidTagRecipientProposed .....                     | 191 |
| 2.767 | PidTagRecipientProposedEndTime .....              | 192 |
| 2.768 | PidTagRecipientProposedStartTime .....            | 192 |
| 2.769 | PidTagRecipientReassignmentProhibited .....       | 192 |
| 2.770 | PidTagRecipientResourceState .....                | 192 |
| 2.771 | PidTagRecipientTrackStatus .....                  | 192 |
| 2.772 | PidTagRecipientTrackStatusTime .....              | 193 |
| 2.773 | PidTagRecipientType .....                         | 193 |
| 2.774 | PidTagRecordKey .....                             | 193 |
| 2.775 | PidTagReferredByName .....                        | 193 |
| 2.776 | PidTagRemindersOnlineEntryId .....                | 193 |

|       |                                     |     |
|-------|-------------------------------------|-----|
| 2.777 | PidTagRemoteHeaderLoc .....         | 194 |
| 2.778 | PidTagRenderingPosition .....       | 194 |
| 2.779 | PidTagReplyRecipientEntries .....   | 194 |
| 2.780 | PidTagReplyRecipientNames.....      | 194 |
| 2.781 | PidTagReplyRequested.....           | 194 |
| 2.782 | PidTagReplyTemplateId.....          | 195 |
| 2.783 | PidTagReplyTime .....               | 195 |
| 2.784 | PidTagReportEntryId.....            | 195 |
| 2.785 | PidTagReportSearchKey .....         | 195 |
| 2.786 | PidTagReportTag .....               | 195 |
| 2.787 | PidTagReportText.....               | 196 |
| 2.788 | PidTagReportTime.....               | 196 |
| 2.789 | PidTagResolveMethod.....            | 196 |
| 2.790 | PidTagResponseRequested.....        | 196 |
| 2.791 | PidTagResponsibility .....          | 196 |
| 2.792 | PidTagRights .....                  | 197 |
| 2.793 | PidTagRoamingDatatypes .....        | 197 |
| 2.794 | PidTagRoamingDictionary .....       | 197 |
| 2.795 | PidTagRoamingXmlStream .....        | 197 |
| 2.796 | PidTagRowid.....                    | 197 |
| 2.797 | PidTagRowType .....                 | 198 |
| 2.798 | PidTagRtfCompressed.....            | 198 |
| 2.799 | PidTagRtfInSync.....                | 198 |
| 2.800 | PidTagRtfSyncBodyCount.....         | 198 |
| 2.801 | PidTagRtfSyncBodyCrc .....          | 198 |
| 2.802 | PidTagRtfSyncBodyTag.....           | 199 |
| 2.803 | PidTagRtfSyncPrefixCount.....       | 199 |
| 2.804 | PidTagRtfSyncTrailingCount.....     | 199 |
| 2.805 | PidTagRuleActionNumber .....        | 199 |
| 2.806 | PidTagRuleActions .....             | 199 |
| 2.807 | PidTagRuleActionType .....          | 200 |
| 2.808 | PidTagRuleCondition.....            | 200 |
| 2.809 | PidTagRuleError .....               | 200 |
| 2.810 | PidTagRuleFolderEntryId.....        | 200 |
| 2.811 | PidTagRuleId.....                   | 200 |
| 2.812 | PidTagRuleLevel.....                | 200 |
| 2.813 | PidTagRuleMessageLevel .....        | 201 |
| 2.814 | PidTagRuleMessageProviderData ..... | 201 |
| 2.815 | PidTagRuleMessageSequence.....      | 201 |
| 2.816 | PidTagRuleMessageState .....        | 201 |
| 2.817 | PidTagRuleMsgActions.....           | 201 |
| 2.818 | PidTagRuleMsgCondition .....        | 202 |
| 2.819 | PidTagRuleMsgLevel .....            | 202 |
| 2.820 | PidTagRuleMsgName.....              | 202 |

|       |  |     |
|-------|--|-----|
| 2.821 | PidTagRuleMsgProvider .....                      | 202 |
| 2.822 | PidTagRuleMsgProviderData.....                   | 202 |
| 2.823 | PidTagRuleMsgSequence.....                       | 203 |
| 2.824 | PidTagRuleMsgState .....                         | 203 |
| 2.825 | PidTagRuleMsgUserFlags.....                      | 203 |
| 2.826 | PidTagRuleName .....                             | 203 |
| 2.827 | PidTagRuleProvider.....                          | 203 |
| 2.828 | PidTagRuleProviderData.....                      | 204 |
| 2.829 | PidTagRuleSequence .....                         | 204 |
| 2.830 | PidTagRuleState.....                             | 204 |
| 2.831 | PidTagRuleUserFlags .....                        | 204 |
| 2.832 | PidTagScheduleInfoAppointmentTombstone .....     | 204 |
| 2.833 | PidTagScheduleInfoAutoAcceptAppointments .....   | 205 |
| 2.834 | PidTagScheduleInfoDelegateEntryIds.....          | 205 |
| 2.835 | PidTagScheduleInfoDelegateNames .....            | 205 |
| 2.836 | PidTagScheduleInfoDelegateNamesW .....           | 205 |
| 2.837 | PidTagScheduleInfoDelegatorWantsCopy.....        | 205 |
| 2.838 | PidTagScheduleInfoDelegatorWantsInfo .....       | 205 |
| 2.839 | PidTagScheduleInfoDisallowOverlappingAppts ..... | 206 |
| 2.840 | PidTagScheduleInfoDisallowRecurringAppts .....   | 206 |
| 2.841 | PidTagScheduleInfoDontMailDelegates .....        | 206 |
| 2.842 | PidTagScheduleInfoFreeBusy.....                  | 206 |
| 2.843 | PidTagScheduleInfoFreeBusyAway.....              | 206 |
| 2.844 | PidTagScheduleInfoFreeBusyBusy .....             | 207 |
| 2.845 | PidTagScheduleInfoFreeBusyMerged.....            | 207 |
| 2.846 | PidTagScheduleInfoFreeBusyTentative .....        | 207 |
| 2.847 | PidTagScheduleInfoMonthsAway .....               | 207 |
| 2.848 | PidTagScheduleInfoMonthsBusy.....                | 207 |
| 2.849 | PidTagScheduleInfoMonthsMerged .....             | 208 |
| 2.850 | PidTagScheduleInfoMonthsTentative .....          | 208 |
| 2.851 | PidTagScheduleInfoResourceType.....              | 208 |
| 2.852 | PidTagSchedulePlusFreeBusyEntryId .....          | 208 |
| 2.853 | PidTagScriptData .....                           | 208 |
| 2.854 | PidTagSearchFolderDefinition.....                | 208 |
| 2.855 | PidTagSearchFolderEfpFlags.....                  | 209 |
| 2.856 | PidTagSearchFolderExpiration .....               | 209 |
| 2.857 | PidTagSearchFolderId .....                       | 209 |
| 2.858 | PidTagSearchFolderLastUsed.....                  | 209 |
| 2.859 | PidTagSearchFolderRecreateInfo .....             | 209 |
| 2.860 | PidTagSearchFolderStorageType.....               | 210 |
| 2.861 | PidTagSearchFolderTag .....                      | 210 |
| 2.862 | PidTagSearchFolderTemplateId.....                | 210 |
| 2.863 | PidTagSearchKey.....                             | 210 |
| 2.864 | PidTagSecureSubmitFlags.....                     | 210 |

|       |   |     |
|-------|---|-----|
| 2.865 | PidTagSecurityDescriptor.....                             | 211 |
| 2.866 | PidTagSecurityDescriptorAsXml.....                        | 211 |
| 2.867 | PidTagSelectable.....                                     | 211 |
| 2.868 | PidTagSenderAddressType.....                              | 211 |
| 2.869 | PidTagSenderEmailAddress.....                             | 211 |
| 2.870 | PidTagSenderEntryId.....                                  | 212 |
| 2.871 | PidTagSenderFlags.....                                    | 212 |
| 2.872 | PidTagSenderIdStatus.....                                 | 212 |
| 2.873 | PidTagSenderName.....                                     | 212 |
| 2.874 | PidTagSenderSearchKey.....                                | 213 |
| 2.875 | PidTagSenderSimpleDisplayName.....                        | 213 |
| 2.876 | PidTagSenderTelephoneNumber.....                          | 213 |
| 2.877 | PidTagSendInternetEncoding.....                           | 213 |
| 2.878 | PidTagSendRichInfo.....                                   | 213 |
| 2.879 | PidTagSensitivity.....                                    | 214 |
| 2.880 | PidTagSentMailEntryId.....                                | 214 |
| 2.881 | PidTagSentMailSvrEID.....                                 | 214 |
| 2.882 | PidTagSentRepresentingAddressType.....                    | 214 |
| 2.883 | PidTagSentRepresentingEmailAddress.....                   | 214 |
| 2.884 | PidTagSentRepresentingEntryId.....                        | 215 |
| 2.885 | PidTagSentRepresentingFlags.....                          | 215 |
| 2.886 | PidTagSentRepresentingName.....                           | 215 |
| 2.887 | PidTagSentRepresentingSearchKey.....                      | 215 |
| 2.888 | PidTagSentRepresentingSimpleDisplayName.....              | 216 |
| 2.889 | PidTagSntpAddress.....                                    | 216 |
| 2.890 | PidTagSortLocaleId.....                                   | 216 |
| 2.891 | PidTagSourceKey.....                                      | 216 |
| 2.892 | PidTagSpouseName.....                                     | 216 |
| 2.893 | PidTagStartDate.....                                      | 217 |
| 2.894 | PidTagStateOrProvince.....                                | 217 |
| 2.895 | PidTagStoreEntryId.....                                   | 217 |
| 2.896 | PidTagStoreState.....                                     | 217 |
| 2.897 | PidTagStoreSupportMask.....                               | 217 |
| 2.898 | PidTagStreetAddress.....                                  | 218 |
| 2.899 | PidTagSubfolders.....                                     | 218 |
| 2.900 | PidTagSubject.....  | 218 |
| 2.901 | PidTagSubjectPrefix.....                                  | 218 |
| 2.902 | PidTagSubmitFlags.....                                    | 219 |
| 2.903 | PidTagSurname.....  | 219 |
| 2.904 | PidTagSwappedToDoData.....                                | 219 |
| 2.905 | PidTagSwappedToDoStore.....                               | 219 |
| 2.906 | PidTagTargetEntryId.....                                  | 219 |
| 2.907 | PidTagTcvConstLongOne.....                                | 219 |
| 2.908 | PidTagTelecommunicationsDeviceForDeafTelephoneNumber..... | 220 |

|          |  |            |
|----------|--|------------|
| 2.909    | PidTagTelexNumber.....                                   | 220        |
| 2.910    | PidTagTemplateData .....                                 | 220        |
| 2.911    | PidTagTemplateid .....                                   | 220        |
| 2.912    | PidTagTextAttachmentCharset .....                        | 220        |
| 2.913    | PidTagTitle .....  | 221        |
| 2.914    | PidTagTnefCorrelationKey .....                           | 221        |
| 2.915    | PidTagToDoItemFlags.....                                 | 221        |
| 2.916    | PidTagTransmittableDisplayName .....                     | 221        |
| 2.917    | PidTagTransportMessageHeaders.....                       | 221        |
| 2.918    | PidTagTrustSender.....                                   | 222        |
| 2.919    | PidTagTtyTddPhoneNumber .....                            | 222        |
| 2.920    | PidTagUrlCompName .....                                  | 222        |
| 2.921    | PidTagUrlCompNameSet.....                                | 222        |
| 2.922    | PidTagUserCertificate.....                               | 222        |
| 2.923    | PidTagUserEntryId .....                                  | 223        |
| 2.924    | PidTagUserX509Certificate .....                          | 223        |
| 2.925    | PidTagViewDescriptorBinary .....                         | 223        |
| 2.926    | PidTagViewDescriptorName .....                           | 223        |
| 2.927    | PidTagViewDescriptorStrings.....                         | 223        |
| 2.928    | PidTagViewDescriptorVersion .....                        | 224        |
| 2.929    | PidTagVoiceMessageAttachmentOrder .....                  | 224        |
| 2.930    | PidTagVoiceMessageDuration.....                          | 224        |
| 2.931    | PidTagVoiceMessageSenderName.....                        | 224        |
| 2.932    | PidTagWeddingAnniversary .....                           | 224        |
| <b>3</b> | <b><i>Structure Examples</i></b> .....                   | <b>224</b> |
| <b>4</b> | <b><i>Security Considerations</i></b> .....              | <b>225</b> |
| <b>5</b> | <b><i>Appendix A: Office/Exchange Behavior</i></b> ..... | <b>225</b> |
|          | <b><i>Index</i></b> .....                                | <b>226</b> |

# 1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

## 1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

**message class**  
**named property**  
**property**  
**property ID**  
**property set**

The following terms are specific to this document:

**tagged property:** A property defined by a 16-bit **property ID** and a 16-bit **property type**. The **property ID** for a **tagged property** **MUST** fall in the range 0x001 – 0x7FFF. **Property IDs** in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either **MAY**, **SHOULD**, or **SHOULD NOT**.

## 1.2 References

### 1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", June 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXCPerm] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", June 2008.



[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", June 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", June 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", June 2008.

[MS-OXGLOS] Microsoft Corporation, "Exchange Server Protocols Master Glossary", June 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", June 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", June 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", June 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-mail Object Protocol Specification", June 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", June 2008.

[MS-OXOPFFB] Microsoft Corporation, "Public Folder Based Free/Busy Protocol Specification", June 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", June 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", June 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-mail Object Protocol Specification", June 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", June 2008.

[MS-OXORULE] Microsoft Corporation, "E-mail Rules Protocol Specification", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", June 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", June 2008.

[MS-OXOUM] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", June 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", June 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", June 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

## 1.2.2 Informative References

None.

## 1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**:

**Alternate names:** Any additional names used to refer to this property.

**Area:** A group of properties with related functionality.

**Canonical name:** The name used to refer to this property in other protocol specifications.

**data type:** A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

**property ID:** An unsigned 16-bit quantity that identifies a **tagged property**.

**Property long ID (LID):** An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

**property name:** A string that, along with the property set, identifies a named property.

**property set:** A GUID that identifies a group of properties with a similar purpose.

**References:** One or more protocol documents that specify the semantics and allowed values for this property.

### 1.3.1 Common Message Classes

Applications **MUST** set certain required properties corresponding to the object's **message class**. Applications **SHOULD** handle the case where required properties are missing; treating a

message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk "\*" denotes that any string MAY appear at that point.

| Area   | PidTagMessageClass values  | Document      |
|--|--|---------------|
| Common   | IPM.*  | [MS-OXCMSG]   |
| Email  | IPM.Note,<br>REPORT.*  | [MS-OXOMSG]   |
| Calendar   | IPM.Appointment,<br>IPM.Schedule.Meeting.Request,<br>IPM.Schedule.Meeting.Resp.*,<br>IPM.Schedule.Meeting.Canceled,<br>IPM.Schedule.Meeting.Notification | [MS-OXOCAL]   |
| Contact  | IPM.Contact,<br>IPM DistList   | [MS-OXOCNTC]  |
| Task   | IPM.Task,<br>IPM.TaskRequest.*   | [MS-OXOTASK]  |
| Journal  | IPM.Activity   | [MS-OXOJRNL]  |
| Sticky note  | IPM.StickyNote   | [MS-OXONOTE]  |
| Document   | IPM.Document.*   | [MS-OXODOC]   |
| Post   | IPM.Post   | [MS-OXOPOST]  |
| RSS feed   | IPM.Post.RSS   | [MS-OXORSS]   |
| Rights-managed email   | IPM.Note with PidNameContentClass=<br>rmsg.message   | [MS-OXORMMS]  |
| S/MIME email   | IPM.Note.SMIME,<br>IPM.Note.SMIME.MultipartSigned  | [MS-OXOSMIME] |
| Short message service /<br>Multimedia<br>Message<br>Service<br>Message | IPM.Note.Mobile.SMS,<br>IPM.Note.Mobile.MMS  | [MS-OXOSMMS]  |
| Unified messaging  | IPM.Note.Microsoft.Voicemail,<br>IPM.Note.Microsoft.Fax  | [MS-OXOUM]    |
| Sharing  | IPM.Sharing<br>IPM.Sharing.*   | [MS-OXSHARE]  |

### 1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

| Area              | Property set name and GUID value                                  |
|-------------------|---|
| Common            | PS_PUBLIC_STRINGS<br>{00020329-0000-0000-C000-000000000046}       |
| Common            | PSETID_Common<br>{00062008-0000-0000-C000-000000000046}           |
| Contact           | PSETID_Address<br>{00062004-0000-0000-C000-000000000046}          |
| Email             | PS_INTERNET_HEADERS<br>{00020386-0000-0000-C000-000000000046}     |
| Calendar          | PSETID_Appointment<br>{00062002-0000-0000-C000-000000000046}      |
| Calendar          | PSETID_Meeting<br>{6ED8DA90-450B-101B-98DA-00AA003F1305}          |
| Journal           | PSETID_Log<br>{0006200A-0000-0000-C000-000000000046}              |
| Sticky note       | PSETID_Note<br>{0006200E-0000-0000-C000-000000000046}             |
| RSS feed          | PSETID_PostRss<br>{00062041-0000-0000-C000-000000000046}          |
| Task              | PSETID_Task<br>{00062003-0000-0000-C000-000000000046}             |
| Unified messaging | PSETID_UnifiedMessaging<br>{4442858E-A9E3-4E80-B900-317A210CC15B} |
| Common            | PS_MAPI<br>{00020328-0000-0000-C000-000000000046}                 |
| Sync              | PSETID_AirSync<br>{71035549-0739-4DCB-9163-00F0580DBBDF}          |
| Sharing           | PSETID_Sharing<br>{00062040-0000-0000-C000-000000000046}          |

### 1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.

- Clients MAY use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

| Range minimum | Range maximum | Specification   |
|---------------|---------------|---|
| 0x0001        | 0x0BFF        | Message envelope property; reserved                                     |
| 0x0C00        | 0x0DFF        | Recipient property; reserved  |
| 0x0E00        | 0x0FFF        | Non-transmittable message property; reserved                            |
| 0x1000        | 0x2FFF        | Message content property; reserved                                      |
| 0x3000        | 0x33FF        | Multi-purpose property that can appear on all or most objects; reserved |
| 0x3400        | 0x35FF        | Message store property; reserved  |
| 0x3600        | 0x36FF        | Folder and address book container property; reserved                    |
| 0x3700        | 0x38FF        | Attachment property; reserved   |
| 0x3900        | 0x39FF        | Address book object property; reserved                                  |
| 0x3A00        | 0x3BFF        | Mail user object property; reserved                                     |
| 0x3C00        | 0x3CFF        | Distribution list property; reserved                                    |
| 0x3D00        | 0x3DFF        | Profile section property; reserved                                      |
| 0x3E00        | 0x3EFF        | Status object property; reserved  |
| 0x4000        | 0x57FF        | Transport-defined envelope property                                     |
| 0x5800        | 0x5FFF        | Transport-defined recipient property                                    |
| 0x6000        | 0x65FF        | User-defined non-transmittable property                                 |
| 0x6600        | 0x67FF        | Provider-defined internal non-transmittable property                    |
| 0x6800        | 0x7BFF        | Message class-defined content property                                  |
| 0x7C00        | 0x7FFF        | Message class-defined non-transmittable property                        |
| 0x8000        | 0x8FFF        | Reserved for mapping to named properties                                |

#### ***1.4 Relationship to Protocols and Other Structures***

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

### ***1.5 Applicability Statement***

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

### ***1.6 Versioning and Localization***

None.

### ***1.7 Vendor-Extensible Fields***

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

## **2 Structures**

### ***2.1 PidLidAddressBookProviderArrayType***

**Canonical name:** PidLidAddressBookProviderArrayType

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008029

**Data type:** PtypInteger32, 0x0003

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidABPArrayType

### ***2.2 PidLidAddressBookProviderEmailList***

**Canonical name:** PidLidAddressBookProviderEmailList

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008028

**Data type:** PtypMultipleInteger32, 0x1003

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidABPEmailList

### ***2.3 PidLidAddressCountryCode***

**Canonical name:** PidLidAddressCountryCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080DD

**Data type:** PtypString, 0x001F

**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidAddressCountryCode

## ***2.4 PidLidAgingDontAgeMe***

**Canonical name:** PidLidAgingDontAgeMe  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000850E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Common  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]  
**Alternate names:** dispidAgingDontAgeMe

## ***2.5 PidLidAllAttendeesList***

**Canonical name:** PidLidAllAttendeesList  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000001D  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_ALL\_ATTENDEES\_LIST

## ***2.6 PidLidAllAttendeesString***

**Canonical name:** PidLidAllAttendeesString  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008238  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidAllAttendeesString

## ***2.7 PidLidAllowExternalCheck***

**Canonical name:** PidLidAllowExternalCheck  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008246  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidAllowExternCheck

## ***2.8 PidLidAnniversaryEventEntryId***

**Canonical name:** PidLidAnniversaryEventEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}



**Property long ID (LID):** 0x0000804E  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidAnniversaryEventEID

## ***2.9 PidLidAppointmentAuxiliaryFlags***

**Canonical name:** PidLidAppointmentAuxiliaryFlags  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008207  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptAuxFlags

## ***2.10 PidLidAppointmentColor***

**Canonical name:** PidLidAppointmentColor  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008214  
**Data type:** PtypInteger32, 0x0003  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptColor

## ***2.11 PidLidAppointmentCounterProposal***

**Canonical name:** PidLidAppointmentCounterProposal  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008257  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptCounterProposal

## ***2.12 PidLidAppointmentDuration***

**Canonical name:** PidLidAppointmentDuration  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008213  
**Data type:** PtypInteger32, 0x0003  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptDuration

### ***2.13 PidLidAppointmentEndWhole***

**Canonical name:** PidLidAppointmentEndWhole

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000820E

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** dispidApptEndWhole

### ***2.14 PidLidAppointmentLastSequence***

**Canonical name:** PidLidAppointmentLastSequence

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008203

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptLastSequence

### ***2.15 PidLidAppointmentMessageClass***

**Canonical name:** PidLidAppointmentMessageClass

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000024

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptMessageClass

### ***2.16 PidLidAppointmentNotAllowPropose***

**Canonical name:** PidLidAppointmentNotAllowPropose

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000825A

**Data type:** PtypBoolean, 0x000B

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptNotAllowPropose

### ***2.17 PidLidAppointmentProposalNumber***

**Canonical name:** PidLidAppointmentProposalNumber

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008259

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptProposalNum

### ***2.18 PidLidAppointmentProposedDuration***

**Canonical name:** PidLidAppointmentProposedDuration  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008256  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptProposedDuration

### ***2.19 PidLidAppointmentProposedEndWhole***

**Canonical name:** PidLidAppointmentProposedEndWhole  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008251  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptProposedEndWhole

### ***2.20 PidLidAppointmentProposedStartWhole***

**Canonical name:** PidLidAppointmentProposedStartWhole  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008250  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptProposedStartWhole

### ***2.21 PidLidAppointmentRecur***

**Canonical name:** PidLidAppointmentRecur  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008216  
**Data type:** PtypBinary, 0x0102  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK]  
**Alternate names:** dispidApptRecur

### ***2.22 PidLidAppointmentReplyName***

**Canonical name:** PidLidAppointmentReplyName  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008230

**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptReplyName

### ***2.23 PidLidAppointmentReplyTime***

**Canonical name:** PidLidAppointmentReplyTime  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008220  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptReplyTime

### ***2.24 PidLidAppointmentSequence***

**Canonical name:** PidLidAppointmentSequence  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008201  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptSequence

### ***2.25 PidLidAppointmentSequenceTime***

**Canonical name:** PidLidAppointmentSequenceTime  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008202  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidApptSeqTime

### ***2.26 PidLidAppointmentStartWhole***

**Canonical name:** PidLidAppointmentStartWhole  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000820D  
**Data type:** PtypTime, 0x0040  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** dispidApptStartWhole

### ***2.27 PidLidAppointmentStateFlags***

**Canonical name:** PidLidAppointmentStateFlags

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008217

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]

**Alternate names:** dispidApptStateFlags

### ***2.28 PidLidAppointmentSubType***

**Canonical name:** PidLidAppointmentSubType

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008215

**Data type:** PtypBoolean, 0x000B

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidApptSubType

### ***2.29 PidLidAppointmentTimeZoneDefinitionEndDisplay***

**Canonical name:** PidLidAppointmentTimeZoneDefinitionEndDisplay

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000825F

**Data type:** PtypBinary, 0x0102

**Area:** Calendar

**References:** [MS-OXOCAL]

**Alternate names:** dispidApptTZDefEndDisplay

### ***2.30 PidLidAppointmentTimeZoneDefinitionRecur***

**Canonical name:** PidLidAppointmentTimeZoneDefinitionRecur

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008260

**Data type:** PtypBinary, 0x0102

**Area:** Calendar

**References:** [MS-OXOCAL]

**Alternate names:** dispidApptTZDefRecur

### ***2.31 PidLidAppointmentTimeZoneDefinitionStartDisplay***

**Canonical name:** PidLidAppointmentTimeZoneDefinitionStartDisplay

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000825E

**Data type:** PtypBinary, 0x0102

**Area:** Calendar

**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptTZDefStartDisplay

### ***2.32 PidLidAppointmentUnsendableRecipients***

**Canonical name:** PidLidAppointmentUnsendableRecipients  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823D  
**Data type:** PtypBinary, 0x0102  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidApptUnsendableRecips

### ***2.33 PidLidAttendeeCriticalChange***

**Canonical name:** PidLidAttendeeCriticalChange  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000001  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_ATTENDEE\_CRITICAL\_CHANGE

### ***2.34 PidLidAutoFillLocation***

**Canonical name:** PidLidAutoFillLocation  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823A  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidAutoFillLocation

### ***2.35 PidLidAutoLog***

**Canonical name:** PidLidAutoLog  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008025  
**Data type:** PtypBoolean, 0x000B  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidAutoLog

### ***2.36 PidLidAutoProcessState***

**Canonical name:** PidLidAutoProcessState  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000851A

**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXOMSG]  
**Alternate names:** dispidSniffState

### ***2.37 PidLidAutoStartCheck***

**Canonical name:** PidLidAutoStartCheck  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008244  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXORMDR]  
**Alternate names:** dispidAutoStartCheck

### ***2.38 PidLidAutoStartWhen***

**Canonical name:** PidLidAutoStartWhen  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008245  
**Data type:** PtypInteger32, 0x0003  
**Area:** Conferencing  
**References:** [MS-OXCICAL]  
**Alternate names:** dispidAutoStartWhen

### ***2.39 PidLidBirthdayEventEntryId***

**Canonical name:** PidLidBirthdayEventEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804D  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidBirthdayEventEID

### ***2.40 PidLidBusinessCardCardPicture***

**Canonical name:** PidLidBusinessCardCardPicture  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008041  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidBCCardPicture

### ***2.41 PidLidBusinessCardDisplayDefinition***

**Canonical name:** PidLidBusinessCardDisplayDefinition  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008040  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidBCDisplayDefinition

### ***2.42 PidLidBusyStatus***

**Canonical name:** PidLidBusyStatus  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008205  
**Data type:** PtypInteger32, 0x0003  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** dispidBusyStatus

### ***2.43 PidLidCalendarType***

**Canonical name:** PidLidCalendarType  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000001C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_CALENDAR\_TYPE

### ***2.44 PidLidCategories***

**Canonical name:** PidLidCategories  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00002328  
**Data type:** PtypMultipleString, 0x101F  
**Area:** Common  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidCategories

### ***2.45 PidLidCcAttendeesString***

**Canonical name:** PidLidCcAttendeesString  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823C  
**Data type:** PtypString, 0x001F  
**Area:** Meetings



**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidCCAttendeesString

### ***2.46 PidLidChangeHighlight***

**Canonical name:** PidLidChangeHighlight  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008204  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidChangeHighlight

### ***2.47 PidLidClassification***

**Canonical name:** PidLidClassification  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B6  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassification

### ***2.48 PidLidClassificationDescription***

**Canonical name:** PidLidClassificationDescription  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B7  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassDesc

### ***2.49 PidLidClassificationGuid***

**Canonical name:** PidLidClassificationGuid  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B8  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassGuid

### ***2.50 PidLidClassificationKeep***

**Canonical name:** PidLidClassificationKeep  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085BA

**Data type:** PtypBoolean, 0x000B  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassKeep

### ***2.51 PidLidClassified***

**Canonical name:** PidLidClassified  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085B5  
**Data type:** PtypBoolean, 0x000B  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** dispidClassified

### ***2.52 PidLidCleanGlobalObjectId***

**Canonical name:** PidLidCleanGlobalObjectId  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000023  
**Data type:** PtypBinary, 0x0102  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidCleanGlobalObjId

### ***2.53 PidLidClipEnd***

**Canonical name:** PidLidClipEnd  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008236  
**Data type:** PtypTime, 0x0040  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidClipEnd

### ***2.54 PidLidClipStart***

**Canonical name:** PidLidClipStart  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008235  
**Data type:** PtypTime, 0x0040  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidClipStart

### ***2.55 PidLidCollaborateDoc***

**Canonical name:** PidLidCollaborateDoc

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008247

**Data type:** PtypString, 0x001F

**Area:** Conferencing

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidCollaborateDoc

### ***2.56 PidLidCommonEnd***

**Canonical name:** PidLidCommonEnd

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008517

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]

**Alternate names:** dispidCommonEnd

### ***2.57 PidLidCommonStart***

**Canonical name:** PidLidCommonStart

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008516

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]

**Alternate names:** dispidCommonStart

### ***2.58 PidLidCompanies***

**Canonical name:** PidLidCompanies

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008539

**Data type:** PtypMultipleString, 0x101F

**Area:** General Message Properties

**References:** [MS-OXOJRN]

**Alternate names:** dispidCompanies

### ***2.59 PidLidConferencingCheck***

**Canonical name:** PidLidConferencingCheck

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008240

**Data type:** PtypBoolean, 0x000B

**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidConfCheck

### ***2.60 PidLidConferencingType***

**Canonical name:** PidLidConferencingType  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008241  
**Data type:** PtypInteger32, 0x0003  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidConfType

### ***2.61 PidLidContactCharacterSet***

**Canonical name:** PidLidContactCharacterSet  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008023  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidContactCharSet

### ***2.62 PidLidContactItemData***

**Canonical name:** PidLidContactItemData  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008007  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidContactItemData

### ***2.63 PidLidContactLinkEntry***

**Canonical name:** PidLidContactLinkEntry  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008585  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]  
**Alternate names:** dispidContactLinkEntry

### ***2.64 PidLidContactLinkName***

**Canonical name:** PidLidContactLinkName  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008586  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]  
**Alternate names:** dispidContactLinkName

### ***2.65 PidLidContactLinkSearchKey***

**Canonical name:** PidLidContactLinkSearchKey  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008584  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]  
**Alternate names:** dispidContactLinkSearchKey

### ***2.66 PidLidContacts***

**Canonical name:** PidLidContacts  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000853A  
**Data type:** PtypMultipleString, 0x101F  
**Area:** General Message Properties  
**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL]  
**Alternate names:** dispidContacts

### ***2.67 PidLidContactUserField1***

**Canonical name:** PidLidContactUserField1  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804F  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidContactUserField1

### ***2.68 PidLidContactUserField2***

**Canonical name:** PidLidContactUserField2  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008050  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidContactUserField2

### ***2.69 PidLidContactUserField3***

**Canonical name:** PidLidContactUserField3

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008051

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidContactUserField3

### ***2.70 PidLidContactUserField4***

**Canonical name:** PidLidContactUserField4

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008052

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidContactUserField4

### ***2.71 PidLidCurrentVersion***

**Canonical name:** PidLidCurrentVersion

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008552

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

**Alternate names:** dispidCurrentVersion

### ***2.72 PidLidCurrentVersionName***

**Canonical name:** PidLidCurrentVersionName

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008554

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

**Alternate names:** dispidCurrentVersionName

### ***2.73 PidLidDayInterval***

**Canonical name:** PidLidDayInterval

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000011

**Data type:** PtypInteger16, 0x0002

**Area:** Meetings

**References:** [MS-OXCICAL]  
**Alternate names:** LID\_DAY\_INTERVAL

### ***2.74 PidLidDelegateMail***

**Canonical name:** PidLidDelegateMail  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000009  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_DELEGATE\_MAIL

### ***2.75 PidLidDepartment***

**Canonical name:** PidLidDepartment  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008010  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDepartment

### ***2.76 PidLidDirectory***

**Canonical name:** PidLidDirectory  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008242  
**Data type:** PtypString, 0x001F  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidDirectory

### ***2.77 PidLidDistributionListChecksum***

**Canonical name:** PidLidDistributionListChecksum  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDLChecksum

### ***2.78 PidLidDistributionListMembers***

**Canonical name:** PidLidDistributionListMembers  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008055

**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Contact Properties  
**References:** [MS-OXCADATA], [MS-OXOCNTC]  
**Alternate names:** dispidDLMembers

### ***2.79 PidLidDistributionListName***

**Canonical name:** PidLidDistributionListName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008053  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDLName

### ***2.80 PidLidDistributionListOneOffMembers***

**Canonical name:** PidLidDistributionListOneOffMembers  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008054  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidDLOneOffMembers

### ***2.81 PidLidEmail1AddressType***

**Canonical name:** PidLidEmail1AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008082  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1AddrType

### ***2.82 PidLidEmail1DisplayName***

**Canonical name:** PidLidEmail1DisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008080  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1DisplayName



### ***2.83 PidLidEmail1EmailAddress***

**Canonical name:** PidLidEmail1EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008083  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1EmailAddress

### ***2.84 PidLidEmail1EmailType***

**Canonical name:** PidLidEmail1EmailType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008087  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1EmailType

### ***2.85 PidLidEmail1OriginalDisplayName***

**Canonical name:** PidLidEmail1OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008084  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1OriginalDisplayName

### ***2.86 PidLidEmail1OriginalEntryId***

**Canonical name:** PidLidEmail1OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008085  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail1OriginalEntryID

### ***2.87 PidLidEmail2AddressType***

**Canonical name:** PidLidEmail2AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008092  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2AddrType

### ***2.88 PidLidEmail2DisplayName***

**Canonical name:** PidLidEmail2DisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008090  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2DisplayName

### ***2.89 PidLidEmail2EmailAddress***

**Canonical name:** PidLidEmail2EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008093  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2EmailAddress

### ***2.90 PidLidEmail2EntryId***

**Canonical name:** PidLidEmail2EntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008091  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2EntryID

### ***2.91 PidLidEmail2OriginalDisplayName***

**Canonical name:** PidLidEmail2OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008094  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2OriginalDisplayName

### ***2.92 PidLidEmail2OriginalEntryId***

**Canonical name:** PidLidEmail2OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008095

**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail2OriginalEntryID

### ***2.93 PidLidEmail3AddressType***

**Canonical name:** PidLidEmail3AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A2  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3AddrType

### ***2.94 PidLidEmail3DisplayName***

**Canonical name:** PidLidEmail3DisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A0  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3DisplayName

### ***2.95 PidLidEmail3EmailAddress***

**Canonical name:** PidLidEmail3EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A3  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3EmailAddress

### ***2.96 PidLidEmail3EntryId***

**Canonical name:** PidLidEmail3EntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080A1  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidEmail3EntryID

### ***2.97 PidLidEmail3OriginalDisplayName***

**Canonical name:** PidLidEmail3OriginalDisplayName

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080A4

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidEmail3OriginalDisplayName

### ***2.98 PidLidEmail3OriginalEntryId***

**Canonical name:** PidLidEmail3OriginalEntryId

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080A5

**Data type:** PtypBinary, 0x0102

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidEmail3OriginalEntryID

### ***2.99 PidLidEmailList***

**Canonical name:** PidLidEmailList

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008027

**Data type:** PtypMultipleInteger32, 0x1003

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidEmailList

### ***2.100 PidLidExceptionReplaceTime***

**Canonical name:** PidLidExceptionReplaceTime

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008228

**Data type:** PtypTime, 0x0040

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidExceptionReplaceTime

### ***2.101 PidLidFax1AddressType***

**Canonical name:** PidLidFax1AddressType

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080B2

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1AddrType

### ***2.102 PidLidFax1EmailAddress***

**Canonical name:** PidLidFax1EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B3  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1EmailAddress

### ***2.103 PidLidFax1OriginalDisplayName***

**Canonical name:** PidLidFax1OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B4  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1OriginalDisplayName

### ***2.104 PidLidFax1OriginalEntryId***

**Canonical name:** PidLidFax1OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080B5  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax1OriginalEntryID

### ***2.105 PidLidFax2AddressType***

**Canonical name:** PidLidFax2AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C2  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2AddrType

### ***2.106 PidLidFax2EmailAddress***

**Canonical name:** PidLidFax2EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C3

**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2EmailAddress

### ***2.107 PidLidFax2OriginalDisplayName***

**Canonical name:** PidLidFax2OriginalDisplayName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C4  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2OriginalDisplayName

### ***2.108 PidLidFax2OriginalEntryId***

**Canonical name:** PidLidFax2OriginalEntryId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080C5  
**Data type:** PtypBinary, 0x0102  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax2OriginalEntryID

### ***2.109 PidLidFax3AddressType***

**Canonical name:** PidLidFax3AddressType  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080D2  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax3AddrType

### ***2.110 PidLidFax3EmailAddress***

**Canonical name:** PidLidFax3EmailAddress  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080D3  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFax3EmailAddress

### ***2.111 PidLidFax3OriginalDisplayName***

**Canonical name:** PidLidFax3OriginalDisplayName

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080D4

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidFax3OriginalDisplayName

### ***2.112 PidLidFax3OriginalEntryId***

**Canonical name:** PidLidFax3OriginalEntryId

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080D5

**Data type:** PtypBinary, 0x0102

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidFax3OriginalEntryID

### ***2.113 PidLidFExceptionalAttendees***

**Canonical name:** PidLidFExceptionalAttendees

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000822B

**Data type:** PtypBoolean, 0x000B

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

**Alternate names:** dispidFExceptionalAttendees

### ***2.114 PidLidFExceptionalBody***

**Canonical name:** PidLidFExceptionalBody

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008206

**Data type:** PtypBoolean, 0x000B

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidFExceptionalBody

### ***2.115 PidLidFileUnder***

**Canonical name:** PidLidFileUnder

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008005

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFileUnder

### ***2.116 PidLidFileUnderId***

**Canonical name:** PidLidFileUnderId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008006  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFileUnderId

### ***2.117 PidLidFileUnderList***

**Canonical name:** PidLidFileUnderList  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008026  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFileUnderList

### ***2.118 PidLidFInvited***

**Canonical name:** PidLidFInvited  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008229  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidFInvited

### ***2.119 PidLidFlagRequest***

**Canonical name:** PidLidFlagRequest  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008530  
**Data type:** PtypString, 0x001F  
**Area:** Flagging  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]  
**Alternate names:** dispidRequest

### ***2.120 PidLidFlagString***

**Canonical name:** PidLidFlagString  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085C0



**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOFLAG]  
**Alternate names:** dispidFlagStringEnum

### ***2.121 PidLidForwardInstance***

**Canonical name:** PidLidForwardInstance  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000820A  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidFwrInstance

### ***2.122 PidLidFreeBusyLocation***

**Canonical name:** PidLidFreeBusyLocation  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080D8  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidFreeBusyLocation

### ***2.123 PidLidGlobalObjectId***

**Canonical name:** PidLidGlobalObjectId  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000003  
**Data type:** PtypBinary, 0x0102  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]  
**Alternate names:** LID\_GLOBAL\_OBJID

### ***2.124 PidLidHasPicture***

**Canonical name:** PidLidHasPicture  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008015  
**Data type:** PtypBoolean, 0x000B  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidHasPicture

### ***2.125 PidLidHomeAddress***

**Canonical name:** PidLidHomeAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000801A

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidHomeAddress

### ***2.126 PidLidHomeAddressCountryCode***

**Canonical name:** PidLidHomeAddressCountryCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080DA

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidHomeAddressCountryCode

### ***2.127 PidLidHtml***

**Canonical name:** PidLidHtml

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000802B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidHTML

### ***2.128 PidLidInstantMessagingAddress***

**Canonical name:** PidLidInstantMessagingAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008062

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidInstMsg

### ***2.129 PidLidIntendedBusyStatus***

**Canonical name:** PidLidIntendedBusyStatus

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008224

**Data type:** PtypInteger32, 0x0003

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidIntendedBusyStatus

### ***2.130 PidLidInternetAccountName***

**Canonical name:** PidLidInternetAccountName  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008580  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXOMSG]  
**Alternate names:** dispidInetAcctName

### ***2.131 PidLidInternetAccountStamp***

**Canonical name:** PidLidInternetAccountStamp  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008581  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCFXICS], [MS-OXOMSG]  
**Alternate names:** dispidInetAcctStamp

### ***2.132 PidLidIsException***

**Canonical name:** PidLidIsException  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000000A  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]  
**Alternate names:** LID\_IS\_EXCEPTION

### ***2.133 PidLidIsRecurring***

**Canonical name:** PidLidIsRecurring  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000005  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_IS\_RECURRING

### ***2.134 PidLidIsSilent***

**Canonical name:** PidLidIsSilent  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000004

**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_IS\_SILENT

### ***2.135 PidLidLinkedTaskItems***

**Canonical name:** PidLidLinkedTaskItems  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000820C  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Tasks  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidLinkedTaskItems

### ***2.136 PidLidLocation***

**Canonical name:** PidLidLocation  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008208  
**Data type:** PtypString, 0x001F  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]  
**Alternate names:** dispidLocation

### ***2.137 PidLidLogDocumentPosted***

**Canonical name:** PidLidLogDocumentPosted  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008711  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocPosted

### ***2.138 PidLidLogDocumentPrinted***

**Canonical name:** PidLidLogDocumentPrinted  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000870E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocPrinted

### ***2.139 PidLidLogDocumentRouted***

**Canonical name:** PidLidLogDocumentRouted  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008710  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocRouted

### ***2.140 PidLidLogDocumentSaved***

**Canonical name:** PidLidLogDocumentSaved  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000870F  
**Data type:** PtypBoolean, 0x000B  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDocSaved

### ***2.141 PidLidLogDuration***

**Canonical name:** PidLidLogDuration  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008707  
**Data type:** PtypInteger32, 0x0003  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogDuration

### ***2.142 PidLidLogEnd***

**Canonical name:** PidLidLogEnd  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008708  
**Data type:** PtypTime, 0x0040  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogEnd

### ***2.143 PidLidLogFlags***

**Canonical name:** PidLidLogFlags  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000870C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Journal

**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogFlags

### ***2.144 PidLidLogStart***

**Canonical name:** PidLidLogStart  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008706  
**Data type:** PtypTime, 0x0040  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogStart

### ***2.145 PidLidLogType***

**Canonical name:** PidLidLogType  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008700  
**Data type:** PtypString, 0x001F  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogType

### ***2.146 PidLidLogTypeDesc***

**Canonical name:** PidLidLogTypeDesc  
**Property set:** PSETID\_Log {0006200A-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008712  
**Data type:** PtypString, 0x001F  
**Area:** Journal  
**References:** [MS-OXOJRNL]  
**Alternate names:** dispidLogTypeDesc

### ***2.147 PidLidMeetingType***

**Canonical name:** PidLidMeetingType  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000026  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidMeetingType

### ***2.148 PidLidMeetingWorkspaceUrl***

**Canonical name:** PidLidMeetingWorkspaceUrl  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008209

**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidMWSURL

### ***2.149 PidLidMonthInterval***

**Canonical name:** PidLidMonthInterval  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000013  
**Data type:** PtypInteger16, 0x0002  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_MONTH\_INTERVAL

### ***2.150 PidLidNetShowUrl***

**Canonical name:** PidLidNetShowUrl  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008248  
**Data type:** PtypString, 0x001F  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidNetShowURL

### ***2.151 PidLidNonSendableBcc***

**Canonical name:** PidLidNonSendableBcc  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008538  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidNonSendableBCC

### ***2.152 PidLidNonSendableCc***

**Canonical name:** PidLidNonSendableCc  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008537  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidNonSendableCC

### ***2.153 PidLidNonSendableTo***

**Canonical name:** PidLidNonSendableTo  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008536  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidNonSendableTo

### ***2.154 PidLidNonSendBccTrackStatus***

**Canonical name:** PidLidNonSendBccTrackStatus  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008545  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** General Message Properties  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidNonSendBccTrackStatus

### ***2.155 PidLidNonSendCcTrackStatus***

**Canonical name:** PidLidNonSendCcTrackStatus  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008544  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** General Message Properties  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidNonSendCcTrackStatus

### ***2.156 PidLidNonSendToTrackStatus***

**Canonical name:** PidLidNonSendToTrackStatus  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008543  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** General Message Properties  
**References:** [MS-OXOCAL]  
**Alternate names:** dispidNonSendToTrackStatus

### ***2.157 PidLidNoteColor***

**Canonical name:** PidLidNoteColor  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B00  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes



**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteColor

### ***2.158 PidLidNoteHeight***

**Canonical name:** PidLidNoteHeight  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B03  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteHeight

### ***2.159 PidLidNoteWidth***

**Canonical name:** PidLidNoteWidth  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B02  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteWidth

### ***2.160 PidLidNoteX***

**Canonical name:** PidLidNoteX  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B04  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteX

### ***2.161 PidLidNoteY***

**Canonical name:** PidLidNoteY  
**Property set:** PSETID\_Note {0006200E-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008B05  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sticky Notes  
**References:** [MS-OXONOTE]  
**Alternate names:** dispidNoteY

### ***2.162 PidLidOldLocation***

**Canonical name:** PidLidOldLocation  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000028

**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOldLocation

### ***2.163 PidLidOldWhenEndWhole***

**Canonical name:** PidLidOldWhenEndWhole  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000002A  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOldWhenEndWhole

### ***2.164 PidLidOldWhenStartWhole***

**Canonical name:** PidLidOldWhenStartWhole  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000029  
**Data type:** PtypTime, 0x0040  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOldWhenStartWhole

### ***2.165 PidLidOnlinePassword***

**Canonical name:** PidLidOnlinePassword  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008249  
**Data type:** PtypString, 0x001F  
**Area:** Conferencing  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidOnlinePassword

### ***2.166 PidLidOptionalAttendees***

**Canonical name:** PidLidOptionalAttendees  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000007  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_OPTIONAL\_ATTENDEES

### ***2.167 PidLidOrganizerAlias***

**Canonical name:** PidLidOrganizerAlias

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008243

**Data type:** PtypString, 0x001F

**Area:** Conferencing

**References:** [MS-OXCICAL]

**Alternate names:** dispidOrgAlias

### ***2.168 PidLidOriginalStoreEntryId***

**Canonical name:** PidLidOriginalStoreEntryId

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008237

**Data type:** PtypBinary, 0x0102

**Area:** Meetings

**References:** [MS-OXOCAL]

**Alternate names:** dispidOrigStoreEid

### ***2.169 PidLidOtherAddress***

**Canonical name:** PidLidOtherAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000801C

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidOtherAddress

### ***2.170 PidLidOtherAddressCountryCode***

**Canonical name:** PidLidOtherAddressCountryCode

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000080DC

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidOtherAddressCountryCode

### ***2.171 PidLidOwnerCriticalChange***

**Canonical name:** PidLidOwnerCriticalChange

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x0000001A

**Data type:** PtypTime, 0x0040

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_OWNER\_CRITICAL\_CHANGE

### ***2.172 PidLidPercentComplete***

**Canonical name:** PidLidPercentComplete  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008102  
**Data type:** PtypFloating64, 0x0005  
**Area:** Tasks  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]  
**Alternate names:** dispidPercentComplete

### ***2.173 PidLidPostalAddressId***

**Canonical name:** PidLidPostalAddressId  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008022  
**Data type:** PtypInteger32, 0x0003  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidPostalAddressId

### ***2.174 PidLidPostRssChannel***

**Canonical name:** PidLidPostRssChannel  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008904  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssChannel

### ***2.175 PidLidPostRssChannelLink***

**Canonical name:** PidLidPostRssChannelLink  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008900  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssChannelLink

### ***2.176 PidLidPostRssItemGuid***

**Canonical name:** PidLidPostRssItemGuid  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008903  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemGuid

### ***2.177 PidLidPostRssItemHash***

**Canonical name:** PidLidPostRssItemHash  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008902  
**Data type:** PtypInteger32, 0x0003  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemHash

### ***2.178 PidLidPostRssItemLink***

**Canonical name:** PidLidPostRssItemLink  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008901  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemLink

### ***2.179 PidLidPostRssItemXml***

**Canonical name:** PidLidPostRssItemXml  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008905  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssItemXml

### ***2.180 PidLidPostRssSubscription***

**Canonical name:** PidLidPostRssSubscription  
**Property set:** PSETID\_PostRss {00062041-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008906  
**Data type:** PtypString, 0x001F  
**Area:** RSS  
**References:** [MS-OXORSS]  
**Alternate names:** dispidPostRssSubscription

### ***2.181 PidLidPrivate***

**Canonical name:** PidLidPrivate

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008506

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]

**Alternate names:** dispidPrivate

### ***2.182 PidLidRecurrencePattern***

**Canonical name:** PidLidRecurrencePattern

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008232

**Data type:** PtypString, 0x001F

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidRecurPattern

### ***2.183 PidLidRecurrenceType***

**Canonical name:** PidLidRecurrenceType

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008231

**Data type:** PtypInteger32, 0x0003

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** dispidRecurType

### ***2.184 PidLidRecurring***

**Canonical name:** PidLidRecurring

**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008223

**Data type:** PtypBoolean, 0x000B

**Area:** Calendar

**References:** [MS-OXCDATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS]

**Alternate names:** dispidRecurring

### ***2.185 PidLidReferenceEntryId***

**Canonical name:** PidLidReferenceEntryId

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x000085BD

**Data type:** PtypBinary, 0x0102

**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidReferenceEID

### ***2.186 PidLidReminderDelta***

**Canonical name:** PidLidReminderDelta  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008501  
**Data type:** PtypInteger32, 0x0003  
**Area:** Reminders  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF]  
**Alternate names:** dispidReminderDelta

### ***2.187 PidLidReminderFileParameter***

**Canonical name:** PidLidReminderFileParameter  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000851F  
**Data type:** PtypString, 0x001F  
**Area:** Reminders  
**References:** [MS-OXORMDR]  
**Alternate names:** dispidReminderFileParam

### ***2.188 PidLidReminderOverride***

**Canonical name:** PidLidReminderOverride  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000851C  
**Data type:** PtypBoolean, 0x000B  
**Area:** Reminders  
**References:** [MS-OXORMDR]  
**Alternate names:** dispidReminderOverride

### ***2.189 PidLidReminderPlaySound***

**Canonical name:** PidLidReminderPlaySound  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000851E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Reminders  
**References:** [MS-OXORMDR]  
**Alternate names:** dispidReminderPlaySound

### ***2.190 PidLidReminderSet***

**Canonical name:** PidLidReminderSet

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008503

**Data type:** PtypBoolean, 0x000B

**Area:** Reminders

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-OXOTASK], [MS-OXTNEF], [MS-OXWAVLS]

**Alternate names:** dispidReminderSet

### ***2.191 PidLidReminderSignalTime***

**Canonical name:** PidLidReminderSignalTime

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008560

**Data type:** PtypTime, 0x0040

**Area:** Reminders

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** dispidReminderNextTime

### ***2.192 PidLidReminderTime***

**Canonical name:** PidLidReminderTime

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008502

**Data type:** PtypTime, 0x0040

**Area:** Reminders

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** dispidReminderTime

### ***2.193 PidLidReminderType***

**Canonical name:** PidLidReminderType

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000851D

**Data type:** PtypInteger32, 0x0003

**Area:** Reminders

**References:** [MS-OXORMDR]

**Alternate names:** dispidReminderType

### ***2.194 PidLidRequiredAttendees***

**Canonical name:** PidLidRequiredAttendees

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000006

**Data type:** PtypString, 0x001F



**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_REQUIRED\_ATTENDEES

### ***2.195 PidLidResourceAttendees***

**Canonical name:** PidLidResourceAttendees  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000008  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_RESOURCE\_ATTENDEES

### ***2.196 PidLidResponseStatus***

**Canonical name:** PidLidResponseStatus  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008218  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidResponseStatus

### ***2.197 PidLidSendMeetingAsIcal***

**Canonical name:** PidLidSendMeetingAsIcal  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008200  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conferencing  
**References:** [MS-OXCICAL]  
**Alternate names:** dispidSendMtgAsICAL

### ***2.198 PidLidSharingAnonymity***

**Canonical name:** PidLidSharingAnonymity  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A19  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingAnonymity

### ***2.199 PidLidSharingBindingEntryId***

**Canonical name:** PidLidSharingBindingEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A2D  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingBindingEid

### ***2.200 PidLidSharingBrowseUrl***

**Canonical name:** PidLidSharingBrowseUrl  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A51  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingBrowseUrl

### ***2.201 PidLidSharingCapabilities***

**Canonical name:** PidLidSharingCapabilities  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A17  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingCaps

### ***2.202 PidLidSharingConfigurationUrl***

**Canonical name:** PidLidSharingConfigurationUrl  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A24  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingConfigUrl

### ***2.203 PidLidSharingDataRangeEnd***

**Canonical name:** PidLidSharingDataRangeEnd  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A45  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingDataRangeEnd

### ***2.204 PidLidSharingDataRangeStart***

**Canonical name:** PidLidSharingDataRangeStart

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A44

**Data type:** PtypTime, 0x0040

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingDataRangeStart

### ***2.205 PidLidSharingDetail***

**Canonical name:** PidLidSharingDetail

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A2B

**Data type:** PtypInteger32, 0x0003

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingDetail

### ***2.206 PidLidSharingExtensionXml***

**Canonical name:** PidLidSharingExtensionXml

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A21

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingExtXml

### ***2.207 PidLidSharingFilter***

**Canonical name:** PidLidSharingFilter

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A13

**Data type:** PtypBinary, 0x0102

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingFilter

### ***2.208 PidLidSharingFlags***

**Canonical name:** PidLidSharingFlags

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A0A

**Data type:** PtypInteger32, 0x0003

**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFlags

### ***2.209 PidLidSharingFlavor***

**Canonical name:** PidLidSharingFlavor  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A18  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFlavor

### ***2.210 PidLidSharingFolderEntryId***

**Canonical name:** PidLidSharingFolderEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A15  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingFolderEid

### ***2.211 PidLidSharingIndexEntryId***

**Canonical name:** PidLidSharingIndexEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2E  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingIndexEid

### ***2.212 PidLidSharingInitiatorEntryId***

**Canonical name:** PidLidSharingInitiatorEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A09  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInitiatorEid

### ***2.213 PidLidSharingInitiatorName***

**Canonical name:** PidLidSharingInitiatorName  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A07

**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInitiatorName

### ***2.214 PidLidSharingInitiatorSntp***

**Canonical name:** PidLidSharingInitiatorSntp  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A08  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInitiatorSntp

### ***2.215 PidLidSharingInstanceGuid***

**Canonical name:** PidLidSharingInstanceGuid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1C  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingInstanceGuid

### ***2.216 PidLidSharingLastAutoSyncTime***

**Canonical name:** PidLidSharingLastAutoSyncTime  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A55  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLastAutoSync

### ***2.217 PidLidSharingLastSyncTime***

**Canonical name:** PidLidSharingLastSyncTime  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1F  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLastSync

### ***2.218 PidLidSharingLocalComment***

**Canonical name:** PidLidSharingLocalComment

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A4D

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLocalComment

### ***2.219 PidLidSharingLocalLastModificationTime***

**Canonical name:** PidLidSharingLocalLastModificationTime

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A23

**Data type:** PtypTime, 0x0040

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLocalLastMod

### ***2.220 PidLidSharingLocalName***

**Canonical name:** PidLidSharingLocalName

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A0F

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLocalName

### ***2.221 PidLidSharingLocalPath***

**Canonical name:** PidLidSharingLocalPath

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A0E

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:** dispidSharingLocalPath

### ***2.222 PidLidSharingLocalStoreUid***

**Canonical name:** PidLidSharingLocalStoreUid

**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008A49

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalStoreUid

### ***2.223 PidLidSharingLocalType***

**Canonical name:** PidLidSharingLocalType  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A14  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalType

### ***2.224 PidLidSharingLocalUid***

**Canonical name:** PidLidSharingLocalUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A10  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingLocalUid

### ***2.225 PidLidSharingOriginalMessageEntryId***

**Canonical name:** PidLidSharingOriginalMessageEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A29  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingOriginalMessageEid

### ***2.226 PidLidSharingParentBindingEntryId***

**Canonical name:** PidLidSharingParentBindingEntryId  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A5C  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingParentBindingEid

### ***2.227 PidLidSharingParticipants***

**Canonical name:** PidLidSharingParticipants  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1E

**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingParticipants

### ***2.228 PidLidSharingPermissions***

**Canonical name:** PidLidSharingPermissions  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingPermissions

### ***2.229 PidLidSharingProviderExtension***

**Canonical name:** PidLidSharingProviderExtension  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0B  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderExtension

### ***2.230 PidLidSharingProviderGuid***

**Canonical name:** PidLidSharingProviderGuid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A01  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderGuid

### ***2.231 PidLidSharingProviderName***

**Canonical name:** PidLidSharingProviderName  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A02  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderName



### ***2.232 PidLidSharingProviderUrl***

**Canonical name:** PidLidSharingProviderUrl  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A03  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingProviderUrl

### ***2.233 PidLidSharingRangeEnd***

**Canonical name:** PidLidSharingRangeEnd  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A47  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRangeEnd

### ***2.234 PidLidSharingRangeStart***

**Canonical name:** PidLidSharingRangeStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A46  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRangeStart

### ***2.235 PidLidSharingReciprocation***

**Canonical name:** PidLidSharingReciprocation  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingReciprocation

### ***2.236 PidLidSharingRemoteByteSize***

**Canonical name:** PidLidSharingRemoteByteSize  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteByteSize

### ***2.237 PidLidSharingRemoteComment***

**Canonical name:** PidLidSharingRemoteComment  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2F  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteComment

### ***2.238 PidLidSharingRemoteCrc***

**Canonical name:** PidLidSharingRemoteCrc  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteCrc

### ***2.239 PidLidSharingRemoteLastModificationTime***

**Canonical name:** PidLidSharingRemoteLastModificationTime  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A22  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteLastMod

### ***2.240 PidLidSharingRemoteMessageCount***

**Canonical name:** PidLidSharingRemoteMessageCount  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4F  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteMsgCount

### ***2.241 PidLidSharingRemoteName***

**Canonical name:** PidLidSharingRemoteName  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A05

**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteName

### ***2.242 PidLidSharingRemotePass***

**Canonical name:** PidLidSharingRemotePass  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0D  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemotePass

### ***2.243 PidLidSharingRemotePath***

**Canonical name:** PidLidSharingRemotePath  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A04  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemotePath

### ***2.244 PidLidSharingRemoteStoreUid***

**Canonical name:** PidLidSharingRemoteStoreUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A48  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteStoreUid

### ***2.245 PidLidSharingRemoteType***

**Canonical name:** PidLidSharingRemoteType  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A1D  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteType

### ***2.246 PidLidSharingRemoteUid***

**Canonical name:** PidLidSharingRemoteUid  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A06  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteUid

### ***2.247 PidLidSharingRemoteUser***

**Canonical name:** PidLidSharingRemoteUser  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A0C  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteUser

### ***2.248 PidLidSharingRemoteVersion***

**Canonical name:** PidLidSharingRemoteVersion  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A5B  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRemoteVersion

### ***2.249 PidLidSharingResponseTime***

**Canonical name:** PidLidSharingResponseTime  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A28  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingResponseTime

### ***2.250 PidLidSharingResponseType***

**Canonical name:** PidLidSharingResponseType  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A27  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing

**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingResponseType

### ***2.251 PidLidSharingRoamLog***

**Canonical name:** PidLidSharingRoamLog  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A4E  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingRoamLog

### ***2.252 PidLidSharingStart***

**Canonical name:** PidLidSharingStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A25  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingStart

### ***2.253 PidLidSharingStatus***

**Canonical name:** PidLidSharingStatus  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A00  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingStatus

### ***2.254 PidLidSharingStop***

**Canonical name:** PidLidSharingStop  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A26  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingStop

### ***2.255 PidLidSharingSyncFlags***

**Canonical name:** PidLidSharingSyncFlags  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A60

**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingSyncFlags

### ***2.256 PidLidSharingSyncInterval***

**Canonical name:** PidLidSharingSyncInterval  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingSyncInterval

### ***2.257 PidLidSharingTimeToLive***

**Canonical name:** PidLidSharingTimeToLive  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A2C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingTimeToLive

### ***2.258 PidLidSharingTimeToLiveAuto***

**Canonical name:** PidLidSharingTimeToLiveAuto  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A56  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingTimeToLiveAuto

### ***2.259 PidLidSharingWorkingHoursDays***

**Canonical name:** PidLidSharingWorkingHoursDays  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A42  
**Data type:** PtypInteger32, 0x0003  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursDays

### ***2.260 PidLidSharingWorkingHoursEnd***

**Canonical name:** PidLidSharingWorkingHoursEnd  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A41  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursEnd

### ***2.261 PidLidSharingWorkingHoursStart***

**Canonical name:** PidLidSharingWorkingHoursStart  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A40  
**Data type:** PtypTime, 0x0040  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursStart

### ***2.262 PidLidSharingWorkingHoursTimeZone***

**Canonical name:** PidLidSharingWorkingHoursTimeZone  
**Property set:** PSETID\_Sharing {00062040-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008A43  
**Data type:** PtypBinary, 0x0102  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:** dispidSharingWorkingHoursTZ

### ***2.263 PidLidSideEffects***

**Canonical name:** PidLidSideEffects  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008510  
**Data type:** PtypInteger32, 0x0003  
**Area:** Run-time configuration  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]  
**Alternate names:** dispidSideEffects

### ***2.264 PidLidSingleInvite***

**Canonical name:** PidLidSingleInvite  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000000B  
**Data type:** PtypBoolean, 0x000B  
**Area:** Meetings

**References:** [MS-OXCICAL]  
**Alternate names:** LID\_SINGLE\_INVITE

### ***2.265 PidLidSmartNoAttach***

**Canonical name:** PidLidSmartNoAttach  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008514  
**Data type:** PtypBoolean, 0x000B  
**Area:** Run-time configuration  
**References:** [MS-OXCICAL], [MS-OXCMSG]  
**Alternate names:** dispidSmartNoAttach

### ***2.266 PidLidSpamOriginalFolder***

**Canonical name:** PidLidSpamOriginalFolder  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000859C  
**Data type:** PtypBinary, 0x0102  
**Area:** Spam  
**References:** [MS-OXCSPAM]  
**Alternate names:** dispidSpamOriginalFolder

### ***2.267 PidLidTaskAcceptanceState***

**Canonical name:** PidLidTaskAcceptanceState  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000812A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOTASK]  
**Alternate names:** dispidTaskDelegValue

### ***2.268 PidLidTaskAccepted***

**Canonical name:** PidLidTaskAccepted  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008108  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOSFLD], [MS-OXOTASK]  
**Alternate names:** dispidTaskAccepted

### ***2.269 PidLidTaskActualEffort***

**Canonical name:** PidLidTaskActualEffort  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008110



**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskActualEffort

### ***2.270 PidLidTaskAssigner***

**Canonical name:** PidLidTaskAssigner  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008121  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOTASK]  
**Alternate names:** dispidTaskDelegator

### ***2.271 PidLidTaskAssigners***

**Canonical name:** PidLidTaskAssigners  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008117  
**Data type:** PtypBinary, 0x0102  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskMyDelegators

### ***2.272 PidLidTaskComplete***

**Canonical name:** PidLidTaskComplete  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000811C  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]  
**Alternate names:** dispidTaskComplete

### ***2.273 PidLidTaskDateCompleted***

**Canonical name:** PidLidTaskDateCompleted  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000810F  
**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]  
**Alternate names:** dispidTaskDateCompleted

### ***2.274 PidLidTaskDeadOccurrence***

**Canonical name:** PidLidTaskDeadOccurrence  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008109  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskDeadOccur

### ***2.275 PidLidTaskDueDate***

**Canonical name:** PidLidTaskDueDate  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008105  
**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]  
**Alternate names:** dispidTaskDueDate

### ***2.276 PidLidTaskEstimatedEffort***

**Canonical name:** PidLidTaskEstimatedEffort  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008111  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskEstimatedEffort

### ***2.277 PidLidTaskFCreator***

**Canonical name:** PidLidTaskFCreator  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000811E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskFCreator

### ***2.278 PidLidTaskFFixOffline***

**Canonical name:** PidLidTaskFFixOffline  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000812C  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskFFixOffline

### ***2.279 PidLidTaskFRecurring***

**Canonical name:** PidLidTaskFRecurring  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008126  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskFRecur

### ***2.280 PidLidTaskGlobalId***

**Canonical name:** PidLidTaskGlobalId  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008519  
**Data type:** PtypBinary, 0x0102  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskGlobalObjId

### ***2.281 PidLidTaskHistory***

**Canonical name:** PidLidTaskHistory  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000811A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskHistory

### ***2.282 PidLidTaskLastDelegate***

**Canonical name:** PidLidTaskLastDelegate  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008125  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskLastDelegate

### ***2.283 PidLidTaskLastUpdate***

**Canonical name:** PidLidTaskLastUpdate  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008115

**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskLastUpdate

### ***2.284 PidLidTaskLastUser***

**Canonical name:** PidLidTaskLastUser  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008122  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskLastUser

### ***2.285 PidLidTaskMode***

**Canonical name:** PidLidTaskMode  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008518  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]  
**Alternate names:** dispidTaskMode

### ***2.286 PidLidTaskMultipleRecipients***

**Canonical name:** PidLidTaskMultipleRecipients  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008120  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskMultRecips

### ***2.287 PidLidTaskNoCompute***

**Canonical name:** PidLidTaskNoCompute  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008124  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL]  
**Alternate names:** dispidTaskNoCompute

### ***2.288 PidLidTaskOrdinal***

**Canonical name:** PidLidTaskOrdinal

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008123

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

**Alternate names:** dispidTaskOrdinal

### ***2.289 PidLidTaskOwner***

**Canonical name:** PidLidTaskOwner

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000811F

**Data type:** PtypString, 0x001F

**Area:** Tasks

**References:** [MS-OXOTASK]

**Alternate names:** dispidTaskOwner

### ***2.290 PidLidTaskOwnership***

**Canonical name:** PidLidTaskOwnership

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008129

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

**Alternate names:** dispidTaskOwnership

### ***2.291 PidLidTaskRecurrence***

**Canonical name:** PidLidTaskRecurrence

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008116

**Data type:** PtypBinary, 0x0102

**Area:** Tasks

**References:** [MS-OXORMDR], [MS-OXOTASK]

**Alternate names:** dispidTaskRecur

### ***2.292 PidLidTaskResetReminder***

**Canonical name:** PidLidTaskResetReminder

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008107

**Data type:** PtypBoolean, 0x000B

**Area:** Tasks

**References:** [MS-OXORMDR], [MS-OXOTASK]

**Alternate names:** dispidTaskResetReminder

### ***2.293 PidLidTaskRole***

**Canonical name:** PidLidTaskRole

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008127

**Data type:** PtypString, 0x001F

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

**Alternate names:** dispidTaskRole

### ***2.294 PidLidTaskStartDate***

**Canonical name:** PidLidTaskStartDate

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008104

**Data type:** PtypTime, 0x0040

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

**Alternate names:** dispidTaskStartDate

### ***2.295 PidLidTaskState***

**Canonical name:** PidLidTaskState

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008113

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]

**Alternate names:** dispidTaskState

### ***2.296 PidLidTaskStatus***

**Canonical name:** PidLidTaskStatus

**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008101

**Data type:** PtypInteger32, 0x0003

**Area:** Tasks

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]

**Alternate names:** dispidTaskStatus

### ***2.297 PidLidTaskStatusOnComplete***

**Canonical name:** PidLidTaskStatusOnComplete  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008119  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskSOC

### ***2.298 PidLidTaskUpdates***

**Canonical name:** PidLidTaskUpdates  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000811B  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** dispidTaskUpdates

### ***2.299 PidLidTaskVersion***

**Canonical name:** PidLidTaskVersion  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008112  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]  
**Alternate names:** dispidTaskVersion

### ***2.300 PidLidTeamTask***

**Canonical name:** PidLidTeamTask  
**Property set:** PSETID\_Task {00062003-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008103  
**Data type:** PtypBoolean, 0x000B  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCICAL]  
**Alternate names:** dispidTeamTask

### ***2.301 PidLidTimeZone***

**Canonical name:** PidLidTimeZone  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x0000000C  
**Data type:** PtypInteger32, 0x0003  
**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** LID\_TIME\_ZONE

### ***2.302 PidLidTimeZoneDescription***

**Canonical name:** PidLidTimeZoneDescription  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008234  
**Data type:** PtypString, 0x001F  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidTimeZoneDesc

### ***2.303 PidLidTimeZoneStruct***

**Canonical name:** PidLidTimeZoneStruct  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008233  
**Data type:** PtypBinary, 0x0102  
**Area:** Calendar  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidTimeZoneStruct

### ***2.304 PidLidToAttendeesString***

**Canonical name:** PidLidToAttendeesString  
**Property set:** PSETID\_Appointment {00062002-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000823B  
**Data type:** PtypString, 0x001F  
**Area:** Meetings  
**References:** [MS-OXCICAL], [MS-OXOCAL]  
**Alternate names:** dispidToAttendeesString

### ***2.305 PidLidToDoOrdinalDate***

**Canonical name:** PidLidToDoOrdinalDate  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085A0  
**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXCFCICS], [MS-OXOFLAG]  
**Alternate names:** dispidToDoOrdinalDate

### ***2.306 PidLidToDoSubOrdinal***

**Canonical name:** PidLidToDoSubOrdinal  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085A1



**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXOFLAG]  
**Alternate names:** dispidToDoSubOrdinal

### ***2.307 PidLidToDoTitle***

**Canonical name:** PidLidToDoTitle  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085A4  
**Data type:** PtypString, 0x001F  
**Area:** Tasks  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]  
**Alternate names:** dispidToDoTitle

### ***2.308 PidLidUseTnef***

**Canonical name:** PidLidUseTnef  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008582  
**Data type:** PtypBoolean, 0x000B  
**Area:** Run-time configuration  
**References:** [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]  
**Alternate names:** dispidUseTNEF

### ***2.309 PidLidValidFlagStringProof***

**Canonical name:** PidLidValidFlagStringProof  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000085BF  
**Data type:** PtypTime, 0x0040  
**Area:** Tasks  
**References:** [MS-OXOFLAG]  
**Alternate names:** dispidValidFlagStringProof

### ***2.310 PidLidVerbResponse***

**Canonical name:** PidLidVerbResponse  
**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008524  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXOMSG]  
**Alternate names:** dispidVerbResponse

### ***2.311 PidLidVerbStream***

**Canonical name:** PidLidVerbStream

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008520

**Data type:** PtypBinary, 0x0102

**Area:** Run-time configuration

**References:** [MS-OXOMSG]

**Alternate names:** dispidVerbStream

### ***2.312 PidLidWeekInterval***

**Canonical name:** PidLidWeekInterval

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000012

**Data type:** PtypInteger16, 0x0002

**Area:** Meetings

**References:** [MS-OXCICAL]

**Alternate names:** LID\_WEEK\_INTERVAL

### ***2.313 PidLidWhere***

**Canonical name:** PidLidWhere

**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

**Property long ID (LID):** 0x00000002

**Data type:** PtypString, 0x001F

**Area:** Meetings

**References:** [MS-OXCICAL], [MS-OXOCAL]

**Alternate names:** LID\_WHERE

### ***2.314 PidLidWorkAddress***

**Canonical name:** PidLidWorkAddress

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000801B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidWorkAddress

### ***2.315 PidLidWorkAddressCity***

**Canonical name:** PidLidWorkAddressCity

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x00008046

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressCity

### ***2.316 PidLidWorkAddressCountry***

**Canonical name:** PidLidWorkAddressCountry  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008049  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressCountry

### ***2.317 PidLidWorkAddressCountryCode***

**Canonical name:** PidLidWorkAddressCountryCode  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x000080DB  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressCountryCode

### ***2.318 PidLidWorkAddressPostalCode***

**Canonical name:** PidLidWorkAddressPostalCode  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008048  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressPostalCode

### ***2.319 PidLidWorkAddressPostOfficeBox***

**Canonical name:** PidLidWorkAddressPostOfficeBox  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000804A  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressPostOfficeBox

### ***2.320 PidLidWorkAddressState***

**Canonical name:** PidLidWorkAddressState  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008047

**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressState

### ***2.321 PidLidWorkAddressStreet***

**Canonical name:** PidLidWorkAddressStreet  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x00008045  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidWorkAddressStreet

### ***2.322 PidLidYearInterval***

**Canonical name:** PidLidYearInterval  
**Property set:** PSETID\_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}  
**Property long ID (LID):** 0x00000014  
**Data type:** PtypInteger16, 0x0002  
**Area:** Meetings  
**References:** [MS-OXCICAL]  
**Alternate names:** LID\_YEAR\_INTERVAL

### ***2.323 PidLidYomiCompanyName***

**Canonical name:** PidLidYomiCompanyName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000802E  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidYomiCompanyName

### ***2.324 PidLidYomiFirstName***

**Canonical name:** PidLidYomiFirstName  
**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}  
**Property long ID (LID):** 0x0000802C  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** dispidYomiFirstName

### ***2.325 PidLidYomiLastName***

**Canonical name:** PidLidYomiLastName

**Property set:** PSETID\_Address {00062004-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x0000802D

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** dispidYomiLastName

### ***2.326 PidLidInfoPathFormName***

**Canonical name:** PidLidInfoPathFormName

**Property set:** PSETID\_Common {00062008-0000-0000-C000-000000000046}

**Property long ID (LID):** 0x85B1

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.327 PidNameAcceptLanguage***

**Canonical name:** PidNameAcceptLanguage

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Accept-Language

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCMAIL]

**Alternate names:** AcceptLanguage

### ***2.328 PidNameApplicationName***

**Canonical name:** PidNameApplicationName

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** AppName

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.329 PidNameAttachmentMacContentType***

**Canonical name:** PidNameAttachmentMacContentType

**Property set:** PSETID\_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

**Property name:** AttachmentMacContentType

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.330 PidNameAttachmentMacInfo***

**Canonical name:** PidNameAttachmentMacInfo

**Property set:** PSETID\_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

**Property name:** AttachmentMacInfo

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.331 PidNameAudioNotes***

**Canonical name:** PidNameAudioNotes

**Property set:** PSETID\_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

**Property name:** UMAudioNotes

**Data type:** PtypString, 0x001F

**Area:** UM

**References:** [MS-OXOUM]

**Alternate names:** UMAudioNotes

### ***2.332 PidNameAuthor***

**Canonical name:** PidNameAuthor

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Author

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.333 PidNameByteCount***

**Canonical name:** PidNameByteCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** ByteCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.334 PidNameCategory***

**Canonical name:** PidNameCategory

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Category

**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.335 PidNameCharacterCount***

**Canonical name:** PidNameCharacterCount  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** CharCount  
**Data type:** PtypInteger32, 0x0003  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.336 PidNameComments***

**Canonical name:** PidNameComments  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** Comments  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.337 PidNameCompany***

**Canonical name:** PidNameCompany  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** Company  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.338 PidNameContentBase***

**Canonical name:** PidNameContentBase  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** Content-Base  
**Data type:** PtypString, 0x001F  
**Area:** Email  
**References:** [MS-OXCMAIL]  
**Alternate names:** BodyContentBase

### ***2.339 PidNameContentClass***

**Canonical name:** PidNameContentClass

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Class

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXBBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE]

**Alternate names:**

### ***2.340 PidNameContentTransferEncoding***

**Canonical name:** PidNameContentTransferEncoding

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Transfer-Encoding

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCICAL]

**Alternate names:**

### ***2.341 PidNameContentType***

**Canonical name:** PidNameContentType

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Content-Type

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.342 PidNameCreateDateTimeReadOnly***

**Canonical name:** PidNameCreateDateTimeReadOnly

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** CreateDtmRo

**Data type:** PtypTime, 0x0040

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.343 PidNameCrossReference***

**Canonical name:** PidNameCrossReference

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** Xref

**Data type:** PtypString, 0x001F

**Area:** Email



**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.344 PidNameEditTime***

**Canonical name:** PidNameEditTime

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** EditTime

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.345 PidNameExchangeJunkEmailMoveStamp***

**Canonical name:** PidNameExchangeJunkEmailMoveStamp

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** http://schemas.microsoft.com/exchange/junkemailmovestamp

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXCSPAM], [MS-OXORSS]

**Alternate names:**

### ***2.346 PidNameHiddenCount***

**Canonical name:** PidNameHiddenCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** HiddenCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.347 PidNameKeywords***

**Canonical name:** PidNameKeywords

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Keywords

**Data type:** PtypMultipleString, 0x101F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC]

**Alternate names:**

### ***2.348 PidNameLastAuthor***

**Canonical name:** PidNameLastAuthor

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** LastAuthor  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.349 PidNameLastPrinted***

**Canonical name:** PidNameLastPrinted  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** LastPrinted  
**Data type:** PtypTime, 0x0040  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.350 PidNameLastSaveDateTime***

**Canonical name:** PidNameLastSaveDateTime  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** LastSaveDtm  
**Data type:** PtypTime, 0x0040  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.351 PidNameLineCount***

**Canonical name:** PidNameLineCount  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** LineCount  
**Data type:** PtypInteger32, 0x0003  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.352 PidNameManager***

**Canonical name:** PidNameManager  
**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}  
**Property name:** Manager  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXODOC]  
**Alternate names:**

### ***2.353 PidNameMultimediaClipCount***

**Canonical name:** PidNameMultimediaClipCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** MMClipCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.354 PidNameNoteCount***

**Canonical name:** PidNameNoteCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** NoteCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.355 PidNameOMSAccountGuid***

**Canonical name:** PidNameOMSAccountGuid

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** OMSAccountGuid

**Data type:** PtypString, 0x001F

**Area:** SMS

**References:** [MS-OXOSMMS]

**Alternate names:**

### ***2.356 PidNameOMSMobileModel***

**Canonical name:** PidNameOMSMobileModel

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** OMSMobileModel

**Data type:** PtypString, 0x001F

**Area:** SMS

**References:** [MS-OXOSMMS]

**Alternate names:**

### ***2.357 PidNameOMSScheduleTime***

**Canonical name:** PidNameOMSScheduleTime

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** OMSScheduleTime

**Data type:** PtypTime, 0x0040

**Area:** SMS

**References:** [MS-OXOSMMS]

**Alternate names:**

### ***2.358 PidNameOMSServiceType***

**Canonical name:** PidNameOMSServiceType

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** OMSServiceType

**Data type:** PtypInteger32, 0x0003

**Area:** SMS

**References:** [MS-OXOSMMS]

**Alternate names:**

### ***2.359 PidNameOMSSourceType***

**Canonical name:** PidNameOMSSourceType

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** OMSSourceType

**Data type:** PtypInteger32, 0x0003

**Area:** SMS

**References:** [MS-OXOSMMS]

**Alternate names:**

### ***2.360 PidNamePhishingStamp***

**Canonical name:** PidNamePhishingStamp

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** <http://schemas.microsoft.com/outlook/phishingstamp>

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXPHISH]

**Alternate names:**

### ***2.361 PidNamePageCount***

**Canonical name:** PidNamePageCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** PageCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.362 PidNameParagraphCount***

**Canonical name:** PidNameParagraphCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** ParCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.363 PidNamePresentationFormat***

**Canonical name:** PidNamePresentationFormat

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** PresFormat

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.364 PidNameRevisionNumber***

**Canonical name:** PidNameRevisionNumber

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** RevNumber

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.365 PidNameRightsManagementLicense***

**Canonical name:** PidNameRightsManagementLicense

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** DRMLicense

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Secure Messaging Properties

**References:** [MS-OXORMMS]

**Alternate names:**

### ***2.366 PidNameSecurity***

**Canonical name:** PidNameSecurity

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Security

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.367 PidNameSlideCount***

**Canonical name:** PidNameSlideCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** SlideCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.368 PidNameSubject***

**Canonical name:** PidNameSubject

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Subject

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.369 PidNameTemplate***

**Canonical name:** PidNameTemplate

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Template

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.370 PidNameTitle***

**Canonical name:** PidNameTitle

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** Title

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.371 PidNameWordCount***

**Canonical name:** PidNameWordCount

**Property set:** PS\_PUBLIC\_STRINGS {00020329-0000-0000-C000-000000000046}

**Property name:** WordCount

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXODOC]

**Alternate names:**

### ***2.372 PidNameXSharingBrowseUrl***

**Canonical name:** PidNameXSharingBrowseUrl

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Browse-Url

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.373 PidNameXSharingCapabilities***

**Canonical name:** PidNameXSharingCapabilities

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Capabilities

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.374 PidNameXSharingConfigUrl***

**Canonical name:** PidNameXSharingConfigUrl

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Config-Url

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.375 PidNameXSharingExendedCaps***

**Canonical name:** PidNameXSharingExendedCaps

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Exended-Caps

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.376 PidNameXSharingFlavor***

**Canonical name:** PidNameXSharingFlavor

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Flavor

**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.377 PidNameXSharingInstanceGuid***

**Canonical name:** PidNameXSharingInstanceGuid  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Instance-Guid  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.378 PidNameXSharingLocalType***

**Canonical name:** PidNameXSharingLocalType  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Local-Type  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.379 PidNameXSharingProviderGuid***

**Canonical name:** PidNameXSharingProviderGuid  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Provider-Guid  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**

### ***2.380 PidNameXSharingProviderName***

**Canonical name:** PidNameXSharingProviderName  
**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}  
**Property name:** X-Sharing-Provider-Name  
**Data type:** PtypString, 0x001F  
**Area:** Sharing  
**References:** [MS-OXSHARE]  
**Alternate names:**



### ***2.381 PidNameXSharingProviderUrl***

**Canonical name:** PidNameXSharingProviderUrl

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Provider-Url

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.382 PidNameXSharingRemoteName***

**Canonical name:** PidNameXSharingRemoteName

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Name

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.383 PidNameXSharingRemotePath***

**Canonical name:** PidNameXSharingRemotePath

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Path

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.384 PidNameXSharingRemoteStoreUid***

**Canonical name:** PidNameXSharingRemoteStoreUid

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Store-Uid

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.385 PidNameXSharingRemoteType***

**Canonical name:** PidNameXSharingRemoteType

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Type

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.386 PidNameXSharingRemoteUid***

**Canonical name:** PidNameXSharingRemoteUid

**Property set:** PS\_INTERNET\_HEADERS {00020386-0000-0000-C000-000000000046}

**Property name:** X-Sharing-Remote-Uid

**Data type:** PtypString, 0x001F

**Area:** Sharing

**References:** [MS-OXSHARE]

**Alternate names:**

### ***2.387 PidNameQuarantineOriginalSender***

**Canonical name:** PidNameQuarantineOriginalSender

**Property set:** PSETID\_PublicStrings

**Property name:** "ÿ"quarantine-original-sender""

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.388 PidNameXCallId***

**Canonical name:** PidNameXCallId

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-CallID""

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.389 PidNameXFaxNumberOfPages***

**Canonical name:** PidNameXFaxNumberOfPages

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-FaxNumberOfPages""

**Data type:** PtypInteger16, 0x0002

**Area:** Unified Messaging

**References:** [MS-OXCMAIL]

**Alternate names:**

### ***2.390 PidNameXSenderTelephoneNumber***

**Canonical name:** PidNameXSenderTelephoneNumber

**Property set:** PSETID\_InternetHeaders

**Property name:** "ÿ"X-CallingTelephoneNumber""

**Data type:** PtypString, 0x001F  
**Area:** Unified Messaging  
**References:** [MS-OXCMAIL]  
**Alternate names:**

### ***2.391 PidNameXVoiceMessageAttachmentOrder***

**Canonical name:** PidNameXVoiceMessageAttachmentOrder  
**Property set:** PSETID\_InternetHeaders  
**Property name:** ""X-AttachmentOrder""  
**Data type:** PtypString, 0x001F  
**Area:** Unified Messaging  
**References:** [MS-OXCMAIL]  
**Alternate names:**

### ***2.392 PidNameXVoiceMessageDuration***

**Canonical name:** PidNameXVoiceMessageDuration  
**Property set:** PSETID\_InternetHeaders  
**Property name:** "y"X-VoiceMessageDuration"  
**Data type:** PtypInteger16, 0x0002  
**Area:** Unified Messaging  
**References:** [MS-OXCMAIL]  
**Alternate names:**

### ***2.393 PidNameXVoiceMessageSenderName***

**Canonical name:** PidNameXVoiceMessageSenderName  
**Property set:** PSETID\_InternetHeaders  
**Property name:** "y"X-VoiceMessageSenderName"  
**Data type:** PtypString, 0x001F  
**Area:** Unified Messaging  
**References:** [MS-OXCMAIL]  
**Alternate names:**

### ***2.394 PidTag7BitDisplayName***

**Canonical name:** PidTag7BitDisplayName  
**Property ID:** 0x39FF  
**Data type:** PtypString, 0x001F  
**Area:** Address Book  
**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]  
**Alternate names:** PR\_7BIT\_DISPLAY\_NAME, PR\_7BIT\_DISPLAY\_NAME\_A, PR\_7BIT\_DISPLAY\_NAME\_W

### ***2.395 PidTagAccess***

**Canonical name:** PidTagAccess

**Property ID:** 0x0FF4

**Data type:** PtypInteger32, 0x0003

**Area:** Access Control Properties

**References:** [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRNL]

**Alternate names:** PR\_ACCESS, ptagAccess

### ***2.396 PidTagAccessLevel***

**Canonical name:** PidTagAccessLevel

**Property ID:** 0x0FF7

**Data type:** PtypInteger32, 0x0003

**Area:** Access Control Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]

**Alternate names:** PR\_ACCESS\_LEVEL, ptagAccessLevel

### ***2.397 PidTagAccount***

**Canonical name:** PidTagAccount

**Property ID:** 0x3A00

**Data type:** PtypString, 0x001F

**Area:** Address Book

**References:** [MS-OXCFXICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]

**Alternate names:** PR\_ACCOUNT, PR\_ACCOUNT\_A, PR\_ACCOUNT\_W

### ***2.398 PidTagAdditionalRenEntryIds***

**Canonical name:** PidTagAdditionalRenEntryIds

**Property ID:** 0x36D8

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Outlook Application

**References:** [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

**Alternate names:** PR\_ADDITIONAL\_REN\_ENTRYIDS, ptagAdditionalRenEntryIds

### ***2.399 PidTagAdditionalRenEntryIdsEx***

**Canonical name:** PidTagAdditionalRenEntryIdsEx

**Property ID:** 0x36D9

**Data type:** PtypBinary, 0x0102

**Area:** Outlook Application

**References:** [MS-OXOSFLD]

**Alternate names:** PR\_ADDITIONAL\_REN\_ENTRYIDS\_EX, ptagAdditionalRenEntryIdsEx

### ***2.400 PidTagAddressBookContainerId***

**Canonical name:** PidTagAddressBookContainerId

**Property ID:** 0xFFFFD

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_CONTAINERID

### ***2.401 PidTagAddressBookDisplayNamePrintable***

**Canonical name:** PidTagAddressBookDisplayNamePrintable

**Property ID:** 0x39FF

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXCMSG]

**Alternate names:** PR\_EMS\_AB\_DISPLAY\_NAME\_PRINTABLE,

PR\_EMS\_AB\_DISPLAY\_NAME\_PRINTABLE\_A,

PR\_EMS\_AB\_DISPLAY\_NAME\_PRINTABLE\_W

### ***2.402 PidTagAddressBookEntryId***

**Canonical name:** PidTagAddressBookEntryId

**Property ID:** 0x663B

**Data type:** PtypBinary, 0x0102

**Area:** Address Book

**References:** [MS-OXCFOLD]

**Alternate names:** PR\_ADDRESS\_BOOK\_ENTRYID, ptagAddressBookEntryId

### ***2.403 PidTagAddressBookExtensionAttribute1***

**Canonical name:** PidTagAddressBookExtensionAttribute1

**Property ID:** 0x802D

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_1,

PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_1\_A,

PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_1\_W

### ***2.404 PidTagAddressBookExtensionAttribute15***

**Canonical name:** PidTagAddressBookExtensionAttribute15

**Property ID:** 0x8C61

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_15,

PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_15\_A,  
PR\_EMS\_AB\_EXTENSION\_ATTRIBUTE\_15\_W

#### ***2.405 PidTagAddressBookFolderPathname***

**Canonical name:** PidTagAddressBookFolderPathname

**Property ID:** 0x8004

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_FOLDER\_PATHNAME,  
PR\_EMS\_AB\_FOLDER\_PATHNAME\_A, PR\_EMS\_AB\_FOLDER\_PATHNAME\_W

#### ***2.406 PidTagAddressBookHierarchicalChildDepartments***

**Canonical name:** PidTagAddressBookHierarchicalChildDepartments

**Property ID:** 0x8C9A

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_CHILD\_DEPARTMENTS

#### ***2.407 PidTagAddressBookHierarchicalDepartmentMembers***

**Canonical name:** PidTagAddressBookHierarchicalDepartmentMembers

**Property ID:** 0x8C97

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_DEPARTMENT\_MEMBERS

#### ***2.408 PidTagAddressBookHierarchicalParentDepartment***

**Canonical name:** PidTagAddressBookHierarchicalParentDepartment

**Property ID:** 0x8C99

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_PARENT\_DEPARTMENT

#### ***2.409 PidTagAddressBookHierarchicalRootDepartment***

**Canonical name:** PidTagAddressBookHierarchicalRootDepartment

**Property ID:** 0x8C98

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_ROOT\_DEPARTMENT

### ***2.410 PidTagAddressBookHierarchicalShowInDepartments***

**Canonical name:** PidTagAddressBookHierarchicalShowInDepartments

**Property ID:** 0x8C94

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_HAB\_SHOW\_IN\_DEPARTMENTS

### ***2.411 PidTagAddressBookHomeMessageDatabase***

**Canonical name:** PidTagAddressBookHomeMessageDatabase

**Property ID:** 0x8006

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

**Alternate names:** PR\_EMS\_AB\_HOME\_MDB, PR\_EMS\_AB\_HOME\_MDB\_A, PR\_EMS\_AB\_HOME\_MDB\_W

### ***2.412 PidTagAddressBookIsMaster***

**Canonical name:** PidTagAddressBookIsMaster

**Property ID:** 0xFFFFB

**Data type:** PtypBoolean, 0x000B

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_IS\_MASTER

### ***2.413 PidTagAddressBookIsMemberOfDistributionList***

**Canonical name:** PidTagAddressBookIsMemberOfDistributionList

**Property ID:** 0x8008

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_IS\_MEMBER\_OF\_DL, PR\_EMS\_AB\_IS\_MEMBER\_OF\_DL\_A, PR\_EMS\_AB\_IS\_MEMBER\_OF\_DL\_W

### ***2.414 PidTagAddressBookManageDistributionList***

**Canonical name:** PidTagAddressBookManageDistributionList

**Property ID:** 0x6704

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK], [MS-OXOABKT]

**Alternate names:** PR\_EMS\_AB\_MANAGE\_DL

### ***2.415 PidTagAddressBookManager***

**Canonical name:** PidTagAddressBookManager

**Property ID:** 0x8005

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_MANAGER, PR\_EMS\_AB\_MANAGER\_A, PR\_EMS\_AB\_MANAGER\_W

### ***2.416 PidTagAddressBookManagerDistinguishedName***

**Canonical name:** PidTagAddressBookManagerDistinguishedName

**Property ID:** 0x8005

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_MANAGER\_T

### ***2.417 PidTagAddressBookMember***

**Canonical name:** PidTagAddressBookMember

**Property ID:** 0x8009

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_MEMBER, PR\_EMS\_AB\_MEMBER\_A, PR\_EMS\_AB\_MEMBER\_W

### ***2.418 PidTagAddressBookMessageId***

**Canonical name:** PidTagAddressBookMessageId

**Property ID:** 0x674F

**Data type:** PtypInteger64, 0x0014

**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCSTOR]

**Alternate names:** ptagAddrbookMID

### ***2.419 PidTagAddressBookNetworkAddress***

**Canonical name:** PidTagAddressBookNetworkAddress

**Property ID:** 0x8170

**Data type:** PtypMultipleString, 0x101F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_NETWORK\_ADDRESS, PR\_EMS\_AB\_NETWORK\_ADDRESS\_A, PR\_EMS\_AB\_NETWORK\_ADDRESS\_W



### ***2.420 PidTagAddressBookObjectDistinguishedName***

**Canonical name:** PidTagAddressBookObjectDistinguishedName

**Property ID:** 0x803C

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OBJ\_DIST\_NAME,  
PR\_EMS\_AB\_OBJ\_DIST\_NAME\_A, PR\_EMS\_AB\_OBJ\_DIST\_NAME\_W

### ***2.421 PidTagAddressBookObjectGuid***

**Canonical name:** PidTagAddressBookObjectGuid

**Property ID:** 0x8C6D

**Data type:** PtypBinary, 0x0102

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OBJECT\_GUID

### ***2.422 PidTagAddressBookOwner***

**Canonical name:** PidTagAddressBookOwner

**Property ID:** 0x800C

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OWNER\_O

### ***2.423 PidTagAddressBookOwnerBackLink***

**Canonical name:** PidTagAddressBookOwnerBackLink

**Property ID:** 0x8024

**Data type:** PtypComObject, 0x000D

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_OWNER\_BL\_O

### ***2.424 PidTagAddressBookParentEntryId***

**Canonical name:** PidTagAddressBookParentEntryId

**Property ID:** 0xFFFC

**Data type:** PtypBinary, 0x0102

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PARENT\_ENTRYID

### ***2.425 PidTagAddressBookPhoneticCompanyName***

**Canonical name:** PidTagAddressBookPhoneticCompanyName

**Property ID:** 0x8C91

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_COMPANY\_NAME,  
PR\_EMS\_AB\_PHONETIC\_COMPANY\_NAME\_A,  
PR\_EMS\_AB\_PHONETIC\_COMPANY\_NAME\_W

### ***2.426 PidTagAddressBookPhoneticDepartmentName***

**Canonical name:** PidTagAddressBookPhoneticDepartmentName

**Property ID:** 0x8C90

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_DEPARTMENT\_NAME,  
PR\_EMS\_AB\_PHONETIC\_DEPARTMENT\_NAME\_A,  
PR\_EMS\_AB\_PHONETIC\_DEPARTMENT\_NAME\_W

### ***2.427 PidTagAddressBookPhoneticDisplayName***

**Canonical name:** PidTagAddressBookPhoneticDisplayName

**Property ID:** 0x8C92

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_DISPLAY\_NAME,  
PR\_EMS\_AB\_PHONETIC\_DISPLAY\_NAME\_A,  
PR\_EMS\_AB\_PHONETIC\_DISPLAY\_NAME\_W

### ***2.428 PidTagAddressBookPhoneticGivenName***

**Canonical name:** PidTagAddressBookPhoneticGivenName

**Property ID:** 0x8C8E

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_PHONETIC\_GIVEN\_NAME,  
PR\_EMS\_AB\_PHONETIC\_GIVEN\_NAME\_A,  
PR\_EMS\_AB\_PHONETIC\_GIVEN\_NAME\_W

### ***2.429 PidTagAddressBookPhoneticSurname***

**Canonical name:** PidTagAddressBookPhoneticSurname

**Property ID:** 0x8C8F

**Data type:** PtypString, 0x001F  
**Area:** Exchange Address Book  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_EMS\_AB\_PHONETIC\_SURNAME,  
PR\_EMS\_AB\_PHONETIC\_SURNAME\_A, PR\_EMS\_AB\_PHONETIC\_SURNAME\_W

### ***2.430 PidTagAddressBookProxyAddresses***

**Canonical name:** PidTagAddressBookProxyAddresses  
**Property ID:** 0x800F  
**Data type:** PtypMultipleString, 0x101F  
**Area:** Exchange Address Book  
**References:** [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]  
**Alternate names:** PR\_EMS\_AB\_PROXY\_ADDRESSES,  
PR\_EMS\_AB\_PROXY\_ADDRESSES\_A, PR\_EMS\_AB\_PROXY\_ADDRESSES\_W

### ***2.431 PidTagAddressBookPublicDelegates***

**Canonical name:** PidTagAddressBookPublicDelegates  
**Property ID:** 0x8015  
**Data type:** PtypComObject, 0x000D  
**Area:** Exchange Address Book  
**References:** [MS-OXOABK], [MS-OXODLGT]  
**Alternate names:** PR\_EMS\_AB\_PUBLIC\_DELEGATES,  
PR\_EMS\_AB\_PUBLIC\_DELEGATES\_A, PR\_EMS\_AB\_PUBLIC\_DELEGATES\_W

### ***2.432 PidTagAddressBookReports***

**Canonical name:** PidTagAddressBookReports  
**Property ID:** 0x800E  
**Data type:** PtypComObject, 0x000D  
**Area:** Exchange Address Book  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_EMS\_AB\_REPORTS, PR\_EMS\_AB\_REPORTS\_A,  
PR\_EMS\_AB\_REPORTS\_W

### ***2.433 PidTagAddressBookRoomCapacity***

**Canonical name:** PidTagAddressBookRoomCapacity  
**Property ID:** 0x0807  
**Data type:** PtypInteger32, 0x0003  
**Area:** Exchange Address Book  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_EMS\_AB\_ROOM\_CAPACITY

### ***2.434 PidTagAddressBookRoomContainers***

**Canonical name:** PidTagAddressBookRoomContainers

**Property ID:** 0x8C96

**Data type:** PtypMultipleString, 0x101F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_ROOM\_CONTAINERS,  
PR\_EMS\_AB\_ROOM\_CONTAINERS\_A, PR\_EMS\_AB\_ROOM\_CONTAINERS\_W

### ***2.435 PidTagAddressBookRoomDescription***

**Canonical name:** PidTagAddressBookRoomDescription

**Property ID:** 0x0809

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_ROOM\_DESCRIPTION,  
PR\_EMS\_AB\_ROOM\_DESCRIPTION\_A, PR\_EMS\_AB\_ROOM\_DESCRIPTION\_W

### ***2.436 PidTagAddressBookSeniorityIndex***

**Canonical name:** PidTagAddressBookSeniorityIndex

**Property ID:** 0x8CA0

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_SENIORITY\_INDEX

### ***2.437 PidTagAddressBookTargetAddress***

**Canonical name:** PidTagAddressBookTargetAddress

**Property ID:** 0x8011

**Data type:** PtypString, 0x001F

**Area:** Exchange Address Book

**References:** [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_TARGET\_ADDRESS,  
PR\_EMS\_AB\_TARGET\_ADDRESS\_A, PR\_EMS\_AB\_TARGET\_ADDRESS\_W

### ***2.438 PidTagAddressBookX509Certificate***

**Canonical name:** PidTagAddressBookX509Certificate

**Property ID:** 0x8C6A

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Exchange Address Book

**References:** [MS-OXOAB], [MS-OXOABK]

**Alternate names:** PR\_EMS\_AB\_X509\_CERT

### ***2.439 PidTagAddressType***

**Canonical name:** PidTagAddressType

**Property ID:** 0x3002

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-EXOABK], [MS-EXOABKT], [MS-EXOMSG], [MS-EXORULE], [MS-EXOSRCH], [MS-EXPSVAL]

**Alternate names:** PR\_ADDRTYPE, PR\_ADDRTYPE\_A, ptagAddrType, PR\_ADDRTYPE\_W

### ***2.440 PidTagAlternateRecipientAllowed***

**Canonical name:** PidTagAlternateRecipientAllowed

**Property ID:** 0x0002

**Data type:** PtypBoolean, 0x000B

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

**Alternate names:** PR\_ALTERNATE\_RECIPIENT\_ALLOWED, ptagAlternateRecipientAllowed

### ***2.441 PidTagAnr***

**Canonical name:** PidTagAnr

**Property ID:** 0x360C

**Data type:** PtypString, 0x001F

**Area:** Address Book

**References:** [MS-EXOABK]

**Alternate names:** PR\_ANR, PR\_ANR\_A, PR\_ANR\_W

### ***2.442 PidTagAssistant***

**Canonical name:** PidTagAssistant

**Property ID:** 0x3A30

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-EXOAB], [MS-EXOABK], [MS-EXOCNTC]

**Alternate names:** PR\_ASSISTANT, PR\_ASSISTANT\_A, PR\_ASSISTANT\_W

### ***2.443 PidTagAssistantTelephoneNumber***

**Canonical name:** PidTagAssistantTelephoneNumber

**Property ID:** 0x3A2E

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-EXOAB], [MS-EXOABK], [MS-EXOCNTC]

**Alternate names:** PR\_ASSISTANT\_TELEPHONE\_NUMBER,

PR\_ASSISTANT\_TELEPHONE\_NUMBER\_A,  
PR\_ASSISTANT\_TELEPHONE\_NUMBER\_W

#### ***2.444 PidTagAssociated***

**Canonical name:** PidTagAssociated  
**Property ID:** 0x67AA  
**Data type:** PtypBoolean, 0x000B  
**Area:** Sync  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagAssociated

#### ***2.445 PidTagAttachAdditionalInformation***

**Canonical name:** PidTagAttachAdditionalInformation  
**Property ID:** 0x370F  
**Data type:** PtypBinary, 0x0102  
**Area:** Message Attachment Properties  
**References:** [MS-OXCMAIL], [MS-OXCMSG]  
**Alternate names:** PR\_ATTACH\_ADDITIONAL\_INFO

#### ***2.446 PidTagAttachContentBase***

**Canonical name:** PidTagAttachContentBase  
**Property ID:** 0x3711  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties  
**References:** [MS-OXCMAIL], [MS-OXCMSG]  
**Alternate names:** PR\_ATTACH\_CONTENT\_BASE,  
PR\_ATTACH\_CONTENT\_BASE\_A, PR\_ATTACH\_CONTENT\_BASE\_W

#### ***2.447 PidTagAttachContentId***

**Canonical name:** PidTagAttachContentId  
**Property ID:** 0x3712  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties  
**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],  
[MS-OXOSMMS]  
**Alternate names:** PR\_ATTACH\_CONTENT\_ID, PR\_ATTACH\_CONTENT\_ID\_A,  
PR\_ATTACH\_CONTENT\_ID\_W

#### ***2.448 PidTagAttachContentLocation***

**Canonical name:** PidTagAttachContentLocation  
**Property ID:** 0x3713  
**Data type:** PtypString, 0x001F  
**Area:** Message Attachment Properties

**References:** [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_CONTENT\_LOCATION,  
PR\_ATTACH\_CONTENT\_LOCATION\_A, PR\_ATTACH\_CONTENT\_LOCATION\_W

### ***2.449 PidTagAttachDataBinary***

**Canonical name:** PidTagAttachDataBinary

**Property ID:** 0x3701

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_DATA\_BIN, ptagAttachDataBin

### ***2.450 PidTagAttachDataObject***

**Canonical name:** PidTagAttachDataObject

**Property ID:** 0x3701

**Data type:** PtypComObject, 0x000D

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_DATA\_OBJ, ptagAttachDataObj

### ***2.451 PidTagAttachEncoding***

**Canonical name:** PidTagAttachEncoding

**Property ID:** 0x3702

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_ENCODING

### ***2.452 PidTagAttachExtension***

**Canonical name:** PidTagAttachExtension

**Property ID:** 0x3703

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_EXTENSION, PR\_ATTACH\_EXTENSION\_A,  
PR\_ATTACH\_EXTENSION\_W

### ***2.453 PidTagAttachFilename***

**Canonical name:** PidTagAttachFilename

**Property ID:** 0x3704

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_FILENAME, PR\_ATTACH\_FILENAME\_A, ptagAttachFilename, PR\_ATTACH\_FILENAME\_W

### ***2.454 PidTagAttachFlags***

**Canonical name:** PidTagAttachFlags

**Property ID:** 0x3714

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

**Alternate names:** PR\_ATTACH\_FLAGS

### ***2.455 PidTagAttachLongFilename***

**Canonical name:** PidTagAttachLongFilename

**Property ID:** 0x3707

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX]

**Alternate names:** PR\_ATTACH\_LONG\_FILENAME, PR\_ATTACH\_LONG\_FILENAME\_A, PR\_ATTACH\_LONG\_FILENAME\_W

### ***2.456 PidTagAttachLongPathname***

**Canonical name:** PidTagAttachLongPathname

**Property ID:** 0x370D

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_LONG\_PATHNAME, PR\_ATTACH\_LONG\_PATHNAME\_A, ptagAttachLongPathname, PR\_ATTACH\_LONG\_PATHNAME\_W

### ***2.457 PidTagAttachmentContactPhoto***

**Canonical name:** PidTagAttachmentContactPhoto

**Property ID:** 0x7FFF

**Data type:** PtypBoolean, 0x000B



**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

**Alternate names:** PR\_ATTACHMENT\_CONTACTPHOTO

### ***2.458 PidTagAttachmentFlags***

**Canonical name:** PidTagAttachmentFlags

**Property ID:** 0x7FFD

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR]

**Alternate names:** PR\_ATTACHMENT\_FLAGS, ptagAttachmentFlags

### ***2.459 PidTagAttachmentHidden***

**Canonical name:** PidTagAttachmentHidden

**Property ID:** 0x7FFE

**Data type:** PtypBoolean, 0x000B

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

**Alternate names:** PR\_ATTACHMENT\_HIDDEN

### ***2.460 PidTagAttachmentLinkId***

**Canonical name:** PidTagAttachmentLinkId

**Property ID:** 0x7FFA

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR]

**Alternate names:** PR\_ATTACHMENT\_LINKID, ptagAttachmentLinkId

### ***2.461 PidTagAttachMethod***

**Canonical name:** PidTagAttachMethod

**Property ID:** 0x3705

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_METHOD, ptagAttachMethod

### ***2.462 PidTagAttachMimeTag***

**Canonical name:** PidTagAttachMimeTag

**Property ID:** 0x370E

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

**Alternate names:** PR\_ATTACH\_MIME\_TAG, PR\_ATTACH\_MIME\_TAG\_A, PR\_ATTACH\_MIME\_TAG\_W

### ***2.463 PidTagAttachNumber***

**Canonical name:** PidTagAttachNumber

**Property ID:** 0x0E21

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFCICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

**Alternate names:** PR\_ATTACH\_NUM, ptagAttachNum

### ***2.464 PidTagAttachPathname***

**Canonical name:** PidTagAttachPathname

**Property ID:** 0x3708

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXORMMS]

**Alternate names:** PR\_ATTACH\_PATHNAME, PR\_ATTACH\_PATHNAME\_A, ptagAttachPathname, PR\_ATTACH\_PATHNAME\_W

### ***2.465 PidTagAttachPayloadClass***

**Canonical name:** PidTagAttachPayloadClass

**Property ID:** 0x371A

**Data type:** PtypString, 0x001F

**Area:** Outlook Application

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_ATTACH\_PAYLOAD\_CLASS, PR\_ATTACH\_PAYLOAD\_CLASS\_A, PR\_ATTACH\_PAYLOAD\_CLASS\_W, ptagAttachPayloadClass

### ***2.466 PidTagAttachPayloadProviderGuidString***

**Canonical name:** PidTagAttachPayloadProviderGuidString

**Property ID:** 0x3719

**Data type:** PtypString, 0x001F

**Area:** Outlook Application

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_ATTACH\_PAYLOAD\_PROV\_GUID\_STR,  
PR\_ATTACH\_PAYLOAD\_PROV\_GUID\_STR\_A,  
PR\_ATTACH\_PAYLOAD\_PROV\_GUID\_STR\_W

### ***2.467 PidTagAttachRendering***

**Canonical name:** PidTagAttachRendering

**Property ID:** 0x3709

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_RENDERING, ptagAttachRendering

### ***2.468 PidTagAttachSize***

**Canonical name:** PidTagAttachSize

**Property ID:** 0x0E20

**Data type:** PtypInteger32, 0x0003

**Area:** Message Attachment Properties

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

**Alternate names:** PR\_ATTACH\_SIZE, ptagAttachSize

### ***2.469 PidTagAttachTag***

**Canonical name:** PidTagAttachTag

**Property ID:** 0x370A

**Data type:** PtypBinary, 0x0102

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXORMMS], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_TAG

### ***2.470 PidTagAttachTransportName***

**Canonical name:** PidTagAttachTransportName

**Property ID:** 0x370C

**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_ATTACH\_TRANSPORT\_NAME,  
PR\_ATTACH\_TRANSPORT\_NAME\_A, PR\_ATTACH\_TRANSPORT\_NAME\_W

### ***2.471 PidTagAttributeHidden***

**Canonical name:** PidTagAttributeHidden

**Property ID:** 0x10F4

**Data type:** PtypBoolean, 0x000B

**Area:** Access Control Properties

**References:** [MS-OXCFOLD], [MS-OXTNEF]  
**Alternate names:** PR\_ATTR\_HIDDEN, ptagAttrHidden

### ***2.472 PidTagAttributeReadOnly***

**Canonical name:** PidTagAttributeReadOnly  
**Property ID:** 0x10F6  
**Data type:** PtypBoolean, 0x000B  
**Area:** Access Control Properties  
**References:** [MS-OXTNEF]  
**Alternate names:** PR\_ATTR\_READONLY, ptagAttrReadonly

### ***2.473 PidTagAttributeSystem***

**Canonical name:** PidTagAttributeSystem  
**Property ID:** 0x10F5  
**Data type:** PtypBoolean, 0x000B  
**Area:** Access Control Properties  
**References:** [MS-OXTNEF]  
**Alternate names:** PR\_ATTR\_SYSTEM, ptagAttrSystem

### ***2.474 PidTagAutoForwarded***

**Canonical name:** PidTagAutoForwarded  
**Property ID:** 0x0005  
**Data type:** PtypBoolean, 0x000B  
**Area:** General Report Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** PR\_AUTO\_FORWARDED, ptagAutoForwarded

### ***2.475 PidTagAutoResponseSuppress***

**Canonical name:** PidTagAutoResponseSuppress  
**Property ID:** 0x3FDF  
**Data type:** PtypInteger32, 0x0003  
**Area:** Email  
**References:** [MS-OXCMAIL], [MS-OXORULE]  
**Alternate names:** PR\_AUTO\_RESPONSE\_SUPPRESS, ptagAutoResponseSuppress

### ***2.476 PidTagBirthday***

**Canonical name:** PidTagBirthday  
**Property ID:** 0x3A42  
**Data type:** PtypTime, 0x0040  
**Area:** Contact Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_BIRTHDAY

### ***2.477 PidTagBlockStatus***

**Canonical name:** PidTagBlockStatus

**Property ID:** 0x1096

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_BLOCK\_STATUS, ptagBlockStatus

### ***2.478 PidTagBody***

**Canonical name:** PidTagBody

**Property ID:** 0x1000

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXBBODY], [MS-OXCADATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_BODY, PR\_BODY\_A, ptagBody, PR\_BODY\_W

### ***2.479 PidTagBodyContentId***

**Canonical name:** PidTagBodyContentId

**Property ID:** 0x1015

**Data type:** PtypString, 0x001F

**Area:** Exchange

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_BODY\_CONTENT\_ID, PR\_BODY\_CONTENT\_ID\_A, PR\_BODY\_CONTENT\_ID\_W

### ***2.480 PidTagBodyContentLocation***

**Canonical name:** PidTagBodyContentLocation

**Property ID:** 0x1014

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_BODY\_CONTENT\_LOCATION, PR\_BODY\_CONTENT\_LOCATION\_A, PR\_BODY\_CONTENT\_LOCATION\_W

### ***2.481 PidTagBodyHtml***

**Canonical name:** PidTagBodyHtml

**Property ID:** 0x1013

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

**Alternate names:** PR\_BODY\_HTML, PR\_BODY\_HTML\_A, ptagBodyHtml, PR\_BODY\_HTML\_W

### ***2.482 PidTagBusiness2TelephoneNumber***

**Canonical name:** PidTagBusiness2TelephoneNumber

**Property ID:** 0x3A1B

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS2\_TELEPHONE\_NUMBER, PR\_BUSINESS2\_TELEPHONE\_NUMBER\_A, PR\_BUSINESS2\_TELEPHONE\_NUMBER\_W, PR\_OFFICE2\_TELEPHONE\_NUMBER

### ***2.483 PidTagBusiness2TelephoneNumbers***

**Canonical name:** PidTagBusiness2TelephoneNumbers

**Property ID:** 0x3A1B

**Data type:** PtypMultipleString, 0x101F

**Area:** Contact Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_BUSINESS2\_TELEPHONE\_NUMBER\_A\_MV

### ***2.484 PidTagBusinessFaxNumber***

**Canonical name:** PidTagBusinessFaxNumber

**Property ID:** 0x3A24

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS\_FAX\_NUMBER, PR\_BUSINESS\_FAX\_NUMBER\_A, PR\_BUSINESS\_FAX\_NUMBER\_W

### ***2.485 PidTagBusinessHomePage***

**Canonical name:** PidTagBusinessHomePage

**Property ID:** 0x3A51

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS\_HOME\_PAGE, PR\_BUSINESS\_HOME\_PAGE\_A, PR\_BUSINESS\_HOME\_PAGE\_W

### ***2.486 PidTagBusinessTelephoneNumber***

**Canonical name:** PidTagBusinessTelephoneNumber

**Property ID:** 0x3A08

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_BUSINESS\_TELEPHONE\_NUMBER,  
PR\_BUSINESS\_TELEPHONE\_NUMBER\_A,  
PR\_BUSINESS\_TELEPHONE\_NUMBER\_W, PR\_OFFICE\_TELEPHONE\_NUMBER

### ***2.487 PidTagCallbackTelephoneNumber***

**Canonical name:** PidTagCallbackTelephoneNumber

**Property ID:** 0x3A02

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_CALLBACK\_TELEPHONE\_NUMBER,  
PR\_CALLBACK\_TELEPHONE\_NUMBER\_A,  
PR\_CALLBACK\_TELEPHONE\_NUMBER\_W

### ***2.488 PidTagCallId***

**Canonical name:** PidTagCallId

**Property ID:** 0x6806

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaCallID

### ***2.489 PidTagCarTelephoneNumber***

**Canonical name:** PidTagCarTelephoneNumber

**Property ID:** 0x3A1E

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_CAR\_TELEPHONE\_NUMBER,  
PR\_CAR\_TELEPHONE\_NUMBER\_A, PR\_CAR\_TELEPHONE\_NUMBER\_W

### ***2.490 PidTagChangeKey***

**Canonical name:** PidTagChangeKey

**Property ID:** 0x65E2

**Data type:** PtypBinary, 0x0102

**Area:** History Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],  
[MS-OXCSYNC]

**Alternate names:** PR\_CHANGE\_KEY

### ***2.491 PidTagChangeNotificationGuid***

**Canonical name:** PidTagChangeNotificationGuid

**Property ID:** 0x6637

**Data type:** PtypGuid, 0x0048

**Area:** Exchange

**References:** [MS-OXCNOTIF]

**Alternate names:** PR\_CHANGE\_NOTIFICATION\_GUID

### ***2.492 PidTagChangeNumber***

**Canonical name:** PidTagChangeNumber

**Property ID:** 0x67A4

**Data type:** PtypInteger64, 0x0014

**Area:** Sync

**References:** [MS-OXCFXICS], [MS-OXCSTOR]

**Alternate names:** ptagCn

### ***2.493 PidTagChildrensNames***

**Canonical name:** PidTagChildrensNames

**Property ID:** 0x3A58

**Data type:** PtypMultipleString, 0x101F

**Area:** Contact Properties

**References:** [MS-OXOCNTC]

**Alternate names:** PR\_CHILDRENS\_NAMES, PR\_CHILDRENS\_NAMES\_A,  
PR\_CHILDRENS\_NAMES\_W

### ***2.494 PidTagClientActions***

**Canonical name:** PidTagClientActions

**Property ID:** 0x6645

**Data type:** PtypBinary, 0x0102

**Area:** Server-side Rules Properties

**References:** [MS-OXORULE]

**Alternate names:** PR\_CLIENT\_ACTIONS, ptagClientActions

### ***2.495 PidTagClientSubmitTime***

**Canonical name:** PidTagClientSubmitTime

**Property ID:** 0x0039

**Data type:** PtypTime, 0x0040

**Area:** Message Time Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],  
[MS-OXORSS], [MS-OXTNEF]

**Alternate names:** PR\_CLIENT\_SUBMIT\_TIME



### ***2.496 PidTagCnsetRead***

**Canonical name:** PidTagCnsetRead  
**Property ID:** 0x67D2  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagCnsetRead

### ***2.497 PidTagCnsetSeen***

**Canonical name:** PidTagCnsetSeen  
**Property ID:** 0x6796  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagCnsetSeen

### ***2.498 PidTagCnsetSeenFAI***

**Canonical name:** PidTagCnsetSeenFAI  
**Property ID:** 0x67DA  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagCnsetSeenFAI

### ***2.499 PidTagCodePageId***

**Canonical name:** PidTagCodePageId  
**Property ID:** 0x66C3  
**Data type:** PtypInteger32, 0x0003  
**Area:** Exchange Profile Configuration  
**References:** [MS-OXCSTOR]  
**Alternate names:** PR\_CODE\_PAGE\_ID, ptagCodePageId

### ***2.500 PidTagComment***

**Canonical name:** PidTagComment  
**Property ID:** 0x3004  
**Data type:** PtypString, 0x001F  
**Area:** Common  
**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK]  
**Alternate names:** PR\_COMMENT, PR\_COMMENT\_A, ptagComment, PR\_COMMENT\_W

### ***2.501 PidTagCompanyMainTelephoneNumber***

**Canonical name:** PidTagCompanyMainTelephoneNumber

**Property ID:** 0x3A57

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_COMPANY\_MAIN\_PHONE\_NUMBER,  
PR\_COMPANY\_MAIN\_PHONE\_NUMBER\_A,  
PR\_COMPANY\_MAIN\_PHONE\_NUMBER\_W

### ***2.502 PidTagCompanyName***

**Canonical name:** PidTagCompanyName

**Property ID:** 0x3A16

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_COMPANY\_NAME, PR\_COMPANY\_NAME\_A,  
PR\_COMPANY\_NAME\_W

### ***2.503 PidTagComputerNetworkName***

**Canonical name:** PidTagComputerNetworkName

**Property ID:** 0x3A49

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_COMPUTER\_NETWORK\_NAME,  
PR\_COMPUTER\_NETWORK\_NAME\_A, PR\_COMPUTER\_NETWORK\_NAME\_W

### ***2.504 PidTagConflictEntryId***

**Canonical name:** PidTagConflictEntryId

**Property ID:** 0x3FF0

**Data type:** PtypBinary, 0x0102

**Area:** ICS

**References:** [MS-OXCSYNC]

**Alternate names:** PR\_CONFLICT\_ENTRYID, ptagConflictEntryId

### ***2.505 PidTagConflictItems***

**Canonical name:** PidTagConflictItems

**Property ID:** 0x1098

**Data type:** PtypMultipleBinary, 0x1102

**Area:** ICS

**References:** [MS-OXCSYNC]

**Alternate names:** PR\_CONFLICT\_ITEMS

### ***2.506 PidTagContainerClass***

**Canonical name:** PidTagContainerClass

**Property ID:** 0x3613

**Data type:** PtypString, 0x001F

**Area:** Container Properties

**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE]

**Alternate names:** PR\_CONTAINER\_CLASS, PR\_CONTAINER\_CLASS\_A, ptagContainerClass, PR\_CONTAINER\_CLASS\_W

### ***2.507 PidTagContainerContents***

**Canonical name:** PidTagContainerContents

**Property ID:** 0x360F

**Data type:** PtypComObject, 0x000D

**Area:** Container Properties

**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]

**Alternate names:** PR\_CONTAINER\_CONTENTS, ptagContainerContents

### ***2.508 PidTagContainerFlags***

**Canonical name:** PidTagContainerFlags

**Property ID:** 0x3600

**Data type:** PtypInteger32, 0x0003

**Area:** Address Book

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_CONTAINER\_FLAGS

### ***2.509 PidTagContainerHierarchy***

**Canonical name:** PidTagContainerHierarchy

**Property ID:** 0x360E

**Data type:** PtypComObject, 0x000D

**Area:** Container Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL]

**Alternate names:** PR\_CONTAINER\_HIERARCHY, ptagContainerHierarchy

### ***2.510 PidTagContentCount***

**Canonical name:** PidTagContentCount

**Property ID:** 0x3602

**Data type:** PtypInteger32, 0x0003

**Area:** Folder Properties

**References:** [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

**Alternate names:** PR\_CONTENT\_COUNT, ptagContentCount

### ***2.511 PidTagContentFilterSpamConfidenceLevel***

**Canonical name:** PidTagContentFilterSpamConfidenceLevel

**Property ID:** 0x4076

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_CONTENT\_FILTER\_SCL, ptagContentFilterSCL

### ***2.512 PidTagContentUnreadCount***

**Canonical name:** PidTagContentUnreadCount

**Property ID:** 0x3603

**Data type:** PtypInteger32, 0x0003

**Area:** Folder Properties

**References:** [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]

**Alternate names:** PR\_CONTENT\_UNREAD, ptagContentUnread

### ***2.513 PidTagConversationIndex***

**Canonical name:** PidTagConversationIndex

**Property ID:** 0x0071

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]

**Alternate names:** PR\_CONVERSATION\_INDEX, ptagConversationIndex

### ***2.514 PidTagConversationKey***

**Canonical name:** PidTagConversationKey

**Property ID:** 0x000B

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXTNEF]

**Alternate names:** PR\_CONVERSATION\_KEY, ptagConversationKey

### ***2.515 PidTagConversationTopic***

**Canonical name:** PidTagConversationTopic

**Property ID:** 0x0070

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF]

**Alternate names:** PR\_CONVERSATION\_TOPIC, PR\_CONVERSATION\_TOPIC\_A, ptagConversationTopic, PR\_CONVERSATION\_TOPIC\_W

### ***2.516 PidTagCountry***

**Canonical name:** PidTagCountry

**Property ID:** 0x3A26

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_COUNTRY, PR\_COUNTRY\_A, PR\_COUNTRY\_W,  
PR\_BUSINESS\_ADDRESS\_COUNTRY, PR\_BUSINESS\_ADDRESS\_COUNTRY\_A,  
PR\_BUSINESS\_ADDRESS\_COUNTRY\_W

### ***2.517 PidTagCreationTime***

**Canonical name:** PidTagCreationTime

**Property ID:** 0x3007

**Data type:** PtypTime, 0x0040

**Area:** Message Time Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_CREATION\_TIME, ptagCreationTime

### ***2.518 PidTagCreatorEntryId***

**Canonical name:** PidTagCreatorEntryId

**Property ID:** 0x3FF9

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_CREATOR\_ENTRYID, ptagCreatorEntryId

### ***2.519 PidTagCreatorName***

**Canonical name:** PidTagCreatorName

**Property ID:** 0x3FF8

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_CREATOR\_NAME, PR\_CREATOR\_NAME\_A, ptagCreatorName,  
PR\_CREATOR\_NAME\_W

### ***2.520 PidTagCreatorSimpleDisplayName***

**Canonical name:** PidTagCreatorSimpleDisplayName

**Property ID:** 0x4038

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagCreatorSimpleDispName

### ***2.521 PidTagCustomerId***

**Canonical name:** PidTagCustomerId

**Property ID:** 0x3A4A

**Data type:** PtypString, 0x001F

**Area:** Contact Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_CUSTOMER\_ID, PR\_CUSTOMER\_ID\_A, PR\_CUSTOMER\_ID\_W

### ***2.522 PidTagDamBackPatched***

**Canonical name:** PidTagDamBackPatched

**Property ID:** 0x6647

**Data type:** PtypBoolean, 0x000B

**Area:** Server-side Rules Properties

**References:** [MS-OXORULE]

**Alternate names:** PR\_DAM\_BACK\_PATCHED, ptagDamBackPatched

### ***2.523 PidTagDamOriginalEntryId***

**Canonical name:** PidTagDamOriginalEntryId

**Property ID:** 0x6646

**Data type:** PtypBinary, 0x0102

**Area:** Server-side Rules Properties

**References:** [MS-OXORULE]

**Alternate names:** PR\_DAM\_ORIGINAL\_ENTRYID

### ***2.524 PidTagDefaultPostMessageClass***

**Canonical name:** PidTagDefaultPostMessageClass

**Property ID:** 0x36E5

**Data type:** PtypString, 0x001F

**Area:** MapiContainer

**References:** [MS-OXOCAL]

**Alternate names:** PR\_DEF\_POST\_MSGCLASS

### ***2.525 PidTagDeferredDeliveryTime***

**Canonical name:** PidTagDeferredDeliveryTime

**Property ID:** 0x000F

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXOMSG]

**Alternate names:** PR\_DEFERRED\_DELIVERY\_TIME, ptagDeferredDeliveryTime

### ***2.526 PidTagDeferredSendNumber***

**Canonical name:** PidTagDeferredSendNumber  
**Property ID:** 0x3FEB  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_SEND\_NUMBER

### ***2.527 PidTagDeferredSendTime***

**Canonical name:** PidTagDeferredSendTime  
**Property ID:** 0x3FEF  
**Data type:** PtypTime, 0x0040  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_SEND\_TIME, ptagDeferredSendTime

### ***2.528 PidTagDeferredSendUnits***

**Canonical name:** PidTagDeferredSendUnits  
**Property ID:** 0x3FEC  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiStatus  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_DEFERRED\_SEND\_UNITS

### ***2.529 PidTagDelegatedByRule***

**Canonical name:** PidTagDelegatedByRule  
**Property ID:** 0x3FE3  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiStatus  
**References:** [MS-OXODLGT], [MS-OXORULE]  
**Alternate names:** PR\_DELEGATED\_BY\_RULE

### ***2.530 PidTagDelegateFlags***

**Canonical name:** PidTagDelegateFlags  
**Property ID:** 0x686B  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXODLGT]  
**Alternate names:** PR\_DELEGATE\_FLAGS, ptagDelegateFlags

### ***2.531 PidTagDelegation***

**Canonical name:** PidTagDelegation  
**Property ID:** 0x007E

**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXTNEF]  
**Alternate names:** PR\_DELEGATION

### ***2.532 PidTagDeleteAfterSubmit***

**Canonical name:** PidTagDeleteAfterSubmit  
**Property ID:** 0x0E01  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]  
**Alternate names:** PR\_DELETE\_AFTER\_SUBMIT, ptagDeleteAfterSubmit

### ***2.533 PidTagDeletedOn***

**Canonical name:** PidTagDeletedOn  
**Property ID:** 0x668F  
**Data type:** PtypTime, 0x0040  
**Area:** ExchangeFolder  
**References:** [MS-OXCFOLD]  
**Alternate names:** PR\_DELETED\_ON, ptagDeletedOn

### ***2.534 PidTagDepartmentName***

**Canonical name:** PidTagDepartmentName  
**Property ID:** 0x3A18  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_DEPARTMENT\_NAME, PR\_DEPARTMENT\_NAME\_A, PR\_DEPARTMENT\_NAME\_W

### ***2.535 PidTagDepth***

**Canonical name:** PidTagDepth  
**Property ID:** 0x3005  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiCommon  
**References:** [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]  
**Alternate names:** PR\_DEPTH, ptagDepth

### ***2.536 PidTagDisplayBcc***

**Canonical name:** PidTagDisplayBcc  
**Property ID:** 0x0E02  
**Data type:** PtypString, 0x001F  
**Area:** Message Properties



**References:** [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_DISPLAY\_BCC, PR\_DISPLAY\_BCC\_A, ptagDisplayBcc, PR\_DISPLAY\_BCC\_W

### ***2.537 PidTagDisplayCc***

**Canonical name:** PidTagDisplayCc

**Property ID:** 0x0E03

**Data type:** PtypString, 0x001F

**Area:** Message Properties

**References:** [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_DISPLAY\_CC, PR\_DISPLAY\_CC\_A, ptagDisplayCc, PR\_DISPLAY\_CC\_W

### ***2.538 PidTagDisplayName***

**Canonical name:** PidTagDisplayName

**Property ID:** 0x3001

**Data type:** PtypString, 0x001F

**Area:** MapiCommon

**References:** [MS-NSPI], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXSHARE], [MS-XWDVSEC]

**Alternate names:** PR\_DISPLAY\_NAME, PR\_DISPLAY\_NAME\_A, ptagDisplayName, PR\_DISPLAY\_NAME\_W

### ***2.539 PidTagDisplayNamePrefix***

**Canonical name:** PidTagDisplayNamePrefix

**Property ID:** 0x3A45

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_DISPLAY\_NAME\_PREFIX, PR\_DISPLAY\_NAME\_PREFIX\_A, PR\_DISPLAY\_NAME\_PREFIX\_W

### ***2.540 PidTagDisplayTo***

**Canonical name:** PidTagDisplayTo

**Property ID:** 0x0E04

**Data type:** PtypString, 0x001F

**Area:** Message Properties

**References:** [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_DISPLAY\_TO, PR\_DISPLAY\_TO\_A, ptagDisplayTo, PR\_DISPLAY\_TO\_W

### ***2.541 PidTagDisplayType***

**Canonical name:** PidTagDisplayType

**Property ID:** 0x3900

**Data type:** PtypInteger32, 0x0003

**Area:** MapiAddressBook

**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

**Alternate names:** PR\_DISPLAY\_TYPE, ptagDisplayType

### ***2.542 PidTagDisplayTypeEx***

**Canonical name:** PidTagDisplayTypeEx

**Property ID:** 0x3905

**Data type:** PtypInteger32, 0x0003

**Area:** MapiAddressBook

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

**Alternate names:** PR\_DISPLAY\_TYPE\_EX

### ***2.543 PidTagEcWarning***

**Canonical name:** PidTagEcWarning

**Property ID:** 0x400F

**Data type:** PtypInteger32, 0x0003

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS]

**Alternate names:** ptagEcWarning

### ***2.544 PidTagEmailAddress***

**Canonical name:** PidTagEmailAddress

**Property ID:** 0x3003

**Data type:** PtypString, 0x001F

**Area:** MapiCommon

**References:** [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]

**Alternate names:** PR\_EMAIL\_ADDRESS, PR\_EMAIL\_ADDRESS\_A, PR\_EMAIL\_ADDRESS\_W

### ***2.545 PidTagEmailAddress1***

**Canonical name:** PidTagEmailAddress1

**Property ID:** 0x8093

**Data type:** PtypString, 0x001F

**Area:** ExchangeDirectorySchemaDefined

**References:** [MS-OXPROTO]

**Alternate names:** PR\_EMAIL\_ADDRESS\_1

### ***2.546 PidTagEndDate***

**Canonical name:** PidTagEndDate

**Property ID:** 0x0061

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF]

**Alternate names:** PR\_END\_DATE

### ***2.547 PidTagEntryId***

**Canonical name:** PidTagEntryId

**Property ID:** 0x0FFF

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPerm], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS]

**Alternate names:** PR\_ENTRYID, ptagEntryId

### ***2.548 PidTagExceptionEndTime***

**Canonical name:** PidTagExceptionEndTime

**Property ID:** 0x7FFC

**Data type:** PtypTime, 0x0040

**Area:** MessageClassDefinedNonTransmittable

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

**Alternate names:** PR\_EXCEPTION\_ENDTIME, ptagExceptionEndTime

### ***2.549 PidTagExceptionReplaceTime***

**Canonical name:** PidTagExceptionReplaceTime

**Property ID:** 0x7FF9

**Data type:** PtypTime, 0x0040

**Area:** MessageClassDefinedNonTransmittable

**References:** [MS-OXOCAL]

**Alternate names:** PR\_EXCEPTION\_REPLACETIME

### ***2.550 PidTagExceptionStartTime***

**Canonical name:** PidTagExceptionStartTime

**Property ID:** 0x7FFB

**Data type:** PtypTime, 0x0040

**Area:** MessageClassDefinedNonTransmittable

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

**Alternate names:** PR\_EXCEPTION\_STARTTIME, ptagExceptionStartTime

### ***2.551 PidTagExpiryNumber***

**Canonical name:** PidTagExpiryNumber

**Property ID:** 0x3FED

**Data type:** PtypInteger32, 0x0003

**Area:** MapiStatus

**References:** [MS-OXOMSG]

**Alternate names:** PR\_EXPIRY\_NUMBER

### ***2.552 PidTagExpiryTime***

**Canonical name:** PidTagExpiryTime

**Property ID:** 0x0015

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCMAIL], [MS-OXOMSG]

**Alternate names:** PR\_EXPIRY\_TIME, ptagExpiryTime

### ***2.553 PidTagExpiryUnits***

**Canonical name:** PidTagExpiryUnits

**Property ID:** 0x3FEE

**Data type:** PtypInteger32, 0x0003

**Area:** MapiStatus

**References:** [MS-OXOMSG]

**Alternate names:** PR\_EXPIRY\_UNITS

### ***2.554 PidTagExtendedFolderFlags***

**Canonical name:** PidTagExtendedFolderFlags

**Property ID:** 0x36DA

**Data type:** PtypBinary, 0x0102

**Area:** MapiContainer

**References:** [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]

**Alternate names:** PR\_EXTENDED\_FOLDER\_FLAGS, ptagExtendedFolderFlags

### ***2.555 PidTagExtendedRuleMessageActions***

**Canonical name:** PidTagExtendedRuleMessageActions

**Property ID:** 0x0E99

**Data type:** PtypBinary, 0x0102  
**Area:** Rules  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_EXTENDED\_RULE\_MSG\_ACTIONS

### ***2.556 PidTagExtendedRuleMessageCondition***

**Canonical name:** PidTagExtendedRuleMessageCondition  
**Property ID:** 0x0E9A  
**Data type:** PtypBinary, 0x0102  
**Area:** Rules  
**References:** [MS-OXCPRPT], [MS-OXORULE]  
**Alternate names:** PR\_EXTENDED\_RULE\_MSG\_CONDITION

### ***2.557 PidTagExtendedRuleSizeLimit***

**Canonical name:** PidTagExtendedRuleSizeLimit  
**Property ID:** 0x0E9B  
**Data type:** PtypInteger32, 0x0003  
**Area:** Rules  
**References:** [MS-OXCSTOR], [MS-OXORULE]  
**Alternate names:** PR\_EXTENDED\_RULE\_SIZE\_LIMIT

### ***2.558 PidTagFaxNumberOfPages***

**Canonical name:** PidTagFaxNumberOfPages  
**Property ID:** 0x6804  
**Data type:** PtypInteger32, 0x0003  
**Area:** Unified Messaging Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** InternalSchemaFaxNumberOfPages

### ***2.559 PidTagFlagCompleteTime***

**Canonical name:** PidTagFlagCompleteTime  
**Property ID:** 0x1091  
**Data type:** PtypTime, 0x0040  
**Area:** Miscellaneous Properties  
**References:** [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR]  
**Alternate names:** PR\_FLAG\_COMPLETE\_TIME, ptagFlagCompleteTime

### ***2.560 PidTagFlagStatus***

**Canonical name:** PidTagFlagStatus  
**Property ID:** 0x1090  
**Data type:** PtypInteger32, 0x0003  
**Area:** Miscellaneous Properties  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG],

[MS-OXORMDR], [MS-OXOSFLD]

**Alternate names:** PR\_FLAG\_STATUS, ptagFlagStatus

### ***2.561 PidTagFolderAssociatedContents***

**Canonical name:** PidTagFolderAssociatedContents

**Property ID:** 0x3610

**Data type:** PtypComObject, 0x000D

**Area:** MapiContainer

**References:** [MS-OXCFXICS], [MS-OXCICAL]

**Alternate names:** PR\_FOLDER\_ASSOCIATED\_CONTENTS

### ***2.562 PidTagFolderId***

**Canonical name:** PidTagFolderId

**Property ID:** 0x6748

**Data type:** PtypInteger64, 0x0014

**Area:** ID Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

**Alternate names:** ptagFID

### ***2.563 PidTagFolderType***

**Canonical name:** PidTagFolderType

**Property ID:** 0x3601

**Data type:** PtypInteger32, 0x0003

**Area:** MapiContainer

**References:** [MS-OXCFOLD], [MS-OXCICAL], [MS-OXOSRCH]

**Alternate names:** PR\_FOLDER\_TYPE, ptagFolderType

### ***2.564 PidTagFollowupIcon***

**Canonical name:** PidTagFollowupIcon

**Property ID:** 0x1095

**Data type:** PtypInteger32, 0x0003

**Area:** RenMessageFolder

**References:** [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]

**Alternate names:** PR\_FOLLOWUP\_ICON, ptagFollowupIcon

### ***2.565 PidTagFreeBusyCountMonths***

**Canonical name:** PidTagFreeBusyCountMonths

**Property ID:** 0x6869

**Data type:** PtypInteger32, 0x0003

**Area:** MessageClassDefinedTransmittable

**References:** [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_COUNT\_MONTHS

### ***2.566 PidTagFreeBusyEntryIds***

**Canonical name:** PidTagFreeBusyEntryIds

**Property ID:** 0x36E4

**Data type:** PtypMultipleBinary, 0x1102

**Area:** MapiContainer

**References:** [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]

**Alternate names:** PR\_FREEBUSY\_ENTRYIDS, ptagFreeBusyEntryIds

### ***2.567 PidTagFreeBusyMessageEmailAddress***

**Canonical name:** PidTagFreeBusyMessageEmailAddress

**Property ID:** 0x6849

**Data type:** PtypString, 0x001F

**Area:** MessageClassDefinedTransmittable

**References:** [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_EMA

### ***2.568 PidTagFreeBusyPublishEnd***

**Canonical name:** PidTagFreeBusyPublishEnd

**Property ID:** 0x6848

**Data type:** PtypInteger32, 0x0003

**Area:** Free/Busy Properties

**References:** [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_PUBLISH\_END

### ***2.569 PidTagFreeBusyPublishStart***

**Canonical name:** PidTagFreeBusyPublishStart

**Property ID:** 0x6847

**Data type:** PtypInteger32, 0x0003

**Area:** Free/Busy Properties

**References:** [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_PUBLISH\_START

### ***2.570 PidTagFreeBusyRangeTimestamp***

**Canonical name:** PidTagFreeBusyRangeTimestamp

**Property ID:** 0x6868

**Data type:** PtypTime, 0x0040

**Area:** Free/Busy Properties

**References:** [MS-OXOPFFB]

**Alternate names:** PR\_FREEBUSY\_RANGE\_TIMESTAMP

### ***2.571 PidTagFtpSite***

**Canonical name:** PidTagFtpSite

**Property ID:** 0x3A4C

**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_FTP\_SITE, PR\_FTP\_SITE\_A, PR\_FTP\_SITE\_W

### ***2.572 PidTagFXDelProp***

**Canonical name:** PidTagFXDelProp  
**Property ID:** 0x4016  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagFXDelProp

### ***2.573 PidTagGatewayNeedsToRefresh***

**Canonical name:** PidTagGatewayNeedsToRefresh  
**Property ID:** 0x6846  
**Data type:** PtypBoolean, 0x000B  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_GATEWAY\_NEEDS\_TO\_REFRESH

### ***2.574 PidTagGender***

**Canonical name:** PidTagGender  
**Property ID:** 0x3A4D  
**Data type:** PtypInteger16, 0x0002  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_GENDER

### ***2.575 PidTagGeneration***

**Canonical name:** PidTagGeneration  
**Property ID:** 0x3A05  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_GENERATION, PR\_GENERATION\_A, PR\_GENERATION\_W

### ***2.576 PidTagGivenName***

**Canonical name:** PidTagGivenName  
**Property ID:** 0x3A06  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser



**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_GIVEN\_NAME, PR\_GIVEN\_NAME\_A, PR\_GIVEN\_NAME\_W

### ***2.577 PidTagGovernmentIdNumber***

**Canonical name:** PidTagGovernmentIdNumber

**Property ID:** 0x3A07

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_GOVERNMENT\_ID\_NUMBER,

PR\_GOVERNMENT\_ID\_NUMBER\_A, PR\_GOVERNMENT\_ID\_NUMBER\_W

### ***2.578 PidTagHasAttachments***

**Canonical name:** PidTagHasAttachments

**Property ID:** 0x0E1B

**Data type:** PtypBoolean, 0x000B

**Area:** Message Attachment Properties

**References:** [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG]

**Alternate names:** PR\_HASATTACH, ptagHasAttach

### ***2.579 PidTagHasDeferredActionMessages***

**Canonical name:** PidTagHasDeferredActionMessages

**Property ID:** 0x3FEA

**Data type:** PtypBoolean, 0x000B

**Area:** Rules

**References:** [MS-OXORULE]

**Alternate names:** PR\_HAS\_DAMS, ptagHasDAMs

### ***2.580 PidTagHasNamedProperties***

**Canonical name:** PidTagHasNamedProperties

**Property ID:** 0x664A

**Data type:** PtypBoolean, 0x000B

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXCFXICS], [MS-OXCMSG]

**Alternate names:** PR\_HAS\_NAMED\_PROPERTIES, ptagHasNamedProperties

### ***2.581 PidTagHasRules***

**Canonical name:** PidTagHasRules

**Property ID:** 0x663A

**Data type:** PtypBoolean, 0x000B

**Area:** ExchangeFolder

**References:** [MS-OXORULE]

**Alternate names:** PR\_HAS\_RULES, ptagHasRules

### ***2.582 PidTagHierarchyChangeNumber***

**Canonical name:** PidTagHierarchyChangeNumber  
**Property ID:** 0x663E  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeFolder  
**References:** [MS-OXCFOLD]  
**Alternate names:** PR\_HIERARCHY\_CHANGE\_NUM

### ***2.583 PidTagHobbies***

**Canonical name:** PidTagHobbies  
**Property ID:** 0x3A43  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_HOBBIES, PR\_HOBBIES\_A, PR\_HOBBIES\_W

### ***2.584 PidTagHome2TelephoneNumber***

**Canonical name:** PidTagHome2TelephoneNumber  
**Property ID:** 0x3A2F  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_HOME2\_TELEPHONE\_NUMBER,  
PR\_HOME2\_TELEPHONE\_NUMBER\_A, PR\_HOME2\_TELEPHONE\_NUMBER\_W

### ***2.585 PidTagHome2TelephoneNumbers***

**Canonical name:** PidTagHome2TelephoneNumbers  
**Property ID:** 0x3A2F  
**Data type:** PtypMultipleString, 0x101F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_HOME2\_TELEPHONE\_NUMBER\_A\_MV

### ***2.586 PidTagHomeAddressCity***

**Canonical name:** PidTagHomeAddressCity  
**Property ID:** 0x3A59  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_HOME\_ADDRESS\_CITY, PR\_HOME\_ADDRESS\_CITY\_A,  
PR\_HOME\_ADDRESS\_CITY\_W

### ***2.587 PidTagHomeAddressCountry***

**Canonical name:** PidTagHomeAddressCountry

**Property ID:** 0x3A5A

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_COUNTRY,  
PR\_HOME\_ADDRESS\_COUNTRY\_A, PR\_HOME\_ADDRESS\_COUNTRY\_W

### ***2.588 PidTagHomeAddressPostalCode***

**Canonical name:** PidTagHomeAddressPostalCode

**Property ID:** 0x3A5B

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_POSTAL\_CODE,  
PR\_HOME\_ADDRESS\_POSTAL\_CODE\_A,  
PR\_HOME\_ADDRESS\_POSTAL\_CODE\_W

### ***2.589 PidTagHomeAddressPostOfficeBox***

**Canonical name:** PidTagHomeAddressPostOfficeBox

**Property ID:** 0x3A5E

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_POST\_OFFICE\_BOX,  
PR\_HOME\_ADDRESS\_POST\_OFFICE\_BOX\_A,  
PR\_HOME\_ADDRESS\_POST\_OFFICE\_BOX\_W

### ***2.590 PidTagHomeAddressStateOrProvince***

**Canonical name:** PidTagHomeAddressStateOrProvince

**Property ID:** 0x3A5C

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_STATE\_OR\_PROVINCE,  
PR\_HOME\_ADDRESS\_STATE\_OR\_PROVINCE\_A,  
PR\_HOME\_ADDRESS\_STATE\_OR\_PROVINCE\_W

### ***2.591 PidTagHomeAddressStreet***

**Canonical name:** PidTagHomeAddressStreet

**Property ID:** 0x3A5D

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_ADDRESS\_STREET, PR\_HOME\_ADDRESS\_STREET\_A, PR\_HOME\_ADDRESS\_STREET\_W

### ***2.592 PidTagHomeFaxNumber***

**Canonical name:** PidTagHomeFaxNumber

**Property ID:** 0x3A25

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_FAX\_NUMBER, PR\_HOME\_FAX\_NUMBER\_A, PR\_HOME\_FAX\_NUMBER\_W

### ***2.593 PidTagHomeTelephoneNumber***

**Canonical name:** PidTagHomeTelephoneNumber

**Property ID:** 0x3A09

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_HOME\_TELEPHONE\_NUMBER, PR\_HOME\_TELEPHONE\_NUMBER\_A, PR\_HOME\_TELEPHONE\_NUMBER\_W

### ***2.594 PidTagHtml***

**Canonical name:** PidTagHtml

**Property ID:** 0x1013

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS]

**Alternate names:** PR\_HTML, ptagHtml

### ***2.595 PidTagIconIndex***

**Canonical name:** PidTagIconIndex

**Property ID:** 0x1080

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_ICON\_INDEX, ptagIconIndex

### ***2.596 PidTagIdsetDeleted***

**Canonical name:** PidTagIdsetDeleted  
**Property ID:** 0x67E5  
**Data type:** PtypBinary, 0x0102  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetDeleted

### ***2.597 PidTagIdsetExpired***

**Canonical name:** PidTagIdsetExpired  
**Property ID:** 0x6793  
**Data type:** PtypBinary, 0x0102  
**Area:** Sync  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagMidsetExpired

### ***2.598 PidTagIdsetGiven***

**Canonical name:** PidTagIdsetGiven  
**Property ID:** 0x4017  
**Data type:** PtypInteger32, 0x0003  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetGiven

### ***2.599 PidTagIdsetRead***

**Canonical name:** PidTagIdsetRead  
**Property ID:** 0x402D  
**Data type:** PtypBinary, 0x0102  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetRead

### ***2.600 PidTagIdsetSoftDeleted***

**Canonical name:** PidTagIdsetSoftDeleted  
**Property ID:** 0x4021  
**Data type:** PtypBinary, 0x0102  
**Area:** Sync  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagSoftDeletes

### ***2.601 PidTagIdsetUnread***

**Canonical name:** PidTagIdsetUnread  
**Property ID:** 0x402E

**Data type:** PtypBinary, 0x0102  
**Area:** TransportEnvelope  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIdsetUnread

### ***2.602 PidTagImapCachedMsgsize***

**Canonical name:** PidTagImapCachedMsgsize  
**Property ID:** 0x10F0  
**Data type:** PtypBinary, 0x0102  
**Area:** RenMessageFolder  
**References:** [MS-OXTNEF]  
**Alternate names:** ptagImapCachedMsgsize

### ***2.603 PidTagImportance***

**Canonical name:** PidTagImportance  
**Property ID:** 0x0017  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF]  
**Alternate names:** PR\_IMPORTANCE, ptagImportance

### ***2.604 PidTagInConflict***

**Canonical name:** PidTagInConflict  
**Property ID:** 0x666C  
**Data type:** PtypBoolean, 0x000B  
**Area:** Conflict Note  
**References:** [MS-OXCSYNC]  
**Alternate names:** PR\_IN\_CONFLICT, ptagInConflict

### ***2.605 PidTagIncrementalSyncMessagePartial***

**Canonical name:** PidTagIncrementalSyncMessagePartial  
**Property ID:** 0x407A  
**Data type:** PtypInteger32, 0x0003  
**Area:** ICS  
**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIncrSyncMsgPartial

### ***2.606 PidTagIncrSyncGroupId***

**Canonical name:** PidTagIncrSyncGroupId  
**Property ID:** 0x407C  
**Data type:** PtypInteger32, 0x0003  
**Area:** ICS

**References:** [MS-OXCFXICS]  
**Alternate names:** ptagIncrSyncGroupId

### ***2.607 PidTagInitialDetailsPane***

**Canonical name:** PidTagInitialDetailsPane  
**Property ID:** 0x3F08  
**Data type:** PtypInteger32, 0x0003  
**Area:** MAPI Display Tables  
**References:** [MS-NSPI], [MS-OXOABK]  
**Alternate names:** PR\_INITIAL\_DETAILS\_PANE

### ***2.608 PidTagInitials***

**Canonical name:** PidTagInitials  
**Property ID:** 0x3A0A  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_INITIALS, PR\_INITIALS\_A, PR\_INITIALS\_W

### ***2.609 PidTagInReplyToId***

**Canonical name:** PidTagInReplyToId  
**Property ID:** 0x1042  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMAIL], [MS-OXOMSG]  
**Alternate names:** PR\_IN\_REPLY\_TO\_ID, PR\_IN\_REPLY\_TO\_ID\_A, PR\_IN\_REPLY\_TO\_ID\_W

### ***2.610 PidTagInstanceKey***

**Canonical name:** PidTagInstanceKey  
**Property ID:** 0x0FF6  
**Data type:** PtypBinary, 0x0102  
**Area:** Table Properties  
**References:** [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOABKT]  
**Alternate names:** PR\_INSTANCE\_KEY, ptagInstanceKey

### ***2.611 PidTagInstanceNum***

**Canonical name:** PidTagInstanceNum  
**Property ID:** 0x674E  
**Data type:** PtypInteger32, 0x0003  
**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCTABL], [MS-OXOPFFB]  
**Alternate names:** ptagInstanceNum

### ***2.612 PidTagInstID***

**Canonical name:** PidTagInstID  
**Property ID:** 0x674D  
**Data type:** PtypInteger64, 0x0014  
**Area:** ProviderDefinedNonTransmittable  
**References:** [MS-OXCTABL], [MS-OXOPFFB]  
**Alternate names:** ptagInstID

### ***2.613 PidTagInternetArticleNumber***

**Canonical name:** PidTagInternetArticleNumber  
**Property ID:** 0x0E23  
**Data type:** PtypInteger32, 0x0003  
**Area:** MIME Properties  
**References:** [MS-OXCFXICS]  
**Alternate names:** PR\_INTERNET\_ARTICLE\_NUMBER

### ***2.614 PidTagInternetCodepage***

**Canonical name:** PidTagInternetCodepage  
**Property ID:** 0x3FDE  
**Data type:** PtypInteger32, 0x0003  
**Area:** Miscellaneous Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]  
**Alternate names:** PR\_INTERNET\_CPID, ptagInternetCpid

### ***2.615 PidTagInternetMailOverrideFormat***

**Canonical name:** PidTagInternetMailOverrideFormat  
**Property ID:** 0x5902  
**Data type:** PtypInteger32, 0x0003  
**Area:** MIME Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]  
**Alternate names:** PR\_INETMAIL\_OVERRIDE\_FORMAT, ptagInetMailOverrideFormat

### ***2.616 PidTagInternetMessageId***

**Canonical name:** PidTagInternetMessageId  
**Property ID:** 0x1035  
**Data type:** PtypString, 0x001F  
**Area:** MIME Properties  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]



**Alternate names:** PR\_INTERNET\_MESSAGE\_ID, PR\_INTERNET\_MESSAGE\_ID\_A, PR\_INTERNET\_MESSAGE\_ID\_W

### ***2.617 PidTagInternetReferences***

**Canonical name:** PidTagInternetReferences

**Property ID:** 0x1039

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_INTERNET\_REFERENCES, PR\_INTERNET\_REFERENCES\_A, PR\_INTERNET\_REFERENCES\_W

### ***2.618 PidTagInternetReturnPath***

**Canonical name:** PidTagInternetReturnPath

**Property ID:** 0x1046

**Data type:** PtypString, 0x001F

**Area:** MIME Properties

**References:** [MS-OXCICAL]

**Alternate names:** PR\_INTERNET\_RETURN\_PATH, PR\_INTERNET\_RETURN\_PATH\_A, PR\_INTERNET\_RETURN\_PATH\_W

### ***2.619 PidTagIpmAppointmentEntryId***

**Canonical name:** PidTagIpmAppointmentEntryId

**Property ID:** 0x36D0

**Data type:** PtypBinary, 0x0102

**Area:** Folder Properties

**References:** [MS-OXODLGT], [MS-OXOSFLD]

**Alternate names:** PR\_IPM\_APPOINTMENT\_ENTRYID

### ***2.620 PidTagIpmContactEntryId***

**Canonical name:** PidTagIpmContactEntryId

**Property ID:** 0x36D1

**Data type:** PtypBinary, 0x0102

**Area:** Folder Properties

**References:** [MS-OXODLGT], [MS-OXOSFLD]

**Alternate names:** PR\_IPM\_CONTACT\_ENTRYID

### ***2.621 PidTagIpmDraftsEntryId***

**Canonical name:** PidTagIpmDraftsEntryId

**Property ID:** 0x36D7

**Data type:** PtypBinary, 0x0102

**Area:** Folder Properties

**References:** [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_DRAFTS\_ENTRYID

### ***2.622 PidTagIpmJournalEntryId***

**Canonical name:** PidTagIpmJournalEntryId  
**Property ID:** 0x36D2  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_JOURNAL\_ENTRYID

### ***2.623 PidTagIpmNoteEntryId***

**Canonical name:** PidTagIpmNoteEntryId  
**Property ID:** 0x36D3  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_NOTE\_ENTRYID

### ***2.624 PidTagIpmTaskEntryId***

**Canonical name:** PidTagIpmTaskEntryId  
**Property ID:** 0x36D4  
**Data type:** PtypBinary, 0x0102  
**Area:** Folder Properties  
**References:** [MS-OXODLGT], [MS-OXOSFLD]  
**Alternate names:** PR\_IPM\_TASK\_ENTRYID

### ***2.625 PidTagIsdnNumber***

**Canonical name:** PidTagIsdnNumber  
**Property ID:** 0x3A2D  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_ISDN\_NUMBER, PR\_ISDN\_NUMBER\_A, PR\_ISDN\_NUMBER\_W

### ***2.626 PidTagItemTemporaryflags***

**Canonical name:** PidTagItemTemporaryflags  
**Property ID:** 0x1097  
**Data type:** PtypInteger32, 0x0003  
**Area:** General Message Properties  
**References:** [MS-OXCFOLD]  
**Alternate names:** PR\_ITEM\_TMPFLAGS

### ***2.627 PidTagJunkAddRecipientsToSafeSendersList***

**Canonical name:** PidTagJunkAddRecipientsToSafeSendersList

**Property ID:** 0x6103

**Data type:** PtypInteger32, 0x0003

**Area:** Spam

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_JUNK\_ADD\_RECIPS\_TO\_SSL

### ***2.628 PidTagJunkIncludeContacts***

**Canonical name:** PidTagJunkIncludeContacts

**Property ID:** 0x6100

**Data type:** PtypInteger32, 0x0003

**Area:** Spam

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_JUNK\_INCLUDE\_CONTACTS

### ***2.629 PidTagJunkPermanentlyDelete***

**Canonical name:** PidTagJunkPermanentlyDelete

**Property ID:** 0x6102

**Data type:** PtypInteger32, 0x0003

**Area:** Spam

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_JUNK\_PERMANENTLY\_DELETE

### ***2.630 PidTagJunkPhishingEnableLinks***

**Canonical name:** PidTagJunkPhishingEnableLinks

**Property ID:** 0x6107

**Data type:** PtypBoolean, 0x000B

**Area:** Spam

**References:** [MS-OXCSPAM], [MS-OXPHISH]

**Alternate names:** PR\_JUNK\_PHISHING\_ENABLE\_LINKS

### ***2.631 PidTagJunkThreshold***

**Canonical name:** PidTagJunkThreshold

**Property ID:** 0x6101

**Data type:** PtypInteger32, 0x0003

**Area:** Spam

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_JUNK\_THRESHOLD

### ***2.632 PidTagKeyword***

**Canonical name:** PidTagKeyword

**Property ID:** 0x3A0B

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_KEYWORD, PR\_KEYWORD\_A, PR\_KEYWORD\_W

### ***2.633 PidTagLanguage***

**Canonical name:** PidTagLanguage

**Property ID:** 0x3A0C

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_LANGUAGE, PR\_LANGUAGE\_A, PR\_LANGUAGE\_W

### ***2.634 PidTagLastModificationTime***

**Canonical name:** PidTagLastModificationTime

**Property ID:** 0x3008

**Data type:** PtypTime, 0x0040

**Area:** Message Time Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK], [MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

**Alternate names:** PR\_LAST\_MODIFICATION\_TIME, ptagLastModificationTime

### ***2.635 PidTagLastModifierEntryId***

**Canonical name:** PidTagLastModifierEntryId

**Property ID:** 0x3FFB

**Data type:** PtypBinary, 0x0102

**Area:** History Properties

**References:** [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_LAST\_MODIFIER\_ENTRYID, ptagLastModifierEntryId

### ***2.636 PidTagLastModifierName***

**Canonical name:** PidTagLastModifierName

**Property ID:** 0x3FFA

**Data type:** PtypString, 0x001F

**Area:** History Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXTNEF]

**Alternate names:** PR\_LAST\_MODIFIER\_NAME, PR\_LAST\_MODIFIER\_NAME\_A, ptagLastModifierName, PR\_LAST\_MODIFIER\_NAME\_W

### ***2.637 PidTagLastModifierSimpleDisplayName***

**Canonical name:** PidTagLastModifierSimpleDisplayName

**Property ID:** 0x4039

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagLastModifierSimpleDispName

### ***2.638 PidTagLastVerbExecuted***

**Canonical name:** PidTagLastVerbExecuted

**Property ID:** 0x1081

**Data type:** PtypInteger32, 0x0003

**Area:** History Properties

**References:** [MS-OXCICAL]

**Alternate names:** PR\_LAST\_VERB\_EXECUTED, ptagLastVerbExecuted

### ***2.639 PidTagLastVerbExecutionTime***

**Canonical name:** PidTagLastVerbExecutionTime

**Property ID:** 0x1082

**Data type:** PtypTime, 0x0040

**Area:** History Properties

**References:** [MS-OXCICAL]

**Alternate names:** PR\_LAST\_VERB\_EXECUTION\_TIME, ptagLastVerbExecutionTime

### ***2.640 PidTagListHelp***

**Canonical name:** PidTagListHelp

**Property ID:** 0x1043

**Data type:** PtypString, 0x001F

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_LIST\_HELP, PR\_LIST\_HELP\_A, PR\_LIST\_HELP\_W

### ***2.641 PidTagListSubscribe***

**Canonical name:** PidTagListSubscribe

**Property ID:** 0x1044

**Data type:** PtypString, 0x001F

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_LIST\_SUBSCRIBE, PR\_LIST\_SUBSCRIBE\_A,  
PR\_LIST\_SUBSCRIBE\_W

### ***2.642 PidTagListUnsubscribe***

**Canonical name:** PidTagListUnsubscribe

**Property ID:** 0x1045

**Data type:** PtypString, 0x001F

**Area:** Miscellaneous Properties

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_LIST\_UNSUBSCRIBE, PR\_LIST\_UNSUBSCRIBE\_A, PR\_LIST\_UNSUBSCRIBE\_W

### ***2.643 PidTagLocalCommitTime***

**Canonical name:** PidTagLocalCommitTime

**Property ID:** 0x6709

**Data type:** PtypTime, 0x0040

**Area:** Server

**References:** [MS-OXCMSG]

**Alternate names:** PR\_LOCAL\_COMMIT\_TIME, ptagLocalCommitTime

### ***2.644 PidTagLocaleId***

**Canonical name:** PidTagLocaleId

**Property ID:** 0x66A1

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCMSG], [MS-OXCSTOR]

**Alternate names:** PR\_LOCALE\_ID, ptagLocaleId

### ***2.645 PidTagLocality***

**Canonical name:** PidTagLocality

**Property ID:** 0x3A27

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_LOCALITY, PR\_LOCALITY\_A, PR\_LOCALITY\_W, PR\_BUSINESS\_ADDRESS\_LOCALITY, PR\_BUSINESS\_ADDRESS\_LOCALITY\_A, PR\_BUSINESS\_ADDRESS\_LOCALITY\_W

### ***2.646 PidTagLocation***

**Canonical name:** PidTagLocation

**Property ID:** 0x3A0D

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS]

**Alternate names:** PR\_LOCATION, PR\_LOCATION\_A, PR\_LOCATION\_W

### ***2.647 PidTagMailboxOwnerEntryId***

**Canonical name:** PidTagMailboxOwnerEntryId

**Property ID:** 0x661B

**Data type:** PtypBinary, 0x0102

**Area:** Message Store Properties

**References:** [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** PR\_MAILBOX\_OWNER\_ENTRYID, ptagMailboxOwnerEntryId

### ***2.648 PidTagMailboxOwnerName***

**Canonical name:** PidTagMailboxOwnerName

**Property ID:** 0x661C

**Data type:** PtypString, 0x001F

**Area:** Message Store Properties

**References:** [MS-OXCSTOR], [MS-OXOCAL]

**Alternate names:** PR\_MAILBOX\_OWNER\_NAME,  
PR\_MAILBOX\_OWNER\_NAME\_A, ptagMailboxOwnerName,  
PR\_MAILBOX\_OWNER\_NAME\_W

### ***2.649 PidTagManagerName***

**Canonical name:** PidTagManagerName

**Property ID:** 0x3A4E

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_MANAGER\_NAME, PR\_MANAGER\_NAME\_A,  
PR\_MANAGER\_NAME\_W

### ***2.650 PidTagMappingSignature***

**Canonical name:** PidTagMappingSignature

**Property ID:** 0x0FF8

**Data type:** PtypBinary, 0x0102

**Area:** Miscellaneous Properties

**References:** [MS-NSPI], [MS-OXOABK]

**Alternate names:** PR\_MAPPING\_SIGNATURE, ptagMappingSignature

### ***2.651 PidTagMaximumSubmitMessageSize***

**Canonical name:** PidTagMaximumSubmitMessageSize

**Property ID:** 0x666D

**Data type:** PtypInteger32, 0x0003

**Area:** Message Store Properties

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_MAX\_SUBMIT\_MESSAGE\_SIZE

### ***2.652 PidTagMemberId***

**Canonical name:** PidTagMemberId  
**Property ID:** 0x6671  
**Data type:** PtypInteger64, 0x0014  
**Area:** Access Control Properties  
**References:** [MS-OXCPERM]  
**Alternate names:** PR\_MEMBER\_ID, ptagMemberId

### ***2.653 PidTagMemberName***

**Canonical name:** PidTagMemberName  
**Property ID:** 0x6672  
**Data type:** PtypString, 0x001F  
**Area:** Access Control Properties  
**References:** [MS-OXCPERM]  
**Alternate names:** PR\_MEMBER\_NAME, PR\_MEMBER\_NAME\_A, ptagMemberName, PR\_MEMBER\_NAME\_W

### ***2.654 PidTagMemberRights***

**Canonical name:** PidTagMemberRights  
**Property ID:** 0x6673  
**Data type:** PtypInteger32, 0x0003  
**Area:** Access Control Properties  
**References:** [MS-OXCFCFOLD], [MS-OXCPERM], [MS-OXODLGT]  
**Alternate names:** PR\_MEMBER\_RIGHTS, ptagMemberRights

### ***2.655 PidTagMessageAttachments***

**Canonical name:** PidTagMessageAttachments  
**Property ID:** 0x0E13  
**Data type:** PtypComObject, 0x000D  
**Area:** Message Attachment Properties  
**References:** [MS-OXCDCDATA], [MS-OXCFCXICS]  
**Alternate names:** PR\_MESSAGE\_ATTACHMENTS, ptagMessageAttachments

### ***2.656 PidTagMessageCcMe***

**Canonical name:** PidTagMessageCcMe  
**Property ID:** 0x0058  
**Data type:** PtypBoolean, 0x000B  
**Area:** General Message Properties  
**References:** [MS-OXOMSG], [MS-OXTNEF]  
**Alternate names:** PR\_MESSAGE\_CC\_ME, ptagMessageCcMe



### ***2.657 PidTagMessageClass***

**Canonical name:** PidTagMessageClass

**Property ID:** 0x001A

**Data type:** PtypString, 0x001F

**Area:** Common

**References:** [MS-OXBBODY], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUM], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_CLASS, PR\_MESSAGE\_CLASS\_A, ptagMessageClass, PR\_MESSAGE\_CLASS\_W

### ***2.658 PidTagMessageCodepage***

**Canonical name:** PidTagMessageCodepage

**Property ID:** 0x3FFD

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_CODEPAGE

### ***2.659 PidTagMessageDeliveryTime***

**Canonical name:** PidTagMessageDeliveryTime

**Property ID:** 0x0E06

**Data type:** PtypTime, 0x0040

**Area:** Message Time Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_DELIVERY\_TIME

### ***2.660 PidTagMessageEditorFormat***

**Canonical name:** PidTagMessageEditorFormat

**Property ID:** 0x5909

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MSG\_EDITOR\_FORMAT, ptagMsgEditorFormat

### ***2.661 PidTagMessageFlags***

**Canonical name:** PidTagMessageFlags

**Property ID:** 0x0E07

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_FLAGS, ptagMessageFlags

### ***2.662 PidTagMessageHandlingSystemCommonName***

**Canonical name:** PidTagMessageHandlingSystemCommonName

**Property ID:** 0x3A0F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_MHS\_COMMON\_NAME, PR\_MHS\_COMMON\_NAME\_A, PR\_MHS\_COMMON\_NAME\_W

### ***2.663 PidTagMessageLocaleId***

**Canonical name:** PidTagMessageLocaleId

**Property ID:** 0x3FF1

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_LOCALE\_ID

### ***2.664 PidTagMessageRecipientMe***

**Canonical name:** PidTagMessageRecipientMe

**Property ID:** 0x0059

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_RECIP\_ME, ptagMessageRecipMe

### ***2.665 PidTagMessageRecipients***

**Canonical name:** PidTagMessageRecipients

**Property ID:** 0x0E12

**Data type:** PtypComObject, 0x000D

**Area:** Address Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_RECIPIENTS, ptagMessageRecipients

### ***2.666 PidTagMessageSize***

**Canonical name:** PidTagMessageSize

**Property ID:** 0x0E08

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOCFG], [MS-OXPFOAB]

**Alternate names:** PR\_MESSAGE\_SIZE, ptagMessageSize

### ***2.667 PidTagMessageSizeExtended***

**Canonical name:** PidTagMessageSizeExtended

**Property ID:** 0x0E08

**Data type:** PtypInteger64, 0x0014

**Area:** General Message Properties

**References:** [MS-OXCFOLD], [MS-OXCSTOR]

**Alternate names:** PR\_MESSAGE\_SIZE\_EXTENDED, ptagMessageSizeExtended

### ***2.668 PidTagMessageStatus***

**Canonical name:** PidTagMessageStatus

**Property ID:** 0x0E17

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCSYNC]

**Alternate names:** PR\_MSG\_STATUS, ptagMsgStatus

### ***2.669 PidTagMessageSubmissionId***

**Canonical name:** PidTagMessageSubmissionId

**Property ID:** 0x0047

**Data type:** PtypBinary, 0x0102

**Area:** Email

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_SUBMISSION\_ID, ptagMessageSubmissionId

### ***2.670 PidTagMessageToMe***

**Canonical name:** PidTagMessageToMe

**Property ID:** 0x0057

**Data type:** PtypBoolean, 0x000B

**Area:** General Message Properties

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_MESSAGE\_TO\_ME, ptagMessageToMe

### ***2.671 PidTagMid***

**Canonical name:** PidTagMid

**Property ID:** 0x674A

**Data type:** PtypInteger64, 0x0014

**Area:** ID Properties

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

**Alternate names:** ptagMID

### ***2.672 PidTagMiddleName***

**Canonical name:** PidTagMiddleName

**Property ID:** 0x3A44

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOCNTC]

**Alternate names:** PR\_MIDDLE\_NAME, PR\_MIDDLE\_NAME\_A, PR\_MIDDLE\_NAME\_W

### ***2.673 PidTagMobileTelephoneNumber***

**Canonical name:** PidTagMobileTelephoneNumber

**Property ID:** 0x3A1C

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_MOBILE\_TELEPHONE\_NUMBER, PR\_MOBILE\_TELEPHONE\_NUMBER\_A, PR\_MOBILE\_TELEPHONE\_NUMBER\_W

### ***2.674 PidTagNewFXFolder***

**Canonical name:** PidTagNewFXFolder

**Property ID:** 0x4011

**Data type:** PtypBinary, 0x0102

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS]

**Alternate names:** ptagNewFXFolder

### ***2.675 PidTagNextSendAcct***

**Canonical name:** PidTagNextSendAcct

**Property ID:** 0x0E29

**Data type:** PtypString, 0x001F

**Area:**

**References:** [MS-OXCICAL], [MS-OXOMSG]

**Alternate names:** PR\_NEXT\_SEND\_ACCT

### ***2.676 PidTagNickname***

**Canonical name:** PidTagNickname

**Property ID:** 0x3A4F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG]

**Alternate names:** PR\_NICKNAME, PR\_NICKNAME\_A, PR\_NICKNAME\_W

### ***2.677 PidTagNormalizedSubject***

**Canonical name:** PidTagNormalizedSubject

**Property ID:** 0x0E1D

**Data type:** PtypString, 0x001F

**Area:** Email

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF]

**Alternate names:** PR\_NORMALIZED\_SUBJECT, PR\_NORMALIZED\_SUBJECT\_A, ptagNormalizedSubject, PR\_NORMALIZED\_SUBJECT\_W

### ***2.678 PidTagNormalMessageSize***

**Canonical name:** PidTagNormalMessageSize

**Property ID:** 0x66B3

**Data type:** PtypInteger32, 0x0003

**Area:** Server

**References:** [MS-OXCFOLD]

**Alternate names:** PR\_NORMAL\_MESSAGE\_SIZE

### ***2.679 PidTagObjectType***

**Canonical name:** PidTagObjectType

**Property ID:** 0x0FFE

**Data type:** PtypInteger32, 0x0003

**Area:** Common

**References:** [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXOSRCH]

**Alternate names:** PR\_OBJECT\_TYPE, ptagObjectType

### ***2.680 PidTagOfficeLocation***

**Canonical name:** PidTagOfficeLocation

**Property ID:** 0x3A19

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OFFICE\_LOCATION, PR\_OFFICE\_LOCATION\_A, PR\_OFFICE\_LOCATION\_W

### ***2.681 PidTagOfflineAddressBookContainerGuid***

**Canonical name:** PidTagOfflineAddressBookContainerGuid

**Property ID:** 0x6802

**Data type:** PtypString, 0x001F

**Area:** Offline Address Book Properties

**References:** [MS-OXOAB], [MS-OXPFOAB]

**Alternate names:** PR\_OAB\_CONTAINER\_GUID, PR\_OAB\_CONTAINER\_GUID\_W

### ***2.682 PidTagOfflineAddressBookDistinguishedName***

**Canonical name:** PidTagOfflineAddressBookDistinguishedName

**Property ID:** 0x6804

**Data type:** PtypString, 0x001F

**Area:** Offline Address Book Properties

**References:** [MS-OXOAB], [MS-OXPFOAB]

**Alternate names:** PR\_OAB\_DN, PR\_OAB\_DN\_W

### ***2.683 PidTagOfflineAddressBookMessageClass***

**Canonical name:** PidTagOfflineAddressBookMessageClass

**Property ID:** 0x6803

**Data type:** PtypInteger32, 0x0003

**Area:** Offline Address Book Properties

**References:** [MS-OXPFOAB]

**Alternate names:** PR\_OAB\_MESSAGE\_CLASS

### ***2.684 PidTagOfflineAddressBookName***

**Canonical name:** PidTagOfflineAddressBookName

**Property ID:** 0x6800

**Data type:** PtypString, 0x001F

**Area:** Offline Address Book Properties

**References:** [MS-OXOAB], [MS-OXPFOAB]

**Alternate names:** PR\_OAB\_NAME, PR\_OAB\_NAME\_W

### ***2.685 PidTagOfflineAddressBookSequence***

**Canonical name:** PidTagOfflineAddressBookSequence

**Property ID:** 0x6801

**Data type:** PtypInteger32, 0x0003

**Area:** Offline Address Book Properties

**References:** [MS-OXOAB], [MS-OXPFOAB]  
**Alternate names:** PR\_OAB\_SEQUENCE

### ***2.686 PidTagOfflineAddressBookTruncatedProperties***

**Canonical name:** PidTagOfflineAddressBookTruncatedProperties  
**Property ID:** 0x6805  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Offline Address Book Properties  
**References:** [MS-OXOAB]  
**Alternate names:** PR\_OAB\_TRUNCATED\_PROPS

### ***2.687 PidTagOrdinalMost***

**Canonical name:** PidTagOrdinalMost  
**Property ID:** 0x36E2  
**Data type:** PtypInteger32, 0x0003  
**Area:** Tasks  
**References:** [MS-OXOTASK]  
**Alternate names:** PR\_ORDINAL\_MOST

### ***2.688 PidTagOrganizationalIdNumber***

**Canonical name:** PidTagOrganizationalIdNumber  
**Property ID:** 0x3A10  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_ORGANIZATIONAL\_ID\_NUMBER,  
PR\_ORGANIZATIONAL\_ID\_NUMBER\_A, PR\_ORGANIZATIONAL\_ID\_NUMBER\_W

### ***2.689 PidTagOriginalAuthorName***

**Canonical name:** PidTagOriginalAuthorName  
**Property ID:** 0x004D  
**Data type:** PtypString, 0x001F  
**Area:** Email  
**References:** [MS-OXCICAL]  
**Alternate names:** PR\_ORIGINAL\_AUTHOR\_NAME,  
PR\_ORIGINAL\_AUTHOR\_NAME\_A, ptagOriginalAuthorName,  
PR\_ORIGINAL\_AUTHOR\_NAME\_W

### ***2.690 PidTagOriginalDeliveryTime***

**Canonical name:** PidTagOriginalDeliveryTime  
**Property ID:** 0x0055  
**Data type:** PtypTime, 0x0040  
**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DELIVERY\_TIME, ptagOriginalDeliveryTime

### ***2.691 PidTagOriginalDisplayBcc***

**Canonical name:** PidTagOriginalDisplayBcc

**Property ID:** 0x0072

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_BCC, PR\_ORIGINAL\_DISPLAY\_BCC\_A, ptagOriginalDisplayBcc, PR\_ORIGINAL\_DISPLAY\_BCC\_W

### ***2.692 PidTagOriginalDisplayCc***

**Canonical name:** PidTagOriginalDisplayCc

**Property ID:** 0x0073

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_CC, PR\_ORIGINAL\_DISPLAY\_CC\_A, ptagOriginalDisplayCc, PR\_ORIGINAL\_DISPLAY\_CC\_W

### ***2.693 PidTagOriginalDisplayName***

**Canonical name:** PidTagOriginalDisplayName

**Property ID:** 0x3A13

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOABK]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_NAME, PR\_ORIGINAL\_DISPLAY\_NAME\_A, ptagOriginalDisplayName, PR\_ORIGINAL\_DISPLAY\_NAME\_W

### ***2.694 PidTagOriginalDisplayTo***

**Canonical name:** PidTagOriginalDisplayTo

**Property ID:** 0x0074

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_DISPLAY\_TO, PR\_ORIGINAL\_DISPLAY\_TO\_A, ptagOriginalDisplayTo, PR\_ORIGINAL\_DISPLAY\_TO\_W

### ***2.695 PidTagOriginalEntryId***

**Canonical name:** PidTagOriginalEntryId

**Property ID:** 0x3A12



**Data type:** PtypBinary, 0x0102  
**Area:** General Message Properties  
**References:** [MS-OXCSYNC], [MS-OXOABK]  
**Alternate names:** PR\_ORIGINAL\_ENTRYID, ptagOriginalEntryId

### ***2.696 PidTagOriginalMessageClass***

**Canonical name:** PidTagOriginalMessageClass  
**Property ID:** 0x004B  
**Data type:** PtypString, 0x001F  
**Area:** Secure Messaging Properties  
**References:** [MS-OXTNEF]  
**Alternate names:** PR\_ORIG\_MESSAGE\_CLASS, PR\_ORIG\_MESSAGE\_CLASS\_A, PR\_ORIG\_MESSAGE\_CLASS\_W

### ***2.697 PidTagOriginalSearchKey***

**Canonical name:** PidTagOriginalSearchKey  
**Property ID:** 0x3A14  
**Data type:** PtypBinary, 0x0102  
**Area:** General Message Properties  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_ORIGINAL\_SEARCH\_KEY, ptagOriginalSearchKey

### ***2.698 PidTagOriginalSenderAddressType***

**Canonical name:** PidTagOriginalSenderAddressType  
**Property ID:** 0x0066  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_ORIGINAL\_SENDER\_ADDRTYPE, PR\_ORIGINAL\_SENDER\_ADDRTYPE\_A, ptagOriginalSenderAddrType, PR\_ORIGINAL\_SENDER\_ADDRTYPE\_W

### ***2.699 PidTagOriginalSenderEmailAddress***

**Canonical name:** PidTagOriginalSenderEmailAddress  
**Property ID:** 0x0067  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_ORIGINAL\_SENDER\_EMAIL\_ADDRESS, PR\_ORIGINAL\_SENDER\_EMAIL\_ADDRESS\_A, PR\_ORIGINAL\_SENDER\_EMAIL\_ADDRESS\_W

### ***2.700 PidTagOriginalSenderEntryId***

**Canonical name:** PidTagOriginalSenderEntryId

**Property ID:** 0x005B

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_ENTRYID, ptagOriginalSenderEntryId

### ***2.701 PidTagOriginalSenderName***

**Canonical name:** PidTagOriginalSenderName

**Property ID:** 0x005A

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_NAME,  
PR\_ORIGINAL\_SENDER\_NAME\_A, ptagOriginalSenderName,  
PR\_ORIGINAL\_SENDER\_NAME\_W

### ***2.702 PidTagOriginalSenderSearchKey***

**Canonical name:** PidTagOriginalSenderSearchKey

**Property ID:** 0x005C

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENDER\_SEARCH\_KEY,  
ptagOriginalSenderSearchKey

### ***2.703 PidTagOriginalSensitivity***

**Canonical name:** PidTagOriginalSensitivity

**Property ID:** 0x002E

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCICAL], [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENSITIVITY, ptagOriginalSensitivity

### ***2.704 PidTagOriginalSentRepresentingAddressType***

**Canonical name:** PidTagOriginalSentRepresentingAddressType

**Property ID:** 0x0068

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_ADDRTYPE,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_ADDRTYPE\_A,

ptagOriginalSentRepresentingAddrType,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_ADDRTYPE\_W

### ***2.705 PidTagOriginalSentRepresentingEmailAddress***

**Canonical name:** PidTagOriginalSentRepresentingEmailAddress

**Property ID:** 0x0069

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_EMAIL\_ADDRESS,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_A,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_W

### ***2.706 PidTagOriginalSentRepresentingEntryId***

**Canonical name:** PidTagOriginalSentRepresentingEntryId

**Property ID:** 0x005E

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_ENTRYID,  
ptagOriginalSentRepresentingEntryId

### ***2.707 PidTagOriginalSentRepresentingName***

**Canonical name:** PidTagOriginalSentRepresentingName

**Property ID:** 0x005D

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_NAME,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_NAME\_A, ptagOriginalSentRepresentingName,  
PR\_ORIGINAL\_SENT\_REPRESENTING\_NAME\_W

### ***2.708 PidTagOriginalSentRepresentingSearchKey***

**Canonical name:** PidTagOriginalSentRepresentingSearchKey

**Property ID:** 0x005F

**Data type:** PtypBinary, 0x0102

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SENT\_REPRESENTING\_SEARCH\_KEY,  
ptagOriginalSentRepresentingSearchKey

### ***2.709 PidTagOriginalSubject***

**Canonical name:** PidTagOriginalSubject

**Property ID:** 0x0049

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCSYNC], [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SUBJECT, PR\_ORIGINAL\_SUBJECT\_A, ptagOriginalSubject, PR\_ORIGINAL\_SUBJECT\_W

### ***2.710 PidTagOriginalSubmitTime***

**Canonical name:** PidTagOriginalSubmitTime

**Property ID:** 0x004E

**Data type:** PtypTime, 0x0040

**Area:** General Message Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINAL\_SUBMIT\_TIME, ptagOriginalSubmitTime

### ***2.711 PidTagOriginatorDeliveryReportRequested***

**Canonical name:** PidTagOriginatorDeliveryReportRequested

**Property ID:** 0x0023

**Data type:** PtypBoolean, 0x000B

**Area:** MIME Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_ORIGINATOR\_DELIVERY\_REPORT\_REQUESTED

### ***2.712 PidTagOriginatorNonDeliveryReportRequested***

**Canonical name:** PidTagOriginatorNonDeliveryReportRequested

**Property ID:** 0x0C08

**Data type:** PtypBoolean, 0x000B

**Area:** MIME Properties

**References:** [MS-OXOMSG]

**Alternate names:** PR\_ORIGINATOR\_NON\_DELIVERY\_REPORT\_REQUESTED

### ***2.713 PidTagOtherAddressCity***

**Canonical name:** PidTagOtherAddressCity

**Property ID:** 0x3A5F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_CITY, PR\_OTHER\_ADDRESS\_CITY\_A, PR\_OTHER\_ADDRESS\_CITY\_W

### ***2.714 PidTagOtherAddressCountry***

**Canonical name:** PidTagOtherAddressCountry

**Property ID:** 0x3A60

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_COUNTRY,  
PR\_OTHER\_ADDRESS\_COUNTRY\_A, PR\_OTHER\_ADDRESS\_COUNTRY\_W

### ***2.715 PidTagOtherAddressPostalCode***

**Canonical name:** PidTagOtherAddressPostalCode

**Property ID:** 0x3A61

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_POSTAL\_CODE,  
PR\_OTHER\_ADDRESS\_POSTAL\_CODE\_A,  
PR\_OTHER\_ADDRESS\_POSTAL\_CODE\_W

### ***2.716 PidTagOtherAddressPostOfficeBox***

**Canonical name:** PidTagOtherAddressPostOfficeBox

**Property ID:** 0x3A64

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_POST\_OFFICE\_BOX,  
PR\_OTHER\_ADDRESS\_POST\_OFFICE\_BOX\_A,  
PR\_OTHER\_ADDRESS\_POST\_OFFICE\_BOX\_W

### ***2.717 PidTagOtherAddressStateOrProvince***

**Canonical name:** PidTagOtherAddressStateOrProvince

**Property ID:** 0x3A62

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_STATE\_OR\_PROVINCE,  
PR\_OTHER\_ADDRESS\_STATE\_OR\_PROVINCE\_A,  
PR\_OTHER\_ADDRESS\_STATE\_OR\_PROVINCE\_W

### ***2.718 PidTagOtherAddressStreet***

**Canonical name:** PidTagOtherAddressStreet

**Property ID:** 0x3A63

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_ADDRESS\_STREET,  
PR\_OTHER\_ADDRESS\_STREET\_A, PR\_OTHER\_ADDRESS\_STREET\_W

### ***2.719 PidTagOtherTelephoneNumber***

**Canonical name:** PidTagOtherTelephoneNumber

**Property ID:** 0x3A1F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_OTHER\_TELEPHONE\_NUMBER,  
PR\_OTHER\_TELEPHONE\_NUMBER\_A, PR\_OTHER\_TELEPHONE\_NUMBER\_W

### ***2.720 PidTagOutOfOfficeState***

**Canonical name:** PidTagOutOfOfficeState

**Property ID:** 0x661D

**Data type:** PtypBoolean, 0x000B

**Area:** Message Store Properties

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_OOF\_STATE, ptagOOFState

### ***2.721 PidTagOwnerAppointmentId***

**Canonical name:** PidTagOwnerAppointmentId

**Property ID:** 0x0062

**Data type:** PtypInteger32, 0x0003

**Area:** Appointment

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF]

**Alternate names:** PR\_OWNER\_APPT\_ID

### ***2.722 PidTagPagerTelephoneNumber***

**Canonical name:** PidTagPagerTelephoneNumber

**Property ID:** 0x3A21

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PAGER\_TELEPHONE\_NUMBER,  
PR\_PAGER\_TELEPHONE\_NUMBER\_A, PR\_PAGER\_TELEPHONE\_NUMBER\_W

### ***2.723 PidTagParentEntryId***

**Canonical name:** PidTagParentEntryId

**Property ID:** 0x0E09

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPFOAB]

**Alternate names:** PR\_PARENT\_ENTRYID, ptagParentEntryId

### ***2.724 PidTagParentFolderId***

**Canonical name:** PidTagParentFolderId

**Property ID:** 0x6749

**Data type:** PtypInteger64, 0x0014

**Area:** ID Properties

**References:** [MS-OXCFXICS]

**Alternate names:** ptagParentFID

### ***2.725 PidTagParentKey***

**Canonical name:** PidTagParentKey

**Property ID:** 0x0025

**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_PARENT\_KEY, ptagParentKey

### ***2.726 PidTagParentSourceKey***

**Canonical name:** PidTagParentSourceKey

**Property ID:** 0x65E1

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_PARENT\_SOURCE\_KEY

### ***2.727 PidTagPersonalHomePage***

**Canonical name:** PidTagPersonalHomePage

**Property ID:** 0x3A50

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PERSONAL\_HOME\_PAGE, PR\_PERSONAL\_HOME\_PAGE\_A, PR\_PERSONAL\_HOME\_PAGE\_W

### ***2.728 PidTagPostalAddress***

**Canonical name:** PidTagPostalAddress

**Property ID:** 0x3A15

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_POSTAL\_ADDRESS, PR\_POSTAL\_ADDRESS\_A, PR\_POSTAL\_ADDRESS\_W

### ***2.729 PidTagPostalCode***

**Canonical name:** PidTagPostalCode

**Property ID:** 0x3A2A

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_POSTAL\_CODE, PR\_POSTAL\_CODE\_A, PR\_POSTAL\_CODE\_W, PR\_BUSINESS\_ADDRESS\_POSTAL\_CODE, PR\_BUSINESS\_ADDRESS\_POSTAL\_CODE\_A, PR\_BUSINESS\_ADDRESS\_POSTAL\_CODE\_W

### ***2.730 PidTagPostOfficeBox***

**Canonical name:** PidTagPostOfficeBox

**Property ID:** 0x3A2B

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_POST\_OFFICE\_BOX, PR\_POST\_OFFICE\_BOX\_A, PR\_POST\_OFFICE\_BOX\_W, PR\_BUSINESS\_ADDRESS\_POST\_OFFICE\_BOX, PR\_BUSINESS\_ADDRESS\_POST\_OFFICE\_BOX\_A, PR\_BUSINESS\_ADDRESS\_POST\_OFFICE\_BOX\_W

### ***2.731 PidTagPredecessorChangeList***

**Canonical name:** PidTagPredecessorChangeList

**Property ID:** 0x65E3

**Data type:** PtypBinary, 0x0102

**Area:** Sync

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_PREDECESSOR\_CHANGE\_LIST

### ***2.732 PidTagPrimaryFaxNumber***

**Canonical name:** PidTagPrimaryFaxNumber

**Property ID:** 0x3A23

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PRIMARY\_FAX\_NUMBER, PR\_PRIMARY\_FAX\_NUMBER\_A, PR\_PRIMARY\_FAX\_NUMBER\_W



### ***2.733 PidTagPrimarySendAccount***

**Canonical name:** PidTagPrimarySendAccount

**Property ID:** 0x0E28

**Data type:** PtypString, 0x001F

**Area:** MapiNonTransmittable

**References:** [MS-OXOMSG]

**Alternate names:** PR\_PRIMARY\_SEND\_ACCT

### ***2.734 PidTagPrimarySntpAddress***

**Canonical name:** PidTagPrimarySntpAddress

**Property ID:** 0x39FE

**Data type:** PtypString, 0x001F

**Area:** MapiAddressBook

**References:** [MS-OXCFXICS], [MS-OXOSRCH]

**Alternate names:** ptagPrimarySMTPAddress

### ***2.735 PidTagPrimaryTelephoneNumber***

**Canonical name:** PidTagPrimaryTelephoneNumber

**Property ID:** 0x3A1A

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PRIMARY\_TELEPHONE\_NUMBER,

PR\_PRIMARY\_TELEPHONE\_NUMBER\_A,

PR\_PRIMARY\_TELEPHONE\_NUMBER\_W

### ***2.736 PidTagPriority***

**Canonical name:** PidTagPriority

**Property ID:** 0x0026

**Data type:** PtypInteger32, 0x0003

**Area:** Email

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXTNEF]

**Alternate names:** PR\_PRIORITY, ptagPriority

### ***2.737 PidTagProcessed***

**Canonical name:** PidTagProcessed

**Property ID:** 0x7D01

**Data type:** PtypBoolean, 0x000B

**Area:** Calendar

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]

**Alternate names:** PR\_PROCESSED

### ***2.738 PidTagProfession***

**Canonical name:** PidTagProfession

**Property ID:** 0x3A46

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_PROFESSION, PR\_PROFESSION\_A, PR\_PROFESSION\_W

### ***2.739 PidTagProhibitReceiveQuota***

**Canonical name:** PidTagProhibitReceiveQuota

**Property ID:** 0x666A

**Data type:** PtypInteger32, 0x0003

**Area:** Exchange Administrative

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_PROHIBIT\_RECEIVE\_QUOTA, ptagProhibitReceiveQuota

### ***2.740 PidTagProhibitSendQuota***

**Canonical name:** PidTagProhibitSendQuota

**Property ID:** 0x666E

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeAdministrative

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_PROHIBIT\_SEND\_QUOTA, ptagProhibitSendQuota

### ***2.741 PidTagProviderSubmitTime***

**Canonical name:** PidTagProviderSubmitTime

**Property ID:** 0x0048

**Data type:** PtypTime, 0x0040

**Area:** Email

**References:** [MS-OXOMSG]

**Alternate names:** PR\_PROVIDER\_SUBMIT\_TIME

### ***2.742 PidTagPurportedSenderDomain***

**Canonical name:** PidTagPurportedSenderDomain

**Property ID:** 0x4083

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXCMAIL]

**Alternate names:** PR\_PURPORTED\_SENDER\_DOMAIN

### ***2.743 PidTagRadioTelephoneNumber***

**Canonical name:** PidTagRadioTelephoneNumber

**Property ID:** 0x3A1D

**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_RADIO\_TELEPHONE\_NUMBER,  
PR\_RADIO\_TELEPHONE\_NUMBER\_A, PR\_RADIO\_TELEPHONE\_NUMBER\_W

### ***2.744 PidTagRead***

**Canonical name:** PidTagRead  
**Property ID:** 0x0E69  
**Data type:** PtypBoolean, 0x000B  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCTABL]  
**Alternate names:** PR\_READ, ptagRead

### ***2.745 PidTagReadReceiptEntryId***

**Canonical name:** PidTagReadReceiptEntryId  
**Property ID:** 0x0046  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_READ\_RECEIPT\_ENTRYID, ptagReadReceiptEntryId

### ***2.746 PidTagReadReceiptRequested***

**Canonical name:** PidTagReadReceiptRequested  
**Property ID:** 0x0029  
**Data type:** PtypBoolean, 0x000B  
**Area:** Email  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],  
[MS-OXOTASK], [MS-OXTNEF]  
**Alternate names:** PR\_READ\_RECEIPT\_REQUESTED, ptagReadReceiptRequested

### ***2.747 PidTagReadReceiptSearchKey***

**Canonical name:** PidTagReadReceiptSearchKey  
**Property ID:** 0x0053  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_READ\_RECEIPT\_SEARCH\_KEY, ptagReadReceiptSearchKey

### ***2.748 PidTagReceivedByAddressType***

**Canonical name:** PidTagReceivedByAddressType  
**Property ID:** 0x0075  
**Data type:** PtypString, 0x001F

**Area:** MapiEnvelope

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_ADDRTYPE, PR\_RECEIVED\_BY\_ADDRTYPE\_A, ptagReceivedByAddrType, PR\_RECEIVED\_BY\_ADDRTYPE\_W

### ***2.749 PidTagReceivedByEmailAddress***

**Canonical name:** PidTagReceivedByEmailAddress

**Property ID:** 0x0076

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_EMAIL\_ADDRESS, PR\_RECEIVED\_BY\_EMAIL\_ADDRESS\_A, PR\_RECEIVED\_BY\_EMAIL\_ADDRESS\_W

### ***2.750 PidTagReceivedByEntryId***

**Canonical name:** PidTagReceivedByEntryId

**Property ID:** 0x003F

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_ENTRYID

### ***2.751 PidTagReceivedByFlags***

**Canonical name:** PidTagReceivedByFlags

**Property ID:** 0x401B

**Data type:** PtypInteger32, 0x0003

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagRcvdByFlags

### ***2.752 PidTagReceivedByName***

**Canonical name:** PidTagReceivedByName

**Property ID:** 0x0040

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_NAME, PR\_RECEIVED\_BY\_NAME\_A, PR\_RECEIVED\_BY\_NAME\_W

### ***2.753 PidTagReceivedBySearchKey***

**Canonical name:** PidTagReceivedBySearchKey

**Property ID:** 0x0051

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

**Alternate names:** PR\_RECEIVED\_BY\_SEARCH\_KEY

### ***2.754 PidTagReceivedRepresentingAddressType***

**Canonical name:** PidTagReceivedRepresentingAddressType

**Property ID:** 0x0077

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_ADDRTYPE, PR\_RCVD\_REPRESENTING\_ADDRTYPE\_A, ptagRcvdRepresentingAddrType, PR\_RCVD\_REPRESENTING\_ADDRTYPE\_W

### ***2.755 PidTagReceivedRepresentingEmailAddress***

**Canonical name:** PidTagReceivedRepresentingEmailAddress

**Property ID:** 0x0078

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_EMAIL\_ADDRESS, PR\_RCVD\_REPRESENTING\_EMAIL\_ADDRESS\_A, PR\_RCVD\_REPRESENTING\_EMAIL\_ADDRESS\_W

### ***2.756 PidTagReceivedRepresentingEntryId***

**Canonical name:** PidTagReceivedRepresentingEntryId

**Property ID:** 0x0043

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_ENTRYID, ptagRcvdRepresentingEntryId

### ***2.757 PidTagReceivedRepresentingFlags***

**Canonical name:** PidTagReceivedRepresentingFlags

**Property ID:** 0x401C

**Data type:** PtypInteger32, 0x0003

**Area:** TransportEnvelope

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagRcvdRepresentingFlags

### ***2.758 PidTagReceivedRepresentingName***

**Canonical name:** PidTagReceivedRepresentingName

**Property ID:** 0x0044

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_NAME, PR\_RCVD\_REPRESENTING\_NAME\_A, ptagRcvdRepresentingName, PR\_RCVD\_REPRESENTING\_NAME\_W

### ***2.759 PidTagReceivedRepresentingSearchKey***

**Canonical name:** PidTagReceivedRepresentingSearchKey

**Property ID:** 0x0052

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

**Alternate names:** PR\_RCVD\_REPRESENTING\_SEARCH\_KEY, ptagRcvdRepresentingSearchKey

### ***2.760 PidTagReceivedRepresentingSimpleDisplayName***

**Canonical name:** PidTagReceivedRepresentingSimpleDisplayName

**Property ID:** 0x4035

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXCMAIL], [MS-OXTNEF]

**Alternate names:** ptagRcvdRepresentingSimpleDispName

### ***2.761 PidTagReceivedRepresentingSimpleDisplayName***

**Canonical name:** PidTagReceivedRepresentingSimpleDisplayName

**Property ID:** 0x4035

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging

**References:** [MS-OXTNEF]

**Alternate names:**

### ***2.762 PidTagRecipientDisplayName***

**Canonical name:** PidTagRecipientDisplayName

**Property ID:** 0x5FF6

**Data type:** PtypString, 0x001F

**Area:** TransportRecipient

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_RECIPIENT\_DISPLAY\_NAME,  
PR\_RECIPIENT\_DISPLAY\_NAME\_W

### ***2.763 PidTagRecipientEntryId***

**Canonical name:** PidTagRecipientEntryId

**Property ID:** 0x5FF7

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_RECIPIENT\_ENTRYID, ptagRecipientEntryId

### ***2.764 PidTagRecipientFlags***

**Canonical name:** PidTagRecipientFlags

**Property ID:** 0x5FFD

**Data type:** PtypInteger32, 0x0003

**Area:** TransportRecipient

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]

**Alternate names:** PR\_RECIPIENT\_FLAGS

### ***2.765 PidTagRecipientOrder***

**Canonical name:** PidTagRecipientOrder

**Property ID:** 0x5FDF

**Data type:** PtypInteger32, 0x0003

**Area:** TransportRecipient

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_RECIPIENT\_ORDER, ptagRecipientOrder

### ***2.766 PidTagRecipientProposed***

**Canonical name:** PidTagRecipientProposed

**Property ID:** 0x5FE1

**Data type:** PtypBoolean, 0x000B

**Area:** TransportRecipient

**References:** [MS-OXOCAL]

**Alternate names:** PR\_RECIPIENT\_PROPOSED, ptagRecipientProposed

### ***2.767 PidTagRecipientProposedEndTime***

**Canonical name:** PidTagRecipientProposedEndTime

**Property ID:** 0x5FE4

**Data type:** PtypTime, 0x0040

**Area:** TransportRecipient

**References:** [MS-OXOCAL]

**Alternate names:** PR\_RECIPIENT\_PROPOSEDENDTIME, ptagRecipientProposedEndTime

### ***2.768 PidTagRecipientProposedStartTime***

**Canonical name:** PidTagRecipientProposedStartTime

**Property ID:** 0x5FE3

**Data type:** PtypTime, 0x0040

**Area:** TransportRecipient

**References:** [MS-OXOCAL]

**Alternate names:** PR\_RECIPIENT\_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

### ***2.769 PidTagRecipientReassignmentProhibited***

**Canonical name:** PidTagRecipientReassignmentProhibited

**Property ID:** 0x002B

**Data type:** PtypBoolean, 0x000B

**Area:** MapiEnvelope

**References:** [MS-OXCICAL], [MS-OXOMSG]

**Alternate names:** PR\_RECIPIENT\_REASSIGNMENT\_PROHIBITED, ptagRecipientReassignmentProhibited

### ***2.770 PidTagRecipientResourceState***

**Canonical name:** PidTagRecipientResourceState

**Property ID:** 0x5FDE

**Data type:** PtypInteger32, 0x0003

**Area:** TransportRecipient

**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

**Alternate names:** PR\_RECIPIENT\_RESOURCESTATE

### ***2.771 PidTagRecipientTrackStatus***

**Canonical name:** PidTagRecipientTrackStatus

**Property ID:** 0x5FFF

**Data type:** PtypInteger32, 0x0003

**Area:** TransportRecipient



**References:** [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]  
**Alternate names:** PR\_RECIPIENT\_TRACKSTATUS, ptagRecipientTrackStatus

### ***2.772 PidTagRecipientTrackStatusTime***

**Canonical name:** PidTagRecipientTrackStatusTime  
**Property ID:** 0x5FFB  
**Data type:** PtypTime, 0x0040  
**Area:** TransportRecipient  
**References:** [MS-OXOCAL]  
**Alternate names:** PR\_RECIPIENT\_TRACKSTATUS\_TIME, ptagRecipientTrackStatusTime

### ***2.773 PidTagRecipientType***

**Canonical name:** PidTagRecipientType  
**Property ID:** 0x0C15  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiRecipient  
**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]  
**Alternate names:** PR\_RECIPIENT\_TYPE, ptagRecipientType

### ***2.774 PidTagRecordKey***

**Canonical name:** PidTagRecordKey  
**Property ID:** 0x0FF9  
**Data type:** PtypBinary, 0x0102  
**Area:** ID Properties  
**References:** [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]  
**Alternate names:** PR\_RECORD\_KEY, ptagRecordKey

### ***2.775 PidTagReferredByName***

**Canonical name:** PidTagReferredByName  
**Property ID:** 0x3A47  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PRREFERRED\_BY\_NAME, PRREFERRED\_BY\_NAME\_A, PRREFERRED\_BY\_NAME\_W

### ***2.776 PidTagRemindersOnlineEntryId***

**Canonical name:** PidTagRemindersOnlineEntryId  
**Property ID:** 0x36D5  
**Data type:** PtypBinary, 0x0102

**Area:** MapiContainer

**References:** [MS-OXOSFLD]

**Alternate names:** PR\_REM\_ONLINE\_ENTRYID, ptagRemOnlineEntryId

### ***2.777 PidTagRemoteHeaderLoc***

**Canonical name:** PidTagRemoteHeaderLoc

**Property ID:** 0x0078

**Data type:** PtypString, 0x001F

**Area:** MapiEnvelope

**References:** [MS-OXODLGT]

**Alternate names:** PR\_REMOTE\_HEADER\_LOC

### ***2.778 PidTagRenderingPosition***

**Canonical name:** PidTagRenderingPosition

**Property ID:** 0x370B

**Data type:** PtypInteger32, 0x0003

**Area:** MapiAttachment

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_RENDERING\_POSITION, ptagRenderingPosition

### ***2.779 PidTagReplyRecipientEntries***

**Canonical name:** PidTagReplyRecipientEntries

**Property ID:** 0x004F

**Data type:** PtypBinary, 0x0102

**Area:** MapiEnvelope

**References:** [MS-OXCMAIL], [MS-OXOMSG]

**Alternate names:** PR\_REPLY\_RECIPIENT\_ENTRIES, ptagReplyRecipientEntries

### ***2.780 PidTagReplyRecipientNames***

**Canonical name:** PidTagReplyRecipientNames

**Property ID:** 0x0050

**Data type:** PtypString, 0x001F

**Area:** MapiEnvelope

**References:** [MS-OXCMAIL], [MS-OXOMSG]

**Alternate names:** PR\_REPLY\_RECIPIENT\_NAMES, PR\_REPLY\_RECIPIENT\_NAMES\_A, ptagReplyRecipientNames, PR\_REPLY\_RECIPIENT\_NAMES\_W

### ***2.781 PidTagReplyRequested***

**Canonical name:** PidTagReplyRequested

**Property ID:** 0x0C17

**Data type:** PtypBoolean, 0x000B  
**Area:** MapiRecipient  
**References:** [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]  
**Alternate names:** PR\_REPLY\_REQUESTED, ptagReplyRequested

### ***2.782 PidTagReplyTemplateId***

**Canonical name:** PidTagReplyTemplateId  
**Property ID:** 0x65C2  
**Data type:** PtypBinary, 0x0102  
**Area:** Rules  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_REPLY\_TEMPLATE\_ID, ptagReplyTemplateId

### ***2.783 PidTagReplyTime***

**Canonical name:** PidTagReplyTime  
**Property ID:** 0x0030  
**Data type:** PtypTime, 0x0040  
**Area:** MapiEnvelope  
**References:** [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR]  
**Alternate names:** PR\_REPLY\_TIME

### ***2.784 PidTagReportEntryId***

**Canonical name:** PidTagReportEntryId  
**Property ID:** 0x0045  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_REPORT\_ENTRYID, ptagReportEntryId

### ***2.785 PidTagReportSearchKey***

**Canonical name:** PidTagReportSearchKey  
**Property ID:** 0x0054  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXOMSG]  
**Alternate names:** PR\_REPORT\_SEARCH\_KEY, ptagReportSearchKey

### ***2.786 PidTagReportTag***

**Canonical name:** PidTagReportTag  
**Property ID:** 0x0031  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope

**References:** [MS-OXOMSG]

**Alternate names:** PR\_REPORT\_TAG, ptagReportTag

### ***2.787 PidTagReportText***

**Canonical name:** PidTagReportText

**Property ID:** 0x1001

**Data type:** PtypString, 0x001F

**Area:** MapiMessage

**References:** [MS-OXOMSG]

**Alternate names:** PR\_REPORT\_TEXT, PR\_REPORT\_TEXT\_A, ptagReportText, PR\_REPORT\_TEXT\_W

### ***2.788 PidTagReportTime***

**Canonical name:** PidTagReportTime

**Property ID:** 0x0032

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_REPORT\_TIME, ptagReportTime

### ***2.789 PidTagResolveMethod***

**Canonical name:** PidTagResolveMethod

**Property ID:** 0x3FE7

**Data type:** PtypInteger32, 0x0003

**Area:** MapiStatus

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_RESOLVE\_METHOD, ptagResolveMethod

### ***2.790 PidTagResponseRequested***

**Canonical name:** PidTagResponseRequested

**Property ID:** 0x0063

**Data type:** PtypBoolean, 0x000B

**Area:** MapiEnvelope

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXTNEF]

**Alternate names:** PR\_RESPONSE\_REQUESTED

### ***2.791 PidTagResponsibility***

**Canonical name:** PidTagResponsibility

**Property ID:** 0x0E0F

**Data type:** PtypBoolean, 0x000B

**Area:** MapiNonTransmittable

**References:** [MS-OXCFXICS]

**Alternate names:** PR\_RESPONSIBILITY, ptagResponsibility

### ***2.792 PidTagRights***

**Canonical name:** PidTagRights

**Property ID:** 0x6639

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeFolder

**References:** [MS-OXCFOLD]

**Alternate names:** PR\_RIGHTS, ptagRights

### ***2.793 PidTagRoamingDatatypes***

**Canonical name:** PidTagRoamingDatatypes

**Property ID:** 0x7C06

**Data type:** PtypInteger32, 0x0003

**Area:** Configuration

**References:** [MS-OXOCFG]

**Alternate names:** PR\_ROAMING\_DATATYPES

### ***2.794 PidTagRoamingDictionary***

**Canonical name:** PidTagRoamingDictionary

**Property ID:** 0x7C07

**Data type:** PtypBinary, 0x0102

**Area:** Configuration

**References:** [MS-OXOCFG]

**Alternate names:** PR\_ROAMING\_DICTIONARY

### ***2.795 PidTagRoamingXmlStream***

**Canonical name:** PidTagRoamingXmlStream

**Property ID:** 0x7C08

**Data type:** PtypBinary, 0x0102

**Area:** Configuration

**References:** [MS-OXOCFG]

**Alternate names:** PR\_ROAMING\_XMLSTREAM

### ***2.796 PidTagRowid***

**Canonical name:** PidTagRowid

**Property ID:** 0x3000

**Data type:** PtypInteger32, 0x0003

**Area:** MapiCommon

**References:** [MS-OXCFXICS]

**Alternate names:** PR\_ROWID, ptagRowId

### ***2.797 PidTagRowType***

**Canonical name:** PidTagRowType

**Property ID:** 0x0FF5

**Data type:** PtypInteger32, 0x0003

**Area:** MapiNonTransmittable

**References:** [MS-OXCTABL]

**Alternate names:** PR\_ROW\_TYPE, ptagRowType

### ***2.798 PidTagRtfCompressed***

**Canonical name:** PidTagRtfCompressed

**Property ID:** 0x1009

**Data type:** PtypBinary, 0x0102

**Area:** Email

**References:** [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]

**Alternate names:** PR\_RTF\_COMPRESSED, ptagRTFCompressed

### ***2.799 PidTagRtfInSync***

**Canonical name:** PidTagRtfInSync

**Property ID:** 0x0E1F

**Data type:** PtypBoolean, 0x000B

**Area:** Email

**References:** [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

**Alternate names:** PR\_RTF\_IN\_SYNC, ptagRTFInSync

### ***2.800 PidTagRtfSyncBodyCount***

**Canonical name:** PidTagRtfSyncBodyCount

**Property ID:** 0x1007

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_BODY\_COUNT, ptagRTFSyncBodyCount

### ***2.801 PidTagRtfSyncBodyCrc***

**Canonical name:** PidTagRtfSyncBodyCrc

**Property ID:** 0x1006

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_BODY\_CRC, ptagRTFSyncBodyCRC

### ***2.802 PidTagRtfSyncBodyTag***

**Canonical name:** PidTagRtfSyncBodyTag

**Property ID:** 0x1008

**Data type:** PtypString, 0x001F

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_BODY\_TAG, PR\_RTF\_SYNC\_BODY\_TAG\_A, ptagRTFSyncBodyTag, PR\_RTF\_SYNC\_BODY\_TAG\_W

### ***2.803 PidTagRtfSyncPrefixCount***

**Canonical name:** PidTagRtfSyncPrefixCount

**Property ID:** 0x1010

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_PREFIX\_COUNT

### ***2.804 PidTagRtfSyncTrailingCount***

**Canonical name:** PidTagRtfSyncTrailingCount

**Property ID:** 0x1011

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessage

**References:** [MS-OXTNEF]

**Alternate names:** PR\_RTF\_SYNC\_TRAILING\_COUNT

### ***2.805 PidTagRuleActionNumber***

**Canonical name:** PidTagRuleActionNumber

**Property ID:** 0x6650

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ACTION\_NUMBER, ptagRuleActionNumber

### ***2.806 PidTagRuleActions***

**Canonical name:** PidTagRuleActions

**Property ID:** 0x6680

**Data type:** PtypServerEntryId, 0x00FE

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_ACTIONS, ptagRuleActions

### ***2.807 PidTagRuleActionType***

**Canonical name:** PidTagRuleActionType

**Property ID:** 0x6649

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ACTION\_TYPE, ptagRuleActionType

### ***2.808 PidTagRuleCondition***

**Canonical name:** PidTagRuleCondition

**Property ID:** 0x6679

**Data type:** PtypServerEntryId, 0x00FD

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_CONDITION, ptagRuleCondition

### ***2.809 PidTagRuleError***

**Canonical name:** PidTagRuleError

**Property ID:** 0x6648

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ERROR, ptagRuleError

### ***2.810 PidTagRuleFolderEntryId***

**Canonical name:** PidTagRuleFolderEntryId

**Property ID:** 0x6651

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeMessageReadOnly

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_FOLDER\_ENTRYID, ptagRuleFolderEntryId

### ***2.811 PidTagRuleId***

**Canonical name:** PidTagRuleId

**Property ID:** 0x6674

**Data type:** PtypInteger64, 0x0014

**Area:** Server-Side Rules Properties

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_ID, ptagRuleId

### ***2.812 PidTagRuleLevel***

**Canonical name:** PidTagRuleLevel

**Property ID:** 0x6683



**Data type:** PtypInteger32, 0x0003  
**Area:** Server-Side Rules Properties  
**References:** [MS-OXODLGT], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_LEVEL, ptagRuleLevel

### ***2.813 PidTagRuleMessageLevel***

**Canonical name:** PidTagRuleMessageLevel  
**Property ID:** 0x65ED  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_LEVEL, ptagRuleMsgLevel

### ***2.814 PidTagRuleMessageProviderData***

**Canonical name:** PidTagRuleMessageProviderData  
**Property ID:** 0x65EE  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_PROVIDER\_DATA, ptagRuleMsgProviderData

### ***2.815 PidTagRuleMessageSequence***

**Canonical name:** PidTagRuleMessageSequence  
**Property ID:** 0x65F3  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_SEQUENCE, ptagRuleMsgSequence

### ***2.816 PidTagRuleMessageState***

**Canonical name:** PidTagRuleMessageState  
**Property ID:** 0x65E9  
**Data type:** PtypInteger32, 0x0003  
**Area:** ExchangeNonTransmittableReserved  
**References:** [MS-OXCSPAM], [MS-OXORULE]  
**Alternate names:** PR\_RULE\_MSG\_STATE, ptagRuleMsgState

### ***2.817 PidTagRuleMsgActions***

**Canonical name:** PidTagRuleMsgActions  
**Property ID:** 0x65EF  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_RULE\_MSG\_ACTIONS, ptagRuleMsgActions

### ***2.818 PidTagRuleMsgCondition***

**Canonical name:** PidTagRuleMsgCondition

**Property ID:** 0x65F0

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM]

**Alternate names:** PR\_RULE\_MSG\_CONDITION, ptagRuleMsgCondition

### ***2.819 PidTagRuleMsgLevel***

**Canonical name:** PidTagRuleMsgLevel

**Property ID:** 0x65ED

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_LEVEL, ptagRuleMsgLevel

### ***2.820 PidTagRuleMsgName***

**Canonical name:** PidTagRuleMsgName

**Property ID:** 0x65EC

**Data type:** PtypString, 0x001F

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** ptagRuleMsgName

### ***2.821 PidTagRuleMsgProvider***

**Canonical name:** PidTagRuleMsgProvider

**Property ID:** 0x65EB

**Data type:** PtypString, 0x001F

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** ptagRuleMsgProvider

### ***2.822 PidTagRuleMsgProviderData***

**Canonical name:** PidTagRuleMsgProviderData

**Property ID:** 0x65EE

**Data type:** PtypBinary, 0x0102

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_PROVIDER\_DATA, ptagRuleMsgProviderData

### ***2.823 PidTagRuleMsgSequence***

**Canonical name:** PidTagRuleMsgSequence

**Property ID:** 0x65F3

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_SEQUENCE, ptagRuleMsgSequence

### ***2.824 PidTagRuleMsgState***

**Canonical name:** PidTagRuleMsgState

**Property ID:** 0x65E9

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_STATE, ptagRuleMsgState

### ***2.825 PidTagRuleMsgUserFlags***

**Canonical name:** PidTagRuleMsgUserFlags

**Property ID:** 0x65EA

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeNonTransmittableReserved

**References:** [MS-OXCSPAM], [MS-OXORULE]

**Alternate names:** PR\_RULE\_MSG\_USER\_FLAGS, ptagRuleMsgUserFlags

### ***2.826 PidTagRuleName***

**Canonical name:** PidTagRuleName

**Property ID:** 0x6682

**Data type:** PtypString, 0x001F

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_NAME, PR\_RULE\_NAME\_A, ptagRuleName, PR\_RULE\_NAME\_W

### ***2.827 PidTagRuleProvider***

**Canonical name:** PidTagRuleProvider

**Property ID:** 0x6681

**Data type:** PtypString, 0x001F

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_PROVIDER, ptagRuleProvider, PR\_RULE\_PROVIDER\_W

### ***2.828 PidTagRuleProviderData***

**Canonical name:** PidTagRuleProviderData

**Property ID:** 0x6684

**Data type:** PtypBinary, 0x0102

**Area:** Server-Side Rules Properties

**References:** [MS-OXORULE]

**Alternate names:** PR\_RULE\_PROVIDER\_DATA, ptagRuleProviderData

### ***2.829 PidTagRuleSequence***

**Canonical name:** PidTagRuleSequence

**Property ID:** 0x6676

**Data type:** PtypInteger32, 0x0003

**Area:** Server-Side Rules Properties

**References:** [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_SEQUENCE, ptagRuleSequence

### ***2.830 PidTagRuleState***

**Canonical name:** PidTagRuleState

**Property ID:** 0x6677

**Data type:** PtypInteger32, 0x0003

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_STATE, ptagRuleState

### ***2.831 PidTagRuleUserFlags***

**Canonical name:** PidTagRuleUserFlags

**Property ID:** 0x6678

**Data type:** PtypInteger32, 0x0003

**Area:** Server-Side Rules Properties

**References:** [MS-OXODLGT], [MS-OXORULE]

**Alternate names:** PR\_RULE\_USER\_FLAGS, ptagRuleUserFlags

### ***2.832 PidTagScheduleInfoAppointmentTombstone***

**Canonical name:** PidTagScheduleInfoAppointmentTombstone

**Property ID:** 0x686A

**Data type:** PtypBinary, 0x0102

**Area:** Free/Busy Properties

**References:** [MS-OXOCAL]

**Alternate names:** PR\_SCHDINFO\_APPT\_TOMBSTONE

### ***2.833 PidTagScheduleInfoAutoAcceptAppointments***

**Canonical name:** PidTagScheduleInfoAutoAcceptAppointments

**Property ID:** 0x686D

**Data type:** PtypBoolean, 0x000B

**Area:** Free/Busy Properties

**References:** [MS-OXOCAL], [MS-OXOPFFB]

**Alternate names:** PR\_SCHDINFO\_AUTO\_ACCEPT\_APPTS

### ***2.834 PidTagScheduleInfoDelegateEntryIds***

**Canonical name:** PidTagScheduleInfoDelegateEntryIds

**Property ID:** 0x6845

**Data type:** PtypMultipleBinary, 0x1102

**Area:** Free/Busy Properties

**References:** [MS-OXODLGT]

**Alternate names:** PR\_SCHDINFO\_DELEGATE\_ENTRYIDS

### ***2.835 PidTagScheduleInfoDelegateNames***

**Canonical name:** PidTagScheduleInfoDelegateNames

**Property ID:** 0x6844

**Data type:** PtypMultipleString, 0x101F

**Area:** Free/Busy Properties

**References:** [MS-OXMSG], [MS-OXODLGT]

**Alternate names:** PR\_SCHDINFO\_DELEGATE\_NAMES

### ***2.836 PidTagScheduleInfoDelegateNamesW***

**Canonical name:** PidTagScheduleInfoDelegateNamesW

**Property ID:** 0x684A

**Data type:** PtypString, 0x001F

**Area:** Free/Busy Properties

**References:** [MS-OXODLGT]

**Alternate names:** PR\_SCHDINFO\_DELEGATE\_NAMES\_W

### ***2.837 PidTagScheduleInfoDelegatorWantsCopy***

**Canonical name:** PidTagScheduleInfoDelegatorWantsCopy

**Property ID:** 0x6842

**Data type:** PtypBoolean, 0x000B

**Area:** Free/Busy Properties

**References:** [MS-OXODLGT], [MS-OXOPFFB]

**Alternate names:** PR\_SCHDINFO\_BOSS\_WANTS\_COPY

### ***2.838 PidTagScheduleInfoDelegatorWantsInfo***

**Canonical name:** PidTagScheduleInfoDelegatorWantsInfo

**Property ID:** 0x684B

**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_BOSS\_WANTS\_INFO

### ***2.839 PidTagScheduleInfoDisallowOverlappingAppts***

**Canonical name:** PidTagScheduleInfoDisallowOverlappingAppts  
**Property ID:** 0x686F  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_DISALLOW\_OVERLAPPING\_APPTS

### ***2.840 PidTagScheduleInfoDisallowRecurringAppts***

**Canonical name:** PidTagScheduleInfoDisallowRecurringAppts  
**Property ID:** 0x686E  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOCAL], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_DISALLOW\_RECURRING\_APPTS

### ***2.841 PidTagScheduleInfoDontMailDelegates***

**Canonical name:** PidTagScheduleInfoDontMailDelegates  
**Property ID:** 0x6843  
**Data type:** PtypBoolean, 0x000B  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_DONT\_MAIL\_DELEGATES

### ***2.842 PidTagScheduleInfoFreeBusy***

**Canonical name:** PidTagScheduleInfoFreeBusy  
**Property ID:** 0x686C  
**Data type:** PtypBinary, 0x0102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY

### ***2.843 PidTagScheduleInfoFreeBusyAway***

**Canonical name:** PidTagScheduleInfoFreeBusyAway  
**Property ID:** 0x6856  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties

**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_OOF

### ***2.844 PidTagScheduleInfoFreeBusyBusy***

**Canonical name:** PidTagScheduleInfoFreeBusyBusy  
**Property ID:** 0x6854  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_BUSY

### ***2.845 PidTagScheduleInfoFreeBusyMerged***

**Canonical name:** PidTagScheduleInfoFreeBusyMerged  
**Property ID:** 0x6850  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_MERGED

### ***2.846 PidTagScheduleInfoFreeBusyTentative***

**Canonical name:** PidTagScheduleInfoFreeBusyTentative  
**Property ID:** 0x6852  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_FREEBUSY\_TENTATIVE

### ***2.847 PidTagScheduleInfoMonthsAway***

**Canonical name:** PidTagScheduleInfoMonthsAway  
**Property ID:** 0x6855  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_OOF

### ***2.848 PidTagScheduleInfoMonthsBusy***

**Canonical name:** PidTagScheduleInfoMonthsBusy  
**Property ID:** 0x6853  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXMSG], [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_BUSY

### ***2.849 PidTagScheduleInfoMonthsMerged***

**Canonical name:** PidTagScheduleInfoMonthsMerged  
**Property ID:** 0x684F  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_MERGED

### ***2.850 PidTagScheduleInfoMonthsTentative***

**Canonical name:** PidTagScheduleInfoMonthsTentative  
**Property ID:** 0x6851  
**Data type:** PtypMultipleInteger32, 0x1003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_MONTHS\_TENTATIVE

### ***2.851 PidTagScheduleInfoResourceType***

**Canonical name:** PidTagScheduleInfoResourceType  
**Property ID:** 0x6841  
**Data type:** PtypInteger32, 0x0003  
**Area:** Free/Busy Properties  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SCHDINFO\_RESOURCE\_TYPE

### ***2.852 PidTagSchedulePlusFreeBusyEntryId***

**Canonical name:** PidTagSchedulePlusFreeBusyEntryId  
**Property ID:** 0x6622  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeMessageStore  
**References:** [MS-OXOPFFB]  
**Alternate names:** PR\_SPLUS\_FREE\_BUSY\_ENTRYID

### ***2.853 PidTagScriptData***

**Canonical name:** PidTagScriptData  
**Property ID:** 0x0004  
**Data type:** PtypBinary, 0x0102  
**Area:** Exchange Address Book  
**References:** [MS-OXOABKT]  
**Alternate names:** PR\_EMS\_SCRIPT\_BLOB

### ***2.854 PidTagSearchFolderDefinition***

**Canonical name:** PidTagSearchFolderDefinition  
**Property ID:** 0x6845



**Data type:** PtypBinary, 0x0102  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_DEFINITION

### ***2.855 PidTagSearchFolderEfpFlags***

**Canonical name:** PidTagSearchFolderEfpFlags  
**Property ID:** 0x6848  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_EFP\_FLAGS

### ***2.856 PidTagSearchFolderExpiration***

**Canonical name:** PidTagSearchFolderExpiration  
**Property ID:** 0x683A  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_EXPIRATION

### ***2.857 PidTagSearchFolderId***

**Canonical name:** PidTagSearchFolderId  
**Property ID:** 0x6842  
**Data type:** PtypBinary, 0x0102  
**Area:** Search  
**References:** [MS-OXOCFG], [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_ID

### ***2.858 PidTagSearchFolderLastUsed***

**Canonical name:** PidTagSearchFolderLastUsed  
**Property ID:** 0x6834  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_LAST\_USED

### ***2.859 PidTagSearchFolderRecreateInfo***

**Canonical name:** PidTagSearchFolderRecreateInfo  
**Property ID:** 0x6844  
**Data type:** PtypBinary, 0x0102  
**Area:** Search

**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_RECREATE\_INFO

### ***2.860 PidTagSearchFolderStorageType***

**Canonical name:** PidTagSearchFolderStorageType  
**Property ID:** 0x6846  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_STORAGE\_TYPE

### ***2.861 PidTagSearchFolderTag***

**Canonical name:** PidTagSearchFolderTag  
**Property ID:** 0x6847  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_TAG

### ***2.862 PidTagSearchFolderTemplateId***

**Canonical name:** PidTagSearchFolderTemplateId  
**Property ID:** 0x6841  
**Data type:** PtypInteger32, 0x0003  
**Area:** Search  
**References:** [MS-OXOSRCH]  
**Alternate names:** PR\_WB\_SF\_TEMPLATE\_ID

### ***2.863 PidTagSearchKey***

**Canonical name:** PidTagSearchKey  
**Property ID:** 0x300B  
**Data type:** PtypBinary, 0x0102  
**Area:** ID Properties  
**References:** [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]  
**Alternate names:** PR\_SEARCH\_KEY, ptagSearchKey

### ***2.864 PidTagSecureSubmitFlags***

**Canonical name:** PidTagSecureSubmitFlags  
**Property ID:** 0x65C6  
**Data type:** PtypInteger32, 0x0003  
**Area:** Exchange

**References:** [MS-OXCFXICS]

**Alternate names:** PR\_SECURE\_SUBMIT\_FLAGS, ptagSecureSubmitFlags

### ***2.865 PidTagSecurityDescriptor***

**Canonical name:** PidTagSecurityDescriptor

**Property ID:** 0x0E27

**Data type:** PtypBinary, 0x0102

**Area:** Access Control Properties

**References:** [MS-OXCMSG]

**Alternate names:** PR\_NT\_SECURITY\_DESCRIPTOR

### ***2.866 PidTagSecurityDescriptorAsXml***

**Canonical name:** PidTagSecurityDescriptorAsXml

**Property ID:** 0x0E6A

**Data type:** PtypString, 0x001F

**Area:** Access Control Properties

**References:** [MS-OXCPERM]

**Alternate names:** PR\_NT\_SECURITY\_DESCRIPTOR\_AS\_XML,  
PR\_NT\_SECURITY\_DESCRIPTOR\_AS\_XML\_A,  
PR\_NT\_SECURITY\_DESCRIPTOR\_AS\_XML\_W

### ***2.867 PidTagSelectable***

**Canonical name:** PidTagSelectable

**Property ID:** 0x3609

**Data type:** PtypBoolean, 0x000B

**Area:** AB Container

**References:** [MS-OXOABKT]

**Alternate names:** PR\_SELECTABLE

### ***2.868 PidTagSenderAddressType***

**Canonical name:** PidTagSenderAddressType

**Property ID:** 0x0C1E

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_ADDRTYPE, PR\_SENDER\_ADDRTYPE\_A,  
ptagSenderAddrType, PR\_SENDER\_ADDRTYPE\_W

### ***2.869 PidTagSenderEmailAddress***

**Canonical name:** PidTagSenderEmailAddress

**Property ID:** 0x0C1F

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_EMAIL\_ADDRESS, PR\_SENDER\_EMAIL\_ADDRESS\_A, PR\_SENDER\_EMAIL\_ADDRESS\_W

### ***2.870 PidTagSenderEntryId***

**Canonical name:** PidTagSenderEntryId

**Property ID:** 0x0C19

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_ENTRYID, ptagSenderEntryId

### ***2.871 PidTagSenderFlags***

**Canonical name:** PidTagSenderFlags

**Property ID:** 0x4019

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagSenderFlags

### ***2.872 PidTagSenderIdStatus***

**Canonical name:** PidTagSenderIdStatus

**Property ID:** 0x4079

**Data type:** PtypInteger32, 0x0003

**Area:** Secure Messaging Properties

**References:** [MS-OXCMAIL], [MS-OXCSPAM]

**Alternate names:** PR\_SENDER\_ID\_STATUS

### ***2.873 PidTagSenderName***

**Canonical name:** PidTagSenderName

**Property ID:** 0x0C1A

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENDER\_NAME, PR\_SENDER\_NAME\_A, ptagSenderName, PR\_SENDER\_NAME\_W

### ***2.874 PidTagSenderSearchKey***

**Canonical name:** PidTagSenderSearchKey

**Property ID:** 0x0C1D

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

**Alternate names:** PR\_SENDER\_SEARCH\_KEY, ptagSenderSearchKey

### ***2.875 PidTagSenderSimpleDisplayName***

**Canonical name:** PidTagSenderSimpleDisplayName

**Property ID:** 0x4030

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagSenderSimpleDispName

### ***2.876 PidTagSenderTelephoneNumber***

**Canonical name:** PidTagSenderTelephoneNumber

**Property ID:** 0x6802

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaSenderTelephoneNumber

### ***2.877 PidTagSendInternetEncoding***

**Canonical name:** PidTagSendInternetEncoding

**Property ID:** 0x3A71

**Data type:** PtypInteger32, 0x0003

**Area:** Address Properties

**References:** [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

**Alternate names:** PR\_SEND\_INTERNET\_ENCODING, ptagSendInternetEncoding

### ***2.878 PidTagSendRichInfo***

**Canonical name:** PidTagSendRichInfo

**Property ID:** 0x3A40

**Data type:** PtypBoolean, 0x000B

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

**Alternate names:** PR\_SEND\_RICH\_INFO, ptagSendRichInfo

### ***2.879 PidTagSensitivity***

**Canonical name:** PidTagSensitivity

**Property ID:** 0x0036

**Data type:** PtypInteger32, 0x0003

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS]

**Alternate names:** PR\_SENSITIVITY, ptagSensitivity

### ***2.880 PidTagSentMailEntryId***

**Canonical name:** PidTagSentMailEntryId

**Property ID:** 0x0E0A

**Data type:** PtypBinary, 0x0102

**Area:** MapiNonTransmittable

**References:** [MS-OXCICAL]

**Alternate names:** PR\_SENTMAIL\_ENTRYID, ptagSentMailEntryId

### ***2.881 PidTagSentMailSvrEID***

**Canonical name:** PidTagSentMailSvrEID

**Property ID:** 0x6740

**Data type:** PtypServerEntryId, 0x00FB

**Area:** ProviderDefinedNonTransmittable

**References:** [MS-OXCSTOR], [MS-OXOMSG]

**Alternate names:** ptagSentMailSvrEID

### ***2.882 PidTagSentRepresentingAddressType***

**Canonical name:** PidTagSentRepresentingAddressType

**Property ID:** 0x0064

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_ADDRTYPE, PR\_SENT\_REPRESENTING\_ADDRTYPE\_A, ptagSentRepresentingAddrType, PR\_SENT\_REPRESENTING\_ADDRTYPE\_W

### ***2.883 PidTagSentRepresentingEmailAddress***

**Canonical name:** PidTagSentRepresentingEmailAddress

**Property ID:** 0x0065

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_EMAIL\_ADDRESS,  
PR\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_A,  
PR\_SENT\_REPRESENTING\_EMAIL\_ADDRESS\_W

### ***2.884 PidTagSentRepresentingEntryId***

**Canonical name:** PidTagSentRepresentingEntryId

**Property ID:** 0x0041

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],  
[MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK],  
[MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_ENTRYID, ptagSentRepresentingEntryId

### ***2.885 PidTagSentRepresentingFlags***

**Canonical name:** PidTagSentRepresentingFlags

**Property ID:** 0x401A

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXCFXICS], [MS-OXTNEF]

**Alternate names:** ptagSentRepresentingFlags

### ***2.886 PidTagSentRepresentingName***

**Canonical name:** PidTagSentRepresentingName

**Property ID:** 0x0042

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-  
OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-  
OXOTASK], [MS-OXTNEF]

**Alternate names:** PR\_SENT\_REPRESENTING\_NAME,  
PR\_SENT\_REPRESENTING\_NAME\_A, ptagSentRepresentingName,  
PR\_SENT\_REPRESENTING\_NAME\_W

### ***2.887 PidTagSentRepresentingSearchKey***

**Canonical name:** PidTagSentRepresentingSearchKey

**Property ID:** 0x003B

**Data type:** PtypBinary, 0x0102

**Area:** Address Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-  
OXOPOST], [MS-OXOTASK]

**Alternate names:** PR\_SENT\_REPRESENTING\_SEARCH\_KEY,  
ptagSentRepresentingSearchKey

### ***2.888 PidTagSentRepresentingSimpleDisplayName***

**Canonical name:** PidTagSentRepresentingSimpleDisplayName

**Property ID:** 0x4031

**Data type:** PtypString, 0x001F

**Area:** TransportEnvelope

**References:** [MS-OXTNEF]

**Alternate names:** ptagSentRepresentingSimpleDispName

### ***2.889 PidTagSmtAddress***

**Canonical name:** PidTagSmtAddress

**Property ID:** 0x39FE

**Data type:** PtypString, 0x001F

**Area:** Address Properties

**References:** [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

**Alternate names:** PR\_SMTP\_ADDRESS, PR\_SMTP\_ADDRESS\_A, PR\_SMTP\_ADDRESS\_W

### ***2.890 PidTagSortLocaleId***

**Canonical name:** PidTagSortLocaleId

**Property ID:** 0x6705

**Data type:** PtypInteger32, 0x0003

**Area:** ExchangeAdministrative

**References:** [MS-OXCSTOR], [MS-OXPFOAB]

**Alternate names:** PR\_SORT\_LOCALE\_ID, ptagSortLocaleId

### ***2.891 PidTagSourceKey***

**Canonical name:** PidTagSourceKey

**Property ID:** 0x65E0

**Data type:** PtypBinary, 0x0102

**Area:** Sync

**References:** [MS-OXCFXICS], [MS-OXCSYNC]

**Alternate names:** PR\_SOURCE\_KEY

### ***2.892 PidTagSpouseName***

**Canonical name:** PidTagSpouseName

**Property ID:** 0x3A48

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_SPOUSE\_NAME, PR\_SPOUSE\_NAME\_A, PR\_SPOUSE\_NAME\_W



### ***2.893 PidTagStartDate***

**Canonical name:** PidTagStartDate

**Property ID:** 0x0060

**Data type:** PtypTime, 0x0040

**Area:** MapiEnvelope

**References:** [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF]

**Alternate names:** PR\_START\_DATE

### ***2.894 PidTagStateOrProvince***

**Canonical name:** PidTagStateOrProvince

**Property ID:** 0x3A28

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_STATE\_OR\_PROVINCE, PR\_STATE\_OR\_PROVINCE\_A,  
PR\_STATE\_OR\_PROVINCE\_W, PR\_BUSINESS\_ADDRESS\_STATE\_OR\_PROVINCE,  
PR\_BUSINESS\_ADDRESS\_STATE\_OR\_PROVINCE\_A,  
PR\_BUSINESS\_ADDRESS\_STATE\_OR\_PROVINCE\_W

### ***2.895 PidTagStoreEntryId***

**Canonical name:** PidTagStoreEntryId

**Property ID:** 0x0FFB

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXOFLAG], [MS-OXSHARE]

**Alternate names:** PR\_STORE\_ENTRYID, ptagStoreEntryId

### ***2.896 PidTagStoreState***

**Canonical name:** PidTagStoreState

**Property ID:** 0x340E

**Data type:** PtypInteger32, 0x0003

**Area:** MapiMessageStore

**References:** [MS-OXCSTOR]

**Alternate names:** PR\_STORE\_STATE

### ***2.897 PidTagStoreSupportMask***

**Canonical name:** PidTagStoreSupportMask

**Property ID:** 0x340D

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXMSG]

**Alternate names:** PR\_STORE\_SUPPORT\_MASK, ptagStoreSupportMask

## ***2.898 PidTagStreetAddress***

**Canonical name:** PidTagStreetAddress

**Property ID:** 0x3A29

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_STREET\_ADDRESS, PR\_STREET\_ADDRESS\_A, PR\_STREET\_ADDRESS\_W, PR\_BUSINESS\_ADDRESS\_STREET, PR\_BUSINESS\_ADDRESS\_STREET\_A, PR\_BUSINESS\_ADDRESS\_STREET\_W

## ***2.899 PidTagSubfolders***

**Canonical name:** PidTagSubfolders

**Property ID:** 0x360A

**Data type:** PtypBoolean, 0x000B

**Area:** MapiContainer

**References:** [MS-OXCFOLD], [MS-OXCICAL]

**Alternate names:** PR\_SUBFOLDERS, ptagSubFolders

## ***2.900 PidTagSubject***

**Canonical name:** PidTagSubject

**Property ID:** 0x0037

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS]

**Alternate names:** PR\_SUBJECT, PR\_SUBJECT\_A, ptagSubject, PR\_SUBJECT\_W

## ***2.901 PidTagSubjectPrefix***

**Canonical name:** PidTagSubjectPrefix

**Property ID:** 0x003D

**Data type:** PtypString, 0x001F

**Area:** General Message Properties

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS], [MS-OXSHARE], [MS-OXTNEF]

**Alternate names:** PR\_SUBJECT\_PREFIX, PR\_SUBJECT\_PREFIX\_A, ptagSubjectPrefix, PR\_SUBJECT\_PREFIX\_W

### ***2.902 PidTagSubmitFlags***

**Canonical name:** PidTagSubmitFlags

**Property ID:** 0x0E14

**Data type:** PtypInteger32, 0x0003

**Area:** MapiNonTransmittable

**References:** [MS-OXCICAL]

**Alternate names:** PR\_SUBMIT\_FLAGS, ptagSubmitFlags

### ***2.903 PidTagSurname***

**Canonical name:** PidTagSurname

**Property ID:** 0x3A11

**Data type:** PtypString, 0x001F

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_SURNAME, PR\_SURNAME\_A, PR\_SURNAME\_W

### ***2.904 PidTagSwappedToDoData***

**Canonical name:** PidTagSwappedToDoData

**Property ID:** 0x0E2D

**Data type:** PtypBinary, 0x0102

**Area:** MapiNonTransmittable

**References:** [MS-OXOFLAG], [MS-OXORMDR]

**Alternate names:** PR\_SWAPPED\_TODO\_DATA, ptagSwappedToDoData

### ***2.905 PidTagSwappedToDoStore***

**Canonical name:** PidTagSwappedToDoStore

**Property ID:** 0x0E2C

**Data type:** PtypBinary, 0x0102

**Area:** MapiNonTransmittable

**References:** [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

**Alternate names:** PR\_SWAPPED\_TODO\_STORE, ptagSwappedToDoStore

### ***2.906 PidTagTargetEntryId***

**Canonical name:** PidTagTargetEntryId

**Property ID:** 0x3010

**Data type:** PtypBinary, 0x0102

**Area:** ID Properties

**References:** [MS-OXCFXICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]

**Alternate names:** PR\_TARGET\_ENTRYID, ptagTargetEntryId

### ***2.907 PidTagTcvConstLongOne***

**Canonical name:** PidTagTcvConstLongOne

**Property ID:** 0x8008

**Data type:** PtypInteger32, 0x0003  
**Area:** PST Internal  
**References:** [MS-OXCTABL]  
**Alternate names:** PR\_TCV\_CONST\_LONG\_ONE

### ***2.908 PidTagTelecommunicationsDeviceForDeafTelephoneNumber***

**Canonical name:** PidTagTelecommunicationsDeviceForDeafTelephoneNumber  
**Property ID:** 0x3A4B  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK]  
**Alternate names:** PR\_TTYTDD\_PHONE\_NUMBER,  
PR\_TTYTDD\_PHONE\_NUMBER\_A, PR\_TTYTDD\_PHONE\_NUMBER\_W

### ***2.909 PidTagTelexNumber***

**Canonical name:** PidTagTelexNumber  
**Property ID:** 0x3A2C  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_TELEX\_NUMBER, PR\_TELEX\_NUMBER\_A,  
PR\_TELEX\_NUMBER\_W

### ***2.910 PidTagTemplateData***

**Canonical name:** PidTagTemplateData  
**Property ID:** 0x0001  
**Data type:** PtypBinary, 0x0102  
**Area:** Exchange Address Book  
**References:** [MS-OXOABKT]  
**Alternate names:** PR\_EMS\_TEMPLATE\_BLOB

### ***2.911 PidTagTemplateid***

**Canonical name:** PidTagTemplateid  
**Property ID:** 0x3902  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiAddressBook  
**References:** [MS-NSPI], [MS-OXOABK]  
**Alternate names:** PR\_TEMPLATEID

### ***2.912 PidTagTextAttachmentCharset***

**Canonical name:** PidTagTextAttachmentCharset  
**Property ID:** 0x371B  
**Data type:** PtypString, 0x001F

**Area:** Message Attachment Properties  
**References:** [MS-OXCMAIL]  
**Alternate names:** ptagTextAttachmentCharset

### ***2.913 PidTagTitle***

**Canonical name:** PidTagTitle  
**Property ID:** 0x3A17  
**Data type:** PtypString, 0x001F  
**Area:** MapiMailUser  
**References:** [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_TITLE, PR\_TITLE\_A, PR\_TITLE\_W

### ***2.914 PidTagTnefCorrelationKey***

**Canonical name:** PidTagTnefCorrelationKey  
**Property ID:** 0x007F  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiEnvelope  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]  
**Alternate names:** PR\_TNEF\_CORRELATION\_KEY

### ***2.915 PidTagToDoItemFlags***

**Canonical name:** PidTagToDoItemFlags  
**Property ID:** 0x0E2B  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]  
**Alternate names:** PR\_TODO\_ITEM\_FLAGS, ptagToDoItemFlags

### ***2.916 PidTagTransmittableDisplayName***

**Canonical name:** PidTagTransmittableDisplayName  
**Property ID:** 0x3A20  
**Data type:** PtypString, 0x001F  
**Area:** Address Properties  
**References:** [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]  
**Alternate names:** PR\_TRANSMITTABLE\_DISPLAY\_NAME,  
PR\_TRANSMITTABLE\_DISPLAY\_NAME\_A, ptagTransmittableDisplayName,  
PR\_TRANSMITTABLE\_DISPLAY\_NAME\_W

### ***2.917 PidTagTransportMessageHeaders***

**Canonical name:** PidTagTransportMessageHeaders  
**Property ID:** 0x007D  
**Data type:** PtypString, 0x001F  
**Area:** EMail

**References:** [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]  
**Alternate names:** PR\_TRANSPORT\_MESSAGE\_HEADERS,  
PR\_TRANSPORT\_MESSAGE\_HEADERS\_A,  
PR\_TRANSPORT\_MESSAGE\_HEADERS\_W

### ***2.918 PidTagTrustSender***

**Canonical name:** PidTagTrustSender  
**Property ID:** 0x0E79  
**Data type:** PtypInteger32, 0x0003  
**Area:** MapiNonTransmittable  
**References:** [MS-OXCFXICS], [MS-OXCMSG]  
**Alternate names:** PR\_TRUST\_SENDER, ptagTrustSender

### ***2.919 PidTagTtyTddPhoneNumber***

**Canonical name:** PidTagTtyTddPhoneNumber  
**Property ID:** 0x3A4B  
**Data type:** PtypString, 0x001F  
**Area:** Contact Properties  
**References:** [MS-OXOCNTC]  
**Alternate names:** PR\_TTYTDD\_PHONE\_NUMBER

### ***2.920 PidTagUrlCompName***

**Canonical name:** PidTagUrlCompName  
**Property ID:** 0x10F3  
**Data type:** PtypString, 0x001F  
**Area:** General Message Properties  
**References:** [MS-OXCMSG], [MS-OXTNEF]  
**Alternate names:** PR\_URL\_COMP\_NAME, PR\_URL\_COMP\_NAME\_A,  
PR\_URL\_COMP\_NAME\_W, ptagURLCompName

### ***2.921 PidTagUrlCompNameSet***

**Canonical name:** PidTagUrlCompNameSet  
**Property ID:** 0x0E62  
**Data type:** PtypBoolean, 0x000B  
**Area:** ID Properties  
**References:** [MS-OXCMSG]  
**Alternate names:** ptagURLCompNameSet

### ***2.922 PidTagUserCertificate***

**Canonical name:** PidTagUserCertificate  
**Property ID:** 0x3A22  
**Data type:** PtypBinary, 0x0102  
**Area:** MapiMailUser

**References:** [MS-OXOAB], [MS-OXOABK]  
**Alternate names:** PR\_USER\_CERTIFICATE, ptagUserCertificate

### ***2.923 PidTagUserEntryId***

**Canonical name:** PidTagUserEntryId  
**Property ID:** 0x6619  
**Data type:** PtypBinary, 0x0102  
**Area:** ExchangeMessageStore  
**References:** [MS-OXCSTOR]  
**Alternate names:** PR\_USER\_ENTRYID, ptagUserEntryId

### ***2.924 PidTagUserX509Certificate***

**Canonical name:** PidTagUserX509Certificate  
**Property ID:** 0x3A70  
**Data type:** PtypMultipleBinary, 0x1102  
**Area:** MapiMailUser  
**References:** [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]  
**Alternate names:** PR\_USER\_X509\_CERTIFICATE

### ***2.925 PidTagViewDescriptorBinary***

**Canonical name:** PidTagViewDescriptorBinary  
**Property ID:** 0x7001  
**Data type:** PtypBinary, 0x0102  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_VD\_BINARY

### ***2.926 PidTagViewDescriptorName***

**Canonical name:** PidTagViewDescriptorName  
**Property ID:** 0x7006  
**Data type:** PtypString, 0x001F  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_VD\_NAME, PR\_VD\_NAME\_W

### ***2.927 PidTagViewDescriptorStrings***

**Canonical name:** PidTagViewDescriptorStrings  
**Property ID:** 0x7002  
**Data type:** PtypString, 0x001F  
**Area:** MessageClassDefinedTransmittable  
**References:** [MS-OXOCFG]  
**Alternate names:** PR\_VD\_STRINGS, PR\_VD\_STRINGS\_W

### ***2.928 PidTagViewDescriptorVersion***

**Canonical name:** PidTagViewDescriptorVersion

**Property ID:** 0x7007

**Data type:** PtypInteger32, 0x0003

**Area:** Miscellaneous Properties

**References:** [MS-OXOCFG]

**Alternate names:** PR\_VD\_VERSION

### ***2.929 PidTagVoiceMessageAttachmentOrder***

**Canonical name:** PidTagVoiceMessageAttachmentOrder

**Property ID:** 0x6805

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL], [MS-OXOUM]

**Alternate names:** InternalSchemaVoiceMessageAttachmentOrder

### ***2.930 PidTagVoiceMessageDuration***

**Canonical name:** PidTagVoiceMessageDuration

**Property ID:** 0x6801

**Data type:** PtypInteger32, 0x0003

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaVoiceMessageDuration

### ***2.931 PidTagVoiceMessageSenderName***

**Canonical name:** PidTagVoiceMessageSenderName

**Property ID:** 0x6803

**Data type:** PtypString, 0x001F

**Area:** Unified Messaging Properties

**References:** [MS-OXCMAIL]

**Alternate names:** InternalSchemaVoiceMessageSenderName

### ***2.932 PidTagWeddingAnniversary***

**Canonical name:** PidTagWeddingAnniversary

**Property ID:** 0x3A41

**Data type:** PtypTime, 0x0040

**Area:** MapiMailUser

**References:** [MS-OXOABK], [MS-OXOCNTC]

**Alternate names:** PR\_WEDDING\_ANNIVERSARY

## **3 Structure Examples**

None.



## **4 Security Considerations**

There are no security considerations unique to this specification.

## **5 Appendix A: Office/Exchange Behavior**

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

## Index

### Appendix A

Office/Exchange behavior, 225

### Introduction, 24

Applicability statement, 31

Glossary, 24

References, 24

Relationship to protocols and other structures, 30

Structure Overview, 27

Vendor-extensible fields, 31

Versioning and localization, 31

### References

Informative references, 27

Normative references, 24

Security considerations, 225

Structure examples, 224

Structures, 31