

[MS-OXPROPS]: Exchange Server Protocols Master Property List Specification

Intellectual Property Rights Notice for Protocol Documentation

- **Copyrights.** This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the protocol documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, the protocols may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>). If you would prefer a written license, or if the protocols are not covered by the OSP, patent licenses are available by contacting protocol@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. This protocol documentation is intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it. A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary			
Author	Date	Version	Comments
Microsoft Corporation	April 4, 2008	0.1	Initial Availability.
Microsoft Corporation	April 25, 2008	0.2	Revised and updated property names and other technical content.
Microsoft Corporation	June 27, 2008	1.0	Initial Release.
Microsoft Corporation	August 6, 2008	1.01	Updated references to reflect date of initial release.
Microsoft Corporation	September 3, 2008	1.02	Changed title of document.

Microsoft Corporation	October 1, 2008	1.03	Revised and edited technical content.
Microsoft Corporation	December 3, 2008	1.04	Revised and edited technical content.
Microsoft Corporation	February 4, 2009	1.05	Revised and edited technical content.

Table of Contents

1	Introduction.....	30
1.1	Glossary.....	30
1.2	References.....	30
1.2.1	Normative References.....	30
1.2.2	Informative References.....	33
1.3	Structure Overview.....	33
1.3.1	Common Message Classes.....	34
1.3.2	Commonly Used Property Sets.....	35
1.3.3	Property ID Ranges.....	36
1.4	WebDAV Property Naming.....	37
1.4.1	http://schemas.microsoft.com/mapi/proptag Namespace.....	37
1.4.2	http://schemas.microsoft.com/mapi/id Namespace.....	37
1.4.3	http://schemas.microsoft.com/mapi/string Namespace.....	38
1.5	Relationship to Protocols and Other Structures.....	38
1.6	Applicability Statement.....	38
1.7	Versioning and Localization.....	39
1.8	Vendor-Extensible Fields.....	39
2	Structures.....	39
2.1	PidLidAddressBookProviderArrayType.....	39
2.2	PidLidAddressBookProviderEmailList.....	39
2.3	PidLidAddressCountryCode.....	39
2.4	PidLidAgingDontAgeMe.....	39
2.5	PidLidAllAttendeesList.....	40
2.6	PidLidAllAttendeesString.....	40
2.7	PidLidAllowExternalCheck.....	40
2.8	PidLidAnniversaryEventEntryId.....	40
2.9	PidLidAppointmentAuxiliaryFlags.....	40
2.10	PidLidAppointmentColor.....	41
2.11	PidLidAppointmentCounterProposal.....	41
2.12	PidLidAppointmentDuration.....	41
2.13	PidLidAppointmentEndDate.....	41
2.14	PidLidAppointmentEndTime.....	42
2.15	PidLidAppointmentEndWhole.....	42
2.16	PidLidAppointmentLastSequence.....	42
2.17	PidLidAppointmentMessageClass.....	42
2.18	PidLidAppointmentNotAllowPropose.....	42
2.19	PidLidAppointmentProposalNumber.....	43
2.20	PidLidAppointmentProposedDuration.....	43
2.21	PidLidAppointmentProposedEndWhole.....	43
2.22	PidLidAppointmentProposedStartWhole.....	43
2.23	PidLidAppointmentRecur.....	43
2.24	PidLidAppointmentReplyName.....	44

2.25	PidLidAppointmentReplyTime.....	44
2.26	PidLidAppointmentSequence.....	44
2.27	PidLidAppointmentSequenceTime.....	44
2.28	PidLidAppointmentStartDate.....	45
2.29	PidLidAppointmentStartTime.....	45
2.30	PidLidAppointmentStartWhole.....	45
2.31	PidLidAppointmentStateFlags.....	45
2.32	PidLidAppointmentSubType.....	45
2.33	PidLidAppointmentTimeZoneDefinitionEndDisplay.....	46
2.34	PidLidAppointmentTimeZoneDefinitionRecur.....	46
2.35	PidLidAppointmentTimeZoneDefinitionStartDisplay.....	46
2.36	PidLidAppointmentUnsendableRecipients.....	46
2.37	PidLidAppointmentUpdateTime.....	46
2.38	PidLidAttendeeCriticalChange.....	47
2.39	PidLidAutoFillLocation.....	47
2.40	PidLidAutoLog.....	47
2.41	PidLidAutoProcessState.....	47
2.42	PidLidAutoStartCheck.....	48
2.43	PidLidAutoStartWhen.....	48
2.44	PidLidBilling.....	48
2.45	PidLidBirthdayEventEntryId.....	48
2.46	PidLidBusinessCardCardPicture.....	48
2.47	PidLidBusinessCardDisplayDefinition.....	49
2.48	PidLidBusyStatus.....	49
2.49	PidLidCalendarType.....	49
2.50	PidLidCategories.....	49
2.51	PidLidCcAttendeesString.....	49
2.52	PidLidChangeHighlight.....	50
2.53	PidLidClassification.....	50
2.54	PidLidClassificationDescription.....	50
2.55	PidLidClassificationGuid.....	50
2.56	PidLidClassificationKeep.....	51
2.57	PidLidClassified.....	51
2.58	PidLidCleanGlobalObjectId.....	51
2.59	PidLidClipEnd.....	51
2.60	PidLidClipStart.....	51
2.61	PidLidCollaborateDoc.....	52
2.62	PidLidCommonEnd.....	52
2.63	PidLidCommonStart.....	52
2.64	PidLidCompanies.....	52
2.65	PidLidConferencingCheck.....	53
2.66	PidLidConferencingType.....	53
2.67	PidLidContactCharacterSet.....	53
2.68	PidLidContactItemData.....	53

2.69	PidLidContactLinkEntry.....	53
2.70	PidLidContactLinkName.....	54
2.71	PidLidContactLinkSearchKey.....	54
2.72	PidLidContacts.....	54
2.73	PidLidContactUserField1.....	54
2.74	PidLidContactUserField2.....	54
2.75	PidLidContactUserField3.....	55
2.76	PidLidContactUserField4.....	55
2.77	PidLidCurrentVersion.....	55
2.78	PidLidCurrentVersionName.....	55
2.79	PidLidDayInterval.....	56
2.80	PidLidDayOfMonth.....	56
2.81	PidLidDelegateMail.....	56
2.82	PidLidDepartment.....	56
2.83	PidLidDirectory.....	56
2.84	PidLidDistributionListChecksum.....	57
2.85	PidLidDistributionListMembers.....	57
2.86	PidLidDistributionListName.....	57
2.87	PidLidDistributionListOneOffMembers.....	57
2.88	PidLidDistributionListStream.....	57
2.89	PidLidEmail1AddressType.....	58
2.90	PidLidEmail1DisplayName.....	58
2.91	PidLidEmail1EmailAddress.....	58
2.92	PidLidEmail1EmailType.....	58
2.93	PidLidEmail1OriginalDisplayName.....	59
2.94	PidLidEmail1OriginalEntryId.....	59
2.95	PidLidEmail2AddressType.....	59
2.96	PidLidEmail2DisplayName.....	59
2.97	PidLidEmail2EmailAddress.....	59
2.98	PidLidEmail2EntryId.....	60
2.99	PidLidEmail2OriginalDisplayName.....	60
2.100	PidLidEmail2OriginalEntryId.....	60
2.101	PidLidEmail3AddressType.....	60
2.102	PidLidEmail3DisplayName.....	60
2.103	PidLidEmail3EmailAddress.....	61
2.104	PidLidEmail3EntryId.....	61
2.105	PidLidEmail3OriginalDisplayName.....	61
2.106	PidLidEmail3OriginalEntryId.....	61
2.107	PidLidEmailList.....	62
2.108	PidLidEndRecurrenceDate.....	62
2.109	PidLidEndRecurrenceTime.....	62
2.110	PidLidExceptionReplaceTime.....	62
2.111	PidLidFax1AddressType.....	62
2.112	PidLidFax1EmailAddress.....	63

2.113	PidLidFax1OriginalDisplayName.....	63
2.114	PidLidFax1OriginalEntryId.....	63
2.115	PidLidFax2AddressType.....	63
2.116	PidLidFax2EmailAddress.....	63
2.117	PidLidFax2OriginalDisplayName.....	64
2.118	PidLidFax2OriginalEntryId.....	64
2.119	PidLidFax3AddressType.....	64
2.120	PidLidFax3EmailAddress.....	64
2.121	PidLidFax3OriginalDisplayName.....	65
2.122	PidLidFax3OriginalEntryId.....	65
2.123	PidLidFExceptionalAttendees.....	65
2.124	PidLidFExceptionalBody.....	65
2.125	PidLidFileUnder.....	65
2.126	PidLidFileUnderId.....	66
2.127	PidLidFileUnderList.....	66
2.128	PidLidFInvited.....	66
2.129	PidLidFlagRequest.....	66
2.130	PidLidFlagString.....	67
2.131	PidLidForwardInstance.....	67
2.132	PidLidFOthersAppointment.....	67
2.133	PidLidFreeBusyLocation.....	67
2.134	PidLidGlobalObjectId.....	67
2.135	PidLidHasPicture.....	68
2.136	PidLidHomeAddress.....	68
2.137	PidLidHomeAddressCountryCode.....	68
2.138	PidLidHtml.....	68
2.139	PidLidICalendarDayOfWeekMask.....	68
2.140	PidLidInstantMessagingAddress.....	69
2.141	PidLidIntendedBusyStatus.....	69
2.142	PidLidInternetAccountName.....	69
2.143	PidLidInternetAccountStamp.....	69
2.144	PidLidIsException.....	70
2.145	PidLidIsRecurring.....	70
2.146	PidLidIsSilent.....	70
2.147	PidLidLinkedTaskItems.....	70
2.148	PidLidLocation.....	70
2.149	PidLidLogDocumentPosted.....	71
2.150	PidLidLogDocumentPrinted.....	71
2.151	PidLidLogDocumentRouted.....	71
2.152	PidLidLogDocumentSaved.....	71
2.153	PidLidLogDuration.....	71
2.154	PidLidLogEnd.....	72
2.155	PidLidLogFlags.....	72
2.156	PidLidLogStart.....	72

2.157	PidLidLogType	72
2.158	PidLidLogTypeDesc	73
2.159	PidLidMeetingType	73
2.160	PidLidMeetingWorkspaceUrl.....	73
2.161	PidLidMonthInterval.....	73
2.162	PidLidMonthOfYear	73
2.163	PidLidMonthOfYearMask.....	74
2.164	PidLidNetShowUrl.....	74
2.165	PidLidNoEndDateFlag.....	74
2.166	PidLidNonSendableBcc.....	74
2.167	PidLidNonSendableCc.....	75
2.168	PidLidNonSendableTo.....	75
2.169	PidLidNonSendBccTrackStatus.....	75
2.170	PidLidNonSendCcTrackStatus.....	75
2.171	PidLidNonSendToTrackStatus.....	75
2.172	PidLidNoteColor	76
2.173	PidLidNoteHeight	76
2.174	PidLidNoteWidth	76
2.175	PidLidNoteX.....	76
2.176	PidLidNoteY.....	77
2.177	PidLidOccurrences	77
2.178	PidLidOldLocation.....	77
2.179	PidLidOldRecurrenceType	77
2.180	PidLidOldWhenEndWhole.....	77
2.181	PidLidOldWhenStartWhole	78
2.182	PidLidOnlinePassword	78
2.183	PidLidOptionalAttendees.....	78
2.184	PidLidOrganizerAlias	78
2.185	PidLidOriginalStoreEntryId.....	78
2.186	PidLidOtherAddress.....	79
2.187	PidLidOtherAddressCountryCode	79
2.188	PidLidOwnerCriticalChange	79
2.189	PidLidOwnerName	79
2.190	PidLidPercentComplete	80
2.191	PidLidPKMDocSummaryInformation17	80
2.192	PidLidPostalAddressId.....	80
2.193	PidLidPostRssChannel.....	80
2.194	PidLidPostRssChannellink.....	80
2.195	PidLidPostRssItemGuid.....	81
2.196	PidLidPostRssItemHash	81
2.197	PidLidPostRssItemLink	81
2.198	PidLidPostRssItemXml	81
2.199	PidLidPostRssSubscription.....	81
2.200	PidLidPrivate.....	82

2.201	PidLidRecurrenceDuration	82
2.202	PidLidRecurrencePattern	82
2.203	PidLidRecurrenceType	82
2.204	PidLidRecurring	83
2.205	PidLidReferenceEntryId	83
2.206	PidLidReferredBy	83
2.207	PidLidReminderDelta	83
2.208	PidLidReminderFileParameter	83
2.209	PidLidReminderOverride.....	84
2.210	PidLidReminderPlaySound	84
2.211	PidLidReminderSet	84
2.212	PidLidReminderSignalTime	84
2.213	PidLidReminderTime	85
2.214	PidLidReminderTimeDate.....	85
2.215	PidLidReminderTimeTime.....	85
2.216	PidLidReminderType.....	85
2.217	PidLidRemoteStatus.....	86
2.218	PidLidRequiredAttendees	86
2.219	PidLidResourceAttendees.....	86
2.220	PidLidResponseStatus.....	86
2.221	PidLidSendMeetingAsIcal	86
2.222	PidLidServerProcessed	87
2.223	PidLidServerProcessingActions	87
2.224	PidLidSharingAnonymity	87
2.225	PidLidSharingBindingEntryId.....	87
2.226	PidLidSharingBrowseUrl.....	88
2.227	PidLidSharingCapabilities	88
2.228	PidLidSharingConfigurationUrl	88
2.229	PidLidSharingDataRangeEnd.....	88
2.230	PidLidSharingDataRangeStart.....	88
2.231	PidLidSharingDetail.....	89
2.232	PidLidSharingExtensionXml	89
2.233	PidLidSharingFilter	89
2.234	PidLidSharingFlags	89
2.235	PidLidSharingFlavor	89
2.236	PidLidSharingFolderEntryId	90
2.237	PidLidSharingIndexEntryId.....	90
2.238	PidLidSharingInitiatorEntryId.....	90
2.239	PidLidSharingInitiatorName.....	90
2.240	PidLidSharingInitiatorSntp.....	91
2.241	PidLidSharingInstanceGuid.....	91
2.242	PidLidSharingLastAutoSyncTime	91
2.243	PidLidSharingLastSyncTime	91
2.244	PidLidSharingLocalComment.....	91

2.245	PidLidSharingLocalLastModificationTime	92
2.246	PidLidSharingLocalName	92
2.247	PidLidSharingLocalPath	92
2.248	PidLidSharingLocalStoreUid	92
2.249	PidLidSharingLocalType	92
2.250	PidLidSharingLocalUid	93
2.251	PidLidSharingOriginalMessageEntryId	93
2.252	PidLidSharingParentBindingEntryId	93
2.253	PidLidSharingParticipants	93
2.254	PidLidSharingPermissions	94
2.255	PidLidSharingProviderExtension	94
2.256	PidLidSharingProviderGuid	94
2.257	PidLidSharingProviderName	94
2.258	PidLidSharingProviderUrl	94
2.259	PidLidSharingRangeEnd	95
2.260	PidLidSharingRangeStart	95
2.261	PidLidSharingReciprocation	95
2.262	PidLidSharingRemoteByteSize	95
2.263	PidLidSharingRemoteComment	95
2.264	PidLidSharingRemoteCrc	96
2.265	PidLidSharingRemoteLastModificationTime	96
2.266	PidLidSharingRemoteMessageCount	96
2.267	PidLidSharingRemoteName	96
2.268	PidLidSharingRemotePass	97
2.269	PidLidSharingRemotePath	97
2.270	PidLidSharingRemoteStoreUid	97
2.271	PidLidSharingRemoteType	97
2.272	PidLidSharingRemoteUid	97
2.273	PidLidSharingRemoteUser	98
2.274	PidLidSharingRemoteVersion	98
2.275	PidLidSharingResponseTime	98
2.276	PidLidSharingResponseType	98
2.277	PidLidSharingRoamLog	98
2.278	PidLidSharingStart	99
2.279	PidLidSharingStatus	99
2.280	PidLidSharingStop	99
2.281	PidLidSharingSyncFlags	99
2.282	PidLidSharingSyncInterval	100
2.283	PidLidSharingTimeToLive	100
2.284	PidLidSharingTimeToLiveAuto	100
2.285	PidLidSharingWorkingHoursDays	100
2.286	PidLidSharingWorkingHoursEnd	100
2.287	PidLidSharingWorkingHoursStart	101
2.288	PidLidSharingWorkingHoursTimeZone	101

2.289	PidLidSideEffects.....	101
2.290	PidLidSingleInvite	101
2.291	PidLidSmartNoAttach.....	101
2.292	PidLidSpamOriginalFolder.....	102
2.293	PidLidStartRecurrenceDate	102
2.294	PidLidStartRecurrenceTime	102
2.295	PidLidTaskAcceptanceState.....	102
2.296	PidLidTaskAccepted.....	103
2.297	PidLidTaskActualEffort.....	103
2.298	PidLidTaskAssigner.....	103
2.299	PidLidTaskAssigners	103
2.300	PidLidTaskComplete	103
2.301	PidLidTaskDateCompleted	104
2.302	PidLidTaskDeadOccurrence.....	104
2.303	PidLidTaskDueDate.....	104
2.304	PidLidTaskEstimatedEffort	104
2.305	PidLidTaskFCreator.....	104
2.306	PidLidTaskFFixOffline.....	105
2.307	PidLidTaskFRecurring.....	105
2.308	PidLidTaskGlobalId.....	105
2.309	PidLidTaskHistory	105
2.310	PidLidTaskLastDelegate.....	106
2.311	PidLidTaskLastUpdate	106
2.312	PidLidTaskLastUser.....	106
2.313	PidLidTaskMode.....	106
2.314	PidLidTaskMultipleRecipients.....	106
2.315	PidLidTaskNoCompute	107
2.316	PidLidTaskOrdinal.....	107
2.317	PidLidTaskOwner	107
2.318	PidLidTaskOwnership	107
2.319	PidLidTaskRecurrence.....	107
2.320	PidLidTaskResetReminder	108
2.321	PidLidTaskRole.....	108
2.322	PidLidTaskStartDate.....	108
2.323	PidLidTaskState	108
2.324	PidLidTaskStatus	109
2.325	PidLidTaskStatusOnComplete	109
2.326	PidLidTaskUpdates	109
2.327	PidLidTaskVersion	109
2.328	PidLidTeamTask	109
2.329	PidLidTimeZone	110
2.330	PidLidTimeZoneDescription	110
2.331	PidLidTimeZoneStruct	110
2.332	PidLidToAttendeesString	110

2.333	PidLidToDoOrdinalDate	110
2.334	PidLidToDoSubOrdinal	111
2.335	PidLidToDoTitle	111
2.336	PidLidUseTnef	111
2.337	PidLidValidFlagStringProof	111
2.338	PidLidVerbResponse	112
2.339	PidLidVerbStream	112
2.340	PidLidWeekInterval	112
2.341	PidLidWhere	112
2.342	PidLidWorkAddress	112
2.343	PidLidWorkAddressCity	113
2.344	PidLidWorkAddressCountry	113
2.345	PidLidWorkAddressCountryCode	113
2.346	PidLidWorkAddressPostalCode	113
2.347	PidLidWorkAddressPostOfficeBox	113
2.348	PidLidWorkAddressState	114
2.349	PidLidWorkAddressStreet	114
2.350	PidLidYearInterval	114
2.351	PidLidYomiCompanyName	114
2.352	PidLidYomiFirstName	115
2.353	PidLidYomiLastName	115
2.354	PidLidInfoPathFormName	115
2.355	PidNameAcceptLanguage	115
2.356	PidNameApplicationName	115
2.357	PidNameApproved	116
2.358	PidNameAttachmentMacContentType	116
2.359	PidNameAttachmentMacInfo	116
2.360	PidNameAudioNotes	116
2.361	PidNameAuthor	116
2.362	PidNameBcc	117
2.363	PidNameByteCount	117
2.364	PidNameCalendarAttendeeRole	117
2.365	PidNameCalendarBusystatus	117
2.366	PidNameCalendarContact	118
2.367	PidNameCalendarContactUrl	118
2.368	PidNameCalendarCreated	118
2.369	PidNameCalendarDescriptionUrl	118
2.370	PidNameCalendarDuration	118
2.371	PidNameCalendarExceptionDate	119
2.372	PidNameCalendarExceptionRule	119
2.373	PidNameCalendarGeoLatitude	119
2.374	PidNameCalendarGeoLongitude	119
2.375	PidNameCalendarInstanceType	119
2.376	PidNameCalendarIsOrganizer	120

2.377	PidNameCalendarLastModified	120
2.378	PidNameCalendarLocationUrl	120
2.379	PidNameCalendarMeetingStatus	120
2.380	PidNameCalendarMethod	121
2.381	PidNameCalendarProductId	121
2.382	PidNameCalendarRecurrenceIdRange	121
2.383	PidNameCalendarReminderOffset	121
2.384	PidNameCalendarResources	121
2.385	PidNameCalendarRsvp	122
2.386	PidNameCalendarSequence	122
2.387	PidNameCalendarTimeZone	122
2.388	PidNameCalendarTimeZoneId	122
2.389	PidNameCalendarTransparent	122
2.390	PidNameCalendarUid	123
2.391	PidNameCalendarVersion	123
2.392	PidNameCategory	123
2.393	PidNameCc	123
2.394	PidNameCharacterCount	124
2.395	PidNameComments	124
2.396	PidNameCompany	124
2.397	PidNameContactsAlternateRecipient	124
2.398	PidNameContactsCountry	124
2.399	PidNameContactsEmail1	125
2.400	PidNameContactsEmail2	125
2.401	PidNameContactsEmail3	125
2.402	PidNameContactsFileAs	125
2.403	PidNameContactsFileasId	126
2.404	PidNameContactsHomeLatitude	126
2.405	PidNameContactsHomeLongitude	126
2.406	PidNameContactsHomeTimeZone	126
2.407	PidNameContactsMapUrl	126
2.408	PidNameContactsOtherCountryCode	127
2.409	PidNameContactsOtherPager	127
2.410	PidNameContactsOtherTimeZone	127
2.411	PidNameContactsProxyAddresses	127
2.412	PidNameContactsSecretaryUrl	127
2.413	PidNameContactsSourceUrl	128
2.414	PidNameContentBase	128
2.415	PidNameContentClass	128
2.416	PidNameContentDisposition	128
2.417	PidNameContentID	129
2.418	PidNameContentLanguage	129
2.419	PidNameContentLocation	129
2.420	PidNameContentTransferEncoding	129

2.421	PidNameContentType.....	129
2.422	PidNameControl.....	130
2.423	PidNameCreateDateTimeReadOnly.....	130
2.424	PidNameCrossReference.....	130
2.425	PidNameDavId.....	130
2.426	PidNameDavIsCollection.....	130
2.427	PidNameDavIsStructuredDocument.....	131
2.428	PidNameDavParentName.....	131
2.429	PidNameDavResourceType.....	131
2.430	PidNameDavSearchRequest.....	131
2.431	PidNameDavSearchType.....	132
2.432	PidNameDavUid.....	132
2.433	PidNameDisposition.....	132
2.434	PidNameDispositionNotificationOptions.....	132
2.435	PidNameDispositionNotificationTo.....	132
2.436	PidNameDistribution.....	133
2.437	PidNameDocumentParts.....	133
2.438	PidNameEditTime.....	133
2.439	PidNameExchangeArchive.....	133
2.440	PidNameExchangeComposeFontColor.....	134
2.441	PidNameExchangeComposeFontFlags.....	134
2.442	PidNameExchangeComposeFontName.....	134
2.443	PidNameExchangeComposeFontSize.....	134
2.444	PidNameExchangeIntendedBusyStatus.....	134
2.445	PidNameExchangeJunkEmailMoveStamp.....	135
2.446	PidNameExchangeMailboxOwnerEntryId.....	135
2.447	PidNameExchangeMailboxOwnerName.....	135
2.448	PidNameExchangeModifyExceptionStructure.....	135
2.449	PidNameExchangeMsexchembdefaultmailfolder.....	135
2.450	PidNameExchangeMsexchembdefaultmailfoldertype.....	136
2.451	PidNameExchangeNewMailNotify.....	136
2.452	PidNameExchangeNoModifyExceptions.....	136
2.453	PidNameExchangeOutOfOfficeState.....	136
2.454	PidNameExchangePatternEnd.....	137
2.455	PidNameExchangePatternStart.....	137
2.456	PidNameExchangePreviewMarkAsRead.....	137
2.457	PidNameExchangePreviewReadDelayTime.....	137
2.458	PidNameExchangePublicFolderEmailAddress.....	137
2.459	PidNameExchangeReadReceipt.....	138
2.460	PidNameExchangeReminderInterval.....	138
2.461	PidNameExchangeSmallIcon.....	138
2.462	PidNameExchangeSmimeEncrypt.....	138
2.463	PidNameExchangeSmimeSign.....	138
2.464	PidNameExchangeUserEntryId.....	139

2.465	PidNameExchDatabaseSchema	139
2.466	PidNameExchDataExpectedContentClass	139
2.467	PidNameExchDataSchemaCollectionReference	139
2.468	PidNameExpires	140
2.469	PidNameExpiryDate	140
2.470	PidNameFollowupTo	140
2.471	PidNameFrom	140
2.472	PidNameHeadingPairs	140
2.473	PidNameHiddenCount	141
2.474	PidNameHttpmailBcc	141
2.475	PidNameHttpmailCalendar	141
2.476	PidNameHttpmailCc	141
2.477	PidNameHttpmailContacts	141
2.478	PidNameHttpmailContentDispositionType	142
2.479	PidNameHttpmailContentMediaType	142
2.480	PidNameHttpmailDeleteditems	142
2.481	PidNameHttpmailDrafts	142
2.482	PidNameHttpmailFrom	143
2.483	PidNameHttpmailFromEmail	143
2.484	PidNameHttpmailHtmlDescription	143
2.485	PidNameHttpmailInbox	143
2.486	PidNameHttpmailJunkEmail	143
2.487	PidNameHttpmailMessageFolderRoot	144
2.488	PidNameHttpmailNotes	144
2.489	PidNameHttpmailOutbox	144
2.490	PidNameHttpmailReplyTo	144
2.491	PidNameHttpmailSaveDestination	144
2.492	PidNameHttpmailSaveInSent	145
2.493	PidNameHttpmailSender	145
2.494	PidNameHttpmailSenderEmail	145
2.495	PidNameHttpmailSendMessage	145
2.496	PidNameHttpmailSentItems	146
2.497	PidNameHttpmailSpecial	146
2.498	PidNameHttpmailSubmitted	146
2.499	PidNameHttpmailTo	146
2.500	PidNameICalendarRecurrenceDate	146
2.501	PidNameICalendarRecurrenceRule	147
2.502	PidNameImportance	147
2.503	PidNameInReplyTo	147
2.504	PidNameInternetComment	147
2.505	PidNameInternetKeywords	147
2.506	PidNameInternetSubject	148
2.507	PidNameKeywords	148
2.508	PidNameLastAuthor	148

2.509	PidNameLastPrinted	148
2.510	PidNameLastPrinted	149
2.511	PidNameLastSaveDateTime.....	149
2.512	PidNameLineCount.....	149
2.513	PidNameLines	149
2.514	PidNameLinksDirty	150
2.515	PidNameManager.....	150
2.516	PidNameMessageId	150
2.517	PidNameMimeVersion	150
2.518	PidNameMultimediaClipCount.....	150
2.519	PidNameNewsgroups.....	151
2.520	PidNameNntpPostingHost.....	151
2.521	PidNameNntpPostingUser.....	151
2.522	PidNameNoteCount	151
2.523	PidNameOMSAccountGuid.....	152
2.524	PidNameOMSMobileModel	152
2.525	PidNameOMSScheduleTime	152
2.526	PidNameOMSServiceType	152
2.527	PidNameOMSSourceType	152
2.528	PidNameOrganization.....	153
2.529	PidNameOriginalRecipient.....	153
2.530	PidNamePhishingStamp	153
2.531	PidNamePageCount	153
2.532	PidNameParagraphCount	153
2.533	PidNamePath	154
2.534	PidNamePostingVersion.....	154
2.535	PidNamePresentationFormat.....	154
2.536	PidNamePriority.....	154
2.537	PidNameReceived.....	155
2.538	PidNameReferences	155
2.539	PidNameRelayVersion.....	155
2.540	PidNameReplyBy.....	155
2.541	PidNameReplyTo.....	155
2.542	PidNameReturnPath.....	156
2.543	PidNameReturnReceiptTo.....	156
2.544	PidNameRevisionNumber	156
2.545	PidNameRightsManagementLicense.....	156
2.546	PidNameScale	156
2.547	PidNameSecurity.....	157
2.548	PidNameSender	157
2.549	PidNameSensitivity.....	157
2.550	PidNameSlideCount.....	157
2.551	PidNameSubject.....	158
2.552	PidNameSummary	158

2.553	PidNameTemplate.....	158
2.554	PidNameThreadIndex.....	158
2.555	PidNameThreadTopic.....	159
2.556	PidNameThumbnail.....	159
2.557	PidNameTitle.....	159
2.558	PidNameTo.....	159
2.559	PidNameWordCount.....	159
2.560	PidNameXMailer.....	160
2.561	PidNameXMessageCompleted.....	160
2.562	PidNameXMessageFlag.....	160
2.563	PidNameXSharingBrowseUrl.....	160
2.564	PidNameXSharingCapabilities.....	161
2.565	PidNameXSharingConfigUrl.....	161
2.566	PidNameXSharingExendedCaps.....	161
2.567	PidNameXSharingFlavor.....	161
2.568	PidNameXSharingInstanceGuid.....	161
2.569	PidNameXSharingLocalType.....	162
2.570	PidNameXSharingProviderGuid.....	162
2.571	PidNameXSharingProviderName.....	162
2.572	PidNameXSharingProviderUrl.....	162
2.573	PidNameXSharingRemoteName.....	162
2.574	PidNameXSharingRemotePath.....	163
2.575	PidNameXSharingRemoteStoreUId.....	163
2.576	PidNameXSharingRemoteType.....	163
2.577	PidNameXSharingRemoteUId.....	163
2.578	PidNameXUnsent.....	164
2.579	PidNameQuarantineOriginalSender.....	164
2.580	PidNameXCallId.....	164
2.581	PidNameXFaxNumberOfPages.....	164
2.582	PidNameXSenderTelephoneNumber.....	164
2.583	PidNameXVoiceMessageAttachmentOrder.....	165
2.584	PidNameXVoiceMessageDuration.....	165
2.585	PidNameXVoiceMessageSenderName.....	165
2.586	PidTag7BitDisplayName.....	165
2.587	PidTagAccess.....	165
2.588	PidTagAccessLevel.....	166
2.589	PidTagAccount.....	166
2.590	PidTagAdditionalRenEntryIds.....	166
2.591	PidTagAdditionalRenEntryIdsEx.....	166
2.592	PidTagAddressBookContainerId.....	167
2.593	PidTagAddressBookDisplayNamePrintable.....	167
2.594	PidTagAddressBookEntryId.....	167
2.595	PidTagAddressBookExtensionAttribute1.....	167
2.596	PidTagAddressBookExtensionAttribute15.....	167

2.597	PidTagAddressBookFolderPathname	168
2.598	PidTagAddressBookHierarchicalChildDepartments	168
2.599	PidTagAddressBookHierarchicalDepartmentMembers	168
2.600	PidTagAddressBookHierarchicalIsHierarchicalGroup	168
2.601	PidTagAddressBookHierarchicalParentDepartment	168
2.602	PidTagAddressBookHierarchicalRootDepartment	169
2.603	PidTagAddressBookHierarchicalShowInDepartments	169
2.604	PidTagAddressBookHomeMessageDatabase	169
2.605	PidTagAddressBookIsMaster	169
2.606	PidTagAddressBookIsMemberOfDistributionList	169
2.607	PidTagAddressBookManageDistributionList	170
2.608	PidTagAddressBookManager	170
2.609	PidTagAddressBookManagerDistinguishedName	170
2.610	PidTagAddressBookMember	170
2.611	PidTagAddressBookMessageId	170
2.612	PidTagAddressBookNetworkAddress	171
2.613	PidTagAddressBookObjectDistinguishedName	171
2.614	PidTagAddressBookObjectGuid	171
2.615	PidTagAddressBookOrganizationalUnitRootDistinguishedName	171
2.616	PidTagAddressBookOwner	171
2.617	PidTagAddressBookOwnerBackLink	172
2.618	PidTagAddressBookParentEntryId	172
2.619	PidTagAddressBookPhoneticCompanyName	172
2.620	PidTagAddressBookPhoneticDepartmentName	172
2.621	PidTagAddressBookPhoneticDisplayName	172
2.622	PidTagAddressBookPhoneticGivenName	173
2.623	PidTagAddressBookPhoneticSurname	173
2.624	PidTagAddressBookProxyAddresses	173
2.625	PidTagAddressBookPublicDelegates	173
2.626	PidTagAddressBookReports	174
2.627	PidTagAddressBookRoomCapacity	174
2.628	PidTagAddressBookRoomContainers	174
2.629	PidTagAddressBookRoomDescription	174
2.630	PidTagAddressBookSeniorityIndex	174
2.631	PidTagAddressBookTargetAddress	175
2.632	PidTagAddressBookX509Certificate	175
2.633	PidTagAddressType	175
2.634	PidTagAlternateRecipientAllowed	175
2.635	PidTagAnr	175
2.636	PidTagAssistant	176
2.637	PidTagAssistantTelephoneNumber	176
2.638	PidTagAssociated	176
2.639	PidTagAttachAdditionalInformation	176
2.640	PidTagAttachContentBase	176

2.641	PidTagAttachContentId	177
2.642	PidTagAttachContentLocation	177
2.643	PidTagAttachDataBinary	177
2.644	PidTagAttachDataObject	177
2.645	PidTagAttachEncoding	178
2.646	PidTagAttachExtension	178
2.647	PidTagAttachFilename	178
2.648	PidTagAttachFlags	178
2.649	PidTagAttachLongFilename	178
2.650	PidTagAttachLongPathname	179
2.651	PidTagAttachmentContactPhoto	179
2.652	PidTagAttachmentFlags	179
2.653	PidTagAttachmentHidden	179
2.654	PidTagAttachmentLinkId	180
2.655	PidTagAttachMethod	180
2.656	PidTagAttachMimeTag	180
2.657	PidTagAttachNumber	180
2.658	PidTagAttachPathname	180
2.659	PidTagAttachPayloadClass	181
2.660	PidTagAttachPayloadProviderGuidString	181
2.661	PidTagAttachRendering	181
2.662	PidTagAttachSize	181
2.663	PidTagAttachTag	181
2.664	PidTagAttachTransportName	182
2.665	PidTagAttributeHidden	182
2.666	PidTagAttributeReadOnly	182
2.667	PidTagAttributeSystem	182
2.668	PidTagAutoForwarded	182
2.669	PidTagAutoResponseSuppress	183
2.670	PidTagBirthday	183
2.671	PidTagBlockStatus	183
2.672	PidTagBody	183
2.673	PidTagBodyContentId	183
2.674	PidTagBodyContentLocation	184
2.675	PidTagBodyHtml	184
2.676	PidTagBusiness2TelephoneNumber	184
2.677	PidTagBusiness2TelephoneNumbers	184
2.678	PidTagBusinessFaxNumber	185
2.679	PidTagBusinessHomePage	185
2.680	PidTagBusinessTelephoneNumber	185
2.681	PidTagCallbackTelephoneNumber	185
2.682	PidTagCallId	185
2.683	PidTagCarTelephoneNumber	186
2.684	PidTagCdoRecurrenceid	186

2.685	PidTagChangeKey	186
2.686	PidTagChangeNotificationGuid	186
2.687	PidTagChangeNumber	186
2.688	PidTagChildrensNames	187
2.689	PidTagClientActions	187
2.690	PidTagClientSubmitTime	187
2.691	PidTagCnsetRead	187
2.692	PidTagCnsetSeen	187
2.693	PidTagCnsetSeenFAI	188
2.694	PidTagCodePageId	188
2.695	PidTagComment	188
2.696	PidTagCompanyMainTelephoneNumber	188
2.697	PidTagCompanyName	189
2.698	PidTagComputerNetworkName	189
2.699	PidTagConflictEntryId	189
2.700	PidTagConflictItems	189
2.701	PidTagContainerClass	189
2.702	PidTagContainerContents	190
2.703	PidTagContainerFlags	190
2.704	PidTagContainerHierarchy	190
2.705	PidTagContentCount	190
2.706	PidTagContentFilterSpamConfidenceLevel	190
2.707	PidTagContentUnreadCount	191
2.708	PidTagConversationIndex	191
2.709	PidTagConversationTopic	191
2.710	PidTagConvertHtmlSecurity	191
2.711	PidTagCountry	192
2.712	PidTagCreationTime	192
2.713	PidTagCreatorEntryId	192
2.714	PidTagCreatorName	192
2.715	PidTagCreatorSimpleDisplayName	192
2.716	PidTagCustomerId	193
2.717	PidTagDamBackPatched	193
2.718	PidTagDamOriginalEntryId	193
2.719	PidTagDefaultPostMessageClass	193
2.720	PidTagDeferredDeliveryTime	193
2.721	PidTagDeferredSendNumber	194
2.722	PidTagDeferredSendTime	194
2.723	PidTagDeferredSendUnits	194
2.724	PidTagDelegatedByRule	194
2.725	PidTagDelegateFlags	194
2.726	PidTagDelegation	194
2.727	PidTagDeleteAfterSubmit	195
2.728	PidTagDeletedOn	195

2.729	PidTagDepartmentName	195
2.730	PidTagDepth	195
2.731	PidTagDisplayBcc	195
2.732	PidTagDisplayCc	196
2.733	PidTagDisplayName	196
2.734	PidTagDisplayNamePrefix	196
2.735	PidTagDisplayTo	196
2.736	PidTagDisplayType	197
2.737	PidTagDisplayTypeEx	197
2.738	PidTagEcWarning	197
2.739	PidTagEmailAddress	197
2.740	PidTagEmailAddress1	198
2.741	PidTagEndDate	198
2.742	PidTagEntryId	198
2.743	PidTagExceptionEndTime	198
2.744	PidTagExceptionReplaceTime	198
2.745	PidTagExceptionStartTime	199
2.746	PidTagExchangeNTSecurityDescriptor	199
2.747	PidTagExpiryNumber	199
2.748	PidTagExpiryTime	199
2.749	PidTagExpiryUnits	199
2.750	PidTagExtendedFolderFlags	200
2.751	PidTagExtendedRuleMessageActions	200
2.752	PidTagExtendedRuleMessageCondition	200
2.753	PidTagExtendedRuleSizeLimit	200
2.754	PidTagFaxNumberOfPages	200
2.755	PidTagFlagCompleteTime	201
2.756	PidTagFlagStatus	201
2.757	PidTagFlatUrlName	201
2.758	PidTagFolderAssociatedContents	201
2.759	PidTagFolderId	201
2.760	PidTagFolderType	202
2.761	PidTagFollowupIcon	202
2.762	PidTagFreeBusyCountMonths	202
2.763	PidTagFreeBusyEntryIds	202
2.764	PidTagFreeBusyMessageEmailAddress	202
2.765	PidTagFreeBusyPublishEnd	203
2.766	PidTagFreeBusyPublishStart	203
2.767	PidTagFreeBusyRangeTimestamp	203
2.768	PidTagFtpSite	203
2.769	PidTagFXDelProp	203
2.770	PidTagGatewayNeedsToRefresh	204
2.771	PidTagGender	204
2.772	PidTagGeneration	204

2.773	PidTagGivenName.....	204
2.774	PidTagGovernmentIdNumber.....	204
2.775	PidTagHasAttachments.....	205
2.776	PidTagHasDeferredActionMessages.....	205
2.777	PidTagHasNamedProperties.....	205
2.778	PidTagHasRules.....	205
2.779	PidTagHierarchyChangeNumber.....	205
2.780	PidTagHobbies.....	206
2.781	PidTagHome2TelephoneNumber.....	206
2.782	PidTagHome2TelephoneNumbers.....	206
2.783	PidTagHomeAddressCity.....	206
2.784	PidTagHomeAddressCountry.....	206
2.785	PidTagHomeAddressPostalCode.....	207
2.786	PidTagHomeAddressPostOfficeBox.....	207
2.787	PidTagHomeAddressStateOrProvince.....	207
2.788	PidTagHomeAddressStreet.....	207
2.789	PidTagHomeFaxNumber.....	208
2.790	PidTagHomeTelephoneNumber.....	208
2.791	PidTagHtml.....	208
2.792	PidTagICalendarEndTime.....	208
2.793	PidTagICalendarReminderNextTime.....	208
2.794	PidTagICalendarStartTime.....	209
2.795	PidTagIconIndex.....	209
2.796	PidTagIdsetDeleted.....	209
2.797	PidTagIdsetExpired.....	209
2.798	PidTagIdsetGiven.....	209
2.799	PidTagIdsetRead.....	210
2.800	PidTagIdsetSoftDeleted.....	210
2.801	PidTagIdsetUnread.....	210
2.802	PidTagImapCachedMsgsize.....	210
2.803	PidTagImportance.....	210
2.804	PidTagInConflict.....	211
2.805	PidTagIncrementalSyncMessagePartial.....	211
2.806	PidTagIncrSyncGroupId.....	211
2.807	PidTagInitialDetailsPane.....	211
2.808	PidTagInitials.....	211
2.809	PidTagInReplyToId.....	212
2.810	PidTagInstanceKey.....	212
2.811	PidTagInstanceNum.....	212
2.812	PidTagInstID.....	212
2.813	PidTagInternetArticleNumber.....	212
2.814	PidTagInternetCodepage.....	213
2.815	PidTagInternetLines.....	213
2.816	PidTagInternetMailOverrideFormat.....	213

2.817	PidTagInternetMessageId	213
2.818	PidTagInternetReferences	213
2.819	PidTagInternetReturnPath	214
2.820	PidTagIpmAppointmentEntryId	214
2.821	PidTagIpmContactEntryId	214
2.822	PidTagIpmDraftsEntryId	214
2.823	PidTagIpmJournalEntryId	214
2.824	PidTagIpmNoteEntryId	215
2.825	PidTagIpmTaskEntryId	215
2.826	PidTagIsdnNumber	215
2.827	PidTagItemTemporaryFlags	215
2.828	PidTagJunkAddRecipientsToSafeSendersList	215
2.829	PidTagJunkIncludeContacts	216
2.830	PidTagJunkPermanentlyDelete	216
2.831	PidTagJunkPhishingEnableLinks	216
2.832	PidTagJunkThreshold	216
2.833	PidTagKeyword	216
2.834	PidTagLanguage	216
2.835	PidTagLastModificationTime	217
2.836	PidTagLastModifierEntryId	217
2.837	PidTagLastModifierName	217
2.838	PidTagLastModifierSimpleDisplayName	217
2.839	PidTagLastVerbExecuted	218
2.840	PidTagLastVerbExecutionTime	218
2.841	PidTagListHelp	218
2.842	PidTagListSubscribe	218
2.843	PidTagListUnsubscribe	218
2.844	PidTagLocalCommitTime	219
2.845	PidTagLocaleId	219
2.846	PidTagLocality	219
2.847	PidTagLocation	219
2.848	PidTagMailboxOwnerEntryId	219
2.849	PidTagMailboxOwnerName	220
2.850	PidTagManagerName	220
2.851	PidTagMappingSignature	220
2.852	PidTagMaximumSubmitMessageSize	220
2.853	PidTagMemberId	220
2.854	PidTagMemberName	221
2.855	PidTagMemberRights	221
2.856	PidTagMessageAttachments	221
2.857	PidTagMessageCcMe	221
2.858	PidTagMessageClass	221
2.859	PidTagMessageCodepage	222
2.860	PidTagMessageDeliveryTime	222

2.861	PidTagMessageEditorFormat	222
2.862	PidTagMessageFlags	222
2.863	PidTagMessageHandlingSystemCommonName	223
2.864	PidTagMessageLocaleId	223
2.865	PidTagMessageRecipientMe	223
2.866	PidTagMessageRecipients	223
2.867	PidTagMessageSize	223
2.868	PidTagMessageSizeExtended	224
2.869	PidTagMessageStatus	224
2.870	PidTagMessageSubmissionId	224
2.871	PidTagMessageToMe	224
2.872	PidTagMid	224
2.873	PidTagMiddleName	225
2.874	PidTagMobileTelephoneNumber	225
2.875	PidTagMsgFolderTemplateRes13	225
2.876	PidTagNewFXFolder	225
2.877	PidTagNextSendAcct	225
2.878	PidTagNickname	226
2.879	PidTagNormalizedSubject	226
2.880	PidTagNormalMessageSize	226
2.881	PidTagObjectType	226
2.882	PidTagOfficeLocation	227
2.883	PidTagOfflineAddressBookContainerGuid	227
2.884	PidTagOfflineAddressBookDistinguishedName	227
2.885	PidTagOfflineAddressBookMessageClass	227
2.886	PidTagOfflineAddressBookName	227
2.887	PidTagOfflineAddressBookSequence	228
2.888	PidTagOfflineAddressBookTruncatedProperties	228
2.889	PidTagOrdinalMost	228
2.890	PidTagOrganizationalIdNumber	228
2.891	PidTagOriginalAuthorName	228
2.892	PidTagOriginalDeliveryTime	229
2.893	PidTagOriginalDisplayBcc	229
2.894	PidTagOriginalDisplayCc	229
2.895	PidTagOriginalDisplayName	229
2.896	PidTagOriginalDisplayTo	229
2.897	PidTagOriginalEntryId	230
2.898	PidTagOriginalMessageClass	230
2.899	PidTagOriginalSearchKey	230
2.900	PidTagOriginalSenderAddressType	230
2.901	PidTagOriginalSenderEmailAddress	231
2.902	PidTagOriginalSenderEntryId	231
2.903	PidTagOriginalSenderName	231
2.904	PidTagOriginalSenderSearchKey	231

2.905	PidTagOriginalSensitivity.....	231
2.906	PidTagOriginalSentRepresentingAddressType.....	232
2.907	PidTagOriginalSentRepresentingEmailAddress.....	232
2.908	PidTagOriginalSentRepresentingEntryId.....	232
2.909	PidTagOriginalSentRepresentingName.....	232
2.910	PidTagOriginalSentRepresentingSearchKey.....	233
2.911	PidTagOriginalSubject.....	233
2.912	PidTagOriginalSubmitTime.....	233
2.913	PidTagOriginatorDeliveryReportRequested.....	233
2.914	PidTagOriginatorDeliveryReportRequested.....	233
2.915	PidTagOriginatorNonDeliveryReportRequested.....	234
2.916	PidTagOtherAddressCity.....	234
2.917	PidTagOtherAddressCountry.....	234
2.918	PidTagOtherAddressPostalCode.....	234
2.919	PidTagOtherAddressPostOfficeBox.....	235
2.920	PidTagOtherAddressStateOrProvince.....	235
2.921	PidTagOtherAddressStreet.....	235
2.922	PidTagOtherTelephoneNumber.....	235
2.923	PidTagOutOfOfficeState.....	236
2.924	PidTagOwnerAppointmentId.....	236
2.925	PidTagPagerTelephoneNumber.....	236
2.926	PidTagParentEntryId.....	236
2.927	PidTagParentFolderId.....	236
2.928	PidTagParentKey.....	237
2.929	PidTagParentSourceKey.....	237
2.930	PidTagPersonalHomePage.....	237
2.931	PidTagPostalAddress.....	237
2.932	PidTagPostalCode.....	237
2.933	PidTagPostOfficeBox.....	238
2.934	PidTagPredecessorChangeList.....	238
2.935	PidTagPrimaryFaxNumber.....	238
2.936	PidTagPrimarySendAccount.....	238
2.937	PidTagPrimarySmtpAddress.....	238
2.938	PidTagPrimaryTelephoneNumber.....	239
2.939	PidTagPriority.....	239
2.940	PidTagProcessed.....	239
2.941	PidTagProfession.....	239
2.942	PidTagProhibitReceiveQuota.....	240
2.943	PidTagProhibitSendQuota.....	240
2.944	PidTagProviderSubmitTime.....	240
2.945	PidTagPublicFolderAdministrativeDescription.....	240
2.946	PidTagPublicFolderProxy.....	240
2.947	PidTagPurportedSenderDomain.....	240
2.948	PidTagRadioTelephoneNumber.....	241

2.949	PidTagRead	241
2.950	PidTagReadReceiptEntryId	241
2.951	PidTagReadReceiptRequested	241
2.952	PidTagReadReceiptSearchKey	241
2.953	PidTagReceivedByAddressType	242
2.954	PidTagReceivedByEmailAddress	242
2.955	PidTagReceivedByEntryId	242
2.956	PidTagReceivedByFlags	242
2.957	PidTagReceivedByName	243
2.958	PidTagReceivedBySearchKey	243
2.959	PidTagReceivedRepresentingAddressType	243
2.960	PidTagReceivedRepresentingEmailAddress	243
2.961	PidTagReceivedRepresentingEntryId	244
2.962	PidTagReceivedRepresentingFlags	244
2.963	PidTagReceivedRepresentingName	244
2.964	PidTagReceivedRepresentingSearchKey	244
2.965	PidTagReceivedRepresentingSimpleDisplayName	244
2.966	PidTagReceivedRepresentingSimpleDisplayName	245
2.967	PidTagRecipientDisplayName	245
2.968	PidTagRecipientEntryId	245
2.969	PidTagRecipientFlags	245
2.970	PidTagRecipientOrder	245
2.971	PidTagRecipientProposed	246
2.972	PidTagRecipientProposedEndTime	246
2.973	PidTagRecipientProposedStartTime	246
2.974	PidTagRecipientReassignmentProhibited	246
2.975	PidTagRecipientResourceState	246
2.976	PidTagRecipientTrackStatus	247
2.977	PidTagRecipientTrackStatusTime	247
2.978	PidTagRecipientType	247
2.979	PidTagRecordKey	247
2.980	PidTagReferredByName	247
2.981	PidTagRemindersOnlineEntryId	248
2.982	PidTagRemoteHeaderLoc	248
2.983	PidTagRenderingPosition	248
2.984	PidTagReplyRecipientEntries	248
2.985	PidTagReplyRecipientNames	248
2.986	PidTagReplyRequested	249
2.987	PidTagReplyTemplateId	249
2.988	PidTagReplyTime	249
2.989	PidTagReportEntryId	249
2.990	PidTagReportSearchKey	249
2.991	PidTagReportTag	250
2.992	PidTagReportText	250

2.993	PidTagReportTime.....	250
2.994	PidTagResolveMethod.....	250
2.995	PidTagResponseRequested.....	250
2.996	PidTagResponsibility.....	251
2.997	PidTagRights.....	251
2.998	PidTagRoamingDatatypes.....	251
2.999	PidTagRoamingDictionary.....	251
2.1000	PidTagRoamingXmlStream.....	251
2.1001	PidTagRowid.....	252
2.1002	PidTagRowType.....	252
2.1003	PidTagRtfCompressed.....	252
2.1004	PidTagRtfInSync.....	252
2.1005	PidTagRtfSyncBodyCount.....	252
2.1006	PidTagRtfSyncBodyCrc.....	253
2.1007	PidTagRtfSyncBodyTag.....	253
2.1008	PidTagRtfSyncPrefixCount.....	253
2.1009	PidTagRtfSyncTrailingCount.....	253
2.1010	PidTagRuleActionNumber.....	253
2.1011	PidTagRuleActions.....	254
2.1012	PidTagRuleActionType.....	254
2.1013	PidTagRuleCondition.....	254
2.1014	PidTagRuleError.....	254
2.1015	PidTagRuleFolderEntryId.....	254
2.1016	PidTagRuleId.....	255
2.1017	PidTagRuleLevel.....	255
2.1018	PidTagRuleMessageState.....	255
2.1019	PidTagRuleMsgActions.....	255
2.1020	PidTagRuleMsgCondition.....	255
2.1021	PidTagRuleMsgLevel.....	255
2.1022	PidTagRuleMsgName.....	256
2.1023	PidTagRuleMsgProvider.....	256
2.1024	PidTagRuleMsgProviderData.....	256
2.1025	PidTagRuleMsgSequence.....	256
2.1026	PidTagRuleMsgState.....	256
2.1027	PidTagRuleMsgUserFlags.....	257
2.1028	PidTagRuleName.....	257
2.1029	PidTagRuleProvider.....	257
2.1030	PidTagRuleProviderData.....	257
2.1031	PidTagRuleSequence.....	257
2.1032	PidTagRuleState.....	258
2.1033	PidTagRuleUserFlags.....	258
2.1034	PidTagScheduleInfoAppointmentTombstone.....	258
2.1035	PidTagScheduleInfoAutoAcceptAppointments.....	258
2.1036	PidTagScheduleInfoDelegateEntryIds.....	258

2.1037	PidTagScheduleInfoDelegateNames	259
2.1038	PidTagScheduleInfoDelegateNamesW	259
2.1039	PidTagScheduleInfoDelegatorWantsCopy	259
2.1040	PidTagScheduleInfoDelegatorWantsInfo.....	259
2.1041	PidTagScheduleInfoDisallowOverlappingAppts	259
2.1042	PidTagScheduleInfoDisallowRecurringAppts	259
2.1043	PidTagScheduleInfoDontMailDelegates	260
2.1044	PidTagScheduleInfoFreeBusy	260
2.1045	PidTagScheduleInfoFreeBusyAway	260
2.1046	PidTagScheduleInfoFreeBusyBusy.....	260
2.1047	PidTagScheduleInfoFreeBusyMerged.....	260
2.1048	PidTagScheduleInfoFreeBusyTentative	261
2.1049	PidTagScheduleInfoMonthsAway.....	261
2.1050	PidTagScheduleInfoMonthsBusy	261
2.1051	PidTagScheduleInfoMonthsMerged.....	261
2.1052	PidTagScheduleInfoMonthsTentative	261
2.1053	PidTagScheduleInfoResourceType	262
2.1054	PidTagSchedulePlusFreeBusyEntryId.....	262
2.1055	PidTagScriptData.....	262
2.1056	PidTagSearchFolderDefinition	262
2.1057	PidTagSearchFolderEfpFlags	262
2.1058	PidTagSearchFolderExpiration	262
2.1059	PidTagSearchFolderId	263
2.1060	PidTagSearchFolderLastUsed.....	263
2.1061	PidTagSearchFolderRecreateInfo	263
2.1062	PidTagSearchFolderStorageType	263
2.1063	PidTagSearchFolderTag	263
2.1064	PidTagSearchFolderTemplateId	264
2.1065	PidTagSearchKey	264
2.1066	PidTagSecureSubmitFlags	264
2.1067	PidTagSecurityDescriptor	264
2.1068	PidTagSecurityDescriptorAsXml	264
2.1069	PidTagSelectable.....	265
2.1070	PidTagSenderAddressType.....	265
2.1071	PidTagSenderEmailAddress	265
2.1072	PidTagSenderEntryId	265
2.1073	PidTagSenderFlags	266
2.1074	PidTagSenderIdStatus	266
2.1075	PidTagSenderName	266
2.1076	PidTagSenderSearchKey	266
2.1077	PidTagSenderSimpleDisplayName	266
2.1078	PidTagSenderTelephoneNumber.....	267
2.1079	PidTagSendInternetEncoding	267
2.1080	PidTagSendRichInfo	267

2.1081	PidTagSensitivity	267
2.1082	PidTagSentMailEntryId	267
2.1083	PidTagSentMailSvrEID	268
2.1084	PidTagSentRepresentingAddressType	268
2.1085	PidTagSentRepresentingEmailAddress	268
2.1086	PidTagSentRepresentingEntryId	268
2.1087	PidTagSentRepresentingFlags	269
2.1088	PidTagSentRepresentingName	269
2.1089	PidTagSentRepresentingSearchKey	269
2.1090	PidTagSentRepresentingSimpleDisplayName	269
2.1091	PidTagSmtppAddress	270
2.1092	PidTagSortLocaleId	270
2.1093	PidTagSourceKey	270
2.1094	PidTagSpouseName	270
2.1095	PidTagStartDate	270
2.1096	PidTagStateOrProvince	271
2.1097	PidTagStoreEntryId	271
2.1098	PidTagStoreState	271
2.1099	PidTagStoreSupportMask	271
2.1100	PidTagStreetAddress	271
2.1101	PidTagSubfolder	272
2.1102	PidTagSubfolders	272
2.1103	PidTagSubject	272
2.1104	PidTagSubjectPrefix	272
2.1105	PidTagSubmitFlags	273
2.1106	PidTagSurname	273
2.1107	PidTagSwappedToDoData	273
2.1108	PidTagSwappedToDoStore	273
2.1109	PidTagTargetEntryId	273
2.1110	PidTagTcvConstLongOne	274
2.1111	PidTagTelecommunicationsDeviceForDeafTelephoneNumber	274
2.1112	PidTagTelexNumber	274
2.1113	PidTagTemplateData	274
2.1114	PidTagTemplateid	274
2.1115	PidTagTemporaryDefaultDocument	275
2.1116	PidTagTextAttachmentCharset	275
2.1117	PidTagTitle	275
2.1118	PidTagTnefCorrelationKey	275
2.1119	PidTagToDoItemFlags	275
2.1120	PidTagTransmittableDisplayName	276
2.1121	PidTagTransportMessageHeaders	276
2.1122	PidTagTrustSender	276
2.1123	PidTagTtyTddPhoneNumber	276
2.1124	PidTagUrlCompName	276

2.1125	PidTagUrlCompNameSet	277
2.1126	PidTagUrlName	277
2.1127	PidTagUserCertificate	277
2.1128	PidTagUserEntryId	277
2.1129	PidTagUserX509Certificate	277
2.1130	PidTagViewDescriptorBinary	278
2.1131	PidTagViewDescriptorName	278
2.1132	PidTagViewDescriptorStrings	278
2.1133	PidTagViewDescriptorVersion	278
2.1134	PidTagVoiceMessageAttachmentOrder	278
2.1135	PidTagVoiceMessageDuration	279
2.1136	PidTagVoiceMessageSenderName	279
2.1137	PidTagWeddingAnniversary	279
3	<i>Structure Examples</i>	279
4	<i>Security Considerations</i>	279
5	<i>Appendix A: Office/Exchange Behavior</i>	279
	<i>Index</i>	281

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

- message class**
- named property**
- property**
- property ID**
- property set**

The following terms are specific to this document:

tagged property: A property defined by a 16-bit **property ID** and a 16-bit **property type**. The **property ID** for a **tagged property** **MUST** fall in the range 0x001 – 0x7FFF. **Property IDs** in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either **MAY**, **SHOULD**, or **SHOULD NOT**.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", June 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-Mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXCPerm] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", June 2008.

[MS-OXPROPS] - v1.05

Exchange Server Protocols Master Property List Specification
Copyright © 2009 Microsoft Corporation.
Release: Wednesday, February 4, 2009

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", June 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", June 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", June 2008.

[MS-OXGLOS] Microsoft Corporation, "Exchange Server Protocols Master Glossary", June 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", June 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", June 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", June 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-Mail Object Protocol Specification", June 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", June 2008.

[MS-OXPROPS] - v1.05

Exchange Server Protocols Master Property List Specification
Copyright © 2009 Microsoft Corporation.
Release: Wednesday, February 4, 2009

[MS-OXOPFFB] Microsoft Corporation, "Public Folder–Based Free/Busy Protocol Specification", June 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", June 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", June 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-Mail Object Protocol Specification", June 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", June 2008.

[MS-OXORULE] Microsoft Corporation, "E-Mail Rules Protocol Specification", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", June 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", June 2008.

[MS-OXOUM] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", June 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", June 2008.

[MS-OXPROTO] Microsoft Corporation, "Exchange Server Protocols Overview", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", June 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", June 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", June 2008.

[MS-XWDCAL] Microsoft Corporation, "WebDAV Extensions for Calendar Support", December 2008.

[MS-XWDCNTC] Microsoft Corporation, "WebDAV Extensions for Contacts Support Protocol Specification", February 2009.

[MS-XWDDOC] Microsoft Corporation, "WebDAV Extensions for Documents Support", December 2008.

[MS-XWDMAIL] Microsoft Corporation, "WebDAV Extensions for E-Mail Support", December 2008.

[MS-XWDSEARCH] Microsoft Corporation, "WebDAV Extensions for Search", December 2008.

[MS-XWDSTRUCTDOC] Microsoft Corporation, "WebDAV Extensions for Structured Documents", December 2008.

[MS-XWDVSEC] Microsoft Corporation, "Web Distributed Authoring and Versioning (WebDAV) Protocol: Security Descriptor Extensions Specification", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**, as appropriate:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a **tagged property**.

Property long ID (LID): An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications **MUST** set certain required properties corresponding to the object's **message class**. Applications **SHOULD** handle the case where required properties are missing; treating a message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk "*" denotes that any string **MAY** appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS-OXCMSG]
Email	IPM.Note, REPORT.*	[MS-OXOMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS-OXOCAL]
Contact	IPM.Contact, IPM DistList	[MS-OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS-OXOTASK]
Journal	IPM.Activity	[MS-OXOJRNL]
Sticky note	IPM.StickyNote	[MS-OXONOTE]
Document	IPM.Document.*	[MS-OXODOC]
Post	IPM.Post	[MS-OXOPOST]

RSS feed	IPM.Post.RSS	[MS-OXORSS]
Rights-managed email	IPM.Note with PidNameContentClass=rmsg.message	[MS-OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS-OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS-OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS-OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS-OXSHARE]

1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified	PSETID_UnifiedMessaging

messaging	{4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers SHOULD NOT allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable SHOULD be submitted for transport to another server.
- Clients MAY use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications MUST specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients MAY use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** MUST be distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients MAY use properties in ranges specified as transport-defined, but they MUST NOT define new properties in those ranges.
- Clients MAY use and define properties in ranges specified as user-defined, but SHOULD take care to avoid conflicts with alternate definitions of the same **property ID**.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved

0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0x8FFF	Reserved for mapping to named properties

1.4 WebDAV Property Naming

The mail server is natively a MAPI store where the vast majority of properties in it are MAPI properties. The WebDAV implementation uses the **Augmented Backus-Naur Form (ABNF)** notation, as specified in [RFC4234], as a way to name MAPI properties, allowing WebDAV clients to work with these properties directly.

The `http://schemas.microsoft.com/mapi/` namespace is used to directly access MAPI properties on the server. The namespace consists of three sub namespaces: `proptag`, `id`, and `string`. The ABNF notation used to specify the format of these namespaces is described in this section.

1.4.1 `http://schemas.microsoft.com/mapi/proptag` Namespace

This namespace is used to access properties on the server that are identified by a **property ID**. You can access these properties through WebDAV by appending the hexadecimal **property ID** value and the hexadecimal property type value to the namespace prefix.

```
proptag-specifier = "http://schemas.microsoft.com/mapi/proptag/x"
property-id property-type

property-id = 4HEXDIG

property-type = 4HEXDIG
```

Example:

```
http://schemas.microsoft.com/mapi/proptag/x0037001f (PidTagSubject)
```

1.4.2 `http://schemas.microsoft.com/mapi/id` Namespace

This namespace is used to access **named properties** on the server that are identified by a **property long ID**. You can access these properties through WebDAV by appending the **property set** and the hexadecimal **property long ID** value to the namespace prefix.

```
id-specifier = "http://schemas.microsoft.com/mapi/id/" property-set
"/x" property-long-id

property-set = "{" 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-"
12HEXDIG "}"

property-long-id = 8HEXDIG
```

Example:

```
http://schemas.microsoft.com/mapi/id/{00062002-0000-0000-C000-
000000000046}/x00008213 (PidLidAppointmentDuration)
```

1.4.3 http://schemas.microsoft.com/mapi/string Namespace

This namespace is used to access **named properties** on the server that are identified by a **property name**. You can access these properties through WebDAV by appending the **property set** and the **property name** to the namespace prefix.

```
string-specifier = "http://schemas.microsoft.com/mapi/string/"
property-set "/" property-name

property-set = "{" 8*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG
"-" 12*HEXDIG "}"

property-name = 1*CHAR
```

Example:

```
http://schemas.microsoft.com/mapi/string/{00020329-0000-0000-C000-
000000000046}/Subject (PidNameSubject)
```

1.5 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCADATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCADATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.6 Applicability Statement

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.7 Versioning and Localization

None.

1.8 Vendor-Extensible Fields

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DD

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidAddressCountryCode

2.4 PidLidAgingDontAgeMe

Canonical name: PidLidAgingDontAgeMe

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000850E

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidAgingDontAgeMe

2.5 PidLidAllAttendeesList

Canonical name: PidLidAllAttendeesList
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001D
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_ALL_ATTENDEES_LIST

2.6 PidLidAllAttendeesString

Canonical name: PidLidAllAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008238
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidAllAttendeesString,
<http://schemas.microsoft.com/mapi/allattendeesstring>

2.7 PidLidAllowExternalCheck

Canonical name: PidLidAllowExternalCheck
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008246
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAllowExternCheck

2.8 PidLidAnniversaryEventEntryId

Canonical name: PidLidAnniversaryEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804E
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAnniversaryEventEID

2.9 PidLidAppointmentAuxiliaryFlags

Canonical name: PidLidAppointmentAuxiliaryFlags
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008207
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008214
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008257
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008213
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidApptDuration, <http://schemas.microsoft.com/mapi/apptduration>

2.13 PidLidAppointmentEndDate

Canonical name: PidLidAppointmentEndDate
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008211
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidApptEndDate, <http://schemas.microsoft.com/mapi/apptenddate>

2.14 PidLidAppointmentEndTime

Canonical name: PidLidAppointmentEndTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008210

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptEndTime, <http://schemas.microsoft.com/mapi/apptendtime>

2.15 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptEndWhole, <http://schemas.microsoft.com/mapi/apptendwhole>

2.16 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.17 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.18 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptNotAllowPropose

2.19 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008259
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposalNum

2.20 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008256
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposedDuration

2.21 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008251
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedEndWhole

2.22 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008250
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedStartWhole

2.23 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK], [MS-XWDCAL]

Alternate names: dispidApptRecur, <http://schemas.microsoft.com/mapi/apptrecur>

2.24 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyName, <http://schemas.microsoft.com/mapi/apptreplyname>

2.25 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008220

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyTime, urn:schemas:calendar:replytime, <http://schemas.microsoft.com/mapi/apptreplytime>

2.26 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSequence, <http://schemas.microsoft.com/mapi/apptsequence>

2.27 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008202

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptSeqTime

2.28 PidLidAppointmentStartDate

Canonical name: PidLidAppointmentStartDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008212

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptStartDate, <http://schemas.microsoft.com/mapi/apptstartdate>

2.29 PidLidAppointmentStartTime

Canonical name: PidLidAppointmentStartTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820F

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptStartTime, <http://schemas.microsoft.com/mapi/apptstarttime>

2.30 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptStartWhole, <http://schemas.microsoft.com/mapi/apptstartwhole>

2.31 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidApptStateFlags, <http://schemas.microsoft.com/mapi/apptstateflags>

2.32 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSubType, urn:schemas:calendar:alldayevent,
http://schemas.microsoft.com/mapi/apptsubtype

2.33 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000825F
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidApptTZDefEndDisplay

2.34 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008260
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidApptTZDefRecur

2.35 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000825E
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidApptTZDefStartDisplay

2.36 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823D
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptUnsendableRecips

2.37 PidLidAppointmentUpdateTime

Canonical name: PidLidAppointmentUpdateTime
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008226

Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-XWDCAL]
Alternate names: dispidApptUpdateTime,
<http://schemas.microsoft.com/mapi/apptupdatetime>

2.38 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_ATTENDEE_CRITICAL_CHANGE,
http://schemas.microsoft.com/mapi/attendee_critical_change

2.39 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAutoFillLocation

2.40 PidLidAutoLog

Canonical name: PidLidAutoLog
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008025
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAutoLog

2.41 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851A
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidSniffState

2.42 PidLidAutoStartCheck

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXORMDR]

Alternate names: dispidAutoStartCheck

2.43 PidLidAutoStartWhen

Canonical name: PidLidAutoStartWhen

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008245

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidAutoStartWhen

2.44 PidLidBilling

Canonical name: PidLidBilling

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008535

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-XWDCNTC]

Alternate names: dispidBilling, urn:schemas:contacts:billinginformation

2.45 PidLidBirthdayEventEntryId

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBirthdayEventEID

2.46 PidLidBusinessCardCardPicture

Canonical name: PidLidBusinessCardCardPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008041

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidBCCardPicture

2.47 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008040
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBCDisplayDefinition

2.48 PidLidBusyStatus

Canonical name: PidLidBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008205
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]
Alternate names: dispidBusyStatus, <http://schemas.microsoft.com/mapi/busystatus>

2.49 PidLidCalendarType

Canonical name: PidLidCalendarType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_CALENDAR_TYPE,
http://schemas.microsoft.com/mapi/calendar_type

2.50 PidLidCategories

Canonical name: PidLidCategories
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property long ID (LID): 0x00002328
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-OXCMAIL]
Alternate names: dispidCategories

2.51 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823C
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCCAttendeesString

2.52 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008204
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidChangeHighlight

2.53 PidLidClassification

Canonical name: PidLidClassification
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B6
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassification

2.54 PidLidClassificationDescription

Canonical name: PidLidClassificationDescription
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B7
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassDesc

2.55 PidLidClassificationGuid

Canonical name: PidLidClassificationGuid
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B8
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassGuid

2.56 PidLidClassificationKeep

Canonical name: PidLidClassificationKeep

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BA

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassKeep

2.57 PidLidClassified

Canonical name: PidLidClassified

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B5

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXCMAIL]

Alternate names: dispidClassified

2.58 PidLidCleanGlobalObjectId

Canonical name: PidLidCleanGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000023

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidCleanGlobalObjId

2.59 PidLidClipEnd

Canonical name: PidLidClipEnd

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008236

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidClipEnd

2.60 PidLidClipStart

Canonical name: PidLidClipStart

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008235

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidClipStart

2.61 PidLidCollaborateDoc

Canonical name: PidLidCollaborateDoc
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008247
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCollaborateDoc

2.62 PidLidCommonEnd

Canonical name: PidLidCommonEnd
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008517
Data type: PtypTime, 0x0040
Area: General Message Properties
References: [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]
Alternate names: dispidCommonEnd

2.63 PidLidCommonStart

Canonical name: PidLidCommonStart
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008516
Data type: PtypTime, 0x0040
Area: General Message Properties
References: [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRNL], [MS-OXOTASK]
Alternate names: dispidCommonStart

2.64 PidLidCompanies

Canonical name: PidLidCompanies
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008539
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXOJRNL]
Alternate names: dispidCompanies

2.65 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidConfCheck

2.66 PidLidConferencingType

Canonical name: PidLidConferencingType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008241

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidConfType

2.67 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008023

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactCharSet

2.68 PidLidContactItemData

Canonical name: PidLidContactItemData

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008007

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactItemData

2.69 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008585

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]

Alternate names: dispidContactLinkEntry

2.70 PidLidContactLinkName

Canonical name: PidLidContactLinkName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008586

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]

Alternate names: dispidContactLinkName

2.71 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008584

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]

Alternate names: dispidContactLinkSearchKey

2.72 PidLidContacts

Canonical name: PidLidContacts

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000853A

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL]

Alternate names: dispidContacts

2.73 PidLidContactUserField1

Canonical name: PidLidContactUserField1

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804F

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactUserField1

2.74 PidLidContactUserField2

Canonical name: PidLidContactUserField2

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008050

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2

2.75 PidLidContactUserField3

Canonical name: PidLidContactUserField3
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008051
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField3

2.76 PidLidContactUserField4

Canonical name: PidLidContactUserField4
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008052
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField4

2.77 PidLidCurrentVersion

Canonical name: PidLidCurrentVersion
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008552
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersion

2.78 PidLidCurrentVersionName

Canonical name: PidLidCurrentVersionName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008554
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersionName

2.79 PidLidDayInterval

Canonical name: PidLidDayInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000011

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_DAY_INTERVAL, http://schemas.microsoft.com/mapi/day_interval

2.80 PidLidDayOfMonth

Canonical name: PidLidDayOfMonth

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001000

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/dayofmonth>

2.81 PidLidDelegateMail

Canonical name: PidLidDelegateMail

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000009

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_DELEGATE_MAIL,
http://schemas.microsoft.com/mapi/delegate_mail

2.82 PidLidDepartment

Canonical name: PidLidDepartment

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008010

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDepartment

2.83 PidLidDirectory

Canonical name: PidLidDirectory

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008242

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidDirectory

2.84 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804C
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLChecksum

2.85 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008055
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXCADATA], [MS-OXOCNTC]
Alternate names: dispidDLMembers

2.86 PidLidDistributionListName

Canonical name: PidLidDistributionListName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008053
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLName

2.87 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008054
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLOneOffMembers

2.88 PidLidDistributionListStream

Canonical name: PidLidDistributionListStream
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008064

Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLStream

2.89 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008082
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1AddrType

2.90 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008080
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1DisplayName

2.91 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008083
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailAddress

2.92 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008087
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailType

2.93 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008084
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalDisplayName

2.94 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008085
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalEntryID

2.95 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008092
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2AddrType

2.96 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008090
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2DisplayName

2.97 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008093
Data type: PtypString, 0x001F
Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidEmail2EmailAddress

2.98 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008091
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2EntryID

2.99 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008094
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalDisplayName

2.100 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008095
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalEntryID

2.101 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3AddrType

2.102 PidLidEmail3DisplayName

Canonical name: PidLidEmail3DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A0

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3DisplayName

2.103 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EmailAddress

2.104 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A1
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EntryID

2.105 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalDisplayName

2.106 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalEntryID

2.107 PidLidEmailList

Canonical name: PidLidEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008027

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmailList

2.108 PidLidEndRecurrenceDate

Canonical name: PidLidEndRecurrenceDate

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000F

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_DATE,
http://schemas.microsoft.com/mapi/end_recur_date

2.109 PidLidEndRecurrenceTime

Canonical name: PidLidEndRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000010

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_TIME,
http://schemas.microsoft.com/mapi/end_recur_time

2.110 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008228

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidExceptionReplaceTime

2.111 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B2

Data type: PtypString, 0x001F

Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1AddrType

2.112 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1EmailAddress

2.113 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalDisplayName

2.114 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalEntryID

2.115 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2AddrType

2.116 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2EmailAddress

2.117 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalDisplayName

2.118 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalEntryID

2.119 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3AddrType

2.120 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3EmailAddress

2.121 PidLidFax3OriginalDisplayName

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalDisplayName

2.122 PidLidFax3OriginalEntryId

Canonical name: PidLidFax3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax3OriginalEntryID

2.123 PidLidFExceptionalAttendees

Canonical name: PidLidFExceptionalAttendees

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidFExceptionalAttendees

2.124 PidLidFExceptionalBody

Canonical name: PidLidFExceptionalBody

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008206

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidFExceptionalBody

2.125 PidLidFileUnder

Canonical name: PidLidFileUnder

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008005

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidFileUnder

2.126 PidLidFileUnderId

Canonical name: PidLidFileUnderId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008006
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderId

2.127 PidLidFileUnderList

Canonical name: PidLidFileUnderList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008026
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderList

2.128 PidLidFInvited

Canonical name: PidLidFInvited
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008229
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidFInvited, <http://schemas.microsoft.com/mapi/finvited>

2.129 PidLidFlagRequest

Canonical name: PidLidFlagRequest
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008530
Data type: PtypString, 0x001F
Area: Flagging
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: dispidRequest, urn:schemas:httpmail:messageflag, <http://schemas.microsoft.com/mapi/request>

2.130 PidLidFlagString

Canonical name: PidLidFlagString

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C0

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOFLAG]

Alternate names: dispidFlagStringEnum

2.131 PidLidForwardInstance

Canonical name: PidLidForwardInstance

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidFwrInstance

2.132 PidLidFOthersAppointment

Canonical name: PidLidFOthersAppointment

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822F

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-XWDCAL]

Alternate names: dispidFOthersAppt, <http://schemas.microsoft.com/mapi/fothersappt>

2.133 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D8

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCAL]

Alternate names: dispidFreeBusyLocation, urn:schemas:calendar:fburl

2.134 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000003

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]
Alternate names: LID_GLOBAL_OBJID

2.135 PidLidHasPicture

Canonical name: PidLidHasPicture
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008015
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHasPicture

2.136 PidLidHomeAddress

Canonical name: PidLidHomeAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidHomeAddress, urn:schemas:contacts:homepostaladdress

2.137 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DA
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHomeAddressCountryCode

2.138 PidLidHtml

Canonical name: PidLidHtml
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHTML

2.139 PidLidICalendarDayOfWeekMask

Canonical name: PidLidICalendarDayOfWeekMask
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00001001

Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: <http://schemas.microsoft.com/mapi/dayofweekmask>

2.140 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008062
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidInstMsg

2.141 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008224
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidIntendedBusyStatus,
<http://schemas.microsoft.com/mapi/intendedbusystatus>

2.142 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008580
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: dispidInetAcctName

2.143 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008581
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXOMSG]
Alternate names: dispidInetAcctStamp

2.144 PidLidIsException

Canonical name: PidLidIsException

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: LID_IS_EXCEPTION, http://schemas.microsoft.com/mapi/is_exception

2.145 PidLidIsRecurring

Canonical name: PidLidIsRecurring

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000005

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_RECURRING, http://schemas.microsoft.com/mapi/is_recurring

2.146 PidLidIsSilent

Canonical name: PidLidIsSilent

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000004

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_SILENT, http://schemas.microsoft.com/mapi/is_silent

2.147 PidLidLinkedTaskItems

Canonical name: PidLidLinkedTaskItems

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820C

Data type: PtypMultipleBinary, 0x1102

Area: Tasks

References: [MS-OXOCAL]

Alternate names: dispidLinkedTaskItems

2.148 PidLidLocation

Canonical name: PidLidLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008208

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidLocation, urn:schemas:calendar:location

2.149 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008711
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocPosted

2.150 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870E
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocPrinted

2.151 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008710
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocRouted

2.152 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870F
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocSaved

2.153 PidLidLogDuration

Canonical name: PidLidLogDuration
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008707

Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDuration

2.154 PidLidLogEnd

Canonical name: PidLidLogEnd
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008708
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogEnd

2.155 PidLidLogFlags

Canonical name: PidLidLogFlags
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870C
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogFlags

2.156 PidLidLogStart

Canonical name: PidLidLogStart
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008706
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogStart

2.157 PidLidLogType

Canonical name: PidLidLogType
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008700
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogType

2.158 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008712

Data type: PtypString, 0x001F

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogTypeDesc

2.159 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidMeetingType

2.160 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidMWSURL,
<http://schemas.microsoft.com/mapi/meetingworkspaceurl>

2.161 PidLidMonthInterval

Canonical name: PidLidMonthInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000013

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_MONTH_INTERVAL,
http://schemas.microsoft.com/mapi/month_interval

2.162 PidLidMonthOfYear

Canonical name: PidLidMonthOfYear

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001006

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/monthofyear>

2.163 PidLidMonthOfYearMask

Canonical name: PidLidMonthOfYearMask

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000017

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_MOY_MASK, http://schemas.microsoft.com/mapi/moy_mask

2.164 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008248

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidNetShowURL

2.165 PidLidNoEndDateFlag

Canonical name: PidLidNoEndDateFlag

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100B

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/fnoenddate>

2.166 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008538

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableBCC,
<http://schemas.microsoft.com/mapi/nonsendablebcc>

2.167 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008537

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableCC, <http://schemas.microsoft.com/mapi/nonsendablecc>

2.168 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008536

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableTo, <http://schemas.microsoft.com/mapi/nonsendableto>

2.169 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendBccTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendbcctrackstatus>

2.170 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendCcTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendcctrackstatus>

2.171 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties
References: [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidNonSendToTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendtotrackstatus>

2.172 PidLidNoteColor

Canonical name: PidLidNoteColor
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B00
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteColor

2.173 PidLidNoteHeight

Canonical name: PidLidNoteHeight
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B03
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteHeight

2.174 PidLidNoteWidth

Canonical name: PidLidNoteWidth
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B02
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteWidth

2.175 PidLidNoteX

Canonical name: PidLidNoteX
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B04
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteX

2.176 PidLidNoteY

Canonical name: PidLidNoteY

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B05

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteY

2.177 PidLidOccurrences

Canonical name: PidLidOccurrences

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001005

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/occurrences>

2.178 PidLidOldLocation

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldLocation

2.179 PidLidOldRecurrenceType

Canonical name: PidLidOldRecurrenceType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000018

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_RECUR_TYPE, http://schemas.microsoft.com/mapi/recur_type

2.180 PidLidOldWhenEndWhole

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenEndWhole

2.181 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000029
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenStartWhole

2.182 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008249
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOnlinePassword

2.183 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000007
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_OPTIONAL_ATTENDEES,
http://schemas.microsoft.com/mapi/optional_attendees

2.184 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008243
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidOrgAlias

2.185 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008237

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL], [MS-XWDMAIL]

Alternate names: dispidOrigStoreEid, <http://schemas.microsoft.com/mapi/origstoreeid>

2.186 PidLidOtherAddress

Canonical name: PidLidOtherAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidOtherAddress, urn:schemas:contacts:otherpostaladdress

2.187 PidLidOtherAddressCountryCode

Canonical name: PidLidOtherAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DC

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddressCountryCode

2.188 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_OWNER_CRITICAL_CHANGE, urn:schemas:calendar:dtstamp, http://schemas.microsoft.com/mapi/owner_critical_change

2.189 PidLidOwnerName

Canonical name: PidLidOwnerName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822E

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-XWDCAL]

Alternate names: dispidOwnerName, <http://schemas.microsoft.com/mapi/ownername>

2.190 PidLidPercentComplete

Canonical name: PidLidPercentComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008102

Data type: PtypFloating64, 0x0005

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

Alternate names: dispidPercentComplete

2.191 PidLidPKMDocSummaryInformation17

Canonical name: PidLidPKMDocSummaryInformation17

Property set: GUID_PKMDocSummaryInformation {d5cdd502-2e9c-101b-9397-08002b2cf9ae}

Property long ID (LID): 17

Data type: PtypInteger32, 0x0003

Area: SharePoint

References: [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Version

2.192 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidPostalAddressId, urn:schemas:contacts:mailingaddressid

2.193 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008904

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannel

2.194 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008900

Data type: PtypString, 0x001F

Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssChannelLink

2.195 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008903
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemGuid

2.196 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008902
Data type: PtypInteger32, 0x0003
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemHash

2.197 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008901
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemLink

2.198 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008905
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemXml

2.199 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008906
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssSubscription

2.200 PidLidPrivate

Canonical name: PidLidPrivate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008506
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]
Alternate names: dispidPrivate

2.201 PidLidRecurrenceDuration

Canonical name: PidLidRecurrenceDuration
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000100D
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: <http://schemas.microsoft.com/mapi/recurduration>

2.202 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008232
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidRecurPattern, <http://schemas.microsoft.com/mapi/recurpattern>

2.203 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008231
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidRecurType, <http://schemas.microsoft.com/mapi/recurtype>

2.204 PidLidRecurring

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCDATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidRecurring, <http://schemas.microsoft.com/mapi/recurring>

2.205 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BD

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidReferenceEID

2.206 PidLidReferredBy

Canonical name: PidLidReferredBy

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000800E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-XWDCNTC]

Alternate names: dispidReferredBy, <urn:schemas:contacts:referredby>

2.207 PidLidReminderDelta

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: dispidReminderDelta, <http://schemas.microsoft.com/mapi/reminderdelta>

2.208 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851F

Data type: PtypString, 0x001F

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderFileParam,
<http://schemas.microsoft.com/mapi/reminderfileparam>

2.209 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderOverride,
<http://schemas.microsoft.com/mapi/reminderoverride>

2.210 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851E

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderPlaySound,
<http://schemas.microsoft.com/mapi/reminderplaysound>

2.211 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL],
[MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-
OXOTASK], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidReminderSet, <http://schemas.microsoft.com/mapi/reminderset>

2.212 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008560

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR],

[MS-XWDCAL]

Alternate names: dispidReminderNextTime,
<http://schemas.microsoft.com/mapi/remindernexttime>

2.213 PidLidReminderTime

Canonical name: PidLidReminderTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008502

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR],
[MS-XWDCAL]

Alternate names: dispidReminderTime, <http://schemas.microsoft.com/mapi/remindertime>

2.214 PidLidReminderTimeDate

Canonical name: PidLidReminderTimeDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008505

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-XWDCAL]

Alternate names: dispidReminderTimeDate,
<http://schemas.microsoft.com/mapi/remindertimedate>

2.215 PidLidReminderTimeTime

Canonical name: PidLidReminderTimeTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008504

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-XWDCAL]

Alternate names: dispidReminderTimeTime,
<http://schemas.microsoft.com/mapi/remindertimetime>

2.216 PidLidReminderType

Canonical name: PidLidReminderType

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851D

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderType, <http://schemas.microsoft.com/mapi/remindertype>

2.217 PidLidRemoteStatus

Canonical name: PidLidRemoteStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008511

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-XWDCAL]

Alternate names: dispidRemoteStatus, <http://schemas.microsoft.com/mapi/remotestatus>

2.218 PidLidRequiredAttendees

Canonical name: PidLidRequiredAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000006

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_REQUIRED_ATTENDEES,
http://schemas.microsoft.com/mapi/required_attendees

2.219 PidLidResourceAttendees

Canonical name: PidLidResourceAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000008

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_RESOURCE_ATTENDEES,
http://schemas.microsoft.com/mapi/resource_attendees

2.220 PidLidResponseStatus

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidResponseStatus, urn:schemas:calendar:attendeestatus,
<http://schemas.microsoft.com/mapi/responsestatus>

2.221 PidLidSendMeetingAsIcal

Canonical name: PidLidSendMeetingAsIcal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008200

Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidSendMtgAsICAL

2.222 PidLidServerProcessed

Canonical name: PidLidServerProcessed
Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}
Property long ID (LID): 0x000085CC
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExchangeProcessed

2.223 PidLidServerProcessingActions

Canonical name: PidLidServerProcessingActions
Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}
Property long ID (LID): 0x000085CD
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExchangeProcessingAction

2.224 PidLidSharingAnonymity

Canonical name: PidLidSharingAnonymity
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A19
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingAnonymity

2.225 PidLidSharingBindingEntryId

Canonical name: PidLidSharingBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2D
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingBindingEid

2.226 PidLidSharingBrowseUrl

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A51

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBrowseUrl

2.227 PidLidSharingCapabilities

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingCaps

2.228 PidLidSharingConfigurationUrl

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A24

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingConfigUrl

2.229 PidLidSharingDataRangeEnd

Canonical name: PidLidSharingDataRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A45

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeEnd

2.230 PidLidSharingDataRangeStart

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingDataRangeStart

2.231 PidLidSharingDetail

Canonical name: PidLidSharingDetail
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingDetail

2.232 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A21
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingExtXml

2.233 PidLidSharingFilter

Canonical name: PidLidSharingFilter
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A13
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFilter

2.234 PidLidSharingFlags

Canonical name: PidLidSharingFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlags

2.235 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A18

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlavor

2.236 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A15
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFolderEid

2.237 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2E
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingIndexEid

2.238 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A09
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorEid

2.239 PidLidSharingInitiatorName

Canonical name: PidLidSharingInitiatorName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A07
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorName

2.240 PidLidSharingInitiatorSntp

Canonical name: PidLidSharingInitiatorSntp
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A08
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorSntp

2.241 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInstanceGuid

2.242 PidLidSharingLastAutoSyncTime

Canonical name: PidLidSharingLastAutoSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A55
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastAutoSync

2.243 PidLidSharingLastSyncTime

Canonical name: PidLidSharingLastSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1F
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastSync

2.244 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4D
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingLocalComment

2.245 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A23
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalLastMod

2.246 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0F
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalName

2.247 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalPath

2.248 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A49
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalStoreUid

2.249 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A14

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalType

2.250 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A10
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalUid

2.251 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A29
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingOriginalMessageEid

2.252 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParentBindingEid

2.253 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParticipants

2.254 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingPermissions

2.255 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderExtension

2.256 PidLidSharingProviderGuid

Canonical name: PidLidSharingProviderGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A01
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderGuid

2.257 PidLidSharingProviderName

Canonical name: PidLidSharingProviderName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A02
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderName

2.258 PidLidSharingProviderUrl

Canonical name: PidLidSharingProviderUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A03
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingProviderUrl

2.259 PidLidSharingRangeEnd

Canonical name: PidLidSharingRangeEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A47
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRangeEnd

2.260 PidLidSharingRangeStart

Canonical name: PidLidSharingRangeStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A46
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRangeStart

2.261 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingReciprocation

2.262 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteByteSize

2.263 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2F

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteComment

2.264 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteCrc

2.265 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A22
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteLastMod

2.266 PidLidSharingRemoteMessageCount

Canonical name: PidLidSharingRemoteMessageCount
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4F
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteMsgCount

2.267 PidLidSharingRemoteName

Canonical name: PidLidSharingRemoteName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A05
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteName

2.268 PidLidSharingRemotePass

Canonical name: PidLidSharingRemotePass
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePass

2.269 PidLidSharingRemotePath

Canonical name: PidLidSharingRemotePath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A04
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePath

2.270 PidLidSharingRemoteStoreUid

Canonical name: PidLidSharingRemoteStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A48
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteStoreUid

2.271 PidLidSharingRemoteType

Canonical name: PidLidSharingRemoteType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteType

2.272 PidLidSharingRemoteUid

Canonical name: PidLidSharingRemoteUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A06
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUid

2.273 PidLidSharingRemoteUser

Canonical name: PidLidSharingRemoteUser
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0C
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUser

2.274 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteVersion

2.275 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A28
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseTime

2.276 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A27
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseType

2.277 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4E

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRoamLog

2.278 PidLidSharingStart

Canonical name: PidLidSharingStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A25
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStart

2.279 PidLidSharingStatus

Canonical name: PidLidSharingStatus
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A00
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStatus

2.280 PidLidSharingStop

Canonical name: PidLidSharingStop
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A26
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStop

2.281 PidLidSharingSyncFlags

Canonical name: PidLidSharingSyncFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A60
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncFlags

2.282 PidLidSharingSyncInterval

Canonical name: PidLidSharingSyncInterval

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingSyncInterval

2.283 PidLidSharingTimeToLive

Canonical name: PidLidSharingTimeToLive

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2C

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingTimeToLive

2.284 PidLidSharingTimeToLiveAuto

Canonical name: PidLidSharingTimeToLiveAuto

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A56

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingTimeToLiveAuto

2.285 PidLidSharingWorkingHoursDays

Canonical name: PidLidSharingWorkingHoursDays

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A42

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursDays

2.286 PidLidSharingWorkingHoursEnd

Canonical name: PidLidSharingWorkingHoursEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A41

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursEnd

2.287 PidLidSharingWorkingHoursStart

Canonical name: PidLidSharingWorkingHoursStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A40
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursStart

2.288 PidLidSharingWorkingHoursTimeZone

Canonical name: PidLidSharingWorkingHoursTimeZone
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A43
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursTZ

2.289 PidLidSideEffects

Canonical name: PidLidSideEffects
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008510
Data type: PtypInteger32, 0x0003
Area: Run-time configuration
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]
Alternate names: dispidSideEffects

2.290 PidLidSingleInvite

Canonical name: PidLidSingleInvite
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_SINGLE_INVITE

2.291 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008514
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCICAL], [MS-OXCMSG]
Alternate names: dispidSmartNoAttach

2.292 PidLidSpamOriginalFolder

Canonical name: PidLidSpamOriginalFolder
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000859C
Data type: PtypBinary, 0x0102
Area: Spam
References: [MS-OXCSPAM]
Alternate names: dispidSpamOriginalFolder

2.293 PidLidStartRecurrenceDate

Canonical name: PidLidStartRecurrenceDate
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000D
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_START_RECUR_DATE,
http://schemas.microsoft.com/mapi/start_recur_date

2.294 PidLidStartRecurrenceTime

Canonical name: PidLidStartRecurrenceTime
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000E
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_START_RECUR_TIME,
http://schemas.microsoft.com/mapi/start_recur_time

2.295 PidLidTaskAcceptanceState

Canonical name: PidLidTaskAcceptanceState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOTASK]
Alternate names: dispidTaskDelegValue

2.296 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008108

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskAccepted

2.297 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008110

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskActualEffort

2.298 PidLidTaskAssigner

Canonical name: PidLidTaskAssigner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008121

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOTASK]

Alternate names: dispidTaskDelegator

2.299 PidLidTaskAssigners

Canonical name: PidLidTaskAssigners

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008117

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMyDelegators

2.300 PidLidTaskComplete

Canonical name: PidLidTaskComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG],

[MS-OXOTASK]

Alternate names: dispidTaskComplete

2.301 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000810F

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

Alternate names: dispidTaskDateCompleted

2.302 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008109

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDeadOccur

2.303 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008105

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskDueDate

2.304 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008111

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskEstimatedEffort

2.305 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811E
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskFCreator

2.306 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812C
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFFixOffline

2.307 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008126
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFRecur

2.308 PidLidTaskGlobalId

Canonical name: PidLidTaskGlobalId
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008519
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskGlobalObjId

2.309 PidLidTaskHistory

Canonical name: PidLidTaskHistory
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskHistory

2.310 PidLidTaskLastDelegate

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008125

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastDelegate

2.311 PidLidTaskLastUpdate

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUpdate

2.312 PidLidTaskLastUser

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008122

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUser

2.313 PidLidTaskMode

Canonical name: PidLidTaskMode

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008518

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: dispidTaskMode

2.314 PidLidTaskMultipleRecipients

Canonical name: PidLidTaskMultipleRecipients

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008120

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]
Alternate names: dispidTaskMultRecips

2.315 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008124
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: dispidTaskNoCompute

2.316 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008123
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskOrdinal

2.317 PidLidTaskOwner

Canonical name: PidLidTaskOwner
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811F
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskOwner

2.318 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008129
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskOwnership

2.319 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008116

Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskRecur

2.320 PidLidTaskResetReminder

Canonical name: PidLidTaskResetReminder
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008107
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskResetReminder

2.321 PidLidTaskRole

Canonical name: PidLidTaskRole
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008127
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskRole

2.322 PidLidTaskStartDate

Canonical name: PidLidTaskStartDate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008104
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskStartDate

2.323 PidLidTaskState

Canonical name: PidLidTaskState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008113
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]
Alternate names: dispidTaskState

2.324 PidLidTaskStatus

Canonical name: PidLidTaskStatus

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008101

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskStatus

2.325 PidLidTaskStatusOnComplete

Canonical name: PidLidTaskStatusOnComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008119

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskSOC

2.326 PidLidTaskUpdates

Canonical name: PidLidTaskUpdates

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811B

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskUpdates

2.327 PidLidTaskVersion

Canonical name: PidLidTaskVersion

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008112

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskVersion

2.328 PidLidTeamTask

Canonical name: PidLidTeamTask

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008103

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: dispidTeamTask

2.329 PidLidTimeZone

Canonical name: PidLidTimeZone
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_TIME_ZONE, http://schemas.microsoft.com/mapi/time_zone

2.330 PidLidTimeZoneDescription

Canonical name: PidLidTimeZoneDescription
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008234
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidTimeZoneDesc, <http://schemas.microsoft.com/mapi/timezonedesc>

2.331 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008233
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidTimeZoneStruct, <http://schemas.microsoft.com/mapi/timezonestruct>

2.332 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823B
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidToAttendeesString

2.333 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A0

Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOFLAG]
Alternate names: dispidToDoOrdinalDate

2.334 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A1
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOFLAG]
Alternate names: dispidToDoSubOrdinal

2.335 PidLidToDoTitle

Canonical name: PidLidToDoTitle
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A4
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]
Alternate names: dispidToDoTitle

2.336 PidLidUseTnef

Canonical name: PidLidUseTnef
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008582
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: dispidUseTNEF

2.337 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BF
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidValidFlagStringProof

2.338 PidLidVerbResponse

Canonical name: PidLidVerbResponse
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008524
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidVerbResponse

2.339 PidLidVerbStream

Canonical name: PidLidVerbStream
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008520
Data type: PtypBinary, 0x0102
Area: Run-time configuration
References: [MS-OXOMSG]
Alternate names: dispidVerbStream

2.340 PidLidWeekInterval

Canonical name: PidLidWeekInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000012
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_WEEK_INTERVAL,
http://schemas.microsoft.com/mapi/week_interval

2.341 PidLidWhere

Canonical name: PidLidWhere
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000002
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_WHERE, <http://schemas.microsoft.com/mapi/where>

2.342 PidLidWorkAddress

Canonical name: PidLidWorkAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801B
Data type: PtypString, 0x001F
Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddress, urn:schemas:contacts:workaddress

2.343 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008046

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressCity, urn:schemas:contacts:l

2.344 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008049

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressCountry, urn:schemas:contacts:co

2.345 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DB

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidWorkAddressCountryCode

2.346 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008048

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidWorkAddressPostalCode, urn:schemas:contacts:postalcode

2.347 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804A

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressPostOfficeBox, urn:schemas:contacts:postofficebox

2.348 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008047
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressState, urn:schemas:contacts:st

2.349 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008045
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressStreet, urn:schemas:contacts:street

2.350 PidLidYearInterval

Canonical name: PidLidYearInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000014
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_YEAR_INTERVAL,
http://schemas.microsoft.com/mapi/year_interval

2.351 PidLidYomiCompanyName

Canonical name: PidLidYomiCompanyName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiCompanyName

2.352 PidLidYomiFirstName

Canonical name: PidLidYomiFirstName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiFirstName

2.353 PidLidYomiLastName

Canonical name: PidLidYomiLastName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802D

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidYomiLastName

2.354 PidLidInfoPathFormName

Canonical name: PidLidInfoPathFormName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x85B1

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.355 PidNameAcceptLanguage

Canonical name: PidNameAcceptLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Accept-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: AcceptLanguage

2.356 PidNameApplicationName

Canonical name: PidNameApplicationName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: AppName

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#NameOfApplication

2.357 PidNameApproved

Canonical name: PidNameApproved

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Approved

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:approved

2.358 PidNameAttachmentMacContentType

Canonical name: PidNameAttachmentMacContentType

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacContentType

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.359 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacInfo

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names:

2.360 PidNameAudioNotes

Canonical name: PidNameAudioNotes

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: UMAudioNotes

Data type: PtypString, 0x001F

Area: UM

References: [MS-OXOUM]

Alternate names: UMAudioNotes

2.361 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Authorurn:schemas-microsoft-com:office:office#Author

2.362 PidNameBcc

Canonical name: PidNameBcc
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Bcc
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:bcc

2.363 PidNameByteCount

Canonical name: PidNameByteCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: ByteCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Bytesurn:schemas-microsoft-com:office:office#Bytes

2.364 PidNameCalendarAttendeeRole

Canonical name: PidNameCalendarAttendeeRole
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:attendeerole
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:attendeerole

2.365 PidNameCalendarBusystatus

Canonical name: PidNameCalendarBusystatus
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:busystatus
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:busystatus

2.366 PidNameCalendarContact

Canonical name: PidNameCalendarContact
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:contact
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:contact

2.367 PidNameCalendarContactUrl

Canonical name: PidNameCalendarContactUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:contacturl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:contacturl

2.368 PidNameCalendarCreated

Canonical name: PidNameCalendarCreated
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:created
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:created

2.369 PidNameCalendarDescriptionUrl

Canonical name: PidNameCalendarDescriptionUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:descriptionurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:descriptionurl

2.370 PidNameCalendarDuration

Canonical name: PidNameCalendarDuration
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:duration
Data type: PtypInteger32, 0x0003
Area: Common

References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:duration

2.371 PidNameCalendarExceptionDate

Canonical name: PidNameCalendarExceptionDate
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:exdate
Data type: PtypMultipleTime, 0x1040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:exdate

2.372 PidNameCalendarExceptionRule

Canonical name: PidNameCalendarExceptionRule
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:exrule
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:exrule

2.373 PidNameCalendarGeoLatitude

Canonical name: PidNameCalendarGeoLatitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:geolatitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:geolatitude

2.374 PidNameCalendarGeoLongitude

Canonical name: PidNameCalendarGeoLongitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:geolongitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:geolongitude

2.375 PidNameCalendarInstanceType

Canonical name: PidNameCalendarInstanceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:instancetype

Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:instancetype

2.376 PidNameCalendarIsOrganizer

Canonical name: PidNameCalendarIsOrganizer
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:isorganizer
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:isorganizer

2.377 PidNameCalendarLastModified

Canonical name: PidNameCalendarLastModified
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:lastmodified
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:lastmodified

2.378 PidNameCalendarLocationUrl

Canonical name: PidNameCalendarLocationUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:locationurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:locationurl

2.379 PidNameCalendarMeetingStatus

Canonical name: PidNameCalendarMeetingStatus
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:meetingstatus
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:meetingstatus

2.380 PidNameCalendarMethod

Canonical name: PidNameCalendarMethod
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:method
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:method

2.381 PidNameCalendarProductId

Canonical name: PidNameCalendarProductId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:prodid
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:prodid

2.382 PidNameCalendarRecurrenceIdRange

Canonical name: PidNameCalendarRecurrenceIdRange
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:recurrenceidrange
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:recurrenceidrange

2.383 PidNameCalendarReminderOffset

Canonical name: PidNameCalendarReminderOffset
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:reminderoffset
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:reminderoffset

2.384 PidNameCalendarResources

Canonical name: PidNameCalendarResources
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:resources
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:resources

2.385 PidNameCalendarRsvp

Canonical name: PidNameCalendarRsvp
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rsvp
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rsvp

2.386 PidNameCalendarSequence

Canonical name: PidNameCalendarSequence
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:sequence
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:sequence

2.387 PidNameCalendarTimeZone

Canonical name: PidNameCalendarTimeZone
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:timezone
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:timezone

2.388 PidNameCalendarTimeZoneId

Canonical name: PidNameCalendarTimeZoneId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:timezoneid
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:timezoneid

2.389 PidNameCalendarTransparent

Canonical name: PidNameCalendarTransparent
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:transparent

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:transparent

2.390 PidNameCalendarUid

Canonical name: PidNameCalendarUid
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:uid
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:uid

2.391 PidNameCalendarVersion

Canonical name: PidNameCalendarVersion
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:version
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:version

2.392 PidNameCategory

Canonical name: PidNameCategory
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Category
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Category, urn:schemas-microsoft-com:office:office#Category

2.393 PidNameCc

Canonical name: PidNameCc
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Cc
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:cc

2.394 PidNameCharacterCount

Canonical name: PidNameCharacterCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CharCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Characters, urn:schemas-microsoft-com:office:office#Characters

2.395 PidNameComments

Canonical name: PidNameComments

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Comments

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Comments, urn:schemas-microsoft-com:office:office#Comments

2.396 PidNameCompany

Canonical name: PidNameCompany

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Company

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Company, urn:schemas-microsoft-com:office:office#Company

2.397 PidNameContactsAlternateRecipient

Canonical name: PidNameContactsAlternateRecipient

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:alternaterecipient

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:alternaterecipient

2.398 PidNameContactsCountry

Canonical name: PidNameContactsCountry

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:c

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:c

2.399 PidNameContactsEmail1

Canonical name: PidNameContactsEmail1
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:email1
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:email1

2.400 PidNameContactsEmail2

Canonical name: PidNameContactsEmail2
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:email2
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:email2

2.401 PidNameContactsEmail3

Canonical name: PidNameContactsEmail3
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:email3
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:email3

2.402 PidNameContactsFileAs

Canonical name: PidNameContactsFileAs
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:fileas
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:fileas

2.403 PidNameContactsFileasId

Canonical name: PidNameContactsFileasId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:fileasid
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:fileasid

2.404 PidNameContactsHomeLatitude

Canonical name: PidNameContactsHomeLatitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:homelatitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:homelatitude

2.405 PidNameContactsHomeLongitude

Canonical name: PidNameContactsHomeLongitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:homelongitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:homelongitude

2.406 PidNameContactsHomeTimeZone

Canonical name: PidNameContactsHomeTimeZone
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:hometimezone
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:hometimezone

2.407 PidNameContactsMapUrl

Canonical name: PidNameContactsMapUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:mapurl
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:mapurl

2.408 PidNameContactsOtherCountryCode

Canonical name: PidNameContactsOtherCountryCode

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:othercountrycode

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:othercountrycode

2.409 PidNameContactsOtherPager

Canonical name: PidNameContactsOtherPager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:otherpager

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:otherpager

2.410 PidNameContactsOtherTimeZone

Canonical name: PidNameContactsOtherTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:othertimezone

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:othertimezone

2.411 PidNameContactsProxyAddresses

Canonical name: PidNameContactsProxyAddresses

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:proxyaddresses

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCNTC]

Alternate names: urn:schemas:contacts:proxyaddresses

2.412 PidNameContactsSecretaryUrl

Canonical name: PidNameContactsSecretaryUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:secretaryurl

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:secretaryurl

2.413 PidNameContactsSourceUrl

Canonical name: PidNameContactsSourceUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:sourceurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:sourceurl

2.414 PidNameContentBase

Canonical name: PidNameContentBase
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Base
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL]
Alternate names: BodyContentBase

2.415 PidNameContentClass

Canonical name: PidNameContentClass
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Class
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE], [MS-XWDSHEMA], [MS-XWDCAL], [MS-XWDDOC], [MS-XWDCNTC]
Alternate names: DAV:contentclassDAV:contentclass, urn:schemas:mailheader:content-class

2.416 PidNameContentDisposition

Canonical name: PidNameContentDisposition
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Disposition
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:content-disposition

2.417 PidNameContentID

Canonical name: PidNameContentID

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-id

2.418 PidNameContentLanguage

Canonical name: PidNameContentLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-language

2.419 PidNameContentLocation

Canonical name: PidNameContentLocation

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Location

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-location

2.420 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL], [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-transfer-encoding

2.421 PidNameContentType

Canonical name: PidNameContentType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Type

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:content-type

2.422 PidNameControl

Canonical name: PidNameControl
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Control
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:control

2.423 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: CreateDtmRo
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Created, urn:schemas-microsoft-com:office:office#Created

2.424 PidNameCrossReference

Canonical name: PidNameCrossReference
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Xref
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL], [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:xref

2.425 PidNameDavId

Canonical name: PidNameDavId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:id
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:id

2.426 PidNameDavIsCollection

Canonical name: PidNameDavIsCollection
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:iscollection
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:iscollection

2.427 PidNameDavIsStructuredDocument

Canonical name: PidNameDavIsStructuredDocument
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:isstructureddocument
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:isstructureddocument

2.428 PidNameDavParentName

Canonical name: PidNameDavParentName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:parentname
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:parentname

2.429 PidNameDavResourceType

Canonical name: PidNameDavResourceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:resourcetype
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:resourcetype

2.430 PidNameDavSearchRequest

Canonical name: PidNameDavSearchRequest
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:searchrequest
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:searchrequest

2.431 PidNameDavSearchType

Canonical name: PidNameDavSearchType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:searchtype

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDSEARCH]

Alternate names: DAV:searchtype

2.432 PidNameDavUid

Canonical name: PidNameDavUid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:uid

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: DAV:uid

2.433 PidNameDisposition

Canonical name: PidNameDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:disposition

2.434 PidNameDispositionNotificationOptions

Canonical name: PidNameDispositionNotificationOptions

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition-Notification-Options

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:disposition-notification-options

2.435 PidNameDispositionNotificationTo

Canonical name: PidNameDispositionNotificationTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition-Notification-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:disposition-notification-to

2.436 PidNameDistribution

Canonical name: PidNameDistribution

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Distribution

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:distribution

2.437 PidNameDocumentParts

Canonical name: PidNameDocumentParts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DocParts

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#PartTitles, urn:schemas-microsoft-com:office:office#PartTitles

2.438 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#TotalTime, urn:schemas-microsoft-com:office:office#TotalTime

2.439 PidNameExchangeArchive

Canonical name: PidNameExchangeArchive

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/archive

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: http://schemas.microsoft.com/exchange/archive

2.440 PidNameExchangeComposeFontColor

Canonical name: PidNameExchangeComposeFontColor
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: <http://schemas.microsoft.com/exchange/composefontcolor>
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: <http://schemas.microsoft.com/exchange/composefontcolor>

2.441 PidNameExchangeComposeFontFlags

Canonical name: PidNameExchangeComposeFontFlags
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: <http://schemas.microsoft.com/exchange/composefontflags>
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDMAIL]
Alternate names: <http://schemas.microsoft.com/exchange/composefontflags>

2.442 PidNameExchangeComposeFontName

Canonical name: PidNameExchangeComposeFontName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: <http://schemas.microsoft.com/exchange/composefontname>
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: <http://schemas.microsoft.com/exchange/composefontname>

2.443 PidNameExchangeComposeFontSize

Canonical name: PidNameExchangeComposeFontSize
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: <http://schemas.microsoft.com/exchange/composefontsize>
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDMAIL]
Alternate names: <http://schemas.microsoft.com/exchange/composefontsize>

2.444 PidNameExchangeIntendedBusyStatus

Canonical name: PidNameExchangeIntendedBusyStatus
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: <http://schemas.microsoft.com/exchange/intendedbusystatus>
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/intendedbusystatus>

2.445 PidNameExchangeJunkEmailMoveStamp

Canonical name: PidNameExchangeJunkEmailMoveStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/junkemailmovestamp>

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCSPAM], [MS-OXORSS], [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/junkemailmovestamp>

2.446 PidNameExchangeMailboxOwnerEntryId

Canonical name: PidNameExchangeMailboxOwnerEntryId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/mailbox-owner-entryid>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/mailbox-owner-entryid>

2.447 PidNameExchangeMailboxOwnerName

Canonical name: PidNameExchangeMailboxOwnerName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/mailbox-owner-name>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/mailbox-owner-name>

2.448 PidNameExchangeModifyExceptionStructure

Canonical name: PidNameExchangeModifyExceptionStructure

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/modifyexceptionstruct>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/modifyexceptionstruct>

2.449 PidNameExchangeMsexchembdefaultmailfolder

Canonical name: PidNameExchangeMsexchembdefaultmailfolder

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

2.450 PidNameExchangeMsexchembdefaultmailfoldertype

Canonical name: PidNameExchangeMsexchembdefaultmailfoldertype

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

2.451 PidNameExchangeNewMailNotify

Canonical name: PidNameExchangeNewMailNotify

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/newmailnotify>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/newmailnotify>

2.452 PidNameExchangeNoModifyExceptions

Canonical name: PidNameExchangeNoModifyExceptions

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/nomodifyexceptions>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/nomodifyexceptions>

2.453 PidNameExchangeOutOfOfficeState

Canonical name: PidNameExchangeOutOfOfficeState

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/oof-state>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/oof-state>

2.454 PidNameExchangePatternEnd

Canonical name: PidNameExchangePatternEnd
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/patternend
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/exchange/patternend

2.455 PidNameExchangePatternStart

Canonical name: PidNameExchangePatternStart
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/patternstart
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/exchange/patternstart

2.456 PidNameExchangePreviewMarkAsRead

Canonical name: PidNameExchangePreviewMarkAsRead
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/previewmarkasread
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDMAIL]
Alternate names: http://schemas.microsoft.com/exchange/previewmarkasread

2.457 PidNameExchangePreviewReadDelayTime

Canonical name: PidNameExchangePreviewReadDelayTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/prevreaddelaytime
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDMAIL]
Alternate names: http://schemas.microsoft.com/exchange/prevreaddelaytime

2.458 PidNameExchangePublicFolderEmailAddress

Canonical name: PidNameExchangePublicFolderEmailAddress
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/publicfolderemailaddress
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/publicfolderemailaddress>

2.459 PidNameExchangeReadReceipt

Canonical name: PidNameExchangeReadReceipt

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/readreceipt>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/readreceipt>

2.460 PidNameExchangeReminderInterval

Canonical name: PidNameExchangeReminderInterval

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/reminderinterval>

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/reminderinterval>

2.461 PidNameExchangeSmallIcon

Canonical name: PidNameExchangeSmallIcon

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/smallicon>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/smallicon>

2.462 PidNameExchangeSmimeEncrypt

Canonical name: PidNameExchangeSmimeEncrypt

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/smimeencrypt>

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/smimeencrypt>

2.463 PidNameExchangeSmimeSign

Canonical name: PidNameExchangeSmimeSign

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/smimesign>

Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDMAIL]
Alternate names: <http://schemas.microsoft.com/exchange/smimesign>

2.464 PidNameExchangeUserEntryId

Canonical name: PidNameExchangeUserEntryId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: <http://schemas.microsoft.com/exchange/user-entryid>
Data type: PtypBinary, 0x0102
Area: Common
References: [MS-XWDMAIL]
Alternate names: <http://schemas.microsoft.com/exchange/user-entryid>

2.465 PidNameExchDatabaseSchema

Canonical name: PidNameExchDatabaseSchema
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas-microsoft-com:exch-data:baseschema
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas-microsoft-com:exch-data:baseschema

2.466 PidNameExchDataExpectedContentClass

Canonical name: PidNameExchDataExpectedContentClass
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas-microsoft-com:exch-data:expected-content-class
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas-microsoft-com:exch-data:expected-content-class

2.467 PidNameExchDataSchemaCollectionReference

Canonical name: PidNameExchDataSchemaCollectionReference
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas-microsoft-com:exch-data:schema-collection-ref
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas-microsoft-com:exch-data:schema-collection-ref

2.468 PidNameExpires

Canonical name: PidNameExpires
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Expires
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:expires

2.469 PidNameExpiryDate

Canonical name: PidNameExpiryDate
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Expiry-Date
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:expiry-date

2.470 PidNameFollowupTo

Canonical name: PidNameFollowupTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Followup-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:followup-to

2.471 PidNameFrom

Canonical name: PidNameFrom
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: From
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:organizer

2.472 PidNameHeadingPairs

Canonical name: PidNameHeadingPairs
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: HeadingPairs
Data type: PtypBinary, 0x0102
Area: Common

References: [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#HeadingPairs

2.473 PidNameHiddenCount

Canonical name: PidNameHiddenCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HiddenCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#HiddenSlides, urn:schemas-microsoft-com:office:office#HiddenSlides

2.474 PidNameHttpmailBcc

Canonical name: PidNameHttpmailBcc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:bcc

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:bcc

2.475 PidNameHttpmailCalendar

Canonical name: PidNameHttpmailCalendar

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:calendar

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:httpmail:calendar

2.476 PidNameHttpmailCc

Canonical name: PidNameHttpmailCc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:cc

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDMAIL]

Alternate names: urn:schemas:httpmail:cc

2.477 PidNameHttpmailContacts

Canonical name: PidNameHttpmailContacts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:contacts
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCNTC]
Alternate names: urn:schemas:httpmail:contacts

2.478 PidNameHttpmailContentDispositionType

Canonical name: PidNameHttpmailContentDispositionType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:content-disposition-type
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:content-disposition-type

2.479 PidNameHttpmailContentMediaType

Canonical name: PidNameHttpmailContentMediaType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:content-media-type
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:content-media-type

2.480 PidNameHttpmailDeleteditems

Canonical name: PidNameHttpmailDeleteditems
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:deleteditems
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:deleteditems

2.481 PidNameHttpmailDrafts

Canonical name: PidNameHttpmailDrafts
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:drafts
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:drafts

2.482 PidNameHttpmailFrom

Canonical name: PidNameHttpmailFrom
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:from
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:from

2.483 PidNameHttpmailFromEmail

Canonical name: PidNameHttpmailFromEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:fromemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:fromemail

2.484 PidNameHttpmailHtmlDescription

Canonical name: PidNameHttpmailHtmlDescription
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:htmldescription
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:htmldescription

2.485 PidNameHttpmailInbox

Canonical name: PidNameHttpmailInbox
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:inbox
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:inbox

2.486 PidNameHttpmailJunkEmail

Canonical name: PidNameHttpmailJunkEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:junkemail
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:junkemail

2.487 PidNameHttpmailMessageFolderRoot

Canonical name: PidNameHttpmailMessageFolderRoot
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:msgfolderroot
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:msgfolderroot

2.488 PidNameHttpmailNotes

Canonical name: PidNameHttpmailNotes
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:notes
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:notes

2.489 PidNameHttpmailOutbox

Canonical name: PidNameHttpmailOutbox
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:outbox
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:outbox

2.490 PidNameHttpmailReplyTo

Canonical name: PidNameHttpmailReplyTo
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:reply-to
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:reply-to

2.491 PidNameHttpmailSaveDestination

Canonical name: PidNameHttpmailSaveDestination
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:savedestination

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:savedestination

2.492 PidNameHttpmailSaveInSent

Canonical name: PidNameHttpmailSaveInSent
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:saveinsent
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:saveinsent

2.493 PidNameHttpmailSender

Canonical name: PidNameHttpmailSender
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sender
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:sender

2.494 PidNameHttpmailSenderEmail

Canonical name: PidNameHttpmailSenderEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:senderemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:senderemail

2.495 PidNameHttpmailSendMessage

Canonical name: PidNameHttpmailSendMessage
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sendmsg
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:sendmsg

2.496 PidNameHttpmailSentItems

Canonical name: PidNameHttpmailSentItems
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sentitems
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:sentitems

2.497 PidNameHttpmailSpecial

Canonical name: PidNameHttpmailSpecial
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:special
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:special

2.498 PidNameHttpmailSubmitted

Canonical name: PidNameHttpmailSubmitted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:submitted
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:submitted

2.499 PidNameHttpmailTo

Canonical name: PidNameHttpmailTo
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:to
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:to

2.500 PidNameICalendarRecurrenceDate

Canonical name: PidNameICalendarRecurrenceDate
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rdate
Data type: PtypMultipleTime, 0x1040
Area: Common

References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rdate

2.501 PidNameICalendarRecurrenceRule

Canonical name: PidNameICalendarRecurrenceRule
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rrule
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rrule

2.502 PidNameImportance

Canonical name: PidNameImportance
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Importance
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:importance

2.503 PidNameInReplyTo

Canonical name: PidNameInReplyTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: In-Reply-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:in-reply-to

2.504 PidNameInternetComment

Canonical name: PidNameInternetComment
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Comment
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:comment

2.505 PidNameInternetKeywords

Canonical name: PidNameInternetKeywords
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Keywords

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:keywords

2.506 PidNameInternetSubject

Canonical name: PidNameInternetSubject
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Subject
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDCAL]
Alternate names: urn:schemas:mailheader:subject

2.507 PidNameKeywords

Canonical name: PidNameKeywords
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Keywords
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC], [MS-XWDDOC], [MS-XWDCAL], [MS-XWDMAIL]
Alternate names: urn:schemas-microsoft-com:office:office#Keywords, <http://schemas.microsoft.com/exchange/keywords-utf8>

2.508 PidNameLastAuthor

Canonical name: PidNameLastAuthor
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastAuthor
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastAuthor, urn:schemas-microsoft-com:office:office#LastAuthor

2.509 PidNameLastPrinted

Canonical name: PidNameLastPrinted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastPrinted
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted, urn:schemas-microsoft-com:office:office#LastPrinted

2.510 PidNameLastPrinted

Canonical name: PidNameLastPrinted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastPrinted

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted, urn:schemas-microsoft-com:office:office#LastPrinted

2.511 PidNameLastSaveDateTime

Canonical name: PidNameLastSaveDateTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastSaveDtm

Data type: PtypTime, 0x0040

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LastSaved, urn:schemas-microsoft-com:office:office#LastSaved

2.512 PidNameLineCount

Canonical name: PidNameLineCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LineCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Lines, urn:schemas-microsoft-com:office:office#Lines

2.513 PidNameLines

Canonical name: PidNameLines

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Lines

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:lines

2.514 PidNameLinksDirty

Canonical name: PidNameLinksDirty

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LinksDirty

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#LinksUpToDate, urn:schemas-microsoft-com:office:office#LinksUpToDate

2.515 PidNameManager

Canonical name: PidNameManager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Manager

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Manager, urn:schemas-microsoft-com:office:office#Manager

2.516 PidNameMessageId

Canonical name: PidNameMessageId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Message-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:message-id

2.517 PidNameMimeVersion

Canonical name: PidNameMimeVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Mime-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:mime-version

2.518 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#MultimediaClips, urn:schemas-microsoft-com:office:office#MultimediaClips

2.519 PidNameNewsgroups

Canonical name: PidNameNewsgroups

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Newsgroups

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:newsgroups

2.520 PidNameNntpPostingHost

Canonical name: PidNameNntpPostingHost

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-Host

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:nntp-posting-host

2.521 PidNameNntpPostingUser

Canonical name: PidNameNntpPostingUser

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-User

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:nntp-posting-user

2.522 PidNameNoteCount

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Notes, urn:schemas-microsoft-com:office:office#Notes

2.523 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSAccountGuid
Data type: PtypString, 0x001F
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.524 PidNameOMSMobileModel

Canonical name: PidNameOMSMobileModel
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSMobileModel
Data type: PtypString, 0x001F
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.525 PidNameOMSScheduleTime

Canonical name: PidNameOMSScheduleTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSScheduleTime
Data type: PtypTime, 0x0040
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.526 PidNameOMSServiceType

Canonical name: PidNameOMSServiceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSServiceType
Data type: PtypInteger32, 0x0003
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.527 PidNameOMSSourceType

Canonical name: PidNameOMSSourceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSSourceType
Data type: PtypInteger32, 0x0003
Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.528 PidNameOrganization

Canonical name: PidNameOrganization

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Organization

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:organization

2.529 PidNameOriginalRecipient

Canonical name: PidNameOriginalRecipient

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Original-Recipient

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:original-recipient

2.530 PidNamePhishingStamp

Canonical name: PidNamePhishingStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.531 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Pages, urn:schemas-microsoft-com:office:office#Pages

2.532 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Paragraphs, urn:schemas-microsoft-com:office:office#Paragraphs

2.533 PidNamePath

Canonical name: PidNamePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:path

2.534 PidNamePostingVersion

Canonical name: PidNamePostingVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Posting-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:posting-version

2.535 PidNamePresentationFormat

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#PresentationFormat, urn:schemas-microsoft-com:office:office#PresentationFormat

2.536 PidNamePriority

Canonical name: PidNamePriority

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Priority

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:priority

2.537 PidNameReceived

Canonical name: PidNameReceived
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Received
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:received

2.538 PidNameReferences

Canonical name: PidNameReferences
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: References
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:references

2.539 PidNameRelayVersion

Canonical name: PidNameRelayVersion
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Relay-Version
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:relay-version

2.540 PidNameReplyBy

Canonical name: PidNameReplyBy
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Reply-By
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:reply-by

2.541 PidNameReplyTo

Canonical name: PidNameReplyTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Reply-To
Data type: PtypString, 0x001F
Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-to

2.542 PidNameReturnPath

Canonical name: PidNameReturnPath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-path

2.543 PidNameReturnReceiptTo

Canonical name: PidNameReturnReceiptTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Receipt-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-receipt-to

2.544 PidNameRevisionNumber

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Revision, urn:schemas-microsoft-com:office:office#Revision

2.545 PidNameRightsManagementLicense

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.546 PidNameScale

Canonical name: PidNameScale

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Scale
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDDOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#ScaleCrop, urn:schemas-microsoft-com:office:office#ScaleCrop

2.547 PidNameSecurity

Canonical name: PidNameSecurity
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Security
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Security, urn:schemas-microsoft-com:office:office#Security

2.548 PidNameSender

Canonical name: PidNameSender
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Sender
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:sender

2.549 PidNameSensitivity

Canonical name: PidNameSensitivity
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Sensitivity
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:sensitivity

2.550 PidNameSlideCount

Canonical name: PidNameSlideCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: SlideCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Slides, urn:schemas-microsoft-com:office:office#Slides

2.551 PidNameSubject

Canonical name: PidNameSubject

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Subject, urn:schemas-microsoft-com:office:office#Subject

2.552 PidNameSummary

Canonical name: PidNameSummary

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Summary

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:summary

2.553 PidNameTemplate

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Template, urn:schemas-microsoft-com:office:office#Template

2.554 PidNameThreadIndex

Canonical name: PidNameThreadIndex

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Index

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-index

2.555 PidNameThreadTopic

Canonical name: PidNameThreadTopic
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Thread-Topic
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:thread-topic

2.556 PidNameThumbnail

Canonical name: PidNameThumbnail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Thumbnail
Data type: PtypBinary, 0x0102
Area: Common
References: [MS-XWDDOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#ThumbNail, urn:schemas-microsoft-com:office:office#ThumbNail

2.557 PidNameTitle

Canonical name: PidNameTitle
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Title
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Title, urn:schemas-microsoft-com:office:office#Title

2.558 PidNameTo

Canonical name: PidNameTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:to

2.559 PidNameWordCount

Canonical name: PidNameWordCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: WordCount
Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Words, urn:schemas-microsoft-com:office:office#Words

2.560 PidNameXMailer

Canonical name: PidNameXMailer

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Mailer

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-mailer

2.561 PidNameXMessageCompleted

Canonical name: PidNameXMessageCompleted

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Completed

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-completed

2.562 PidNameXMessageFlag

Canonical name: PidNameXMessageFlag

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Flag

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-flag

2.563 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.564 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.565 PidNameXSharingConfigUrl

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.566 PidNameXSharingExendedCaps

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.567 PidNameXSharingFlavor

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.568 PidNameXSharingInstanceGuid

Canonical name: PidNameXSharingInstanceGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.569 PidNameXSharingLocalType

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.570 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.571 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.572 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.573 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.574 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Path
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.575 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Store-Uid
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.576 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Type
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.577 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Uid
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.578 PidNameXUnsent

Canonical name: PidNameXUnsent

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Unsent

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-unsent

2.579 PidNameQuarantineOriginalSender

Canonical name: PidNameQuarantineOriginalSender

Property set: PSETID_PublicStrings

Property name: "ÿ"quarantine-original-sender""

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.580 PidNameXCallId

Canonical name: PidNameXCallId

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-CallID""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.581 PidNameXFaxNumberOfPages

Canonical name: PidNameXFaxNumberOfPages

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-FaxNumberOfPages""

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.582 PidNameXSenderTelephoneNumber

Canonical name: PidNameXSenderTelephoneNumber

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-CallingTelephoneNumber""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.583 PidNameXVoiceMessageAttachmentOrder

Canonical name: PidNameXVoiceMessageAttachmentOrder

Property set: PSETID_InternetHeaders

Property name: ""X-AttachmentOrder""

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.584 PidNameXVoiceMessageDuration

Canonical name: PidNameXVoiceMessageDuration

Property set: PSETID_InternetHeaders

Property name: "y"X-VoiceMessageDuration"

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.585 PidNameXVoiceMessageSenderName

Canonical name: PidNameXVoiceMessageSenderName

Property set: PSETID_InternetHeaders

Property name: "ÿ"X-VoiceMessageSenderName"

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.586 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.587 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRNL]

Alternate names: PR_ACCESS, ptagAccess

2.588 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.589 PidTagAccount

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXCFXICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG], [MS-XWDCNTC]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W, urn:schemas:contacts:account

2.590 PidTagAdditionalRenEntryIds

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS, ptagAdditionalRenEntryIds

2.591 PidTagAdditionalRenEntryIdsEx

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS_EX, ptagAdditionalRenEntryIdsEx

2.592 PidTagAddressBookContainerId

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.593 PidTagAddressBookDisplayNamePrintable

Canonical name: PidTagAddressBookDisplayNamePrintable

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXCMSG]

Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE,

PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A,

PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.594 PidTagAddressBookEntryId

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.595 PidTagAddressBookExtensionAttribute1

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.596 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,

PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.597 PidTagAddressBookFolderPathname

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_FOLDER_PATHNAME,
PR_EMS_AB_FOLDER_PATHNAME_A, PR_EMS_AB_FOLDER_PATHNAME_W

2.598 PidTagAddressBookHierarchicalChildDepartments

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.599 PidTagAddressBookHierarchicalDepartmentMembers

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.600 PidTagAddressBookHierarchicalIsHierarchicalGroup

Canonical name: PidTagAddressBookHierarchicalIsHierarchicalGroup

Property ID: 0x8CDD

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_IS_HIERARCHICAL_GROUP,
PR_EMS_AB_IS_ORGANIZATIONAL

2.601 PidTagAddressBookHierarchicalParentDepartment

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.602 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.603 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.604 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A, PR_EMS_AB_HOME_MDB_W

2.605 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFFB

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MASTER

2.606 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList

Property ID: 0x8008

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL,
PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.607 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList

Property ID: 0x6704

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_EMS_AB_MANAGE_DL

2.608 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager

Property ID: 0x8005

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A,
PR_EMS_AB_MANAGER_W

2.609 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName

Property ID: 0x8005

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MANAGER_T

2.610 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember

Property ID: 0x8009

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A,
PR_EMS_AB_MEMBER_W

2.611 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR]
Alternate names: ptagAddrbookMID

2.612 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress
Property ID: 0x8170
Data type: PtypMultipleString, 0x101F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_NETWORK_ADDRESS,
PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.613 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName
Property ID: 0x803C
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_EMS_AB_OBJ_DIST_NAME,
PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.614 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid
Property ID: 0x8C6D
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_OBJECT_GUID

2.615 PidTagAddressBookOrganizationalUnitRootDistinguishedName

Canonical name: PidTagAddressBookOrganizationalUnitRootDistinguishedName
Property ID: 0x8CA8
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_ORG_UNIT_ROOT_DN, msExchOURoot

2.616 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner
Property ID: 0x800C
Data type: PtypComObject, 0x000D
Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.617 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.618 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.619 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,

PR_EMS_AB_PHONETIC_COMPANY_NAME_A,

PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.620 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.621 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.622 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.623 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.624 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PROXY_ADDRESSES,
PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.625 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,
PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.626 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A,
PR_EMS_AB_REPORTS_W

2.627 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.628 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CONTAINERS,
PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.629 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION,
PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.630 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.631 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.632 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_X509_CERT

2.633 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOABK], [MS-OXOABKT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPSVAL]

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType,
PR_ADDRTYPE_W

2.634 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED,
ptagAlternateRecipientAllowed

2.635 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXOABK]

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.636 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W,
urn:schemas:contacts:secretarycn

2.637 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER,
PR_ASSISTANT_TELEPHONE_NUMBER_A,
PR_ASSISTANT_TELEPHONE_NUMBER_W, urn:schemas:contacts:secretaryphone

2.638 PidTagAssociated

Canonical name: PidTagAssociated

Property ID: 0x67AA

Data type: PtypBoolean, 0x000B

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagAssociated

2.639 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation

Property ID: 0x370F

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG]

Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.640 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase

Property ID: 0x3711

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG]
Alternate names: PR_ATTACH_CONTENT_BASE,
PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.641 PidTagAttachContentId

Canonical name: PidTagAttachContentId
Property ID: 0x3712
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],
[MS-OXOSMMS]
Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A,
PR_ATTACH_CONTENT_ID_W

2.642 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation
Property ID: 0x3713
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]
Alternate names: PR_ATTACH_CONTENT_LOCATION,
PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.643 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary
Property ID: 0x3701
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-
OXOJRNL], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]
Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.644 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject
Property ID: 0x3701
Data type: PtypComObject, 0x000D
Area: Message Attachment Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-
OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]
Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.645 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_ATTACH_ENCODING

2.646 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A, PR_ATTACH_EXTENSION_W

2.647 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.648 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_FLAGS

2.649 PidTagAttachLongFilename

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX], [MS-XWDMAIL]

Alternate names: PR_ATTACH_LONG_FILENAME,
PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W,
urn:schemas:httpmail:attachmentfilename

2.650 PidTagAttachLongPathname

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_PATHNAME,
PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname,
PR_ATTACH_LONG_PATHNAME_W

2.651 PidTagAttachmentContactPhoto

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.652 PidTagAttachmentFlags

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.653 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: PR_ATTACHMENT_HIDDEN

2.654 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRN], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.655 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRN], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.656 PidTagAttachMimeTag

Canonical name: PidTagAttachMimeTag

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A, PR_ATTACH_MIME_TAG_W

2.657 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.658 PidTagAttachPathname

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.659 PidTagAttachPayloadClass

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.660 PidTagAttachPayloadProviderGuidString

Canonical name: PidTagAttachPayloadProviderGuidString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR, PR_ATTACH_PAYLOAD_PROV_GUID_STR_A, PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.661 PidTagAttachRendering

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.662 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.663 PidTagAttachTag

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMMSG], [MS-OXORMMS], [MS-OXTNEF]
Alternate names: PR_ATTACH_TAG

2.664 PidTagAttachTransportName

Canonical name: PidTagAttachTransportName
Property ID: 0x370C
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMMSG], [MS-OXTNEF]
Alternate names: PR_ATTACH_TRANSPORT_NAME,
PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.665 PidTagAttributeHidden

Canonical name: PidTagAttributeHidden
Property ID: 0x10F4
Data type: PtypBoolean, 0x000B
Area: Access Control Properties Property set
References: [MS-OXCFCAL], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]
Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden, DAV:ishidden

2.666 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly
Property ID: 0x10F6
Data type: PtypBoolean, 0x000B
Area: Access Control Properties Property set
References: [MS-OXTNEF], [MS-XWDCAL], [MS-XWDDOC]
Alternate names: PR_ATTR_READONLY, ptagAttrReadOnly, DAV:isreadonly

2.667 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem
Property ID: 0x10F5
Data type: PtypBoolean, 0x000B
Area: Access Control Properties
References: [MS-OXTNEF]
Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.668 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded
Property ID: 0x0005
Data type: PtypBoolean, 0x000B

Area: General Report Properties
References: [MS-OXCMAIL]
Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.669 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress
Property ID: 0x3FDF
Data type: PtypInteger32, 0x0003
Area: Email
References: [MS-OXCMAIL], [MS-OXORULE]
Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.670 PidTagBirthday

Canonical name: PidTagBirthday
Property ID: 0x3A42
Data type: PtypTime, 0x0040
Area: Contact Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_BIRTHDAY, urn:schemas:contacts:bday

2.671 PidTagBlockStatus

Canonical name: PidTagBlockStatus
Property ID: 0x1096
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXOMSG]
Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.672 PidTagBody

Canonical name: PidTagBody
Property ID: 0x1000
Data type: PtypString, 0x001F
Area: General Message Properties Property set
References: [MS-OXBBODY], [MS-OXCADATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W, urn:schemas:httpmail:textdescription

2.673 PidTagBodyContentId

Canonical name: PidTagBodyContentId
Property ID: 0x1015
Data type: PtypString, 0x001F

Area: Exchange

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A, PR_BODY_CONTENT_ID_W

2.674 PidTagBodyContentLocation

Canonical name: PidTagBodyContentLocation

Property ID: 0x1014

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_LOCATION, PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.675 PidTagBodyHtml

Canonical name: PidTagBodyHtml

Property ID: 0x1013

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml, PR_BODY_HTML_W

2.676 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: "PR_BUSINESS2_TELEPHONE_NUMBER, PR_BUSINESS2_TELEPHONE_NUMBER_A, PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER, urn:schemas:contacts:telephonenumber2

2.677 PidTagBusiness2TelephoneNumbers

Canonical name: PidTagBusiness2TelephoneNumbers

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOABK]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.678 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A, PR_BUSINESS_FAX_NUMBER_W, urn:schemas:contacts:facsimiletelephonenumber

2.679 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A, PR_BUSINESS_HOME_PAGE_W, urn:schemas:contacts:businesshomepageurn:schemas:contacts:businesshomepage

2.680 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_TELEPHONE_NUMBER, PR_BUSINESS_TELEPHONE_NUMBER_A, PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER, urn:schemas:contacts:telephoneNumber

2.681 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER, PR_CALLBACK_TELEPHONE_NUMBER_A, PR_CALLBACK_TELEPHONE_NUMBER_W, urn:schemas:contacts:callbackphone

2.682 PidTagCallId

Canonical name: PidTagCallId

Property ID: 0x6806

Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaCallID

2.683 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber
Property ID: 0x3A1E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_CAR_TELEPHONE_NUMBER,
PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W,
urn:schemas:contacts:othermobile

2.684 PidTagCdoRecurrenceid

Canonical name: PidTagCdoRecurrenceid
Property ID: 0x10C5
Data type: PtypTime, 0x0040
Area: Exchange Property set
References: [MS-XWDCAL]
Alternate names: PR_CDO_RECURRENCEID, urn:schemas:calendar:recurrenceid

2.685 PidTagChangeKey

Canonical name: PidTagChangeKey
Property ID: 0x65E2
Data type: PtypBinary, 0x0102
Area: History Properties
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],
[MS-OXCSYNC]
Alternate names: PR_CHANGE_KEY

2.686 PidTagChangeNotificationGuid

Canonical name: PidTagChangeNotificationGuid
Property ID: 0x6637
Data type: PtypGuid, 0x0048
Area: Exchange
References: [MS-OXCNOTIF]
Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.687 PidTagChangeNumber

Canonical name: PidTagChangeNumber
Property ID: 0x67A4

Data type: PtypInteger64, 0x0014
Area: Sync
References: [MS-OXCFXICS], [MS-OXCSTOR]
Alternate names: ptagCn

2.688 PidTagChildrensNames

Canonical name: PidTagChildrensNames
Property ID: 0x3A58
Data type: PtypMultipleString, 0x101F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A, PR_CHILDRENS_NAMES_W, urn:schemas:contacts:childrensnames

2.689 PidTagClientActions

Canonical name: PidTagClientActions
Property ID: 0x6645
Data type: PtypBinary, 0x0102
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.690 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime
Property ID: 0x0039
Data type: PtypTime, 0x0040
Area: Message Time Properties Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_CLIENT_SUBMIT_TIME, urn:schemas:httpmail:date, http://schemas.microsoft.com/exchange/date-iso

2.691 PidTagCnsetRead

Canonical name: PidTagCnsetRead
Property ID: 0x67D2
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetRead

2.692 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen
Property ID: 0x6796

Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeen

2.693 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI
Property ID: 0x67DA
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeenFAI

2.694 PidTagCodePageId

Canonical name: PidTagCodePageId
Property ID: 0x66C3
Data type: PtypInteger32, 0x0003
Area: Exchange Profile Configuration
References: [MS-OXCSTOR]
Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.695 PidTagComment

Canonical name: PidTagComment
Property ID: 0x3004
Data type: PtypString, 0x001F
Area: Common Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK], [MS-XWDCAL], [MS-XWDMAIL]
Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W, DAV:comment, <http://schemas.microsoft.com/exchange/summary-utf8>

2.696 PidTagCompanyMainTelephoneNumber

Canonical name: PidTagCompanyMainTelephoneNumber
Property ID: 0x3A57
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER, PR_COMPANY_MAIN_PHONE_NUMBER_A, PR_COMPANY_MAIN_PHONE_NUMBER_W, urn:schemas:contacts:organizationmainphone

2.697 PidTagCompanyName

Canonical name: PidTagCompanyName

Property ID: 0x3A16

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A, PR_COMPANY_NAME_W, urn:schemas:contacts:o

2.698 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_COMPUTER_NETWORK_NAME, PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W, urn:schemas:contacts:computernetworkname

2.699 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.700 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ITEMS

2.701 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDCNTC]

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A, ptagContainerClass, PR_CONTAINER_CLASS_W, <http://schemas.microsoft.com/exchange/outlookfolderclass><http://schemas.microsoft.com/exchange/outlookfolderclass>

2.702 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.703 PidTagContainerFlags

Canonical name: PidTagContainerFlags

Property ID: 0x3600

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_CONTAINER_FLAGS

2.704 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy

Property ID: 0x360E

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.705 PidTagContentCount

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_COUNT, ptagContentCount

2.706 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.707 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_UNREAD, ptagContentUnread

2.708 PidTagConversationIndex

Canonical name: PidTagConversationIndex

Property ID: 0x0071

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.709 PidTagConversationTopic

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A, ptagConversationTopic, PR_CONVERSATION_TOPIC_W, urn:schemas:httpmail:thread-topic

2.710 PidTagConvertHtmlSecurity

Canonical name: PidTagConvertHtmlSecurity

Property ID: 0x002A

Data type: PtypInteger32, 0x0003

Area: Run-time Configuration Property set

References: [MS-XWDMAIL]

Alternate names: PR_CONVERT_HTML_SECURITY, http://schemas.microsoft.com/exchange/receipttime

2.711 PidTagCountry

Canonical name: PidTagCountry

Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCMAIL], [MS-XWDCNTC]

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W,
PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A,
PR_BUSINESS_ADDRESS_COUNTRY_W, urn:schemas:contacts:mailingcountry

2.712 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMAIL]

Alternate names: PR_CREATION_TIME, ptagCreationTime

2.713 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId

Property ID: 0x3FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.714 PidTagCreatorName

Canonical name: PidTagCreatorName

Property ID: 0x3FF8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName,
PR_CREATOR_NAME_W

2.715 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName

Property ID: 0x4038

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagCreatorSimpleDispName

2.716 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A, PR_CUSTOMER_ID_W, urn:schemas:contacts:customerid

2.717 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched

Property ID: 0x6647

Data type: PtypBoolean, 0x000B

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.718 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId

Property ID: 0x6646

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.719 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass

Property ID: 0x36E5

Data type: PtypString, 0x001F

Area: MapiContainer

References: [MS-OXOCAL]

Alternate names: PR_DEF_POST_MSGCLASS

2.720 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime

Property ID: 0x000F

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime, <http://schemas.microsoft.com/exchange/deferred-delivery-iso>

2.721 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber
Property ID: 0x3FEB
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_NUMBER

2.722 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime
Property ID: 0x3FEF
Data type: PtypTime, 0x0040
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.723 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits
Property ID: 0x3FEC
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_UNITS

2.724 PidTagDelegatedByRule

Canonical name: PidTagDelegatedByRule
Property ID: 0x3FE3
Data type: PtypBoolean, 0x000B
Area: MapiStatus
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_DELEGATED_BY_RULE

2.725 PidTagDelegateFlags

Canonical name: PidTagDelegateFlags
Property ID: 0x686B
Data type: PtypMultipleInteger32, 0x1003
Area: MessageClassDefinedTransmittable
References: [MS-OXODLGT]
Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.726 PidTagDelegation

Canonical name: PidTagDelegation
Property ID: 0x007E

Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXTNEF]
Alternate names: PR_DELEGATION

2.727 PidTagDeleteAfterSubmit

Canonical name: PidTagDeleteAfterSubmit
Property ID: 0x0E01
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable
References: [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]
Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.728 PidTagDeletedOn

Canonical name: PidTagDeletedOn
Property ID: 0x668F
Data type: PtypTime, 0x0040
Area: ExchangeFolder Property set
References: [MS-OXCFOLD], [MS-XWDMAIL]
Alternate names: PR_DELETED_ON, ptagDeletedOn, urn:schemas:httpmail:deletedon

2.729 PidTagDepartmentName

Canonical name: PidTagDepartmentName
Property ID: 0x3A18
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A, PR_DEPARTMENT_NAME_W, urn:schemas:contacts:department

2.730 PidTagDepth

Canonical name: PidTagDepth
Property ID: 0x3005
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]
Alternate names: PR_DEPTH, ptagDepth

2.731 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc
Property ID: 0x0E02
Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W, urn:schemas:httpmail:displaybcc

2.732 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W, urn:schemas:httpmail:displaycc

2.733 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXSHARE], [MS-XWDCNTC]

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W, urn:schemas:contacts:cn

2.734 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W, urn:schemas:contacts:personaltitle

2.735 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.736 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.737 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE_EX

2.738 PidTagEcWarning

Canonical name: PidTagEcWarning

Property ID: 0x400F

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagEcWarning

2.739 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A, PR_EMAIL_ADDRESS_W

2.740 PidTagEmailAddress1

Canonical name: PidTagEmailAddress1

Property ID: 0x8093

Data type: PtypString, 0x001F

Area: ExchangeDirectorySchemaDefined

References: [MS-OXPROTO]

Alternate names: PR_EMAIL_ADDRESS_1

2.741 PidTagEndDate

Canonical name: PidTagEndDate

Property ID: 0x0061

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_END_DATE, http://schemas.microsoft.com/mapi/end_date

2.742 PidTagEntryId

Canonical name: PidTagEntryId

Property ID: 0x0FFF

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPerm], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS]

Alternate names: PR_ENTRYID, ptagEntryId

2.743 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.744 PidTagExceptionReplaceTime

Canonical name: PidTagExceptionReplaceTime

Property ID: 0x7FF9

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXOCAL]

Alternate names: PR_EXCEPTION_REPLACETIME

2.745 PidTagExceptionStartTime

Canonical name: PidTagExceptionStartTime

Property ID: 0x7FFB

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.746 PidTagExchangeNTSecurityDescriptor

Canonical name: PidTagExchangeNTSecurityDescriptor

Property ID: 0x0E84

Data type: PtypBinary, 0x0102

Area: Calendar Document Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: <http://schemas.microsoft.com/exchange/ntsecuritydescriptor>,
<http://schemas.microsoft.com/exchange/ntsecuritydescriptor>

2.747 PidTagExpiryNumber

Canonical name: PidTagExpiryNumber

Property ID: 0x3FED

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_NUMBER

2.748 PidTagExpiryTime

Canonical name: PidTagExpiryTime

Property ID: 0x0015

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_EXPIRY_TIME, ptagExpiryTime, urn:schemas:httpmail:expiry-date,
<http://schemas.microsoft.com/exchange/expiry-date-iso>

2.749 PidTagExpiryUnits

Canonical name: PidTagExpiryUnits

Property ID: 0x3FEE

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]
Alternate names: PR_EXPIRY_UNITS

2.750 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags
Property ID: 0x36DA
Data type: PtypBinary, 0x0102
Area: MapiContainer
References: [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.751 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions
Property ID: 0x0E99
Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.752 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition
Property ID: 0x0E9A
Data type: PtypBinary, 0x0102
Area: Rules
References: [MS-OXCPRPT], [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.753 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit
Property ID: 0x0E9B
Data type: PtypInteger32, 0x0003
Area: Rules
References: [MS-OXCSTOR], [MS-OXORULE]
Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.754 PidTagFaxNumberOfPages

Canonical name: PidTagFaxNumberOfPages
Property ID: 0x6804
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaFaxNumberOfPages

2.755 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime

Property ID: 0x1091

Data type: PtypTime, 0x0040

Area: Miscellaneous Properties Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime,
urn:schemas:httpmail:flagcompleted

2.756 PidTagFlagStatus

Canonical name: PidTagFlagStatus

Property ID: 0x1090

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG],
[MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.757 PidTagFlatUrlName

Canonical name: PidTagFlatUrlName

Property ID: 0x670E

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_FLAT_URL_NAME, PR_FLAT_URL_NAME_A,
PR_FLAT_URL_NAME_W, ptagFlatURLName,
<http://schemas.microsoft.com/exchange/permanenturl>

2.758 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.759 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFCAL], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL],

[MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]
Alternate names: ptagFID

2.760 PidTagFolderType

Canonical name: PidTagFolderType
Property ID: 0x3601
Data type: PtypInteger32, 0x0003
Area: MapiContainer
References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXOSRCH]
Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.761 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon
Property ID: 0x1095
Data type: PtypInteger32, 0x0003
Area: RenMessageFolder
References: [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]
Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.762 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths
Property ID: 0x6869
Data type: PtypInteger32, 0x0003
Area: MessageClassDefinedTransmittable
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.763 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds
Property ID: 0x36E4
Data type: PtypMultipleBinary, 0x1102
Area: MapiContainer
References: [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]
Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.764 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress
Property ID: 0x6849
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_EMA

2.765 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd
Property ID: 0x6848
Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_PUBLISH_END

2.766 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_PUBLISH_START

2.767 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp
Property ID: 0x6868
Data type: PtypTime, 0x0040
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.768 PidTagFtpSite

Canonical name: PidTagFtpSite
Property ID: 0x3A4C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W,
urn:schemas:contacts:ftpsite

2.769 PidTagFXDelProp

Canonical name: PidTagFXDelProp
Property ID: 0x4016
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagFXDelProp

2.770 PidTagGatewayNeedsToRefresh

Canonical name: PidTagGatewayNeedsToRefresh

Property ID: 0x6846

Data type: PtypBoolean, 0x000B

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.771 PidTagGender

Canonical name: PidTagGender

Property ID: 0x3A4D

Data type: PtypInteger16, 0x0002

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GENDER, urn:schemas:contacts:gender

2.772 PidTagGeneration

Canonical name: PidTagGeneration

Property ID: 0x3A05

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W, urn:schemas:contacts:namesuffix

2.773 PidTagGivenName

Canonical name: PidTagGivenName

Property ID: 0x3A06

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W, urn:schemas:contacts:givenName

2.774 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber

Property ID: 0x3A07

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GOVERNMENT_ID_NUMBER, PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W, urn:schemas:contacts:governmentid

2.775 PidTagHasAttachments

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_HASATTACH, ptagHasAttach, urn:schemas:httpmail:hasattachment

2.776 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.777 PidTagHasNamedProperties

Canonical name: PidTagHasNamedProperties

Property ID: 0x664A

Data type: PtypBoolean, 0x000B

Area: ExchangeMessageReadOnly

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.778 PidTagHasRules

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [MS-OXORULE]

Alternate names: PR_HAS_RULES, ptagHasRules

2.779 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber

Property ID: 0x663E

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_HIERARCHY_CHANGE_NUM

2.780 PidTagHobbies

Canonical name: PidTagHobbies

Property ID: 0x3A43

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOBBIES, PR_HOBBIES_A, PR_HOBBIES_W,
urn:schemas:contacts:hobbies

2.781 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber

Property ID: 0x3A2F

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME2_TELEPHONE_NUMBER,
PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W,
urn:schemas:contacts:homephone2

2.782 PidTagHome2TelephoneNumbers

Canonical name: PidTagHome2TelephoneNumbers

Property ID: 0x3A2F

Data type: PtypMultipleString, 0x101F

Area: MapiMailUser

References: [MS-OXOABK]

Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.783 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity

Property ID: 0x3A59

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A,
PR_HOME_ADDRESS_CITY_W, urn:schemas:contacts:homeCity

2.784 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_COUNTRY,

PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W,
urn:schemas:contacts:homeCountry

2.785 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE,

PR_HOME_ADDRESS_POSTAL_CODE_A,

PR_HOME_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:homePostalCode

2.786 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,

PR_HOME_ADDRESS_POST_OFFICE_BOX_A,

PR_HOME_ADDRESS_POST_OFFICE_BOX_W,

urn:schemas:contacts:homepostofficebox

2.787 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,

PR_HOME_ADDRESS_STATE_OR_PROVINCE_A,

PR_HOME_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:homeState

2.788 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A,

PR_HOME_ADDRESS_STREET_W, urn:schemas:contacts:homeStreet

2.789 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A, PR_HOME_FAX_NUMBER_W, urn:schemas:contacts:homefax

2.790 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_TELEPHONE_NUMBER, PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W, urn:schemas:contacts:homePhone

2.791 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS]

Alternate names: PR_HTML, ptagHtml

2.792 PidTagICalendarEndTime

Canonical name: PidTagICalendarEndTime

Property ID: 0x10C4

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtend

2.793 PidTagICalendarReminderNextTime

Canonical name: PidTagICalendarReminderNextTime

Property ID: 0x10CA

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:remindernexttime

2.794 PidTagICalendarStartTime

Canonical name: PidTagICalendarStartTime
Property ID: 0x10C3
Data type: PtypTime, 0x0040
Area: Calendar Property set
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:dtstart

2.795 PidTagIconIndex

Canonical name: PidTagIconIndex
Property ID: 0x1080
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_ICON_INDEX, ptagIconIndex

2.796 PidTagIdsetDeleted

Canonical name: PidTagIdsetDeleted
Property ID: 0x67E5
Data type: PtypBinary, 0x0102
Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagIdsetDeleted

2.797 PidTagIdsetExpired

Canonical name: PidTagIdsetExpired
Property ID: 0x6793
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagMidsetExpired

2.798 PidTagIdsetGiven

Canonical name: PidTagIdsetGiven
Property ID: 0x4017
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetGiven

2.799 PidTagIdsetRead

Canonical name: PidTagIdsetRead

Property ID: 0x402D

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagIdsetRead

2.800 PidTagIdsetSoftDeleted

Canonical name: PidTagIdsetSoftDeleted

Property ID: 0x4021

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagSoftDeletes

2.801 PidTagIdsetUnread

Canonical name: PidTagIdsetUnread

Property ID: 0x402E

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagIdsetUnread

2.802 PidTagImapCachedMsgsize

Canonical name: PidTagImapCachedMsgsize

Property ID: 0x10F0

Data type: PtypBinary, 0x0102

Area: RenMessageFolder

References: [MS-OXTNEF]

Alternate names: ptagImapCachedMsgsize

2.803 PidTagImportance

Canonical name: PidTagImportance

Property ID: 0x0017

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_IMPORTANCE, ptagImportance, urn:schemas:httpmail:importance, <http://schemas.microsoft.com/exchange/importance-long>, <http://schemas.microsoft.com/exchange/x-priority-long>

2.804 PidTagInConflict

Canonical name: PidTagInConflict

Property ID: 0x666C

Data type: PtypBoolean, 0x000B

Area: Conflict Note

References: [MS-OXCSYNC]

Alternate names: PR_IN_CONFLICT, ptagInConflict

2.805 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial

Property ID: 0x407A

Data type: PtypInteger32, 0x0003

Area: ICS

References: [MS-OXCFXICS]

Alternate names: ptagIncrSyncMsgPartial

2.806 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId

Property ID: 0x407C

Data type: PtypInteger32, 0x0003

Area: ICS

References: [MS-OXCFXICS]

Alternate names: ptagIncrSyncGroupId

2.807 PidTagInitialDetailsPane

Canonical name: PidTagInitialDetailsPane

Property ID: 0x3F08

Data type: PtypInteger32, 0x0003

Area: MAPI Display Tables

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_INITIAL_DETAILS_PANE

2.808 PidTagInitials

Canonical name: PidTagInitials

Property ID: 0x3A0A

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W,
urn:schemas:contacts:initials

2.809 PidTagInReplyToId

Canonical name: PidTagInReplyToId

Property ID: 0x1042

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A, PR_IN_REPLY_TO_ID_W

2.810 PidTagInstanceKey

Canonical name: PidTagInstanceKey

Property ID: 0x0FF6

Data type: PtypBinary, 0x0102

Area: Table Properties

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.811 PidTagInstanceNum

Canonical name: PidTagInstanceNum

Property ID: 0x674E

Data type: PtypInteger32, 0x0003

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstanceNum

2.812 PidTagInstID

Canonical name: PidTagInstID

Property ID: 0x674D

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstID

2.813 PidTagInternetArticleNumber

Canonical name: PidTagInternetArticleNumber

Property ID: 0x0E23

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS]

Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.814 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage

Property ID: 0x3FDE

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.815 PidTagInternetLines

Canonical name: PidTagInternetLines

Property ID: 0x1034

Data type: PtypInteger32, 0x0003

Area: MIME Properties Property set

References: [MS-XWDMAIL]

Alternate names: PR_INTERNET_LINES, <http://schemas.microsoft.com/exchange/lines-long>

2.816 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat

Property ID: 0x5902

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.817 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId

Property ID: 0x1035

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.818 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A, PR_INTERNET_REFERENCES_W

2.819 PidTagInternetReturnPath

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCICAL]

Alternate names: PR_INTERNET_RETURN_PATH, PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.820 PidTagIpmAppointmentEntryId

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.821 PidTagIpmContactEntryId

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_CONTACT_ENTRYID

2.822 PidTagIpmDraftsEntryId

Canonical name: PidTagIpmDraftsEntryId

Property ID: 0x36D7

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXOSFLD]

Alternate names: PR_IPM_DRAFTS_ENTRYID

2.823 PidTagIpmJournalEntryId

Canonical name: PidTagIpmJournalEntryId

Property ID: 0x36D2

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_JOURNAL_ENTRYID

2.824 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_NOTE_ENTRYID

2.825 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_TASK_ENTRYID

2.826 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A, PR_ISDN_NUMBER_W, urn:schemas:contacts:internationalisdnnumber

2.827 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags
Property ID: 0x1097
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFOLD]
Alternate names: PR_ITEM_TMPFLAGS

2.828 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList
Property ID: 0x6103
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.829 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts
Property ID: 0x6100
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.830 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete
Property ID: 0x6102
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.831 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks
Property ID: 0x6107
Data type: PtypBoolean, 0x000B
Area: Spam
References: [MS-OXCSPAM], [MS-OXPHISH]
Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.832 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold
Property ID: 0x6101
Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_THRESHOLD

2.833 PidTagKeyword

Canonical name: PidTagKeyword
Property ID: 0x3A0B
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK]
Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.834 PidTagLanguage

Canonical name: PidTagLanguage
Property ID: 0x3A0C

Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W,
urn:schemas:contacts:language

2.835 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime
Property ID: 0x3008
Data type: PtypTime, 0x0040
Area: Message Time Properties Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXCMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK],
[MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF], [MS-XWDCAL]
Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime,
urn:schemas:calendar:lastmodifiedtime

2.836 PidTagLastModifierEntryId

Canonical name: PidTagLastModifierEntryId
Property ID: 0x3FFB
Data type: PtypBinary, 0x0102
Area: History Properties
References: [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.837 PidTagLastModifierName

Canonical name: PidTagLastModifierName
Property ID: 0x3FFA
Data type: PtypString, 0x001F
Area: History Properties
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],
[MS-OXTNEF]
Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A,
ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.838 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName
Property ID: 0x4039
Data type: PtypString, 0x001F
Area: TransportEnvelope
References: [MS-OXTNEF]
Alternate names: ptagLastModifierSimpleDispName

2.839 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.840 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.841 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.842 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A,
PR_LIST_SUBSCRIBE_W

2.843 PidTagListUnsubscribe

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A,
PR_LIST_UNSUBSCRIBE_W

2.844 PidTagLocalCommitTime

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [MS-OXCMSG]

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.845 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG], [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.846 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W, PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A, PR_BUSINESS_ADDRESS_LOCALITY_W, urn:schemas:contacts:mailingcity

2.847 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS], [MS-XWDCNTC]

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W, urn:schemas:contacts:location

2.848 PidTagMailboxOwnerEntryId

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.849 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL]

Alternate names: PR_MAILBOX_OWNER_NAME,
PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,
PR_MAILBOX_OWNER_NAME_W

2.850 PidTagManagerName

Canonical name: PidTagManagerName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,
PR_MANAGER_NAME_W, urn:schemas:contacts:manager

2.851 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.852 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.853 PidTagMemberId

Canonical name: PidTagMemberId

Property ID: 0x6671

Data type: PtypInteger64, 0x0014

Area: Access Control Properties

References: [MS-OXCPerm]

Alternate names: PR_MEMBER_ID, ptagMemberId

2.854 PidTagMemberName

Canonical name: PidTagMemberName

Property ID: 0x6672

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [MS-OXCPERM]

Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.855 PidTagMemberRights

Canonical name: PidTagMemberRights

Property ID: 0x6673

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCPERM], [MS-OXODLGT]

Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.856 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments

Property ID: 0x0E13

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCDATA], [MS-OXCFXICS]

Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.857 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.858 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common Property set

References: [MS-OXBBODY], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-

OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUM], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC], [MS-XWDCNTC]

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W,

<http://schemas.microsoft.com/exchange/outlookmessageclass><http://schemas.microsoft.com/exchange/outlookmessageclass>

2.859 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CODEPAGE

2.860 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_MESSAGE_DELIVERY_TIME, urn:schemas:httpmail:datereceived

2.861 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat

Property ID: 0x5909

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.862 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE],

[MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]
Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.863 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName
Property ID: 0x3A0F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-XWDCNTC]
Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W, urn:schemas:contacts:dn

2.864 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId
Property ID: 0x3FF1
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_MESSAGE_LOCALE_ID

2.865 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe
Property ID: 0x0059
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.866 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients
Property ID: 0x0E12
Data type: PtypComObject, 0x000D
Area: Address Properties
References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]
Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.867 PidTagMessageSize

Canonical name: PidTagMessageSize
Property ID: 0x0E08
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG],

[MS-OXCSTOR], [MS-OXOCFG], [MS-OXPFOAB]

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.868 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCSTOR]

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.869 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCSYNC]

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.870 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.871 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.872 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties Property set

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX], [MS-XWDMAIL],

[MS-XWDCAL], [MS-XWDDOC]

Alternate names: ptagMID, <http://schemas.microsoft.com/exchange/mid>

2.873 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A, PR_MIDDLE_NAME_W, urn:schemas:contacts:middlename

2.874 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MOBILE_TELEPHONE_NUMBER, PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W, urn:schemas:contacts:mobile

2.875 PidTagMsgFolderTemplateRes13

Canonical name: PidTagMsgFolderTemplateRes13

Property ID: 0x6770

Data type: PtypBoolean, 0x000B

Area: ProviderDefinedNonTransmittable Property set

References: [MS-XWDMAIL]

Alternate names: ptagMsgFolderTemplateRes13, DAV:issoftdeleted

2.876 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagNewFXFolder

2.877 PidTagNextSendAcct

Canonical name: PidTagNextSendAcct

Property ID: 0x0E29

Data type: PtypString, 0x001F

Area:

References: [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_NEXT_SEND_ACCT

2.878 PidTagNickname

Canonical name: PidTagNickname
Property ID: 0x3A4F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG], [MS-XWDCNTC]
Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W,
urn:schemas:contacts:nickname

2.879 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject
Property ID: 0x0E1D
Data type: PtypString, 0x001F
Area: Email Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_NORMALIZED_SUBJECT, PR_NORMALIZED_SUBJECT_A, ptagNormalizedSubject, PR_NORMALIZED_SUBJECT_W,
urn:schemas:httpmail:normalizedsubject

2.880 PidTagNormalMessageSize

Canonical name: PidTagNormalMessageSize
Property ID: 0x66B3
Data type: PtypInteger32, 0x0003
Area: Server
References: [MS-OXCFOLD], [MS-XWDFOLD]
Alternate names: PR_NORMAL_MESSAGE_SIZE,
<http://schemas.microsoft.com/exchange/foldersize>

2.881 PidTagObjectType

Canonical name: PidTagObjectType
Property ID: 0x0FFE
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-

OXOSRCH]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.882 PidTagOfficeLocation

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A,
PR_OFFICE_LOCATION_W, urn:schemas:contacts:roomnumber

2.883 PidTagOfflineAddressBookContainerGuid

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-XPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.884 PidTagOfflineAddressBookDistinguishedName

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-XPFOAB]

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.885 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass

Property ID: 0x6803

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-XPFOAB]

Alternate names: PR_OAB_MESSAGE_CLASS

2.886 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName

Property ID: 0x6800

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-XPFOAB]

Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.887 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-OXPFOAB]

Alternate names: PR_OAB_SEQUENCE

2.888 PidTagOfflineAddressBookTruncatedProperties

Canonical name: PidTagOfflineAddressBookTruncatedProperties

Property ID: 0x6805

Data type: PtypMultipleInteger32, 0x1003

Area: Offline Address Book Properties

References: [MS-OXOAB]

Alternate names: PR_OAB_TRUNCATED_PROPS

2.889 PidTagOrdinalMost

Canonical name: PidTagOrdinalMost

Property ID: 0x36E2

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]

Alternate names: PR_ORDINAL_MOST

2.890 PidTagOrganizationalIdNumber

Canonical name: PidTagOrganizationalIdNumber

Property ID: 0x3A10

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,
PR_ORGANIZATIONAL_ID_NUMBER_A,
PR_ORGANIZATIONAL_ID_NUMBER_W, urn:schemas:contacts:employeenumber

2.891 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName

Property ID: 0x004D

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL]

Alternate names: PR_ORIGINAL_AUTHOR_NAME,
PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName,
PR_ORIGINAL_AUTHOR_NAME_W

2.892 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime

Property ID: 0x0055

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.893 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A, ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W, <http://schemas.microsoft.com/exchange/originaldisplaybcc>

2.894 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A, ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W, <http://schemas.microsoft.com/exchange/originaldisplaycc>, http://schemas.microsoft.com/mapi/original_display_cc

2.895 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME, PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName, PR_ORIGINAL_DISPLAY_NAME_W

2.896 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties Property set
References: [MS-OXOMSG], [MS-XWDMAIL]
Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A, ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W, <http://schemas.microsoft.com/exchange/originaldisplayto>, http://schemas.microsoft.com/mapi/original_display_to

2.897 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId
Property ID: 0x3A12
Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXCSYNC], [MS-OXOABK]
Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.898 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass
Property ID: 0x004B
Data type: PtypString, 0x001F
Area: Secure Messaging Properties
References: [MS-OXTNEF]
Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A, PR_ORIG_MESSAGE_CLASS_W

2.899 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey
Property ID: 0x3A14
Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXOABK]
Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.900 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType
Property ID: 0x0066
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE, PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType, PR_ORIGINAL_SENDER_ADDRTYPE_W

2.901 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS,
PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.902 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.903 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SENDER_NAME,
PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,
PR_ORIGINAL_SENDER_NAME_W,
<http://schemas.microsoft.com/exchange/originaisendername>

2.904 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,
ptagOriginalSenderSearchKey

2.905 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.906 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,

PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,

ptagOriginalSentRepresentingAddrType,

PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.907 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,

PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,

PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.908 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,

ptagOriginalSentRepresentingEntryId

2.909 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,

PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,

PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.910 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY, ptagOriginalSentRepresentingSearchKey

2.911 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCSYNC], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SUBJECT, PR_ORIGINAL_SUBJECT_A, ptagOriginalSubject, PR_ORIGINAL_SUBJECT_W, <http://schemas.microsoft.com/exchange/originalsubject>, http://schemas.microsoft.com/mapi/original_subject

2.912 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime, <http://schemas.microsoft.com/exchange/originaldate>, http://schemas.microsoft.com/mapi/original_submit_time

2.913 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED, <http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.914 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED,
<http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.915 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.916 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A,
PR_OTHER_ADDRESS_CITY_W, <urn:schemas:contacts:othercity>

2.917 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_COUNTRY,
PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W,
<urn:schemas:contacts:othercountry>

2.918 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE,
PR_OTHER_ADDRESS_POSTAL_CODE_A,
PR_OTHER_ADDRESS_POSTAL_CODE_W, <urn:schemas:contacts:otherpostalcode>

2.919 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_A,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_W,
urn:schemas:contacts:otherpostofficebox

2.920 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:otherstate

2.921 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_STREET,
PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W,
urn:schemas:contacts:otherstreet

2.922 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_TELEPHONE_NUMBER,
PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W,
urn:schemas:contacts:otherTelephone

2.923 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [MS-OXCSTOR]

Alternate names: PR_OOF_STATE, ptagOOFFState

2.924 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerAppointmentId

Property ID: 0x0062

Data type: PtypInteger32, 0x0003

Area: Appointment Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_OWNER_APPT_ID,
http://schemas.microsoft.com/mapi/owner_appt_id

2.925 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber

Property ID: 0x3A21

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PAGER_TELEPHONE_NUMBER,
PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W,
urn:schemas:contacts:pager

2.926 PidTagParentEntryId

Canonical name: PidTagParentEntryId

Property ID: 0x0E09

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD],
[MS-OXPFOAB]

Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.927 PidTagParentFolderId

Canonical name: PidTagParentFolderId

Property ID: 0x6749

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS]

Alternate names: ptagParentFID

2.928 PidTagParentKey

Canonical name: PidTagParentKey
Property ID: 0x0025
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_PARENT_KEY, ptagParentKey

2.929 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey
Property ID: 0x65E1
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCFXICS], [MS-OXCSYNC]
Alternate names: PR_PARENT_SOURCE_KEY

2.930 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage
Property ID: 0x3A50
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W, urn:schemas:contacts:personalHomePage

2.931 PidTagPostalAddress

Canonical name: PidTagPostalAddress
Property ID: 0x3A15
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W, urn:schemas:contacts:mailingpostaladdress

2.932 PidTagPostalCode

Canonical name: PidTagPostalCode
Property ID: 0x3A2A
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE,

PR_BUSINESS_ADDRESS_POSTAL_CODE_A,
PR_BUSINESS_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:mailingpostalcode

2.933 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A,
PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX,
PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A,
PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W,
urn:schemas:contacts:mailingpostofficebox

2.934 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFCICS], [MS-OXCSYNC]

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.935 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A,
PR_PRIMARY_FAX_NUMBER_W, urn:schemas:contacts:otherfax

2.936 PidTagPrimarySendAccount

Canonical name: PidTagPrimarySendAccount

Property ID: 0x0E28

Data type: PtypString, 0x001F

Area: MapiNonTransmittable

References: [MS-OXOMSG]

Alternate names: PR_PRIMARY_SEND_ACCT

2.937 PidTagPrimarySntpAddress

Canonical name: PidTagPrimarySntpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F
Area: MapiAddressBook
References: [MS-OXCFXICS], [MS-OXOSRCH]
Alternate names: ptagPrimarySMTPAddress

2.938 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber
Property ID: 0x3A1A
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_PRIMARY_TELEPHONE_NUMBER,
PR_PRIMARY_TELEPHONE_NUMBER_A,
PR_PRIMARY_TELEPHONE_NUMBER_W

2.939 PidTagPriority

Canonical name: PidTagPriority
Property ID: 0x0026
Data type: PtypInteger32, 0x0003
Area: Email Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_PRIORITY, ptagPriority, urn:schemas:httpmail:priority,
urn:schemas:httpmail:priority

2.940 PidTagProcessed

Canonical name: PidTagProcessed
Property ID: 0x7D01
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]
Alternate names: PR_PROCESSED

2.941 PidTagProfession

Canonical name: PidTagProfession
Property ID: 0x3A46
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W,
urn:schemas:contacts:profession

2.942 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota

Property ID: 0x666A

Data type: PtypInteger32, 0x0003

Area: Exchange Administrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.943 PidTagProhibitSendQuota

Canonical name: PidTagProhibitSendQuota

Property ID: 0x666E

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.944 PidTagProviderSubmitTime

Canonical name: PidTagProviderSubmitTime

Property ID: 0x0048

Data type: PtypTime, 0x0040

Area: Email

References: [MS-OXOMSG]

Alternate names: PR_PROVIDER_SUBMIT_TIME

2.945 PidTagPublicFolderAdministrativeDescription

Canonical name: PidTagPublicFolderAdministrativeDescription

Property ID: 0x671C

Data type: PtypString, 0x001F

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/adminfolderdescription>

2.946 PidTagPublicFolderProxy

Canonical name: PidTagPublicFolderProxy

Property ID: 0x671D

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/folderproxy>

2.947 PidTagPurportedSenderDomain

Canonical name: PidTagPurportedSenderDomain

Property ID: 0x4083

Data type: PtypString, 0x001F
Area: TransportEnvelope
References: [MS-OXCMAIL]
Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.948 PidTagRadioTelephoneNumber

Canonical name: PidTagRadioTelephoneNumber
Property ID: 0x3A1D
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_RADIO_TELEPHONE_NUMBER,
PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.949 PidTagRead

Canonical name: PidTagRead
Property ID: 0x0E69
Data type: PtypBoolean, 0x000B
Area: MapiNonTransmittable Property set
References: [MS-OXCTABL], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: PR_READ, ptagRead, urn:schemas:httpmail:read

2.950 PidTagReadReceiptEntryId

Canonical name: PidTagReadReceiptEntryId
Property ID: 0x0046
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.951 PidTagReadReceiptRequested

Canonical name: PidTagReadReceiptRequested
Property ID: 0x0029
Data type: PtypBoolean, 0x000B
Area: Email Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG],
[MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested,
<http://schemas.microsoft.com/exchange/readreceiptrequested>

2.952 PidTagReadReceiptSearchKey

Canonical name: PidTagReadReceiptSearchKey
Property ID: 0x0053

Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.953 PidTagReceivedByAddressType

Canonical name: PidTagReceivedByAddressType
Property ID: 0x0075
Data type: PtypString, 0x001F
Area: MapiEnvelope
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_RECEIVED_BY_ADDRTYPE, PR_RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType, PR_RECEIVED_BY_ADDRTYPE_W

2.954 PidTagReceivedByEmailAddress

Canonical name: PidTagReceivedByEmailAddress
Property ID: 0x0076
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_RECEIVED_BY_EMAIL_ADDRESS, PR_RECEIVED_BY_EMAIL_ADDRESS_A, PR_RECEIVED_BY_EMAIL_ADDRESS_W

2.955 PidTagReceivedByEntryId

Canonical name: PidTagReceivedByEntryId
Property ID: 0x003F
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: PR_RECEIVED_BY_ENTRYID

2.956 PidTagReceivedByFlags

Canonical name: PidTagReceivedByFlags
Property ID: 0x401B
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS], [MS-OXTNEF]
Alternate names: ptagRcvdByFlags

2.957 PidTagReceivedByName

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A, PR_RECEIVED_BY_NAME_W

2.958 PidTagReceivedBySearchKey

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.959 PidTagReceivedRepresentingAddressType

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE, PR_RCVD_REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType, PR_RCVD_REPRESENTING_ADDRTYPE_W

2.960 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.961 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ENTRYID, ptagRcvdRepresentingEntryId

2.962 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingFlags

2.963 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_NAME, PR_RCVD_REPRESENTING_NAME_A, ptagRcvdRepresentingName, PR_RCVD_REPRESENTING_NAME_W

2.964 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_SEARCH_KEY, ptagRcvdRepresentingSearchKey

2.965 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: TransportEnvelope
References: [MS-OXCMAIL], [MS-OXTNEF]
Alternate names: ptagRcvdRepresentingSimpleDispName

2.966 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName
Property ID: 0x4035
Data type: PtypString, 0x001F
Area: Unified Messaging
References: [MS-OXTNEF]
Alternate names:

2.967 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName
Property ID: 0x5FF6
Data type: PtypString, 0x001F
Area: TransportRecipient
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_DISPLAY_NAME,
PR_RECIPIENT_DISPLAY_NAME_W

2.968 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId
Property ID: 0x5FF7
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.969 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags
Property ID: 0x5FFD
Data type: PtypInteger32, 0x0003
Area: TransportRecipient
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_FLAGS

2.970 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder
Property ID: 0x5FDF
Data type: PtypInteger32, 0x0003
Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.971 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed
Property ID: 0x5FE1
Data type: PtypBoolean, 0x000B
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.972 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime
Property ID: 0x5FE4
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_PROPOSEDENDTIME, ptagRecipientProposedEndTime

2.973 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime
Property ID: 0x5FE3
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

2.974 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited
Property ID: 0x002B
Data type: PtypBoolean, 0x000B
Area: MapiEnvelope
References: [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED, ptagRecipientReassignmentProhibited

2.975 PidTagRecipientResourceState

Canonical name: PidTagRecipientResourceState
Property ID: 0x5FDE
Data type: PtypInteger32, 0x0003
Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_RESOURCESTATE

2.976 PidTagRecipientTrackStatus

Canonical name: PidTagRecipientTrackStatus
Property ID: 0x5FFF
Data type: PtypInteger32, 0x0003
Area: TransportRecipient
References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.977 PidTagRecipientTrackStatusTime

Canonical name: PidTagRecipientTrackStatusTime
Property ID: 0x5FFB
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME, ptagRecipientTrackStatusTime

2.978 PidTagRecipientType

Canonical name: PidTagRecipientType
Property ID: 0x0C15
Data type: PtypInteger32, 0x0003
Area: MapiRecipient
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]
Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.979 PidTagRecordKey

Canonical name: PidTagRecordKey
Property ID: 0x0FF9
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]
Alternate names: PR_RECORD_KEY, ptagRecordKey

2.980 PidTagReferredByName

Canonical name: PidTagReferredByName
Property ID: 0x3A47
Data type: PtypString, 0x001F
Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_REferred_BY_NAME, PR_REferred_BY_NAME_A, PR_REferred_BY_NAME_W

2.981 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId

Property ID: 0x36D5

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOSFLD]

Alternate names: PR_REM_ONLINE_ENTRYID, ptagRemOnlineEntryId

2.982 PidTagRemoteHeaderLoc

Canonical name: PidTagRemoteHeaderLoc

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXODLGT]

Alternate names: PR_REMOTE_HEADER_LOC

2.983 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOJRN], [MS-OXORMDR], [MS-OXORMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_RENDERING_POSITION, ptagRenderingPosition

2.984 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries, <http://schemas.microsoft.com/exchange/reply-to-base64>

2.985 PidTagReplyRecipientNames

Canonical name: PidTagReplyRecipientNames

Property ID: 0x0050

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_REPLY_RECIPIENT_NAMES,
PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames,
PR_REPLY_RECIPIENT_NAMES_W

2.986 PidTagReplyRequested

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.987 PidTagReplyTemplateId

Canonical name: PidTagReplyTemplateId

Property ID: 0x65C2

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.988 PidTagReplyTime

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_REPLY_TIME, urn:schemas:httpmail:reply-by,
<http://schemas.microsoft.com/exchange/reply-by-iso>

2.989 PidTagReportEntryId

Canonical name: PidTagReportEntryId

Property ID: 0x0045

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.990 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.991 PidTagReportTag

Canonical name: PidTagReportTag
Property ID: 0x0031
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXOMSG]
Alternate names: PR_REPORT_TAG, ptagReportTag

2.992 PidTagReportText

Canonical name: PidTagReportText
Property ID: 0x1001
Data type: PtypString, 0x001F
Area: MapiMessage
References: [MS-OXOMSG]
Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.993 PidTagReportTime

Canonical name: PidTagReportTime
Property ID: 0x0032
Data type: PtypTime, 0x0040
Area: MapiEnvelope Property set
References: [MS-OXCSPAM], [MS-XWDMAIL]
Alternate names: PR_REPORT_TIME, ptagReportTime, <http://schemas.microsoft.com/exchange/reporttime>

2.994 PidTagResolveMethod

Canonical name: PidTagResolveMethod
Property ID: 0x3FE7
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXCFXICS], [MS-OXCSYNC]
Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.995 PidTagResponseRequested

Canonical name: PidTagResponseRequested
Property ID: 0x0063
Data type: PtypBoolean, 0x000B

Area: MapiEnvelope Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_RESPONSE_REQUESTED,
urn:schemas:calendar:responserequested,
http://schemas.microsoft.com/mapi/response_requested

2.996 PidTagResponsibility

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCFXICS]

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.997 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.998 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.999 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.1000 PidTagRoamingXmlStream

Canonical name: PidTagRoamingXmlStream

Property ID: 0x7C08

Data type: PtypBinary, 0x0102

Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_ROAMING_XMLSTREAM

2.1001 *PidTagRowid*

Canonical name: PidTagRowid
Property ID: 0x3000
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-OXCFXICS]
Alternate names: PR_ROWID, ptagRowId

2.1002 *PidTagRowType*

Canonical name: PidTagRowType
Property ID: 0x0FF5
Data type: PtypInteger32, 0x0003
Area: MapiNonTransmittable
References: [MS-OXCTABL]
Alternate names: PR_ROW_TYPE, ptagRowType

2.1003 *PidTagRtfCompressed*

Canonical name: PidTagRtfCompressed
Property ID: 0x1009
Data type: PtypBinary, 0x0102
Area: Email
References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]
Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.1004 *PidTagRtfInSync*

Canonical name: PidTagRtfInSync
Property ID: 0x0E1F
Data type: PtypBoolean, 0x000B
Area: Email
References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]
Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.1005 *PidTagRtfSyncBodyCount*

Canonical name: PidTagRtfSyncBodyCount
Property ID: 0x1007
Data type: PtypInteger32, 0x0003

Area: MapiMessage
References: [MS-OXTNEF]
Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRTFSyncBodyCount

2.1006 *PidTagRtfSyncBodyCrc*

Canonical name: PidTagRtfSyncBodyCrc
Property ID: 0x1006
Data type: PtypInteger32, 0x0003
Area: MapiMessage
References: [MS-OXTNEF]
Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.1007 *PidTagRtfSyncBodyTag*

Canonical name: PidTagRtfSyncBodyTag
Property ID: 0x1008
Data type: PtypString, 0x001F
Area: MapiMessage
References: [MS-OXTNEF]
Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.1008 *PidTagRtfSyncPrefixCount*

Canonical name: PidTagRtfSyncPrefixCount
Property ID: 0x1010
Data type: PtypInteger32, 0x0003
Area: MapiMessage
References: [MS-OXTNEF]
Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.1009 *PidTagRtfSyncTrailingCount*

Canonical name: PidTagRtfSyncTrailingCount
Property ID: 0x1011
Data type: PtypInteger32, 0x0003
Area: MapiMessage
References: [MS-OXTNEF]
Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.1010 *PidTagRuleActionNumber*

Canonical name: PidTagRuleActionNumber
Property ID: 0x6650
Data type: PtypInteger32, 0x0003
Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.1011 PidTagRuleActions

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypServerEntryId, 0x00FE

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.1012 PidTagRuleActionType

Canonical name: PidTagRuleActionType

Property ID: 0x6649

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.1013 PidTagRuleCondition

Canonical name: PidTagRuleCondition

Property ID: 0x6679

Data type: PtypServerEntryId, 0x00FD

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.1014 PidTagRuleError

Canonical name: PidTagRuleError

Property ID: 0x6648

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ERROR, ptagRuleError

2.1015 PidTagRuleFolderEntryId

Canonical name: PidTagRuleFolderEntryId

Property ID: 0x6651

Data type: PtypBinary, 0x0102

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.1016 *PidTagRuleId*

Canonical name: PidTagRuleId
Property ID: 0x6674
Data type: PtypInteger64, 0x0014
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ID, ptagRuleId

2.1017 *PidTagRuleLevel*

Canonical name: PidTagRuleLevel
Property ID: 0x6683
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.1018 *PidTagRuleMessageState*

Canonical name: PidTagRuleMessageState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1019 *PidTagRuleMsgActions*

Canonical name: PidTagRuleMsgActions
Property ID: 0x65EF
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM]
Alternate names: PR_RULE_MSG_ACTIONS, ptagRuleMsgActions

2.1020 *PidTagRuleMsgCondition*

Canonical name: PidTagRuleMsgCondition
Property ID: 0x65F0
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM]
Alternate names: PR_RULE_MSG_CONDITION, ptagRuleMsgCondition

2.1021 *PidTagRuleMsgLevel*

Canonical name: PidTagRuleMsgLevel
Property ID: 0x65ED

Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.1022 ***PidTagRuleMsgName***

Canonical name: PidTagRuleMsgName
Property ID: 0x65EC
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgName

2.1023 ***PidTagRuleMsgProvider***

Canonical name: PidTagRuleMsgProvider
Property ID: 0x65EB
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgProvider

2.1024 ***PidTagRuleMsgProviderData***

Canonical name: PidTagRuleMsgProviderData
Property ID: 0x65EE
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.1025 ***PidTagRuleMsgSequence***

Canonical name: PidTagRuleMsgSequence
Property ID: 0x65F3
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.1026 ***PidTagRuleMsgState***

Canonical name: PidTagRuleMsgState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved

References: [MS-OXORULE]

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1027 *PidTagRuleMsgUserFlags*

Canonical name: PidTagRuleMsgUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.1028 *PidTagRuleName*

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName,
PR_RULE_NAME_W

2.1029 *PidTagRuleProvider*

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.1030 *PidTagRuleProviderData*

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.1031 *PidTagRuleSequence*

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT],

[MS-OXORULE]

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.1032 ***PidTagRuleState***

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_STATE, ptagRuleState

2.1033 ***PidTagRuleUserFlags***

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.1034 ***PidTagScheduleInfoAppointmentTombstone***

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOCAL]

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.1035 ***PidTagScheduleInfoAutoAcceptAppointments***

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.1036 ***PidTagScheduleInfoDelegateEntryIds***

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.1037 *PidTagScheduleInfoDelegateNames*

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.1038 *PidTagScheduleInfoDelegateNamesW*

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypString, 0x001F

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W

2.1039 *PidTagScheduleInfoDelegatorWantsCopy*

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.1040 *PidTagScheduleInfoDelegatorWantsInfo*

Canonical name: PidTagScheduleInfoDelegatorWantsInfo

Property ID: 0x684B

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.1041 *PidTagScheduleInfoDisallowOverlappingAppts*

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts

Property ID: 0x686F

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.1042 *PidTagScheduleInfoDisallowRecurringAppts*

Canonical name: PidTagScheduleInfoDisallowRecurringAppts

Property ID: 0x686E

Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.1043 ***PidTagScheduleInfoDontMailDelegates***

Canonical name: PidTagScheduleInfoDontMailDelegates
Property ID: 0x6843
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.1044 ***PidTagScheduleInfoFreeBusy***

Canonical name: PidTagScheduleInfoFreeBusy
Property ID: 0x686C
Data type: PtypBinary, 0x0102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY

2.1045 ***PidTagScheduleInfoFreeBusyAway***

Canonical name: PidTagScheduleInfoFreeBusyAway
Property ID: 0x6856
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.1046 ***PidTagScheduleInfoFreeBusyBusy***

Canonical name: PidTagScheduleInfoFreeBusyBusy
Property ID: 0x6854
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.1047 ***PidTagScheduleInfoFreeBusyMerged***

Canonical name: PidTagScheduleInfoFreeBusyMerged
Property ID: 0x6850
Data type: PtypMultipleBinary, 0x1102
Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.1048 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.1049 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.1050 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.1051 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.1052 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative

Property ID: 0x6851

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.1053 *PidTagScheduleInfoResourceType*

Canonical name: PidTagScheduleInfoResourceType

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.1054 *PidTagSchedulePlusFreeBusyEntryId*

Canonical name: PidTagSchedulePlusFreeBusyEntryId

Property ID: 0x6622

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXOPFFB]

Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.1055 *PidTagScriptData*

Canonical name: PidTagScriptData

Property ID: 0x0004

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-OXOABKT]

Alternate names: PR_EMS_SCRIPT_BLOB

2.1056 *PidTagSearchFolderDefinition*

Canonical name: PidTagSearchFolderDefinition

Property ID: 0x6845

Data type: PtypBinary, 0x0102

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_DEFINITION

2.1057 *PidTagSearchFolderEfpFlags*

Canonical name: PidTagSearchFolderEfpFlags

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Search

References: [MS-OXOSRCH]

Alternate names: PR_WB_SF_EFP_FLAGS

2.1058 *PidTagSearchFolderExpiration*

Canonical name: PidTagSearchFolderExpiration

Property ID: 0x683A

Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EXPIRATION

2.1059 ***PidTagSearchFolderId***

Canonical name: PidTagSearchFolderId
Property ID: 0x6842
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_WB_SF_ID

2.1060 ***PidTagSearchFolderLastUsed***

Canonical name: PidTagSearchFolderLastUsed
Property ID: 0x6834
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_LAST_USED

2.1061 ***PidTagSearchFolderRecreateInfo***

Canonical name: PidTagSearchFolderRecreateInfo
Property ID: 0x6844
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_RECREATE_INFO

2.1062 ***PidTagSearchFolderStorageType***

Canonical name: PidTagSearchFolderStorageType
Property ID: 0x6846
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_STORAGE_TYPE

2.1063 ***PidTagSearchFolderTag***

Canonical name: PidTagSearchFolderTag
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Search

References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TAG

2.1064 ***PidTagSearchFolderTemplateId***

Canonical name: PidTagSearchFolderTemplateId
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TEMPLATE_ID

2.1065 ***PidTagSearchKey***

Canonical name: PidTagSearchKey
Property ID: 0x300B
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFCFOLD], [MS-OXCFCXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.1066 ***PidTagSecureSubmitFlags***

Canonical name: PidTagSecureSubmitFlags
Property ID: 0x65C6
Data type: PtypInteger32, 0x0003
Area: Exchange
References: [MS-OXCFCXICS]
Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.1067 ***PidTagSecurityDescriptor***

Canonical name: PidTagSecurityDescriptor
Property ID: 0x0E27
Data type: PtypBinary, 0x0102
Area: Access Control Properties
References: [MS-OXCMSG]
Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.1068 ***PidTagSecurityDescriptorAsXml***

Canonical name: PidTagSecurityDescriptorAsXml
Property ID: 0x0E6A
Data type: PtypString, 0x001F
Area: Access Control Properties Property set
References: [MS-OXCPerm], [MS-XWDVSEC]

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_A,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_W,
<http://schemas.microsoft.com/exchange/security/descriptor>

2.1069 *PidTagSelectable*

Canonical name: PidTagSelectable
Property ID: 0x3609
Data type: PtypBoolean, 0x000B
Area: AB Container
References: [MS-OXOABKT]
Alternate names: PR_SELECTABLE

2.1070 *PidTagSenderAddressType*

Canonical name: PidTagSenderAddressType
Property ID: 0x0C1E
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENDER_ADDRTYPE, PR_SENDER_ADDRTYPE_A,
ptagSenderAddrType, PR_SENDER_ADDRTYPE_W

2.1071 *PidTagSenderEmailAddress*

Canonical name: PidTagSenderEmailAddress
Property ID: 0x0C1F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG],
[MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]
Alternate names: PR_SENDER_EMAIL_ADDRESS,
PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.1072 *PidTagSenderEntryId*

Canonical name: PidTagSenderEntryId
Property ID: 0x0C19
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.1073 *PidTagSenderFlags*

Canonical name: PidTagSenderFlags
Property ID: 0x4019
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXTNEF]
Alternate names: ptagSenderFlags

2.1074 *PidTagSenderIdStatus*

Canonical name: PidTagSenderIdStatus
Property ID: 0x4079
Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCMAIL], [MS-OXCSPAM]
Alternate names: PR_SENDER_ID_STATUS

2.1075 *PidTagSenderName*

Canonical name: PidTagSenderName
Property ID: 0x0C1A
Data type: PtypString, 0x001F
Area: Address Properties Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W, urn:schemas:httpmail:sendername, http://schemas.microsoft.com/exchange/sender-name-utf8

2.1076 *PidTagSenderSearchKey*

Canonical name: PidTagSenderSearchKey
Property ID: 0x0C1D
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]
Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.1077 *PidTagSenderSimpleDisplayName*

Canonical name: PidTagSenderSimpleDisplayName
Property ID: 0x4030
Data type: PtypString, 0x001F
Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSenderSimpleDispName

2.1078 ***PidTagSenderTelephoneNumber***

Canonical name: PidTagSenderTelephoneNumber

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaSenderTelephoneNumber

2.1079 ***PidTagSendInternetEncoding***

Canonical name: PidTagSendInternetEncoding

Property ID: 0x3A71

Data type: PtypInteger32, 0x0003

Area: Address Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.1080 ***PidTagSendRichInfo***

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.1081 ***PidTagSensitivity***

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMail], [MS-XWDCAL]

Alternate names: PR_SENSITIVITY, ptagSensitivity,
<http://schemas.microsoft.com/exchange/sensitivity-long>,
<http://schemas.microsoft.com/exchange/sensitivity>

2.1082 ***PidTagSentMailEntryId***

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102
Area: MapiNonTransmittable
References: [MS-OXCICAL]
Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.1083 ***PidTagSentMailSvrEID***

Canonical name: PidTagSentMailSvrEID
Property ID: 0x6740
Data type: PtypServerEntryId, 0x00FB
Area: ProviderDefinedNonTransmittable
References: [MS-OXCSTOR], [MS-OXOMSG]
Alternate names: ptagSentMailSvrEID

2.1084 ***PidTagSentRepresentingAddressType***

Canonical name: PidTagSentRepresentingAddressType
Property ID: 0x0064
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENT_REPRESENTING_ADDRTYPE, PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType, PR_SENT_REPRESENTING_ADDRTYPE_W

2.1085 ***PidTagSentRepresentingEmailAddress***

Canonical name: PidTagSentRepresentingEmailAddress
Property ID: 0x0065
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS, PR_SENT_REPRESENTING_EMAIL_ADDRESS_A, PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.1086 ***PidTagSentRepresentingEntryId***

Canonical name: PidTagSentRepresentingEntryId
Property ID: 0x0041
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK],

[MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.1087 *PidTagSentRepresentingFlags*

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSentRepresentingFlags

2.1088 *PidTagSentRepresentingName*

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_SENT_REPRESENTING_NAME,
PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName,
PR_SENT_REPRESENTING_NAME_W, urn:schemas:httpmail:fromname,
<http://schemas.microsoft.com/exchange/from-name-utf8>

2.1089 *PidTagSentRepresentingSearchKey*

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY,
ptagSentRepresentingSearchKey

2.1090 *PidTagSentRepresentingSimpleDisplayName*

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSentRepresentingSimpleDispName

2.1091 *PidTagSmtAddress*

Canonical name: PidTagSmtAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A, PR_SMTP_ADDRESS_W

2.1092 *PidTagSortLocaleId*

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OWPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.1093 *PidTagSourceKey*

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_SOURCE_KEY

2.1094 *PidTagSpouseName*

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A, PR_SPOUSE_NAME_W, urn:schemas:contacts:spousecn

2.1095 *PidTagStartDate*

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_START_DATE, http://schemas.microsoft.com/mapi/start_date

2.1096 *PidTagStateOrProvince*

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A,
PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W,
urn:schemas:contacts:mailingstate

2.1097 *PidTagStoreEntryId*

Canonical name: PidTagStoreEntryId

Property ID: 0x0FFB

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXOFLAG], [MS-OXSHARE]

Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.1098 *PidTagStoreState*

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_STORE_STATE

2.1099 *PidTagStoreSupportMask*

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXMSG]

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.1100 *PidTagStreetAddress*

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A,

PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET,
PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W,
urn:schemas:contacts:mailingstreet

2.1101 *PidTagSubfolder*

Canonical name: PidTagSubfolder

Property ID: 0x6708

Data type: PtypBoolean, 0x000B

Area: ExchangeAdministrative Property set

References: [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_SUBFOLDER, ptagSubfolder, DAV:isfolder

2.1102 *PidTagSubfolders*

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-XWDFOLD]

Alternate names: PR_SUBFOLDERS, ptagSubFolders, DAV:hassubs

2.1103 *PidTagSubject*

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC],
[MS-OXOJRN], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-
OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_SUBJECT, PR_SUBJECT_A, ptagSubject, PR_SUBJECT_W,
urn:schemas:httpmail:subject, http://schemas.microsoft.com/exchange/subject-utf8

2.1104 *PidTagSubjectPrefix*

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-
OXCPRT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-
OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS],
[MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR_SUBJECT_PREFIX, PR_SUBJECT_PREFIX_A, ptagSubjectPrefix,
PR_SUBJECT_PREFIX_W

2.1105 *PidTagSubmitFlags*

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.1106 *PidTagSurname*

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W,
urn:schemas:contacts:sn

2.1107 *PidTagSwappedToDoData*

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedToDoData

2.1108 *PidTagSwappedToDoStore*

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedToDoStore

2.1109 *PidTagTargetEntryId*

Canonical name: PidTagTargetEntryId

Property ID: 0x3010

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.1110 *PidTagTcvConstLongOne*

Canonical name: PidTagTcvConstLongOne
Property ID: 0x8008
Data type: PtypInteger32, 0x0003
Area: PST Internal
References: [MS-OXCTABL]
Alternate names: PR_TCV_CONST_LONG_ONE

2.1111 *PidTagTelecommunicationsDeviceForDeafTelephoneNumber*

Canonical name: PidTagTelecommunicationsDeviceForDeafTelephoneNumber
Property ID: 0x3A4B
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-XWDCNTC]
Alternate names: PR_TTYTDD_PHONE_NUMBER,
PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W,
urn:schemas:contacts:ttyddphone

2.1112 *PidTagTelexNumber*

Canonical name: PidTagTelexNumber
Property ID: 0x3A2C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,
PR_TELEX_NUMBER_W, urn:schemas:contacts:telexnumber

2.1113 *PidTagTemplateData*

Canonical name: PidTagTemplateData
Property ID: 0x0001
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_TEMPLATE_BLOB

2.1114 *PidTagTemplateid*

Canonical name: PidTagTemplateid
Property ID: 0x3902
Data type: PtypBinary, 0x0102
Area: MapiAddressBook
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_TEMPLATEID

2.1115 *PidTagTemporaryDefaultDocument*

Canonical name: PidTagTemporaryDefaultDocument

Property ID: 0x3F20

Data type: PtypString, 0x001F

Area: Structured Documents Property set

References: [MS-XWDSTRUCTDOC], [MS-XWDCAL]

Alternate names: DAV:defaultdocument

2.1116 *PidTagTextAttachmentCharset*

Canonical name: PidTagTextAttachmentCharset

Property ID: 0x371B

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names: ptagTextAttachmentCharset

2.1117 *PidTagTitle*

Canonical name: PidTagTitle

Property ID: 0x3A17

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W, urn:schemas:contacts:title

2.1118 *PidTagTnefCorrelationKey*

Canonical name: PidTagTnefCorrelationKey

Property ID: 0x007F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: PR_TNEF_CORRELATION_KEY

2.1119 *PidTagToDoItemFlags*

Canonical name: PidTagToDoItemFlags

Property ID: 0x0E2B

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.1120 *PidTagTransmittableDisplayName*

Canonical name: PidTagTransmittableDisplayName

Property ID: 0x3A20

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_TRANSMITABLE_DISPLAY_NAME,
PR_TRANSMITABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName,
PR_TRANSMITABLE_DISPLAY_NAME_W

2.1121 *PidTagTransportMessageHeaders*

Canonical name: PidTagTransportMessageHeaders

Property ID: 0x007D

Data type: PtypString, 0x001F

Area: EMail

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS,
PR_TRANSPORT_MESSAGE_HEADERS_A,
PR_TRANSPORT_MESSAGE_HEADERS_W

2.1122 *PidTagTrustSender*

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.1123 *PidTagTtyTddPhoneNumber*

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.1124 *PidTagUrlCompName*

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A, PR_URL_COMP_NAME_W, ptagURLCompName

2.1125 *PidTagUrlCompNameSet*

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [MS-OXCMSG]

Alternate names: ptagURLCompNameSet

2.1126 *PidTagUrlName*

Canonical name: PidTagUrlName

Property ID: 0x6707

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_URL_NAME, PR_URL_NAME_A, PR_URL_NAME_W, ptagURLName, DAV:href

2.1127 *PidTagUserCertificate*

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-XWDCNTC]

Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate, urn:schemas:contacts:usercertificate

2.1128 *PidTagUserEntryId*

Canonical name: PidTagUserEntryId

Property ID: 0x6619

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.1129 *PidTagUserX509Certificate*

Canonical name: PidTagUserX509Certificate

Property ID: 0x3A70

Data type: PtypMultipleBinary, 0x1102

Area: MapiMailUser

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_USER_X509_CERTIFICATE

2.1130 ***PidTagViewDescriptorBinary***

Canonical name: PidTagViewDescriptorBinary
Property ID: 0x7001
Data type: PtypBinary, 0x0102
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_BINARY

2.1131 ***PidTagViewDescriptorName***

Canonical name: PidTagViewDescriptorName
Property ID: 0x7006
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.1132 ***PidTagViewDescriptorStrings***

Canonical name: PidTagViewDescriptorStrings
Property ID: 0x7002
Data type: PtypString, 0x001F
Area: MessageClassDefinedTransmittable
References: [MS-OXOCFG]
Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.1133 ***PidTagViewDescriptorVersion***

Canonical name: PidTagViewDescriptorVersion
Property ID: 0x7007
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXOCFG]
Alternate names: PR_VD_VERSION

2.1134 ***PidTagVoiceMessageAttachmentOrder***

Canonical name: PidTagVoiceMessageAttachmentOrder
Property ID: 0x6805
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL], [MS-OXOUM]
Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.1135 *PidTagVoiceMessageDuration*

Canonical name: PidTagVoiceMessageDuration
Property ID: 0x6801
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageDuration

2.1136 *PidTagVoiceMessageSenderName*

Canonical name: PidTagVoiceMessageSenderName
Property ID: 0x6803
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageSenderName

2.1137 *PidTagWeddingAnniversary*

Canonical name: PidTagWeddingAnniversary
Property ID: 0x3A41
Data type: PtypTime, 0x0040
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_WEDDING_ANNIVERSARY,
urn:schemas:contacts:weddinganniversary

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Office 2003 with Service Pack 3 applied
- Exchange 2003 with Service Pack 2 applied
- Office 2007 with Service Pack 1 applied
- Exchange 2007 with Service Pack 1 applied

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Index

Appendix A

Office/Exchange behavior, 279

Introduction, 30

Applicability statement, 38

Glossary, 30

References, 30

Relationship to protocols and other structures, 38

Structure Overview, 33

Vendor-extensible fields, 39

Versioning and localization, 39

References

Informative references, 33

Normative references, 30

Security considerations, 279

Structure examples, 279

Structures, 39