

[MS-OXPROPS]: Exchange Server Protocols Master Property List Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.
- **Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

| Revision Summary | | | |
|-----------------------|-------------------|---------|---|
| Author | Date | Version | Comments |
| Microsoft Corporation | April 4, 2008 | 0.1 | Initial Availability. |
| Microsoft Corporation | April 25, 2008 | 0.2 | Revised and updated property names and other technical content. |
| Microsoft Corporation | June 27, 2008 | 1.0 | Initial Release. |
| Microsoft Corporation | August 6, 2008 | 1.01 | Updated references to reflect date of initial release. |
| Microsoft Corporation | September 3, 2008 | 1.02 | Changed title of document. |
| Microsoft Corporation | October 1, 2008 | 1.03 | Revised and edited technical content. |
| Microsoft Corporation | December 3, 2008 | 1.04 | Revised and edited technical content. |
| Microsoft Corporation | February 4, 2009 | 1.05 | Revised and edited technical content. |
| Microsoft Corporation | March 4, 2009 | 1.06 | Revised and edited technical content. |
| Microsoft Corporation | April 10, 2009 | 2.0 | Updated technical content and applicable product releases. |

Table of Contents

| | | |
|----------|--|-----------|
| 1 | Introduction..... | 30 |
| 1.1 | Glossary..... | 30 |
| 1.2 | References..... | 30 |
| 1.2.1 | Normative References..... | 30 |
| 1.2.2 | Informative References..... | 33 |
| 1.3 | Structure Overview..... | 33 |
| 1.3.1 | Common Message Classes..... | 34 |
| 1.3.2 | Commonly Used Property Sets..... | 35 |
| 1.3.3 | Property ID Ranges..... | 36 |
| 1.4 | WebDAV Property Naming..... | 37 |
| 1.4.1 | http://schemas.microsoft.com/mapi/proptag Namespace..... | 37 |
| 1.4.2 | http://schemas.microsoft.com/mapi/id Namespace..... | 37 |
| 1.4.3 | http://schemas.microsoft.com/mapi/string Namespace..... | 38 |
| 1.5 | Relationship to Protocols and Other Structures..... | 38 |
| 1.6 | Applicability Statement..... | 38 |
| 1.7 | Versioning and Localization..... | 39 |
| 1.8 | Vendor-Extensible Fields..... | 39 |
| 2 | Structures..... | 39 |
| 2.1 | PidLidAddressBookProviderArrayType..... | 39 |
| 2.2 | PidLidAddressBookProviderEmailList..... | 39 |
| 2.3 | PidLidAddressCountryCode..... | 39 |
| 2.4 | PidLidAgingDontAgeMe..... | 39 |
| 2.5 | PidLidAllAttendeesList..... | 40 |
| 2.6 | PidLidAllAttendeesString..... | 40 |
| 2.7 | PidLidAllowExternalCheck..... | 40 |
| 2.8 | PidLidAnniversaryEventEntryId..... | 40 |
| 2.9 | PidLidAppointmentAuxiliaryFlags..... | 40 |
| 2.10 | PidLidAppointmentColor..... | 41 |
| 2.11 | PidLidAppointmentCounterProposal..... | 41 |
| 2.12 | PidLidAppointmentDuration..... | 41 |
| 2.13 | PidLidAppointmentEndDate..... | 41 |
| 2.14 | PidLidAppointmentEndTime..... | 42 |
| 2.15 | PidLidAppointmentEndWhole..... | 42 |
| 2.16 | PidLidAppointmentLastSequence..... | 42 |
| 2.17 | PidLidAppointmentMessageClass..... | 42 |
| 2.18 | PidLidAppointmentNotAllowPropose..... | 42 |
| 2.19 | PidLidAppointmentProposalNumber..... | 43 |
| 2.20 | PidLidAppointmentProposedDuration..... | 43 |
| 2.21 | PidLidAppointmentProposedEndWhole..... | 43 |
| 2.22 | PidLidAppointmentProposedStartWhole..... | 43 |
| 2.23 | PidLidAppointmentRecur..... | 43 |
| 2.24 | PidLidAppointmentReplyName..... | 44 |

| | | |
|------|---|----|
| 2.25 | PidLidAppointmentReplyTime | 44 |
| 2.26 | PidLidAppointmentSequence | 44 |
| 2.27 | PidLidAppointmentSequenceTime | 44 |
| 2.28 | PidLidAppointmentStartDate | 45 |
| 2.29 | PidLidAppointmentStartTime | 45 |
| 2.30 | PidLidAppointmentStartWhole | 45 |
| 2.31 | PidLidAppointmentStateFlags | 45 |
| 2.32 | PidLidAppointmentSubType | 45 |
| 2.33 | PidLidAppointmentTimeZoneDefinitionEndDisplay | 46 |
| 2.34 | PidLidAppointmentTimeZoneDefinitionRecur | 46 |
| 2.35 | PidLidAppointmentTimeZoneDefinitionStartDisplay | 46 |
| 2.36 | PidLidAppointmentUnsendableRecipients | 46 |
| 2.37 | PidLidAppointmentUpdateTime | 46 |
| 2.38 | PidLidAttendeeCriticalChange | 47 |
| 2.39 | PidLidAutoFillLocation | 47 |
| 2.40 | PidLidAutoLog | 47 |
| 2.41 | PidLidAutoProcessState | 47 |
| 2.42 | PidLidAutoStartCheck | 48 |
| 2.43 | PidLidAutoStartWhen | 48 |
| 2.44 | PidLidBilling | 48 |
| 2.45 | PidLidBirthdayEventEntryId | 48 |
| 2.46 | PidLidBirthdayLocal | 48 |
| 2.47 | PidLidBusinessCardCardPicture | 49 |
| 2.48 | PidLidBusinessCardDisplayDefinition | 49 |
| 2.49 | PidLidBusyStatus | 49 |
| 2.50 | PidLidCalendarType | 49 |
| 2.51 | PidLidCategories | 49 |
| 2.52 | PidLidCcAttendeesString | 50 |
| 2.53 | PidLidChangeHighlight | 50 |
| 2.54 | PidLidClassification | 50 |
| 2.55 | PidLidClassificationDescription | 50 |
| 2.56 | PidLidClassificationGuid | 51 |
| 2.57 | PidLidClassificationKeep | 51 |
| 2.58 | PidLidClassified | 51 |
| 2.59 | PidLidCleanGlobalObjectId | 51 |
| 2.60 | PidLidClipEnd | 51 |
| 2.61 | PidLidClipStart | 52 |
| 2.62 | PidLidCollaborateDoc | 52 |
| 2.63 | PidLidCommonEnd | 52 |
| 2.64 | PidLidCommonStart | 52 |
| 2.65 | PidLidCompanies | 53 |
| 2.66 | PidLidConferencingCheck | 53 |
| 2.67 | PidLidConferencingType | 53 |
| 2.68 | PidLidContactCharacterSet | 53 |

| | | |
|-------|---|----|
| 2.69 | PidLidContactItemData | 53 |
| 2.70 | PidLidContactLinkEntry | 54 |
| 2.71 | PidLidContactLinkName | 54 |
| 2.72 | PidLidContactLinkSearchKey | 54 |
| 2.73 | PidLidContacts | 54 |
| 2.74 | PidLidContactUserField1 | 54 |
| 2.75 | PidLidContactUserField2 | 55 |
| 2.76 | PidLidContactUserField3 | 55 |
| 2.77 | PidLidContactUserField4 | 55 |
| 2.78 | PidLidConversationActionLastAppliedTime | 55 |
| 2.79 | PidLidConversationActionMaxDeliveryTime | 56 |
| 2.80 | PidLidConversationActionMoveFolderEid | 56 |
| 2.81 | PidLidConversationActionMoveStoreEid | 56 |
| 2.82 | PidLidConversationActionVersion | 56 |
| 2.83 | PidLidConversationProcessed | 56 |
| 2.84 | PidLidCurrentVersion | 57 |
| 2.85 | PidLidCurrentVersionName | 57 |
| 2.86 | PidLidDayInterval | 57 |
| 2.87 | PidLidDayOfMonth | 57 |
| 2.88 | PidLidDelegateMail | 58 |
| 2.89 | PidLidDepartment | 58 |
| 2.90 | PidLidDirectory | 58 |
| 2.91 | PidLidDistributionListChecksum | 58 |
| 2.92 | PidLidDistributionListMembers | 58 |
| 2.93 | PidLidDistributionListName | 59 |
| 2.94 | PidLidDistributionListOneOffMembers | 59 |
| 2.95 | PidLidDistributionListStream | 59 |
| 2.96 | PidLidEmail1AddressType | 59 |
| 2.97 | PidLidEmail1DisplayName | 59 |
| 2.98 | PidLidEmail1EmailAddress | 60 |
| 2.99 | PidLidEmail1EmailType | 60 |
| 2.100 | PidLidEmail1OriginalDisplayName | 60 |
| 2.101 | PidLidEmail1OriginalEntryId | 60 |
| 2.102 | PidLidEmail2AddressType | 61 |
| 2.103 | PidLidEmail2DisplayName | 61 |
| 2.104 | PidLidEmail2EmailAddress | 61 |
| 2.105 | PidLidEmail2EntryId | 61 |
| 2.106 | PidLidEmail2OriginalDisplayName | 61 |
| 2.107 | PidLidEmail2OriginalEntryId | 62 |
| 2.108 | PidLidEmail3AddressType | 62 |
| 2.109 | PidLidEmail3DisplayName | 62 |
| 2.110 | PidLidEmail3EmailAddress | 62 |
| 2.111 | PidLidEmail3EntryId | 62 |
| 2.112 | PidLidEmail3OriginalDisplayName | 63 |

| | | |
|-------|--|----|
| 2.113 | PidLidEmail3OriginalEntryId | 63 |
| 2.114 | PidLidEmailList | 63 |
| 2.115 | PidLidEndRecurrenceDate | 63 |
| 2.116 | PidLidEndRecurrenceTime | 64 |
| 2.117 | PidLidExceptionReplaceTime..... | 64 |
| 2.118 | PidLidFax1AddressType | 64 |
| 2.119 | PidLidFax1EmailAddress..... | 64 |
| 2.120 | PidLidFax1OriginalDisplayName..... | 64 |
| 2.121 | PidLidFax1OriginalEntryId..... | 65 |
| 2.122 | PidLidFax2AddressType | 65 |
| 2.123 | PidLidFax2EmailAddress..... | 65 |
| 2.124 | PidLidFax2OriginalDisplayName..... | 65 |
| 2.125 | PidLidFax2OriginalEntryId..... | 65 |
| 2.126 | PidLidFax3AddressType | 66 |
| 2.127 | PidLidFax3EmailAddress..... | 66 |
| 2.128 | PidLidFax3OriginalDisplayName..... | 66 |
| 2.129 | PidLidFax3OriginalEntryId..... | 66 |
| 2.130 | PidLidFExceptionalAttendees..... | 67 |
| 2.131 | PidLidFExceptionalBody..... | 67 |
| 2.132 | PidLidFileUnder | 67 |
| 2.133 | PidLidFileUnderId | 67 |
| 2.134 | PidLidFileUnderList | 67 |
| 2.135 | PidLidFInvited..... | 68 |
| 2.136 | PidLidFlagRequest..... | 68 |
| 2.137 | PidLidFlagString | 68 |
| 2.138 | PidLidForwardInstance..... | 68 |
| 2.139 | PidLidForwardNotificationRecipients..... | 69 |
| 2.140 | PidLidFOthersAppointment | 69 |
| 2.141 | PidLidFreeBusyLocation | 69 |
| 2.142 | PidLidGlobalObjectId..... | 69 |
| 2.143 | PidLidHasPicture | 69 |
| 2.144 | PidLidHomeAddress..... | 70 |
| 2.145 | PidLidHomeAddressCountryCode | 70 |
| 2.146 | PidLidHtml | 70 |
| 2.147 | PidLidICalendarDayOfWeekMask..... | 70 |
| 2.148 | PidLidInfoPathFormName | 70 |
| 2.149 | PidLidInstantMessagingAddress..... | 71 |
| 2.150 | PidLidIntendedBusyStatus..... | 71 |
| 2.151 | PidLidInternetAccountName..... | 71 |
| 2.152 | PidLidInternetAccountStamp | 71 |
| 2.153 | PidLidIsException | 72 |
| 2.154 | PidLidIsRecurring | 72 |
| 2.155 | PidLidIsSilent | 72 |
| 2.156 | PidLidLinkedTaskItems..... | 72 |

| | | |
|-------|-------------------------------|----|
| 2.157 | PidLidLocation | 72 |
| 2.158 | PidLidLogDocumentPosted | 73 |
| 2.159 | PidLidLogDocumentPrinted | 73 |
| 2.160 | PidLidLogDocumentRouted | 73 |
| 2.161 | PidLidLogDocumentSaved | 73 |
| 2.162 | PidLidLogDuration | 73 |
| 2.163 | PidLidLogEnd | 74 |
| 2.164 | PidLidLogFlags | 74 |
| 2.165 | PidLidLogStart | 74 |
| 2.166 | PidLidLogType | 74 |
| 2.167 | PidLidLogTypeDesc | 75 |
| 2.168 | PidLidMeetingType | 75 |
| 2.169 | PidLidMeetingWorkspaceUrl | 75 |
| 2.170 | PidLidMonthInterval | 75 |
| 2.171 | PidLidMonthOfYear | 75 |
| 2.172 | PidLidMonthOfYearMask | 76 |
| 2.173 | PidLidNetShowUrl | 76 |
| 2.174 | PidLidNoEndDateFlag | 76 |
| 2.175 | PidLidNonSendableBcc | 76 |
| 2.176 | PidLidNonSendableCc | 77 |
| 2.177 | PidLidNonSendableTo | 77 |
| 2.178 | PidLidNonSendBccTrackStatus | 77 |
| 2.179 | PidLidNonSendCcTrackStatus | 77 |
| 2.180 | PidLidNonSendToTrackStatus | 77 |
| 2.181 | PidLidNoteColor | 78 |
| 2.182 | PidLidNoteHeight | 78 |
| 2.183 | PidLidNoteWidth | 78 |
| 2.184 | PidLidNoteX | 78 |
| 2.185 | PidLidNoteY | 79 |
| 2.186 | PidLidOccurrences | 79 |
| 2.187 | PidLidOldLocation | 79 |
| 2.188 | PidLidOldRecurrenceType | 79 |
| 2.189 | PidLidOldWhenEndWhole | 79 |
| 2.190 | PidLidOldWhenStartWhole | 80 |
| 2.191 | PidLidOnlinePassword | 80 |
| 2.192 | PidLidOptionalAttendees | 80 |
| 2.193 | PidLidOrganizerAlias | 80 |
| 2.194 | PidLidOriginalStoreEntryId | 80 |
| 2.195 | PidLidOtherAddress | 81 |
| 2.196 | PidLidOtherAddressCountryCode | 81 |
| 2.197 | PidLidOwnerCriticalChange | 81 |
| 2.198 | PidLidOwnerName | 81 |
| 2.199 | PidLidPercentComplete | 82 |
| 2.200 | PidLidPostalAddressId | 82 |

| | | |
|-------|------------------------------------|----|
| 2.201 | PidLidPostRssChannel..... | 82 |
| 2.202 | PidLidPostRssChannelLink..... | 82 |
| 2.203 | PidLidPostRssItemGuid..... | 82 |
| 2.204 | PidLidPostRssItemHash..... | 83 |
| 2.205 | PidLidPostRssItemLink..... | 83 |
| 2.206 | PidLidPostRssItemXml..... | 83 |
| 2.207 | PidLidPostRssSubscription..... | 83 |
| 2.208 | PidLidPrivate..... | 83 |
| 2.209 | PidLidPromptSendUpdate..... | 84 |
| 2.210 | PidLidRecurrenceDuration..... | 84 |
| 2.211 | PidLidRecurrencePattern..... | 84 |
| 2.212 | PidLidRecurrenceType..... | 84 |
| 2.213 | PidLidRecurring..... | 85 |
| 2.214 | PidLidReferenceEntryId..... | 85 |
| 2.215 | PidLidReferredBy..... | 85 |
| 2.216 | PidLidReminderDelta..... | 85 |
| 2.217 | PidLidReminderFileParameter..... | 85 |
| 2.218 | PidLidReminderOverride..... | 86 |
| 2.219 | PidLidReminderPlaySound..... | 86 |
| 2.220 | PidLidReminderSet..... | 86 |
| 2.221 | PidLidReminderSignalTime..... | 86 |
| 2.222 | PidLidReminderTime..... | 87 |
| 2.223 | PidLidReminderTimeDate..... | 87 |
| 2.224 | PidLidReminderTimeTime..... | 87 |
| 2.225 | PidLidReminderType..... | 87 |
| 2.226 | PidLidRemoteStatus..... | 88 |
| 2.227 | PidLidRequiredAttendees..... | 88 |
| 2.228 | PidLidResourceAttendees..... | 88 |
| 2.229 | PidLidResponseStatus..... | 88 |
| 2.230 | PidLidSendMeetingAsIcal..... | 88 |
| 2.231 | PidLidServerProcessed..... | 89 |
| 2.232 | PidLidServerProcessingActions..... | 89 |
| 2.233 | PidLidSharingAnonymity..... | 89 |
| 2.234 | PidLidSharingBindingEntryId..... | 89 |
| 2.235 | PidLidSharingBrowseUrl..... | 90 |
| 2.236 | PidLidSharingCapabilities..... | 90 |
| 2.237 | PidLidSharingConfigurationUrl..... | 90 |
| 2.238 | PidLidSharingDataRangeEnd..... | 90 |
| 2.239 | PidLidSharingDataRangeStart..... | 90 |
| 2.240 | PidLidSharingDetail..... | 91 |
| 2.241 | PidLidSharingExtensionXml..... | 91 |
| 2.242 | PidLidSharingFilter..... | 91 |
| 2.243 | PidLidSharingFlags..... | 91 |
| 2.244 | PidLidSharingFlavor..... | 91 |

| | | |
|-------|---|-----|
| 2.245 | PidLidSharingFolderEntryId | 92 |
| 2.246 | PidLidSharingIndexEntryId..... | 92 |
| 2.247 | PidLidSharingInitiatorEntryId..... | 92 |
| 2.248 | PidLidSharingInitiatorName..... | 92 |
| 2.249 | PidLidSharingInitiatorSntp..... | 93 |
| 2.250 | PidLidSharingInstanceGuid..... | 93 |
| 2.251 | PidLidSharingLastAutoSyncTime | 93 |
| 2.252 | PidLidSharingLastSyncTime | 93 |
| 2.253 | PidLidSharingLocalComment..... | 93 |
| 2.254 | PidLidSharingLocalLastModificationTime..... | 94 |
| 2.255 | PidLidSharingLocalName | 94 |
| 2.256 | PidLidSharingLocalPath..... | 94 |
| 2.257 | PidLidSharingLocalStoreUid | 94 |
| 2.258 | PidLidSharingLocalType..... | 94 |
| 2.259 | PidLidSharingLocalUid..... | 95 |
| 2.260 | PidLidSharingOriginalMessageEntryId..... | 95 |
| 2.261 | PidLidSharingParentBindingEntryId..... | 95 |
| 2.262 | PidLidSharingParticipants | 95 |
| 2.263 | PidLidSharingPermissions..... | 96 |
| 2.264 | PidLidSharingProviderExtension..... | 96 |
| 2.265 | PidLidSharingProviderGuid | 96 |
| 2.266 | PidLidSharingProviderName..... | 96 |
| 2.267 | PidLidSharingProviderUrl..... | 96 |
| 2.268 | PidLidSharingRangeEnd | 97 |
| 2.269 | PidLidSharingRangeStart | 97 |
| 2.270 | PidLidSharingReciprocation..... | 97 |
| 2.271 | PidLidSharingRemoteByteSize..... | 97 |
| 2.272 | PidLidSharingRemoteComment | 97 |
| 2.273 | PidLidSharingRemoteCrc..... | 98 |
| 2.274 | PidLidSharingRemoteLastModificationTime | 98 |
| 2.275 | PidLidSharingRemoteMessageCount..... | 98 |
| 2.276 | PidLidSharingRemoteName..... | 98 |
| 2.277 | PidLidSharingRemotePass | 99 |
| 2.278 | PidLidSharingRemotePath | 99 |
| 2.279 | PidLidSharingRemoteStoreUid..... | 99 |
| 2.280 | PidLidSharingRemoteType | 99 |
| 2.281 | PidLidSharingRemoteUid..... | 99 |
| 2.282 | PidLidSharingRemoteUser..... | 100 |
| 2.283 | PidLidSharingRemoteVersion..... | 100 |
| 2.284 | PidLidSharingResponseTime | 100 |
| 2.285 | PidLidSharingResponseType | 100 |
| 2.286 | PidLidSharingRoamLog..... | 100 |
| 2.287 | PidLidSharingStart | 101 |
| 2.288 | PidLidSharingStatus..... | 101 |

| | | |
|-------|-----------------------------------|-----|
| 2.289 | PidLidSharingStop | 101 |
| 2.290 | PidLidSharingSyncFlags | 101 |
| 2.291 | PidLidSharingSyncInterval | 102 |
| 2.292 | PidLidSharingTimeToLive | 102 |
| 2.293 | PidLidSharingTimeToLiveAuto | 102 |
| 2.294 | PidLidSharingWorkingHoursDays | 102 |
| 2.295 | PidLidSharingWorkingHoursEnd | 102 |
| 2.296 | PidLidSharingWorkingHoursStart | 103 |
| 2.297 | PidLidSharingWorkingHoursTimeZone | 103 |
| 2.298 | PidLidSideEffects | 103 |
| 2.299 | PidLidSingleInvite | 103 |
| 2.300 | PidLidSmartNoAttach | 103 |
| 2.301 | PidLidSpamOriginalFolder | 104 |
| 2.302 | PidLidStartRecurrenceDate | 104 |
| 2.303 | PidLidStartRecurrenceTime | 104 |
| 2.304 | PidLidTaskAcceptanceState | 104 |
| 2.305 | PidLidTaskAccepted | 105 |
| 2.306 | PidLidTaskActualEffort | 105 |
| 2.307 | PidLidTaskAssigner | 105 |
| 2.308 | PidLidTaskAssigners | 105 |
| 2.309 | PidLidTaskComplete | 105 |
| 2.310 | PidLidTaskDateCompleted | 106 |
| 2.311 | PidLidTaskDeadOccurrence | 106 |
| 2.312 | PidLidTaskDueDate | 106 |
| 2.313 | PidLidTaskEstimatedEffort | 106 |
| 2.314 | PidLidTaskFCreator | 106 |
| 2.315 | PidLidTaskFFixOffline | 107 |
| 2.316 | PidLidTaskFRecurring | 107 |
| 2.317 | PidLidTaskGlobalId | 107 |
| 2.318 | PidLidTaskHistory | 107 |
| 2.319 | PidLidTaskLastDelegate | 108 |
| 2.320 | PidLidTaskLastUpdate | 108 |
| 2.321 | PidLidTaskLastUser | 108 |
| 2.322 | PidLidTaskMode | 108 |
| 2.323 | PidLidTaskMultipleRecipients | 108 |
| 2.324 | PidLidTaskNoCompute | 109 |
| 2.325 | PidLidTaskOrdinal | 109 |
| 2.326 | PidLidTaskOwner | 109 |
| 2.327 | PidLidTaskOwnership | 109 |
| 2.328 | PidLidTaskRecurrence | 109 |
| 2.329 | PidLidTaskResetReminder | 110 |
| 2.330 | PidLidTaskRole | 110 |
| 2.331 | PidLidTaskStartDate | 110 |
| 2.332 | PidLidTaskState | 110 |

| | | |
|-------|---|-----|
| 2.333 | PidLidTaskStatus | 111 |
| 2.334 | PidLidTaskStatusOnComplete | 111 |
| 2.335 | PidLidTaskUpdates | 111 |
| 2.336 | PidLidTaskVersion | 111 |
| 2.337 | PidLidTeamTask | 111 |
| 2.338 | PidLidTimeZone | 112 |
| 2.339 | PidLidTimeZoneDescription | 112 |
| 2.340 | PidLidTimeZoneStruct | 112 |
| 2.341 | PidLidToAttendeesString | 112 |
| 2.342 | PidLidToDoOrdinalDate | 112 |
| 2.343 | PidLidToDoSubOrdinal | 113 |
| 2.344 | PidLidToDoTitle | 113 |
| 2.345 | PidLidUseTnef | 113 |
| 2.346 | PidLidValidFlagStringProof | 113 |
| 2.347 | PidLidVerbResponse | 114 |
| 2.348 | PidLidVerbStream | 114 |
| 2.349 | PidLidWeddingAnniversaryLocal | 114 |
| 2.350 | PidLidWeekInterval | 114 |
| 2.351 | PidLidWhere | 114 |
| 2.352 | PidLidWorkAddress | 115 |
| 2.353 | PidLidWorkAddressCity | 115 |
| 2.354 | PidLidWorkAddressCountry | 115 |
| 2.355 | PidLidWorkAddressCountryCode | 115 |
| 2.356 | PidLidWorkAddressPostalCode | 115 |
| 2.357 | PidLidWorkAddressPostOfficeBox | 116 |
| 2.358 | PidLidWorkAddressState | 116 |
| 2.359 | PidLidWorkAddressStreet | 116 |
| 2.360 | PidLidYearInterval | 116 |
| 2.361 | PidLidYomiCompanyName | 117 |
| 2.362 | PidLidYomiFirstName | 117 |
| 2.363 | PidLidYomiLastName | 117 |
| 2.364 | PidNameAcceptLanguage | 117 |
| 2.365 | PidNameApplicationName | 117 |
| 2.366 | PidNameApproved | 118 |
| 2.367 | PidNameAttachmentMacContentType | 118 |
| 2.368 | PidNameAttachmentMacInfo | 118 |
| 2.369 | PidNameAudioNotes | 118 |
| 2.370 | PidNameAuthor | 119 |
| 2.371 | PidNameAutomaticSpeechRecognitionData | 119 |
| 2.372 | PidNameBcc | 119 |
| 2.373 | PidNameByteCount | 119 |
| 2.374 | PidNameCalendarAttendeeRole | 119 |
| 2.375 | PidNameCalendarBusystatus | 120 |
| 2.376 | PidNameCalendarContact | 120 |

| | | |
|-------|--|-----|
| 2.377 | PidNameCalendarContactUrl | 120 |
| 2.378 | PidNameCalendarCreated..... | 120 |
| 2.379 | PidNameCalendarDescriptionUrl..... | 120 |
| 2.380 | PidNameCalendarDuration..... | 121 |
| 2.381 | PidNameCalendarExceptionDate..... | 121 |
| 2.382 | PidNameCalendarExceptionRule..... | 121 |
| 2.383 | PidNameCalendarGeoLatitude..... | 121 |
| 2.384 | PidNameCalendarGeoLongitude | 122 |
| 2.385 | PidNameCalendarInstanceType | 122 |
| 2.386 | PidNameCalendarIsOrganizer..... | 122 |
| 2.387 | PidNameCalendarLastModified..... | 122 |
| 2.388 | PidNameCalendarLocationUrl | 122 |
| 2.389 | PidNameCalendarMeetingStatus | 123 |
| 2.390 | PidNameCalendarMethod | 123 |
| 2.391 | PidNameCalendarProductId | 123 |
| 2.392 | PidNameCalendarRecurrenceIdRange | 123 |
| 2.393 | PidNameCalendarReminderOffset..... | 123 |
| 2.394 | PidNameCalendarResources | 124 |
| 2.395 | PidNameCalendarRsvp..... | 124 |
| 2.396 | PidNameCalendarSequence | 124 |
| 2.397 | PidNameCalendarTimeZone | 124 |
| 2.398 | PidNameCalendarTimeZoneId..... | 125 |
| 2.399 | PidNameCalendarTransparent..... | 125 |
| 2.400 | PidNameCalendarUid | 125 |
| 2.401 | PidNameCalendarVersion | 125 |
| 2.402 | PidNameCategory | 125 |
| 2.403 | PidNameCc..... | 126 |
| 2.404 | PidNameCharacterCount | 126 |
| 2.405 | PidNameComments | 126 |
| 2.406 | PidNameCompany | 126 |
| 2.407 | PidNameContactsAlternateRecipient..... | 126 |
| 2.408 | PidNameContactsCountry | 127 |
| 2.409 | PidNameContactsEmail1 | 127 |
| 2.410 | PidNameContactsEmail2..... | 127 |
| 2.411 | PidNameContactsEmail3 | 127 |
| 2.412 | PidNameContactsFileAs..... | 128 |
| 2.413 | PidNameContactsFileasId..... | 128 |
| 2.414 | PidNameContactsHomeLatitude..... | 128 |
| 2.415 | PidNameContactsHomeLongitude..... | 128 |
| 2.416 | PidNameContactsHomeTimeZone | 128 |
| 2.417 | PidNameContactsMapUrl..... | 129 |
| 2.418 | PidNameContactsOtherCountryCode | 129 |
| 2.419 | PidNameContactsOtherPager | 129 |
| 2.420 | PidNameContactsOtherTimeZone | 129 |

| | | |
|-------|---|-----|
| 2.421 | PidNameContactsProxyAddresses | 129 |
| 2.422 | PidNameContactsSecretaryUrl | 130 |
| 2.423 | PidNameContactsSourceUrl | 130 |
| 2.424 | PidNameContentBase | 130 |
| 2.425 | PidNameContentClass | 130 |
| 2.426 | PidNameContentDisposition | 131 |
| 2.427 | PidNameContentID | 131 |
| 2.428 | PidNameContentLanguage | 131 |
| 2.429 | PidNameContentLocation | 131 |
| 2.430 | PidNameContentTransferEncoding | 131 |
| 2.431 | PidNameContentType | 132 |
| 2.432 | PidNameControl | 132 |
| 2.433 | PidNameCreateDateTimeReadOnly | 132 |
| 2.434 | PidNameCrossReference | 132 |
| 2.435 | PidNameDavGetContentType | 132 |
| 2.436 | PidNameDavId | 133 |
| 2.437 | PidNameDavIsCollection | 133 |
| 2.438 | PidNameDavIsStructuredDocument | 133 |
| 2.439 | PidNameDavParentName | 133 |
| 2.440 | PidNameDavResourceType | 134 |
| 2.441 | PidNameDavSearchRequest | 134 |
| 2.442 | PidNameDavSearchType | 134 |
| 2.443 | PidNameDavUid | 134 |
| 2.444 | PidNameDisposition | 134 |
| 2.445 | PidNameDispositionNotificationTo | 135 |
| 2.446 | PidNameDistribution | 135 |
| 2.447 | PidNameDocumentParts | 135 |
| 2.448 | PidNameEditTime | 135 |
| 2.449 | PidNameExchangeIntendedBusyStatus | 135 |
| 2.450 | PidNameExchangeJunkEmailMoveStamp | 136 |
| 2.451 | PidNameExchangeModifyExceptionStructure | 136 |
| 2.452 | PidNameExchangeMsexchembdefaultmailfolder | 136 |
| 2.453 | PidNameExchangeMsexchembdefaultmailfoldertype | 136 |
| 2.454 | PidNameExchangeNoModifyExceptions | 137 |
| 2.455 | PidNameExchangePatternEnd | 137 |
| 2.456 | PidNameExchangePatternStart | 137 |
| 2.457 | PidNameExchangePublicFolderEmailAddress | 137 |
| 2.458 | PidNameExchangeReminderInterval | 137 |
| 2.459 | PidNameExchDatabaseSchema | 138 |
| 2.460 | PidNameExchDataExpectedContentClass | 138 |
| 2.461 | PidNameExchDataSchemaCollectionReference | 138 |
| 2.462 | PidNameExpires | 138 |
| 2.463 | PidNameExpiryDate | 138 |
| 2.464 | PidNameFollowupTo | 139 |

| | | |
|-------|---------------------------------------|-----|
| 2.465 | PidNameFrom | 139 |
| 2.466 | PidNameHeadingPairs | 139 |
| 2.467 | PidNameHiddenCount | 139 |
| 2.468 | PidNameHttpmailCalendar | 140 |
| 2.469 | PidNameHttpmailCc | 140 |
| 2.470 | PidNameHttpmailContacts | 140 |
| 2.471 | PidNameHttpmailContentMediaType | 140 |
| 2.472 | PidNameHttpmailFrom | 140 |
| 2.473 | PidNameHttpmailFromEmail | 141 |
| 2.474 | PidNameHttpmailHtmlDescription | 141 |
| 2.475 | PidNameHttpmailOutbox | 141 |
| 2.476 | PidNameHttpmailSendMessage | 141 |
| 2.477 | PidNameHttpmailSubmitted | 141 |
| 2.478 | PidNameHttpmailTo | 142 |
| 2.479 | PidNameICalendarRecurrenceDate | 142 |
| 2.480 | PidNameICalendarRecurrenceRule | 142 |
| 2.481 | PidNameImportance | 142 |
| 2.482 | PidNameInReplyTo | 143 |
| 2.483 | PidNameInstantMessagingAddress2 | 143 |
| 2.484 | PidNameInstantMessagingAddress3 | 143 |
| 2.485 | PidNameInternetComment | 143 |
| 2.486 | PidNameInternetKeywords | 143 |
| 2.487 | PidNameInternetSubject | 144 |
| 2.488 | PidNameKeywords | 144 |
| 2.489 | PidNameLastAuthor | 144 |
| 2.490 | PidNameLastPrinted | 144 |
| 2.491 | PidNameLastSaveDateTime | 145 |
| 2.492 | PidNameLineCount | 145 |
| 2.493 | PidNameLines | 145 |
| 2.494 | PidNameLinksDirty | 145 |
| 2.495 | PidNameMailSubmissionUri | 145 |
| 2.496 | PidNameManager | 146 |
| 2.497 | PidNameMessageId | 146 |
| 2.498 | PidNameMimeVersion | 146 |
| 2.499 | PidNameMultimediaClipCount | 146 |
| 2.500 | PidNameNewsgroups | 146 |
| 2.501 | PidNameNntpPostingHost | 147 |
| 2.502 | PidNameNoteCount | 147 |
| 2.503 | PidNameOMSAccountGuid | 147 |
| 2.504 | PidNameOMSMobileModel | 147 |
| 2.505 | PidNameOMSScheduleTime | 148 |
| 2.506 | PidNameOMSServiceType | 148 |
| 2.507 | PidNameOMSSourceType | 148 |
| 2.508 | PidNameOrganization | 148 |

| | | |
|-------|--|-----|
| 2.509 | PidNameOriginalRecipient..... | 148 |
| 2.510 | PidNamePageCount..... | 149 |
| 2.511 | PidNameParagraphCount..... | 149 |
| 2.512 | PidNamePath..... | 149 |
| 2.513 | PidNamePhishingStamp..... | 149 |
| 2.514 | PidNamePostingVersion..... | 149 |
| 2.515 | PidNamePresentationFormat..... | 150 |
| 2.516 | PidNamePriority..... | 150 |
| 2.517 | PidNameQuarantineOriginalSender..... | 150 |
| 2.518 | PidNameReceived..... | 150 |
| 2.519 | PidNameReferences..... | 151 |
| 2.520 | PidNameRelayVersion..... | 151 |
| 2.521 | PidNameReplyBy..... | 151 |
| 2.522 | PidNameReplyTo..... | 151 |
| 2.523 | PidNameReturnPath..... | 151 |
| 2.524 | PidNameReturnReceiptTo..... | 152 |
| 2.525 | PidNameRevisionNumber..... | 152 |
| 2.526 | PidNameRightsManagementLicense..... | 152 |
| 2.527 | PidNameScale..... | 152 |
| 2.528 | PidNameSecurity..... | 152 |
| 2.529 | PidNameSender..... | 153 |
| 2.530 | PidNameSensitivity..... | 153 |
| 2.531 | PidNameSlideCount..... | 153 |
| 2.532 | PidNameSubject..... | 153 |
| 2.533 | PidNameSummary..... | 154 |
| 2.534 | PidNameTemplate..... | 154 |
| 2.535 | PidNameThreadIndex..... | 154 |
| 2.536 | PidNameThreadTopic..... | 154 |
| 2.537 | PidNameThumbnail..... | 154 |
| 2.538 | PidNameTitle..... | 155 |
| 2.539 | PidNameTo..... | 155 |
| 2.540 | PidNameWordCount..... | 155 |
| 2.541 | PidNameXCallId..... | 155 |
| 2.542 | PidNameXFaxNumberOfPages..... | 155 |
| 2.543 | PidNameXMailer..... | 156 |
| 2.544 | PidNameXMessageCompleted..... | 156 |
| 2.545 | PidNameXMessageFlag..... | 156 |
| 2.546 | PidNameXRequireProtectedPlayOnPhone..... | 156 |
| 2.547 | PidNameXSenderTelephoneNumber..... | 157 |
| 2.548 | PidNameXSharingBrowseUrl..... | 157 |
| 2.549 | PidNameXSharingCapabilities..... | 157 |
| 2.550 | PidNameXSharingConfigUrl..... | 157 |
| 2.551 | PidNameXSharingExendedCaps..... | 157 |
| 2.552 | PidNameXSharingFlavor..... | 158 |

| | | |
|-------|---|-----|
| 2.553 | PidNameXSharingInstanceGuid | 158 |
| 2.554 | PidNameXSharingLocalType | 158 |
| 2.555 | PidNameXSharingProviderGuid | 158 |
| 2.556 | PidNameXSharingProviderName | 158 |
| 2.557 | PidNameXSharingProviderUrl | 159 |
| 2.558 | PidNameXSharingRemoteName | 159 |
| 2.559 | PidNameXSharingRemotePath | 159 |
| 2.560 | PidNameXSharingRemoteStoreUId | 159 |
| 2.561 | PidNameXSharingRemoteType | 160 |
| 2.562 | PidNameXSharingRemoteUId | 160 |
| 2.563 | PidNameXUnsent | 160 |
| 2.564 | PidNameXVoiceMessageAttachmentOrder | 160 |
| 2.565 | PidNameXVoiceMessageDuration | 160 |
| 2.566 | PidNameXVoiceMessageSenderName | 161 |
| 2.567 | PidTag7BitDisplayName | 161 |
| 2.568 | PidTagAccess | 161 |
| 2.569 | PidTagAccessLevel | 161 |
| 2.570 | PidTagAccount | 161 |
| 2.571 | PidTagAdditionalRenEntryIds | 162 |
| 2.572 | PidTagAdditionalRenEntryIdsEx | 162 |
| 2.573 | PidTagAddressBookAuthorizedSenders | 162 |
| 2.574 | PidTagAddressBookContainerId | 162 |
| 2.575 | PidTagAddressBookDeliveryContentLength | 162 |
| 2.576 | PidTagAddressBookDisplayNamePrintable | 163 |
| 2.577 | PidTagAddressBookDisplayTypeExtended | 163 |
| 2.578 | PidTagAddressBookDistributionListExternalMemberCount | 163 |
| 2.579 | PidTagAddressBookDistributionListMemberCount | 163 |
| 2.580 | PidTagAddressBookDistributionListMemberSubmitAccepted | 163 |
| 2.581 | PidTagAddressBookDistributionListMemberSubmitRejected | 164 |
| 2.582 | PidTagAddressBookEntryId | 164 |
| 2.583 | PidTagAddressBookExtensionAttribute1 | 164 |
| 2.584 | PidTagAddressBookExtensionAttribute15 | 164 |
| 2.585 | PidTagAddressBookFolderPathname | 164 |
| 2.586 | PidTagAddressBookHierarchicalChildDepartments | 165 |
| 2.587 | PidTagAddressBookHierarchicalDepartmentMembers | 165 |
| 2.588 | PidTagAddressBookHierarchicalIsHierarchicalGroup | 165 |
| 2.589 | PidTagAddressBookHierarchicalParentDepartment | 165 |
| 2.590 | PidTagAddressBookHierarchicalRootDepartment | 165 |
| 2.591 | PidTagAddressBookHierarchicalShowInDepartments | 166 |
| 2.592 | PidTagAddressBookHomeMessageDatabase | 166 |
| 2.593 | PidTagAddressBookIsMaster | 166 |
| 2.594 | PidTagAddressBookIsMemberOfDistributionList | 166 |
| 2.595 | PidTagAddressBookManageDistributionList | 166 |
| 2.596 | PidTagAddressBookManager | 167 |

| | | |
|-------|--|-----|
| 2.597 | PidTagAddressBookManagerDistinguishedName | 167 |
| 2.598 | PidTagAddressBookMember | 167 |
| 2.599 | PidTagAddressBookMessageId | 167 |
| 2.600 | PidTagAddressBookModerationEnabled | 167 |
| 2.601 | PidTagAddressBookNetworkAddress | 168 |
| 2.602 | PidTagAddressBookObjectDistinguishedName | 168 |
| 2.603 | PidTagAddressBookObjectGuid | 168 |
| 2.604 | PidTagAddressBookOrganizationalUnitRootDistinguishedName | 168 |
| 2.605 | PidTagAddressBookOwner | 168 |
| 2.606 | PidTagAddressBookOwnerBackLink | 169 |
| 2.607 | PidTagAddressBookParentEntryId | 169 |
| 2.608 | PidTagAddressBookPhoneticCompanyName | 169 |
| 2.609 | PidTagAddressBookPhoneticDepartmentName | 169 |
| 2.610 | PidTagAddressBookPhoneticDisplayName | 169 |
| 2.611 | PidTagAddressBookPhoneticGivenName | 170 |
| 2.612 | PidTagAddressBookPhoneticSurname | 170 |
| 2.613 | PidTagAddressBookProxyAddresses | 170 |
| 2.614 | PidTagAddressBookPublicDelegates | 170 |
| 2.615 | PidTagAddressBookReports | 171 |
| 2.616 | PidTagAddressBookRoomCapacity | 171 |
| 2.617 | PidTagAddressBookRoomContainers | 171 |
| 2.618 | PidTagAddressBookRoomDescription | 171 |
| 2.619 | PidTagAddressBookSenderHintTranslations | 171 |
| 2.620 | PidTagAddressBookSeniorityIndex | 172 |
| 2.621 | PidTagAddressBookSeniorityIndex | 172 |
| 2.622 | PidTagAddressBookTargetAddress | 172 |
| 2.623 | PidTagAddressBookUnauthorizedSenders | 172 |
| 2.624 | PidTagAddressBookX509Certificate | 172 |
| 2.625 | PidTagAddressType | 173 |
| 2.626 | PidTagAlternateRecipientAllowed | 173 |
| 2.627 | PidTagAnr | 173 |
| 2.628 | PidTagAssistant | 173 |
| 2.629 | PidTagAssistantTelephoneNumber | 173 |
| 2.630 | PidTagAssociated | 174 |
| 2.631 | PidTagAttachAdditionalInformation | 174 |
| 2.632 | PidTagAttachContentBase | 174 |
| 2.633 | PidTagAttachContentId | 174 |
| 2.634 | PidTagAttachContentLocation | 174 |
| 2.635 | PidTagAttachDataBinary | 175 |
| 2.636 | PidTagAttachDataObject | 175 |
| 2.637 | PidTagAttachEncoding | 175 |
| 2.638 | PidTagAttachExtension | 175 |
| 2.639 | PidTagAttachFilename | 176 |
| 2.640 | PidTagAttachFlags | 176 |

| | | |
|-------|--|-----|
| 2.641 | PidTagAttachLongFilename..... | 176 |
| 2.642 | PidTagAttachLongPathname..... | 176 |
| 2.643 | PidTagAttachmentContactPhoto..... | 177 |
| 2.644 | PidTagAttachmentFlags..... | 177 |
| 2.645 | PidTagAttachmentHidden..... | 177 |
| 2.646 | PidTagAttachmentLinkId..... | 177 |
| 2.647 | PidTagAttachMethod..... | 177 |
| 2.648 | PidTagAttachMimeType..... | 178 |
| 2.649 | PidTagAttachNumber..... | 178 |
| 2.650 | PidTagAttachPathname..... | 178 |
| 2.651 | PidTagAttachPayloadClass..... | 178 |
| 2.652 | PidTagAttachPayloadProviderGuidString..... | 179 |
| 2.653 | PidTagAttachRendering..... | 179 |
| 2.654 | PidTagAttachSize..... | 179 |
| 2.655 | PidTagAttachTag..... | 179 |
| 2.656 | PidTagAttachTransportName..... | 179 |
| 2.657 | PidTagAttributeHidden..... | 180 |
| 2.658 | PidTagAttributeReadOnly..... | 180 |
| 2.659 | PidTagAttributeSystem..... | 180 |
| 2.660 | PidTagAutoForwarded..... | 180 |
| 2.661 | PidTagAutoResponseSuppress..... | 180 |
| 2.662 | PidTagBirthday..... | 181 |
| 2.663 | PidTagBlockStatus..... | 181 |
| 2.664 | PidTagBody..... | 181 |
| 2.665 | PidTagBodyContentId..... | 181 |
| 2.666 | PidTagBodyContentLocation..... | 181 |
| 2.667 | PidTagBodyHtml..... | 182 |
| 2.668 | PidTagBusiness2TelephoneNumber..... | 182 |
| 2.669 | PidTagBusiness2TelephoneNumbers..... | 182 |
| 2.670 | PidTagBusinessFaxNumber..... | 182 |
| 2.671 | PidTagBusinessHomePage..... | 183 |
| 2.672 | PidTagBusinessTelephoneNumber..... | 183 |
| 2.673 | PidTagCallbackTelephoneNumber..... | 183 |
| 2.674 | PidTagCallId..... | 183 |
| 2.675 | PidTagCarTelephoneNumber..... | 183 |
| 2.676 | PidTagCdoRecurrenceid..... | 184 |
| 2.677 | PidTagChangeKey..... | 184 |
| 2.678 | PidTagChangeNotificationGuid..... | 184 |
| 2.679 | PidTagChangeNumber..... | 184 |
| 2.680 | PidTagChildrensNames..... | 184 |
| 2.681 | PidTagClientActions..... | 185 |
| 2.682 | PidTagClientSubmitTime..... | 185 |
| 2.683 | PidTagCnsetRead..... | 185 |
| 2.684 | PidTagCnsetSeen..... | 185 |

| | | |
|-------|---|-----|
| 2.685 | PidTagCnsetSeenFAI..... | 185 |
| 2.686 | PidTagCodePageId..... | 186 |
| 2.687 | PidTagComment | 186 |
| 2.688 | PidTagCompanyMainTelephoneNumber..... | 186 |
| 2.689 | PidTagCompanyName..... | 186 |
| 2.690 | PidTagComputerNetworkName..... | 187 |
| 2.691 | PidTagConflictEntryId..... | 187 |
| 2.692 | PidTagConflictItems | 187 |
| 2.693 | PidTagContainerClass..... | 187 |
| 2.694 | PidTagContainerContents..... | 187 |
| 2.695 | PidTagContainerFlags..... | 188 |
| 2.696 | PidTagContainerHierarchy | 188 |
| 2.697 | PidTagContentCount..... | 188 |
| 2.698 | PidTagContentFilterSpamConfidenceLevel..... | 188 |
| 2.699 | PidTagContentUnreadCount | 188 |
| 2.700 | PidTagConversationId | 189 |
| 2.701 | PidTagConversationIndex | 189 |
| 2.702 | PidTagConversationIndexTracking | 189 |
| 2.703 | PidTagConversationTopic | 189 |
| 2.704 | PidTagCountry | 189 |
| 2.705 | PidTagCreationTime..... | 190 |
| 2.706 | PidTagCreatorEntryId..... | 190 |
| 2.707 | PidTagCreatorName..... | 190 |
| 2.708 | PidTagCreatorSimpleDisplayName..... | 190 |
| 2.709 | PidTagCustomerId | 190 |
| 2.710 | PidTagDamBackPatched | 191 |
| 2.711 | PidTagDamOriginalEntryId | 191 |
| 2.712 | PidTagDefaultPostMessageClass..... | 191 |
| 2.713 | PidTagDeferredDeliveryTime..... | 191 |
| 2.714 | PidTagDeferredSendNumber | 191 |
| 2.715 | PidTagDeferredSendTime | 192 |
| 2.716 | PidTagDeferredSendUnits..... | 192 |
| 2.717 | PidTagDelegatedByRule | 192 |
| 2.718 | PidTagDelegateFlags | 192 |
| 2.719 | PidTagDelegation..... | 192 |
| 2.720 | PidTagDeleteAfterSubmit | 193 |
| 2.721 | PidTagDeletedOn..... | 193 |
| 2.722 | PidTagDepartmentName | 193 |
| 2.723 | PidTagDepth..... | 193 |
| 2.724 | PidTagDisplayBcc..... | 193 |
| 2.725 | PidTagDisplayCc | 194 |
| 2.726 | PidTagDisplayName | 194 |
| 2.727 | PidTagDisplayNamePrefix..... | 194 |
| 2.728 | PidTagDisplayTo | 194 |

| | | |
|-------|--|-----|
| 2.729 | PidTagDisplayType | 195 |
| 2.730 | PidTagDisplayTypeEx | 195 |
| 2.731 | PidTagEcWarning | 195 |
| 2.732 | PidTagEmailAddress | 195 |
| 2.733 | PidTagEndDate | 195 |
| 2.734 | PidTagEntryId | 196 |
| 2.735 | PidTagExceptionEndTime | 196 |
| 2.736 | PidTagExceptionReplaceTime | 196 |
| 2.737 | PidTagExceptionStartTime | 196 |
| 2.738 | PidTagExchangeNTSecurityDescriptor | 197 |
| 2.739 | PidTagExpiryNumber | 197 |
| 2.740 | PidTagExpiryTime | 197 |
| 2.741 | PidTagExpiryUnits | 197 |
| 2.742 | PidTagExtendedFolderFlags | 197 |
| 2.743 | PidTagExtendedRuleMessageActions | 198 |
| 2.744 | PidTagExtendedRuleMessageCondition | 198 |
| 2.745 | PidTagExtendedRuleSizeLimit | 198 |
| 2.746 | PidTagFaxNumberOfPages | 198 |
| 2.747 | PidTagFlagCompleteTime | 198 |
| 2.748 | PidTagFlagStatus | 199 |
| 2.749 | PidTagFlatUrlName | 199 |
| 2.750 | PidTagFolderAssociatedContents | 199 |
| 2.751 | PidTagFolderId | 199 |
| 2.752 | PidTagFolderType | 199 |
| 2.753 | PidTagFollowupIcon | 200 |
| 2.754 | PidTagFreeBusyCountMonths | 200 |
| 2.755 | PidTagFreeBusyEntryIds | 200 |
| 2.756 | PidTagFreeBusyMessageEmailAddress | 200 |
| 2.757 | PidTagFreeBusyPublishEnd | 200 |
| 2.758 | PidTagFreeBusyPublishStart | 200 |
| 2.759 | PidTagFreeBusyRangeTimestamp | 201 |
| 2.760 | PidTagFtpSite | 201 |
| 2.761 | PidTagFXDelProp | 201 |
| 2.762 | PidTagGatewayNeedsToRefresh | 201 |
| 2.763 | PidTagGender | 201 |
| 2.764 | PidTagGeneration | 202 |
| 2.765 | PidTagGivenName | 202 |
| 2.766 | PidTagGovernmentIdNumber | 202 |
| 2.767 | PidTagHasAttachments | 202 |
| 2.768 | PidTagHasDeferredActionMessages | 202 |
| 2.769 | PidTagHasNamedProperties | 203 |
| 2.770 | PidTagHasRules | 203 |
| 2.771 | PidTagHierarchyChangeNumber | 203 |
| 2.772 | PidTagHobbies | 203 |

| | | |
|-------|---|-----|
| 2.773 | PidTagHome2TelephoneNumber | 203 |
| 2.774 | PidTagHome2TelephoneNumbers | 204 |
| 2.775 | PidTagHomeAddressCity | 204 |
| 2.776 | PidTagHomeAddressCountry | 204 |
| 2.777 | PidTagHomeAddressPostalCode | 204 |
| 2.778 | PidTagHomeAddressPostOfficeBox | 205 |
| 2.779 | PidTagHomeAddressStateOrProvince | 205 |
| 2.780 | PidTagHomeAddressStreet | 205 |
| 2.781 | PidTagHomeFaxNumber | 205 |
| 2.782 | PidTagHomeTelephoneNumber | 205 |
| 2.783 | PidTagHtml | 206 |
| 2.784 | PidTagICalendarEndTime | 206 |
| 2.785 | PidTagICalendarReminderNextTime | 206 |
| 2.786 | PidTagICalendarStartTime | 206 |
| 2.787 | PidTagIconIndex | 206 |
| 2.788 | PidTagIdsetDeleted | 207 |
| 2.789 | PidTagIdsetExpired | 207 |
| 2.790 | PidTagIdsetGiven | 207 |
| 2.791 | PidTagIdsetRead | 207 |
| 2.792 | PidTagIdsetNoLongerInScope | 207 |
| 2.793 | PidTagIdsetUnread | 208 |
| 2.794 | PidTagImapCachedMsgsize | 208 |
| 2.795 | PidTagImportance | 208 |
| 2.796 | PidTagInConflict | 208 |
| 2.797 | PidTagIncrementalSyncMessagePartial | 208 |
| 2.798 | PidTagIncrSyncGroupId | 209 |
| 2.799 | PidTagInitialDetailsPane | 209 |
| 2.800 | PidTagInitials | 209 |
| 2.801 | PidTagInReplyToId | 209 |
| 2.802 | PidTagInstanceKey | 209 |
| 2.803 | PidTagInstanceNum | 210 |
| 2.804 | PidTagInstID | 210 |
| 2.805 | PidTagInternetArticleNumber | 210 |
| 2.806 | PidTagInternetCodepage | 210 |
| 2.807 | PidTagInternetMailOverrideFormat | 210 |
| 2.808 | PidTagInternetMessageId | 211 |
| 2.809 | PidTagInternetReferences | 211 |
| 2.810 | PidTagInternetReturnPath | 211 |
| 2.811 | PidTagIpmAppointmentEntryId | 211 |
| 2.812 | PidTagIpmContactEntryId | 211 |
| 2.813 | PidTagIpmDraftsEntryId | 212 |
| 2.814 | PidTagIpmJournalEntryId | 212 |
| 2.815 | PidTagIpmNoteEntryId | 212 |
| 2.816 | PidTagIpmTaskEntryId | 212 |

| | | |
|-------|--|-----|
| 2.817 | PidTagIsdnNumber | 212 |
| 2.818 | PidTagItemTemporaryflags | 213 |
| 2.819 | PidTagJunkAddRecipientsToSafeSendersList | 213 |
| 2.820 | PidTagJunkIncludeContacts | 213 |
| 2.821 | PidTagJunkPermanentlyDelete | 213 |
| 2.822 | PidTagJunkPhishingEnableLinks | 213 |
| 2.823 | PidTagJunkThreshold | 213 |
| 2.824 | PidTagKeyword | 214 |
| 2.825 | PidTagLanguage | 214 |
| 2.826 | PidTagLastModificationTime | 214 |
| 2.827 | PidTagLastModifierEntryId | 214 |
| 2.828 | PidTagLastModifierName | 215 |
| 2.829 | PidTagLastModifierSimpleDisplayName | 215 |
| 2.830 | PidTagLastVerbExecuted | 215 |
| 2.831 | PidTagLastVerbExecutionTime | 215 |
| 2.832 | PidTagListHelp | 215 |
| 2.833 | PidTagListSubscribe | 216 |
| 2.834 | PidTagListUnsubscribe | 216 |
| 2.835 | PidTagLocalCommitTime | 216 |
| 2.836 | PidTagLocaleId | 216 |
| 2.837 | PidTagLocality | 216 |
| 2.838 | PidTagLocation | 217 |
| 2.839 | PidTagMailboxOwnerEntryId | 217 |
| 2.840 | PidTagMailboxOwnerName | 217 |
| 2.841 | PidTagManagerName | 217 |
| 2.842 | PidTagMappingSignature | 217 |
| 2.843 | PidTagMaximumSubmitMessageSize | 218 |
| 2.844 | PidTagMemberId | 218 |
| 2.845 | PidTagMemberName | 218 |
| 2.846 | PidTagMemberRights | 218 |
| 2.847 | PidTagMessageAttachments | 218 |
| 2.848 | PidTagMessageCcMe | 219 |
| 2.849 | PidTagMessageClass | 219 |
| 2.850 | PidTagMessageCodepage | 219 |
| 2.851 | PidTagMessageDeliveryTime | 219 |
| 2.852 | PidTagMessageEditorFormat | 220 |
| 2.853 | PidTagMessageFlags | 220 |
| 2.854 | PidTagMessageHandlingSystemCommonName | 220 |
| 2.855 | PidTagMessageLocaleId | 220 |
| 2.856 | PidTagMessageRecipientMe | 221 |
| 2.857 | PidTagMessageRecipients | 221 |
| 2.858 | PidTagMessageSize | 221 |
| 2.859 | PidTagMessageSizeExtended | 221 |
| 2.860 | PidTagMessageStatus | 221 |

| | | |
|-------|--|-----|
| 2.861 | PidTagMessageSubmissionId..... | 222 |
| 2.862 | PidTagMessageToMe | 222 |
| 2.863 | PidTagMid | 222 |
| 2.864 | PidTagMiddleName..... | 222 |
| 2.865 | PidTagMimeSkeleton | 222 |
| 2.866 | PidTagMobileTelephoneNumber..... | 223 |
| 2.867 | PidTagNativeBody..... | 223 |
| 2.868 | PidTagNewFXFolder..... | 223 |
| 2.869 | PidTagNextSendAcct..... | 223 |
| 2.870 | PidTagNickname..... | 223 |
| 2.871 | PidTagNormalizedSubject..... | 224 |
| 2.872 | PidTagNormalMessageSize | 224 |
| 2.873 | PidTagObjectType | 224 |
| 2.874 | PidTagOfficeLocation..... | 224 |
| 2.875 | PidTagOfflineAddressBookCompressedSize..... | 225 |
| 2.876 | PidTagOfflineAddressBookContainerGuid..... | 225 |
| 2.877 | PidTagOfflineAddressBookDistinguishedName | 225 |
| 2.878 | PidTagOfflineAddressBookFileSize..... | 225 |
| 2.879 | PidTagOfflineAddressBookFileType | 225 |
| 2.880 | PidTagOfflineAddressBookLanguageId | 225 |
| 2.881 | PidTagOfflineAddressBookMessageClass..... | 226 |
| 2.882 | PidTagOfflineAddressBookName | 226 |
| 2.883 | PidTagOfflineAddressBookSequence | 226 |
| 2.884 | PidTagOfflineAddressBookShaHash..... | 226 |
| 2.885 | PidTagOfflineAddressBookTruncatedProperties..... | 226 |
| 2.886 | PidTagOrdinalMost..... | 227 |
| 2.887 | PidTagOrganizationalIdNumber | 227 |
| 2.888 | PidTagOriginalAuthorName | 227 |
| 2.889 | PidTagOriginalDeliveryTime..... | 227 |
| 2.890 | PidTagOriginalDisplayBcc..... | 227 |
| 2.891 | PidTagOriginalDisplayCc..... | 228 |
| 2.892 | PidTagOriginalDisplayName | 228 |
| 2.893 | PidTagOriginalDisplayTo..... | 228 |
| 2.894 | PidTagOriginalEntryId..... | 228 |
| 2.895 | PidTagOriginalMessageClass..... | 229 |
| 2.896 | PidTagOriginalSearchKey..... | 229 |
| 2.897 | PidTagOriginalSenderAddressType | 229 |
| 2.898 | PidTagOriginalSenderEmailAddress..... | 229 |
| 2.899 | PidTagOriginalSenderEntryId..... | 229 |
| 2.900 | PidTagOriginalSenderName..... | 230 |
| 2.901 | PidTagOriginalSenderSearchKey | 230 |
| 2.902 | PidTagOriginalSensitivity..... | 230 |
| 2.903 | PidTagOriginalSentRepresentingAddressType..... | 230 |
| 2.904 | PidTagOriginalSentRepresentingEmailAddress | 231 |

| | | |
|-------|---|-----|
| 2.905 | PidTagOriginalSentRepresentingEntryId | 231 |
| 2.906 | PidTagOriginalSentRepresentingName | 231 |
| 2.907 | PidTagOriginalSentRepresentingSearchKey..... | 231 |
| 2.908 | PidTagOriginalSubject..... | 231 |
| 2.909 | PidTagOriginalSubmitTime | 232 |
| 2.910 | PidTagOriginatorDeliveryReportRequested..... | 232 |
| 2.911 | PidTagOriginatorDeliveryReportRequested..... | 232 |
| 2.912 | PidTagOriginatorNonDeliveryReportRequested | 232 |
| 2.913 | PidTagOtherAddressCity..... | 233 |
| 2.914 | PidTagOtherAddressCountry | 233 |
| 2.915 | PidTagOtherAddressPostalCode..... | 233 |
| 2.916 | PidTagOtherAddressPostOfficeBox | 233 |
| 2.917 | PidTagOtherAddressStateOrProvince..... | 233 |
| 2.918 | PidTagOtherAddressStreet | 234 |
| 2.919 | PidTagOtherTelephoneNumber | 234 |
| 2.920 | PidTagOutOfOfficeState | 234 |
| 2.921 | PidTagOwnerAppointmentId | 234 |
| 2.922 | PidTagPagerTelephoneNumber | 235 |
| 2.923 | PidTagParentEntryId..... | 235 |
| 2.924 | PidTagParentFolderId | 235 |
| 2.925 | PidTagParentKey | 235 |
| 2.926 | PidTagParentSourceKey | 235 |
| 2.927 | PidTagPersonalHomePage | 236 |
| 2.928 | PidTagPostalAddress | 236 |
| 2.929 | PidTagPostalCode | 236 |
| 2.930 | PidTagPostOfficeBox | 236 |
| 2.931 | PidTagPredecessorChangeList..... | 237 |
| 2.932 | PidTagPrimaryFaxNumber..... | 237 |
| 2.933 | PidTagPrimarySendAccount | 237 |
| 2.934 | PidTagPrimarySmtpAddress | 237 |
| 2.935 | PidTagPrimaryTelephoneNumber | 237 |
| 2.936 | PidTagPriority | 238 |
| 2.937 | PidTagProcessed | 238 |
| 2.938 | PidTagProfession | 238 |
| 2.939 | PidTagProhibitReceiveQuota | 238 |
| 2.940 | PidTagProhibitSendQuota | 238 |
| 2.941 | PidTagProviderSubmitTime..... | 239 |
| 2.942 | PidTagPublicFolderAdministrativeDescription | 239 |
| 2.943 | PidTagPublicFolderProxy..... | 239 |
| 2.944 | PidTagPurportedSenderDomain..... | 239 |
| 2.945 | PidTagRadioTelephoneNumber..... | 239 |
| 2.946 | PidTagRead | 240 |
| 2.947 | PidTagReadReceiptEntryId..... | 240 |
| 2.948 | PidTagReadReceiptRequested | 240 |

| | | |
|-------|---|-----|
| 2.949 | PidTagReadReceiptSearchKey | 240 |
| 2.950 | PidTagReceivedByAddressType | 240 |
| 2.951 | PidTagReceivedByEmailAddress | 241 |
| 2.952 | PidTagReceivedByEntryId | 241 |
| 2.953 | PidTagReceivedByFlags | 241 |
| 2.954 | PidTagReceivedByName | 241 |
| 2.955 | PidTagReceivedBySearchKey | 242 |
| 2.956 | PidTagReceivedRepresentingAddressType | 242 |
| 2.957 | PidTagReceivedRepresentingEmailAddress | 242 |
| 2.958 | PidTagReceivedRepresentingEntryId | 242 |
| 2.959 | PidTagReceivedRepresentingFlags | 243 |
| 2.960 | PidTagReceivedRepresentingName | 243 |
| 2.961 | PidTagReceivedRepresentingSearchKey | 243 |
| 2.962 | PidTagReceivedRepresentingSimpleDisplayName | 243 |
| 2.963 | PidTagReceivedRepresentingSimpleDisplayName | 243 |
| 2.964 | PidTagRecipientDisplayName | 244 |
| 2.965 | PidTagRecipientEntryId | 244 |
| 2.966 | PidTagRecipientFlags | 244 |
| 2.967 | PidTagRecipientOrder | 244 |
| 2.968 | PidTagRecipientProposed | 244 |
| 2.969 | PidTagRecipientProposedEndTime | 245 |
| 2.970 | PidTagRecipientProposedStartTime | 245 |
| 2.971 | PidTagRecipientReassignmentProhibited | 245 |
| 2.972 | PidTagRecipientResourceState | 245 |
| 2.973 | PidTagRecipientTrackStatus | 245 |
| 2.974 | PidTagRecipientTrackStatusTime | 246 |
| 2.975 | PidTagRecipientType | 246 |
| 2.976 | PidTagRecordKey | 246 |
| 2.977 | PidTagReferredByName | 246 |
| 2.978 | PidTagRemindersOnlineEntryId | 246 |
| 2.979 | PidTagRemoteHeaderLoc | 247 |
| 2.980 | PidTagRenderingPosition | 247 |
| 2.981 | PidTagReplyRecipientEntries | 247 |
| 2.982 | PidTagReplyRecipientNames | 247 |
| 2.983 | PidTagReplyRequested | 248 |
| 2.984 | PidTagReplyTemplateId | 248 |
| 2.985 | PidTagReplyTime | 248 |
| 2.986 | PidTagReportEntryId | 248 |
| 2.987 | PidTagReportName | 248 |
| 2.988 | PidTagReportSearchKey | 249 |
| 2.989 | PidTagReportTag | 249 |
| 2.990 | PidTagReportText | 249 |
| 2.991 | PidTagReportTime | 249 |
| 2.992 | PidTagResolveMethod | 249 |

| | | |
|--------|---|-----|
| 2.993 | PidTagResponseRequested..... | 250 |
| 2.994 | PidTagResponsibility | 250 |
| 2.995 | PidTagRights | 250 |
| 2.996 | PidTagRoamingDatatypes | 250 |
| 2.997 | PidTagRoamingDictionary | 250 |
| 2.998 | PidTagRoamingXmlStream | 251 |
| 2.999 | PidTagRowid..... | 251 |
| 2.1000 | PidTagRowType | 251 |
| 2.1001 | PidTagRtfCompressed..... | 251 |
| 2.1002 | PidTagRtfInSync | 251 |
| 2.1003 | PidTagRtfSyncBodyCount..... | 252 |
| 2.1004 | PidTagRtfSyncBodyCrc | 252 |
| 2.1005 | PidTagRtfSyncBodyTag | 252 |
| 2.1006 | PidTagRtfSyncPrefixCount..... | 252 |
| 2.1007 | PidTagRtfSyncTrailingCount | 252 |
| 2.1008 | PidTagRuleActionNumber..... | 253 |
| 2.1009 | PidTagRuleActions..... | 253 |
| 2.1010 | PidTagRuleActionType | 253 |
| 2.1011 | PidTagRuleCondition | 253 |
| 2.1012 | PidTagRuleError | 253 |
| 2.1013 | PidTagRuleFolderEntryId | 253 |
| 2.1014 | PidTagRuleId | 254 |
| 2.1015 | PidTagRuleLevel | 254 |
| 2.1016 | PidTagRuleMessageState | 254 |
| 2.1017 | PidTagRuleMsgLevel..... | 254 |
| 2.1018 | PidTagRuleMsgName | 254 |
| 2.1019 | PidTagRuleMsgProvider | 255 |
| 2.1020 | PidTagRuleMsgProviderData | 255 |
| 2.1021 | PidTagRuleMsgSequence | 255 |
| 2.1022 | PidTagRuleMsgState | 255 |
| 2.1023 | PidTagRuleMsgUserFlags | 255 |
| 2.1024 | PidTagRuleName..... | 256 |
| 2.1025 | PidTagRuleProvider | 256 |
| 2.1026 | PidTagRuleProviderData..... | 256 |
| 2.1027 | PidTagRuleSequence..... | 256 |
| 2.1028 | PidTagRuleState | 256 |
| 2.1029 | PidTagRuleUserFlags..... | 257 |
| 2.1030 | PidTagScheduleInfoAppointmentTombstone..... | 257 |
| 2.1031 | PidTagScheduleInfoAutoAcceptAppointments..... | 257 |
| 2.1032 | PidTagScheduleInfoDelegateEntryIds | 257 |
| 2.1033 | PidTagScheduleInfoDelegateNames | 257 |
| 2.1034 | PidTagScheduleInfoDelegateNamesW | 257 |
| 2.1035 | PidTagScheduleInfoDelegatorWantsCopy | 258 |
| 2.1036 | PidTagScheduleInfoDelegatorWantsInfo..... | 258 |

| | | |
|--------|--|-----|
| 2.1037 | PidTagScheduleInfoDisallowOverlappingAppts | 258 |
| 2.1038 | PidTagScheduleInfoDisallowRecurringAppts | 258 |
| 2.1039 | PidTagScheduleInfoDontMailDelegates | 258 |
| 2.1040 | PidTagScheduleInfoFreeBusy | 259 |
| 2.1041 | PidTagScheduleInfoFreeBusyAway | 259 |
| 2.1042 | PidTagScheduleInfoFreeBusyBusy | 259 |
| 2.1043 | PidTagScheduleInfoFreeBusyMerged | 259 |
| 2.1044 | PidTagScheduleInfoFreeBusyTentative | 259 |
| 2.1045 | PidTagScheduleInfoMonthsAway | 260 |
| 2.1046 | PidTagScheduleInfoMonthsBusy | 260 |
| 2.1047 | PidTagScheduleInfoMonthsMerged | 260 |
| 2.1048 | PidTagScheduleInfoMonthsTentative | 260 |
| 2.1049 | PidTagScheduleInfoResourceType | 260 |
| 2.1050 | PidTagSchedulePlusFreeBusyEntryId | 260 |
| 2.1051 | PidTagScriptData | 261 |
| 2.1052 | PidTagSearchFolderDefinition | 261 |
| 2.1053 | PidTagSearchFolderEfpFlags | 261 |
| 2.1054 | PidTagSearchFolderExpiration | 261 |
| 2.1055 | PidTagSearchFolderId | 261 |
| 2.1056 | PidTagSearchFolderLastUsed | 262 |
| 2.1057 | PidTagSearchFolderRecreateInfo | 262 |
| 2.1058 | PidTagSearchFolderStorageType | 262 |
| 2.1059 | PidTagSearchFolderTag | 262 |
| 2.1060 | PidTagSearchFolderTemplateId | 262 |
| 2.1061 | PidTagSearchKey | 263 |
| 2.1062 | PidTagSecureSubmitFlags | 263 |
| 2.1063 | PidTagSecurityDescriptor | 263 |
| 2.1064 | PidTagSecurityDescriptorAsXml | 263 |
| 2.1065 | PidTagSelectable | 263 |
| 2.1066 | PidTagSenderAddressType | 264 |
| 2.1067 | PidTagSenderEmailAddress | 264 |
| 2.1068 | PidTagSenderEntryId | 264 |
| 2.1069 | PidTagSenderFlags | 264 |
| 2.1070 | PidTagSenderIdStatus | 264 |
| 2.1071 | PidTagSenderName | 265 |
| 2.1072 | PidTagSenderSearchKey | 265 |
| 2.1073 | PidTagSenderSimpleDisplayName | 265 |
| 2.1074 | PidTagSenderTelephoneNumber | 265 |
| 2.1075 | PidTagSendInternetEncoding | 266 |
| 2.1076 | PidTagSendRichInfo | 266 |
| 2.1077 | PidTagSensitivity | 266 |
| 2.1078 | PidTagSentMailEntryId | 266 |
| 2.1079 | PidTagSentMailSvrEID | 266 |
| 2.1080 | PidTagSentRepresentingAddressType | 267 |

| | | |
|--------|---|-----|
| 2.1081 | PidTagSentRepresentingEmailAddress..... | 267 |
| 2.1082 | PidTagSentRepresentingEntryId..... | 267 |
| 2.1083 | PidTagSentRepresentingFlags..... | 267 |
| 2.1084 | PidTagSentRepresentingName..... | 268 |
| 2.1085 | PidTagSentRepresentingSearchKey..... | 268 |
| 2.1086 | PidTagSentRepresentingSimpleDisplayName..... | 268 |
| 2.1087 | PidTagSmtAddress..... | 268 |
| 2.1088 | PidTagSortLocaleId..... | 269 |
| 2.1089 | PidTagSourceKey..... | 269 |
| 2.1090 | PidTagSpokenName..... | 269 |
| 2.1091 | PidTagSpouseName..... | 269 |
| 2.1092 | PidTagStartDate..... | 269 |
| 2.1093 | PidTagStateOrProvince..... | 270 |
| 2.1094 | PidTagStoreEntryId..... | 270 |
| 2.1095 | PidTagStoreState..... | 270 |
| 2.1096 | PidTagStoreSupportMask..... | 270 |
| 2.1097 | PidTagStreetAddress..... | 270 |
| 2.1098 | PidTagSubfolder..... | 271 |
| 2.1099 | PidTagSubfolders..... | 271 |
| 2.1100 | PidTagSubject..... | 271 |
| 2.1101 | PidTagSubjectPrefix..... | 271 |
| 2.1102 | PidTagSubmitFlags..... | 272 |
| 2.1103 | PidTagSurname..... | 272 |
| 2.1104 | PidTagSwappedToDoData..... | 272 |
| 2.1105 | PidTagSwappedToDoStore..... | 272 |
| 2.1106 | PidTagTargetEntryId..... | 272 |
| 2.1107 | PidTagTcvConstLongOne..... | 273 |
| 2.1108 | PidTagTelecommunicationsDeviceForDeafTelephoneNumber..... | 273 |
| 2.1109 | PidTagTelexNumber..... | 273 |
| 2.1110 | PidTagTemplateData..... | 273 |
| 2.1111 | PidTagTemplateid..... | 273 |
| 2.1112 | PidTagTemporaryDefaultDocument..... | 274 |
| 2.1113 | PidTagTextAttachmentCharset..... | 274 |
| 2.1114 | PidTagThumbnailPhoto..... | 274 |
| 2.1115 | PidTagTitle..... | 274 |
| 2.1116 | PidTagTnefCorrelationKey..... | 274 |
| 2.1117 | PidTagToDoItemFlags..... | 275 |
| 2.1118 | PidTagTransmittableDisplayName..... | 275 |
| 2.1119 | PidTagTransportMessageHeaders..... | 275 |
| 2.1120 | PidTagTrustSender..... | 275 |
| 2.1121 | PidTagTtyTddPhoneNumber..... | 275 |
| 2.1122 | PidTagUrlCompName..... | 276 |
| 2.1123 | PidTagUrlCompNameSet..... | 276 |
| 2.1124 | PidTagUrlName..... | 276 |

| | | |
|----------|--|------------|
| 2.1125 | PidTagUserCertificate | 276 |
| 2.1126 | PidTagUserEntryId | 276 |
| 2.1127 | PidTagUserX509Certificate | 277 |
| 2.1128 | PidTagViewDescriptorBinary | 277 |
| 2.1129 | PidTagViewDescriptorName | 277 |
| 2.1130 | PidTagViewDescriptorStrings | 277 |
| 2.1131 | PidTagViewDescriptorVersion | 277 |
| 2.1132 | PidTagVoiceMessageAttachmentOrder | 277 |
| 2.1133 | PidTagVoiceMessageDuration | 278 |
| 2.1134 | PidTagVoiceMessageSenderName | 278 |
| 2.1135 | PidTagWeddingAnniversary | 278 |
| 2.1136 | PidTagWlinkAddressBookEID | 278 |
| 2.1137 | PidTagWlinkAddressBookStoreEID | 278 |
| 2.1138 | PidTagWlinkCalendarColor | 279 |
| 2.1139 | PidTagWlinkClientID | 279 |
| 2.1140 | PidTagWlinkEntryId | 279 |
| 2.1141 | PidTagWlinkFlags | 279 |
| 2.1142 | PidTagWlinkFolderType | 279 |
| 2.1143 | PidTagWlinkGroupClsid | 280 |
| 2.1144 | PidTagWlinkGroupHeaderID | 280 |
| 2.1145 | PidTagWlinkGroupName | 280 |
| 2.1146 | PidTagWlinkOrdinal | 280 |
| 2.1147 | PidTagWlinkRecordKey | 280 |
| 2.1148 | PidTagWlinkROGroupType | 280 |
| 2.1149 | PidTagWlinkSaveStamp | 281 |
| 2.1150 | PidTagWlinkSection | 281 |
| 2.1151 | PidTagWlinkStoreEntryId | 281 |
| 2.1152 | PidTagWlinkType | 281 |
| 3 | <i>Structure Examples</i> | 281 |
| 4 | <i>Security Considerations</i> | 281 |
| 5 | <i>Appendix A: Office/Exchange Behavior</i> | 282 |
| | <i>Index</i> | 283 |

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [MS-OXGLOS]:

message class
named property
property
property ID
property set

The following terms are specific to this document:

tagged property: A property defined by a 16-bit **property ID** and a 16-bit **property type**. The **property ID** for a **tagged property** is in the range 0x001 – 0x7FFF. **Property IDs** in the range 0x8000 – 0x8FFF are reserved for assignment to named properties.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

[MS-OXCDATA] Microsoft Corporation, "Data Structures Protocol Specification", June 2008.

[MS-OXCFOLD] Microsoft Corporation, "Folder Object Protocol Specification", June 2008.

[MS-OXCFXICS] Microsoft Corporation, "Bulk Data Transfer Protocol Specification", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "RFC2822 and MIME to E-Mail Object Conversion Protocol Specification", June 2008.

[MS-OXCMSG] Microsoft Corporation, "Message and Attachment Object Protocol Specification", June 2008.

[MS-OXCPerm] Microsoft Corporation, "Exchange Access and Operation Permissions Specification", June 2008.

[MS-OXCSPAM] Microsoft Corporation, "Spam Confidence Level, Allow and Block Lists Protocol Specification", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "Store Object Protocol Specification", June 2008.

[MS-OXCSYNC] Microsoft Corporation, "Mailbox Synchronization Protocol Specification", June 2008.

[MS-OXCTABL] Microsoft Corporation, "Table Object Protocol Specification", June 2008.

[MS-OXGLOS] Microsoft Corporation, "Exchange Server Protocols Master Glossary", June 2008.

[MS-OXOAB] Microsoft Corporation, "Offline Address Book (OAB) Format and Schema Protocol Specification", June 2008.

[MS-OXOABK] Microsoft Corporation, "Address Book Object Protocol Specification", June 2008.

[MS-OXOABKT] Microsoft Corporation, "Address Book User Interface Templates Protocol Specification", June 2008.

[MS-OXOCAL] Microsoft Corporation, "Appointment and Meeting Object Protocol Specification", June 2008.

[MS-OXOCFG] Microsoft Corporation, "Configuration Information Protocol Specification", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "Contact Object Protocol Specification", June 2008.

[MS-OXODLGT] Microsoft Corporation, "Delegate Access Configuration Protocol Specification", June 2008.

[MS-OXODOC] Microsoft Corporation, "Document Object Protocol Specification", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "Informational Flagging Protocol Specification", June 2008.

[MS-OXOJRNL] Microsoft Corporation, "Journal Object Protocol Specification", June 2008.

[MS-OXOMSG] Microsoft Corporation, "E-Mail Object Protocol Specification", June 2008.

[MS-OXONOTE] Microsoft Corporation, "Note Object Protocol Specification", June 2008.

[MS-OXPROPS] - v2.0

Exchange Server Protocols Master Property List Specification
Copyright © 2009 Microsoft Corporation.
Release: Friday, April 10, 2009

[MS-OXOPFFB] Microsoft Corporation, "Public Folder–Based Free/Busy Protocol Specification", June 2008.

[MS-OXOPOST] Microsoft Corporation, "Post Object Protocol Specification", June 2008.

[MS-OXORMDR] Microsoft Corporation, "Reminder Settings Protocol Specification", June 2008.

[MS-OXORMMS] Microsoft Corporation, "Rights-Managed E-Mail Object Protocol Specification", June 2008.

[MS-OXORSS] Microsoft Corporation, "RSS Object Protocol Specification", June 2008.

[MS-OXORULE] Microsoft Corporation, "E-Mail Rules Protocol Specification", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "Special Folders Protocol Specification", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "SMS and MMS Object Protocol Specification", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "Search Folder List Configuration Protocol Specification", June 2008.

[MS-OXOTASK] Microsoft Corporation, "Task-Related Objects Protocol Specification", June 2008.

[MS-OXOUM] Microsoft Corporation, "Voice Mail and Fax Objects Protocol Specification", June 2008.

[MS-OXPHISH] Microsoft Corporation, "Phishing Warning Protocol Specification", June 2008.

[MS-OXPROTO] Microsoft Corporation, "Exchange Server Protocols Overview", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "Rich Text Format (RTF) Compression Protocol Specification", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "Rich Text Format (RTF) Extensions Specification", June 2008.

[MS-OXSHARE] Microsoft Corporation, "Sharing Message Object Protocol Specification", June 2008.

[MS-OXTNEF] Microsoft Corporation, "Transport Neutral Encapsulation Format (TNEF) Protocol Specification", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "Availability Web Service Protocol Specification", June 2008.

[MS-OXWUMS] Microsoft Corporation, "Voice Mail Settings Web Service Protocol Specification", June 2008.

[MS-XWDCAL] Microsoft Corporation, "WebDAV Extensions for Calendar Support", December 2008.

[MS-XWDCNTC] Microsoft Corporation, "WebDAV Extensions for Contacts Support Protocol Specification", February 2009.

[MS-XWDDOC] Microsoft Corporation, "WebDAV Extensions for Documents Support", December 2008.

[MS-XWDMAIL] Microsoft Corporation, "WebDAV Extensions for E-Mail Support", December 2008.

[MS-XWDSEARCH] Microsoft Corporation, "WebDAV Extensions for Search", December 2008.

[MS-XWDSTRUCTDOC] Microsoft Corporation, "WebDAV Extensions for Structured Documents", December 2008.

[MS-XWDVSEC] Microsoft Corporation, "Web Distributed Authoring and Versioning (WebDAV) Protocol: Security Descriptor Extensions Specification", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**, as appropriate:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

data type: A data type, as specified in [MS-OXCDATA], that specifies the type of values allowed for this property.

property ID: An unsigned 16-bit quantity that identifies a **tagged property**.

Property long ID (LID): An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

property name: A string that, along with the property set, identifies a named property.

property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications set certain required properties corresponding to the object's **message class**. Applications handle the case where required properties are missing; treating a message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes, the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk "*" denotes that any string can appear at that point.

| Area | PidTagMessageClass values | Document |
|-------------|--|--------------|
| Common | IPM.* | [MS-OXCMSG] |
| Email | IPM.Note, REPORT.* | [MS-OXOMSG] |
| Calendar | IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification | [MS-OXOCAL] |
| Contact | IPM.Contact, IPM DistList | [MS-OXOCNTC] |
| Task | IPM.Task, IPM.TaskRequest.* | [MS-OXOTASK] |
| Journal | IPM.Activity | [MS-OXOJRNL] |
| Sticky note | IPM.StickyNote | [MS-OXONOTE] |
| Document | IPM.Document.* | [MS-OXODOC] |
| Post | IPM.Post | [MS-OXOPOST] |

| | | |
|--|---|---------------|
| RSS feed | IPM.Post.RSS | [MS-OXORSS] |
| Rights-managed email | IPM.Note with PidNameContentClass=rmsg.message | [MS-OXORMMS] |
| S/MIME email | IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned | [MS-OXOSMIME] |
| Short message service / Multimedia Message Service Message | IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS | [MS-OXOSMMS] |
| Unified messaging | IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax | [MS-OXOUM] |
| Sharing | IPM.Sharing IPM.Sharing.* | [MS-OXSHARE] |

1.3.2 Commonly Used Property Sets

In the **property** index that forms the main body of this document (section 2) each **named property** is listed with the GUID that defines its **property set**. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

| Area | Property set name and GUID value |
|-------------|---|
| Common | PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046} |
| Common | PSETID_Common {00062008-0000-0000-C000-000000000046} |
| Contact | PSETID_Address {00062004-0000-0000-C000-000000000046} |
| Email | PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046} |
| Calendar | PSETID_Appointment {00062002-0000-0000-C000-000000000046} |
| Calendar | PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305} |
| Journal | PSETID_Log {0006200A-0000-0000-C000-000000000046} |
| Sticky note | PSETID_Note {0006200E-0000-0000-C000-000000000046} |
| RSS feed | PSETID_PostRss {00062041-0000-0000-C000-000000000046} |
| Task | PSETID_Task {00062003-0000-0000-C000-000000000046} |
| Unified | PSETID_UnifiedMessaging |

| | |
|-----------|--|
| messaging | {4442858E-A9E3-4E80-B900-317A210CC15B} |
| Common | PS_MAPI {00020328-0000-0000-C000-000000000046} |
| Sync | PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF} |
| Sharing | PSETID_Sharing {00062040-0000-0000-C000-000000000046} |

1.3.3 Property ID Ranges

The 65536 possible values of the **property ID** are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers do not allow **property IDs** in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable are submitted for transport to another server.
- Clients can use properties in ranges specified as **message class**-defined for application-defined purposes. When doing so, applications specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients can use any **named property** for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's **property set** is distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients can use properties in ranges specified as transport-defined, but they can not define new properties in those ranges.
- Clients can use and define properties in ranges specified as user-defined, but need to avoid conflicts with alternate definitions of the same **property ID**.

| Range minimum | Range maximum | Specification |
|---------------|---------------|---|
| 0x0001 | 0x0BFF | Message envelope property; reserved |
| 0x0C00 | 0x0DFF | Recipient property; reserved |
| 0x0E00 | 0x0FFF | Non-transmittable message property; reserved |
| 0x1000 | 0x2FFF | Message content property; reserved |
| 0x3000 | 0x33FF | Multi-purpose property that can appear on all or most objects; reserved |
| 0x3400 | 0x35FF | Message store property; reserved |
| 0x3600 | 0x36FF | Folder and address book container property; reserved |
| 0x3700 | 0x38FF | Attachment property; reserved |
| 0x3900 | 0x39FF | Address book object property; reserved |
| 0x3A00 | 0x3BFF | Mail user object property; reserved |

| | | |
|--------|--------|--|
| 0x3C00 | 0x3CFF | Distribution list property; reserved |
| 0x3D00 | 0x3DFF | Profile section property; reserved |
| 0x3E00 | 0x3EFF | Status object property; reserved |
| 0x4000 | 0x57FF | Transport-defined envelope property |
| 0x5800 | 0x5FFF | Transport-defined recipient property |
| 0x6000 | 0x65FF | User-defined non-transmittable property |
| 0x6600 | 0x67FF | Provider-defined internal non-transmittable property |
| 0x6800 | 0x7BFF | Message class-defined content property |
| 0x7C00 | 0x7FFF | Message class-defined non-transmittable property |
| 0x8000 | 0xFFFF | Reserved for mapping to named properties |

1.4 WebDAV Property Naming

The mail server is natively a MAPI store where the vast majority of properties in it are MAPI properties. The WebDAV implementation uses the **Augmented Backus-Naur Form (ABNF)** notation, as specified in [RFC4234], as a way to name MAPI properties, allowing WebDAV clients to work with these properties directly.

The `http://schemas.microsoft.com/mapi/` namespace is used to directly access MAPI properties on the server. The namespace consists of three sub namespaces: `proptag`, `id`, and `string`. The ABNF notation used to specify the format of these namespaces is described in this section.

1.4.1 `http://schemas.microsoft.com/mapi/proptag` Namespace

This namespace is used to access properties on the server that are identified by a **property ID**. You can access these properties through WebDAV by appending the hexadecimal **property ID** value and the hexadecimal property type value to the namespace prefix.

```

proptag-specifier = "http://schemas.microsoft.com/mapi/proptag/x"
property-id property-type

property-id = 4HEXDIG

property-type = 4HEXDIG

```

Example:

```

http://schemas.microsoft.com/mapi/proptag/x0037001f (PidTagSubject)

```

1.4.2 `http://schemas.microsoft.com/mapi/id` Namespace

This namespace is used to access **named properties** on the server that are identified by a **property long ID**. You can access these properties through WebDAV by appending the **property set** and the hexadecimal **property long ID** value to the namespace prefix.

```

id-specifier = "http://schemas.microsoft.com/mapi/id/" property-set
"/x" property-long-id

property-set = "{" 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-"
12HEXDIG "}"

property-long-id = 8HEXDIG

```

Example:

```

http://schemas.microsoft.com/mapi/id/{00062002-0000-0000-C000-
000000000046}/x00008213 (PidLidAppointmentDuration)

```

1.4.3 http://schemas.microsoft.com/mapi/string Namespace

This namespace is used to access **named properties** on the server that are identified by a **property name**. You can access these properties through WebDAV by appending the **property set** and the **property name** to the namespace prefix.

```

string-specifier = "http://schemas.microsoft.com/mapi/string/"
property-set "/" property-name

property-set = "{" 8*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG
"-" 12*HEXDIG "}"

property-name = 1*CHAR

```

Example:

```

http://schemas.microsoft.com/mapi/string/{00020329-0000-0000-C000-
000000000046}/Subject (PidNameSubject)

```

1.5 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [MS-OXCDATA]. For tables and examples specifying property data types, and for tables specifying property and other error codes, see [MS-OXCDATA].

The object type specifications listed in Section 1.2.1 depend on this document for basic information about message object properties to which they refer. Such basic information includes **property IDs** and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.6 Applicability Statement

This document provides the numeric values needed to encode **property** names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.7 Versioning and Localization

None.

1.8 Vendor-Extensible Fields

Section 1.3.3, "Property ID ranges," specifies how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 *PidLidAddressBookProviderArrayType*

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPArrayType

2.2 *PidLidAddressBookProviderEmailList*

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidABPEmailList

2.3 *PidLidAddressCountryCode*

Canonical name: PidLidAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DD

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidAddressCountryCode

2.4 *PidLidAgingDontAgeMe*

Canonical name: PidLidAgingDontAgeMe

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000850E

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidAgingDontAgeMe

2.5 PidLidAllAttendeesList

Canonical name: PidLidAllAttendeesList
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001D
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_ALL_ATTENDEES_LIST

2.6 PidLidAllAttendeesString

Canonical name: PidLidAllAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008238
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidAllAttendeesString,
<http://schemas.microsoft.com/mapi/allattendeesstring>

2.7 PidLidAllowExternalCheck

Canonical name: PidLidAllowExternalCheck
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008246
Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAllowExternCheck

2.8 PidLidAnniversaryEventEntryId

Canonical name: PidLidAnniversaryEventEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804E
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAnniversaryEventEID

2.9 PidLidAppointmentAuxiliaryFlags

Canonical name: PidLidAppointmentAuxiliaryFlags
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008207
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008214
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008257
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008213
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidApptDuration, <http://schemas.microsoft.com/mapi/apptduration>

2.13 PidLidAppointmentEndDate

Canonical name: PidLidAppointmentEndDate
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008211
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidApptEndDate, <http://schemas.microsoft.com/mapi/apptenddate>

2.14 PidLidAppointmentEndTime

Canonical name: PidLidAppointmentEndTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008210

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptEndTime, <http://schemas.microsoft.com/mapi/apptendtime>

2.15 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptEndWhole, <http://schemas.microsoft.com/mapi/apptendwhole>

2.16 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptLastSequence

2.17 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptMessageClass

2.18 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptNotAllowPropose

2.19 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008259
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposalNum

2.20 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008256
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidApptProposedDuration

2.21 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008251
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedEndWhole

2.22 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008250
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptProposedStartWhole

2.23 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXOTASK], [MS-XWDCAL]

Alternate names: dispidApptRecur, <http://schemas.microsoft.com/mapi/apptrecur>

2.24 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyName, <http://schemas.microsoft.com/mapi/apptreplyname>

2.25 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008220

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptReplyTime, <urn:schemas:calendar:replytime>, <http://schemas.microsoft.com/mapi/apptreplytime>

2.26 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSequence, <http://schemas.microsoft.com/mapi/apptsequence>

2.27 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008202

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidApptSeqTime

2.28 PidLidAppointmentStartDate

Canonical name: PidLidAppointmentStartDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008212

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptStartDate, <http://schemas.microsoft.com/mapi/apptstartdate>

2.29 PidLidAppointmentStartTime

Canonical name: PidLidAppointmentStartTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820F

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-XWDCAL]

Alternate names: dispidApptStartTime, <http://schemas.microsoft.com/mapi/apptstarttime>

2.30 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]

Alternate names: dispidApptStartWhole, <http://schemas.microsoft.com/mapi/apptstartwhole>

2.31 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidApptStateFlags, <http://schemas.microsoft.com/mapi/apptstateflags>

2.32 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidApptSubType, urn:schemas:calendar:alldayevent,
http://schemas.microsoft.com/mapi/apptsubtype

2.33 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000825F
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL], [MS-OXCICAL]
Alternate names: dispidApptTZDefEndDisplay

2.34 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008260
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL], [MS-OXCICAL]
Alternate names: dispidApptTZDefRecur

2.35 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000825E
Data type: PtypBinary, 0x0102
Area: Calendar
References: [MS-OXOCAL], [MS-OXCICAL]
Alternate names: dispidApptTZDefStartDisplay

2.36 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823D
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidApptUnsendableRecips

2.37 PidLidAppointmentUpdateTime

Canonical name: PidLidAppointmentUpdateTime
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008226

Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-XWDCAL]
Alternate names: dispidApptUpdateTime,
<http://schemas.microsoft.com/mapi/apptupdatetime>

2.38 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000001
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_ATTENDEE_CRITICAL_CHANGE,
http://schemas.microsoft.com/mapi/attendee_critical_change

2.39 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidAutoFillLocation

2.40 PidLidAutoLog

Canonical name: PidLidAutoLog
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008025
Data type: PtypBoolean, 0x000B
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidAutoLog

2.41 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851A
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidSniffState

2.42 PidLidAutoStartCheck

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXORMDR]

Alternate names: dispidAutoStartCheck

2.43 PidLidAutoStartWhen

Canonical name: PidLidAutoStartWhen

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008245

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL]

Alternate names: dispidAutoStartWhen

2.44 PidLidBilling

Canonical name: PidLidBilling

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008535

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-XWDCNTC]

Alternate names: dispidBilling, urn:schemas:contacts:billinginformation

2.45 PidLidBirthdayEventEntryId

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidBirthdayEventEID

2.46 PidLidBirthdayLocal

Canonical name: PidLidBirthdayLocal

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DE

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidApptBirthdayLocal

2.47 PidLidBusinessCardCardPicture

Canonical name: PidLidBusinessCardCardPicture
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008041
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBCCardPicture

2.48 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008040
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidBCDisplayDefinition

2.49 PidLidBusyStatus

Canonical name: PidLidBusyStatus
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008205
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOPFFB], [MS-XWDCAL]
Alternate names: dispidBusyStatus, <http://schemas.microsoft.com/mapi/busystatus>

2.50 PidLidCalendarType

Canonical name: PidLidCalendarType
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000001C
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_CALENDAR_TYPE,
http://schemas.microsoft.com/mapi/calendar_type

2.51 PidLidCategories

Canonical name: PidLidCategories
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property long ID (LID): 0x00002328
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-OXCMAIL]
Alternate names: dispidCategories

2.52 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000823C
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCCAttendeesString

2.53 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008204
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidChangeHighlight

2.54 PidLidClassification

Canonical name: PidLidClassification
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B6
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassification

2.55 PidLidClassificationDescription

Canonical name: PidLidClassificationDescription
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B7
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassDesc

2.56 PidLidClassificationGuid

Canonical name: PidLidClassificationGuid
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B8
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassGuid

2.57 PidLidClassificationKeep

Canonical name: PidLidClassificationKeep
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BA
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassKeep

2.58 PidLidClassified

Canonical name: PidLidClassified
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085B5
Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCMAIL]
Alternate names: dispidClassified

2.59 PidLidCleanGlobalObjectId

Canonical name: PidLidCleanGlobalObjectId
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000023
Data type: PtypBinary, 0x0102
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidCleanGlobalObjId

2.60 PidLidClipEnd

Canonical name: PidLidClipEnd
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008236
Data type: PtypTime, 0x0040
Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidClipEnd

2.61 PidLidClipStart

Canonical name: PidLidClipStart
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008235
Data type: PtypTime, 0x0040
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidClipStart

2.62 PidLidCollaborateDoc

Canonical name: PidLidCollaborateDoc
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008247
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidCollaborateDoc

2.63 PidLidCommonEnd

Canonical name: PidLidCommonEnd
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008517
Data type: PtypTime, 0x0040
Area: General Message Properties
References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]
Alternate names: dispidCommonEnd

2.64 PidLidCommonStart

Canonical name: PidLidCommonStart
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008516
Data type: PtypTime, 0x0040
Area: General Message Properties
References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOJRN], [MS-OXOTASK]
Alternate names: dispidCommonStart

2.65 PidLidCompanies

Canonical name: PidLidCompanies

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008539

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [MS-OXOJRNL]

Alternate names: dispidCompanies, <http://schemas.microsoft.com/exchange/companies>

2.66 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidConfCheck

2.67 PidLidConferencingType

Canonical name: PidLidConferencingType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008241

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidConfType

2.68 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008023

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidContactCharSet

2.69 PidLidContactItemData

Canonical name: PidLidContactItemData

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008007

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidContactItemData

2.70 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008585
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]
Alternate names: dispidContactLinkEntry

2.71 PidLidContactLinkName

Canonical name: PidLidContactLinkName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008586
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]
Alternate names: dispidContactLinkName

2.72 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008584
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL]
Alternate names: dispidContactLinkSearchKey

2.73 PidLidContacts

Canonical name: PidLidContacts
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000853A
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL]
Alternate names: dispidContacts

2.74 PidLidContactUserField1

Canonical name: PidLidContactUserField1
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804F

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField1,
<http://schemas.microsoft.com/exchange/extensionattribute1>

2.75 PidLidContactUserField2

Canonical name: PidLidContactUserField2
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008050
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField2,
<http://schemas.microsoft.com/exchange/extensionattribute2>

2.76 PidLidContactUserField3

Canonical name: PidLidContactUserField3
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008051
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField3,
<http://schemas.microsoft.com/exchange/extensionattribute3>

2.77 PidLidContactUserField4

Canonical name: PidLidContactUserField4
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008052
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidContactUserField4,
<http://schemas.microsoft.com/exchange/extensionattribute4>

2.78 PidLidConversationActionLastAppliedTime

Canonical name: PidLidConversationActionLastAppliedTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085CA
Data type: PtypTime, 0x0040
Area: Conversation Actions

References: [MS-OXOCFG]
Alternate names: dispidConvActionLastAppliedTime

2.79 PidLidConversationActionMaxDeliveryTime

Canonical name: PidLidConversationActionMaxDeliveryTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C8
Data type: PtypTime, 0x0040
Area: Conversation Actions
References: [MS-OXOCFG]
Alternate names: dispidConvActionMaxDeliveryTime

2.80 PidLidConversationActionMoveFolderEid

Canonical name: PidLidConversationActionMoveFolderEid
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C6
Data type: PtypBinary, 0x0102
Area: Conversation Actions
References: [MS-OXOCFG]
Alternate names: dispidConvActionMoveFolderEid

2.81 PidLidConversationActionMoveStoreEid

Canonical name: PidLidConversationActionMoveStoreEid
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C7
Data type: PtypBinary, 0x0102
Area: Conversation Actions
References: [MS-OXOCFG]
Alternate names: dispidConvActionMoveStoreEid

2.82 PidLidConversationActionVersion

Canonical name: PidLidConversationActionVersion
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085CB
Data type: PtypInteger32, 0x0003
Area: Conversation Actions
References: [MS-OXOCFG]
Alternate names: dispidConvActionVersion

2.83 PidLidConversationProcessed

Canonical name: PidLidConversationProcessed
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C9

Data type: PtypInteger32, 0x0003
Area: Conversation Actions
References: [MS-OXOCFG]
Alternate names: dispidConvExLegacyProcessedRand

2.84 PidLidCurrentVersion

Canonical name: PidLidCurrentVersion
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008552
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersion

2.85 PidLidCurrentVersionName

Canonical name: PidLidCurrentVersionName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008554
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]
Alternate names: dispidCurrentVersionName

2.86 PidLidDayInterval

Canonical name: PidLidDayInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000011
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_DAY_INTERVAL, http://schemas.microsoft.com/mapi/day_interval

2.87 PidLidDayOfMonth

Canonical name: PidLidDayOfMonth
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00001000
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: <http://schemas.microsoft.com/mapi/dayofmonth>

2.88 PidLidDelegateMail

Canonical name: PidLidDelegateMail

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000009

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_DELEGATE_MAIL,

http://schemas.microsoft.com/mapi/delegate_mail

2.89 PidLidDepartment

Canonical name: PidLidDepartment

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008010

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDepartment

2.90 PidLidDirectory

Canonical name: PidLidDirectory

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008242

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidDirectory

2.91 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804C

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidDLChecksum

2.92 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008055

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [MS-OXCADATA], [MS-OXOCNTC]
Alternate names: dispidDLMembers

2.93 PidLidDistributionListName

Canonical name: PidLidDistributionListName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008053
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLName

2.94 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008054
Data type: PtypMultipleBinary, 0x1102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLOneOffMembers

2.95 PidLidDistributionListStream

Canonical name: PidLidDistributionListStream
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008064
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidDLStream

2.96 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008082
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1AddrType

2.97 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008080

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1DisplayName

2.98 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008083
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-OXVCARD]
Alternate names: dispidEmail1EmailAddress

2.99 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008087
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1EmailType

2.100 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008084
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalDisplayName

2.101 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008085
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail1OriginalEntryID

2.102 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008092

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2AddrType

2.103 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008090

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2DisplayName

2.104 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008093

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXVCARD]

Alternate names: dispidEmail2EmailAddress

2.105 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008091

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidEmail2EntryID

2.106 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008094

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalDisplayName

2.107 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008095
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail2OriginalEntryID

2.108 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3AddrType

2.109 PidLidEmail3DisplayName

Canonical name: PidLidEmail3DisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A0
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3DisplayName

2.110 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EmailAddress

2.111 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A1

Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3EntryID

2.112 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalDisplayName

2.113 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080A5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmail3OriginalEntryID

2.114 PidLidEmailList

Canonical name: PidLidEmailList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008027
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidEmailList

2.115 PidLidEndRecurrenceDate

Canonical name: PidLidEndRecurrenceDate
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000F
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_END_RECUR_DATE,
http://schemas.microsoft.com/mapi/end_recur_date

2.116 PidLidEndRecurrenceTime

Canonical name: PidLidEndRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000010

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_END_RECUR_TIME,

http://schemas.microsoft.com/mapi/end_recur_time

2.117 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008228

Data type: PtypTime, 0x0040

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidExceptionReplaceTime

2.118 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1AddrType

2.119 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidFax1EmailAddress

2.120 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalDisplayName

2.121 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080B5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax1OriginalEntryID

2.122 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2AddrType

2.123 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2EmailAddress

2.124 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalDisplayName

2.125 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080C5

Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax2OriginalEntryID

2.126 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D2
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3AddrType

2.127 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D3
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3EmailAddress

2.128 PidLidFax3OriginalDisplayName

Canonical name: PidLidFax3OriginalDisplayName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D4
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3OriginalDisplayName

2.129 PidLidFax3OriginalEntryId

Canonical name: PidLidFax3OriginalEntryId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080D5
Data type: PtypBinary, 0x0102
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFax3OriginalEntryID

2.130 PidLidFExceptionalAttendees

Canonical name: PidLidFExceptionalAttendees
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000822B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]
Alternate names: dispidFExceptionalAttendees

2.131 PidLidFExceptionalBody

Canonical name: PidLidFExceptionalBody
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008206
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidFExceptionalBody

2.132 PidLidFileUnder

Canonical name: PidLidFileUnder
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008005
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnder

2.133 PidLidFileUnderId

Canonical name: PidLidFileUnderId
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008006
Data type: PtypInteger32, 0x0003
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidFileUnderId

2.134 PidLidFileUnderList

Canonical name: PidLidFileUnderList
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008026
Data type: PtypMultipleInteger32, 0x1003
Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidFileUnderList

2.135 PidLidFInvited

Canonical name: PidLidFInvited
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008229
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidFInvited, <http://schemas.microsoft.com/mapi/finvited>

2.136 PidLidFlagRequest

Canonical name: PidLidFlagRequest
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008530
Data type: PtypString, 0x001F
Area: Flagging
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: dispidRequest, <urn:schemas:httpmail:messageflag>, <http://schemas.microsoft.com/mapi/request>

2.137 PidLidFlagString

Canonical name: PidLidFlagString
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085C0
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidFlagStringEnum

2.138 PidLidForwardInstance

Canonical name: PidLidForwardInstance
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000820A
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXOCAL]
Alternate names: dispidFwrInstance

2.139 PidLidForwardNotificationRecipients

Canonical name: PidLidForwardNotificationRecipients

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008261

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL]

Alternate names: dispidForwardNotificationRecipients

2.140 PidLidFOthersAppointment

Canonical name: PidLidFOthersAppointment

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822F

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-XWDCAL]

Alternate names: dispidFOthersAppt, <http://schemas.microsoft.com/mapi/fothersappt>

2.141 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D8

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCAL]

Alternate names: dispidFreeBusyLocation, urn:schemas:calendar:fburl

2.142 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000003

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS]

Alternate names: LID_GLOBAL_OBJID

2.143 PidLidHasPicture

Canonical name: PidLidHasPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008015

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [MS-OXOCNTC]
Alternate names: dispidHasPicture

2.144 PidLidHomeAddress

Canonical name: PidLidHomeAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidHomeAddress, urn:schemas:contacts:homepostaladdress

2.145 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DA
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHomeAddressCountryCode

2.146 PidLidHtml

Canonical name: PidLidHtml
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidHTML

2.147 PidLidICalendarDayOfWeekMask

Canonical name: PidLidICalendarDayOfWeekMask
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00001001
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: <http://schemas.microsoft.com/mapi/dayofweekmask>

2.148 PidLidInfoPathFormName

Canonical name: PidLidInfoPathFormName
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x85B1

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.149 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008062

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-OXVCARD]

Alternate names: dispidInstMsg

2.150 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008224

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidIntendedBusyStatus,

<http://schemas.microsoft.com/mapi/intendedbusystatus>

2.151 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008580

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXOMSG]

Alternate names: dispidInetAcctName

2.152 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008581

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXOMSG]

Alternate names: dispidInetAcctStamp

2.153 PidLidIsException

Canonical name: PidLidIsException

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: LID_IS_EXCEPTION, http://schemas.microsoft.com/mapi/is_exception

2.154 PidLidIsRecurring

Canonical name: PidLidIsRecurring

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000005

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_RECURRING, http://schemas.microsoft.com/mapi/is_recurring

2.155 PidLidIsSilent

Canonical name: PidLidIsSilent

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000004

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_IS_SILENT, http://schemas.microsoft.com/mapi/is_silent

2.156 PidLidLinkedTaskItems

Canonical name: PidLidLinkedTaskItems

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820C

Data type: PtypMultipleBinary, 0x1102

Area: Tasks

References: [MS-OXOCAL]

Alternate names: dispidLinkedTaskItems

2.157 PidLidLocation

Canonical name: PidLidLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008208

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidLocation, urn:schemas:calendar:location

2.158 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008711
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocPosted

2.159 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870E
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocPrinted

2.160 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008710
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocRouted

2.161 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870F
Data type: PtypBoolean, 0x000B
Area: Journal
References: [MS-EXOJRNL]
Alternate names: dispidLogDocSaved

2.162 PidLidLogDuration

Canonical name: PidLidLogDuration
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008707

Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogDuration

2.163 PidLidLogEnd

Canonical name: PidLidLogEnd
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008708
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogEnd

2.164 PidLidLogFlags

Canonical name: PidLidLogFlags
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000870C
Data type: PtypInteger32, 0x0003
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogFlags

2.165 PidLidLogStart

Canonical name: PidLidLogStart
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008706
Data type: PtypTime, 0x0040
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogStart

2.166 PidLidLogType

Canonical name: PidLidLogType
Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008700
Data type: PtypString, 0x001F
Area: Journal
References: [MS-OXOJRNL]
Alternate names: dispidLogType

2.167 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008712

Data type: PtypString, 0x001F

Area: Journal

References: [MS-OXOJRNL]

Alternate names: dispidLogTypeDesc

2.168 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidMeetingType

2.169 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidMWSURL,
<http://schemas.microsoft.com/mapi/meetingworkspaceurl>

2.170 PidLidMonthInterval

Canonical name: PidLidMonthInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000013

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_MONTH_INTERVAL,
http://schemas.microsoft.com/mapi/month_interval

2.171 PidLidMonthOfYear

Canonical name: PidLidMonthOfYear

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001006

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/monthofyear>

2.172 PidLidMonthOfYearMask

Canonical name: PidLidMonthOfYearMask

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000017

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_MOY_MASK, http://schemas.microsoft.com/mapi/moy_mask

2.173 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008248

Data type: PtypString, 0x001F

Area: Conferencing

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: dispidNetShowURL

2.174 PidLidNoEndDateFlag

Canonical name: PidLidNoEndDateFlag

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100B

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/fnoenddate>

2.175 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008538

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableBCC,
<http://schemas.microsoft.com/mapi/nonsendablebcc>

2.176 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008537

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableCC, <http://schemas.microsoft.com/mapi/nonsendablecc>

2.177 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008536

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendableTo, <http://schemas.microsoft.com/mapi/nonsendableto>

2.178 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendBccTrackStatus, <http://schemas.microsoft.com/mapi/nonsendbcctrackstatus>

2.179 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidNonSendCcTrackStatus, <http://schemas.microsoft.com/mapi/nonsendcctrackstatus>

2.180 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties
References: [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidNonSendToTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendtotrackstatus>

2.181 PidLidNoteColor

Canonical name: PidLidNoteColor
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B00
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteColor

2.182 PidLidNoteHeight

Canonical name: PidLidNoteHeight
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B03
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteHeight

2.183 PidLidNoteWidth

Canonical name: PidLidNoteWidth
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B02
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteWidth

2.184 PidLidNoteX

Canonical name: PidLidNoteX
Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008B04
Data type: PtypInteger32, 0x0003
Area: Sticky Notes
References: [MS-OXONOTE]
Alternate names: dispidNoteX

2.185 PidLidNoteY

Canonical name: PidLidNoteY

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B05

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [MS-OXONOTE]

Alternate names: dispidNoteY

2.186 PidLidOccurrences

Canonical name: PidLidOccurrences

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001005

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/mapi/occurrences>

2.187 PidLidOldLocation

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidOldLocation

2.188 PidLidOldRecurrenceType

Canonical name: PidLidOldRecurrenceType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000018

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [MS-XWDCAL]

Alternate names: LID_RECUR_TYPE, http://schemas.microsoft.com/mapi/recur_type

2.189 PidLidOldWhenEndWhole

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenEndWhole

2.190 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000029
Data type: PtypTime, 0x0040
Area: Meetings
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOldWhenStartWhole

2.191 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008249
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXOCAL]
Alternate names: dispidOnlinePassword

2.192 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000007
Data type: PtypString, 0x001F
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_OPTIONAL_ATTENDEES,
http://schemas.microsoft.com/mapi/optional_attendees

2.193 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008243
Data type: PtypString, 0x001F
Area: Conferencing
References: [MS-OXCICAL], [MS-OXORMDR]
Alternate names: dispidOrgAlias

2.194 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008237

Data type: PtypBinary, 0x0102

Area: Meetings

References: [MS-OXOCAL], [MS-XWDMAIL]

Alternate names: dispidOrigStoreEid, <http://schemas.microsoft.com/mapi/origstoreeid>

2.195 PidLidOtherAddress

Canonical name: PidLidOtherAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidOtherAddress, urn:schemas:contacts:otherpostaladdress

2.196 PidLidOtherAddressCountryCode

Canonical name: PidLidOtherAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DC

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidOtherAddressCountryCode

2.197 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_OWNER_CRITICAL_CHANGE, urn:schemas:calendar:dtstamp, http://schemas.microsoft.com/mapi/owner_critical_change

2.198 PidLidOwnerName

Canonical name: PidLidOwnerName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822E

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-XWDCAL]

Alternate names: dispidOwnerName, <http://schemas.microsoft.com/mapi/ownername>

2.199 PidLidPercentComplete

Canonical name: PidLidPercentComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008102

Data type: PtypFloating64, 0x0005

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

Alternate names: dispidPercentComplete

2.200 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: dispidPostalAddressId, urn:schemas:contacts:mailingaddressid

2.201 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008904

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannel

2.202 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008900

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]

Alternate names: dispidPostRssChannelLink

2.203 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008903

Data type: PtypString, 0x001F

Area: RSS

References: [MS-OXORSS]
Alternate names: dispidPostRssItemGuid

2.204 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008902
Data type: PtypInteger32, 0x0003
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemHash

2.205 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008901
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemLink

2.206 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008905
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssItemXml

2.207 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription
Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008906
Data type: PtypString, 0x001F
Area: RSS
References: [MS-OXORSS]
Alternate names: dispidPostRssSubscription

2.208 PidLidPrivate

Canonical name: PidLidPrivate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008506

Data type: PtypBoolean, 0x000B
Area: General Message Properties
References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXTNEF]
Alternate names: dispidPrivate

2.209 PidLidPromptSendUpdate

Canonical name: PidLidPromptSendUpdate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008045
Data type: PtypBoolean, 0x000B
Area: Meeting Response
References: [MS-OXOCAL]
Alternate names: dispidPromptSendUpdate

2.210 PidLidRecurrenceDuration

Canonical name: PidLidRecurrenceDuration
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000100D
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-XWDCAL]
Alternate names: <http://schemas.microsoft.com/mapi/recurduration>

2.211 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008232
Data type: PtypString, 0x001F
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidRecurPattern, <http://schemas.microsoft.com/mapi/recurpattern>

2.212 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType
Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008231
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: dispidRecurType, <http://schemas.microsoft.com/mapi/recurtype>

2.213 PidLidRecurring

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCDATA], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOSFLD], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidRecurring, <http://schemas.microsoft.com/mapi/recurring>

2.214 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BD

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: dispidReferenceEID

2.215 PidLidReferredBy

Canonical name: PidLidReferredBy

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000800E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-XWDCNTC]

Alternate names: dispidReferredBy, <urn:schemas:contacts:referredby>

2.216 PidLidReminderDelta

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: dispidReminderDelta, <http://schemas.microsoft.com/mapi/reminderdelta>

2.217 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851F

Data type: PtypString, 0x001F

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderFileParam,
<http://schemas.microsoft.com/mapi/reminderfileparam>

2.218 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderOverride,
<http://schemas.microsoft.com/mapi/reminderoverride>

2.219 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851E

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXORMDR], [MS-XWDCAL]

Alternate names: dispidReminderPlaySound,
<http://schemas.microsoft.com/mapi/reminderplaysound>

2.220 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL],
[MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD], [MS-
OXOTASK], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDCAL]

Alternate names: dispidReminderSet, <http://schemas.microsoft.com/mapi/reminderset>

2.221 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008560

Data type: PtypTime, 0x0040

Area: Reminders

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR],

[MS-XWDCAL], [MS-OXODOC]
Alternate names: dispidReminderNextTime,
<http://schemas.microsoft.com/mapi/remindernexttime>

2.222 PidLidReminderTime

Canonical name: PidLidReminderTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008502
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidReminderTime, <http://schemas.microsoft.com/mapi/remindertime>

2.223 PidLidReminderTimeDate

Canonical name: PidLidReminderTimeDate
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008505
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-XWDCAL]
Alternate names: dispidReminderTimeDate,
<http://schemas.microsoft.com/mapi/remindertimedate>

2.224 PidLidReminderTimeTime

Canonical name: PidLidReminderTimeTime
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008504
Data type: PtypTime, 0x0040
Area: Reminders
References: [MS-XWDCAL]
Alternate names: dispidReminderTimeTime,
<http://schemas.microsoft.com/mapi/remindertimetime>

2.225 PidLidReminderType

Canonical name: PidLidReminderType
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000851D
Data type: PtypInteger32, 0x0003
Area: Reminders
References: [MS-OXORMDR], [MS-XWDCAL]
Alternate names: dispidReminderType, <http://schemas.microsoft.com/mapi/remindertype>

2.226 PidLidRemoteStatus

Canonical name: PidLidRemoteStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008511

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [MS-XWDCAL]

Alternate names: dispidRemoteStatus, <http://schemas.microsoft.com/mapi/remotestatus>

2.227 PidLidRequiredAttendees

Canonical name: PidLidRequiredAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000006

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_REQUIRED_ATTENDEES,
http://schemas.microsoft.com/mapi/required_attendees

2.228 PidLidResourceAttendees

Canonical name: PidLidResourceAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000008

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-XWDCAL]

Alternate names: LID_RESOURCE_ATTENDEES,
http://schemas.microsoft.com/mapi/resource_attendees

2.229 PidLidResponseStatus

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidResponseStatus, urn:schemas:calendar:attendeestatus,
<http://schemas.microsoft.com/mapi/responsestatus>

2.230 PidLidSendMeetingAsIcal

Canonical name: PidLidSendMeetingAsIcal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008200

Data type: PtypBoolean, 0x000B
Area: Conferencing
References: [MS-OXCICAL]
Alternate names: dispidSendMtgAsICAL

2.231 PidLidServerProcessed

Canonical name: PidLidServerProcessed
Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}
Property long ID (LID): 0x000085CC
Data type: PtypBoolean, 0x000B
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExchangeProcessed

2.232 PidLidServerProcessingActions

Canonical name: PidLidServerProcessingActions
Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}
Property long ID (LID): 0x000085CD
Data type: PtypInteger32, 0x0003
Area: Calendar
References: [MS-OXOCAL]
Alternate names: dispidExchangeProcessingAction

2.233 PidLidSharingAnonymity

Canonical name: PidLidSharingAnonymity
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A19
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingAnonymity

2.234 PidLidSharingBindingEntryId

Canonical name: PidLidSharingBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2D
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingBindingEid

2.235 PidLidSharingBrowseUrl

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A51

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingBrowseUrl

2.236 PidLidSharingCapabilities

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingCaps

2.237 PidLidSharingConfigurationUrl

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A24

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingConfigUrl

2.238 PidLidSharingDataRangeEnd

Canonical name: PidLidSharingDataRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A45

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingDataRangeEnd

2.239 PidLidSharingDataRangeStart

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingDataRangeStart

2.240 PidLidSharingDetail

Canonical name: PidLidSharingDetail
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingDetail

2.241 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A21
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingExtXml

2.242 PidLidSharingFilter

Canonical name: PidLidSharingFilter
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A13
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFilter

2.243 PidLidSharingFlags

Canonical name: PidLidSharingFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlags

2.244 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A18

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFlavor

2.245 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A15
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingFolderEid

2.246 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2E
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingIndexEid

2.247 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A09
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorEid

2.248 PidLidSharingInitiatorName

Canonical name: PidLidSharingInitiatorName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A07
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorName

2.249 PidLidSharingInitiatorSntp

Canonical name: PidLidSharingInitiatorSntp
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A08
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInitiatorSntp

2.250 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingInstanceGuid

2.251 PidLidSharingLastAutoSyncTime

Canonical name: PidLidSharingLastAutoSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A55
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastAutoSync

2.252 PidLidSharingLastSyncTime

Canonical name: PidLidSharingLastSyncTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1F
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLastSync

2.253 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4D
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingLocalComment

2.254 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A23
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalLastMod

2.255 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0F
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalName

2.256 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalPath

2.257 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A49
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalStoreUid

2.258 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A14

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalType

2.259 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A10
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingLocalUid

2.260 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A29
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingOriginalMessageEid

2.261 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5C
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParentBindingEid

2.262 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1E
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingParticipants

2.263 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingPermissions

2.264 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderExtension

2.265 PidLidSharingProviderGuid

Canonical name: PidLidSharingProviderGuid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A01
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderGuid

2.266 PidLidSharingProviderName

Canonical name: PidLidSharingProviderName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A02
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingProviderName

2.267 PidLidSharingProviderUrl

Canonical name: PidLidSharingProviderUrl
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A03
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingProviderUrl

2.268 PidLidSharingRangeEnd

Canonical name: PidLidSharingRangeEnd
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A47
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRangeEnd

2.269 PidLidSharingRangeStart

Canonical name: PidLidSharingRangeStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A46
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRangeStart

2.270 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1A
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingReciprocation

2.271 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4B
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteByteSize

2.272 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A2F

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteComment

2.273 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4C
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteCrc

2.274 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A22
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteLastMod

2.275 PidLidSharingRemoteMessageCount

Canonical name: PidLidSharingRemoteMessageCount
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4F
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteMsgCount

2.276 PidLidSharingRemoteName

Canonical name: PidLidSharingRemoteName
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A05
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteName

2.277 PidLidSharingRemotePass

Canonical name: PidLidSharingRemotePass
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePass

2.278 PidLidSharingRemotePath

Canonical name: PidLidSharingRemotePath
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A04
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemotePath

2.279 PidLidSharingRemoteStoreUid

Canonical name: PidLidSharingRemoteStoreUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A48
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteStoreUid

2.280 PidLidSharingRemoteType

Canonical name: PidLidSharingRemoteType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A1D
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteType

2.281 PidLidSharingRemoteUid

Canonical name: PidLidSharingRemoteUid
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A06
Data type: PtypString, 0x001F
Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUid

2.282 PidLidSharingRemoteUser

Canonical name: PidLidSharingRemoteUser
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A0C
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteUser

2.283 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A5B
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRemoteVersion

2.284 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A28
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseTime

2.285 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A27
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingResponseType

2.286 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A4E

Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingRoamLog

2.287 PidLidSharingStart

Canonical name: PidLidSharingStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A25
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStart

2.288 PidLidSharingStatus

Canonical name: PidLidSharingStatus
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A00
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStatus

2.289 PidLidSharingStop

Canonical name: PidLidSharingStop
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A26
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingStop

2.290 PidLidSharingSyncFlags

Canonical name: PidLidSharingSyncFlags
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A60
Data type: PtypInteger32, 0x0003
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingSyncFlags

2.291 PidLidSharingSyncInterval

Canonical name: PidLidSharingSyncInterval

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingSyncInterval

2.292 PidLidSharingTimeToLive

Canonical name: PidLidSharingTimeToLive

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2C

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingTimeToLive

2.293 PidLidSharingTimeToLiveAuto

Canonical name: PidLidSharingTimeToLiveAuto

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A56

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingTimeToLiveAuto

2.294 PidLidSharingWorkingHoursDays

Canonical name: PidLidSharingWorkingHoursDays

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A42

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [MS-OXSHARE]

Alternate names: dispidSharingWorkingHoursDays

2.295 PidLidSharingWorkingHoursEnd

Canonical name: PidLidSharingWorkingHoursEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A41

Data type: PtypTime, 0x0040

Area: Sharing

References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursEnd

2.296 PidLidSharingWorkingHoursStart

Canonical name: PidLidSharingWorkingHoursStart
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A40
Data type: PtypTime, 0x0040
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursStart

2.297 PidLidSharingWorkingHoursTimeZone

Canonical name: PidLidSharingWorkingHoursTimeZone
Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008A43
Data type: PtypBinary, 0x0102
Area: Sharing
References: [MS-OXSHARE]
Alternate names: dispidSharingWorkingHoursTZ

2.298 PidLidSideEffects

Canonical name: PidLidSideEffects
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008510
Data type: PtypInteger32, 0x0003
Area: Run-time configuration
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORSS], [MS-OXTNEF]
Alternate names: dispidSideEffects

2.299 PidLidSingleInvite

Canonical name: PidLidSingleInvite
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000B
Data type: PtypBoolean, 0x000B
Area: Meetings
References: [MS-OXCICAL]
Alternate names: LID_SINGLE_INVITE

2.300 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008514
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCICAL], [MS-OXCMSG]
Alternate names: dispidSmartNoAttach

2.301 PidLidSpamOriginalFolder

Canonical name: PidLidSpamOriginalFolder
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000859C
Data type: PtypBinary, 0x0102
Area: Spam
References: [MS-OXCSPAM]
Alternate names: dispidSpamOriginalFolder

2.302 PidLidStartRecurrenceDate

Canonical name: PidLidStartRecurrenceDate
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000D
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_START_RECUR_DATE,
http://schemas.microsoft.com/mapi/start_recur_date

2.303 PidLidStartRecurrenceTime

Canonical name: PidLidStartRecurrenceTime
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x0000000E
Data type: PtypInteger32, 0x0003
Area: Meetings
References: [MS-XWDCAL]
Alternate names: LID_START_RECUR_TIME,
http://schemas.microsoft.com/mapi/start_recur_time

2.304 PidLidTaskAcceptanceState

Canonical name: PidLidTaskAcceptanceState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOTASK]
Alternate names: dispidTaskDelegValue

2.305 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008108

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskAccepted

2.306 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008110

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskActualEffort

2.307 PidLidTaskAssigner

Canonical name: PidLidTaskAssigner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008121

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXCFXICS], [MS-OXOTASK]

Alternate names: dispidTaskDelegator

2.308 PidLidTaskAssigners

Canonical name: PidLidTaskAssigners

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008117

Data type: PtypBinary, 0x0102

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskMyDelegators

2.309 PidLidTaskComplete

Canonical name: PidLidTaskComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG],

[MS-OXOTASK]

Alternate names: dispidTaskComplete

2.310 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000810F

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOTASK]

Alternate names: dispidTaskDateCompleted

2.311 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008109

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskDeadOccur

2.312 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008105

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]

Alternate names: dispidTaskDueDate

2.313 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008111

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskEstimatedEffort

2.314 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811E
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskFCreator

2.315 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000812C
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFFixOffline

2.316 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008126
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskFRecur

2.317 PidLidTaskGlobalId

Canonical name: PidLidTaskGlobalId
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008519
Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskGlobalObjId

2.318 PidLidTaskHistory

Canonical name: PidLidTaskHistory
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811A
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskHistory

2.319 PidLidTaskLastDelegate

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008125

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastDelegate

2.320 PidLidTaskLastUpdate

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUpdate

2.321 PidLidTaskLastUser

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008122

Data type: PtypString, 0x001F

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskLastUser

2.322 PidLidTaskMode

Canonical name: PidLidTaskMode

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008518

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: dispidTaskMode

2.323 PidLidTaskMultipleRecipients

Canonical name: PidLidTaskMultipleRecipients

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008120

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXOTASK]
Alternate names: dispidTaskMultRecips

2.324 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008124
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL]
Alternate names: dispidTaskNoCompute

2.325 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008123
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskOrdinal

2.326 PidLidTaskOwner

Canonical name: PidLidTaskOwner
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000811F
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXOTASK]
Alternate names: dispidTaskOwner

2.327 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008129
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskOwnership

2.328 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008116

Data type: PtypBinary, 0x0102
Area: Tasks
References: [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskRecur

2.329 PidLidTaskResetReminder

Canonical name: PidLidTaskResetReminder
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008107
Data type: PtypBoolean, 0x000B
Area: Tasks
References: [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskResetReminder

2.330 PidLidTaskRole

Canonical name: PidLidTaskRole
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008127
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]
Alternate names: dispidTaskRole

2.331 PidLidTaskStartDate

Canonical name: PidLidTaskStartDate
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008104
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOTASK]
Alternate names: dispidTaskStartDate

2.332 PidLidTaskState

Canonical name: PidLidTaskState
Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008113
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOSFLD], [MS-OXOTASK]
Alternate names: dispidTaskState

2.333 PidLidTaskStatus

Canonical name: PidLidTaskStatus

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008101

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD], [MS-OXOTASK]

Alternate names: dispidTaskStatus

2.334 PidLidTaskStatusOnComplete

Canonical name: PidLidTaskStatusOnComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008119

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskSOC

2.335 PidLidTaskUpdates

Canonical name: PidLidTaskUpdates

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811B

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXOTASK]

Alternate names: dispidTaskUpdates

2.336 PidLidTaskVersion

Canonical name: PidLidTaskVersion

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008112

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOTASK]

Alternate names: dispidTaskVersion

2.337 PidLidTeamTask

Canonical name: PidLidTeamTask

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008103

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: dispidTeamTask

2.338 PidLidTimeZone

Canonical name: PidLidTimeZone

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: LID_TIME_ZONE, http://schemas.microsoft.com/mapi/time_zone

2.339 PidLidTimeZoneDescription

Canonical name: PidLidTimeZoneDescription

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008234

Data type: PtypString, 0x001F

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidTimeZoneDesc, <http://schemas.microsoft.com/mapi/timezonedesc>

2.340 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008233

Data type: PtypBinary, 0x0102

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]

Alternate names: dispidTimeZoneStruct, <http://schemas.microsoft.com/mapi/timezonestruct>

2.341 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823B

Data type: PtypString, 0x001F

Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL]

Alternate names: dispidToAttendeesString

2.342 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A0

Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOFLAG]
Alternate names: dispidToDoOrdinalDate

2.343 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A1
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXOFLAG]
Alternate names: dispidToDoSubOrdinal

2.344 PidLidToDoTitle

Canonical name: PidLidToDoTitle
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085A4
Data type: PtypString, 0x001F
Area: Tasks
References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG]
Alternate names: dispidToDoTitle

2.345 PidLidUseTnef

Canonical name: PidLidUseTnef
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008582
Data type: PtypBoolean, 0x000B
Area: Run-time configuration
References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]
Alternate names: dispidUseTNEF

2.346 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x000085BF
Data type: PtypTime, 0x0040
Area: Tasks
References: [MS-OXOFLAG]
Alternate names: dispidValidFlagStringProof

2.347 PidLidVerbResponse

Canonical name: PidLidVerbResponse
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008524
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: dispidVerbResponse

2.348 PidLidVerbStream

Canonical name: PidLidVerbStream
Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008520
Data type: PtypBinary, 0x0102
Area: Run-time configuration
References: [MS-OXOMSG]
Alternate names: dispidVerbStream

2.349 PidLidWeddingAnniversaryLocal

Canonical name: PidLidWeddingAnniversaryLocal
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DF
Data type: PtypTime, 0x0040
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidApptAnniversaryLocal

2.350 PidLidWeekInterval

Canonical name: PidLidWeekInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000012
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_WEEK_INTERVAL,
http://schemas.microsoft.com/mapi/week_interval

2.351 PidLidWhere

Canonical name: PidLidWhere
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000002
Data type: PtypString, 0x001F
Area: Meetings

References: [MS-OXCICAL], [MS-OXOCAL], [MS-XWDCAL]
Alternate names: LID_WHERE, <http://schemas.microsoft.com/mapi/where>

2.352 PidLidWorkAddress

Canonical name: PidLidWorkAddress
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000801B
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddress, urn:schemas:contacts:workaddress

2.353 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008046
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressCity, urn:schemas:contacts:l

2.354 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008049
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressCountry, urn:schemas:contacts:co

2.355 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x000080DB
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidWorkAddressCountryCode

2.356 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008048

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressPostalCode, urn:schemas:contacts:postalcode

2.357 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000804A
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressPostOfficeBox, urn:schemas:contacts:postofficebox

2.358 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008047
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressState, urn:schemas:contacts:st

2.359 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x00008045
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: dispidWorkAddressStreet, urn:schemas:contacts:street

2.360 PidLidYearInterval

Canonical name: PidLidYearInterval
Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Property long ID (LID): 0x00000014
Data type: PtypInteger16, 0x0002
Area: Meetings
References: [MS-OXCICAL], [MS-XWDCAL]
Alternate names: LID_YEAR_INTERVAL,
http://schemas.microsoft.com/mapi/year_interval

2.361 PidLidYomiCompanyName

Canonical name: PidLidYomiCompanyName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802E
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiCompanyName,
<http://schemas.microsoft.com/exchange/yomiorganization>

2.362 PidLidYomiFirstName

Canonical name: PidLidYomiFirstName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802C
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiFirstName,
<http://schemas.microsoft.com/exchange/yomifirstname>

2.363 PidLidYomiLastName

Canonical name: PidLidYomiLastName
Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}
Property long ID (LID): 0x0000802D
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOCNTC]
Alternate names: dispidYomiLastName,
<http://schemas.microsoft.com/exchange/yomilastname>

2.364 PidNameAcceptLanguage

Canonical name: PidNameAcceptLanguage
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Accept-Language
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL]
Alternate names: AcceptLanguage

2.365 PidNameApplicationName

Canonical name: PidNameApplicationName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: AppName

Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#NameOfApplication

2.366 PidNameApproved

Canonical name: PidNameApproved
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Approved
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:approved

2.367 PidNameAttachmentMacContentType

Canonical name: PidNameAttachmentMacContentType
Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}
Property name: AttachmentMacContentType
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMAIL]
Alternate names:

2.368 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo
Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}
Property name: AttachmentMacInfo
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMAIL]
Alternate names:

2.369 PidNameAudioNotes

Canonical name: PidNameAudioNotes
Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Property name: UMAudioNotes
Data type: PtypString, 0x001F
Area: UM
References: [MS-OXOUM]
Alternate names: UMAudioNotes

2.370 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Authorurn:schemas-microsoft-com:office:office#Author

2.371 PidNameAutomaticSpeechRecognitionData

Canonical name: PidNameAutomaticSpeechRecognitionData

Property set: PSETIC_UnifiedMessaging

Property name: AsrData

Data type: PtypBinary, 0x0102

Area: UM

References: [MS-OXOUM]

Alternate names:

2.372 PidNameBcc

Canonical name: PidNameBcc

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Bcc

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:bcc

2.373 PidNameByteCount

Canonical name: PidNameByteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ByteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Bytesurn:schemas-microsoft-com:office:office#Bytes

2.374 PidNameCalendarAttendeeRole

Canonical name: PidNameCalendarAttendeeRole

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:attendeerole

Data type: PtypInteger32, 0x0003

Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:attendeerole

2.375 PidNameCalendarBusystatus

Canonical name: PidNameCalendarBusystatus
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:busystatus
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:busystatus

2.376 PidNameCalendarContact

Canonical name: PidNameCalendarContact
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:contact
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:contact

2.377 PidNameCalendarContactUrl

Canonical name: PidNameCalendarContactUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:contacturl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:contacturl

2.378 PidNameCalendarCreated

Canonical name: PidNameCalendarCreated
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:created
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:created

2.379 PidNameCalendarDescriptionUrl

Canonical name: PidNameCalendarDescriptionUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:descriptionurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:descriptionurl

2.380 PidNameCalendarDuration

Canonical name: PidNameCalendarDuration
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:duration
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:duration

2.381 PidNameCalendarExceptionDate

Canonical name: PidNameCalendarExceptionDate
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:exdate
Data type: PtypMultipleTime, 0x1040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:exdate

2.382 PidNameCalendarExceptionRule

Canonical name: PidNameCalendarExceptionRule
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:exrule
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:exrule

2.383 PidNameCalendarGeoLatitude

Canonical name: PidNameCalendarGeoLatitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:geolatitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:geolatitude

2.384 PidNameCalendarGeoLongitude

Canonical name: PidNameCalendarGeoLongitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolongitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:geolongitude

2.385 PidNameCalendarInstanceType

Canonical name: PidNameCalendarInstanceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:instancetype

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:instancetype

2.386 PidNameCalendarIsOrganizer

Canonical name: PidNameCalendarIsOrganizer

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:isorganizer

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:isorganizer

2.387 PidNameCalendarLastModified

Canonical name: PidNameCalendarLastModified

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:lastmodified

Data type: PtypTime, 0x0040

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:lastmodified

2.388 PidNameCalendarLocationUrl

Canonical name: PidNameCalendarLocationUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:locationurl

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:locationurl

2.389 PidNameCalendarMeetingStatus

Canonical name: PidNameCalendarMeetingStatus
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:meetingstatus
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:meetingstatus

2.390 PidNameCalendarMethod

Canonical name: PidNameCalendarMethod
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:method
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:method

2.391 PidNameCalendarProductId

Canonical name: PidNameCalendarProductId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:prodid
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:prodid

2.392 PidNameCalendarRecurrenceIdRange

Canonical name: PidNameCalendarRecurrenceIdRange
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:recurrenceidrange
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:recurrenceidrange

2.393 PidNameCalendarReminderOffset

Canonical name: PidNameCalendarReminderOffset
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:reminderoffset

Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:reminderoffset

2.394 PidNameCalendarResources

Canonical name: PidNameCalendarResources
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:resources
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:resources

2.395 PidNameCalendarRsvp

Canonical name: PidNameCalendarRsvp
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rsvp
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rsvp

2.396 PidNameCalendarSequence

Canonical name: PidNameCalendarSequence
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:sequence
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:sequence

2.397 PidNameCalendarTimeZone

Canonical name: PidNameCalendarTimeZone
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:timezone
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:timezone

2.398 PidNameCalendarTimeZoneId

Canonical name: PidNameCalendarTimeZoneId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:timezoneid
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:timezoneid

2.399 PidNameCalendarTransparent

Canonical name: PidNameCalendarTransparent
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:transparent
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:transparent

2.400 PidNameCalendarUid

Canonical name: PidNameCalendarUid
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:uid
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:uid

2.401 PidNameCalendarVersion

Canonical name: PidNameCalendarVersion
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:version
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:version

2.402 PidNameCategory

Canonical name: PidNameCategory
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Category
Data type: PtypString, 0x001F
Area: Common

References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Category

2.403 PidNameCc

Canonical name: PidNameCc
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Cc
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:cc

2.404 PidNameCharacterCount

Canonical name: PidNameCharacterCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: CharCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Characters

2.405 PidNameComments

Canonical name: PidNameComments
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Comments
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Comments

2.406 PidNameCompany

Canonical name: PidNameCompany
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Company
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Company

2.407 PidNameContactsAlternateRecipient

Canonical name: PidNameContactsAlternateRecipient
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:alternaterecipient

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:alternaterecipient

2.408 PidNameContactsCountry

Canonical name: PidNameContactsCountry
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:c
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:c

2.409 PidNameContactsEmail1

Canonical name: PidNameContactsEmail1
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:email1
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:email1

2.410 PidNameContactsEmail2

Canonical name: PidNameContactsEmail2
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:email2
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:email2

2.411 PidNameContactsEmail3

Canonical name: PidNameContactsEmail3
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:email3
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:email3

2.412 PidNameContactsFileAs

Canonical name: PidNameContactsFileAs
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:fileas
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:fileas

2.413 PidNameContactsFileasId

Canonical name: PidNameContactsFileasId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:fileasid
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:fileasid

2.414 PidNameContactsHomeLatitude

Canonical name: PidNameContactsHomeLatitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:homelatitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:homelatitude

2.415 PidNameContactsHomeLongitude

Canonical name: PidNameContactsHomeLongitude
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:homelongitude
Data type: PtypFloating64, 0x0005
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:homelongitude

2.416 PidNameContactsHomeTimeZone

Canonical name: PidNameContactsHomeTimeZone
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:hometimezone
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:hometimezone

2.417 PidNameContactsMapUrl

Canonical name: PidNameContactsMapUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:mapurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:mapurl

2.418 PidNameContactsOtherCountryCode

Canonical name: PidNameContactsOtherCountryCode
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:othercountrycode
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:othercountrycode

2.419 PidNameContactsOtherPager

Canonical name: PidNameContactsOtherPager
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:otherpager
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:otherpager

2.420 PidNameContactsOtherTimeZone

Canonical name: PidNameContactsOtherTimeZone
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:othertimezone
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:othertimezone

2.421 PidNameContactsProxyAddresses

Canonical name: PidNameContactsProxyAddresses
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:proxyaddresses

Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:proxyaddresses

2.422 PidNameContactsSecretaryUrl

Canonical name: PidNameContactsSecretaryUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:secretaryurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:secretaryurl

2.423 PidNameContactsSourceUrl

Canonical name: PidNameContactsSourceUrl
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:contacts:sourceurl
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCNTC]
Alternate names: urn:schemas:contacts:sourceurl

2.424 PidNameContentBase

Canonical name: PidNameContentBase
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Base
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL]
Alternate names: BodyContentBase

2.425 PidNameContentClass

Canonical name: PidNameContentClass
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Class
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXSHARE], [MS-XWDSHEMA], [MS-XWDCAL], [MS-XWDDOC], [MS-XWDCNTC]
Alternate names: DAV:contentclassDAV:contentclass, urn:schemas:mailheader:content-class

2.426 PidNameContentDisposition

Canonical name: PidNameContentDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Disposition

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-disposition

2.427 PidNameContentID

Canonical name: PidNameContentID

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-ID

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-id

2.428 PidNameContentLanguage

Canonical name: PidNameContentLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-language

2.429 PidNameContentLocation

Canonical name: PidNameContentLocation

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Location

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:content-location

2.430 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCICAL], [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:content-transfer-encoding

2.431 PidNameContentType

Canonical name: PidNameContentType
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Content-Type
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL], [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:content-type

2.432 PidNameControl

Canonical name: PidNameControl
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Control
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:control

2.433 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: CreateDtmRo
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Created

2.434 PidNameCrossReference

Canonical name: PidNameCrossReference
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Xref
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCMAIL], [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:xref

2.435 PidNameDavGetContentType

Canonical name: PidNameDavGetContentType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:getcontenttype

Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names:

2.436 PidNameDavId

Canonical name: PidNameDavId
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:id
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:id

2.437 PidNameDavIsCollection

Canonical name: PidNameDavIsCollection
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:iscollection
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:iscollection

2.438 PidNameDavIsStructuredDocument

Canonical name: PidNameDavIsStructuredDocument
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:isstructureddocument
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:isstructureddocument

2.439 PidNameDavParentName

Canonical name: PidNameDavParentName
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:parentname
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:parentname

2.440 PidNameDavResourceType

Canonical name: PidNameDavResourceType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:resourcetype
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:resourcetype

2.441 PidNameDavSearchRequest

Canonical name: PidNameDavSearchRequest
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:searchrequest
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:searchrequest

2.442 PidNameDavSearchType

Canonical name: PidNameDavSearchType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:searchtype
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDSEARCH]
Alternate names: DAV:searchtype

2.443 PidNameDavUid

Canonical name: PidNameDavUid
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DAV:uid
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL], [MS-XWDDOC]
Alternate names: DAV:uid

2.444 PidNameDisposition

Canonical name: PidNameDisposition
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Disposition
Data type: PtypString, 0x001F
Area: Email

References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:disposition

2.445 PidNameDispositionNotificationTo

Canonical name: PidNameDispositionNotificationTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Disposition-Notification-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:disposition-notification-to

2.446 PidNameDistribution

Canonical name: PidNameDistribution
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Distribution
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:distribution

2.447 PidNameDocumentParts

Canonical name: PidNameDocumentParts
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: DocParts
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDDOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#PartTitles

2.448 PidNameEditTime

Canonical name: PidNameEditTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: EditTime
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#TotalTime

2.449 PidNameExchangeIntendedBusyStatus

Canonical name: PidNameExchangeIntendedBusyStatus
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/intendedbusystatus

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/intendedbusystatus>

2.450 PidNameExchangeJunkEmailMoveStamp

Canonical name: PidNameExchangeJunkEmailMoveStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/junkemailmovestamp>

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCSPAM], [MS-OXORSS], [MS-XWDMAIL]

Alternate names: <http://schemas.microsoft.com/exchange/junkemailmovestamp>

2.451 PidNameExchangeModifyExceptionStructure

Canonical name: PidNameExchangeModifyExceptionStructure

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/modifyexceptionstruct>

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDCAL]

Alternate names: <http://schemas.microsoft.com/exchange/modifyexceptionstruct>

2.452 PidNameExchangeMsexchembdefaultmailfolder

Canonical name: PidNameExchangeMsexchembdefaultmailfolder

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder>

2.453 PidNameExchangeMsexchembdefaultmailfoldertype

Canonical name: PidNameExchangeMsexchembdefaultmailfoldertype

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype>

2.454 PidNameExchangeNoModifyExceptions

Canonical name: PidNameExchangeNoModifyExceptions
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/nomodifyexceptions
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/exchange/nomodifyexceptions

2.455 PidNameExchangePatternEnd

Canonical name: PidNameExchangePatternEnd
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/patternend
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/exchange/patternend

2.456 PidNameExchangePatternStart

Canonical name: PidNameExchangePatternStart
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/patternstart
Data type: PtypTime, 0x0040
Area: Common
References: [MS-XWDCAL]
Alternate names: http://schemas.microsoft.com/exchange/patternstart

2.457 PidNameExchangePublicFolderEmailAddress

Canonical name: PidNameExchangePublicFolderEmailAddress
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/publicfolderemailaddress
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDFOLD]
Alternate names: http://schemas.microsoft.com/exchange/publicfolderemailaddress

2.458 PidNameExchangeReminderInterval

Canonical name: PidNameExchangeReminderInterval
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: http://schemas.microsoft.com/exchange/reminderinterval
Data type: PtypInteger32, 0x0003
Area: Common

References: [MS-XWDCAL]

Alternate names: http://schemas.microsoft.com/exchange/reminderinterval

2.459 PidNameExchDatabaseSchema

Canonical name: PidNameExchDatabaseSchema

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:baseschema

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:baseschema

2.460 PidNameExchDataExpectedContentClass

Canonical name: PidNameExchDataExpectedContentClass

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:expected-content-class

Data type: PtypMultipleString, 0x101F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:expected-content-class

2.461 PidNameExchDataSchemaCollectionReference

Canonical name: PidNameExchDataSchemaCollectionReference

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:schema-collection-ref

Data type: PtypString, 0x001F

Area: Common

References: [MS-XWDCAL]

Alternate names: urn:schemas-microsoft-com:exch-data:schema-collection-ref

2.462 PidNameExpires

Canonical name: PidNameExpires

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expires

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:expires

2.463 PidNameExpiryDate

Canonical name: PidNameExpiryDate

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expiry-Date

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:expiry-date

2.464 PidNameFollowupTo

Canonical name: PidNameFollowupTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Followup-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:followup-to

2.465 PidNameFrom

Canonical name: PidNameFrom
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: From
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:organizer

2.466 PidNameHeadingPairs

Canonical name: PidNameHeadingPairs
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: HeadingPairs
Data type: PtypBinary, 0x0102
Area: Common
References: [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#HeadingPairs

2.467 PidNameHiddenCount

Canonical name: PidNameHiddenCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: HiddenCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#HiddenSlides

2.468 PidNameHttpmailCalendar

Canonical name: PidNameHttpmailCalendar
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:calendar
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:calendar

2.469 PidNameHttpmailCc

Canonical name: PidNameHttpmailCc
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:cc
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:cc

2.470 PidNameHttpmailContacts

Canonical name: PidNameHttpmailContacts
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:contacts
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCNTC]
Alternate names: urn:schemas:httpmail:contacts

2.471 PidNameHttpmailContentMediaType

Canonical name: PidNameHttpmailContentMediaType
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:content-media-type
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:content-media-type

2.472 PidNameHttpmailFrom

Canonical name: PidNameHttpmailFrom
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:from
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:from

2.473 PidNameHttpmailFromEmail

Canonical name: PidNameHttpmailFromEmail
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:fromemail
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:fromemail

2.474 PidNameHttpmailHtmlDescription

Canonical name: PidNameHttpmailHtmlDescription
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:htmldescription
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:htmldescription

2.475 PidNameHttpmailOutbox

Canonical name: PidNameHttpmailOutbox
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:outbox
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:outbox

2.476 PidNameHttpmailSendMessage

Canonical name: PidNameHttpmailSendMessage
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:sendmsg
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL], [MS-XWDCAL]
Alternate names: urn:schemas:httpmail:sendmsg

2.477 PidNameHttpmailSubmitted

Canonical name: PidNameHttpmailSubmitted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:submitted

Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:submitted

2.478 PidNameHttpmailTo

Canonical name: PidNameHttpmailTo
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:httpmail:to
Data type: PtypString, 0x001F
Area: Common
References: [MS-XWDMAIL]
Alternate names: urn:schemas:httpmail:to

2.479 PidNameICalendarRecurrenceDate

Canonical name: PidNameICalendarRecurrenceDate
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rdate
Data type: PtypMultipleTime, 0x1040
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rdate

2.480 PidNameICalendarRecurrenceRule

Canonical name: PidNameICalendarRecurrenceRule
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: urn:schemas:calendar:rrule
Data type: PtypMultipleString, 0x101F
Area: Common
References: [MS-XWDCAL]
Alternate names: urn:schemas:calendar:rrule

2.481 PidNameImportance

Canonical name: PidNameImportance
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Importance
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:importance

2.482 PidNameInReplyTo

Canonical name: PidNameInReplyTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: In-Reply-To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:in-reply-to

2.483 PidNameInstantMessagingAddress2

Canonical name: PidNameInstantMessagingAddress2
Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Property name: IMAddress2
Data type: PtypString, 0x001F
Area: Sync
References: [MS-OXVCARD]
Alternate names: IMAddress2

2.484 PidNameInstantMessagingAddress3

Canonical name: PidNameInstantMessagingAddress3
Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Property name: IMAddress3
Data type: PtypString, 0x001F
Area: Sync
References: [MS-OXVCARD]
Alternate names: IMAddress3

2.485 PidNameInternetComment

Canonical name: PidNameInternetComment
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Comment
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:comment

2.486 PidNameInternetKeywords

Canonical name: PidNameInternetKeywords
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Keywords
Data type: PtypString, 0x001F
Area: Email

References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:keywords

2.487 PidNameInternetSubject

Canonical name: PidNameInternetSubject
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Subject
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDCAL]
Alternate names: urn:schemas:mailheader:subject

2.488 PidNameKeywords

Canonical name: PidNameKeywords
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Keywords
Data type: PtypMultipleString, 0x101F
Area: General Message Properties
References: [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODOC], [MS-XWDDOC], [MS-XWDCAL], [MS-XWDMAIL]
Alternate names: urn:schemas-microsoft-com:office:office#Keywords,
<http://schemas.microsoft.com/exchange/keywords-utf8>

2.489 PidNameLastAuthor

Canonical name: PidNameLastAuthor
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastAuthor
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastAuthor

2.490 PidNameLastPrinted

Canonical name: PidNameLastPrinted
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastPrinted
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted

2.491 PidNameLastSaveDateTime

Canonical name: PidNameLastSaveDateTime
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LastSaveDtm
Data type: PtypTime, 0x0040
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LastSaved

2.492 PidNameLineCount

Canonical name: PidNameLineCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LineCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Lines

2.493 PidNameLines

Canonical name: PidNameLines
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Lines
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:lines

2.494 PidNameLinksDirty

Canonical name: PidNameLinksDirty
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: LinksDirty
Data type: PtypBoolean, 0x000B
Area: Common
References: [MS-XWDDOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#LinksUpToDate

2.495 PidNameMailSubmissionUri

Canonical name: PidNameMailSubmissionUri
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: MAIL:submissionuri
Data type: PtypString, 0x001F
Area: Common

References: [MS-XWDMAIL]
Alternate names: MAIL:submissionuri

2.496 PidNameManager

Canonical name: PidNameManager
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Manager
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Manager

2.497 PidNameMessageId

Canonical name: PidNameMessageId
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Message-ID
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:message-id

2.498 PidNameMimeVersion

Canonical name: PidNameMimeVersion
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Mime-Version
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:mime-version

2.499 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: MMClipCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#MultimediaClips

2.500 PidNameNewsgroups

Canonical name: PidNameNewsgroups
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Newsgroups

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:newsgroups

2.501 PidNameNntpPostingHost

Canonical name: PidNameNntpPostingHost
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: NNTP-Posting-Host
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:nntp-posting-host

2.502 PidNameNoteCount

Canonical name: PidNameNoteCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: NoteCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Notes

2.503 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSAccountGuid
Data type: PtypString, 0x001F
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.504 PidNameOMSMobileModel

Canonical name: PidNameOMSMobileModel
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: OMSMobileModel
Data type: PtypString, 0x001F
Area: SMS
References: [MS-OXOSMMS]
Alternate names:

2.505 PidNameOMSScheduleTime

Canonical name: PidNameOMSScheduleTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSScheduleTime

Data type: PtypTime, 0x0040

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.506 PidNameOMSServiceType

Canonical name: PidNameOMSServiceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSServiceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.507 PidNameOMSSourceType

Canonical name: PidNameOMSSourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSSourceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [MS-OXOSMMS]

Alternate names:

2.508 PidNameOrganization

Canonical name: PidNameOrganization

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Organization

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:organization

2.509 PidNameOriginalRecipient

Canonical name: PidNameOriginalRecipient

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Original-Recipient

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:original-recipient

2.510 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Pages

2.511 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Paragraphs

2.512 PidNamePath

Canonical name: PidNamePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:path

2.513 PidNamePhishingStamp

Canonical name: PidNamePhishingStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXPHISH]

Alternate names:

2.514 PidNamePostingVersion

Canonical name: PidNamePostingVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Posting-Version

Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:posting-version

2.515 PidNamePresentationFormat

Canonical name: PidNamePresentationFormat
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: PresFormat
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#PresentationFormat

2.516 PidNamePriority

Canonical name: PidNamePriority
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Priority
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:priority

2.517 PidNameQuarantineOriginalSender

Canonical name: PidNameQuarantineOriginalSender
Property set: PSETID_PublicStrings
Property name: quarantine-original-sender
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXCMAIL]
Alternate names:

2.518 PidNameReceived

Canonical name: PidNameReceived
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Received
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:received

2.519 PidNameReferences

Canonical name: PidNameReferences

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: References

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:references

2.520 PidNameRelayVersion

Canonical name: PidNameRelayVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Relay-Version

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:relay-version

2.521 PidNameReplyBy

Canonical name: PidNameReplyBy

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-By

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-by

2.522 PidNameReplyTo

Canonical name: PidNameReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:reply-to

2.523 PidNameReturnPath

Canonical name: PidNameReturnPath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Path

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-path

2.524 PidNameReturnReceiptTo

Canonical name: PidNameReturnReceiptTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Receipt-To

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:return-receipt-to

2.525 PidNameRevisionNumber

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Revision

2.526 PidNameRightsManagementLicense

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [MS-OXORMMS]

Alternate names:

2.527 PidNameScale

Canonical name: PidNameScale

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Scale

Data type: PtypBoolean, 0x000B

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#ScaleCrop

2.528 PidNameSecurity

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Security

2.529 PidNameSender

Canonical name: PidNameSender
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Sender
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:sender

2.530 PidNameSensitivity

Canonical name: PidNameSensitivity
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: Sensitivity
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:sensitivity

2.531 PidNameSlideCount

Canonical name: PidNameSlideCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: SlideCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Slides

2.532 PidNameSubject

Canonical name: PidNameSubject
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Subject
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC], [MS-OXOCAL]
Alternate names: urn:schemas-microsoft-com:office:office#Subject

2.533 PidNameSummary

Canonical name: PidNameSummary

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Summary

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:summary

2.534 PidNameTemplate

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXODOC], [MS-XWDDOC]

Alternate names: urn:schemas-microsoft-com:office:office#Template

2.535 PidNameThreadIndex

Canonical name: PidNameThreadIndex

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Index

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-index

2.536 PidNameThreadTopic

Canonical name: PidNameThreadTopic

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Topic

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:thread-topic

2.537 PidNameThumbnail

Canonical name: PidNameThumbnail

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Thumbnail

Data type: PtypBinary, 0x0102

Area: Common

References: [MS-XWDDOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#ThumbNail

2.538 PidNameTitle

Canonical name: PidNameTitle
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: Title
Data type: PtypString, 0x001F
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Title

2.539 PidNameTo

Canonical name: PidNameTo
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: To
Data type: PtypString, 0x001F
Area: Email
References: [MS-XWDMAIL]
Alternate names: urn:schemas:mailheader:to

2.540 PidNameWordCount

Canonical name: PidNameWordCount
Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Property name: WordCount
Data type: PtypInteger32, 0x0003
Area: Common
References: [MS-OXODOC], [MS-XWDDOC]
Alternate names: urn:schemas-microsoft-com:office:office#Words

2.541 PidNameXCallId

Canonical name: PidNameXCallId
Property set: PSETID_InternetHeaders
Property name: X-CallID
Data type: PtypString, 0x001F
Area: Unified Messaging
References: [MS-OXCMAIL]
Alternate names:

2.542 PidNameXFaxNumberOfPages

Canonical name: PidNameXFaxNumberOfPages
Property set: PSETID_InternetHeaders
Property name: X-FaxNumberOfPages

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.543 PidNameXMailer

Canonical name: PidNameXMailer

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Mailer

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-mailer

2.544 PidNameXMessageCompleted

Canonical name: PidNameXMessageCompleted

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Completed

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-completed

2.545 PidNameXMessageFlag

Canonical name: PidNameXMessageFlag

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Flag

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-message-flag

2.546 PidNameXRequireProtectedPlayOnPhone

Canonical name: PidNameXRequireProtectedPlayOnPhone

Property set: PSETID_InternetHeaders

Property name: X-RequireProtectedPlayOnPhone

Data type: PtypBoolean, 0x000B

Area: UM

References: [MS-OXOUM]

Alternate names:

2.547 PidNameXSenderTelephoneNumber

Canonical name: PidNameXSenderTelephoneNumber

Property set: PSETID_InternetHeaders

Property name: X-CallingTelephoneNumber

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.548 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.549 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.550 PidNameXSharingConfigUrl

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.551 PidNameXSharingExendedCaps

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.552 PidNameXSharingFlavor

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.553 PidNameXSharingInstanceGuid

Canonical name: PidNameXSharingInstanceGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.554 PidNameXSharingLocalType

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.555 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.556 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.557 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Provider-Url
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.558 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Name
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.559 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Path
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.560 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid
Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Property name: X-Sharing-Remote-Store-Uid
Data type: PtypString, 0x001F
Area: Sharing
References: [MS-OXSHARE]
Alternate names:

2.561 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.562 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [MS-OXSHARE]

Alternate names:

2.563 PidNameXUnsent

Canonical name: PidNameXUnsent

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Unsent

Data type: PtypString, 0x001F

Area: Email

References: [MS-XWDMAIL]

Alternate names: urn:schemas:mailheader:x-unsent

2.564 PidNameXVoiceMessageAttachmentOrder

Canonical name: PidNameXVoiceMessageAttachmentOrder

Property set: PSETID_InternetHeaders

Property name: X-AttachmentOrder

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.565 PidNameXVoiceMessageDuration

Canonical name: PidNameXVoiceMessageDuration

Property set: PSETID_InternetHeaders

Property name: X-VoiceMessageDuration

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.566 PidNameXVoiceMessageSenderName

Canonical name: PidNameXVoiceMessageSenderName

Property set: PSETID_InternetHeaders

Property name: X-VoiceMessageSenderName

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.567 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.568 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOJRNL]

Alternate names: PR_ACCESS, ptagAccess

2.569 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.570 PidTagAccount

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-OXCFCICS], [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG], [MS-XWDCNTC]

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W,
urn:schemas:contacts:account

2.571 PidTagAdditionalRenEntryIds

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPHISH]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS, ptagAdditionalRenEntryIds

2.572 PidTagAdditionalRenEntryIdsEx

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [MS-OXOSFLD]

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS_EX,
ptagAdditionalRenEntryIdsEx

2.573 PidTagAddressBookAuthorizedSenders

Canonical name: PidTagAddressBookAuthorizedSenders

Property ID: 0x8CD8

Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_AUTH_ORIG

2.574 PidTagAddressBookContainerId

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_CONTAINERID

2.575 PidTagAddressBookDeliveryContentLength

Canonical name: PidTagAddressBookDeliveryContentLength

Property ID: 0x806A

Data type: PtypInteger32, 0x0003
Area: Address Book
References: [MS-OXOAB], [MS-OXOABK]
Alternate names: PR_EMS_AB_DELIV_CONT_LENGTH

2.576 PidTagAddressBookDisplayNamePrintable

Canonical name: PidTagAddressBookDisplayNamePrintable
Property ID: 0x39FF
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXCMSG]
Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE,
PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A,
PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.577 PidTagAddressBookDisplayTypeExtended

Canonical name: PidTagAddressBookDisplayTypeExtended
Property ID: 0x8C93
Data type: PtypInteger32, 0x0003
Area: Exchange Address Book
References: [MS_OXOABK]
Alternate names: PR_EMS_AB_DISPLAY_TYPE_EX

2.578 PidTagAddressBookDistributionListExternalMemberCount

Canonical name: PidTagAddressBookDistributionListExternalMemberCount
Property ID: 0x8CE3
Data type: PtypInteger32, 0x0003
Area: Address Book
References: [MS-OXOAB], [MS-OXOABK]
Alternate names: PR_EMS_AB_DL_EXTERNAL_MEMBER_COUNT

2.579 PidTagAddressBookDistributionListMemberCount

Canonical name: PidTagAddressBookDistributionListMemberCount
Property ID: 0x8CE2
Data type: PtypInteger32, 0x0003
Area: Address Book
References: [MS-OXOAB], [MS-OXOABK]
Alternate names: PR_EMS_AB_DL_TOTAL_MEMBER_COUNT

2.580 PidTagAddressBookDistributionListMemberSubmitAccepted

Canonical name: PidTagAddressBookDistributionListMemberSubmitAccepted
Property ID: 0x8073
Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_MEM_SUBMIT_PERMS

2.581 PidTagAddressBookDistributionListMemberSubmitRejected

Canonical name: PidTagAddressBookDistributionListMemberSubmitRejected

Property ID: 0x8CDA

Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_MEM_REJECT_PERMS

2.582 PidTagAddressBookEntryId

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.583 PidTagAddressBookExtensionAttribute1

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.584 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,

PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A,

PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.585 PidTagAddressBookFolderPathname

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_FOLDER_PATHNAME,
PR_EMS_AB_FOLDER_PATHNAME_A, PR_EMS_AB_FOLDER_PATHNAME_W

2.586 PidTagAddressBookHierarchicalChildDepartments

Canonical name: PidTagAddressBookHierarchicalChildDepartments
Property ID: 0x8C9A
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.587 PidTagAddressBookHierarchicalDepartmentMembers

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers
Property ID: 0x8C97
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.588 PidTagAddressBookHierarchicalIsHierarchicalGroup

Canonical name: PidTagAddressBookHierarchicalIsHierarchicalGroup
Property ID: 0x8CDD
Data type: PtypBoolean, 0x000B
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_HAB_IS_HIERARCHICAL_GROUP,
PR_EMS_AB_IS_ORGANIZATIONAL

2.589 PidTagAddressBookHierarchicalParentDepartment

Canonical name: PidTagAddressBookHierarchicalParentDepartment
Property ID: 0x8C99
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.590 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment
Property ID: 0x8C98
Data type: PtypComObject, 0x000D

Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.591 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments
Property ID: 0x8C94
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.592 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase
Property ID: 0x8006
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXABREF], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]
Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A, PR_EMS_AB_HOME_MDB_W

2.593 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster
Property ID: 0xFFFFB
Data type: PtypBoolean, 0x000B
Area: Exchange Address Book
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_EMS_AB_IS_MASTER

2.594 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList
Property ID: 0x8008
Data type: PtypMultipleString, 0x101F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL, PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.595 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList
Property ID: 0x6704
Data type: PtypComObject, 0x000D

Area: Exchange Address Book
References: [MS-OXOABK], [MS-OXOABKT]
Alternate names: PR_EMS_AB_MANAGE_DL

2.596 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager
Property ID: 0x8005
Data type: PtypComObject, 0x000D
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A,
PR_EMS_AB_MANAGER_W

2.597 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName
Property ID: 0x8005
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_MANAGER_T

2.598 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember
Property ID: 0x8009
Data type: PtypMultipleString, 0x101F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A,
PR_EMS_AB_MEMBER_W

2.599 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId
Property ID: 0x674F
Data type: PtypInteger64, 0x0014
Area: ProviderDefinedNonTransmittable
References: [MS-OXCSTOR]
Alternate names: ptagAddrbookMID

2.600 PidTagAddressBookModerationEnabled

Canonical name: PidTagAddressBookModerationEnabled
Property ID: 0x8CB5
Data type: PtypBoolean, 0x000B
Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]
Alternate names: PR_EMS_AB_ENABLE_MODERATION

2.601 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress
Property ID: 0x8170
Data type: PtypMultipleString, 0x101F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_NETWORK_ADDRESS,
PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.602 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName
Property ID: 0x803C
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_EMS_AB_OBJ_DIST_NAME,
PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.603 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid
Property ID: 0x8C6D
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_OBJECT_GUID

2.604 PidTagAddressBookOrganizationalUnitRootDistinguishedName

Canonical name: PidTagAddressBookOrganizationalUnitRootDistinguishedName
Property ID: 0x8CA8
Data type: PtypString, 0x001F
Area: Exchange Address Book
References: [MS-OXOABK]
Alternate names: PR_EMS_AB_ORG_UNIT_ROOT_DN, msExchOURoot

2.605 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner
Property ID: 0x800C
Data type: PtypComObject, 0x000D
Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_O

2.606 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_OWNER_BL_O

2.607 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.608 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,

PR_EMS_AB_PHONETIC_COMPANY_NAME_A,

PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.609 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A,

PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.610 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.611 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A,
PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.612 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_PHONETIC_SURNAME,
PR_EMS_AB_PHONETIC_SURNAME_A, PR_EMS_AB_PHONETIC_SURNAME_W

2.613 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PROXY_ADDRESSES,
PR_EMS_AB_PROXY_ADDRESSES_A, PR_EMS_AB_PROXY_ADDRESSES_W

2.614 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK], [MS-OXODLGT]

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES,
PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.615 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A, PR_EMS_AB_REPORTS_W

2.616 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.617 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_CONTAINERS, PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.618 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION, PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.619 PidTagAddressBookSenderHintTranslations

Canonical name: PidTagAddressBookSenderHintTranslations

Property ID: 0x8CAC

Data type: PtypMultipleString, 0x101F

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_SENDER_HINT_TRANSLATIONS_W

2.620 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_SENIORITY_INDEX

2.621 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SENIORITY_INDEX

2.622 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_TARGET_ADDRESS,
PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.623 PidTagAddressBookUnauthorizedSenders

Canonical name: PidTagAddressBookUnauthorizedSenders

Property ID: 0x8CD9

Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_UNAUTH_ORIG

2.624 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_X509_CERT

2.625 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSTOR], [MS-EXOABK], [MS-EXOABKT], [MS-EXOMSG], [MS-EXORULE], [MS-EXOSRCH], [MS-EXPSVAL]

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType, PR_ADDRTYPE_W

2.626 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXTNEF]

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED, ptagAlternateRecipientAllowed

2.627 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [MS-EXOABK]

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.628 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-EXOAB], [MS-EXOABK], [MS-EXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W, urn:schemas:contacts:secretarycn

2.629 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-EXOAB], [MS-EXOABK], [MS-EXOCNTC], [MS-XWDCNTC]

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER,
PR_ASSISTANT_TELEPHONE_NUMBER_A,
PR_ASSISTANT_TELEPHONE_NUMBER_W, urn:schemas:contacts:secretaryphone

2.630 PidTagAssociated

Canonical name: PidTagAssociated
Property ID: 0x67AA
Data type: PtypBoolean, 0x000B
Area: Sync
References: [MS-OXCFXICS]
Alternate names: ptagAssociated

2.631 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation
Property ID: 0x370F
Data type: PtypBinary, 0x0102
Area: Message Attachment Properties
References: [MS-OXCMAIL], [MS-OXCMSG]
Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.632 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase
Property ID: 0x3711
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCMAIL], [MS-OXCMSG]
Alternate names: PR_ATTACH_CONTENT_BASE,
PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.633 PidTagAttachContentId

Canonical name: PidTagAttachContentId
Property ID: 0x3712
Data type: PtypString, 0x001F
Area: Message Attachment Properties
References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS],
[MS-OXOSMMS]
Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A,
PR_ATTACH_CONTENT_ID_W

2.634 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation
Property ID: 0x3713
Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_CONTENT_LOCATION,
PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.635 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary

Property ID: 0x3701

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.636 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.637 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR], [MS-OXTNEF]

Alternate names: PR_ATTACH_ENCODING

2.638 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXODOC], [MS-OXORMMS]

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A,
PR_ATTACH_EXTENSION_W

2.639 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.640 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_FLAGS

2.641 PidTagAttachLongFilename

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXODOC], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM], [MS-OXRTFEX], [MS-XWDMAIL]

Alternate names: PR_ATTACH_LONG_FILENAME, PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W, urn:schemas:httpmail:attachmentfilename

2.642 PidTagAttachLongPathname

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_LONG_PATHNAME, PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname, PR_ATTACH_LONG_PATHNAME_W

2.643 PidTagAttachmentContactPhoto

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCNTC], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.644 PidTagAttachmentFlags

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.645 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: PR_ATTACHMENT_HIDDEN

2.646 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOJRNL], [MS-OXORMDR]

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.647 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXMSG], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXPFOAB],

[MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.648 PidTagAttachMimeTag

Canonical name: PidTagAttachMimeTag

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOUM]

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A, PR_ATTACH_MIME_TAG_W

2.649 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCROPS], [MS-OXOCAL], [MS-OXRTFEX]

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.650 PidTagAttachPathname

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS]

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.651 PidTagAttachPayloadClass

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.652 PidTagAttachPayloadProviderGuidIdString

Canonical name: PidTagAttachPayloadProviderGuidIdString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [MS-OXCMAIL]

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR,
PR_ATTACH_PAYLOAD_PROV_GUID_STR_A,
PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.653 PidTagAttachRendering

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.654 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMDR]

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.655 PidTagAttachTag

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXORMMS], [MS-OXTNEF]

Alternate names: PR_ATTACH_TAG

2.656 PidTagAttachTransportName

Canonical name: PidTagAttachTransportName

Property ID: 0x370C

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_ATTACH_TRANSPORT_NAME,
PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.657 PidTagAttributeHidden

Canonical name: PidTagAttributeHidden

Property ID: 0x10F4

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [MS-OXCFOOLD], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden, DAV:ishidden

2.658 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly

Property ID: 0x10F6

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [MS-OXTNEF], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_ATTR_READONLY, ptagAttrReadonly, DAV:isreadonly

2.659 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem

Property ID: 0x10F5

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [MS-OXTNEF]

Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.660 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded

Property ID: 0x0005

Data type: PtypBoolean, 0x000B

Area: General Report Properties

References: [MS-OXCMAIL]

Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.661 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress

Property ID: 0x3FDF

Data type: PtypInteger32, 0x0003

Area: Email

References: [MS-OXCMAIL], [MS-OXORULE]

Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.662 PidTagBirthday

Canonical name: PidTagBirthday

Property ID: 0x3A42

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BIRTHDAY, urn:schemas:contacts:bday

2.663 PidTagBlockStatus

Canonical name: PidTagBlockStatus

Property ID: 0x1096

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXOMSG]

Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.664 PidTagBody

Canonical name: PidTagBody

Property ID: 0x1000

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXBBODY], [MS-OXCADATA], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXORMMS], [MS-OXOSMMS], [MS-OXRTFEX], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W, urn:schemas:httpmail:textdescription

2.665 PidTagBodyContentId

Canonical name: PidTagBodyContentId

Property ID: 0x1015

Data type: PtypString, 0x001F

Area: Exchange

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A, PR_BODY_CONTENT_ID_W

2.666 PidTagBodyContentLocation

Canonical name: PidTagBodyContentLocation

Property ID: 0x1014

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_BODY_CONTENT_LOCATION,
PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.667 PidTagBodyHtml

Canonical name: PidTagBodyHtml

Property ID: 0x1013

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]

Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml,
PR_BODY_HTML_W

2.668 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: "PR_BUSINESS2_TELEPHONE_NUMBER,
PR_BUSINESS2_TELEPHONE_NUMBER_A,
PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER,
urn:schemas:contacts:telephonenumber2

2.669 PidTagBusiness2TelephoneNumbers

Canonical name: PidTagBusiness2TelephoneNumbers

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOABK]

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.670 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A,
PR_BUSINESS_FAX_NUMBER_W, urn:schemas:contacts:facsimiletelephonenumber

2.671 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A, PR_BUSINESS_HOME_PAGE_W, urn:schemas:contacts:businesshomepageurn:schemas:contacts:businesshomepage

2.672 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_BUSINESS_TELEPHONE_NUMBER, PR_BUSINESS_TELEPHONE_NUMBER_A, PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER, urn:schemas:contacts:telephoneNumber

2.673 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER, PR_CALLBACK_TELEPHONE_NUMBER_A, PR_CALLBACK_TELEPHONE_NUMBER_W, urn:schemas:contacts:callbackphone

2.674 PidTagCallId

Canonical name: PidTagCallId

Property ID: 0x6806

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaCallID

2.675 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber

Property ID: 0x3A1E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CAR_TELEPHONE_NUMBER,
PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W,
urn:schemas:contacts:othermobile

2.676 PidTagCdoRecurrenceid

Canonical name: PidTagCdoRecurrenceid

Property ID: 0x10C5

Data type: PtypTime, 0x0040

Area: Exchange Property set

References: [MS-XWDCAL]

Alternate names: PR_CDO_RECURRENCEID, urn:schemas:calendar:recurrenceid

2.677 PidTagChangeKey

Canonical name: PidTagChangeKey

Property ID: 0x65E2

Data type: PtypBinary, 0x0102

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT],
[MS-OXCSYNC]

Alternate names: PR_CHANGE_KEY

2.678 PidTagChangeNotificationGuid

Canonical name: PidTagChangeNotificationGuid

Property ID: 0x6637

Data type: PtypGuid, 0x0048

Area: Exchange

References: [MS-OXCNOTIF]

Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.679 PidTagChangeNumber

Canonical name: PidTagChangeNumber

Property ID: 0x67A4

Data type: PtypInteger64, 0x0014

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSTOR]

Alternate names: ptagCn

2.680 PidTagChildrensNames

Canonical name: PidTagChildrensNames

Property ID: 0x3A58

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A, PR_CHILDRENS_NAMES_W, urn:schemas:contacts:childrensnames

2.681 PidTagClientActions

Canonical name: PidTagClientActions

Property ID: 0x6645

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.682 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime

Property ID: 0x0039

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_CLIENT_SUBMIT_TIME, urn:schemas:httpmail:date, http://schemas.microsoft.com/exchange/date-iso

2.683 PidTagCnsetRead

Canonical name: PidTagCnsetRead

Property ID: 0x67D2

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagCnsetRead

2.684 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen

Property ID: 0x6796

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagCnsetSeen

2.685 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI

Property ID: 0x67DA

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable
References: [MS-OXCFXICS]
Alternate names: ptagCnsetSeenFAI

2.686 PidTagCodePageId

Canonical name: PidTagCodePageId
Property ID: 0x66C3
Data type: PtypInteger32, 0x0003
Area: Exchange Profile Configuration
References: [MS-OXCSTOR]
Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.687 PidTagComment

Canonical name: PidTagComment
Property ID: 0x3004
Data type: PtypString, 0x001F
Area: Common Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOAB], [MS-OXOABK], [MS-XWDCAL], [MS-XWDMAIL]
Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W, DAV:comment, <http://schemas.microsoft.com/exchange/summary-utf8>

2.688 PidTagCompanyMainTelephoneNumber

Canonical name: PidTagCompanyMainTelephoneNumber
Property ID: 0x3A57
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER, PR_COMPANY_MAIN_PHONE_NUMBER_A, PR_COMPANY_MAIN_PHONE_NUMBER_W, urn:schemas:contacts:organizationmainphone

2.689 PidTagCompanyName

Canonical name: PidTagCompanyName
Property ID: 0x3A16
Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A, PR_COMPANY_NAME_W, urn:schemas:contacts:o

2.690 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_COMPUTER_NETWORK_NAME,
PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W,
urn:schemas:contacts:computernetworkname

2.691 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.692 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [MS-OXCSYNC]

Alternate names: PR_CONFLICT_ITEMS

2.693 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOSFLD], [MS-OXOSRCH], [MS-OXSHARE], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDCNTC]

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A,
ptagContainerClass, PR_CONTAINER_CLASS_W,
<http://schemas.microsoft.com/exchange/outlookfolderclass>
<http://schemas.microsoft.com/exchange/outlookfolderclass>

2.694 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOABK]

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.695 PidTagContainerFlags

Canonical name: PidTagContainerFlags

Property ID: 0x3600

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-NSPI], [MS-OXOABK]

Alternate names: PR_CONTAINER_FLAGS

2.696 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy

Property ID: 0x360E

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.697 PidTagContentCount

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXPROTO]

Alternate names: PR_CONTENT_COUNT, ptagContentCount, DAV:visiblecount

2.698 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [MS-OXCMAIL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.699 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [MS-OXCFOLD], [MS-OXCTABL], [MS-OXPROTO]
Alternate names: PR_CONTENT_UNREAD, ptagContentUnread,
urn:schemas:httpmail:unreadcount

2.700 PidTagConversationId

Canonical name: PidTagConversationId
Property ID: 0x3013
Data type: PtypBinary, 0x0102
Area: Conversations
References: [MS-OXOCFG], [MS-OXOMSG]
Alternate names: PR_CONVERSATION_ID

2.701 PidTagConversationIndex

Canonical name: PidTagConversationIndex
Property ID: 0x0071
Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXTNEF]
Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.702 PidTagConversationIndexTracking

Canonical name: PidTagConversationIndexTracking
Property ID: 0x3016
Data type: PtypBoolean, 0x000B
Area: Conversations
References: [MS-OXOMSG]
Alternate names: PR_CONVERSATION_INDEX_TRACKING

2.703 PidTagConversationTopic

Canonical name: PidTagConversationTopic
Property ID: 0x0070
Data type: PtypString, 0x001F
Area: General Message Properties Property set
References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A,
ptagConversationTopic, PR_CONVERSATION_TOPIC_W, urn:schemas:httpmail:thread-
topic

2.704 PidTagCountry

Canonical name: PidTagCountry
Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXCMAIL], [MS-XWDCNTC]

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W, PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A, PR_BUSINESS_ADDRESS_COUNTRY_W, urn:schemas:contacts:mailingcountry

2.705 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [MS-OXCMAIL]

Alternate names: PR_CREATION_TIME, ptagCreationTime, DAV:creationdate

2.706 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId

Property ID: 0x3FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.707 PidTagCreatorName

Canonical name: PidTagCreatorName

Property ID: 0x3FF8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName, PR_CREATOR_NAME_W

2.708 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName

Property ID: 0x4038

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagCreatorSimpleDispName

2.709 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F
Area: Contact Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A,
PR_CUSTOMER_ID_W, urn:schemas:contacts:customerid

2.710 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched
Property ID: 0x6647
Data type: PtypBoolean, 0x000B
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.711 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId
Property ID: 0x6646
Data type: PtypBinary, 0x0102
Area: Server-side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.712 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass
Property ID: 0x36E5
Data type: PtypString, 0x001F
Area: MapiContainer
References: [MS-OXOCAL]
Alternate names: PR_DEF_POST_MSGCLASS

2.713 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime
Property ID: 0x000F
Data type: PtypTime, 0x0040
Area: MapiEnvelope Property set
References: [MS-OXOMSG], [MS-XWDMAIL]
Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime,
<http://schemas.microsoft.com/exchange/deferred-delivery-iso>

2.714 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber
Property ID: 0x3FEB
Data type: PtypInteger32, 0x0003

Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_NUMBER

2.715 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime
Property ID: 0x3FEF
Data type: PtypTime, 0x0040
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.716 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits
Property ID: 0x3FEC
Data type: PtypInteger32, 0x0003
Area: MapiStatus
References: [MS-OXOMSG]
Alternate names: PR_DEFERRED_SEND_UNITS

2.717 PidTagDelegatedByRule

Canonical name: PidTagDelegatedByRule
Property ID: 0x3FE3
Data type: PtypBoolean, 0x000B
Area: MapiStatus
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_DELEGATED_BY_RULE

2.718 PidTagDelegateFlags

Canonical name: PidTagDelegateFlags
Property ID: 0x686B
Data type: PtypMultipleInteger32, 0x1003
Area: MessageClassDefinedTransmittable
References: [MS-OXODLGT]
Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.719 PidTagDelegation

Canonical name: PidTagDelegation
Property ID: 0x007E
Data type: PtypBinary, 0x0102
Area: MapiEnvelope
References: [MS-OXTNEF]
Alternate names: PR_DELEGATION

2.720 PidTagDeleteAfterSubmit

Canonical name: PidTagDeleteAfterSubmit

Property ID: 0x0E01

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCICAL], [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.721 PidTagDeletedOn

Canonical name: PidTagDeletedOn

Property ID: 0x668F

Data type: PtypTime, 0x0040

Area: ExchangeFolder Property set

References: [MS-OXCFOLD], [MS-XWDMAIL]

Alternate names: PR_DELETED_ON, ptagDeletedOn, urn:schemas:httpmail:deletedon

2.722 PidTagDepartmentName

Canonical name: PidTagDepartmentName

Property ID: 0x3A18

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A, PR_DEPARTMENT_NAME_W, urn:schemas:contacts:department

2.723 PidTagDepth

Canonical name: PidTagDepth

Property ID: 0x3005

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [MS-NSPI], [MS-OXCTABL], [MS-OXOABK], [MS-OXOABKT]

Alternate names: PR_DEPTH, ptagDepth

2.724 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc

Property ID: 0x0E02

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W, urn:schemas:httpmail:displaybcc

2.725 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [MS-OXCMSG], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W, urn:schemas:httpmail:displaycc

2.726 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOPFFB], [MS-OXORMDR], [MS-OXORMMS], [MS-OXORULE], [MS-OXOSMIME], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXSHARE], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W, urn:schemas:contacts:cn

2.727 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W, urn:schemas:contacts:personaltitle

2.728 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.729 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.730 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_DISPLAY_TYPE_EX

2.731 PidTagEcWarning

Canonical name: PidTagEcWarning

Property ID: 0x400F

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagEcWarning

2.732 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCSPAM], [MS-OXOAB], [MS-OXOABK], [MS-OXOABKT], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPFFB], [MS-OXORULE], [MS-OXOSRCH], [MS-OXPROTO], [MS-OXPSVAL]

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A, PR_EMAIL_ADDRESS_W

2.733 PidTagEndDate

Canonical name: PidTagEndDate

Property ID: 0x0061

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_END_DATE, http://schemas.microsoft.com/mapi/end_date

2.734 PidTagEntryId

Canonical name: PidTagEntryId

Property ID: 0x0FFF

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCADATA], [MS-OXCFCICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPerm], [MS-OXOABK], [MS-OXOABKT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXPFOAB], [MS-OXSHARE], [MS-OXWAVLS], [MS-OXOCFG]

Alternate names: PR_ENTRYID, ptagEntryId

2.735 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.736 PidTagExceptionReplaceTime

Canonical name: PidTagExceptionReplaceTime

Property ID: 0x7FF9

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXOCAL]

Alternate names: PR_EXCEPTION_REPLACETIME

2.737 PidTagExceptionStartTime

Canonical name: PidTagExceptionStartTime

Property ID: 0x7FFB

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR]

Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.738 PidTagExchangeNTSecurityDescriptor

Canonical name: PidTagExchangeNTSecurityDescriptor

Property ID: 0x0E84

Data type: PtypBinary, 0x0102

Area: Calendar Document Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: <http://schemas.microsoft.com/exchange/ntsecuritydescriptor>,
<http://schemas.microsoft.com/exchange/ntsecuritydescriptor>

2.739 PidTagExpiryNumber

Canonical name: PidTagExpiryNumber

Property ID: 0x3FED

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_NUMBER

2.740 PidTagExpiryTime

Canonical name: PidTagExpiryTime

Property ID: 0x0015

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_EXPIRY_TIME, ptagExpiryTime, urn:schemas:httpmail:expiry-date,
<http://schemas.microsoft.com/exchange/expiry-date-iso>

2.741 PidTagExpiryUnits

Canonical name: PidTagExpiryUnits

Property ID: 0x3FEE

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXOMSG]

Alternate names: PR_EXPIRY_UNITS

2.742 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags

Property ID: 0x36DA

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXCICAL], [MS-OXOCFG], [MS-OXOSRCH]

Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.743 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions

Property ID: 0x0E99

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.744 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition

Property ID: 0x0E9A

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXCPRPT], [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.745 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit

Property ID: 0x0E9B

Data type: PtypInteger32, 0x0003

Area: Rules

References: [MS-OXCSTOR], [MS-OXORULE]

Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.746 PidTagFaxNumberOfPages

Canonical name: PidTagFaxNumberOfPages

Property ID: 0x6804

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [MS-OXCMAIL]

Alternate names: InternalSchemaFaxNumberOfPages

2.747 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime

Property ID: 0x1091

Data type: PtypTime, 0x0040

Area: Miscellaneous Properties Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime, urn:schemas:httpmail:flagcompleted

2.748 PidTagFlagStatus

Canonical name: PidTagFlagStatus

Property ID: 0x1090

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.749 PidTagFlatUrlName

Canonical name: PidTagFlatUrlName

Property ID: 0x670E

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_FLAT_URL_NAME, PR_FLAT_URL_NAME_A, PR_FLAT_URL_NAME_W, ptagFlatURLName, <http://schemas.microsoft.com/exchange/permanenturl>

2.750 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer

References: [MS-OXCFXICS], [MS-OXCICAL]

Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.751 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFCAL], [MS-OXCFXICS], [MS-OXCROPS], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX]

Alternate names: ptagFID

2.752 PidTagFolderType

Canonical name: PidTagFolderType

Property ID: 0x3601

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [MS-OXCFCAL], [MS-OXCICAL], [MS-OXOSRCH]

Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.753 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon

Property ID: 0x1095

Data type: PtypInteger32, 0x0003

Area: RenMessageFolder

References: [MS-OXCFXICS], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.754 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths

Property ID: 0x6869

Data type: PtypInteger32, 0x0003

Area: MessageClassDefinedTransmittable

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.755 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds

Property ID: 0x36E4

Data type: PtypMultipleBinary, 0x1102

Area: MapiContainer

References: [MS-OXODLGT], [MS-OXOPFFB], [MS-OXOSFLD]

Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.756 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress

Property ID: 0x6849

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_EMA

2.757 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_FREEBUSY_PUBLISH_END

2.758 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart

Property ID: 0x6847

Data type: PtypInteger32, 0x0003
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_PUBLISH_START

2.759 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp
Property ID: 0x6868
Data type: PtypTime, 0x0040
Area: Free/Busy Properties
References: [MS-OXOPFFB]
Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.760 PidTagFtpSite

Canonical name: PidTagFtpSite
Property ID: 0x3A4C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W,
urn:schemas:contacts:ftpsite

2.761 PidTagFXDelProp

Canonical name: PidTagFXDelProp
Property ID: 0x4016
Data type: PtypInteger32, 0x0003
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagFXDelProp

2.762 PidTagGatewayNeedsToRefresh

Canonical name: PidTagGatewayNeedsToRefresh
Property ID: 0x6846
Data type: PtypBoolean, 0x000B
Area: MessageClassDefinedTransmittable
References: [MS-OXOPFFB]
Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.763 PidTagGender

Canonical name: PidTagGender
Property ID: 0x3A4D
Data type: PtypInteger16, 0x0002
Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GENDER, urn:schemas:contacts:gender

2.764 PidTagGeneration

Canonical name: PidTagGeneration

Property ID: 0x3A05

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W,
urn:schemas:contacts:namesuffix

2.765 PidTagGivenName

Canonical name: PidTagGivenName

Property ID: 0x3A06

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W,
urn:schemas:contacts:givenName

2.766 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber

Property ID: 0x3A07

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_GOVERNMENT_ID_NUMBER,
PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W,
urn:schemas:contacts:governmentid

2.767 PidTagHasAttachments

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties Property set

References: [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCFG], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_HASATTACH, ptagHasAttach, urn:schemas:httpmail:hasattachment

2.768 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B
Area: Rules
References: [MS-OXORULE]
Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.769 PidTagHasNamedProperties

Canonical name: PidTagHasNamedProperties
Property ID: 0x664A
Data type: PtypBoolean, 0x000B
Area: ExchangeMessageReadOnly
References: [MS-OXCFXICS], [MS-OXCMSG]
Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.770 PidTagHasRules

Canonical name: PidTagHasRules
Property ID: 0x663A
Data type: PtypBoolean, 0x000B
Area: ExchangeFolder
References: [MS-OXORULE]
Alternate names: PR_HAS_RULES, ptagHasRules

2.771 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber
Property ID: 0x663E
Data type: PtypInteger32, 0x0003
Area: ExchangeFolder
References: [MS-OXCFOLD]
Alternate names: PR_HIERARCHY_CHANGE_NUM

2.772 PidTagHobbies

Canonical name: PidTagHobbies
Property ID: 0x3A43
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_HOBBIES, PR_HOBBIES_A, PR_HOBBIES_W,
urn:schemas:contacts:hobbies

2.773 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber
Property ID: 0x3A2F
Data type: PtypString, 0x001F
Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_HOME2_TELEPHONE_NUMBER,
PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W,
urn:schemas:contacts:homephone2

2.774 PidTagHome2TelephoneNumbers

Canonical name: PidTagHome2TelephoneNumbers
Property ID: 0x3A2F
Data type: PtypMultipleString, 0x101F
Area: MapiMailUser
References: [MS-OXOABK]
Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.775 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity
Property ID: 0x3A59
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A,
PR_HOME_ADDRESS_CITY_W, urn:schemas:contacts:homeCity

2.776 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry
Property ID: 0x3A5A
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]
Alternate names: PR_HOME_ADDRESS_COUNTRY,
PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W,
urn:schemas:contacts:homeCountry

2.777 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode
Property ID: 0x3A5B
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]
Alternate names: PR_HOME_ADDRESS_POSTAL_CODE,
PR_HOME_ADDRESS_POSTAL_CODE_A,
PR_HOME_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:homePostalCode

2.778 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,
PR_HOME_ADDRESS_POST_OFFICE_BOX_A,
PR_HOME_ADDRESS_POST_OFFICE_BOX_W,
urn:schemas:contacts:homepostofficebox

2.779 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_A,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:homeState

2.780 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A,
PR_HOME_ADDRESS_STREET_W, urn:schemas:contacts:homeStreet

2.781 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A,
PR_HOME_FAX_NUMBER_W, urn:schemas:contacts:homefax

2.782 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_HOME_TELEPHONE_NUMBER,
PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W,
urn:schemas:contacts:homePhone

2.783 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXBBODY], [MS-OXCMAIL], [MS-OXOPOST], [MS-OXORMMS],
[MS-OXORSS], [MS-OXOSMMS]

Alternate names: PR_HTML, ptagHtml

2.784 PidTagICalendarEndTime

Canonical name: PidTagICalendarEndTime

Property ID: 0x10C4

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtend

2.785 PidTagICalendarReminderNextTime

Canonical name: PidTagICalendarReminderNextTime

Property ID: 0x10CA

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:remindernexttime

2.786 PidTagICalendarStartTime

Canonical name: PidTagICalendarStartTime

Property ID: 0x10C3

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [MS-XWDCAL]

Alternate names: urn:schemas:calendar:dtstart

2.787 PidTagIconIndex

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPOST], [MS-OXOSMMS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.788 PidTagIdsetDeleted

Canonical name: PidTagIdsetDeleted

Property ID: 0x67E5

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [MS-OXCFXICS]

Alternate names: ptagIdsetDeleted

2.789 PidTagIdsetExpired

Canonical name: PidTagIdsetExpired

Property ID: 0x6793

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS]

Alternate names: ptagMidsetExpired

2.790 PidTagIdsetGiven

Canonical name: PidTagIdsetGiven

Property ID: 0x4017

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagIdsetGiven

2.791 PidTagIdsetRead

Canonical name: PidTagIdsetRead

Property ID: 0x402D

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagIdsetRead

2.792 PidTagIdsetNoLongerInScope

Canonical name: PidTagIdsetNoLongerInScope

Property ID: 0x4021

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS]
Alternate names: ptagSoftDeletes

2.793 PidTagIdsetUnread

Canonical name: PidTagIdsetUnread
Property ID: 0x402E
Data type: PtypBinary, 0x0102
Area: TransportEnvelope
References: [MS-OXCFXICS]
Alternate names: ptagIdsetUnread

2.794 PidTagImapCachedMsgsize

Canonical name: PidTagImapCachedMsgsize
Property ID: 0x10F0
Data type: PtypBinary, 0x0102
Area: RenMessageFolder
References: [MS-OXTNEF]
Alternate names: ptagImapCachedMsgsize

2.795 PidTagImportance

Canonical name: PidTagImportance
Property ID: 0x0017
Data type: PtypInteger32, 0x0003
Area: General Message Properties Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCFG], [MS-OXOMSG], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_IMPORTANCE, ptagImportance, urn:schemas:httpmail:importance, <http://schemas.microsoft.com/exchange/importance-long>, <http://schemas.microsoft.com/exchange/x-priority-long>

2.796 PidTagInConflict

Canonical name: PidTagInConflict
Property ID: 0x666C
Data type: PtypBoolean, 0x000B
Area: Conflict Note
References: [MS-OXCSYNC]
Alternate names: PR_IN_CONFLICT, ptagInConflict

2.797 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial
Property ID: 0x407A
Data type: PtypInteger32, 0x0003
Area: ICS

References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncMsgPartial

2.798 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId
Property ID: 0x407C
Data type: PtypInteger32, 0x0003
Area: ICS
References: [MS-OXCFXICS]
Alternate names: ptagIncrSyncGroupId

2.799 PidTagInitialDetailsPane

Canonical name: PidTagInitialDetailsPane
Property ID: 0x3F08
Data type: PtypInteger32, 0x0003
Area: MAPI Display Tables
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_INITIAL_DETAILS_PANE

2.800 PidTagInitials

Canonical name: PidTagInitials
Property ID: 0x3A0A
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W,
urn:schemas:contacts:initials

2.801 PidTagInReplyToId

Canonical name: PidTagInReplyToId
Property ID: 0x1042
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXCMAIL], [MS-OXOMSG]
Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A,
PR_IN_REPLY_TO_ID_W

2.802 PidTagInstanceKey

Canonical name: PidTagInstanceKey
Property ID: 0x0FF6
Data type: PtypBinary, 0x0102
Area: Table Properties
References: [MS-NSPI], [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCMSG], [MS-

OXOABK], [MS-OXOABKT]

Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.803 PidTagInstanceNum

Canonical name: PidTagInstanceNum

Property ID: 0x674E

Data type: PtypInteger32, 0x0003

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstanceNum

2.804 PidTagInstID

Canonical name: PidTagInstID

Property ID: 0x674D

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [MS-OXCTABL], [MS-OXOPFFB]

Alternate names: ptagInstID

2.805 PidTagInternetArticleNumber

Canonical name: PidTagInternetArticleNumber

Property ID: 0x0E23

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS]

Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.806 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage

Property ID: 0x3FDE

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXORMMS], [MS-OXORSS], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.807 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat

Property ID: 0x5902

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.808 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId

Property ID: 0x1035

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.809 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCMAIL]

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A, PR_INTERNET_REFERENCES_W

2.810 PidTagInternetReturnPath

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [MS-OXCICAL]

Alternate names: PR_INTERNET_RETURN_PATH, PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.811 PidTagIpmAppointmentEntryId

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.812 PidTagIpmContactEntryId

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-OXODLGT], [MS-OXOSFLD]

Alternate names: PR_IPM_CONTACT_ENTRYID

2.813 PidTagIpmDraftsEntryId

Canonical name: PidTagIpmDraftsEntryId
Property ID: 0x36D7
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXOSFLD]
Alternate names: PR_IPM_DRAFTS_ENTRYID

2.814 PidTagIpmJournalEntryId

Canonical name: PidTagIpmJournalEntryId
Property ID: 0x36D2
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_JOURNAL_ENTRYID

2.815 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId
Property ID: 0x36D3
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_NOTE_ENTRYID

2.816 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId
Property ID: 0x36D4
Data type: PtypBinary, 0x0102
Area: Folder Properties
References: [MS-OXODLGT], [MS-OXOSFLD]
Alternate names: PR_IPM_TASK_ENTRYID

2.817 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber
Property ID: 0x3A2D
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A, PR_ISDN_NUMBER_W, urn:schemas:contacts:internationalisdnnumber

2.818 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags

Property ID: 0x1097

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFOLD]

Alternate names: PR_ITEM_TMPFLAGS

2.819 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList

Property ID: 0x6103

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.820 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts

Property ID: 0x6100

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.821 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete

Property ID: 0x6102

Data type: PtypInteger32, 0x0003

Area: Spam

References: [MS-OXCSPAM]

Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.822 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks

Property ID: 0x6107

Data type: PtypBoolean, 0x000B

Area: Spam

References: [MS-OXCSPAM], [MS-OXPHISH]

Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.823 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold

Property ID: 0x6101

Data type: PtypInteger32, 0x0003
Area: Spam
References: [MS-OXCSPAM]
Alternate names: PR_JUNK_THRESHOLD

2.824 PidTagKeyword

Canonical name: PidTagKeyword
Property ID: 0x3A0B
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCFG]
Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.825 PidTagLanguage

Canonical name: PidTagLanguage
Property ID: 0x3A0C
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W,
urn:schemas:contacts:language

2.826 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime
Property ID: 0x3008
Data type: PtypTime, 0x0040
Area: Message Time Properties Property set
References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXCMSG], [MS-OXCPRPT], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOABK],
[MS-OXOCFG], [MS-OXORMDR], [MS-OXORMMS], [MS-OXTNEF], [MS-XWDCAL]
Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime,
urn:schemas:calendar:lastmodifiedtime, DAV:getlastmodified

2.827 PidTagLastModifierEntryId

Canonical name: PidTagLastModifierEntryId
Property ID: 0x3FFB
Data type: PtypBinary, 0x0102
Area: History Properties
References: [MS-OXCMSG], [MS-OXTNEF]
Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.828 PidTagLastModifierName

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXTNEF]

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.829 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName

Property ID: 0x4039

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagLastModifierSimpleDispName

2.830 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.831 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [MS-OXCICAL]

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.832 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.833 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A, PR_LIST_SUBSCRIBE_W

2.834 PidTagListUnsubscribe

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [MS-OXCMAIL]

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A, PR_LIST_UNSUBSCRIBE_W

2.835 PidTagLocalCommitTime

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [MS-OXCMSG]

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.836 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCMSG], [MS-OXCSTOR]

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.837 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W,

PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A,
PR_BUSINESS_ADDRESS_LOCALITY_W, urn:schemas:contacts:mailingcity

2.838 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXWAVLS], [MS-XWDCNTC]

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W,
urn:schemas:contacts:location

2.839 PidTagMailboxOwnerEntryId

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.840 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [MS-OXCSTOR], [MS-OXOCAL]

Alternate names: PR_MAILBOX_OWNER_NAME,
PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName,
PR_MAILBOX_OWNER_NAME_W

2.841 PidTagManagerName

Canonical name: PidTagManagerName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A,
PR_MANAGER_NAME_W, urn:schemas:contacts:manager

2.842 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102
Area: Miscellaneous Properties
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.843 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize
Property ID: 0x666D
Data type: PtypInteger32, 0x0003
Area: Message Store Properties
References: [MS-OXCSTOR]
Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.844 PidTagMemberId

Canonical name: PidTagMemberId
Property ID: 0x6671
Data type: PtypInteger64, 0x0014
Area: Access Control Properties
References: [MS-OXCPERM]
Alternate names: PR_MEMBER_ID, ptagMemberId

2.845 PidTagMemberName

Canonical name: PidTagMemberName
Property ID: 0x6672
Data type: PtypString, 0x001F
Area: Access Control Properties
References: [MS-OXCPERM]
Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.846 PidTagMemberRights

Canonical name: PidTagMemberRights
Property ID: 0x6673
Data type: PtypInteger32, 0x0003
Area: Access Control Properties
References: [MS-OXCFOLD], [MS-OXCPERM], [MS-OXODLGT]
Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.847 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments
Property ID: 0x0E13
Data type: PtypComObject, 0x000D
Area: Message Attachment Properties

References: [MS-OXCADATA], [MS-OXCFXICS]

Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.848 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.849 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common Property set

References: [MS-OXBBODY], [MS-OXCADATA], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCROPS], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXODOC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMIME], [MS-OXOSMMS], [MS-OXOSRCH], [MS-OXOTASK], [MS-OXOUM], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC], [MS-XWDCNTC]

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W, <http://schemas.microsoft.com/exchange/outlookmessageclass><http://schemas.microsoft.com/exchange/outlookmessageclass>

2.850 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXPFOAB], [MS-OXTNEF]

Alternate names: PR_MESSAGE_CODEPAGE

2.851 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCTABL], [MS-OXOCFG], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORSS], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_MESSAGE_DELIVERY_TIME, urn:schemas:httpmail:datereceived

2.852 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat

Property ID: 0x5909

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.853 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXORSS], [MS-OXORULE], [MS-OXOSFLD], [MS-OXOSMMS], [MS-OXTNEF]

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.854 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-XWDCNTC]

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W, urn:schemas:contacts:dn

2.855 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_LOCALE_ID

2.856 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.857 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients

Property ID: 0x0E12

Data type: PtypComObject, 0x000D

Area: Address Properties

References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCSPAM], [MS-OXTNEF]

Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.858 PidTagMessageSize

Canonical name: PidTagMessageSize

Property ID: 0x0E08

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCSTOR], [MS-OXOCFG], [MS-OXPFOAB]

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.859 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [MS-OXCFOLD], [MS-OXCSTOR]

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.860 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCSYNC]

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.861 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.862 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.863 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties Property set

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXCTABL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXOPFFB], [MS-OXOTASK], [MS-OXRTFEX], [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: ptagMID, <http://schemas.microsoft.com/exchange/mid>

2.864 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A, PR_MIDDLE_NAME_W, urn:schemas:contacts:middlename

2.865 PidTagMimeSkeleton

Canonical name: PidTagMimeSkeleton

Property ID: 0x0470

Data type: PtypBinary, 0x0102

Area: MIME properties

References: [MS-OXCMAIL]

Alternate names: ptagMimeSkeleton

2.866 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_MOBILE_TELEPHONE_NUMBER, PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W, urn:schemas:contacts:mobile

2.867 PidTagNativeBody

Canonical name: PidTagNativeBody

Property ID: 0x1016

Data type: PtypInteger32, 0x0003

Area: BestBody

References: [MS-OXBBODY]

Alternate names: PR_NATIVE_BODY_INFO, ptagNativeBodyInfo

2.868 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [MS-OXCFXICS]

Alternate names: ptagNewFXFolder

2.869 PidTagNextSendAcct

Canonical name: PidTagNextSendAcct

Property ID: 0x0E29

Data type: PtypString, 0x001F

Area:

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_NEXT_SEND_ACCT

2.870 PidTagNickname

Canonical name: PidTagNickname

Property ID: 0x3A4F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-OXOMSG], [MS-XWDCNTC]

Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W, urn:schemas:contacts:nickname

2.871 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject

Property ID: 0x0E1D

Data type: PtypString, 0x001F

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORMDR], [MS-OXORSS], [MS-OXOSMMS], [MS-OXPROTO], [MS-OXSHARE], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_NORMALIZED_SUBJECT, PR_NORMALIZED_SUBJECT_A, ptagNormalizedSubject, PR_NORMALIZED_SUBJECT_W, urn:schemas:httpmail:normalizesubject

2.872 PidTagNormalMessageSize

Canonical name: PidTagNormalMessageSize

Property ID: 0x66B3

Data type: PtypInteger32, 0x0003

Area: Server

References: [MS-OXCFOLD], [MS-XWDFOLD]

Alternate names: PR_NORMAL_MESSAGE_SIZE, <http://schemas.microsoft.com/exchange/foldersize>

2.873 PidTagObjectType

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXOSRCH]

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.874 PidTagOfficeLocation

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A, PR_OFFICE_LOCATION_W, urn:schemas:contacts:roomnumber

2.875 PidTagOfflineAddressBookCompressedSize

Canonical name: PidTagOfflineAddressBookCompressedSize

Property ID: 0x6809

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOABK]

Alternate names: PR_OAB_COMPRESSED_SIZE

2.876 PidTagOfflineAddressBookContainerGuid

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-XPFOAB]

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.877 PidTagOfflineAddressBookDistinguishedName

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [MS-OXOAB], [MS-XPFOAB]

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.878 PidTagOfflineAddressBookFileSize

Canonical name: PidTagOfflineAddressBookFileSize

Property ID: 0x680A

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOABK]

Alternate names: PR_OAB_FILE_SIZE

2.879 PidTagOfflineAddressBookFileType

Canonical name: PidTagOfflineAddressBookFileType

Property ID: 0x6808

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [MS-OXOABK]

Alternate names: PR_OAB_FILETYPE

2.880 PidTagOfflineAddressBookLanguageId

Canonical name: PidTagOfflineAddressBookLanguageId

Property ID: 0x6807

Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXOABK]
Alternate names: PR_OAB_LANGID

2.881 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass
Property ID: 0x6803
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXPFOAB]
Alternate names: PR_OAB_MESSAGE_CLASS

2.882 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName
Property ID: 0x6800
Data type: PtypString, 0x001F
Area: Offline Address Book Properties
References: [MS-OXOAB], [MS-OXPFOAB]
Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.883 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence
Property ID: 0x6801
Data type: PtypInteger32, 0x0003
Area: Offline Address Book Properties
References: [MS-OXOAB], [MS-OXPFOAB]
Alternate names: PR_OAB_SEQUENCE

2.884 PidTagOfflineAddressBookShaHash

Canonical name: PidTagOfflineAddressBookShaHash
Property ID: 0x6806
Data type: PtypBinary, 0x0102
Area: Offline Address Book Properties
References: [MS-OXOABK]
Alternate names: PR_OAB_SHA_HASH

2.885 PidTagOfflineAddressBookTruncatedProperties

Canonical name: PidTagOfflineAddressBookTruncatedProperties
Property ID: 0x6805
Data type: PtypMultipleInteger32, 0x1003
Area: Offline Address Book Properties

References: [MS-OXOAB]
Alternate names: PR_OAB_TRUNCATED_PROPS

2.886 PidTagOrdinalMost

Canonical name: PidTagOrdinalMost
Property ID: 0x36E2
Data type: PtypInteger32, 0x0003
Area: Tasks
References: [MS-OXOTASK]
Alternate names: PR_ORDINAL_MOST

2.887 PidTagOrganizationalIdNumber

Canonical name: PidTagOrganizationalIdNumber
Property ID: 0x3A10
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_ORGANIZATIONAL_ID_NUMBER,
PR_ORGANIZATIONAL_ID_NUMBER_A,
PR_ORGANIZATIONAL_ID_NUMBER_W, urn:schemas:contacts:employeenumber

2.888 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName
Property ID: 0x004D
Data type: PtypString, 0x001F
Area: Email
References: [MS-OXCICAL]
Alternate names: PR_ORIGINAL_AUTHOR_NAME,
PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName,
PR_ORIGINAL_AUTHOR_NAME_W

2.889 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime
Property ID: 0x0055
Data type: PtypTime, 0x0040
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.890 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc
Property ID: 0x0072
Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A, ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W, <http://schemas.microsoft.com/exchange/originaldisplaybcc>

2.891 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A, ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W, <http://schemas.microsoft.com/exchange/originaldisplaycc>, http://schemas.microsoft.com/mapi/original_display_cc

2.892 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_DISPLAY_NAME, PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName, PR_ORIGINAL_DISPLAY_NAME_W

2.893 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A, ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W, <http://schemas.microsoft.com/exchange/originaldisplayto>, http://schemas.microsoft.com/mapi/original_display_to

2.894 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXCSYNC], [MS-OXOABK]

Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.895 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass

Property ID: 0x004B

Data type: PtypString, 0x001F

Area: Secure Messaging Properties

References: [MS-OXTNEF]

Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A, PR_ORIG_MESSAGE_CLASS_W

2.896 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey

Property ID: 0x3A14

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOABK]

Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.897 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType

Property ID: 0x0066

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE, PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType, PR_ORIGINAL_SENDER_ADDRTYPE_W

2.898 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS, PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A, PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.899 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderId

2.900 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName
Property ID: 0x005A
Data type: PtypString, 0x001F
Area: General Message Properties Property set
References: [MS-OXOMSG], [MS-XWDMAIL]
Alternate names: PR_ORIGINAL_SENDER_NAME,
PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName,
PR_ORIGINAL_SENDER_NAME_W,
<http://schemas.microsoft.com/exchange/originaisendername>

2.901 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey
Property ID: 0x005C
Data type: PtypBinary, 0x0102
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY,
ptagOriginalSenderSearchKey

2.902 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity
Property ID: 0x002E
Data type: PtypInteger32, 0x0003
Area: General Message Properties
References: [MS-OXCICAL], [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.903 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType
Property ID: 0x0068
Data type: PtypString, 0x001F
Area: General Message Properties
References: [MS-OXOMSG]
Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A,
ptagOriginalSentRepresentingAddrType,
PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.904 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.905 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,
ptagOriginalSentRepresentingEntryId

2.906 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,
PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,
PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.907 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY,
ptagOriginalSentRepresentingSearchKey

2.908 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCSYNC], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SUBJECT, PR_ORIGINAL_SUBJECT_A, ptagOriginalSubject, PR_ORIGINAL_SUBJECT_W, <http://schemas.microsoft.com/exchange/originalsubject>, http://schemas.microsoft.com/mapi/original_subject

2.909 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties Property set

References: [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime, <http://schemas.microsoft.com/exchange/originaldate>, http://schemas.microsoft.com/mapi/original_submit_time

2.910 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED, <http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.911 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-XWDMAIL]

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED, <http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.912 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [MS-OXOMSG]

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.913 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A, PR_OTHER_ADDRESS_CITY_W, urn:schemas:contacts:othercity

2.914 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_OTHER_ADDRESS_COUNTRY, PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W, urn:schemas:contacts:othercountry

2.915 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE, PR_OTHER_ADDRESS_POSTAL_CODE_A, PR_OTHER_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:otherpostalcode

2.916 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX, PR_OTHER_ADDRESS_POST_OFFICE_BOX_A, PR_OTHER_ADDRESS_POST_OFFICE_BOX_W, urn:schemas:contacts:otherpostofficebox

2.917 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]
Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W, urn:schemas:contacts:otherstate

2.918 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet
Property ID: 0x3A63
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC], [MS-OXVCARD]
Alternate names: PR_OTHER_ADDRESS_STREET,
PR_OTHER_ADDRESS_STREET_A, PR_OTHER_ADDRESS_STREET_W,
urn:schemas:contacts:otherstreet

2.919 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber
Property ID: 0x3A1F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_OTHER_TELEPHONE_NUMBER,
PR_OTHER_TELEPHONE_NUMBER_A, PR_OTHER_TELEPHONE_NUMBER_W,
urn:schemas:contacts:otherTelephone

2.920 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState
Property ID: 0x661D
Data type: PtypBoolean, 0x000B
Area: Message Store Properties
References: [MS-OXCSTOR]
Alternate names: PR_OOF_STATE, ptagOOFFState

2.921 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerAppointmentId
Property ID: 0x0062
Data type: PtypInteger32, 0x0003
Area: Appointment Property set
References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXTNEF], [MS-XWDCAL]
Alternate names: PR_OWNER_APPT_ID,
http://schemas.microsoft.com/mapi/owner_appt_id

2.922 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber

Property ID: 0x3A21

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PAGER_TELEPHONE_NUMBER, PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W, urn:schemas:contacts:pager

2.923 PidTagParentEntryId

Canonical name: PidTagParentEntryId

Property ID: 0x0E09

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCDATA], [MS-OXCFOLD], [MS-OXCSPAM], [MS-OXOSFLD], [MS-OXPFOAB]

Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.924 PidTagParentFolderId

Canonical name: PidTagParentFolderId

Property ID: 0x6749

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [MS-OXCFXICS]

Alternate names: ptagParentFID

2.925 PidTagParentKey

Canonical name: PidTagParentKey

Property ID: 0x0025

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_PARENT_KEY, ptagParentKey

2.926 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey

Property ID: 0x65E1

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_PARENT_SOURCE_KEY

2.927 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage

Property ID: 0x3A50

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W, urn:schemas:contacts:personalHomePage

2.928 PidTagPostalAddress

Canonical name: PidTagPostalAddress

Property ID: 0x3A15

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W, urn:schemas:contacts:mailingpostaladdress

2.929 PidTagPostalCode

Canonical name: PidTagPostalCode

Property ID: 0x3A2A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE, PR_BUSINESS_ADDRESS_POSTAL_CODE_A, PR_BUSINESS_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:mailingpostalcode

2.930 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A, PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W, urn:schemas:contacts:mailingpostofficebox

2.931 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList
Property ID: 0x65E3
Data type: PtypBinary, 0x0102
Area: Sync
References: [MS-OXCFXICS], [MS-OXCSYNC]
Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.932 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber
Property ID: 0x3A23
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A, PR_PRIMARY_FAX_NUMBER_W, urn:schemas:contacts:otherfax

2.933 PidTagPrimarySendAccount

Canonical name: PidTagPrimarySendAccount
Property ID: 0x0E28
Data type: PtypString, 0x001F
Area: MapiNonTransmittable
References: [MS-OXOMSG]
Alternate names: PR_PRIMARY_SEND_ACCT

2.934 PidTagPrimarySntpAddress

Canonical name: PidTagPrimarySntpAddress
Property ID: 0x39FE
Data type: PtypString, 0x001F
Area: MapiAddressBook
References: [MS-OXCFXICS], [MS-OXOSRCH]
Alternate names: ptagPrimarySMTPAddress

2.935 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber
Property ID: 0x3A1A
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-NSPI], [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PR_PRIMARY_TELEPHONE_NUMBER, PR_PRIMARY_TELEPHONE_NUMBER_A, PR_PRIMARY_TELEPHONE_NUMBER_W

2.936 PidTagPriority

Canonical name: PidTagPriority

Property ID: 0x0026

Data type: PtypInteger32, 0x0003

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXTNEF], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_PRIORITY, ptagPriority, urn:schemas:httpmail:priority, urn:schemas:httpmail:priority

2.937 PidTagProcessed

Canonical name: PidTagProcessed

Property ID: 0x7D01

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXOTASK]

Alternate names: PR_PROCESSED

2.938 PidTagProfession

Canonical name: PidTagProfession

Property ID: 0x3A46

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W, urn:schemas:contacts:profession

2.939 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota

Property ID: 0x666A

Data type: PtypInteger32, 0x0003

Area: Exchange Administrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.940 PidTagProhibitSendQuota

Canonical name: PidTagProhibitSendQuota

Property ID: 0x666E

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR]

Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.941 PidTagProviderSubmitTime

Canonical name: PidTagProviderSubmitTime

Property ID: 0x0048

Data type: PtypTime, 0x0040

Area: Email

References: [MS-OXOMSG]

Alternate names: PR_PROVIDER_SUBMIT_TIME

2.942 PidTagPublicFolderAdministrativeDescription

Canonical name: PidTagPublicFolderAdministrativeDescription

Property ID: 0x671C

Data type: PtypString, 0x001F

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/adminfolderdescription>

2.943 PidTagPublicFolderProxy

Canonical name: PidTagPublicFolderProxy

Property ID: 0x671D

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [MS-XWDFOLD]

Alternate names: <http://schemas.microsoft.com/exchange/folderproxy>

2.944 PidTagPurportedSenderDomain

Canonical name: PidTagPurportedSenderDomain

Property ID: 0x4083

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL]

Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.945 PidTagRadioTelephoneNumber

Canonical name: PidTagRadioTelephoneNumber

Property ID: 0x3A1D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_RADIO_TELEPHONE_NUMBER,
PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.946 PidTagRead

Canonical name: PidTagRead

Property ID: 0x0E69

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable Property set

References: [MS-OXCTABL], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_READ, ptagRead, urn:schemas:httpmail:read

2.947 PidTagReadReceiptEntryId

Canonical name: PidTagReadReceiptEntryId

Property ID: 0x0046

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.948 PidTagReadReceiptRequested

Canonical name: PidTagReadReceiptRequested

Property ID: 0x0029

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested, <http://schemas.microsoft.com/exchange/readreceiptrequested>

2.949 PidTagReadReceiptSearchKey

Canonical name: PidTagReadReceiptSearchKey

Property ID: 0x0053

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.950 PidTagReceivedByAddressType

Canonical name: PidTagReceivedByAddressType

Property ID: 0x0075

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ADDRTYPE,

PR_RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType,
PR_RECEIVED_BY_ADDRTYPE_W

2.951 PidTagReceivedByEmailAddress

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG],
[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_EMAIL_ADDRESS,
PR_RECEIVED_BY_EMAIL_ADDRESS_A,
PR_RECEIVED_BY_EMAIL_ADDRESS_W

2.952 PidTagReceivedByEntryId

Canonical name: PidTagReceivedByEntryId

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG],
[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_ENTRYID

2.953 PidTagReceivedByFlags

Canonical name: PidTagReceivedByFlags

Property ID: 0x401B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdByFlags

2.954 PidTagReceivedByName

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG],
[MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A,
PR_RECEIVED_BY_NAME_W

2.955 PidTagReceivedBySearchKey

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF]

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.956 PidTagReceivedRepresentingAddressType

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE, PR_RCVD_REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType, PR_RCVD_REPRESENTING_ADDRTYPE_W

2.957 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.958 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_ENTRYID, ptagRcvdRepresentingEntryId

2.959 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingFlags

2.960 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_NAME, PR_RCVD_REPRESENTING_NAME_A, ptagRcvdRepresentingName, PR_RCVD_REPRESENTING_NAME_W

2.961 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXODLGT], [MS-OXOMSG], [MS-OXORULE], [MS-OXTNEF]

Alternate names: PR_RCVD_REPRESENTING_SEARCH_KEY, ptagRcvdRepresentingSearchKey

2.962 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: ptagRcvdRepresentingSimpleDispName

2.963 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXTNEF]

Alternate names:

2.964 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName

Property ID: 0x5FF6

Data type: PtypString, 0x001F

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_DISPLAY_NAME,
PR_RECIPIENT_DISPLAY_NAME_W

2.965 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId

Property ID: 0x5FF7

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.966 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags

Property ID: 0x5FFD

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_FLAGS

2.967 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder

Property ID: 0x5FDF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.968 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed

Property ID: 0x5FE1

Data type: PtypBoolean, 0x000B

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.969 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime

Property ID: 0x5FE4

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDENDTIME, ptagRecipientProposedEndTime

2.970 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime

Property ID: 0x5FE3

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [MS-OXOCAL]

Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

2.971 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [MS-OXCICAL], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED, ptagRecipientReassignmentProhibited

2.972 PidTagRecipientResourceState

Canonical name: PidTagRecipientResourceState

Property ID: 0x5FDE

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFCICS], [MS-OXCMSG], [MS-OXOMSG]

Alternate names: PR_RECIPIENT_RESOURCESTATE

2.973 PidTagRecipientTrackStatus

Canonical name: PidTagRecipientTrackStatus

Property ID: 0x5FFF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOCAL], [MS-OXOMSG]
Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.974 PidTagRecipientTrackStatusTime

Canonical name: PidTagRecipientTrackStatusTime
Property ID: 0x5FFB
Data type: PtypTime, 0x0040
Area: TransportRecipient
References: [MS-OXOCAL]
Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME, ptagRecipientTrackStatusTime

2.975 PidTagRecipientType

Canonical name: PidTagRecipientType
Property ID: 0x0C15
Data type: PtypInteger32, 0x0003
Area: MapiRecipient
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORULE], [MS-OXOSRCH]
Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.976 PidTagRecordKey

Canonical name: PidTagRecordKey
Property ID: 0x0FF9
Data type: PtypBinary, 0x0102
Area: ID Properties
References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK]
Alternate names: PR_RECORD_KEY, ptagRecordKey

2.977 PidTagReferredByName

Canonical name: PidTagReferredByName
Property ID: 0x3A47
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC]
Alternate names: PRREFERRED_BY_NAME, PRREFERRED_BY_NAME_A, PRREFERRED_BY_NAME_W

2.978 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId
Property ID: 0x36D5
Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [MS-OXOSFLD]

Alternate names: PR_REM_ONLINE_ENTRYID, ptagRemOnlineEntryId

2.979 PidTagRemoteHeaderLoc

Canonical name: PidTagRemoteHeaderLoc

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXODLGT]

Alternate names: PR_REMOTE_HEADER_LOC

2.980 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOJRN], [MS-OXORMDR], [MS-OXORMMS], [MS-OXOTASK], [MS-OXRTFEX], [MS-OXTNEF]

Alternate names: PR_RENDERING_POSITION, ptagRenderingPosition

2.981 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOMSG], [MS-XWDMAIL]

Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries, <http://schemas.microsoft.com/exchange/reply-to-base64>

2.982 PidTagReplyRecipientNames

Canonical name: PidTagReplyRecipientNames

Property ID: 0x0050

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_REPLY_RECIPIENT_NAMES, PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames, PR_REPLY_RECIPIENT_NAMES_W

2.983 PidTagReplyRequested

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR]

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.984 PidTagReplyTemplateId

Canonical name: PidTagReplyTemplateId

Property ID: 0x65C2

Data type: PtypBinary, 0x0102

Area: Rules

References: [MS-OXORULE]

Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.985 PidTagReplyTime

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXORMDR], [MS-XWDMAIL]

Alternate names: PR_REPLY_TIME, urn:schemas:httpmail:reply-by, <http://schemas.microsoft.com/exchange/reply-by-iso>

2.986 PidTagReportEntryId

Canonical name: PidTagReportEntryId

Property ID: 0x0045

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.987 PidTagReportName

Canonical name: PidTagReportName

Property ID: 0x003A

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_NAME, PR_REPORT_NAME_A, PR_REPORT_NAME_W

2.988 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.989 PidTagReportTag

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TAG, ptagReportTag

2.990 PidTagReportText

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXOMSG]

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.991 PidTagReportTime

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCSPAM], [MS-XWDMAIL]

Alternate names: PR_REPORT_TIME, ptagReportTime, <http://schemas.microsoft.com/exchange/reporttime>

2.992 PidTagResolveMethod

Canonical name: PidTagResolveMethod

Property ID: 0x3FE7

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.993 PidTagResponseRequested

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOFLAG], [MS-OXOMSG], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_RESPONSE_REQUESTED,
urn:schemas:calendar:responserequested,
http://schemas.microsoft.com/mapi/response_requested

2.994 PidTagResponsibility

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [MS-OXCFXICS]

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.995 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [MS-OXCFOLD]

Alternate names: PR_RIGHTS, ptagRights

2.996 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DATATYPES

2.997 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_ROAMING_DICTIONARY

2.998 PidTagRoamingXmlStream

Canonical name: PidTagRoamingXmlStream
Property ID: 0x7C08
Data type: PtypBinary, 0x0102
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_ROAMING_XMLSTREAM

2.999 PidTagRowid

Canonical name: PidTagRowid
Property ID: 0x3000
Data type: PtypInteger32, 0x0003
Area: MapiCommon
References: [MS-OXCFXICS]
Alternate names: PR_ROWID, ptagRowId

2.1000 PidTagRowType

Canonical name: PidTagRowType
Property ID: 0x0FF5
Data type: PtypInteger32, 0x0003
Area: MapiNonTransmittable
References: [MS-OXCTABL]
Alternate names: PR_ROW_TYPE, ptagRowType

2.1001 PidTagRtfCompressed

Canonical name: PidTagRtfCompressed
Property ID: 0x1009
Data type: PtypBinary, 0x0102
Area: Email
References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCNTC], [MS-OXOJRN], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFCP], [MS-OXRTFEX], [MS-OXTNEF]
Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.1002 PidTagRtfInSync

Canonical name: PidTagRtfInSync
Property ID: 0x0E1F
Data type: PtypBoolean, 0x000B
Area: Email
References: [MS-OXBBODY], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXOMSG], [MS-OXORMMS], [MS-OXRTFEX]
Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.1003 *PidTagRtfSyncBodyCount*

Canonical name: PidTagRtfSyncBodyCount

Property ID: 0x1007

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRTFSyncBodyCount

2.1004 *PidTagRtfSyncBodyCrc*

Canonical name: PidTagRtfSyncBodyCrc

Property ID: 0x1006

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.1005 *PidTagRtfSyncBodyTag*

Canonical name: PidTagRtfSyncBodyTag

Property ID: 0x1008

Data type: PtypString, 0x001F

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.1006 *PidTagRtfSyncPrefixCount*

Canonical name: PidTagRtfSyncPrefixCount

Property ID: 0x1010

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.1007 *PidTagRtfSyncTrailingCount*

Canonical name: PidTagRtfSyncTrailingCount

Property ID: 0x1011

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [MS-OXTNEF]

Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.1008 *PidTagRuleActionNumber*

Canonical name: PidTagRuleActionNumber

Property ID: 0x6650

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.1009 *PidTagRuleActions*

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypServerEntryId, 0x00FE

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.1010 *PidTagRuleActionType*

Canonical name: PidTagRuleActionType

Property ID: 0x6649

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.1011 *PidTagRuleCondition*

Canonical name: PidTagRuleCondition

Property ID: 0x6679

Data type: PtypServerEntryId, 0x00FD

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.1012 *PidTagRuleError*

Canonical name: PidTagRuleError

Property ID: 0x6648

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [MS-OXORULE]

Alternate names: PR_RULE_ERROR, ptagRuleError

2.1013 *PidTagRuleFolderEntryId*

Canonical name: PidTagRuleFolderEntryId

Property ID: 0x6651

Data type: PtypBinary, 0x0102
Area: ExchangeMessageReadOnly
References: [MS-OXORULE]
Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.1014 ***PidTagRuleId***

Canonical name: PidTagRuleId
Property ID: 0x6674
Data type: PtypInteger64, 0x0014
Area: Server-Side Rules Properties
References: [MS-OXORULE]
Alternate names: PR_RULE_ID, ptagRuleId

2.1015 ***PidTagRuleLevel***

Canonical name: PidTagRuleLevel
Property ID: 0x6683
Data type: PtypInteger32, 0x0003
Area: Server-Side Rules Properties
References: [MS-OXODLGT], [MS-OXORULE]
Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.1016 ***PidTagRuleMessageState***

Canonical name: PidTagRuleMessageState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1017 ***PidTagRuleMsgLevel***

Canonical name: PidTagRuleMsgLevel
Property ID: 0x65ED
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.1018 ***PidTagRuleMsgName***

Canonical name: PidTagRuleMsgName
Property ID: 0x65EC
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved

References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgName

2.1019 PidTagRuleMsgProvider

Canonical name: PidTagRuleMsgProvider
Property ID: 0x65EB
Data type: PtypString, 0x001F
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: ptagRuleMsgProvider

2.1020 PidTagRuleMsgProviderData

Canonical name: PidTagRuleMsgProviderData
Property ID: 0x65EE
Data type: PtypBinary, 0x0102
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.1021 PidTagRuleMsgSequence

Canonical name: PidTagRuleMsgSequence
Property ID: 0x65F3
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.1022 PidTagRuleMsgState

Canonical name: PidTagRuleMsgState
Property ID: 0x65E9
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXORULE]
Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1023 PidTagRuleMsgUserFlags

Canonical name: PidTagRuleMsgUserFlags
Property ID: 0x65EA
Data type: PtypInteger32, 0x0003
Area: ExchangeNonTransmittableReserved
References: [MS-OXCSPAM], [MS-OXORULE]
Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.1024 *PidTagRuleName*

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName, PR_RULE_NAME_W

2.1025 *PidTagRuleProvider*

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.1026 *PidTagRuleProviderData*

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [MS-OXORULE]

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.1027 *PidTagRuleSequence*

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXCPRPT], [MS-OXCSTOR], [MS-OXCTABL], [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.1028 *PidTagRuleState*

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_STATE, ptagRuleState

2.1029 *PidTagRuleUserFlags*

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [MS-OXODLGT], [MS-OXORULE]

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.1030 *PidTagScheduleInfoAppointmentTombstone*

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOCAL]

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.1031 *PidTagScheduleInfoAutoAcceptAppointments*

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [MS-OXOCAL], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.1032 *PidTagScheduleInfoDelegateEntryIds*

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.1033 *PidTagScheduleInfoDelegateNames*

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXODLGT]

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.1034 *PidTagScheduleInfoDelegateNamesW*

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypString, 0x001F
Area: Free/Busy Properties
References: [MS-OXODLGT]
Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W

2.1035 *PidTagScheduleInfoDelegatorWantsCopy*

Canonical name: PidTagScheduleInfoDelegatorWantsCopy
Property ID: 0x6842
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXODLGT], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.1036 *PidTagScheduleInfoDelegatorWantsInfo*

Canonical name: PidTagScheduleInfoDelegatorWantsInfo
Property ID: 0x684B
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXODLGT], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.1037 *PidTagScheduleInfoDisallowOverlappingAppts*

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts
Property ID: 0x686F
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.1038 *PidTagScheduleInfoDisallowRecurringAppts*

Canonical name: PidTagScheduleInfoDisallowRecurringAppts
Property ID: 0x686E
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties
References: [MS-OXOCAL], [MS-OXOPFFB]
Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.1039 *PidTagScheduleInfoDontMailDelegates*

Canonical name: PidTagScheduleInfoDontMailDelegates
Property ID: 0x6843
Data type: PtypBoolean, 0x000B
Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.1040 PidTagScheduleInfoFreeBusy

Canonical name: PidTagScheduleInfoFreeBusy

Property ID: 0x686C

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY

2.1041 PidTagScheduleInfoFreeBusyAway

Canonical name: PidTagScheduleInfoFreeBusyAway

Property ID: 0x6856

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.1042 PidTagScheduleInfoFreeBusyBusy

Canonical name: PidTagScheduleInfoFreeBusyBusy

Property ID: 0x6854

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.1043 PidTagScheduleInfoFreeBusyMerged

Canonical name: PidTagScheduleInfoFreeBusyMerged

Property ID: 0x6850

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.1044 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.1045 *PidTagScheduleInfoMonthsAway*

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.1046 *PidTagScheduleInfoMonthsBusy*

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXMSG], [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.1047 *PidTagScheduleInfoMonthsMerged*

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.1048 *PidTagScheduleInfoMonthsTentative*

Canonical name: PidTagScheduleInfoMonthsTentative

Property ID: 0x6851

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.1049 *PidTagScheduleInfoResourceType*

Canonical name: PidTagScheduleInfoResourceType

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [MS-OXOPFFB]

Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.1050 *PidTagSchedulePlusFreeBusyEntryId*

Canonical name: PidTagSchedulePlusFreeBusyEntryId

Property ID: 0x6622

Data type: PtypBinary, 0x0102
Area: ExchangeMessageStore
References: [MS-OXOPFFB]
Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.1051 ***PidTagScriptData***

Canonical name: PidTagScriptData
Property ID: 0x0004
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_SCRIPT_BLOB

2.1052 ***PidTagSearchFolderDefinition***

Canonical name: PidTagSearchFolderDefinition
Property ID: 0x6845
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_DEFINITION

2.1053 ***PidTagSearchFolderEfpFlags***

Canonical name: PidTagSearchFolderEfpFlags
Property ID: 0x6848
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EFP_FLAGS

2.1054 ***PidTagSearchFolderExpiration***

Canonical name: PidTagSearchFolderExpiration
Property ID: 0x683A
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_EXPIRATION

2.1055 ***PidTagSearchFolderId***

Canonical name: PidTagSearchFolderId
Property ID: 0x6842
Data type: PtypBinary, 0x0102
Area: Search

References: [MS-OXOCFG], [MS-OXOSRCH]
Alternate names: PR_WB_SF_ID

2.1056 ***PidTagSearchFolderLastUsed***

Canonical name: PidTagSearchFolderLastUsed
Property ID: 0x6834
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_LAST_USED

2.1057 ***PidTagSearchFolderRecreateInfo***

Canonical name: PidTagSearchFolderRecreateInfo
Property ID: 0x6844
Data type: PtypBinary, 0x0102
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_RECREATE_INFO

2.1058 ***PidTagSearchFolderStorageType***

Canonical name: PidTagSearchFolderStorageType
Property ID: 0x6846
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_STORAGE_TYPE

2.1059 ***PidTagSearchFolderTag***

Canonical name: PidTagSearchFolderTag
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TAG

2.1060 ***PidTagSearchFolderTemplateId***

Canonical name: PidTagSearchFolderTemplateId
Property ID: 0x6841
Data type: PtypInteger32, 0x0003
Area: Search
References: [MS-OXOSRCH]
Alternate names: PR_WB_SF_TEMPLATE_ID

2.1061 *PidTagSearchKey*

Canonical name: PidTagSearchKey

Property ID: 0x300B

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-NSPI], [MS-OXCFOLD], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMSG], [MS-OXCPRPT], [MS-OXOABK], [MS-OXOCAL], [MS-OXOJRNL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORULE], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.1062 *PidTagSecureSubmitFlags*

Canonical name: PidTagSecureSubmitFlags

Property ID: 0x65C6

Data type: PtypInteger32, 0x0003

Area: Exchange

References: [MS-OXCFXICS]

Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.1063 *PidTagSecurityDescriptor*

Canonical name: PidTagSecurityDescriptor

Property ID: 0x0E27

Data type: PtypBinary, 0x0102

Area: Access Control Properties

References: [MS-OXCMSG]

Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.1064 *PidTagSecurityDescriptorAsXml*

Canonical name: PidTagSecurityDescriptorAsXml

Property ID: 0x0E6A

Data type: PtypString, 0x001F

Area: Access Control Properties Property set

References: [MS-OXCPerm], [MS-XWDVSEC]

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_A,
PR_NT_SECURITY_DESCRIPTOR_AS_XML_W,
<http://schemas.microsoft.com/exchange/security/descriptor>

2.1065 *PidTagSelectable*

Canonical name: PidTagSelectable

Property ID: 0x3609

Data type: PtypBoolean, 0x000B

Area: AB Container

References: [MS-OXOABKT]
Alternate names: PR_SELECTABLE

2.1066 ***PidTagSenderAddressType***

Canonical name: PidTagSenderAddressType
Property ID: 0x0C1E
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENDER_ADDRRTYPE, PR_SENDER_ADDRRTYPE_A, ptagSenderAddrType, PR_SENDER_ADDRRTYPE_W

2.1067 ***PidTagSenderEmailAddress***

Canonical name: PidTagSenderEmailAddress
Property ID: 0x0C1F
Data type: PtypString, 0x001F
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSPAM], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXPSVAL], [MS-OXTNEF]
Alternate names: PR_SENDER_EMAIL_ADDRESS, PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.1068 ***PidTagSenderEntryId***

Canonical name: PidTagSenderEntryId
Property ID: 0x0C19
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]
Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.1069 ***PidTagSenderFlags***

Canonical name: PidTagSenderFlags
Property ID: 0x4019
Data type: PtypInteger32, 0x0003
Area: Miscellaneous Properties
References: [MS-OXCFXICS], [MS-OXTNEF]
Alternate names: ptagSenderFlags

2.1070 ***PidTagSenderIdStatus***

Canonical name: PidTagSenderIdStatus
Property ID: 0x4079

Data type: PtypInteger32, 0x0003
Area: Secure Messaging Properties
References: [MS-OXCMAIL], [MS-OXCSPAM]
Alternate names: PR_SENDER_ID_STATUS

2.1071 *PidTagSenderName*

Canonical name: PidTagSenderName
Property ID: 0x0C1A
Data type: PtypString, 0x001F
Area: Address Properties Property set
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCSYNC], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]
Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W, urn:schemas:httpmail:sendername, http://schemas.microsoft.com/exchange/sender-name-utf8

2.1072 *PidTagSenderSearchKey*

Canonical name: PidTagSenderSearchKey
Property ID: 0x0C1D
Data type: PtypBinary, 0x0102
Area: Address Properties
References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]
Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.1073 *PidTagSenderSimpleDisplayName*

Canonical name: PidTagSenderSimpleDisplayName
Property ID: 0x4030
Data type: PtypString, 0x001F
Area: TransportEnvelope
References: [MS-OXTNEF]
Alternate names: ptagSenderSimpleDispName

2.1074 *PidTagSenderTelephoneNumber*

Canonical name: PidTagSenderTelephoneNumber
Property ID: 0x6802
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaSenderTelephoneNumber

2.1075 ***PidTagSendInternetEncoding***

Canonical name: PidTagSendInternetEncoding

Property ID: 0x3A71

Data type: PtypInteger32, 0x0003

Area: Address Properties

References: [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.1076 ***PidTagSendRichInfo***

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOABK], [MS-OXOMSG]

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.1077 ***PidTagSensitivity***

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_SENSITIVITY, ptagSensitivity,
<http://schemas.microsoft.com/exchange/sensitivity-long>,
<http://schemas.microsoft.com/exchange/sensitivity>

2.1078 ***PidTagSentMailEntryId***

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.1079 ***PidTagSentMailSvrEID***

Canonical name: PidTagSentMailSvrEID

Property ID: 0x6740

Data type: PtypServerEntryId, 0x00FB

Area: ProviderDefinedNonTransmittable

References: [MS-OXCSTOR], [MS-OXOMSG]

Alternate names: ptagSentMailSvrEID

2.1080 PidTagSentRepresentingAddressType

Canonical name: PidTagSentRepresentingAddressType

Property ID: 0x0064

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ADDRTYPE, PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType, PR_SENT_REPRESENTING_ADDRTYPE_W

2.1081 PidTagSentRepresentingEmailAddress

Canonical name: PidTagSentRepresentingEmailAddress

Property ID: 0x0065

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS, PR_SENT_REPRESENTING_EMAIL_ADDRESS_A, PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.1082 PidTagSentRepresentingEntryId

Canonical name: PidTagSentRepresentingEntryId

Property ID: 0x0041

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCDATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK], [MS-OXTNEF]

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.1083 PidTagSentRepresentingFlags

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXCFXICS], [MS-OXTNEF]

Alternate names: ptagSentRepresentingFlags

2.1084 *PidTagSentRepresentingName*

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOCAL], [MS-OXOCFG], [MS-OXODLGT], [MS-OXOMSG], [MS-OXOPOST], [MS-OXORSS], [MS-OXOTASK], [MS-OXTNEF], [MS-XWDMAIL]

Alternate names: PR_SENT_REPRESENTING_NAME, PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName, PR_SENT_REPRESENTING_NAME_W, urn:schemas:httpmail:fromname, http://schemas.microsoft.com/exchange/from-name-utf8

2.1085 *PidTagSentRepresentingSearchKey*

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXOCAL], [MS-OXOMSG], [MS-OXOPOST], [MS-OXOTASK]

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY, ptagSentRepresentingSearchKey

2.1086 *PidTagSentRepresentingSimpleDisplayName*

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [MS-OXTNEF]

Alternate names: ptagSentRepresentingSimpleDispName

2.1087 *PidTagSmtAddress*

Canonical name: PidTagSmtAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCMAIL], [MS-OXCMSG], [MS-OXOAB], [MS-OXOABK], [MS-OXOMSG], [MS-OXSHARE]

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A, PR_SMTP_ADDRESS_W

2.1088 *PidTagSortLocaleId*

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [MS-OXCSTOR], [MS-OXPFOAB]

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.1089 *PidTagSourceKey*

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [MS-OXCFXICS], [MS-OXCSYNC]

Alternate names: PR_SOURCE_KEY

2.1090 *PidTagSpokenName*

Canonical name: PidTagSpokenName

Property ID: 0x8CC2

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_UM_SPOKEN_NAME

2.1091 *PidTagSpouseName*

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A, PR_SPOUSE_NAME_W, urn:schemas:contacts:spousecn

2.1092 *PidTagStartDate*

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [MS-OXCICAL], [MS-OXOCAL], [MS-OXORMDR], [MS-OXTNEF], [MS-XWDCAL]

Alternate names: PR_START_DATE, http://schemas.microsoft.com/mapi/start_date

2.1093 *PidTagStateOrProvince*

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A,
PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A,
PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W,
urn:schemas:contacts:mailingstate

2.1094 *PidTagStoreEntryId*

Canonical name: PidTagStoreEntryId

Property ID: 0x0FFB

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXOFLAG], [MS-OXSHARE], [MS-OXOCFG]

Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.1095 *PidTagStoreState*

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_STORE_STATE

2.1096 *PidTagStoreSupportMask*

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXMSG]

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.1097 *PidTagStreetAddress*

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A,

PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET,
PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W,
urn:schemas:contacts:mailingstreet

2.1098 *PidTagSubfolder*

Canonical name: PidTagSubfolder

Property ID: 0x6708

Data type: PtypBoolean, 0x000B

Area: ExchangeAdministrative Property set

References: [MS-XWDMAIL], [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_SUBFOLDER, ptagSubfolder, DAV:isfolder

2.1099 *PidTagSubfolders*

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [MS-OXCFOLD], [MS-OXCICAL], [MS-XWDFOLD]

Alternate names: PR_SUBFOLDERS, ptagSubFolders, DAV:hassubs

2.1100 *PidTagSubject*

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [MS-OXCADATA], [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL],
[MS-OXCSPAM], [MS-OXCTABL], [MS-OXMSG], [MS-OXOCFG], [MS-OXOCNTC],
[MS-OXOJRN], [MS-OXOPFFB], [MS-OXORULE], [MS-OXPROTO], [MS-
OXPSVAL], [MS-OXTNEF], [MS-OXWAVLS], [MS-XWDMAIL], [MS-XWDCAL]

Alternate names: PR_SUBJECT, PR_SUBJECT_A, ptagSubject, PR_SUBJECT_W,
urn:schemas:httpmail:subject, http://schemas.microsoft.com/exchange/subject-utf8

2.1101 *PidTagSubjectPrefix*

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXCMSG], [MS-
OXCPRPT], [MS-OXOCAL], [MS-OXOCNTC], [MS-OXODLGT], [MS-OXOMSG], [MS-
OXONOTE], [MS-OXOPFFB], [MS-OXOPOST], [MS-OXORSS], [MS-OXOSMMS],
[MS-OXSHARE], [MS-OXTNEF]

Alternate names: PR_SUBJECT_PREFIX, PR_SUBJECT_PREFIX_A, ptagSubjectPrefix,
PR_SUBJECT_PREFIX_W

2.1102 *PidTagSubmitFlags*

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCICAL]

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.1103 *PidTagSurname*

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W,
urn:schemas:contacts:sn

2.1104 *PidTagSwappedToDoData*

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR]

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedToDoData

2.1105 *PidTagSwappedToDoStore*

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [MS-OXOFLAG], [MS-OXORMDR], [MS-OXOSFLD]

Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedToDoStore

2.1106 *PidTagTargetEntryId*

Canonical name: PidTagTargetEntryId

Property ID: 0x3010

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [MS-OXCFCICS], [MS-OXCRPC], [MS-OXCSYNC], [MS-OXOMSG]

Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.1107 *PidTagTcvConstLongOne*

Canonical name: PidTagTcvConstLongOne
Property ID: 0x8008
Data type: PtypInteger32, 0x0003
Area: PST Internal
References: [MS-OXCTABL]
Alternate names: PR_TCV_CONST_LONG_ONE

2.1108 *PidTagTelecommunicationsDeviceForDeafTelephoneNumber*

Canonical name: PidTagTelecommunicationsDeviceForDeafTelephoneNumber
Property ID: 0x3A4B
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-XWDCNTC]
Alternate names: PR_TTYTDD_PHONE_NUMBER,
PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W,
urn:schemas:contacts:ttyddphone

2.1109 *PidTagTelexNumber*

Canonical name: PidTagTelexNumber
Property ID: 0x3A2C
Data type: PtypString, 0x001F
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A,
PR_TELEX_NUMBER_W, urn:schemas:contacts:telexnumber

2.1110 *PidTagTemplateData*

Canonical name: PidTagTemplateData
Property ID: 0x0001
Data type: PtypBinary, 0x0102
Area: Exchange Address Book
References: [MS-OXOABKT]
Alternate names: PR_EMS_TEMPLATE_BLOB

2.1111 *PidTagTemplateid*

Canonical name: PidTagTemplateid
Property ID: 0x3902
Data type: PtypBinary, 0x0102
Area: MapiAddressBook
References: [MS-NSPI], [MS-OXOABK]
Alternate names: PR_TEMPLATEID

2.1112 *PidTagTemporaryDefaultDocument*

Canonical name: PidTagTemporaryDefaultDocument

Property ID: 0x3F20

Data type: PtypString, 0x001F

Area: Structured Documents Property set

References: [MS-XWDSTRUCTDOC], [MS-XWDCAL]

Alternate names: DAV:defaultdocument

2.1113 *PidTagTextAttachmentCharset*

Canonical name: PidTagTextAttachmentCharset

Property ID: 0x371B

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [MS-OXCMAIL]

Alternate names: ptagTextAttachmentCharset

2.1114 *PidTagThumbnailPhoto*

Canonical name: PidTagThumbnailPhoto

Property ID: 0x8C9E

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_THUMBNAIL_PHOTO

2.1115 *PidTagTitle*

Canonical name: PidTagTitle

Property ID: 0x3A17

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [MS-NSPI], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]

Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W, urn:schemas:contacts:title

2.1116 *PidTagTnefCorrelationKey*

Canonical name: PidTagTnefCorrelationKey

Property ID: 0x007F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [MS-OXCFCICS], [MS-OXCMAIL], [MS-OXTNEF]

Alternate names: PR_TNEF_CORRELATION_KEY

2.1117 ***PidTagToDoItemFlags***

Canonical name: PidTagToDoItemFlags

Property ID: 0x0E2B

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMAIL], [MS-OXOFLAG], [MS-OXOSFLD]

Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.1118 ***PidTagTransmittableDisplayName***

Canonical name: PidTagTransmittableDisplayName

Property ID: 0x3A20

Data type: PtypString, 0x001F

Area: Address Properties

References: [MS-NSPI], [MS-OXCFXICS], [MS-OXCMSG], [MS-OXOABK]

Alternate names: PR_TRANSMITTABLE_DISPLAY_NAME,
PR_TRANSMITTABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName,
PR_TRANSMITTABLE_DISPLAY_NAME_W

2.1119 ***PidTagTransportMessageHeaders***

Canonical name: PidTagTransportMessageHeaders

Property ID: 0x007D

Data type: PtypString, 0x001F

Area: EMail

References: [MS-OXCFXICS], [MS-OXCICAL], [MS-OXCMAIL], [MS-OXOMSG]

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS,
PR_TRANSPORT_MESSAGE_HEADERS_A,
PR_TRANSPORT_MESSAGE_HEADERS_W

2.1120 ***PidTagTrustSender***

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [MS-OXCFXICS], [MS-OXCMSG]

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.1121 ***PidTagTtyTddPhoneNumber***

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [MS-OXOCNTC]

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.1122 *PidTagUrlCompName*

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [MS-OXCMSG], [MS-OXTNEF]

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A, PR_URL_COMP_NAME_W, ptagURLCompName

2.1123 *PidTagUrlCompNameSet*

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [MS-OXCMSG]

Alternate names: ptagURLCompNameSet

2.1124 *PidTagUrlName*

Canonical name: PidTagUrlName

Property ID: 0x6707

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [MS-XWDCAL], [MS-XWDDOC]

Alternate names: PR_URL_NAME, PR_URL_NAME_A, PR_URL_NAME_W, ptagURLName, DAV:href

2.1125 *PidTagUserCertificate*

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [MS-OXOAB], [MS-OXOABK], [MS-XWDCNTC]

Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate, urn:schemas:contacts:usercertificate

2.1126 *PidTagUserEntryId*

Canonical name: PidTagUserEntryId

Property ID: 0x6619

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [MS-OXCSTOR]

Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.1127 *PidTagUserX509Certificate*

Canonical name: PidTagUserX509Certificate

Property ID: 0x3A70

Data type: PtypMultipleBinary, 0x1102

Area: MapiMailUser

References: [MS-OXLDAP], [MS-OXOAB], [MS-OXOABK], [MS-OXOCNTC]

Alternate names: PR_USER_X509_CERTIFICATE

2.1128 *PidTagViewDescriptorBinary*

Canonical name: PidTagViewDescriptorBinary

Property ID: 0x7001

Data type: PtypBinary, 0x0102

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_BINARY

2.1129 *PidTagViewDescriptorName*

Canonical name: PidTagViewDescriptorName

Property ID: 0x7006

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.1130 *PidTagViewDescriptorStrings*

Canonical name: PidTagViewDescriptorStrings

Property ID: 0x7002

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [MS-OXOCFG]

Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.1131 *PidTagViewDescriptorVersion*

Canonical name: PidTagViewDescriptorVersion

Property ID: 0x7007

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [MS-OXOCFG]

Alternate names: PR_VD_VERSION

2.1132 *PidTagVoiceMessageAttachmentOrder*

Canonical name: PidTagVoiceMessageAttachmentOrder

Property ID: 0x6805

Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL], [MS-OXOUM]
Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.1133 ***PidTagVoiceMessageDuration***

Canonical name: PidTagVoiceMessageDuration
Property ID: 0x6801
Data type: PtypInteger32, 0x0003
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageDuration

2.1134 ***PidTagVoiceMessageSenderName***

Canonical name: PidTagVoiceMessageSenderName
Property ID: 0x6803
Data type: PtypString, 0x001F
Area: Unified Messaging Properties
References: [MS-OXCMAIL]
Alternate names: InternalSchemaVoiceMessageSenderName

2.1135 ***PidTagWeddingAnniversary***

Canonical name: PidTagWeddingAnniversary
Property ID: 0x3A41
Data type: PtypTime, 0x0040
Area: MapiMailUser
References: [MS-OXOABK], [MS-OXOCNTC], [MS-XWDCNTC]
Alternate names: PR_WEDDING_ANNIVERSARY,
urn:schemas:contacts:weddinganniversary

2.1136 ***PidTagWlinkAddressBookEID***

Canonical name: PidTagWlinkAddressBookEID
Property ID: 0x6854
Data type: PtypBinary, 0x0102
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_WLINK_ABEID PROP_TAG

2.1137 ***PidTagWlinkAddressBookStoreEID***

Canonical name: PidTagWlinkAddressBookStoreEID
Property ID: 0x6891
Data type: PtypBinary, 0x0102
Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_AB_EXSTOREEID_PROP_TAG

2.1138 ***PidTagWlinkCalendarColor***

Canonical name: PidTagWlinkCalendarColor

Property ID: 0x6853

Data type: PtypInteger32, 0x0003

Area: MS-OXOCFG

References: [MS-OXOCFG]

Alternate names: PR_WLINK_CALENDAR_COLOR_PROP_TAG

2.1139 ***PidTagWlinkClientID***

Canonical name: PidTagWlinkClientID

Property ID: 0x6890

Data type: PtypGuid, 0x0048

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_CLIENTID_PROP_TAG

2.1140 ***PidTagWlinkEntryId***

Canonical name: PidTagWlinkEntryId

Property ID: 0x684C

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_ENTRYID_PROP_TAG

2.1141 ***PidTagWlinkFlags***

Canonical name: PidTagWlinkFlags

Property ID: 0x684A

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_FLAGS_PROP_TAG

2.1142 ***PidTagWlinkFolderType***

Canonical name: PidTagWlinkFolderType

Property ID: 0x684F

Data type: PtypGuid, 0x0048

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_FOLDER_TYPE: PROP_TAG

2.1143 *PidTagWlinkGroupClsid*

Canonical name: PidTagWlinkGroupClsid

Property ID: 0x6850

Data type: PtypGuid, 0x0048

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_GROUP_CLSID PROP_TAG

2.1144 *PidTagWlinkGroupHeaderID*

Canonical name: PidTagWlinkGroupHeaderID

Property ID: 0x6842

Data type: PtypGuid, 0x0048

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WB_SF_ID PROP_TAG

2.1145 *PidTagWlinkGroupName*

Canonical name: PidTagWlinkGroupName

Property ID: 0x6851

Data type: PtypString, 0x001F

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_GROUP_NAME PROP_TAG

2.1146 *PidTagWlinkOrdinal*

Canonical name: PidTagWlinkOrdinal

Property ID: 0x684B

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_ORDINAL PROP_TAG

2.1147 *PidTagWlinkRecordKey*

Canonical name: PidTagWlinkRecordKey

Property ID: 0x684D

Data type: PtypBinary, 0x0102

Area: Configuration

References: [MS-OXOCFG]

Alternate names: PR_WLINK_RECKEY PROP_TAG

2.1148 *PidTagWlinkROGroupType*

Canonical name: PidTagWlinkROGroupType

Property ID: 0x6892

Data type: PtypInteger32, 0x0003
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_WLINK_RO_GROUP_TYPE_PROP_TAG

2.1149 *PidTagWlinkSaveStamp*

Canonical name: PidTagWlinkSaveStamp
Property ID: 0x6847
Data type: PtypInteger32, 0x0003
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_WB_SF_TAG_PROP_TAG

2.1150 *PidTagWlinkSection*

Canonical name: PidTagWlinkSection
Property ID: 0x6852
Data type: PtypInteger32, 0x0003
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_WLINK_SECTION_PROP_TAG

2.1151 *PidTagWlinkStoreEntryId*

Canonical name: PidTagWlinkStoreEntryId
Property ID: 0x684E
Data type: PtypBinary, 0x0102
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_WLINK_STORE_ENTRYID_PROP_TAG

2.1152 *PidTagWlinkType*

Canonical name: PidTagWlinkType
Property ID: 0x6849
Data type: PtypInteger32, 0x0003
Area: Configuration
References: [MS-OXOCFG]
Alternate names: PR_WLINK_TYPE_PROP_TAG

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Office/Exchange Behavior

The information in this specification is applicable to the following versions of Office/Exchange:

- Microsoft Office Outlook 2003
- Microsoft Exchange Server 2003
- Microsoft Office Outlook 2007
- Microsoft Exchange Server 2007
- Microsoft Outlook 2010
- Microsoft Exchange Server 2010

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Office/Exchange behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies Office/Exchange does not follow the prescription.

Index

Appendix A

Office/Exchange behavior, 282

Introduction, 30

Applicability statement, 38

Glossary, 30

References, 30

Relationship to protocols and other structures, 38

Structure Overview, 33

Vendor-extensible fields, 39

Versioning and localization, 39

References

Informative references, 33

Normative references, 30

Security considerations, 281

Structure examples, 281

Structures, 39