

[MS-OXPROPS]: Exchange Server Protocols Master Property List

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplq@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability.
04/25/2008	0.2		Revised and updated property names and other technical content.
06/27/2008	1.0		Initial Release.
08/06/2008	1.01		Updated references to reflect date of initial release.
09/03/2008	1.02		Changed title of document.
10/01/2008	1.03		Revised and edited technical content.
12/03/2008	1.04		Revised and edited technical content.
02/04/2009	1.05		Revised and edited technical content.
03/04/2009	1.06		Revised and edited technical content.
04/10/2009	2.0		Updated technical content and applicable product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	4.0.0	Major	Updated and revised the technical content.

Table of Contents

1 Introduction	27
1.1 Glossary.....	27
1.2 References.....	27
1.2.1 Normative References	27
1.2.2 Informative References	30
1.3 Structure Overview	30
1.3.1 Common Message Classes.....	30
1.3.2 Commonly Used Property Sets	32
1.3.3 Property ID Ranges	33
1.3.4 WebDAV Property Naming	34
1.3.4.1 http://schemas.microsoft.com/mapi/proptag Namespace	34
1.3.4.2 http://schemas.microsoft.com/mapi/id Namespace	34
1.3.4.3 http://schemas.microsoft.com/mapi/string Namespace.....	35
1.4 Relationship to Protocols and Other Structures	35
1.5 Applicability Statement.....	35
1.6 Versioning and Localization	35
1.7 Vendor-Extensible Fields	35
2 Structures	36
2.1 PidLidAddressBookProviderArrayType	36
2.2 PidLidAddressBookProviderEmailList	36
2.3 PidLidAddressCountryCode	36
2.4 PidLidAgingDontAgeMe.....	36
2.5 PidLidAllAttendeesList.....	37
2.6 PidLidAllAttendeesString.....	37
2.7 PidLidAllowExternalCheck.....	37
2.8 PidLidAnniversaryEventEntryId	38
2.9 PidLidAppointmentAuxiliaryFlags.....	38
2.10 PidLidAppointmentColor.....	38
2.11 PidLidAppointmentCounterProposal.....	38
2.12 PidLidAppointmentDuration	39
2.13 PidLidAppointmentEndDate.....	39
2.14 PidLidAppointmentEndTime	39
2.15 PidLidAppointmentEndWhole	39
2.16 PidLidAppointmentLastSequence.....	40
2.17 PidLidAppointmentMessageClass.....	40
2.18 PidLidAppointmentNotAllowPropose	40
2.19 PidLidAppointmentProposalNumber.....	41
2.20 PidLidAppointmentProposedDuration.....	41
2.21 PidLidAppointmentProposedEndWhole.....	41
2.22 PidLidAppointmentProposedStartWhole	41
2.23 PidLidAppointmentRecur.....	42
2.24 PidLidAppointmentReplyName	42
2.25 PidLidAppointmentReplyTime.....	42
2.26 PidLidAppointmentSequence.....	42
2.27 PidLidAppointmentSequenceTime	43
2.28 PidLidAppointmentStartDate	43
2.29 PidLidAppointmentStartTime.....	43
2.30 PidLidAppointmentStartWhole.....	44
2.31 PidLidAppointmentStateFlags.....	44

2.32	PidLidAppointmentSubType	44
2.33	PidLidAppointmentTimeZoneDefinitionEndDisplay	44
2.34	PidLidAppointmentTimeZoneDefinitionRecur	45
2.35	PidLidAppointmentTimeZoneDefinitionStartDisplay.....	45
2.36	PidLidAppointmentUnsendableRecipients.....	45
2.37	PidLidAppointmentUpdateTime	45
2.38	PidLidAttendeeCriticalChange	46
2.39	PidLidAutoFillLocation	46
2.40	PidLidAutoLog	46
2.41	PidLidAutoProcessState	47
2.42	PidLidAutoStartCheck	47
2.43	PidLidAutoStartWhen.....	47
2.44	PidLidBilling.....	47
2.45	PidLidBirthdayEventEntryId	48
2.46	PidLidBirthdayLocal	48
2.47	PidLidBusinessCardCardPicture	48
2.48	PidLidBusinessCardDisplayDefinition	49
2.49	PidLidBusyStatus.....	49
2.50	PidLidCalendarType	49
2.51	PidLidCategories.....	49
2.52	PidLidCcAttendeesString.....	50
2.53	PidLidChangeHighlight.....	50
2.54	PidLidClassification	50
2.55	PidLidClassificationDescription	50
2.56	PidLidClassificationGuid	51
2.57	PidLidClassificationKeep.....	51
2.58	PidLidClassified.....	51
2.59	PidLidCleanGlobalObjectId	52
2.60	PidLidClipEnd	52
2.61	PidLidClipStart.....	52
2.62	PidLidCollaborateDoc.....	52
2.63	PidLidCommonEnd.....	53
2.64	PidLidCommonStart.....	53
2.65	PidLidCompanies	53
2.66	PidLidConferencingCheck.....	54
2.67	PidLidConferencingType.....	54
2.68	PidLidContactCharacterSet.....	54
2.69	PidLidContactItemData	54
2.70	PidLidContactLinkEntry	55
2.71	PidLidContactLinkName	55
2.72	PidLidContactLinkSearchKey	55
2.73	PidLidContacts.....	55
2.74	PidLidContactUserField1	56
2.75	PidLidContactUserField2	56
2.76	PidLidContactUserField3	56
2.77	PidLidContactUserField4	57
2.78	PidLidConversationActionLastAppliedTime	57
2.79	PidLidConversationActionMaxDeliveryTime	57
2.80	PidLidConversationActionMoveFolderEid	57
2.81	PidLidConversationActionMoveStoreEid	58
2.82	PidLidConversationActionVersion	58
2.83	PidLidConversationProcessed.....	58
2.84	PidLidCurrentVersion	59

2.85	PidLidCurrentVersionName	59
2.86	PidLidDayInterval	59
2.87	PidLidDayOfMonth	59
2.88	PidLidDelegateMail	60
2.89	PidLidDepartment.....	60
2.90	PidLidDirectory	60
2.91	PidLidDistributionListChecksum.....	60
2.92	PidLidDistributionListMembers	61
2.93	PidLidDistributionListName	61
2.94	PidLidDistributionListOneOffMembers	61
2.95	PidLidDistributionListStream	62
2.96	PidLidEmail1AddressType	62
2.97	PidLidEmail1DisplayName	62
2.98	PidLidEmail1EmailAddress	62
2.99	PidLidEmail1EmailType	63
2.100	PidLidEmail1OriginalDisplayName	63
2.101	PidLidEmail1OriginalEntryId.....	63
2.102	PidLidEmail1RichTextFormat.....	63
2.103	PidLidEmail2AddressType	64
2.104	PidLidEmail2DisplayName	64
2.105	PidLidEmail2EmailAddress	64
2.106	PidLidEmail2EntryId.....	65
2.107	PidLidEmail2OriginalDisplayName	65
2.108	PidLidEmail2OriginalEntryId.....	65
2.109	PidLidEmail2RichTextFormat.....	65
2.110	PidLidEmail3AddressType	66
2.111	PidLidEmail3DisplayName	66
2.112	PidLidEmail3EmailAddress	66
2.113	PidLidEmail3EntryId.....	66
2.114	PidLidEmail3OriginalDisplayName	67
2.115	PidLidEmail3OriginalEntryId.....	67
2.116	PidLidEmail3RichTextFormat.....	67
2.117	PidLidEmailList	68
2.118	PidLidEndRecurrenceDate	68
2.119	PidLidEndRecurrenceTime	68
2.120	PidLidExceptionReplaceTime	68
2.121	PidLidFax1AddressType	69
2.122	PidLidFax1EmailAddress	69
2.123	PidLidFax1OriginalDisplayName	69
2.124	PidLidFax1OriginalEntryId.....	69
2.125	PidLidFax2AddressType	70
2.126	PidLidFax2EmailAddress	70
2.127	PidLidFax2OriginalDisplayName	70
2.128	PidLidFax2OriginalEntryId.....	71
2.129	PidLidFax3AddressType	71
2.130	PidLidFax3EmailAddress	71
2.131	PidLidFax3OriginalDisplayName	71
2.132	PidLidFax3OriginalEntryId.....	72
2.133	PidLidFExceptionalAttendees.....	72
2.134	PidLidFExceptionalBody	72
2.135	PidLidFileUnder.....	72
2.136	PidLidFileUnderId.....	73
2.137	PidLidFileUnderList	73

2.138	PidLidFInvited.....	73
2.139	PidLidFlagRequest	74
2.140	PidLidFlagString.....	74
2.141	PidLidForwardInstance.....	74
2.142	PidLidForwardNotificationRecipients	74
2.143	PidLidFOthersAppointment.....	75
2.144	PidLidFreeBusyLocation	75
2.145	PidLidGlobalObjectId	75
2.146	PidLidHasPicture.....	76
2.147	PidLidHomeAddress	76
2.148	PidLidHomeAddressCountryCode.....	76
2.149	PidLidHtml.....	76
2.150	PidLidICalendarDayOfWeekMask.....	77
2.151	PidLidInboundICalStream	77
2.152	PidLidInfoPathFormName.....	77
2.153	PidLidInstantMessagingAddress	77
2.154	PidLidIntendedBusyStatus	78
2.155	PidLidInternetAccountName	78
2.156	PidLidInternetAccountStamp.....	78
2.157	PidLidIsException	79
2.158	PidLidIsRecurring.....	79
2.159	PidLidIsSilent	79
2.160	PidLidLinkedTaskItems	79
2.161	PidLidLocation	80
2.162	PidLidLogDocumentPosted	80
2.163	PidLidLogDocumentPrinted	80
2.164	PidLidLogDocumentRouted	81
2.165	PidLidLogDocumentSaved.....	81
2.166	PidLidLogDuration	81
2.167	PidLidLogEnd.....	81
2.168	PidLidLogFlags.....	82
2.169	PidLidLogStart.....	82
2.170	PidLidLogType	82
2.171	PidLidLogTypeDesc.....	82
2.172	PidLidMeetingType.....	83
2.173	PidLidMeetingWorkspaceUrl	83
2.174	PidLidMonthInterval.....	83
2.175	PidLidMonthOfYear	84
2.176	PidLidMonthOfYearMask.....	84
2.177	PidLidNetShowUrl.....	84
2.178	PidLidNoEndDateFlag.....	84
2.179	PidLidNonSendableBcc.....	85
2.180	PidLidNonSendableCc	85
2.181	PidLidNonSendableTo	85
2.182	PidLidNonSendBccTrackStatus	85
2.183	PidLidNonSendCcTrackStatus.....	86
2.184	PidLidNonSendToTrackStatus.....	86
2.185	PidLidNoteColor	86
2.186	PidLidNoteHeight	87
2.187	PidLidNoteWidth	87
2.188	PidLidNoteX.....	87
2.189	PidLidNoteY.....	87
2.190	PidLidOccurrences	88

2.191	PidLidOldLocation	88
2.192	PidLidOldRecurrenceType.....	88
2.193	PidLidOldWhenEndWhole	89
2.194	PidLidOldWhenStartWhole	89
2.195	PidLidOnlinePassword	89
2.196	PidLidOptionalAttendees	89
2.197	PidLidOrganizerAlias	90
2.198	PidLidOriginalStoreEntryId.....	90
2.199	PidLidOtherAddress	90
2.200	PidLidOtherAddressCountryCode.....	90
2.201	PidLidOwnerCriticalChange	91
2.202	PidLidOwnerName	91
2.203	PidLidPercentComplete	91
2.204	PidLidPostalAddressId.....	92
2.205	PidLidPostRssChannel.....	92
2.206	PidLidPostRssChannelLink.....	92
2.207	PidLidPostRssItemGuid	92
2.208	PidLidPostRssItemHash.....	93
2.209	PidLidPostRssItemLink.....	93
2.210	PidLidPostRssItemXml	93
2.211	PidLidPostRssSubscription.....	94
2.212	PidLidPrivate	94
2.213	PidLidPromptSendUpdate.....	94
2.214	PidLidRecurrenceDuration.....	94
2.215	PidLidRecurrencePattern.....	95
2.216	PidLidRecurrenceType.....	95
2.217	PidLidRecurring	95
2.218	PidLidReferenceEntryId.....	95
2.219	PidLidReferredBy	96
2.220	PidLidReminderDelta.....	96
2.221	PidLidReminderFileParameter.....	96
2.222	PidLidReminderOverride	97
2.223	PidLidReminderPlaySound.....	97
2.224	PidLidReminderSet	97
2.225	PidLidReminderSignalTime.....	97
2.226	PidLidReminderTime	98
2.227	PidLidReminderTimeDate	98
2.228	PidLidReminderTimeTime.....	98
2.229	PidLidReminderType	99
2.230	PidLidRemoteStatus.....	99
2.231	PidLidRequiredAttendees	99
2.232	PidLidResourceAttendees.....	99
2.233	PidLidResponseStatus.....	100
2.234	PidLidSendMeetingAsIcal	100
2.235	PidLidServerProcessed	100
2.236	PidLidServerProcessingActions	101
2.237	PidLidSharingAnonymity	101
2.238	PidLidSharingBindingEntryId.....	101
2.239	PidLidSharingBrowseUrl.....	101
2.240	PidLidSharingCapabilities.....	102
2.241	PidLidSharingConfigurationUrl.....	102
2.242	PidLidSharingDataRangeEnd	102
2.243	PidLidSharingDataRangeStart	103

2.244	PidLidSharingDetail.....	103
2.245	PidLidSharingExtensionXml.....	103
2.246	PidLidSharingFilter.....	103
2.247	PidLidSharingFlags.....	104
2.248	PidLidSharingFlavor.....	104
2.249	PidLidSharingFolderEntryId.....	104
2.250	PidLidSharingIndexEntryId.....	104
2.251	PidLidSharingInitiatorEntryId.....	105
2.252	PidLidSharingInitiatorName.....	105
2.253	PidLidSharingInitiatorSntp.....	105
2.254	PidLidSharingInstanceGuid.....	106
2.255	PidLidSharingLastAutoSyncTime.....	106
2.256	PidLidSharingLastSyncTime.....	106
2.257	PidLidSharingLocalComment.....	106
2.258	PidLidSharingLocalLastModificationTime.....	107
2.259	PidLidSharingLocalName.....	107
2.260	PidLidSharingLocalPath.....	107
2.261	PidLidSharingLocalStoreUid.....	107
2.262	PidLidSharingLocalType.....	108
2.263	PidLidSharingLocalUid.....	108
2.264	PidLidSharingOriginalMessageEntryId.....	108
2.265	PidLidSharingParentBindingEntryId.....	109
2.266	PidLidSharingParticipants.....	109
2.267	PidLidSharingPermissions.....	109
2.268	PidLidSharingProviderExtension.....	109
2.269	PidLidSharingProviderGuid.....	110
2.270	PidLidSharingProviderName.....	110
2.271	PidLidSharingProviderUrl.....	110
2.272	PidLidSharingRangeEnd.....	110
2.273	PidLidSharingRangeStart.....	111
2.274	PidLidSharingReciprocation.....	111
2.275	PidLidSharingRemoteByteSize.....	111
2.276	PidLidSharingRemoteComment.....	112
2.277	PidLidSharingRemoteCrc.....	112
2.278	PidLidSharingRemoteLastModificationTime.....	112
2.279	PidLidSharingRemoteMessageCount.....	112
2.280	PidLidSharingRemoteName.....	113
2.281	PidLidSharingRemotePass.....	113
2.282	PidLidSharingRemotePath.....	113
2.283	PidLidSharingRemoteStoreUid.....	113
2.284	PidLidSharingRemoteType.....	114
2.285	PidLidSharingRemoteUid.....	114
2.286	PidLidSharingRemoteUser.....	114
2.287	PidLidSharingRemoteVersion.....	115
2.288	PidLidSharingResponseTime.....	115
2.289	PidLidSharingResponseType.....	115
2.290	PidLidSharingRoamLog.....	115
2.291	PidLidSharingStart.....	116
2.292	PidLidSharingStatus.....	116
2.293	PidLidSharingStop.....	116
2.294	PidLidSharingSyncFlags.....	116
2.295	PidLidSharingSyncInterval.....	117
2.296	PidLidSharingTimeToLive.....	117

2.297	PidLidSharingTimeToLiveAuto	117
2.298	PidLidSharingWorkingHoursDays.....	118
2.299	PidLidSharingWorkingHoursEnd	118
2.300	PidLidSharingWorkingHoursStart	118
2.301	PidLidSharingWorkingHoursTimeZone	118
2.302	PidLidSideEffects	119
2.303	PidLidSingleBodyICal.....	119
2.304	PidLidSingleInvite.....	119
2.305	PidLidSmartNoAttach.....	119
2.306	PidLidSpamOriginalFolder	120
2.307	PidLidStartRecurrenceDate	120
2.308	PidLidStartRecurrenceTime	120
2.309	PidLidTaskAcceptanceState.....	121
2.310	PidLidTaskAccepted	121
2.311	PidLidTaskActualEffort	121
2.312	PidLidTaskAssigner	121
2.313	PidLidTaskAssigners	122
2.314	PidLidTaskComplete.....	122
2.315	PidLidTaskCustomFlags.....	122
2.316	PidLidTaskDateCompleted.....	122
2.317	PidLidTaskDeadOccurrence	123
2.318	PidLidTaskDueDate	123
2.319	PidLidTaskEstimatedEffort.....	123
2.320	PidLidTaskFCreator.....	124
2.321	PidLidTaskFFixOffline	124
2.322	PidLidTaskFRecurring.....	124
2.323	PidLidTaskGlobalId	124
2.324	PidLidTaskHistory	125
2.325	PidLidTaskLastDelegate	125
2.326	PidLidTaskLastUpdate.....	125
2.327	PidLidTaskLastUser.....	125
2.328	PidLidTaskMode.....	126
2.329	PidLidTaskMultipleRecipients.....	126
2.330	PidLidTaskNoCompute	126
2.331	PidLidTaskOrdinal.....	127
2.332	PidLidTaskOwner	127
2.333	PidLidTaskOwnership.....	127
2.334	PidLidTaskRecurrence.....	127
2.335	PidLidTaskResetReminder	128
2.336	PidLidTaskRole	128
2.337	PidLidTaskStartDate	128
2.338	PidLidTaskState.....	128
2.339	PidLidTaskStatus	129
2.340	PidLidTaskStatusOnComplete.....	129
2.341	PidLidTaskUpdates.....	129
2.342	PidLidTaskVersion.....	130
2.343	PidLidTeamTask.....	130
2.344	PidLidTime Zone.....	130
2.345	PidLidTime ZoneDescription.....	130
2.346	PidLidTime ZoneStruct.....	131
2.347	PidLidToAttendeesString.....	131
2.348	PidLidToDoOrdinalDate	131
2.349	PidLidToDoSubOrdinal	132

2.350	PidLidToDoTitle.....	132
2.351	PidLidTrustRecipientHighlights	132
2.352	PidLidUseTnef.....	132
2.353	PidLidValidFlagStringProof	133
2.354	PidLidVerbResponse	133
2.355	PidLidVerbStream.....	133
2.356	PidLidWeddingAnniversaryLocal	133
2.357	PidLidWeekInterval.....	134
2.358	PidLidWhere	134
2.359	PidLidWorkAddress	134
2.360	PidLidWorkAddressCity	135
2.361	PidLidWorkAddressCountry	135
2.362	PidLidWorkAddressCountryCode.....	135
2.363	PidLidWorkAddressPostalCode	135
2.364	PidLidWorkAddressPostOfficeBox	136
2.365	PidLidWorkAddressState	136
2.366	PidLidWorkAddressStreet.....	136
2.367	PidLidYearInterval	136
2.368	PidLidYomiCompanyName.....	137
2.369	PidLidYomiFirstName	137
2.370	PidLidYomiLastName	137
2.371	PidNameAcceptLanguage	138
2.372	PidNameApplicationName	138
2.373	PidNameApproved	138
2.374	PidNameApprovalAllowedDecisionMakers	138
2.375	PidNameApprovalRequestor.....	139
2.376	PidNameAttachmentMacContentType	139
2.377	PidNameAttachmentMacInfo	139
2.378	PidNameAudioNotes	140
2.379	PidNameAuthor	140
2.380	PidNameAuthenticatedAs.....	140
2.381	PidNameAuthenticatedDomain.....	140
2.382	PidNameAuthenticatedMechanism.....	141
2.383	PidNameAuthenticatedSource	141
2.384	PidNameAutomaticSpeechRecognitionData.....	141
2.385	PidNameBcc	141
2.386	PidNameByteCount.....	142
2.387	PidNameCalendarAttendeeRole	142
2.388	PidNameCalendarBusystatus.....	142
2.389	PidNameCalendarContact.....	143
2.390	PidNameCalendarContactUrl	143
2.391	PidNameCalendarCreated	143
2.392	PidNameCalendarDescriptionUrl.....	143
2.393	PidNameCalendarDuration	144
2.394	PidNameCalendarExceptionDate	144
2.395	PidNameCalendarExceptionRule.....	144
2.396	PidNameCalendarGeoLatitude	145
2.397	PidNameCalendarGeoLongitude	145
2.398	PidNameCalendarInstanceType	145
2.399	PidNameCalendarIsOrganizer.....	145
2.400	PidNameCalendarLastModified	146
2.401	PidNameCalendarLocationUrl	146
2.402	PidNameCalendarMeetingStatus.....	146

2.403	PidNameCalendarMethod	146
2.404	PidNameCalendarProductId	147
2.405	PidNameCalendarRecurrenceIdRange	147
2.406	PidNameCalendarReminderOffset	147
2.407	PidNameCalendarResources	148
2.408	PidNameCalendarRsvp	148
2.409	PidNameCalendarSequence	148
2.410	PidNameCalendarTimeZone	148
2.411	PidNameCalendarTimeZoneId	149
2.412	PidNameCalendarTransparent	149
2.413	PidNameCalendarUid	149
2.414	PidNameCalendarVersion	149
2.415	PidNameCategory	150
2.416	PidNameCc	150
2.417	PidNameCharacterCount	150
2.418	PidNameComments	151
2.419	PidNameCompany	151
2.420	PidNameContactsAlternateRecipient	151
2.421	PidNameContactsCountry	151
2.422	PidNameContactsEmail1	152
2.423	PidNameContactsEmail2	152
2.424	PidNameContactsEmail3	152
2.425	PidNameContactsFileAs	152
2.426	PidNameContactsFileAsId	153
2.427	PidNameContactsHomeLatitude	153
2.428	PidNameContactsHomeLongitude	153
2.429	PidNameContactsHomeTimeZone	154
2.430	PidNameContactsMapUrl	154
2.431	PidNameContactsOtherCountryCode	154
2.432	PidNameContactsOtherPager	154
2.433	PidNameContactsOtherTimeZone	155
2.434	PidNameContactsProxyAddresses	155
2.435	PidNameContactsSecretaryUrl	155
2.436	PidNameContactsSourceUrl	155
2.437	PidNameContentBase	156
2.438	PidNameContentClass	156
2.439	PidNameContentDisposition	156
2.440	PidNameContentID	157
2.441	PidNameContentLanguage	157
2.442	PidNameContentLocation	157
2.443	PidNameContentTransferEncoding	157
2.444	PidNameContentType	158
2.445	PidNameControl	158
2.446	PidNameCreateDateTimeReadOnly	158
2.447	PidNameCrossReference	159
2.448	PidNameDavGetContentType	159
2.449	PidNameDavId	159
2.450	PidNameDavIsCollection	159
2.451	PidNameDavIsStructuredDocument	160
2.452	PidNameDavParentName	160
2.453	PidNameDavResourceType	160
2.454	PidNameDavSearchRequest	160
2.455	PidNameDavSearchType	161

2.456	PidNameDavUId.....	161
2.457	PidNameDisposition.....	161
2.458	PidNameDispositionNotificationTo	162
2.459	PidNameDistribution.....	162
2.460	PidNameDocumentParts	162
2.461	PidNameEditTime	162
2.462	PidNameExchangeIntendedBusyStatus	163
2.463	PidNameExchangeJunkEmailMoveStamp	163
2.464	PidNameExchangeModifyExceptionStructure	163
2.465	PidNameExchangeMsexchembdefaultmailfolder.....	163
2.466	PidNameExchangeMsexchembdefaultmailfoldertype	164
2.467	PidNameExchangeNoModifyExceptions	164
2.468	PidNameExchangePatternEnd	164
2.469	PidNameExchangePatternStart.....	165
2.470	PidNameExchangePublicFolderEmailAddress.....	165
2.471	PidNameExchangeReminderInterval.....	165
2.472	PidNameExchDatabaseSchema	165
2.473	PidNameExchDataExpectedContentClass.....	166
2.474	PidNameExchDataSchemaCollectionReference.....	166
2.475	PidNameExpires	166
2.476	PidNameExpiryDate.....	166
2.477	PidNameFollowupTo.....	167
2.478	PidNameFrom.....	167
2.479	PidNameHeadingPairs.....	167
2.480	PidNameHiddenCount.....	168
2.481	PidNameHttpmailCalendar	168
2.482	PidNameHttpmailCc.....	168
2.483	PidNameHttpmailContacts.....	168
2.484	PidNameHttpmailContentMediaType.....	169
2.485	PidNameHttpmailFrom.....	169
2.486	PidNameHttpmailFromEmail.....	169
2.487	PidNameHttpmailHtmlDescription.....	169
2.488	PidNameHttpmailOutbox.....	170
2.489	PidNameHttpmailSendMessage	170
2.490	PidNameHttpmailSubmitted	170
2.491	PidNameHttpmailTo	171
2.492	PidNameICalendarRecurrenceDate	171
2.493	PidNameICalendarRecurrenceRule	171
2.494	PidNameImportance	171
2.495	PidNameInReplyTo	172
2.496	PidNameInstantMessagingAddress2	172
2.497	PidNameInstantMessagingAddress3	172
2.498	PidNameInternetComment.....	172
2.499	PidNameInternetKeywords.....	173
2.500	PidNameInternetSubject.....	173
2.501	PidNameKeywords.....	173
2.502	PidNameLastAuthor	174
2.503	PidNameLastPrinted.....	174
2.504	PidNameLastSaveDateTime	174
2.505	PidNameLineCount	174
2.506	PidNameLines.....	175
2.507	PidNameLinksDirty	175
2.508	PidNameLocationUrl.....	175

2.509	PidNameMailSubmissionUri	176
2.510	PidNameManager	176
2.511	PidNameMessageId	176
2.512	PidNameMimeVersion	176
2.513	PidNameMultimediaClipCount	177
2.514	PidNameNewsgroups	177
2.515	PidNameNntpPostingHost	177
2.516	PidNameNoteCount	177
2.517	PidNameOMSAccountGuid	178
2.518	PidNameOMSMobileModel	178
2.519	PidNameOMSScheduleTime	178
2.520	PidNameOMSServiceType	179
2.521	PidNameOMSSourceType	179
2.522	PidNameOrganization	179
2.523	PidNameOriginalRecipient	179
2.524	PidNameOriginalSpamConfidenceLevel	180
2.525	PidNameOutlookProtectionRuleOverridden	180
2.526	PidNameOutlookProtectionRuleTimestamp	180
2.527	PidNameOutlookProtectionRuleVersion	180
2.528	PidNamePageCount	181
2.529	PidNameParagraphCount	181
2.530	PidNamePath	181
2.531	PidNamePhishingStamp	182
2.532	PidNamePostingVersion	182
2.533	PidNamePresentationFormat	182
2.534	PidNamePriority	182
2.535	PidNameQuarantineOriginalSender	183
2.536	PidNameReceived	183
2.537	PidNameReferences	183
2.538	PidNameRelayVersion	183
2.539	PidNameReplyBy	184
2.540	PidNameReplyTo	184
2.541	PidNameReturnPath	184
2.542	PidNameReturnReceiptTo	185
2.543	PidNameRevisionNumber	185
2.544	PidNameRightsManagementLicense	185
2.545	PidNameRightsProtectMessage	185
2.546	PidNameScale	186
2.547	PidNameSecurity	186
2.548	PidNameSender	186
2.549	PidNameSensitivity	186
2.550	PidNameSlideCount	187
2.551	PidNameSubject	187
2.552	PidNameSummary	187
2.553	PidNameTemplate	188
2.554	PidNameThreadIndex	188
2.555	PidNameThreadTopic	188
2.556	PidNameThumbnail	188
2.557	PidNameTitle	189
2.558	PidNameTo	189
2.559	PidNameWordCount	189
2.560	PidNameXCallId	189
2.561	PidNameXFaxNumberOfPages	190

2.562	PidNameXMailer	190
2.563	PidNameXMessageCompleted	190
2.564	PidNameXMessageFlag	191
2.565	PidNameXRequireProtectedPlayOnPhone	191
2.566	PidNameXSenderTelephoneNumber	191
2.567	PidNameXSharingBrowseUrl.....	191
2.568	PidNameXSharingCapabilities.....	192
2.569	PidNameXSharingConfigUrl.....	192
2.570	PidNameXSharingExendedCaps.....	192
2.571	PidNameXSharingFlavor.....	192
2.572	PidNameXSharingInstanceGuid.....	193
2.573	PidNameXSharingLocalType.....	193
2.574	PidNameXSharingProviderGuid	193
2.575	PidNameXSharingProviderName.....	194
2.576	PidNameXSharingProviderUrl.....	194
2.577	PidNameXSharingRemoteName	194
2.578	PidNameXSharingRemotePath.....	194
2.579	PidNameXSharingRemoteStoreUid	195
2.580	PidNameXSharingRemoteType.....	195
2.581	PidNameXSharingRemoteUid	195
2.582	PidNameXUnifiedMessagingPartnerAssignedId.....	195
2.583	PidNameXUnifiedMessagingPartnerContent	196
2.584	PidNameXUnifiedMessagingPartnerContext	196
2.585	PidNameXUnifiedMessagingPartnerStatus.....	196
2.586	PidNameXUnsent.....	197
2.587	PidNameXVoiceMessageAttachmentOrder	197
2.588	PidNameXVoiceMessageDuration	197
2.589	PidNameXVoiceMessageSenderName	197
2.590	PidTag7BitDisplayName	198
2.591	PidTagAccess.....	198
2.592	PidTagAccessLevel.....	198
2.593	PidTagAccount.....	198
2.594	PidTagAdditionalRenEntryIds	199
2.595	PidTagAdditionalRenEntryIdsEx.....	199
2.596	PidTagAddressBookAuthorizedSenders	199
2.597	PidTagAddressBookContainerId.....	199
2.598	PidTagAddressBookDeliveryContentLength.....	200
2.599	PidTagAddressBookDisplayNamePrintable	200
2.600	PidTagAddressBookDisplayTypeExtended	200
2.601	PidTagAddressBookDistributionListExternalMemberCount.....	200
2.602	PidTagAddressBookDistributionListMemberCount	201
2.603	PidTagAddressBookDistributionListMemberSubmitAccepted	201
2.604	PidTagAddressBookDistributionListMemberSubmitRejected	201
2.605	PidTagAddressBookEntryId	201
2.606	PidTagAddressBookExtensionAttribute 1	202
2.607	PidTagAddressBookExtensionAttribute 15.....	202
2.608	PidTagAddressBookFolderPathname	202
2.609	PidTagAddressBookHierarchicalChildDepartments	202
2.610	PidTagAddressBookHierarchicalDepartmentMembers	203
2.611	PidTagAddressBookHierarchicalIsHierarchicalGroup	203
2.612	PidTagAddressBookHierarchicalParentDepartment.....	203
2.613	PidTagAddressBookHierarchicalRootDepartment.....	203
2.614	PidTagAddressBookHierarchicalShowInDepartments.....	204

2.615	PidTagAddressBookHomeMessageDatabase	204
2.616	PidTagAddressBookIsMaster	204
2.617	PidTagAddressBookIsMemberOfDistributionList	204
2.618	PidTagAddressBookManageDistributionList	205
2.619	PidTagAddressBookManager	205
2.620	PidTagAddressBookManagerDistinguishedName	205
2.621	PidTagAddressBookMember	205
2.622	PidTagAddressBookMessageId	206
2.623	PidTagAddressBookModerationEnabled	206
2.624	PidTagAddressBookNetworkAddress	206
2.625	PidTagAddressBookObjectDistinguishedName	206
2.626	PidTagAddressBookObjectGuid	207
2.627	PidTagAddressBookOrganizationalUnitRootDistinguishedName	207
2.628	PidTagAddressBookOwner	207
2.629	PidTagAddressBookOwnerBackLink	207
2.630	PidTagAddressBookParentEntryId	208
2.631	PidTagAddressBookPhoneticCompanyName	208
2.632	PidTagAddressBookPhoneticDepartmentName	208
2.633	PidTagAddressBookPhoneticDisplayName	208
2.634	PidTagAddressBookPhoneticGivenName	209
2.635	PidTagAddressBookPhoneticSurname	209
2.636	PidTagAddressBookProxyAddresses	209
2.637	PidTagAddressBookPublicDelegates	209
2.638	PidTagAddressBookReports	210
2.639	PidTagAddressBookRoomCapacity	210
2.640	PidTagAddressBookRoomContainers	210
2.641	PidTagAddressBookRoomDescription	210
2.642	PidTagAddressBookSenderHintTranslations	211
2.643	PidTagAddressBookSeniorityIndex	211
2.644	PidTagAddressBookTargetAddress	211
2.645	PidTagAddressBookUnauthorizedSenders	211
2.646	PidTagAddressBookX509Certificate	212
2.647	PidTagAddressType	212
2.648	PidTagAlternateRecipientAllowed	212
2.649	PidTagAnr	212
2.650	PidTagArchiveDate	213
2.651	PidTagArchivePeriod	213
2.652	PidTagArchiveTag	213
2.653	PidTagAssistant	213
2.654	PidTagAssistantTelephoneNumber	214
2.655	PidTagAssociated	214
2.656	PidTagAttachAdditionalInformation	214
2.657	PidTagAttachContentBase	214
2.658	PidTagAttachContentId	215
2.659	PidTagAttachContentLocation	215
2.660	PidTagAttachDataBinary	215
2.661	PidTagAttachDataObject	215
2.662	PidTagAttachEncoding	216
2.663	PidTagAttachExtension	216
2.664	PidTagAttachFilename	216
2.665	PidTagAttachFlags	216
2.666	PidTagAttachLongFilename	217
2.667	PidTagAttachLongPathname	217

2.668	PidTagAttachmentContactPhoto	217
2.669	PidTagAttachmentFlags	217
2.670	PidTagAttachmentHidden	218
2.671	PidTagAttachmentLinkId	218
2.672	PidTagAttachMethod	218
2.673	PidTagAttachMimeType	218
2.674	PidTagAttachNumber	219
2.675	PidTagAttachPathname	219
2.676	PidTagAttachPayloadClass	219
2.677	PidTagAttachPayloadProviderGuidString	219
2.678	PidTagAttachRendering	220
2.679	PidTagAttachSize	220
2.680	PidTagAttachTag	220
2.681	PidTagAttachTransportName	220
2.682	PidTagAttributeHidden	221
2.683	PidTagAttributeReadOnly	221
2.684	PidTagAttributeSystem	221
2.685	PidTagAutoForwarded	221
2.686	PidTagAutoResponseSuppress	222
2.687	PidTagBirthday	222
2.688	PidTagBlockStatus	222
2.689	PidTagBody	222
2.690	PidTagBodyContentId	223
2.691	PidTagBodyContentLocation	223
2.692	PidTagBodyHtml	223
2.693	PidTagBusiness2TelephoneNumber	223
2.694	PidTagBusiness2TelephoneNumbers	224
2.695	PidTagBusinessFaxNumber	224
2.696	PidTagBusinessHomePage	224
2.697	PidTagBusinessTelephoneNumber	224
2.698	PidTagCallbackTelephoneNumber	225
2.699	PidTagCallId	225
2.700	PidTagCarTelephoneNumber	225
2.701	PidTagCdoRecurrenceid	225
2.702	PidTagChangeKey	226
2.703	PidTagChangeNotificationGuid	226
2.704	PidTagChangeNumber	226
2.705	PidTagChildrensNames	226
2.706	PidTagClientActions	227
2.707	PidTagClientSubmitTime	227
2.708	PidTagCnsetRead	227
2.709	PidTagCnsetSeen	227
2.710	PidTagCnsetSeenFAI	228
2.711	PidTagCodePageId	228
2.712	PidTagComment	228
2.713	PidTagCompanyMainTelephoneNumber	228
2.714	PidTagCompanyName	229
2.715	PidTagComputerNetworkName	229
2.716	PidTagConflictEntryId	229
2.717	PidTagConflictItems	229
2.718	PidTagContainerClass	230
2.719	PidTagContainerContents	230
2.720	PidTagContainerFlags	230

2.721	PidTagContainerHierarchy.....	230
2.722	PidTagContentCount.....	231
2.723	PidTagContentFilterPhishingConfidenceLevel.....	231
2.724	PidTagContentFilterSpamConfidenceLevel.....	231
2.725	PidTagContentUnreadCount.....	231
2.726	PidTagConversationId.....	232
2.727	PidTagConversationIndex.....	232
2.728	PidTagConversationIndexTracking.....	232
2.729	PidTagConversationTopic.....	232
2.730	PidTagCountry.....	233
2.731	PidTagCreationTime.....	233
2.732	PidTagCreatorEntryId.....	233
2.733	PidTagCreatorName.....	233
2.734	PidTagCreatorSimpleDisplayName.....	234
2.735	PidTagCustomerId.....	234
2.736	PidTagDamBackPatched.....	234
2.737	PidTagDamOriginalEntryId.....	234
2.738	PidTagDefaultPostMessageClass.....	235
2.739	PidTagDeferredDeliveryTime.....	235
2.740	PidTagDeferredSendNumber.....	235
2.741	PidTagDeferredSendTime.....	235
2.742	PidTagDeferredSendUnits.....	236
2.743	PidTagDelegatedByRule.....	236
2.744	PidTagDelegateFlags.....	236
2.745	PidTagDeleteAfterSubmit.....	236
2.746	PidTagDeletedOn.....	237
2.747	PidTagDepartmentName.....	237
2.748	PidTagDepth.....	237
2.749	PidTagDisplayBcc.....	237
2.750	PidTagDisplayCc.....	238
2.751	PidTagDisplayName.....	238
2.752	PidTagDisplayNamePrefix.....	238
2.753	PidTagDisplayTo.....	238
2.754	PidTagDisplayType.....	239
2.755	PidTagDisplayTypeEx.....	239
2.756	PidTagEcWarning.....	239
2.757	PidTagEmailAddress.....	239
2.758	PidTagEndAttach.....	240
2.759	PidTagEndDate.....	240
2.760	PidTagEndEmbed.....	240
2.761	PidTagEndFolder.....	240
2.762	PidTagEndMessage.....	241
2.763	PidTagEndToRecip.....	241
2.764	PidTagEntryId.....	241
2.765	PidTagExceptionEndTime.....	241
2.766	PidTagExceptionReplaceTime.....	242
2.767	PidTagExceptionStartTime.....	242
2.768	PidTagExchangeNTSecurityDescriptor.....	242
2.769	PidTagExpiryNumber.....	242
2.770	PidTagExpiryTime.....	243
2.771	PidTagExpiryUnits.....	243
2.772	PidTagExtendedFolderFlags.....	243
2.773	PidTagExtendedRuleMessageActions.....	243

2.774	PidTagExtendedRuleMessageCondition	244
2.775	PidTagExtendedRuleSizeLimit	244
2.776	PidTagFaxNumberOfPages	244
2.777	PidTagFlagCompleteTime	244
2.778	PidTagFlagStatus	245
2.779	PidTagFlatUrlName	245
2.780	PidTagFolderAssociatedContents	245
2.781	PidTagFolderId	245
2.782	PidTagFolderType	246
2.783	PidTagFollowupIcon	246
2.784	PidTagFreeBusyCountMonths	246
2.785	PidTagFreeBusyEntryIds	246
2.786	PidTagFreeBusyMessageEmailAddress	247
2.787	PidTagFreeBusyPublishEnd	247
2.788	PidTagFreeBusyPublishStart	247
2.789	PidTagFreeBusyRangeTimestamp	247
2.790	PidTagFtpSite	248
2.791	PidTagFXDelProp	248
2.792	PidTagFXErrorInfo	248
2.793	PidTagGatewayNeedsToRefresh	248
2.794	PidTagGender	249
2.795	PidTagGeneration	249
2.796	PidTagGivenName	249
2.797	PidTagGovernmentIdNumber	249
2.798	PidTagHasAttachments	250
2.799	PidTagHasDeferredActionMessages	250
2.800	PidTagHasNamedProperties	250
2.801	PidTagHasRules	250
2.802	PidTagHierarchyChangeNumber	251
2.803	PidTagHobbies	251
2.804	PidTagHome2TelephoneNumber	251
2.805	PidTagHome2TelephoneNumbers	251
2.806	PidTagHomeAddressCity	252
2.807	PidTagHomeAddressCountry	252
2.808	PidTagHomeAddressPostalCode	252
2.809	PidTagHomeAddressPostOfficeBox	252
2.810	PidTagHomeAddressStateOrProvince	253
2.811	PidTagHomeAddressStreet	253
2.812	PidTagHomeFaxNumber	253
2.813	PidTagHomeTelephoneNumber	253
2.814	PidTagHtml	254
2.815	PidTagICalendarEndTime	254
2.816	PidTagICalendarReminderNextTime	254
2.817	PidTagICalendarStartTime	254
2.818	PidTagIconIndex	255
2.819	PidTagIdsetDeleted	255
2.820	PidTagIdsetExpired	255
2.821	PidTagIdsetGiven	255
2.822	PidTagIdsetRead	256
2.823	PidTagIdsetNoLongerInScope	256
2.824	PidTagIdsetUnread	256
2.825	PidTagImapCachedMsgsize	256
2.826	PidTagImportance	257

2.827	PidTagInConflict	257
2.828	PidTagIncrementalSyncMessagePartial.....	257
2.829	PidTagIncrSyncChg.....	257
2.830	PidTagIncrSyncChgPartial.....	258
2.831	PidTagIncrSyncDel	258
2.832	PidTagIncrSyncEnd.....	258
2.833	PidTagIncrSyncGroupId	258
2.834	PidTagIncrSyncGroupInfo	259
2.835	PidTagIncrSyncMessage.....	259
2.836	PidTagIncrSyncProgressMode	259
2.837	PidTagIncrSyncProgressPerMsg.....	259
2.838	PidTagIncrSyncRead.....	260
2.839	PidTagIncrSyncStateBegin.....	260
2.840	PidTagIncrSyncStateEnd.....	260
2.841	PidTagInitialDetailsPane	260
2.842	PidTagInitials.....	261
2.843	PidTagInReplyToId	261
2.844	PidTagInstanceKey	261
2.845	PidTagInstanceNum.....	261
2.846	PidTagInstID	262
2.847	PidTagInternetArticleNumber.....	262
2.848	PidTagInternetCodepage.....	262
2.849	PidTagInternetMailOverrideFormat.....	262
2.850	PidTagInternetMessageId	263
2.851	PidTagInternetReferences	263
2.852	PidTagInternetReturnPath.....	263
2.853	PidTagIpmAppointmentEntryId	263
2.854	PidTagIpmContactEntryId.....	264
2.855	PidTagIpmDraftsEntryId	264
2.856	PidTagIpmJournalEntryId.....	264
2.857	PidTagIpmNoteEntryId	264
2.858	PidTagIpmTaskEntryId	265
2.859	PidTagIsdnNumber	265
2.860	PidTagItemTemporaryFlags	265
2.861	PidTagJunkAddRecipientsToSafeSendersList.....	265
2.862	PidTagJunkIncludeContacts.....	266
2.863	PidTagJunkPermanentlyDelete	266
2.864	PidTagJunkPhishingEnableLinks	266
2.865	PidTagJunkThreshold	266
2.866	PidTagKeyword.....	267
2.867	PidTagLanguage	267
2.868	PidTagLastModificationTime	267
2.869	PidTagLastModifierEntryId	267
2.870	PidTagLastModifierName.....	268
2.871	PidTagLastModifierSimpleDisplayName	268
2.872	PidTagLastVerbExecuted.....	268
2.873	PidTagLastVerbExecutionTime	268
2.874	PidTagListHelp.....	269
2.875	PidTagListSubscribe.....	269
2.876	PidTagListUnsubscribe	269
2.877	PidTagLocalCommitTime	269
2.878	PidTagLocaleId	270
2.879	PidTagLocality	270

2.880	PidTagLocation	270
2.881	PidTagMailboxOwnerEntryId	270
2.882	PidTagMailboxOwnerName	271
2.883	PidTagManagerName	271
2.884	PidTagMappingSignature	271
2.885	PidTagMaximumSubmitMessageSize	271
2.886	PidTagMemberId	272
2.887	PidTagMemberName	272
2.888	PidTagMemberRights	272
2.889	PidTagMessageAttachments	272
2.890	PidTagMessageCcMe	273
2.891	PidTagMessageClass	273
2.892	PidTagMessageCodepage	273
2.893	PidTagMessageDeliveryTime	273
2.894	PidTagMessageEditorFormat	274
2.895	PidTagMessageFlags	274
2.896	PidTagMessageHandlingSystemCommonName	274
2.897	PidTagMessageLocaleId	274
2.898	PidTagMessageRecipientMe	275
2.899	PidTagMessageRecipients	275
2.900	PidTagMessageSize	275
2.901	PidTagMessageSizeExtended	275
2.902	PidTagMessageStatus	276
2.903	PidTagMessageSubmissionId	276
2.904	PidTagMessageToMe	276
2.905	PidTagMid	276
2.906	PidTagMiddleName	277
2.907	PidTagMimeSkeleton	277
2.908	PidTagMobileTelephoneNumber	277
2.909	PidTagNativeBody	277
2.910	PidTagNew Attach	278
2.911	PidTagNew FXFolder	278
2.912	PidTagNextSendAcct	278
2.913	PidTagNickname	278
2.914	PidTagNormalizedSubject	279
2.915	PidTagNormalMessageSize	279
2.916	PidTagObjectType	279
2.917	PidTagOfficeLocation	279
2.918	PidTagOfflineAddressBookCompressedSize	280
2.919	PidTagOfflineAddressBookContainerGuid	280
2.920	PidTagOfflineAddressBookDistinguishedName	280
2.921	PidTagOfflineAddressBookFileSize	280
2.922	PidTagOfflineAddressBookFileType	281
2.923	PidTagOfflineAddressBookLanguageId	281
2.924	PidTagOfflineAddressBookMessageClass	281
2.925	PidTagOfflineAddressBookName	281
2.926	PidTagOfflineAddressBookSequence	282
2.927	PidTagOfflineAddressBookShaHash	282
2.928	PidTagOfflineAddressBookTruncatedProperties	282
2.929	PidTagOrdinalMost	282
2.930	PidTagOrganizationalIdNumber	283
2.931	PidTagOriginalAuthorName	283
2.932	PidTagOriginalDeliveryTime	283

2.933	PidTagOriginalDisplayBcc.....	283
2.934	PidTagOriginalDisplayCc.....	284
2.935	PidTagOriginalDisplayName.....	284
2.936	PidTagOriginalDisplayTo.....	284
2.937	PidTagOriginalEntryId.....	285
2.938	PidTagOriginalMessageClass.....	285
2.939	PidTagOriginalMessageId.....	285
2.940	PidTagOriginalSearchKey.....	285
2.941	PidTagOriginalSenderAddressType.....	286
2.942	PidTagOriginalSenderEmailAddress.....	286
2.943	PidTagOriginalSenderEntryId.....	286
2.944	PidTagOriginalSenderName.....	286
2.945	PidTagOriginalSenderSearchKey.....	287
2.946	PidTagOriginalSensitivity.....	287
2.947	PidTagOriginalSentRepresentingAddressType.....	287
2.948	PidTagOriginalSentRepresentingEmailAddress.....	287
2.949	PidTagOriginalSentRepresentingEntryId.....	288
2.950	PidTagOriginalSentRepresentingName.....	288
2.951	PidTagOriginalSentRepresentingSearchKey.....	288
2.952	PidTagOriginalSubject.....	288
2.953	PidTagOriginalSubmitTime.....	289
2.954	PidTagOriginatorDeliveryReportRequested.....	289
2.955	PidTagOriginatorNonDeliveryReportRequested.....	289
2.956	PidTagOtherAddressCity.....	290
2.957	PidTagOtherAddressCountry.....	290
2.958	PidTagOtherAddressPostalCode.....	290
2.959	PidTagOtherAddressPostOfficeBox.....	290
2.960	PidTagOtherAddressStateOrProvince.....	291
2.961	PidTagOtherAddressStreet.....	291
2.962	PidTagOtherTelephoneNumber.....	291
2.963	PidTagOutOfOfficeState.....	291
2.964	PidTagOwnerAppointmentId.....	292
2.965	PidTagPagerTelephoneNumber.....	292
2.966	PidTagParentEntryId.....	292
2.967	PidTagParentFolderId.....	292
2.968	PidTagParentKey.....	293
2.969	PidTagParentSourceKey.....	293
2.970	PidTagPersonalHomePage.....	293
2.971	PidTagPolicyTag.....	293
2.972	PidTagPostalAddress.....	294
2.973	PidTagPostalCode.....	294
2.974	PidTagPostOfficeBox.....	294
2.975	PidTagPredecessorChangeList.....	294
2.976	PidTagPrimaryFaxNumber.....	295
2.977	PidTagPrimarySendAccount.....	295
2.978	PidTagPrimarySmtpAddress.....	295
2.979	PidTagPrimaryTelephoneNumber.....	295
2.980	PidTagPriority.....	296
2.981	PidTagProcessed.....	296
2.982	PidTagProfession.....	296
2.983	PidTagProhibitReceiveQuota.....	296
2.984	PidTagProhibitSendQuota.....	297
2.985	PidTagProviderSubmitTime.....	297

2.986	PidTagPublicFolderAdministrativeDescription.....	297
2.987	PidTagPublicFolderProxy.....	297
2.988	PidTagPurportedSenderDomain.....	298
2.989	PidTagRadioTelephoneNumber.....	298
2.990	PidTagRead.....	298
2.991	PidTagReadReceiptAddressType.....	298
2.992	PidTagReadReceiptEmailAddress.....	299
2.993	PidTagReadReceiptEntryId.....	299
2.994	PidTagReadReceiptName.....	299
2.995	PidTagReadReceiptRequested.....	299
2.996	PidTagReadReceiptSearchKey.....	300
2.997	PidTagReceivedByAddressType.....	300
2.998	PidTagReceivedByEmailAddress.....	300
2.999	PidTagReceivedByEntryId.....	300
2.1000	PidTagReceivedByFlags.....	301
2.1001	PidTagReceivedByName.....	301
2.1002	PidTagReceivedBySearchKey.....	301
2.1003	PidTagReceivedRepresentingAddressType.....	301
2.1004	PidTagReceivedRepresentingEmailAddress.....	302
2.1005	PidTagReceivedRepresentingEntryId.....	302
2.1006	PidTagReceivedRepresentingFlags.....	302
2.1007	PidTagReceivedRepresentingName.....	302
2.1008	PidTagReceivedRepresentingSearchKey.....	303
2.1009	PidTagReceivedRepresentingSimpleDisplayName.....	303
2.1010	PidTagRecipientDisplayName.....	303
2.1011	PidTagRecipientEntryId.....	303
2.1012	PidTagRecipientFlags.....	304
2.1013	PidTagRecipientOrder.....	304
2.1014	PidTagRecipientProposed.....	304
2.1015	PidTagRecipientProposedEndTime.....	304
2.1016	PidTagRecipientProposedStartTime.....	305
2.1017	PidTagRecipientReassignmentProhibited.....	305
2.1018	PidTagRecipientResourceState.....	305
2.1019	PidTagRecipientTrackStatus.....	305
2.1020	PidTagRecipientTrackStatusTime.....	306
2.1021	PidTagRecipientType.....	306
2.1022	PidTagRecordKey.....	306
2.1023	PidTagReferredByName.....	306
2.1024	PidTagRemindersOnlineEntryId.....	307
2.1025	PidTagRemoteHeaderLoc.....	307
2.1026	PidTagRemoteMessageTransferAgent.....	307
2.1027	PidTagRenderingPosition.....	307
2.1028	PidTagReplyRecipientEntries.....	308
2.1029	PidTagReplyRecipientNames.....	308
2.1030	PidTagReplyRequested.....	308
2.1031	PidTagReplyTemplateId.....	308
2.1032	PidTagReplyTime.....	309
2.1033	PidTagReportEntryId.....	309
2.1034	PidTagReportingMessageTransferAgent.....	309
2.1035	PidTagReportName.....	309
2.1036	PidTagReportSearchKey.....	310
2.1037	PidTagReportTag.....	310
2.1038	PidTagReportText.....	310

2.1039	PidTagReportTime	310
2.1040	PidTagResolveMethod	311
2.1041	PidTagResponseRequested	311
2.1042	PidTagResponsibility	311
2.1043	PidTagRetentionDate	311
2.1044	PidTagRetentionFlags	312
2.1045	PidTagRetentionPeriod	312
2.1046	PidTagRights	312
2.1047	PidTagRoamingDatatypes	312
2.1048	PidTagRoamingDictionary	313
2.1049	PidTagRoamingXmlStream	313
2.1050	PidTagRowid	313
2.1051	PidTagRowType	313
2.1052	PidTagRtfCompressed	314
2.1053	PidTagRtfInSync	314
2.1054	PidTagRtfSyncBodyCount	314
2.1055	PidTagRtfSyncBodyCrc	314
2.1056	PidTagRtfSyncBodyTag	315
2.1057	PidTagRtfSyncPrefixCount	315
2.1058	PidTagRtfSyncTrailingCount	315
2.1059	PidTagRuleActionNumber	315
2.1060	PidTagRuleActions	316
2.1061	PidTagRuleActionType	316
2.1062	PidTagRuleCondition	316
2.1063	PidTagRuleError	316
2.1064	PidTagRuleFolderEntryId	317
2.1065	PidTagRuleId	317
2.1066	PidTagRuleLevel	317
2.1067	PidTagRuleMessageState	317
2.1068	PidTagRuleMsgLevel	318
2.1069	PidTagRuleMsgName	318
2.1070	PidTagRuleMsgProvider	318
2.1071	PidTagRuleMsgProviderData	318
2.1072	PidTagRuleMsgSequence	319
2.1073	PidTagRuleMsgState	319
2.1074	PidTagRuleMsgUserFlags	319
2.1075	PidTagRuleName	319
2.1076	PidTagRuleProvider	320
2.1077	PidTagRuleProviderData	320
2.1078	PidTagRuleSequence	320
2.1079	PidTagRuleState	320
2.1080	PidTagRuleUserFlags	321
2.1081	PidTagRwRulesStream	321
2.1082	PidTagScheduleInfoAppointmentTombstone	321
2.1083	PidTagScheduleInfoAutoAcceptAppointments	321
2.1084	PidTagScheduleInfoDelegateEntryIds	322
2.1085	PidTagScheduleInfoDelegateNames	322
2.1086	PidTagScheduleInfoDelegateNamesW	322
2.1087	PidTagScheduleInfoDelegatorWantsCopy	322
2.1088	PidTagScheduleInfoDelegatorWantsInfo	323
2.1089	PidTagScheduleInfoDisallowOverlappingAppts	323
2.1090	PidTagScheduleInfoDisallowRecurringAppts	323
2.1091	PidTagScheduleInfoDontMailDelegates	323

2.1092	PidTagScheduleInfoFreeBusy	324
2.1093	PidTagScheduleInfoFreeBusyAway	324
2.1094	PidTagScheduleInfoFreeBusyBusy	324
2.1095	PidTagScheduleInfoFreeBusyMerged	324
2.1096	PidTagScheduleInfoFreeBusyTentative	325
2.1097	PidTagScheduleInfoMonthsAway	325
2.1098	PidTagScheduleInfoMonthsBusy	325
2.1099	PidTagScheduleInfoMonthsMerged	325
2.1100	PidTagScheduleInfoMonthsTentative	326
2.1101	PidTagScheduleInfoResourceType	326
2.1102	PidTagSchedulePlusFreeBusyEntryId	326
2.1103	PidTagScriptData	326
2.1104	PidTagSearchFolderDefinition	327
2.1105	PidTagSearchFolderEfpFlags	327
2.1106	PidTagSearchFolderExpiration	327
2.1107	PidTagSearchFolderId	327
2.1108	PidTagSearchFolderLastUsed	328
2.1109	PidTagSearchFolderRecreateInfo	328
2.1110	PidTagSearchFolderStorageType	328
2.1111	PidTagSearchFolderTag	328
2.1112	PidTagSearchFolderTemplateId	329
2.1113	PidTagSearchKey	329
2.1114	PidTagSecureSubmitFlags	329
2.1115	PidTagSecurityDescriptor	329
2.1116	PidTagSecurityDescriptorAsXml	330
2.1117	PidTagSelectable	330
2.1118	PidTagSenderAddressType	330
2.1119	PidTagSenderEmailAddress	330
2.1120	PidTagSenderEntryId	331
2.1121	PidTagSenderFlags	331
2.1122	PidTagSenderIdStatus	331
2.1123	PidTagSenderName	331
2.1124	PidTagSenderSearchKey	332
2.1125	PidTagSenderSimpleDisplayName	332
2.1126	PidTagSenderSmtpAddress	332
2.1127	PidTagSenderTelephoneNumber	332
2.1128	PidTagSendInternetEncoding	333
2.1129	PidTagSendRichInfo	333
2.1130	PidTagSensitivity	333
2.1131	PidTagSentMailEntryId	333
2.1132	PidTagSentMailSvrEID	334
2.1133	PidTagSentRepresentingAddressType	334
2.1134	PidTagSentRepresentingEmailAddress	334
2.1135	PidTagSentRepresentingEntryId	334
2.1136	PidTagSentRepresentingFlags	335
2.1137	PidTagSentRepresentingName	335
2.1138	PidTagSentRepresentingSearchKey	335
2.1139	PidTagSentRepresentingSimpleDisplayName	335
2.1140	PidTagSessionInitiationProtocolUri	336
2.1141	PidTagSmtpAddress	336
2.1142	PidTagSortLocaleId	336
2.1143	PidTagSourceKey	336
2.1144	PidTagSpokenName	337

2.1145	PidTagSpouseName	337
2.1146	PidTagStartDate	337
2.1147	PidTagStartDateEtc.....	337
2.1148	PidTagStartEmbed.....	338
2.1149	PidTagStartFAIMsg	338
2.1150	PidTagStartMessage	338
2.1151	PidTagStartRecip	338
2.1152	PidTagStartSubFld	339
2.1153	PidTagStartTopFld	339
2.1154	PidTagStateOrProvince	339
2.1155	PidTagStoreEntryId.....	339
2.1156	PidTagStoreState.....	340
2.1157	PidTagStoreSupportMask.....	340
2.1158	PidTagStreetAddress.....	340
2.1159	PidTagSubfolder	340
2.1160	PidTagSubfolders.....	341
2.1161	PidTagSubject	341
2.1162	PidTagSubjectPrefix.....	341
2.1163	PidTagSubmitFlags	341
2.1164	PidTagSurname	342
2.1165	PidTagSwappedToDoData	342
2.1166	PidTagSwappedToDoStore	342
2.1167	PidTagTargetEntryId.....	342
2.1168	PidTagTcvConstLongOne.....	343
2.1169	PidTagTelecommunicationsDeviceForDeafTelephoneNumber.....	343
2.1170	PidTagTelexNumber.....	343
2.1171	PidTagTemplateData.....	343
2.1172	PidTagTemplateid	344
2.1173	PidTagTemporaryDefaultDocument	344
2.1174	PidTagTextAttachmentCharset	344
2.1175	PidTagThumbnailPhoto	344
2.1176	PidTagTitle	345
2.1177	PidTagTnefCorrelationKey.....	345
2.1178	PidTagToDoItemFlags	345
2.1179	PidTagTransmittableDisplayName	345
2.1180	PidTagTransportMessageHeaders.....	346
2.1181	PidTagTrustSender	346
2.1182	PidTagTtyTddPhoneNumber	346
2.1183	PidTagUrlCompName	346
2.1184	PidTagUrlCompNameSet.....	347
2.1185	PidTagUrlName.....	347
2.1186	PidTagUserCertificate.....	347
2.1187	PidTagUserEntryId.....	347
2.1188	PidTagUserX509Certificate.....	348
2.1189	PidTagViewDescriptorBinary.....	348
2.1190	PidTagViewDescriptorName	348
2.1191	PidTagViewDescriptorStrings.....	348
2.1192	PidTagViewDescriptorVersion.....	349
2.1193	PidTagVoiceMessageAttachmentOrder.....	349
2.1194	PidTagVoiceMessageDuration.....	349
2.1195	PidTagVoiceMessageSenderName	349
2.1196	PidTagWeddingAnniversary.....	350
2.1197	PidTagWlinkAddressBookEID.....	350

2.1198	PidTagWlinkAddressBookStoreEID	350
2.1199	PidTagWlinkCalendarColor	350
2.1200	PidTagWlinkClientID	351
2.1201	PidTagWlinkEntryId	351
2.1202	PidTagWlinkFlags.....	351
2.1203	PidTagWlinkFolderType.....	351
2.1204	PidTagWlinkGroupClsid	352
2.1205	PidTagWlinkGroupHeaderID.....	352
2.1206	PidTagWlinkGroupName.....	352
2.1207	PidTagWlinkOrdinal.....	352
2.1208	PidTagWlinkRecordKey	353
2.1209	PidTagWlinkROGroupType.....	353
2.1210	PidTagWlinkSaveStamp	353
2.1211	PidTagWlinkSection	353
2.1212	PidTagWlinkStoreEntryId	354
2.1213	PidTagWlinkType	354
3	Structure Examples	355
4	Security Considerations	356
5	Appendix A: Product Behavior	357
6	Change Tracking	358
7	Index.....	368

1 Introduction

This specification lists all properties used for communication between clients and servers, provides summary information about each property, and provides links to the documents in which the property value ranges and semantics are specified.

1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

message class
named property
property (1)
property ID
property set
tagged property

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-NSPI] [MS-NSPI] Microsoft Corporation, "Name Service Provider Interface (NSPI) Protocol Specification", June 2008, <http://go.microsoft.com/fwlink/?LinkID=154742>.

[MS-OXABREF] Microsoft Corporation, "[Address Book Name Service Provider Interface \(NSPI\) Referral Protocol Specification](#)", June 2008.

[MS-OXBBODY] Microsoft Corporation, "[Best Body Retrieval Protocol Specification](#)", June 2008.

[MS-OXCDATA] Microsoft Corporation, "[Data Structures](#)", June 2008.

[MS-OXCFCFOLD] Microsoft Corporation, "[Folder Object Protocol Specification](#)", June 2008.

[MS-OXCFCIXCS] Microsoft Corporation, "[Bulk Data Transfer Protocol Specification](#)", June 2008.

[MS-OXCICAL] Microsoft Corporation, "[iCalendar to Appointment Object Conversion Protocol Specification](#)", June 2008.

[MS-OXCMAIL] Microsoft Corporation, "[RFC2822 and MIME to E-Mail Object Conversion Protocol Specification](#)", June 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", June 2008.

[MS-OXCNOTIF] Microsoft Corporation, "[Core Notifications Protocol Specification](#)", June 2008.

[MS-OXCPerm] Microsoft Corporation, "[Exchange Access and Operation Permissions Protocol Specification](#)", June 2008.

[MS-OXCPRPT] Microsoft Corporation, "[Property and Stream Object Protocol Specification](#)", June 2008.

[MS-OXCROPS] Microsoft Corporation, "[Remote Operations \(ROP\) List and Encoding Protocol Specification](#)", June 2008.

[MS-OXCRCPC] Microsoft Corporation, "[Wire Format Protocol Specification](#)", June 2008.

[MS-OXCSPAM] Microsoft Corporation, "[Spam Confidence Level Protocol Specification](#)", June 2008.

[MS-OXCSTOR] Microsoft Corporation, "[Store Object Protocol Specification](#)", June 2008.

[MS-OXCsync] Microsoft Corporation, "[Mailbox Synchronization Protocol Specification](#)", June 2008.

[MS-OXCTABL] Microsoft Corporation, "[Table Object Protocol Specification](#)", June 2008.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", June 2008.

[MS-OXLDAP] Microsoft Corporation, "[Lightweight Directory Access Protocol \(LDAP\) Version 3 Extensions](#)", June 2008.

[MS-OXMSG] Microsoft Corporation, "[.MSG File Format](#)", June 2008.

[MS-OXOAB] Microsoft Corporation, "[Offline Address Book \(OAB\) File Format and Schema](#)", June 2008.

[MS-OXOABK] Microsoft Corporation, "[Address Book Object Protocol Specification](#)", June 2008.

[MS-OXOABKT] Microsoft Corporation, "[Address Book User Interface Templates Protocol Specification](#)", June 2008.

[MS-OXOCAL] Microsoft Corporation, "[Appointment and Meeting Object Protocol Specification](#)", June 2008.

[MS-OXOCFG] Microsoft Corporation, "[Configuration Information Protocol Specification](#)", June 2008.

[MS-OXOCNTC] Microsoft Corporation, "[Contact Object Protocol Specification](#)", June 2008.

[MS-OXODLGT] Microsoft Corporation, "[Delegate Access Configuration Protocol Specification](#)", June 2008.

[MS-OXODOC] Microsoft Corporation, "[Document Object Protocol Specification](#)", June 2008.

[MS-OXOFLAG] Microsoft Corporation, "[Informational Flagging Protocol Specification](#)", June 2008.

[MS-OXOJRN] Microsoft Corporation, "[Journal Object Protocol Specification](#)", June 2008.

[MS-OXOMSG] Microsoft Corporation, "[E-Mail Object Protocol Specification](#)", June 2008.

[MS-OXONOTE] Microsoft Corporation, "[Note Object Protocol Specification](#)", June 2008.

[MS-OXOPFFB] Microsoft Corporation, "[Public Folder-Based Free/Busy Protocol Specification](#)", June 2008.

[MS-OXOPOST] Microsoft Corporation, "[Post Object Protocol Specification](#)", June 2008.

[MS-OXORMDR] Microsoft Corporation, "[Reminder Settings Protocol Specification](#)", June 2008.

[MS-OXORMMS] Microsoft Corporation, "[Rights-Managed E-Mail Object Protocol Specification](#)", June 2008.

[MS-OXORSS] Microsoft Corporation, "[RSS Object Protocol Specification](#)", June 2008.

[MS-OXORULE] Microsoft Corporation, "[E-Mail Rules Protocol Specification](#)", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "[Special Folders Protocol Specification](#)", June 2008.

[MS-OXOSMIME] Microsoft Corporation, "[S/MIME E-Mail Object Protocol Specification](#)", June 2008.

[MS-OXOSMMS] Microsoft Corporation, "[Short Message Service \(SMS\) and Multimedia Messaging Service \(MMS\) Object Protocol Specification](#)", June 2008.

[MS-OXOSRCH] Microsoft Corporation, "[Search Folder List Configuration Protocol Specification](#)", June 2008.

[MS-OXOTASK] Microsoft Corporation, "[Task-Related Objects Protocol Specification](#)", June 2008.

[MS-OXOUM] Microsoft Corporation, "[Voice Mail and Fax Objects Protocol Specification](#)", June 2008.

[MS-OXPFOAB] Microsoft Corporation, "[Offline Address Book \(OAB\) Public Folder Retrieval Protocol Specification](#)", June 2008.

[MS-OXPHISH] Microsoft Corporation, "[Phishing Warning Protocol Specification](#)", June 2008.

[MS-OXPROTO] Microsoft Corporation, "[Exchange Server Protocols System Overview](#)", June 2008.

[MS-OXPSVAL] Microsoft Corporation, "[E-Mail Postmark Validation Protocol Specification](#)", June 2008.

[MS-OXRTFCP] Microsoft Corporation, "[Rich Text Format \(RTF\) Compression Protocol Specification](#)", June 2008.

[MS-OXRTFEX] Microsoft Corporation, "[Rich Text Format \(RTF\) Extensions Specification](#)", June 2008.

[MS-OXSHARE] Microsoft Corporation, "[Sharing Message Object Protocol Specification](#)", June 2008.

[MS-OXTNEF] Microsoft Corporation, "[Transport Neutral Encapsulation Format \(TNEF\) Data Structure](#)", June 2008.

[MS-OXVCARD] Microsoft Corporation, "[vCard to Contact Object Conversion Protocol Specification](#)", June 2008.

[MS-OXWAVLS] Microsoft Corporation, "[Availability Web Service Protocol Specification](#)", June 2008.

[MS-XWDCAL] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for Calendar Support](#)", December 2008.

[MS-XWDCNTC] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for Contacts Support](#)", February 2009.

[MS-XWDDOC] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for Documents Support](#)", December 2008.

[MS-XWDFOLD] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for Folders Support](#)", December 2008.

[MS-XWDMAIL] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for E-Mail Support](#)", December 2008.

[MS-XWDSEARCH] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for Search](#)", December 2008.

[MS-XWDSTRUCTDOC] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Extensions for Structured Documents](#)", December 2008.

[MS-XWDVSEC] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Protocol Security Descriptor Extensions](#)", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>.

1.2.2 Informative References

None.

1.3 Structure Overview

This specification provides basic reference information about message object properties referenced by protocol specifications. The following information is provided for each **property**, as appropriate:

Alternate names: Any additional names used to refer to this property.

Area: A group of properties with related functionality.

Canonical name: The name used to refer to this property in other protocol specifications.

Data type: The property value type, as specified in [\[MS-OXCDATA\]](#), that specifies the type of values allowed for this property.

Property ID: An unsigned 16-bit quantity that identifies a **tagged property**.

Property long ID (LID): An unsigned 32-bit quantity that, along with the **property set**, identifies a **named property**.

property name: A string that, along with the property set, identifies a named property.

Property set: A GUID that identifies a group of properties with a similar purpose.

References: One or more protocol documents that specify the semantics and allowed values for this property.

1.3.1 Common Message Classes

Applications set certain required properties corresponding to the object's **message class**. Applications handle the case where required properties are missing; treating a message object as **IPM.Note** is a common fallback strategy. The following table lists several common message classes,

the functional area to which each one corresponds, and the document that specifies each one's required and optional properties.

In this table, an asterisk "*" denotes that any string can appear at that point.

Area	PidTagMessageClass values	Document
Common	IPM.*	[MS- OXCMMSG]
Email	IPM.Note, REPORT.*	[MS- OXCMMSG]
Calendar	IPM.Appointment, IPM.Schedule.Meeting.Request, IPM.Schedule.Meeting.Resp.*, IPM.Schedule.Meeting.Canceled, IPM.Schedule.Meeting.Notification	[MS- OXOCAL]
Contact	IPM.Contact, IPM.DistList	[MS- OXOCNTC]
Task	IPM.Task, IPM.TaskRequest.*	[MS- OXOTASK]
Journal	IPM.Activity	[MS- OXOJRN]
Sticky note	IPM.StickyNote	[MS- OXONOTE]
Document	IPM.Document.*	[MS- OXODOC]
Post	IPM.Post	[MS- OXOPOST]
RSS feed	IPM.Post.RSS	[MS- OXORSS]
Rights-managed email	IPM.Note with PidNameContentClass= rpmsg.message	[MS- OXORMMS]
S/MIME email	IPM.Note.SMIME, IPM.Note.SMIME.MultipartSigned	[MS- OXOSMIME]
Short message service / Multimedia Message Service Message	IPM.Note.Mobile.SMS, IPM.Note.Mobile.MMS	[MS- OXOSMMS]
Unified messaging	IPM.Note.Microsoft.Voicemail, IPM.Note.Microsoft.Fax	[MS- OXOUM]
Sharing	IPM.Sharing IPM.Sharing.*	[MS- OXSHARE]

1.3.2 Commonly Used Property Sets

In the property index that forms the main body of this document (section 2) each named property is listed with the GUID that defines its property set. Several of the more common property sets are listed here as a convenient reference, with their functional areas.

Area	Property set name and GUID value
Common	PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}
Common	PSETID_Common {00062008-0000-0000-C000-000000000046}
Contact	PSETID_Address {00062004-0000-0000-C000-000000000046}
Email	PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}
Calendar	PSETID_Appointment {00062002-0000-0000-C000-000000000046}
Calendar	PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}
Journal	PSETID_Log {0006200A-0000-0000-C000-000000000046}
Messaging	PSETID_Messaging {41F28F13-83F4-4114-A584-EEDB5A6B-0BFF}
Sticky note	PSETID_Note {0006200E-0000-0000-C000-000000000046}
RSS feed	PSETID_PostRss {00062041-0000-0000-C000-000000000046}
Task	PSETID_Task {00062003-0000-0000-C000-000000000046}
Unified messaging	PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}
Common	PS_MAPI {00020328-0000-0000-C000-000000000046}
Sync	PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}
Sharing	PSETID_Sharing {00062040-0000-0000-C000-000000000046}

1.3.3 Property ID Ranges

The 65,536 possible values of the property ID are divided into sub-ranges reserved for various purposes, as specified in the following table.

In this context, the term "non-transmittable" refers specifically to transmission via an email transport protocol (such as SMTP), and not to any network transport protocol (such as TCP).

- Servers do not allow property ID in ranges specified as non-transmittable to be submitted for transport to another server via a mail transport protocol. Property IDs in ranges not specified as non-transmittable are submitted for transport to another server.
- Clients can use properties in ranges specified as message class-defined for application-defined purposes. When doing so, applications specify a value for **PidTagMessageClass** that is distinct from any value listed in section 1.3.1.
- Clients can use any named property for application-defined purposes. No constraint is placed on the value of **PidTagMessageClass** in this case, but the named property's property set is distinct from any value listed in section 1.3.2. Note that named properties are always transmittable.
- Clients can use properties in ranges specified as transport-defined, but they can not define new properties in those ranges.
- Clients can use and define properties in ranges specified as user-defined, but need to avoid conflicts with alternate definitions of the same property ID.

Range minimum	Range maximum	Specification
0x0001	0x0BFF	Message envelope property; reserved
0x0C00	0x0DFF	Recipient property; reserved
0x0E00	0x0FFF	Non-transmittable message property; reserved
0x1000	0x2FFF	Message content property; reserved
0x3000	0x33FF	Multi-purpose property that can appear on all or most objects; reserved
0x3400	0x35FF	Message store property; reserved
0x3600	0x36FF	Folder and address book container property; reserved
0x3700	0x38FF	Attachment property; reserved
0x3900	0x39FF	Address book object property; reserved
0x3A00	0x3BFF	Mail user object property; reserved
0x3C00	0x3CFF	Distribution list property; reserved
0x3D00	0x3DFF	Profile section property; reserved
0x3E00	0x3EFF	Status object property; reserved
0x4000	0x57FF	Transport-defined envelope property
0x5800	0x5FFF	Transport-defined recipient property

Range minimum	Range maximum	Specification
0x6000	0x65FF	User-defined non-transmittable property
0x6600	0x67FF	Provider-defined internal non-transmittable property
0x6800	0x7BFF	Message class-defined content property
0x7C00	0x7FFF	Message class-defined non-transmittable property
0x8000	0xFFFF	Reserved for mapping to named properties. See [MS-NSPI] for more information about the static mapping of NSPI property names to property IDs that occurs in this ID range.

1.3.4 WebDAV Property Naming

The mail server is natively a MAPI store where the vast majority of properties in it are MAPI properties. The WebDAV implementation uses the **Augmented Backus-Naur Form (ABNF)** notation, as specified in [\[RFC4234\]](#), as a way to name MAPI properties, allowing WebDAV clients to work with these properties directly.

The `http://schemas.microsoft.com/mapi/` namespace is used to directly access MAPI properties on the server. The namespace consists of three sub namespaces: `proptag`, `id`, and `string`. The ABNF notation used to specify the format of these namespaces is described in this section.

1.3.4.1 `http://schemas.microsoft.com/mapi/proptag` Namespace

This namespace is used to access properties on the server that are identified by a property ID. You can access these properties through WebDAV by appending the hexadecimal property ID value and the hexadecimal property type value to the namespace prefix.

```
proptag-specifier = "http://schemas.microsoft.com/mapi/proptag/x" property-id property-type
property-id      = 4HEXDIG
property-type    = 4HEXDIG
```

Example:

```
http://schemas.microsoft.com/mapi/proptag/x0037001f (PidTagSubject)
```

1.3.4.2 `http://schemas.microsoft.com/mapi/id` Namespace

This namespace is used to access named properties on the server that are identified by a **property long ID**. You can access these properties through WebDAV by appending the property set and the hexadecimal **property long ID** value to the namespace prefix.

```
id-specifier = "http://schemas.microsoft.com/mapi/id/" property-set "/"x" property-long-id
property-set = "{" 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 12HEXDIG "}"
```

property-long-id = 8HEXDIG

Example:

```
http://schemas.microsoft.com/mapi/id/{00062002-0000-0000-C000-000000000046}/x00008213  
(PidLidAppointmentDuration)
```

1.3.4.3 <http://schemas.microsoft.com/mapi/string> Namespace

This namespace is used to access named properties on the server that are identified by a **property name**. You can access these properties through WebDAV by appending the property set and the property name to the namespace prefix.

```
string-specifier = "http://schemas.microsoft.com/mapi/string/" property-set "/" property-name  
property-set = "{" 8*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG "-" 4*HEXDIG "-" 12*HEXDIG "}"  
property-name = 1*CHAR
```

Example:

```
http://schemas.microsoft.com/mapi/string/{00020329-0000-0000-C000-000000000046}/Subject  
(PidNameSubject)
```

1.4 Relationship to Protocols and Other Structures

This document relies on property data type and error code definitions in [\[MS-OXCDATA\]](#). For tables and examples specifying property data types, and for tables specifying property and other error codes, see [\[MS-OXCDATA\]](#).

The object type specifications listed in section [1.2.1](#) depend on this document for basic information about message object properties to which they refer. Such basic information includes property IDs and **data types**. This specification, in turn, depends on each of those object type specifications to specify the behavior and semantics of the properties specific to its protocol.

1.5 Applicability Statement

This document provides the numeric values needed to encode property names, tags, and types in ROP buffers. It also serves as a convenient index to the object type documents that define how each property is used.

1.6 Versioning and Localization

None.

1.7 Vendor-Extensible Fields

Property ID ranges, as specified in section [1.3.3](#), describe how applications choose properties to create new message object types or to add functionality to existing types.

2 Structures

2.1 PidLidAddressBookProviderArrayType

Canonical name: PidLidAddressBookProviderArrayType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008029

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidABPArrayType

2.2 PidLidAddressBookProviderEmailList

Canonical name: PidLidAddressBookProviderEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008028

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidABPEmailList

2.3 PidLidAddressCountryCode

Canonical name: PidLidAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DD

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidAddressCountryCode

2.4 PidLidAgingDontAgeMe

Canonical name: PidLidAgingDontAgeMe

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000850E

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidAgingDontAgeMe

2.5 PidLidAllAttendeesList

Canonical name: PidLidAllAttendeesList

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001D

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#)

Alternate names: LID_ALL_ATTENDEES_LIST

2.6 PidLidAllAttendeesString

Canonical name: PidLidAllAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008238

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidAllAttendeesString, <http://schemas.microsoft.com/mapi/allattendeesstring>

2.7 PidLidAllowExternalCheck

Canonical name: PidLidAllowExternalCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008246

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidAllowExternCheck

2.8 PidLidAnniversaryEventEntryId

Canonical name: PidLidAnniversaryEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804E

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidAnniversaryEventEID

2.9 PidLidAppointmentAuxiliaryFlags

Canonical name: PidLidAppointmentAuxiliaryFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008207

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptAuxFlags

2.10 PidLidAppointmentColor

Canonical name: PidLidAppointmentColor

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008214

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptColor

2.11 PidLidAppointmentCounterProposal

Canonical name: PidLidAppointmentCounterProposal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008257

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptCounterProposal

2.12 PidLidAppointmentDuration

Canonical name: PidLidAppointmentDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008213

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptDuration, <http://schemas.microsoft.com/mapi/apptduration>

2.13 PidLidAppointmentEndDate

Canonical name: PidLidAppointmentEndDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008211

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptEndDate, <http://schemas.microsoft.com/mapi/apptenddate>

2.14 PidLidAppointmentEndTime

Canonical name: PidLidAppointmentEndTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008210

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidApptEndTime, <http://schemas.microsoft.com/mapi/apptendtime>

2.15 PidLidAppointmentEndWhole

Canonical name: PidLidAppointmentEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820E

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptEndWhole, <http://schemas.microsoft.com/mapi/apptendwhole>

2.16 PidLidAppointmentLastSequence

Canonical name: PidLidAppointmentLastSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008203

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptLastSequence

2.17 PidLidAppointmentMessageClass

Canonical name: PidLidAppointmentMessageClass

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000024

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptMessageClass

2.18 PidLidAppointmentNotAllowPropose

Canonical name: PidLidAppointmentNotAllowPropose

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptNotAllowPropose

2.19 PidLidAppointmentProposalNumber

Canonical name: PidLidAppointmentProposalNumber

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008259

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptProposalNum

2.20 PidLidAppointmentProposedDuration

Canonical name: PidLidAppointmentProposedDuration

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008256

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptProposedDuration

2.21 PidLidAppointmentProposedEndWhole

Canonical name: PidLidAppointmentProposedEndWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008251

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidApptProposedEndWhole

2.22 PidLidAppointmentProposedStartWhole

Canonical name: PidLidAppointmentProposedStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008250

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidApptProposedStartWhole

2.23 PidLidAppointmentRecur

Canonical name: PidLidAppointmentRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008216

Data type: PtypBinary, 0x0102

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOTASK\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptRecur, <http://schemas.microsoft.com/mapi/apptrecur>

2.24 PidLidAppointmentReplyName

Canonical name: PidLidAppointmentReplyName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008230

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptReplyName, <http://schemas.microsoft.com/mapi/apptreplyname>

2.25 PidLidAppointmentReplyTime

Canonical name: PidLidAppointmentReplyTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008220

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptReplyTime, <urn:schemas:calendar:replytime>, <http://schemas.microsoft.com/mapi/apptreplytime>

2.26 PidLidAppointmentSequence

Canonical name: PidLidAppointmentSequence

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008201

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptSequence, <http://schemas.microsoft.com/mapi/apptsequence>

2.27 PidLidAppointmentSequenceTime

Canonical name: PidLidAppointmentSequenceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008202

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptSeqTime

2.28 PidLidAppointmentStartDate

Canonical name: PidLidAppointmentStartDate

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008212

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptStartDate, <http://schemas.microsoft.com/mapi/apptstartdate>

2.29 PidLidAppointmentStartTime

Canonical name: PidLidAppointmentStartTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820F

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidApptStartTime, <http://schemas.microsoft.com/mapi/apptstarttime>

2.30 PidLidAppointmentStartWhole

Canonical name: PidLidAppointmentStartWhole

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820D

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptStartWhole, <http://schemas.microsoft.com/mapi/apptstartwhole>

2.31 PidLidAppointmentStateFlags

Canonical name: PidLidAppointmentStateFlags

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008217

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptStateFlags, <http://schemas.microsoft.com/mapi/apptstateflags>

2.32 PidLidAppointmentSubType

Canonical name: PidLidAppointmentSubType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008215

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidApptSubType, urn:schemas:calendar:alldayevent, <http://schemas.microsoft.com/mapi/apptsubtype>

2.33 PidLidAppointmentTimeZoneDefinitionEndDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionEndDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825F

Data type: PtypBinary, 0x0102

Area: Calendar

References: [\[MS-OXOCAL\]](#), [\[MS-OXCICAL\]](#)

Alternate names: dispidApptTZDefEndDisplay

2.34 PidLidAppointmentTimeZoneDefinitionRecur

Canonical name: PidLidAppointmentTimeZoneDefinitionRecur

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008260

Data type: PtypBinary, 0x0102

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptTZDefRecur

2.35 PidLidAppointmentTimeZoneDefinitionStartDisplay

Canonical name: PidLidAppointmentTimeZoneDefinitionStartDisplay

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825E

Data type: PtypBinary, 0x0102

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidApptTZDefStartDisplay

2.36 PidLidAppointmentUnsendableRecipients

Canonical name: PidLidAppointmentUnsendableRecipients

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000825D

Data type: PtypBinary, 0x0102

Area: Meetings

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidApptUnsendableRecips

2.37 PidLidAppointmentUpdateTime

Canonical name: PidLidAppointmentUpdateTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008226

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidApptUpdateTime, <http://schemas.microsoft.com/mapi/apptupdatetime>

2.38 PidLidAttendeeCriticalChange

Canonical name: PidLidAttendeeCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000001

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_ATTENDEE_CRITICAL_CHANGE,
http://schemas.microsoft.com/mapi/attendee_critical_change

2.39 PidLidAutoFillLocation

Canonical name: PidLidAutoFillLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidAutoFillLocation

2.40 PidLidAutoLog

Canonical name: PidLidAutoLog

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008025

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidAutoLog

2.41 PidLidAutoProcessState

Canonical name: PidLidAutoProcessState

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851A

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: dispidSniffState

2.42 PidLidAutoStartCheck

Canonical name: PidLidAutoStartCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008244

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidAutoStartCheck

2.43 PidLidAutoStartWhen

Canonical name: PidLidAutoStartWhen

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008245

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [\[MS-OXCICAL\]](#)

Alternate names: dispidAutoStartWhen

2.44 PidLidBilling

Canonical name: PidLidBilling

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008535

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-XWDCNTC\]](#)

Alternate names: dispidBilling, urn:schemas:contacts:billinginformation

2.45 PidLidBirthdayEventEntryId

Canonical name: PidLidBirthdayEventEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804D

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidBirthdayEventEID

2.46 PidLidBirthdayLocal

Canonical name: PidLidBirthdayLocal

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DE

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidApptBirthdayLocal

2.47 PidLidBusinessCardCardPicture

Canonical name: PidLidBusinessCardCardPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008041

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidBCCardPicture

2.48 PidLidBusinessCardDisplayDefinition

Canonical name: PidLidBusinessCardDisplayDefinition

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008040

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidBCDisplayDefinition

2.49 PidLidBusyStatus

Canonical name: PidLidBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008205

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidBusyStatus, <http://schemas.microsoft.com/mapi/busystatus>

2.50 PidLidCalendarType

Canonical name: PidLidCalendarType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_CALENDAR_TYPE, http://schemas.microsoft.com/mapi/calendar_type

2.51 PidLidCategories

Canonical name: PidLidCategories

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property long ID (LID): 0x00009000

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-OXCMAIL\]](#)

Alternate names: dispidCategories

2.52 PidLidCcAttendeesString

Canonical name: PidLidCcAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823C

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidCCAttendeesString

2.53 PidLidChangeHighlight

Canonical name: PidLidChangeHighlight

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008204

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidChangeHighlight

2.54 PidLidClassification

Canonical name: PidLidClassification

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B6

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: dispidClassification

2.55 PidLidClassificationDescription

Canonical name: PidLidClassificationDescription

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B7

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: dispidClassDesc

2.56 PidLidClassificationGuid

Canonical name: PidLidClassificationGuid

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: dispidClassGuid

2.57 PidLidClassificationKeep

Canonical name: PidLidClassificationKeep

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BA

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: dispidClassKeep

2.58 PidLidClassified

Canonical name: PidLidClassified

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085B5

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: dispidClassified

2.59 PidLidCleanGlobalObjectId

Canonical name: PidLidCleanGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000023

Data type: PtypBinary, 0x0102

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidCleanGlobalObjId

2.60 PidLidClipEnd

Canonical name: PidLidClipEnd

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008236

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidClipEnd

2.61 PidLidClipStart

Canonical name: PidLidClipStart

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008235

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidClipStart

2.62 PidLidCollaborateDoc

Canonical name: PidLidCollaborateDoc

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008247

Data type: PtypString, 0x001F

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidCollaborateDoc

2.63 PidLidCommonEnd

Canonical name: PidLidCommonEnd

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008517

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidCommonEnd

2.64 PidLidCommonStart

Canonical name: PidLidCommonStart

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008516

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidCommonStart

2.65 PidLidCompanies

Canonical name: PidLidCompanies

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008539

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidCompanies, <http://schemas.microsoft.com/exchange/companies>

2.66 PidLidConferencingCheck

Canonical name: PidLidConferencingCheck

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008240

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidConfCheck

2.67 PidLidConferencingType

Canonical name: PidLidConferencingType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008241

Data type: PtypInteger32, 0x0003

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidConfType

2.68 PidLidContactCharacterSet

Canonical name: PidLidContactCharacterSet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008023

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidContactCharSet

2.69 PidLidContactItemData

Canonical name: PidLidContactItemData

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008007

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidContactItemData

2.70 PidLidContactLinkEntry

Canonical name: PidLidContactLinkEntry

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008585

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOJRNL\]](#)

Alternate names: dispidContactLinkEntry

2.71 PidLidContactLinkName

Canonical name: PidLidContactLinkName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008586

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOJRNL\]](#)

Alternate names: dispidContactLinkName

2.72 PidLidContactLinkSearchKey

Canonical name: PidLidContactLinkSearchKey

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008584

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOJRNL\]](#)

Alternate names: dispidContactLinkSearchKey

2.73 PidLidContacts

Canonical name: PidLidContacts

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000853A

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOJRNL\]](#)

Alternate names: dispidContacts

2.74 PidLidContactUserField1

Canonical name: PidLidContactUserField1

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804F

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidContactUserField1,
<http://schemas.microsoft.com/exchange/extensionattribute1>

2.75 PidLidContactUserField2

Canonical name: PidLidContactUserField2

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008050

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidContactUserField2,
<http://schemas.microsoft.com/exchange/extensionattribute2>

2.76 PidLidContactUserField3

Canonical name: PidLidContactUserField3

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008051

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidContactUserField3,
<http://schemas.microsoft.com/exchange/extensionattribute3>

2.77 PidLidContactUserField4

Canonical name: PidLidContactUserField4

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008052

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidContactUserField4,
<http://schemas.microsoft.com/exchange/extensionattribute4>

2.78 PidLidConversationActionLastAppliedTime

Canonical name: PidLidConversationActionLastAppliedTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085CA

Data type: PtypTime, 0x0040

Area: Conversation Actions

References: [\[MS-OXOCFG\]](#)

Alternate names: dispidConvActionLastAppliedTime

2.79 PidLidConversationActionMaxDeliveryTime

Canonical name: PidLidConversationActionMaxDeliveryTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C8

Data type: PtypTime, 0x0040

Area: Conversation Actions

References: [\[MS-OXOCFG\]](#)

Alternate names: dispidConvActionMaxDeliveryTime

2.80 PidLidConversationActionMoveFolderEid

Canonical name: PidLidConversationActionMoveFolderEid

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C6

Data type: PtypBinary, 0x0102

Area: Conversation Actions

References: [\[MS-OXOCFG\]](#)

Alternate names: dispidConvActionMoveFolderEid

2.81 PidLidConversationActionMoveStoreEid

Canonical name: PidLidConversationActionMoveStoreEid

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C7

Data type: PtypBinary, 0x0102

Area: Conversation Actions

References: [\[MS-OXOCFG\]](#)

Alternate names: dispidConvActionMoveStoreEid

2.82 PidLidConversationActionVersion

Canonical name: PidLidConversationActionVersion

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085CB

Data type: PtypInteger32, 0x0003

Area: Conversation Actions

References: [\[MS-OXOCFG\]](#)

Alternate names: dispidConvActionVersion

2.83 PidLidConversationProcessed

Canonical name: PidLidConversationProcessed

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C9

Data type: PtypInteger32, 0x0003

Area: Conversation Actions

References: [\[MS-OXOCFG\]](#)

Alternate names: dispidConvExLegacyProcessedRand

2.84 PidLidCurrentVersion

Canonical name: PidLidCurrentVersion

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008552

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidCurrentVersion

2.85 PidLidCurrentVersionName

Canonical name: PidLidCurrentVersionName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008554

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidCurrentVersionName

2.86 PidLidDayInterval

Canonical name: PidLidDayInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000011

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_DAY_INTERVAL, http://schemas.microsoft.com/mapi/day_interval

2.87 PidLidDayOfMonth

Canonical name: PidLidDayOfMonth

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001000

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: <http://schemas.microsoft.com/mapi/dayofmonth>

2.88 PidLidDelegateMail

Canonical name: PidLidDelegateMail

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000009

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_DELEGATE_MAIL, http://schemas.microsoft.com/mapi/delegate_mail

2.89 PidLidDepartment

Canonical name: PidLidDepartment

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008010

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidDepartment

2.90 PidLidDirectory

Canonical name: PidLidDirectory

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008242

Data type: PtypString, 0x001F

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidDirectory

2.91 PidLidDistributionListChecksum

Canonical name: PidLidDistributionListChecksum

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804C

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidDLChecksum

2.92 PidLidDistributionListMembers

Canonical name: PidLidDistributionListMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008055

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [\[MS-OXCDATA\]](#), [\[MS-OXOCNTC\]](#)

Alternate names: dispidDLMembers

2.93 PidLidDistributionListName

Canonical name: PidLidDistributionListName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008053

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidDLName

2.94 PidLidDistributionListOneOffMembers

Canonical name: PidLidDistributionListOneOffMembers

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008054

Data type: PtypMultipleBinary, 0x1102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidDLOneOffMembers

2.95 PidLidDistributionListStream

Canonical name: PidLidDistributionListStream

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008064

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidDLStream

2.96 PidLidEmail1AddressType

Canonical name: PidLidEmail1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008082

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1AddrType

2.97 PidLidEmail1DisplayName

Canonical name: PidLidEmail1DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008080

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1DisplayName

2.98 PidLidEmail1EmailAddress

Canonical name: PidLidEmail1EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008083

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: dispidEmail1EmailAddress

2.99 PidLidEmail1EmailType

Canonical name: PidLidEmail1EmailType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008087

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1EmailType

2.100 PidLidEmail1OriginalDisplayName

Canonical name: PidLidEmail1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008084

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1OriginalDisplayName

2.101 PidLidEmail1OriginalEntryId

Canonical name: PidLidEmail1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008085

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1OriginalEntryID

2.102 PidLidEmail1RichTextFormat

Canonical name: PidLidEmail1RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008086

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1RTF

2.103 PidLidEmail2AddressType

Canonical name: PidLidEmail2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008092

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail2AddrType

2.104 PidLidEmail2DisplayName

Canonical name: PidLidEmail2DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008090

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail2DisplayName

2.105 PidLidEmail2EmailAddress

Canonical name: PidLidEmail2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008093

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: dispidEmail2EmailAddress

2.106 PidLidEmail2EntryId

Canonical name: PidLidEmail2EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008091

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail2EntryID

2.107 PidLidEmail2OriginalDisplayName

Canonical name: PidLidEmail2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008094

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail2OriginalDisplayName

2.108 PidLidEmail2OriginalEntryId

Canonical name: PidLidEmail2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008095

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail2OriginalEntryID

2.109 PidLidEmail2RichTextFormat

Canonical name: PidLidEmail2RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008096

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1RTF

2.110 PidLidEmail3AddressType

Canonical name: PidLidEmail3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail3AddrType

2.111 PidLidEmail3DisplayName

Canonical name: PidLidEmail3DisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A0

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail3DisplayName

2.112 PidLidEmail3EmailAddress

Canonical name: PidLidEmail3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail3EmailAddress

2.113 PidLidEmail3EntryId

Canonical name: PidLidEmail3EntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A1

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail3EntryID

2.114 PidLidEmail3OriginalDisplayName

Canonical name: PidLidEmail3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail3OriginalDisplayName

2.115 PidLidEmail3OriginalEntryId

Canonical name: PidLidEmail3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail3OriginalEntryID

2.116 PidLidEmail3RichTextFormat

Canonical name: PidLidEmail3RichTextFormat

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080A6

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmail1RTF

2.117 PidLidEmailList

Canonical name: PidLidEmailList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008027

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidEmailList

2.118 PidLidEndRecurrenceDate

Canonical name: PidLidEndRecurrenceDate

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000F

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: LID_END_RECUR_DATE, http://schemas.microsoft.com/mapi/end_recur_date

2.119 PidLidEndRecurrenceTime

Canonical name: PidLidEndRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000010

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: LID_END_RECUR_TIME, http://schemas.microsoft.com/mapi/end_recur_time

2.120 PidLidExceptionReplaceTime

Canonical name: PidLidExceptionReplaceTime

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008228

Data type: PtypTime, 0x0040

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidExceptionReplaceTime

2.121 PidLidFax1AddressType

Canonical name: PidLidFax1AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax1AddrType

2.122 PidLidFax1EmailAddress

Canonical name: PidLidFax1EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax1EmailAddress

2.123 PidLidFax1OriginalDisplayName

Canonical name: PidLidFax1OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax1OriginalDisplayName

2.124 PidLidFax1OriginalEntryId

Canonical name: PidLidFax1OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080B5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax1OriginalEntryID

2.125 PidLidFax2AddressType

Canonical name: PidLidFax2AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax2AddrType

2.126 PidLidFax2EmailAddress

Canonical name: PidLidFax2EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax2EmailAddress

2.127 PidLidFax2OriginalDisplayName

Canonical name: PidLidFax2OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax2OriginalDisplayName

2.128 PidLidFax2OriginalEntryId

Canonical name: PidLidFax2OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080C5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax2OriginalEntryID

2.129 PidLidFax3AddressType

Canonical name: PidLidFax3AddressType

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D2

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax3AddrType

2.130 PidLidFax3EmailAddress

Canonical name: PidLidFax3EmailAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D3

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax3EmailAddress

2.131 PidLidFax3OriginalDisplayName

Canonical name: PidLidFax3OriginalDisplayName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D4

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax3OriginalDisplayName

2.132 PidLidFax3OriginalEntryId

Canonical name: PidLidFax3OriginalEntryId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D5

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFax3OriginalEntryID

2.133 PidLidFExceptionalAttendees

Canonical name: PidLidFExceptionalAttendees

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidFExceptionalAttendees

2.134 PidLidFExceptionalBody

Canonical name: PidLidFExceptionalBody

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008206

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidFExceptionalBody

2.135 PidLidFileUnder

Canonical name: PidLidFileUnder

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008005

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFileUnder

2.136 PidLidFileUnderId

Canonical name: PidLidFileUnderId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008006

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFileUnderId

2.137 PidLidFileUnderList

Canonical name: PidLidFileUnderList

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008026

Data type: PtypMultipleInteger32, 0x1003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidFileUnderList

2.138 PidLidFInvited

Canonical name: PidLidFInvited

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008229

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidFInvited, <http://schemas.microsoft.com/mapi/finvited>

2.139 PidLidFlagRequest

Canonical name: PidLidFlagRequest

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008530

Data type: PtypString, 0x001F

Area: Flagging

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMail\]](#), [\[MS-OXOFLAG\]](#), [\[MS-XWDMail\]](#), [\[MS-XWDCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidRequest, urn:schemas:httpmail:messageflag, http://schemas.microsoft.com/mapi/request

2.140 PidLidFlagString

Canonical name: PidLidFlagString

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085C0

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXOFLAG\]](#)

Alternate names: dispidFlagStringEnum

2.141 PidLidForwardInstance

Canonical name: PidLidForwardInstance

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidFwrInstance

2.142 PidLidForwardNotificationRecipients

Canonical name: PidLidForwardNotificationRecipients

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008261

Data type: PtypBinary, 0x0102

Area: Meetings

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidForwardNotificationRecipients

2.143 PidLidFOthersAppointment

Canonical name: PidLidFOthersAppointment

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822F

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidFOthersAppt, <http://schemas.microsoft.com/mapi/fothersappt>

2.144 PidLidFreeBusyLocation

Canonical name: PidLidFreeBusyLocation

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080D8

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidFreeBusyLocation, um:schemas:calendar:fburl

2.145 PidLidGlobalObjectId

Canonical name: PidLidGlobalObjectId

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000003

Data type: PtypBinary, 0x0102

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXWAVLS\]](#)

Alternate names: LID_GLOBAL_OBJID

2.146 PidLidHasPicture

Canonical name: PidLidHasPicture

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008015

Data type: PtypBoolean, 0x000B

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidHasPicture

2.147 PidLidHomeAddress

Canonical name: PidLidHomeAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidHomeAddress, urn:schemas:contacts:homepostaladdress

2.148 PidLidHomeAddressCountryCode

Canonical name: PidLidHomeAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DA

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidHomeAddressCountryCode

2.149 PidLidHtml

Canonical name: PidLidHtml

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidHTML

2.150 PidLidICalendarDayOfWeekMask

Canonical name: PidLidICalendarDayOfWeekMask

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001001

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: <http://schemas.microsoft.com/mapi/dayofweekmask>

2.151 PidLidInboundICalStream

Canonical name: PidLidInboundICalStream

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000827A

Data type: PtypBinary, 0x0102

Area: Calendar

References: [\[MS-OXCMAIL\]](#)

Alternate names: InboundICalStream, dispidInboundICalStream

2.152 PidLidInfoPathFormName

Canonical name: PidLidInfoPathFormName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x85B1

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXCMAIL\]](#)

Alternate names:

2.153 PidLidInstantMessagingAddress

Canonical name: PidLidInstantMessagingAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008062

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: dispidInstMsg

2.154 PidLidIntendedBusyStatus

Canonical name: PidLidIntendedBusyStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008224

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXOCAL\]](#), [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidIntendedBusyStatus,
<http://schemas.microsoft.com/mapi/intendedbusystatus>

2.155 PidLidInternetAccountName

Canonical name: PidLidInternetAccountName

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008580

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOMSG\]](#)

Alternate names: dispidInetAcctName

2.156 PidLidInternetAccountStamp

Canonical name: PidLidInternetAccountStamp

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008581

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOMSG\]](#)

Alternate names: dispidInetAcctStamp

2.157 PidLidIsException

Canonical name: PidLidIsException

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000A

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_IS_EXCEPTION, http://schemas.microsoft.com/mapi/is_exception

2.158 PidLidIsRecurring

Canonical name: PidLidIsRecurring

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000005

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_IS_RECURRING, http://schemas.microsoft.com/mapi/is_recurring

2.159 PidLidIsSilent

Canonical name: PidLidIsSilent

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000004

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_IS_SILENT, http://schemas.microsoft.com/mapi/is_silent

2.160 PidLidLinkedTaskItems

Canonical name: PidLidLinkedTaskItems

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000820C

Data type: PtypMultipleBinary, 0x1102

Area: Tasks

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidLinkedTaskItems

2.161 PidLidLocation

Canonical name: PidLidLocation

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008208

Data type: PtypString, 0x001F

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidLocation, urn:schemas:calendar:location

2.162 PidLidLogDocumentPosted

Canonical name: PidLidLogDocumentPosted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008711

Data type: PtypBoolean, 0x000B

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogDocPosted

2.163 PidLidLogDocumentPrinted

Canonical name: PidLidLogDocumentPrinted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870E

Data type: PtypBoolean, 0x000B

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogDocPrinted

2.164 PidLidLogDocumentRouted

Canonical name: PidLidLogDocumentRouted

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008710

Data type: PtypBoolean, 0x000B

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogDocRouted

2.165 PidLidLogDocumentSaved

Canonical name: PidLidLogDocumentSaved

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870F

Data type: PtypBoolean, 0x000B

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogDocSaved

2.166 PidLidLogDuration

Canonical name: PidLidLogDuration

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008707

Data type: PtypInteger32, 0x0003

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogDuration

2.167 PidLidLogEnd

Canonical name: PidLidLogEnd

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008708

Data type: PtypTime, 0x0040

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogEnd

2.168 PidLidLogFlags

Canonical name: PidLidLogFlags

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000870C

Data type: PtypInteger32, 0x0003

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogFlags

2.169 PidLidLogStart

Canonical name: PidLidLogStart

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008706

Data type: PtypTime, 0x0040

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogStart

2.170 PidLidLogType

Canonical name: PidLidLogType

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008700

Data type: PtypString, 0x001F

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogType

2.171 PidLidLogTypeDesc

Canonical name: PidLidLogTypeDesc

Property set: PSETID_Log {0006200A-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008712

Data type: PtypString, 0x001F

Area: Journal

References: [\[MS-OXOJRNL\]](#)

Alternate names: dispidLogTypeDesc

2.172 PidLidMeetingType

Canonical name: PidLidMeetingType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000026

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidMeetingType

2.173 PidLidMeetingWorkspaceUrl

Canonical name: PidLidMeetingWorkspaceUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008209

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidMWSURL, <http://schemas.microsoft.com/mapi/meetingworkspaceurl>

2.174 PidLidMonthInterval

Canonical name: PidLidMonthInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000013

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_MONTH_INTERVAL, http://schemas.microsoft.com/mapi/month_interval

2.175 PidLidMonthOfYear

Canonical name: PidLidMonthOfYear

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001006

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: <http://schemas.microsoft.com/mapi/monthofyear>

2.176 PidLidMonthOfYearMask

Canonical name: PidLidMonthOfYearMask

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000017

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: LID_MOY_MASK, http://schemas.microsoft.com/mapi/moy_mask

2.177 PidLidNetShowUrl

Canonical name: PidLidNetShowUrl

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008248

Data type: PtypString, 0x001F

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidNetShowURL

2.178 PidLidNoEndDateFlag

Canonical name: PidLidNoEndDateFlag

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100B

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: <http://schemas.microsoft.com/mapi/fnoenddate>

2.179 PidLidNonSendableBcc

Canonical name: PidLidNonSendableBcc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008538

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidNonSendableBCC, <http://schemas.microsoft.com/mapi/nonsendablebcc>

2.180 PidLidNonSendableCc

Canonical name: PidLidNonSendableCc

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008537

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidNonSendableCC, <http://schemas.microsoft.com/mapi/nonsendablecc>

2.181 PidLidNonSendableTo

Canonical name: PidLidNonSendableTo

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008536

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidNonSendableTo, <http://schemas.microsoft.com/mapi/nonsendableto>

2.182 PidLidNonSendBccTrackStatus

Canonical name: PidLidNonSendBccTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008545

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidNonSendBccTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendbcctrackstatus>

2.183 PidLidNonSendCcTrackStatus

Canonical name: PidLidNonSendCcTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008544

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidNonSendCcTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendcctrackstatus>

2.184 PidLidNonSendToTrackStatus

Canonical name: PidLidNonSendToTrackStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008543

Data type: PtypMultipleInteger32, 0x1003

Area: General Message Properties

References: [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidNonSendToTrackStatus,
<http://schemas.microsoft.com/mapi/nonsendtotrackstatus>

2.185 PidLidNoteColor

Canonical name: PidLidNoteColor

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B00

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [\[MS-OXONOTE\]](#)

Alternate names: dispidNoteColor

2.186 PidLidNoteHeight

Canonical name: PidLidNoteHeight

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B03

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [\[MS-OXONOTE\]](#)

Alternate names: dispidNoteHeight

2.187 PidLidNoteWidth

Canonical name: PidLidNoteWidth

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B02

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [\[MS-OXONOTE\]](#)

Alternate names: dispidNoteWidth

2.188 PidLidNoteX

Canonical name: PidLidNoteX

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B04

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [\[MS-OXONOTE\]](#)

Alternate names: dispidNoteX

2.189 PidLidNoteY

Canonical name: PidLidNoteY

Property set: PSETID_Note {0006200E-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008B05

Data type: PtypInteger32, 0x0003

Area: Sticky Notes

References: [\[MS-OXONOTE\]](#)

Alternate names: dispidNoteY

2.190 PidLidOccurrences

Canonical name: PidLidOccurrences

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00001005

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: <http://schemas.microsoft.com/mapi/occurrences>

2.191 PidLidOldLocation

Canonical name: PidLidOldLocation

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000028

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidOldLocation

2.192 PidLidOldRecurrenceType

Canonical name: PidLidOldRecurrenceType

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000018

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: LID_RECUR_TYPE, http://schemas.microsoft.com/mapi/recur_type

2.193 PidLidOldWhenEndWhole

Canonical name: PidLidOldWhenEndWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000002A

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidOldWhenEndWhole

2.194 PidLidOldWhenStartWhole

Canonical name: PidLidOldWhenStartWhole

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000029

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidOldWhenStartWhole

2.195 PidLidOnlinePassword

Canonical name: PidLidOnlinePassword

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008249

Data type: PtypString, 0x001F

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidOnlinePassword

2.196 PidLidOptionalAttendees

Canonical name: PidLidOptionalAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000007

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_OPTIONAL_ATTENDEES,
http://schemas.microsoft.com/mapi/optional_attendees

2.197 PidLidOrganizerAlias

Canonical name: PidLidOrganizerAlias

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008243

Data type: PtypString, 0x001F

Area: Conferencing

References: [\[MS-OXCICAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: dispidOrgAlias

2.198 PidLidOriginalStoreEntryId

Canonical name: PidLidOriginalStoreEntryId

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008237

Data type: PtypBinary, 0x0102

Area: Meetings

References: [\[MS-OXOCAL\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: dispidOrigStoreEid, <http://schemas.microsoft.com/mapi/origstoreid>

2.199 PidLidOtherAddress

Canonical name: PidLidOtherAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidOtherAddress, urn:schemas:contacts:otherpostaladdress

2.200 PidLidOtherAddressCountryCode

Canonical name: PidLidOtherAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DC

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidOtherAddressCountryCode

2.201 PidLidOwnerCriticalChange

Canonical name: PidLidOwnerCriticalChange

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000001A

Data type: PtypTime, 0x0040

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_OWNER_CRITICAL_CHANGE, urn:schemas:calendar:dstamp, http://schemas.microsoft.com/mapi/owner_critical_change

2.202 PidLidOwnerName

Canonical name: PidLidOwnerName

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000822E

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidOwnerName, <http://schemas.microsoft.com/mapi/ownername>

2.203 PidLidPercentComplete

Canonical name: PidLidPercentComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008102

Data type: PtypFloating64, 0x0005

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidPercentComplete

2.204 PidLidPostalAddressId

Canonical name: PidLidPostalAddressId

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008022

Data type: PtypInteger32, 0x0003

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidPostalAddressId, urn:schemas:contacts:mailingaddressid

2.205 PidLidPostRssChannel

Canonical name: PidLidPostRssChannel

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008904

Data type: PtypString, 0x001F

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssChannel

2.206 PidLidPostRssChannelLink

Canonical name: PidLidPostRssChannelLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008900

Data type: PtypString, 0x001F

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssChannelLink

2.207 PidLidPostRssItemGuid

Canonical name: PidLidPostRssItemGuid

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008903

Data type: PtypString, 0x001F

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssItemGuid

2.208 PidLidPostRssItemHash

Canonical name: PidLidPostRssItemHash

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008902

Data type: PtypInteger32, 0x0003

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssItemHash

2.209 PidLidPostRssItemLink

Canonical name: PidLidPostRssItemLink

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008901

Data type: PtypString, 0x001F

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssItemLink

2.210 PidLidPostRssItemXml

Canonical name: PidLidPostRssItemXml

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008905

Data type: PtypString, 0x001F

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssItemXml

2.211 PidLidPostRssSubscription

Canonical name: PidLidPostRssSubscription

Property set: PSETID_PostRss {00062041-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008906

Data type: PtypString, 0x001F

Area: RSS

References: [\[MS-OXORSS\]](#)

Alternate names: dispidPostRssSubscription

2.212 PidLidPrivate

Canonical name: PidLidPrivate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008506

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#)[\[MS-OXOMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidPrivate

2.213 PidLidPromptSendUpdate

Canonical name: PidLidPromptSendUpdate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008045

Data type: PtypBoolean, 0x000B

Area: Meeting Response

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidPromptSendUpdate

2.214 PidLidRecurrenceDuration

Canonical name: PidLidRecurrenceDuration

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000100D

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-XWDCAL\]](#)

Alternate names: <http://schemas.microsoft.com/mapi/recurduration>

2.215 PidLidRecurrencePattern

Canonical name: PidLidRecurrencePattern

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008232

Data type: PtypString, 0x001F

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidRecurPattern, <http://schemas.microsoft.com/mapi/recurpattern>

2.216 PidLidRecurrenceType

Canonical name: PidLidRecurrenceType

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008231

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidRecurType, <http://schemas.microsoft.com/mapi/recurtype>

2.217 PidLidRecurring

Canonical name: PidLidRecurring

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008223

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [\[MS-OXCADATA\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidRecurring, <http://schemas.microsoft.com/mapi/recurring>

2.218 PidLidReferenceEntryId

Canonical name: PidLidReferenceEntryId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BD

Data type: PtypBinary, 0x0102

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidReferenceEID

2.219 PidLidReferredBy

Canonical name: PidLidReferredBy

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000800E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-XWDCNTC\]](#)

Alternate names: dispidReferredBy, urn:schemas:contacts:referredby

2.220 PidLidReminderDelta

Canonical name: PidLidReminderDelta

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008501

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderDelta, http://schemas.microsoft.com/mapi/reminderdelta

2.221 PidLidReminderFileParameter

Canonical name: PidLidReminderFileParameter

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851F

Data type: PtypString, 0x001F

Area: Reminders

References: [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderFileParam,
<http://schemas.microsoft.com/mapi/remindfileparam>

2.222 PidLidReminderOverride

Canonical name: PidLidReminderOverride

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851C

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderOverride, <http://schemas.microsoft.com/mapi/remindoverride>

2.223 PidLidReminderPlaySound

Canonical name: PidLidReminderPlaySound

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851E

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderPlaySound,
<http://schemas.microsoft.com/mapi/reminderplaysound>

2.224 PidLidReminderSet

Canonical name: PidLidReminderSet

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008503

Data type: PtypBoolean, 0x000B

Area: Reminders

References: [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderSet, <http://schemas.microsoft.com/mapi/reminderset>

2.225 PidLidReminderSignalTime

Canonical name: PidLidReminderSignalTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008560

Data type: PtypTime, 0x0040

Area: Reminders

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#), [\[MS-OXODOC\]](#)

Alternate names: dispidReminderNextTime, <http://schemas.microsoft.com/mapi/remindernexttime>

2.226 PidLidReminderTime

Canonical name: PidLidReminderTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008502

Data type: PtypTime, 0x0040

Area: Reminders

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderTime, <http://schemas.microsoft.com/mapi/remindertime>

2.227 PidLidReminderTimeDate

Canonical name: PidLidReminderTimeDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008505

Data type: PtypTime, 0x0040

Area: Reminders

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderTimeDate, <http://schemas.microsoft.com/mapi/remindertimedate>

2.228 PidLidReminderTimeTime

Canonical name: PidLidReminderTimeTime

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008504

Data type: PtypTime, 0x0040

Area: Reminders

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderTimeTime,
<http://schemas.microsoft.com/mapi/remindertimetype>

2.229 PidLidReminderType

Canonical name: PidLidReminderType

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000851D

Data type: PtypInteger32, 0x0003

Area: Reminders

References: [\[MS-OXORMDR\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidReminderType, <http://schemas.microsoft.com/mapi/remindertype>

2.230 PidLidRemoteStatus

Canonical name: PidLidRemoteStatus

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008511

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [\[MS-XWDCAL\]](#)

Alternate names: dispidRemoteStatus, <http://schemas.microsoft.com/mapi/remotestatus>

2.231 PidLidRequiredAttendees

Canonical name: PidLidRequiredAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000006

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_REQUIRED_ATTENDEES,
http://schemas.microsoft.com/mapi/required_attendees

2.232 PidLidResourceAttendees

Canonical name: PidLidResourceAttendees

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000008

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_RESOURCE_ATTENDEES,
http://schemas.microsoft.com/mapi/resource_attendees

2.233 PidLidResponseStatus

Canonical name: PidLidResponseStatus

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008218

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidResponseStatus, urn:schemas:calendar:attendeestatus,
<http://schemas.microsoft.com/mapi/responsestatus>

2.234 PidLidSendMeetingAsIcal

Canonical name: PidLidSendMeetingAsIcal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008200

Data type: PtypBoolean, 0x000B

Area: Conferencing

References: [\[MS-OXCICAL\]](#)

Alternate names: dispidSendMtgAsICAL

2.235 PidLidServerProcessed

Canonical name: PidLidServerProcessed

Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}

Property long ID (LID): 0x000085CC

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidExchangeProcessed

2.236 PidLidServerProcessingActions

Canonical name: PidLidServerProcessingActions

Property set: PSETID_CalendarAssistant {11000E07-B51B-40D6-AF21-CAA85EDAB1D0}

Property long ID (LID): 0x000085CD

Data type: PtypInteger32, 0x0003

Area: Calendar

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidExchangeProcessingAction

2.237 PidLidSharingAnonymity

Canonical name: PidLidSharingAnonymity

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A19

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingAnonymity

2.238 PidLidSharingBindingEntryId

Canonical name: PidLidSharingBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2D

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingBindingEid

2.239 PidLidSharingBrowseUrl

Canonical name: PidLidSharingBrowseUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A51

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingBrowseUrl

2.240 PidLidSharingCapabilities

Canonical name: PidLidSharingCapabilities

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A17

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingCaps

2.241 PidLidSharingConfigurationUrl

Canonical name: PidLidSharingConfigurationUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A24

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingConfigUrl

2.242 PidLidSharingDataRangeEnd

Canonical name: PidLidSharingDataRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A45

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingDataRangeEnd

2.243 PidLidSharingDataRangeStart

Canonical name: PidLidSharingDataRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A44

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingDataRangeStart

2.244 PidLidSharingDetail

Canonical name: PidLidSharingDetail

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingDetail

2.245 PidLidSharingExtensionXml

Canonical name: PidLidSharingExtensionXml

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A21

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingExtXml

2.246 PidLidSharingFilter

Canonical name: PidLidSharingFilter

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A13

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingFilter

2.247 PidLidSharingFlags

Canonical name: PidLidSharingFlags

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingFlags

2.248 PidLidSharingFlavor

Canonical name: PidLidSharingFlavor

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A18

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingFlavor

2.249 PidLidSharingFolderEntryId

Canonical name: PidLidSharingFolderEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A15

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingFolderEid

2.250 PidLidSharingIndexEntryId

Canonical name: PidLidSharingIndexEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2E

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingIndexEid

2.251 PidLidSharingInitiatorEntryId

Canonical name: PidLidSharingInitiatorEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A09

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingInitiatorEid

2.252 PidLidSharingInitiatorName

Canonical name: PidLidSharingInitiatorName

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A07

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingInitiatorName

2.253 PidLidSharingInitiatorSntp

Canonical name: PidLidSharingInitiatorSntp

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A08

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingInitiatorSntp

2.254 PidLidSharingInstanceGuid

Canonical name: PidLidSharingInstanceGuid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1C

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingInstanceGuid

2.255 PidLidSharingLastAutoSyncTime

Canonical name: PidLidSharingLastAutoSyncTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A55

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLastAutoSync

2.256 PidLidSharingLastSyncTime

Canonical name: PidLidSharingLastSyncTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1F

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLastSync

2.257 PidLidSharingLocalComment

Canonical name: PidLidSharingLocalComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4D

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalComment

2.258 PidLidSharingLocalLastModificationTime

Canonical name: PidLidSharingLocalLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A23

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalLastMod

2.259 PidLidSharingLocalName

Canonical name: PidLidSharingLocalName

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0F

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalName

2.260 PidLidSharingLocalPath

Canonical name: PidLidSharingLocalPath

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0E

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalPath

2.261 PidLidSharingLocalStoreUid

Canonical name: PidLidSharingLocalStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A49

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalStoreUid

2.262 PidLidSharingLocalType

Canonical name: PidLidSharingLocalType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A14

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalType

2.263 PidLidSharingLocalUid

Canonical name: PidLidSharingLocalUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A10

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingLocalUid

2.264 PidLidSharingOriginalMessageEntryId

Canonical name: PidLidSharingOriginalMessageEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A29

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingOriginalMessageEid

2.265 PidLidSharingParentBindingEntryId

Canonical name: PidLidSharingParentBindingEntryId

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A5C

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingParentBindingEid

2.266 PidLidSharingParticipants

Canonical name: PidLidSharingParticipants

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1E

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingParticipants

2.267 PidLidSharingPermissions

Canonical name: PidLidSharingPermissions

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingPermissions

2.268 PidLidSharingProviderExtension

Canonical name: PidLidSharingProviderExtension

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0B

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingProviderExtension

2.269 PidLidSharingProviderGuid

Canonical name: PidLidSharingProviderGuid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A01

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingProviderGuid

2.270 PidLidSharingProviderName

Canonical name: PidLidSharingProviderName

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A02

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingProviderName

2.271 PidLidSharingProviderUrl

Canonical name: PidLidSharingProviderUrl

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A03

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingProviderUrl

2.272 PidLidSharingRangeEnd

Canonical name: PidLidSharingRangeEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A47

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRangeEnd

2.273 PidLidSharingRangeStart

Canonical name: PidLidSharingRangeStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A46

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRangeStart

2.274 PidLidSharingReciprocation

Canonical name: PidLidSharingReciprocation

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingReciprocation

2.275 PidLidSharingRemoteByteSize

Canonical name: PidLidSharingRemoteByteSize

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4B

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteByteSize

2.276 PidLidSharingRemoteComment

Canonical name: PidLidSharingRemoteComment

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2F

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteComment

2.277 PidLidSharingRemoteCrc

Canonical name: PidLidSharingRemoteCrc

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4C

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteCrc

2.278 PidLidSharingRemoteLastModificationTime

Canonical name: PidLidSharingRemoteLastModificationTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A22

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteLastMod

2.279 PidLidSharingRemoteMessageCount

Canonical name: PidLidSharingRemoteMessageCount

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4F

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteMsgCount

2.280 PidLidSharingRemoteName

Canonical name: PidLidSharingRemoteName

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A05

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteName

2.281 PidLidSharingRemotePass

Canonical name: PidLidSharingRemotePass

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0D

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemotePass

2.282 PidLidSharingRemotePath

Canonical name: PidLidSharingRemotePath

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A04

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemotePath

2.283 PidLidSharingRemoteStoreUid

Canonical name: PidLidSharingRemoteStoreUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A48

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteStoreUid

2.284 PidLidSharingRemoteType

Canonical name: PidLidSharingRemoteType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A1D

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteType

2.285 PidLidSharingRemoteUid

Canonical name: PidLidSharingRemoteUid

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A06

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteUid

2.286 PidLidSharingRemoteUser

Canonical name: PidLidSharingRemoteUser

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A0C

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteUser

2.287 PidLidSharingRemoteVersion

Canonical name: PidLidSharingRemoteVersion

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A5B

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRemoteVersion

2.288 PidLidSharingResponseTime

Canonical name: PidLidSharingResponseTime

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A28

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingResponseTime

2.289 PidLidSharingResponseType

Canonical name: PidLidSharingResponseType

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A27

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingResponseType

2.290 PidLidSharingRoamLog

Canonical name: PidLidSharingRoamLog

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A4E

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingRoamLog

2.291 PidLidSharingStart

Canonical name: PidLidSharingStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A25

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingStart

2.292 PidLidSharingStatus

Canonical name: PidLidSharingStatus

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A00

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingStatus

2.293 PidLidSharingStop

Canonical name: PidLidSharingStop

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A26

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingStop

2.294 PidLidSharingSyncFlags

Canonical name: PidLidSharingSyncFlags

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A60

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingSyncFlags

2.295 PidLidSharingSyncInterval

Canonical name: PidLidSharingSyncInterval

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2A

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingSyncInterval

2.296 PidLidSharingTimeToLive

Canonical name: PidLidSharingTimeToLive

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A2C

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingTimeToLive

2.297 PidLidSharingTimeToLiveAuto

Canonical name: PidLidSharingTimeToLiveAuto

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A56

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingTimeToLiveAuto

2.298 PidLidSharingWorkingHoursDays

Canonical name: PidLidSharingWorkingHoursDays

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A42

Data type: PtypInteger32, 0x0003

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingWorkingHoursDays

2.299 PidLidSharingWorkingHoursEnd

Canonical name: PidLidSharingWorkingHoursEnd

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A41

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingWorkingHoursEnd

2.300 PidLidSharingWorkingHoursStart

Canonical name: PidLidSharingWorkingHoursStart

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A40

Data type: PtypTime, 0x0040

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingWorkingHoursStart

2.301 PidLidSharingWorkingHoursTimeZone

Canonical name: PidLidSharingWorkingHoursTimeZone

Property set: PSETID_Sharing {00062040-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008A43

Data type: PtypBinary, 0x0102

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names: dispidSharingWorkingHoursTZ

2.302 PidLidSideEffects

Canonical name: PidLidSideEffects

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008510

Data type: PtypInteger32, 0x0003

Area: Run-time configuration

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORSS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidSideEffects

2.303 PidLidSingleBodyICal

Canonical name: PidLidSingleBodyICal

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000827B

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [\[MS-OXCMAIL\]](#)

Alternate names: IsSingleBodyICal, dispidIsSingleBodyICal

2.304 PidLidSingleInvite

Canonical name: PidLidSingleInvite

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000B

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXCICAL\]](#)

Alternate names: LID_SINGLE_INVITE

2.305 PidLidSmartNoAttach

Canonical name: PidLidSmartNoAttach

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008514

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: dispidSmartNoAttach

2.306 PidLidSpamOriginalFolder

Canonical name: PidLidSpamOriginalFolder

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000859C

Data type: PtypBinary, 0x0102

Area: Spam

References: [\[MS-OXCSPAM\]](#)

Alternate names: dispidSpamOriginalFolder

2.307 PidLidStartRecurrenceDate

Canonical name: PidLidStartRecurrenceDate

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000D

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: LID_START_RECUR_DATE, http://schemas.microsoft.com/mapi/start_recur_date

2.308 PidLidStartRecurrenceTime

Canonical name: PidLidStartRecurrenceTime

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000E

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-XWDCAL\]](#)

Alternate names: LID_START_RECUR_TIME, http://schemas.microsoft.com/mapi/start_recur_time

2.309 PidLidTaskAcceptanceState

Canonical name: PidLidTaskAcceptanceState

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000812A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskDelegValue

2.310 PidLidTaskAccepted

Canonical name: PidLidTaskAccepted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008108

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXOSFLD\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskAccepted

2.311 PidLidTaskActualEffort

Canonical name: PidLidTaskActualEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008110

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskActualEffort

2.312 PidLidTaskAssigner

Canonical name: PidLidTaskAssigner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008121

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskDelegator

2.313 PidLidTaskAssigners

Canonical name: PidLidTaskAssigners

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008117

Data type: PtypBinary, 0x0102

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskMyDelegators

2.314 PidLidTaskComplete

Canonical name: PidLidTaskComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskComplete

2.315 PidLidTaskCustomFlags

Canonical name: PidLidTaskCustomFlags

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008139

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskActualEffort

2.316 PidLidTaskDateCompleted

Canonical name: PidLidTaskDateCompleted

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000810F

Data type: PtypTime, 0x0040

Area: Tasks

References: [MS-OXCMAIL], [\[MS-OXOFLAG\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskDateCompleted

2.317 PidLidTaskDeadOccurrence

Canonical name: PidLidTaskDeadOccurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008109

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskDeadOccur

2.318 PidLidTaskDueDate

Canonical name: PidLidTaskDueDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008105

Data type: PtypTime, 0x0040

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [MS-OXCMAIL], [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskDueDate

2.319 PidLidTaskEstimatedEffort

Canonical name: PidLidTaskEstimatedEffort

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008111

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskEstimatedEffort

2.320 PidLidTaskFCreator

Canonical name: PidLidTaskFCreator

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811E

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskFCreator

2.321 PidLidTaskFFixOffline

Canonical name: PidLidTaskFFixOffline

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000812C

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskFFixOffline

2.322 PidLidTaskFRecurring

Canonical name: PidLidTaskFRecurring

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008126

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskFRecur

2.323 PidLidTaskGlobalId

Canonical name: PidLidTaskGlobalId

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008519

Data type: PtypBinary, 0x0102

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskGlobalObjId

2.324 PidLidTaskHistory

Canonical name: PidLidTaskHistory

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811A

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskHistory

2.325 PidLidTaskLastDelegate

Canonical name: PidLidTaskLastDelegate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008125

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskLastDelegate

2.326 PidLidTaskLastUpdate

Canonical name: PidLidTaskLastUpdate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008115

Data type: PtypTime, 0x0040

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskLastUpdate

2.327 PidLidTaskLastUser

Canonical name: PidLidTaskLastUser

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008122

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskLastUser

2.328 PidLidTaskMode

Canonical name: PidLidTaskMode

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008518

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidTaskMode

2.329 PidLidTaskMultipleRecipients

Canonical name: PidLidTaskMultipleRecipients

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008120

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskMultRecips

2.330 PidLidTaskNoCompute

Canonical name: PidLidTaskNoCompute

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008124

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#)

Alternate names: dispidTaskNoCompute

2.331 PidLidTaskOrdinal

Canonical name: PidLidTaskOrdinal

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008123

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskOrdinal

2.332 PidLidTaskOwner

Canonical name: PidLidTaskOwner

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811F

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskOwner

2.333 PidLidTaskOwnership

Canonical name: PidLidTaskOwnership

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008129

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskOwnership

2.334 PidLidTaskRecurrence

Canonical name: PidLidTaskRecurrence

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008116

Data type: PtypBinary, 0x0102

Area: Tasks

References: [\[MS-OXORMDR\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskRecur

2.335 PidLidTaskResetReminder

Canonical name: PidLidTaskResetReminder

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008107

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXORMDR\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskResetReminder

2.336 PidLidTaskRole

Canonical name: PidLidTaskRole

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008127

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskRole

2.337 PidLidTaskStartDate

Canonical name: PidLidTaskStartDate

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008104

Data type: PtypTime, 0x0040

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskStartDate

2.338 PidLidTaskState

Canonical name: PidLidTaskState

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008113

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskState

2.339 PidLidTaskStatus

Canonical name: PidLidTaskStatus

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008101

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskStatus

2.340 PidLidTaskStatusOnComplete

Canonical name: PidLidTaskStatusOnComplete

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008119

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskSOC

2.341 PidLidTaskUpdates

Canonical name: PidLidTaskUpdates

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000811B

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskUpdates

2.342 PidLidTaskVersion

Canonical name: PidLidTaskVersion

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008112

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: dispidTaskVersion

2.343 PidLidTeamTask

Canonical name: PidLidTeamTask

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008103

Data type: PtypBoolean, 0x000B

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#)

Alternate names: dispidTeamTask

2.344 PidLidTimeZone

Canonical name: PidLidTimeZone

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x0000000C

Data type: PtypInteger32, 0x0003

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_TIME_ZONE, http://schemas.microsoft.com/mapi/time_zone

2.345 PidLidTimeZoneDescription

Canonical name: PidLidTimeZoneDescription

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008234

Data type: PtypString, 0x001F

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidTimeZoneDesc, <http://schemas.microsoft.com/mapi/timezonedesc>

2.346 PidLidTimeZoneStruct

Canonical name: PidLidTimeZoneStruct

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008233

Data type: PtypBinary, 0x0102

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: dispidTimeZoneStruct, <http://schemas.microsoft.com/mapi/timezonestruct>

2.347 PidLidToAttendeesString

Canonical name: PidLidToAttendeesString

Property set: PSETID_Appointment {00062002-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823B

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#)

Alternate names: dispidToAttendeesString

2.348 PidLidToDoOrdinalDate

Canonical name: PidLidToDoOrdinalDate

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A0

Data type: PtypTime, 0x0040

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOFLAG\]](#)

Alternate names: dispidToDoOrdinalDate

2.349 PidLidToDoSubOrdinal

Canonical name: PidLidToDoSubOrdinal

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A1

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOFLAG\]](#)

Alternate names: dispidToDoSubOrdinal

2.350 PidLidToDoTitle

Canonical name: PidLidToDoTitle

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085A4

Data type: PtypString, 0x001F

Area: Tasks

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#)

Alternate names: dispidToDoTitle

2.351 PidLidTrustRecipientHighlights

Canonical name: PidLidTrustRecipientHighlights

Property set: PSETID_Task {00062003-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000823E

Data type: PtypBoolean, 0x000B

Area: Meetings

References: [\[MS-OXOCAL\]](#)

Alternate names: dispidTrustRecipHighlights

2.352 PidLidUseTnef

Canonical name: PidLidUseTnef

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008582

Data type: PtypBoolean, 0x000B

Area: Run-time configuration

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: dispidUseTNEF

2.353 PidLidValidFlagStringProof

Canonical name: PidLidValidFlagStringProof

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x000085BF

Data type: PtypTime, 0x0040

Area: Tasks

References: [\[MS-OXOFLAG\]](#)

Alternate names: dispidValidFlagStringProof

2.354 PidLidVerbResponse

Canonical name: PidLidVerbResponse

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008524

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: dispidVerbResponse

2.355 PidLidVerbStream

Canonical name: PidLidVerbStream

Property set: PSETID_Common {00062008-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008520

Data type: PtypBinary, 0x0102

Area: Run-time configuration

References: [\[MS-OXOMSG\]](#)

Alternate names: dispidVerbStream

2.356 PidLidWeddingAnniversaryLocal

Canonical name: PidLidWeddingAnniversaryLocal

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DF

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidApptAnniversaryLocal

2.357 PidLidWeekInterval

Canonical name: PidLidWeekInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000012

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_WEEK_INTERVAL, http://schemas.microsoft.com/mapi/week_interval

2.358 PidLidWhere

Canonical name: PidLidWhere

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000002

Data type: PtypString, 0x001F

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_WHERE, <http://schemas.microsoft.com/mapi/where>

2.359 PidLidWorkAddress

Canonical name: PidLidWorkAddress

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000801B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddress, urn:schemas:contacts:workaddress

2.360 PidLidWorkAddressCity

Canonical name: PidLidWorkAddressCity

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008046

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddressCity, urn:schemas:contacts:l

2.361 PidLidWorkAddressCountry

Canonical name: PidLidWorkAddressCountry

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008049

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddressCountry, urn:schemas:contacts:co

2.362 PidLidWorkAddressCountryCode

Canonical name: PidLidWorkAddressCountryCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x000080DB

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidWorkAddressCountryCode

2.363 PidLidWorkAddressPostalCode

Canonical name: PidLidWorkAddressPostalCode

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008048

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddressPostalCode, urn:schemas:contacts:postalcode

2.364 PidLidWorkAddressPostOfficeBox

Canonical name: PidLidWorkAddressPostOfficeBox

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000804A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddressPostOfficeBox, urn:schemas:contacts:postofficebox

2.365 PidLidWorkAddressState

Canonical name: PidLidWorkAddressState

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008047

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddressState, urn:schemas:contacts:st

2.366 PidLidWorkAddressStreet

Canonical name: PidLidWorkAddressStreet

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x00008045

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: dispidWorkAddressStreet, urn:schemas:contacts:street

2.367 PidLidYearInterval

Canonical name: PidLidYearInterval

Property set: PSETID_Meeting {6ED8DA90-450B-101B-98DA-00AA003F1305}

Property long ID (LID): 0x00000014

Data type: PtypInteger16, 0x0002

Area: Meetings

References: [\[MS-OXCICAL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: LID_YEAR_INTERVAL, http://schemas.microsoft.com/mapi/year_interval

2.368 PidLidYomiCompanyName

Canonical name: PidLidYomiCompanyName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidYomiCompanyName,
<http://schemas.microsoft.com/exchange/yomiorganization>

2.369 PidLidYomiFirstName

Canonical name: PidLidYomiFirstName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802C

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidYomiFirstName, <http://schemas.microsoft.com/exchange/yomifirstname>

2.370 PidLidYomiLastName

Canonical name: PidLidYomiLastName

Property set: PSETID_Address {00062004-0000-0000-C000-000000000046}

Property long ID (LID): 0x0000802D

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: dispidYomiLastName, http://schemas.microsoft.com/exchange/yomilastname

2.371 PidNameAcceptLanguage

Canonical name: PidNameAcceptLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Accept-Language

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL]

Alternate names: AcceptLanguage

2.372 PidNameApplicationName

Canonical name: PidNameApplicationName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: AppName

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#NameOfApplication

2.373 PidNameApproved

Canonical name: PidNameApproved

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Approved

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:approved

2.374 PidNameApprovalAllowedDecisionMakers

Canonical name: PidNameApprovalAllowedDecisionMakers

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-Approval-Allowed-Decision-Makers

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMSEExchangeOrganizationDecisionMakers

2.375 PidNameApprovalRequestor

Canonical name: PidNameApprovalRequestor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-Approval-Requestor

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMSEExchangeOrganizationApprovalRequestor

2.376 PidNameAttachmentMacContentType

Canonical name: PidNameAttachmentMacContentType

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacContentType

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names:

2.377 PidNameAttachmentMacInfo

Canonical name: PidNameAttachmentMacInfo

Property set: PSETID_Attachment {96357f7f-59e1-47d0-99a7-46515c183b54}

Property name: AttachmentMacInfo

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names:

2.378 PidNameAudioNotes

Canonical name: PidNameAudioNotes

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: UMAudioNotes

Data type: PtypString, 0x001F

Area: UM

References: [\[MS-OXOUM\]](#)

Alternate names: UMAudioNotes

2.379 PidNameAuthor

Canonical name: PidNameAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Author

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Authorum:schemas-microsoft-com:office:office#Author

2.380 PidNameAuthenticatedAs

Canonical name: PidNameAuthenticatedAs

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-AuthAs

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchOrganizationAuthAs

2.381 PidNameAuthenticatedDomain

Canonical name: PidNameAuthenticatedDomain

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-AuthDomain

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchOrganizationAuthDomain

2.382 PidNameAuthenticatedMechanism

Canonical name: PidNameAuthenticatedMechanism

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-AuthMechanism

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchOrganizationAuthMechanism

2.383 PidNameAuthenticatedSource

Canonical name: PidNameAuthenticatedSource

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-AuthSource

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchOrganizationAuthSource

2.384 PidNameAutomaticSpeechRecognitionData

Canonical name: PidNameAutomaticSpeechRecognitionData

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: AsrData

Data type: PtypBinary, 0x0102

Area: UM

References: [\[MS-OXOUM\]](#)

Alternate names:

2.385 PidNameBcc

Canonical name: PidNameBcc

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Bcc

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:bcc

2.386 PidNameByteCount

Canonical name: PidNameByteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ByteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Bytesurn:schemas-microsoft-com:office:office#Bytes

2.387 PidNameCalendarAttendeeRole

Canonical name: PidNameCalendarAttendeeRole

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:attendeerole

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:attendeerole

2.388 PidNameCalendarBusystatus

Canonical name: PidNameCalendarBusystatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:busystatus

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:busystatus

2.389 PidNameCalendarContact

Canonical name: PidNameCalendarContact

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:contact

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:contact

2.390 PidNameCalendarContactUrl

Canonical name: PidNameCalendarContactUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:contacturl

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:contacturl

2.391 PidNameCalendarCreated

Canonical name: PidNameCalendarCreated

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:created

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:created

2.392 PidNameCalendarDescriptionUrl

Canonical name: PidNameCalendarDescriptionUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:descriptionurl

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:descriptionurl

2.393 PidNameCalendarDuration

Canonical name: PidNameCalendarDuration

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:duration

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:duration

2.394 PidNameCalendarExceptionDate

Canonical name: PidNameCalendarExceptionDate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:exdate

Data type: PtypMultipleTime, 0x1040

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:exdate

2.395 PidNameCalendarExceptionRule

Canonical name: PidNameCalendarExceptionRule

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:exrule

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:exrule

2.396 PidNameCalendarGeoLatitude

Canonical name: PidNameCalendarGeoLatitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolatitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:geolatitude

2.397 PidNameCalendarGeoLongitude

Canonical name: PidNameCalendarGeoLongitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:geolongitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:geolongitude

2.398 PidNameCalendarInstanceType

Canonical name: PidNameCalendarInstanceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:instancetype

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:instancetype

2.399 PidNameCalendarIsOrganizer

Canonical name: PidNameCalendarIsOrganizer

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:isorganizer

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:isorganizer

2.400 PidNameCalendarLastModified

Canonical name: PidNameCalendarLastModified

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:lastmodified

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:lastmodified

2.401 PidNameCalendarLocationUrl

Canonical name: PidNameCalendarLocationUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:locationurl

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:locationurl

2.402 PidNameCalendarMeetingStatus

Canonical name: PidNameCalendarMeetingStatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:meetingstatus

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:meetingstatus

2.403 PidNameCalendarMethod

Canonical name: PidNameCalendarMethod

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:method

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:method

2.404 PidNameCalendarProductId

Canonical name: PidNameCalendarProductId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:prodid

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:prodid

2.405 PidNameCalendarRecurrenceIdRange

Canonical name: PidNameCalendarRecurrenceIdRange

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:recurrenceidrange

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:recurrenceidrange

2.406 PidNameCalendarReminderOffset

Canonical name: PidNameCalendarReminderOffset

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:reminderoffset

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:reminderoffset

2.407 PidNameCalendarResources

Canonical name: PidNameCalendarResources

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:resources

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:resources

2.408 PidNameCalendarRsvp

Canonical name: PidNameCalendarRsvp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rsvp

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:rsvp

2.409 PidNameCalendarSequence

Canonical name: PidNameCalendarSequence

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:sequence

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:sequence

2.410 PidNameCalendarTimeZone

Canonical name: PidNameCalendarTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:timezone

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:timezone

2.411 PidNameCalendarTimeZoneId

Canonical name: PidNameCalendarTimeZoneId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:timezoneid

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:timezoneid

2.412 PidNameCalendarTransparent

Canonical name: PidNameCalendarTransparent

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:transparent

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:transparent

2.413 PidNameCalendarUid

Canonical name: PidNameCalendarUid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:uid

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:uid

2.414 PidNameCalendarVersion

Canonical name: PidNameCalendarVersion

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:version

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:version

2.415 PidNameCategory

Canonical name: PidNameCategory

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Category

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Category

2.416 PidNameCc

Canonical name: PidNameCc

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Cc

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:cc

2.417 PidNameCharacterCount

Canonical name: PidNameCharacterCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CharCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Characters

2.418 PidNameComments

Canonical name: PidNameComments

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Comments

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Comments

2.419 PidNameCompany

Canonical name: PidNameCompany

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Company

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Company

2.420 PidNameContactsAlternateRecipient

Canonical name: PidNameContactsAltemateRecipient

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:alternaterecipient

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:alternaterecipient

2.421 PidNameContactsCountry

Canonical name: PidNameContactsCountry

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:c

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:c

2.422 PidNameContactsEmail1

Canonical name: PidNameContactsEmail1

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:email1

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:email1

2.423 PidNameContactsEmail2

Canonical name: PidNameContactsEmail2

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:email2

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:email2

2.424 PidNameContactsEmail3

Canonical name: PidNameContactsEmail3

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:email3

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:email3

2.425 PidNameContactsFileAs

Canonical name: PidNameContactsFileAs

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:fileas

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:fileas

2.426 PidNameContactsFileasId

Canonical name: PidNameContactsFileasId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:fileasid

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:fileasid

2.427 PidNameContactsHomeLatitude

Canonical name: PidNameContactsHomeLatitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:homelatitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:homelatitude

2.428 PidNameContactsHomeLongitude

Canonical name: PidNameContactsHomeLongitude

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:homelongitude

Data type: PtypFloating64, 0x0005

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:homelongitude

2.429 PidNameContactsHomeTimeZone

Canonical name: PidNameContactsHomeTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:hometimezone

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:hometimezone

2.430 PidNameContactsMapUrl

Canonical name: PidNameContactsMapUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:mapurl

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:mapurl

2.431 PidNameContactsOtherCountryCode

Canonical name: PidNameContactsOtherCountryCode

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:othercountrycode

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:othercountrycode

2.432 PidNameContactsOtherPager

Canonical name: PidNameContactsOtherPager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:otherpager

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:otherpager

2.433 PidNameContactsOtherTimeZone

Canonical name: PidNameContactsOtherTimeZone

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:othertimezone

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:othertimezone

2.434 PidNameContactsProxyAddresses

Canonical name: PidNameContactsProxyAddresses

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:proxyaddresses

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:proxyaddresses

2.435 PidNameContactsSecretaryUrl

Canonical name: PidNameContactsSecretaryUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:secretaryurl

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:secretaryurl

2.436 PidNameContactsSourceUrl

Canonical name: PidNameContactsSourceUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:contacts:sourceurl

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:contacts:sourceurl

2.437 PidNameContentBase

Canonical name: PidNameContentBase

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Base

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-OXCMAIL\]](#)

Alternate names: BodyContentBase

2.438 PidNameContentClass

Canonical name: PidNameContentClass

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Class

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-OXBBODY\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXSHARE\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: DAV:contentclassDAV:contentclass, urn:schemas:mailheader:content-class

2.439 PidNameContentDisposition

Canonical name: PidNameContentDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Disposition

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:content-disposition

2.440 PidNameContentID

Canonical name: PidNameContentID

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-ID

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:content-id

2.441 PidNameContentLanguage

Canonical name: PidNameContentLanguage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Language

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:content-language

2.442 PidNameContentLocation

Canonical name: PidNameContentLocation

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Location

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:content-location

2.443 PidNameContentTransferEncoding

Canonical name: PidNameContentTransferEncoding

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Transfer-Encoding

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-OXCICAL\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:content-transfer-encoding

2.444 PidNameContentType

Canonical name: PidNameContentType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Content-Type

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-OXCMAIL\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:content-type

2.445 PidNameControl

Canonical name: PidNameControl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Control

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:control

2.446 PidNameCreateDateTimeReadOnly

Canonical name: PidNameCreateDateTimeReadOnly

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: CreateDtmRo

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Created

2.447 PidNameCrossReference

Canonical name: PidNameCrossReference

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Xref

Data type: PtypString, 0x001F

Area: Email

References: [MS-OXCMAIL], [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:xref

2.448 PidNameDavGetContentType

Canonical name: PidNameDavGetContentType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:getcontenttype

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names:

2.449 PidNameDavId

Canonical name: PidNameDavId

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:id

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: DAV:id

2.450 PidNameDavIsCollection

Canonical name: PidNameDavIsCollection

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:iscollection

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: DAV:iscollection

2.451 PidNameDavIsStructuredDocument

Canonical name: PidNameDavIsStructuredDocument

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:isstructureddocument

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: DAV:isstructureddocument

2.452 PidNameDavParentName

Canonical name: PidNameDavParentName

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:parentname

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: DAV:parentname

2.453 PidNameDavResourceType

Canonical name: PidNameDavResourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:resourcetype

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDSEARCH\]](#)

Alternate names: DAV:resourcetype

2.454 PidNameDavSearchRequest

Canonical name: PidNameDavSearchRequest

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:searchrequest

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDSEARCH\]](#)

Alternate names: DAV:searchrequest

2.455 PidNameDavSearchType

Canonical name: PidNameDavSearchType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:searchtype

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDSEARCH\]](#)

Alternate names: DAV:searchtype

2.456 PidNameDavUid

Canonical name: PidNameDavUid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DAV:uid

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: DAV:uid

2.457 PidNameDisposition

Canonical name: PidNameDisposition

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:disposition

2.458 PidNameDispositionNotificationTo

Canonical name: PidNameDispositionNotificationTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Disposition-Notification-To

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:disposition-notification-to

2.459 PidNameDistribution

Canonical name: PidNameDistribution

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Distribution

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:distribution

2.460 PidNameDocumentParts

Canonical name: PidNameDocumentParts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DocParts

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#PartTitles

2.461 PidNameEditTime

Canonical name: PidNameEditTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: EditTime

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#TotalTime

2.462 PidNameExchangeIntendedBusyStatus

Canonical name: PidNameExchangeIntendedBusyStatus

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/intendedbusystatus

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/intendedbusystatus

2.463 PidNameExchangeJunkEmailMoveStamp

Canonical name: PidNameExchangeJunkEmailMoveStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/junkemailmovestamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORSS\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/junkemailmovestamp

2.464 PidNameExchangeModifyExceptionStructure

Canonical name: PidNameExchangeModifyExceptionStructure

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/modifyexceptionstruct

Data type: PtypBinary, 0x0102

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/modifyexceptionstruct

2.465 PidNameExchangeMsexchembdefaultmailfolder

Canonical name: PidNameExchangeMsexchembdefaultmailfolder

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDFOLD\]](#)

Alternate names: http://schemas.microsoft.com/exchange/msexchembdefaultmailfolder

2.466 PidNameExchangeMsexchembdefaultmailfoldertype

Canonical name: PidNameExchangeMsexchembdefaultmailfoldertype

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDFOLD\]](#)

Alternate names: http://schemas.microsoft.com/exchange/msexchembdefaultmailfoldertype

2.467 PidNameExchangeNoModifyExceptions

Canonical name: PidNameExchangeNoModifyExceptions

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/nomodifyexceptions

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/nomodifyexceptions

2.468 PidNameExchangePatternEnd

Canonical name: PidNameExchangePatternEnd

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/patternend

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/pattmend

2.469 PidNameExchangePatternStart

Canonical name: PidNameExchangePatternStart

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/patternstart

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/pattemstart

2.470 PidNameExchangePublicFolderEmailAddress

Canonical name: PidNameExchangePublicFolderEmailAddress

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/publicfolderemailaddress

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDFOLD\]](#)

Alternate names: http://schemas.microsoft.com/exchange/publicfolderemailaddress

2.471 PidNameExchangeReminderInterval

Canonical name: PidNameExchangeReminderInterval

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/exchange/reminderinterval

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: http://schemas.microsoft.com/exchange/reminderinterval

2.472 PidNameExchDatabaseSchema

Canonical name: PidNameExchDatabaseSchema

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:baseschema

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas-microsoft-com:exch-data:baseschema

2.473 PidNameExchDataExpectedContentClass

Canonical name: PidNameExchDataExpectedContentClass

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:expected-content-class

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas-microsoft-com:exch-data:expected-content-class

2.474 PidNameExchDataSchemaCollectionReference

Canonical name: PidNameExchDataSchemaCollectionReference

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas-microsoft-com:exch-data:schema-collection-ref

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas-microsoft-com:exch-data:schema-collection-ref

2.475 PidNameExpires

Canonical name: PidNameExpires

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expires

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:expires

2.476 PidNameExpiryDate

Canonical name: PidNameExpiryDate

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Expiry-Date

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:expiry-date

2.477 PidNameFollowupTo

Canonical name: PidNameFollowupTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Followup-To

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:followup-to

2.478 PidNameFrom

Canonical name: PidNameFrom

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: From

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:organizer

2.479 PidNameHeadingPairs

Canonical name: PidNameHeadingPairs

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HeadingPairs

Data type: PtypBinary, 0x0102

Area: Common

References: [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#HeadingPairs

2.480 PidNameHiddenCount

Canonical name: PidNameHiddenCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: HiddenCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#HiddenSlides

2.481 PidNameHttpmailCalendar

Canonical name: PidNameHttpmailCalendar

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:calendar

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:httpmail:calendar

2.482 PidNameHttpmailCc

Canonical name: PidNameHttpmailCc

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:cc

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:httpmail:cc

2.483 PidNameHttpmailContacts

Canonical name: PidNameHttpmailContacts

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:contacts

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: urn:schemas:httpmail:contacts

2.484 PidNameHttpmailContentMediaType

Canonical name: PidNameHttpmailContentMediaType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:content-media-type

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:httpmail:content-media-type

2.485 PidNameHttpmailFrom

Canonical name: PidNameHttpmailFrom

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:from

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXCMAIL\]](#)

Alternate names: urn:schemas:httpmail:from

2.486 PidNameHttpmailFromEmail

Canonical name: PidNameHttpmailFromEmail

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:fromemail

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:httpmail:fromemail

2.487 PidNameHttpmailHtmlDescription

Canonical name: PidNameHttpmailHtmlDescription

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:htmldescription

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:httpmail:htmldescription

2.488 PidNameHttpmailOutbox

Canonical name: PidNameHttpmailOutbox

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:outbox

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:httpmail:outbox

2.489 PidNameHttpmailSendMessage

Canonical name: PidNameHttpmailSendMessage

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:sendmsg

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:httpmail:sendmsg

2.490 PidNameHttpmailSubmitted

Canonical name: PidNameHttpmailSubmitted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:submitted

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:httpmail:submitted

2.491 PidNameHttpmailTo

Canonical name: PidNameHttpmailTo

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:httpmail:to

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:httpmail:to

2.492 PidNameICalendarRecurrenceDate

Canonical name: PidNameICalendarRecurrenceDate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rdate

Data type: PtypMultipleTime, 0x1040

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:rdate

2.493 PidNameICalendarRecurrenceRule

Canonical name: PidNameICalendarRecurrenceRule

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:rrule

Data type: PtypMultipleString, 0x101F

Area: Common

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:rrule

2.494 PidNameImportance

Canonical name: PidNameImportance

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Importance

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:importance

2.495 PidNameInReplyTo

Canonical name: PidNameInReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: In-Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:in-reply-to

2.496 PidNameInstantMessagingAddress2

Canonical name: PidNameInstantMessagingAddress2

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: IMAddress2

Data type: PtypString, 0x001F

Area: Sync

References: [\[MS-OXVCARD\]](#)

Alternate names: IMAddress2

2.497 PidNameInstantMessagingAddress3

Canonical name: PidNameInstantMessagingAddress3

Property set: PSETID_AirSync {71035549-0739-4DCB-9163-00F0580DBBDF}

Property name: IMAddress3

Data type: PtypString, 0x001F

Area: Sync

References: [\[MS-OXVCARD\]](#)

Alternate names: IMAddress3

2.498 PidNameInternetComment

Canonical name: PidNameInternetComment

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Comment

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:comment

2.499 PidNameInternetKeywords

Canonical name: PidNameInternetKeywords

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:keywords

2.500 PidNameInternetSubject

Canonical name: PidNameInternetSubject

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:mailheader:subject

2.501 PidNameKeywords

Canonical name: PidNameKeywords

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Keywords

Data type: PtypMultipleString, 0x101F

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Keywords,
http://schemas.microsoft.com/exchange/keywords-utf8

2.502 PidNameLastAuthor

Canonical name: PidNameLastAuthor

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastAuthor

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#LastAuthor

2.503 PidNameLastPrinted

Canonical name: PidNameLastPrinted

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastPrinted

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#LastPrinted

2.504 PidNameLastSaveDateTime

Canonical name: PidNameLastSaveDateTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LastSaveDtm

Data type: PtypTime, 0x0040

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#LastSaved

2.505 PidNameLineCount

Canonical name: PidNameLineCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LineCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Lines

2.506 PidNameLines

Canonical name: PidNameLines

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Lines

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:lines

2.507 PidNameLinksDirty

Canonical name: PidNameLinksDirty

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: LinksDirty

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#LinksUpToDate

2.508 PidNameLocationUrl

Canonical name: PidNameLocationUrl

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: urn:schemas:calendar:locationurl

Data type: PtypString, 0x001F

Area: Calendar

References: [\[MS-OXCMAIL\]](#)

Alternate names: urn:schemas:calendar:locationurl, LocationUrl

2.509 PidNameMailSubmissionUri

Canonical name: PidNameMailSubmissionUri

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MAIL:submissionuri

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-XWDMAIL\]](#)

Alternate names: MAIL:submissionuri

2.510 PidNameManager

Canonical name: PidNameManager

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Manager

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Manager

2.511 PidNameMessageId

Canonical name: PidNameMessageId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Message-ID

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:message-id

2.512 PidNameMimeVersion

Canonical name: PidNameMimeVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Mime-Version

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:mime-version

2.513 PidNameMultimediaClipCount

Canonical name: PidNameMultimediaClipCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: MMClipCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#MultimediaClips

2.514 PidNameNewsgroups

Canonical name: PidNameNewsgroups

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Newsgroups

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:newsgroups

2.515 PidNameNntpPostingHost

Canonical name: PidNameNntpPostingHost

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: NNTP-Posting-Host

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:nntp-posting-host

2.516 PidNameNoteCount

Canonical name: PidNameNoteCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: NoteCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Notes

2.517 PidNameOMSAccountGuid

Canonical name: PidNameOMSAccountGuid

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSAccountGuid

Data type: PtypString, 0x001F

Area: SMS

References: [\[MS-OXOSMMS\]](#)

Alternate names:

2.518 PidNameOMSMobileModel

Canonical name: PidNameOMSMobileModel

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSMobileModel

Data type: PtypString, 0x001F

Area: SMS

References: [\[MS-OXOSMMS\]](#)

Alternate names:

2.519 PidNameOMSScheduleTime

Canonical name: PidNameOMSScheduleTime

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSScheduleTime

Data type: PtypTime, 0x0040

Area: SMS

References: [\[MS-OXOSMMS\]](#)

Alternate names:

2.520 PidNameOMSServiceType

Canonical name: PidNameOMSServiceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSServiceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [\[MS-OXOSMMS\]](#)

Alternate names:

2.521 PidNameOMSSourceType

Canonical name: PidNameOMSSourceType

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: OMSSourceType

Data type: PtypInteger32, 0x0003

Area: SMS

References: [\[MS-OXOSMMS\]](#)

Alternate names:

2.522 PidNameOrganization

Canonical name: PidNameOrganization

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Organization

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:organization

2.523 PidNameOriginalRecipient

Canonical name: PidNameOriginalRecipient

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Original-Recipient

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:original-recipient

2.524 PidNameOriginalSpamConfidenceLevel

Canonical name: PidNameOriginalSpamConfidenceLevel

Property set: PSETID_Messaging {41F28F13-83F4-4114-A584-EEDB5A6B-0BFF}

Property name: OriginalScI

Data type: PtypInteger32, 0x0003

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: OriginalScI

2.525 PidNameOutlookProtectionRuleOverridden

Canonical name: PidNameOutlookProtectionRuleOverridden

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-Outlook-Protection-Rule-Overridden

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMSEExchangeOutlookProtectionRuleOverridden

2.526 PidNameOutlookProtectionRuleTimestamp

Canonical name: PidNameOutlookProtectionRuleTimestamp

Property set:

Property name: X-MS-Exchange-Organization-Outlook-Protection-Rule-Config-Timestamp

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMSEExchangeOutlookProtectionRuleConfigTimestamp

2.527 PidNameOutlookProtectionRuleVersion

Canonical name: PidNameOutlookProtectionRuleVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-Outlook-Protection-Rule-Addin-Version

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMSEExchangeOutlookProtectionRuleVersion

2.528 PidNamePageCount

Canonical name: PidNamePageCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PageCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Pages

2.529 PidNameParagraphCount

Canonical name: PidNameParagraphCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: ParCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Paragraphs

2.530 PidNamePath

Canonical name: PidNamePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Path

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:path

2.531 PidNamePhishingStamp

Canonical name: PidNamePhishingStamp

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: http://schemas.microsoft.com/outlook/phishingstamp

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [\[MS-OXPHISH\]](#)

Alternate names:

2.532 PidNamePostingVersion

Canonical name: PidNamePostingVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Posting-Version

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:posting-version

2.533 PidNamePresentationFormat

Canonical name: PidNamePresentationFormat

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: PresFormat

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#PresentationFormat

2.534 PidNamePriority

Canonical name: PidNamePriority

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Priority

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:priority

2.535 PidNameQuarantineOriginalSender

Canonical name: PidNameQuarantineOriginalSender

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: quarantine-original-sender

Data type: PtypString, 0x001F

Area: Common

References: [MS-OXCMAIL]

Alternate names:

2.536 PidNameReceived

Canonical name: PidNameReceived

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Received

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:received

2.537 PidNameReferences

Canonical name: PidNameReferences

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: References

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:references

2.538 PidNameRelayVersion

Canonical name: PidNameRelayVersion

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Relay-Version

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:relay-version

2.539 PidNameReplyBy

Canonical name: PidNameReplyBy

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-By

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:reply-by

2.540 PidNameReplyTo

Canonical name: PidNameReplyTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Reply-To

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:reply-to

2.541 PidNameReturnPath

Canonical name: PidNameReturnPath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Path

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:return-path

2.542 PidNameReturnReceiptTo

Canonical name: PidNameReturnReceiptTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Return-Receipt-To

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:return-receipt-to

2.543 PidNameRevisionNumber

Canonical name: PidNameRevisionNumber

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: RevNumber

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Revision

2.544 PidNameRightsManagementLicense

Canonical name: PidNameRightsManagementLicense

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: DRMLicense

Data type: PtypMultipleBinary, 0x1102

Area: Secure Messaging Properties

References: [\[MS-OXORMMS\]](#)

Alternate names:

2.545 PidNameRightsProtectMessage

Canonical name: PidNameRightsProtectMessage

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-MS-Exchange-Organization-RightsProtectMessage

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchangeOrganizationRightsProtectMessage

2.546 PidNameScale

Canonical name: PidNameScale

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Scale

Data type: PtypBoolean, 0x000B

Area: Common

References: [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#ScaleCrop

2.547 PidNameSecurity

Canonical name: PidNameSecurity

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Security

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Security

2.548 PidNameSender

Canonical name: PidNameSender

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Sender

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:sender

2.549 PidNameSensitivity

Canonical name: PidNameSensitivity

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Sensitivity

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:sensitivity

2.550 PidNameSlideCount

Canonical name: PidNameSlideCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: SlideCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Slides

2.551 PidNameSubject

Canonical name: PidNameSubject

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Subject

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#), [\[MS-OXOCAL\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Subject

2.552 PidNameSummary

Canonical name: PidNameSummary

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Summary

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:summary

2.553 PidNameTemplate

Canonical name: PidNameTemplate

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Template

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Template

2.554 PidNameThreadIndex

Canonical name: PidNameThreadIndex

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Index

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:thread-index

2.555 PidNameThreadTopic

Canonical name: PidNameThreadTopic

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: Thread-Topic

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:thread-topic

2.556 PidNameThumbnail

Canonical name: PidNameThumbnail

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Thumbnail

Data type: PtypBinary, 0x0102

Area: Common

References: [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#ThumbNail

2.557 PidNameTitle

Canonical name: PidNameTitle

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: Title

Data type: PtypString, 0x001F

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Title

2.558 PidNameTo

Canonical name: PidNameTo

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: To

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:to

2.559 PidNameWordCount

Canonical name: PidNameWordCount

Property set: PS_PUBLIC_STRINGS {00020329-0000-0000-C000-000000000046}

Property name: WordCount

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXODOC\]](#), [\[MS-XWDDOC\]](#)

Alternate names: urn:schemas-microsoft-com:office:office#Words

2.560 PidNameXCallId

Canonical name: PidNameXCallId

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-CallID

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.561 PidNameXFaxNumberOfPages

Canonical name: PidNameXFaxNumberOfPages

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-FaxNumberOfPages

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.562 PidNameXMailer

Canonical name: PidNameXMailer

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Mailer

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:x-mailer

2.563 PidNameXMessageCompleted

Canonical name: PidNameXMessageCompleted

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Completed

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:x-message-completed

2.564 PidNameXMessageFlag

Canonical name: PidNameXMessageFlag

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Message-Flag

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:x-message-flag

2.565 PidNameXRequireProtectedPlayOnPhone

Canonical name: PidNameXRequireProtectedPlayOnPhone

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-RequireProtectedPlayOnPhone

Data type: PtypBoolean, 0x000B

Area: UM

References: [\[MS-OXOUM\]](#)

Alternate names:

2.566 PidNameXSenderTelephoneNumber

Canonical name: PidNameXSenderTelephoneNumber

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-CallingTelephoneNumber

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names:

2.567 PidNameXSharingBrowseUrl

Canonical name: PidNameXSharingBrowseUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Browse-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.568 PidNameXSharingCapabilities

Canonical name: PidNameXSharingCapabilities

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Capabilities

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.569 PidNameXSharingConfigUrl

Canonical name: PidNameXSharingConfigUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Config-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.570 PidNameXSharingExendedCaps

Canonical name: PidNameXSharingExendedCaps

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Exended-Caps

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.571 PidNameXSharingFlavor

Canonical name: PidNameXSharingFlavor

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Flavor

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.572 PidNameXSharingInstanceGuid

Canonical name: PidNameXSharingInstanceGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Instance-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.573 PidNameXSharingLocalType

Canonical name: PidNameXSharingLocalType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Local-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.574 PidNameXSharingProviderGuid

Canonical name: PidNameXSharingProviderGuid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Guid

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.575 PidNameXSharingProviderName

Canonical name: PidNameXSharingProviderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.576 PidNameXSharingProviderUrl

Canonical name: PidNameXSharingProviderUrl

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Provider-Url

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.577 PidNameXSharingRemoteName

Canonical name: PidNameXSharingRemoteName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Name

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.578 PidNameXSharingRemotePath

Canonical name: PidNameXSharingRemotePath

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Path

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.579 PidNameXSharingRemoteStoreUid

Canonical name: PidNameXSharingRemoteStoreUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Store-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.580 PidNameXSharingRemoteType

Canonical name: PidNameXSharingRemoteType

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Type

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.581 PidNameXSharingRemoteUid

Canonical name: PidNameXSharingRemoteUid

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Sharing-Remote-Uid

Data type: PtypString, 0x001F

Area: Sharing

References: [\[MS-OXSHARE\]](#)

Alternate names:

2.582 PidNameXUnifiedMessagingPartnerAssignedId

Canonical name: PidNameXUnifiedMessagingPartnerAssignedId

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: X-MS-Exchange-UM-PartnerAssignedID

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchangeUMPartnerAssignedID

2.583 PidNameXUnifiedMessagingPartnerContent

Canonical name: PidNameXUnifiedMessagingPartnerContent

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: X-MS-Exchange-UM-PartnerContent

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchangeUMPartnerContent

2.584 PidNameXUnifiedMessagingPartnerContext

Canonical name: PidNameXUnifiedMessagingPartnerContext

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: X-MS-Exchange-UM-PartnerContext

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchangeUMPartnerContext

2.585 PidNameXUnifiedMessagingPartnerStatus

Canonical name: PidNameXUnifiedMessagingPartnerStatus

Property set: PSETID_UnifiedMessaging {4442858E-A9E3-4E80-B900-317A210CC15B}

Property name: X-MS-Exchange-UM-PartnerStatus

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names: XMsExchangeUMPartnerStatus

2.586 PidNameXUnsent

Canonical name: PidNameXUnsent

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-Unsent

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-XWDMAIL\]](#)

Alternate names: urn:schemas:mailheader:x-unsent

2.587 PidNameXVoiceMessageAttachmentOrder

Canonical name: PidNameXVoiceMessageAttachmentOrder

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-AttachmentOrder

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.588 PidNameXVoiceMessageDuration

Canonical name: PidNameXVoiceMessageDuration

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-VoiceMessageDuration

Data type: PtypInteger16, 0x0002

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.589 PidNameXVoiceMessageSenderName

Canonical name: PidNameXVoiceMessageSenderName

Property set: PS_INTERNET_HEADERS {00020386-0000-0000-C000-000000000046}

Property name: X-VoiceMessageSenderName

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [MS-OXCMAIL]

Alternate names:

2.590 PidTag7BitDisplayName

Canonical name: PidTag7BitDisplayName

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Address Book

References: [\[MS-NSPI\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_7BIT_DISPLAY_NAME, PR_7BIT_DISPLAY_NAME_A, PR_7BIT_DISPLAY_NAME_W

2.591 PidTagAccess

Canonical name: PidTagAccess

Property ID: 0x0FF4

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [MS-OXCPRPT], [\[MS-OXOJRNL\]](#)

Alternate names: PR_ACCESS, ptagAccess

2.592 PidTagAccessLevel

Canonical name: PidTagAccessLevel

Property ID: 0x0FF7

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [MS-OXCFOLD], [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [MS-OXCPRPT]

Alternate names: PR_ACCESS_LEVEL, ptagAccessLevel

2.593 PidTagAccount

Canonical name: PidTagAccount

Property ID: 0x3A00

Data type: PtypString, 0x001F

Area: Address Book

References: [\[MS-OXCFXICS\]](#), [MS-OXOABK], [\[MS-OXOCNTC\]](#), [\[MS-OXCMSG\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_ACCOUNT, PR_ACCOUNT_A, PR_ACCOUNT_W,
urn:schemas:contacts:account

2.594 PidTagAdditionalRenEntryIds

Canonical name: PidTagAdditionalRenEntryIds

Property ID: 0x36D8

Data type: PtypMultipleBinary, 0x1102

Area: Outlook Application

References: [\[MS-OXCSPAM\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXPHISH\]](#)

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS, ptagAdditionalRenEntryIds

2.595 PidTagAdditionalRenEntryIdsEx

Canonical name: PidTagAdditionalRenEntryIdsEx

Property ID: 0x36D9

Data type: PtypBinary, 0x0102

Area: Outlook Application

References: [\[MS-OXOSFLD\]](#)

Alternate names: PR_ADDITIONAL_REN_ENTRYIDS_EX, ptagAdditionalRenEntryIdsEx

2.596 PidTagAddressBookAuthorizedSenders

Canonical name: PidTagAddressBookAuthorizedSenders

Property ID: 0x8CD8

Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_AUTH_ORIG

2.597 PidTagAddressBookContainerId

Canonical name: PidTagAddressBookContainerId

Property ID: 0xFFFFD

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_CONTAINERID

2.598 PidTagAddressBookDeliveryContentLength

Canonical name: PidTagAddressBookDeliveryContentLength

Property ID: 0x806A

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DELIV_CONT_LENGTH

2.599 PidTagAddressBookDisplayNamePrintable

Canonical name: PidTagAddressBookDisplayNamePrintable

Property ID: 0x39FF

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXCMSG\]](#)

Alternate names: PR_EMS_AB_DISPLAY_NAME_PRINTABLE,
PR_EMS_AB_DISPLAY_NAME_PRINTABLE_A, PR_EMS_AB_DISPLAY_NAME_PRINTABLE_W

2.600 PidTagAddressBookDisplayTypeExtended

Canonical name: PidTagAddressBookDisplayTypeExtended

Property ID: 0x8C93

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_DISPLAY_TYPE_EX

2.601 PidTagAddressBookDistributionListExternalMemberCount

Canonical name: PidTagAddressBookDistributionListExternalMemberCount

Property ID: 0x8CE3

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_EXTERNAL_MEMBER_COUNT

2.602 PidTagAddressBookDistributionListMemberCount

Canonical name: PidTagAddressBookDistributionListMemberCount

Property ID: 0x8CE2

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_TOTAL_MEMBER_COUNT

2.603 PidTagAddressBookDistributionListMemberSubmitAccepted

Canonical name: PidTagAddressBookDistributionListMemberSubmitAccepted

Property ID: 0x8073

Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_MEM_SUBMIT_PERMS

2.604 PidTagAddressBookDistributionListMemberSubmitRejected

Canonical name: PidTagAddressBookDistributionListMemberSubmitRejected

Property ID: 0x8CDA

Data type: PtypComObject, 0x000D

Area: Address Book

References: [MS-OXOAB], [MS-OXOABK]

Alternate names: PR_EMS_AB_DL_MEM_REJECT_PERMS

2.605 PidTagAddressBookEntryId

Canonical name: PidTagAddressBookEntryId

Property ID: 0x663B

Data type: PtypBinary, 0x0102

Area: Address Book

References: [MS-OXCFOLD]

Alternate names: PR_ADDRESS_BOOK_ENTRYID, ptagAddressBookEntryId

2.606 PidTagAddressBookExtensionAttribute1

Canonical name: PidTagAddressBookExtensionAttribute1

Property ID: 0x802D

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_1,
PR_EMS_AB_EXTENSION_ATTRIBUTE_1_A, PR_EMS_AB_EXTENSION_ATTRIBUTE_1_W

2.607 PidTagAddressBookExtensionAttribute15

Canonical name: PidTagAddressBookExtensionAttribute15

Property ID: 0x8C61

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_EXTENSION_ATTRIBUTE_15,
PR_EMS_AB_EXTENSION_ATTRIBUTE_15_A, PR_EMS_AB_EXTENSION_ATTRIBUTE_15_W

2.608 PidTagAddressBookFolderPathname

Canonical name: PidTagAddressBookFolderPathname

Property ID: 0x8004

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_FOLDER_PATHNAME, PR_EMS_AB_FOLDER_PATHNAME_A,
PR_EMS_AB_FOLDER_PATHNAME_W

2.609 PidTagAddressBookHierarchicalChildDepartments

Canonical name: PidTagAddressBookHierarchicalChildDepartments

Property ID: 0x8C9A

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_CHILD_DEPARTMENTS

2.610 PidTagAddressBookHierarchicalDepartmentMembers

Canonical name: PidTagAddressBookHierarchicalDepartmentMembers

Property ID: 0x8C97

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_DEPARTMENT_MEMBERS

2.611 PidTagAddressBookHierarchicalIsHierarchicalGroup

Canonical name: PidTagAddressBookHierarchicalIsHierarchicalGroup

Property ID: 0x8CDD

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_IS_HIERARCHICAL_GROUP,
PR_EMS_AB_IS_ORGANIZATIONAL

2.612 PidTagAddressBookHierarchicalParentDepartment

Canonical name: PidTagAddressBookHierarchicalParentDepartment

Property ID: 0x8C99

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_PARENT_DEPARTMENT

2.613 PidTagAddressBookHierarchicalRootDepartment

Canonical name: PidTagAddressBookHierarchicalRootDepartment

Property ID: 0x8C98

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References:[MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_ROOT_DEPARTMENT

2.614 PidTagAddressBookHierarchicalShowInDepartments

Canonical name: PidTagAddressBookHierarchicalShowInDepartments

Property ID: 0x8C94

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_HAB_SHOW_IN_DEPARTMENTS

2.615 PidTagAddressBookHomeMessageDatabase

Canonical name: PidTagAddressBookHomeMessageDatabase

Property ID: 0x8006

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXABREF\]](#), [\[MS-OXLDAP\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXODLGT\]](#)

Alternate names: PR_EMS_AB_HOME_MDB, PR_EMS_AB_HOME_MDB_A, PR_EMS_AB_HOME_MDB_W

2.616 PidTagAddressBookIsMaster

Canonical name: PidTagAddressBookIsMaster

Property ID: 0xFFFFB

Data type: PtypBoolean, 0x000B

Area: Exchange Address Book

References: [\[MS-NSPI\]](#), [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MASTER

2.617 PidTagAddressBookIsMemberOfDistributionList

Canonical name: PidTagAddressBookIsMemberOfDistributionList

Property ID: 0x8008

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [MS-OXOABK]

Alternate names: PR_EMS_AB_IS_MEMBER_OF_DL, PR_EMS_AB_IS_MEMBER_OF_DL_A, PR_EMS_AB_IS_MEMBER_OF_DL_W

2.618 PidTagAddressBookManageDistributionList

Canonical name: PidTagAddressBookManageDistributionList

Property ID: 0x6704

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#)

Alternate names: PR_EMS_AB_MANAGE_DL

2.619 PidTagAddressBookManager

Canonical name: PidTagAddressBookManager

Property ID: 0x8005

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_MANAGER, PR_EMS_AB_MANAGER_A, PR_EMS_AB_MANAGER_W

2.620 PidTagAddressBookManagerDistinguishedName

Canonical name: PidTagAddressBookManagerDistinguishedName

Property ID: 0x8005

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_MANAGER_T

2.621 PidTagAddressBookMember

Canonical name: PidTagAddressBookMember

Property ID: 0x8009

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_MEMBER, PR_EMS_AB_MEMBER_A, PR_EMS_AB_MEMBER_W

2.622 PidTagAddressBookMessageId

Canonical name: PidTagAddressBookMessageId

Property ID: 0x674F

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCSTOR\]](#)

Alternate names: ptagAddrbookMID

2.623 PidTagAddressBookModerationEnabled

Canonical name: PidTagAddressBookModerationEnabled

Property ID: 0x8CB5

Data type: PtypBoolean, 0x000B

Area: Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_ENABLE_MODERATION

2.624 PidTagAddressBookNetworkAddress

Canonical name: PidTagAddressBookNetworkAddress

Property ID: 0x8170

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_NETWORK_ADDRESS, PR_EMS_AB_NETWORK_ADDRESS_A, PR_EMS_AB_NETWORK_ADDRESS_W

2.625 PidTagAddressBookObjectDistinguishedName

Canonical name: PidTagAddressBookObjectDistinguishedName

Property ID: 0x803C

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_OBJ_DIST_NAME, PR_EMS_AB_OBJ_DIST_NAME_A, PR_EMS_AB_OBJ_DIST_NAME_W

2.626 PidTagAddressBookObjectGuid

Canonical name: PidTagAddressBookObjectGuid

Property ID: 0x8C6D

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_OBJECT_GUID

2.627 PidTagAddressBookOrganizationalUnitRootDistinguishedName

Canonical name: PidTagAddressBookOrganizationalUnitRootDistinguishedName

Property ID: 0x8CA8

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_ORG_UNIT_ROOT_DN, msExchOURoot

2.628 PidTagAddressBookOwner

Canonical name: PidTagAddressBookOwner

Property ID: 0x800C

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_OWNER_O

2.629 PidTagAddressBookOwnerBackLink

Canonical name: PidTagAddressBookOwnerBackLink

Property ID: 0x8024

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_OWNER_BL_O

2.630 PidTagAddressBookParentEntryId

Canonical name: PidTagAddressBookParentEntryId

Property ID: 0xFFFC

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_PARENT_ENTRYID

2.631 PidTagAddressBookPhoneticCompanyName

Canonical name: PidTagAddressBookPhoneticCompanyName

Property ID: 0x8C91

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_PHONETIC_COMPANY_NAME,
PR_EMS_AB_PHONETIC_COMPANY_NAME_A, PR_EMS_AB_PHONETIC_COMPANY_NAME_W

2.632 PidTagAddressBookPhoneticDepartmentName

Canonical name: PidTagAddressBookPhoneticDepartmentName

Property ID: 0x8C90

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_PHONETIC_DEPARTMENT_NAME,
PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_A, PR_EMS_AB_PHONETIC_DEPARTMENT_NAME_W

2.633 PidTagAddressBookPhoneticDisplayName

Canonical name: PidTagAddressBookPhoneticDisplayName

Property ID: 0x8C92

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_PHONETIC_DISPLAY_NAME,
PR_EMS_AB_PHONETIC_DISPLAY_NAME_A, PR_EMS_AB_PHONETIC_DISPLAY_NAME_W

2.634 PidTagAddressBookPhoneticGivenName

Canonical name: PidTagAddressBookPhoneticGivenName

Property ID: 0x8C8E

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_PHONETIC_GIVEN_NAME,
PR_EMS_AB_PHONETIC_GIVEN_NAME_A, PR_EMS_AB_PHONETIC_GIVEN_NAME_W

2.635 PidTagAddressBookPhoneticSurname

Canonical name: PidTagAddressBookPhoneticSurname

Property ID: 0x8C8F

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_PHONETIC_SURNAME, PR_EMS_AB_PHONETIC_SURNAME_A,
PR_EMS_AB_PHONETIC_SURNAME_W

2.636 PidTagAddressBookProxyAddresses

Canonical name: PidTagAddressBookProxyAddresses

Property ID: 0x800F

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [\[MS-OXLDAP\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXODLGT\]](#)

Alternate names: PR_EMS_AB_PROXY_ADDRESSES, PR_EMS_AB_PROXY_ADDRESSES_A,
PR_EMS_AB_PROXY_ADDRESSES_W

2.637 PidTagAddressBookPublicDelegates

Canonical name: PidTagAddressBookPublicDelegates

Property ID: 0x8015

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#), [\[MS-OXODLGT\]](#)

Alternate names: PR_EMS_AB_PUBLIC_DELEGATES, PR_EMS_AB_PUBLIC_DELEGATES_A, PR_EMS_AB_PUBLIC_DELEGATES_W

2.638 PidTagAddressBookReports

Canonical name: PidTagAddressBookReports

Property ID: 0x800E

Data type: PtypComObject, 0x000D

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_REPORTS, PR_EMS_AB_REPORTS_A, PR_EMS_AB_REPORTS_W

2.639 PidTagAddressBookRoomCapacity

Canonical name: PidTagAddressBookRoomCapacity

Property ID: 0x0807

Data type: PtypInteger32, 0x0003

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_ROOM_CAPACITY

2.640 PidTagAddressBookRoomContainers

Canonical name: PidTagAddressBookRoomContainers

Property ID: 0x8C96

Data type: PtypMultipleString, 0x101F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_ROOM_CONTAINERS, PR_EMS_AB_ROOM_CONTAINERS_A, PR_EMS_AB_ROOM_CONTAINERS_W

2.641 PidTagAddressBookRoomDescription

Canonical name: PidTagAddressBookRoomDescription

Property ID: 0x0809

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_ROOM_DESCRIPTION, PR_EMS_AB_ROOM_DESCRIPTION_A, PR_EMS_AB_ROOM_DESCRIPTION_W

2.642 PidTagAddressBookSenderHintTranslations

Canonical name: PidTagAddressBookSenderHintTranslations

Property ID: 0x8CAC

Data type: PtypMultipleString, 0x101F

Area: Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_DL_SENDER_HINT_TRANSLATIONS_W

2.643 PidTagAddressBookSeniorityIndex

Canonical name: PidTagAddressBookSeniorityIndex

Property ID: 0x8CA0

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_HAB_SENIORITY_INDEX, PR_EMS_AB_SENIORITY_INDEX

2.644 PidTagAddressBookTargetAddress

Canonical name: PidTagAddressBookTargetAddress

Property ID: 0x8011

Data type: PtypString, 0x001F

Area: Exchange Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_TARGET_ADDRESS, PR_EMS_AB_TARGET_ADDRESS_A, PR_EMS_AB_TARGET_ADDRESS_W

2.645 PidTagAddressBookUnauthorizedSenders

Canonical name: PidTagAddressBookUnauthorizedSenders

Property ID: 0x8CD9

Data type: PtypComObject, 0x000D

Area: Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_UNAUTH_ORIG

2.646 PidTagAddressBookX509Certificate

Canonical name: PidTagAddressBookX509Certificate

Property ID: 0x8C6A

Data type: PtypMultipleBinary, 0x1102

Area: Exchange Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_X509_CERT

2.647 PidTagAddressType

Canonical name: PidTagAddressType

Property ID: 0x3002

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-NSPI\]](#), [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCSTOR\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSRCH\]](#), [\[MS-OXPSVAL\]](#)

Alternate names: PR_ADDRTYPE, PR_ADDRTYPE_A, ptagAddrType, PR_ADDRTYPE_W

2.648 PidTagAlternateRecipientAllowed

Canonical name: PidTagAlternateRecipientAllowed

Property ID: 0x0002

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ALTERNATE_RECIPIENT_ALLOWED, ptagAlternateRecipientAllowed

2.649 PidTagAnr

Canonical name: PidTagAnr

Property ID: 0x360C

Data type: PtypString, 0x001F

Area: Address Book

References: [\[MS-OXOABK\]](#)

Alternate names: PR_ANR, PR_ANR_A, PR_ANR_W

2.650 PidTagArchiveDate

Canonical name: PidTagArchiveDate

Property ID: 0x301F

Data type: PtypTime, 0x0040

Area: Archive

References: [MS-OXCMSG](#)

Alternate names: PR_ARCHIVE_DATE, ptagArchiveDate

2.651 PidTagArchivePeriod

Canonical name: PidTagArchivePeriod

Property ID: 0x301E

Data type: PtypInteger32, 0x0003

Area: Archive

References: [MS-OXCMSG](#)

Alternate names: PR_ARCHIVE_PERIOD, ptagArchivePeriod

2.652 PidTagArchiveTag

Canonical name: PidTagArchiveTag

Property ID: 0x3018

Data type: PtypBinary, 0x0102

Area: Archive

References: [MS-OXCMSG](#)

Alternate names: PR_ARCHIVE_TAG, ptagArchiveTag

2.653 PidTagAssistant

Canonical name: PidTagAssistant

Property ID: 0x3A30

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-EXOAB\]](#), [\[MS-EXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_ASSISTANT, PR_ASSISTANT_A, PR_ASSISTANT_W,
urn:schemas:contacts:secretarycn

2.654 PidTagAssistantTelephoneNumber

Canonical name: PidTagAssistantTelephoneNumber

Property ID: 0x3A2E

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_ASSISTANT_TELEPHONE_NUMBER, PR_ASSISTANT_TELEPHONE_NUMBER_A, PR_ASSISTANT_TELEPHONE_NUMBER_W, urn:schemas:contacts:secretaryphone

2.655 PidTagAssociated

Canonical name: PidTagAssociated

Property ID: 0x67AA

Data type: PtypBoolean, 0x000B

Area: Sync

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagAssociated

2.656 PidTagAttachAdditionalInformation

Canonical name: PidTagAttachAdditionalInformation

Property ID: 0x370F

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#)

Alternate names: PR_ATTACH_ADDITIONAL_INFO

2.657 PidTagAttachContentBase

Canonical name: PidTagAttachContentBase

Property ID: 0x3711

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#)

Alternate names: PR_ATTACH_CONTENT_BASE, PR_ATTACH_CONTENT_BASE_A, PR_ATTACH_CONTENT_BASE_W

2.658 PidTagAttachContentId

Canonical name: PidTagAttachContentId

Property ID: 0x3712

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOSMMS\]](#)

Alternate names: PR_ATTACH_CONTENT_ID, PR_ATTACH_CONTENT_ID_A, PR_ATTACH_CONTENT_ID_W

2.659 PidTagAttachContentLocation

Canonical name: PidTagAttachContentLocation

Property ID: 0x3713

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#)

Alternate names: PR_ATTACH_CONTENT_LOCATION, PR_ATTACH_CONTENT_LOCATION_A, PR_ATTACH_CONTENT_LOCATION_W

2.660 PidTagAttachDataBinary

Canonical name: PidTagAttachDataBinary

Property ID: 0x3701

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOSMIME\]](#), [\[MS-OXOJRN\]](#), [\[MS-OXOSMMS\]](#)

Alternate names: PR_ATTACH_DATA_BIN, ptagAttachDataBin

2.661 PidTagAttachDataObject

Canonical name: PidTagAttachDataObject

Property ID: 0x3701

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOCAL\]](#)

Alternate names: PR_ATTACH_DATA_OBJ, ptagAttachDataObj

2.662 PidTagAttachEncoding

Canonical name: PidTagAttachEncoding

Property ID: 0x3702

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ATTACH_ENCODING

2.663 PidTagAttachExtension

Canonical name: PidTagAttachExtension

Property ID: 0x3703

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXODOC\]](#), [\[MS-OXORMMS\]](#)

Alternate names: PR_ATTACH_EXTENSION, PR_ATTACH_EXTENSION_A, PR_ATTACH_EXTENSION_W

2.664 PidTagAttachFilename

Canonical name: PidTagAttachFilename

Property ID: 0x3704

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOSMIME\]](#), [\[MS-XPFOAB\]](#)

Alternate names: PR_ATTACH_FILENAME, PR_ATTACH_FILENAME_A, ptagAttachFilename, PR_ATTACH_FILENAME_W

2.665 PidTagAttachFlags

Canonical name: PidTagAttachFlags

Property ID: 0x3714

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_ATTACH_FLAGS

2.666 PidTagAttachLongFilename

Canonical name: PidTagAttachLongFilename

Property ID: 0x3707

Data type: PtypString, 0x001F

Area: Message Attachment Properties Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXRTFEX\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOSMIME\]](#), [\[MS-OXODOC\]](#), [\[MS-OXOUM\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ATTACH_LONG_FILENAME, PR_ATTACH_LONG_FILENAME_A, PR_ATTACH_LONG_FILENAME_W, urn:schemas:httpmail:attachmentfilename

2.667 PidTagAttachLongPathname

Canonical name: PidTagAttachLongPathname

Property ID: 0x370D

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#)

Alternate names: PR_ATTACH_LONG_PATHNAME, PR_ATTACH_LONG_PATHNAME_A, ptagAttachLongPathname, PR_ATTACH_LONG_PATHNAME_W

2.668 PidTagAttachmentContactPhoto

Canonical name: PidTagAttachmentContactPhoto

Property ID: 0x7FFF

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_ATTACHMENT_CONTACTPHOTO

2.669 PidTagAttachmentFlags

Canonical name: PidTagAttachmentFlags

Property ID: 0x7FFD

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOJRNL\]](#)

Alternate names: PR_ATTACHMENT_FLAGS, ptagAttachmentFlags

2.670 PidTagAttachmentHidden

Canonical name: PidTagAttachmentHidden

Property ID: 0x7FFE

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXRTFEX\]](#)

Alternate names: PR_ATTACHMENT_HIDDEN

2.671 PidTagAttachmentLinkId

Canonical name: PidTagAttachmentLinkId

Property ID: 0x7FFA

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_ATTACHMENT_LINKID, ptagAttachmentLinkId

2.672 PidTagAttachMethod

Canonical name: PidTagAttachMethod

Property ID: 0x3705

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXRTFEX\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOSMIME\]](#), [\[MS-OXPFOAB\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ATTACH_METHOD, ptagAttachMethod

2.673 PidTagAttachMimeTag

Canonical name: PidTagAttachMimeTag

Property ID: 0x370E

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOSMIME\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXOUM\]](#)

Alternate names: PR_ATTACH_MIME_TAG, PR_ATTACH_MIME_TAG_A, PR_ATTACH_MIME_TAG_W

2.674 PidTagAttachNumber

Canonical name: PidTagAttachNumber

Property ID: 0x0E21

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCROPS\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXRTFEX\]](#)

Alternate names: PR_ATTACH_NUM, ptagAttachNum

2.675 PidTagAttachPathname

Canonical name: PidTagAttachPathname

Property ID: 0x3708

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#)

Alternate names: PR_ATTACH_PATHNAME, PR_ATTACH_PATHNAME_A, ptagAttachPathname, PR_ATTACH_PATHNAME_W

2.676 PidTagAttachPayloadClass

Canonical name: PidTagAttachPayloadClass

Property ID: 0x371A

Data type: PtypString, 0x001F

Area: Outlook Application

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_ATTACH_PAYLOAD_CLASS, PR_ATTACH_PAYLOAD_CLASS_A, PR_ATTACH_PAYLOAD_CLASS_W, ptagAttachPayloadClass

2.677 PidTagAttachPayloadProviderGuidString

Canonical name: PidTagAttachPayloadProviderGuidString

Property ID: 0x3719

Data type: PtypString, 0x001F

Area: Outlook Application

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_ATTACH_PAYLOAD_PROV_GUID_STR,
PR_ATTACH_PAYLOAD_PROV_GUID_STR_A, PR_ATTACH_PAYLOAD_PROV_GUID_STR_W

2.678 PidTagAttachRendering

Canonical name: PidTagAttachRendering

Property ID: 0x3709

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ATTACH_RENDERING, ptagAttachRendering

2.679 PidTagAttachSize

Canonical name: PidTagAttachSize

Property ID: 0x0E20

Data type: PtypInteger32, 0x0003

Area: Message Attachment Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_ATTACH_SIZE, ptagAttachSize

2.680 PidTagAttachTag

Canonical name: PidTagAttachTag

Property ID: 0x370A

Data type: PtypBinary, 0x0102

Area: Message Attachment Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ATTACH_TAG

2.681 PidTagAttachTransportName

Canonical name: PidTagAttachTransportName

Property ID: 0x370C

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ATTACH_TRANSPORT_NAME, PR_ATTACH_TRANSPORT_NAME_A, PR_ATTACH_TRANSPORT_NAME_W

2.682 PidTagAttributeHidden

Canonical name: PidTagAttributeHidden

Property ID: 0x10F4

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [\[MS-OXCFOLD\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: PR_ATTR_HIDDEN, ptagAttrHidden, DAV:ishidden

2.683 PidTagAttributeReadOnly

Canonical name: PidTagAttributeReadOnly

Property ID: 0x10F6

Data type: PtypBoolean, 0x000B

Area: Access Control Properties Property set

References: [\[MS-OXTNEF\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: PR_ATTR_READONLY, ptagAttrReadOnly, DAV:isreadonly

2.684 PidTagAttributeSystem

Canonical name: PidTagAttributeSystem

Property ID: 0x10F5

Data type: PtypBoolean, 0x000B

Area: Access Control Properties

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_ATTR_SYSTEM, ptagAttrSystem

2.685 PidTagAutoForwarded

Canonical name: PidTagAutoForwarded

Property ID: 0x0005

Data type: PtypBoolean, 0x000B

Area: General Report Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_AUTO_FORWARDED, ptagAutoForwarded

2.686 PidTagAutoResponseSuppress

Canonical name: PidTagAutoResponseSuppress

Property ID: 0x3FDF

Data type: PtypInteger32, 0x0003

Area: Email

References: [\[MS-OXCMAIL\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_AUTO_RESPONSE_SUPPRESS, ptagAutoResponseSuppress

2.687 PidTagBirthday

Canonical name: PidTagBirthday

Property ID: 0x3A42

Data type: PtypTime, 0x0040

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_BIRTHDAY, urn:schemas:contacts:bday

2.688 PidTagBlockStatus

Canonical name: PidTagBlockStatus

Property ID: 0x1096

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [\[MS-OXCMSG\]](#)

Alternate names: PR_BLOCK_STATUS, ptagBlockStatus

2.689 PidTagBody

Canonical name: PidTagBody

Property ID: 0x1000

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXRTFEX\]](#), [\[MS-OXBBODY\]](#), [\[MS-OXCADATA\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXONOTE\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_BODY, PR_BODY_A, ptagBody, PR_BODY_W, urn:schemas:httpmail:textdescription

2.690 PidTagBodyContentId

Canonical name: PidTagBodyContentId

Property ID: 0x1015

Data type: PtypString, 0x001F

Area: Exchange

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_BODY_CONTENT_ID, PR_BODY_CONTENT_ID_A, PR_BODY_CONTENT_ID_W

2.691 PidTagBodyContentLocation

Canonical name: PidTagBodyContentLocation

Property ID: 0x1014

Data type: PtypString, 0x001F

Area: MIME Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_BODY_CONTENT_LOCATION, PR_BODY_CONTENT_LOCATION_A, PR_BODY_CONTENT_LOCATION_W

2.692 PidTagBodyHtml

Canonical name: PidTagBodyHtml

Property ID: 0x1013

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXRTFEX\]](#)

Alternate names: PR_BODY_HTML, PR_BODY_HTML_A, ptagBodyHtml, PR_BODY_HTML_W

2.693 PidTagBusiness2TelephoneNumber

Canonical name: PidTagBusiness2TelephoneNumber

Property ID: 0x3A1B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: "PR_BUSINESS2_TELEPHONE_NUMBER, PR_BUSINESS2_TELEPHONE_NUMBER_A, PR_BUSINESS2_TELEPHONE_NUMBER_W, PR_OFFICE2_TELEPHONE_NUMBER, urn:schemas:contacts:telephonenumber2

2.694 PidTagBusiness2TelephoneNumbers

Canonical name: PidTagBusiness2TelephoneNumbers

Property ID: 0x3A1B

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_BUSINESS2_TELEPHONE_NUMBER_A_MV

2.695 PidTagBusinessFaxNumber

Canonical name: PidTagBusinessFaxNumber

Property ID: 0x3A24

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_BUSINESS_FAX_NUMBER, PR_BUSINESS_FAX_NUMBER_A, PR_BUSINESS_FAX_NUMBER_W, urn:schemas:contacts:facsimiletelephonenumber

2.696 PidTagBusinessHomePage

Canonical name: PidTagBusinessHomePage

Property ID: 0x3A51

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_BUSINESS_HOME_PAGE, PR_BUSINESS_HOME_PAGE_A, PR_BUSINESS_HOME_PAGE_W, urn:schemas:contacts:businesshomepageurn:schemas:contacts:businesshomepage

2.697 PidTagBusinessTelephoneNumber

Canonical name: PidTagBusinessTelephoneNumber

Property ID: 0x3A08

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_BUSINESS_TELEPHONE_NUMBER, PR_BUSINESS_TELEPHONE_NUMBER_A, PR_BUSINESS_TELEPHONE_NUMBER_W, PR_OFFICE_TELEPHONE_NUMBER, urn:schemas:contacts:telephoneNumber

2.698 PidTagCallbackTelephoneNumber

Canonical name: PidTagCallbackTelephoneNumber

Property ID: 0x3A02

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_CALLBACK_TELEPHONE_NUMBER, PR_CALLBACK_TELEPHONE_NUMBER_A, PR_CALLBACK_TELEPHONE_NUMBER_W, urn:schemas:contacts:callbackphone

2.699 PidTagCallId

Canonical name: PidTagCallId

Property ID: 0x6806

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: InternalSchemaCallID

2.700 PidTagCarTelephoneNumber

Canonical name: PidTagCarTelephoneNumber

Property ID: 0x3A1E

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_CAR_TELEPHONE_NUMBER, PR_CAR_TELEPHONE_NUMBER_A, PR_CAR_TELEPHONE_NUMBER_W, urn:schemas:contacts:othermobile

2.701 PidTagCdoRecurrenceid

Canonical name: PidTagCdoRecurrenceid

Property ID: 0x10C5

Data type: PtypTime, 0x0040

Area: Exchange Property set

References: [\[MS-XWDCAL\]](#)

Alternate names: PR_CDO_RECURRENCEID, urn:schemas:calendar:recurrenceid

2.702 PidTagChangeKey

Canonical name: PidTagChangeKey

Property ID: 0x65E2

Data type: PtypBinary, 0x0102

Area: History Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXCSYNC\]](#)

Alternate names: PR_CHANGE_KEY

2.703 PidTagChangeNotificationGuid

Canonical name: PidTagChangeNotificationGuid

Property ID: 0x6637

Data type: PtypGuid, 0x0048

Area: Exchange

References: [\[MS-OXCNOTIF\]](#)

Alternate names: PR_CHANGE_NOTIFICATION_GUID

2.704 PidTagChangeNumber

Canonical name: PidTagChangeNumber

Property ID: 0x67A4

Data type: PtypInteger64, 0x0014

Area: Sync

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCSTOR\]](#)

Alternate names: ptagCn

2.705 PidTagChildrensNames

Canonical name: PidTagChildrensNames

Property ID: 0x3A58

Data type: PtypMultipleString, 0x101F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_CHILDRENS_NAMES, PR_CHILDRENS_NAMES_A, PR_CHILDRENS_NAMES_W, urn:schemas:contacts:childrensnames

2.706 PidTagClientActions

Canonical name: PidTagClientActions

Property ID: 0x6645

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [\[MS-OXORULE\]](#)

Alternate names: PR_CLIENT_ACTIONS, ptagClientActions

2.707 PidTagClientSubmitTime

Canonical name: PidTagClientSubmitTime

Property ID: 0x0039

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORSS\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_CLIENT_SUBMIT_TIME, urn:schemas:httpmail:date, http://schemas.microsoft.com/exchange/date-iso

2.708 PidTagCnsetRead

Canonical name: PidTagCnsetRead

Property ID: 0x67D2

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagCnsetRead

2.709 PidTagCnsetSeen

Canonical name: PidTagCnsetSeen

Property ID: 0x6796

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagCnsetSeen

2.710 PidTagCnsetSeenFAI

Canonical name: PidTagCnsetSeenFAI

Property ID: 0x67DA

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagCnsetSeenFAI

2.711 PidTagCodePageId

Canonical name: PidTagCodePageId

Property ID: 0x66C3

Data type: PtypInteger32, 0x0003

Area: Exchange Profile Configuration

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_CODE_PAGE_ID, ptagCodePageId

2.712 PidTagComment

Canonical name: PidTagComment

Property ID: 0x3004

Data type: PtypString, 0x001F

Area: Common Property set

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXCFOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCSTOR\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_COMMENT, PR_COMMENT_A, ptagComment, PR_COMMENT_W, DAV:comment, <http://schemas.microsoft.com/exchange/summary-utf8>

2.713 PidTagCompanyMainTelephoneNumber

Canonical name: PidTagCompanyMainTelephoneNumber

Property ID: 0x3A57

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_COMPANY_MAIN_PHONE_NUMBER, PR_COMPANY_MAIN_PHONE_NUMBER_A, PR_COMPANY_MAIN_PHONE_NUMBER_W, urn:schemas:contacts:organizationmainphone

2.714 PidTagCompanyName

Canonical name: PidTagCompanyName

Property ID: 0x3A16

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_COMPANY_NAME, PR_COMPANY_NAME_A, PR_COMPANY_NAME_W, urn:schemas:contacts:o

2.715 PidTagComputerNetworkName

Canonical name: PidTagComputerNetworkName

Property ID: 0x3A49

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_COMPUTER_NETWORK_NAME, PR_COMPUTER_NETWORK_NAME_A, PR_COMPUTER_NETWORK_NAME_W, urn:schemas:contacts:computernetworkname

2.716 PidTagConflictEntryId

Canonical name: PidTagConflictEntryId

Property ID: 0x3FF0

Data type: PtypBinary, 0x0102

Area: ICS

References: [\[MS-OXCSYNC\]](#)

Alternate names: PR_CONFLICT_ENTRYID, ptagConflictEntryId

2.717 PidTagConflictItems

Canonical name: PidTagConflictItems

Property ID: 0x1098

Data type: PtypMultipleBinary, 0x1102

Area: ICS

References: [\[MS-OXCSYNC\]](#)

Alternate names: PR_CONFLICT_ITEMS

2.718 PidTagContainerClass

Canonical name: PidTagContainerClass

Property ID: 0x3613

Data type: PtypString, 0x001F

Area: Container Properties Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXOSRCH\]](#), [\[MS-OXSHARE\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_CONTAINER_CLASS, PR_CONTAINER_CLASS_A, ptagContainerClass, PR_CONTAINER_CLASS_W, <http://schemas.microsoft.com/exchange/outlookfolderclass> <http://schemas.microsoft.com/exchange/outlookfolderclass>

2.719 PidTagContainerContents

Canonical name: PidTagContainerContents

Property ID: 0x360F

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#)

Alternate names: PR_CONTAINER_CONTENTS, ptagContainerContents

2.720 PidTagContainerFlags

Canonical name: PidTagContainerFlags

Property ID: 0x3600

Data type: PtypInteger32, 0x0003

Area: Address Book

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_CONTAINER_FLAGS

2.721 PidTagContainerHierarchy

Canonical name: PidTagContainerHierarchy

Property ID: 0x360E

Data type: PtypComObject, 0x000D

Area: Container Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#)

Alternate names: PR_CONTAINER_HIERARCHY, ptagContainerHierarchy

2.722 PidTagContentCount

Canonical name: PidTagContentCount

Property ID: 0x3602

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCSTOR\]](#), [\[MS-OXCTABL\]](#), [\[MS-OXPROTO\]](#)

Alternate names: PR_CONTENT_COUNT, ptagContentCount, DAV:visiblecount

2.723 PidTagContentFilterPhishingConfidenceLevel

Canonical name: PidTagContentFilterPhishingConfidenceLevel

Property ID: 0x4084

Data type: PtypInteger32, 0x0003

Area: Secure Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names: ContentFilterPcl, PR_CONTENT_FILTER_PCL

2.724 PidTagContentFilterSpamConfidenceLevel

Canonical name: PidTagContentFilterSpamConfidenceLevel

Property ID: 0x4076

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXCSPAM\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_CONTENT_FILTER_SCL, ptagContentFilterSCL

2.725 PidTagContentUnreadCount

Canonical name: PidTagContentUnreadCount

Property ID: 0x3603

Data type: PtypInteger32, 0x0003

Area: Folder Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCTABL\]](#), [\[MS-OXPROTO\]](#)

Alternate names: PR_CONTENT_UNREAD, ptagContentUnread, urn:schemas:httpmail:unreadcount

2.726 PidTagConversationId

Canonical name: PidTagConversationId

Property ID: 0x3013

Data type: PtypBinary, 0x0102

Area: Conversations

References: [\[MS-OXOCFG\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_CONVERSATION_ID

2.727 PidTagConversationIndex

Canonical name: PidTagConversationIndex

Property ID: 0x0071

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXOCAL\]](#),

Alternate names: PR_CONVERSATION_INDEX, ptagConversationIndex

2.728 PidTagConversationIndexTracking

Canonical name: PidTagConversationIndexTracking

Property ID: 0x3016

Data type: PtypBoolean, 0x000B

Area: Conversations

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_CONVERSATION_INDEX_TRACKING

2.729 PidTagConversationTopic

Canonical name: PidTagConversationTopic

Property ID: 0x0070

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORSS\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_CONVERSATION_TOPIC, PR_CONVERSATION_TOPIC_A, ptagConversationTopic, PR_CONVERSATION_TOPIC_W, urn:schemas:httpmail:thread-topic

2.730 PidTagCountry

Canonical name: PidTagCountry

Property ID: 0x3A26

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_COUNTRY, PR_COUNTRY_A, PR_COUNTRY_W, PR_BUSINESS_ADDRESS_COUNTRY, PR_BUSINESS_ADDRESS_COUNTRY_A, PR_BUSINESS_ADDRESS_COUNTRY_W, urn:schemas:contacts:mailingcountry

2.731 PidTagCreationTime

Canonical name: PidTagCreationTime

Property ID: 0x3007

Data type: PtypTime, 0x0040

Area: Message Time Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_CREATION_TIME, ptagCreationTime, DAV:creationdate

2.732 PidTagCreatorEntryId

Canonical name: PidTagCreatorEntryId

Property ID: 0x3FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_CREATOR_ENTRYID, ptagCreatorEntryId

2.733 PidTagCreatorName

Canonical name: PidTagCreatorName

Property ID: 0x3FF8

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_CREATOR_NAME, PR_CREATOR_NAME_A, ptagCreatorName, PR_CREATOR_NAME_W

2.734 PidTagCreatorSimpleDisplayName

Canonical name: PidTagCreatorSimpleDisplayName

Property ID: 0x4038

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [\[MS-OXTNEF\]](#)

Alternate names: ptagCreatorSimpleDispName

2.735 PidTagCustomerId

Canonical name: PidTagCustomerId

Property ID: 0x3A4A

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_CUSTOMER_ID, PR_CUSTOMER_ID_A, PR_CUSTOMER_ID_W, urn:schemas:contacts:customerid

2.736 PidTagDamBackPatched

Canonical name: PidTagDamBackPatched

Property ID: 0x6647

Data type: PtypBoolean, 0x000B

Area: Server-side Rules Properties

References: [\[MS-OXORULE\]](#)

Alternate names: PR_DAM_BACK_PATCHED, ptagDamBackPatched

2.737 PidTagDamOriginalEntryId

Canonical name: PidTagDamOriginalEntryId

Property ID: 0x6646

Data type: PtypBinary, 0x0102

Area: Server-side Rules Properties

References: [\[MS-OXORULE\]](#)

Alternate names: PR_DAM_ORIGINAL_ENTRYID

2.738 PidTagDefaultPostMessageClass

Canonical name: PidTagDefaultPostMessageClass

Property ID: 0x36E5

Data type: PtypString, 0x001F

Area: MapiContainer

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_DEF_POST_MSGCLASS

2.739 PidTagDeferredDeliveryTime

Canonical name: PidTagDeferredDeliveryTime

Property ID: 0x000F

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_DEFERRED_DELIVERY_TIME, ptagDeferredDeliveryTime, <http://schemas.microsoft.com/exchange/deferred-delivery-iso>

2.740 PidTagDeferredSendNumber

Canonical name: PidTagDeferredSendNumber

Property ID: 0x3FEB

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_DEFERRED_SEND_NUMBER

2.741 PidTagDeferredSendTime

Canonical name: PidTagDeferredSendTime

Property ID: 0x3FEF

Data type: PtypTime, 0x0040

Area: MapiStatus

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_DEFERRED_SEND_TIME, ptagDeferredSendTime

2.742 PidTagDeferredSendUnits

Canonical name: PidTagDeferredSendUnits

Property ID: 0x3FEC

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_DEFERRED_SEND_UNITS

2.743 PidTagDelegatedByRule

Canonical name: PidTagDelegatedByRule

Property ID: 0x3FE3

Data type: PtypBoolean, 0x000B

Area: MapiStatus

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_DELEGATED_BY_RULE

2.744 PidTagDelegateFlags

Canonical name: PidTagDelegateFlags

Property ID: 0x686B

Data type: PtypMultipleInteger32, 0x1003

Area: MessageClassDefinedTransmittable

References: [\[MS-OXODLGT\]](#)

Alternate names: PR_DELEGATE_FLAGS, ptagDelegateFlags

2.745 PidTagDeleteAfterSubmit

Canonical name: PidTagDeleteAfterSubmit

Property ID: 0x0E01

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [\[MS-OXCICAL\]](#), [\[MS-OXCSTOR\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_DELETE_AFTER_SUBMIT, ptagDeleteAfterSubmit

2.746 PidTagDeletedOn

Canonical name: PidTagDeletedOn

Property ID: 0x668F

Data type: PtypTime, 0x0040

Area: ExchangeFolder Property set

References: [\[MS-OXCFOOLD\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_DELETED_ON, ptagDeletedOn, urn:schemas:httpmail:deletedon

2.747 PidTagDepartmentName

Canonical name: PidTagDepartmentName

Property ID: 0x3A18

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-NSPI\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_DEPARTMENT_NAME, PR_DEPARTMENT_NAME_A, PR_DEPARTMENT_NAME_W, urn:schemas:contacts:department

2.748 PidTagDepth

Canonical name: PidTagDepth

Property ID: 0x3005

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [\[MS-NSPI\]](#), [\[MS-OXCTABL\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#)

Alternate names: PR_DEPTH, ptagDepth

2.749 PidTagDisplayBcc

Canonical name: PidTagDisplayBcc

Property ID: 0x0E02

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_DISPLAY_BCC, PR_DISPLAY_BCC_A, ptagDisplayBcc, PR_DISPLAY_BCC_W, urn:schemas:httpmail:displaybcc

2.750 PidTagDisplayCc

Canonical name: PidTagDisplayCc

Property ID: 0x0E03

Data type: PtypString, 0x001F

Area: Message Properties Property set

References: [\[MS-OXCMMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_DISPLAY_CC, PR_DISPLAY_CC_A, ptagDisplayCc, PR_DISPLAY_CC_W, urn:schemas:httpmail:displaycc

2.751 PidTagDisplayName

Canonical name: PidTagDisplayName

Property ID: 0x3001

Data type: PtypString, 0x001F

Area: MapiCommon

References: [\[MS-OXCMMSG\]](#), [\[MS-NSPI\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOSRCH\]](#), [\[MS-OXCDATA\]](#), [\[MS-OXCFCFOLD\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXCSTOR\]](#), [\[MS-OXMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXCNTC\]](#), [\[MS-OXODOC\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSMIME\]](#), [\[MS-OXPROTO\]](#), [\[MS-OXSHARE\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_DISPLAY_NAME, PR_DISPLAY_NAME_A, ptagDisplayName, PR_DISPLAY_NAME_W, urn:schemas:contacts:cn

2.752 PidTagDisplayNamePrefix

Canonical name: PidTagDisplayNamePrefix

Property ID: 0x3A45

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_DISPLAY_NAME_PREFIX, PR_DISPLAY_NAME_PREFIX_A, PR_DISPLAY_NAME_PREFIX_W, urn:schemas:contacts:personaltitle

2.753 PidTagDisplayTo

Canonical name: PidTagDisplayTo

Property ID: 0x0E04

Data type: PtypString, 0x001F

Area: Message Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_DISPLAY_TO, PR_DISPLAY_TO_A, ptagDisplayTo, PR_DISPLAY_TO_W

2.754 PidTagDisplayType

Canonical name: PidTagDisplayType

Property ID: 0x3900

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [\[MS-NSPI\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXLDAP\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_DISPLAY_TYPE, ptagDisplayType

2.755 PidTagDisplayTypeEx

Canonical name: PidTagDisplayTypeEx

Property ID: 0x3905

Data type: PtypInteger32, 0x0003

Area: MapiAddressBook

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOABK\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_DISPLAY_TYPE_EX

2.756 PidTagEcWarning

Canonical name: PidTagEcWarning

Property ID: 0x400F

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagEcWarning

2.757 PidTagEmailAddress

Canonical name: PidTagEmailAddress

Property ID: 0x3003

Data type: PtypString, 0x001F

Area: MapiCommon

References: [\[MS-NSPI\]](#), [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSRCH\]](#), [\[MS-OXCSPAM\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXPROTO\]](#), [\[MS-OXPSVAL\]](#)

Alternate names: PR_EMAIL_ADDRESS, PR_EMAIL_ADDRESS_A, PR_EMAIL_ADDRESS_W

2.758 PidTagEndAttach

Canonical name: PidTagEndAttach

Property ID: 0x400E

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagEndAttach

2.759 PidTagEndDate

Canonical name: PidTagEndDate

Property ID: 0x0061

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_END_DATE, http://schemas.microsoft.com/mapi/end_date

2.760 PidTagEndEmbed

Canonical name: PidTagEndEmbed

Property ID: 0x4002

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagEndEmbed

2.761 PidTagEndFolder

Canonical name: PidTagEndFolder

Property ID: 0x400B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagEndFolder

2.762 PidTagEndMessage

Canonical name: PidTagEndMessage

Property ID: 0x400D

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagEndMessage

2.763 PidTagEndToRecip

Canonical name: PidTagEndToRecip

Property ID: 0x4004

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagEndToRecip

2.764 PidTagEntryId

Canonical name: PidTagEntryId

Property ID: 0x0FFF

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-NSPI\]](#), [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPerm\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSRCH\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXPFOAB\]](#), [\[MS-OXSHARE\]](#), [\[MS-OXWAVLS\]](#), [\[MS-OXOCFG\]](#)

Alternate names: PR_ENTRYID, ptagEntryId

2.765 PidTagExceptionEndTime

Canonical name: PidTagExceptionEndTime

Property ID: 0x7FFC

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_EXCEPTION_ENDTIME, ptagExceptionEndTime

2.766 PidTagExceptionReplaceTime

Canonical name: PidTagExceptionReplaceTime

Property ID: 0x7FF9

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_EXCEPTION_REPLACETIME

2.767 PidTagExceptionStartTime

Canonical name: PidTagExceptionStartTime

Property ID: 0x7FFB

Data type: PtypTime, 0x0040

Area: MessageClassDefinedNonTransmittable

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_EXCEPTION_STARTTIME, ptagExceptionStartTime

2.768 PidTagExchangeNTSecurityDescriptor

Canonical name: PidTagExchangeNTSecurityDescriptor

Property ID: 0x0E84

Data type: PtypBinary, 0x0102

Area: Calendar Document Property set

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: <http://schemas.microsoft.com/exchange/ntsecuritydescriptor>,
<http://schemas.microsoft.com/exchange/ntsecuritydescriptor>

2.769 PidTagExpiryNumber

Canonical name: PidTagExpiryNumber

Property ID: 0x3FED

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_EXPIRY_NUMBER

2.770 PidTagExpiryTime

Canonical name: PidTagExpiryTime

Property ID: 0x0015

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_EXPIRY_TIME, ptagExpiryTime, urn:schemas:httpmail:expiry-date, http://schemas.microsoft.com/exchange/expiry-date-iso

2.771 PidTagExpiryUnits

Canonical name: PidTagExpiryUnits

Property ID: 0x3FEE

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_EXPIRY_UNITS

2.772 PidTagExtendedFolderFlags

Canonical name: PidTagExtendedFolderFlags

Property ID: 0x36DA

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_EXTENDED_FOLDER_FLAGS, ptagExtendedFolderFlags

2.773 PidTagExtendedRuleMessageActions

Canonical name: PidTagExtendedRuleMessageActions

Property ID: 0x0E99

Data type: PtypBinary, 0x0102

Area: Rules

References: [\[MS-OXORULE\]](#)

Alternate names: PR_EXTENDED_RULE_MSG_ACTIONS

2.774 PidTagExtendedRuleMessageCondition

Canonical name: PidTagExtendedRuleMessageCondition

Property ID: 0x0E9A

Data type: PtypBinary, 0x0102

Area: Rules

References: [\[MS-OXCPRPT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_EXTENDED_RULE_MSG_CONDITION

2.775 PidTagExtendedRuleSizeLimit

Canonical name: PidTagExtendedRuleSizeLimit

Property ID: 0x0E9B

Data type: PtypInteger32, 0x0003

Area: Rules

References: [\[MS-OXCSTOR\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_EXTENDED_RULE_SIZE_LIMIT

2.776 PidTagFaxNumberOfPages

Canonical name: PidTagFaxNumberOfPages

Property ID: 0x6804

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: InternalSchemaFaxNumberOfPages

2.777 PidTagFlagCompleteTime

Canonical name: PidTagFlagCompleteTime

Property ID: 0x1091

Data type: PtypTime, 0x0040

Area: Miscellaneous Properties Property set

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_FLAG_COMPLETE_TIME, ptagFlagCompleteTime, urn:schemas:httpmail:flagcompleted

2.778 PidTagFlagStatus

Canonical name: PidTagFlagStatus

Property ID: 0x1090

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_FLAG_STATUS, ptagFlagStatus

2.779 PidTagFlatUrlName

Canonical name: PidTagFlatUrlName

Property ID: 0x670E

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: PR_FLAT_URL_NAME, PR_FLAT_URL_NAME_A, PR_FLAT_URL_NAME_W, ptagFlatURLName, <http://schemas.microsoft.com/exchange/permanenturl>

2.780 PidTagFolderAssociatedContents

Canonical name: PidTagFolderAssociatedContents

Property ID: 0x3610

Data type: PtypComObject, 0x000D

Area: MapiContainer

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#)

Alternate names: PR_FOLDER_ASSOCIATED_CONTENTS

2.781 PidTagFolderId

Canonical name: PidTagFolderId

Property ID: 0x6748

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXCFOLD\]](#), [\[MS-OXCROPS\]](#), [\[MS-OXCTABL\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXRTFEX\]](#)

Alternate names: ptagFID

2.782 PidTagFolderType

Canonical name: PidTagFolderType

Property ID: 0x3601

Data type: PtypInteger32, 0x0003

Area: MapiContainer

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_FOLDER_TYPE, ptagFolderType

2.783 PidTagFollowupIcon

Canonical name: PidTagFollowupIcon

Property ID: 0x1095

Data type: PtypInteger32, 0x0003

Area: RenMessageFolder

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_FOLLOWUP_ICON, ptagFollowupIcon

2.784 PidTagFreeBusyCountMonths

Canonical name: PidTagFreeBusyCountMonths

Property ID: 0x6869

Data type: PtypInteger32, 0x0003

Area: MessageClassDefinedTransmittable

References: [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_FREEBUSY_COUNT_MONTHS

2.785 PidTagFreeBusyEntryIds

Canonical name: PidTagFreeBusyEntryIds

Property ID: 0x36E4

Data type: PtypMultipleBinary, 0x1102

Area: MapiContainer

References: [\[MS-OXODLGT\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_FREEBUSY_ENTRYIDS, ptagFreeBusyEntryIds

2.786 PidTagFreeBusyMessageEmailAddress

Canonical name: PidTagFreeBusyMessageEmailAddress

Property ID: 0x6849

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_FREEBUSY_EMA

2.787 PidTagFreeBusyPublishEnd

Canonical name: PidTagFreeBusyPublishEnd

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_FREEBUSY_PUBLISH_END

2.788 PidTagFreeBusyPublishStart

Canonical name: PidTagFreeBusyPublishStart

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_FREEBUSY_PUBLISH_START

2.789 PidTagFreeBusyRangeTimestamp

Canonical name: PidTagFreeBusyRangeTimestamp

Property ID: 0x6868

Data type: PtypTime, 0x0040

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_FREEBUSY_RANGE_TIMESTAMP

2.790 PidTagFtpSite

Canonical name: PidTagFtpSite

Property ID: 0x3A4C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_FTP_SITE, PR_FTP_SITE_A, PR_FTP_SITE_W, urn:schemas:contacts:ftpsite

2.791 PidTagFXDelProp

Canonical name: PidTagFXDelProp

Property ID: 0x4016

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagFXDelProp

2.792 PidTagFXErrorInfo

Canonical name: PidTagFXErrorInfo

Property ID: 0x4018

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagFXErrorInfo

2.793 PidTagGatewayNeedsToRefresh

Canonical name: PidTagGatewayNeedsToRefresh

Property ID: 0x6846

Data type: PtypBoolean, 0x000B

Area: MessageClassDefinedTransmittable

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_GATEWAY_NEEDS_TO_REFRESH

2.794 PidTagGender

Canonical name: PidTagGender

Property ID: 0x3A4D

Data type: PtypInteger16, 0x0002

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_GENDER, urn:schemas:contacts:gender

2.795 PidTagGeneration

Canonical name: PidTagGeneration

Property ID: 0x3A05

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_GENERATION, PR_GENERATION_A, PR_GENERATION_W, urn:schemas:contacts:namesuffix

2.796 PidTagGivenName

Canonical name: PidTagGivenName

Property ID: 0x3A06

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_GIVEN_NAME, PR_GIVEN_NAME_A, PR_GIVEN_NAME_W, urn:schemas:contacts:givenName

2.797 PidTagGovernmentIdNumber

Canonical name: PidTagGovernmentIdNumber

Property ID: 0x3A07

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_GOVERNMENT_ID_NUMBER, PR_GOVERNMENT_ID_NUMBER_A, PR_GOVERNMENT_ID_NUMBER_W, urn:schemas:contacts:governmentid

2.798 PidTagHasAttachments

Canonical name: PidTagHasAttachments

Property ID: 0x0E1B

Data type: PtypBoolean, 0x000B

Area: Message Attachment Properties Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCFG\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_HASATTACH, ptagHasAttach, urn:schemas:httpmail:hasattachment

2.799 PidTagHasDeferredActionMessages

Canonical name: PidTagHasDeferredActionMessages

Property ID: 0x3FEA

Data type: PtypBoolean, 0x000B

Area: Rules

References: [\[MS-OXORULE\]](#)

Alternate names: PR_HAS_DAMS, ptagHasDAMs

2.800 PidTagHasNamedProperties

Canonical name: PidTagHasNamedProperties

Property ID: 0x664A

Data type: PtypBoolean, 0x000B

Area: ExchangeMessageReadOnly

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#)

Alternate names: PR_HAS_NAMED_PROPERTIES, ptagHasNamedProperties

2.801 PidTagHasRules

Canonical name: PidTagHasRules

Property ID: 0x663A

Data type: PtypBoolean, 0x000B

Area: ExchangeFolder

References: [\[MS-OXORULE\]](#)

Alternate names: PR_HAS_RULES, ptagHasRules

2.802 PidTagHierarchyChangeNumber

Canonical name: PidTagHierarchyChangeNumber

Property ID: 0x663E

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [\[MS-OXCFOLD\]](#)

Alternate names: PR_HIERARCHY_CHANGE_NUM

2.803 PidTagHobbies

Canonical name: PidTagHobbies

Property ID: 0x3A43

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_HOBBIES, PR_HOBBIES_A, PR_HOBBIES_W, urn:schemas:contacts:hobbies

2.804 PidTagHome2TelephoneNumber

Canonical name: PidTagHome2TelephoneNumber

Property ID: 0x3A2F

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_HOME2_TELEPHONE_NUMBER, PR_HOME2_TELEPHONE_NUMBER_A, PR_HOME2_TELEPHONE_NUMBER_W, urn:schemas:contacts:homephone2

2.805 PidTagHome2TelephoneNumbers

Canonical name: PidTagHome2TelephoneNumbers

Property ID: 0x3A2F

Data type: PtypMultipleString, 0x101F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#)

Alternate names: PR_HOME2_TELEPHONE_NUMBER_A_MV

2.806 PidTagHomeAddressCity

Canonical name: PidTagHomeAddressCity

Property ID: 0x3A59

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_HOME_ADDRESS_CITY, PR_HOME_ADDRESS_CITY_A, PR_HOME_ADDRESS_CITY_W, urn:schemas:contacts:homeCity

2.807 PidTagHomeAddressCountry

Canonical name: PidTagHomeAddressCountry

Property ID: 0x3A5A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_HOME_ADDRESS_COUNTRY, PR_HOME_ADDRESS_COUNTRY_A, PR_HOME_ADDRESS_COUNTRY_W, urn:schemas:contacts:homeCountry

2.808 PidTagHomeAddressPostalCode

Canonical name: PidTagHomeAddressPostalCode

Property ID: 0x3A5B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_HOME_ADDRESS_POSTAL_CODE, PR_HOME_ADDRESS_POSTAL_CODE_A, PR_HOME_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:homePostalCode

2.809 PidTagHomeAddressPostOfficeBox

Canonical name: PidTagHomeAddressPostOfficeBox

Property ID: 0x3A5E

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_HOME_ADDRESS_POST_OFFICE_BOX,
PR_HOME_ADDRESS_POST_OFFICE_BOX_A, PR_HOME_ADDRESS_POST_OFFICE_BOX_W,
urn:schemas:contacts:homepostofficebox

2.810 PidTagHomeAddressStateOrProvince

Canonical name: PidTagHomeAddressStateOrProvince

Property ID: 0x3A5C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_HOME_ADDRESS_STATE_OR_PROVINCE,
PR_HOME_ADDRESS_STATE_OR_PROVINCE_A, PR_HOME_ADDRESS_STATE_OR_PROVINCE_W,
urn:schemas:contacts:homeState

2.811 PidTagHomeAddressStreet

Canonical name: PidTagHomeAddressStreet

Property ID: 0x3A5D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_HOME_ADDRESS_STREET, PR_HOME_ADDRESS_STREET_A,
PR_HOME_ADDRESS_STREET_W, urn:schemas:contacts:homeStreet

2.812 PidTagHomeFaxNumber

Canonical name: PidTagHomeFaxNumber

Property ID: 0x3A25

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_HOME_FAX_NUMBER, PR_HOME_FAX_NUMBER_A,
PR_HOME_FAX_NUMBER_W, urn:schemas:contacts:homefax

2.813 PidTagHomeTelephoneNumber

Canonical name: PidTagHomeTelephoneNumber

Property ID: 0x3A09

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_HOME_TELEPHONE_NUMBER, PR_HOME_TELEPHONE_NUMBER_A, PR_HOME_TELEPHONE_NUMBER_W, urn:schemas:contacts:homePhone

2.814 PidTagHtml

Canonical name: PidTagHtml

Property ID: 0x1013

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXBBODY\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOSMMS\]](#)

Alternate names: PR_HTML, ptagHtml

2.815 PidTagICalendarEndTime

Canonical name: PidTagICalendarEndTime

Property ID: 0x10C4

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:dtend

2.816 PidTagICalendarReminderNextTime

Canonical name: PidTagICalendarReminderNextTime

Property ID: 0x10CA

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:remindernexttime

2.817 PidTagICalendarStartTime

Canonical name: PidTagICalendarStartTime

Property ID: 0x10C3

Data type: PtypTime, 0x0040

Area: Calendar Property set

References: [\[MS-XWDCAL\]](#)

Alternate names: urn:schemas:calendar:dtstart

2.818 PidTagIconIndex

Canonical name: PidTagIconIndex

Property ID: 0x1080

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXONOTE\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_ICON_INDEX, ptagIconIndex

2.819 PidTagIdsetDeleted

Canonical name: PidTagIdsetDeleted

Property ID: 0x67E5

Data type: PtypBinary, 0x0102

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIdsetDeleted

2.820 PidTagIdsetExpired

Canonical name: PidTagIdsetExpired

Property ID: 0x6793

Data type: PtypBinary, 0x0102

Area: Sync

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagMidsetExpired

2.821 PidTagIdsetGiven

Canonical name: PidTagIdsetGiven

Property ID: 0x4017

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIdsetGiven

2.822 PidTagIdsetRead

Canonical name: PidTagIdsetRead

Property ID: 0x402D

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIdsetRead

2.823 PidTagIdsetNoLongerInScope

Canonical name: PidTagIdsetNoLongerInScope

Property ID: 0x4021

Data type: PtypBinary, 0x0102

Area: Sync

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagSoftDeletes

2.824 PidTagIdsetUnread

Canonical name: PidTagIdsetUnread

Property ID: 0x402E

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIdsetUnread

2.825 PidTagImapCachedMsgsize

Canonical name: PidTagImapCachedMsgsize

Property ID: 0x10F0

Data type: PtypBinary, 0x0102

Area: RenMessageFolder

References: [\[MS-OXTNEF\]](#)

Alternate names: ptagImapCachedMsgsize

2.826 PidTagImportance

Canonical name: PidTagImportance

Property ID: 0x0017

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [\[MS-OXCFOOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_IMPORTANCE, ptagImportance, urn:schemas:httpmail:importance, <http://schemas.microsoft.com/exchange/importance-long>, <http://schemas.microsoft.com/exchange/x-priority-long>

2.827 PidTagInConflict

Canonical name: PidTagInConflict

Property ID: 0x666C

Data type: PtypBoolean, 0x000B

Area: Conflict Note

References: [\[MS-OXCSYNC\]](#)

Alternate names: PR_IN_CONFLICT, ptagInConflict

2.828 PidTagIncrementalSyncMessagePartial

Canonical name: PidTagIncrementalSyncMessagePartial

Property ID: 0x407A

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncMsgPartial

2.829 PidTagIncrSyncChg

Canonical name: PidTagIncrSyncChg

Property ID: 0x4012

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncChg

2.830 PidTagIncrSyncChgPartial

Canonical name: PidTagIncrSyncChgPartial

Property ID: 0x407D

Data type: PtypInteger32, 0x0003

Area: IC

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncChgPartial

2.831 PidTagIncrSyncDel

Canonical name: PidTagIncrSyncDel

Property ID: 0x4013

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncDel

2.832 PidTagIncrSyncEnd

Canonical name: PidTagIncrSyncEnd

Property ID: 0x4014

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncEnd

2.833 PidTagIncrSyncGroupId

Canonical name: PidTagIncrSyncGroupId

Property ID: 0x407C

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncGroupId

2.834 PidTagIncrSyncGroupInfo

Canonical name: PidTagIncrSyncGroupInfo

Property ID: 0x407B

Data type: PtypBinary, 0x0102

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncGroupInfo

2.835 PidTagIncrSyncMessage

Canonical name: PidTagIncrSyncMessage

Property ID: 0x4015

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncMsg

2.836 PidTagIncrSyncProgressMode

Canonical name: PidTagIncrSyncProgressMode

Property ID: 0x4074

Data type: PtypBoolean, 0x000B

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncProgressMode

2.837 PidTagIncrSyncProgressPerMsg

Canonical name: PidTagIncrSyncProgressPerMsg

Property ID: 0x4075

Data type: PtypBoolean, 0x000B

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncProgressPerMsg

2.838 PidTagIncrSyncRead

Canonical name: PidTagIncrSyncRead

Property ID: 0x402F

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncRead

2.839 PidTagIncrSyncStateBegin

Canonical name: PidTagIncrSyncStateBegin

Property ID: 0x403A

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncStateBegin

2.840 PidTagIncrSyncStateEnd

Canonical name: PidTagIncrSyncStateEnd

Property ID: 0x403B

Data type: PtypInteger32, 0x0003

Area: ICS

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagIncrSyncStateEnd

2.841 PidTagInitialDetailsPane

Canonical name: PidTagInitialDetailsPane

Property ID: 0x3F08

Data type: PtypInteger32, 0x0003

Area: MAPI Display Tables

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_INITIAL_DETAILS_PANE

2.842 PidTagInitials

Canonical name: PidTagInitials

Property ID: 0x3A0A

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_INITIALS, PR_INITIALS_A, PR_INITIALS_W, urn:schemas:contacts:initials

2.843 PidTagInReplyToId

Canonical name: PidTagInReplyToId

Property ID: 0x1042

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_IN_REPLY_TO_ID, PR_IN_REPLY_TO_ID_A, PR_IN_REPLY_TO_ID_W

2.844 PidTagInstanceKey

Canonical name: PidTagInstanceKey

Property ID: 0x0FF6

Data type: PtypBinary, 0x0102

Area: Table Properties

References: [\[MS-NSPI\]](#), [\[MS-OXCDATA\]](#), [\[MS-OXCFCICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOABKT\]](#)

Alternate names: PR_INSTANCE_KEY, ptagInstanceKey

2.845 PidTagInstanceNum

Canonical name: PidTagInstanceNum

Property ID: 0x674E

Data type: PtypInteger32, 0x0003

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCTABL\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: ptagInstanceNum

2.846 PidTagInstID

Canonical name: PidTagInstID

Property ID: 0x674D

Data type: PtypInteger64, 0x0014

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCTABL\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: ptagInstID

2.847 PidTagInternetArticleNumber

Canonical name: PidTagInternetArticleNumber

Property ID: 0x0E23

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [\[MS-OXCFXICS\]](#)

Alternate names: PR_INTERNET_ARTICLE_NUMBER

2.848 PidTagInternetCodepage

Canonical name: PidTagInternetCodepage

Property ID: 0x3FDE

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_INTERNET_CPID, ptagInternetCpid

2.849 PidTagInternetMailOverrideFormat

Canonical name: PidTagInternetMailOverrideFormat

Property ID: 0x5902

Data type: PtypInteger32, 0x0003

Area: MIME Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_INETMAIL_OVERRIDE_FORMAT, ptagInetMailOverrideFormat

2.850 PidTagInternetMessageId

Canonical name: PidTagInternetMessageId

Property ID: 0x1035

Data type: PtypString, 0x001F

Area: MIME Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_INTERNET_MESSAGE_ID, PR_INTERNET_MESSAGE_ID_A, PR_INTERNET_MESSAGE_ID_W

2.851 PidTagInternetReferences

Canonical name: PidTagInternetReferences

Property ID: 0x1039

Data type: PtypString, 0x001F

Area: MIME Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_INTERNET_REFERENCES, PR_INTERNET_REFERENCES_A, PR_INTERNET_REFERENCES_W

2.852 PidTagInternetReturnPath

Canonical name: PidTagInternetReturnPath

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: MIME Properties

References: [\[MS-OXCICAL\]](#)

Alternate names: PR_INTERNET_RETURN_PATH, PR_INTERNET_RETURN_PATH_A, PR_INTERNET_RETURN_PATH_W

2.853 PidTagIpmAppointmentEntryId

Canonical name: PidTagIpmAppointmentEntryId

Property ID: 0x36D0

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_IPM_APPOINTMENT_ENTRYID

2.854 PidTagIpmContactEntryId

Canonical name: PidTagIpmContactEntryId

Property ID: 0x36D1

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_IPM_CONTACT_ENTRYID

2.855 PidTagIpmDraftsEntryId

Canonical name: PidTagIpmDraftsEntryId

Property ID: 0x36D7

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-OXOSFLD\]](#)

Alternate names: PR_IPM_DRAFTS_ENTRYID

2.856 PidTagIpmJournalEntryId

Canonical name: PidTagIpmJournalEntryId

Property ID: 0x36D2

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_IPM_JOURNAL_ENTRYID

2.857 PidTagIpmNoteEntryId

Canonical name: PidTagIpmNoteEntryId

Property ID: 0x36D3

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_IPM_NOTE_ENTRYID

2.858 PidTagIpmTaskEntryId

Canonical name: PidTagIpmTaskEntryId

Property ID: 0x36D4

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_IPM_TASK_ENTRYID

2.859 PidTagIsdnNumber

Canonical name: PidTagIsdnNumber

Property ID: 0x3A2D

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_ISDN_NUMBER, PR_ISDN_NUMBER_A, PR_ISDN_NUMBER_W,
urn:schemas:contacts:internationalisdnnumber

2.860 PidTagItemTemporaryflags

Canonical name: PidTagItemTemporaryflags

Property ID: 0x1097

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXCFOLD\]](#)

Alternate names: PR_ITEM_TMPFLAGS

2.861 PidTagJunkAddRecipientsToSafeSendersList

Canonical name: PidTagJunkAddRecipientsToSafeSendersList

Property ID: 0x6103

Data type: PtypInteger32, 0x0003

Area: Spam

References: [\[MS-OXCSPAM\]](#)

Alternate names: PR_JUNK_ADD_RECIPS_TO_SSL

2.862 PidTagJunkIncludeContacts

Canonical name: PidTagJunkIncludeContacts

Property ID: 0x6100

Data type: PtypInteger32, 0x0003

Area: Spam

References: [\[MS-OXCSPAM\]](#)

Alternate names: PR_JUNK_INCLUDE_CONTACTS

2.863 PidTagJunkPermanentlyDelete

Canonical name: PidTagJunkPermanentlyDelete

Property ID: 0x6102

Data type: PtypInteger32, 0x0003

Area: Spam

References: [\[MS-OXCSPAM\]](#)

Alternate names: PR_JUNK_PERMANENTLY_DELETE

2.864 PidTagJunkPhishingEnableLinks

Canonical name: PidTagJunkPhishingEnableLinks

Property ID: 0x6107

Data type: PtypBoolean, 0x000B

Area: Spam

References: [\[MS-OXCSPAM\]](#), [\[MS-OXPHISH\]](#)

Alternate names: PR_JUNK_PHISHING_ENABLE_LINKS

2.865 PidTagJunkThreshold

Canonical name: PidTagJunkThreshold

Property ID: 0x6101

Data type: PtypInteger32, 0x0003

Area: Spam

References: [\[MS-OXCSPAM\]](#)

Alternate names: PR_JUNK_THRESHOLD

2.866 PidTagKeyword

Canonical name: PidTagKeyword

Property ID: 0x3A0B

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCFG\]](#)

Alternate names: PR_KEYWORD, PR_KEYWORD_A, PR_KEYWORD_W

2.867 PidTagLanguage

Canonical name: PidTagLanguage

Property ID: 0x3A0C

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_LANGUAGE, PR_LANGUAGE_A, PR_LANGUAGE_W,
urn:schemas:contacts:language

2.868 PidTagLastModificationTime

Canonical name: PidTagLastModificationTime

Property ID: 0x3008

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCROPS\]](#), [\[MS-OXCSYNC\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXORMMS\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_LAST_MODIFICATION_TIME, ptagLastModificationTime,
urn:schemas:calendar:lastmodifiedtime, DAV:getlastmodified

2.869 PidTagLastModifierEntryId

Canonical name: PidTagLastModifierEntryId

Property ID: 0x3FFB

Data type: PtypBinary, 0x0102

Area: History Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_LAST_MODIFIER_ENTRYID, ptagLastModifierEntryId

2.870 PidTagLastModifierName

Canonical name: PidTagLastModifierName

Property ID: 0x3FFA

Data type: PtypString, 0x001F

Area: History Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_LAST_MODIFIER_NAME, PR_LAST_MODIFIER_NAME_A, ptagLastModifierName, PR_LAST_MODIFIER_NAME_W

2.871 PidTagLastModifierSimpleDisplayName

Canonical name: PidTagLastModifierSimpleDisplayName

Property ID: 0x4039

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [\[MS-OXTNEF\]](#)

Alternate names: ptagLastModifierSimpleDispName

2.872 PidTagLastVerbExecuted

Canonical name: PidTagLastVerbExecuted

Property ID: 0x1081

Data type: PtypInteger32, 0x0003

Area: History Properties

References: [\[MS-OXCICAL\]](#)

Alternate names: PR_LAST_VERB_EXECUTED, ptagLastVerbExecuted

2.873 PidTagLastVerbExecutionTime

Canonical name: PidTagLastVerbExecutionTime

Property ID: 0x1082

Data type: PtypTime, 0x0040

Area: History Properties

References: [\[MS-OXCICAL\]](#)

Alternate names: PR_LAST_VERB_EXECUTION_TIME, ptagLastVerbExecutionTime

2.874 PidTagListHelp

Canonical name: PidTagListHelp

Property ID: 0x1043

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_LIST_HELP, PR_LIST_HELP_A, PR_LIST_HELP_W

2.875 PidTagListSubscribe

Canonical name: PidTagListSubscribe

Property ID: 0x1044

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_LIST_SUBSCRIBE, PR_LIST_SUBSCRIBE_A, PR_LIST_SUBSCRIBE_W

2.876 PidTagListUnsubscribe

Canonical name: PidTagListUnsubscribe

Property ID: 0x1045

Data type: PtypString, 0x001F

Area: Miscellaneous Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_LIST_UNSUBSCRIBE, PR_LIST_UNSUBSCRIBE_A, PR_LIST_UNSUBSCRIBE_W

2.877 PidTagLocalCommitTime

Canonical name: PidTagLocalCommitTime

Property ID: 0x6709

Data type: PtypTime, 0x0040

Area: Server

References: [\[MS-OXCMSG\]](#)

Alternate names: PR_LOCAL_COMMIT_TIME, ptagLocalCommitTime

2.878 PidTagLocaleId

Canonical name: PidTagLocaleId

Property ID: 0x66A1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXCSTOR\]](#)

Alternate names: PR_LOCALE_ID, ptagLocaleId

2.879 PidTagLocality

Canonical name: PidTagLocality

Property ID: 0x3A27

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-EXOAB\]](#), [\[MS-EXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_LOCALITY, PR_LOCALITY_A, PR_LOCALITY_W, PR_BUSINESS_ADDRESS_LOCALITY, PR_BUSINESS_ADDRESS_LOCALITY_A, PR_BUSINESS_ADDRESS_LOCALITY_W, urn:schemas:contacts:mailingcity

2.880 PidTagLocation

Canonical name: PidTagLocation

Property ID: 0x3A0D

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-EXOABK\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_LOCATION, PR_LOCATION_A, PR_LOCATION_W, urn:schemas:contacts:location

2.881 PidTagMailboxOwnerEntryId

Canonical name: PidTagMailboxOwnerEntryId

Property ID: 0x661B

Data type: PtypBinary, 0x0102

Area: Message Store Properties

References: [\[MS-OXCSTOR\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_MAILBOX_OWNER_ENTRYID, ptagMailboxOwnerEntryId

2.882 PidTagMailboxOwnerName

Canonical name: PidTagMailboxOwnerName

Property ID: 0x661C

Data type: PtypString, 0x001F

Area: Message Store Properties

References: [\[MS-OXCSTOR\]](#), [\[MS-OXOCAL\]](#)

Alternate names: PR_MAILBOX_OWNER_NAME, PR_MAILBOX_OWNER_NAME_A, ptagMailboxOwnerName, PR_MAILBOX_OWNER_NAME_W

2.883 PidTagManagerName

Canonical name: PidTagManagerName

Property ID: 0x3A4E

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_MANAGER_NAME, PR_MANAGER_NAME_A, PR_MANAGER_NAME_W, urn:schemas:contacts:manager

2.884 PidTagMappingSignature

Canonical name: PidTagMappingSignature

Property ID: 0x0FF8

Data type: PtypBinary, 0x0102

Area: Miscellaneous Properties

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_MAPPING_SIGNATURE, ptagMappingSignature

2.885 PidTagMaximumSubmitMessageSize

Canonical name: PidTagMaximumSubmitMessageSize

Property ID: 0x666D

Data type: PtypInteger32, 0x0003

Area: Message Store Properties

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_MAX_SUBMIT_MESSAGE_SIZE

2.886 PidTagMemberId

Canonical name: PidTagMemberId

Property ID: 0x6671

Data type: PtypInteger64, 0x0014

Area: Access Control Properties

References: [\[MS-OXCPerm\]](#)

Alternate names: PR_MEMBER_ID, ptagMemberId

2.887 PidTagMemberName

Canonical name: PidTagMemberName

Property ID: 0x6672

Data type: PtypString, 0x001F

Area: Access Control Properties

References: [\[MS-OXCPerm\]](#)

Alternate names: PR_MEMBER_NAME, PR_MEMBER_NAME_A, ptagMemberName, PR_MEMBER_NAME_W

2.888 PidTagMemberRights

Canonical name: PidTagMemberRights

Property ID: 0x6673

Data type: PtypInteger32, 0x0003

Area: Access Control Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCPerm\]](#), [\[MS-OXODLGT\]](#)

Alternate names: PR_MEMBER_RIGHTS, ptagMemberRights

2.889 PidTagMessageAttachments

Canonical name: PidTagMessageAttachments

Property ID: 0x0E13

Data type: PtypComObject, 0x000D

Area: Message Attachment Properties

References: [\[MS-OXCData\]](#), [\[MS-OXCFXICS\]](#)

Alternate names: PR_MESSAGE_ATTACHMENTS, ptagMessageAttachments

2.890 PidTagMessageCcMe

Canonical name: PidTagMessageCcMe

Property ID: 0x0058

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MESSAGE_CC_ME, ptagMessageCcMe

2.891 PidTagMessageClass

Canonical name: PidTagMessageClass

Property ID: 0x001A

Data type: PtypString, 0x001F

Area: Common Property set

References: [\[MS-OXCFOLD\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXCADATA\]](#), [\[MS-OXCXICS\]](#), [\[MS-OXBBODY\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCROPS\]](#), [\[MS-OXCSYNC\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXODOC\]](#), [\[MS-OXOJRN\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXONOTE\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXORSS\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXOSMIME\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXOSRCH\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXOUM\]](#), [\[MS-OXPROTO\]](#), [\[MS-OXSHARE\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_MESSAGE_CLASS, PR_MESSAGE_CLASS_A, ptagMessageClass, PR_MESSAGE_CLASS_W, <http://schemas.microsoft.com/exchange/outlookmessageclass><http://schemas.microsoft.com/exchange/outlookmessageclass>

2.892 PidTagMessageCodepage

Canonical name: PidTagMessageCodepage

Property ID: 0x3FFD

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-OXTNEF\]](#), [\[MS-OXCXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXPFOAB\]](#),

Alternate names: PR_MESSAGE_CODEPAGE

2.893 PidTagMessageDeliveryTime

Canonical name: PidTagMessageDeliveryTime

Property ID: 0x0E06

Data type: PtypTime, 0x0040

Area: Message Time Properties Property set

References: [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCTABL\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXORSS\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_MESSAGE_DELIVERY_TIME, urn:schemas:httpmail:datereceived

2.894 PidTagMessageEditorFormat

Canonical name: PidTagMessageEditorFormat

Property ID: 0x5909

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MSG_EDITOR_FORMAT, ptagMsgEditorFormat

2.895 PidTagMessageFlags

Canonical name: PidTagMessageFlags

Property ID: 0x0E07

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXORSS\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXOSMMS\]](#)

Alternate names: PR_MESSAGE_FLAGS, ptagMessageFlags

2.896 PidTagMessageHandlingSystemCommonName

Canonical name: PidTagMessageHandlingSystemCommonName

Property ID: 0x3A0F

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_MHS_COMMON_NAME, PR_MHS_COMMON_NAME_A, PR_MHS_COMMON_NAME_W, urn:schemas:contacts:dn

2.897 PidTagMessageLocaleId

Canonical name: PidTagMessageLocaleId

Property ID: 0x3FF1

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MESSAGE_LOCALE_ID

2.898 PidTagMessageRecipientMe

Canonical name: PidTagMessageRecipientMe

Property ID: 0x0059

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MESSAGE_RECIP_ME, ptagMessageRecipMe

2.899 PidTagMessageRecipients

Canonical name: PidTagMessageRecipients

Property ID: 0x0E12

Data type: PtypComObject, 0x000D

Area: Address Properties

References: [\[MS-OXCDATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCSPAM\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MESSAGE_RECIPIENTS, ptagMessageRecipients

2.900 PidTagMessageSize

Canonical name: PidTagMessageSize

Property ID: 0x0E08

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCSTOR\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_MESSAGE_SIZE, ptagMessageSize

2.901 PidTagMessageSizeExtended

Canonical name: PidTagMessageSizeExtended

Property ID: 0x0E08

Data type: PtypInteger64, 0x0014

Area: General Message Properties

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCSTOR\]](#)

Alternate names: PR_MESSAGE_SIZE_EXTENDED, ptagMessageSizeExtended

2.902 PidTagMessageStatus

Canonical name: PidTagMessageStatus

Property ID: 0x0E17

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCSYNC\]](#)

Alternate names: PR_MSG_STATUS, ptagMsgStatus

2.903 PidTagMessageSubmissionId

Canonical name: PidTagMessageSubmissionId

Property ID: 0x0047

Data type: PtypBinary, 0x0102

Area: Email

References: [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MESSAGE_SUBMISSION_ID, ptagMessageSubmissionId

2.904 PidTagMessageToMe

Canonical name: PidTagMessageToMe

Property ID: 0x0057

Data type: PtypBoolean, 0x000B

Area: General Message Properties

References: [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_MESSAGE_TO_ME, ptagMessageToMe

2.905 PidTagMid

Canonical name: PidTagMid

Property ID: 0x674A

Data type: PtypInteger64, 0x0014

Area: ID Properties Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXCTABL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXRTFEX\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: ptagMID, <http://schemas.microsoft.com/exchange/mid>

2.906 PidTagMiddleName

Canonical name: PidTagMiddleName

Property ID: 0x3A44

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_MIDDLE_NAME, PR_MIDDLE_NAME_A, PR_MIDDLE_NAME_W, urn:schemas:contacts:middlename

2.907 PidTagMimeSkeleton

Canonical name: PidTagMimeSkeleton

Property ID: 0x0470

Data type: PtypBinary, 0x0102

Area: MIME properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagMimeSkeleton

2.908 PidTagMobileTelephoneNumber

Canonical name: PidTagMobileTelephoneNumber

Property ID: 0x3A1C

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_MOBILE_TELEPHONE_NUMBER, PR_MOBILE_TELEPHONE_NUMBER_A, PR_MOBILE_TELEPHONE_NUMBER_W, urn:schemas:contacts:mobile

2.909 PidTagNativeBody

Canonical name: PidTagNativeBody

Property ID: 0x1016

Data type: PtypInteger32, 0x0003

Area: BestBody

References: [\[MS-OXBBODY\]](#)

Alternate names: PR_NATIVE_BODY_INFO, ptagNativeBodyInfo

2.910 PidTagNewAttach

Canonical name: PidTagNewAttach

Property ID: 0x4000

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagNewAttach

2.911 PidTagNewFXFolder

Canonical name: PidTagNewFXFolder

Property ID: 0x4011

Data type: PtypBinary, 0x0102

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagNewFXFolder

2.912 PidTagNextSendAcct

Canonical name: PidTagNextSendAcct

Property ID: 0x0E29

Data type: PtypString, 0x001F

Area:

References: [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_NEXT_SEND_ACCT

2.913 PidTagNickname

Canonical name: PidTagNickname

Property ID: 0x3A4F

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXOMSG\]](#),

Alternate names: PR_NICKNAME, PR_NICKNAME_A, PR_NICKNAME_W,
urn:schemas:contacts:nickname

2.914 PidTagNormalizedSubject

Canonical name: PidTagNormalizedSubject

Property ID: 0x0E1D

Data type: PtypString, 0x001F

Area: Email Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#),
[\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXONOTE\]](#),
[\[MS-OXOPFFB\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXPROTO\]](#),
[\[MS-OXSHARE\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_NORMALIZED_SUBJECT, PR_NORMALIZED_SUBJECT_A,
ptagNormalizedSubject, PR_NORMALIZED_SUBJECT_W, urn:schemas:httpmail:normalizedsuject

2.915 PidTagNormalMessageSize

Canonical name: PidTagNormalMessageSize

Property ID: 0x66B3

Data type: PtypInteger32, 0x0003

Area: Server

References: [\[MS-OXCFOLD\]](#), [\[MS-XWDFOLD\]](#)

Alternate names: PR_NORMAL_MESSAGE_SIZE,
<http://schemas.microsoft.com/exchange/foldersize>

2.916 PidTagObjectType

Canonical name: PidTagObjectType

Property ID: 0x0FFE

Data type: PtypInteger32, 0x0003

Area: Common

References: [\[MS-NSPI\]](#), [\[MS-OXCFOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#),
[\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_OBJECT_TYPE, ptagObjectType

2.917 PidTagOfficeLocation

Canonical name: PidTagOfficeLocation

Property ID: 0x3A19

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_OFFICE_LOCATION, PR_OFFICE_LOCATION_A, PR_OFFICE_LOCATION_W, urn:schemas:contacts:roomnumber

2.918 PidTagOfflineAddressBookCompressedSize

Canonical name: PidTagOfflineAddressBookCompressedSize

Property ID: 0x6809

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_OAB_COMPRESSED_SIZE

2.919 PidTagOfflineAddressBookContainerGuid

Canonical name: PidTagOfflineAddressBookContainerGuid

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_OAB_CONTAINER_GUID, PR_OAB_CONTAINER_GUID_W

2.920 PidTagOfflineAddressBookDistinguishedName

Canonical name: PidTagOfflineAddressBookDistinguishedName

Property ID: 0x6804

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_OAB_DN, PR_OAB_DN_W

2.921 PidTagOfflineAddressBookFileSize

Canonical name: PidTagOfflineAddressBookFileSize

Property ID: 0x680A

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_OAB_FILE_SIZE

2.922 PidTagOfflineAddressBookFileType

Canonical name: PidTagOfflineAddressBookFileType

Property ID: 0x6808

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_OAB_FILETYPE

2.923 PidTagOfflineAddressBookLanguageId

Canonical name: PidTagOfflineAddressBookLanguageId

Property ID: 0x6807

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_OAB_LANGID

2.924 PidTagOfflineAddressBookMessageClass

Canonical name: PidTagOfflineAddressBookMessageClass

Property ID: 0x6803

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [\[MS-OXPFOAB\]](#)

Alternate names: PR_OAB_MESSAGE_CLASS

2.925 PidTagOfflineAddressBookName

Canonical name: PidTagOfflineAddressBookName

Property ID: 0x6800

Data type: PtypString, 0x001F

Area: Offline Address Book Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_OAB_NAME, PR_OAB_NAME_W

2.926 PidTagOfflineAddressBookSequence

Canonical name: PidTagOfflineAddressBookSequence

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Offline Address Book Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_OAB_SEQUENCE

2.927 PidTagOfflineAddressBookShaHash

Canonical name: PidTagOfflineAddressBookShaHash

Property ID: 0x6806

Data type: PtypBinary, 0x0102

Area: Offline Address Book Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_OAB_SHA_HASH

2.928 PidTagOfflineAddressBookTruncatedProperties

Canonical name: PidTagOfflineAddressBookTruncatedProperties

Property ID: 0x6805

Data type: PtypMultipleInteger32, 0x1003

Area: Offline Address Book Properties

References: [\[MS-OXOAB\]](#)

Alternate names: PR_OAB_TRUNCATED_PROPS

2.929 PidTagOrdinalMost

Canonical name: PidTagOrdinalMost

Property ID: 0x36E2

Data type: PtypInteger32, 0x0003

Area: Tasks

References: [\[MS-OXOTASK\]](#)

Alternate names: PR_ORDINAL_MOST

2.930 PidTagOrganizationalIdNumber

Canonical name: PidTagOrganizationalIdNumber

Property ID: 0x3A10

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_ORGANIZATIONAL_ID_NUMBER, PR_ORGANIZATIONAL_ID_NUMBER_A, PR_ORGANIZATIONAL_ID_NUMBER_W, urn:schemas:contacts:employeenumber

2.931 PidTagOriginalAuthorName

Canonical name: PidTagOriginalAuthorName

Property ID: 0x004D

Data type: PtypString, 0x001F

Area: Email

References: [\[MS-OXCICAL\]](#)

Alternate names: PR_ORIGINAL_AUTHOR_NAME, PR_ORIGINAL_AUTHOR_NAME_A, ptagOriginalAuthorName, PR_ORIGINAL_AUTHOR_NAME_W

2.932 PidTagOriginalDeliveryTime

Canonical name: PidTagOriginalDeliveryTime

Property ID: 0x0055

Data type: PtypTime, 0x0040

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_DELIVERY_TIME, ptagOriginalDeliveryTime

2.933 PidTagOriginalDisplayBcc

Canonical name: PidTagOriginalDisplayBcc

Property ID: 0x0072

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINAL_DISPLAY_BCC, PR_ORIGINAL_DISPLAY_BCC_A, ptagOriginalDisplayBcc, PR_ORIGINAL_DISPLAY_BCC_W, <http://schemas.microsoft.com/exchange/originaldisplaybcc>

2.934 PidTagOriginalDisplayCc

Canonical name: PidTagOriginalDisplayCc

Property ID: 0x0073

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINAL_DISPLAY_CC, PR_ORIGINAL_DISPLAY_CC_A, ptagOriginalDisplayCc, PR_ORIGINAL_DISPLAY_CC_W, <http://schemas.microsoft.com/exchange/originaldisplaycc>, http://schemas.microsoft.com/mapi/original_display_cc

2.935 PidTagOriginalDisplayName

Canonical name: PidTagOriginalDisplayName

Property ID: 0x3A13

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_ORIGINAL_DISPLAY_NAME, PR_ORIGINAL_DISPLAY_NAME_A, ptagOriginalDisplayName, PR_ORIGINAL_DISPLAY_NAME_W

2.936 PidTagOriginalDisplayTo

Canonical name: PidTagOriginalDisplayTo

Property ID: 0x0074

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINAL_DISPLAY_TO, PR_ORIGINAL_DISPLAY_TO_A, ptagOriginalDisplayTo, PR_ORIGINAL_DISPLAY_TO_W, <http://schemas.microsoft.com/exchange/originaldisplayto>, http://schemas.microsoft.com/mapi/original_display_to

2.937 PidTagOriginalEntryId

Canonical name: PidTagOriginalEntryId

Property ID: 0x3A12

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXCSYNC\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_ORIGINAL_ENTRYID, ptagOriginalEntryId

2.938 PidTagOriginalMessageClass

Canonical name: PidTagOriginalMessageClass

Property ID: 0x004B

Data type: PtypString, 0x001F

Area: Secure Messaging Properties

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_ORIG_MESSAGE_CLASS, PR_ORIG_MESSAGE_CLASS_A, PR_ORIG_MESSAGE_CLASS_W

2.939 PidTagOriginalMessageId

Canonical name: PidTagOriginalMessageId

Property ID: 0x1046

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagOriginalInternetMessageID, OriginalMessageId

2.940 PidTagOriginalSearchKey

Canonical name: PidTagOriginalSearchKey

Property ID: 0x3A14

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXOABK\]](#)

Alternate names: PR_ORIGINAL_SEARCH_KEY, ptagOriginalSearchKey

2.941 PidTagOriginalSenderAddressType

Canonical name: PidTagOriginalSenderAddressType

Property ID: 0x0066

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENDER_ADDRTYPE, PR_ORIGINAL_SENDER_ADDRTYPE_A, ptagOriginalSenderAddrType, PR_ORIGINAL_SENDER_ADDRTYPE_W

2.942 PidTagOriginalSenderEmailAddress

Canonical name: PidTagOriginalSenderEmailAddress

Property ID: 0x0067

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENDER_EMAIL_ADDRESS, PR_ORIGINAL_SENDER_EMAIL_ADDRESS_A, PR_ORIGINAL_SENDER_EMAIL_ADDRESS_W

2.943 PidTagOriginalSenderEntryId

Canonical name: PidTagOriginalSenderEntryId

Property ID: 0x005B

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENDER_ENTRYID, ptagOriginalSenderEntryId

2.944 PidTagOriginalSenderName

Canonical name: PidTagOriginalSenderName

Property ID: 0x005A

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINAL_SENDER_NAME, PR_ORIGINAL_SENDER_NAME_A, ptagOriginalSenderName, PR_ORIGINAL_SENDER_NAME_W, <http://schemas.microsoft.com/exchange/originaisendername>

2.945 PidTagOriginalSenderSearchKey

Canonical name: PidTagOriginalSenderSearchKey

Property ID: 0x005C

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENDER_SEARCH_KEY, ptagOriginalSenderSearchKey

2.946 PidTagOriginalSensitivity

Canonical name: PidTagOriginalSensitivity

Property ID: 0x002E

Data type: PtypInteger32, 0x0003

Area: General Message Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENSITIVITY, ptagOriginalSensitivity

2.947 PidTagOriginalSentRepresentingAddressType

Canonical name: PidTagOriginalSentRepresentingAddressType

Property ID: 0x0068

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE, PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_A, ptagOriginalSentRepresentingAddrType, PR_ORIGINAL_SENT_REPRESENTING_ADDRTYPE_W

2.948 PidTagOriginalSentRepresentingEmailAddress

Canonical name: PidTagOriginalSentRepresentingEmailAddress

Property ID: 0x0069

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_A,
PR_ORIGINAL_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.949 PidTagOriginalSentRepresentingEntryId

Canonical name: PidTagOriginalSentRepresentingEntryId

Property ID: 0x005E

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_ENTRYID,
ptagOriginalSentRepresentingEntryId

2.950 PidTagOriginalSentRepresentingName

Canonical name: PidTagOriginalSentRepresentingName

Property ID: 0x005D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_NAME,
PR_ORIGINAL_SENT_REPRESENTING_NAME_A, ptagOriginalSentRepresentingName,
PR_ORIGINAL_SENT_REPRESENTING_NAME_W

2.951 PidTagOriginalSentRepresentingSearchKey

Canonical name: PidTagOriginalSentRepresentingSearchKey

Property ID: 0x005F

Data type: PtypBinary, 0x0102

Area: General Message Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINAL_SENT_REPRESENTING_SEARCH_KEY,
ptagOriginalSentRepresentingSearchKey

2.952 PidTagOriginalSubject

Canonical name: PidTagOriginalSubject

Property ID: 0x0049

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXCSYNC\]](#), [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINAL_SUBJECT, PR_ORIGINAL_SUBJECT_A, ptagOriginalSubject, PR_ORIGINAL_SUBJECT_W, <http://schemas.microsoft.com/exchange/originalsubject>, http://schemas.microsoft.com/mapi/original_subject

2.953 PidTagOriginalSubmitTime

Canonical name: PidTagOriginalSubmitTime

Property ID: 0x004E

Data type: PtypTime, 0x0040

Area: General Message Properties Property set

References: [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINAL_SUBMIT_TIME, ptagOriginalSubmitTime, <http://schemas.microsoft.com/exchange/originaldate>, http://schemas.microsoft.com/mapi/original_submit_time

2.954 PidTagOriginatorDeliveryReportRequested

Canonical name: PidTagOriginatorDeliveryReportRequested

Property ID: 0x0023

Data type: PtypBoolean, 0x000B

Area: MIME Properties Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_ORIGINATOR_DELIVERY_REPORT_REQUESTED, <http://schemas.microsoft.com/exchange/deliveryreportrequested>

2.955 PidTagOriginatorNonDeliveryReportRequested

Canonical name: PidTagOriginatorNonDeliveryReportRequested

Property ID: 0x0C08

Data type: PtypBoolean, 0x000B

Area: MIME Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_ORIGINATOR_NON_DELIVERY_REPORT_REQUESTED

2.956 PidTagOtherAddressCity

Canonical name: PidTagOtherAddressCity

Property ID: 0x3A5F

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_OTHER_ADDRESS_CITY, PR_OTHER_ADDRESS_CITY_A, PR_OTHER_ADDRESS_CITY_W, urn:schemas:contacts:othercity

2.957 PidTagOtherAddressCountry

Canonical name: PidTagOtherAddressCountry

Property ID: 0x3A60

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_OTHER_ADDRESS_COUNTRY, PR_OTHER_ADDRESS_COUNTRY_A, PR_OTHER_ADDRESS_COUNTRY_W, urn:schemas:contacts:othercountry

2.958 PidTagOtherAddressPostalCode

Canonical name: PidTagOtherAddressPostalCode

Property ID: 0x3A61

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_OTHER_ADDRESS_POSTAL_CODE, PR_OTHER_ADDRESS_POSTAL_CODE_A, PR_OTHER_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:otherpostalcode

2.959 PidTagOtherAddressPostOfficeBox

Canonical name: PidTagOtherAddressPostOfficeBox

Property ID: 0x3A64

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_OTHER_ADDRESS_POST_OFFICE_BOX,
PR_OTHER_ADDRESS_POST_OFFICE_BOX_A, PR_OTHER_ADDRESS_POST_OFFICE_BOX_W,
urn:schemas:contacts:otherpostofficebox

2.960 PidTagOtherAddressStateOrProvince

Canonical name: PidTagOtherAddressStateOrProvince

Property ID: 0x3A62

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_OTHER_ADDRESS_STATE_OR_PROVINCE,
PR_OTHER_ADDRESS_STATE_OR_PROVINCE_A, PR_OTHER_ADDRESS_STATE_OR_PROVINCE_W,
urn:schemas:contacts:otherstate

2.961 PidTagOtherAddressStreet

Canonical name: PidTagOtherAddressStreet

Property ID: 0x3A63

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#), [\[MS-OXVCARD\]](#)

Alternate names: PR_OTHER_ADDRESS_STREET, PR_OTHER_ADDRESS_STREET_A,
PR_OTHER_ADDRESS_STREET_W, urn:schemas:contacts:otherstreet

2.962 PidTagOtherTelephoneNumber

Canonical name: PidTagOtherTelephoneNumber

Property ID: 0x3A1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_OTHER_TELEPHONE_NUMBER, PR_OTHER_TELEPHONE_NUMBER_A,
PR_OTHER_TELEPHONE_NUMBER_W, urn:schemas:contacts:otherTelephone

2.963 PidTagOutOfOfficeState

Canonical name: PidTagOutOfOfficeState

Property ID: 0x661D

Data type: PtypBoolean, 0x000B

Area: Message Store Properties

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_OOF_STATE, ptagOOFSate

2.964 PidTagOwnerAppointmentId

Canonical name: PidTagOwnerAppointmentId

Property ID: 0x0062

Data type: PtypInteger32, 0x0003

Area: Appointment Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_OWNER_APPT_ID, http://schemas.microsoft.com/mapi/owner_appt_id

2.965 PidTagPagerTelephoneNumber

Canonical name: PidTagPagerTelephoneNumber

Property ID: 0x3A21

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_PAGER_TELEPHONE_NUMBER, PR_PAGER_TELEPHONE_NUMBER_A, PR_PAGER_TELEPHONE_NUMBER_W, <urn:schemas:contacts:pager>

2.966 PidTagParentEntryId

Canonical name: PidTagParentEntryId

Property ID: 0x0E09

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-OXCDATA\]](#), [\[MS-OXCFOLD\]](#), [\[MS-OXCSPAM\]](#), [\[MS-OXOSFLD\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_PARENT_ENTRYID, ptagParentEntryId

2.967 PidTagParentFolderId

Canonical name: PidTagParentFolderId

Property ID: 0x6749

Data type: PtypInteger64, 0x0014

Area: ID Properties

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagParentFID

2.968 PidTagParentKey

Canonical name: PidTagParentKey

Property ID: 0x0025

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_PARENT_KEY, ptagParentKey

2.969 PidTagParentSourceKey

Canonical name: PidTagParentSourceKey

Property ID: 0x65E1

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCSYNC\]](#)

Alternate names: PR_PARENT_SOURCE_KEY

2.970 PidTagPersonalHomePage

Canonical name: PidTagPersonalHomePage

Property ID: 0x3A50

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_PERSONAL_HOME_PAGE, PR_PERSONAL_HOME_PAGE_A, PR_PERSONAL_HOME_PAGE_W, urn:schemas:contacts:personalHomePage

2.971 PidTagPolicyTag

Canonical name: PidTagPolicyTag

Property ID: 0x3019

Data type: PtypBinary, 0x0102

Area: Archive

References: [MS-OXCMSG](#)

Alternate names: PR_POLICY_TAG, ptagPolicyTag

2.972 PidTagPostalAddress

Canonical name: PidTagPostalAddress

Property ID: 0x3A15

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_POSTAL_ADDRESS, PR_POSTAL_ADDRESS_A, PR_POSTAL_ADDRESS_W, urn:schemas:contacts:mailingpostaladdress

2.973 PidTagPostalCode

Canonical name: PidTagPostalCode

Property ID: 0x3A2A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_POSTAL_CODE, PR_POSTAL_CODE_A, PR_POSTAL_CODE_W, PR_BUSINESS_ADDRESS_POSTAL_CODE, PR_BUSINESS_ADDRESS_POSTAL_CODE_A, PR_BUSINESS_ADDRESS_POSTAL_CODE_W, urn:schemas:contacts:mailingpostalcode

2.974 PidTagPostOfficeBox

Canonical name: PidTagPostOfficeBox

Property ID: 0x3A2B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_POST_OFFICE_BOX, PR_POST_OFFICE_BOX_A, PR_POST_OFFICE_BOX_W, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_A, PR_BUSINESS_ADDRESS_POST_OFFICE_BOX_W, urn:schemas:contacts:mailingpostofficebox

2.975 PidTagPredecessorChangeList

Canonical name: PidTagPredecessorChangeList

Property ID: 0x65E3

Data type: PtypBinary, 0x0102

Area: Sync

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCSYNC\]](#)

Alternate names: PR_PREDECESSOR_CHANGE_LIST

2.976 PidTagPrimaryFaxNumber

Canonical name: PidTagPrimaryFaxNumber

Property ID: 0x3A23

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_PRIMARY_FAX_NUMBER, PR_PRIMARY_FAX_NUMBER_A, PR_PRIMARY_FAX_NUMBER_W, urn:schemas:contacts:otherfax

2.977 PidTagPrimarySendAccount

Canonical name: PidTagPrimarySendAccount

Property ID: 0x0E28

Data type: PtypString, 0x001F

Area: MapiNonTransmittable

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_PRIMARY_SEND_ACCT

2.978 PidTagPrimarySmtetAddress

Canonical name: PidTagPrimarySmtetAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: MapiAddressBook

References: [\[MS-OXCFXICS\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: ptagPrimarySMTPAddress

2.979 PidTagPrimaryTelephoneNumber

Canonical name: PidTagPrimaryTelephoneNumber

Property ID: 0x3A1A

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-NSPI\]](#)

Alternate names: PR_PRIMARY_TELEPHONE_NUMBER, PR_PRIMARY_TELEPHONE_NUMBER_A, PR_PRIMARY_TELEPHONE_NUMBER_W

2.980 PidTagPriority

Canonical name: PidTagPriority

Property ID: 0x0026

Data type: PtypInteger32, 0x0003

Area: Email Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_PRIORITY, ptagPriority, urn:schemas:httpmail:priority, urn:schemas:httpmail:priority

2.981 PidTagProcessed

Canonical name: PidTagProcessed

Property ID: 0x7D01

Data type: PtypBoolean, 0x000B

Area: Calendar

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOTASK\]](#)

Alternate names: PR_PROCESSED

2.982 PidTagProfession

Canonical name: PidTagProfession

Property ID: 0x3A46

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_PROFESSION, PR_PROFESSION_A, PR_PROFESSION_W, urn:schemas:contacts:profession

2.983 PidTagProhibitReceiveQuota

Canonical name: PidTagProhibitReceiveQuota

Property ID: 0x666A

Data type: PtypInteger32, 0x0003

Area: Exchange Administrative

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_PROHIBIT_RECEIVE_QUOTA, ptagProhibitReceiveQuota

2.984 PidTagProhibitSendQuota

Canonical name: PidTagProhibitSendQuota

Property ID: 0x666E

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_PROHIBIT_SEND_QUOTA, ptagProhibitSendQuota

2.985 PidTagProviderSubmitTime

Canonical name: PidTagProviderSubmitTime

Property ID: 0x0048

Data type: PtypTime, 0x0040

Area: Email

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_PROVIDER_SUBMIT_TIME

2.986 PidTagPublicFolderAdministrativeDescription

Canonical name: PidTagPublicFolderAdministrativeDescription

Property ID: 0x671C

Data type: PtypString, 0x001F

Area: Folder Properties

References: [\[MS-XWDFOLD\]](#)

Alternate names: <http://schemas.microsoft.com/exchange/adminfolderdescription>

2.987 PidTagPublicFolderProxy

Canonical name: PidTagPublicFolderProxy

Property ID: 0x671D

Data type: PtypBinary, 0x0102

Area: Folder Properties

References: [\[MS-XWDFOLD\]](#)

Alternate names: <http://schemas.microsoft.com/exchange/folderproxy>

2.988 PidTagPurportedSenderDomain

Canonical name: PidTagPurportedSenderDomain

Property ID: 0x4083

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [\[MS-OXCMAIL\]](#)

Alternate names: PR_PURPORTED_SENDER_DOMAIN

2.989 PidTagRadioTelephoneNumber

Canonical name: PidTagRadioTelephoneNumber

Property ID: 0x3A1D

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#)

Alternate names: PR_RADIO_TELEPHONE_NUMBER, PR_RADIO_TELEPHONE_NUMBER_A, PR_RADIO_TELEPHONE_NUMBER_W

2.990 PidTagRead

Canonical name: PidTagRead

Property ID: 0x0E69

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable Property set

References: [\[MS-OXCTABL\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_READ, ptagRead, urn:schemas:httpmail:read

2.991 PidTagReadReceiptAddressType

Canonical name: PidTagReadReceiptAddressType

Property ID: 0x4029

Data type: PtypString, 0x001F

Area: Transport Envelope

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagReadReceiptAddrType, ReadReceiptAddrType

2.992 PidTagReadReceiptEmailAddress

Canonical name: PidTagReadReceiptEmailAddress

Property ID: 0x402A

Data type: PtypString, 0x001F

Area: Transport Envelope

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagReadReceiptEmailAddr, ReadReceiptEmailAddress

2.993 PidTagReadReceiptEntryId

Canonical name: PidTagReadReceiptEntryId

Property ID: 0x0046

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_READ_RECEIPT_ENTRYID, ptagReadReceiptEntryId

2.994 PidTagReadReceiptName

Canonical name: PidTagReadReceiptName

Property ID: 0x402B

Data type: PtypString, 0x001F

Area: Transport Envelope

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagReadReceiptDisplayName, ReadReceiptDisplayName

2.995 PidTagReadReceiptRequested

Canonical name: PidTagReadReceiptRequested

Property ID: 0x0029

Data type: PtypBoolean, 0x000B

Area: Email Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_READ_RECEIPT_REQUESTED, ptagReadReceiptRequested, <http://schemas.microsoft.com/exchange/readreceiptrequested>

2.996 PidTagReadReceiptSearchKey

Canonical name: PidTagReadReceiptSearchKey

Property ID: 0x0053

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_READ_RECEIPT_SEARCH_KEY, ptagReadReceiptSearchKey

2.997 PidTagReceivedByAddressType

Canonical name: PidTagReceivedByAddressType

Property ID: 0x0075

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RECEIVED_BY_ADDRTYPE, PR_RECEIVED_BY_ADDRTYPE_A, ptagReceivedByAddrType, PR_RECEIVED_BY_ADDRTYPE_W

2.998 PidTagReceivedByEmailAddress

Canonical name: PidTagReceivedByEmailAddress

Property ID: 0x0076

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RECEIVED_BY_EMAIL_ADDRESS, PR_RECEIVED_BY_EMAIL_ADDRESS_A, PR_RECEIVED_BY_EMAIL_ADDRESS_W

2.999 PidTagReceivedByEntryId

Canonical name: PidTagReceivedByEntryId

Property ID: 0x003F

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RECEIVED_BY_ENTRYID

2.1000 PidTagReceivedByFlags

Canonical name: PidTagReceivedByFlags

Property ID: 0x401B

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: ptagRcvdByFlags

2.1001 PidTagReceivedByName

Canonical name: PidTagReceivedByName

Property ID: 0x0040

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RECEIVED_BY_NAME, PR_RECEIVED_BY_NAME_A, PR_RECEIVED_BY_NAME_W

2.1002 PidTagReceivedBySearchKey

Canonical name: PidTagReceivedBySearchKey

Property ID: 0x0051

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RECEIVED_BY_SEARCH_KEY

2.1003 PidTagReceivedRepresentingAddressType

Canonical name: PidTagReceivedRepresentingAddressType

Property ID: 0x0077

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RCVD_REPRESENTING_ADDRTYPE, PR_RCVD_REPRESENTING_ADDRTYPE_A, ptagRcvdRepresentingAddrType, PR_RCVD_REPRESENTING_ADDRTYPE_W

2.1004 PidTagReceivedRepresentingEmailAddress

Canonical name: PidTagReceivedRepresentingEmailAddress

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RCVD_REPRESENTING_EMAIL_ADDRESS, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_A, PR_RCVD_REPRESENTING_EMAIL_ADDRESS_W

2.1005 PidTagReceivedRepresentingEntryId

Canonical name: PidTagReceivedRepresentingEntryId

Property ID: 0x0043

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RCVD_REPRESENTING_ENTRYID, ptagRcvdRepresentingEntryId

2.1006 PidTagReceivedRepresentingFlags

Canonical name: PidTagReceivedRepresentingFlags

Property ID: 0x401C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: ptagRcvdRepresentingFlags

2.1007 PidTagReceivedRepresentingName

Canonical name: PidTagReceivedRepresentingName

Property ID: 0x0044

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RCVD_REPRESENTING_NAME, PR_RCVD_REPRESENTING_NAME_A, ptagRcvdRepresentingName, PR_RCVD_REPRESENTING_NAME_W

2.1008 PidTagReceivedRepresentingSearchKey

Canonical name: PidTagReceivedRepresentingSearchKey

Property ID: 0x0052

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RCVD_REPRESENTING_SEARCH_KEY, ptagRcvdRepresentingSearchKey

2.1009 PidTagReceivedRepresentingSimpleDisplayName

Canonical name: PidTagReceivedRepresentingSimpleDisplayName

Property ID: 0x4035

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [\[MS-OXTNEF\]](#), [\[MS-OXCMAIL\]](#)

Alternate names: ptagRcvdRepresentingSimpleDispName

2.1010 PidTagRecipientDisplayName

Canonical name: PidTagRecipientDisplayName

Property ID: 0x5FF6

Data type: PtypString, 0x001F

Area: TransportRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_RECIPIENT_DISPLAY_NAME, PR_RECIPIENT_DISPLAY_NAME_W

2.1011 PidTagRecipientEntryId

Canonical name: PidTagRecipientEntryId

Property ID: 0x5FF7

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_RECIPIENT_ENTRYID, ptagRecipientEntryId

2.1012 PidTagRecipientFlags

Canonical name: PidTagRecipientFlags

Property ID: 0x5FFD

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOCAL\]](#)

Alternate names: PR_RECIPIENT_FLAGS

2.1013 PidTagRecipientOrder

Canonical name: PidTagRecipientOrder

Property ID: 0x5FDF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_RECIPIENT_ORDER, ptagRecipientOrder

2.1014 PidTagRecipientProposed

Canonical name: PidTagRecipientProposed

Property ID: 0x5FE1

Data type: PtypBoolean, 0x000B

Area: TransportRecipient

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_RECIPIENT_PROPOSED, ptagRecipientProposed

2.1015 PidTagRecipientProposedEndTime

Canonical name: PidTagRecipientProposedEndTime

Property ID: 0x5FE4

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_RECIPIENT_PROPOSEDENDTIME, ptagRecipientProposedEndTime

2.1016 PidTagRecipientProposedStartTime

Canonical name: PidTagRecipientProposedStartTime

Property ID: 0x5FE3

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_RECIPIENT_PROPOSEDSTARTTIME, ptagRecipientProposedStartTime

2.1017 PidTagRecipientReassignmentProhibited

Canonical name: PidTagRecipientReassignmentProhibited

Property ID: 0x002B

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope

References: [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_RECIPIENT_REASSIGNMENT_PROHIBITED, ptagRecipientReassignmentProhibited

2.1018 PidTagRecipientResourceState

Canonical name: PidTagRecipientResourceState

Property ID: 0x5FDE

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_RECIPIENT_RESOURCESTATE

2.1019 PidTagRecipientTrackStatus

Canonical name: PidTagRecipientTrackStatus

Property ID: 0x5FFF

Data type: PtypInteger32, 0x0003

Area: TransportRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_RECIPIENT_TRACKSTATUS, ptagRecipientTrackStatus

2.1020 PidTagRecipientTrackStatusTime

Canonical name: PidTagRecipientTrackStatusTime

Property ID: 0x5FFB

Data type: PtypTime, 0x0040

Area: TransportRecipient

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_RECIPIENT_TRACKSTATUS_TIME, ptagRecipientTrackStatusTime

2.1021 PidTagRecipientType

Canonical name: PidTagRecipientType

Property ID: 0x0C15

Data type: PtypInteger32, 0x0003

Area: MapiRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_RECIPIENT_TYPE, ptagRecipientType

2.1022 PidTagRecordKey

Canonical name: PidTagRecordKey

Property ID: 0x0FF9

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-NSPI\]](#), [\[MS-OXCFOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_RECORD_KEY, ptagRecordKey

2.1023 PidTagReferredByName

Canonical name: PidTagReferredByName

Property ID: 0x3A47

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#)

Alternate names: PRREFERRED_BY_NAME, PRREFERRED_BY_NAME_A, PRREFERRED_BY_NAME_W

2.1024 PidTagRemindersOnlineEntryId

Canonical name: PidTagRemindersOnlineEntryId

Property ID: 0x36D5

Data type: PtypBinary, 0x0102

Area: MapiContainer

References: [\[MS-OXOSFLD\]](#)

Alternate names: PR_REM_ONLINE_ENTRYID, ptagRemOnlineEntryId

2.1025 PidTagRemoteHeaderLoc

Canonical name: PidTagRemoteHeaderLoc

Property ID: 0x0078

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [\[MS-OXODLGT\]](#)

Alternate names: PR_REMOTE_HEADER_LOC

2.1026 PidTagRemoteMessageTransferAgent

Canonical name: PidTagRemoteMessageTransferAgent

Property ID: 0x0C21

Data type: PtypString, 0x001F

Area: Transport Envelope

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagDsnRemoteMta, PR_DSN_REMOTE_MTA, RemoteMta

2.1027 PidTagRenderingPosition

Canonical name: PidTagRenderingPosition

Property ID: 0x370B

Data type: PtypInteger32, 0x0003

Area: MapiAttachment

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXRTFEX\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RENDERING_POSITION, ptagRenderingPosition

2.1028 PidTagReplyRecipientEntries

Canonical name: PidTagReplyRecipientEntries

Property ID: 0x004F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope Property set

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_REPLY_RECIPIENT_ENTRIES, ptagReplyRecipientEntries, <http://schemas.microsoft.com/exchange/reply-to-base64>

2.1029 PidTagReplyRecipientNames

Canonical name: PidTagReplyRecipientNames

Property ID: 0x0050

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_REPLY_RECIPIENT_NAMES, PR_REPLY_RECIPIENT_NAMES_A, ptagReplyRecipientNames, PR_REPLY_RECIPIENT_NAMES_W

2.1030 PidTagReplyRequested

Canonical name: PidTagReplyRequested

Property ID: 0x0C17

Data type: PtypBoolean, 0x000B

Area: MapiRecipient

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_REPLY_REQUESTED, ptagReplyRequested

2.1031 PidTagReplyTemplateId

Canonical name: PidTagReplyTemplateId

Property ID: 0x65C2

Data type: PtypBinary, 0x0102

Area: Rules

References: [\[MS-OXORULE\]](#)

Alternate names: PR_REPLY_TEMPLATE_ID, ptagReplyTemplateId

2.1032 PidTagReplyTime

Canonical name: PidTagReplyTime

Property ID: 0x0030

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_REPLY_TIME, urn:schemas:httpmail:reply-by, <http://schemas.microsoft.com/exchange/reply-by-iso>

2.1033 PidTagReportEntryId

Canonical name: PidTagReportEntryId

Property ID: 0x0045

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_REPORT_ENTRYID, ptagReportEntryId

2.1034 PidTagReportingMessageTransferAgent

Canonical name: PidTagReportingMessageTransferAgent

Property ID: 0x6820

Data type: PtypString, 0x001F

Area: Transport Envelope

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagDsnReportingMta, ReportingMta

2.1035 PidTagReportName

Canonical name: PidTagReportName

Property ID: 0x003A

Data type: PtypString, 0x001F

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_REPORT_NAME, PR_REPORT_NAME_A, PR_REPORT_NAME_W

2.1036 PidTagReportSearchKey

Canonical name: PidTagReportSearchKey

Property ID: 0x0054

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_REPORT_SEARCH_KEY, ptagReportSearchKey

2.1037 PidTagReportTag

Canonical name: PidTagReportTag

Property ID: 0x0031

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_REPORT_TAG, ptagReportTag

2.1038 PidTagReportText

Canonical name: PidTagReportText

Property ID: 0x1001

Data type: PtypString, 0x001F

Area: MapiMessage

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_REPORT_TEXT, PR_REPORT_TEXT_A, ptagReportText, PR_REPORT_TEXT_W

2.1039 PidTagReportTime

Canonical name: PidTagReportTime

Property ID: 0x0032

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [\[MS-OXCSPAM\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_REPORT_TIME, ptagReportTime,
<http://schemas.microsoft.com/exchange/reporttime>

2.1040 PidTagResolveMethod

Canonical name: PidTagResolveMethod

Property ID: 0x3FE7

Data type: PtypInteger32, 0x0003

Area: MapiStatus

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCSYNC\]](#)

Alternate names: PR_RESOLVE_METHOD, ptagResolveMethod

2.1041 PidTagResponseRequested

Canonical name: PidTagResponseRequested

Property ID: 0x0063

Data type: PtypBoolean, 0x000B

Area: MapiEnvelope Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_RESPONSE_REQUESTED, urn:schemas:calendar:responserequested, http://schemas.microsoft.com/mapi/response_requested

2.1042 PidTagResponsibility

Canonical name: PidTagResponsibility

Property ID: 0x0E0F

Data type: PtypBoolean, 0x000B

Area: MapiNonTransmittable

References: [\[MS-OXCFXICS\]](#)

Alternate names: PR_RESPONSIBILITY, ptagResponsibility

2.1043 PidTagRetentionDate

Canonical name: PidTagRetentionDate

Property ID: 0x301C

Data type: PtypTime, 0x0040

Area: Archive

References: [MS-OXCMSG](#)

Alternate names: PR_RETENTION_DATE, ptagRetentionDate

2.1044 PidTagRetentionFlags

Canonical name: PidTagRetentionFlags

Property ID: 0x301D

Data type: PtypInteger32, 0x0003

Area: Archive

References: [MS-OXCMMSG](#)

Alternate names: PR_RETENTION_FLAGS, ptagRetentionFlags

2.1045 PidTagRetentionPeriod

Canonical name: PidTagRetentionPeriod

Property ID: 0x301A

Data type: PtypInteger32, 0x0003

Area: Archive

References: [MS-OXCMMSG](#)

Alternate names: PR_RETENTION_PERIOD, ptagRetentionPeriod

2.1046 PidTagRights

Canonical name: PidTagRights

Property ID: 0x6639

Data type: PtypInteger32, 0x0003

Area: ExchangeFolder

References: [\[MS-OXCFOLD\]](#)

Alternate names: PR_RIGHTS, ptagRights

2.1047 PidTagRoamingDatatypes

Canonical name: PidTagRoamingDatatypes

Property ID: 0x7C06

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_ROAMING_DATATYPES

2.1048 PidTagRoamingDictionary

Canonical name: PidTagRoamingDictionary

Property ID: 0x7C07

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_ROAMING_DICTIONARY

2.1049 PidTagRoamingXmlStream

Canonical name: PidTagRoamingXmlStream

Property ID: 0x7C08

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_ROAMING_XMLSTREAM

2.1050 PidTagRowid

Canonical name: PidTagRowid

Property ID: 0x3000

Data type: PtypInteger32, 0x0003

Area: MapiCommon

References: [\[MS-OXCFXICS\]](#)

Alternate names: PR_ROWID, ptagRowId

2.1051 PidTagRowType

Canonical name: PidTagRowType

Property ID: 0x0FF5

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [\[MS-OXCTABL\]](#)

Alternate names: PR_ROW_TYPE, ptagRowType

2.1052 PidTagRtfCompressed

Canonical name: PidTagRtfCompressed

Property ID: 0x1009

Data type: PtypBinary, 0x0102

Area: Email

References: [\[MS-OXBBODY\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXRTECP\]](#), [\[MS-OXRTEFX\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_RTF_COMPRESSED, ptagRTFCompressed

2.1053 PidTagRtfInSync

Canonical name: PidTagRtfInSync

Property ID: 0x0E1F

Data type: PtypBoolean, 0x000B

Area: Email

References: [\[MS-OXBBODY\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORMMS\]](#), [\[MS-OXRTEFX\]](#)

Alternate names: PR_RTF_IN_SYNC, ptagRTFInSync

2.1054 PidTagRtfSyncBodyCount

Canonical name: PidTagRtfSyncBodyCount

Property ID: 0x1007

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_RTF_SYNC_BODY_COUNT, ptagRTFSyncBodyCount

2.1055 PidTagRtfSyncBodyCrc

Canonical name: PidTagRtfSyncBodyCrc

Property ID: 0x1006

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_RTF_SYNC_BODY_CRC, ptagRTFSyncBodyCRC

2.1056 PidTagRtfSyncBodyTag

Canonical name: PidTagRtfSyncBodyTag

Property ID: 0x1008

Data type: PtypString, 0x001F

Area: MapiMessage

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_RTF_SYNC_BODY_TAG, PR_RTF_SYNC_BODY_TAG_A, ptagRTFSyncBodyTag, PR_RTF_SYNC_BODY_TAG_W

2.1057 PidTagRtfSyncPrefixCount

Canonical name: PidTagRtfSyncPrefixCount

Property ID: 0x1010

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_RTF_SYNC_PREFIX_COUNT

2.1058 PidTagRtfSyncTrailingCount

Canonical name: PidTagRtfSyncTrailingCount

Property ID: 0x1011

Data type: PtypInteger32, 0x0003

Area: MapiMessage

References: [\[MS-OXTNEF\]](#)

Alternate names: PR_RTF_SYNC_TRAILING_COUNT

2.1059 PidTagRuleActionNumber

Canonical name: PidTagRuleActionNumber

Property ID: 0x6650

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_ACTION_NUMBER, ptagRuleActionNumber

2.1060 PidTagRuleActions

Canonical name: PidTagRuleActions

Property ID: 0x6680

Data type: PtypRuleAction, 0x00FE

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_ACTIONS, ptagRuleActions

2.1061 PidTagRuleActionType

Canonical name: PidTagRuleActionType

Property ID: 0x6649

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_ACTION_TYPE, ptagRuleActionType

2.1062 PidTagRuleCondition

Canonical name: PidTagRuleCondition

Property ID: 0x6679

Data type: PtypRestriction, 0x00FD

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_CONDITION, ptagRuleCondition

2.1063 PidTagRuleError

Canonical name: PidTagRuleError

Property ID: 0x6648

Data type: PtypInteger32, 0x0003

Area: ExchangeMessageReadOnly

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_ERROR, ptagRuleError

2.1064 PidTagRuleFolderEntryId

Canonical name: PidTagRuleFolderEntryId

Property ID: 0x6651

Data type: PtypBinary, 0x0102

Area: ExchangeMessageReadOnly

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_FOLDER_ENTRYID, ptagRuleFolderEntryId

2.1065 PidTagRuleId

Canonical name: PidTagRuleId

Property ID: 0x6674

Data type: PtypInteger64, 0x0014

Area: Server-Side Rules Properties

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_ID, ptagRuleId

2.1066 PidTagRuleLevel

Canonical name: PidTagRuleLevel

Property ID: 0x6683

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_LEVEL, ptagRuleLevel

2.1067 PidTagRuleMessageState

Canonical name: PidTagRuleMessageState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1068 PidTagRuleMsgLevel

Canonical name: PidTagRuleMsgLevel

Property ID: 0x65ED

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_MSG_LEVEL, ptagRuleMsgLevel

2.1069 PidTagRuleMsgName

Canonical name: PidTagRuleMsgName

Property ID: 0x65EC

Data type: PtypString, 0x001F

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORULE\]](#)

Alternate names: ptagRuleMsgName

2.1070 PidTagRuleMsgProvider

Canonical name: PidTagRuleMsgProvider

Property ID: 0x65EB

Data type: PtypString, 0x001F

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORULE\]](#)

Alternate names: ptagRuleMsgProvider

2.1071 PidTagRuleMsgProviderData

Canonical name: PidTagRuleMsgProviderData

Property ID: 0x65EE

Data type: PtypBinary, 0x0102

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_MSG_PROVIDER_DATA, ptagRuleMsgProviderData

2.1072 PidTagRuleMsgSequence

Canonical name: PidTagRuleMsgSequence

Property ID: 0x65F3

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_MSG_SEQUENCE, ptagRuleMsgSequence

2.1073 PidTagRuleMsgState

Canonical name: PidTagRuleMsgState

Property ID: 0x65E9

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_MSG_STATE, ptagRuleMsgState

2.1074 PidTagRuleMsgUserFlags

Canonical name: PidTagRuleMsgUserFlags

Property ID: 0x65EA

Data type: PtypInteger32, 0x0003

Area: ExchangeNonTransmittableReserved

References: [\[MS-OXCSPAM\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_MSG_USER_FLAGS, ptagRuleMsgUserFlags

2.1075 PidTagRuleName

Canonical name: PidTagRuleName

Property ID: 0x6682

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_NAME, PR_RULE_NAME_A, ptagRuleName, PR_RULE_NAME_W

2.1076 PidTagRuleProvider

Canonical name: PidTagRuleProvider

Property ID: 0x6681

Data type: PtypString, 0x001F

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_PROVIDER, ptagRuleProvider, PR_RULE_PROVIDER_W

2.1077 PidTagRuleProviderData

Canonical name: PidTagRuleProviderData

Property ID: 0x6684

Data type: PtypBinary, 0x0102

Area: Server-Side Rules Properties

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_PROVIDER_DATA, ptagRuleProviderData

2.1078 PidTagRuleSequence

Canonical name: PidTagRuleSequence

Property ID: 0x6676

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [\[MS-OXCPRPT\]](#), [\[MS-OXCSTOR\]](#), [\[MS-OXCTABL\]-OXPROTO](#), [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_SEQUENCE, ptagRuleSequence

2.1079 PidTagRuleState

Canonical name: PidTagRuleState

Property ID: 0x6677

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_STATE, ptagRuleState

2.1080 PidTagRuleUserFlags

Canonical name: PidTagRuleUserFlags

Property ID: 0x6678

Data type: PtypInteger32, 0x0003

Area: Server-Side Rules Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXORULE\]](#)

Alternate names: PR_RULE_USER_FLAGS, ptagRuleUserFlags

2.1081 PidTagRwRulesStream

Canonical name: PidTagRwRulesStream

Property ID: 0x6802

Data type: PtypBinary, 0x0102

Area: Message Class Defined Transmittable

References: [\[MS-OXORULE\]](#)

Alternate names: PR_RW_RULES_STREAM

2.1082 PidTagScheduleInfoAppointmentTombstone

Canonical name: PidTagScheduleInfoAppointmentTombstone

Property ID: 0x686A

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [\[MS-OXOCAL\]](#)

Alternate names: PR_SCHDINFO_APPT_TOMBSTONE

2.1083 PidTagScheduleInfoAutoAcceptAppointments

Canonical name: PidTagScheduleInfoAutoAcceptAppointments

Property ID: 0x686D

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_AUTO_ACCEPT_APPTS

2.1084 PidTagScheduleInfoDelegateEntryIds

Canonical name: PidTagScheduleInfoDelegateEntryIds

Property ID: 0x6845

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [\[MS-OXODLGT\]](#)

Alternate names: PR_SCHDINFO_DELEGATE_ENTRYIDS

2.1085 PidTagScheduleInfoDelegateNames

Canonical name: PidTagScheduleInfoDelegateNames

Property ID: 0x6844

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [\[MS-OXMSG\]](#), [\[MS-OXODLGT\]](#)

Alternate names: PR_SCHDINFO_DELEGATE_NAMES

2.1086 PidTagScheduleInfoDelegateNamesW

Canonical name: PidTagScheduleInfoDelegateNamesW

Property ID: 0x684A

Data type: PtypMultipleString, 0x101F

Area: Free/Busy Properties

References: [\[MS-OXODLGT\]](#)

Alternate names: PR_SCHDINFO_DELEGATE_NAMES_W, ptagDelegateNames

2.1087 PidTagScheduleInfoDelegatorWantsCopy

Canonical name: PidTagScheduleInfoDelegatorWantsCopy

Property ID: 0x6842

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_BOSS_WANTS_COPY

2.1088 PidTagScheduleInfoDelegatorWantsInfo

Canonical name: PidTagScheduleInfoDelegatorWantsInfo

Property ID: 0x684B

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [\[MS-OXOCAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_BOSS_WANTS_INFO

2.1089 PidTagScheduleInfoDisallowOverlappingAppts

Canonical name: PidTagScheduleInfoDisallowOverlappingAppts

Property ID: 0x686F

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [\[MS-OXOCAL\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_DISALLOW_OVERLAPPING_APPTS

2.1090 PidTagScheduleInfoDisallowRecurringAppts

Canonical name: PidTagScheduleInfoDisallowRecurringAppts

Property ID: 0x686E

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [\[MS-OXODLGT\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_DISALLOW_RECURRING_APPTS

2.1091 PidTagScheduleInfoDontMailDelegates

Canonical name: PidTagScheduleInfoDontMailDelegates

Property ID: 0x6843

Data type: PtypBoolean, 0x000B

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_DONT_MAIL_DELEGATES

2.1092 PidTagScheduleInfoFreeBusy

Canonical name: PidTagScheduleInfoFreeBusy

Property ID: 0x686C

Data type: PtypBinary, 0x0102

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_FREEBUSY

2.1093 PidTagScheduleInfoFreeBusyAway

Canonical name: PidTagScheduleInfoFreeBusyAway

Property ID: 0x6856

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_FREEBUSY_OOF

2.1094 PidTagScheduleInfoFreeBusyBusy

Canonical name: PidTagScheduleInfoFreeBusyBusy

Property ID: 0x6854

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_FREEBUSY_BUSY

2.1095 PidTagScheduleInfoFreeBusyMerged

Canonical name: PidTagScheduleInfoFreeBusyMerged

Property ID: 0x6850

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_FREEBUSY_MERGED

2.1096 PidTagScheduleInfoFreeBusyTentative

Canonical name: PidTagScheduleInfoFreeBusyTentative

Property ID: 0x6852

Data type: PtypMultipleBinary, 0x1102

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_FREEBUSY_TENTATIVE

2.1097 PidTagScheduleInfoMonthsAway

Canonical name: PidTagScheduleInfoMonthsAway

Property ID: 0x6855

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_MONTHS_OOF

2.1098 PidTagScheduleInfoMonthsBusy

Canonical name: PidTagScheduleInfoMonthsBusy

Property ID: 0x6853

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [\[MS-OXMSG\]](#), [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_MONTHS_BUSY

2.1099 PidTagScheduleInfoMonthsMerged

Canonical name: PidTagScheduleInfoMonthsMerged

Property ID: 0x684F

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_MONTHS_MERGED

2.1100 PidTagScheduleInfoMonthsTentative

Canonical name: PidTagScheduleInfoMonthsTentative

Property ID: 0x6851

Data type: PtypMultipleInteger32, 0x1003

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_MONTHS_TENTATIVE

2.1101 PidTagScheduleInfoResourceType

Canonical name: PidTagScheduleInfoResourceType

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Free/Busy Properties

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SCHDINFO_RESOURCE_TYPE

2.1102 PidTagSchedulePlusFreeBusyEntryId

Canonical name: PidTagSchedulePlusFreeBusyEntryId

Property ID: 0x6622

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [\[MS-OXOPFFB\]](#)

Alternate names: PR_SPLUS_FREE_BUSY_ENTRYID

2.1103 PidTagScriptData

Canonical name: PidTagScriptData

Property ID: 0x0004

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [\[MS-OXOABKT\]](#)

Alternate names: PR_EMS_SCRIPT_BLOB

2.1104 PidTagSearchFolderDefinition

Canonical name: PidTagSearchFolderDefinition

Property ID: 0x6845

Data type: PtypBinary, 0x0102

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_DEFINITION

2.1105 PidTagSearchFolderEfpFlags

Canonical name: PidTagSearchFolderEfpFlags

Property ID: 0x6848

Data type: PtypInteger32, 0x0003

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_EFP_FLAGS

2.1106 PidTagSearchFolderExpiration

Canonical name: PidTagSearchFolderExpiration

Property ID: 0x683A

Data type: PtypInteger32, 0x0003

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_EXPIRATION

2.1107 PidTagSearchFolderId

Canonical name: PidTagSearchFolderId

Property ID: 0x6842

Data type: PtypBinary, 0x0102

Area: Search

References: [\[MS-OXOCFG\]](#), [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_ID

2.1108 PidTagSearchFolderLastUsed

Canonical name: PidTagSearchFolderLastUsed

Property ID: 0x6834

Data type: PtypInteger32, 0x0003

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_LAST_USED

2.1109 PidTagSearchFolderRecreateInfo

Canonical name: PidTagSearchFolderRecreateInfo

Property ID: 0x6844

Data type: PtypBinary, 0x0102

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_RECREATE_INFO

2.1110 PidTagSearchFolderStorageType

Canonical name: PidTagSearchFolderStorageType

Property ID: 0x6846

Data type: PtypInteger32, 0x0003

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_STORAGE_TYPE

2.1111 PidTagSearchFolderTag

Canonical name: PidTagSearchFolderTag

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_TAG

2.1112 PidTagSearchFolderTemplateId

Canonical name: PidTagSearchFolderTemplateId

Property ID: 0x6841

Data type: PtypInteger32, 0x0003

Area: Search

References: [\[MS-OXOSRCH\]](#)

Alternate names: PR_WB_SF_TEMPLATE_ID

2.1113 PidTagSearchKey

Canonical name: PidTagSearchKey

Property ID: 0x300B

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-NSPI\]](#), [\[MS-OXCFOOLD\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOJRNL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORULE\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SEARCH_KEY, ptagSearchKey

2.1114 PidTagSecureSubmitFlags

Canonical name: PidTagSecureSubmitFlags

Property ID: 0x65C6

Data type: PtypInteger32, 0x0003

Area: Exchange

References: [\[MS-OXCFXICS\]](#)

Alternate names: PR_SECURE_SUBMIT_FLAGS, ptagSecureSubmitFlags

2.1115 PidTagSecurityDescriptor

Canonical name: PidTagSecurityDescriptor

Property ID: 0x0E27

Data type: PtypBinary, 0x0102

Area: Access Control Properties

References: [\[MS-OXCMSG\]](#)

Alternate names: PR_NT_SECURITY_DESCRIPTOR

2.1116 PidTagSecurityDescriptorAsXml

Canonical name: PidTagSecurityDescriptorAsXml

Property ID: 0x0E6A

Data type: PtypString, 0x001F

Area: Access Control Properties Property set

References: [\[MS-OXCPERM\]](#), [\[MS-XWDVSEC\]](#)

Alternate names: PR_NT_SECURITY_DESCRIPTOR_AS_XML, PR_NT_SECURITY_DESCRIPTOR_AS_XML_A, PR_NT_SECURITY_DESCRIPTOR_AS_XML_W, <http://schemas.microsoft.com/exchange/security/descriptor>

2.1117 PidTagSelectable

Canonical name: PidTagSelectable

Property ID: 0x3609

Data type: PtypBoolean, 0x000B

Area: AB Container

References: [\[MS-OXOABKT\]](#)

Alternate names: PR_SELECTABLE

2.1118 PidTagSenderAddressType

Canonical name: PidTagSenderAddressType

Property ID: 0x0C1E

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOTASK\]](#), , [\[MS-OXTNEF\]](#), [\[MS-OXOPOST\]](#)

Alternate names: PR_SENDER_ADDRTYPE, PR_SENDER_ADDRTYPE_A, ptagSenderAddrType, PR_SENDER_ADDRTYPE_W

2.1119 PidTagSenderEmailAddress

Canonical name: PidTagSenderEmailAddress

Property ID: 0x0C1F

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCSPAM\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXPSVAL\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SENDER_EMAIL_ADDRESS, PR_SENDER_EMAIL_ADDRESS_A, PR_SENDER_EMAIL_ADDRESS_W

2.1120 PidTagSenderEntryId

Canonical name: PidTagSenderEntryId

Property ID: 0x0C19

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SENDER_ENTRYID, ptagSenderEntryId

2.1121 PidTagSenderFlags

Canonical name: PidTagSenderFlags

Property ID: 0x4019

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: ptagSenderFlags

2.1122 PidTagSenderIdStatus

Canonical name: PidTagSenderIdStatus

Property ID: 0x4079

Data type: PtypInteger32, 0x0003

Area: Secure Messaging Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXCSPAM\]](#)

Alternate names: PR_SENDER_ID_STATUS

2.1123 PidTagSenderName

Canonical name: PidTagSenderName

Property ID: 0x0C1A

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXCSYNC\]](#), [\[MS-OXORSS\]](#), [\[MS-XWDMAIL\]](#)

Alternate names: PR_SENDER_NAME, PR_SENDER_NAME_A, ptagSenderName, PR_SENDER_NAME_W, urn:schemas:httpmail:sendemame, http://schemas.microsoft.com/exchange/sender-name-utf8

2.1124 PidTagSenderSearchKey

Canonical name: PidTagSenderSearchKey

Property ID: 0x0C1D

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOTASK\]](#)

Alternate names: PR_SENDER_SEARCH_KEY, ptagSenderSearchKey

2.1125 PidTagSenderSimpleDisplayName

Canonical name: PidTagSenderSimpleDisplayName

Property ID: 0x4030

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [\[MS-OXTNEF\]](#)

Alternate names: ptagSenderSimpleDispName

2.1126 PidTagSenderSmtpAddress

Canonical name: PidTagSenderSmtpAddress

Property ID: 0x5D01

Data type: PtypString, 0x001F

Area: Mail

References: [\[MS-OXCMAIL\]](#)

Alternate names: SenderSmtpAddress, ptagSenderSmtpAddress

2.1127 PidTagSenderTelephoneNumber

Canonical name: PidTagSenderTelephoneNumber

Property ID: 0x6802

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: InternalSchemaSenderTelephoneNumber

2.1128 PidTagSendInternetEncoding

Canonical name: PidTagSendInternetEncoding

Property ID: 0x3A71

Data type: PtypInteger32, 0x0003

Area: Address Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_SEND_INTERNET_ENCODING, ptagSendInternetEncoding

2.1129 PidTagSendRichInfo

Canonical name: PidTagSendRichInfo

Property ID: 0x3A40

Data type: PtypBoolean, 0x000B

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_SEND_RICH_INFO, ptagSendRichInfo

2.1130 PidTagSensitivity

Canonical name: PidTagSensitivity

Property ID: 0x0036

Data type: PtypInteger32, 0x0003

Area: General Message Properties Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_SENSITIVITY, ptagSensitivity,
<http://schemas.microsoft.com/exchange/sensitivity-long>,
<http://schemas.microsoft.com/exchange/sensitivity>

2.1131 PidTagSentMailEntryId

Canonical name: PidTagSentMailEntryId

Property ID: 0x0E0A

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [\[MS-OXCICAL\]](#)

Alternate names: PR_SENTMAIL_ENTRYID, ptagSentMailEntryId

2.1132 PidTagSentMailSvrEID

Canonical name: PidTagSentMailSvrEID

Property ID: 0x6740

Data type: PtypServerId, 0x00FB

Area: ProviderDefinedNonTransmittable

References: [\[MS-OXCSTOR\]](#), [\[MS-OXOMSG\]](#)

Alternate names: ptagSentMailSvrEID

2.1133 PidTagSentRepresentingAddressType

Canonical name: PidTagSentRepresentingAddressType

Property ID: 0x0064

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SENT_REPRESENTING_ADDRTYPE, PR_SENT_REPRESENTING_ADDRTYPE_A, ptagSentRepresentingAddrType, PR_SENT_REPRESENTING_ADDRTYPE_W

2.1134 PidTagSentRepresentingEmailAddress

Canonical name: PidTagSentRepresentingEmailAddress

Property ID: 0x0065

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SENT_REPRESENTING_EMAIL_ADDRESS, PR_SENT_REPRESENTING_EMAIL_ADDRESS_A, PR_SENT_REPRESENTING_EMAIL_ADDRESS_W

2.1135 PidTagSentRepresentingEntryId

Canonical name: PidTagSentRepresentingEntryId

Property ID: 0x0041

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCADATA\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMail\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SENT_REPRESENTING_ENTRYID, ptagSentRepresentingEntryId

2.1136 PidTagSentRepresentingFlags

Canonical name: PidTagSentRepresentingFlags

Property ID: 0x401A

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXTNEF\]](#)

Alternate names: ptagSentRepresentingFlags

2.1137 PidTagSentRepresentingName

Canonical name: PidTagSentRepresentingName

Property ID: 0x0042

Data type: PtypString, 0x001F

Area: Address Properties Property set

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMail\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOTASK\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDMail\]](#)

Alternate names: PR_SENT_REPRESENTING_NAME, PR_SENT_REPRESENTING_NAME_A, ptagSentRepresentingName, PR_SENT_REPRESENTING_NAME_W, urn:schemas:httpmail:fromname, http://schemas.microsoft.com/exchange/from-name-utf8

2.1138 PidTagSentRepresentingSearchKey

Canonical name: PidTagSentRepresentingSearchKey

Property ID: 0x003B

Data type: PtypBinary, 0x0102

Area: Address Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXOTASK\]](#)

Alternate names: PR_SENT_REPRESENTING_SEARCH_KEY, ptagSentRepresentingSearchKey

2.1139 PidTagSentRepresentingSimpleDisplayName

Canonical name: PidTagSentRepresentingSimpleDisplayName

Property ID: 0x4031

Data type: PtypString, 0x001F

Area: TransportEnvelope

References: [\[MS-OXTNEF\]](#)

Alternate names: ptagSentRepresentingSimpleDispName

2.1140 PidTagSessionInitiationProtocolUri

Canonical name: PidTagSessionInitiationProtocolUri

Property ID: 0x5FE5

Data type: PtypString, 0x001F

Area: Unified Messaging

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagRecipientSipUri, SipUri

2.1141 PidTagSmtpAddress

Canonical name: PidTagSmtpAddress

Property ID: 0x39FE

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#), [\[MS-NSPI\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXSHARE\]](#)

Alternate names: PR_SMTP_ADDRESS, PR_SMTP_ADDRESS_A, PR_SMTP_ADDRESS_W

2.1142 PidTagSortLocaleId

Canonical name: PidTagSortLocaleId

Property ID: 0x6705

Data type: PtypInteger32, 0x0003

Area: ExchangeAdministrative

References: [\[MS-OXCSTOR\]](#), [\[MS-OXPFOAB\]](#)

Alternate names: PR_SORT_LOCALE_ID, ptagSortLocaleId

2.1143 PidTagSourceKey

Canonical name: PidTagSourceKey

Property ID: 0x65E0

Data type: PtypBinary, 0x0102

Area: Sync

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCSYNC\]](#)

Alternate names: PR_SOURCE_KEY

2.1144 PidTagSpokenName

Canonical name: PidTagSpokenName

Property ID: 0x8CC2

Data type: PtypBinary, 0x0102

Area: Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_UM_SPOKEN_NAME

2.1145 PidTagSpouseName

Canonical name: PidTagSpouseName

Property ID: 0x3A48

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_SPOUSE_NAME, PR_SPOUSE_NAME_A, PR_SPOUSE_NAME_W,
urn:schemas:contacts:spousecn

2.1146 PidTagStartDate

Canonical name: PidTagStartDate

Property ID: 0x0060

Data type: PtypTime, 0x0040

Area: MapiEnvelope Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXTNEF\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_START_DATE, http://schemas.microsoft.com/mapi/start_date

2.1147 PidTagStartDateEtc

Canonical name: PidTagStartDateEtc

Property ID: 0x301B

Data type: PtypBinary, 0x0102

Area: Archive

References: [MS-OXCMSG](#)

Alternate names: PR_START_DATE_ETC, ptagStartDateEtc

2.1148 PidTagStartEmbed

Canonical name: PidTagStartEmbed

Property ID: 0x4001

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagStartEmbed

2.1149 PidTagStartFAIMsg

Canonical name: PidTagStartFAIMsg

Property ID: 0x4010

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagStartFAIMsg

2.1150 PidTagStartMessage

Canonical name: PidTagStartMessage

Property ID: 0x400C

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagStartMessage

2.1151 PidTagStartRecip

Canonical name: PidTagStartRecip

Property ID: 0x4003

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagStartRecip

2.1152 PidTagStartSubFld

Canonical name: PidTagStartSubFld

Property ID: 0x400A

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagStartSubFld

2.1153 PidTagStartTopFld

Canonical name: PidTagStartTopFld

Property ID: 0x4009

Data type: PtypInteger32, 0x0003

Area: TransportEnvelope

References: [\[MS-OXCFXICS\]](#)

Alternate names: ptagStartTopFld

2.1154 PidTagStateOrProvince

Canonical name: PidTagStateOrProvince

Property ID: 0x3A28

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#) [\[MS-OXOAB\]](#)

Alternate names: PR_STATE_OR_PROVINCE, PR_STATE_OR_PROVINCE_A, PR_STATE_OR_PROVINCE_W, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_A, PR_BUSINESS_ADDRESS_STATE_OR_PROVINCE_W, um:schemas:contacts:mailingstate

2.1155 PidTagStoreEntryId

Canonical name: PidTagStoreEntryId

Property ID: 0x0FFB

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-OXOFLAG\]](#), [\[MS-OXSHARE\]](#), [\[MS-OXOCFG\]](#)

Alternate names: PR_STORE_ENTRYID, ptagStoreEntryId

2.1156 PidTagStoreState

Canonical name: PidTagStoreState

Property ID: 0x340E

Data type: PtypInteger32, 0x0003

Area: MapiMessageStore

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_STORE_STATE

2.1157 PidTagStoreSupportMask

Canonical name: PidTagStoreSupportMask

Property ID: 0x340D

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXOMSG\]](#)

Alternate names: PR_STORE_SUPPORT_MASK, ptagStoreSupportMask

2.1158 PidTagStreetAddress

Canonical name: PidTagStreetAddress

Property ID: 0x3A29

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_STREET_ADDRESS, PR_STREET_ADDRESS_A, PR_STREET_ADDRESS_W, PR_BUSINESS_ADDRESS_STREET, PR_BUSINESS_ADDRESS_STREET_A, PR_BUSINESS_ADDRESS_STREET_W, urn:schemas:contacts:mailingstreet

2.1159 PidTagSubfolder

Canonical name: PidTagSubfolder

Property ID: 0x6708

Data type: PtypBoolean, 0x000B

Area: ExchangeAdministrative Property set

References: [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: PR_SUBFOLDER, ptagSubfolder, DAV:isfolder

2.1160 PidTagSubfolders

Canonical name: PidTagSubfolders

Property ID: 0x360A

Data type: PtypBoolean, 0x000B

Area: MapiContainer

References: [\[MS-OXCFOLD\]](#), [\[MS-OXCICAL\]](#), [\[MS-XWDFOLD\]](#)

Alternate names: PR_SUBFOLDERS, ptagSubFolders, DAV:hassubs

2.1161 PidTagSubject

Canonical name: PidTagSubject

Property ID: 0x0037

Data type: PtypString, 0x001F

Area: General Message Properties Property set

References: [\[MS-OXCICAL\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXSHARE\]](#), [\[MS-OXTNEF\]](#), [\[MS-OXCADATA\]](#), [\[MS-OXCSPAM\]](#), [\[MS-OXCTABL-OXPROTO\]](#), [\[MS-OXMSG\]](#), [\[MS-OXOCFG\]](#), [\[MS-OXOJRN\]](#), [\[MS-OXORULE\]](#), [\[MS-OXPROTO\]](#), [\[MS-OXPSVAL\]](#), [\[MS-OXWAVLS\]](#), [\[MS-XWDMAIL\]](#), [\[MS-XWDCAL\]](#)

Alternate names: PR_SUBJECT, PR_SUBJECT_A, ptagSubject, PR_SUBJECT_W, urn:schemas:httpmail:subject, http://schemas.microsoft.com/exchange/subject-utf8

2.1162 PidTagSubjectPrefix

Canonical name: PidTagSubjectPrefix

Property ID: 0x003D

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCICAL\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXCPRPT\]](#), [\[MS-OXOCAL\]](#), [\[MS-OXOCNTC\]](#), [\[MS-OXODLGT\]](#), [\[MS-OXOMSG\]](#), [\[MS-OXONOTE\]](#), [\[MS-OXOPFFB\]](#), [\[MS-OXOPOST\]](#), [\[MS-OXORSS\]](#), [\[MS-OXOSMMS\]](#), [\[MS-OXSHARE\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_SUBJECT_PREFIX, PR_SUBJECT_PREFIX_A, ptagSubjectPrefix, PR_SUBJECT_PREFIX_W

2.1163 PidTagSubmitFlags

Canonical name: PidTagSubmitFlags

Property ID: 0x0E14

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [\[MS-OXCICAL\]](#)

Alternate names: PR_SUBMIT_FLAGS, ptagSubmitFlags

2.1164 PidTagSurname

Canonical name: PidTagSurname

Property ID: 0x3A11

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_SURNAME, PR_SURNAME_A, PR_SURNAME_W, urn:schemas:contacts:sn

2.1165 PidTagSwappedToDoData

Canonical name: PidTagSwappedToDoData

Property ID: 0x0E2D

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#)

Alternate names: PR_SWAPPED_TODO_DATA, ptagSwappedToDoData

2.1166 PidTagSwappedToDoStore

Canonical name: PidTagSwappedToDoStore

Property ID: 0x0E2C

Data type: PtypBinary, 0x0102

Area: MapiNonTransmittable

References: [\[MS-OXOFLAG\]](#), [\[MS-OXORMDR\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_SWAPPED_TODO_STORE, ptagSwappedToDoStore

2.1167 PidTagTargetEntryId

Canonical name: PidTagTargetEntryId

Property ID: 0x3010

Data type: PtypBinary, 0x0102

Area: ID Properties

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCRPC\]](#), [\[MS-OXCSYNC\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_TARGET_ENTRYID, ptagTargetEntryId

2.1168 PidTagTcvConstLongOne

Canonical name: PidTagTcvConstLongOne

Property ID: 0x8008

Data type: PtypInteger32, 0x0003

Area: PST Internal

References: [\[MS-OXCTABL\]](#)

Alternate names: PR_TCV_CONST_LONG_ONE

2.1169 PidTagTelecommunicationsDeviceForDeafTelephoneNumber

Canonical name: PidTagTelecommunicationsDeviceForDeafTelephoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_TTYTDD_PHONE_NUMBER, PR_TTYTDD_PHONE_NUMBER_A, PR_TTYTDD_PHONE_NUMBER_W, urn:schemas:contacts:tytddphone

2.1170 PidTagTelexNumber

Canonical name: PidTagTelexNumber

Property ID: 0x3A2C

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_TELEX_NUMBER, PR_TELEX_NUMBER_A, PR_TELEX_NUMBER_W, urn:schemas:contacts:telexnumber

2.1171 PidTagTemplateData

Canonical name: PidTagTemplateData

Property ID: 0x0001

Data type: PtypBinary, 0x0102

Area: Exchange Address Book

References: [\[MS-OXOABKT\]](#)

Alternate names: PR_EMS_TEMPLATE_BLOB

2.1172 PidTagTemplateid

Canonical name: PidTagTemplateid

Property ID: 0x3902

Data type: PtypBinary, 0x0102

Area: MapiAddressBook

References: [\[MS-NSPI\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_TEMPLATEID

2.1173 PidTagTemporaryDefaultDocument

Canonical name: PidTagTemporaryDefaultDocument

Property ID: 0x3F20

Data type: PtypString, 0x001F

Area: Structured Documents Property set

References: [\[MS-XWDSTRUCTDOC\]](#), [\[MS-XWDCAL\]](#)

Alternate names: DAV:defaultdocument

2.1174 PidTagTextAttachmentCharset

Canonical name: PidTagTextAttachmentCharset

Property ID: 0x371B

Data type: PtypString, 0x001F

Area: Message Attachment Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: ptagTextAttachmentCharset

2.1175 PidTagThumbnailPhoto

Canonical name: PidTagThumbnailPhoto

Property ID: 0x8C9E

Data type: PtypBinary, 0x0102

Area: Address Book

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_EMS_AB_THUMBNAIL_PHOTO

2.1176 PidTagTitle

Canonical name: PidTagTitle

Property ID: 0x3A17

Data type: PtypString, 0x001F

Area: MapiMailUser

References: [\[MS-NSPI\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_TITLE, PR_TITLE_A, PR_TITLE_W, urn:schemas:contacts:title

2.1177 PidTagTnefCorrelationKey

Canonical name: PidTagTnefCorrelationKey

Property ID: 0x007F

Data type: PtypBinary, 0x0102

Area: MapiEnvelope

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_TNEF_CORRELATION_KEY

2.1178 PidTagToDoItemFlags

Canonical name: PidTagToDoItemFlags

Property ID: 0x0E2B

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOFLAG\]](#), [\[MS-OXOSFLD\]](#)

Alternate names: PR_TODO_ITEM_FLAGS, ptagToDoItemFlags

2.1179 PidTagTransmittableDisplayName

Canonical name: PidTagTransmittableDisplayName

Property ID: 0x3A20

Data type: PtypString, 0x001F

Area: Address Properties

References: [\[MS-NSPI\]](#), [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#), [\[MS-OXOABK\]](#)

Alternate names: PR_TRANSMITABLE_DISPLAY_NAME, PR_TRANSMITABLE_DISPLAY_NAME_A, ptagTransmittableDisplayName, PR_TRANSMITABLE_DISPLAY_NAME_W

2.1180 PidTagTransportMessageHeaders

Canonical name: PidTagTransportMessageHeaders

Property ID: 0x007D

Data type: PtypString, 0x001F

Area: EMail

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCICAL\]](#), [\[MS-OXCMAIL\]](#), [\[MS-OXOMSG\]](#)

Alternate names: PR_TRANSPORT_MESSAGE_HEADERS, PR_TRANSPORT_MESSAGE_HEADERS_A, PR_TRANSPORT_MESSAGE_HEADERS_W

2.1181 PidTagTrustSender

Canonical name: PidTagTrustSender

Property ID: 0x0E79

Data type: PtypInteger32, 0x0003

Area: MapiNonTransmittable

References: [\[MS-OXCFXICS\]](#), [\[MS-OXCMSG\]](#)

Alternate names: PR_TRUST_SENDER, ptagTrustSender

2.1182 PidTagTtyTddPhoneNumber

Canonical name: PidTagTtyTddPhoneNumber

Property ID: 0x3A4B

Data type: PtypString, 0x001F

Area: Contact Properties

References: [\[MS-OXOCNTC\]](#)

Alternate names: PR_TTYTDD_PHONE_NUMBER

2.1183 PidTagUrlCompName

Canonical name: PidTagUrlCompName

Property ID: 0x10F3

Data type: PtypString, 0x001F

Area: General Message Properties

References: [\[MS-OXCMSG\]](#), [\[MS-OXTNEF\]](#)

Alternate names: PR_URL_COMP_NAME, PR_URL_COMP_NAME_A, PR_URL_COMP_NAME_W, ptagURLCompName

2.1184 PidTagUrlCompNameSet

Canonical name: PidTagUrlCompNameSet

Property ID: 0x0E62

Data type: PtypBoolean, 0x000B

Area: ID Properties

References: [\[MS-OXCMSG\]](#)

Alternate names: ptagURLCompNameSet

2.1185 PidTagUrlName

Canonical name: PidTagUrlName

Property ID: 0x6707

Data type: PtypString, 0x001F

Area: ExchangeAdministrative Property set

References: [\[MS-XWDCAL\]](#), [\[MS-XWDDOC\]](#)

Alternate names: PR_URL_NAME, PR_URL_NAME_A, PR_URL_NAME_W, ptagURLName, DAV:href

2.1186 PidTagUserCertificate

Canonical name: PidTagUserCertificate

Property ID: 0x3A22

Data type: PtypBinary, 0x0102

Area: MapiMailUser

References: [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_USER_CERTIFICATE, ptagUserCertificate, urn:schemas:contacts:usercertificate

2.1187 PidTagUserEntryId

Canonical name: PidTagUserEntryId

Property ID: 0x6619

Data type: PtypBinary, 0x0102

Area: ExchangeMessageStore

References: [\[MS-OXCSTOR\]](#)

Alternate names: PR_USER_ENTRYID, ptagUserEntryId

2.1188 PidTagUserX509Certificate

Canonical name: PidTagUserX509Certificate

Property ID: 0x3A70

Data type: PtypMultipleBinary, 0x1102

Area: MapiMailUser

References: [\[MS-OXLDAP\]](#), [\[MS-OXOAB\]](#), [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#)

Alternate names: PR_USER_X509_CERTIFICATE

2.1189 PidTagViewDescriptorBinary

Canonical name: PidTagViewDescriptorBinary

Property ID: 0x7001

Data type: PtypBinary, 0x0102

Area: MessageClassDefinedTransmittable

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_VD_BINARY

2.1190 PidTagViewDescriptorName

Canonical name: PidTagViewDescriptorName

Property ID: 0x7006

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_VD_NAME, PR_VD_NAME_W

2.1191 PidTagViewDescriptorStrings

Canonical name: PidTagViewDescriptorStrings

Property ID: 0x7002

Data type: PtypString, 0x001F

Area: MessageClassDefinedTransmittable

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_VD_STRINGS, PR_VD_STRINGS_W

2.1192 PidTagViewDescriptorVersion

Canonical name: PidTagViewDescriptorVersion

Property ID: 0x7007

Data type: PtypInteger32, 0x0003

Area: Miscellaneous Properties

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_VD_VERSION

2.1193 PidTagVoiceMessageAttachmentOrder

Canonical name: PidTagVoiceMessageAttachmentOrder

Property ID: 0x6805

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [\[MS-OXCMAIL\]](#), [\[MS-OXOUM\]](#)

Alternate names: InternalSchemaVoiceMessageAttachmentOrder

2.1194 PidTagVoiceMessageDuration

Canonical name: PidTagVoiceMessageDuration

Property ID: 0x6801

Data type: PtypInteger32, 0x0003

Area: Unified Messaging Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: InternalSchemaVoiceMessageDuration

2.1195 PidTagVoiceMessageSenderName

Canonical name: PidTagVoiceMessageSenderName

Property ID: 0x6803

Data type: PtypString, 0x001F

Area: Unified Messaging Properties

References: [\[MS-OXCMAIL\]](#)

Alternate names: InternalSchemaVoiceMessageSenderName

2.1196 PidTagWeddingAnniversary

Canonical name: PidTagWeddingAnniversary

Property ID: 0x3A41

Data type: PtypTime, 0x0040

Area: MapiMailUser

References: [\[MS-OXOABK\]](#), [\[MS-OXOCNTC\]](#), [\[MS-XWDCNTC\]](#)

Alternate names: PR_WEDDING_ANNIVERSARY, urn:schemas:contacts:weddinganniversary

2.1197 PidTagWlinkAddressBookEID

Canonical name: PidTagWlinkAddressBookEID

Property ID: 0x6854

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_ABEID PROP_TAG

2.1198 PidTagWlinkAddressBookStoreEID

Canonical name: PidTagWlinkAddressBookStoreEID

Property ID: 0x6891

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_AB_EXSTOREEID PROP_TAG

2.1199 PidTagWlinkCalendarColor

Canonical name: PidTagWlinkCalendarColor

Property ID: 0x6853

Data type: PtypInteger32, 0x0003

Area: MS-OXOCFG

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_CALENDAR_COLOR PROP_TAG

2.1200 PidTagWlinkClientID

Canonical name: PidTagWlinkClientID

Property ID: 0x6890

Data type: PtypGuid, 0x0048

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_CLIENTID PROP_TAG

2.1201 PidTagWlinkEntryId

Canonical name: PidTagWlinkEntryId

Property ID: 0x684C

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_ENTRYID PROP_TAG

2.1202 PidTagWlinkFlags

Canonical name: PidTagWlinkFlags

Property ID: 0x684A

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_FLAGS PROP_TAG

2.1203 PidTagWlinkFolderType

Canonical name: PidTagWlinkFolderType

Property ID: 0x684F

Data type: PtypGuid, 0x0048

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_FOLDER_TYPE: PROP_TAG

2.1204 PidTagWlinkGroupClsid

Canonical name: PidTagWlinkGroupClsid

Property ID: 0x6850

Data type: PtypGuid, 0x0048

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_GROUP_CLSID PROP_TAG

2.1205 PidTagWlinkGroupHeaderID

Canonical name: PidTagWlinkGroupHeaderID

Property ID: 0x6842

Data type: PtypGuid, 0x0048

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WB_SF_ID PROP_TAG

2.1206 PidTagWlinkGroupName

Canonical name: PidTagWlinkGroupName

Property ID: 0x6851

Data type: PtypString, 0x001F

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_GROUP_NAME PROP_TAG

2.1207 PidTagWlinkOrdinal

Canonical name: PidTagWlinkOrdinal

Property ID: 0x684B

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_ORDINAL PROP_TAG

2.1208 PidTagWlinkRecordKey

Canonical name: PidTagWlinkRecordKey

Property ID: 0x684D

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_RECKEY PROP_TAG

2.1209 PidTagWlinkROGroupType

Canonical name: PidTagWlinkROGroupType

Property ID: 0x6892

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_RO_GROUP_TYPE PROP_TAG

2.1210 PidTagWlinkSaveStamp

Canonical name: PidTagWlinkSaveStamp

Property ID: 0x6847

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WB_SF_TAG PROP_TAG

2.1211 PidTagWlinkSection

Canonical name: PidTagWlinkSection

Property ID: 0x6852

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_SECTION PROP_TAG

2.1212 PidTagWlinkStoreEntryId

Canonical name: PidTagWlinkStoreEntryId

Property ID: 0x684E

Data type: PtypBinary, 0x0102

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_STORE_ENTRYID PROP_TAG

2.1213 PidTagWlinkType

Canonical name: PidTagWlinkType

Property ID: 0x6849

Data type: PtypInteger32, 0x0003

Area: Configuration

References: [\[MS-OXOCFG\]](#)

Alternate names: PR_WLINK_TYPE PROP_TAG

3 Structure Examples

None.

4 Security Considerations

There are no security considerations unique to this specification.

5 Appendix A: Product Behavior

The information in this specification is applicable to the following product versions. References to product versions include released service packs.

- Microsoft Office Outlook 2003
- Microsoft Exchange Server 2003
- Microsoft Office Outlook 2007
- Microsoft Exchange Server 2007
- Microsoft Outlook 2010
- Microsoft Exchange Server 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

6 Change Tracking

This section identifies changes made to [MS-OXPROPS] protocol documentation between July 2009 and November 2009 releases. Changes are classed as major, minor, or editorial.

Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- A protocol is deprecated.
- The removal of a document from the documentation set.
- Changes made for template compliance.

Minor changes do not affect protocol interoperability or implementation. Examples are updates to fix technical accuracy or ambiguity at the sentence, paragraph, or table level.

Editorial changes apply to grammatical, formatting, and style issues.

No changes means that the document is identical to its last release.

Major and minor changes can be described further using the following revision types:

- New content added.
- Content update.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.

- Content removed for template compliance.
- Obsolete document removed.

Editorial changes always have the revision type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

Protocol syntax refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.

Protocol revision refers to changes made to a protocol that affect the bits that are sent over the wire.

Changes are listed in the following table. If you need further information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
[MS-OXPROPS]: Exchange Server Protocols Master Property List	53320 Deleted the word "Specification" from the document title.	N	Content removed due to protocol revision.
1.2.1 Normative References	50106 Added fifteen normative references.	Y	Content update.
1.2.1 Normative References	50141 Removed a normative reference that is not referred to in the document.	Y	Content removed.
1.3 Structure Overview	50105 Updated the description of "data type" to be a "property value type".	N	Content updated due to protocol revision.
1.3.2 Commonly Used Property Sets	53503 Added PSETID_Messaging property set information.	Y	New content added.
1.3.3 Property ID Ranges	51150 Added reference to [MS-NSPI].	N	Content update.
1.3.4 WebDAV Property Naming	51160 Updated content to move this section to be a subsection of section 1.3.	N	Content updated due to protocol revision.
2.36	52763	N	Content

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
PidLidAppointmentUnsendableRecipients	Changed the property long ID.		updated due to protocol revision.
2.51 PidLidCategories	50890 Updated property long ID.	N	Content updated due to protocol revision.
2.151 PidLidInboundICalStream	53503 Added property for MIME skeleton.	Y	New content added.
2.303 PidLidSingleBodyICal	53503 Added property for MIME skeleton.	Y	New content added.
2.374 PidNameApprovalAllowedDecisionMakers	53503 Added property for MIME skeleton.	Y	New content added.
2.375 PidNameApprovalRequestor	53503 Added property for MIME skeleton.	Y	New content added.
2.380 PidNameAuthenticatedAs	53503 Property added for MIME skeleton.	Y	New content added.
2.381 PidNameAuthenticatedDomain	53503 Added property for MIME skeleton.	Y	New content added.
2.382 PidNameAuthenticatedMechanism	53503 Added property for MIME skeleton.	Y	New content added.
2.383 PidNameAuthenticatedSource	53503 Added property for MIME skeleton.	Y	New content added.
2.384 PidNameAutomaticSpeechRecognitionData	50396 Added property set GUID.	N	Content update.
2.508 PidNameLocationUrl	53503 Added property for MIME skeleton.	Y	New content added.
2.524 PidNameOriginalSpamConfidenceLevel	53503 Added property for MIME skeleton.	Y	New content added.
2.525	53503	Y	New

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
PidNameOutlookProtectionRuleOverridden	Added property for MIME skeleton.		content added.
2.526 PidNameOutlookProtectionRuleTimestamp	53503 Added property for MIME skeleton.	Y	New content added.
2.527 PidNameOutlookProtectionRuleVersion	53503 Added property for MIME skeleton.	Y	New content added.
2.535 PidNameQuarantineOriginalSender	50396 Updated property set name and added property set GUID.	Y	Content update.
2.545 PidNameRightsProtectMessage	53503 Added property for MIME skeleton.	Y	New content added.
2.560 PidNameXCallId	50396 Updated property set name and added property set GUID.	N	Content update.
2.561 PidNameXFaxNumberOfPages	50396 Updated property set name and added property set GUID.	N	Content update.
2.565 PidNameXRequireProtectedPlayOnPhone	50396 Updated property set name and added property set GUID.	N	Content update.
2.566 PidNameXSenderTelephoneNumber	50396 Updated property set name and added property set GUID.	N	Content update.
2.582 PidNameXUnifiedMessagingPartnerAssignedId	53503 Added property for MIME skeleton.	Y	New content added.
2.583 PidNameXUnifiedMessagingPartnerContent	53503 Added property for MIME skeleton.	Y	New content added.
2.584 PidNameXUnifiedMessagingPartnerContext	53503 Added property for MIME skeleton.	Y	New content added.
2.585 PidNameXUnifiedMessagingPartnerStatus	53503 Added property for MIME skeleton.	Y	New content added.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
2.587 PidNameXVoiceMessageAttachmentOrder	50396 Updated property set name and added property set GUID.	N	Content update.
2.588 PidNameXVoiceMessageDuration	50396 Updated property set name and added property set GUID.	N	Content update.
2.589 PidNameXVoiceMessageSenderName	50396 Updated property set name and added property set GUID.	N	Content update.
2.630 PidTagAddressBookParentEntryId	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.633 PidTagAddressBookPhoneticDisplayName	53567 Updated link to reference document [MS-NSPI].	N	Content update.
2.643 PidTagAddressBookSeniorityIndex	50102 Removed duplicate property section and transferred alternate property name from deleted duplicate to this property section.	N	Content removed.
2.719 PidTagContainerContents	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.720 PidTagContainerFlags	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.723 PidTagContentFilterPhishingConfidenceLevel	53503 Added property for MIME skeleton.	Y	New content added.
2.748 PidTagDepth	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.751 PidTagDisplayName	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.754 PidTagDisplayType	53567 Updated link to normative reference [MS-NSPI].	N	Content update.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
2.757 PidTagEmailAddress	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.758 PidTagEndAttach	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.760 PidTagEndEmbed	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.761 PidTagEndFolder	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.762 PidTagEndMessage	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.763 PidTagEndToRecip	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.764 PidTagEntryId	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.792 PidTagFXErrorInfo	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.829 PidTagIncrSyncChg	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.830 PidTagIncrSyncChgPartial	48454 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
			revision.
2.831 PidTagIncrSyncDel	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.832 PidTagIncrSyncEnd	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.834 PidTagIncrSyncGroupInfo	48524 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.835 PidTagIncrSyncMessage	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.836 PidTagIncrSyncProgressMode	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.837 PidTagIncrSyncProgressPerMsg	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.838 PidTagIncrSyncRead	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.839 PidTagIncrSyncStateBegin	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.840 PidTagIncrSyncStateEnd	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
2.841 PidTagInitialDetailsPane	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.844 PidTagInstanceKey	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.910 PidTagNewAttach	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.916 PidTagObjectType	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.917 PidTagOfficeLocation	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.939 PidTagOriginalMessageId	53503 Property added for MIME skeleton.	Y	New content added.
2.979 PidTagPrimaryTelephoneNumber	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.991 PidTagReadReceiptAddressType	53503 Added property for MIME skeleton.	Y	New content added.
2.992 PidTagReadReceiptEmailAddress	53503 Added property for MIME skeleton.	Y	New content added.
2.994 PidTagReadReceiptName	53503 Property added for MIME skeleton.	Y	New content added.
2.1009 PidTagReceivedRepresentingSimpleDisplayName	50104 Removed a duplicate of this property.	N	Content removed.
2.1022 PidTagRecordKey	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.1026 PidTagRemoteMessageTransferAgent	53503 Property added for MIME skeleton.	Y	New content added.
2.1034	53503	Y	New

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
PidTagReportingMessageTransferAgent	Property added for MIME skeleton.		content added.
2.1060 PidTagRuleActions	51911 Updated data type.	N	Content update.
2.1062 PidTagRuleCondition	51911 Updated data type.	N	Content update.
2.1086 PidTagScheduleInfoDelegateNamesW	53334 Updated the property type to PtypMultipleString and added a ptag alternate name.	N	Content update.
2.1113 PidTagSearchKey	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.1126 PidTagSenderSmtpAddress	53503 Added property for MIME skeleton.	Y	New content added.
2.1132 PidTagSentMailSvrEID	52230 Updated Data type.	N	Content update.
2.1140 PidTagSessionInitiationProtocolUri	53503 Added property for MIME skeleton.	Y	New content added.
2.1141 PidTagSmtpAddress	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.1148 PidTagStartEmbed	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.1149 PidTagStartFAIMsg	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.1150 PidTagStartMessage	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.1151 PidTagStartRecip	51006 Added new marker property for FastTransfer	N	New content added due

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
	stream.		to protocol revision.
2.1152 PidTagStartSubFld	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.1153 PidTagStartTopFld	51006 Added new marker property for FastTransfer stream.	N	New content added due to protocol revision.
2.1172 PidTagTemplateid	53567 Updated link to normative reference [MS-NSPI].	N	Content update.
2.1179 PidTagTransmittableDisplayName	53567 Updated link to normative reference [MS-NSPI].	N	Content update.

7 Index

A

[Applicability](#) 35

C

[Change tracking](#) 358

F

[Fields - vendor-extensible](#) 35

G

[Glossary](#) 27

I

[Implementer - security considerations](#) 356

[Introduction](#) 27

N

[Normative references](#) 27

O

[Overview \(synopsis\)](#) 30

P

[Product behavior](#) 357

R

References

[normative](#) 27

[Relationship to protocols and other structures](#) 35

S

[Security - implementer considerations](#) 356

T

[Tracking changes](#) 358

V

[Vendor-extensible fields](#) 35