

# [MS-OXSHARE]: Sharing Message Object Protocol Specification

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability.
04/25/2008	0.2		Revised and updated property names and other technical content.
06/27/2008	1.0		Initial Release.
08/06/2008	1.01		Revised and edited technical content.
12/02/2009	1.02		Updated references.
12/03/2008	1.03		Updated IP notice.
04/10/2009	2.0		Updated technical content and applicable product releases.
07/15/2009	3.0	Major	Revised and edited for technical content.
11/04/2009	3.0.1	Editorial	Revised and edited the technical content.
02/10/2010	3.0.1	None	Version 3.0.1 release
05/05/2010	3.0.2	Editorial	Revised and edited the technical content.
08/04/2010	4.0	Major	Significantly changed the technical content.
11/03/2010	5.0	Major	Significantly changed the technical content.
03/18/2011	5.0	No change	No changes to the meaning, language, and formatting of the technical content.

# Table of Contents

<b>1 Introduction</b>	<b>5</b>
1.1 Glossary	5
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	6
1.3 Overview	6
1.4 Relationship to Other Protocols	7
1.5 Prerequisites/Preconditions	7
1.6 Applicability Statement	7
1.7 Versioning and Capability Negotiation	7
1.8 Vendor-Extensible Fields	7
1.9 Standards Assignments	7
<b>2 Messages</b>	<b>8</b>
2.1 Transport	8
2.2 Message Syntax	8
2.2.1 Common Message Object Properties	8
2.2.1.1 PidTagNormalizedSubject	8
2.2.1.2 PidTagSubjectPrefix	9
2.2.2 Common Sharing Message Object Properties	9
2.2.2.1 PidLidSharingCapabilities	9
2.2.2.2 PidNameXSharingCapabilities	9
2.2.2.3 PidLidSharingConfigurationUrl	9
2.2.2.4 PidNameXSharingConfigUrl	9
2.2.2.5 PidLidSharingFlavor	9
2.2.2.6 PidNameXSharingFlavor	10
2.2.2.7 PidLidSharingInitiatorEntryId	10
2.2.2.8 PidLidSharingInitiatorName	10
2.2.2.9 PidLidSharingInitiatorSmtpt	10
2.2.2.10 PidLidSharingLocalType	10
2.2.2.11 PidNameXSharingLocalType	10
2.2.2.12 PidLidSharingProviderGuid	11
2.2.2.13 PidNameXSharingProviderGuid	11
2.2.2.14 PidLidSharingProviderName	11
2.2.2.15 PidNameXSharingProviderName	11
2.2.2.16 PidLidSharingProviderUrl	11
2.2.2.17 PidNameXSharingProviderUrl	11
2.2.3 Sharing Request Properties	11
2.2.3.1 PidLidSharingResponseTime	11
2.2.3.2 PidLidSharingResponseType	12
2.2.4 Sharing Invitation Properties	12
2.2.4.1 PidLidSharingRemoteName	12
2.2.4.2 PidNameXSharingRemoteName	12
2.2.4.3 PidLidSharingRemoteStoreUid	12
2.2.4.4 PidNameXSharingRemoteStoreUid	12
2.2.4.5 PidLidSharingRemoteType	12
2.2.4.6 PidNameXSharingRemoteType	13
2.2.4.7 PidLidSharingRemoteUid	13
2.2.4.8 PidNameXSharingRemoteUid	13
2.2.5 Ignored Properties	13

2.2.6	Additional Property Constraints .....	15
2.2.6.1	PidNameContentClass .....	15
2.2.6.2	PidTagMessageClass .....	15
<b>3</b>	<b>Protocol Details .....</b>	<b>16</b>
3.1	Client Details.....	16
3.1.1	Abstract Data Model .....	16
3.1.2	Timers .....	16
3.1.3	Initialization .....	16
3.1.4	Higher-Layer Triggered Events.....	16
3.1.4.1	Creating a Sharing Invitation .....	16
3.1.4.2	Creating a Sharing Request.....	18
3.1.4.3	Creating a Sharing Response – Accept .....	19
3.1.4.4	Creating a Sharing Response – Deny.....	21
3.1.5	Message Processing Events and Sequencing Rules.....	23
3.1.6	Timer Events .....	23
3.1.7	Other Local Events .....	23
<b>4</b>	<b>Protocol Examples .....</b>	<b>24</b>
4.1	Sending a Sharing Request .....	26
4.2	Denying a Sharing Request .....	28
4.3	Accepting a Sharing Request.....	30
<b>5</b>	<b>Security .....</b>	<b>34</b>
5.1	Security Considerations for Implementers.....	34
5.2	Index of Security Parameters .....	34
<b>6</b>	<b>Appendix A: Product Behavior .....</b>	<b>35</b>
<b>7</b>	<b>Change Tracking.....</b>	<b>37</b>
<b>8</b>	<b>Index .....</b>	<b>38</b>

# 1 Introduction

The Sharing Message Object Protocol specifies the format of messages that enable a user to communicate status about the sharing of folders.

This document specifies the following:

- The message format used to inform users that they have been granted access to another user's folder and provide the information necessary to locate that folder.
- The message format used to request access to a user's folder.
- The message format used to respond to requests for access to a folder.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**big-endian  
handle**

The following terms are defined in [\[MS-OXGLOS\]](#):

**Address Book object  
Message object  
named property  
property ID  
recipient  
remote operation (ROP)  
restriction  
special folder  
Uniform Resource Locator (URL)**

The following terms are specific to this document:

**sharing invitation:** A type of Sharing Message object that informs a user that the user was granted access to another user's folder and provides the information necessary to locate that folder.

**Sharing Message object:** A Message object that is used to inform a recipient that they were granted access to another user's folder, request access to a recipient's folder, or respond to a request for access to a folder.

**sharing provider:** A software agent that is responsible for properly generating and processing a predefined Sharing Message object format.

**sharing request:** A type of Sharing Message object that is used to request access to a user's folder.

**sharing response:** A type of Sharing Message object that is used to respond to a sharing request.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-OXCDATA] Microsoft Corporation, "[Data Structures](#)", April 2008.

[MS-OXCFOLD] Microsoft Corporation, "[Folder Object Protocol Specification](#)", June 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", June 2008.

[MS-OXCPRPT] Microsoft Corporation, "[Property and Stream Object Protocol Specification](#)", June 2008.

[MS-OXOABK] Microsoft Corporation, "[Address Book Object Protocol Specification](#)", April 2008.

[MS-OXODLGT] Microsoft Corporation, "[Delegate Access Configuration Protocol Specification](#)", June 2008.

[MS-OXOMSG] Microsoft Corporation, "[E-Mail Object Protocol Specification](#)", June 2008.

[MS-OXOSFLD] Microsoft Corporation, "[Special Folders Protocol Specification](#)", June 2008.

[MS-OXPROPS] Microsoft Corporation, "[Exchange Server Protocols Master Property List](#)", April 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

### 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)", March 2007.

[MS-OXCROPS] Microsoft Corporation, "[Remote Operations \(ROP\) List and Encoding Protocol Specification](#)", June 2008.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

## 1.3 Overview

The Sharing Message Object Protocol allows for the representation of a communication related to sharing a folder. It extends the Message and Attachment Object Protocol in that it defines new properties and adds **restrictions** to the properties that are specified in [\[MS-OXCMSG\]](#).

The Sharing Message Object Protocol specifies the format and semantics of the **Sharing Message object**. The properties that are specific to a Sharing Message object facilitate communication about granting access to a folder, requesting access to a folder, or responding to a request for access to a folder

## 1.4 Relationship to Other Protocols

This specification extends the Message and Attachment Object Protocol specified in [\[MS-OXCMSG\]](#) and relies on an understanding of how to work with properties, folders, and **special folders** which are specified in [\[MS-OXCPRPT\]](#), [\[MS-OXCFOLD\]](#), and [\[MS-OXOSFLD\]](#). It also uses the E-mail Object Protocol specified in [\[MS-OXOMSG\]](#) for message submission and delivery.

## 1.5 Prerequisites/Preconditions

The Sharing Message Object Protocol has the same prerequisites and preconditions as specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).

## 1.6 Applicability Statement

The Sharing Message Object Protocol can be used to notify another user that access has been granted to a folder. This protocol can also be used to request access to a folder and to respond to such requests.

The Sharing Message Object Protocol cannot be used to convey information about any type of object other than folders.

## 1.7 Versioning and Capability Negotiation

None.

## 1.8 Vendor-Extensible Fields

This protocol provides no vendor-extensibility beyond what is specified in [\[MS-OXCMSG\]](#).

## 1.9 Standards Assignments

None.

## 2 Messages

### 2.1 Transport

The Sharing Message Object Protocol uses the protocols specified in [\[MS-OXCPRPT\]](#) and [\[MS-OXCMSG\]](#) as its primary transport mechanism.

### 2.2 Message Syntax

A Sharing Message object can be created and modified by clients and servers. Except where noted, this section defines constraints under which both clients and servers operate.

Clients operate on Sharing Message objects by using the E-mail Object Protocol specified in [\[MS-OXOMSG\]](#) and the Message and Attachment Object Protocol specified in [\[MS-OXCMSG\]](#). How a server operates on Sharing Message objects is implementation-dependent. The results of any such operation are exposed to clients in a manner that is consistent with the Sharing Object Protocol.

Unless otherwise specified, a Sharing Message object adheres to all property constraints specified in [\[MS-OXPROPS\]](#) and all property constraints specified in [\[MS-OXCMSG\]](#). A Sharing Message object can also contain other properties specified in [\[MS-OXPROPS\]](#), but these properties have no effect on the Sharing Message Object Protocol.

Where a string value is specified as a hexadecimal string representation of a binary value, the string value is a sequence of hexadecimal digits that reflect the byte sequence of the binary value. For example, the string "00000000DCA740C8" is the hexadecimal string representation of the following byte sequence:

```
0000 00 00 00 00 dc a7 40 c8
```

Where a string value is specified as a hexadecimal string representation of an integer value, the string value is a sequence of hexadecimal digits that reflect the integer value in **big-endian** format, without an "0x" prefix, and without leading "0" characters. For example, the hexadecimal string representation of the integer 0x0000010B would be "10B".

Sharing Message object properties can be of several different data types. The following data types used by Sharing Message object properties are specified in [\[MS-OXCDATA\]](#) section 2.11.1:

- PtypBinary
- PtypInteger32
- PtypString
- PtypTime

#### 2.2.1 Common Message Object Properties

The following properties are general properties used by Sharing Message objects. The constraints on these properties are specified in [\[MS-OXPROPS\]](#).

##### 2.2.1.1 PidTagNormalizedSubject

This property is specified in [\[MS-OXPROPS\]](#) section 2.907.



### 2.2.1.2 PidTagSubjectPrefix

This property is specified in [\[MS-OXPROPS\]](#) section 2.1146.

## 2.2.2 Common Sharing Message Object Properties

The following properties are specific to Sharing Message objects.

### 2.2.2.1 PidLidSharingCapabilities

Type: PtypInteger32.

MUST be one of the following values:

Value	Scenario
0x00040290	This Sharing Message object relates to a special folder.
0x000402B0	This Sharing Message object does not relate to a special folder.

### 2.2.2.2 PidNameXSharingCapabilities

Type: PtypString.

The hexadecimal string representation of **PidLidSharingCapabilities** ([\[MS-OXPROPS\]](#) section 2.235).

### 2.2.2.3 PidLidSharingConfigurationUrl

Type: PtypString.

MUST be a zero-length string.

### 2.2.2.4 PidNameXSharingConfigUrl

Type: PtypString.

MUST be set to the same value as **PidLidSharingConfigurationUrl** ([\[MS-OXPROPS\]](#) section 2.236).

### 2.2.2.5 PidLidSharingFlavor

Type: PtypInteger32.

MUST be one of the following values:

Value	Type of Sharing Message object
0x00020310	A <b>sharing invitation</b> for a special folder.
0x00000310	A sharing invitation for a folder that is not a special folder.
0x00020500	A <b>sharing request</b> .
0x00020710	Both a sharing invitation for a special folder and a sharing request for the <b>recipient's</b> equivalent special folder.

Value	Type of Sharing Message object
0x00025100	A <b>sharing response</b> denying a request.
0x00023310	A sharing response accepting a request (also a type of sharing invitation).

### 2.2.2.6 PidNameXSharingFlavor

Type: **PtypString**.

MUST be set to the hexadecimal string representation of the value of **PidLidSharingFlavor** ([\[MS-OXPROPS\]](#) section 2.243).

### 2.2.2.7 PidLidSharingInitiatorEntryId

Type: **PtypBinary**.

MUST be set to the value of **PidTagEntryId** ([\[MS-OXPROPS\]](#) section 2.759) for the **Address Book object** of the currently logged on user (see [\[MS-OXOABK\]](#)).

### 2.2.2.8 PidLidSharingInitiatorName

Type: **PtypString**.

MUST be set to the value of **PidTagDisplayName** ([\[MS-OXPROPS\]](#) section 2.746) from the Address Book object identified by **PidLidSharingInitiatorEntryId** ([\[MS-OXPROPS\]](#) section 2.246) and SHOULD be ignored. <1>

### 2.2.2.9 PidLidSharingInitiatorSmtip

Type: **PtypString**.

MUST be set to the value of **PidTagSmtipAddress** ([\[MS-OXPROPS\]](#) section 2.1125) from the Address Book object identified by **PidLidSharingInitiatorEntryId** ([\[MS-OXPROPS\]](#) section 2.246) and SHOULD be ignored. <2>

### 2.2.2.10 PidLidSharingLocalType

Type: **PtypString**.

MUST be set to the value of **PidTagContainerClass** ([\[MS-OXPROPS\]](#) section 2.712) of the folder being shared and MUST be one of the following values:

- "IPF.Appointment"
- "IPF.Contact"
- "IPF.Task"
- "IPF.StickyNote"
- "IPF.Journal"

### 2.2.2.11 PidNameXSharingLocalType

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingLocalType**.

#### 2.2.2.12 PidLidSharingProviderGuid

Type: **PtypBinary**.

MUST be set to %xAE.F0.06.00.00.00.00.00.C0.00.00.00.00.00.46.

#### 2.2.2.13 PidNameXSharingProviderGuid

Type: **PtypString**.

MUST be set to the hexadecimal string representation of the value of **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.264). That is, "AEF0060000000000C0000000000046".

#### 2.2.2.14 PidLidSharingProviderName

Type: **PtypString**.

A user-displayable name of the **sharing provider** identified by **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.264). SHOULD be ignored. <3>

#### 2.2.2.15 PidNameXSharingProviderName

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingProviderName** ([\[MS-OXPROPS\]](#) section 2.265) and SHOULD be ignored. <4>

#### 2.2.2.16 PidLidSharingProviderUrl

Type: **PtypString**.

A **Uniform Resource Locator (URL)** related to the sharing provider identified by **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.265). Generally used to provide more information about the sharing provider. SHOULD be ignored. <5>

#### 2.2.2.17 PidNameXSharingProviderUrl

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.265) and SHOULD be ignored. <6>

### 2.2.3 Sharing Request Properties

The following property constraints are specific to sharing requests to which the user has responded, which are Sharing Message objects with a **PidLidSharingFlavor** ([\[MS-OXPROPS\]](#) section 2.243) value of 0x00020500 or 0x00020710. For all other types of Sharing Message objects, these properties MUST NOT be set.

#### 2.2.3.1 PidLidSharingResponseTime

Type: **PtypTime**.

The time at which the recipient of the sharing request sent a sharing response.

### 2.2.3.2 PidLidSharingResponseType

Type: **PtypInteger32**.

The type of response with which the recipient of the sharing request responded. MUST be one of the following values:

Value	Meaning
0x00000001	Accepted
0x00000002	Denied

### 2.2.4 Sharing Invitation Properties

The following property constraints are specific to sharing invitations, which are Sharing Message objects with a **PidLidSharingFlavor** ([\[MS-OXPROPS\]](#) section 2.243) value of 0x00020310, 0x00000310, 0x0020710, or 0x0023310. For all other types of Sharing Message objects, these properties SHOULD NOT be set and MUST be ignored. [<7>](#)

#### 2.2.4.1 PidLidSharingRemoteName

Type: **PtypString**.

MUST be set to the value of **PidTagDisplayName** ([\[MS-OXPROPS\]](#) section 2.746) on the folder being shared.

#### 2.2.4.2 PidNameXSharingRemoteName

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingRemoteName** ([\[MS-OXPROPS\]](#) section 2.275).

#### 2.2.4.3 PidLidSharingRemoteStoreUid

Type: **PtypString**.

MUST be set to a hexadecimal string representation of the value of **PidTagStoreEntryId** ([\[MS-OXPROPS\]](#) section 2.1139) on the folder being shared.

#### 2.2.4.4 PidNameXSharingRemoteStoreUid

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingRemoteStoreUid** ([\[MS-OXPROPS\]](#) section 2.278).

#### 2.2.4.5 PidLidSharingRemoteType

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingLocalType** ([\[MS-OXPROPS\]](#) section 2.257) and SHOULD be ignored. [<8>](#)

#### 2.2.4.6 PidNameXSharingRemoteType

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingRemoteType** ([\[MS-OXPROPS\]](#) section 2.279) and SHOULD be ignored. <9>

#### 2.2.4.7 PidLidSharingRemoteUid

Type: **PtypString**.

MUST be set to the hexadecimal string representation of the value of **PidTagEntryId** ([\[MS-OXPROPS\]](#) section 2.759) on the folder being shared.

#### 2.2.4.8 PidNameXSharingRemoteUid

Type: **PtypString**.

MUST be set to the same value as **PidLidSharingRemoteUid** ([\[MS-OXPROPS\]](#) section 2.280).

### 2.2.5 Ignored Properties

The value of the following properties SHOULD NOT be set and MUST be ignored: <10>

- **PidLidSharingAnonymity** ([\[MS-OXPROPS\]](#) section 2.232)
- **PidLidSharingBindingEntryId** ([\[MS-OXPROPS\]](#) section 2.233)
- **PidLidSharingBrowseUrl** ([\[MS-OXPROPS\]](#) section 2.234)
- **PidNameXSharingBrowseUrl** ([\[MS-OXPROPS\]](#) section 2.559)
- **PidLidSharingDataRangeEnd** ([\[MS-OXPROPS\]](#) section 2.237)
- **PidLidSharingDataRangeStart** ([\[MS-OXPROPS\]](#) section 2.238)
- **PidLidSharingDetail** ([\[MS-OXPROPS\]](#) section 2.239)
- **PidLidSharingExtensionXml** ([\[MS-OXPROPS\]](#) section 2.240)
- **PidNameXSharingExendedCaps** ([\[MS-OXPROPS\]](#) section 2.562)
- **PidLidSharingFilter** ([\[MS-OXPROPS\]](#) section 2.241)
- **PidLidSharingFlags** ([\[MS-OXPROPS\]](#) section 2.242)
- **PidLidSharingFolderEntryId** ([\[MS-OXPROPS\]](#) section 2.244)
- **PidLidSharingIndexEntryId** ([\[MS-OXPROPS\]](#) section 2.245)
- **PidLidSharingInstanceGuid** ([\[MS-OXPROPS\]](#) section 2.249)
- **PidNameXSharingInstanceGuid** ([\[MS-OXPROPS\]](#) section 2.564)
- **PidLidSharingLastAutoSyncTime** ([\[MS-OXPROPS\]](#) section 2.250)
- **PidLidSharingLastSyncTime** ([\[MS-OXPROPS\]](#) section 2.251)

- PidLidSharingLocalComment ([\[MS-OXPROPS\]](#) section 2.252)
- PidLidSharingLocalLastModificationTime ([\[MS-OXPROPS\]](#) section 2.253)
- PidLidSharingLocalName ([\[MS-OXPROPS\]](#) section 2.254)
- PidLidSharingLocalPath ([\[MS-OXPROPS\]](#) section 2.255)
- PidLidSharingLocalStoreUid ([\[MS-OXPROPS\]](#) section 2.256)
- PidLidSharingLocalUid ([\[MS-OXPROPS\]](#) section 2.258)
- PidLidSharingOriginalMessageEntryId ([\[MS-OXPROPS\]](#) section 2.259)
- PidLidSharingParentBindingEntryId ([\[MS-OXPROPS\]](#) section 2.260)
- PidLidSharingParticipants ([\[MS-OXPROPS\]](#) section 2.261)
- PidLidSharingPermissions ([\[MS-OXPROPS\]](#) section 2.262)
- PidLidSharingProviderExtension ([\[MS-OXPROPS\]](#) section 2.263)
- PidLidSharingRangeEnd ([\[MS-OXPROPS\]](#) section 2.267)
- PidLidSharingRangeStart ([\[MS-OXPROPS\]](#) section 2.268)
- PidLidSharingReciprocation ([\[MS-OXPROPS\]](#) section 2.269)
- PidLidSharingRemoteByteSize ([\[MS-OXPROPS\]](#) section 2.270)
- PidLidSharingRemoteComment ([\[MS-OXPROPS\]](#) section 2.271)
- PidLidSharingRemoteCrc ([\[MS-OXPROPS\]](#) section 2.272 )
- PidLidSharingRemoteLastModificationTime ( )
- PidLidSharingRemoteMessageCount ([\[MS-OXPROPS\]](#) section 2.273)
- PidLidSharingRemotePass ([\[MS-OXPROPS\]](#) section 2.276)
- PidLidSharingRemotePath ([\[MS-OXPROPS\]](#) section 2.277)
- PidNameXSharingRemotePath ([\[MS-OXPROPS\]](#) section 2.570)
- PidLidSharingRemoteUser ([\[MS-OXPROPS\]](#) section 2.281)
- PidLidSharingRemoteVersion ([\[MS-OXPROPS\]](#) section 2.282)
- PidLidSharingRoamLog ([\[MS-OXPROPS\]](#) section 2.285)
- PidLidSharingStart ([\[MS-OXPROPS\]](#) section 2.286)
- PidLidSharingStatus ([\[MS-OXPROPS\]](#) section 2.287)
- PidLidSharingStop ([\[MS-OXPROPS\]](#) section 2.288)
- PidLidSharingSyncFlags ([\[MS-OXPROPS\]](#) section 2.289)
- PidLidSharingSyncInterval ([\[MS-OXPROPS\]](#) section 2.290)

- PidLidSharingTimeToLive ([\[MS-OXPROPS\]](#) section 2.291)
- PidLidSharingTimeToLiveAuto ([\[MS-OXPROPS\]](#) section 2.292)
- PidLidSharingWorkingHoursDays ([\[MS-OXPROPS\]](#) section 2.293)
- PidLidSharingWorkingHoursEnd ([\[MS-OXPROPS\]](#) section 2.294)
- PidLidSharingWorkingHoursStart ([\[MS-OXPROPS\]](#) section 2.295)
- PidLidSharingWorkingHoursTimeZone ([\[MS-OXPROPS\]](#) section 2.296)

## 2.2.6 Additional Property Constraints

This document specifies additional constraints on the following properties beyond what is specified in [\[MS-OXCMSG\]](#).

### 2.2.6.1 PidNameContentClass

Type: **PtypString**.

MUST be set to "Sharing".

### 2.2.6.2 PidTagMessageClass

Type: **PtypString**.

MUST be set to "IPM.Sharing" or a value that begins with "IPM.Sharing".

## 3 Protocol Details

There is no server role beyond those specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).

### 3.1 Client Details

The client role is to create and operate on Sharing Message objects and otherwise operate in the client role, as specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).<11>

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This specification does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

A Sharing Message object extends the **Message object** and has an abstract data model that does not differ from that specified in [\[MS-OXCMSG\]](#).

#### 3.1.2 Timers

None.

#### 3.1.3 Initialization

None.

#### 3.1.4 Higher-Layer Triggered Events

##### 3.1.4.1 Creating a Sharing Invitation

The following table lists the properties and the corresponding values that **MUST** be set, as specified in section [2.2](#), to create a sharing invitation.

Property	Valid Values
<b>PidTagMessageClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.884)	"IPM.Sharing" or a value that begins with "IPM.Sharing."
<b>PidNameContentClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.432)	"Sharing"
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	%xAE.F0.06.00.00.00.00.00.C0.00.00.00.00.00.46
<b>PidNameXSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.566)	"AEF0060000000000C000000000000046"
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265)	A user-displayable name of the sharing provider identified by <b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264).
<b>PidNameXSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.567)	The same value as <b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265).
<b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-</a>	A URL related to the sharing provider identified by



Property	Valid Values
<a href="#">OXPROPS</a> section 2.266)	<b>PidLidSharingProviderGuid</b> <a href="#">[MS-OXPROPS]</a> section 2.264 ().
<b>PidNameXSharingProviderUrl</b> <a href="#">[MS-OXPROPS]</a> section 2.568()	The same value as <b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.266).
<b>PidLidSharingConfigurationUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.236)	A zero-length string.
<b>PidNameXSharingConfigUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.561)	The same value as <b>PidLidSharingConfigurationUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.236).
<b>PidLidSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.243)	If the folder being shared is a special folder: 0x00020310. If the folder being shared is not a special folder: 0x00000310.
<b>PidNameXSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.563)	If the folder being shared is a special folder: "20310". If the folder being shared is not a special folder: "310".
<b>PidLidSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.235)	If the folder being shared is a special folder: 0x00040290. If the folder being shared is not a special folder: 0x000402B0.
<b>PidNameXSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.560)	If the folder being shared is a special folder: "40290". If the folder being shared is not a special folder: "402B0".
<b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246)	The value of <b>PidTagEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.759) for the Address Book object of the currently logged in user.
<b>PidLidSharingInitiatorName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.247)	The value of <b>PidTagDisplayName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.746) from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246).
<b>PidLidSharingInitiatorSmtpp</b> ( <a href="#">[MS-OXPROPS]</a> section 2.248)	The value of <b>PidTagSmtppAddress</b> ( <a href="#">[MS-OXPROPS]</a> section 2.1125) from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246).
<b>PidLidSharingRemoteName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.275)	The value of <b>PidTagDisplayName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.746) on the folder being shared.
<b>PidNameXSharingRemoteName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.569)	The same value as <b>PidLidSharingRemoteName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.275).
<b>PidLidSharingRemoteUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.280)	A hexadecimal string representation of the value of <b>PidTagEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.759) on the folder being shared.
<b>PidNameXSharingRemoteUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.573)	The value of <b>PidLidSharingRemoteUid</b> <a href="#">[MS-OXPROPS]</a> section 2.280 ().
<b>PidLidSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.278)	A hexadecimal string representation of the value of <b>PidTagStoreEntryId</b> ( ) on the folder being shared.
<b>PidNameXSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.571)	The value of <b>PidLidSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.278).
<b>PidLidSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.257)	A value from table 1 according to the type of folder being shared.

Property	Valid Values
<b>PidNameXSharingLocalType</b> ([MS-OXPROPS] section 2.565)	The same value as <b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257).
<b>PidLidSharingRemoteType</b> ([MS-OXPROPS] section 2.279)	The same value as <b>PidLidSharingLocalType</b> .
<b>PidNameXSharingRemoteType</b> ([MS-OXPROPS] section 2.572)	The same value as <b>PidLidSharingRemoteType</b> ([MS-OXPROPS] section 2.279).

Type of folder	Valid Value
Calendar	"IPF.Appointment"
Contacts	"IPF.Contact"
Tasks	"IPF.Task"
Notes	"IPF.StickyNote"
Journal	"IPF.Journal"

### 3.1.4.2 Creating a Sharing Request

The following table lists the properties and the corresponding values that MUST be set, as specified in section 2.2, to create a sharing request.

Property	Valid Values
<b>PidTagMessageClass</b> ([MS-OXPROPS] section 2.884)	"IPM.Sharing" or a value that begins with "IPM.Sharing."
<b>PidNameContentClass</b> ([MS-OXPROPS] section 2.432)	"Sharing"
<b>PidLidSharingProviderGuid</b> ([MS-OXPROPS] section 2.264)	%xAE.F0.06.00.00.00.00.00.C0.00.00.00.00.00.46
<b>PidNameXSharingProviderGuid</b> ([MS-OXPROPS] section 2.566)	"AEF0060000000000C00000000000046"
<b>PidLidSharingProviderName</b> ([MS-OXPROPS] section 2.265)	A user-displayable name of the sharing provider identified by <b>PidLidSharingProviderGuid</b> ([MS-OXPROPS] section 2.264).
<b>PidNameXSharingProviderName</b> ([MS-OXPROPS] section 2.567)	The same value as <b>PidLidSharingProviderName</b> ([MS-OXPROPS] section 2.265).
<b>PidLidSharingProviderUrl</b> ([MS-OXPROPS] section 2.266)	A URL related to the sharing provider identified by <b>PidLidSharingProviderGuid</b> ([MS-OXPROPS] section 2.264).
<b>PidNameXSharingProviderUrl</b> ([MS-OXPROPS] section 2.568)	The same value as <b>PidLidSharingProviderUrl</b> ([MS-OXPROPS] section 2.266).
<b>PidLidSharingConfigurationUrl</b> ([MS-OXPROPS] section 2.236)	A zero-length string.

Property	Valid Values
<b>PidNameXSharingConfigUrl</b> ([MS-OXPROPS] section 2.561)	The same value as <b>PidLidSharingConfigurationUrl</b> ([MS-OXPROPS] section 2.236).
<b>PidLidSharingFlavor</b> ([MS-OXPROPS] section 2.243)	0x00020500
<b>PidNameXSharingFlavor</b> ([MS-OXPROPS] section 2.563)	"20500"
<b>PidLidSharingCapabilities</b> ([MS-OXPROPS] section 2.235)	0x00040290
<b>PidNameXSharingCapabilities</b> ([MS-OXPROPS] section 2.560)	"40290"
<b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246)	The value of <b>PidTagEntryId</b> ([MS-OXPROPS] section 2.759) for the Address Book object of the currently logged on user.
<b>PidLidSharingInitiatorName</b> ([MS-OXPROPS] section 2.247)	The value of <b>PidTagDisplayName</b> ([MS-OXPROPS] section 2.746) from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246).
<b>PidLidSharingInitiatorSntp</b> ([MS-OXPROPS] section 2.248)	The value of <b>PidTagSntpAddress</b> ([MS-OXPROPS] section 2.1125) from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246).
<b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257)	A value from table 2 according to the special folder being requested.
<b>PidNameXSharingLocalType</b> ([MS-OXPROPS] section 2.565)	The same value as <b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257).

The following table lists the valid values for the **PidLidSharingLocalType** property.

Table 2: Valid Values for **PidLidSharingLocalType** on a Sharing Request

Special Folder (See [MS-OXOSFLD])	Valid value
Calendar	"IPF.Appointment"
Contacts	"IPF.Contact"
Tasks	"IPF.Task"
Notes	"IPF.StickyNote"
Journal	"IPF.Journal"

### 3.1.4.3 Creating a Sharing Response – Accept

The client can determine the special folder being requested by the sharing request according to the following table:

Value of PidLidSharingLocalType on the Sharing Request	Special Folder being Requested (See [MS-OXOSFLD])
"IPF.appointment"	Calendar
"IPF.contact"	Contacts
"IPF.Task"	Tasks
"IPF.StickyNote"	Notes
"IPF.journal"	Journal

The following table lists the properties and the corresponding values that MUST be set, as specified in section 2.2, to create a sharing response that indicates that a sharing request has been accepted and provides the information necessary to locate the special folder being requested.

Property	Valid Values
<b>PidTagMessageClass</b> ([MS-OXPROPS] section 2.884)	"IPM.Sharing" or a value that begins with "IPM.Sharing."
<b>PidNameContentClass</b> ([MS-OXPROPS] section 2.432)	"Sharing"
<b>PidLidSharingProviderGuid</b> ([MS-OXPROPS] section 2.264)	%xAE.F0.06.00.00.00.00.00.C0.00.00.00.00.00.46
<b>PidNameXSharingProviderGuid</b> ([MS-OXPROPS] section 2.566)	"AEF0060000000000C000000000000046"
<b>PidLidSharingProviderName</b> ([MS-OXPROPS] section 2.265)	A user-displayable name of the sharing provider identified by <b>PidLidSharingProviderGuid</b> ([MS-OXPROPS] section 2.264).
<b>PidNameXSharingProviderName</b> ([MS-OXPROPS] section 2.567)	The same value as <b>PidLidSharingProviderName</b> ([MS-OXPROPS] section 2.265).
<b>PidLidSharingProviderUrl</b> ([MS-OXPROPS] section 2.266)	A URL related to the sharing provider identified by <b>PidLidSharingProviderGuid</b> ([MS-OXPROPS] section 2.264).
<b>PidNameXSharingProviderUrl</b> ([MS-OXPROPS] section 2.568)	The same value as <b>PidLidSharingProviderUrl</b> ([MS-OXPROPS] section 2.266).
<b>PidLidSharingConfigurationUrl</b> ([MS-OXPROPS] section 2.236)	A zero-length string.
<b>PidNameXSharingConfigUrl</b> ([MS-OXPROPS] section 2.561)	The same value as <b>PidLidSharingConfigurationUrl</b> ().
<b>PidLidSharingFlavor</b> ([MS-OXPROPS] section 2.243)	0x00023310
<b>PidNameXSharingFlavor</b> ([MS-OXPROPS] section 2.563)	"23310"
<b>PidLidSharingCapabilities</b> ([MS-OXPROPS] section 2.235)	0x00040290
<b>PidNameXSharingCapabilities</b> ([MS-OXPROPS] section 2.560)	"40290"

Property	Valid Values
<b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246)	The value of <b>PidTagEntryId</b> () for the Address Book object of the currently logged on user.
<b>PidLidSharingInitiatorName</b> ([MS-OXPROPS] section 2.247)	The value of <b>PidTagDisplayName</b> () from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246).
<b>PidLidSharingInitiatorSmtptp</b> ([MS-OXPROPS] section 2.248)	The value of <b>PidTagSmtptpAddress</b> () from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246).
<b>PidLidSharingRemoteName</b> ([MS-OXPROPS] section 2.275)	The value of <b>PidTagDisplayName</b> () on the special folder being requested.
<b>PidNameXSharingRemoteName</b> ([MS-OXPROPS] section 2.569)	The same value as <b>PidLidSharingRemoteName</b> ([MS-OXPROPS] section 2.275).
<b>PidLidSharingRemoteUid</b> ([MS-OXPROPS] section 2.280)	The hexadecimal string representation of the value of <b>PidTagEntryId</b> () on the special folder being requested.
<b>PidNameXSharingRemoteUid</b> ([MS-OXPROPS] section 2.573)	The value of <b>PidLidSharingRemoteUid</b> ([MS-OXPROPS] section 2.280).
<b>PidLidSharingRemoteStoreUid</b> ([MS-OXPROPS] section 2.278)	The hexadecimal string representation of the value of <b>PidTagStoreEntryId</b> () on the special folder being requested.
<b>PidNameXSharingRemoteStoreUid</b> ([MS-OXPROPS] section 2.571)	The value of <b>PidLidSharingRemoteStoreUid</b> ([MS-OXPROPS] section 2.278).
<b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257)	The value of <b>PidLidSharingLocalType</b> on the sharing request to which this message is responding.
<b>PidNameXSharingLocalType</b> ([MS-OXPROPS] section 2.565)	The same value as <b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257).
<b>PidLidSharingRemoteType</b> ([MS-OXPROPS] section 2.279)	The same value as <b>PidLidSharingLocalType</b> [MS-OXPROPS] section 2.257 ().
<b>PidNameXSharingRemoteType</b> ([MS-OXPROPS] section 2.572)	The same value as <b>PidLidSharingRemoteType</b> ([MS-OXPROPS] section 2.279).

The following table lists the properties and the corresponding values that MUST be set, as specified in section 2.2, on the sharing request to which this sharing response is responding.

Property	Valid Values
<b>PidLidSharingResponseType</b> ([MS-OXPROPS] section 2.284)	0x00000001
<b>PidLidSharingResponseTime</b> ([MS-OXPROPS] section 2.283)	The time at which the sharing response was sent.

#### 3.1.4.4 Creating a Sharing Response – Deny

The following table lists the properties and the corresponding values that MUST be set, as specified in section 2.2, to create a sharing response that indicates a sharing request has been denied.

Property	Valid Values
<b>PidTagMessageClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.884)	"IPM.Sharing" or a value that begins with "IPM.Sharing."
<b>PidNameContentClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.432)	"Sharing"
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	%xAE.F0.06.00.00.00.00.00.C0.00.00.00.00.00.46
<b>PidNameXSharingProviderGuid</b> ()	"AEF0060000000000C000000000000046"
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265)	A user-displayable name of the sharing provider identified by <b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264).
<b>PidNameXSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.567)	The same value as <b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265).
<b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.266)	A URL related to the sharing provider identified by <b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264).
<b>PidNameXSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.568)	The same value as <b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.266 ()).
<b>PidLidSharingConfigurationUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.236)	A zero-length string.
<b>PidNameXSharingConfigUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.561)	The same value as <b>PidLidSharingConfigurationUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.236).
<b>PidLidSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.243)	0x00025100
<b>PidNameXSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.563)	"25100"
<b>PidLidSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.235)	0x00040290
<b>PidNameXSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.560)	"40290"
<b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246)	The value of <b>PidTagEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.759) for the Address Book object of the currently logged on user.
<b>PidLidSharingInitiatorName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.247)	The value of <b>PidTagDisplayName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.746) from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246).
<b>PidLidSharingInitiatorSmtptp</b> ( <a href="#">[MS-OXPROPS]</a> section 2.248)	The value of <b>PidTagSmtptpAddress</b> ( <a href="#">[MS-OXPROPS]</a> section 2.1125) from the Address Book object identified by <b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246).
<b>PidLidSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.257)	The value of <b>PidLidSharingLocalType</b> on the sharing request to which this message is responding.
<b>PidNameXSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.565)	The same value as <b>PidLidSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.257).

The following table lists the properties and the corresponding values that MUST be set, as specified in section 2.2, on the sharing request to which this sharing response is responding.

Property	Valid Values
<b>PidLidSharingResponseType</b> ([MS-OXPROPS] section 2.284)	0x00000002
<b>PidLidSharingResponseTime</b> ([MS-OXPROPS] section 2.283)	The time at which the sharing response was sent.

### 3.1.5 Message Processing Events and Sequencing Rules

None.

### 3.1.6 Timer Events

None.

### 3.1.7 Other Local Events

None.

## 4 Protocol Examples

Kendall Keil wants to see Ryan Gregg's calendar special folder. Kendall sends a sharing request to Ryan and Ryan responds.

The following is a description of what a client might do to accomplish this scenario and the responses a server might return. See [\[MS-OXCPRPT\]](#) and [\[MS-OXCMSG\]](#) for details about **remote operations (ROPs)**.

Before manipulating Sharing Message objects, the client has to ask the server to perform a mapping from **named properties** to **property IDs**, using **RopGetPropertyIdsFromNames** ([\[MS-OXCROPS\]](#) section 2.2.8.1).

Property	Property set GUID	NameID
<b>PidNameContentClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.432)	{00020386-0000-0000-C000-000000000046}	Content-class
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	{00062040-0000-0000-C000-000000000046}	0x00008A01
<b>PidNameXSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.566)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Provider-GUID
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265)	{00062040-0000-0000-C000-000000000046}	0x00008A02
<b>PidNameXSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.567)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Provider-Name
<b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.266)	{00062040-0000-0000-C000-000000000046}	0x00008A03
<b>PidNameXSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.568)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Provider-URL
<b>PidLidSharingConfigurationUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.236)	{00062040-0000-0000-C000-000000000046}	0x00008A24
<b>PidNameXSharingConfigUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.561)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Config-URL
<b>PidLidSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.243)	{00062040-0000-0000-C000-000000000046}	0x00008A18
<b>PidNameXSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.563)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Flavor
<b>PidLidSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.235)	{00062040-0000-0000-C000-000000000046}	0x00008A17
<b>PidNameXSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.560)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Capabilities
<b>PidLidSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.257)	{00062040-0000-0000-C000-000000000046}	0x00008A14
<b>PidNameXSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.565)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Local-Type



Property	Property set GUID	NameID
<b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246)	{00062040-0000-0000-C000-000000000046}	0x00008A09
<b>PidLidSharingInitiatorName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.247)	{00062040-0000-0000-C000-000000000046}	0x00008A07
<b>PidLidSharingInitiatorSmtip</b> ( <a href="#">[MS-OXPROPS]</a> section 2.248)	{00062040-0000-0000-C000-000000000046}	0x00008A08
<b>PidLidSharingRemoteName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.275)	{00062040-0000-0000-C000-000000000046}	0x00008A05
<b>PidNameXSharingRemoteName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.569)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Remote-Name
<b>PidLidSharingRemoteType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.279)	{00062040-0000-0000-C000-000000000046}	0x00008A1D
<b>PidNameXSharingRemoteType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.572)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Remote-Type
<b>PidLidSharingRemoteUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.280)	{00062040-0000-0000-C000-000000000046}	0x00008A06
<b>PidNameXSharingRemoteUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.573)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Remote-Uid
<b>PidLidSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.278)	{00062040-0000-0000-C000-000000000046}	0x00008A48
<b>PidNameXSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.571)	{00020386-0000-0000-C000-000000000046}	X-Sharing-Remote-Store-Uid
<b>PidLidSharingResponseType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.284)	{00062040-0000-0000-C000-000000000046}	0x00008A27
<b>PidLidSharingResponseTime</b> ( <a href="#">[MS-OXPROPS]</a> section 2.283)	{00062040-0000-0000-C000-000000000046}	0x00008A28

The server might respond with the following identifiers, which will be used in the examples that follow. (The actual identifiers are at the discretion of the server.)

Property	Property ID
<b>PidNameContentClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.432)	0x806D
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	0x8243
<b>PidNameXSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.566)	0x836F
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265)	0x8244
<b>PidNameXSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.567)	0x8370
<b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.266)	0x8245
<b>PidNameXSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.568)	0x8371

Property	Property ID
<b>PidLidSharingConfigurationUrl</b> ([MS-OXPROPS] section 2.236)	0x83D0
<b>PidNameXSharingConfigUrl</b> ([MS-OXPROPS] section 2.561)	0x8377
<b>PidLidSharingFlavor</b> ([MS-OXPROPS] section 2.243)	0x823D
<b>PidNameXSharingFlavor</b> ([MS-OXPROPS] section 2.563)	0x836D
<b>PidLidSharingCapabilities</b> ([MS-OXPROPS] section 2.235)	0x823C
<b>PidNameXSharingCapabilities</b> ([MS-OXPROPS] section 2.560)	0x836C
<b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257)	0x824F
<b>PidNameXSharingLocalType</b> ([MS-OXPROPS] section 2.565)	0x8379
<b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246)	0x8249
<b>PidLidSharingInitiatorName</b> ([MS-OXPROPS] section 2.247)	0x8029
<b>PidLidSharingInitiatorSmtP</b> ([MS-OXPROPS] section 2.248)	0x8248
<b>PidLidSharingRemoteName</b> ([MS-OXPROPS] section 2.275)	0x8026
<b>PidNameXSharingRemoteName</b> ([MS-OXPROPS] section 2.569)	0x8373
<b>PidLidSharingRemoteType</b> ([MS-OXPROPS] section 2.279)	0x8247
<b>PidNameXSharingRemoteType</b> ([MS-OXPROPS] section 2.572)	0x8376
<b>PidLidSharingRemoteUid</b> ([MS-OXPROPS] section 2.280)	0x8246
<b>PidNameXSharingRemoteUid</b> ([MS-OXPROPS] section 2.573)	0x8374
<b>PidLidSharingRemoteStoreUid</b> ([MS-OXPROPS] section 2.278)	0x83E1
<b>PidNameXSharingRemoteStoreUid</b> ([MS-OXPROPS] section 2.571)	0x8375
<b>PidLidSharingResponseType</b> ([MS-OXPROPS] section 2.284)	0x83E4
<b>PidLidSharingResponseTime</b> ([MS-OXPROPS] section 2.283)	0x83E3

#### 4.1 Sending a Sharing Request

Kendall's client creates a Message object, using **RopCreateMessage** ([MS-OXCROPS] section 2.2.6.2). The server returns a success code and a **handle** to a Message object.

The client then uses **RopSetProperties** ([MS-OXCROPS] section 2.2.8.6) to set the following properties and corresponding values on the Message object to create a sharing request, as follows:

Property	Property ID	Data Type	Value
<b>PidTagMessageClass</b> ([MS-OXPROPS] section 2.884)	0x001A	PtypString	"IPM.Sharing"
<b>PidNameContentClass</b> ([MS-	0x806D	PtypString	"Sharing"

Property	Property ID	Data Type	Value
<a href="#">OXPROPS</a> section 2.432)			
<b>PidTagNormalizedSubject</b> ( <a href="#">[MS-OXPROPS]</a> section 2.907)	0x0E1D	PtypString	"Sharing request: calendar"
<b>PidTagSubjectPrefix</b> ( <a href="#">[MS-OXPROPS]</a> section 2.1146)	0x003D	PtypString	"" (a zero-length string)
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	0x8243	PtypBinary	(See Figure 1)
<b>PidNameXSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.566)	0x836F	PtypString	"AEF0060000000000C00000000000046"
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265)	0x8244	PtypString	"Microsoft Exchange"
<b>PidNameXSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.567)	0x8370	PtypString	"Microsoft Exchange"
<b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.266)	0x8245	PtypString	"HTTP://www.microsoft.com/exchange"
<b>PidNameXSharingProviderUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.568)	0x8371	PtypString	"HTTP://www.microsoft.com/exchange"
<b>PidLidSharingConfigurationUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.236)	0x83D0	PtypString	"" (a zero-length string)
<b>PidNameXSharingConfigUrl</b> ( <a href="#">[MS-OXPROPS]</a> section 2.561)	0x8377	PtypString	"" (a zero-length string)
<b>PidLidSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.243)	0x823D	PtypInteger32	0x00020500
<b>PidNameXSharingFlavor</b> ( <a href="#">[MS-OXPROPS]</a> section 2.563)	0x836D	PtypString	"20500"
<b>PidLidSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.235)	0x823C	PtypInteger32	0x00040290
<b>PidNameXSharingCapabilities</b> ( <a href="#">[MS-OXPROPS]</a> section 2.560)	0x836C	PtypString	"40290"
<b>PidLidSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.257)	0x824F	PtypString	"IPF.Appointment"
<b>PidNameXSharingLocalType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.565)	0x8379	PtypString	"IPF.Appointment"
<b>PidLidSharingInitiatorEntryId</b> ( <a href="#">[MS-OXPROPS]</a> section 2.246)	0x8249	PtypBinary	(See Figure 2)
<b>PidLidSharingInitiatorName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.247)	0x8029	PtypString	user12
<b>PidLidSharingInitiatorSntp</b> ( <a href="#">[MS-OXPROPS]</a> section 2.248)	0x8248	PtypString	user12@fabrikam.com

Figure 1 shows the value of **PidLidSharingProviderGuid**. The size of the value is 16 bytes.

```
0000: ae f0 06 00 00 00 00 00 c0 00 00 00 00 00 00 46 .....F
```

Figure 2 shows the value of **PidLidSharingInitiatorEntryId**. The size of the value is 125 bytes.

```
0000: 00 00 00 00 dc a7 40 c8 c0 42 10 1a b4 b9 08 00 .....@..B.....
0010: 2b 2f e1 82 01 00 00 00 00 00 00 00 2f 6f 3d 46 +/...../o=F
0020: 69 72 73 74 20 4f 72 67 61 6e 69 7a 61 74 69 6f irst Organizatio
0030: 6e 2f 6f 75 3d 45 78 63 68 61 6e 67 65 20 41 64 n/ou=Exchange Ad
0040: 6d 69 6e 69 73 74 72 61 74 69 76 65 20 47 72 6f ministrative Gro
0050: 75 70 20 28 46 59 44 49 42 4f 48 46 32 33 53 50 up (FYDIBOHF23SP
0060: 44 4c 54 29 2f 63 6e 3d 52 65 63 69 70 69 65 6e DLT)/cn=Recipien
0070: 74 73 2f 63 6e 3d 75 73 65 72 31 32 00          ts/cn=user12.
```

After addressing the message as specified in [\[MS-OXOMSG\]](#), the client uses **RopSubmitMessage** ([\[MS-OXCROPS\]](#) section 2.2.7.1) to send the message to Ryan and then uses **RopRelease** ([\[MS-OXCROPS\]](#) section 2.2.15.3) to release the Message object.

## 4.2 Denying a Sharing Request

Ryan wants to send a sharing response denying the sharing request described in section 4.1. The client uses **RopCreateMessage** ([\[MS-OXCROPS\]](#) section 2.2.6.2) to create a new Message object. The server returns a success code and a handle to a Message object.

The client then uses **RopSetProperties** ([\[MS-OXCROPS\]](#) section 2.2.8.6) to set the sharing properties for a sharing response that indicates that the request was denied, as follows:

Property	Property ID	Property Type	Value
<b>PidTagMessageClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.884)	0x001A	PtypString	"IPM.Sharing"
<b>PidNameContentClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.432)	0x806d	PtypString	"Sharing"
<b>PidTagNormalizedSubject</b> ( <a href="#">[MS-OXPROPS]</a> section 2.907)	0x0E1D	PtypString	"Denied: sharing request: calendar"
<b>PidTagSubjectPrefix</b> ( <a href="#">[MS-OXPROPS]</a> section 2.1146)	0x003D	PtypString	"" (a zero-length string)
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	0x8243	PtypBinary	(See Figure 3)
<b>PidNameXSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.566)	0x836F	PtypString	"AEF0060000000000C00000000000046"
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265)	0x8244	PtypString	"Microsoft Exchange"
<b>PidNameXSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.567)	0x8370	PtypString	"Microsoft Exchange"
<b>PidLidSharingProviderUrl</b> ( <a href="#">[MS-</a>	0x8245	PtypString	"HTTP://www.microsoft.com/exchange"

Property	Property ID	Property Type	Value
[MS-OXPROPS] section 2.266)			
<b>PidNameXSharingProviderUrl</b> ([MS-OXPROPS] section 2.568)	0x8371	PtypString	"HTTP://www.microsoft.com/exchange"
<b>PidLidSharingConfigurationUrl</b> ([MS-OXPROPS] section 2.236)	0x83D0	PtypString	"" (a zero-length string)
<b>PidNameXSharingConfigUrl</b> ([MS-OXPROPS] section 2.561)	0x8377	PtypString	"" (a zero-length string)
<b>PidLidSharingFlavor</b> ([MS-OXPROPS] section 2.243)	0x823D	PtypInteger32	0x00025100
<b>PidNameXSharingFlavor</b> ([MS-OXPROPS] section 2.563)	0x836D	PtypString	"25100"
<b>PidLidSharingCapabilities</b> ([MS-OXPROPS] section 2.235)	0x823C	PtypInteger32	0x00040290
<b>PidNameXSharingCapabilities</b> ([MS-OXPROPS] section 2.560)	0x836C	PtypString	"40290"
<b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257)	0x824F	PtypString	"IPF.Appointment"
<b>PidNameXSharingLocalType</b> ([MS-OXPROPS] section 2.565)	0x8379	PtypString	"IPF.Appointment"
<b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246)	0x8249	PtypBinary	(See Figure 4)
<b>PidLidSharingInitiatorName</b> ([MS-OXPROPS] section 2.247)	0x8029	PtypString	user12
<b>PidLidSharingInitiatorSmtP</b> ([MS-OXPROPS] section 2.248)	0x8248	PtypString	user12@fabrikam.com

Figure 3 shows the value of **PidLidSharingProviderGuid**. The size of the value is 16 bytes.

```
0000: ae f0 06 00 00 00 00 00 c0 00 00 00 00 00 46 .....F
```

Figure 4 shows the value of **PidLidSharingInitiatorEntryId**. The size of the value is 125 bytes.

```
0000: 00 00 00 00 dc a7 40 c8 c0 42 10 1a b4 b9 08 00 .....@..B.....
0010: 2b 2f e1 82 01 00 00 00 00 00 00 00 2f 6f 3d 46 +/...../o=F
0020: 69 72 73 74 20 4f 72 67 61 6e 69 7a 61 74 69 6f irst Organizatio
0030: 6e 2f 6f 75 3d 45 78 63 68 61 6e 67 65 20 41 64 n/ou=Exchange Ad
0040: 6d 69 6e 69 73 74 72 61 74 69 76 65 20 47 72 6f ministrative Gro
0050: 75 70 20 28 46 59 44 49 42 4f 48 46 32 33 53 50 up (FYDIBOHF23SP
0060: 44 4c 54 29 2f 63 6e 3d 52 65 63 69 70 69 65 6e DLT)/cn=Recipien
0070: 74 73 2f 63 6e 3d 75 73 65 72 31 32 00          ts/cn=user12.
```

After addressing the message as specified in [\[MS-OXOMSG\]](#), the client uses **RopSubmitMessage** ([\[MS-OXCROPS\]](#) section 2.2.7.1) to send the message to Kendall and then uses **RopRelease** ([\[MS-OXCROPS\]](#) section 2.2.15.3) to release the Message object.

Then, the client uses **RopOpenMessage** ([\[MS-OXCROPS\]](#) section 2.2.6.1) to open the sharing request. The server returns a success code and a handle to the Message object.

The client uses **RopSetProperties** ([\[MS-OXCROPS\]](#) section 2.2.8.6) to set the sharing properties on the sharing request to indicate that the client has sent a sharing response denying the request and the time at which it was sent, as follows:

Property	Property ID	Property type	Data	Value
<b>PidLidSharingResponseType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.284())	0x83E4	PtypInteger32	02 00 00 00	0x00000002
<b>PidLidSharingResponseTime</b> ( <a href="#">[MS-OXPROPS]</a> section 2.283)	0x83E3	PtypTime	00 9A C2 CF E3 7F C8 01	2008/03/06 23:43:00.000

The client uses **RopSaveChangesMessage** ([\[MS-OXCROPS\]](#) section 2.2.6.3) to save the changes and uses **RopRelease** ([\[MS-OXCROPS\]](#) section 2.2.15.3) to release the Message object.

### 4.3 Accepting a Sharing Request

Ryan wants to send a sharing response accepting the sharing request described in section 4.1. The client uses **RopCreateMessage** ([\[MS-OXCROPS\]](#) section 2.2.6.2) to create a new Message object. The server returns a success code and a handle to a Message object.

The client uses **RopSetProperties** ([\[MS-OXCROPS\]](#) section 2.2.8.6) to set the sharing properties for a sharing response that indicates that the request was accepted and provides the information required to locate the requested folder, as follows:

Property	Property ID	Property type	Value
<b>PidTagMessageClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.884)	0x001A	PtypString	"IPM.Sharing"
<b>PidNameContentClass</b> ( <a href="#">[MS-OXPROPS]</a> section 2.432)	0x806d	PtypString	"Sharing"
<b>PidTagNormalizedSubject</b> ( <a href="#">[MS-OXPROPS]</a> section 2.907)	0x0E1D	PtypString	"Allowed: sharing request: calendar"
<b>PidTagSubjectPrefix</b> ( <a href="#">[MS-OXPROPS]</a> section 2.1146)	0x003D	PtypString	"" (a zero-length string)
<b>PidLidSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.264)	0x8243	PtypBinary	(See Figure 5)
<b>PidNameXSharingProviderGuid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.566)	0x836F	PtypString	AEF0060000000000C0000000 00000046
<b>PidLidSharingProviderName</b> ( <a href="#">[MS-OXPROPS]</a> section 2.265())	0x8244	PtypString	"Microsoft Exchange"

Property	Property ID	Property type	Value
<b>PidNameXSharingProviderName</b> ([MS-OXPROPS] section 2.567)	0x8370	PtypString	"Microsoft Exchange"
<b>PidLidSharingProviderUrl</b> ([MS-OXPROPS] section 2.266)	0x8245	PtypString	"HTTP://www.microsoft.com/exchange"
<b>PidNameXSharingProviderUrl</b> ([MS-OXPROPS] section 2.568)	0x8371	PtypString	"HTTP://www.microsoft.com/exchange"
<b>PidLidSharingConfigurationUrl</b> ([MS-OXPROPS] section 2.236)	0x83D0	PtypString	"" (a zero-length string)
<b>PidNameXSharingConfigUrl</b> ([MS-OXPROPS] section 2.561)	0x8377	PtypString	"" (a zero-length string)
<b>PidLidSharingFlavor</b> ([MS-OXPROPS] section 2.243)	0x823D	PtypInteger32	0x00023310
<b>PidNameXSharingFlavor</b> ([MS-OXPROPS] section 2.563)	0x836D	PtypString	"23310"
<b>PidLidSharingCapabilities</b> ([MS-OXPROPS] section 2.235)	0x823C	PtypInteger32	0x00040290
<b>PidNameXSharingCapabilities</b> ()	0x836C	PtypString	"40290"
<b>PidLidSharingLocalType</b> ([MS-OXPROPS] section 2.257)	0x824F	PtypString	"IPF.Appointment"
<b>PidNameXSharingLocalType</b> ([MS-OXPROPS] section 2.565)	0x8379	PtypString	"IPF.Appointment"
<b>PidLidSharingInitiatorEntryId</b> ([MS-OXPROPS] section 2.246)	0x8249	PtypBinary	(See Figure 6)
<b>PidLidSharingInitiatorName</b> ([MS-OXPROPS] section 2.247)	0x8029	PtypString	user10
<b>PidLidSharingInitiatorSmtip</b> ([MS-OXPROPS] section 2.248)	0x8248	PtypString	user10@fabrikam.com
<b>PidLidSharingRemoteName</b> ([MS-OXPROPS] section 2.275)	0x8026	PtypString	"Calendar"
<b>PidNameXSharingRemoteName</b> ([MS-OXPROPS] section 2.569)	0x8373	PtypString	"Calendar"
<b>PidLidSharingRemoteType</b> ([MS-OXPROPS] section 2.279)	0x8247	PtypString	"IPF.Appointment"
<b>PidNameXSharingRemoteType</b> ([MS-OXPROPS] section 2.572)	0x8376	PtypString	"IPF.Appointment"
<b>PidLidSharingRemoteUid</b> ([MS-OXPROPS] section 2.280)	0x8246	PtypString	00000000B0FCA4F63C21A642 BD4B8F1BDBA04BC60100612A 7BAB49F64E4B9C52DBFB5A53 AA1C000000F04EEF0000

Property	Property ID	Property type	Value
<b>PidNameXSharingRemoteUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.573)	0x8374	PtypString	00000000B0FCA4F63C21A642B D4B8F1BDBA04BC60100612A7 BAB49F64E4B9C52DBFB5A53A A1C00000F04EEF0000
<b>PidLidSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.278)	0x83E1	PtypString	0000000038A1BB1005E5101A A1BB08002B2A56C20000454D 534D44422E444C4C000000000 00000001B55FA20AA6611CD9 BC800AA002FC45A0C00000033 36353952392D413131002F6F3 D4669727374204F7267616E69 7A6174696F6E2F6F753D45786 368616E67652041646D696E69 73747261746976652047726F7 570202846594449424F484632 335350444C54292F636E3D526 563697069656E74732F636E3D 75736572313000
<b>PidNameXSharingRemoteStoreUid</b> ( <a href="#">[MS-OXPROPS]</a> section 2.571)	0x8375	PtypString	0000000038A1BB1005E5101AA 1BB08002B2A56C20000454D5 34D44422E444C4C000000000 00000001B55FA20AA6611CD9B C800AA002FC45A0C000000333 6353952392D413131002F6F3D 4669727374204F7267616E697 A6174696F6E2F6F753D457863 68616E67652041646D696E697 3747261746976652047726F75 70202846594449424F4846323 35350444C54292F636E3D5265 63697069656E74732F636E3D7 5736572313000

Figure 5 shows the value of **PidLidSharingProviderGuid**. The size of the value is 16 bytes.

```
0000: ae f0 06 00 00 00 00 00 c0 00 00 00 00 00 46 .....F
```

Figure 6 shows the value of **PidLidSharingInitiatorEntryId**. The size of the value is 125 bytes.

```
0000: 00 00 00 00 dc a7 40 c8 c0 42 10 1a b4 b9 08 00 .....@..B.....
0010: 2b 2f e1 82 01 00 00 00 00 00 00 2f 6f 3d 46 +/...../o=F
0020: 69 72 73 74 20 4f 72 67 61 6e 69 7a 61 74 69 6f irst Organizatio
0030: 6e 2f 6f 75 3d 45 78 63 68 61 6e 67 65 20 41 64 n/ou=Exchange Ad
0040: 6d 69 6e 69 73 74 72 61 74 69 76 65 20 47 72 6f ministrative Gro
0050: 75 70 20 28 46 59 44 49 42 4f 48 46 32 33 53 50 up (FYDIBOHF23SP
0060: 44 4c 54 29 2f 63 6e 3d 52 65 63 69 70 69 65 6e DLT)/cn=Recipien
0070: 74 73 2f 63 6e 3d 75 73 65 72 31 30 00          ts/cn=user10.
```

After properly addressing the message as specified in [\[MS-OXOMSG\]](#), the client uses **RopSubmitMessage** ([\[MS-OXCROPS\]](#) section 2.2.7.1) to send the message to Kendall and then uses **RopRelease** ([\[MS-OXCROPS\]](#) section 2.2.15.3) to release the Message object.



The client then grants Kendall permission to the folder as specified in [\[MS-OXODLGT\]](#).

Then the client uses **RopOpenMessage** ([\[MS-OXCROPS\]](#) section 2.2.6.1) to open the sharing request. The server returns a success code and a handle to the Message object.

The client uses **RopSetProperties** ([\[MS-OXCROPS\]](#) section 2.2.8.6) to set the sharing properties on the sharing request to indicate that the client has sent a sharing response accepting the request and the time at which it was sent, as follows:

Property	Property ID	Property type	Data	Value
<b>PidLidSharingResponseType</b> ( <a href="#">[MS-OXPROPS]</a> section 2.284)	0x83E4	PtypInteger32	01 00 00 00	0x00000001
<b>PidLidSharingResponseTime</b> ( <a href="#">[MS-OXPROPS]</a> section 2.283)	0x83E3	PtypTime	00 9A C2 CF E3 7F C8 01	2008/03/06 23:43:00.000

The client uses **RopSaveChangesMessage** ([\[MS-OXCROPS\]](#) section 2.2.6.3) to save the changes and uses **RopRelease** ([\[MS-OXCROPS\]](#) section 2.2.15.3) to release the Message object.

## 5 Security

### 5.1 Security Considerations for Implementers

There are no special security considerations specific to the Sharing Message Object Protocol. General security considerations pertaining to the underlying transport apply, as specified in [\[MS-OXOMSG\]](#) and [\[MS-OXCMSG\]](#).

### 5.2 Index of Security Parameters

None.

## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® Exchange Server 2007
- Microsoft® Exchange Server 2010
- Microsoft® Office Outlook® 2007
- Microsoft® Outlook® 2010

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

<1> [Section 2.2.2.8](#): Office Outlook 2007 sets the value but, upon receipt, ignores the property and queries the address book for its value based on **PidLidSharingInitiatorEntryId** ([\[MS-OXPROPS\]](#) section 2.246).

<2> [Section 2.2.2.9](#): Office Outlook 2007 sets the value but, upon receipt, ignores the property and queries the address book for its value based on **PidLidSharingInitiatorEntryId** ([\[MS-OXPROPS\]](#) section 2.246).

<3> [Section 2.2.2.14](#): Office Outlook 2007 sets the value but, upon receipt, ignores the property and instead uses a custom value based on **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.264).

<4> [Section 2.2.2.15](#): Office Outlook 2007 sets the value but, upon receipt, ignores the property and instead uses a custom value based on **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.264).

<5> [Section 2.2.2.16](#): Office Outlook 2007 sets the value but, upon receipt, ignores the property and instead uses a custom value based on **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.264).

<6> [Section 2.2.2.17](#): Office Outlook 2007 sets the value but, upon receipt, ignores the property and instead uses a custom value based on **PidLidSharingProviderGuid** ([\[MS-OXPROPS\]](#) section 2.264)

<7> [Section 2.2.4](#): Office Outlook 2007 sets these properties.

<8> [Section 2.2.4.5](#): Office Outlook 2007 sets this property to the same value as **PidLidSharingLocalType** ([\[MS-OXPROPS\]](#) section 2.257), but uses only **PidLidSharingLocalType** to determine behavior.

<9> [Section 2.2.4.6](#): Office Outlook 2007 sets this property to the same value as **PidLidSharingLocalType** ([\[MS-OXPROPS\]](#) section 2.257), but uses only **PidLidSharingLocalType** to determine behavior.

[<10> Section 2.2.5:](#) Office Outlook 2007 sets differing subsets of these properties in different scenarios but their values have no meaning in the context of this protocol.

[<11> Section 3.1:](#) Office Outlook 2007 only create and operate upon Sharing Message objects that are stored by Exchange 2007 and Exchange 2010.

## 7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 8 Index

### A

Abstract data model  
[client](#) 16  
[Additional Property Constraints message](#) 15  
[Applicability](#) 7

### C

[Capability negotiation](#) 7  
[Change tracking](#) 37  
Client  
[abstract data model](#) 16  
[initialization](#) 16  
[message processing](#) 23  
[other local events](#) 23  
[overview](#) 16  
[sequencing rules](#) 23  
[timer events](#) 23  
[timers](#) 16  
[Common Message Object Properties message](#) 8  
[Common Sharing Message Object Properties message](#) 9

### D

Data model - abstract  
[client](#) 16

### F

[Fields - vendor-extensible](#) 7

### G

[Glossary](#) 5

### I

[Ignored Properties message](#) 13  
[Implementer - security considerations](#) 34  
[Index of security parameters](#) 34  
[Informative references](#) 6  
Initialization  
[client](#) 16  
[Introduction](#) 5

### M

Message processing  
[client](#) 23  
Messages  
[Additional Property Constraints](#) 15  
[Common Message Object Properties](#) 8  
[Common Sharing Message Object Properties](#) 9  
[Ignored Properties](#) 13  
[Sharing Invitation Properties](#) 12  
[Sharing Request Properties](#) 11  
[transport](#) 8

### N

[Normative references](#) 6

### O

Other local events  
[client](#) 23  
[Overview](#) 6

### P

[Parameters - security index](#) 34  
[Preconditions](#) 7  
[Prerequisites](#) 7  
[Product behavior](#) 35

### R

References  
[informative](#) 6  
[normative](#) 6  
[Relationship to other protocols](#) 7

### S

Security  
[implementer considerations](#) 34  
[parameter index](#) 34  
Sequencing rules  
[client](#) 23  
[Sharing Invitation Properties message](#) 12  
[Sharing Request Properties message](#) 11  
[Standards assignments](#) 7

### T

Timer events  
[client](#) 23  
Timers  
[client](#) 16  
[Tracking changes](#) 37  
[Transport](#) 8

### V

[Vendor-extensible fields](#) 7  
[Versioning](#) 7