

# [MS-OXVCARD]: vCard to Contact Object Conversion Protocol Specification

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.msp>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
04/10/2009	.1	Major	Initial Availability.
07/15/2009	1.0	Major	Revised and edited for technical content.
11/04/2009	1.0.1	Editorial	Revised and edited the technical content.
02/10/2010	1.0.1	None	Version 1.0.1 release
05/05/2010	1.1.0	Minor	Updated the technical content.
08/04/2010	1.2	Minor	Clarified the meaning of the technical content.

# Contents

<b>1 Introduction</b>	<b>5</b>
1.1 Glossary	5
1.2 References	5
1.2.1 Normative References	5
1.2.2 Informative References	6
1.3 Overview	6
1.4 Relationship to Protocols and Other Structures	6
1.5 Applicability Statement	6
1.6 Versioning and Localization	6
1.7 Vendor-Extensible Fields	7
<b>2 Structures</b>	<b>8</b>
2.1 General Types	8
2.1.1 Profile: vCard	8
2.2 Identification Types	8
2.2.1 Type: FN	8
2.2.2 Type: N	8
2.2.3 Type: NICKNAME	9
2.2.4 Type: PHOTO	9
2.2.5 Type: BDAY	10
2.3 Deliverable Addressing Types	10
2.3.1 Type: ADR	10
2.3.2 Type: LABEL	12
2.4 Telecommunications Addressing Types	13
2.4.1 Type: TEL	13
2.4.2 Type: EMAIL	14
2.4.3 Type: MAILER	15
2.5 Geographical Types	15
2.5.1 Type: TZ	15
2.5.2 Type: GEO	16
2.6 Organizational Types	16
2.6.1 Type: TITLE	16
2.6.2 Type: ROLE	16
2.6.3 Type: LOGO	17
2.6.4 Type: AGENT	17
2.6.5 Type: ORG	17
2.7 Explanatory Types	18
2.7.1 Type: CATEGORIES	18
2.7.2 Type: NOTE	18
2.7.3 Type: PRODID	18
2.7.4 Type: REV	19
2.7.5 Type: SORT-STRING	19
2.7.6 Type: SOUND	19
2.7.7 Type: UID	20
2.7.8 Type: URL	20
2.7.9 Type: VERSION	20
2.8 Security Types	21
2.8.1 Type: CLASS	21
2.8.2 Type: KEY	21
2.9 Custom Types	22

2.9.1	EBC Design.....	22
2.9.2	Children .....	22
2.9.3	User Text .....	22
2.9.4	Instant Messaging Address .....	23
2.9.5	Telephone Numbers.....	23
2.9.6	Anniversary .....	23
2.9.7	Spouse's Name .....	23
2.9.8	Manager's Name .....	24
2.9.9	Assistant's Name.....	24
2.9.10	Free/Busy URL .....	24
2.9.11	Interests .....	25
<b>3</b>	<b>Structure Examples .....</b>	<b>26</b>
3.1	Importing a vCard .....	26
3.2	Exporting a Contact object.....	27
<b>4</b>	<b>Security Considerations.....</b>	<b>29</b>
<b>5</b>	<b>Appendix A: Product Behavior .....</b>	<b>30</b>
<b>6</b>	<b>Change Tracking.....</b>	<b>31</b>
<b>7</b>	<b>Index .....</b>	<b>33</b>

# 1 Introduction

The **vCard** format, as specified in [\[RFC2426\]](#), specifies a directory object for a person or resource that is capable of representing and exchanging a variety of information about an individual, such as formatted and structured name and delivery addresses, e-mail addresses, multiple telephone numbers, photographs, audio clips, and more. The schema for the directory object is based on the attributes for the person object that are defined in [\[X520\]](#).

This document specifies how the vCard format can be used by a **Contact object** application, as specified in [\[MS-OXCMAIL\]](#), to communicate with other contact systems over non-**Message object** transports such as **SMTP**.

## 1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

**Appointment object**  
**Attachment object**  
**common name (CN)**  
**Contact object**  
**free/busy**  
**Message object**  
**MIME**  
**Simple Mail Transfer Protocol (SMTP)**  
**Unicode**  
**Uniform Resource Identifier (URI)**  
**vCard**

The following terms are specific to this document:

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-OXCICAL] Microsoft Corporation, "[iCalendar to Appointment Object Conversion Protocol Specification](#)", April 2008.

[MS-OXCMAIL] Microsoft Corporation, "[RFC2822 and MIME to E-Mail Object Conversion Protocol Specification](#)", April 2008.

[MS-OXCMSG] Microsoft Corporation, "[Message and Attachment Object Protocol Specification](#)", April 2008.

[MS-OXOCNTC] Microsoft Corporation, "[Contact Object Protocol Specification](#)", April 2008.

[MS-OXOMSG] Microsoft Corporation, "[E-Mail Object Protocol Specification](#)", April 2008.

[MS-OXPROPS] Microsoft Corporation, "[Exchange Server Protocols Master Property List](#)", April 2008.

[RFC2045] Freed, N., and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", RFC 2045, November 1996, <http://www.ietf.org/rfc/rfc2045.txt>

[RFC2047] Moore, K., "MIME (Multipurpose Internet Mail Extensions) Part Three: Message Header Extensions for Non-ASCII Text", RFC 2047, November 1996, <http://www.ietf.org/rfc/rfc2047.txt>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

[RFC2425] Howes, T., Smith, M., and Dawson, F., "A MIME Content-Type for Directory Information", RFC 2425, September, 1998, <http://www.ietf.org/rfc/rfc2425.txt>

[RFC2426] Dawson, F., and Howes, T., "vCard MIME Directory Profile", RFC 2426, September 1998, <http://www.ietf.org/rfc/rfc2426.txt>

[X520] International Telecommunication Union, "Information technology – Open Systems Interconnection – The Directory: Selected attribute types", ITU-T Recommendation X.520, August 2005, <http://www.itu.int/rec/T-REC-X.520/en>

## 1.2.2 Informative References

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

## 1.3 Overview

This document specifies how the vCard format can be used by a Contact object application, as specified in [\[MS-OXOCNTC\]](#), to communicate with other contact applications over non-Message object transports. More specifically, this document specifies how to import vCard data into a Contact object and how to export Contact objects as vCard data.

## 1.4 Relationship to Protocols and Other Structures

This document specifies a mapping between the vCard format [\[RFC2426\]](#) and a Contact object (specified in [\[MS-OXOCNTC\]](#)), which can be updated and sent by using the protocols specified in [\[MS-OXCMSG\]](#) and [\[MS-OXOMSG\]](#).

When used as a contact, the vCard format can be embedded as a **MIME** part in an e-mail message, as specified in [\[RFC2425\]](#) and [\[MS-OXCMAIL\]](#).

## 1.5 Applicability Statement

This format is applicable to scenarios in which Contact object data needs to be transported between a Contact object source and a non-Contact object or indeterminate destination.

This format is best avoided if 100 percent fidelity is required when transporting contact data between a Contact object source and a Contact object destination.

## 1.6 Versioning and Localization

This document covers versioning issues in the following areas:

- **Structure version:** The vCard format defines a **VERSION** type, as specified in section [2.7.9](#).

- **Localization:** The vCard format defines a **SORT-STRING** type to define language-specific sorting rules, as specified in section [2.7.5](#).

## 1.7 Vendor-Extensible Fields

[\[RFC2426\]](#) section 3.8 permits the insertion of non-standard private values by using the extension mechanism defined in [\[RFC2045\]](#). The primary requirement of these private values is that the name begins with "x-", and as such they are often termed x-components, x-props, and x-parameters. This document specifies several x-props that provide additional contact information.

## 2 Structures

The types listed in the following sections are defined in [\[RFC2426\]](#).

### 2.1 General Types

This type signifies that the information contained within is vCard data.

#### 2.1.1 Profile: vCard

RFC Reference: [\[RFC2426\]](#) section 3.

Description: The vCard MIME Directory Profile Type contains directory information, typically about a single directory entry. The information is captured in an attribute schema that is designed for personal contact information.

### 2.2 Identification Types

These types are used in the vCard profile to capture identification and name information about the person or resource identified by the vCard.

#### 2.2.1 Type: FN

RFC Reference: [\[RFC2426\]](#) section 3.1.1.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.1.8.

vCard Data Format: Name in [\[X520\]](#) **common name** semantics.

Brief Description: Formatted text that corresponds to the name that the vCard represents.

##### Importing To Contact objects

The FN type is imported to [PidTagDisplayName](#), [PidTagNormalizedSubject](#), and [PidTagConversationTopic](#).

##### Exporting From Contact objects

The FN type is generated from [PidTagDisplayName](#) or [PidTagNormalizedSubject](#). If both are set, [PidTagDisplayName](#) is used.

#### 2.2.2 Type: N

RFC Reference: [\[RFC2426\]](#) section 3.1.2.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.1.

vCard Data Format: N:<Family Name>; <Given Name>; <Middle Name>; <Honorific Prefixes>; <Honorific Postfixes>

Brief Description: Structured name of the object that the vCard represents.

##### Importing To Contact objects



Individual text components are separated by the semi-colon (;) character. Text components can contain multiple values that are separated by the comma (,) character. The entire text component should be assigned to the corresponding property.

vCard property	Contact object property
<FamilyName>	<a href="#">PidTagSurname</a>
<GivenName>	<a href="#">PidTagGivenName</a>
<MiddleName>	<a href="#">PidTagMiddleName</a>
<Honorific Prefixes>	<a href="#">PidTagDisplayNamePrefix</a>
<Honorific Postfixes>	<a href="#">PidTagGeneration</a>

### Exporting From Contact objects

[PidTagSurname](#), [PidTagGivenName](#), [PidTagMiddleName](#), [PidTagDisplayNamePrefix](#), and [PidTagGeneration](#) should be exported as a semi-colon delimited string.

### 2.2.3 Type: NICKNAME

RFC Reference: [\[RFC2426\]](#) section 3.1.3.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.1.1.

vCard Data Format: NICKNAME: <nickname>

Brief Description: The nickname of the object that the vCard represents.

#### Importing To and Exporting From Contact objects

The NICKNAME property is imported to and exported from [PidTagNickname](#).

### 2.2.4 Type: PHOTO

RFC Reference: [\[RFC2426\]](#) section 3.1.4.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.8.

vCard Data Format: PHOTO; ENCODING=b; TYPE=<type>:<data>

Brief Description: An image or photograph that illustrates some aspect of the object that the vCard represents.

#### Importing To Contact objects

The binary data for the associated photo is stored as an attachment. For more details about Message object attachments, see [\[MS-OXCMSG\]](#) section 2.2.2. The properties listed in the following table MUST be set on the **Attachment object**, as specified in [\[MS-OXCMSG\]](#).

Attachment object property	Value
<a href="#">PidTagAttachmentContactPhoto</a>	True.
<a href="#">PidTagAttachDataBinary</a>	Photo stream in binary format.

Attachment object property	Value
<a href="#">PidTagAttachExtension</a>	".jpg", ".bmp", ".gif", or ".png", according to the TYPE parameter.
<a href="#">PidTagDisplayName</a> , <a href="#">PidTagAttachFilename</a>	"ContactPhoto.<ext>", The extension is the value of the TYPE parameter.

Only binary data types (ENCODING=b) are supported. The TYPE parameter must be one of the following values:

- .bmp
- .gif
- .jpeg
- .png

### Exporting From Contact objects

The PHOTO type should be exported from the Attachment object with ENCODING=b and the TYPE parameter set to the image type (BMP, GIF, JPEG, or PNG). The image is exported in binary format, as specified in [\[RFC2047\]](#).

### 2.2.5 Type: BDAY

RFC Reference: [\[RFC2426\]](#) section 3.1.5.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.5.1.

vCard Data Format: BDAY:<date or date-time value>

Brief Description: The birth date of the object that the vCard represents.

#### Importing To and Exporting From Contact objects

The BDAY type is imported to and exported from [PidTagBirthday](#). The time that is associated with the birthday event is 0:00 in the client's local time zone.

## 2.3 Deliverable Addressing Types

These types are used in the vCard profile to capture information that is related to the delivery addressing or label for the person or resource identified by the vCard.

### 2.3.1 Type: ADR

RFC Reference: [\[RFC2426\]](#) section 3.2.1.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.3.

vCard Data Format: ADR;TYPE=[Type]:[PO Box];[Extended Address];[Street Address];[Locality];[Region];[Postal Code];[Country Name]

Brief Description: Physical addresses that are associated with the object that the vCard represents.

#### Importing To Contact objects

The Contact object provides built-in support for three physical addresses: Home Address, Work Address, and Other Address. The vCard TYPE parameter can be set to one or more of the following values:

- dom
- intl
- postal
- parcel
- home
- work
- pref

The default TYPE parameter value is "intl, postal, parcel, work".

Addresses in the vCard map to the Contact object addresses, as shown in the following table.

ADR TYPE parameter	Contact object address
work	Work Address
home	Home Address
postal, dom, intl, parcel	Other Address

If the TYPE parameter contains "pref", the [PidLidPostalAddressId](#) property is set to indicate that that address is the contact's mailing address.

The fields in the vCard address are mapped to the fields of the Contact object, as shown in the following table.

vCard property	Contact object properties
PO Box	<a href="#">PidTagPostOfficeBox</a> <a href="#">PidTagHomeAddressPostOfficeBox</a> <a href="#">PidTagOtherAddressPostOfficeBox</a>
Extended Address, Street Address	<a href="#">PidTagStreetAddress</a> <a href="#">PidTagHomeAddressStreet</a> <a href="#">PidTagOtherAddressStreet</a>
Locality	<a href="#">PidTagLocality</a> <a href="#">PidTagHomeAddressCity</a> <a href="#">PidTagOtherAddressCity</a>
Region	<a href="#">PidTagStateOrProvince</a> <a href="#">PidTagHomeAddressStateOrProvince</a> <a href="#">PidTagOtherAddressStateOrProvince</a>
Postal Code	<a href="#">PidTagPostalCode</a>

vCard property	Contact object properties
	<a href="#">PidTagHomeAddressPostalCode</a> <a href="#">PidTagOtherAddressPostalCode</a>
Country Name	<a href="#">PidTagCountry</a> <a href="#">PidTagHomeAddressCountry</a> <a href="#">PidTagOtherAddressCountry</a>

### Exporting From Contact objects

Each address is exported as a structured ADR type with the TYPE parameter set to the values listed in the following table.

TYPE parameter value	Contact object properties
work	<a href="#">PidTagPostOfficeBox</a> <a href="#">PidTagStreetAddress</a> <a href="#">PidTagLocality</a> <a href="#">PidTagStateOrProvince</a> <a href="#">PidTagPostalCode</a> <a href="#">PidTagCountry</a>
home	<a href="#">PidTagHomeAddressPostOfficeBox</a> <a href="#">PidTagHomeAddressStreet</a> <a href="#">PidTagHomeAddressCity</a> <a href="#">PidTagHomeAddressStateOrProvince</a> <a href="#">PidTagHomeAddressPostalCode</a> <a href="#">PidTagHomeAddressCountry</a>
postal	<a href="#">PidTagOtherAddressPostOfficeBox</a> <a href="#">PidTagOtherAddressStreet</a> <a href="#">PidTagOtherAddressCity</a> <a href="#">PidTagOtherAddressStateOrProvince</a> <a href="#">PidTagOtherAddressPostalCode</a> <a href="#">PidTagOtherAddressCountry</a>

The address that is selected as the mailing address by the [PidLidPostalAddressId](#) property also gets the value "pref" assigned to the TYPE parameter.

### 2.3.2 Type: LABEL

RFC Reference: [\[RFC2426\]](#) section 3.2.2.

Contact object Reference: N/A.

vCard Data Format: LABEL;TYPE=[Type]:[Formatted Address]

Brief description: Structured mailing label for the object that the vCard represents.

### Importing To Contact objects

The LABEL type is ignored on import.

## Exporting From Contact objects

The physical address objects are exported as a formatted string that represents a mailing label. Labels are constructed from the Contact object fields that are listed in the following table.

Address label	Contact object properties
Work	<a href="#">PidTagPostOfficeBox</a> <a href="#">PidTagStreetAddress</a> <a href="#">PidTagLocality</a> <a href="#">PidTagStateOrProvince</a> <a href="#">PidTagPostalCode</a> <a href="#">PidTagCountry</a>
Home	<a href="#">PidTagHomeAddressPostOfficeBox</a> <a href="#">PidTagHomeAddressStreet</a> <a href="#">PidTagHomeAddressCity</a> <a href="#">PidTagHomeAddressStateOrProvince</a> <a href="#">PidTagHomeAddressPostalCode</a> <a href="#">PidTagHomeAddressCountry</a>
Postal	<a href="#">PidTagOtherAddressPostOfficeBox</a> <a href="#">PidTagOtherAddressStreet</a> <a href="#">PidTagOtherAddressCity</a> <a href="#">PidTagOtherAddressStateOrProvince</a> <a href="#">PidTagOtherAddressPostalCode</a> <a href="#">PidTagOtherAddressCountry</a>

## 2.4 Telecommunications Addressing Types

These types are used in the vCard profile to capture telecommunications information, such as telephone numbers and e-mail addresses for the person or resource identified by the vCard.

### 2.4.1 Type: TEL

RFC Reference: [\[RFC2426\]](#) section 3.3.1.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.4.

vCard Data Format: TEL; TYPE=[Type]:[Phone Number]

Brief Description: A telephone number that is associated with the object that the vCard represents.

### Importing To Contact objects

The telephone number is imported to the Contact object based on the TYPE parameter, as shown in the following table. If the TYPE parameter is not specified in the vCard, the default value is "voice".

TEL TYPE parameter	Contact object properties
home	<a href="#">PidTagHomeTelephoneNumber</a> <a href="#">PidTagHome2TelephoneNumber</a>

TEL TYPE parameter	Contact object properties
msg	<a href="#">PidTagOtherTelephoneNumber</a>
work	<a href="#">PidTagBusinessTelephoneNumber</a> <a href="#">PidTagBusiness2TelephoneNumber</a>
voice	<a href="#">PidTagOtherTelephoneNumber</a>
cell	<a href="#">PidTagMobileTelephoneNumber</a>
video	<a href="#">PidTagOtherTelephoneNumber</a>
pager	<a href="#">PidTagPagerTelephoneNumber</a>
bbs	<a href="#">PidTagOtherTelephoneNumber</a>
modem	<a href="#">PidTagOtherTelephoneNumber</a>
car	<a href="#">PidTagCarTelephoneNumber</a>
isdn	<a href="#">PidTagIsdnNumber</a>
home;fax	<a href="#">PidTagHomeFaxNumber</a>
work;fax	<a href="#">PidTagBusinessFaxNumber</a>
pcs	Dropped
pref	<a href="#">PidTagPrimaryTelephoneNumber</a>

### Exporting From Contact objects

Each telephone number is exported as a formatted TEL type.

#### 2.4.2 Type: EMAIL

RFC Reference: [\[RFC2426\]](#) section 3.3.2.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.2.

vCard Data Format: EMAIL;TYPE=[Type]:[Email]

Brief Description: E-mail address of the object described by this vCard in SMTP or X.400 format.

### Importing To Contact objects

The contents of one to three EMAIL types are imported into Contact object properties depending on the TYPE parameter that is specified. The EMAIL type is imported as shown in the following table.

TYPE parameter value	Contact object properties
internet or none	<a href="#">PidLidEmail1AddressType</a> <a href="#">PidLidEmail1EmailAddress</a> <a href="#">PidLidEmail2AddressType</a> <a href="#">PidLidEmail2EmailAddress</a> <a href="#">PidLidEmail3AddressType</a>

TYPE parameter value	Contact object properties
	<a href="#">PidLidEmail3EmailAddress</a> Any additional EMAIL types are ignored.
im	<a href="#">PidLidInstantMessagingAddress</a> <a href="#">PidNameInstantMessagingAddress2</a> <a href="#">PidNameInstantMessagingAddress3</a> Exported as X-MS-IMADDRESS.
telex	<a href="#">PidTagTelexNumber</a> Exported as the X-MS-TEL;TYPE=telex type.

If multiple TYPE parameter values are set on an EMAIL type, the first recognized TYPE parameter value is used. If no TYPE parameter value is recognized, "internet" is used.

### Exporting From Contact objects

The [PidLidEmail1AddressType](#), [PidLidEmail1EmailAddress](#), [PidLidEmail2AddressType](#), [PidLidEmail2EmailAddress](#), [PidLidEmail3AddressType](#), and [PidLidEmail3EmailAddress](#) properties are exported to the vCard. The [PidLidEmail1DisplayName](#), [PidLidEmail2DisplayName](#), and [PidLidEmail3DisplayName](#) properties are not exported.

The instant messaging properties ([PidLidInstantMessagingAddress](#)) are exported as X-MS-IMADDRESS types; the [PidTagTelexNumber](#) property is exported as an X-MS-TEL;TYPE=telex type.

### 2.4.3 Type: MAILER

RFC Reference: [\[RFC2426\]](#) section 3.3.3.

Contact object Reference: N/A.

vCard Data Format: MAILER:[Mailer]

Brief Description: The name of the program that generated the vCard.

#### Importing To Contact objects

The MAILER type is not imported.

#### Exporting From Contact objects

The **MAILER** type is set to "Microsoft Exchange".

## 2.5 Geographical Types

These types capture geographical locations that are associated with the object that the vCard represents.

### 2.5.1 Type: TZ

RFC Reference: [\[RFC2426\]](#) section 3.4.1.

Contact object Reference: N/A.

vCard Data Format: TZ:[UTC-Offset]

Brief description: The time zone where the object that is represented by the vCard is located.

#### **Importing To and Exporting From Contact objects**

The TZ type is neither imported to the Contact object nor is it exported when a vCard is created.

### **2.5.2 Type: GEO**

RFC Reference: [\[RFC2426\]](#) section 3.4.2.

Contact object Reference: N/A.

vCard Data Format: GEO:[Decimal latitude]; [Decimal longitude]

Brief Description: The decimal latitude and longitude of the location of the object that the vCard represents.

#### **Importing To and Exporting From Contact objects**

The GEO type is neither imported to the Contact object nor is it exported when a vCard is created.

## **2.6 Organizational Types**

These types capture information about the organization or organizational units of the object that the vCard represents.

### **2.6.1 Type: TITLE**

RFC Reference: [\[RFC2426\]](#) section 3.5.1.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.6.1.

vCard Data Format: TITLE:[Formatted title]

Brief Description: Job title, functional position, or function of the object that the vCard represents.

#### **Importing To and Exporting From Contact objects**

The TITLE type is imported to and exported from [PidTagTitle](#).

### **2.6.2 Type: ROLE**

RFC Reference: [\[RFC2426\]](#) section 3.5.2.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.6.9.

vCard Data Format: ROLE:[Formatted title]

Brief Description: The role, occupation, or business category of the object that is represented by the vCard.

#### **Importing To and Exporting From Contact objects**

The ROLE type is imported to and exported from [PidTagProfession](#).



### 2.6.3 Type: LOGO

RFC Reference: [\[RFC2426\]](#) section 3.5.3.

Contact object Reference: N/A.

vCard Data Format:

LOGO;Encoding=b;TYPE=[Type]:[Data]

LOGO;VALUE=uri:[URI]

Brief Description: A graphic image of a logo that is associated with the object that is represented by the vCard.

#### Importing To and Exporting From Contact objects

The LOGO type is neither imported to the Contact object nor is it exported when a vCard is created.

### 2.6.4 Type: AGENT

RFC Reference: [\[RFC2426\]](#) section 3.5.4.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.6.7.

vCard Data Format:

AGENT;VALUE=uri:[Unique identifier]

AGENT;BEGIN:VCARD\n[vCard data]\nEND:VCARD\n

Brief Description: Information about another person who will act on behalf of the object that is represented by the vCard.

#### Importing To Contact objects

Only the second (vCard) form of the AGENT type is imported. All values in the AGENT type vCard are dropped except for the FN and TEL types. Contact object properties are assigned as shown in the following table.

AGENT vCard type	Contact object property
FN	<a href="#">PidTagAssistant</a>
TEL	<a href="#">PidTagAssistantTelephoneNumber</a>

The last TEL type in the AGENT type vCard is used as the assistant's telephone number.

#### Exporting From Contact objects

The [PidTagAssistant](#) and [PidTagAssistantTelephoneNumber](#) properties are exported as the X-MS-ASSISTANT and X-MS-TEL;TYPE=ASSISTANT types.

### 2.6.5 Type: ORG

RFC Reference: [\[RFC2426\]](#) section 3.5.5.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.6.2 and section [2.2.1.6.3](#).

vCard Data Format: ORG:[Organization];[SubUnit1];[SubUnit2]; <repeats>

Brief Description: The organizational name and units that are associated with the object that is represented by the vCard.

### Importing To and Exporting From Contact objects

The fields of the ORG type are imported to and exported from Contact object properties as shown in the following table.

ORG type field	Contact object property
Organization	<a href="#">PidTagCompanyName</a>
SubUnit1 SubUnit2 ...	<a href="#">PidTagDepartmentName</a>

## 2.7 Explanatory Types

These types capture additional information about the person or resource that is identified by the vCard.

### 2.7.1 Type: CATEGORIES

RFC Reference: [\[RFC2426\]](#) section 3.6.1.

Contact object Reference: N/A.

vCard Data Format: CATEGORIES:[value1],[value2],<repeats>

Brief Description: Comma-separated category information that is associated with the object that is represented by the vCard.

### Importing To and Exporting From Contact objects

The categories type is imported to and exported from [PidLidCategories](#).

### 2.7.2 Type: NOTE

RFC Reference: [\[RFC2426\]](#) section 3.6.2.

Contact object Reference: N/A.

vCard data format: NOTE:[Note]

Brief Description: Supplemental information or comment that is associated with the object that is represented by the vCard.

### Importing To and Exporting From Contact objects

The NOTE type is imported to and exported from [PidTagBody](#)

### 2.7.3 Type: PROPID

RFC Reference: [\[RFC2426\]](#) section 3.6.3.

Contact object Reference: N/A.

vCard Data Format: PRODID:[Product]

Brief Description: Identifier of the product that created the vCard.

#### **Importing To Contact objects**

The PRODID type is not imported.

#### **Exporting From Contact objects**

The PRODID type is set to "Microsoft Exchange" when the vCard is created.

### **2.7.4 Type: REV**

RFC Reference: [\[RFC2426\]](#) section 3.6.4.

Contact object Reference: [\[MS-OXPROPS\]](#) section 2.864.

vCard Data Format: REV:[Revision]

Brief Description: Distinguishes the current revision of the information in the vCard from other renditions of the information.

#### **Importing To and Exporting From Contact objects**

The REV type is imported to and exported from [PidTagLastModificationTime](#).

### **2.7.5 Type: SORT-STRING**

RFC Reference: [\[RFC2426\]](#) section 3.6.5.

Contact object Reference: N/A.

vCard Data Format: SORT-STRING:[Sort text]

Brief Description: Text to be used for national-language-specific sorting of the **FN** and **N** types.

#### **Importing To and Exporting From Contact objects**

The SORT-STRING type is neither imported from nor exported to the vCard.

### **2.7.6 Type: SOUND**

RFC Reference: [\[RFC2426\]](#) section 3.6.6.

Contact object Reference: N/A.

vCard Data Format:

SOUND;TYPE=[Format];VALUE=uri:cid:[Uri]

SOUND:TYPE=[Format];ENCODING=b:[data]

Brief Description: Digital sound content associated with the object that is represented by the vCard.

#### **Importing To and Exporting From Contact objects**

The SOUND type is neither imported to the Contact object nor exported from the vCard.

### 2.7.7 Type: UID

RFC Reference: [\[RFC2426\]](#) section 3.6.7.

Contact object Reference: N/A.

vCard Data Format: UID:[Unique identifier]

Brief Description: Globally unique identifier that corresponds to the object that is represented by the vCard.

#### Importing To and Exporting From Contact objects

The UID type is neither imported to the Contact object nor exported from the vCard.

### 2.7.8 Type: URL

RFC Reference: [\[RFC2426\]](#) section 3.6.8.

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.9.13 and section [2.2.1.9.14](#).

vCard Data Format: URL:[Uri]

Brief Description: **Uniform Resource Identifier (URI)** that is associated with the object that is represented by the vCard.

#### Importing To Contact objects

The URL type is imported to the Contact object based on the TYPE parameter.

TYPE parameter	Contact object property
home	<a href="#">PidTagPersonalHomePage</a>
work	<a href="#">PidTagBusinessHomePage</a>

If the TYPE parameter is not specified, the URL type is imported first to the [PidTagBusinessHomePage](#) property. One additional URL type is imported to the [PidTagPersonalHomePage](#) property; any other instances are ignored.

#### Exporting From Contact objects

One URL type is exported from the [PidTagBusinessHomePage](#) property with the TYPE parameter set to "work" and one from the [PidTagPersonalHomePage](#) property with the TYPE parameter set to "home".

### 2.7.9 Type: VERSION

RFC Reference: [\[RFC2426\]](#) section 3.6.9.

Contact object Reference: N/A.

vCard Data Format: VERSION:[Version]

Brief Description: The version of the vCard specification that is used to format the vCard.

### Importing To Contact objects

The VERSION type is not imported to the Contact object.

### Exporting From Contact objects

The VERSION type is set to "3.0".

## 2.8 Security Types

These types capture security information for the vCard.

### 2.8.1 Type: CLASS

RFC Reference: [\[RFC2426\]](#) section 3.7.1.

Contact object Reference: [\[MS-OXPROPS\]](#) section 2.1125.

vCard Data Format: CLASS:[Access classification]

Brief Description: Specifies the access classification for a vCard.

#### Importing To and Exporting From Contact objects

The class type is imported to and exported from the [PidTagSensitivity](#) property as shown in the following table.

CLASS type value	PidTagSensitivity value
Public	0
Private	2
Confidential	3

If the class type value is not one of the values shown in the previous table, the [PidTagSensitivity](#) value is not set.

### 2.8.2 Type: KEY

RFC Reference: [\[RFC2426\]](#) section 3.7.2.

Contact object Reference: [\[MS-OXPROPS\]](#) section 2.1181.

vCard Data Format: KEY;ENCODING=b:[data]

Brief Description: A public key or authentication certificate that is associated with the object that the vCard represents.

#### Importing To and Exporting From Contact objects

If the KEY type represents an X.509 certificate, the KEY type is imported to and exported from [PidTagUserX509Certificate](#). Other certificate types are not imported.

## 2.9 Custom Types

The following types are extended types that use the non-standard mechanism that is defined in [\[RFC2045\]](#).

### 2.9.1 EBC Design

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.7.1.

vCard header: X-MS-OL-DESIGN:

vCard Data Format: X-MS-OL-DESIGN:[data]

Brief Description: Electronic business card that is associated with the object that the vCard represents.

#### Importing To and Exporting From Contact objects

The X-MS-OL-DESIGN type is imported to and exported from [PidLidBusinessCardDisplayDefinition](#).

### 2.9.2 Children

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.9.17.

vCard header: X-MS-CHILD:, X-CHILD:

vCard Data Format: X-MS-CHILD:[Children's names]

Brief Description: The names of children's that are associated with the object that the vCard represents.

#### Importing To and Exporting From Contact objects

The X-MS-CHILD or X-CHILD types are imported to and exported from [PidTagChildrensNames](#).

### 2.9.3 User Text

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.7.3.

vCard header: X-MS-TEXT:, X-CUSTOM:

vCard Data Format: X-MS-TEXT:[Text]

Brief Description: Custom text that is associated with the object that the vCard represents.

#### Importing To Contact objects

The X-MS-TEXT type is saved to the [PidLidContactUserField1](#), [PidLidContactUserField2](#), [PidLidContactUserField3](#), and [PidLidContactUserField4](#) Contact object properties in the order in which they are received. A maximum of four X-MS-TEXT types can be saved; additional instances are discarded.

#### Exporting From Contact objects

The contents of [PidLidContactUserField1](#), [PidLidContactUserField2](#), [PidLidContactUserField3](#), and [PidLidContactUserField4](#) are exported as X-MS-TEXT types.

## 2.9.4 Instant Messaging Address

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.9.6.

vCard header: X-MS-IMADDRESS:, X-MS-RM-IMACCOUNT:, EMAIL;IM:

vCard Data Format: X-MS-IMADDRESS:[IM Address]

Brief Description: Instant messaging address that is associated with the object that the vCard represents.

### Importing To and Exporting From Contact objects

The X-MS-IMADDRESS type is imported to and exported from [PidLidInstantMessagingAddress](#), [PidNameInstantMessagingAddress2](#), and [PidNameInstantMessagingAddress3](#). Any additional X-MS-IMADDRESS types are ignored.

## 2.9.5 Telephone Numbers

vCard header: X-MS-TEL;TYPE=<telephone type>

Brief Description: The following telephone numbers are imported to and exported from Contact object properties as X-MS-TEL types.

TYPE property	Contact object property	Contact object reference [MS-OXOCNTC]
TYPE=ASSISTANT	<a href="#">PidTagAssistantTelephoneNumber</a>	<a href="#">2.2.1.4.11</a>
TYPE=CALLBACK	<a href="#">PidTagCallbackTelephoneNumber</a>	<a href="#">2.2.1.4.2</a>
TYPE=COMPANY	<a href="#">PidTagCompanyMainTelephoneNumber</a>	<a href="#">2.2.1.4.14</a>
TYPE=RADIO	<a href="#">PidTagRadioTelephoneNumber</a>	<a href="#">2.2.1.4.8</a>
TYPE=TTY/TDD	<a href="#">PidTagTtyTddPhoneNumber</a>	<a href="#">2.2.1.4.13</a>

## 2.9.6 Anniversary

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.5.4.

vCard header: X-MS-ANNIVERSARY:, X-ANNIVERSARY:

vCard Data Format: X-MS-ANNIVERSARY:[date or date/time value]

Required: No.

Brief Description: The wedding anniversary that is associated with the object that is represented by the vCard.

### Importing To and Exporting From Contact objects

The X-MS-ANNIVERSARY type is imported to and exported from [PidTagWeddingAnniversary](#).

## 2.9.7 Spouse's Name

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.9.3.

vCard header: X-MS-SPOUSE;N:

vCard data format: X-MS-SPOUSE;N:[Formatted name]

Brief Description: The name of the spouse that is associated with the object that is represented by the vCard.

#### **Importing To and Exporting From Contact objects**

The X-MS-SPOUSE;N type is imported to and exported from [PidTagSpouseName](#).

### **2.9.8 Manager's Name**

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.6.6.

vCard header: X-MS-MANAGER;N:

vCard data format: X-MS-MANAGER;N:[Formatted name]

Brief Description: The name of the manager that is associated with the object that the vCard represents.

#### **Importing To and Exporting From Contact objects**

The X-MS-MANAGER;N type is imported to and exported from [PidTagManagerName](#).

### **2.9.9 Assistant's Name**

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.6.7.

vCard header: X-MS-ASSISTANT;N;, X-ASSISTANT

vCard data format: X-MS-ASSISTANT;N:[Formatted name]

Brief Description: The name of a person who is authorized to act on behalf of the object that is represented by the vCard.

#### **Importing To and Exporting From Contact objects**

The X-MS-ASSISTANT;N type is imported to and exported from [PidTagAssistant](#). The X-MS-TEL;ASSISTANT and X-MS-ASSISTANT;N: types are used instead of the vCard AGENT type.

### **2.9.10 Free/Busy URL**

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.9.10.

vCard header: X-MS-FBURL

vCard Data Format: X-MS-FBURL:[Uri]

Brief Description: A URI from which a client can retrieve **free/busy** information for the object that is represented by the vCard as an iCal file, as specified in [\[MS-OXCICAL\]](#).

#### **Importing To and Exporting From Contact objects**

The X-MS-FBURL type is imported to and exported from [PidLidFreeBusyLocation](#).



### 2.9.11 Interests

Contact object Reference: [\[MS-OXOCNTC\]](#) section 2.2.1.9.2.

vCard header: X-MS-INTERESTS:, X-INTERESTS:

vCard Data Format: X-MS-INTERESTS:[List of interests]

Brief Description: The hobbies or other interests that are associated with the object that is represented by the vCard.

#### **Importing To and Exporting From Contact objects**

The X-MS-INTERESTS type is imported to and exported from [PidTagHobbies](#).

### 3 Structure Examples

The following examples show how a vCard is imported to and exported from a Contact object.

#### 3.1 Importing a vCard

The following is a text representation of a vCard.

```
BEGIN:vCard
VERSION:3.0
FN:Dan Fennell
ORG:Contoso, Ltd.
ADR;TYPE=WORK,POSTAL,PARCEL;;;7890 Elm Street;Boulder;CO;33041;U.S.
TEL;TYPE=VOICE,MSG,WORK:+1-206-555-0102
TEL;TYPE=FAX,WORK:+1-206-555-0162
EMAIL;TYPE=INTERNET,PREF:dan.fennell@contoso.com
EMAIL;TYPE=INTERNET:dfennell@fabrikam.com
URL:http://www.contoso.com/
END:vCard
```

The information in the vCard is imported to a Contact object as shown in the following table.

vCard type	Contact object property	Value
FN:	<a href="#">PidTagDisplayName</a>	Dan Fennell
ORG:	<a href="#">PidTagCompanyName</a>	Contoso, Ltd.
ADR; TYPE=WORK, postal,parcel:	<a href="#">PidTagStreetAddress</a> <a href="#">PidTagOtherAddressStreet</a>	7890 Elm St.
ADR; TYPE=WORK, postal,parcel:	<a href="#">PidTagLocality</a> <a href="#">PidTagOtherAddressCity</a>	Boulder
ADR; TYPE=WORK, postal,parcel:	<a href="#">PidTagStateOrProvince</a> <a href="#">PidTagOtherAddressStateOrProvince</a>	CO
ADR; TYPE=WORK, postal,parcel:	<a href="#">PidTagPostalCode</a> <a href="#">PidTagOtherAddressPostalCode</a>	33041
ADR; TYPE=WORK, postal,parcel:	<a href="#">PidTagCountry</a> <a href="#">PidTagOtherAddressCountry</a>	U.S.
	<a href="#">PidTagBusinessTelephoneNumber</a> <a href="#">PidTagOtherTelephoneNumber</a>	
	<a href="#">PidTagBusinessFaxNumber</a>	+1-206-555-0162
	<a href="#">PidLidEmail1EmailAddress</a>	
	<a href="#">PidLidEmail2EmailAddress</a>	
	<a href="#">PidTagBusinessHomePage</a>	

## 3.2 Exporting a Contact object

The following table contains the values stored in a Contact object.

Contact object property	Value
<a href="#">PidLidEmail1EmailAddress</a>	dan.fennell@contoso.com
<a href="#">PidLidEmail2EmailAddress</a>	dfennell@fabrikam.com
<a href="#">PidTagAssistant</a>	Julian Price
<a href="#">PidTagAssistantTelephoneNumber</a>	+1-206-555-0188
<a href="#">PidTagBusinessTelephoneNumber</a>	+1-206-555-0102
<a href="#">PidTagCompanyMainTelephoneNumber</a>	+1-206-555-0100
<a href="#">PidTagCompanyName</a>	Contoso, Ltd.
<a href="#">PidTagCountry</a>	USA
<a href="#">PidTagGivenName</a>	Dan
<a href="#">PidTagHomeAddressCountry</a>	USA
<a href="#">PidTagHomeAddressCity</a>	Boulder
<a href="#">PidTagHomeAddressPostalCode</a>	33041
<a href="#">PidTagHomeAddressStateOrProvince</a>	CO
<a href="#">PidTagHomeAddressStreet</a>	345 Aspen Street
<a href="#">PidTagLocality</a>	Boulder
<a href="#">PidTagMobileTelephoneNumber</a>	+1-425-555-0199
<a href="#">PidTagPostalCode</a>	33041
<a href="#">PidTagStateOrProvince</a>	CO
<a href="#">PidTagStreetAddress</a>	7890 Elm Street
<a href="#">PidTagSurname</a>	Fennell

The following vCard is generated from the previous table.

```
BEGIN:vCard
VERSION:3.0
PROPID:Microsoft Exchange
FN:Dan Fennell
N:Fennell;Dan;;;
ORG:Contoso, Ltd
ADR;TYPE=work,pref:;;7890 Elm Street;Boulder;CO;33041;U.S.
ADR;TYPE=home:;;345 Aspen Street;Boulder;CO;33041;U.S.
EMAIL;TYPE=internet,pref:dan.fennell@contoso.com
EMAIL;TYPE=internet:dfennell@fabrikam.com
TEL;TYPE=work,pref:+1-206-555-0102
```

TEL;TYPE=cell:+1-425-555-0199  
X-MS-TEL;TYPE=COMPANY:+1-206-555-0100  
X-MS-ASSISTANT;TYPE=N: Julian Price  
X-MS-TEL;TYPE=ASSISTANT:+1-206-555-0188

## 4 Security Considerations

The vCard format can carry cryptographic keys or certificates, as specified in section [2.8.2](#).

Section [2.8.1](#) specifies a desired security classification policy for a vCard. The security policy is not enforced in any way.

vCards have no inherent authentication or privacy, but can be carried by any security mechanism that transfers MIME objects with security or privacy. Where the threat exists of invalid vCard information, it is recommended that you transport the vCard by one of these methods.

The information of the vCard may become out of date. In cases where the data is important to the originator of the vCard, it is recommended that you specify the URL type specified in section [2.7.8](#). In addition, the REV type specified in section [2.7.4](#) can be specified to indicate the last time that the vCard data was updated.

## 5 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products:

- Microsoft® Exchange Server 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

## 6 Change Tracking

This section identifies changes that were made to the [MS-OXVCARD] protocol document between the May 2010 and August 2010 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- The removal of a document from the documentation set.
- Changes made for template compliance.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.

- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type "Editorially updated."

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact [protocol@microsoft.com](mailto:protocol@microsoft.com).

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
<a href="#">1.2.1 Normative References</a>	55751 Moved [MS-OXGLOS] from Normative References section to Informative References section.	N	Content update.



## 7 Index

### A

[Applicability](#) 6

### C

[Change tracking](#) 31

[Common data types and fields](#) 8

### D

[Data types and fields - common](#) 8

Details

[common data types and fields](#) 8

### E

[Example](#) 26

### F

[Fields - vendor-extensible](#) 7

### G

[Glossary](#) 5

### I

[Implementer - security considerations](#) 29

[Introduction](#) 5

### L

[Localization](#) 6

### N

[Normative references](#) 5

### O

[Overview \(synopsis\)](#) 6

### P

[Product behavior](#) 30

### R

References

[normative](#) 5

[Relationship to protocols and other structures](#) 6

### S

[Security - implementer considerations](#) 29

Structures

[overview](#) 8

### T

[Tracking changes](#) 31

### V

[Vendor-extensible fields](#) 7

[Versioning](#) 6