

[MS-OXWSPSNTIF]: Push Notifications Web Service Protocol

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

| Date | Revision History | Revision Class | Comments |
|------------|------------------|----------------|--|
| 07/15/2009 | 1.0 | Major | Initial Availability. |
| 11/04/2009 | 1.1.0 | Minor | Updated the technical content. |
| 02/10/2010 | 1.2.0 | Minor | Updated the technical content. |
| 05/05/2010 | 1.2.1 | Editorial | Revised and edited the technical content. |
| 08/04/2010 | 1.3 | Minor | Clarified the meaning of the technical content. |
| 11/03/2010 | 2.0 | Major | Significantly changed the technical content. |
| 03/18/2011 | 2.1 | Minor | Clarified the meaning of the technical content. |
| 08/05/2011 | 3.0 | Major | Significantly changed the technical content. |
| 10/07/2011 | 3.0 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 01/20/2012 | 4.0 | Major | Significantly changed the technical content. |
| 04/27/2012 | 4.0 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 07/16/2012 | 4.0 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 10/08/2012 | 4.1 | Minor | Clarified the meaning of the technical content. |
| 02/11/2013 | 4.1 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 07/26/2013 | 4.1 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 11/18/2013 | 4.2 | Minor | Clarified the meaning of the technical content. |

Table of Contents

| | |
|--|-----------|
| 1 Introduction | 5 |
| 1.1 Glossary | 5 |
| 1.2 References | 5 |
| 1.2.1 Normative References | 5 |
| 1.2.2 Informative References | 6 |
| 1.3 Overview | 6 |
| 1.4 Relationship to Other Protocols | 6 |
| 1.5 Prerequisites/Preconditions | 7 |
| 1.6 Applicability Statement | 7 |
| 1.7 Versioning and Capability Negotiation | 7 |
| 1.8 Vendor-Extensible Fields | 8 |
| 1.9 Standards Assignments | 8 |
| 2 Messages | 9 |
| 2.1 Transport | 9 |
| 2.2 Common Message Syntax | 9 |
| 2.2.1 Namespaces | 9 |
| 2.2.2 Messages | 9 |
| 2.2.3 Elements | 10 |
| 2.2.4 Complex Types | 10 |
| 2.2.5 Simple Types | 10 |
| 2.2.6 Attributes | 10 |
| 2.2.7 Groups | 10 |
| 2.2.8 Attribute Groups | 10 |
| 2.2.9 Common Data Structures | 10 |
| 3 Protocol Details | 11 |
| 3.1 ExchangeServicePortType Server Details | 11 |
| 3.1.1 Abstract Data Model | 11 |
| 3.1.2 Timers | 11 |
| 3.1.3 Initialization | 11 |
| 3.1.4 Message Processing Events and Sequencing Rules | 11 |
| 3.1.4.1 SendNotification Operation | 11 |
| 3.1.4.1.1 Messages | 12 |
| 3.1.4.1.1.1 tns:SendNotificationSoapIn Message | 12 |
| 3.1.4.1.1.2 tns:SendNotificationSoapOut Message | 12 |
| 3.1.4.1.2 Elements | 13 |
| 3.1.4.1.2.1 SendNotification Element | 13 |
| 3.1.4.1.2.2 SendNotificationResult Element | 13 |
| 3.1.4.1.3 Complex Types | 13 |
| 3.1.4.1.3.1 m:SendNotificationResponseMessageType Complex Type | 14 |
| 3.1.4.1.3.2 m:SendNotificationResponseType Complex Type | 14 |
| 3.1.4.1.3.3 m:SendNotificationResultType Complex Type | 14 |
| 3.1.4.1.4 Simple Types | 15 |
| 3.1.4.1.4.1 t:SubscriptionStatusType Simple Type | 15 |
| 3.1.5 Timer Events | 16 |
| 3.1.6 Other Local Events | 16 |
| 4 Protocol Examples | 17 |
| 5 Security | 18 |

| | | |
|-----------|--|-----------|
| 5.1 | Security Considerations for Implementers | 18 |
| 5.2 | Index of Security Parameters | 18 |
| 6 | Appendix A: Full WSDL | 19 |
| 7 | Appendix B: Full XML Schema | 21 |
| 7.1 | Messages Schema..... | 21 |
| 7.2 | Types Schema..... | 22 |
| 8 | Appendix C: Product Behavior | 23 |
| 9 | Change Tracking..... | 24 |
| 10 | Index | 26 |

1 Introduction

The Push Notifications Web Service Protocol enables clients to receive subscribed event updates sent by the server.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

Hypertext Transfer Protocol (HTTP)
Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)
SOAP action
SOAP body
SOAP header
XML namespace

The following terms are defined in [\[MS-OXGLOS\]](#):

endpoint
Uniform Resource Locator (URL)
Web Services Description Language (WSDL)
WSDL message
WSDL port type
XML schema

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-OXWSCDATA] Microsoft Corporation, "[Common Web Service Data Types](#)".

[MS-OXWSNTIF] Microsoft Corporation, "[Notifications Web Service Protocol](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[WSDLSOAP] Angelov, D., Ballinger, K., Butek, R., et al., "WSDL 1.1 Binding Extension for SOAP 1.2", W3c Member Submission, April 2006, <http://www.w3.org/Submission/wsdl11soap12/>

[WSIBASIC] Ballinger, K., Ehnebuske, D., Gudgin, M., et al., Eds., "Basic Profile Version 1.0", Final Material, April 2004, <http://www.ws-i.org/Profiles/BasicProfile-1.0-2004-04-16.html>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Beech, D., Maloney, M., Eds., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OXDCLI] Microsoft Corporation, "[Autodiscover Publishing and Lookup Protocol](#)".

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)".

[MS-OXPROTO] Microsoft Corporation, "[Exchange Server Protocols System Overview](#)".

[MS-OXWSADISC] Microsoft Corporation, "[Autodiscover Publishing and Lookup SOAP-Based Web Service Protocol](#)".

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

1.3 Overview

This protocol provides clients with subscribed event updates that are sent by the server. Clients subscribe to these notifications, as described in [\[MS-OXWSNTIF\]](#), by creating a push subscription that specifies where the server is to send notifications. The clients then create a Web service that enables them to receive the notifications sent to them by the server.

1.4 Relationship to Other Protocols

A client that implements this protocol can use the Autodiscover Publishing and Lookup SOAP-Based Web Service Protocol, as described in [\[MS-OXWSADISC\]](#), or the Autodiscover Publishing and Lookup Protocol, as described in [\[MS-OXDCLI\]](#), to identify the target **endpoint (4)** to use for each operation.

This protocol uses the SOAP Protocol, as described in [\[SOAP1.1\]](#), to specify the structure information exchanged between the client and server. This protocol uses the XML Protocol, as

described in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), to describe the message content sent to and from the server.

This protocol uses SOAP over HTTP, as described in [\[RFC2616\]](#), and SOAP over **HTTPS**, as described in [\[RFC2818\]](#), as shown in the following layering diagram.




Figure 1: This protocol in relation to other protocols

The notification information that is sent to this protocol is used when requests are made by using the Notifications Web Service Protocol [\[MS-OXWSNTIF\]](#).

For conceptual background information and overviews of the relationships and interactions between this and other protocols, see [\[MS-OXPROTO\]](#).

1.5 Prerequisites/Preconditions

The endpoint (4) **URL** that is returned by either the Autodiscover Publishing Lookup SOAP-Based Web Service Protocol, as described in [\[MS-OXWSADISC\]](#), or the Autodiscover Publishing and Lookup Protocol, as described in [\[MS-OXDCLI\]](#), is required to form the **HTTP** request to the Web server that hosts this protocol. The operations that this protocol defines cannot be accessed unless the correct endpoint (4) is identified in the HTTP Web requests that target this protocol.

1.6 Applicability Statement

The protocol specified in this document is applicable to tightly coupled client/server environments in which the client and the server are always connected. This protocol is not applicable to environments in which the client connects to the server periodically. If clients are loosely coupled with the server, the Notifications Web Service Protocol, as described in [\[MS-OXWSNTIF\]](#), is applicable.

1.7 Versioning and Capability Negotiation

This document covers versioning issues in the following areas:

- **Supported Transports:** This protocol uses multiple transports with SOAP 1.1, as specified in section [2.1](#) and in [\[SOAP1.1\]](#).
- **Protocol Versions:** This protocol specifies only one **WSDL port type** version. The WSDL version of the request is identified by using the **t:RequestServerVersion** element, as described in [\[MS-OXWSCDATA\]](#) section 2.2.3.9.
- **Security and Authentication Methods:** This protocol relies on the Web server that is hosting it to perform authentication.

- **Localization:** This protocol includes text strings in various messages. Localization considerations for such strings are specified in section [3.1.4](#).
- **Capability Negotiation:** This protocol does not support version negotiation.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

In the following sections, the schema definition might differ from the processing rules imposed by the protocol. The **WSDL** in this specification provides a base description of the protocol. The schema in this specification provides a base description of the message syntax. The text that specifies the WSDL and schema might specify restrictions that reflect actual protocol behavior. For example, the schema definition might allow for an element to be **empty**, **null**, or **not present** but the behavior of the protocol as specified restricts the same elements to being **non-empty**, **not null**, or **present**.

2.1 Transport

The SOAP version supported is SOAP 1.1. For more details, see [\[SOAP1.1\]](#).

This protocol relies on the Web server that hosts the application to perform authentication. The protocol SHOULD use secure communications by means of HTTPS, as defined in [\[RFC2818\]](#).

2.2 Common Message Syntax

This section contains common definitions that are used by this protocol. The syntax of the definitions uses **XML schema** as defined in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and WSDL as defined in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various **XML namespaces** by using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

| Prefix | Namespace URI | Reference |
|-----------------|---|------------------------------|
| soap | http://schemas.xmlsoap.org/wsdl/soap/ | [SOAP1.1] |
| tns | http://schemas.microsoft.com/exchange/services/2006/messages | |
| s | http://www.w3.org/2001/XMLSchema | [XMLSCHEMA1] |
| targetNamespace | http://schemas.microsoft.com/exchange/services/2006/messages | |
| wsdl | http://schemas.xmlsoap.org/wsdl/ | [WSDL] |
| t | http://schemas.microsoft.com/exchange/services/2006/types | |
| m | http://schemas.microsoft.com/exchange/services/2006/messages | |
| soap12 | http://schemas.xmlsoap.org/wsdl/soap12/ | [WSDLSOAP] |
| xs | http://www.w3.org/2001/XMLSchema | [XMLSCHEMA1] |
| wsi | http://ws-i.org/schemas/conformanceClaim/ | [WSIBASIC] |

2.2.2 Messages

This specification does not define any common **WSDL message** definitions.

2.2.3 Elements

This specification does not define any common XML schema element definitions.

2.2.4 Complex Types

This specification does not define any common XML schema complex type definitions.

2.2.5 Simple Types

This specification does not define any common XML schema simple type definitions.

2.2.6 Attributes

This specification does not define any common XML schema attribute definitions.

2.2.7 Groups

This specification does not define any common XML schema group definitions.

2.2.8 Attribute Groups

This specification does not define any common XML schema attribute group definitions.

2.2.9 Common Data Structures

This specification does not define any common XML schema data structures.

3 Protocol Details

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport, and the results that are returned by the transport are passed directly back to the higher-layer protocol or application.

3.1 ExchangeServicePortType Server Details

This protocol defines a single port type with one operation.

3.1.1 Abstract Data Model

None.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

The following table summarizes the WSDL operations as defined by this specification.

| Operation name | Description |
|-------------------------|---|
| SendNotification | Sends subscription information from the server to the client application. |

3.1.4.1 SendNotification Operation

The **SendNotification** operation sends subscription information from the server to the client application.

The following is the WSDL port type specification for the **SendNotification** operation.

```
<wsdl:operation name="SendNotification">
  <wsdl:input message="tns:SendNotificationSoapIn" />
  <wsdl:output message="tns:SendNotificationSoapOut" />
</wsdl:operation>
```

The following is the WSDL binding specification for the **SendNotification** operation.

```
<wsdl:operation name="SendNotification">
  <soap:operation
soapAction="http://schemas.microsoft.com/exchange/services/2006/messages/SendNotification" />
  <wsdl:input>
    <soap:header message="tns:SendNotificationSoapIn" part="RequestVersion" use="literal"/>
    <soap:body parts="request" use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
```

```

</wsdl:output>
</wsdl:operation>

```

3.1.4.1.1 Messages

The following table lists and describes the WSDL message definitions that are specific to the **SendNotification** operation.

| Message name | Description |
|--------------------------------|--|
| SendNotificationSoapIn | Specifies a request to the SendNotification operation. |
| SendNotificationSoapOut | Specifies a response from the SendNotification operation. |

3.1.4.1.1.1 tns:SendNotificationSoapIn Message

The **SendNotificationSoapIn** WSDL message specifies the **SendNotification** operation request to send a notification to the client application.

```

<wsdl:message name="SendNotificationSoapIn">
  <wsdl:part name="request" element="tns:SendNotification" />
  <wsdl:part name="RequestVersion" element="t:RequestServerVersion"/>
</wsdl:message>

```

The **SendNotificationSoapIn** WSDL message is the input message for the **SOAP action** <http://schemas.microsoft.com/exchange/services/2006/messages/SendNotification>.

The parts of the **SendNotificationSoapIn** WSDL message are listed and described in the following table.

| Part name | Element/type | Description |
|-----------------------|---|--|
| request | tns:SendNotification (section 3.1.4.1.3.1) | Specifies the SOAP body of the request. |
| RequestVersion | t:RequestServerVersion ([MS-OXWSCDATA] section 2.2.3.9) | Specifies a SOAP header that identifies the schema version for the SendNotification operation request. |

3.1.4.1.1.2 tns:SendNotificationSoapOut Message

The **SendNotificationSoapOut** WSDL message specifies the server response to the **SendNotification** operation request to send a notification to the client application.

```

<wsdl:message name="SendNotificationSoapOut">
  <wsdl:part name="SendNotificationResult" element="tns:SendNotificationResult" />
</wsdl:message>

```

The **SendNotificationSoapOut** WSDL message is the output message for the SOAP action <http://schemas.microsoft.com/exchange/services/2006/messages/SendNotification>.

The parts of the **SendNotificationSoapOut** WSDL message are listed and described in the following table.

| Part name | Element/type | Description |
|-------------------------------|--|--|
| SendNotificationResult | tns:SendNotificationResult (section 3.1.4.1.2.2) | Specifies SOAP body of the response message. |

3.1.4.1.2 Elements

The following table lists and describes the XML schema element definitions that are specific to the **SendNotification** operation.

| Element name | Description |
|-------------------------------|---|
| SendNotification | Specifies the push notifications that are sent by the server to the client application. |
| SendNotificationResult | Specifies the response of a client application to a push notification. |

3.1.4.1.2.1 SendNotification Element

The **SendNotification** element specifies the push notifications that are sent by the server to the client application.

```
<xs:element name="SendNotification"
  type="m:SendNotificationResponseType"
 />
```

3.1.4.1.2.2 SendNotificationResult Element

The **SendNotificationResult** element specifies the response of a client application to a push notification.

```
<xs:element name="SendNotificationResult"
  type="m:SendNotificationResultType"
 />
```

3.1.4.1.3 Complex Types

The following table lists and describes the XML schema complex type definitions that are specific to the **SendNotification** operation.

| Complex type name | Description |
|--|---|
| SendNotificationResponseMessageType | Specifies the status and result of a single SendNotification operation request. |
| SendNotificationResponseType | Specifies the push notifications that are sent by the server to the client application. |
| SendNotificationResultType | Specifies the response of a client application to a push notification. |

3.1.4.1.3.1 m:SendNotificationResponseMessageType Complex Type

The **SendNotificationResponseMessageType** complex type specifies the status and result of a single **SendNotification** operation request. The **SendNotificationResponseMessageType** complex type extends the **ResponseMessageType** complex type, as specified in [\[MS-OXWSCDATA\]](#) section 2.2.4.57.

```
<xs:complexType name="SendNotificationResponseMessageType">
  <xs:complexContent>
    <xs:extension
      base="m:ResponseMessageType"
    >
      <xs:sequence>
        <xs:element name="Notification"
          type="t:NotificationType"
          minOccurs="1"
        />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

The following table lists and describes the child elements of the **SendNotificationResponseMessageType** complex type.

| Element name | Type | Description |
|---------------------|--|---|
| Notification | t:NotificationType ([MS-OXWSNTIF] section 2.2.4.8) | Specifies the subscription and the events that have occurred since the last notification. |

3.1.4.1.3.2 m:SendNotificationResponseType Complex Type

The **SendNotificationResponseType** complex type specifies the push notifications that are sent by the server to the client application. The **SendNotificationResponseType** complex type extends the **BaseResponseMessageType** complex type, as specified in [\[MS-OXWSCDATA\]](#) section 2.2.4.16.

```
<xs:complexType name="SendNotificationResponseType">
  <xs:complexContent>
    <xs:extension
      base="m:BaseResponseMessageType"
    />
  </xs:complexContent>
</xs:complexType>
```

3.1.4.1.3.3 m:SendNotificationResultType Complex Type

The **SendNotificationResultType** complex type specifies the response of a client application to a push notification.

```
<xs:complexType name="SendNotificationResultType">
```

```

<xs:sequence>
  <xs:element name="SubscriptionStatus"
    type="t:SubscriptionStatusType"
    />
</xs:sequence>
</xs:complexType>

```

The following table lists and describes the child elements of the **SendNotificationResultType** complex type.

| Element name | Type | Description |
|---------------------------|--|--|
| SubscriptionStatus | t:SubscriptionStatusType (section 3.1.4.1.4.1) | Specifies the status of a push subscription. |

3.1.4.1.4 Simple Types

The following table lists and describes the XML schema simple type definitions that are specific to the **SendNotification** operation.

| Simple type name | Description |
|-------------------------------|---|
| SubscriptionStatusType | Specifies the status type of a push subscription. |

3.1.4.1.4.1 t:SubscriptionStatusType Simple Type

The **SubscriptionStatusType** simple type specifies the status of a push subscription.

```

<xs:simpleType name="SubscriptionStatusType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="OK"
    />
    <xs:enumeration
      value="Unsubscribe"
    />
  </xs:restriction>
</xs:simpleType>

```

The following table lists and describes the values that are defined by the **SubscriptionStatusType** simple type.

| Value name | Description |
|--------------------|---|
| OK | Specifies that the server will continue to send notifications. |
| Unsubscribe | Specifies that the server will stop sending notifications and end the subscription. |

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

None.

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

The XML files that are listed in the following table are required in order to implement the functionality described in this document.

| File name | Description | Section |
|----------------------------|---|---------------------|
| MS-OXWSPSNTIF.wsdl | Contains the WSDL for the implementation of this protocol. | 6 |
| MS-OXWSPSNTIF-messages.xsd | Contains the XML schema message definitions that are used in this protocol. | 7.1 |
| MS-OXWSPSNTIF-types.xsd | Contains the XML schema type definitions that are used in this protocol. | 7.2 |

These files have to be placed in a common folder in order for the WSDL to validate and operate. Also, any schema files that are included in or imported into the MS-OXWSPSNTIF-types.xsd or MS-OXWSPSNTIF-messages.xsd schemas have to be placed in the common folder along with the files listed in the table.

This section provides the contents of the MS-OXWSPSNTIF.wsdl file.

```
<?xml version="1.0" encoding="utf-8"?>
<wSDL:definitions xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
  xmlns:tns="http://schemas.microsoft.com/exchange/services/2006/messages"
  xmlns:s="http://www.w3.org/2001/XMLSchema"

  targetNamespace="http://schemas.microsoft.com/exchange/services/2006/messages"
  xmlns:wSDL="http://schemas.xmlsoap.org/wsdl/"
  xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types">
  <wSDL:types>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
      <xs:import
        namespace="http://schemas.microsoft.com/exchange/services/2006/messages" schemaLocation="MS-
        OXWSPSNTIF-messages.xsd"/>
      </xs:schema>
    </wSDL:types>
    <wSDL:message name="SendNotificationSoapIn">
      <wSDL:part name="request" element="tns:SendNotification" />
      <wSDL:part name="RequestVersion" element="t:RequestServerVersion"/>
    </wSDL:message>
    <wSDL:message name="SendNotificationSoapOut">
      <wSDL:part name="SendNotificationResult" element="tns:SendNotificationResult" />
    </wSDL:message>
    <wSDL:portType name="NotificationServicePortType">
      <wSDL:operation name="SendNotification">
        <wSDL:input message="tns:SendNotificationSoapIn" />
        <wSDL:output message="tns:SendNotificationSoapOut" />
      </wSDL:operation>
    </wSDL:portType>

    <wSDL:binding name="NotificationServiceBinding" type="tns:NotificationServicePortType">
      <wSDL:documentation>
        <wsi:Claim conformsTo="http://ws-i.org/profiles/basic/1.0" xmlns:wsi="http://ws-
        i.org/schemas/conformanceClaim/" />
      </wSDL:documentation>
```

```

    <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document" />

    <wsdl:operation name="SendNotification">
      <soap:operation
soapAction="http://schemas.microsoft.com/exchange/services/2006/messages/SendNotification" />
      <wsdl:input>
        <soap:header message="tns:SendNotificationSoapIn" part="RequestVersion"
use="literal"/>
        <soap:body parts="request" use="literal" />
      </wsdl:input>
      <wsdl:output>
        <soap:body use="literal" />
      </wsdl:output>
    </wsdl:operation>

  </wsdl:binding>

  <wsdl:binding name="NotificationServiceBinding12" type="tns:NotificationServicePortType">
    <soap12:binding transport="http://schemas.xmlsoap.org/soap/http" style="document" />

    <wsdl:operation name="SendNotification">
      <soap12:operation
soapAction="http://schemas.microsoft.com/exchange/services/2006/messages/SendNotification" />
      <wsdl:input>
        <soap12:header message="tns:SendNotificationSoapIn" part="RequestVersion"
use="literal"/>
        <soap12:body parts="request" use="literal" />
      </wsdl:input>
      <wsdl:output>
        <soap12:body use="literal" />
      </wsdl:output>
    </wsdl:operation>

  </wsdl:binding>
</wsdl:definitions>

```

7 Appendix B: Full XML Schema

For ease of implementation, the following sections provide the full XML schema for this protocol.

| Schema name | Prefix | Section |
|-----------------|--------|---------------------|
| Messages schema | m: | 7.1 |
| Types schema | t: | 7.2 |

These files have to be placed in a common folder in order for the WSDL to validate and operate. Also, any schema files that are included in or imported into the MS-OXWSPSNTIF-types.xsd or MS-OXWSPSNTIF-messages.xsd schemas have to be placed in the common folder along with the files listed in the table.

7.1 Messages Schema

This section provides the contents of the MS-OXWSPSNTIF-messages.xsd file and information about additional files that this schema file requires to operate correctly.

MS-OXWSPSNTIF-messages.xsd includes the files listed in the following table. To operate correctly, these files have to be in the folder that contains the WSDL, types schema, and messages schema files for this protocol.

| File name | Defining specification |
|---------------------------|--|
| MS-OXWSCDATA-messages.xsd | [MS-OXWSCDATA] section 7.1 |
| MS-OXWSNTIF-types.xsd | [MS-OXWSNTIF] section 7.2 |

```
<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:m="http://schemas.microsoft.com/exchange/services/2006/messages"
  xmlns:tns="http://schemas.microsoft.com/exchange/services/2006/messages"
  xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://schemas.microsoft.com/exchange/services/2006/messages"
  elementFormDefault="qualified" version="Exchange2013" id="messages">
  <xs:import namespace="http://schemas.microsoft.com/exchange/services/2006/types"
    schemaLocation="MS-OXWSNTIF-types.xsd"/>
  <xs:import namespace="http://schemas.microsoft.com/exchange/services/2006/types"
    schemaLocation="MS-OXWSPSNTIF-types.xsd"/>
  <xs:include schemaLocation="MS-OXWSCDATA-messages.xsd"/>
  <xs:complexType name="SendNotificationResponseMessageType">
    <xs:complexContent>
      <xs:extension base="m:ResponseMessageType">
        <xs:sequence>
          <xs:element name="Notification" type="t:NotificationType"/>
        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
  <xs:complexType name="SendNotificationResponseType">
    <xs:complexContent>
      <xs:extension base="m:BaseResponseMessageType"/>
    </xs:complexContent>
  </xs:complexType>
  <xs:element name="SendNotification" type="m:SendNotificationResponseType"/>
</xs:schema>
```

```

    <xs:complexType name="SendNotificationResultType">
      <xs:sequence>
        <xs:element name="SubscriptionStatus" type="t:SubscriptionStatusType"/>
      </xs:sequence>
    </xs:complexType>
    <xs:element name="SendNotificationResult" type="m:SendNotificationResultType"/>
  </xs:schema>

```

7.2 Types Schema

This section provides the contents of the MS-OXWSPSNTIF-types.xsd file.

```

<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
  xmlns:tns="http://schemas.microsoft.com/exchange/services/2006/types"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://schemas.microsoft.com/exchange/services/2006/types"
  elementFormDefault="qualified" version="Exchange2013" id="types">
  <xs:import namespace="http://www.w3.org/XML/1998/namespace"/>
  <xs:simpleType name="SubscriptionStatusType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="OK"/>
      <xs:enumeration value="Unsubscribe"/>
    </xs:restriction>
  </xs:simpleType>
</xs:schema>

```

8 Appendix C: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft Exchange Server 2007
- Microsoft Exchange Server 2010
- Microsoft Exchange Server 2013

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

9 Change Tracking

This section identifies changes that were made to the [MS-OXWSPSNTIF] protocol document between the July 2013 and November 2013 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- The removal of a document from the documentation set.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical changes were introduced. Minor editorial and formatting changes may have been made, but the technical content of the document is identical to the last released version.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.

- Obsolete document removed.

Editorial changes are always classified with the change type **Editorially updated**.

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact dochelp@microsoft.com.

| Section | Tracking number (if applicable) and description | Major change (Y or N) | Change type |
|--|---|-----------------------|--------------------|
| 1.2.1 Normative References | Added normative references [WSIBASIC] and [WSDLSOAP]. | N | New content added. |
| 2.2.1 Namespaces | Added entries to the namespace table for the namespaces represented by the prefixes "m", "soap12", "xs", and "wsi". | N | New content added. |

10 Index

A

Abstract data model
 [server](#) 11
[Applicability](#) 7
[Attribute groups](#) 10
[Attributes](#) 10

C

[Capability negotiation](#) 7
[Change tracking](#) 24
[Common data structures](#) 10
[Complex types](#) 10

D

Data model - abstract
 [server](#) 11

E

Events
 [local - server](#) 16
 [timer - server](#) 16

F

[Fields - vendor-extensible](#) 8
[Full WSDL](#) 19
[Full XML Schema](#) 21
 [Messages Schema](#) 21
 [Types Schema](#) 22

G

[Glossary](#) 5
[Groups](#) 10

I

[Implementer - security considerations](#) 18
[Index of security parameters](#) 18
[Informative references](#) 6
Initialization
 [server](#) 11
[Introduction](#) 5

L

Local events
 [server](#) 16

M

Message processing
 [server](#) 11
Messages

[attribute groups](#) 10
[attributes](#) 10
[common data structures](#) 10
[complex types](#) 10
[elements](#) 10
[enumerated](#) 9
[groups](#) 10
[namespaces](#) 9
[simple types](#) 10
[syntax](#) 9
[transport](#) 9

N

[Namespaces](#) 9
[Normative references](#) 5

O

Operations
 [SendNotification Operation](#) 11
[Overview \(synopsis\)](#) 6

P

[Parameters - security index](#) 18
[Preconditions](#) 7
[Prerequisites](#) 7
[Product behavior](#) 23
Protocol Details
 [overview](#) 11

R

[References](#) 5
 [informative](#) 6
 [normative](#) 5
[Relationship to other protocols](#) 6

S

Security
 [implementer considerations](#) 18
 [parameter index](#) 18
Sequencing rules
 [server](#) 11
Server
 [abstract data model](#) 11
 [initialization](#) 11
 [local events](#) 16
 [message processing](#) 11
 [SendNotification Operation operation](#) 11
 [sequencing rules](#) 11
 [timer events](#) 16
 [timers](#) 11
[Simple types](#) 10
[Standards assignments](#) 8
Syntax

[messages - overview](#) 9

T

Timer events

[server](#) 16

Timers

[server](#) 11

[Tracking changes](#) 24

[Transport](#) 9

Types

[complex](#) 10

[simple](#) 10

V

[Vendor-extensible fields](#) 8

[Versioning](#) 7

W

[WSDL](#) 19

X

[XML Schema](#) 21

[Messages Schema](#) 21

[Types Schema](#) 22