

# [MS-OXWSXPROP]: Extended Properties Web Service Schema

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
07/15/2009	1.0	Major	Initial Availability.
11/04/2009	1.1.0	Minor	Updated the technical content.
02/10/2010	2.0.0	Major	Updated and revised the technical content.
05/05/2010	2.0.1	Editorial	Revised and edited the technical content.

# Table of Contents

<b>1 Introduction .....</b>	<b>5</b>
1.1 Glossary .....	5
1.2 References .....	5
1.2.1 Normative References .....	5
1.2.2 Informative References .....	6
1.3 Overview .....	6
1.4 Relationship to Other Protocols .....	6
1.5 Prerequisites/Preconditions .....	6
1.6 Applicability Statement .....	6
1.7 Versioning and Capability Negotiation .....	6
1.8 Vendor Extensible Fields .....	6
1.9 Standards Assignments .....	6
<b>2 Messages.....</b>	<b>7</b>
2.1 Transport.....	7
2.2 Common Message Syntax .....	7
2.2.1 Namespaces .....	7
2.2.2 Simple Types .....	7
2.2.2.1 t:GuidType Simple Type .....	7
2.2.2.2 MapiPropertyTypeType Simple Type .....	8
2.2.2.3 t:PropertyTagType Simple Type .....	11
2.2.3 Complex Types .....	11
2.2.3.1 t:NonEmptyArrayOf.PropertyType Complex Type .....	11
2.2.3.2 t:Extended.PropertyType Complex Type .....	12
2.2.3.3 t:PathToExtendedField.Type Complex Type .....	13
2.2.4 Elements .....	14
2.2.4.1 ExtendedFieldURI Element .....	14
2.2.5 Attributes .....	15
2.2.6 Groups .....	15
2.2.7 Attribute Groups .....	15
2.2.8 Messages .....	15
<b>3 Protocol Details .....</b>	<b>16</b>
3.1 Server Details .....	16
3.1.1 Abstract Data Model .....	16
3.1.2 Timers .....	16
3.1.3 Initialization .....	16
3.1.4 Message Processing Events and Sequencing Rules .....	16
3.1.5 Timer Events .....	16
3.1.6 Other Local Events .....	16
3.2 Client Details .....	16
3.2.1 Abstract Data Model .....	16
3.2.2 Timers .....	16
3.2.3 Initialization .....	16
3.2.4 Message Processing Events and Sequencing Rules .....	16
3.2.5 Timer Events .....	17
3.2.6 Other Local Events .....	17
<b>4 Protocol Examples.....</b>	<b>18</b>
4.1 Create Extended Properties Example .....	18

4.2 Retrieving Extended Properties Example .....	19
<b>5 Security.....</b>	<b>22</b>
5.1 Security Considerations for Implementers.....	22
5.2 Index of Security Parameters .....	22
<b>6 Appendix A: Full WSDL.....</b>	<b>23</b>
6.1 Types Schema.....	23
<b>7 Appendix B: Product Behavior.....</b>	<b>25</b>
<b>8 Change Tracking.....</b>	<b>26</b>
<b>9 Index .....</b>	<b>28</b>

# 1 Introduction

This document specifies the Extended Properties Web Service protocol, which is used by clients to manipulate extended properties on an object. Extended properties are custom properties on items and folders in a server's mailbox.

## 1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

**Web Services Description Language (WSDL)**  
**WSDL message**  
**WSDL port type**  
**XML**  
**XML namespace**  
**XML schema**

The following terms are specific to this document:

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", April 2008.

[MS-OXWSCDATA] Microsoft Corporation, "[Common Web Service Data Types](#)", July 2009.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119, BCP 14, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

[RFC2396] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifiers (URI): Generic Syntax", RFC 2396, August 1998, <http://www.ietf.org/rfc/rfc2396.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", W3C Note, May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] Bray, T., Hollander, D., Layman, A., Eds., et al., "Namespaces in XML 1.0 (Third Edition)", December 2009, <http://www.w3.org/TR/REC-xml-names/>

[XMLSCHEMA1] Thompson, H., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

## 1.2.2 Informative References

None.

## 1.3 Overview

The Extended Web Service Properties protocol specifies the extended property structure used by protocols that handle items and folders.

## 1.4 Relationship to Other Protocols

The information specified by this protocol is used by other Web Services protocols. Specifications in this document are used by one or more Web Services protocols.

## 1.5 Prerequisites/Preconditions

None.

## 1.6 Applicability Statement

The protocol specifications in this document apply to protocols that use extended properties.

## 1.7 Versioning and Capability Negotiation

This document specifies versioning issues in the following areas:

- **Supported Transports:** This protocol uses SOAP 1.1, as specified in section [2.1](#).
- **Protocol Versions:** This protocol specifies only one **WSDL** portType version.
- **Security and Authentication Methods:** This protocol relies on the Web server that is hosting it to perform authentication.
- **Localization:** This protocol includes text strings in various messages. Localization considerations for such strings are specified in section [3.1.4](#).
- **Capability Negotiation:** None.

## 1.8 Vendor Extensible Fields

None.

## 1.9 Standards Assignments

None.

## 2 Messages

### 2.1 Transport

The SOAP version supported is SOAP 1.1. For details, see [\[SOAP1.1\]](#).

### 2.2 Common Message Syntax

This section contains common definitions that are used by this protocol. The syntax of the definitions uses **XML schema**, as defined in [\[XMLSHEMA1\]](#) and [\[XMLSHEMA2\]](#), and **Web Services Description Language (WSDL)** as defined in [\[WSDL\]](#).

#### 2.2.1 Namespaces

This specification defines and references various **XML namespaces** by using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

Prefix	Namespace URI	Reference
soap	<a href="http://schemas.xmlsoap.org/wsdl/soap/">http://schemas.xmlsoap.org/wsdl/soap/</a>	<a href="#">[SOAP1.1]</a>
tns	<a href="http://schemas.microsoft.com/exchange/services/2006/messages">http://schemas.microsoft.com/exchange/services/2006/messages</a>	[MS-OXWSXPROP]
s	<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>	<a href="#">[XMLSHEMA1]</a>
targetNamespace	<a href="http://schemas.microsoft.com/exchange/services/2006/messages">http://schemas.microsoft.com/exchange/services/2006/messages</a>	[MS-OXWSXPROP]
wsdl	<a href="http://schemas.xmlsoap.org/wsdl/">http://schemas.xmlsoap.org/wsdl/</a>	<a href="#">[WSDL]</a>
t	<a href="http://schemas.microsoft.com/exchange/services/2006/types">http://schemas.microsoft.com/exchange/services/2006/types</a>	[MS-OXWSXPROP]

#### 2.2.2 Simple Types

The following table summarizes the set of common **XML schema** simple type definitions that are defined by this specification. **XML schema** simple type definitions that are specific to a particular operation are defined with the operation.

Simple Type	Description
<a href="#">t:GuidType</a>	Specifies an extended property set or namespace by its identifying <b>GUID</b> .
<a href="#">t:MapiPropertyTypeType</a>	Specifies the property type.
<a href="#">t:PropertyTagType</a>	Specifies the property tag without the type part of the tag.

##### 2.2.2.1 t:GuidType Simple Type

The **GuidType** simple type specifies an extended property set or namespace by its identifying GUID.

```
<xs:simpleType name="GuidType">
```

```

<xs:restriction
  base="xs:string"
>
  <xs:pattern
    value="[0-9A-Fa-f]{8}-[0-9A-Fa-f]{4}-[0-9A-Fa-f]{4}-[0-9A-Fa-f]{4}-[0-9A-Fa-f]{12}"
  />
</xs:restriction>
</xs:simpleType>

```

## Patterns

The following pattern is defined by the **GuidType** simple type:

[0-9A-Fa-f]{8}-[0-9A-Fa-f]{4}-[0-9A-Fa-f]{4}-[0-9A-Fa-f]{4}-[0-9A-Fa-f]{12}

### 2.2.2.2 MapiPropertyTypeType Simple Type

The **MapiPropertyTypeType** simple type specifies the property type.

```

<xs:simpleType name="MapiPropertyTypeType">
  <xs:restriction
    base="xs:string"
  >
    <xs:enumeration
      value="ApplicationTime"
    />
    <xs:enumeration
      value="ApplicationTimeArray"
    />
    <xs:enumeration
      value="Binary"
    />
    <xs:enumeration
      value="BinaryArray"
    />
    <xs:enumeration
      value="Boolean"
    />
    <xs:enumeration
      value="CLSID"
    />
    <xs:enumeration
      value="CLSIDArray"
    />
    <xs:enumeration
      value="Currency"
    />
    <xs:enumeration
      value="CurrencyArray"
    />
    <xs:enumeration
      value="Double"
    />
    <xs:enumeration
      value="DoubleArray"
    />

```

```

    />
<xs:enumeration
    value="Error"
/>
<xs:enumeration
    value="Float"
/>
<xs:enumeration
    value="FloatArray"
/>
<xs:enumeration
    value="Integer"
/>
<xs:enumeration
    value="IntegerArray"
/>
<xs:enumeration
    value="Long"
/>
<xs:enumeration
    value="LongArray"
/>
<xs:enumeration
    value="Null"
/>
<xs:enumeration
    value="Object"
/>
<xs:enumeration
    value="ObjectArray"
/>
<xs:enumeration
    value="Short"
/>
<xs:enumeration
    value="ShortArray"
/>
<xs:enumeration
    value="SystemTime"
/>
<xs:enumeration
    value="SystemTimeArray"
/>
<xs:enumeration
    value="String"
/>
<xs:enumeration
    value="StringArray"
/>
</xs:restriction>
</xs:simpleType>

```

## Enumeration

The following values are defined by the **MapiPropertyType** simple type:

Value	Description
ApplicationTime	A double value that is interpreted as a date and time. The integer part is the date and the fraction part is the time.
ApplicationTimeArray	An array of double values that are interpreted as a date and time.
Binary	A base64-encoded binary value.
BinaryArray	An array of base64-encoded binary values.
Boolean	A Boolean true or false.
CLSID	A GUID string.
CLSIDArray	An array of GUID strings.
Currency	A 64-bit integer that is interpreted as the number of cents.
CurrencyArray	An array of 64-bit integers that are interpreted as the number of cents.
Double	A 64-bit floating-point value.
DoubleArray	An array of 64-bit floating-point values.
Error	SCODE value; 32-bit unsigned integer. Not used for restrictions or for getting/setting values. This exists only for reporting.
Float	A 32-bit floating-point value.
FloatArray	An array of 32-bit floating-point values.
Integer	A signed 32-bit (Int32) integer.
IntegerArray	An array of signed 32-bit (Int32) integers.
Long	A signed or unsigned 64-bit (Int64) integer.
LongArray	An array of signed or unsigned 64-bit (Int64) integers.
Null	Indicates no property value. Not used for restrictions or for getting/setting values. This exists only for reporting.
Object	A pointer to an object that implements the <b>IUnknown</b> interface. Not used for restrictions or for getting/setting values. This exists only for reporting.
ObjectArray	An array of pointers to objects that implement the <b>IUnknown</b> interface. Not used for restrictions or for getting/setting values. This exists only for reporting.
Short	A signed 16-bit integer.
ShortArray	An array of signed 16-bit integers.
SystemTime	A 64-bit integer data and time value in the form of a <b>FILETIME</b> structure.
SystemTimeArray	An array of 64-bit integer data and time values in the form of a <b>FILETIME</b> structure.
String	A Unicode string.

Value	Description
StringArray	An array of Unicode strings.

### 2.2.2.3 t:PropertyTagType Simple Type

The **PropertyTagType** simple type specifies the property tag without the type part of the tag.

```

<xs:simpleType name="PropertyTagType">
  <xs:union
    memberTypes="xs:unsignedShort"
  >
    <xs:simpleType
      id="HexPropertyTagType"
    >
      <xs:restriction
        base="xs:string"
      >
        <xs:pattern
          value="(0x|0X) [0-9A-Fa-f]{1,4}"
        />
      </xs:restriction>
    </xs:simpleType>
  </xs:union>
</xs:simpleType>

```

#### Patterns

The following pattern is defined by the **PropertyTagType** simple type:

(0x|0X) [0-9A-Fa-f]{1,4}

The property tag can be represented in either hexadecimal or decimal form.

## 2.2.3 Complex Types

The following table summarizes the set of common **XML schema** complex type definitions that are defined by this specification. XML schema complex type definitions that are specific to a particular operation are defined with the operation.

ComplexType	Description
<a href="#">t:NonEmptyArrayOfPropertyValuesType</a>	Specifies a collection of values for an extended property.
<a href="#">t:ExtendedPropertyType</a>	Specifies extended properties on folders and items.
<a href="#">t:PathToExtendedFieldType</a>	Specifies an extended property.

### 2.2.3.1 t:NonEmptyArrayOfPropertyType Complex Type

The **NonEmptyArrayOfPropertyType** complex type specifies a collection of values for an extended property. This array has at least one member.

```

<xs:complexType>
  <xs:choice>
    <xs:element name="Value"
      type="xs:string"
      maxOccurs="unbounded"
    />
  </xs:choice>
</xs:complexType>

```

#### Child Elements

Element	Type	Description
Value	xs:string	Specifies a value for an extended property.

### 2.2.3.2 t:Extended.PropertyType Complex Type

The **Extended.PropertyType** complex type specifies extended properties on folders and items.

```

<xs:complexType name="Extended.PropertyType">
  <xs:sequence>
    <xs:element name="ExtendedFieldURI"
      type="t:PathToExtendedFieldType"
    />
    <xs:choice>
      <xs:element name="Value"
        type="xs:string"
      />
      <xs:element name="Values"
        type="t:NonEmptyArrayOfTypeValuesType"
      />
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

#### Child Elements

Element	Type	Description
ExtendedFieldURI	<a href="#">t:PathToExtendedFieldType</a>	Specifies an extended property.
Value	xs:string	Specifies a single value for the property specified by the <ExtendedFieldURI> element.
Values	<a href="#">t:NonEmptyArrayOfTypeValuesType</a>	Specifies two or more values for the property specified by the <ExtendedFieldURI> element.

Represents an extended property instance, both its path identifier along with its associated value.

### 2.2.3.3 t:PathToExtendedFieldType Complex Type

The **PathToExtendedFieldType** complex type specifies an extended property.

```
<xs:complexType name="PathToExtendedFieldType">
  <xs:complexContent>
    <xs:extension
      base="t:BasePathToElementType"
    >
      <xs:attribute name="DistinguishedPropertySetId"
        type="t:DistinguishedPropertySetType"
        use="optional"
      />
      <xs:attribute name="PropertySetId"
        type="t:GuidType"
        use="optional"
      />
      <xs:attribute name="PropertyTag"
        type="t:PropertyTagType"
        use="optional"
      />
      <xs:attribute name="PropertyName"
        type="xs:string"
        use="optional"
      />
      <xs:attribute name="PropertyId"
        type="xs:int"
        use="optional"
      />
      <xs:attribute name=".PropertyType"
        type="t:MapiPropertyTypeType"
        use="required"
      />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

#### Attributes

Name	Type	Description
DistinguishedPropertySetId	<a href="#">t:DistinguishedPropertySetType</a>	Specifies well-known property set IDs for extended properties. If this attribute is used, then the <b>PropertySetId</b> and <b>PropertyTag</b> attributes cannot be used. This attribute MUST be used with either the <b>PropertyId</b> or <b>PropertyName</b> attributes, and the <b>.PropertyType</b> attribute.
PropertySetId	<a href="#">t:GuidType</a>	Specifies an extended property set or namespace by its identifying GUID. If this attribute is used, then the <b>DistinguishedPropertySetId</b> and <b>PropertyTag</b> attributes cannot be used. This attribute MUST be used with either the <b>PropertyId</b> or <b>PropertyName</b>

Name	Type	Description
		attribute, and the <b>PropertyType</b> attribute.
PropertyTag	<a href="#">t:PropertyTagType</a>	Specifies the property tag without the type part of the tag. The <b>PropertyTag</b> can be represented as either a hexadecimal or a short integer. If the <b>PropertyTag</b> attribute is used, then the <b>DistinguishedPropertySetId</b> , <b>PropertySetId</b> , <b>PropertyName</b> , and <b>PropertyId</b> attributes MUST not be used.
PropertyName	xs:string	Specifies an extended property by its name. This property MUST be coupled with either <b>DistinguishedPropertySetId</b> or <b>PropertySetId</b> .
PropertyId	xs:int	Specifies an extended property by its dispatch ID. This property MUST be coupled with either <b>DistinguishedPropertySetId</b> or <b>PropertySetId</b> . See section <a href="#">2.2.2.2</a> for possible types.
.PropertyType	t:MapiPropertyTypeType	Specifies the property type of a property tag. This corresponds to the least significant word in a property tag. This property MUST be present. See the table in section <a href="#">2.2.2.2</a> for the possible <b>PropertyType</b> attribute values.

See sections [4.1](#) and [4.2](#) for an example that shows how the <ExtendedFieldURI> element, **PropertySetId**, **PropertyName**, **.PropertyType**, and the property value are created and retrieved along with the associated message.

## 2.2.4 Elements

The following table summarizes the set of common XML schema element definitions that are defined by this specification. XML schema element definitions that are specific to a particular operation are defined with the operation.

Element	Description
<a href="#">t:ExtendedFieldURI</a>	Specifies an extended MAPI property.

### 2.2.4.1 ExtendedFieldURI Element

The <ExtendedFieldURI> element specifies an extended MAPI property.

```
<xs:element name="ExtendedFieldURI"
  type="t:PathToExtendedFieldType"
/>
```

```
<xs:element name="ExtendedFieldURI" type="t:PathToExtendedFieldType"  
substitutionGroup="t:Path"/>
```

Allows substitution of the <Path> element (section [2.2.4.6](#)) for the <PathToExtendedFieldType> element (section [2.2.3.3](#)).

## 2.2.5 Attributes

This specification does not define any common XML schema attribute definitions.

## 2.2.6 Groups

This specification does not define any common XML schema group definitions.

## 2.2.7 Attribute Groups

This specification does not define any common XML schema attribute group definitions.

## 2.2.8 Messages

This specification does not define any common XML schema message definitions.

### **3 Protocol Details**

This document specifies common XML schema types and elements and does not have any protocol details. This document does not specify any operations.

#### **3.1 Server Details**

This document specifies common XML schema types and elements, and does not have any server protocol details.

##### **3.1.1 Abstract Data Model**

None.

##### **3.1.2 Timers**

None.

##### **3.1.3 Initialization**

None.

##### **3.1.4 Message Processing Events and Sequencing Rules**

None.

##### **3.1.5 Timer Events**

None.

##### **3.1.6 Other Local Events**

None.

### **3.2 Client Details**

This document specifies common XML schema types and elements, and does not have any client protocol details.

#### **3.2.1 Abstract Data Model**

None.

#### **3.2.2 Timers**

None.

#### **3.2.3 Initialization**

None.

#### **3.2.4 Message Processing Events and Sequencing Rules**

None.

### **3.2.5 Timer Events**

None.

### **3.2.6 Other Local Events**

None.

## 4 Protocol Examples

The following examples, [Create Extended Properties Example](#) and [Retrieving Extended Properties Example](#) show the request and response XML to perform the specific operations.

### 4.1 Create Extended Properties Example

The following example creates and sends mail with three extended properties.

The client constructs the request XML and sends it to the server. The newly created message is sent to the server. The message has three custom properties. The first custom property is named Expiration Date with a string value set to a time of 12/25/2009 3:25:15 PM. The second custom property is named Employee Type with a string value set to Part Time. The third custom property is named MyFlag with an integer value set to 4. Each of these extended properties becomes part of the message. The PropertySetIds are GUIDs and these are examples only.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:m="http://schemas.microsoft.com/exchange/services/2006/messages"
    xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
    xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
    <soap:Header>
        <t:RequestServerVersion Version="Exchange2010" />
    </soap:Header>
    <soap:Body>
        <m>CreateItem MessageDisposition="SendAndSaveCopy">
            <m:SavedItemFolderId>
                <t:DistinguishedFolderId Id="sentitems" />
            </m:SavedItemFolderId>
            <m:Items>
                <t:Message>
                    <t:Subject>Interesting</t:Subject>
                    <t:Body BodyType="HTML">The merger is finalized.</t:Body>
                    <t:ExtendedProperty>
                        <t:ExtendedFieldURI PropertySetId="c11ff724-aa03-4555-9952-8fa248a11c3e"
                            PropertyName="Expiration Date" PropertyType="String" />
                        <t:Value>12/25/2009 3:25:15 PM</t:Value>
                    </t:ExtendedProperty>
                    <t:ExtendedProperty>
                        <t:ExtendedFieldURI PropertySetId="24a3075f-a8b7-4181-a9ed-708a947b8765"
                            PropertyName="Employee Type" PropertyType="String" />
                        <t:Value>Part Time</t:Value>
                    </t:ExtendedProperty>
                    <t:ExtendedProperty>
                        <t:ExtendedFieldURI PropertySetId="75a5486f-9267-49ca-9b4e-3d04ca9ec179"
                            PropertyName="MyFlag" PropertyType="Integer" />
                        <t:Value>4</t:Value>
                    </t:ExtendedProperty>
                    <t>ToRecipients>
                        <t:Mailbox>
                            <t:EmailAddress>User1@Contoso.com</t:EmailAddress>
                        </t:Mailbox>
                        <t:Mailbox>
                            <t:EmailAddress>User2@Contoso.com</t:EmailAddress>
                        </t:Mailbox>
                    </t:ToRecipients>
                </t:Message>
            </m:Items>
        </m>CreateItem>
    </soap:Body>
</soap:Envelope>
```

```

        </m:Items>
    </m:CreateItem>
</soap:Body>
</soap:Envelope>

```

The server constructs the response XML and sends it to the client.

```

<?xml version="1.0" encoding="utf-8"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
    <s:Header>
        <h:ServerVersionInfo MajorVersion="14"
            MinorVersion="1"
            MajorBuildNumber="63"
            MinorBuildNumber="0"
            Version="Exchange2010"
            xmlns:h="http://schemas.microsoft.com/exchange/services/2006/types"
            xmlns="http://schemas.microsoft.com/exchange/services/2006/types"
            xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
            xmlns:xsd="http://www.w3.org/2001/XMLSchema" />
    </s:Header>
    <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xmlns:xsd="http://www.w3.org/2001/XMLSchema">
        <m:CreateItemResponse
            xmlns:m="http://schemas.microsoft.com/exchange/services/2006/messages"
            xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types">
            <m:ResponseMessages>
                <m:CreateItemResponseMessage ResponseClass="Success">
                    <m:ResponseCode>NoError</m:ResponseCode>
                    <m:Items />
                </m:CreateItemResponseMessage>
            </m:ResponseMessages>
        </m:CreateItemResponse>
    </s:Body>
</s:Envelope>

```

## 4.2 Retrieving Extended Properties Example

The following example gets a message and retrieves the three identified extended properties.

The client constructs the request XML and sends it to the server. The client is requesting the specified message with the three named extended properties, Expiration Date, Employee Type, and MyFlag. The PropertySetIds are GUIDs and these are examples only. The **ItemId** and **ChangeKey** attributes have been shortened to preserve readability.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:m="http://schemas.microsoft.com/exchange/services/2006/messages"
    xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
    xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
    <soap:Header>
        <t:RequestServerVersion Version="Exchange2010" />
    </soap:Header>
    <soap:Body>
        <m:GetItem>
            <m:ItemShape>
                <t:BaseShape>IdOnly</t:BaseShape>

```

```

<t:AdditionalProperties>
    <t:ExtendedFieldURI PropertySetId="c11ff724-aa03-4555-9952-8fa248a11c3e"
PropertyName="Expiration Date" PropertyType="String" />
    <t:ExtendedFieldURI PropertySetId="24a3075f-a8b7-4181-a9ed-708a947b8765"
PropertyName="Employee Type" PropertyType="String" />
    <t:ExtendedFieldURI PropertySetId="75a5486f-9267-49ca-9b4e-3d04ca9ec179"
PropertyName="MyFlag" PropertyType="Integer" />
</t:AdditionalProperties>
</m:ItemShape>
<m:ItemIds>
    <t:ItemId Id="AAMkAGIwODEy" ChangeKey="CQAAABYAAA" />
</m:ItemIds>
</m:GetItem>
</soap:Body>
</soap:Envelope>

```

The server constructs the response XML and sends it to the client. In this example, three extended properties are returned. These extended properties are the custom properties that were generated when the message was created. The **PropertySetId**, **PropertyName**, and **.PropertyType** attributes are included.

```

<?xml version="1.0" encoding="utf-8"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
    <s:Header>
        <h:ServerVersionInfo MajorVersion="14" MinorVersion="1" MajorBuildNumber="63"
MinorBuildNumber="0"
            Version="Exchange2010_SP1"
        xmlns:h="http://schemas.microsoft.com/exchange/services/2006/types"
            xmlns="http://schemas.microsoft.com/exchange/services/2006/types"
            xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
            xmlns:xsd="http://www.w3.org/2001/XMLSchema" />
    </s:Header>
    <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xmlns:xsd="http://www.w3.org/2001/XMLSchema">
        <m:GetItemResponse
            xmlns:m="http://schemas.microsoft.com/exchange/services/2006/messages"
            xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types">
            <m:ResponseMessages>
                <m:GetItemResponseMessage ResponseClass="Success">
                    <m:ResponseCode>NoError</m:ResponseCode>
                    <m:Items>
                        <t:Message>
                            <t:ItemId Id="AAMkAGIwODEy" ChangeKey="CQAAABYAAA" />
                            <t:ExtendedProperty>
                                <t:ExtendedFieldURI PropertySetId="c11ff724-aa03-4555-9952-8fa248a11c3e"
                                    PropertyName="Expiration Date" PropertyType="String" />
                                <t:Value>12/25/2009 3:25:15 PM </t:Value>
                            </t:ExtendedProperty>
                            <t:ExtendedProperty>
                                <t:ExtendedFieldURI PropertySetId="24a3075f-a8b7-4181-a9ed-708a947b8765"
                                    PropertyName="Employee Type" PropertyType="String" />
                                <t:Value>Part Time</t:Value>
                            </t:ExtendedProperty>
                            <t:ExtendedProperty>
                                <t:ExtendedFieldURI PropertySetId="75a5486f-9267-49ca-9b4e-3d04ca9ec179"
                                    PropertyName="MyFlag" PropertyType="Integer" />
                                <t:Value>4</t:Value>
                            </t:ExtendedProperty>
                        </t:Message>
                    </m:Items>
                </m:GetItemResponseMessage>
            </m:ResponseMessages>
        </m:GetItemResponse>
    </s:Body>
</s:Envelope>

```

```
    </t:Message>
  </m:Items>
</m:GetItemResponseMessage>
</m:ResponseMessages>
</m:GetItemResponse>
</s:Body>
</s:Envelope>
```

## **5 Security**

### **5.1 Security Considerations for Implementers**

The Extended Exchange Server Web Service Properties protocol does not use any additional security mechanisms.

### **5.2 Index of Security Parameters**

None.

## 6 Appendix A: Full WSDL

The following **XML** file is required to implement the functionality described in other protocol specifications. The contents of the file are contained in this section. This protocol does not define a WSDL file. This protocol defines an XML schema file that is referenced by other WSDL and XML schema files.

Section	Protocol Filename	Description
<a href="#">Types Schema</a>	MS-OXWSXPROP-types.xsd	Contains the XML schema type definitions used in this protocol.

This file MUST be placed in a common folder for any referencing WSDL or XML schema file to validate and operate. Also, any schema files that are included or imported into the MS-OXWSXPROP-types.xsd schema MUST be placed in the common folder with the file named in the table.

### 6.1 Types Schema

This section contains the MS-OXWSXPROP-types.xsd file and information about additional files that this schema file requires for correct operation.

MS-OXWSXPROP-types.xsd includes the following file. For correct operation, this file MUST be present in the same folder containing this protocol's WSDL, types, and messages schema files.

Defining Protocol	Filename
[MS-OXWSCDATA], section <a href="#">6.3</a>	MS-OXWSCDATA-types.xsd

The following information is the listing of MS-OXWSXPROP-types.xsd.

```
<?xml version="1.0" encoding="utf-8"?>
<xss:schema xmlns:t="http://schemas.microsoft.com/exchange/services/2006/types"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://schemas.microsoft.com/exchange/services/2006/types"
  elementFormDefault="qualified" version="Exchange2010" id="types">
  <xss:include schemaLocation="MS-OXWSCDATA-types.xsd"/>
  <xss:element name="ExtendedFieldURI" type="t:PathToExtendedFieldType"
    substitutionGroup="t:Path"/>
  <xss:complexType name="ExtendedPropertyType">
    <xss:sequence>
      <xss:element name="ExtendedFieldURI" type="t:PathToExtendedFieldType"/>
      <xss:choice>
        <xss:element name="Value" type="xs:string"/>
        <xss:element name="Values" type="t:NonEmptyArrayOfTypeValuesType"/>
      </xss:choice>
    </xss:sequence>
  </xss:complexType>
  <xss:simpleType name="MapiPropertyTypeType">
    <xss:restriction base="xs:string">
      <xss:enumeration value="ApplicationTime"/>
      <xss:enumeration value="ApplicationTimeArray"/>
      <xss:enumeration value="Binary"/>
      <xss:enumeration value="BinaryArray"/>
      <xss:enumeration value="Boolean"/>
      <xss:enumeration value="CLSID"/>
      <xss:enumeration value="CLSIDArray"/>
```

```

<xs:enumeration value="Currency"/>
<xs:enumeration value="CurrencyArray"/>
<xs:enumeration value="Double"/>
<xs:enumeration value="DoubleArray"/>
<xs:enumeration value="Error"/>
<xs:enumeration value="Float"/>
<xs:enumeration value="FloatArray"/>
<xs:enumeration value="Integer"/>
<xs:enumeration value="IntegerArray"/>
<xs:enumeration value="Long"/>
<xs:enumeration value="LongArray"/>
<xs:enumeration value="Null"/>
<xs:enumeration value="Object"/>
<xs:enumeration value="ObjectArray"/>
<xs:enumeration value="Short"/>
<xs:enumeration value="ShortArray"/>
<xs:enumeration value="SystemTime"/>
<xs:enumeration value="SystemTimeArray"/>
<xs:enumeration value="String"/>
<xs:enumeration value="StringArray"/>
</xs:restriction>
</xs:simpleType>
<xs:complexType name="NonEmptyArrayOfPropertyValuesType">
    <xs:choice>
        <xs:element name="Value" type="xs:string" maxOccurs="unbounded"/>
    </xs:choice>
</xs:complexType>
<xs:complexType name="PathToExtendedFieldType">
    <xs:complexContent>
        <xs:extension base="t:BasePathToElementType">
            <xs:attribute name="DistinguishedPropertySetId"
type="t:DistinguishedPropertySetType" use="optional"/>
            <xs:attribute name="PropertySetId" type="t:GuidType" use="optional"/>
            <xs:attribute name="PropertyTag" type="t:PropertyTagType"
use="optional"/>
            <xs:attribute name="PropertyName" type="xs:string" use="optional"/>
            <xs:attribute name="PropertyId" type="xs:int" use="optional"/>
            <xs:attribute name=".PropertyType" type="t:MapIPropertyTypeType"
use="required"/>
        </xs:extension>
    </xs:complexContent>
</xs:complexType>
<xs:simpleType name="PropertyTagType">
    <xs:union memberTypes="xs:unsignedShort">
        <xs:simpleType id="HexPropertyTagType">
            <xs:restriction base="xs:string">
                <xs:pattern value="(0x|0X)[0-9A-Fa-f]{1,4}"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:union>
</xs:simpleType>
<xs:element name="Value" type="t:Value"/>
</xs:schema>

```

## 7 Appendix B: Product Behavior

The information in this specification is applicable to the following product versions. References to product versions include released service packs.

- Microsoft® Exchange Server 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

## 8 Change Tracking

This section identifies changes made to [MS-OXWSXPROP] protocol documentation between February 2010 and May 2010 releases. Changes are classed as major, minor, or editorial.

**Major** changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- A protocol is deprecated.
- The removal of a document from the documentation set.
- Changes made for template compliance.

**Minor** changes do not affect protocol interoperability or implementation. Examples are updates to fix technical accuracy or ambiguity at the sentence, paragraph, or table level.

**Editorial** changes apply to grammatical, formatting, and style issues.

**No changes** means that the document is identical to its last release.

Major and minor changes can be described further using the following revision types:

- New content added.
- Content update.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.

- Content removed for template compliance.
- Obsolete document removed.

Editorial changes always have the revision type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

**Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.

**Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

Changes are listed in the following table. If you need further information, please contact [protocol@microsoft.com](mailto:protocol@microsoft.com).

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
<a href="#">1.3 Overview</a>	Updated the section title.	N	Content updated for template compliance.

## 9 Index

### A

[Applicability](#) 6

### C

[Capability negotiation](#) 6

[Change tracking](#) 26

Client

[abstract data model](#) 16

[initialization](#) 16

[local events](#) 17

[message processing](#) 16

[overview](#) 16

[sequencing rules](#) 16

[timer events](#) 17

[timers](#) 16

### F

[Full WSDL](#) 23

### G

[Glossary](#) 5

### I

[Introduction](#) 5

### M

Messages

[syntax](#) 7

[transport](#) 7

### O

[Overview](#) 6

### P

[Preconditions](#) 6

[Prerequisites](#) 6

[Product Behavior](#) 25

### R

[Relationship to other protocols](#) 6

### S

Security

[implementer considerations](#) 22

[overview](#) 22

[parameter index](#) 22

Server

[abstract data model](#) 16

[initialization](#) 16

[local events](#) 16

[message processing](#) 16

[overview](#) 16

[sequencing rules](#) 16

[timer events](#) 16

[timers](#) 16

[Standards assignments](#) 6

### T

[Tracking changes](#) 26

### V

[Vendor-extensible fields](#) 6

[Versioning](#) 6