

# [MS-SPACSOM]: SharePoint Analytics Client-Side Object Model Protocol

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit [www.microsoft.com/trademarks](http://www.microsoft.com/trademarks).
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
01/20/2012	0.1	New	Released new document.
04/11/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
09/12/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	1.0	Major	Significantly changed the technical content.
02/11/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/30/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/18/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/10/2014	1.0	No change	No changes to the meaning, language, or formatting of the technical content.

# Table of Contents

<b>1</b>	<b>Introduction .....</b>	<b>5</b>
1.1	Glossary .....	5
1.2	References.....	5
1.2.1	Normative References.....	5
1.2.2	Informative References .....	5
1.3	Overview .....	6
1.4	Relationship to Other Protocols.....	6
1.5	Prerequisites/Preconditions .....	6
1.6	Applicability Statement.....	6
1.7	Versioning and Capability Negotiation.....	7
1.8	Vendor-Extensible Fields.....	7
1.9	Standards Assignments .....	7
<b>2</b>	<b>Messages.....</b>	<b>8</b>
2.1	Transport.....	8
2.2	Message Syntax .....	8
<b>3</b>	<b>Protocol Details .....</b>	<b>9</b>
3.1	Server Details .....	9
3.1.1	Abstract Data Model .....	9
3.1.2	Timers .....	9
3.1.3	Initialization .....	9
3.1.4	Higher-Layer Triggered Events.....	9
3.1.5	Message Processing Events and Sequencing Rules.....	9
3.1.5.1	Microsoft.SharePoint.Client.Search.Analytics.AnalyticsItemData .....	9
3.1.5.1.1	Properties .....	9
3.1.5.1.1.1	Scalar Properties .....	9
3.1.5.1.1.1.1	LastProcessingTime .....	9
3.1.5.1.1.1.2	TotalHits .....	10
3.1.5.1.1.1.3	TotalUniqueUsers .....	10
3.1.5.1.1.2	ObjectPath Properties.....	10
3.1.5.1.2	Methods.....	10
3.1.5.1.2.1	Scalar Methods.....	10
3.1.5.1.2.1.1	GetHitCountForDay .....	10
3.1.5.1.2.1.2	GetHitCountForMonth .....	10
3.1.5.1.2.1.3	GetUniqueUsersCountForDay .....	10
3.1.5.1.2.1.4	GetUniqueUsersCountForMonth.....	11
3.1.5.1.2.2	ObjectPath Methods.....	11
3.1.5.2	Microsoft.SharePoint.Client.Search.Analytics.UsageAnalytics .....	11
3.1.5.2.1	Properties .....	11
3.1.5.2.1.1	Scalar Properties .....	11
3.1.5.2.1.2	ObjectPath Properties.....	11
3.1.5.2.2	Methods.....	11
3.1.5.2.2.1	Scalar Methods.....	11
3.1.5.2.2.1.1	DeleteCustomEventUsageData .....	11
3.1.5.2.2.1.2	DeleteStandardEventUsageData.....	12
3.1.5.2.2.2	ObjectPath Methods.....	12
3.1.5.2.2.2.1	CSOM Constructor .....	12
3.1.5.2.2.2.2	GetAnalyticsItemData .....	12
3.1.5.2.2.2.3	GetAnalyticsItemDataForApplicationEventType .....	12

3.1.6	Timer Events .....	13
3.1.7	Other Local Events .....	13
<b>4</b>	<b>Protocol Examples .....</b>	<b>14</b>
<b>5</b>	<b>Security .....</b>	<b>16</b>
5.1	Security Considerations for Implementers .....	16
5.2	Index of Security Parameters .....	16
<b>6</b>	<b>Appendix A: Product Behavior .....</b>	<b>17</b>
<b>7</b>	<b>Change Tracking .....</b>	<b>18</b>
<b>8</b>	<b>Index .....</b>	<b>19</b>

# 1 Introduction

The SharePoint Analytics Client-Side Object Model Protocol provides types, methods, and properties to enable a protocol client to access usage information stored on a protocol server.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**application**

The following terms are defined in [\[MS-OFCGLOS\]](#):

**CSOM DateTime**  
**CSOM GUID**  
**CSOM Int32**  
**CSOM Object**  
**site**

The following terms are specific to this document:

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information.

[MS-CSOM] Microsoft Corporation, "[SharePoint Client Query Protocol](#)".

[MS-CSOMSPT] Microsoft Corporation, "[SharePoint Client-Side Object Model Protocol](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

### 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>


[RFC4627] Crockford, D., "The application/json Media Type for Javascript Object Notation (JSON)", RFC 4627, July 2006, <http://www.ietf.org/rfc/rfc4627.txt>

### 1.3 Overview

This protocol defines types, methods, and properties that a protocol client uses to access historical usage information stored on a protocol server.

### 1.4 Relationship to Other Protocols

The SharePoint Analytics Client-Side Object Model protocol is a set of types, properties, and methods that can be accessed by using the SharePoint Client Query protocol as described in [MS-CSOM]. This protocol uses JSON as described in [RFC4627] to format data returned to a protocol client. This protocol also uses HTTP, as described in [RFC2616], and HTTPS, as described in [RFC2818]. The dependencies for this protocol are shown in the following layering diagram.



**Figure 1: This protocol in relation to other protocols**

### 1.5 Prerequisites/Preconditions

This protocol assumes that authentication has been performed by underlying protocols.

### 1.6 Applicability Statement

This protocol can be used by a protocol client to access historical usage information stored on a protocol server.

This protocol is optimized to enable a protocol client to specify the exact set of data and operations to perform in a single batch, making it suitable for situations where the connection speed between the protocol client and the protocol server can be slow.

This protocol is not suitable and is inefficient if both the protocol client and protocol server are on the same computer. In this case, the client can use an API that does not require communication over a network.

## **1.7 Versioning and Capability Negotiation**

None.

## **1.8 Vendor-Extensible Fields**

None.

## **1.9 Standards Assignments**

None.

## 2 Messages

### 2.1 Transport

Messages are transported by using the SharePoint Client Query Protocol, as specified in [\[MS-CSOM\]](#).

### 2.2 Message Syntax

None.



## 3 Protocol Details

### 3.1 Server Details

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

This protocol shares the abstract data model used by the SharePoint Client Query protocol as described in [\[MS-CSOM\]](#) section 3.1.1.

Specifically with respect to this protocol, the protocol server maintains historical usage information about events that occur for items stored on the protocol server, such as how many times a document stored on the server was viewed. These events can be standard (well-known) events or generic user-definable events.

The protocol server also maintains historical usage information about user-specified **applications** that are present on the protocol server, such as how many times an application was installed.

#### 3.1.2 Timers

None.

#### 3.1.3 Initialization

None.

#### 3.1.4 Higher-Layer Triggered Events

None.

#### 3.1.5 Message Processing Events and Sequencing Rules

##### 3.1.5.1 Microsoft.SharePoint.Client.Search.Analytics.AnalyticsItemData

**TypeId:** {B8C478A6-A4CD-474D-803A-A002E185EE46}

**ShortName:** Microsoft.SharePoint.Client.Search.Analytics.AnalyticsItemData

Represents historical usage information for an item stored on the protocol server.

##### 3.1.5.1.1 Properties

##### 3.1.5.1.1.1 Scalar Properties

##### 3.1.5.1.1.1.1 LastProcessingTime

**Type:** **CSOM DateTime**

**Accessibility:** Read Only

The most recent time the protocol server has data for the given item.

#### **3.1.5.1.1.1.2 TotalHits**

**Type:** CSOM Int32

**Accessibility:** Read Only

The total number of occurrences of the event for the item.

#### **3.1.5.1.1.1.3 TotalUniqueUsers**

**Type:** CSOM Int32

**Accessibility:** Read Only

The total number of unique users that triggered the event for the item.

#### **3.1.5.1.1.2 ObjectPath Properties**

None.

#### **3.1.5.1.2 Methods**

##### **3.1.5.1.2.1 Scalar Methods**

###### **3.1.5.1.2.1.1 GetHitCountForDay**

**Return Type:** CSOM Int32

Retrieve the total number of occurrences of the event for the item, for the specified day.

**Parameters:**

*day*: The day for which to retrieve the total numbers of occurrences of the event for the item.

Type: CSOM DateTime

###### **3.1.5.1.2.1.2 GetHitCountForMonth**

**Return Type:** CSOM Int32

Retrieve the total number of occurrences of the event for the item, for the specified month.

**Parameters:**

*month*: First day for the month for which to retrieve the total number of occurrences of the event for the item.

Type: CSOM DateTime

###### **3.1.5.1.2.1.3 GetUniqueUsersCountForDay**

**Return Type:** CSOM Int32

Retrieve the total number of unique users that triggered the event for the item, during the specified day.

**Parameters:**

*day*: The day for which to retrieve the total number of unique users that triggered the event for the item.

Type: CSOM DateTime

### 3.1.5.1.2.1.4 GetUniqueUsersCountForMonth

**Return Type:** CSOM Int32

Retrieve the total number of unique users that triggered the event for the item, during the specified month.

**Parameters:**

*month*: First day for the month for which to retrieve the total number of unique users that triggered the event for the item.

Type: CSOM DateTime

### 3.1.5.1.2.2 ObjectPath Methods

None.

### 3.1.5.2 Microsoft.SharePoint.Client.Search.Analytics.UsageAnalytics

**TypeId:** {1B61778A-CEC2-49BF-B9CC-1264B133307F}

**ShortName:** Microsoft.SharePoint.Client.Search.Analytics.UsageAnalytics

Provides access to request historical usage information for items contained in the **site (2)**.

#### 3.1.5.2.1 Properties

##### 3.1.5.2.1.1 Scalar Properties

None.

##### 3.1.5.2.1.2 ObjectPath Properties

None.

#### 3.1.5.2.2 Methods

##### 3.1.5.2.2.1 Scalar Methods

##### 3.1.5.2.2.1.1 DeleteCustomEventUsageData

**Return Type:** None

Triggers the deletion of historical usage data for the specified custom analytics event.

**Parameters:**

*appEventTypeId*: The event type identifier of the custom analytics event for which historical data is to be deleted.

Type: **CSOM GUID**

**3.1.5.2.2.1.2 DeleteStandardEventUsageData**

**Return Type:** None

Triggers the deletion of historical usage data for the specified analytics event.

**Parameters:**

*eventType*: The event type identifier of the analytics event for which historical data is to be deleted.

Type: CSOM Int32

**3.1.5.2.2.2 ObjectPath Methods****3.1.5.2.2.2.1 CSOM Constructor**

Constructs a **Microsoft.SharePoint.Client.Search.Analytics.UsageAnalytics** **CSOM Object**.

**Parameters:**

*site*: The site (2) that contains items for which usage information needs to be retrieved.

Type: Microsoft.SharePoint.Client.Site

The **Microsoft.SharePoint.Client.Site** type is specified in [\[MS-CSOMSPT\]](#) section 3.2.5.119. It MUST NOT be NULL.

**3.1.5.2.2.2.2 GetAnalyticsItemData**

**Return Type:** Microsoft.SharePoint.Client.Search.Analytics.AnalyticsItemData

Gets the historical usage information about the specified type of event for an item contained in the site (2). This method returns null if no historical usage information about the specified type of event exists for the item.

**Parameters:**

*eventType*: The type of event.

Type: CSOM Int32

*listItem*: Specifies a list item.

Type: Microsoft.SharePoint.Client.ListItem

The **Microsoft.SharePoint.Client.ListItem** type is specified in [\[MS-CSOMSPT\]](#) section 3.2.5.87.

**3.1.5.2.2.2.3 GetAnalyticsItemDataForApplicationEventType**

**Return Type:** Microsoft.SharePoint.Client.Search.Analytics.AnalyticsItemData

Gets the historical usage information about the specified type of custom event for an item contained in the site (2). This method returns null if no historical usage information about the specified type of event exists for the item.

**Parameters:**

*appEventType*: The type of custom event.

Type: CSOM GUID

*listItem*: Specifies a list item.

Type: Microsoft.SharePoint.Client.ListItem

### **3.1.6 Timer Events**

None.

### **3.1.7 Other Local Events**

None.

## 4 Protocol Examples

In this example, a protocol client requests historical information about how often an existing document "TEST" has been viewed:

```
<Request xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009"
SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0" ApplicationName="Javascript
Library"><Actions><ObjectPath Id="1" ObjectPathId="0" /><ObjectPath Id="3" ObjectPathId="2"
/><ObjectPath Id="5" ObjectPathId="4" /><ObjectPath Id="7" ObjectPathId="6"
/><ObjectIdentityQuery Id="8" ObjectPathId="6" /><ObjectPath Id="10" ObjectPathId="9"
/><ObjectPath Id="12" ObjectPathId="11" /><ObjectPath Id="14" ObjectPathId="13" /><Method
Name="GetAnalyticsItemData" Id="15" ObjectPathId="13"><Parameters><Parameter
Type="Number">1</Parameter><Parameter ObjectPathId="9"
/></Parameters></Method></Actions><ObjectPaths><StaticProperty Id="0"
TypeId="{3747adcd-a3c3-41b9-bfab-4a64dd2f1e0a}" Name="Current" /><Property Id="2"
ParentId="0" Name="Web" /><Property Id="4" ParentId="2" Name="Lists" /><Method Id="6"
ParentId="4" Name="GetByTitle"><Parameters><Parameter
Type="String">TEST</Parameter></Parameters></Method><Method Id="9" ParentId="6"
Name="GetItemByStringId"><Parameters><Parameter
Type="String">3</Parameter></Parameters></Method><Property Id="11" ParentId="0"
Name="Site" /><Constructor Id="13" TypeId="{1b61778a-cec2-49bf-b9cc-
1264b133307f}"><Parameters><Parameter ObjectPathId="11"
/></Parameters></Constructor></ObjectPaths></Request>
```

The protocol server returns the requested historical usage information as follows:

```
[
{
"SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3427.1000","ErrorInfo":null
},1,{
"IsNull":false
},3,{
"IsNull":false
},5,{
"IsNull":false
},7,{
"IsNull":false
},8,{
"_ObjectIdentity_":"740c6a0b-85e2-48a0-a494-e0f1759d4aa7:web:6f046c5e-bc2a-4b06-8630-
53cb522f5892:list:1be845cc-d658-45f3-b0d7-e23d2138f639"
},10,{
"IsNull":false
```

```
} ,12,{  
  "IsNull":false  
},14,{  
  "IsNull":false  
},15,{  
  "_ObjectType_":"Microsoft.Office.Server.Search.Analytics.AnalyticsItemData","EventType":1,"LastProcessingTime":"\\Date(2011,10,3,17,19,31,747)\\","SiteId":"\\Guid(5f68a87e-bfaf-419b-b4c4-9df03aca8985)\\","TotalHits":123,"TotalUniqueUsers":5  
}  
]
```

## **5 Security**

### **5.1 Security Considerations for Implementers**

None.

### **5.2 Index of Security Parameters**

None.



## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft SharePoint Server 2013

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

## 7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 8 Index

### A

Abstract data model  
[server](#) 9  
[Applicability](#) 6

### C

[Capability negotiation](#) 7  
[Change tracking](#) 18

### D

Data model - abstract  
[server](#) 9

### E

Examples  
[get a discovery case](#) 14

### F

[Fields - vendor-extensible](#) 7

### G

[Get a discovery case example](#) 14  
[Glossary](#) 5

### H

Higher-layer triggered events  
[server](#) 9

### I

[Implementer - security considerations](#) 16  
[Index of security parameters](#) 16  
[Informative references](#) 5  
Initialization  
[server](#) 9  
[Introduction](#) 5

### M

Messages  
[transport](#) 8

### N

[Normative references](#) 5

### O

Other local events  
[server](#) 13  
[Overview \(synopsis\)](#) 6

### P

[Parameters - security index](#) 16  
[Preconditions](#) 6  
[Prerequisites](#) 6  
[Product behavior](#) 17

### R

[References](#) 5  
[informative](#) 5  
[normative](#) 5  
[Relationship to other protocols](#) 6

### S

Security  
[implementer considerations](#) 16  
[parameter index](#) 16  
Server  
[abstract data model](#) 9  
[higher-layer triggered events](#) 9  
[initialization](#) 9  
[other local events](#) 13  
[timer events](#) 13  
[timers](#) 9  
[Standards assignments](#) 7

### T

Timer events  
[server](#) 13  
Timers  
[server](#) 9  
[Tracking changes](#) 18  
[Transport](#) 8  
Triggered events - higher-layer  
[server](#) 9

### V

[Vendor-extensible fields](#) 7  
[Versioning](#) 7