

[MS-SRCHCSOM]: Search Client Query Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Preliminary Documentation. This Open Specification provides documentation for past and current releases and/or for the pre-release (beta) version of this technology. This Open Specification is final

documentation for past or current releases as specifically noted in the document, as applicable; it is preliminary documentation for the pre-release (beta) versions. Microsoft will release final documentation in connection with the commercial release of the updated or new version of this technology. As the documentation may change between this preliminary version and the final version of this technology, there are risks in relying on preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Revision Summary

Date	Revision History	Revision Class	Comments
01/20/2012	0.1	New	Released new document.

Table of Contents

1 Introduction	12
1.1 Glossary	12
1.2 References	13
1.2.1 Normative References	13
1.2.2 Informative References	13
1.3 Overview	13
1.4 Relationship to Other Protocols	14
1.5 Prerequisites/Preconditions	14
1.6 Applicability Statement	14
1.7 Versioning and Capability Negotiation	14
1.8 Vendor-Extensible Fields	14
1.9 Standards Assignments	14
2 Messages	15
2.1 Transport	15
2.2 Message Syntax	15
2.2.1 Namespaces	15
2.2.2 Common Exceptions	15
3 Protocol Details	16
3.1 Client Details	16
3.1.1 Abstract Data Model	16
3.1.2 Timers	16
3.1.3 Initialization	16
3.1.4 Higher-Layer Triggered Events	16
3.1.5 Message Processing Events and Sequencing Rules	16
3.1.5.1 Microsoft.Office.Server.Search.REST.CustomResult	16
3.1.5.1.1 Properties	17
3.1.5.1.1.1 Scalar Properties	17
3.1.5.1.1.1.1 Rows	17
3.1.5.1.1.1.2 TableType	17
3.1.5.1.1.1.3 Properties	17
3.1.5.1.1.2 ObjectPath Properties	17
3.1.5.2 Microsoft.Office.Server.Search.REST.Entry	17
3.1.5.2.1 Properties	17
3.1.5.2.1.1 Scalar Properties	17
3.1.5.2.1.1.1 RefinementCount	17
3.1.5.2.1.1.2 RefinementName	18
3.1.5.2.1.1.3 RefinementToken	18
3.1.5.2.1.1.4 RefinementValue	18
3.1.5.2.1.2 ObjectPath Properties	18
3.1.5.3 Microsoft.Office.Server.Search.REST.QueryResult	18
3.1.5.3.1 Properties	19
3.1.5.3.1.1 Scalar Properties	19
3.1.5.3.1.1.1 CustomResults	19
3.1.5.3.1.1.2 GroupTypeId	19
3.1.5.3.1.1.3 QueryId	19
3.1.5.3.1.1.4 QueryRuleId	19
3.1.5.3.1.1.5 RefinementResults	19
3.1.5.3.1.1.6 RelevantResults	20

3.1.5.3.1.1.7	ResultTitle	20
3.1.5.3.1.1.8	ResultTitleUrl	20
3.1.5.3.1.1.9	SpecialTermResults	20
3.1.5.3.1.2	ObjectPath Properties	20
3.1.5.4	Microsoft.Office.Server.Search.REST.RefinementResult	20
3.1.5.4.1	Properties	20
3.1.5.4.1.1	Scalar Properties	20
3.1.5.4.1.1.1	Entries	20
3.1.5.4.1.1.2	Name	21
3.1.5.4.1.2	ObjectPath Properties	21
3.1.5.5	Microsoft.Office.Server.Search.REST.RefinementResults	21
3.1.5.5.1	Properties	21
3.1.5.5.1.1	Scalar Properties	21
3.1.5.5.1.1.1	Refiners	21
3.1.5.5.1.1.2	Properties	21
3.1.5.5.1.2	ObjectPath Properties	21
3.1.5.6	Microsoft.Office.Server.Search.REST.RelevantResults	21
3.1.5.6.1	Properties	22
3.1.5.6.1.1	Scalar Properties	22
3.1.5.6.1.1.1	RowCount	22
3.1.5.6.1.1.2	Rows	22
3.1.5.6.1.1.3	TotalRows	22
3.1.5.6.1.1.4	Properties	22
3.1.5.6.1.2	ObjectPath Properties	22
3.1.5.7	Microsoft.Office.Server.Search.REST.SearchRequest	22
3.1.5.7.1	Properties	23
3.1.5.7.1.1	Scalar Properties	23
3.1.5.7.1.1.1	Culture	23
3.1.5.7.1.1.2	EnableInterleaving	23
3.1.5.7.1.1.3	EnableNicknames	23
3.1.5.7.1.1.4	EnablePhonetic	23
3.1.5.7.1.1.5	EnableStemming	23
3.1.5.7.1.1.6	Flowname	23
3.1.5.7.1.1.7	HiddenConstraints	23
3.1.5.7.1.1.8	Querytext	24
3.1.5.7.1.1.9	RankingModelId	24
3.1.5.7.1.1.10	RefinementFilters	24
3.1.5.7.1.1.11	Refiners	24
3.1.5.7.1.1.12	RowLimit	24
3.1.5.7.1.1.13	RowsPerPage	24
3.1.5.7.1.1.14	SelectProperties	24
3.1.5.7.1.1.15	SourceId	25
3.1.5.7.1.1.16	StartRow	25
3.1.5.7.1.1.17	Timeout	25
3.1.5.7.1.1.18	TrimDuplicates	25
3.1.5.7.1.1.19	EnableFQL	25
3.1.5.7.1.1.20	BypassResultTypes	25
3.1.5.7.1.1.21	ClientType	25
3.1.5.7.1.1.22	HitHighlightedProperties	26
3.1.5.7.1.1.23	ProcessBestBets	26
3.1.5.7.1.1.24	QueryTag	26
3.1.5.7.1.1.25	ResultsUrl	26
3.1.5.7.1.1.26	TrimDuplicatesIncludeId	26

3.1.5.7.1.2	ObjectPath Properties.....	26
3.1.5.7.1.2.1	SortList.....	26
3.1.5.7.1.2.2	QueryPersonalizationData	26
3.1.5.7.1.2.3	ReorderingRules.....	27
3.1.5.8	Microsoft.Office.Server.Search.REST.SearchResult	27
3.1.5.8.1	Properties	27
3.1.5.8.1.1	Scalar Properties	27
3.1.5.8.1.1.1	ElapsedTime.....	27
3.1.5.8.1.1.2	PrimaryQueryResult	27
3.1.5.8.1.1.3	SecondaryQueryResults	27
3.1.5.8.1.1.4	Properties	28
3.1.5.8.1.2	ObjectPath Properties.....	28
3.1.5.9	Microsoft.Office.Server.Search.REST.SearchService	28
3.1.5.9.1	Properties	28
3.1.5.9.1.1	Scalar Properties	28
3.1.5.9.1.2	ObjectPath Properties.....	28
3.1.5.9.2	Methods.....	28
3.1.5.9.2.1	Scalar Methods.....	28
3.1.5.9.2.1.1	postquery	28
3.1.5.9.2.1.2	query	29
3.1.5.9.2.1.3	suggest.....	31
3.1.5.9.2.2	ObjectPath Methods.....	31
3.1.5.9.2.2.1	CSOM Constructor.....	31
3.1.5.10	Microsoft.Office.Server.Search.REST.SpecialTermResult.....	31
3.1.5.10.1	Properties.....	32
3.1.5.10.1.1	Scalar Properties	32
3.1.5.10.1.1.1	Description	32
3.1.5.10.1.1.2	IsVisualBestBet	32
3.1.5.10.1.1.3	Title.....	32
3.1.5.10.1.1.4	Url.....	32
3.1.5.10.1.2	ObjectPath Properties.....	32
3.1.5.11	Microsoft.SharePoint.Client.Search.Query.FullTextSqlQuery	32
3.1.5.11.1	Properties.....	33
3.1.5.11.1.1	Scalar Properties	33
3.1.5.11.1.1.1	BypassResultTypes	33
3.1.5.11.1.1.2	Culture	33
3.1.5.11.1.1.3	EnableInterleaving	33
3.1.5.11.1.1.4	EnableNicknames	33
3.1.5.11.1.1.5	EnablePhonetic	33
3.1.5.11.1.1.6	EnableStemming	33
3.1.5.11.1.1.7	FlowName	33
3.1.5.11.1.1.8	QueryTag	34
3.1.5.11.1.1.9	QueryText	34
3.1.5.11.1.1.10	RankingModelId.....	34
3.1.5.11.1.1.11	ResultsUrl.....	34
3.1.5.11.1.1.12	RowLimit	34
3.1.5.11.1.1.13	RowsPerPage	34
3.1.5.11.1.1.14	ShowPeopleNameSuggestions	34
3.1.5.11.1.1.15	SourceId	35
3.1.5.11.1.1.16	StartRow	35
3.1.5.11.1.1.17	Timeout	35
3.1.5.11.1.1.18	TrimDuplicates	35
3.1.5.11.1.1.19	ClientType	35

3.1.5.11.1.1.20	ProcessBestBets	35
3.1.5.11.1.1.21	TotalRowsExactMinimum	35
3.1.5.11.1.1.22	EnableQueryRules.....	36
3.1.5.11.1.1.23	ImpressionID	36
3.1.5.11.1.2	ObjectPath Properties.....	36
3.1.5.11.1.2.1	HitHighlightedProperties.....	36
3.1.5.11.1.2.2	PersonalizationData	36
3.1.5.11.2	Methods	36
3.1.5.11.2.1	Scalar Methods.....	36
3.1.5.11.2.1.1	GetQuerySuggestionsWithResults	36
3.1.5.11.2.2	ObjectPath Methods	37
3.1.5.11.2.2.1	CSOM Constructor	37
3.1.5.12	Microsoft.SharePoint.Client.Search.Query.Gateway.Refinement	37
3.1.5.12.1	Properties.....	37
3.1.5.12.1.1	Scalar Properties	37
3.1.5.12.1.1.1	RefinementCount	37
3.1.5.12.1.1.2	RefinementName.....	37
3.1.5.12.1.1.3	RefinementPct	37
3.1.5.12.1.1.4	RefinementToken	38
3.1.5.12.1.1.5	RefinementValue	38
3.1.5.12.1.1.6	RefinerName.....	38
3.1.5.12.1.2	ObjectPath Properties.....	38
3.1.5.13	Microsoft.SharePoint.Client.Search.Query.KeywordQuery	38
3.1.5.13.1	Properties.....	38
3.1.5.13.1.1	Scalar Properties	38
3.1.5.13.1.1.1	BypassResultTypes	38
3.1.5.13.1.1.2	Culture	38
3.1.5.13.1.1.3	EnableInterleaving	39
3.1.5.13.1.1.4	EnableNicknames	39
3.1.5.13.1.1.5	EnablePhonetic	39
3.1.5.13.1.1.6	EnableStemming	39
3.1.5.13.1.1.7	FlowName	39
3.1.5.13.1.1.8	HiddenConstraints	39
3.1.5.13.1.1.9	QueryTag	39
3.1.5.13.1.1.10	QueryText	40
3.1.5.13.1.1.11	RankingModelId.....	40
3.1.5.13.1.1.12	Refiners	40
3.1.5.13.1.1.13	ResultsUrl	40
3.1.5.13.1.1.14	RowLimit	40
3.1.5.13.1.1.15	RowsPerPage	40
3.1.5.13.1.1.16	ShowPeopleNameSuggestions	40
3.1.5.13.1.1.17	SourceId	41
3.1.5.13.1.1.18	StartRow	41
3.1.5.13.1.1.19	Timeout	41
3.1.5.13.1.1.20	TrimDuplicates	41
3.1.5.13.1.1.21	ClientType	41
3.1.5.13.1.1.22	TrimDuplicatesIncludeId	41
3.1.5.13.1.1.23	ProcessBestBets	41
3.1.5.13.1.1.24	TotalRowsExactMinimum	42
3.1.5.13.1.1.25	EnableQueryRules.....	42
3.1.5.13.1.1.26	ImpressionID	42
3.1.5.13.1.2	ObjectPath Properties.....	42
3.1.5.13.1.2.1	HitHighlightedProperties.....	42

3.1.5.13.1.2.2	PersonalizationData	42
3.1.5.13.1.2.3	Properties.....	42
3.1.5.13.1.2.4	RefinementFilters	42
3.1.5.13.1.2.5	SelectProperties	43
3.1.5.13.1.2.6	SortList	43
3.1.5.13.1.2.7	ReorderingRules.....	43
3.1.5.13.2	Methods	43
3.1.5.13.2.1	Scalar Methods.....	43
3.1.5.13.2.1.1	GetQuerySuggestionsWithResults	43
3.1.5.13.2.2	ObjectPath Methods	44
3.1.5.13.2.2.1	CSOM Constructor	44
3.1.5.14	Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties.....	44
3.1.5.14.1	Properties.....	44
3.1.5.14.1.1	Scalar Properties	44
3.1.5.14.1.2	ObjectPath Properties.....	44
3.1.5.14.2	Methods.....	44
3.1.5.14.2.1	Scalar Methods.....	44
3.1.5.14.2.1.1	GetQueryPropertyValue	44
3.1.5.14.2.1.2	SetQueryPropertyValue	44
3.1.5.14.2.2	ObjectPath Methods	45
3.1.5.15	Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion	45
3.1.5.15.1	Properties.....	45
3.1.5.15.1.1	Scalar Properties	45
3.1.5.15.1.1.1	IsBestBet	45
3.1.5.15.1.1.2	Title.....	45
3.1.5.15.1.1.3	Url.....	45
3.1.5.15.1.2	ObjectPath Properties.....	45
3.1.5.16	Microsoft.SharePoint.Client.Search.Query.Query	46
3.1.5.16.1	Properties.....	46
3.1.5.16.1.1	Scalar Properties	46
3.1.5.16.1.1.1	BypassResultTypes	46
3.1.5.16.1.1.2	Culture	46
3.1.5.16.1.1.3	EnableInterleaving	46
3.1.5.16.1.1.4	EnableNicknames	46
3.1.5.16.1.1.5	EnablePhonetic	46
3.1.5.16.1.1.6	EnableStemming	46
3.1.5.16.1.1.7	FlowName	47
3.1.5.16.1.1.8	QueryTag	47
3.1.5.16.1.1.9	QueryText	47
3.1.5.16.1.1.10	RankingModelId.....	47
3.1.5.16.1.1.11	ResultsUrl.....	47
3.1.5.16.1.1.12	RowLimit	47
3.1.5.16.1.1.13	RowsPerPage	47
3.1.5.16.1.1.14	ShowPeopleNameSuggestions	48
3.1.5.16.1.1.15	SourceId	48
3.1.5.16.1.1.16	StartRow	48
3.1.5.16.1.1.17	Timeout	48
3.1.5.16.1.1.18	TrimDuplicates	48
3.1.5.16.1.1.19	ClientType	48
3.1.5.16.1.1.20	ProcessBestBets	48
3.1.5.16.1.1.21	TotalRowsExactMinimum	49
3.1.5.16.1.1.22	EnableQueryRules.....	49
3.1.5.16.1.1.23	ImpressionID	49

3.1.5.16.1.2	ObjectPath Properties.....	49
3.1.5.16.1.2.1	HitHighlightedProperties.....	49
3.1.5.16.1.2.2	PersonalizationData.....	49
3.1.5.16.2	Methods.....	49
3.1.5.16.2.1	Scalar Methods.....	49
3.1.5.16.2.1.1	GetQuerySuggestionsWithResults.....	49
3.1.5.16.2.2	ObjectPath Methods.....	50
3.1.5.17	Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData.....	50
3.1.5.17.1	Properties.....	50
3.1.5.17.1.1	Scalar Properties.....	50
3.1.5.17.1.2	ObjectPath Properties.....	50
3.1.5.17.2	Methods.....	50
3.1.5.17.2.1	Scalar Methods.....	50
3.1.5.17.2.2	ObjectPath Methods.....	50
3.1.5.17.2.2.1	CSOM Constructor.....	50
3.1.5.18	Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue.....	51
3.1.5.18.1	Properties.....	51
3.1.5.18.1.1	Scalar Properties.....	51
3.1.5.18.1.1.1	BoolVal.....	51
3.1.5.18.1.1.2	IntVal.....	51
3.1.5.18.1.1.3	QueryPropertyValueTypeId.....	51
3.1.5.18.1.1.4	StrArray.....	52
3.1.5.18.1.1.5	StrVal.....	52
3.1.5.18.1.2	ObjectPath Properties.....	52
3.1.5.19	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults.....	52
3.1.5.19.1	Properties.....	52
3.1.5.19.1.1	Scalar Properties.....	52
3.1.5.19.1.1.1	PeopleNames.....	52
3.1.5.19.1.1.2	PersonalResults.....	52
3.1.5.19.1.1.3	Queries.....	52
3.1.5.19.1.2	ObjectPath Properties.....	53
3.1.5.20	Microsoft.SharePoint.Client.Search.Query.ResultTable.....	53
3.1.5.20.1	Properties.....	53
3.1.5.20.1.1	Scalar Properties.....	53
3.1.5.20.1.1.1	Properties.....	53
3.1.5.20.1.1.2	QueryId.....	53
3.1.5.20.1.1.3	ResultRows.....	53
3.1.5.20.1.1.4	RowCount.....	53
3.1.5.20.1.1.5	TableType.....	53
3.1.5.20.1.1.6	TotalRows.....	54
3.1.5.20.1.1.7	GroupTemplateId.....	54
3.1.5.20.1.1.8	ItemTemplateId.....	54
3.1.5.20.1.1.9	QueryRuleId.....	54
3.1.5.20.1.1.10	ResultTitle.....	54
3.1.5.20.1.1.11	ResultTitleUrl.....	54
3.1.5.20.1.2	ObjectPath Properties.....	54
3.1.5.21	Microsoft.SharePoint.Client.Search.Query.ResultTableCollection.....	55
3.1.5.21.1	Properties.....	55
3.1.5.21.1.1	Scalar Properties.....	55
3.1.5.21.1.1.1	ElapsedTime.....	55
3.1.5.21.1.1.2	Properties.....	55
3.1.5.21.1.1.3	QueryId.....	55
3.1.5.21.1.1.4	SpellingSuggestion.....	55

3.1.5.21.1.1.5 TriggeredRules.....	55
3.1.5.21.1.2 ObjectPath Properties.....	55
3.1.5.22 Microsoft.SharePoint.Client.Search.Query.SearchExecutor	56
3.1.5.22.1 Properties.....	56
3.1.5.22.1.1 Scalar Properties	56
3.1.5.22.1.2 ObjectPath Properties.....	56
3.1.5.22.2 Methods.....	56
3.1.5.22.2.1 Scalar Methods.....	56
3.1.5.22.2.1.1 ExecuteQueries.....	56
3.1.5.22.2.1.2 ExecuteQuery	56
3.1.5.22.2.1.3 RecordPageClick.....	57
3.1.5.22.2.2 ObjectPath Methods	57
3.1.5.22.2.2.1 CSOM Constructor	57
3.1.5.23 Microsoft.SharePoint.Client.Search.Query.Sort	58
3.1.5.23.1 Properties.....	58
3.1.5.23.1.1 Scalar Properties	58
3.1.5.23.1.1.1 Direction	58
3.1.5.23.1.1.2 Property.....	58
3.1.5.23.1.2 ObjectPath Properties.....	58
3.1.5.24 Microsoft.SharePoint.Client.Search.Query.SortCollection	58
3.1.5.24.1 Properties.....	58
3.1.5.24.1.1 Scalar Properties	58
3.1.5.24.1.2 ObjectPath Properties.....	58
3.1.5.24.2 Methods.....	59
3.1.5.24.2.1 Scalar Methods.....	59
3.1.5.24.2.1.1 Add	59
3.1.5.24.2.1.2 Clear	59
3.1.5.24.2.2 ObjectPath Methods	59
3.1.5.25 Microsoft.SharePoint.Client.Search.Query.SortDirection	59
3.1.5.25.1 Field Values	59
3.1.5.25.1.1 Ascending.....	59
3.1.5.25.1.2 Descending.....	59
3.1.5.25.1.3 FQLFormula	60
3.1.5.26 Microsoft.SharePoint.Client.Search.Query.StringCollection	60
3.1.5.26.1 Properties.....	60
3.1.5.26.1.1 Scalar Properties	60
3.1.5.26.1.2 ObjectPath Properties.....	60
3.1.5.26.2 Methods.....	60
3.1.5.26.2.1 Scalar Methods.....	60
3.1.5.26.2.1.1 Add	60
3.1.5.26.2.1.2 Clear	60
3.1.5.26.2.2 ObjectPath Methods	60
3.1.5.26.2.2.1 CSOM Constructor	60
3.1.5.27 Microsoft.SharePoint.Client.Search.Query.RankingLabeling	61
3.1.5.27.1 Properties.....	61
3.1.5.27.1.1 Scalar Properties	61
3.1.5.27.1.2 ObjectPath Properties.....	61
3.1.5.27.2 Methods.....	61
3.1.5.27.2.1 Scalar Methods.....	61
3.1.5.27.2.1.1 AddJudgment.....	61
3.1.5.27.2.1.2 GetJudgementsForQuery	61
3.1.5.27.2.2 ObjectPath Methods	62
3.1.5.27.2.2.1 CSOM Constructor	62

3.1.5.28	Microsoft.Office.Server.Search.Administration.DocumentCrawlLog	62
3.1.5.28.1	Properties.....	62
3.1.5.28.1.1	Scalar Properties	62
3.1.5.28.1.2	ObjectPath Properties.....	62
3.1.5.28.2	Methods.....	62
3.1.5.28.2.1	Scalar Methods.....	62
3.1.5.28.2.1.1	GetCrawledUrls	62
3.1.5.28.2.2	ObjectPath Methods	63
3.1.5.28.2.2.1	CSOM Constructor	63
3.1.5.29	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery	64
3.1.5.29.1	Properties.....	64
3.1.5.29.1.1	Scalar Properties	64
3.1.5.29.1.1.1	IsPersonal	64
3.1.5.29.1.1.2	Query	64
3.1.5.29.1.2	ObjectPath Properties.....	64
3.1.5.30	Microsoft.Office.Server.Search.REST.SpecialTermResults	64
3.1.5.30.1	Properties.....	64
3.1.5.30.1.1	Scalar Properties	64
3.1.5.30.1.1.1	Properties.....	64
3.1.5.30.1.1.2	Results.....	65
3.1.5.30.1.2	ObjectPath Properties.....	65
3.1.5.31	Microsoft.SharePoint.Client.Search.Query.ReorderingRule	65
3.1.5.31.1	Properties.....	65
3.1.5.31.1.1	Scalar Properties	65
3.1.5.31.1.2	ObjectPath Properties.....	65
3.1.5.32	Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection	65
3.1.5.32.1	Properties.....	65
3.1.5.32.1.1	Scalar Properties	65
3.1.5.32.1.2	ObjectPath Properties.....	65
3.1.5.32.2	Methods.....	66
3.1.5.32.2.1	Scalar Methods.....	66
3.1.5.32.2.1.1	Add	66
3.1.5.32.2.1.2	Clear	66
3.1.5.32.2.2	ObjectPath Methods	66
3.1.5.33	Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType	66
3.1.5.33.1	Field Values	66
3.1.5.33.1.1	ResultContainsKeyword	66
3.1.5.33.1.2	TitleContainsKeyword.....	67
3.1.5.33.1.3	TitleMatchesKeyword.....	67
3.1.5.33.1.4	UrlStartsWith	67
3.1.5.33.1.5	UrlExactlyMatches.....	67
3.1.5.33.1.6	ContentTypeIs.....	67
3.1.5.33.1.7	FileExtensionMatches	67
3.1.5.33.1.8	ResultHasTag	67
3.1.5.33.1.9	ManualCondition	67
3.1.6	Timer Events	67
3.1.7	Other Local Events	67
4	Protocol Examples.....	68
4.1	Search for the keyword "home"	68
5	Security.....	87
5.1	Security Considerations for Implementers.....	87

5.2 Index of Security Parameters	87
6 Appendix A: Product Behavior	88
7 Change Tracking.....	89
8 Index	90

Preliminary

1 Introduction

The Search Client Query Protocol provides types, methods, and properties to enable a protocol client to issue search queries against a protocol server hosting a search service application.

Sections 1.8, 2, and 3 of this specification are normative and contain RFC 2119 language. Sections 1.5 and 1.9 are also normative but cannot contain RFC 2119 language. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

context
Hypertext Transfer Protocol (HTTP)
Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)
language code identifier (LCID)

The following terms are defined in [\[MS-OFCGLOS\]](#):

content source
CSOM Boolean
CSOM DateTime
CSOM dictionary
CSOM GUID
CSOM Int16
CSOM Int32
CSOM Int64
CSOM Single
CSOM String
document
endpoint
JavaScript Object Notation (JSON)
partition identifier
permission
post-query suggestions
pre-query suggestions
query result
result source
search query
search service application
site
Uniform Resource Identifier (URI)
Uniform Resource Locator (URL)

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specification documents do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-CSOM] Microsoft Corporation, "[SharePoint Client Query Protocol Specification](#)".

[MS-CSOMREST] Microsoft Corporation, "[SharePoint Client Query OData Protocol Specification](#)".

[MS-QSSWS] Microsoft Corporation, "[Search Query Shared Services Protocol Specification](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[RFC3066] Alvestrand, H., "Tags for the Identification of Language", RFC 3066, January 2001, <http://www.ietf.org/rfc/rfc3066.txt>

[RFC4627] Crockford, D., "The application/json Media Type for Javascript Object Notation (JSON)", RFC 4627, July 2006, <http://www.ietf.org/rfc/rfc4627.txt>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

1.3 Overview

This protocol allows a protocol client to issue **search queries** against a protocol server hosting a **search service application**.

Typical scenarios for using this protocol include:

- A protocol client issues a search query to the protocol server, and the protocol server responds with **query results**.
- A protocol client issues a search query to the protocol server, and the protocol server responds with **pre-query suggestions** or **post-query suggestions**.
- A protocol client notifies the protocol server of errors encountered on the protocol client and timing of protocol client processing stages. The protocol server records these errors and time intervals for logging.

1.4 Relationship to Other Protocols

The Search Client Query Protocol is a set of types, properties, and methods that can be accessed by using the SharePoint Client Query protocol as specified in [\[MS-CSOM\]](#). This protocol uses **JSON** as specified in [\[RFC4627\]](#) to format data returned to a protocol client. This protocol also uses **HTTP**, as specified in [\[RFC2616\]](#), and **HTTPS**, as specified in [\[RFC2818\]](#). The dependencies for this protocol are shown in the following layering diagram.




Figure 1: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

This protocol operates against a protocol server that exposes one or more **endpoint (4) URIs** that are known by protocol clients.

This protocol assumes that authentication has been performed by underlying protocols.

This protocol requires the protocol client to have appropriate permission to call the methods on the protocol server.

1.6 Applicability Statement

This protocol can be used by a protocol client to issue search queries against a protocol server hosting a search service application.

This protocol is optimized to enable a protocol client to specify the exact set of data and operations to perform in a single batch, making it suitable for situations where the connection speed between the protocol client and the protocol server can be slow.

This protocol is not suitable and is inefficient if both the protocol client and protocol server are on the same computer. In this case, the client should use an API that does not require communication over a network.

1.7 Versioning and Capability Negotiation

None.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

Messages are transported by using the SharePoint Client Query Protocol, as specified in [\[MS-CSOM\]](#).

2.2 Message Syntax

None.

2.2.1 Namespaces

None.

2.2.2 Common Exceptions

Protocol server hosting the search service application MUST validate the request from the protocol client. When a protocol server processes a CSOM operation in the request, the following table lists common exceptions that could occur when accessing or updating a property or invoking a method.

Error Code	Error Type Name	Condition
- 2147024891	System.UnauthorizedAccessException	The user does not have permission to access a property, update a property or call a method.

Besides the preceding exceptions and the exceptions that are listed for the specific properties or methods, the protocol server can return other exceptions to the protocol client, for which the protocol client could use the error message for display purpose but could not use the error code or error type to determine the causes of the exception.

Unless specified, exceptions listed for the specific properties are thrown for both read and write operations.

3 Protocol Details

3.1 Client Details

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls that are made by the higher-layer protocol or application are passed directly to the transport, and the results that are returned by the transport are passed directly to the higher-layer protocol or application.

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This **document** does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

This protocol deals with various objects associated with Search Service to execute a search query for storing verbose query monitoring data or to store query log data and other objects as specified in [\[MS-QSSWS\]](#).

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Higher-Layer Triggered Events

None.

3.1.5 Message Processing Events and Sequencing Rules

3.1.5.1 Microsoft.Office.Server.Search.REST.CustomResult

TypeId: {B3EB596A-C665-4B31-AFBE-BBF07EB1B70D}

ShortName: Microsoft.Office.Server.Search.REST.CustomResult

CustomResult is a ResultTable, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

The TableType property MUST be of any result table type as specified in [\[MS-QSSWS\]](#) section 2.2.5.5 except:

- RelevantResults
- RefinementResults
- SpecialTermResults

3.1.5.1.1 Properties

3.1.5.1.1.1 Scalar Properties

3.1.5.1.1.1.1 Rows

Type: Microsoft.SharePoint.Client.SimpleDataTable

Accessibility: Read/Write

As specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3.

Contains the list of query results.

3.1.5.1.1.1.2 TableType

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.3 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.2 ObjectPath Properties

None.

3.1.5.2 Microsoft.Office.Server.Search.REST.Entry

TypeId: {316905B6-359D-44A3-B728-25F2D292E1E8}

ShortName: Microsoft.Office.Server.Search.REST.Entry

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.2.1 Properties

3.1.5.2.1.1 Scalar Properties

3.1.5.2.1.1.1 RefinementCount

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.2.1.1.2 RefinementName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.2.1.1.3 RefinementToken

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.2.1.1.4 RefinementValue

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.2.1.2 ObjectPath Properties

None.

3.1.5.3 Microsoft.Office.Server.Search.REST.QueryResult

TypeId: {5DA4B313-CA4A-4BC7-B9DE-98EA5F4E727B}

ShortName: Microsoft.Office.Server.Search.REST.QueryResult

The QueryResult type is a grouping of result tables, where each contained result table is a ResultTable as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

All result tables contained in the same QueryResult MUST share the same QueryId.

A QueryResult structure accessed by the PrimaryQueryResults property of a SearchResults structure MUST NOT be associated with a Query Rule, and MUST have the QueryRuleId populated with the value {00000000-0000-0000-0000-000000000000}.

Each QueryResult structure contained in the SecondaryQueryResults of the SearchResults structure MUST be associated with an individual Query Rule, and MUST have the QueryRuleId populated with a value other than {00000000-0000-0000-0000-000000000000}.

A valid QueryResult MUST have one or more result tables accessed through one or more of the following properties:

- CustomResults
- RefinementResults
- RelevantResults
- SpecialTermResults

CustomResults is a CSOM Array that contains zero or more CustomResult instances. A CustomResult instance is a ResultTable with ResultType of any kind (except RefinementResult, RelevantResults, and SpecialTermResults), as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

RefinementResult is a ResultTable with ResultType RefinementResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

RelevantResults is a ResultTable with ResultType RelevantResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

SpecialTermResults is a ResultTable with ResultType SpecialTermResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

3.1.5.3.1 Properties

3.1.5.3.1.1 Scalar Properties

3.1.5.3.1.1.1 CustomResults

Type: CSOM Array

Accessibility: Read/Write

An array of CustomResult as specified in section [3.1.5.1](#).

3.1.5.3.1.1.2 GroupTypeId

Type: **CSOM GUID**

Accessibility: Read/Write

Specifies the group type identifier.

3.1.5.3.1.1.3 QueryId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.4 QueryRuleId

Type: CSOM GUID

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.5 RefinementResults

Type: Microsoft.Office.Server.Search.REST.RefinementResults

Accessibility: Read/Write

As specified in section [3.1.5.5](#).

3.1.5.3.1.1.6 RelevantResults

Type: Microsoft.Office.Server.Search.REST.RelevantResults

Accessibility: Read/Write

As specified in section [3.1.5.6](#).

3.1.5.3.1.1.7 ResultTitle

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.3.1.1.8 ResultTitleUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.9 SpecialTermResults

Type: Microsoft.Office.Server.Search.REST.SpecialTermResults

Accessibility: Read/Write

As specified in section [3.1.5.30](#).

3.1.5.3.1.2 ObjectPath Properties

None.

3.1.5.4 Microsoft.Office.Server.Search.REST.RefinementResult

TypeId: {63EEBA68-040C-4B26-8590-EB2E4153163F}

ShortName: Microsoft.Office.Server.Search.REST.RefinementResult

RefinementResult is an ArrayOfRefinement as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.9.

RefinementResult contains a CSOM Array, Entries, of type Entry as specified in section [3.1.5.2](#). All entries in the array MUST share the same RefinerName, accessed through the Name property of the RefinementResult containing these entries.

3.1.5.4.1 Properties

3.1.5.4.1.1 Scalar Properties

3.1.5.4.1.1.1 Entries

Type: CSOM Array

Accessibility: Read/Write

Array of Refinement Entry as specified in section [3.1.5.2](#).

3.1.5.4.1.1.2 Name

Type: CSOM String

Accessibility: Read/Write

As specified as Refinement.RefinerName in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.4.1.2 ObjectPath Properties

None.

3.1.5.5 Microsoft.Office.Server.Search.REST.RefinementResults

TypeId: {F3B3BFC2-9DD9-4F5E-BC53-0EF63E0709F6}

ShortName: Microsoft.Office.Server.Search.REST.RefinementResults

RefinementResults is a RefinementResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.5.1 Properties

3.1.5.5.1.1 Scalar Properties

3.1.5.5.1.1.1 Refiners

Type:

System.Collections.Generic.IEnumerable<Microsoft.Office.Server.Search.REST.RefinementResult>

Accessibility: Read/Write

Array of RefinementResult as specified in section [3.1.5.4](#).

Contains the list of refiners.

3.1.5.5.1.1.2 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.5.1.2 ObjectPath Properties

None.

3.1.5.6 Microsoft.Office.Server.Search.REST.RelevantResults

TypeId: {755270DF-820C-430A-A609-1A6C415E88F1}

ShortName: Microsoft.Office.Server.Search.REST.RelevantResults

RelevantResults is a RelevantResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.6.1 Properties

3.1.5.6.1.1 Scalar Properties

3.1.5.6.1.1.1 RowCount

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.6.1.1.2 Rows

Type: Microsoft.SharePoint.Client.SimpleDataTable

Accessibility: Read/Write

As specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3.

Contains the list of query results.

3.1.5.6.1.1.3 TotalRows

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.6.1.1.4 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.6.1.2 ObjectPath Properties

None.

3.1.5.7 Microsoft.Office.Server.Search.REST.SearchRequest

TypeId: {EFA6DBB5-FB02-41F8-B70F-E6C992FB86A9}

ShortName: Microsoft.Office.Server.Search.REST.SearchRequest

The SearchRequest structure defines the HTTP BODY of the HTTP POST postquery operation as specified in section [3.1.5.9.2.1.1](#). The postquery operation together with the SearchRequest structure is similar to the query operation as specified in section [3.1.5.9.2.1.2](#), and is provided as a means to overcome URL length limitations some clients may experience with HTTP GET operations.

3.1.5.7.1 Properties

3.1.5.7.1.1 Scalar Properties

3.1.5.7.1.1.1 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid **language code identifier (LCID)** of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.7.1.1.2 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.3 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.4 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.5 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.6 Flowname

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.7 HiddenConstraints

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.8 Querytext

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.9 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.10 RefinementFilters

Type: CSOM Array

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.11 Refiners

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.12 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.13 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.14 SelectProperties

Type: CSOM Array

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.15 SourceId

Type: CSOM GUID

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.16 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.17 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.18 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.19 EnableFQL

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.20 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.21 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

3.1.5.7.1.1.22 HitHighlightedProperties

Type: CSOM Array

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.1.23 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.24 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.25 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.1.26 TrimDuplicatesIncludeId

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.2 ObjectPath Properties

3.1.5.7.1.2.1 SortList

Type: Microsoft.SharePoint.Client.Search.Query.SortCollection

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.7.1.2.2 QueryPersonalizationData

Type: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.7.1.2.3 ReorderingRules

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.8 Microsoft.Office.Server.Search.REST.SearchResult

TypeId: {C160DFA4-233A-4C58-88D4-9123B0A3D05B}

ShortName: Microsoft.Office.Server.Search.REST.SearchResult

The SearchResult structure resembles the ResultTableCollection structure (specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1). However, the individual result tables that share the same QueryId are grouped together in a QueryResult structure (specified in section [3.1.5.3](#)). The search result tables that have exactly the same QueryId value as specified by the protocol client are grouped in the same QueryResult structure accessed through the PrimaryQueryResult property. All other QueryResult buckets are organized in a CSOM Array of QueryResults accessed through the SecondaryQueryResults property.

3.1.5.8.1 Properties

3.1.5.8.1.1 Scalar Properties

3.1.5.8.1.1.1 ElapsedTime

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.8.1.1.2 PrimaryQueryResult

Type: Microsoft.Office.Server.Search.REST.QueryResult

Accessibility: Read/Write

As specified in section [3.1.5.3](#).

3.1.5.8.1.1.3 SecondaryQueryResults

Type: CSOM Array

Accessibility: Read/Write

Array of QueryResult as specified in section [3.1.5.3](#).

3.1.5.8.1.1.4 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.8.1.2 ObjectPath Properties

None.

3.1.5.9 Microsoft.Office.Server.Search.REST.SearchService

TypeId: {1DBA45DD-4E29-4975-82EB-51A4ABF22707}

ShortName: Microsoft.Office.Server.Search.REST.SearchService

SearchService exposes three OData Service Operations.

- **postquery** supports HTTP POST and returns search results. The purpose of the **postquery** service operation is to overcome URI length restriction in the client or server, by transporting query parameters in the body section of the HTTP request.
- **query** supports HTTP GET and returns search results.
- **suggest** supports HTTP GET and returns search query suggestions.

3.1.5.9.1 Properties

3.1.5.9.1.1 Scalar Properties

None.

3.1.5.9.1.2 ObjectPath Properties

None.

3.1.5.9.2 Methods

3.1.5.9.2.1 Scalar Methods

3.1.5.9.2.1.1 postquery

Return Type: Microsoft.Office.Server.Search.REST.SearchResult

The operation is used to retrieve search results through the use of the HTTP protocol with method type POST.

Parameters:

request: As specified in section [3.1.5.7](#).

Type: Microsoft.Office.Server.Search.REST.SearchRequest

3.1.5.9.2.1.2 query

Return Type: Microsoft.Office.Server.Search.REST.SearchResult

The operation is used to retrieve search results through the use of the HTTP protocol with method type GET.

Parameters:

querytext: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM String

flowName: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

enableInterleaving: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

sourceId: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM GUID

rankingModelId: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM String

startRow: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Int32

rowLimit: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Int32

rowsPerPage: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Int32

selectProperties: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM String

culture: Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

Type: CSOM Int32

refinementFilters: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

refiners: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

hiddenConstraints: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

sortList: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

enableStemming: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Boolean

trimDuplicates: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Boolean

timeout: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Int32

enableNicknames: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Boolean

enablePhonetic: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM Boolean

enableFQL: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

hitHighlightedProperties: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM String

bypassResultTypes: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

processBestBets: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

clientType: Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

Type: CSOM String

queryPersonalizationData: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM GUID

resultsUrl: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

queryTag: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

3.1.5.9.2.1.3 suggest

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

Parameters:

querytext: As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

Type: CSOM String

iNumberOfQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

iNumberOfResultSuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

fPreQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fHitHighlighting: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

culture: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Int32

enableStemming: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

showPeopleNameSuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

3.1.5.9.2.2 ObjectPath Methods

3.1.5.9.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchService** object.

Parameters: None

3.1.5.10 Microsoft.Office.Server.Search.REST.SpecialTermResult

TypeId: {9D6EB278-1166-420E-8642-37887FEE2BDC}

ShortName: Microsoft.Office.Server.Search.REST.SpecialTermResult

SpecialTermResult is a row in the Table property of a SpecialTermResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

A row in a SpecialTermResults Table maps to one instance of SpecialTermResults.

A row in a SpecialTermResults Table MUST have the columns *Title*, *Url*, and *Description*, and it MAY have the column *IsVisualBestBet*. Each of these columns maps to corresponding property of the SpecialTermResult type.

3.1.5.10.1 Properties

3.1.5.10.1.1 Scalar Properties

3.1.5.10.1.1.1 Description

Type: CSOM String

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.10.1.1.2 IsVisualBestBet

Type: CSOM Boolean

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.10.1.1.3 Title

Type: CSOM String

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.10.1.1.4 Url

Type: CSOM String

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.10.1.2 ObjectPath Properties

None.

3.1.5.11 Microsoft.SharePoint.Client.Search.Query.FullTextSqlQuery

TypeId: {6090347F-106E-44C9-942C-3954365FB778}

ShortName: Microsoft.SharePoint.Client.Search.Query.FullTextSqlQuery

As specified in [\[MS-QSSWS\]](#) section 2.2.4.8

3.1.5.11.1 Properties

3.1.5.11.1.1 Scalar Properties

3.1.5.11.1.1.1 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1

3.1.5.11.1.1.2 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.11.1.1.3 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1

3.1.5.11.1.1.4 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.5 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.6 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.7 FlowName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

3.1.5.11.1.1.8 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

3.1.5.11.1.1.9 QueryText

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.10 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.11 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.11.1.1.12 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.13 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.14 ShowPeopleNameSuggestions

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.11.1.1.15 SourceId

Type: CSOM GUID

Accessibility: Read/Write

Unique identifier of the **result source**

3.1.5.11.1.1.16 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.17 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.18 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.1.19 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1

3.1.5.11.1.1.20 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

3.1.5.11.1.1.21 TotalRowsExactMinimum

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.11.1.1.22 EnableQueryRules

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether query rules MUST be enabled when a search query is executed.

3.1.5.11.1.1.23 ImpressionID

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.11.1.2 ObjectPath Properties

3.1.5.11.1.2.1 HitHighlightedProperties

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.1.2.2 PersonalizationData

Type: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12

3.1.5.11.2 Methods

3.1.5.11.2.1 Scalar Methods

3.1.5.11.2.1.1 GetQuerySuggestionsWithResults

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18

Parameters:

iNumberOfQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Int32

iNumberOfResultSuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Int32

fPreQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Boolean

fHitHighlighting: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Boolean

3.1.5.11.2.2 ObjectPath Methods

3.1.5.11.2.2.1 CSOM Constructor

Initializes a new instance of the **FullTextSqlQuery** object.

Parameters:

site: SharePoint site for which the FullTextSqlQuery object is created.

Type: Microsoft.SharePoint.Client.Site

3.1.5.12 Microsoft.SharePoint.Client.Search.Query.GatewayRefinement

TypeId: {49232787-0E58-4632-97D0-05CEC882E90E}

ShortName: Microsoft.SharePoint.Client.Search.Query.GatewayRefinement

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1 Properties

3.1.5.12.1.1 Scalar Properties

3.1.5.12.1.1.1 RefinementCount

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1.1.2 RefinementName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1.1.3 RefinementPct

Type: **CSOM Single**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1.1.4 RefinementToken

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1.1.5 RefinementValue

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1.1.6 RefinerName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10

3.1.5.12.1.2 ObjectPath Properties

None.

3.1.5.13 Microsoft.SharePoint.Client.Search.Query.KeywordQuery

TypeId: {80173281-FFFD-47B6-9A49-312E06FF8428}

ShortName: Microsoft.SharePoint.Client.Search.Query.KeywordQuery

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1 Properties

3.1.5.13.1.1 Scalar Properties

3.1.5.13.1.1.1 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.2 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.13.1.1.3 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.4 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.5 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.6 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.7 FlowName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.8 HiddenConstraints

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.9 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.10 QueryText

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.11 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.12 Refiners

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.13 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.14 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.15 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.16 ShowPeopleNameSuggestions

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.17 SourceId

Type: CSOM GUID

Accessibility: Read/Write

Unique identifier of the result source.

3.1.5.13.1.1.18 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.19 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.20 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.21 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

3.1.5.13.1.1.22 TrimDuplicatesIncludeId

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.23 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.1.24 TotalRowsExactMinimum

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.1.25 EnableQueryRules

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether query rules MUST be enabled when a search query is executed.

3.1.5.13.1.1.26 ImpressionID

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.13.1.2 ObjectPath Properties

3.1.5.13.1.2.1 HitHighlightedProperties

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.2.2 PersonalizationData

Type: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.13.1.2.3 Properties

Type: Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.2.4 RefinementFilters

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.2.5 **SelectProperties**

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.2.6 **SortList**

Type: Microsoft.SharePoint.Client.Search.Query.SortCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.1.2.7 **ReorderingRules**

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.13.2 **Methods**

3.1.5.13.2.1 **Scalar Methods**

3.1.5.13.2.1.1 **GetQuerySuggestionsWithResults**

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

Parameters:

iNumberOfQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

iNumberOfResultSuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

fPreQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fHitHighlighting: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

3.1.5.13.2.2 ObjectPath Methods

3.1.5.13.2.2.1 CSOM Constructor

Initializes a new instance of the **KeywordQuery** object.

Parameters:

site: SharePoint site for which the KeywordQuery object is created.

Type: Microsoft.SharePoint.Client.Site

3.1.5.14 Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

TypeId: {8E0AB106-FBFE-43F1-9CB7-329130820F89}

ShortName: Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

3.1.5.14.1 Properties

3.1.5.14.1.1 Scalar Properties

None.

3.1.5.14.1.2 ObjectPath Properties

None.

3.1.5.14.2 Methods

3.1.5.14.2.1 Scalar Methods

3.1.5.14.2.1.1 GetQueryPropertyValue

Return Type: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

Retrieves the value of a property based on the specified name

Parameters:

name: Name of a property in the KeywordQueryProperties complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1)

Type: CSOM String

3.1.5.14.2.1.2 SetQueryPropertyValue

Return Type: None

Sets the value of a property based on the specified name

Parameters:

name: Name of a property in the KeywordQueryProperties complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1)

Type: CSOM String

val: Value of the property to be set in the KeywordQueryProperties complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1). The value MUST conform to the specification in ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1)

Type: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

3.1.5.14.2.2 ObjectPath Methods

None.

3.1.5.15 Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

TypeId: {AAFD94AF-525A-4759-8410-F571A26F04BC}

ShortName: Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3.

3.1.5.15.1 Properties

3.1.5.15.1.1 Scalar Properties

3.1.5.15.1.1.1 IsBestBet

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

3.1.5.15.1.1.2 Title

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

3.1.5.15.1.1.3 Url

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

3.1.5.15.1.2 ObjectPath Properties

None.

3.1.5.16 Microsoft.SharePoint.Client.Search.Query.Query

TypeId: {506FBB38-B10C-4CB3-80A0-9003A85B56ED}

ShortName: Microsoft.SharePoint.Client.Search.Query.Query

Specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1 Properties

3.1.5.16.1.1 Scalar Properties

3.1.5.16.1.1.1 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.2 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.16.1.1.3 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.4 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.5 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.6 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.7 FlowName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.8 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.9 QueryText

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.10 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.11 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.12 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.13 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.14 ShowPeopleNameSuggestions

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.15 SourceId

Type: CSOM GUID

Accessibility: Read/Write

Unique identifier of the result source.

3.1.5.16.1.1.16 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.17 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.18 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.19 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

3.1.5.16.1.1.20 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.16.1.1.21 TotalRowsExactMinimum

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.1.22 EnableQueryRules

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether query rules MUST be enabled when a search query is executed.

3.1.5.16.1.1.23 ImpressionID

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.16.1.2 ObjectPath Properties

3.1.5.16.1.2.1 HitHighlightedProperties

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.1.2.2 PersonalizationData

Type: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.12.

3.1.5.16.2 Methods

3.1.5.16.2.1 Scalar Methods

3.1.5.16.2.1.1 GetQuerySuggestionsWithResults

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

Parameters:

iNumberOfQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

iNumberOfResultSuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

fPreQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fHitHighlighting: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

3.1.5.16.2.2 ObjectPath Methods

None.

3.1.5.17 Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

TypeId: {28D79F49-820A-4D51-BB2A-3309B3F4C54D}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.17.1 Properties

3.1.5.17.1.1 Scalar Properties

None.

3.1.5.17.1.2 ObjectPath Properties

None.

3.1.5.17.2 Methods

3.1.5.17.2.1 Scalar Methods

None.

3.1.5.17.2.2 ObjectPath Methods

3.1.5.17.2.2.1 CSOM Constructor

Initializes a new instance of the **QueryPersonalizationData** object.

Parameters:

guidUserIdString: As specified by **UserId** in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM String

3.1.5.18 Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

TypeId: {B25BA502-71D7-4AE4-A701-4CA2FB1223BE}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

This object is used to store values of predefined types. The object MUST have a value set for only one of the property.

3.1.5.18.1 Properties

3.1.5.18.1.1 Scalar Properties

3.1.5.18.1.1.1 BoolVal

Type: CSOM Boolean

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM Boolean. This property MUST have a value only if **QueryPropertyValueTypeId** is set to 3.

3.1.5.18.1.1.2 IntVal

Type: CSOM Int32

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM Int32. This property MUST have a value only if **QueryPropertyValueTypeId** is set to 2.

3.1.5.18.1.1.3 QueryPropertyValueTypeId

Type: CSOM Int32

Accessibility: Read/Write

Specifies the type of data stored in this object. This MUST be set to one of the following values.

- 0: Specifies that no value is stored in this object.
- 1: Specifies that a CSOM String value is stored.
- 2: Specifies that a CSOM Int32 value is stored.
- 3: Specifies that a CSOM Boolean value is stored.
- 4: Specifies that a CSOM Array of type CSOM String is stored.
- 5: Specifies that the value is an unsupported type.

3.1.5.18.1.1.4 StrArray

Type: CSOM Array

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM Array. The CSOM Array MUST only contain CSOM String values. This property MUST have a value only if **QueryPropertyValueTypeIndex** is set to 4.

3.1.5.18.1.1.5 StrVal

Type: CSOM String

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM String. This property MUST have a value only if **QueryPropertyValueTypeIndex** is set to 1.

3.1.5.18.1.2 ObjectPath Properties

None.

3.1.5.19 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

TypeId: {EF071CB4-7FAB-4E8D-9480-F15D30DC696D}

ShortName: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

3.1.5.19.1 Properties

3.1.5.19.1.1 Scalar Properties

3.1.5.19.1.1.1 PeopleNames

Type: CSOM Array

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1

3.1.5.19.1.1.2 PersonalResults

Type: Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion[]

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1

3.1.5.19.1.1.3 Queries

Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery[]

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1

3.1.5.19.1.2 ObjectPath Properties

None.

3.1.5.20 Microsoft.SharePoint.Client.Search.Query.ResultTable

TypeId: {6780DF59-1036-4912-829B-432354F22656}

ShortName: Microsoft.SharePoint.Client.Search.Query.ResultTable

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1 Properties

3.1.5.20.1.1 Scalar Properties

3.1.5.20.1.1.1 Properties

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.2 QueryId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.3 ResultRows

Type: System.Collections.Generic.IEnumerable<System.Collections.Generic.IDictionary<string, object>>

Accessibility: Read Only

This contains the list of query results.

3.1.5.20.1.1.4 RowCount

Type: CSOM Int32

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.5 TableType

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.6 TotalRows

Type: CSOM Int32

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.7 GroupTemplateId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.8 ItemTemplateId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.9 QueryRuleId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.10 ResultTitle

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.1.11 ResultTitleUrl

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.20.1.2 ObjectPath Properties

None.

3.1.5.21 Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

TypeId: {11F20D08-7F42-49C1-8C0C-8EE4C32B203E}

ShortName: Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.21.1 Properties

3.1.5.21.1.1 Scalar Properties

3.1.5.21.1.1.1 ElapsedTime

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.21.1.1.2 Properties

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.21.1.1.3 QueryId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.21.1.1.4 SpellingSuggestion

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.21.1.1.5 TriggeredRules

Type: CSOM Array

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.21.1.2 ObjectPath Properties

None.

3.1.5.22 Microsoft.SharePoint.Client.Search.Query.SearchExecutor

TypeId: {8D2AC302-DB2F-46FE-9015-872B35F15098}

ShortName: Microsoft.SharePoint.Client.Search.Query.SearchExecutor

This object contains operations to execute a search query or a batch of search queries and retrieve a list of links to items and associated properties, crawled locally by the protocol server or by another search engine.

3.1.5.22.1 Properties

3.1.5.22.1.1 Scalar Properties

None.

3.1.5.22.1.2 ObjectPath Properties

None.

3.1.5.22.2 Methods

3.1.5.22.2.1 Scalar Methods

3.1.5.22.2.1.1 ExecuteQueries

Return Type: CSOM dictionary

This method is used to execute a batch of search queries and retrieve a list of links to items, crawled locally by the protocol server or by another search engine, that are relevant to the search query, together with associated properties, for all the search queries.

This method returns a dictionary where each row corresponds to a query object. Each row contains a queryid and query results that corresponds to that queryid.

Parameters:

queryIds: Specifies a list of identifiers for the query objects in the *queries* parameter.

Type: CSOM Array

queries: Specifies a list of query objects.

Type: Microsoft.SharePoint.Client.Search.Query.Query[]

3.1.5.22.2.1.2 ExecuteQuery

Return Type: Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

This method is used to execute a search query and retrieve a list of links to items, crawled locally by the protocol server or by another search engine, that are relevant to the search query, together with associated properties.

This method returns a **ResultTableCollection** object that contains the query results for the search query

Parameters:

query: Specified in section [3.1.5.16](#).

Type: Microsoft.SharePoint.Client.Search.Query.Query

3.1.5.22.2.1.3 RecordPageClick

Return Type: None

Specified in [\[MS-QSSWS\]](#) section 3.1.4.16.2.1

Parameters:

web: The **site (2)** that is used by the protocol server to identify the **context** of the search query.

Type: Microsoft.SharePoint.Client.Web

pageInfo: MUST be set to the value of the **piPageImpression** property of the **ResultTableCollection**. If the **piPageImpression** property does not exist or is an empty string then client MUST NOT invoke this method. See **piPageImpression** in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

Type: CSOM String

clickType: As specified in [\[MS-QSSWS\]](#) section 3.1.4.16.3.1.

Type: CSOM String

clickedResultId: MUST be set to the value of the piSearchResultId column of the **ResultTable**. If the piSearchResultId column does not exist or is an empty string then client MUST NOT invoke this method.

Type: CSOM String

immediacySourceId: See **SourceId** in section [3.1.5.16.1.1.15](#)

Type: CSOM String

immediacyQueryString: See **QueryText** in section [3.1.5.16.1.1.9](#)

Type: CSOM String

immediacyTitle: See **ResultTitle** in section [3.1.5.20.1.1.10](#)

Type: CSOM String

immediacyUrl: See **ResultTitleUrl** in section [3.1.5.20.1.1.11](#)

Type: CSOM String

3.1.5.22.2.2 ObjectPath Methods

3.1.5.22.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchExecutor** object.

Parameters: None

3.1.5.23 Microsoft.SharePoint.Client.Search.Query.Sort

TypeId: {2CD54EF7-C2B3-4405-BCE3-EC521D35A7EB}

ShortName: Microsoft.SharePoint.Client.Search.Query.Sort

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

3.1.5.23.1 Properties

3.1.5.23.1.1 Scalar Properties

3.1.5.23.1.1.1 Direction

Type: Microsoft.SharePoint.Client.Search.Query.SortDirection

Accessibility: Read Only

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

3.1.5.23.1.1.2 Property

Type: CSOM String

Accessibility: Read Only

For details, see **strProperty**, as specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

3.1.5.23.1.2 ObjectPath Properties

None.

3.1.5.24 Microsoft.SharePoint.Client.Search.Query.SortCollection

TypeId: {F5A89F94-DB5D-4ABE-B9EC-DC6B306DF93E}

ShortName: Microsoft.SharePoint.Client.Search.Query.SortCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.4

3.1.5.24.1 Properties

3.1.5.24.1.1 Scalar Properties

None.

3.1.5.24.1.2 ObjectPath Properties

None.

3.1.5.24.2 Methods

3.1.5.24.2.1 Scalar Methods

3.1.5.24.2.1.1 Add

Return Type: None

Adds a new element of type `Microsoft.SharePoint.Client.Search.Query.Sort` to the collection and returns a reference to the added `Microsoft.SharePoint.Client.Search.Query.Sort`.

Parameters:

strProperty: Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6

Type: CSOM String

direction: Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6

Type: `Microsoft.SharePoint.Client.Search.Query.SortDirection`

3.1.5.24.2.1.2 Clear

Return Type: None

Deletes all the elements in the collection.

Parameters: None

3.1.5.24.2.2 ObjectPath Methods

None.

3.1.5.25 Microsoft.SharePoint.Client.Search.Query.SortDirection

ShortName: `Microsoft.SharePoint.Client.Search.Query.SortDirection`

Flag: false

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.25.1 Field Values

3.1.5.25.1.1 Ascending

Value: 0

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.25.1.2 Descending

Value: 1

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.25.1.3 FQLFormula

Value: 2

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.26 Microsoft.SharePoint.Client.Search.Query.StringCollection

TypeId: {17C6C8BA-C570-4DB1-993A-FBACF4E4EF07}

ShortName: Microsoft.SharePoint.Client.Search.Query.StringCollection

Contains a collection of arbitrary string values.

3.1.5.26.1 Properties

3.1.5.26.1.1 Scalar Properties

None.

3.1.5.26.1.2 ObjectPath Properties

None.

3.1.5.26.2 Methods

3.1.5.26.2.1 Scalar Methods

3.1.5.26.2.1.1 Add

Return Type: None

Adds an arbitrary string value to the collections.

Parameters:

property: A single string value

Type: CSOM String

3.1.5.26.2.1.2 Clear

Return Type: None

Deletes all the string values in the collection.

Parameters: None

3.1.5.26.2.2 ObjectPath Methods

3.1.5.26.2.2.1 CSOM Constructor

Initializes a new instance of the **StringCollection** object.

Parameters: None

3.1.5.27 Microsoft.SharePoint.Client.Search.Query.RankingLabeling

TypeId: {E2533389-4387-4EBE-8DF7-11AF5568AED5}

ShortName: Microsoft.SharePoint.Client.Search.Query.RankingLabeling

Provides methods for getting and adding relevance judgments.

3.1.5.27.1 Properties

3.1.5.27.1.1 Scalar Properties

None.

3.1.5.27.1.2 ObjectPath Properties

None.

3.1.5.27.2 Methods

3.1.5.27.2.1 Scalar Methods

3.1.5.27.2.1.1 AddJudgment

Return Type: None

Adds a single relevance judgment for the specified document and **URL** pair on a specified site (2).

Parameters:

site: SharePoint site for which the relevance judgment is added.

Type: Microsoft.SharePoint.Client.Site

userQuery: User query for which the relevance judgment is added.

Type: CSOM String

url: URL for which the relevance judgment is added.

Type: CSOM String

labelId: Relevance judgment label. MUST be 1, 2, 3, 4, or 5.

Type: **CSOM Int16**

3.1.5.27.2.1.2 GetJudgementsForQuery

Return Type: CSOM dictionary

Retrieves all known relevance judgments for the specified query on a specified site (2). The returned dictionary MUST map the URL of the document to the relevance judgment label. The label MUST be an integer value between 1 and 5 inclusive.

Parameters:

site: SharePoint site for which relevance judgments are to be retrieved.

Type: Microsoft.SharePoint.Client.Site

query: User query for which relevance judgments are to be retrieved.

Type: CSOM String

3.1.5.27.2.2 ObjectPath Methods

3.1.5.27.2.2.1 CSOM Constructor

Initializes a new instance of the **RankingLabeling** object.

Parameters: None

3.1.5.28 Microsoft.Office.Server.Search.Administration.DocumentCrawlLog

TypeId: {5C5CFD42-0712-4C00-AE49-23B33BA34ECC}

ShortName: Microsoft.Office.Server.Search.Administration.DocumentCrawlLog

This object contains method that can be used by the protocol client to retrieve information about items that were crawled.

3.1.5.28.1 Properties

3.1.5.28.1.1 Scalar Properties

None.

3.1.5.28.1.2 ObjectPath Properties

None.

3.1.5.28.2 Methods

3.1.5.28.2.1 Scalar Methods

3.1.5.28.2.1.1 GetCrawledUrls

Return Type: Microsoft.SharePoint.Client.SimpleDataTable

This method is used to retrieve information about all the contents that were crawled.

Parameters:

tenantId: Specifies the **partition identifier** for which the information about crawled content MUST be returned. *tenantId* MUST contain a valid partition identifier.

Type: CSOM GUID

getCountOnly: If true, only the count of the contents crawled MUST be returned. If false, all the information about the crawled contents MUST be returned.

Type: CSOM Boolean

maxRows: Specifies the maximum number of rows that MUST be returned. If 0 is specified, all the rows MUST be returned.

Type: CSOM Int64

queryString: Specifies a string pattern and only crawled contents whose URLs match the specified pattern MUST be returned.

Type: CSOM String

isLike: If true, the pattern specified in *queryString* MUST be used as the prefix while matching the URLs of the crawled content. If false, the pattern specified in *queryString* MUST be used to exactly match the URLs of the crawled content.

Type: CSOM Boolean

contentSourceID: Unique identifier of the **content source**. If specified only the crawled contents that are associated with the content source MUST be returned.

Type: CSOM Int32

errorLevel: Specifies the type of crawled content that MUST be returned. MUST be set to one of the following values: **-1**: All the crawled content MUST be returned. **0**: Only contents that were successfully crawled MUST be returned. **1**: Only contents that generated a warning during a crawl MUST be returned. **2**: Only contents that generated an error during a crawl MUST be returned. **3**: Only contents that were previously in the index but removed during the latest crawl MUST be returned.

Type: CSOM Int32

errorID: MUST be set to -1.

Type: CSOM Int32

startDateTime: If set to `DateTime.MinValue`, information about all the crawled contents MUST be returned. If not, only information about contents that were crawled after this datetime MUST be returned.

Type: **CSOM DateTime**

endDateTime: If set to `DateTime.MaxValue`, information about all the crawled contents MUST be returned. If not, only information about contents that were crawled before this datetime MUST be returned.

Type: CSOM DateTime

3.1.5.28.2.2 ObjectPath Methods

3.1.5.28.2.2.1 CSOM Constructor

Initializes a new instance of the **DocumentCrawlLog** object.

Parameters:

site: SharePoint site for which information about items that were crawled are retrieved.

Type: `Microsoft.SharePoint.Client.Site`

3.1.5.29 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

TypeId: {44908C33-C578-4342-905A-EE284B67B415}

ShortName: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

3.1.5.29.1 Properties

3.1.5.29.1.1 Scalar Properties

3.1.5.29.1.1.1 IsPersonal

Type: CSOM Boolean

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

3.1.5.29.1.1.2 Query

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

3.1.5.29.1.2 ObjectPath Properties

None.

3.1.5.30 Microsoft.Office.Server.Search.REST.SpecialTermResults

TypeId: {185764A3-378A-4436-B87D-6B5CD50B8E6A}

ShortName: Microsoft.Office.Server.Search.REST.SpecialTermResults

SpecialTermResults is a SpecialTermResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

Each entry in the Table property from the SpecialResults Table is mapped to a SpecialTermResult entry accessible through the Results property.

3.1.5.30.1 Properties

3.1.5.30.1.1 Scalar Properties

3.1.5.30.1.1.1 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.30.1.1.2 Results

Type:

System.Collections.Generic.IEnumerable<Microsoft.Office.Server.Search.REST.SpecialTermResult>

Accessibility: Read/Write

As specified in section [3.1.5.10](#).

Contains the list of SpecialTermResult entries.

3.1.5.30.1.2 ObjectPath Properties

None.

3.1.5.31 Microsoft.SharePoint.Client.Search.Query.ReorderingRule

TypeId: {D8566F46-74B1-4D92-BA88-0EFD23B36F71}

ShortName: Microsoft.SharePoint.Client.Search.Query.ReorderingRule

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

3.1.5.31.1 Properties

3.1.5.31.1.1 Scalar Properties

None.

3.1.5.31.1.2 ObjectPath Properties

None.

3.1.5.32 Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

TypeId: {B0522938-E1B7-4FC4-A6A8-BD3ED873E614}

ShortName: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.7.

3.1.5.32.1 Properties

3.1.5.32.1.1 Scalar Properties

None.

3.1.5.32.1.2 ObjectPath Properties

None.

3.1.5.32.2 Methods

3.1.5.32.2.1 Scalar Methods

3.1.5.32.2.1.1 Add

Return Type: None

Adds a new element of type **Microsoft.SharePoint.Client.Search.Query.ReorderingRule** as specified in section [3.1.5.33](#) to the collection and returns a reference to the added Microsoft.SharePoint.Client.Search.Query.ReorderingRule element.

Parameters:

matchType: See section [3.1.5.33](#).

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

matchValue: [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

Type: CSOM String

boost: [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

Type: CSOM Int32

3.1.5.32.2.1.2 Clear

Return Type: None

Deletes all the elements from the collection.

Parameters: None

3.1.5.32.2.2 ObjectPath Methods

None.

3.1.5.33 Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

ShortName: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

Flag: false

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1 Field Values

3.1.5.33.1.1 ResultContainsKeyword

Value: 0

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.2 TitleContainsKeyword

Value: 1

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.3 TitleMatchesKeyword

Value: 2

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.4 UrlStartsWith

Value: 3

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.5 UriExactlyMatches

Value: 4

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.6 ContentTypeIs

Value: 5

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.7 FileExtensionMatches

Value: 6

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.8 ResultHasTag

Value: 7

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.5.33.1.9 ManualCondition

Value: 8

Specified in [\[MS-QSWS\]](#) section 3.1.4.7.4.5.

3.1.6 Timer Events

None.

3.1.7 Other Local Events

None.

4 Protocol Examples

4.1 Search for the keyword "home"

In this example a search is issued for keyword "home".

Request:

```
<Request xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009"
SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0" ApplicationName="Javascript Library">
  <Actions>
    <ObjectPath Id="191" ObjectPathId="190" />
    <SetProperty Id="192" ObjectPathId="190" Name="QueryText">
      <Parameter Type="String">home</Parameter>
    </SetProperty>
    <ObjectPath Id="194" ObjectPathId="193" />
    <Method Name="Clear" Id="195" ObjectPathId="193" />
    <SetProperty Id="196" ObjectPathId="190" Name="StartRow">
      <Parameter Type="Number">0</Parameter>
    </SetProperty>
    <ObjectPath Id="198" ObjectPathId="197" />
    <Method Name="Clear" Id="199" ObjectPathId="197" />
    <SetProperty Id="200" ObjectPathId="190" Name="HiddenConstraints">
      <Parameter Type="String"></Parameter>
    </SetProperty>
    <SetProperty Id="201" ObjectPathId="190" Name="Culture">
      <Parameter Type="Number">1033</Parameter>
    </SetProperty>
    <SetProperty Id="202" ObjectPathId="190" Name="RowsPerPage">
      <Parameter Type="Number">10</Parameter>
    </SetProperty>
    <SetProperty Id="203" ObjectPathId="190" Name="RowLimit">
      <Parameter Type="Number">10</Parameter>
    </SetProperty>
    <SetProperty Id="204" ObjectPathId="190" Name="TotalRowsExactMinimum">
      <Parameter Type="Number">31</Parameter>
    </SetProperty>
    <SetProperty Id="205" ObjectPathId="190" Name="SourceId">
      <Parameter Type="Guid">{8413cd39-2156-4e00-b54d-11efd9abdb89}</Parameter>
    </SetProperty>
    <SetProperty Id="206" ObjectPathId="190" Name="Refiners">
      <Parameter Type="String"></Parameter>
    </SetProperty>
    <SetProperty Id="207" ObjectPathId="190" Name="Refiners">
      <Parameter Type="String">Author(filter=7/0/*),LastModifiedTime(discretize=manual/2010-
11-17T08:00:00Z/2011-05-21T07:00:00Z/2011-10-18T07:00:00Z/2011-11-10T08:00:00Z/2011-11-
17T08:00:00Z),FormatId(filter=7/0/*),contentclass(filter=7/0*)</Parameter>
    </SetProperty>
    <ObjectPath Id="209" ObjectPathId="208" />
    <Method Name="Clear" Id="210" ObjectPathId="208" />
    <Method Name="Add" Id="211" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">WorkId</Parameter>
      </Parameters>
    </Method>
    <Method Name="Add" Id="212" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">Rank</Parameter>
      </Parameters>
    </Method>
  </Actions>
</Request>
```

```
</Parameters>
</Method>
<Method Name="Add" Id="213" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Title</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="214" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Author</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="215" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Size</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="216" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Path</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="217" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Description</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="218" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Write</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="219" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteName</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="220" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">CollapsingStatus</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="221" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">HitHighlightedSummary</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="222" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">HitHighlightedProperties</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="223" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ContentClass</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="224" ObjectPathId="208">
  <Parameters>
```

```
<Parameter Type="String">IsDocument</Parameter>
</Parameters>
</Method>
<Method Name="Add" Id="225" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">PictureThumbnailURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="226" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="227" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedEmbedURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="228" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedPreviewURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="229" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">FileExtension</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="230" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">DocumentSummarySize</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="231" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">DocumentSummary</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="232" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ContentTypeId</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="233" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ParentLink</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="234" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ViewsLifeTime</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="235" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ViewsRecent</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="236" ObjectPathId="208">
```

```

    <Parameters>
      <Parameter Type="String">SectionNames</Parameter>
    </Parameters>
  </Method>
<Method Name="Add" Id="237" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SectionIndexes</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="238" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteLogo</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="239" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteDescription</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="240" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">deeplinks</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="241" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">importance</Parameter>
  </Parameters>
</Method>
<ObjectPath Id="243" ObjectPathId="242" />
<Method Name="Clear" Id="244" ObjectPathId="242" />
<SetProperty Id="245" ObjectPathId="190" Name="EnableStemming">
  <Parameter Type="Boolean">>true</Parameter>
</SetProperty>
<SetProperty Id="246" ObjectPathId="190" Name="EnablePhonetic">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="247" ObjectPathId="190" Name="EnableNicknames">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="248" ObjectPathId="190" Name="TrimDuplicates">
  <Parameter Type="Boolean">>true</Parameter>
</SetProperty>
<SetProperty Id="249" ObjectPathId="190" Name="ResultsUrl">
  <Parameter Type="String">http://ramansom-
test21/sites/search/_layouts/15/start.aspx#/sites/search/Pages/results.aspx?k=page#hp=%7B%22D
efault%22%3A%7B%22s%22%3A1%2C%221%22%3A-1%2C%22d%22%3A-
1%2C%22k%22%3A%22home%22%2C%22o%22%3Anull%2C%22x%22%3Anull%2C%22r%22%3Anull%2C%22m%22%3A%22%2
2%7D%7D</Parameter>
</SetProperty>
<SetProperty Id="250" ObjectPathId="190" Name="BypassResultTypes">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="251" ObjectPathId="190" Name="ClientType">
  <Parameter Type="String">UI</Parameter>
</SetProperty>
<ObjectPath Id="253" ObjectPathId="252" />
<Method Name="Clear" Id="254" ObjectPathId="252" />
<SetProperty Id="255" ObjectPathId="190" Name="EnableInterleaving">

```

```

    <Parameter Type="Boolean">false</Parameter>
  </SetProperty>
  <ObjectPath Id="257" ObjectPathId="256" />
  <ExceptionHandlingScope Id="258">
    <TryScope Id="260">
      <Method Name="ExecuteQueries" Id="262" ObjectPathId="256">
        <Parameters>
          <Parameter Type="Array">
            <Object Type="String">Default</Object>
          </Parameter>
          <Parameter Type="Array">
            <Object ObjectPathId="190" />
          </Parameter>
        </Parameters>
      </Method>
    </TryScope>
    <CatchScope Id="264" />
  </ExceptionHandlingScope>
</Actions>
<ObjectPaths>
  <Constructor Id="190" TypeId="{80173281-ffff-47b6-9a49-312e06ff8428}">
    <Parameters>
      <Parameter ObjectPathId="8" />
    </Parameters>
  </Constructor>
  <Property Id="193" ParentId="190" Name="SortList" />
  <Property Id="197" ParentId="190" Name="RefinementFilters" />
  <Property Id="208" ParentId="190" Name="SelectProperties" />
  <Property Id="242" ParentId="190" Name="HitHighlightedProperties" />
  <Property Id="252" ParentId="190" Name="ReorderingRules" />
  <Constructor Id="256" TypeId="{8d2ac302-db2f-46fe-9015-872b35f15098}" />
  <Property Id="8" ParentId="6" Name="Site" />
  <StaticProperty Id="6" TypeId="{3747adcd-a3c3-41b9-bfab-4a64dd2f1e0a}" Name="Current" />
</ObjectPaths>
</Request>

```

Response:

```

[
  {
    "SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3514.1000","ErrorInfo":null
  },191,{
    "IsNull":false
  },194,{
    "IsNull":false
  },198,{
    "IsNull":false
  },209,{
    "IsNull":false
  },243,{
    "IsNull":false
  },253,{
    "IsNull":false
  },257,{
    "IsNull":false
  },262,{
    "Default":{

```



```

_ObjectType_": "Microsoft.SharePoint.Client.Search.Query.ResultTableCollection", "ElapsedTime":
:514, "Properties": {
"RowLimit": 10
}, "QueryId": "940b1d2c-322c-44c2-a493-4306e5321c37", "SpellingSuggestion": "", "TriggeredRules": [
], "ResultTables": [
{
_ObjectType_": "Microsoft.SharePoint.Client.Search.Query.ResultTable", "GroupTemplateId": null,
_ItemTemplateId": null, "Properties": {
"GenerationId": 9223372036854775806, "QueryModification": "home -ContentClass:urn:content-
class:SPSPeople", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisp
lay Templates\u002fSearch\u002fDefaultGroup.js"
}, "QueryId": "940b1d2c-322c-44c2-a493-4306e5321c37", "QueryRuleId": "00000000-0000-0000-0000-
000000000000", "ResultRefiners": [
], "ResultRows": [
{
"Rank": "3.49530363082886", "DocId": 200013, "WorkId": null, "Title": "\r\n\t\r\n\tHome\r\n\r\n", "Au
thor": "REDMOND\\DOZER; | System Account |
SHAREPOINT\system", "Size": 69282, "Path": "http:\u002f\u002framansom-
test21", "Description": "Content
site", "Write": "\/Date(2011,10,15,15,21,48,0)\/", "sitename": null, "CollapsingStatus": 0, "HitHigh
lightedSummary": "Page Image\r\n\u00a0\r\nPage Content\r\nWelcome to Microsoft?? SharePoint??
Server 15 (Technical Preview <ddd\u002f> Get started with the new version of Microsoft
SharePoint Server 15 (Technical Preview <ddd\u002f>
", "HitHighlightedProperties": "<HHTitle>\r\n\t\r\n\tHome\r\n\r\n<\u002fHHTitle><HUrl>http:\u0
02f\u002framansom-
test21<\u002fHHUrl>", "contentclass": "STS_Site", "IsDocument": false, "PictureThumbnailURL": null,
"ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreviewURL": null,
"FileExtension": null, "ContentTypeId": null, "ParentLink": null, "ViewsLifeTime": null, "ViewsRecent
": null, "SectionNames": "", "SectionIndexes": "", "SiteLogo": null, "SiteDescription": "Content
site", "deeplinks": "", "importance": 0, "OriginalPath": "http:\u002f\u002framansom-
test21", "ResultTypeIdList": "23", "LastModifiedTime": null, "DocumentSummarySize": 2324, "DocumentS
ummary": "\/Base64Binary(7L0HYBxJliUmL23Ke39K9URX4HSChIBgEYtYkEaQ7MGIzeaS7BlpRyMpqyqBymVWZV1mF
kDM7Z28995777333nvvvfe60510J\u002ff\u002ffz9cZmQBBpOStrJniGAqsgfP358Hz8i\u002fu\u002f\u002f+
\u002f\u002f+v3+ttX+PX+DV+nV\u002fj1\u002fg1f1r1f49f5NX6DX+PX+DV+jV\u002ffj1\u002ff1foNf49f5NX6N
X+vX+DV+zV\u002fj1\u002f81fuzX+I1\u002fjd\u002f21\u002fgNfo2U\u002fn\u002fn1\u002fj1fo29X+PX+
TUE0M8j+n1C339BP1\u002fRz5+iz6a\u002ffxq\u002f7a7y1v1e\u002ffxq\u002f9a7T0+x9En\u002f9R9Pcfr+\u
002f+6fT9n0+\u002f\u002f8X086+in389ffd30M+\u002f137+I\u002fTZP0Pt\u002f2X6+9+gd\u002f8d+v\u0
02fpN\u002f\u002f\u002f\u002fruv6Wf\u002fyP9\u002f5fTZ\u002f8X\u002ffylf81f\u002f9f4fej\u002fv9Wv+
Wv9G\u002f2ftr\u002fj1jv8aF\u002f5rJr7Hza\u002f5f6v8aDP\u002fjX+jUe0GeH9Nkppf\u002f81\u002fy1f42
X9PP3\u002ffjV\u002fnV\u002ffj+\u002fR7Rv\u002fP6e8FtV1Rmx\u002fQe384vffH0xt\u002fHH32J9Fnf59\
\u002ffx\u002fmr\u002fBr\u002fHX009\u002fG\u002f38+6nNPWF\u002fyvU7t+g\u002f\u002f\u002f79Pd\
\u002fRXD+0\u002frsVxDc\u002f53e+z9\u002ffzV\u002ff31\u002ff1f63f4Nf4jX4twunX+rV\u002ffjd\u002fu1
\u002ffp1f41fQD8\u002ff+rV+vV\u002ffjDv3c\u002frv+nV\u002ffjHv3+6Nf6tX6Nz6jdm\u002fr796LFX\u002ffx
av+av8ZL+\u002fn3ovT+APsupbUG\u002f\u002ff6JfK\u002fk1fjG1\u002f0Po7z+CYP3x9P8\u002fnX7\u002fs
+nnX0w\u002f\u002f3L6+dFR+38TtF276fd\u002fkH7\u002fR+j9f5J+\u002ffxfovX+d4P6bBPC\u002ffos\u002f
+C\u002fruv6b6ffxn9\u002ff\u002fp7\u002f+Tvv91f+1f59dIfulf99f4zX\u002ftH\u002fslf9qdf+9f+NdJf+9
f7NT6mz0a\u002f5Nz7S21NqubDvn+hvOb37G\u002ff8aCbV5Qb7FI8IcGzR54SpO2UMpzSL4JALxQLfGfPp9pFrGaR28XVnedyP
HuGedGwGcagCjSrXfX2Q13F9EfLkwm57\u002ffGsLzWlsY+XN6HxpM+v6KpQvjf8O9og\u002fYp\u002f8nAAD\u002ff
\u002ffw==)\", "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\", "UrlZone": 0, "AAMEEnabledManagedProperties": "Path;recommendedfor", "ResultTypeI

```

```
d":23,"RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fSiteItem.js", "piSearchResultId": "2_0_1_0"
}, {
  "Rank": "2.75381112098694", "DocId": 200023, "WorkId": null, "Title": "\r\n\t\r\n\tHome - Document
Center\r\n\r\n\r\n", "Author": "System Account", "Size": 67782, "Path": "http:\u002f\u002framansom-
test21\u002fDocs", "Description": "Document Center
site", "Write": "\/Date(2011,10,15,14,35,58,0)\/", "sitename": null, "CollapsingStatus": 0, "HitHigh
lightedSummary": "Turn on Accessibility\r\nShow Debug Toolbar <ddd\u002f> Use this site to
create, work on, and store documents. This site can become a collaborative repository for
authoring documents within a team, or a knowledge <ddd\u002f>
", "HitHighlightedProperties": "<HHTitle>\r\n\t\r\n\tHome - Document
Center\r\n\r\n\r\n<\u002fHHTitle><HHUrl>http:\u002f\u002framansom-
test21\u002fDocs<\u002fHHUrl>", "contentclass": "STS_Web", "IsDocument": false, "PictureThumbnailU
RL": null, "ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreviewU
RL": null, "FileExtension": null, "ContentTypeId": null, "ParentLink": "http:\u002f\u002framansom-
test21", "ViewsLifeTime": null, "ViewsRecent": null, "SectionNames": "", "SectionIndexes": "", "SiteLo
go": null, "SiteDescription": "Document Center
site", "deeplinks": "", "importance": 0, "OriginalPath": "http:\u002f\u002framansom-
test21\u002fDocs", "ResultTypeIdList": "23", "LastModifiedTime": null, "DocumentSummarySize": 1728,
"DocumentSummary": "\/Base64Binary(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTYkEAQ7MGIzeaS7BlpRyMpqq
BymVWZvlmFkDM7Z28995777333nvvvfe60510J\u002ff\u002ffz9cZmQBbPbOStrJniGAqsgfP358Hz8i\u002fu\u0
02f\u002f+\u002f\u002f+v3+tX+PX+DV+o1\u002ffj1\u002ffglf1f49f5NX7jX+M3+DV+m1\u002ffj1\u002ffs18P
ev8Wv8Br\u002fgj\u002f0av96v8Zv9Gr\u002fOrlH+mr\u002fGr\u002fFr\u002fhq\u002f\u002fq\u002fxY7
\u002fGr\u002fNr\u002fCa\u002fxm\u002fwa\u002fy2v8Zv+mt8TD\u002f3608Hv8av92sc0c8T+v4L+vmKfv4U
fTb9NX7dx+Mt\u002fb36NX7tX60L3\u002f2fgav9H0+d\u002fIv38s+jnX0D\u002f\u002f8vo+7\u002f61\u002f
1lfo2\u002f7tf4jX+Nv5d+\u002f4eo3T9B7\u002f\u002fz1NO\u002fQf\u002f\u002fd+nv\u002f4z+\u002ff1
\u002fTd\u002f8ff4r6Of\u002fQe\u002f\u002f2f\u002f2f\u002f2f\u002f2f\u002f2f\u002f2f\u002f2f\u002f2f
\u002fWv+av9Wv8Nr\u002fmr\u002f1r\u002fA6\u002f5m\u002fwa\u002fw4fXaHft\u002f+NX+dX2OP\u002fv+A
vntEnz2h3z+n338v+u7LX\u002fPX\u002fTW+vj\u002f7NF4A+iznP7\u002f0\u002fTZktqsf81f89e4+jV\u002f
f41\u002fjD\u002f81k1\u002ffjT6LP\u002ffjRq8xfQ\u002f\u002ff8q+u5vp0\u002f+Zmr7dxKMv4d+\u002f
02fvo83+C\u002fv5nqd2\u002fSL\u002f\u002f2f29TmP6L+\u002f2f2f\u002f2f\u002f2f\u002f2f\u002f2f\u002f2f
dX6NX\u002ffX+rV+jd\u002fg1\u002foNfo3fnH7+dr\u002fWr\u002fdr\u002fc6\u002ff1o\u002f9Gnfo7z36+
z79\u002f+DX+v\u002fjd\u002fz1\u002ffp1f41n9PmX9P1P0jvf+7v+3V\u002ffj9\u002f41f01f49cgmVzGv8an
9N\u002fvQ\u002fd9d039\u002fIv33F9B\u002ffxn998\u002fTf\u002f8G\u002ffcf0n\u002f\u002fGf33X9N
\u002f\u002f2fz399xv+mr\u002ffhr3mH\u002ffvs6D8i7K\u002fmlW9J\u002ffW\u002f2f2fA\u002ffrvS\u002fdrD\u0
02fiiMLV\u002fwK\u002f1a\u002fwaP0MzVv0a55qbnP9Nf43mlyj4r5\u002f5NZ7SN9NfY\u002f1rLox3J\u002f
pb\u002fmvU9Pua\u002fq31k5Iww7s5\u002f2bTW2gzI8wTgvOCfr+i737m13j9a2QebcVtUvt5+mScE5yW+p3yN+fb
8u3015jtT95eM12v6N9PPp01rxbnRv5\u002fr36aPijF\u002fRj\u002fXhKng9GP2v81j3Pytj8cbpsaSWLT87zF9Om
WMQM8J4wMcrr7n\u002f1\u002fGRaNLqYecv13\u002fEGf0+Xv6rKJ2E4b6nN+r+feCIXWxabhNw7+9oXYNSVpD01fx
rAzNa0pymt4wsu\u002fyPE6pzYLfaOk3\u002fDvvnvza\u002f+xVzgbQGdn7PAmfK+GX82Yj+vmKM3yrt8EnGM5Xy2G
Q0Kf3dHf2YadbvZcrvp0S93BtDxt+AviX9PmG4wEG4KuVeVvSpwMG340hz\u002fg1vr31E+Ksg6JivPkYYS8HtCsYafQ
IncD3GZWC1NNolcwC4dEbQgAHmXWhneo31kDH9gCf+WtC3JY\u002f2fCSJXpr\u002fk1\u002fiKaC3xa0d8zfrM\u002
fd88YU3w74fH25\u002fAMPgPP4v9\u002fkUoLUgNtEaf4L8ZQTlnrgXkJwz5C\u002frrL\u002fo1vk2fXjAfcYRX
ygezKLTnTpclS1hKolkYdThR8n7za8BE\u002ft8BAAD\u002f\u002fw==)\/", "PartitionId": "\/Guid(0c37852
b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "ResultTypeI
d": 23, "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fSiteItem.js", "piSearchResultId": "2_1_1_0"
}, {
  "Rank": "1.7908421754837", "DocId": 200021, "WorkId": null, "Title": "\r\n\t\r\n\t
News\r\n\r\n\r\n", "Author": "System Account; | System Account |
SHAREPOINT\system", "Size": 70152, "Path": "http:\u002f\u002framansom-
test21\u002fNews", "Description": "Company News
Home", "Write": "\/Date(2011,10,15,14,36,0,0)\/", "sitename": null, "CollapsingStatus": 0, "HitHigh
lightedSummary": "You have not selected an RSS feed. Please Open the tool pane to set the feed
url <ddd\u002f> Click here to add or modify a contact <ddd\u002f>
", "HitHighlightedProperties": "<HHTitle>\r\n\t\r\n\t
News\r\n\r\n\r\n<\u002fHHTitle><HHUrl>http:\u002f\u002framansom-
test21\u002fNews<\u002fHHUrl>", "contentclass": "STS_Web", "IsDocument": false, "PictureThumbnailU
RL": null, "ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreviewU
RL": null, "FileExtension": null, "ContentTypeId": null, "ParentLink": "http:\u002f\u002framansom-
test21", "ViewsLifeTime": null, "ViewsRecent": null, "SectionNames": "", "SectionIndexes": "", "SiteLo
go": null, "SiteDescription": "Company News
Home", "deeplinks": "", "importance": 0, "OriginalPath": "http:\u002f\u002framansom-
test21\u002fNews", "ResultTypeIdList": "23", "LastModifiedTime": null, "DocumentSummarySize": 1374,
"DocumentSummary": "\/Base64Binary(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTYkEAQ7MGIzeaS7BlpRyMpqq
```


2f\u002framansom-test21\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-033f87225068\u002fCorporateCatalog\u002fForms\u002fAllItems.aspx", "ResultTypeIdList": "17", "LastModifiedTime": null, "DocumentSummarySize": 1092, "DocumentSummary": "\Base64Binary(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTYkEAQ7MGIzeaS7BlpRyMpqyqBymVWZVlMfKDM7Z28995777333nvvvf60510J\u002fff\u002ffz9cZmQbBbOStrJniGAqsgfP358Hz8i\u002fu\u002f\u002fv3+TX+PX+DV+s1\u002fj1\u002fg1f1f43f9t4tX+N3\u002fHX+PV\u002fjd\u002fp1\u002fg1f1f49f4sV8j+TV+\u002fv\u002fjt\u002fg1f1f47f9NX6tX+N3+DV+3V8j\u002fTWSX+OTX+PX+TX+s1\u002fj1\u002fg1f1f49f5NX6jX+PHfo3f5t49X+NX0C\u002ff0S\u002fj+3h\u002fTzhH7+XvTzy1\u002fj1\u002fo1xv8av+6v8fv8GsmvMaO\u002f57\u002fGr\u002fdrLOn\u002f61\u002fjN\u002fg1fumv8Wv\u002fgn8Itfujqf2fQp\u002f92dTmL6ff\u002f0b670+gd\u002f7eX+M3\u002fFDX+Sfr5z9HPf5Pe\u002fXfPnf+M4P0X9N1\u002fFR+\u002fT\u002fT7L6PffxX9\u002fD\u002fo+1\u002fz1\u002fy1f1f59f8dX6NH6P\u002f\u002fyb0+2\u002fa\u002f7av82v+2K+R\u002fpq\u002f\u002fq9xhz67S5\u002ft0Wef\u002fpq\u002f5q9xQD8f02dPfs1f99c4o9+\u002foP\u002f\u002fBP3\u002fk\u002frs9\u002fk1f71f4w+gn\u002fmv+ev+Go9\u002fjV\u002fj1\u002fg1qI9f10b3EWE\u002fjYxhPEFTRJ\u002fKYTL30FY\u002fr2E4T9HGP6bhOG\u002fs9j9F7\u002fg81\u002fz+a\u002f5+9B\u002fP\u002flr\u002fhq\u002fxq\u002fxa\u002fz0r\u002flr\u002fBo\u002f82t8+9e0f3Fr5H\u002fGr8xjLH7H8n9Gn9a6z43+zXaOn79Nf4nH4r6b+cPrumv1\u002f\u002fEGv\u002fE2t7wr+hffVrXNDfgP4X8b+3ab3+NRr6fEa\u002ftfRJSn+13D7nXufUER+\u002fpM8KGNvLnX4TxBW1e02f49sptfqCvp9Ri3PGFhBb+g9vXNfKbVbch9TaldSnwv6u\u002fk1nOLCenW0285ff1lQTin36fc\u002fu02f+mv8Y6xRtUC3sTP240LkDGShjAD9Lem0Yq+zRT2K8Ki5D6fctspU8L18wVDz72RAUOM4QmN8Q2NOefvU4aPn0umn8zTgkdtKDqnn1f83ZI\u002fnXOP6a9xyTDxTUXw5RtA+ugWI\u002fyIPi111GP6\u002fQ331RGGM\u002f4JfHLtVTAAMf3xzpTogV5ecIu\u002fiGZU3uq+8Zzgr0LTzH26a3xVv+Eb9JVz82vAd7+fwIAAP\u002f\u002f)\", "PartitionId": "\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)", "UrlZone": "0", "AAMEnabledManagedProperties": "Path;recommendedfor", "ResultTypeId": "17", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js", "piSearchResultId": "2_8_1_0"}], [{"Rank": "0.00864100456237793", "DocId": "200043", "WorkId": null, "Title": "\r\n\tStyle Library - All Documents\r\n", "Author": "Office Automation Limited Client", "Size": 0, "Path": "http:\u002f\u002framansom-test21\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-033f87225068\u002fStyle Library\u002fForms\u002fAllItems.aspx", "Description": "Use the style library to store style sheets, such as CSS or XSL files. The style sheets in this gallery can be used by this site or any of its subsites.", "Write": "\Date(2011,10,15,14,31,2,0)\", "sitename": null, "CollapsingStatus": 0, "HitHighlightedSummary": "<c0>Home<\u002ffc0> <ddd\u002f> Style Library \r\n\u00a0\r\nUse the style library to store style sheets, such as CSS or XSL files. The style sheets in this gallery can be used by this site or any of its subsites <ddd\u002f> ", "HitHighlightedProperties": "<HHTitle>\r\n\tStyle Library - All Documents\r\n<\u002fHHTitle><HHUrl>http:\u002f\u002framansom-test21\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-033f87225068\u002fStyle Library\u002fForms\u002fAllItems.aspx<\u002fHHUrl>", "contentclass": "STS_List_DocumentLibrary", "IsDocument": false, "PictureThumbnailURL": null, "ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreviewURL": null, "FileExtension": ".aspx", "ContentTypeId": null, "ParentLink": "http:\u002f\u002framansom-test21\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-033f87225068", "ViewsLifetime": null, "ViewsRecent": null, "SectionNames": "", "SiteLogo": null, "SiteDescription": null, "deeplinks": "", "importance": 0, "OriginalPath": "http:\u002f\u002framansom-test21\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-033f87225068\u002fStyle Library\u002fForms\u002fAllItems.aspx", "ResultTypeIdList": "17;21", "LastModifiedTime": null, "DocumentSummarySize": 1532, "DocumentSummary": "\Base64Binary(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTYkEAQ7MGIzeaS7BlpRyMpqyqBymVWZVlMfKDM7Z28995777333nvvvf60510J\u002fff\u002ffz9cZmQbBbOStrJniGAqsgfP358Hz8i\u002fu\u002f\u002fv3+TX+PX+DV+s1\u002fj1\u002fg1f1f49f4sV8j+TV+\u002fv\u002fjt\u002fg1f1f47f9NX6tX+N3\u002fHX+PV\u002fjd\u002fp1\u002fg1f1f49f4sV8j+TV+\u002fv\u002fjt\u002fg1f1f47f9NX6tX+N3+DV+3V8j\u002fTWSX+OTX+PX+TX+s1\u002fj1\u002fg1f1f49f5NX6jX+PHfo3f5t49X+NX0C\u002ff0S\u002fj+3h\u002fTzhH7+XvTzy1\u002fj1\u002fo1xv8av+6v8fv8GsmvMaO\u002f57\u002fGr\u002fdrLOn\u002f61\u002fjN\u002fg1fumv8Wv\u002fgn8Itfujqf2fQp\u002f92dTmL6ff\u002f0b670+gd\u002f7eX+M3\u002fFDX+Sfr5z9HPf5Pe\u002fXfPnf+M4P0X9N1\u002fFR+\u002fT\u002fT7L6PffxX9\u002fD\u002fo+1\u002fz1\u002fy1f1f59f8dX6NH6P\u002f\u002fyb0+2\u002fa\u002f7av82v+2K+R\u002fpq\u002f\u002fq9xhz67S5\u002ft0Wef\u002fpq\u002f5q9xQD8f02dPfs1f99c4o9+\u002foP\u002f\u002fBP3\u002fk\u002frs9\u002fk1f71f4w+gn\u002fmv+ev+Go9\u002fjV\u002fj1\u002fg1qI9f10b3EWE\u002fjYxhPEFTRJ\u002fKYTL30FY\u002fr2E4T9HGP6bhOG\u002fs9j9F7\u002fg81\u002fz+a\u002f5+9B\u002fP\u002flr\u002fhq\u002fxq\u002fxa\u002fz0r\u002flr\u002fBo\u002f82t8+9e0f3Fr5H\u002fGr8xjLH7H8n9Gn9a6z43+zXaOn79Nf4nH4r6b+cPrumv1\u002f\u002fEGv\u002fE2t7wr+hffVrXNDfgP4X8b+3ab3+NRr6fEa\u002ftfRJSn+13D7nXufUER+\u002fpM8KGNvLnX4TxBW1e02f49sptfqCvp9Ri3PGFhBb+g9vXNfKbVbch9TaldSnwv6u\u002fk1nOLCenW0285ff1lQTin36fc\u002fu02f+mv8Y6xRtUC3sTP240LkDGShjAD9Lem0Yq+zRT2K8Ki5D6fctspU8L18wVDz72RAUOM4QmN8Q2NOefvU4aPn0umn8zTgkdtKDqnn1f83ZI\u002fnXOP6a9xyTDxTUXw5RtA+ugWI\u002fyIPi111GP6\u002fQ331RGGM\u002f4JfHLtVTAAMf3xzpTogV5ecIu\u002fiGZU3uq+8Zzgr0LTzH26a3xVv+Eb9JVz82vAd7+fwIAAP\u002f\u002f)\u002f\u002f)\", "PartitionId": "\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)", "UrlZone": "0", "AAMEnabledManagedProperties": "Path;recommendedfor", "ResultTypeId": "17", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js", "piSearchResultId": "2_8_1_0"}]

```

X6N1r5Pf43P6beS\u002fsvps2v6+\u002fFWVfA3r+nfa\u002f48\u002fTWe02cTfkaAOpfxP9+9Ws03KL9Neb8s\
u002fHeKjvtvtdSvtED\u002f3dYnQ8jpk+bxGPHf619jSp+19H5D\u002f54QRq\u002fPj95Nf43fm35\u002fTj\u00
2fPqQ+83\u002fwaY\u002ffrrTQQLH25KrZeKbcF\u002fX3RGP6W\u002f0WLC7655dDP++zP4r1EqGXzwljX\u002fd
c69tNpqtW+atg3hndMlMK4vqO2Mvjnn9xrGsGX8LvhdQETPU2pXEpwF\u002fd0EM1EwzC8JAqgwZWxOf4133NeSe634J
+YpNvMn\u002fBvGX1GfgNww318w9LeM0Yq+zRT2K8JCaP2U026ZPq6fLxh67o0MGGIMT2iMMJcy75n+XDJHCHUWPGrDI
3P6eRWzr0uGiW+E0obvPtrArx\u002fRfJzNqP2Ugqjbr9H1TuEe9J1R2xn\u002fFBH65YiEYgi+n\u002foaU6INEx3A
L9CB88BFJxTopCjH\u002f0a9xrNC6\u002ft+n79f0m3D4V\u002fRbWvi9YfpiFiDL\u002f08AAAD\u002f\u002fw
==)\"/,"PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\"/,"UrlZone":0,"AAEnabledManagedProperties": "Path; recommendedfor", "ResultTypeI
d":17, "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js", "piSearchResultId": "2_9_1_0"
}, {
"Rank": "0.00866818428039551", "DocId": 200045, "WorkId": null, "Title": "\r\n\tOffice Extensions -
All content\r\n", "Author": "REDMOND\DOZER", "Size": 0, "Path": "http:\u002f\u002framansom-
test21\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-
033f87225068\u002foECatalog\u002fForms\u002fAllItems.aspx", "Description": "Office Extension
Catalog used to store Office Extension
manifests", "Write": "\/Date(2011,10,15,14,31,14,0)\"/,"sitename": null, "CollapsingStatus": 0, "Hi
tHighlightedSummary": "|<c0>Home<\u002fc0> <ddd\u002f> Office Extensions \r\n\u00a0\r\nOffice
Extension Catalog used to store Office Extension manifests <ddd\u002f> There are no items to
show in this view of the &quot;Office Extensions&quot; list. To add a new item, click
&quot;New <ddd\u002f> ", "HitHighlightedProperties": "<HHTitle>\r\n\tOffice Extensions - All
content\r\n<\u002fHHTitle><HHUrl>http:\u002fu002framansom-test21\u002fsites\u002ffac5e5f64-
8f6d-4a10-97b2-
033f87225068\u002foECatalog\u002fForms\u002fAllItems.aspx<\u002fHHUrl>", "contentclass": "STS_L
ist_332", "IsDocument": false, "PictureThumbnailURL": null, "ServerRedirectedURL": null, "ServerRedi
rectedEmbedURL": null, "ServerRedirectedPreviewURL": null, "FileExtension": ".aspx", "ContentTypeId":
null, "ParentLink": "http:\u002f\u002framansom-test21\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-
033f87225068", "ViewsLifeTime": null, "ViewsRecent": null, "SectionNames": "", "SectionIndexes": "",
SiteLogo": null, "SiteDescription": null, "deeplinks": "", "importance": 0, "OriginalPath": "http:\u00
2f\u002framansom-test21\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-
033f87225068\u002foECatalog\u002fForms\u002fAllItems.aspx", "ResultTypeIdList": "17", "LastModif
iedTime": null, "DocumentSummarySize": 1110, "DocumentSummary": "\/Base64Binary(7L0HYBxJliUmL23Ke3
9K9UrX4HShcIBgEyTYkEAQ7MGIZEaS7B1pRyMpqyqBymVWZVlmFkDM7Z28995777333nvvvfe60510J\u002ffff\u002f
z9cZmqBbPhoSrJniGAqsgfP358Hz8i\u002ffu\u002fdX+M1\u002ff6G\u002fv3+tx+PX+DV+s1\u002ff1\u002ffg
1fulf49f7NZJfI\u002ffk1fttf49f+NX7HX+PX\u002ffzV+tl\u002ffj1\u002ffg1o1f49f7NX79X+PHfo3f\u002fnfN
49X+N3\u002ff7X+HV+jv\u002fw\u002ffxav8bv+mv8ur\u002fgx7\u002fgr\u002fdjrjH+NH\u002fslDn6NH\u00
2ffsl\u002frnf49f4NX7NX+PX+TV+o1\u002ffjx36N3+bx+PV\u002ffjv9Av3\u002ff0a\u002ffx6v8adXyP5NR7S2+T
Pv8Offf6Kpv\u002ffur\u002ffR\u002fRo\u002f9Wwv8ur\u002ffGH0CFX9Dnv4j+\u002ffwP6\u002ff+i\u002ff\u00
2ff+Rv8Zv8Gv8Sb\u002ffGr\u002ff1r\u002ffGnU9s+lz\u002ff8y+uyvJRh\u002ffJ\u002ff3+D9Nn\u002ffxS998\u00
2ff\u002ffGr\u002ffhr\u002ffFv08\u002ff\u002ffgH7+1wTv6fffxm98ysJ7v9Ov\u002ff8av+av9Wv82r\u002ffmr\u00
2ffNr\u002ffAb08zekn78Z\u002ff+3pt9\u002fful\u002ffz1\u002ff41fudf89f7NX63XzP5NXbos0\u002ffps4f02
We\u002ff5q\u002ff2fur\u002ff5a\u002ffwe9POEPjv7NX\u002ffDx+M1\u002ff6G\u002ffv970\u002ff9\u002ff\u00
2ffuhN+Wv+ur\u002ffGwa\u002ffxa\u002ffwvwb18evS6D4irH9AWP9BhOmfS5j+ZYTdP0XY\u002ffoe2X9AmP3XhN1\u00
2ff\u002ff2u8\u002ffjVf\u002ff5p\u002ffAP33i37NX+PX+DV+jv\u002ff0a\u002ff4av8bP\u002ffBrf\u002ffjWqX2
Pxa+S\u002ffxm9MI\u002ffsx+98JfVr\u002ffGiv+N\u002ffs1Wvo+\u002ffTU+p99K+i+nz67p79e\u002ffRsHffPlrn
NN\u002ffxa8x5Vanv8Y7\u002ffnT5azT0wcU\u002ffU4b+F\u002ffG\u002ffN7V0qW\u002ff0iL4qmpP011jTd\u002ffm
vMaPfWvokpb9axgvv3wxtQZCW9Nc5fY43G8I7p89qemf+a3xBrWb87TVDzq1FS38vqWfgjXfR85TalYJgme\u002ffpxY
TpKxNvwHuzTTA2GNUUcLyL1L1Fwz9LW00om8zhf2KsCi5z6fcdsr0cf18wdDzX+MNjS5XKMX6c8n0kl1b8PgMRef084q\u00
2ffW\u002ffKnc4ad\u002ffhqXPD58U9H45BtA+ugWI\u002ff6IPi91PGP6\u002ffQ33IRE9Z\u002ffwT+OTaq2A0Ykq
XDPvt9\u002ffKCW\u002ffxVv8axvtV94znBwdOnmMv01\u002ffikZ7rlvsxsg9P\u002ffnwAAAP\u002ff\u002ff)\"/,"
PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\"/,"UrlZone":0,"AAEnabledManagedProperties": "Path; recommendedfor", "ResultTypeI
d":17, "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js", "piSearchResultId": "2_10_1_0"
}
], "ResultTitle": null, "ResultTitleUrl": null, "RowCount": 11, "TableType": "RelevantResults", "Total
Rows": 11
}, {
"ObjectType": "Microsoft.SharePoint.Client.Search.Query.ResultTable", "GroupTemplateId": null,
"ItemTemplateId": null, "Properties": {
"IsObfuscated": false, "QueryModification": "home -ContentClass:urn:content-
class:SPSPeople", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisp
lay Templates\u002fSearch\u002fDefaultGroup.js"
}
}

```

```

}, "QueryId": "940b1d2c-322c-44c2-a493-4306e5321c37", "QueryRuleId": "00000000-0000-0000-0000-0000-000000000000", "ResultRefiners": [

], "ResultRows": [
{
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_330", "RefinementValue": "STS_List_330", "RefinementToken": "equals(\\\"STS_List_330\\\")", "RefinementCount": 2, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/\"", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_850", "RefinementValue": "STS_List_850", "RefinementToken": "equals(\\\"STS_List_850\\\")", "RefinementCount": 2, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/\"", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_Site", "RefinementValue": "STS_Site", "RefinementToken": "equals(\\\"STS_Site\\\")", "RefinementCount": 2, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/\"", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_Web", "RefinementValue": "STS_Web", "RefinementToken": "equals(\\\"STS_Web\\\")", "RefinementCount": 2, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/\"", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_331", "RefinementValue": "STS_List_331", "RefinementToken": "equals(\\\"STS_List_331\\\")", "RefinementCount": 1, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/\"", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_332", "RefinementValue": "STS_List_332", "RefinementToken": "equals(\\\"STS_List_332\\\")", "RefinementCount": 1, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/\"", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_Contacts", "RefinementValue": "STS_List_Contacts", "RefinementToken": "equals(\\\"STS_List_Contacts\\\")", "Re

```

```

finementCount":1,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"Author","DisplayName":"","Type":"String","Modifier":"Author","Score":1.21705436706543,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.21705436319777,"Sum":0,"RefinementName":"REDMOND\\DOZER","RefinementValue":"REDMOND\\DOZER","RefinementToken":"equals(\\\"REDMOND\\DOZER\\\")","RefinementCount":6,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"Author","DisplayName":"","Type":"String","Modifier":"Author","Score":1.21705436706543,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.21705436319777,"Sum":0,"RefinementName":"System Account","RefinementValue":"System Account","RefinementToken":"equals(\\\"System Account\\\")","RefinementCount":5,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"Author","DisplayName":"","Type":"String","Modifier":"Author","Score":1.21705436706543,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.21705436319777,"Sum":0,"RefinementName":" | System Account | SHAREPOINT\\system","RefinementValue":" | System Account | SHAREPOINT\\system","RefinementToken":"equals(\\\" | System Account | SHAREPOINT\\system\\\")","RefinementCount":2,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"Author","DisplayName":"","Type":"String","Modifier":"Author","Score":1.21705436706543,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.21705436319777,"Sum":0,"RefinementName":"Office Automation Limited Client","RefinementValue":"Office Automation Limited Client","RefinementToken":"equals(\\\"Office Automation Limited Client\\\")","RefinementCount":1,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"FormatId","DisplayName":"","Type":"String","Modifier":"FormatId","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":0,"Sum":0,"RefinementName":"html","RefinementValue":"html","RefinementToken":"equals(\\\"html\\\")","RefinementCount":12,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedTime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858332000000,"Max":980669863308000000,"Mean":980669860249000000,"Entropy":0,"Sum":11768038322988000000,"RefinementName":"Before 2010-11-17T08:00:00Z","RefinementValue":"Before 2010-11-17T08:00:00Z","RefinementToken":"range(min, 2010-11-17T08:00:00Z)","RefinementCount":0,"PartitionId":"\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"},{
  "RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedTime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858332000000,"Max":980669863308000000,"Mean":980669860249000000,"Entropy":0,"Sum":117

```

```

680383229880000000", "RefinementName": "From 2010-11-17T08:00:00Z up to 2011-05-21T07:00:00Z", "RefinementValue": "From 2010-11-17T08:00:00Z up to 2011-05-21T07:00:00Z", "RefinementToken": "range(2010-11-17T08:00:00Z, 2011-05-21T07:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedTime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "9806698583320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117680383229880000000", "RefinementName": "From 2011-05-21T07:00:00Z up to 2011-10-18T07:00:00Z", "RefinementValue": "From 2011-05-21T07:00:00Z up to 2011-10-18T07:00:00Z", "RefinementToken": "range(2011-05-21T07:00:00Z, 2011-10-18T07:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedTime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "9806698583320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117680383229880000000", "RefinementName": "From 2011-10-18T07:00:00Z up to 2011-11-10T08:00:00Z", "RefinementValue": "From 2011-10-18T07:00:00Z up to 2011-11-10T08:00:00Z", "RefinementToken": "range(2011-10-18T07:00:00Z, 2011-11-10T08:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedTime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "9806698583320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117680383229880000000", "RefinementName": "From 2011-11-10T08:00:00Z up to 2011-11-17T08:00:00Z", "RefinementValue": "From 2011-11-10T08:00:00Z up to 2011-11-17T08:00:00Z", "RefinementToken": "range(2011-11-10T08:00:00Z, 2011-11-17T08:00:00Z)", "RefinementCount": 12, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedTime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "9806698583320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117680383229880000000", "RefinementName": "2011-11-17T08:00:00Z or later", "RefinementValue": "2011-11-17T08:00:00Z or later", "RefinementToken": "range(2011-11-17T08:00:00Z, max, to=\"le\")", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"
}
], "ResultTitle": null, "ResultTitleUrl": null, "RowCount": 18, "TableType": "RefinementResults", "TotalRows": 11
}, {
  "_ObjectType": "Microsoft.SharePoint.Client.Search.Query.ResultTable", "GroupTemplateId": null, "ItemTemplateId": null, "Properties": {
    "QueryModification": "home", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay Templates\u002fSearch\u002fDefaultGroup.js"
  }, "QueryId": "PersonalFavorite Query", "QueryRuleId": "00000000-0000-0000-0000-000000000000", "ResultRefiners": [
  ], "ResultRows": [

```

```
], "ResultTitle": "PERSONAL  
FAVORITES", "ResultTitleUrl": null, "RowCount": 0, "TableType": "PersonalFavoriteResults", "TotalRow  
s": 0  
}  
]  
}, 258, {  
"HasException": false, "ErrorInfo": null  
}  
]
```

Preliminary

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

Preliminary

6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® SharePoint® Foundation 15 Technical Preview
- Microsoft® SharePoint® Server 15 Technical Preview

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

Preliminary

8 Index

A

Abstract data model
[client](#) 16
[Applicability](#) 14

C

[Capability negotiation](#) 14
[Change tracking](#) 89
Client
[abstract data model](#) 16
[higher-layer triggered events](#) 16
[initialization](#) 16
[other local events](#) 67
[overview](#) 16
[timer events](#) 67
[timers](#) 16
[Common Exceptions message](#) 15

D

Data model - abstract
[client](#) 16

F

[Fields - vendor-extensible](#) 14

G

[Glossary](#) 12

H

Higher-layer triggered events
[client](#) 16

I

[Implementer - security considerations](#) 87
[Index of security parameters](#) 87
[Informative references](#) 13
Initialization
[client](#) 16
[Introduction](#) 12

M

Messages
[Common Exceptions](#) 15
[Namespaces](#) 15
[transport](#) 15

N

[Namespaces message](#) 15
[Normative references](#) 13

O

Other local events
[client](#) 67
[Overview \(synopsis\)](#) 13

P

[Parameters - security index](#) 87
[Preconditions](#) 14
[Prerequisites](#) 14
[Product behavior](#) 88

R

References
[informative](#) 13
[normative](#) 13
[Relationship to other protocols](#) 14

S

Security
[implementer considerations](#) 87
[parameter index](#) 87
[Standards assignments](#) 14

T

Timer events
[client](#) 67
Timers
[client](#) 16
[Tracking changes](#) 89
[Transport](#) 15
Triggered events - higher-layer
[client](#) 16

V

[Vendor-extensible fields](#) 14
[Versioning](#) 14