

# [MS-SRCHCSOM]: Search Client Query Protocol

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
01/20/2012	0.1	New	Released new document.
04/11/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
09/12/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	1.0	Major	Significantly changed the technical content.
02/11/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.

# Table of Contents

<b>1 Introduction</b>	<b>13</b>
1.1 Glossary	13
1.2 References	14
1.2.1 Normative References	14
1.2.2 Informative References	14
1.3 Overview	14
1.4 Relationship to Other Protocols	15
1.5 Prerequisites/Preconditions	15
1.6 Applicability Statement	15
1.7 Versioning and Capability Negotiation	16
1.8 Vendor-Extensible Fields	16
1.9 Standards Assignments	16
<b>2 Messages</b>	<b>17</b>
2.1 Transport	17
2.2 Message Syntax	17
2.2.1 Namespaces	17
2.2.2 Common Exceptions	17
<b>3 Protocol Details</b>	<b>18</b>
3.1 Server Details	18
3.1.1 Abstract Data Model	18
3.1.2 Timers	18
3.1.3 Initialization	18
3.1.4 Higher-Layer Triggered Events	18
3.1.5 Message Processing Events and Sequencing Rules	18
3.1.5.1 Microsoft.Office.Server.Search.REST.CustomResult	18
3.1.5.1.1 Properties	18
3.1.5.1.1.1 Scalar Properties	18
3.1.5.1.1.1.1 TableType	18
3.1.5.1.1.1.2 Properties	19
3.1.5.1.1.1.3 GroupTemplateId	19
3.1.5.1.1.1.4 ItemTemplateId	19
3.1.5.1.1.1.5 ResultTitle	19
3.1.5.1.1.1.6 ResultTitleUrl	19
3.1.5.1.1.1.7 Table	19
3.1.5.1.1.2 ObjectPath Properties	19
3.1.5.2 Microsoft.Office.Server.Search.REST.QueryResult	20
3.1.5.2.1 Properties	20
3.1.5.2.1.1 Scalar Properties	20
3.1.5.2.1.1.1 CustomResults	20
3.1.5.2.1.1.2 QueryId	21
3.1.5.2.1.1.3 QueryRuleId	21
3.1.5.2.1.1.4 RefinementResults	21
3.1.5.2.1.1.5 RelevantResults	21
3.1.5.2.1.1.6 SpecialTermResults	21
3.1.5.2.1.2 ObjectPath Properties	21
3.1.5.3 Microsoft.Office.Server.Search.REST.RefinementResults	21
3.1.5.3.1 Properties	22
3.1.5.3.1.1 Scalar Properties	22

3.1.5.3.1.1.1	Refiners .....	22
3.1.5.3.1.1.2	Properties .....	22
3.1.5.3.1.1.3	GroupTemplateId .....	22
3.1.5.3.1.1.4	ItemTemplateId .....	22
3.1.5.3.1.1.5	ResultTitle .....	22
3.1.5.3.1.1.6	ResultTitleUrl .....	22
3.1.5.3.1.2	ObjectPath Properties.....	22
3.1.5.4	Microsoft.Office.Server.Search.REST.RelevantResults .....	23
3.1.5.4.1	Properties .....	23
3.1.5.4.1.1	Scalar Properties .....	23
3.1.5.4.1.1.1	RowCount .....	23
3.1.5.4.1.1.2	TotalRows .....	23
3.1.5.4.1.1.3	Properties .....	23
3.1.5.4.1.1.4	GroupTemplateId .....	23
3.1.5.4.1.1.5	ItemTemplateId .....	23
3.1.5.4.1.1.6	ResultTitle .....	23
3.1.5.4.1.1.7	ResultTitleUrl .....	24
3.1.5.4.1.1.8	Table .....	24
3.1.5.4.1.1.9	TotalRowsIncludingDuplicates .....	24
3.1.5.4.1.2	ObjectPath Properties.....	24
3.1.5.5	Microsoft.Office.Server.Search.REST.SearchRequest .....	24
3.1.5.5.1	Properties .....	24
3.1.5.5.1.1	Scalar Properties .....	24
3.1.5.5.1.1.1	Culture .....	24
3.1.5.5.1.1.2	EnableInterleaving .....	25
3.1.5.5.1.1.3	EnableNicknames .....	25
3.1.5.5.1.1.4	EnablePhonetic .....	25
3.1.5.5.1.1.5	EnableStemming .....	25
3.1.5.5.1.1.6	HiddenConstraints .....	25
3.1.5.5.1.1.7	Querytext .....	25
3.1.5.5.1.1.8	RankingModelId .....	25
3.1.5.5.1.1.9	RefinementFilters .....	26
3.1.5.5.1.1.10	Refiners .....	26
3.1.5.5.1.1.11	RowLimit .....	26
3.1.5.5.1.1.12	RowsPerPage .....	26
3.1.5.5.1.1.13	SelectProperties .....	26
3.1.5.5.1.1.14	SourceId .....	26
3.1.5.5.1.1.15	StartRow .....	26
3.1.5.5.1.1.16	Timeout .....	27
3.1.5.5.1.1.17	TrimDuplicates.....	27
3.1.5.5.1.1.18	EnableFQL .....	27
3.1.5.5.1.1.19	BypassResultTypes .....	27
3.1.5.5.1.1.20	ClientType .....	27
3.1.5.5.1.1.21	HitHighlightedProperties .....	27
3.1.5.5.1.1.22	ProcessBestBets .....	27
3.1.5.5.1.1.23	QueryTag .....	28
3.1.5.5.1.1.24	ResultsUrl.....	28
3.1.5.5.1.1.25	TrimDuplicatesIncludeId.....	28
3.1.5.5.1.1.26	BlockDedupeMode .....	28
3.1.5.5.1.1.27	CollapseSpecification .....	28
3.1.5.5.1.1.28	DesiredSnippetLength .....	28
3.1.5.5.1.1.29	EnableOrderingHitHighlightedProperty .....	28
3.1.5.5.1.1.30	EnableQueryRules .....	29

3.1.5.5.1.1.31	EnableSorting	29
3.1.5.5.1.1.32	GenerateBlockRankLog	29
3.1.5.5.1.1.33	HitHighlightedMultivaluePropertyLimit	29
3.1.5.5.1.1.34	ImpressionId	29
3.1.5.5.1.1.35	MaxSnippetLength	29
3.1.5.5.1.1.36	PersonalizationData	29
3.1.5.5.1.1.37	ProcessPersonalFavorites	30
3.1.5.5.1.1.38	Properties	30
3.1.5.5.1.1.39	QueryTemplate	30
3.1.5.5.1.1.40	ReorderingRules	30
3.1.5.5.1.1.41	SortList	30
3.1.5.5.1.1.42	SummaryLength	30
3.1.5.5.1.1.43	TotalRowsExactMinimum	30
3.1.5.5.1.1.44	UILanguage	31
3.1.5.5.1.1.45	QueryTemplatePropertiesUrl	31
3.1.5.5.1.2	ObjectPath Properties	31
3.1.5.6	Microsoft.Office.Server.Search.REST.SearchResult	31
3.1.5.6.1	Properties	31
3.1.5.6.1.1	Scalar Properties	31
3.1.5.6.1.1.1	ElapsedTime	31
3.1.5.6.1.1.2	PrimaryQueryResult	31
3.1.5.6.1.1.3	SecondaryQueryResults	32
3.1.5.6.1.1.4	Properties	32
3.1.5.6.1.1.5	SpellingSuggestion	32
3.1.5.6.1.1.6	TriggeredRules	32
3.1.5.6.1.2	ObjectPath Properties	32
3.1.5.7	Microsoft.Office.Server.Search.REST.SearchService	32
3.1.5.7.1	Properties	32
3.1.5.7.1.1	Scalar Properties	32
3.1.5.7.1.2	ObjectPath Properties	33
3.1.5.7.2	Methods	33
3.1.5.7.2.1	Scalar Methods	33
3.1.5.7.2.1.1	postquery	33
3.1.5.7.2.1.2	query	33
3.1.5.7.2.1.3	suggest	36
3.1.5.7.2.2	ObjectPath Methods	37
3.1.5.7.2.2.1	CSOM Constructor	37
3.1.5.8	Microsoft.Office.Server.Search.REST.SpecialTermResult	37
3.1.5.8.1	Properties	37
3.1.5.8.1.1	Scalar Properties	37
3.1.5.8.1.1.1	Description	37
3.1.5.8.1.1.2	IsVisualBestBet	38
3.1.5.8.1.1.3	Title	38
3.1.5.8.1.1.4	Url	38
3.1.5.8.1.1.5	PiSearchResultId	38
3.1.5.8.1.1.6	RenderTemplateId	38
3.1.5.8.1.2	ObjectPath Properties	38
3.1.5.9	Microsoft.SharePoint.Client.Search.Query.KeywordQuery	38
3.1.5.9.1	Properties	39
3.1.5.9.1.1	Scalar Properties	39
3.1.5.9.1.1.1	BypassResultTypes	39
3.1.5.9.1.1.2	Culture	39
3.1.5.9.1.1.3	EnableInterleaving	39

3.1.5.9.1.1.4	EnableNicknames	39
3.1.5.9.1.1.5	EnablePhonetic	39
3.1.5.9.1.1.6	EnableStemming	39
3.1.5.9.1.1.7	HiddenConstraints	39
3.1.5.9.1.1.8	QueryTag	40
3.1.5.9.1.1.9	QueryText	40
3.1.5.9.1.1.10	RankingModelId	40
3.1.5.9.1.1.11	Refiners	40
3.1.5.9.1.1.12	ResultsUrl	40
3.1.5.9.1.1.13	RowLimit	40
3.1.5.9.1.1.14	RowsPerPage	40
3.1.5.9.1.1.15	ShowPeopleNameSuggestions	41
3.1.5.9.1.1.16	SourceId	41
3.1.5.9.1.1.17	StartRow	41
3.1.5.9.1.1.18	Timeout	41
3.1.5.9.1.1.19	TrimDuplicates	41
3.1.5.9.1.1.20	ClientType	41
3.1.5.9.1.1.21	TrimDuplicatesIncludeId	41
3.1.5.9.1.1.22	ProcessBestBets	42
3.1.5.9.1.1.23	TotalRowsExactMinimum	42
3.1.5.9.1.1.24	EnableQueryRules	42
3.1.5.9.1.1.25	ImpressionID	42
3.1.5.9.1.1.26	BlockDedupeMode	42
3.1.5.9.1.1.27	CollapseSpecification	42
3.1.5.9.1.1.28	DesiredSnippetLength	42
3.1.5.9.1.1.29	EnableOrderingHitHighlightedProperty	43
3.1.5.9.1.1.30	EnableSorting	43
3.1.5.9.1.1.31	GenerateBlockRankLog	43
3.1.5.9.1.1.32	HitHighlightedMultivaluePropertyLimit	43
3.1.5.9.1.1.33	MaxSnippetLength	43
3.1.5.9.1.1.34	ProcessPersonalFavorites	43
3.1.5.9.1.1.35	QueryTemplate	43
3.1.5.9.1.1.36	QueryTemplateParameters	44
3.1.5.9.1.1.37	SummaryLength	44
3.1.5.9.1.1.38	UILanguage	44
3.1.5.9.1.1.39	IgnoreSafeQueryPropertiesTemplateUrl	44
3.1.5.9.1.1.40	SafeQueryPropertiesTemplateUrl	44
3.1.5.9.1.2	ObjectPath Properties	44
3.1.5.9.1.2.1	HitHighlightedProperties	44
3.1.5.9.1.2.2	PersonalizationData	44
3.1.5.9.1.2.3	Properties	45
3.1.5.9.1.2.4	RefinementFilters	45
3.1.5.9.1.2.5	SelectProperties	45
3.1.5.9.1.2.6	SortList	45
3.1.5.9.1.2.7	ReorderingRules	45
3.1.5.9.2	Methods	45
3.1.5.9.2.1	Scalar Methods	45
3.1.5.9.2.1.1	GetQuerySuggestionsWithResults	45
3.1.5.9.2.2	ObjectPath Methods	46
3.1.5.9.2.2.1	CSOM Constructor	46
3.1.5.10	Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties	46
3.1.5.10.1	Properties	46
3.1.5.10.1.1	Scalar Properties	46

3.1.5.10.1.2	ObjectPath Properties.....	46
3.1.5.10.2	Methods.....	46
3.1.5.10.2.1	Scalar Methods.....	46
3.1.5.10.2.1.1	GetQueryPropertyValue.....	46
3.1.5.10.2.1.2	SetQueryPropertyValue.....	47
3.1.5.10.2.2	ObjectPath Methods.....	47
3.1.5.11	Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion.....	47
3.1.5.11.1	Properties.....	47
3.1.5.11.1.1	Scalar Properties.....	47
3.1.5.11.1.1.1	IsBestBet.....	47
3.1.5.11.1.1.2	Title.....	47
3.1.5.11.1.1.3	Url.....	48
3.1.5.11.1.1.4	HighlightedTitle.....	48
3.1.5.11.1.2	ObjectPath Properties.....	48
3.1.5.12	Microsoft.SharePoint.Client.Search.Query.Query.....	48
3.1.5.12.1	Properties.....	48
3.1.5.12.1.1	Scalar Properties.....	48
3.1.5.12.1.1.1	BypassResultTypes.....	48
3.1.5.12.1.1.2	Culture.....	48
3.1.5.12.1.1.3	EnableInterleaving.....	48
3.1.5.12.1.1.4	EnableNicknames.....	49
3.1.5.12.1.1.5	EnablePhonetic.....	49
3.1.5.12.1.1.6	EnableStemming.....	49
3.1.5.12.1.1.7	QueryTag.....	49
3.1.5.12.1.1.8	QueryText.....	49
3.1.5.12.1.1.9	RankingModelId.....	49
3.1.5.12.1.1.10	ResultsUrl.....	49
3.1.5.12.1.1.11	RowLimit.....	50
3.1.5.12.1.1.12	RowsPerPage.....	50
3.1.5.12.1.1.13	ShowPeopleNameSuggestions.....	50
3.1.5.12.1.1.14	SourceId.....	50
3.1.5.12.1.1.15	StartRow.....	50
3.1.5.12.1.1.16	Timeout.....	50
3.1.5.12.1.1.17	TrimDuplicates.....	50
3.1.5.12.1.1.18	ClientType.....	51
3.1.5.12.1.1.19	ProcessBestBets.....	51
3.1.5.12.1.1.20	TotalRowsExactMinimum.....	51
3.1.5.12.1.1.21	EnableQueryRules.....	51
3.1.5.12.1.1.22	ImpressionID.....	51
3.1.5.12.1.1.23	BlockDedupeMode.....	51
3.1.5.12.1.1.24	DesiredSnippetLength.....	51
3.1.5.12.1.1.25	EnableOrderingHitHighlightedProperty.....	52
3.1.5.12.1.1.26	GenerateBlockRankLog.....	52
3.1.5.12.1.1.27	HitHighlightedMultivaluePropertyLimit.....	52
3.1.5.12.1.1.28	MaxSnippetLength.....	52
3.1.5.12.1.1.29	ProcessPersonalFavorites.....	52
3.1.5.12.1.1.30	QueryTemplate.....	52
3.1.5.12.1.1.31	QueryTemplateParameters.....	52
3.1.5.12.1.1.32	SummaryLength.....	53
3.1.5.12.1.1.33	UILanguage.....	53
3.1.5.12.1.1.34	IgnoreSafeQueryPropertiesTemplateUrl.....	53
3.1.5.12.1.1.35	SafeQueryPropertiesTemplateUrl.....	53
3.1.5.12.1.2	ObjectPath Properties.....	53

3.1.5.12.1.2.1	HitHighlightedProperties.....	53
3.1.5.12.1.2.2	PersonalizationData .....	53
3.1.5.12.2	Methods .....	54
3.1.5.12.2.1	Scalar Methods.....	54
3.1.5.12.2.1.1	GetQuerySuggestionsWithResults .....	54
3.1.5.12.2.2	ObjectPath Methods .....	54
3.1.5.13	Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData .....	54
3.1.5.13.1	Properties.....	54
3.1.5.13.1.1	Scalar Properties .....	54
3.1.5.13.1.2	ObjectPath Properties.....	54
3.1.5.13.2	Methods.....	55
3.1.5.13.2.1	Scalar Methods.....	55
3.1.5.13.2.2	ObjectPath Methods .....	55
3.1.5.13.2.2.1	CSOM Constructor .....	55
3.1.5.14	Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue .....	55
3.1.5.14.1	Properties.....	55
3.1.5.14.1.1	Scalar Properties .....	55
3.1.5.14.1.1.1	BoolVal .....	55
3.1.5.14.1.1.2	IntVal .....	55
3.1.5.14.1.1.3	QueryPropertyValueTypeId .....	55
3.1.5.14.1.1.4	StrArray .....	56
3.1.5.14.1.1.5	StrVal .....	56
3.1.5.14.1.2	ObjectPath Properties.....	56
3.1.5.15	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults .....	56
3.1.5.15.1	Properties.....	56
3.1.5.15.1.1	Scalar Properties .....	56
3.1.5.15.1.1.1	PeopleNames .....	56
3.1.5.15.1.1.2	PersonalResults.....	57
3.1.5.15.1.1.3	Queries .....	57
3.1.5.15.1.2	ObjectPath Properties.....	57
3.1.5.16	Microsoft.SharePoint.Client.Search.Query.ResultTable .....	57
3.1.5.16.1	Properties.....	57
3.1.5.16.1.1	Scalar Properties .....	57
3.1.5.16.1.1.1	Properties.....	57
3.1.5.16.1.1.2	QueryId .....	57
3.1.5.16.1.1.3	ResultRows.....	57
3.1.5.16.1.1.4	RowCount .....	58
3.1.5.16.1.1.5	TableType .....	58
3.1.5.16.1.1.6	TotalRows .....	58
3.1.5.16.1.1.7	GroupTemplateId .....	58
3.1.5.16.1.1.8	ItemTemplateId .....	58
3.1.5.16.1.1.9	QueryRuleId .....	58
3.1.5.16.1.1.10	ResultTitle .....	58
3.1.5.16.1.1.11	ResultTitleUrl .....	59
3.1.5.16.1.1.12	TotalRowsIncludingDuplicates .....	59
3.1.5.16.1.2	ObjectPath Properties.....	59
3.1.5.17	Microsoft.SharePoint.Client.Search.Query.ResultTableCollection.....	59
3.1.5.17.1	Properties.....	59
3.1.5.17.1.1	Scalar Properties .....	59
3.1.5.17.1.1.1	ElapsedTime .....	59
3.1.5.17.1.1.2	Properties.....	59
3.1.5.17.1.1.3	QueryId .....	59
3.1.5.17.1.1.4	SpellingSuggestion .....	60



3.1.5.17.1.1.5	TriggeredRules.....	60
3.1.5.17.1.1.6	QueryErrors.....	60
3.1.5.17.1.2	ObjectPath Properties.....	60
3.1.5.18	Microsoft.SharePoint.Client.Search.Query.SearchExecutor .....	60
3.1.5.18.1	Properties.....	60
3.1.5.18.1.1	Scalar Properties .....	60
3.1.5.18.1.2	ObjectPath Properties.....	60
3.1.5.18.2	Methods.....	60
3.1.5.18.2.1	Scalar Methods.....	60
3.1.5.18.2.1.1	ExecuteQueries.....	60
3.1.5.18.2.1.2	ExecuteQuery .....	61
3.1.5.18.2.1.3	RecordPageClick.....	61
3.1.5.18.2.1.4	ExportPopularQueries .....	62
3.1.5.18.2.2	ObjectPath Methods .....	63
3.1.5.18.2.2.1	CSOM Constructor .....	63
3.1.5.19	Microsoft.SharePoint.Client.Search.Query.Sort .....	63
3.1.5.19.1	Properties.....	63
3.1.5.19.1.1	Scalar Properties .....	63
3.1.5.19.1.1.1	Direction .....	63
3.1.5.19.1.1.2	Property.....	63
3.1.5.19.1.2	ObjectPath Properties.....	63
3.1.5.20	Microsoft.SharePoint.Client.Search.Query.SortCollection .....	63
3.1.5.20.1	Properties.....	63
3.1.5.20.1.1	Scalar Properties .....	63
3.1.5.20.1.2	ObjectPath Properties.....	64
3.1.5.20.2	Methods.....	64
3.1.5.20.2.1	Scalar Methods.....	64
3.1.5.20.2.1.1	Add .....	64
3.1.5.20.2.1.2	Clear .....	64
3.1.5.20.2.2	ObjectPath Methods .....	64
3.1.5.21	Microsoft.SharePoint.Client.Search.Query.SortDirection .....	64
3.1.5.21.1	Field Values .....	64
3.1.5.21.1.1	Ascending .....	64
3.1.5.21.1.2	Descending .....	64
3.1.5.21.1.3	FQLFormula .....	65
3.1.5.22	Microsoft.SharePoint.Client.Search.Query.StringCollection .....	65
3.1.5.22.1	Properties.....	65
3.1.5.22.1.1	Scalar Properties .....	65
3.1.5.22.1.2	ObjectPath Properties.....	65
3.1.5.22.2	Methods.....	65
3.1.5.22.2.1	Scalar Methods.....	65
3.1.5.22.2.1.1	Add .....	65
3.1.5.22.2.1.2	Clear .....	65
3.1.5.22.2.2	ObjectPath Methods .....	65
3.1.5.22.2.2.1	CSOM Constructor .....	65
3.1.5.23	Microsoft.SharePoint.Client.Search.Query.RankingLabeling .....	66
3.1.5.23.1	Properties.....	66
3.1.5.23.1.1	Scalar Properties .....	66
3.1.5.23.1.2	ObjectPath Properties.....	66
3.1.5.23.2	Methods.....	66
3.1.5.23.2.1	Scalar Methods.....	66
3.1.5.23.2.1.1	AddJudgment.....	66
3.1.5.23.2.1.2	GetJudgementsForQuery .....	66

3.1.5.23.2.1.3	NormalizeResultUrl .....	67
3.1.5.23.2.2	ObjectPath Methods .....	67
3.1.5.23.2.2.1	CSOM Constructor .....	67
3.1.5.24	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery .....	67
3.1.5.24.1	Properties .....	67
3.1.5.24.1.1	Scalar Properties .....	67
3.1.5.24.1.1.1	IsPersonal .....	67
3.1.5.24.1.1.2	Query .....	67
3.1.5.24.1.2	ObjectPath Properties .....	67
3.1.5.25	Microsoft.Office.Server.Search.REST.SpecialTermResults .....	68
3.1.5.25.1	Properties .....	68
3.1.5.25.1.1	Scalar Properties .....	68
3.1.5.25.1.1.1	Properties .....	68
3.1.5.25.1.1.2	Results .....	68
3.1.5.25.1.1.3	GroupTemplateId .....	68
3.1.5.25.1.1.4	ItemTemplateId .....	68
3.1.5.25.1.1.5	ResultTitle .....	68
3.1.5.25.1.1.6	ResultTitleUrl .....	69
3.1.5.25.1.2	ObjectPath Properties .....	69
3.1.5.26	Microsoft.SharePoint.Client.Search.Query.ReorderingRule .....	69
3.1.5.26.1	Properties .....	69
3.1.5.26.1.1	Scalar Properties .....	69
3.1.5.26.1.1.1	Boost .....	69
3.1.5.26.1.1.2	MatchType .....	69
3.1.5.26.1.1.3	MatchValue .....	69
3.1.5.26.1.2	ObjectPath Properties .....	69
3.1.5.27	Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection .....	69
3.1.5.27.1	Properties .....	70
3.1.5.27.1.1	Scalar Properties .....	70
3.1.5.27.1.2	ObjectPath Properties .....	70
3.1.5.27.2	Methods .....	70
3.1.5.27.2.1	Scalar Methods .....	70
3.1.5.27.2.1.1	Add .....	70
3.1.5.27.2.1.2	Clear .....	70
3.1.5.27.2.2	ObjectPath Methods .....	70
3.1.5.28	Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType .....	70
3.1.5.28.1	Field Values .....	71
3.1.5.28.1.1	ResultContainsKeyword .....	71
3.1.5.28.1.2	TitleContainsKeyword .....	71
3.1.5.28.1.3	TitleMatchesKeyword .....	71
3.1.5.28.1.4	UrlStartsWith .....	71
3.1.5.28.1.5	UrlExactlyMatches .....	71
3.1.5.28.1.6	ContentTypeIs .....	71
3.1.5.28.1.7	FileExtensionMatches .....	71
3.1.5.28.1.8	ResultHasTag .....	71
3.1.5.28.1.9	ManualCondition .....	72
3.1.5.29	Microsoft.Office.Server.Search.REST.QueryProperty .....	72
3.1.5.29.1	Properties .....	72
3.1.5.29.1.1	Scalar Properties .....	72
3.1.5.29.1.1.1	Name .....	72
3.1.5.29.1.1.2	Value .....	72
3.1.5.29.1.2	ObjectPath Properties .....	72
3.1.5.30	Microsoft.Office.Server.Search.REST.Refiner .....	72

3.1.5.30.1	Properties.....	73
3.1.5.30.1.1	Scalar Properties .....	73
3.1.5.30.1.1.1	Entries .....	73
3.1.5.30.1.1.2	Name.....	73
3.1.5.30.1.2	ObjectPath Properties.....	73
3.1.5.31	Microsoft.Office.Server.Search.REST.RefinerEntry .....	73
3.1.5.31.1	Properties.....	73
3.1.5.31.1.1	Scalar Properties .....	73
3.1.5.31.1.1.1	RefinementCount .....	73
3.1.5.31.1.1.2	RefinementName.....	73
3.1.5.31.1.1.3	RefinementToken .....	73
3.1.5.31.1.1.4	RefinementValue .....	74
3.1.5.31.1.2	ObjectPath Properties.....	74
3.1.5.32	Microsoft.Office.Server.Search.WebControls.ControlMessage .....	74
3.1.5.32.1	Properties.....	74
3.1.5.32.1.1	Scalar Properties .....	74
3.1.5.32.1.1.1	code .....	74
3.1.5.32.1.1.2	correlationID .....	74
3.1.5.32.1.1.3	encodeDetails .....	74
3.1.5.32.1.1.4	header .....	74
3.1.5.32.1.1.5	level .....	75
3.1.5.32.1.1.6	messageDetails .....	75
3.1.5.32.1.1.7	messageDetailsForViewers .....	75
3.1.5.32.1.1.8	serverTypeId .....	75
3.1.5.32.1.1.9	showForViewerUsers.....	75
3.1.5.32.1.1.10	showInEditModeOnly .....	75
3.1.5.32.1.1.11	stackTrace .....	75
3.1.5.32.1.1.12	type.....	76
3.1.5.32.1.2	ObjectPath Properties.....	76
3.1.5.33	Microsoft.Office.Server.Search.WebControls.MessageLevel.....	76
3.1.5.33.1	Field Values .....	76
3.1.5.33.1.1	Information.....	76
3.1.5.33.1.2	Warning .....	76
3.1.5.33.1.3	Error .....	76
3.1.5.34	Microsoft.SharePoint.Client.Search.Administration.DocumentCrawlLog .....	76
3.1.5.34.1	Properties.....	77
3.1.5.34.1.1	Scalar Properties .....	77
3.1.5.34.1.2	ObjectPath Properties.....	77
3.1.5.34.2	Methods.....	77
3.1.5.34.2.1	Scalar Methods.....	77
3.1.5.34.2.1.1	GetCrawledUrls .....	77
3.1.5.34.2.2	ObjectPath Methods .....	78
3.1.5.34.2.2.1	CSOM Constructor .....	78
3.1.5.35	Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel .....	78
3.1.5.35.1	Field Values .....	78
3.1.5.35.1.1	SPWeb .....	78
3.1.5.35.1.2	SPSite .....	78
3.1.5.35.1.3	SPSiteSubscription.....	79
3.1.5.35.1.4	Ssa .....	79
3.1.5.36	Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner.....	79
3.1.5.36.1	Properties.....	79
3.1.5.36.1.1	Scalar Properties .....	79
3.1.5.36.1.2	ObjectPath Properties.....	79

3.1.5.36.2	Methods .....	79
3.1.5.36.2.1	Scalar Methods .....	79
3.1.5.36.2.2	ObjectPath Methods .....	79
3.1.5.36.2.2.1	CSOM Constructor .....	79
3.1.5.37	Microsoft.SharePoint.Client.Search.Portability.SearchConfigurationPortability .	79
3.1.5.37.1	Properties .....	80
3.1.5.37.1.1	Scalar Properties .....	80
3.1.5.37.1.1.1	ImportWarnings .....	80
3.1.5.37.1.2	ObjectPath Properties .....	80
3.1.5.37.2	Methods .....	80
3.1.5.37.2.1	Scalar Methods .....	80
3.1.5.37.2.1.1	ExportSearchConfiguration .....	80
3.1.5.37.2.1.2	ImportSearchConfiguration .....	80
3.1.5.37.2.1.3	DeleteSearchConfiguration .....	81
3.1.5.37.2.2	ObjectPath Methods .....	81
3.1.5.37.2.2.1	CSOM Constructor .....	81
3.1.5.38	Microsoft.SharePoint.Client.Search.Query.PopularQuery .....	81
3.1.5.38.1	Properties .....	81
3.1.5.38.1.1	Scalar Properties .....	81
3.1.5.38.1.1.1	ClickCount .....	81
3.1.5.38.1.1.2	LCID .....	81
3.1.5.38.1.1.3	QueryCount .....	82
3.1.5.38.1.1.4	QueryText .....	82
3.1.5.38.1.2	ObjectPath Properties .....	82
3.1.6	Timer Events .....	82
3.1.7	Other Local Events .....	82
<b>4</b>	<b>Protocol Examples .....</b>	<b>83</b>
4.1	Search for the keyword "home" .....	83
<b>5</b>	<b>Security .....</b>	<b>102</b>
5.1	Security Considerations for Implementers .....	102
5.2	Index of Security Parameters .....	102
<b>6</b>	<b>Appendix A: Product Behavior .....</b>	<b>103</b>
<b>7</b>	<b>Change Tracking .....</b>	<b>104</b>
<b>8</b>	<b>Index .....</b>	<b>105</b>

# 1 Introduction

The Search Client Query Protocol provides types, methods, and properties to enable a protocol client to issue search queries against a protocol server hosting a search service application.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**context**  
**GUID**  
**Hypertext Transfer Protocol (HTTP)**  
**Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)**  
**language code identifier (LCID)**

The following terms are defined in [\[MS-OFCGLOS\]](#):

**content source**  
**crawled property**  
**CSOM array**  
**CSOM Boolean**  
**CSOM DateTime**  
**CSOM dictionary**  
**CSOM GUID**  
**CSOM Int16**  
**CSOM Int32**  
**CSOM Int64**  
**CSOM String**  
**endpoint**  
**Hypertext Markup Language (HTML)**  
**JavaScript Object Notation (JSON)**  
**managed property**  
**permission**  
**post-query suggestions**  
**pre-query suggestions**  
**query**  
**query result**  
**query rule**  
**ranking model**  
**result source**  
**search query**  
**search service application**  
**site**  
**Uniform Resource Identifier (URI)**  
**Uniform Resource Locator (URL)**

The following terms are specific to this document:

**relevance judgment:** A numeric evaluation of the applicability and correspondence of a search result to a search query that falls within the range of 1-5 inclusive with 5 being the most relevant and 1 being the least relevant.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-CSOM] Microsoft Corporation, "[SharePoint Client Query Protocol](#)".

[MS-CSOMREST] Microsoft Corporation, "[SharePoint Client Query OData Protocol](#)".

[MS-CSOMSPT] Microsoft Corporation, "[SharePoint Client-Side Object Model Protocol](#)".

[MS-QSSWS] Microsoft Corporation, "[Search Query Shared Services Protocol](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[RFC3066] Alvestrand, H., "Tags for the Identification of Language", RFC 3066, January 2001, <http://www.ietf.org/rfc/rfc3066.txt>

[RFC4627] Crockford, D., "The application/json Media Type for Javascript Object Notation (JSON)", RFC 4627, July 2006, <http://www.ietf.org/rfc/rfc4627.txt>

### 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

## 1.3 Overview


This protocol allows a protocol client to issue **search queries** against a protocol server hosting a **search service application**.

Typical scenarios for using this protocol include:

- A protocol client issues a search query to the protocol server, and the protocol server responds with **query results**.
- A protocol client issues a search query to the protocol server, and the protocol server responds with **pre-query suggestions** or **post-query suggestions**.
- A protocol client notifies the protocol server of errors encountered on the protocol client and timing of protocol client processing stages. The protocol server records these errors and time intervals for logging.

## 1.4 Relationship to Other Protocols

The Search Client Query Protocol is a set of types, properties, and methods that can be accessed by using the SharePoint Client Query protocol as specified in [\[MS-CSOM\]](#). This protocol uses **JavaScript Object Notation (JSON)** as specified in [\[RFC4627\]](#) to format data returned to a protocol client. This protocol also uses **HTTP**, as specified in [\[RFC2616\]](#), and **HTTPS**, as specified in [\[RFC2818\]](#). The dependencies for this protocol are shown in the following layering diagram.



**Figure 1: This protocol in relation to other protocols**

## 1.5 Prerequisites/Preconditions

This protocol operates against a protocol server that exposes one or more **endpoint (4) Uniform Resource Identifiers (URIs)** that are known by protocol clients.

This protocol assumes that authentication has been performed by underlying protocols.

This protocol requires the protocol client to have appropriate **permission** to call the methods on the protocol server.

## 1.6 Applicability Statement

This protocol can be used by a protocol client to issue search queries against a protocol server hosting a search service application.

This protocol is optimized to enable a protocol client to specify the exact set of data and operations to perform in a single batch, making it suitable for situations where the connection speed between the protocol client and the protocol server can be slow.

This protocol is not suitable and is inefficient if both the protocol client and protocol server are on the same computer. In this case, the client should use an API that does not require communication over a network.

### **1.7 Versioning and Capability Negotiation**

None.

### **1.8 Vendor-Extensible Fields**

None.

### **1.9 Standards Assignments**

None.



## 2 Messages

### 2.1 Transport

Messages are transported by using the SharePoint Client Query Protocol, as specified in [\[MS-CSOM\]](#).

### 2.2 Message Syntax

#### 2.2.1 Namespaces

None.

#### 2.2.2 Common Exceptions

A protocol server hosting the search service application MUST validate the request from the protocol client. When a protocol server processes a CSOM operation in the request, the following table lists common exceptions that could occur when accessing or updating a property or invoking a method.

Error Code	Error Type Name	Condition
- 2147024891	System.UnauthorizedAccessException	The user does not have permission to access a property, update a property or call a method.

Besides the preceding exceptions and the exceptions that are listed for the specific properties or methods, the protocol server can return other exceptions to the protocol client, for which the protocol client could use the error message for display purpose but could not use the error code or error type to determine the causes of the exception.

Unless specified, exceptions listed for the specific properties are thrown for both read and write operations.

## 3 Protocol Details

### 3.1 Server Details

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

This protocol deals with various objects associated with Search Service to execute a search query for storing verbose query monitoring data or to store query log data and other objects as specified in [\[MS-QSSWS\]](#).

#### 3.1.2 Timers

None.

#### 3.1.3 Initialization

None.

#### 3.1.4 Higher-Layer Triggered Events

None.

#### 3.1.5 Message Processing Events and Sequencing Rules

##### 3.1.5.1 Microsoft.Office.Server.Search.REST.CustomResult

**TypeId:** {B3EB596A-C665-4B31-AFBE-BBF07EB1B70D}

**ShortName:** Microsoft.Office.Server.Search.REST.CustomResult

CustomResult is a ResultTable, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

The TableType property MUST be of any result table type as specified in [\[MS-QSSWS\]](#) section 2.2.5.5 except:

- RelevantResults
- RefinementResults
- SpecialTermResults

##### 3.1.5.1.1 Properties

###### 3.1.5.1.1.1 Scalar Properties

###### 3.1.5.1.1.1.1 TableType

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.1.1.1.2 Properties

**Type:** CSOM dictionary

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.1.1.1.3 GroupTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.1.1.1.4 ItemTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.1.1.1.5 ResultTitle

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.1.1.1.6 ResultTitleUrl

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.1.1.1.7 Table

**Type:** Microsoft.SharePoint.Client.SimpleDataTable

**Accessibility:** Read/Write

As specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3

Contains the list of query result hits.

### 3.1.5.1.1.2 ObjectPath Properties

None.

### 3.1.5.2 Microsoft.Office.Server.Search.REST.QueryResult

**TypeId:** {5DA4B313-CA4A-4BC7-B9DE-98EA5F4E727B}

**ShortName:** Microsoft.Office.Server.Search.REST.QueryResult

The **QueryResult** type is a grouping of result tables, where each contained result table is a **ResultTable** as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

All result tables contained in the same **QueryResult** MUST share the same **QueryId** (section [3.1.5.2.1.1.2](#)).

A **QueryResult** structure accessed by the **PrimaryQueryResult** property (section [3.1.5.6.1.1.2](#)) of a **SearchResult** structure (section [3.1.5.6](#)) MUST NOT be associated with a **query rule**, and MUST have the **QueryRuleId** (section [3.1.5.2.1.1.3](#)) populated with the value {00000000-0000-0000-0000-000000000000}.

Each **QueryResult** structure contained in the **SecondaryQueryResults** (section [3.1.5.6.1.1.3](#)) of the **SearchResult** (section [3.1.5.6](#)) structure MUST be associated with an individual query rule, and MUST have the **QueryRuleId** (section [3.1.5.2.1.1.3](#)) populated with a value other than {00000000-0000-0000-0000-000000000000}.

A valid QueryResult MUST have one or more result tables accessed through one or more of the following properties:

- CustomResults
- RefinementResults
- RelevantResults
- SpecialTermResults

CustomResults is a CSOM Array that contains zero or more CustomResult instances. A CustomResult instance is a ResultTable with ResultType of any kind (except RefinementResults, RelevantResults, and SpecialTermResults), as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

RefinementResult is a ResultTable with ResultType RefinementResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

RelevantResults is a ResultTable with ResultType RelevantResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

SpecialTermResults is a ResultTable with ResultType SpecialTermResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

#### 3.1.5.2.1 Properties

##### 3.1.5.2.1.1 Scalar Properties

###### 3.1.5.2.1.1.1 CustomResults

**Type:** **CSOM array** of Microsoft.Office.Server.Search.REST.CustomResult

**Accessibility:** Read/Write

An array of CustomResult as specified in section [3.1.5.1](#).

### 3.1.5.2.1.1.2 QueryId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.2.1.1.3 QueryRuleId

**Type:** CSOM GUID

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.2.1.1.4 RefinementResults

**Type:** Microsoft.Office.Server.Search.REST.RefinementResults

**Accessibility:** Read/Write

As specified in section [3.1.5.3](#).

### 3.1.5.2.1.1.5 RelevantResults

**Type:** Microsoft.Office.Server.Search.REST.RelevantResults

**Accessibility:** Read/Write

As specified in section [3.1.5.4](#).

### 3.1.5.2.1.1.6 SpecialTermResults

**Type:** Microsoft.Office.Server.Search.REST.SpecialTermResults

**Accessibility:** Read/Write

As specified in section [3.1.5.25](#).

### 3.1.5.2.1.2 ObjectPath Properties

None.

## 3.1.5.3 Microsoft.Office.Server.Search.REST.RefinementResults

**TypeId:** {F3B3BFC2-9DD9-4F5E-BC53-0EF63E0709F6}

**ShortName:** Microsoft.Office.Server.Search.REST.RefinementResults

RefinementResults is a RefinementResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.3.1 Properties

#### 3.1.5.3.1.1 Scalar Properties

##### 3.1.5.3.1.1.1 Refiners

**Type:** CSOM array of Microsoft.Office.Server.Search.REST.Refiner

**Accessibility:** Read/Write

Specifies a **RelevantResults** table, as specified in section [3.1.5.4](#), that contains the list of refiners for the search results.

##### 3.1.5.3.1.1.2 Properties

**Type:** CSOM dictionary

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

##### 3.1.5.3.1.1.3 GroupTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

##### 3.1.5.3.1.1.4 ItemTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

##### 3.1.5.3.1.1.5 ResultTitle

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

##### 3.1.5.3.1.1.6 ResultTitleUrl

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

#### 3.1.5.3.1.2 ObjectPath Properties

None.

### 3.1.5.4 Microsoft.Office.Server.Search.REST.RelevantResults

**TypeId:** {755270DF-820C-430A-A609-1A6C415E88F1}

**ShortName:** Microsoft.Office.Server.Search.REST.RelevantResults

RelevantResults is a RelevantResults Table, as specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### 3.1.5.4.1 Properties

##### 3.1.5.4.1.1 Scalar Properties

###### 3.1.5.4.1.1.1 RowCount

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.4.1.1.2 TotalRows

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.4.1.1.3 Properties

**Type:** CSOM dictionary

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.4.1.1.4 GroupTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.4.1.1.5 ItemTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.4.1.1.6 ResultTitle

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.4.1.1.7 ResultTitleUrl**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.4.1.1.8 Table**

**Type:** Microsoft.SharePoint.Client.SimpleDataTable

**Accessibility:** Read/Write

As specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3

Contains the list of query result hits.

#### **3.1.5.4.1.1.9 TotalRowsIncludingDuplicates**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.4.1.2 ObjectPath Properties**

None.

### **3.1.5.5 Microsoft.Office.Server.Search.REST.SearchRequest**

**TypeId:** {EFA6DBB5-FB02-41F8-B70F-E6C992FB86A9}

**ShortName:** Microsoft.Office.Server.Search.REST.SearchRequest

The **SearchRequest** structure defines the HTTP BODY of the HTTP POST postquery operation as specified in section [3.1.5.7.2.1.1](#). The postquery operation together with the **SearchRequest** structure is similar to the query operation as specified in section [3.1.5.7.2.1.2](#), and is provided as a means to overcome **Uniform Resource Locator (URL)** length limitations that some clients experience with HTTP GET operations.

#### **3.1.5.5.1 Properties**

##### **3.1.5.5.1.1 Scalar Properties**

###### **3.1.5.5.1.1.1 Culture**

**Type:** CSOM Int32

**Accessibility:** Read/Write



Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid **language code identifier (LCID)** of a culture name, as specified in [\[RFC3066\]](#).

#### **3.1.5.5.1.1.2 EnableInterleaving**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.3 EnableNicknames**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.4 EnablePhonetic**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.5 EnableStemming**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.6 HiddenConstraints**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.5.1.1.7 Querytext**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.8 RankingModelId**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.9 RefinementFilters**

**Type:** CSOM array of CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.5.1.1.10 Refiners**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.5.1.1.11 RowLimit**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.12 RowsPerPage**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.13 SelectProperties**

**Type:** CSOM array of CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.14 SourceId**

**Type:** CSOM GUID

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.5.1.1.15 StartRow**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.5.1.1.16 Timeout**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### **3.1.5.5.1.1.17 TrimDuplicates**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### **3.1.5.5.1.1.18 EnableFQL**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.5.1.1.19 BypassResultTypes**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### **3.1.5.5.1.1.20 ClientType**

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSWS\]](#) section 3.1.4.11.4.1.

### **3.1.5.5.1.1.21 HitHighlightedProperties**

**Type:** CSOM array of CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### **3.1.5.5.1.1.22 ProcessBestBets**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.5.1.1.23 QueryTag

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.5.1.1.24 ResultsUrl

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.5.1.1.25 TrimDuplicatesIncludeId

**Type:** CSOM Int64

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.5.1.1.26 BlockDedupeMode

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.5.1.1.27 CollapseSpecification

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.5.1.1.28 DesiredSnippetLength

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11

### 3.1.5.5.1.1.29 EnableOrderingHitHighlightedProperty

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11

### 3.1.5.5.1.1.30 EnableQueryRules

**Type:** CSOM Boolean

**Accessibility:** Read/Write

Specifies whether query rules are included when a search query is executed. If the value is true, query rules are applied to the search query. If the value is false, query rules MUST NOT be applied in the search query.

### 3.1.5.5.1.1.31 EnableSorting

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.5.1.1.32 GenerateBlockRankLog

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

### 3.1.5.5.1.1.33 HitHighlightedMultivaluePropertyLimit

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

### 3.1.5.5.1.1.34 ImpressionId

**Type:** CSOM String

**Accessibility:** Read/Write

MUST NOT be used.

### 3.1.5.5.1.1.35 MaxSnippetLength

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

### 3.1.5.5.1.1.36 PersonalizationData

**Type:** CSOM GUID

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### 3.1.5.5.1.1.37 **ProcessPersonalFavorites**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11

### 3.1.5.5.1.1.38 **Properties**

**Type:** CSOM array of Microsoft.Office.Server.Search.REST.QueryProperty

**Accessibility:** Read/Write

Used to transport additional and custom search query data, in a name-value structure, from the caller to the server.

As specified in section [3.1.5.29](#).

### 3.1.5.5.1.1.39 **QueryTemplate**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.5.1.1.40 **ReorderingRules**

**Type:** CSOM array of Microsoft.SharePoint.Client.Search.Query.ReorderingRule

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.5.1.1.41 **SortList**

**Type:** CSOM array of Microsoft.SharePoint.Client.Search.Query.Sort

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.5.1.1.42 **SummaryLength**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.5.1.1.43 **TotalRowsExactMinimum**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### 3.1.5.5.1.1.44 UILanguage

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### 3.1.5.5.1.1.45 QueryTemplatePropertiesUrl

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies an identifier which the protocol server MAY use to modify the client-specified **Properties** property (section [3.1.5.9.1.2.3](#)).

#### 3.1.5.5.1.2 ObjectPath Properties

None.

#### 3.1.5.6 Microsoft.Office.Server.Search.REST.SearchResult

**TypeId:** {C160DFA4-233A-4C58-88D4-9123B0A3D05B}

**ShortName:** Microsoft.Office.Server.Search.REST.SearchResult

The **SearchResult** structure resembles the **ResultTableCollection** structure (specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1). However, the individual result tables that share the same **QueryId** are grouped together in a **QueryResult** structure (specified in section [3.1.5.2](#)). The search result tables that have exactly the same **QueryId** value as specified by the protocol client are grouped in the same **QueryResult** structure accessed through the **PrimaryQueryResult** property. All other **QueryResult** buckets are organized in a CSOM array of **QueryResults** accessed through the **SecondaryQueryResults** property.

#### 3.1.5.6.1 Properties

##### 3.1.5.6.1.1 Scalar Properties

###### 3.1.5.6.1.1.1 ElapsedTime

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

###### 3.1.5.6.1.1.2 PrimaryQueryResult

**Type:** Microsoft.Office.Server.Search.REST.QueryResult

**Accessibility:** Read/Write

As specified in section [3.1.5.2](#).

### 3.1.5.6.1.1.3 SecondaryQueryResults

**Type:** CSOM array of Microsoft.Office.Server.Search.REST.QueryResult

**Accessibility:** Read/Write

Array of QueryResult as specified in section [3.1.5.2](#).

### 3.1.5.6.1.1.4 Properties

**Type:** CSOM dictionary

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

### 3.1.5.6.1.1.5 SpellingSuggestion

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

### 3.1.5.6.1.1.6 TriggeredRules

**Type:** CSOM array of CSOM GUID

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

### 3.1.5.6.1.2 ObjectPath Properties

None.

## 3.1.5.7 Microsoft.Office.Server.Search.REST.SearchService

**TypeId:** {1DBA45DD-4E29-4975-82EB-51A4ABF22707}

**ShortName:** Microsoft.Office.Server.Search.REST.SearchService

SearchService exposes three OData Service Operations.

- **postquery** supports HTTP POST and returns search results. The purpose of the **postquery** service operation is to overcome URI length restriction in the client or server, by transporting query parameters in the body section of the HTTP request.
- **query** supports HTTP GET and returns search results.
- **suggest** supports HTTP GET and returns search query suggestions.

### 3.1.5.7.1 Properties

#### 3.1.5.7.1.1 Scalar Properties

None.



### 3.1.5.7.1.2 ObjectPath Properties

None.

### 3.1.5.7.2 Methods

#### 3.1.5.7.2.1 Scalar Methods

##### 3.1.5.7.2.1.1 postquery

**Return Type:** Microsoft.Office.Server.Search.REST.SearchResult

The operation is used to retrieve search results through the use of the HTTP protocol with method type POST.

**Parameters:**

*request:* As specified in section [3.1.5.5](#).

Type: Microsoft.Office.Server.Search.REST.SearchRequest

##### 3.1.5.7.2.1.2 query

**Return Type:** Microsoft.Office.Server.Search.REST.SearchResult

The operation is used to retrieve search results by using the HTTP protocol with the GET method.

**Parameters:**

*querytext:* As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM String

*queryTemplate:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*enableInterleaving:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

*sourceId:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM GUID

*rankingModelId:* As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM String

*startRow:* As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*rowLimit:* As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*rowsPerPage:* As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*selectProperties*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*culture*: Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

Type: CSOM Int32

*refinementFilters*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*refiners*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*hiddenConstraints*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*sortList*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*enableStemming*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*trimDuplicates*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*timeout*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*enableNicknames*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*enablePhonetic*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*enableFQL*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

*hitHighlightedProperties*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM String

*bypassResultTypes*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

*processBestBets*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

*clientType*: Specifies the type of the query client. It MUST be of the **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

Type: CSOM String

*personalizationData*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.10.

Type: CSOM GUID

*resultsUrl*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*queryTag*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*trimDuplicatesIncludeId*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

Type: CSOM Int64

*totalRowsExactMinimum*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*impressionId*: MUST NOT be used.

Type: CSOM String

*properties*: Allows transport of additional and custom properties structured as comma separated name-value pairs.

Type: CSOM String

See section [3.1.5.29](#)

*enableQueryRules*: Specifies whether query rules are included when a search query is executed. If the value is true, query rules are applied in the search query. If the value is false, query rules MUST NOT be applied in the search query.

Type: CSOM Boolean

*summaryLength*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*maxSnippetLength*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*desiredSnippetLength*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*uiLanguage*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*blockDedupeMode*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*generateBlockRankLog*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*enableSorting*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

*collapseSpecification*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM String

*processPersonalFavorites*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*enableOrderingHitHighlightedProperty*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*hitHighlightedMultivaluePropertyLimit*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Int32

*queryTemplatePropertiesUrl*: Specifies an identifier which the protocol server MAY use to modify the client-specified **Properties** property (section [3.1.5.9.1.2.3](#)).

Type: CSOM String

### **3.1.5.7.2.1.3 suggest**

**Return Type:** Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

**Parameters:**

*querytext*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM String

*iNumberOfQuerySuggestions*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

*iNumberOfResultSuggestions*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

*fPreQuerySuggestions*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*fHitHighlighting*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*fCapitalizeFirstLetters*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*culture*: Specifies the identifier of the language culture of the search suggestion. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

Type: CSOM Int32

*enableStemming*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*showPeopleNameSuggestions*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

Type: CSOM Boolean

*enableQueryRules*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

*fPrefixMatchAllTerms*: As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

Type: CSOM Boolean

### 3.1.5.7.2.2 ObjectPath Methods

#### 3.1.5.7.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchService** object.

**Parameters:** None

### 3.1.5.8 Microsoft.Office.Server.Search.REST.SpecialTermResult

**TypeId:** {9D6EB278-1166-420E-8642-37887FEE2BDC}

**ShortName:** Microsoft.Office.Server.Search.REST.SpecialTermResult

SpecialTermResult is a row in the Table property of a SpecialTermResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

A row in a SpecialTermResults Table maps to one instance of SpecialTermResults.

A row in a SpecialTermResults Table MUST have the columns *Title*, *Url*, and *Description*, and it MAY have the column *IsVisualBestBet*. Each of these columns maps to corresponding property of the SpecialTermResult type.

#### 3.1.5.8.1 Properties

##### 3.1.5.8.1.1 Scalar Properties

###### 3.1.5.8.1.1.1 Description

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### **3.1.5.8.1.1.2 IsVisualBestBet**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

A value indicating whether the best bet should be rendered as an image.

### **3.1.5.8.1.1.3 Title**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### **3.1.5.8.1.1.4 Url**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### **3.1.5.8.1.1.5 PiSearchResultId**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

### **3.1.5.8.1.1.6 RenderTemplateId**

**Type:** CSOM String

**Accessibility:** Read/Write

An identifier indicating a suggested rendering template for the **SpecialTermResult** entity.

### **3.1.5.8.1.2 ObjectPath Properties**

None.

### **3.1.5.9 Microsoft.SharePoint.Client.Search.Query.KeywordQuery**

**TypeId:** {80173281-FFFD-47B6-9A49-312E06FF8428}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.KeywordQuery

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.9.1 Properties

#### 3.1.5.9.1.1 Scalar Properties

##### 3.1.5.9.1.1.1 BypassResultTypes

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

##### 3.1.5.9.1.1.2 Culture

**Type:** CSOM Int32

**Accessibility:** Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

##### 3.1.5.9.1.1.3 EnableInterleaving

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 3.1.4.7.3.1.

##### 3.1.5.9.1.1.4 EnableNicknames

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

##### 3.1.5.9.1.1.5 EnablePhonetic

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

##### 3.1.5.9.1.1.6 EnableStemming

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

##### 3.1.5.9.1.1.7 HiddenConstraints

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.1.8 QueryTag**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.1.9 QueryText**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.10 RankingModelId**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.11 Refiners**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.1.12 ResultsUrl**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.1.13 RowLimit**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.14 RowsPerPage**

**Type:** CSOM Int32

**Accessibility:** Read/Write



As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.15 ShowPeopleNameSuggestions**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.1.16 SourceId**

**Type:** CSOM GUID

**Accessibility:** Read/Write

Unique identifier of the result source.

### **3.1.5.9.1.1.17 StartRow**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.18 Timeout**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.19 TrimDuplicates**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.20 ClientType**

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

### **3.1.5.9.1.1.21 TrimDuplicatesIncludeId**

**Type:** CSOM Int64

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.9.1.1.22 ProcessBestBets**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.9.1.1.23 TotalRowsExactMinimum**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.9.1.1.24 EnableQueryRules**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

Specifies whether query rules are included when a search query is executed. If the value is true, query rules MAY be included in the search query. If the value is false, query rules MUST not be included in the search query.

#### **3.1.5.9.1.1.25 ImpressionID**

**Type:** CSOM String

**Accessibility:** Read/Write

MUST NOT be used.

#### **3.1.5.9.1.1.26 BlockDedupeMode**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.9.1.1.27 CollapseSpecification**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

#### **3.1.5.9.1.1.28 DesiredSnippetLength**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.29 EnableOrderingHitHighlightedProperty**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.30 EnableSorting**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.1.31 GenerateBlockRankLog**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.32 HitHighlightedMultivaluePropertyLimit**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.33 MaxSnippetLength**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.34 ProcessPersonalFavorites**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.1.35 QueryTemplate**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### 3.1.5.9.1.1.36 QueryTemplateParameters

**Type:** CSOM dictionary

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.9.1.1.37 SummaryLength

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.9.1.1.38 UILanguage

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.9.1.1.39 IgnoreSafeQueryPropertiesTemplateUrl

**Type:** CSOM Boolean

**Accessibility:** Read/Write

Specifies whether the **SafeQueryPropertiesTemplateUrl** (section [3.1.5.9.1.1.40](#)) property MAY be ignored by the protocol server.

### 3.1.5.9.1.1.40 SafeQueryPropertiesTemplateUrl

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies an identifier which the protocol server MAY use to modify the client-specified **Properties** property (section [3.1.5.9.1.2.3](#)).

## 3.1.5.9.1.2 ObjectPath Properties

### 3.1.5.9.1.2.1 HitHighlightedProperties

**Type:** Microsoft.SharePoint.Client.Search.Query.StringCollection

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 2.2.4.11.

### 3.1.5.9.1.2.2 PersonalizationData

**Type:** Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.9.1.2.3 Properties**

**Type:** Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.2.4 RefinementFilters**

**Type:** Microsoft.SharePoint.Client.Search.Query.StringCollection

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.2.5 SelectProperties**

**Type:** Microsoft.SharePoint.Client.Search.Query.StringCollection

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.2.6 SortList**

**Type:** Microsoft.SharePoint.Client.Search.Query.SortCollection

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.9.1.2.7 ReorderingRules**

**Type:** Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

## **3.1.5.9.2 Methods**

### **3.1.5.9.2.1 Scalar Methods**

#### **3.1.5.9.2.1.1 GetQuerySuggestionsWithResults**

**Return Type:** Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

**Parameters:**

*iNumberOfQuerySuggestions:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

*iNumberOfResultSuggestions*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Int32

*fPreQuerySuggestions*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*fHitHighlighting*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Boolean

*fCapitalizeFirstLetters*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Boolean

*fPrefixMatchAllTerms*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1

Type: CSOM Boolean

### **3.1.5.9.2.2 ObjectPath Methods**

#### **3.1.5.9.2.2.1 CSOM Constructor**

Initializes a new instance of the **KeywordQuery** object.

**Parameters:** None

### **3.1.5.10 Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties**

**TypeId:** {8E0AB106-FBFE-43F1-9CB7-329130820F89}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

#### **3.1.5.10.1 Properties**

##### **3.1.5.10.1.1 Scalar Properties**

None.

##### **3.1.5.10.1.2 ObjectPath Properties**

None.

#### **3.1.5.10.2 Methods**

##### **3.1.5.10.2.1 Scalar Methods**

###### **3.1.5.10.2.1.1 GetQueryPropertyValue**

**Return Type:** Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

Retrieves the value of a property based on the specified name

**Parameters:**

*name*: Name of a property in the KeywordQueryProperties complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1)

Type: CSOM String

### 3.1.5.10.2.1.2 SetQueryPropertyValue

**Return Type:** None

Sets the value of a property based on the specified name

**Parameters:**

*name*: Name of a property in the **KeywordQueryProperties** complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1)

Type: CSOM String

*val*: Value of the property to be set in the **KeywordQueryProperties** complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1). The value MUST conform to the specification in ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1)

Type: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

### 3.1.5.10.2.2 ObjectPath Methods

None.

### 3.1.5.11 Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

**TypeId:** {AAFD94AF-525A-4759-8410-F571A26F04BC}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

#### 3.1.5.11.1 Properties

##### 3.1.5.11.1.1 Scalar Properties

###### 3.1.5.11.1.1.1 IsBestBet

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

###### 3.1.5.11.1.1.2 Title

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

### **3.1.5.11.1.1.3 Url**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

### **3.1.5.11.1.1.4 HighlightedTitle**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3

### **3.1.5.11.1.2 ObjectPath Properties**

None.

## **3.1.5.12 Microsoft.SharePoint.Client.Search.Query.Query**

**TypeId:** {506FBB38-B10C-4CB3-80A0-9003A85B56ED}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.Query

Specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1 Properties**

#### **3.1.5.12.1.1 Scalar Properties**

##### **3.1.5.12.1.1.1 BypassResultTypes**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

##### **3.1.5.12.1.1.2 Culture**

**Type:** CSOM Int32

**Accessibility:** Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid LCID of a culture name, as specified in [\[RFC3066\]](#).

##### **3.1.5.12.1.1.3 EnableInterleaving**

**Type:** CSOM Boolean

**Accessibility:** Read/Write



As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.12.1.1.4 EnableNicknames**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.5 EnablePhonetic**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.6 EnableStemming**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.7 QueryTag**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### **3.1.5.12.1.1.8 QueryText**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.9 RankingModelId**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.10 ResultsUrl**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.12.1.1.11 RowLimit**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.12 RowsPerPage**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.13 ShowPeopleNameSuggestions**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### **3.1.5.12.1.1.14 SourceId**

**Type:** CSOM GUID

**Accessibility:** Read/Write

Unique identifier of the **result source**.

### **3.1.5.12.1.1.15 StartRow**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.16 Timeout**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.17 TrimDuplicates**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### 3.1.5.12.1.1.18 ClientType

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

### 3.1.5.12.1.1.19 ProcessBestBets

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

### 3.1.5.12.1.1.20 TotalRowsExactMinimum

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### 3.1.5.12.1.1.21 EnableQueryRules

**Type:** CSOM Boolean

**Accessibility:** Read/Write

Specifies whether query rules are included when a search query is executed. If the value is true, query rules MAY be included in the search query. If the value is false, query rules MUST not be included in the search query.

### 3.1.5.12.1.1.22 ImpressionID

**Type:** CSOM String

**Accessibility:** Read/Write

MUST NOT be used.

### 3.1.5.12.1.1.23 BlockDedupeMode

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### 3.1.5.12.1.1.24 DesiredSnippetLength

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.25 EnableOrderingHitHighlightedProperty**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.26 GenerateBlockRankLog**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.27 HitHighlightedMultivaluePropertyLimit**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.28 MaxSnippetLength**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.29 ProcessPersonalFavorites**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.30 QueryTemplate**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

#### **3.1.5.12.1.1.31 QueryTemplateParameters**

**Type:** CSOM dictionary

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.32 SummaryLength**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.33 UILanguage**

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.1.34 IgnoreSafeQueryPropertiesTemplateUrl**

**Type:** CSOM Boolean

**Accessibility:** Read/Write

The value of this property MUST be ignored by the protocol server.

### **3.1.5.12.1.1.35 SafeQueryPropertiesTemplateUrl**

**Type:** CSOM String

**Accessibility:** Read/Write

The value of this property MUST be ignored by the protocol server.

## **3.1.5.12.1.2 ObjectPath Properties**

### **3.1.5.12.1.2.1 HitHighlightedProperties**

**Type:** Microsoft.SharePoint.Client.Search.Query.StringCollection

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### **3.1.5.12.1.2.2 PersonalizationData**

**Type:** Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

### 3.1.5.12.2 Methods

#### 3.1.5.12.2.1 Scalar Methods

##### 3.1.5.12.2.1.1 GetQuerySuggestionsWithResults

**Return Type:** Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

**Parameters:**

*iNumberOfQuerySuggestions:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

*iNumberOfResultSuggestions:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

*fPreQuerySuggestions:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*fHitHighlighting:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*fCapitalizeFirstLetters:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

*fPrefixMatchAllTerms:* As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

##### 3.1.5.12.2.2 ObjectPath Methods

None.

### 3.1.5.13 Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

**TypeId:** {28D79F49-820A-4D51-BB2A-3309B3F4C54D}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

As specified in [\[MS-QSSWS\]](#) section 2.2.4.10.

#### 3.1.5.13.1 Properties

##### 3.1.5.13.1.1 Scalar Properties

None.

##### 3.1.5.13.1.2 ObjectPath Properties

None.

## 3.1.5.13.2 Methods

### 3.1.5.13.2.1 Scalar Methods

None.

### 3.1.5.13.2.2 ObjectPath Methods

#### 3.1.5.13.2.2.1 CSOM Constructor

Initializes a new instance of the **QueryPersonalizationData** object.

**Parameters:**

*guidUserIdString*: As specified by **UserId** in [\[MS-QSSWS\]](#) section 2.2.4.10.

Type: CSOM String

## 3.1.5.14 Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

**TypeId**: {B25BA502-71D7-4AE4-A701-4CA2FB1223BE}

**ShortName**: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

This object is used to store values of predefined types. The object MUST have a value set for only one of the property.

### 3.1.5.14.1 Properties

#### 3.1.5.14.1.1 Scalar Properties

##### 3.1.5.14.1.1.1 BoolVal

**Type**: CSOM Boolean

**Accessibility**: Read/Write

Specifies any arbitrary value of type CSOM Boolean. This property MUST have a value only if **QueryPropertyValueTypeId** is set to 3.

##### 3.1.5.14.1.1.2 IntVal

**Type**: CSOM Int32

**Accessibility**: Read/Write

Specifies any arbitrary value of type CSOM Int32. This property MUST have a value only if **QueryPropertyValueTypeId** is set to 2.

##### 3.1.5.14.1.1.3 QueryPropertyValueTypeId

**Type**: CSOM Int32

**Accessibility**: Read/Write

Specifies the type of data stored in this object. This MUST be set to one of the following values.

- 0: Specifies that no value is stored in this object.
- 1: Specifies that a CSOM String value is stored.
- 2: Specifies that a CSOM Int32 value is stored.
- 3: Specifies that a CSOM Boolean value is stored.
- 4: Specifies that a CSOM array of type CSOM String is stored.
- 5: Specifies that the value is an unsupported type.

#### **3.1.5.14.1.1.4 StrArray**

**Type:** CSOM array of CSOM String

**Accessibility:** Read/Write

Specifies any arbitrary value of type CSOM array. This property **MUST** have a value only if **QueryPropertyValueTypeIndex** is set to 4.

#### **3.1.5.14.1.1.5 StrVal**

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies any arbitrary value of type CSOM String. This property **MUST** have a value only if **QueryPropertyValueTypeIndex** is set to 1.

#### **3.1.5.14.1.2 ObjectPath Properties**

None.

### **3.1.5.15 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults**

**TypeId:** {EF071CB4-7FAB-4E8D-9480-F15D30DC696D}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

#### **3.1.5.15.1 Properties**

##### **3.1.5.15.1.1 Scalar Properties**

###### **3.1.5.15.1.1.1 PeopleNames**

**Type:** CSOM array of CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.



### 3.1.5.15.1.1.2 PersonalResults

**Type:** CSOM array of Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

### 3.1.5.15.1.1.3 Queries

**Type:** CSOM array of Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

### 3.1.5.15.1.2 ObjectPath Properties

None.

## 3.1.5.16 Microsoft.SharePoint.Client.Search.Query.ResultTable

**TypeId:** {6780DF59-1036-4912-829B-432354F22656}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.ResultTable

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.16.1 Properties

#### 3.1.5.16.1.1 Scalar Properties

##### 3.1.5.16.1.1.1 Properties

**Type:** CSOM dictionary

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

##### 3.1.5.16.1.1.2 QueryId

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

##### 3.1.5.16.1.1.3 ResultRows

**Type:** CSOM array of CSOM dictionary

**Accessibility:** Read Only

Contains the list of query results.

#### **3.1.5.16.1.1.4 RowCount**

**Type:** CSOM Int32

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.16.1.1.5 TableType**

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.16.1.1.6 TotalRows**

**Type:** CSOM Int32

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.16.1.1.7 GroupTemplateId**

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.16.1.1.8 ItemTemplateId**

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.16.1.1.9 QueryRuleId**

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

#### **3.1.5.16.1.1.10 ResultTitle**

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.16.1.1.11 ResultTitleUrl

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.16.1.1.12 TotalRowsIncludingDuplicates

**Type:** CSOM Int32

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.16.1.2 ObjectPath Properties

None.

## 3.1.5.17 Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

**TypeId:** {11F20D08-7F42-49C1-8C0C-8EE4C32B203E}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

### 3.1.5.17.1 Properties

#### 3.1.5.17.1.1 Scalar Properties

##### 3.1.5.17.1.1.1 ElapsedTime

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

##### 3.1.5.17.1.1.2 Properties

**Type:** CSOM dictionary

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

##### 3.1.5.17.1.1.3 QueryId

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

#### 3.1.5.17.1.1.4 SpellingSuggestion

**Type:** CSOM String

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.1.

#### 3.1.5.17.1.1.5 TriggeredRules

**Type:** CSOM array of CSOM GUID

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.1.

#### 3.1.5.17.1.1.6 QueryErrors

**Type:** CSOM dictionary

**Accessibility:** Read Only

As specified in [\[MS-QSWS\]](#) section 3.1.4.1.3.1.

#### 3.1.5.17.1.2 ObjectPath Properties

None.

### 3.1.5.18 Microsoft.SharePoint.Client.Search.Query.SearchExecutor

**TypeId:** {8D2AC302-DB2F-46FE-9015-872B35F15098}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.SearchExecutor

This object contains operations to execute a search query or a batch of search queries and retrieve a list of links to items and associated properties, crawled locally by the protocol server or by another search engine.

#### 3.1.5.18.1 Properties

##### 3.1.5.18.1.1 Scalar Properties

None.

##### 3.1.5.18.1.2 ObjectPath Properties

None.

#### 3.1.5.18.2 Methods

##### 3.1.5.18.2.1 Scalar Methods

###### 3.1.5.18.2.1.1 ExecuteQueries

**Return Type:** CSOM dictionary

This method is used to execute a batch of search queries and retrieve a list of links to items, crawled locally by the protocol server or by another search engine, that are relevant to the search query, together with associated properties, for all the search queries.

This method returns a dictionary where each row corresponds to a query object. Each row contains a *queryId* and query results that correspond to that *queryId*.

**Parameters:**

*queryIds*: Specifies a list of identifiers for the query objects in the *queries* parameter.

Type: CSOM array of CSOM String

*queries*: Specifies a list of query objects specified in section [3.1.5.12](#).

Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.Query

*handleExceptions*: Specifies how the protocol server SHOULD handle errors encountered while executing the list of search queries. If the value is "true", then the protocol server MUST execute all the search queries. For each search query that encounters an error, the protocol server MUST set the **QueryErrors** property specified in section [3.1.5.17.1.1.6](#) of the corresponding query result in the returned dictionary. If the value is "false", and any search query encounters an error, the protocol server MUST throw an exception that represents the error for any one of the search queries.

Type: CSOM Boolean

### 3.1.5.18.2.1.2 ExecuteQuery

**Return Type:** Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

This method is used to execute a search query and retrieve a list of links to items, crawled locally by the protocol server or by another search engine, that are relevant to the search query, together with associated properties.

This method returns a **ResultTableCollection** object that contains the query results for the search query

**Parameters:**

*query*: Specified in section [3.1.5.12](#).

Type: Microsoft.SharePoint.Client.Search.Query.Query

### 3.1.5.18.2.1.3 RecordPageClick

**Return Type:** None

Specified in [\[MS-QSSWS\]](#) section 3.1.4.16.

**Parameters:**

*pageInfo*: MUST be set to the value of the **piPageImpression** property of the **ResultTableCollection**. If the **piPageImpression** property does not exist or is an empty string, then the client MUST NOT call this method. See **piPageImpression** in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

Type: CSOM String

Microsoft.SharePoint.Client.Web is specified in [\[MS-CSOMSPT\]](#) section 3.2.5.143.

*clickType*: As specified in [\[MS-QSSWS\]](#) section 3.1.4.16.4.1

Type: CSOM String

*blockType*: MUST be set to the value of the **piPageImpressionBlockType** property of the **ResultTable**. If the **piPageImpressionBlockType** property does not exist or is an empty string then the client MUST NOT call this method. See **piPageImpressionBlockType** in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

Type: CSOM Int32

*clickedResultId*: MUST be set to the value of the **piSearchResultId** column of the **ResultTable**. If the **piSearchResultId** column does not exist or is an empty string, then the client MUST NOT call this method. See **piSearchResultId** in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

Type: CSOM String

*subResultIndex*: The index of the document associated with a search result. MUST be 0 if the search result is clicked or MUST be a 1-based index of a document returned in the **deeplinks** column of a corresponding **ResultTable**. Documents in the **deeplinks** column are represented as encoded URLs separated by spaces.

Type: CSOM Int32

*immediacySourceId*: See **SourceId** in section [3.1.5.12.1.1.14](#).

Type: CSOM String

*immediacyQueryString*: See **QueryText** in section [3.1.5.12.1.1.8](#).

Type: CSOM String

*immediacyTitle*: See **ResultTitle** in section [3.1.5.16.1.1.10](#).

Type: CSOM String

*immediacyUrl*: See **ResultTitleUrl** in section [3.1.5.16.1.1.11](#).

Type: CSOM String

### 3.1.5.18.2.1.4 ExportPopularQueries

**Return Type:** CSOM array of Microsoft.SharePoint.Client.Search.Query.PopularQuery

This method is used to get a list of popular search queries executed on the specified **site (2)**.

**Parameters:**

*web*: The site (2) that is used by the protocol server to identify the **context** of the popular query export.

Type: Microsoft.SharePoint.Client.Web

*sourceId*: Specifies the unique identifier of the result source to use for exporting popular queries.

Type: CSOM GUID

### 3.1.5.18.2.2 ObjectPath Methods

#### 3.1.5.18.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchExecutor** object.

**Parameters:** None

### 3.1.5.19 Microsoft.SharePoint.Client.Search.Query.Sort

**TypeId:** {2CD54EF7-C2B3-4405-BCE3-EC521D35A7EB}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.Sort

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

#### 3.1.5.19.1 Properties

##### 3.1.5.19.1.1 Scalar Properties

###### 3.1.5.19.1.1.1 Direction

**Type:** Microsoft.SharePoint.Client.Search.Query.SortDirection

**Accessibility:** Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

###### 3.1.5.19.1.1.2 Property

**Type:** CSOM String

**Accessibility:** Read/Write

For details, see **strProperty**, as specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

##### 3.1.5.19.1.2 ObjectPath Properties

None.

### 3.1.5.20 Microsoft.SharePoint.Client.Search.Query.SortCollection

**TypeId:** {F5A89F94-DB5D-4ABE-B9EC-DC6B306DF93E}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.SortCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.4.

#### 3.1.5.20.1 Properties

##### 3.1.5.20.1.1 Scalar Properties

None.

### 3.1.5.20.1.2 ObjectPath Properties

None.

### 3.1.5.20.2 Methods

#### 3.1.5.20.2.1 Scalar Methods

##### 3.1.5.20.2.1.1 Add

**Return Type:** None

Adds a new element of type `Microsoft.SharePoint.Client.Search.Query.Sort` to the collection and returns a reference to the added `Microsoft.SharePoint.Client.Search.Query.Sort`.

**Parameters:**

*strProperty*: Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

Type: CSOM String

*direction*: Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

Type: `Microsoft.SharePoint.Client.Search.Query.SortDirection`

##### 3.1.5.20.2.1.2 Clear

**Return Type:** None

Deletes all the elements in the collection.

**Parameters:** None

#### 3.1.5.20.2.2 ObjectPath Methods

None.

### 3.1.5.21 Microsoft.SharePoint.Client.Search.Query.SortDirection

**ShortName:** `Microsoft.SharePoint.Client.Search.Query.SortDirection`

**Flag:** false

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

#### 3.1.5.21.1 Field Values

##### 3.1.5.21.1.1 Ascending

**Value:** 0

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

##### 3.1.5.21.1.2 Descending

**Value:** 1



As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

### **3.1.5.21.1.3 FQLFormula**

**Value:** 2

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

### **3.1.5.22 Microsoft.SharePoint.Client.Search.Query.StringCollection**

**TypeId:** {17C6C8BA-C570-4DB1-993A-FBACF4E4EF07}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.StringCollection

Contains a collection of arbitrary string values.

#### **3.1.5.22.1 Properties**

##### **3.1.5.22.1.1 Scalar Properties**

None.

##### **3.1.5.22.1.2 ObjectPath Properties**

None.

#### **3.1.5.22.2 Methods**

##### **3.1.5.22.2.1 Scalar Methods**

###### **3.1.5.22.2.1.1 Add**

**Return Type:** None

Adds an arbitrary string value to the collections.

**Parameters:**

*property:* A single string value

Type: CSOM String

###### **3.1.5.22.2.1.2 Clear**

**Return Type:** None

Deletes all the string values in the collection.

**Parameters:** None

##### **3.1.5.22.2.2 ObjectPath Methods**

###### **3.1.5.22.2.2.1 CSOM Constructor**

Initializes a new instance of the **StringCollection** object.

**Parameters:** None

### 3.1.5.23 Microsoft.SharePoint.Client.Search.Query.RankingLabeling

**TypeId:** {E2533389-4387-4EBE-8DF7-11AF5568AED5}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.RankingLabeling

Provides methods for getting and adding **relevance judgments**.

#### 3.1.5.23.1 Properties

##### 3.1.5.23.1.1 Scalar Properties

None.

##### 3.1.5.23.1.2 ObjectPath Properties

None.

#### 3.1.5.23.2 Methods

##### 3.1.5.23.2.1 Scalar Methods

###### 3.1.5.23.2.1.1 AddJudgment

**Return Type:** None

Adds a single relevance judgment for the specified **query** and URL pair.

**Parameters:**

*userQuery:* User query for which the relevance judgment is added.

Type: CSOM String

*url:* URL for which the relevance judgment is added.

Type: CSOM String

*labelId:* The judgment for this query-URL pair as represented by an **Int16**. This value MUST be between 1 and 5 inclusive.

Type: **CSOM Int16**

###### 3.1.5.23.2.1.2 GetJudgementsForQuery

**Return Type:** CSOM dictionary

Retrieves all known relevance judgments for the specified query. The returned dictionary MUST map the URL of the document to the relevance judgment label. The label MUST be an integer value between 1 and 5 inclusive.

**Parameters:**

*query:* Query string for which relevance judgments are to be retrieved.

Type: CSOM String

### 3.1.5.23.2.1.3 NormalizeResultUrl

**Return Type:** CSOM String

A URL string after normalization. The input and output URL strings MUST resolve to the same document.

**Parameters:**

*url*: The URL for which the relevance judgment is added.

Type: CSOM String

### 3.1.5.23.2.2 ObjectPath Methods

#### 3.1.5.23.2.2.1 CSOM Constructor

Initializes a new instance of the **RankingLabeling** object.

**Parameters:** None

### 3.1.5.24 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

**TypeId:** {44908C33-C578-4342-905A-EE284B67B415}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

#### 3.1.5.24.1 Properties

##### 3.1.5.24.1.1 Scalar Properties

###### 3.1.5.24.1.1.1 IsPersonal

**Type:** CSOM Boolean

**Accessibility:** Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

###### 3.1.5.24.1.1.2 Query

**Type:** CSOM String

**Accessibility:** Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

###### 3.1.5.24.1.2 ObjectPath Properties

None.

### 3.1.5.25 Microsoft.Office.Server.Search.REST.SpecialTermResults

**TypeId:** {185764A3-378A-4436-B87D-6B5CD50B8E6A}

**ShortName:** Microsoft.Office.Server.Search.REST.SpecialTermResults

SpecialTermResults is a SpecialTermResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

Each entry in the Table property from the SpecialResults Table is mapped to a SpecialTermResult entry accessible through the **Results** property.

#### 3.1.5.25.1 Properties

##### 3.1.5.25.1.1 Scalar Properties

###### 3.1.5.25.1.1.1 Properties

**Type:** CSOM dictionary

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.25.1.1.2 Results

**Type:** CSOM array of Microsoft.Office.Server.Search.REST.SpecialTermResult

**Accessibility:** Read/Write

As specified in section [3.1.5.8](#).

Contains the list of **SpecialTermResult** entries.

###### 3.1.5.25.1.1.3 GroupTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.25.1.1.4 ItemTemplateId

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

###### 3.1.5.25.1.1.5 ResultTitle

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.25.1.1.6 ResultTitleUrl

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

### 3.1.5.25.1.2 ObjectPath Properties

None.

### 3.1.5.26 Microsoft.SharePoint.Client.Search.Query.ReorderingRule

**TypeId:** {D8566F46-74B1-4D92-BA88-0EFD23B36F71}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.ReorderingRule

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

#### 3.1.5.26.1 Properties

##### 3.1.5.26.1.1 Scalar Properties

###### 3.1.5.26.1.1.1 Boost

**Type:** CSOM Int32

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

###### 3.1.5.26.1.1.2 MatchType

**Type:** Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

###### 3.1.5.26.1.1.3 MatchValue

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

##### 3.1.5.26.1.2 ObjectPath Properties

None.

### 3.1.5.27 Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

**TypeId:** {B0522938-E1B7-4FC4-A6A8-BD3ED873E614}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.7.

### 3.1.5.27.1 Properties

#### 3.1.5.27.1.1 Scalar Properties

None.

#### 3.1.5.27.1.2 ObjectPath Properties

None.

### 3.1.5.27.2 Methods

#### 3.1.5.27.2.1 Scalar Methods

##### 3.1.5.27.2.1.1 Add

**Return Type:** None

Adds a new element of type **Microsoft.SharePoint.Client.Search.Query.ReorderingRule** as specified in section [3.1.5.26](#) to the collection and returns a reference to the added Microsoft.SharePoint.Client.Search.Query.ReorderingRule element.

**Parameters:**

*matchType:* See section [3.1.5.28](#).

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

*matchValue:* [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

Type: CSOM String

*boost:* [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

Type: CSOM Int32

##### 3.1.5.27.2.1.2 Clear

**Return Type:** None

Deletes all the elements from the collection.

**Parameters:** None

#### 3.1.5.27.2.2 ObjectPath Methods

None.

### 3.1.5.28 Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

**ShortName:** Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

**Flag:** false

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

### **3.1.5.28.1 Field Values**

#### **3.1.5.28.1.1 ResultContainsKeyword**

**Value:** 0

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.2 TitleContainsKeyword**

**Value:** 1

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.3 TitleMatchesKeyword**

**Value:** 2

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.4 UrlStartsWith**

**Value:** 3

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.5 UriExactlyMatches**

**Value:** 4

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.6 ContentTypeIs**

**Value:** 5

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.7 FileExtensionMatches**

**Value:** 6

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

#### **3.1.5.28.1.8 ResultHasTag**

**Value:** 7

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

### 3.1.5.28.1.9 ManualCondition

**Value:** 8

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

### 3.1.5.29 Microsoft.Office.Server.Search.REST.QueryProperty

**TypeId:** {742338CA-8301-4574-9D77-BFF2AF39AD62}

**ShortName:** Microsoft.Office.Server.Search.REST.QueryProperty

This object stores additional or custom properties for a search query. A **QueryProperty** is structured as name-value pairs.

The value **MUST** conform to the specification in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

#### 3.1.5.29.1 Properties

##### 3.1.5.29.1.1 Scalar Properties

###### 3.1.5.29.1.1.1 Name

**Type:** CSOM String

**Accessibility:** Read/Write

Name of a property in **CSOM String** format.

This property stores the name part of the **QueryProperty** name-value pair.

###### 3.1.5.29.1.1.2 Value

**Type:** Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

**Accessibility:** Read/Write

As specified in section [3.1.5.14](#).

This property stores the value part of the **QueryProperty** name-value pair.

###### 3.1.5.29.1.2 ObjectPath Properties

None.

### 3.1.5.30 Microsoft.Office.Server.Search.REST.Refiner

**TypeId:** {63EEBA68-040C-4B26-8590-EB2E4153163F}

**ShortName:** Microsoft.Office.Server.Search.REST.Refiner

Refiner is an **ArrayOfRefinement** as specified in [\[MS-QSSWS\]](#) section [3.1.4.1.3.9](#).

A refiner contains a CSOM array, with entries, of the types as specified in section [3.1.5.2](#). All entries in the array **MUST** share the same **RefinerName**, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6), accessed through the **Name** property of the refiner containing these entries.



### 3.1.5.30.1 Properties

#### 3.1.5.30.1.1 Scalar Properties

##### 3.1.5.30.1.1.1 Entries

**Type:** CSOM array of Microsoft.Office.Server.Search.REST.RefinerEntry

**Accessibility:** Read/Write

An array of **RefinerEntry** as specified in section [3.1.5.2](#).

##### 3.1.5.30.1.1.2 Name

**Type:** CSOM String

**Accessibility:** Read/Write

As specified as Refinement.RefinerName in [\[MS-QSSWS\]](#) section [3.1.4.1.3.10](#).

#### 3.1.5.30.1.2 ObjectPath Properties

None.

### 3.1.5.31 Microsoft.Office.Server.Search.REST.RefinerEntry

**TypeId:** {316905B6-359D-44A3-B728-25F2D292E1E8}

**ShortName:** Microsoft.Office.Server.Search.REST.RefinerEntry

As specified in [\[MS-QSSWS\]](#) section [3.1.4.1.3.10](#).

#### 3.1.5.31.1 Properties

##### 3.1.5.31.1.1 Scalar Properties

###### 3.1.5.31.1.1.1 RefinementCount

**Type:** CSOM Int64

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section [3.1.4.1.3.10](#).

###### 3.1.5.31.1.1.2 RefinementName

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section [3.1.4.1.3.10](#).

###### 3.1.5.31.1.1.3 RefinementToken

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section [3.1.4.1.3.10](#).

#### **3.1.5.31.1.1.4 RefinementValue**

**Type:** CSOM String

**Accessibility:** Read/Write

As specified in [\[MS-QSSWS\]](#) section [3.1.4.1.3.10](#).

#### **3.1.5.31.1.2 ObjectPath Properties**

None.

### **3.1.5.32 Microsoft.Office.Server.Search.WebControls.ControlMessage**

**TypeId:** {D3DFEF63-4D44-497D-B936-047135645AD7}

**ShortName:** Microsoft.Office.Server.Search.WebControls.ControlMessage

This object stores information about a search query exception.

#### **3.1.5.32.1 Properties**

##### **3.1.5.32.1.1 Scalar Properties**

###### **3.1.5.32.1.1.1 code**

**Type:** CSOM Int32

**Accessibility:** Read Only

This property is not used and MUST be -1.

###### **3.1.5.32.1.1.2 correlationID**

**Type:** CSOM String

**Accessibility:** Read Only

The **GUID** used to log all the information for a search query in diagnostic logs.

###### **3.1.5.32.1.1.3 encodeDetails**

**Type:** CSOM Boolean

**Accessibility:** Read Only

If TRUE, the protocol client MUST interpret the **messageDetails** as **HTML**.

###### **3.1.5.32.1.1.4 header**

**Type:** CSOM String

**Accessibility:** Read Only

This property is not used and MUST be null.

#### **3.1.5.32.1.1.5 level**

**Type:** Microsoft.Office.Server.Search.WebControls.MessageLevel

**Accessibility:** Read Only

MUST be **MessageLevel.Error** as specified in section [3.1.5.33.1.3](#).

#### **3.1.5.32.1.1.6 messageDetails**

**Type:** CSOM String

**Accessibility:** Read Only

The detailed message of the search query exception.

#### **3.1.5.32.1.1.7 messageDetailsForViewers**

**Type:** CSOM String

**Accessibility:** Read Only

This property is not used and MUST be an empty string.

#### **3.1.5.32.1.1.8 serverTypeId**

**Type:** CSOM String

**Accessibility:** Read Only

A unique identifier of the **ControlMessage** (section [3.1.5.32](#)) object. MUST have the value of "{D3DFEF63-4D44-497D-B936-047135645AD7}"

#### **3.1.5.32.1.1.9 showForViewerUsers**

**Type:** CSOM Boolean

**Accessibility:** Read Only

This property is not used and MUST be true.

#### **3.1.5.32.1.1.10 showInEditModeOnly**

**Type:** CSOM Boolean

**Accessibility:** Read Only

This property is not used and MUST be false.

#### **3.1.5.32.1.1.11 stackTrace**

**Type:** CSOM String

**Accessibility:** Read Only

The stack trace of the search query exception.

### 3.1.5.32.1.1.12 type

**Type:** CSOM String

**Accessibility:** Read Only

The class name of the search query exception.

### 3.1.5.32.1.2 ObjectPath Properties

None.

## 3.1.5.33 Microsoft.Office.Server.Search.WebControls.MessageLevel

**ShortName:** Microsoft.Office.Server.Search.WebControls.MessageLevel

**Flag:** false

Severity level of the **ControlMessage** as specified in section [3.1.5.32](#).

### 3.1.5.33.1 Field Values

#### 3.1.5.33.1.1 Information

**Value:** 0

Indicates that the **ControlMessage** (section [3.1.5.32](#)) is informational.

#### 3.1.5.33.1.2 Warning

**Value:** 1

Indicates that the **ControlMessage** (section [3.1.5.32](#)) is a warning.

#### 3.1.5.33.1.3 Error

**Value:** 2

Indicates that the **ControlMessage** (section [3.1.5.32](#)) is an error.

## 3.1.5.34 Microsoft.SharePoint.Client.Search.Administration.DocumentCrawlLog

**TypeId:** {5C5CFD42-0712-4C00-AE49-23B33BA34ECC}

**ShortName:** Microsoft.SharePoint.Client.Search.Administration.DocumentCrawlLog

This object contains methods that can be used by the protocol client to retrieve information about items that were crawled.

### 3.1.5.34.1 Properties

#### 3.1.5.34.1.1 Scalar Properties

None.

#### 3.1.5.34.1.2 ObjectPath Properties

None.

### 3.1.5.34.2 Methods

#### 3.1.5.34.2.1 Scalar Methods

##### 3.1.5.34.2.1.1 GetCrawledUrls

**Return Type:** Microsoft.SharePoint.Client.SimpleDataTable

This method is used to retrieve information about all the contents that were crawled. Microsoft.SharePoint.Client.SimpleDataTable is specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3.

**Parameters:**

*getCountOnly:* If true, only the count of the contents crawled MUST be returned. If false, all the information about the crawled contents MUST be returned.

Type: CSOM Boolean

*maxRows:* maximum number of rows to be returned. If 0 is specified, all the rows are be returned. The protocol server MUST NOT return more rows than specified by the maxRows parameter, if it is not 0.

Type: CSOM Int64

*queryString:* Specifies the URL pattern for which crawled documents MUST be returned. The specified pattern MUST match all literal characters except for the character '\*'. The '\*' character MUST match any number of arbitrary characters.

Type: CSOM String

*isLike:* If true, the pattern specified in *queryString* MUST be used as the prefix while matching the URLs of the crawled content. If false, the pattern specified in *queryString* MUST be used to exactly match the URLs of the crawled content.

Type: CSOM Boolean

*contentSourceID:* Unique identifier of the **content source**. If specified, only the crawled contents that are associated with the content source MUST be returned.

Type: CSOM Int32

*errorLevel:* Specifies the type of crawled content that MUST be returned. MUST be set to one of the following values: **-1**: All the crawled content MUST be returned. **0**: Only contents that were successfully crawled MUST be returned. **1**: Only contents that generated a warning during a crawl MUST be returned. **2**: Only contents that generated an error during a crawl MUST be returned. **3**:

Only contents that were previously in the index but removed during the latest crawl MUST be returned.

Type: CSOM Int32

*errorID*: MUST be set to -1.

Type: CSOM Int32

*startDateTime*: If set to **DateTime.MinValue**, information about all the crawled contents MUST be returned. If not, only information about contents that were crawled after this datetime MUST be returned.

Type: **CSOM DateTime**

*endDateTime*: If set to **DateTime.MaxValue**, information about all the crawled contents MUST be returned. If not, only information about contents that were crawled before this datetime MUST be returned.

Type: CSOM DateTime

### 3.1.5.34.2.2 ObjectPath Methods

#### 3.1.5.34.2.2.1 CSOM Constructor

Initializes a new instance of a **DocumentCrawlLog** object.

**Parameters:**

*site*: The site (2) for which information about items that were crawled is retrieved.

Type: Microsoft.SharePoint.Client.Site

Microsoft.SharePoint.Client.Site is specified in [\[MS-CSOMSPT\]](#) section 3.2.5.119.

#### 3.1.5.35 Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel

**ShortName:** Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel

**Flag:** false

This enumeration represents a site (2) server level.

##### 3.1.5.35.1 Field Values

###### 3.1.5.35.1.1 SPWeb

**Value:** 0

Represents the level of a site (2) server site.

###### 3.1.5.35.1.2 SPSite

**Value:** 1

Represents the level of a site (2) server site collection.

### 3.1.5.35.1.3 SPSiteSubscription

**Value:** 2

Represents the level of a site (2) server tenant.

### 3.1.5.35.1.4 Ssa

**Value:** 3

Represents the level of a site (2) server search service application.

### 3.1.5.36 Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

**TypeId:** {E6834C69-54C1-4BFC-9805-4B88406C28BB}

**ShortName:** Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

This object represents a site (2) server owner.

#### 3.1.5.36.1 Properties

##### 3.1.5.36.1.1 Scalar Properties

None.

##### 3.1.5.36.1.2 ObjectPath Properties

None.

#### 3.1.5.36.2 Methods

##### 3.1.5.36.2.1 Scalar Methods

None.

##### 3.1.5.36.2.2 ObjectPath Methods

###### 3.1.5.36.2.2.1 CSOM Constructor

Initializes a new **SearchObjectOwner** object.

**Parameters:**

*lowestCurrentLevelToUse:* Specifies the site (2) server level to use.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel

### 3.1.5.37

#### Microsoft.SharePoint.Client.Search.Portability.SearchConfigurationPortability

**TypeId:** {F44B2C90-DDC4-49C8-8D4D-4FB56DCC3247}

**ShortName:** Microsoft.SharePoint.Client.Search.Portability.SearchConfigurationPortability

This object contains methods that can be used to import, export, or delete search settings, which includes query rules, result sources, **managed properties**, **crawled properties**, and **ranking models**, to a site, site collection, tenant level, or search service application.

### 3.1.5.37.1 Properties

#### 3.1.5.37.1.1 Scalar Properties

##### 3.1.5.37.1.1.1 ImportWarnings

**Type:** CSOM String

**Accessibility:** Read Only

Specifies the warning messages that were generated during the import.

##### 3.1.5.37.1.2 ObjectPath Properties

None.

#### 3.1.5.37.2 Methods

##### 3.1.5.37.2.1 Scalar Methods

###### 3.1.5.37.2.1.1 ExportSearchConfiguration

**Return Type:** CSOM String

This method exports the search settings at the specified site (2) server level. This method **MUST** only export the search setting added by the user and **MUST NOT** export the out-of-box search settings.

**Parameters:**

*owningScope*: Specifies the site (2) server level at which to export the search settings.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

###### 3.1.5.37.2.1.2 ImportSearchConfiguration

**Return Type:** None

This method imports the search settings at the specified site (2) server level.

**Parameters:**

*owningScope*: Specifies the site (2) server level at which to import the search settings.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

*searchConfiguration*: Specifies the search settings to be imported at the specified site (2) server level. This is obtained by exporting the search setting using the **ExportSearchConfiguration** (section [3.1.5.37.2.1.1](#)) method.

Type: CSOM String



### 3.1.5.37.2.1.3 DeleteSearchConfiguration

**Return Type:** None

This method deletes the search settings at the specified site (2) server level.

**Parameters:**

*owningScope*: Specifies the site (2) server level at which to delete the search settings.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

*searchConfiguration*: Specifies the search settings that MUST be deleted.

Type: CSOM String

### 3.1.5.37.2.2 ObjectPath Methods

#### 3.1.5.37.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchConfigurationPortability** object.

**Parameters:** None

### 3.1.5.38 Microsoft.SharePoint.Client.Search.Query.PopularQuery

**TypeId:** {CEA115D6-87EC-4E1C-AA4A-B8D44D6CD10D}

**ShortName:** Microsoft.SharePoint.Client.Search.Query.PopularQuery

This object is used by the **ExportPopularQuery** method (section [3.1.5.18.2.1.4](#)) and contains data about a popular query. Popular queries are used by query rules to trigger popular query conditions.

#### 3.1.5.38.1 Properties

##### 3.1.5.38.1.1 Scalar Properties

###### 3.1.5.38.1.1.1 ClickCount

**Type:** CSOM Int32

**Accessibility:** Read/Write

Specifies the number of times a user clicked at least once on any of the search results returned by this query.

###### 3.1.5.38.1.1.2 LCID

**Type:** CSOM Int32

**Accessibility:** Read/Write

Specifies the language of the query text as a language code identifier (LCID).

### **3.1.5.38.1.1.3 QueryCount**

**Type:** CSOM Int32

**Accessibility:** Read/Write

Specifies the number of times this query was issued.

### **3.1.5.38.1.1.4 QueryText**

**Type:** CSOM String

**Accessibility:** Read/Write

Specifies the text of this search query.

### **3.1.5.38.1.2 ObjectPath Properties**

None.

### **3.1.6 Timer Events**

None.

### **3.1.7 Other Local Events**

None.

## 4 Protocol Examples

### 4.1 Search for the keyword "home"

In this example a search is issued for the keyword "home".

#### Request

```
<Request xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009"
SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0" ApplicationName="Javascript Library">
  <Actions>
    <ObjectPath Id="191" ObjectPathId="190" />
    <SetProperty Id="192" ObjectPathId="190" Name="QueryText">
      <Parameter Type="String">home</Parameter>
    </SetProperty>
    <ObjectPath Id="194" ObjectPathId="193" />
    <Method Name="Clear" Id="195" ObjectPathId="193" />
    <SetProperty Id="196" ObjectPathId="190" Name="StartRow">
      <Parameter Type="Number">0</Parameter>
    </SetProperty>
    <ObjectPath Id="198" ObjectPathId="197" />
    <Method Name="Clear" Id="199" ObjectPathId="197" />
    <SetProperty Id="200" ObjectPathId="190" Name="HiddenConstraints">
      <Parameter Type="String"></Parameter>
    </SetProperty>
    <SetProperty Id="201" ObjectPathId="190" Name="Culture">
      <Parameter Type="Number">1033</Parameter>
    </SetProperty>
    <SetProperty Id="202" ObjectPathId="190" Name="RowsPerPage">
      <Parameter Type="Number">10</Parameter>
    </SetProperty>
    <SetProperty Id="203" ObjectPathId="190" Name="RowLimit">
      <Parameter Type="Number">10</Parameter>
    </SetProperty>
    <SetProperty Id="204" ObjectPathId="190" Name="TotalRowsExactMinimum">
      <Parameter Type="Number">31</Parameter>
    </SetProperty>
    <SetProperty Id="205" ObjectPathId="190" Name="SourceId">
      <Parameter Type="Guid">{8413cd39-2156-4e00-b54d-11efd9abdb89}</Parameter>
    </SetProperty>
    <SetProperty Id="206" ObjectPathId="190" Name="Refiners">
      <Parameter Type="String"></Parameter>
    </SetProperty>
    <SetProperty Id="207" ObjectPathId="190" Name="Refiners">
      <Parameter Type="String">Author(filter=7/0/*),LastModifiedTime(discretize=manual/2010-
11-17T08:00:00Z/2011-05-21T07:00:00Z/2011-10-18T07:00:00Z/2011-11-10T08:00:00Z/2011-11-
17T08:00:00Z),FormatId(filter=7/0/*),contentclass(filter=7/0/*)</Parameter>
    </SetProperty>
    <ObjectPath Id="209" ObjectPathId="208" />
    <Method Name="Clear" Id="210" ObjectPathId="208" />
    <Method Name="Add" Id="211" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">WorkId</Parameter>
      </Parameters>
    </Method>
    <Method Name="Add" Id="212" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">Rank</Parameter>
      </Parameters>
    </Method>
  </Actions>
</Request>
```

```

    </Parameters>
</Method>
<Method Name="Add" Id="213" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Title</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="214" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Author</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="215" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Size</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="216" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Path</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="217" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Description</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="218" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Write</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="219" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteName</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="220" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">CollapsingStatus</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="221" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">HitHighlightedSummary</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="222" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">HitHighlightedProperties</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="223" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ContentClass</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="224" ObjectPathId="208">
  <Parameters>

```

```

    <Parameter Type="String">IsDocument</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="225" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">PictureThumbnailURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="226" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="227" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedEmbedURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="228" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedPreviewURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="229" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">FileExtension</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="230" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">DocumentSummarySize</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="231" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">DocumentSummary</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="232" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ContentTypeId</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="233" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ParentLink</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="234" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ViewsLifeTime</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="235" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ViewsRecent</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="236" ObjectPathId="208">

```

```

    <Parameters>
      <Parameter Type="String">SectionNames</Parameter>
    </Parameters>
  </Method>
<Method Name="Add" Id="237" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SectionIndexes</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="238" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteLogo</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="239" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteDescription</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="240" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">deeplinks</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="241" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">importance</Parameter>
  </Parameters>
</Method>
<ObjectPath Id="243" ObjectPathId="242" />
<Method Name="Clear" Id="244" ObjectPathId="242" />
<SetProperty Id="245" ObjectPathId="190" Name="EnableStemming">
  <Parameter Type="Boolean">true</Parameter>
</SetProperty>
<SetProperty Id="246" ObjectPathId="190" Name="EnablePhonetic">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="247" ObjectPathId="190" Name="EnableNicknames">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="248" ObjectPathId="190" Name="TrimDuplicates">
  <Parameter Type="Boolean">true</Parameter>
</SetProperty>
<SetProperty Id="249" ObjectPathId="190" Name="ResultsUrl">
  <Parameter
Type="String">http://contoso/sites/search/_layouts/15/start.aspx#/sites/search/Pages/results.
aspx?k=page#hp=%7B%22Default%22%3A%7B%22s%22%3A1%2C%221%22%3A-1%2C%22d%22%3A-
1%2C%22k%22%3A%22home%22%2C%22o%22%3Anull%2C%22x%22%3Anull%2C%22r%22%3Anull%2C%22m%22%3A%22%2
2%7D%7D</Parameter>
  </SetProperty>
<SetProperty Id="250" ObjectPathId="190" Name="BypassResultTypes">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="251" ObjectPathId="190" Name="ClientType">
  <Parameter Type="String">UI</Parameter>
</SetProperty>
<ObjectPath Id="253" ObjectPathId="252" />
<Method Name="Clear" Id="254" ObjectPathId="252" />
<SetProperty Id="255" ObjectPathId="190" Name="EnableInterleaving">

```

```

    <Parameter Type="Boolean">false</Parameter>
  </SetProperty>
  <ObjectPath Id="257" ObjectPathId="256" />
  <ExceptionHandlingScope Id="258">
    <TryScope Id="260">
      <Method Name="ExecuteQueries" Id="262" ObjectPathId="256">
        <Parameters>
          <Parameter Type="Array">
            <Object Type="String">Default</Object>
          </Parameter>
          <Parameter Type="Array">
            <Object ObjectPathId="190" />
          </Parameter>
        </Parameters>
      </Method>
    </TryScope>
    <CatchScope Id="264" />
  </ExceptionHandlingScope>
</Actions>
<ObjectPaths>
  <Constructor Id="190" TypeId="{80173281-ffff-47b6-9a49-312e06ff8428}">
    <Parameters>
      <Parameter ObjectPathId="8" />
    </Parameters>
  </Constructor>
  <Property Id="193" ParentId="190" Name="SortList" />
  <Property Id="197" ParentId="190" Name="RefinementFilters" />
  <Property Id="208" ParentId="190" Name="SelectProperties" />
  <Property Id="242" ParentId="190" Name="HitHighlightedProperties" />
  <Property Id="252" ParentId="190" Name="ReorderingRules" />
  <Constructor Id="256" TypeId="{8d2ac302-db2f-46fe-9015-872b35f15098}" />
  <Property Id="8" ParentId="6" Name="Site" />
  <StaticProperty Id="6" TypeId="{3747adcd-a3c3-41b9-bfab-4a64dd2f1e0a}" Name="Current" />
</ObjectPaths>
</Request>

```

## Response

```

[
  {
    "SchemaVersion":"15.0.0.0","LibraryVersion":"15.0.3514.1000","ErrorInfo":null
  },191,{
    "IsNull":false
  },194,{
    "IsNull":false
  },198,{
    "IsNull":false
  },209,{
    "IsNull":false
  },243,{
    "IsNull":false
  },253,{
    "IsNull":false
  },257,{
    "IsNull":false
  },262,{
    "Default":{

```

```

_ObjectType_": "Microsoft.SharePoint.Client.Search.Query.ResultTableCollection", "ElapsedTime":
:514, "Properties": {
  "RowLimit": 10
}, "QueryId": "940b1d2c-322c-44c2-a493-4306e5321c37", "SpellingSuggestion": "", "TriggeredRules": [
], "ResultTables": [
  {
    "_ObjectType_": "Microsoft.SharePoint.Client.Search.Query.ResultTable", "GroupTemplateId": null,
    "ItemTemplateId": null, "Properties": {
      "GenerationId": "9223372036854775806", "QueryModification": "home -ContentClass:urn:content-
class:SPSPeople", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDis
play_Templates\u002fSearch\u002fDefaultGroup.js"
    }, "QueryId": "940b1d2c-322c-44c2-a493-4306e5321c37", "QueryRuleId": "00000000-0000-0000-0000-
000000000000",
    "ResultRows": [
      {
        "Rank": "3.49530363082886", "DocId": 200013, "WorkId": null, "Title": "\r\n\t\r\n\tHome\r\n\r\n", "Au
thor": "CONTOSO\MICHAL; | Michal Piaseczny |
CONTOSO\michal", "Size": 69282, "Path": "http:\u002f\contoso", "Description": "Content
site", "Write": "\/Date(2011,10,15,15,21,48,0)\/", "sitename": null, "CollapsingStatus": 0, "HitHigh
lightedSummary": "Page Image\r\n\u00a0\r\nPage Content\r\nWelcome to Microsoft?? SharePoint??
Server 15 (Technical Preview <ddd\u002f> Get started with the new version of Microsoft
SharePoint Server 15 (Technical Preview <ddd\u002f>
", "HitHighlightedProperties": "<HHTitle>\r\n\t\r\n\tHome\r\n\r\n<\u002fHHTitle><HHUrl>http:\u0
02f\u002fcontoso<\u002fHHUrl>", "contentclass": "STS_Site", "IsDocument": false, "PictureThumbnail
URL": null, "ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreview
URL": null, "FileExtension": null, "ContentTypeId": null, "ParentLink": null, "ViewsLifeTime": null, "V
iewsRecent": null, "SectionNames": "", "SectionIndexes": "", "SiteLogo": null, "SiteDescription": "Con
tent
site", "deeplinks": "", "importance": 0, "OriginalPath": "http:\u002f\u002fcontoso", "ResultTypeIdLi
st": "23", "LastModifiedTime": null, "DocumentSummarySize": 2324, "DocumentSummary": "\/Base64Binary
(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTYkEAQ7MGIzeaS7B1pRyMpqyqBymVWZv1mFkDM7Z28995777333nvvfe6
0510J\u002ffff\u002fz9cZmQBbPbOStrJniGAqsgfP358Hz8i\u002fu\u002f\u002f+\u002f\u002f+v3+tx+PX+D
V+nV\u002fj1\u002fj1fr1f49f5NX6DX+PX+DV+jV\u002fj1\u002f81foNf49f5NX6NX+vX+DV+zV\u002fj1\u002
f81fuzX+I1\u002fjd\u002f21\u002fgNfo2U\u002fn\u002fn1\u002fj1fo29X+PX+TUE0M8j+nL339BP1\u002f
Rz5+iz6a\u002fxq\u002f7a7ylvle\u002fxq\u002f9a7T0+x9En\u002f9R9Pcfr+\u002f+6fT9n0+\u002f\u002
f8X086+in389ffd30M+\u002fl37+I\u002fTZP0Pt\u002f2X6+9+gd\u002f8d+v0\u002fpN\u002f\u002fU\u002
fruv6Wf\u002fy9\u002f5fTZ\u002f8X\u002ffylf81f\u002f9f4jeJ\u002fv9Wv+Wv9Gr\u002ftr\u002fljv8
aP\u002f5rJr7Hza\u002f56v8aDP\u002fjx+jUe0GeH9Nkpf\u002f81\u002fy1f42X9PP3\u002fjV\u002fnV\u
002fj+\u002fR7Rv\u002fP6e8FtVLRmx\u002fQe384vfFH0Xt\u002fHH32J9Fmf59\u002fxf\u002fmr\u002fBr
\u002fHX009\u002fG\u002f38+6nNP0Wf\u002fYvU7t+g\u002f\u002f\u002f79Pd\u002fRXD+O\u002frsVxDe\
\u002f53e+z9\u002fzV\u002f31\u002ffi1f63f4Nf4jX4twunX+rV\u002fjd\u002fui\u002fp1f41fQD8\u002f+r
V+vV\u002fjDv3c\u002frV+nV\u002fjHv3+6Nf6tX6Nz6jdm\u002fr796LfX\u002fxav+av8ZL+\u002fn3ovT+AP
subpUG\u002f\u002f\u002f6JfK\u002fk1fjG1\u002f0Poz+CYP3x9P8\u002fS+nnX0w\u002f\u002f3L6+d
fR+38TtF276fd\u002fkH7\u002fR+j9f5J+\u002fxfovX+d4P6bBPC\u002fos\u002fC\u002fruv6bfffXn9\u002
fF\u002fp7\u002f+Tvv91f+1f59dIfulf99f4zX\u002ftH\u002fs1fqdf+9f+NdJf+9f7NT6mz0a\u002f9m\u002f
wa9yn3w\u002fp\u002f0\u002fo789\u002f7V\u002f313j+a\u002fwav8av8Wv8LvTfp\u002fTf70P\u002fXdN\
\u002ffxz99xfTf\u002f8I\u002ffcf0n\u002f\u002fKf33P9J\u002ffz3\u002fmX0z\u002f\u002fYV
03x\u002fwa\u002f0Bv9Yvpv+4a\u002f9C3\u002ftT+i\u002fQ\u002frv+a\u002f9a\u002fwav8av8fzX\u00
2fjV+jZ8hzql+jSXxSM\u002fpr9G82sU\u002fNfJr7H+NWz6Tz4vqTd819NvOXEXWsx+jZ\u002f5NZ7S21NqubDvn
+hv0b37G\u002f8aCbV5Qb9f0bs\u002f82u8\u002fjUyarliGKn9PP01jq1tS\u002f10+ZvwLf12+mvM6ftL+gxQc
Ijn0nb14pzo38\u002fo79NHxVj9Yx+rgmvGbf4Mfvf0OhvHpfB7\u002fZjGhpRdzhaDaN5Qv6DTM0NIqXBPeC3z0jH
OV3wPyL+F\u002f3bfg+vvvur4GZntLnC27R0m8p9Yfx1PR7Q\u002f8\u002fp09\u002fd\u002fojYznPAL0WFGbp
fcN6HXJ\u002f6a\u002fxu6vcZ\u002f+3fo13vwa4KE5tQ08jHpK6U28f0mfgEqf078ykpYhC7+19A1GNmeM5ozZktu
n2gdGjrgKjF8M4zi2Xx\u002fTJzQXDUPBJDUMQaJ2a5594NjQHLzxi+izgn9Dq1PLTSv6f8Gylf4az7mfNn\u002fCvK
J1xu0MLVruL+UeZ4oVZqfmTzP+NOX3Vvxpq3z0k4qvtEH\u002f77gnjOiKW779Nsbs6KfQ11QbU0c41Pbfs8Mvk1wM
1T\u002ffkxGbZ59qfOGvp8yNiXBgxaR\u002fS\u002fo2fo33P65CXjjz7OGYvFr2G4LaP\u002f9+UQFJpQ00C\u002ftr
LiRt6VhS\u002f4G+F0AyWkq+GglbZqfo3Rr+FkCGmaefBLnquWP8fYjulTfI5ZEQ5M7Qg+ot7R60S\u002f+Yg+ulC6r
myrnOcRuDoMADnEMuPvBU7FI8IcGCzR54Sp02UMpzSL4JALxQLfGFP9pFrGaR28XVnedYPhuGedGwgCagCjSrXfX2Q13F
9EfLkM57\u002fGSzLwlsY+XN6Hxpm+v6KpQvjf809og\u002fYp\u002f8nAAD\u002f\u002f\u002f)\", "Partitio
nId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "ResultTypeI
d": 23, "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fSiteItem.js", "piSearchResultId": "2_0_1_0"

```





```
fjXG9PSd+v2IPj+h77+gn6\u002fo50\u002fRZ9Nf49f9Nd7S36tF49f+NvR6\u002fQ+i3\u002f8w+vyPoXf+VPr55
9LffYH9\u002fCvo519L7\u002fxt9PPvpp\u002f\u002fEH32T1H7f5H+\u002ftfo3X+Lfv\u002f36ff\u002fmL7
7r+nn\u002f0T\u002f\u002f+XU5lfTz1\u002fj1\u002ffz1f41f\u002f9f89X6N3+TX\u002fHV+jd+Sfv8df81f+
9f4Xejev351+3qHPxvRz79f8DX6Nw1\u002ffz1\u002fo1juj3j\u002fTzt+n7L+nnG\u002ffr796af36f\u002ft+j7n
P4u6P8L+rumn5cE75fS\u002f\u002f\u002f\u002ffwX\u002fPX\u002fTX+WPrsT6I2fyp9\u002ffmfSzz+HYpzFv+av+Wv8
pfT9X0vf\u002fY30999BP\u002f9e+vsfod\u002f\u002ffafr9X\u002ffg1f91f4+Wv8Wv8Gr8G0ek3\u002ffjU+pf9
+H\u002ffrmv77w+i\u002ffP4b++wvvp3+I\u002ffv36b\u002f\u002ffmP775fTfr\u002ff9r\u002ffvq\u002f5u9A
\u002f\u002ff3u9N+a\u002ffvD6b+\u002fhv77G+m\u002ff4T++1d\u002ffzV\u002ffj1\u002ffg1fo1\u002ff9df8
NX6NnyGKV7\u002ffgkmb87\u002ffpr9H8GgX\u002ff9TO\u002ffx1P6ZvprRH+Nhf3uRH\u002ffLf42asEmozQv6\u002
2fYreOaf2Nf0n35eEHYD19FtOMPdGjFq\u002f\u002ffjUygrbiT1P7bvprHNOBLFU75W9CyPLt9NeY0\u002ffeXjNdr+
jftz6Tta8W50b+f0d+mj4oxf0Y\u002ff14TbjFv8mP3P9OLDvHnc7q3bjmdoNN2xhCPZNI4v6DfQe2j+UpInh9PtMLldq
7+IpPM1\u002ffzf+Gj9Jn6EN6PL7MGYpjSPjkaWET6UYhXyQUs1\u002ffWugnNon+HxMv7\u002ffklhm\u002ffk\u002
f4aXxTuObdtCW7OPyv6r6TfVgzFfCa9tF5LazVlziwJA0OpjDFJaZ5z\u002ffgs0BgeXPMK3PIacaWtgZwQhKEDxlChu0
V8F9XDN36X0lg\u002ff5L7Kue0LTK\u002ff6t0\u002ffHA8\u002ffPcwpPk1\u002ffja\u002ffot4Lxe\u002ffNrgA\
\u002ffaX6P5NSCT\u002ff08AAAD\u002ff\u002ffw==)\", "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\", "UrlZone": 0, "AAMEnabledManagedProperties": "Path; recommendedfor", "ResultTypeI
d": 23, "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fSiteItem.js", "piSearchResultId": "2_2_1_0"
}, {
"Rank": "1.49750876426697", "DocId": 200014, "WorkId": null, "Title": "\r\n\t\r\n\tHome - Corporate
Gallery
Site\r\n\r\n", "Author": "CONTOSO\MICHAL", "Size": 53253, "Path": "http:\u002f\u002fcontoso\u002fs
ites\u002fac5e5f64-8f6d-4a10-97b2-033f87225068", "Description": "Hosts Corporate Catalog and
Office Extension
Catalog", "Write": "\/Date(2011,10,15,15,0,28,0)\", "sitename": null, "CollapsingStatus": 0, "HitHi
ghlightedSummary": "|<c0>Home<\u002fc0> <ddd\u002f> Hosts Corporate Catalog and Office
Extension Catalog <ddd\u002f> ", "HitHighlightedProperties": "<HHTitle>\r\n\t\r\n\tHome -
Corporate Gallery
Site\r\n\r\n<\u002fHHTitle><HHUrl>http:\u002f\u002fcontoso\u002fsites\u002fac5e5f64-8f6d-
4a10-97b2-
033f87225068<\u002fHHUrl>", "contentclass": "STS_Site", "IsDocument": false, "PictureThumbnailURL"
: null, "ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreviewURL"
: null, "FileExtension": null, "ContentTypeId": null, "ParentLink": null, "ViewsLifetime": null, "Views
Recent": null, "SectionNames": "", "SectionIndexes": "", "SiteLogo": null, "SiteDescription": "Hosts
Corporate Catalog and Office Extension
Catalog", "deeplinks": "", "importance": 0, "OriginalPath": "http:\u002f\u002fcontoso\u002fsites\u0
02fac5e5f64-8f6d-4a10-97b2-
033f87225068", "ResultTypeIdList": "23", "LastModifiedTime": null, "DocumentSummarySize": 740, "Docu
mentSummary": "\/Base64Binary(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTYkEAQ7MGIZeaS7BlpRyMpqyqBymVW
ZV1mFkDM7Z28995777333nvvvfe60510J\u002ffff\u002ffz9cZmQbBpOstrJniGAqsgfP358Hz8i\u002ffu\u002f\u0
02f\u002f\u002f+v3+tx+PX+DV+s1\u002ffj1\u002ffg1fr1f49f5NX7jX+PHfo3f9tf49X+N3+XX+HV+jd\u002ffp
1\u002ffg1fo1f49f4dX+NX+\u002ffX+Lff4z4f7NX79X+O3+zv+7V\u002ffjd\u002ffo1fr1f48d\u002ffjR\u002ff7NbZ
\u002ffjV\u002ff\u002ff1\u002ffidfo1f49f4NX+NX+FX+I1+jR\u002ff7NX6bX+PX\u002ffzV+af3+Ef0+ot\u002ff36
feDX+PX+zW06ofJr\u002ffFr\u002ffRrPfo3f+Nd4Td\u002ff9vvtZ9NdIf02Kfr+mdn\u002ffQr\u002ffHr\u002ffhp\
\u002ff+K\u002ffxG\u002ff4afzL9\u002ffDp0519M7f9y+v9fTX\u002ff\u002ffjdTm76Y2\u002ff\u002ffCv8Wv\u002ff
Gv84vffP0d\u002ff\u002ffBv3979Pv\u002ffxml+a9\u002ffjV\u002ff31zj4NX6NX+PXoLa\u002ffLvX8EfV4QD0eUU+
vqaff16d\u002ffQQT9DyfIfwZB\u002ffosJ8190kP9qgvDv\u002ffxr\u002ffw6\u002ffxa\u002ffw8av8T\u002ff8G
r\u002ffGr\u002ffEzv8a3CZ\u002ffFr5ETjgn1Yf47oU\u002ffrX2PF\u002ff2a\u002ffRkvpf7\u002ffG5\u002ffRbsf
\u002ff19Nk1\u002ff361yj4m\u002ffdp+5r+n9Fn019j\u002ffmu8+TXW9NuSvq3432P6dErF\u002ffRf8WtM6P81v3
X9aznvt+s+AWX\u002ff4a5\u002ffRfwe3TX+P013jH0fJf8ZsU\u002ffmZ4YZif8G7Crfo0LEVtZQ382v8QVDF0ttWnqj
pL8E9ivCsuQ+n3Lbkf3deP18wdBzS0f8FIjP1fP6bflrZGjnzeNqI95RpgsmZLpr\u002ffEV\u002ffQZapUTVXPvHHP8
\u002ffaQA\u002ff\u002ff8=)\", "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\", "UrlZone": 0, "AAMEnabledManagedProperties": "Path; recommendedfor", "ResultTypeI
d": 23, "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fSiteItem.js", "piSearchResultId": "2_3_1_0"
}, {
"Rank": "0.88831901550293", "DocId": 200122, "WorkId": null, "Title": "\r\n\tPages - All
Documents\r\n", "Author": "Michal
Piaseczny", "Size": 0, "Path": "http:\u002f\u002fcontoso\u002fSiteDirectory\u002fPages\u002fForms
\u002fAllItems.aspx", "Description": "This system library was created by the Publishing feature
to store pages that are created in this
site.", "Write": "\/Date(2011,10,15,14,0,50,0)\", "sitename": null, "CollapsingStatus": 1, "HitHigh
lightedSummary": "|Search\r\n|SitesCurrently selected\r\n|File Not Found <ddd\u002f> Pages
\r\n\u00a0\r\nThis system library was created by the Publishing feature to store <ddd\u002f>
category \r\n\r\n\r\n\r\n11\u002ff15\u002ff2011 2:00 PM Michal Piaseczny \r\n\r\nSite directory
<c0>home<\u002fc0> <ddd\u002f> ", "HitHighlightedProperties": "<HHTitle>\r\n\tPages - All
```



02fSbD+G3rvf6T\u002f\u002f3Jq839Rm1\u002f2fnj\u002f+1f41f5zf+tX+NH\u002fuNyeb+xiSXv\u002fgV\u002f2f2v8Dn\u002f87\u002f5r\u002fI6\u002fmdHwNyYa0v8P6bvfk757St998Rv\u002ffpr\u002fg9\u002f\u002f4X\u002fPFX+P5v\u002fGv+Gn8AvZfT\u002f3+a2rT085pgXdPPX0p\u002f\u002f5H084+19n8q\u002ff\u002fP++PTX+PPp8\u002f+CoLxV\u002f\u002fGv96v8TRF7383f8P\u002fFmBjr\u002fFFP02f\u002fHP3\u002fFX\u002fyfNf8Nf49812P89t8N\u002f4T01\u002ffiNfhOyDb\u002fJr\u002fVr\u002fHa\u002fyw\u002fy3z8m\u002fw6v8YT+v+3fxPSRFtZG\u002ffr5+\u002ff8mv\u002favMaP\u002ffF7\u002fJb\u002fhrXP4mya\u002fxh\u002fwJv\u002fav8YfQ338ktfvjqM2f+Jv8ur\u002fGn04w\u002fSI\u002f4Xf7Nf4i+v1X02d\u002fHb33t\u002f4mv9Gv8Q9Ru3+c3vmX6PN\u002f9zchXvoTfqdf43+n33\u002ft35R46TdNfo3f\u002fdF9dx6NbfR\u002fvD+U9D599vQz+\u002ff8pr\u002f2r\u002fE1\u002ff\u002fNb\u002fob\u002fhoZtVn8ib\u002f2r7Giz6+o3c\u002ff8pr\u002f02fur\u002f02fg1fo1f49f4jem\u002f343++5z+u6b\u002ff\u002fnd673+1\u002ff\u002f4P+u+3\u002fTV\u002f219zRP99Qf\u002f9NP23pP+u6b8\u002fkV77E+i\u002ff4P++91\u002frd\u002f91yrpv2v6b\u002fwbrn7TP\u002ffg3\u002fTV+jV\u002ffj1\u002fidf9Nf49f4mV\u002ffj5Neof01+Tg5\u002f5v+Gs2vUFbFP\u002fFrPKVvpr\u002f02fg+tdY20909Lf816gJo4TavKDFr+idn\u002ffk1Xv8aGbVc\u002fRolfzLaz9Nf45jatgRzyt+Eb8m3019jTt9fcp+v6d9MP502rxWfhnfp0ze14LASHYBtznCn3Gam7zyjdwwfFWP+jH6u6T1p8WPf9JwB+130Yv4n\u002ffmG4N93RN\u002f0fbBf1V0qcTgwW4Ao8r+g2tpoxfptik1AbftgQF2LwKHCb8bsNw19Rj+muc6xtrfhetK+4PP+Wt1YcbYKf1yn3j226fgCvtDOYRp+2XxDsGX1+bcqY8iWBo4ZhLxnWLNqVzANL+vxmjJAz3tuGOKFLie4mcJfm2b4C6WbG2OhlHlCoz3huZiSdy+ffUlv4f031NrIQsb8NFWaxJA80Ak9\u002ffx76H37fpf\u002fu0v\u002fv0797v8YO\u002f53Sb+\u002f02fo39cB5xwT3Kni2ipMM7aU8a0zV9b2OqffFvxZiA\u002fanQSNpE8N1\u002f7cYWe4bEfyRn7OsfmL6N0Zz++S+Su12P0kc4N8Ajn5Lv01Yd6o6V1wouHlu7avp72e7v4avz\u002fRPaPfKuafxo4N8EGLSiHLGECf5oZvx6xDVr\u002fg06KY6TiW5npNv81+jc9+jV\u002ff8azzXz87o71\u002fy\u002ffxCoyLz\u002ffn+bb5\u002f02fSn+dEOzhEPPT19QDZPYzwhiej3KH+duxv8pmRrjC0PrTGZ5cE9Yp\u002ff26Nx3ufffkTLrOvLhuC++xElv0FqLjRuhC4XC1SwNcNYUu42+h1QxJL8NP11yeODHS3ojZ20PTfXrA9eM1a5UrtSUZvPmWYJf198Wts\u002f02fRof0WjNfHfEMeoa48e\u002fxieqr9KB\u002ffz7eMFOGFjmNe8UzDM1fMDZLj6+oYdPqMXvQdR9Gp0DM2f9+fuYsmLADxQztv0RYXBIGteM+9v0eUE\u002f50yvv+6zFgVXY6rvMA\u002fBFwJZiu4pf4wFUEh5RTt9f82eHjIn4Qw19uiQ4hwxt6LHbFC6eCLyqjLGUT2Hhs+pJ\u002ffpbxnLMVmVoIKfnS8Bwq6\u002fkduXsZ7Qn3B3nbsr4XxnGHaAV\u002fIvw0JRp+xxQDn5T0ycfUMmWueEP\u002ff8EcBlq\u002fd5iTDBWjGjFn8x+DchwxT+\u002ffjVeUwM8dUd+u9DeMvg+MPgoz0F4CA2Rb\u002f2fFnSH5JdM3UNq1W6kKHTEjGnws0\u002fTr0vRvVrRrxdRxeNA+bw+m7ImOwfh1nxEnmlELvF\u002fI\u002fA2ftVW995nVEb\u002fwa2Bm688L6Lpkz\u002fri\u002f8UzE90fPubvN08\u002f03T+JaydoMnk+u+m9kn2MYzifesoraxVwa\u002ffxkP6P306Vv4yvEfMxhq0TfHyJR\u002fFHXLHqArw0NpabPwTdf30s55xYLxeSS\u002f\u002ffX9j9+bflsSnUN74M+L4Z5faD2KM24RjvEXEnYV0xh27jPmPvf3L3kvD+Qd4xT6H\u002ff9fpvCC3vy5o\u002fBLhnlBMS\u002f002fARs4v2Rs5oRrNw\u002fxI8r\u002ffXFF+THT\u002fEfV\u002ff7qh\u002ff7\u002ff\u002ffj1P\u002ff\u002fNvX3O9TvRvAfHrm\u002fo08uFWqXX7vRtaPP01\u002ffjm4yvgvUPza9yUrfj\u002ff01i7yYT\u002ffP4918vNirIglms5Iu\u002f2fKM7HPOP3+S8ZRsGGjw7V9DvHoZo9DgdjbsMoCETJqYvHMO2vSOGoiwxn9G884jX8Nk5F6Sf+uqP\u002fVN5KRuk1EJTQoCVU8r0Em6Mf1WLHFcNx09DsS3iqv7sYfXhKo9nTN+Rzf\u002ffLba34Lce4bpgL+GsgPzXmUKdPwt0zvwwWNwv3SwHm7dzM3IEcFXEyoamhu0xui5NvMrfhZwLW1GN8+S\u002fT\u002ffv1m9T789Zw2CqH9OeH1Fv41v+oZnBuPEsvj\u002fEwAA\u002f\u002f8=)\/", "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\/", "UrlZone": "0", "AAMEnabledManagedProperties": "Path;recommendedfor", "ResultTypeId": "17", "RenderTemplateId": "~sitecollection\u002f\_catalogs\u002fmasterpage\u002fdisplayTemplates\u002fSearch\u002fDefaultItem.js", "piSearchResultId": "2\_4\_1\_0"}, {" "Rank": "0.320102453231812", "DocId": 200047, "WorkId": null, "Title": "\r\n\tCorporate Catalog - Featured content\r\n", "Author": "CONTOSO\MICHAL", "Size": 0, "Path": "http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-033f87225068\u002fCorporateCatalog\u002fForms\u002fFeaturedContent.aspx", "Description": "Corporate Catalog", "Write": "\\/Date(2011,10,15,14,31,14,0)\/", "sitename": null, "CollapsingStatus": 0, "HitHighlightedSummary": "|< Home < Corporate Catalog \r\n\u00a0\r\nCorporate Catalog< There are no items to show in this view of the &quot;Corporate Catalog&quot; list. To add a new item, click &quot;New < HitHighlightedProperties": "<HHTitle>\r\n\tCorporate Catalog - Featured content\r\n<\u002fHHTitle><HHTitle>http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-033f87225068\u002fCorporateCatalog\u002fForms\u002fFeaturedContent.aspx<\u002fHHTitle>", "contentclass": "STS\_List\_330", "IsDocument": false, "PictureThumbnailURL": null, "ServerRedirectedURL": null, "ServerRedirectedEmbedURL": null, "ServerRedirectedPreviewURL": null, "FileExtension": ".aspx", "ContentTypeId": null, "ParentLink": "http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-033f87225068", "ViewsLifeTime": null, "ViewsRecent": null, "SectionNames": "", "SectionIndexes": "", "SiteLogo": null, "SiteDescription": null, "deeplinks": null, "importance": null, "OriginalPath": "http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-033f87225068\u002fCorporateCatalog\u002fForms\u002fFeaturedContent.aspx", "ResultTypeIdList": "17", "LastModifiedTime": null, "DocumentSummarySize": 1058, "DocumentSummary": "\\/Base64Binary(7L0HYBxJliUmL23Ke39K9UrX4HShCIBgEyTykEAQ7MGIZeas7B1pRyMpqqqBymVWZv1mFkDM7Z28995777333nvvvf6051OJ\u002ff\u002ff29cZmqBbPbOstrJniGAqsqfP358Hz8\u002ff\u002ff\u002ff\u002ff+v3+tX+PX+DV+s\u002ffj1\u002ffg1fulf48d+jd\u002ff41\u002ffj1f43f9tf4DX6N9Nf49X+N3+nX+DV+jV\u002ffj1\u002ffixXyP5NX







f\u002fz9cZmQbBbPbOstrJniGAqsgfP358Hz8i\u002fu\u002f\u002f\u002f\u002f\u002fv3+tX+PX+DV+s1\u002ffj1  
\u002ffg1fu1f48d+jd\u002f41\u002ffj1f43f9t4tX+N3\u002fHX+PV\u002ffjd\u002ffp1\u002ffg1fo1f49f4sV8  
j+TV+\u002fv\u002ffjt\u002ffg1fp1f47f9NX6tX+N3+DV+3V8j\u002fTWSX+OTX+PX+TX+s1\u002ffj1\u002ffg1fs  
1f49f5NX6jX+PHfo3f5f49X+NX0C\u002ff0S\u002ffj+j3h\u002fTzhH7+XvTzY1\u002ffj1\u002ffolXv8av+6v8f  
v8GsmvMaO\u002ff57\u002ffGr\u002ffdrLon\u002ff61\u002ffjN\u002ffglf1fumv8Wv\u002ffGn8Itfujqf2fQp\u002ff  
92dTmL6ff\u002ff0b670+gd\u002ff7eX+M3\u002ffDX+Sfr5z9HPf5Pe\u002ffXfpnf+M4P0X9N1\u002ffR+\u002ff+T  
\u002ffT7L6PffxX9\u002ffD\u002ffo+1\u002ffz1\u002ffylf1f59f8dX6NH6P\u002ff\u002ffyb0+2\u002ff+a\u002ff  
7av8Zv82v+2K+R\u002ffp\u002ff\u002ffq9xhz67S5\u002ff0Wef\u002ffp\u002ff5q9QD8f02dPfs1f99c4o9+\u002ff  
002foP\u002ff\u002ffBP3\u002ffK\u002ffrs9\u002ffk1f71f4w+gn\u002ffmv+ev+Go9\u002ffjV\u002ffj1\u002ffg1  
qI9f10b3EWE\u002ffJ+yXhPEfTRj\u002ffKYTL30FY\u002ffr2E4T9HGp6bhOG\u002ffs9j9F7\u002ffG81\u002ffz+a  
\u002ff5+9B\u002ffP\u002ff1r\u002ffhq\u002ffxq\u002ffxa\u002ffz0r\u002ff1r\u002ffBo\u002ff82t8+9e0f03Fr5  
H\u002ffGr8xjflH7H8n9Gn9a6z43+zXaOn79Nf4nH4r6b+cPrumv1\u002ff\u002ffGgV\u002ffE2t7wr+hffvRXdNdfgP4  
X8b+3ab3+NRr6fEa\u002fftFRJSn+13D7nXufUER+\u002ffpM8KGNvLnx4TxBW1e02f49sptfCvqP9Ri3PGFhBb+g9vXN  
BfKbVbch9TaldSnnw6u\u002ffk1n0LCeNw0285ffI1QTin36fc\u002ff+mv8Y6xRtuC3sTP240LkDGSh8t9LeM0Yqz  
RT2K8Ki5D6fctspU8L18wVDz72RAUOM4QmN8Q2N0efvU4aPn0umn8zTgkdtKDqnn1f83Zi\u002ffnXOP6a9xyTDxTUXw5  
RtA+ugWI\u002ffYIpi111GP6\u002ffQ331RGGM\u002ff4JfHLtVTAAMf3xzpTogV5ecIu\u002ffIGZU3uq+8Zzgr0LTzH  
D6a3xVv+Eb9JVz8v2vAd7+fwIAAP\u002ff\u002ff\"/>\", "PartitionId": "\u002f\u002fGuid(0c37852b-34d0-418e-91c6-  
2ac25af4be5b)\"/>\", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "ResultTypeI  
d": 17, "RenderTemplateId": "~sitecollection\u002f\_catalogs\u002fmasterpage\u002fDisplay  
Templates\u002fSearch\u002fDefaultItem.js", "piSearchResultId": "2\_8\_1\_0"  
}, {  
"Rank": "0.00864100456237793", "DocId": 200043, "WorkId": null, "Title": "\r\n\tStyle Library - All  
Documents\r\n", "Author": "Office Automation Limited  
Client", "Size": 0, "Path": "http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-  
033f87225068\u002fStyle Library\u002fForms\u002fAllItems.aspx", "Description": "Use the style  
library to store style sheets, such as CSS or XSL files. The style sheets in this gallery can  
be used by this site or any of its  
subsites.", "Write": "\u002fDate(2011,10,15,14,31,2,0)\"/>\", "sitename": null, "CollapsingStatus": 0, "Hit  
HighlightedSummary": "<c0>Home<\u002ffc0> <ddd\u002f> Style Library \r\n\u000a0\r\nUse the  
style library to store style sheets, such as CSS or XSL files. The style sheets in this  
gallery can be used by this site or any of its subsites <ddd\u002f>  
", "HitHighlightedProperties": "<HHTitle>\r\n\tStyle Library - All  
Documents\r\n<\u002fHHTitle><HHUrl>http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-  
4a10-97b2-033f87225068\u002fStyle  
Library\u002fForms\u002fAllItems.aspx<\u002fHHUrl>", "contentclass": "STS\_List\_DocumentLibrary"  
, "IsDocument": false, "PictureThumbnailURL": null, "ServerRedirectedURL": null, "ServerRedirectedEm  
bedURL": null, "ServerRedirectedPreviewURL": null, "FileExtension": ".aspx", "ContentTypeId": null, "P  
arentLink": "http:\u002f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-  
033f87225068", "ViewsLifeTime": null, "ViewsRecent": null, "SectionNames": "", "SectionIndexes": "",  
"SiteLogo": null, "SiteDescription": null, "deeplinks": "", "importance": 0, "OriginalPath": "http:\u00  
2f\u002fcontoso\u002fsites\u002ffac5e5f64-8f6d-4a10-97b2-033f87225068\u002fStyle  
Library\u002fForms\u002fAllItems.aspx", "ResultTypeIdList": "17;21", "LastModifiedTime": null, "Do  
cumentSummarySize": 1532, "DocumentSummary": "\u002fBaseBinary(7L0HYBxJliUmL23Ke39K9UrX4H5hCIBgEYt  
YkEAQ7MGIzeas7B1pRyMpqqyqBymVWZV1mFkDM7Z28995777333nvvvf60510J\u002ff\u002ffz9cZmQbBbPbOstrJni  
GAqsgfP358Hz8i\u002fu\u002f\u002f\u002f\u002fv3+tX+PX+DV+s1\u002ffj1\u002ffg1fu1f49f9NX7s1\u00  
02ffj1f43f8t4tX+N3\u002ffbX+Lff42d+jV\u002ffj1\u002ffg1fo1f+9f4dX6NX\u002ffvX+A1+jV\u002ff31\u002ff  
hNfo1f\u002ff9f4bX6NX+vx+O1\u002ffjV\u002ff31\u002ffhdfo1f99f43X+NX+\u002ffX2P41fp1fy+\u002ffX+LV+j  
fu\u002ffxq\u002ff9azz8NX6tX+Pxr\u002ffFr\u002ffxq\u002ff56\u002ffx6\u002ff4an\u002ff8av\u002ffav8Xv9G  
r\u002ffur\u002ffETv8av92v83r\u002ffGr\u002ffVrf\u002ffX+HV+jT\u002ffg1\u002ffj1f435r\u002ffFr\u002ff  
xrlr\u002ffFr\u002ffRrVr\u002ffHr\u002ffBrTr\u002ffFr\u002ffRpXv8av82v8zK\u002ffx6\u002ffwaf\u002ffCv8  
Wv9Gn\u002ffYr\u002ffFr\u002ffxp\u002ff1K\u002ffxa\u002ff0af+yv8Wv\u002ffGn\u002ffir\u002ffEb\u002ffBrP  
f81f49f4NX+NX+fx+I1+jr\u002ff7NX6bX+PX\u002ffzV+Af3+0a\u002ffx6\u002ff4aw\u002ffT7\u002ffV\u002ffj1  
u002ff41HtL\u002ffP6\u002ffT+jv3+vx+LV+jRf0+xxv6\u002ff0\u002ff9Gr\u002fferzGhtf02U9TmyX9\u002ffEX0  
c03f\u002ffQz9\u002ffIP05x9Bbf54+vxPonZ\u002ff0r3\u002ff59PnfzH9\u002ffzFzR3381\u002ffzr60ffTP\u002ff  
f\u002ff002f+3v5u+\u002ffvp5z9EP\u002ff+xx+M3+DX+OXr3X6H\u002ff\u002ff9v0+39Cn\u002ff0X9P5\u002ffTzj  
r\u002ffTz\u002ff\u002ff1rJL\u002ffGj\u002ff2aP\u002ffZr\u002ffJa\u002ff5q\u002ff\u002ffa\u002ffwOv+av+2  
v8Lr\u002ffmb\u002ffhrfEI\u002ffd+jn4a\u002ff56\u002ffwav8ev+Rv8Gt\u002ff+NX+tX+M79NnLX\u002ffPX\u002ff  
2fjXe0\u002ffpd+\u002ffTz\u002ff\u002ffAPo+p59z+rmg\u002ff9f0+5ra\u002ffIC+\u002ff4MI3h9N7\u002ff4p  
9PPp\u002ff\u002ffAvr8L\u002ffk1f81f4y+jn38vtf0bqM3fTr\u002ff\u002ffPftDp\u002ffBr\u002ffng\u002ff  
j9ov\u002ff\u002ffT1P5fpt\u002ff\u002ffLfr+3\u002ff81f91f4\u002ffGv8Wv8Gr8Gj3XJSp+RKP452gU\u002ffwp  
h\u002fft8T5v8rYfs7\u002ffJq\u002ffc\u002ff23Q\u002ff8d0n+\u002ffB\u002ff33HrVh6P\u002ff\u002ffmX67z  
u002ff5NX+NX+PX+DX+k1\u002ffz1\u002ffg1fubX+PavUf0ai18j\u002ffzV+Y4zW\u002ffndCn9a\u002ffxor\u002ffz  
X6N1r5Pf43P6beS\u002ffsvps2v6+\u002ffWvUfA3r+nfa\u002ff48\u002ffTwe02cTfffaAOpfP9+9WS03KL9Neb8s  
u002ffHeKjtvtdSvtED\u002ff3dYNQ8jpk+bXGPHf619jSp+19H5D\u002ff54QRq\u002ffpJ95Nf43f3m35\u002ffTj\u002ff  
02ffPqQ+83\u002ffwaY\u002ffrrTQQLH25KrZeKbcF\u002ffX3RGP6W\u002ff0WLC7655dDP+ppz4r1EqGXzwljX\u002ff  
c69tNpqtW+atg3hndM1MK4vq02Mvjnn9xrGsGX8LvhdQETPU2pXEpwF\u002ffd0EM1EwzC8JAqgWzWxOf4133NeSe634J



```
+YpNvMn\u002fBvGXlGfgNww3l8w9LeM0Yq+zRT2K8JCaP2U206ZPq6fLxh67o0MGGIMT2iMMjcy75n+XDJHCHUWPGrDI
3P6eRWZr0uGiW+E0obvPtrArx\u002fRjZnQp2UgqjbtR9HlTuEe9JlR2xn\u002fFBH65YiEYgl+n\u002fOaU6INEx3A
L9CB88BFJxIopCjh\u002f0a9xrNC6\u002fT+n79f0m3D4V\u002fRbwVi9YfpiFiDL\u002f08AAAD\u002f\u002fw
==)\", \"PartitionId\": \"\\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b) \", \"UrlZone\": 0, \"AAMEnabledManagedProperties\": \"Path; recommendedfor\", \"ResultTypeI
d\": 17, \"RenderTemplateId\": \"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js\", \"piSearchResultId\": \"2_9_1_0\"
}, {
\"Rank\": \"0.00866818428039551\", \"DocId\": 200045, \"WorkId\": null, \"Title\": \"\\r\\n\\tOffice Extensions -
All
content\\r\\n\", \"Author\": \"CONTOSO\\MICHAL\", \"Size\": 0, \"Path\": \"http:\\u002f\u002fcontoso\u002fsites\\
u002fac5e5f64-8f6d-4a10-97b2-
033f87225068\u002foECatalog\u002fForms\u002fAllItems.aspx\", \"Description\": \"Office Extension
Catalog used to store Office Extension
manifests\", \"Write\": \"\\Date(2011,10,15,14,31,14,0) \", \"sitename\": null, \"CollapsingStatus\": 0, \"Hi
tHighlightedSummary\": \"|<c0>Home<\u002fc0> <ddd\u002f> Office Extensions \\r\\n\u00a0\\r\\nOffice
Extension Catalog used to store Office Extension manifests <ddd\u002f> There are no items to
show in this view of the &quot;Office Extensions&quot; list. To add a new item, click
&quot;New <ddd\u002f> \", \"HitHighlightedProperties\": \"<HHTitle>\\r\\n\\tOffice Extensions - All
content\\r\\n<\u002fHHTitle><HHUrl>http:\\u002f\u002fcontoso\u002fsites\u002fac5e5f64-8f6d-4a10-
97b2-
033f87225068\u002foECatalog\u002fForms\u002fAllItems.aspx<\u002fHHUrl>\", \"contentclass\": \"STS_L
ist_332\", \"IsDocument\": false, \"PictureThumbnailURL\": null, \"ServerRedirectedURL\": null, \"ServerRedi
rectedEmbedURL\": null, \"ServerRedirectedPreviewURL\": null, \"FileExtension\": \"aspx\", \"ContentTypeId
\": null, \"ParentLink\": \"http:\\u002f\u002fcontoso\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-
033f87225068\", \"ViewsLifetime\": null, \"ViewsRecent\": null, \"SectionNames\": \"\", \"SectionIndexes\": \"\",
\"SiteLogo\": null, \"SiteDescription\": null, \"deeplinks\": \"\", \"importance\": 0, \"OriginalPath\": \"http:\\u00
2f\u002fcontoso\u002fsites\u002fac5e5f64-8f6d-4a10-97b2-
033f87225068\u002foECatalog\u002fForms\u002fAllItems.aspx\", \"ResultTypeIdList\": \"17\", \"LastModif
iedTime\": null, \"DocumentSummarySize\": 1110, \"DocumentSummary\": \"\\Base64Binary(7L0HYBxJliUmL23Ke3
9K9UrX4HShCIbGeyTYkEAQ7MGIzeaS7B1pRyMpyqBymVWZV1mFkDM7Z28995777333nvvvfe6051OJ\u002ffff\u002f
z9cZmQbBpOstrJniGAqsgfP358Hz8i\u002fu\u002f\u002f+\u002f\u002f+\u002f\u002f+v3+tX+PX+DV+s1\u002fj1\u002fg
1fu1f49f7NZJfI\u002fk1ftt49f+NX7HX+PX\u002fzV+t1\u002fj1\u002fg1fo1f49f7NX79X+PHfo3f\u002fNf
49X+N3\u002f7X+HV+jV\u002fwa\u002fxav8bv+mv8ur\u002fGx7\u002fGr\u002fdrjH+NH\u002fslDn6NH\u002f
2fs1\u002frNf49f4NX7NX+PX+TV+o1\u002fjx36N3+bX+PV\u002fjV9Av3\u002f0a\u002fx6v8adXyP5NR7Sz9+T
Pv8Off6KpV\u002fur\u002fFr\u002fRo\u002f9Wv8ur\u002fGH0CfX9Dnv4j+\u002fwP6\u002fQ+i\u002f\u002f\u00
2f+Rv8Zv8Gv8Sb\u002fGr\u002flr\u002fGnU9s+lz\u002f8y+uyvJRh\u002fJ\u002f3+D9Nn\u002fxS998\u002f
2f\u002fGr\u002fhr\u002fFv08\u002f\u002fgH7+1wTv6fffxm98ysJ7v9Ov\u002f8av+av9Wv82r\u002fmr\u002f
002fNr\u002fAb08zekn78Z\u002ff+3pt9\u002fu1\u002fz1\u002f41fudf89f7NX63XzP5NXbos\u002ffps4f02
We\u002ff5q\u002ff5a\u002fwe9POEPjv7NX\u002fdx+M1\u002ff6G\u002fv970\u002ff9\u002fX\u002frsD6B3L
uhn+Wv+ur\u002fGwa\u002fXa\u002fwavwb18evS6D4iRH9AWP9BhOmfS5j+ZYTdP0XY\u002ffOE2X9AmP3XhN1\u002f
02f\u002f2u8\u002ffjVf\u002ff5p\u002fAP33i37NX+PX+DV+jV\u002f0a\u002f4av8bP\u002fBrf\u002ffjWqX2
Pxa+S\u002fXm9MI\u002ffsx+98JfVr\u002fgiv+N\u002fslWvo+\u002fTU+p99K+i+nz67p79e\u002fRsHffPlrn
NN\u002fxa8x5Vanv8Y7\u002fnT5azT0WcU\u002fU4b+F\u002fg\u002fn7VOqW\u002f0iL4qmpP011jTd\u002fm
vMaPfWvokpb9axgvv3wxtQZCW9Nc5fY43G8I7p89qemf+a3xBrWb87TVDzq1FS38vqWfgjXfR85TalYTJgmE\u002fpxY
TpknVwHuzTTA2GNUduClyILlFwz9LW00om8zhf2KsCi5z6fcdsr0cf18wdDzX+MNjs5XKmX6c8n0k1lb8PgMRef084q\u002f
u002fw\u002fknc4ad\u002fhqXPD58U9H45BtA+ugWI\u002f6IPi9lPGP6\u002fQ331RE9Z\u002fwT+OTaq2A0Ykq
XDPUt9\u002fkCW\u002fxFv8axvtV94znBWDOnmMv01\u002fiKZ7rlvsxsg9P\u002fnwAAP\u002f\u002f) \", \"
PartitionId\": \"\\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b) \", \"UrlZone\": 0, \"AAMEnabledManagedProperties\": \"Path; recommendedfor\", \"ResultTypeI
d\": 17, \"RenderTemplateId\": \"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js\", \"piSearchResultId\": \"2_10_1_0\"
}
], \"ResultTitle\": null, \"ResultTitleUrl\": null, \"RowCount\": 11, \"TableType\": \"RelevantResults\", \"Total
Rows\": 11
}, {
\"ObjectType\": \"Microsoft.SharePoint.Client.Search.Query.ResultTable\", \"GroupTemplateId\": null,
\"ItemTemplateId\": null, \"Properties\": {
\"IsObfuscated\": false, \"QueryModification\": \"home -ContentClass:urn:content-
class:SPSPeople\", \"RenderTemplateId\": \"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisp
lay Templates\u002fSearch\u002fDefaultGroup.js\"
}, \"QueryId\": \"940b1d2c-322c-44c2-a493-4306e5321c37\", \"QueryRuleId\": \"00000000-0000-0000-0000-
000000000000\",
\"ResultRows\": [
{

```

```

"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_List_330","RefinementValue":"STS_List_330","RefinementToken":"equals(\"STS_List_330\")","RefinementCount":2,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{
"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_List_850","RefinementValue":"STS_List_850","RefinementToken":"equals(\"STS_List_850\")","RefinementCount":2,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{
"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_Site","RefinementValue":"STS_Site","RefinementToken":"equals(\"STS_Site\")","RefinementCount":2,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{
"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_Web","RefinementValue":"STS_Web","RefinementToken":"equals(\"STS_Web\")","RefinementCount":2,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{
"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_List_331","RefinementValue":"STS_List_331","RefinementToken":"equals(\"STS_List_331\")","RefinementCount":1,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{
"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_List_332","RefinementValue":"STS_List_332","RefinementToken":"equals(\"STS_List_332\")","RefinementCount":1,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{
"RefinerName":"contentclass","DisplayName":"","Type":"String","Modifier":"contentclass","Score":1.81573295593262,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"Entropy":1.8157329752657,"Sum":0,"RefinementName":"STS_List_Contacts","RefinementValue":"STS_List_Contacts","RefinementToken":"equals(\"STS_List_Contacts\")","RefinementCount":1,"PartitionId":"\\Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTemplateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplayTemplates\u002fSearch\u002fDefaultItem.js"}
},{

```

```

"RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.217054
36706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Me
an": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": "CONTOSO\MICHAL", "Refinement
Value": "CONTOSO\MICHAL", "RefinementToken": "equals(\\"CONTOSO\MICHAL\\"", "RefinementCount": 6,
"PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
"RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.217054
36706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Me
an": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": "Michal
Piaseczny", "RefinementValue": "Michal Piaseczny", "RefinementToken": "equals(\\"Michal
Piaseczny\\"", "RefinementCount": 5, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
"RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.217054
36706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Me
an": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": " | Michal Piaseczny |
CONTOSO\Michal", "RefinementValue": " | Michal Piaseczny |
CONTOSO\Michal", "RefinementToken": "equals(\\" | Michal Piaseczny |
CONTOSO\Michal\\"", "RefinementCount": 2, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
"RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.217054
36706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Me
an": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": "Office Automation Limited
Client", "RefinementValue": "Office Automation Limited
Client", "RefinementToken": "equals(\\"Office Automation Limited
Client\\"", "RefinementCount": 1, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
"RefinerName": "FormatId", "DisplayName": "", "Type": "String", "Modifier": "FormatId", "Score": "0", "
UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "En
tropy": "0", "Sum": "0", "RefinementName": "html", "RefinementValue": "html", "RefinementToken": "equa
ls(\\"html\\"", "RefinementCount": 12, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
"RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedT
ime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "980669858
332000000", "Max": "980669863308000000", "Mean": "980669860249000000", "Entropy": "0", "Sum": "117
68038322988000000", "RefinementName": "Before 2010-11-17T08:00:00Z", "RefinementValue": "Before
2010-11-17T08:00:00Z", "RefinementToken": "range(min, 2010-11-
17T08:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
"RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedT
ime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "980669858
332000000", "Max": "980669863308000000", "Mean": "980669860249000000", "Entropy": "0", "Sum": "117
68038322988000000", "RefinementName": "From 2010-11-17T08:00:00Z up to 2011-05-
21T07:00:00Z", "RefinementValue": "From 2010-11-17T08:00:00Z up to 2011-05-
21T07:00:00Z", "RefinementToken": "range(2010-11-17T08:00:00Z, 2011-05-
21T07:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl

```

```

ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedT
ime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "980669858
3320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117
680383229880000000", "RefinementName": "From 2011-05-21T07:00:00Z up to 2011-10-
18T07:00:00Z", "RefinementValue": "From 2011-05-21T07:00:00Z up to 2011-10-
18T07:00:00Z", "RefinementToken": "range(2011-05-21T07:00:00Z, 2011-10-
18T07:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedT
ime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "980669858
3320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117
680383229880000000", "RefinementName": "From 2011-10-18T07:00:00Z up to 2011-11-
10T08:00:00Z", "RefinementValue": "From 2011-10-18T07:00:00Z up to 2011-11-
10T08:00:00Z", "RefinementToken": "range(2011-10-18T07:00:00Z, 2011-11-
10T08:00:00Z)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedT
ime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "980669858
3320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117
680383229880000000", "RefinementName": "From 2011-11-10T08:00:00Z up to 2011-11-
17T08:00:00Z", "RefinementValue": "From 2011-11-10T08:00:00Z up to 2011-11-
17T08:00:00Z", "RefinementToken": "range(2011-11-10T08:00:00Z, 2011-11-
17T08:00:00Z)", "RefinementCount": 12, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}, {
  "RefinerName": "LastModifiedTime", "DisplayName": "", "Type": "DateTime", "Modifier": "LastModifiedT
ime", "Score": "0", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "980669858
3320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117
680383229880000000", "RefinementName": "2011-11-17T08:00:00Z or later", "RefinementValue": "2011-
11-17T08:00:00Z or later", "RefinementToken": "range(2011-11-17T08:00:00Z, max,
to=\le\)", "RefinementCount": 0, "PartitionId": "\/Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTempl
ateId": "~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
}
], "ResultTitle": null, "ResultTitleUrl": null, "RowCount": 18, "TableType": "RefinementResults", "Tot
alRows": 11
}, {
  "_ObjectType": "Microsoft.SharePoint.Client.Search.Query.ResultTable", "GroupTemplateId": null,
  "ItemTemplateId": null, "Properties": {
    "QueryModification": "home", "RenderTemplateId": "~sitecollection\u002f_catalogs\u002fmasterpage
\u002fDisplay Templates\u002fSearch\u002fDefaultGroup.js"
  }, "QueryId": "PersonalFavorite Query", "QueryRuleId": "00000000-0000-0000-0000-000000000000",
  "ResultRows": [

], "ResultTitle": "PERSONAL
FAVORITES", "ResultTitleUrl": null, "RowCount": 0, "TableType": "PersonalFavoriteResults", "TotalRow
s": 0
}
]
}, 258, {
  "HasException": false, "ErrorInfo": null

```

}  
]

## **5 Security**

### **5.1 Security Considerations for Implementers**

None.

### **5.2 Index of Security Parameters**

None.

## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft SharePoint Foundation 2013
- Microsoft SharePoint Server 2013

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

## 7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.



## 8 Index

### A

Abstract data model  
[server](#) 18  
[Applicability](#) 15

### C

[Capability negotiation](#) 16  
[Change tracking](#) 104  
[Common Exceptions message](#) 17

### D

Data model - abstract  
[server](#) 18

### E

Examples  
[Search for the keyword 'home'](#) 83

### F

[Fields - vendor-extensible](#) 16

### G

[Glossary](#) 13

### H

Higher-layer triggered events  
[server](#) 18

### I

[Implementer - security considerations](#) 102  
[Index of security parameters](#) 102  
[Informative references](#) 14  
Initialization  
[server](#) 18  
[Introduction](#) 13

### M

Messages  
[Common Exceptions](#) 17  
[Namespaces](#) 17  
[transport](#) 17

### N

[Namespaces message](#) 17  
[Normative references](#) 14

### O

Other local events

[server](#) 82  
[Overview \(synopsis\)](#) 14

### P

[Parameters - security index](#) 102  
[Preconditions](#) 15  
[Prerequisites](#) 15  
[Product behavior](#) 103

### R

[References](#) 14  
[informative](#) 14  
[normative](#) 14  
[Relationship to other protocols](#) 15

### S

[Search for the keyword 'home' example](#) 83  
Security  
[implementer considerations](#) 102  
[parameter index](#) 102  
Server  
[abstract data model](#) 18  
[higher-layer triggered events](#) 18  
[initialization](#) 18  
[other local events](#) 82  
[timer events](#) 82  
[timers](#) 18  
[Standards assignments](#) 16

### T

Timer events  
[server](#) 82  
Timers  
[server](#) 18  
[Tracking changes](#) 104  
[Transport](#) 17  
Triggered events - higher-layer  
[server](#) 18

### V

[Vendor-extensible fields](#) 16  
[Versioning](#) 16