

[MS-SRCHCSOM]:

Search Client Query Protocol

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation (“this documentation”) for protocols, file formats, data portability, computer languages, and standards support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you can make copies of it in order to develop implementations of the technologies that are described in this documentation and can distribute portions of it in your implementations that use these technologies or in your documentation as necessary to properly document the implementation. You can also distribute in your implementation, with or without modification, any schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that might cover your implementations of the technologies described in the Open Specifications documentation. Neither this notice nor Microsoft's delivery of this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open Specifications document might be covered by the Microsoft [Open Specifications Promise](#) or the [Microsoft Community Promise](#). If you would prefer a written license, or if the technologies described in this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **License Programs.** To see all of the protocols in scope under a specific license program and the associated patents, visit the [Patent Map](#).
- **Trademarks.** The names of companies and products contained in this documentation might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events that are depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications documentation does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available standards specifications and network programming art and, as such, assume that the reader either is familiar with the aforementioned material or has immediate access to it.

Support. For questions and support, please contact dochelp@microsoft.com.

Preliminary Documentation. This particular Open Specifications document provides documentation for past and current releases and/or for the pre-release version of this technology. This document provides final documentation for past and current releases and preliminary documentation, as applicable and specifically noted in this document, for the pre-release version. Microsoft will release final documentation in connection with the commercial release of the updated or new version of this technology. Because this documentation might change between the pre-release version and the final

version of this technology, there are risks in relying on this preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Preliminary

Revision Summary

Date	Revision History	Revision Class	Comments
1/20/2012	0.1	New	Released new document.
4/11/2012	0.1	None	No changes to the meaning, language, or formatting of the technical content.
7/16/2012	0.1	None	No changes to the meaning, language, or formatting of the technical content.
9/12/2012	0.1	None	No changes to the meaning, language, or formatting of the technical content.
10/8/2012	1.0	Major	Significantly changed the technical content.
2/11/2013	1.0	None	No changes to the meaning, language, or formatting of the technical content.
7/30/2013	2.0	Major	Significantly changed the technical content.
11/18/2013	2.0	None	No changes to the meaning, language, or formatting of the technical content.
2/10/2014	2.0	None	No changes to the meaning, language, or formatting of the technical content.
4/30/2014	2.0	None	No changes to the meaning, language, or formatting of the technical content.
7/31/2014	2.1	Minor	Clarified the meaning of the technical content.
10/30/2014	2.1	None	No changes to the meaning, language, or formatting of the technical content.
2/26/2016	3.0	Major	Significantly changed the technical content.
7/15/2016	3.0	None	No changes to the meaning, language, or formatting of the technical content.
10/13/2016	4.0	Major	Significantly changed the technical content.
6/20/2017	4.0	None	No changes to the meaning, language, or formatting of the technical content.
9/19/2017	4.1	Minor	Clarified the meaning of the technical content.
12/12/2017	4.2	Minor	Clarified the meaning of the technical content.
7/24/2018	5.0	Major	Significantly changed the technical content.

Table of Contents

1	Introduction	17
1.1	Glossary	17
1.2	References	19
1.2.1	Normative References	19
1.2.2	Informative References	20
1.3	Overview	20
1.4	Relationship to Other Protocols	20
1.5	Prerequisites/Preconditions	21
1.6	Applicability Statement	21
1.7	Versioning and Capability Negotiation	21
1.8	Vendor-Extensible Fields	21
1.9	Standards Assignments.....	21
2	Messages.....	22
2.1	Transport	22
2.2	Message Syntax	22
2.2.1	Namespaces	22
2.2.2	Common Exceptions.....	22
3	Protocol Details	23
3.1	Server Details.....	23
3.1.1	Abstract Data Model.....	23
3.1.2	Timers	23
3.1.3	Initialization	23
3.1.4	Higher-Layer Triggered Events	23
3.1.5	Message Processing Events and Sequencing Rules	23
3.1.5.1	Microsoft.Office.Server.Search.REST.CustomResult	23
3.1.5.1.1	Properties.....	23
3.1.5.1.1.1	Scalar Properties.....	23
3.1.5.1.1.1.1	TableType	23
3.1.5.1.1.1.2	Properties.....	24
3.1.5.1.1.1.3	GroupTemplateId	24
3.1.5.1.1.1.4	ItemTemplateId	24
3.1.5.1.1.1.5	ResultTitle	24
3.1.5.1.1.1.6	ResultTitleUrl	24
3.1.5.1.1.1.7	Table	24
3.1.5.1.1.2	ObjectPath Properties	24
3.1.5.2	Microsoft.Office.Server.Search.REST.QueryResult	25
3.1.5.2.1	Properties.....	25
3.1.5.2.1.1	Scalar Properties.....	25
3.1.5.2.1.1.1	CustomResults	25
3.1.5.2.1.1.2	QueryId	25
3.1.5.2.1.1.3	QueryRuleId	26
3.1.5.2.1.1.4	RefinementResults.....	26
3.1.5.2.1.1.5	RelevantResults	26
3.1.5.2.1.1.6	SpecialTermResults	26
3.1.5.2.1.2	ObjectPath Properties	26
3.1.5.3	Microsoft.Office.Server.Search.REST.RefinementResults	26
3.1.5.3.1	Properties.....	26
3.1.5.3.1.1	Scalar Properties.....	26
3.1.5.3.1.1.1	Refiners	26
3.1.5.3.1.1.2	Properties.....	27
3.1.5.3.1.1.3	GroupTemplateId	27
3.1.5.3.1.1.4	ItemTemplateId	27
3.1.5.3.1.1.5	ResultTitle	27

3.1.5.3.1.1.6	ResultTitleUrl	27
3.1.5.3.1.2	ObjectPath Properties	27
3.1.5.4	Microsoft.Office.Server.Search.REST.RelevantResults	27
3.1.5.4.1	Properties	27
3.1.5.4.1.1	Scalar Properties	27
3.1.5.4.1.1.1	RowCount	27
3.1.5.4.1.1.2	TotalRows	28
3.1.5.4.1.1.3	Properties	28
3.1.5.4.1.1.4	GroupTemplateId	28
3.1.5.4.1.1.5	ItemTemplateId	28
3.1.5.4.1.1.6	ResultTitle	28
3.1.5.4.1.1.7	ResultTitleUrl	28
3.1.5.4.1.1.8	Table	28
3.1.5.4.1.1.9	TotalRowsIncludingDuplicates	29
3.1.5.4.1.2	ObjectPath Properties	29
3.1.5.5	Microsoft.Office.Server.Search.REST.SearchRequest	29
3.1.5.5.1	Properties	29
3.1.5.5.1.1	Scalar Properties	29
3.1.5.5.1.1.1	Culture	29
3.1.5.5.1.1.2	EnableInterleaving	29
3.1.5.5.1.1.3	EnableNicknames	29
3.1.5.5.1.1.4	EnablePhonetic	29
3.1.5.5.1.1.5	EnableStemming	30
3.1.5.5.1.1.6	HiddenConstraints	30
3.1.5.5.1.1.7	Querytext	30
3.1.5.5.1.1.8	RankingModelId	30
3.1.5.5.1.1.9	RefinementFilters	30
3.1.5.5.1.1.10	Refiners	30
3.1.5.5.1.1.11	RowLimit	30
3.1.5.5.1.1.12	RowsPerPage	31
3.1.5.5.1.1.13	SelectProperties	31
3.1.5.5.1.1.14	SourceId	31
3.1.5.5.1.1.15	StartRow	31
3.1.5.5.1.1.16	Timeout	31
3.1.5.5.1.1.17	TrimDuplicates	31
3.1.5.5.1.1.18	EnableFQL	31
3.1.5.5.1.1.19	BypassResultTypes	31
3.1.5.5.1.1.20	ClientType	32
3.1.5.5.1.1.21	HitHighlightedProperties	32
3.1.5.5.1.1.22	ProcessBestBets	32
3.1.5.5.1.1.23	QueryTag	32
3.1.5.5.1.1.24	ResultsUrl	32
3.1.5.5.1.1.25	TrimDuplicatesIncludeId	32
3.1.5.5.1.1.26	BlockDedupeMode	32
3.1.5.5.1.1.27	CollapseSpecification	33
3.1.5.5.1.1.28	DesiredSnippetLength	33
3.1.5.5.1.1.29	EnableOrderingHitHighlightedProperty	33
3.1.5.5.1.1.30	EnableQueryRules	33
3.1.5.5.1.1.31	EnableSorting	33
3.1.5.5.1.1.32	GenerateBlockRankLog	33
3.1.5.5.1.1.33	HitHighlightedMultivaluePropertyLimit	33
3.1.5.5.1.1.34	ImpressionId	34
3.1.5.5.1.1.35	MaxSnippetLength	34
3.1.5.5.1.1.36	PersonalizationData	34
3.1.5.5.1.1.37	ProcessPersonalFavorites	34
3.1.5.5.1.1.38	Properties	34
3.1.5.5.1.1.39	QueryTemplate	34
3.1.5.5.1.1.40	ReorderingRules	34

3.1.5.5.1.1.41	SortList	34
3.1.5.5.1.1.42	SummaryLength	35
3.1.5.5.1.1.43	TotalRowsExactMinimum	35
3.1.5.5.1.1.44	UILanguage	35
3.1.5.5.1.1.45	QueryTemplatePropertiesUrl	35
3.1.5.5.1.1.46	TimeZoneId	35
3.1.5.5.1.1.47	OLSQuerySession	35
3.1.5.5.1.1.48	UseOLSQuery	35
3.1.5.5.1.2	ObjectPath Properties	36
3.1.5.6	Microsoft.Office.Server.Search.REST.SearchResult	36
3.1.5.6.1	Properties	36
3.1.5.6.1.1	Scalar Properties	36
3.1.5.6.1.1.1	ElapsedTime	36
3.1.5.6.1.1.2	PrimaryQueryResult	36
3.1.5.6.1.1.3	SecondaryQueryResults	36
3.1.5.6.1.1.4	Properties	36
3.1.5.6.1.1.5	SpellingSuggestion	36
3.1.5.6.1.1.6	TriggeredRules	37
3.1.5.6.1.2	ObjectPath Properties	37
3.1.5.7	Microsoft.Office.Server.Search.REST.SearchService	37
3.1.5.7.1	Properties	37
3.1.5.7.1.1	Scalar Properties	37
3.1.5.7.1.2	ObjectPath Properties	37
3.1.5.7.2	Methods	37
3.1.5.7.2.1	Scalar Methods	37
3.1.5.7.2.1.1	autocompletions	37
3.1.5.7.2.1.2	export	38
3.1.5.7.2.1.3	postquery	38
3.1.5.7.2.1.4	query	38
3.1.5.7.2.1.5	RecordPageClick	42
3.1.5.7.2.1.6	resultspageaddress	42
3.1.5.7.2.1.7	searchcenterurl	43
3.1.5.7.2.1.8	suggest	43
3.1.5.7.2.2	ObjectPath Methods	44
3.1.5.7.2.2.1	CSOM Constructor	44
3.1.5.8	Microsoft.Office.Server.Search.REST.SpecialTermResult	44
3.1.5.8.1	Properties	44
3.1.5.8.1.1	Scalar Properties	44
3.1.5.8.1.1.1	Description	44
3.1.5.8.1.1.2	IsVisualBestBet	45
3.1.5.8.1.1.3	Title	45
3.1.5.8.1.1.4	Url	45
3.1.5.8.1.1.5	PiSearchResultId	45
3.1.5.8.1.1.6	RenderTemplateId	45
3.1.5.8.1.2	ObjectPath Properties	45
3.1.5.9	Microsoft.SharePoint.Client.Search.Query.KeywordQuery	45
3.1.5.9.1	Properties	45
3.1.5.9.1.1	Scalar Properties	45
3.1.5.9.1.1.1	BypassResultTypes	45
3.1.5.9.1.1.2	Culture	46
3.1.5.9.1.1.3	EnableInterleaving	46
3.1.5.9.1.1.4	EnableNicknames	46
3.1.5.9.1.1.5	EnablePhonetic	46
3.1.5.9.1.1.6	EnableStemming	46
3.1.5.9.1.1.7	HiddenConstraints	46
3.1.5.9.1.1.8	QueryTag	46
3.1.5.9.1.1.9	QueryText	47
3.1.5.9.1.1.10	RankingModelId	47

3.1.5.9.1.1.11	Refiners	47
3.1.5.9.1.1.12	ResultsUrl	47
3.1.5.9.1.1.13	RowLimit	47
3.1.5.9.1.1.14	RowsPerPage	47
3.1.5.9.1.1.15	ShowPeopleNameSuggestions	47
3.1.5.9.1.1.16	SourceId	47
3.1.5.9.1.1.17	StartRow	48
3.1.5.9.1.1.18	Timeout	48
3.1.5.9.1.1.19	TrimDuplicates	48
3.1.5.9.1.1.20	ClientType	48
3.1.5.9.1.1.21	TrimDuplicatesIncludeId	48
3.1.5.9.1.1.22	ProcessBestBets	48
3.1.5.9.1.1.23	TotalRowsExactMinimum	48
3.1.5.9.1.1.24	EnableQueryRules	49
3.1.5.9.1.1.25	ImpressionID	49
3.1.5.9.1.1.26	BlockDedupeMode	49
3.1.5.9.1.1.27	CollapseSpecification	49
3.1.5.9.1.1.28	DesiredSnippetLength	49
3.1.5.9.1.1.29	EnableOrderingHitHighlightedProperty	49
3.1.5.9.1.1.30	EnableSorting	49
3.1.5.9.1.1.31	GenerateBlockRankLog	49
3.1.5.9.1.1.32	HitHighlightedMultivaluePropertyLimit	50
3.1.5.9.1.1.33	MaxSnippetLength	50
3.1.5.9.1.1.34	ProcessPersonalFavorites	50
3.1.5.9.1.1.35	QueryTemplate	50
3.1.5.9.1.1.36	QueryTemplateParameters	50
3.1.5.9.1.1.37	SummaryLength	50
3.1.5.9.1.1.38	UILanguage	50
3.1.5.9.1.1.39	IgnoreSafeQueryPropertiesTemplateUrl	51
3.1.5.9.1.1.40	SafeQueryPropertiesTemplateUrl	51
3.1.5.9.1.1.41	TimeZoneId	51
3.1.5.9.1.1.42	OLSQuerySession	51
3.1.5.9.1.1.43	UseOLSQuery	51
3.1.5.9.1.2	ObjectPath Properties	51
3.1.5.9.1.2.1	HitHighlightedProperties	51
3.1.5.9.1.2.2	PersonalizationData	51
3.1.5.9.1.2.3	Properties	52
3.1.5.9.1.2.4	RefinementFilters	52
3.1.5.9.1.2.5	SelectProperties	52
3.1.5.9.1.2.6	SortList	52
3.1.5.9.1.2.7	ReorderingRules	52
3.1.5.9.2	Methods	52
3.1.5.9.2.1	Scalar Methods	52
3.1.5.9.2.1.1	GetQuerySuggestionsWithResults	52
3.1.5.9.2.1.2	GetQueryCompletions	53
3.1.5.9.2.1.3	ExportQueryLogs	53
3.1.5.9.2.1.4	GetZeroTermsQuerySuggestionsWithResults	53
3.1.5.9.2.2	ObjectPath Methods	54
3.1.5.9.2.2.1	CSOM Constructor	54
3.1.5.10	Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties	54
3.1.5.10.1	Properties	54
3.1.5.10.1.1	Scalar Properties	54
3.1.5.10.1.2	ObjectPath Properties	54
3.1.5.10.2	Methods	54
3.1.5.10.2.1	Scalar Methods	54
3.1.5.10.2.1.1	GetQueryPropertyValue	54
3.1.5.10.2.1.2	SetQueryPropertyValue	54
3.1.5.10.2.2	ObjectPath Methods	55

3.1.5.11	Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion	55
3.1.5.11.1	Properties	55
3.1.5.11.1.1	Scalar Properties	55
3.1.5.11.1.1.1	IsBestBet	55
3.1.5.11.1.1.2	Title	55
3.1.5.11.1.1.3	Url	55
3.1.5.11.1.1.4	HighlightedTitle	55
3.1.5.11.1.2	ObjectPath Properties	56
3.1.5.12	Microsoft.SharePoint.Client.Search.Query.Query	56
3.1.5.12.1	Properties	56
3.1.5.12.1.1	Scalar Properties	56
3.1.5.12.1.1.1	BypassResultTypes	56
3.1.5.12.1.1.2	Culture	56
3.1.5.12.1.1.3	EnableInterleaving	56
3.1.5.12.1.1.4	EnableNicknames	56
3.1.5.12.1.1.5	EnablePhonetic	56
3.1.5.12.1.1.6	EnableStemming	57
3.1.5.12.1.1.7	QueryTag	57
3.1.5.12.1.1.8	QueryText	57
3.1.5.12.1.1.9	RankingModelId	57
3.1.5.12.1.1.10	ResultsUrl	57
3.1.5.12.1.1.11	RowLimit	57
3.1.5.12.1.1.12	RowsPerPage	57
3.1.5.12.1.1.13	ShowPeopleNameSuggestions	57
3.1.5.12.1.1.14	SourceId	58
3.1.5.12.1.1.15	StartRow	58
3.1.5.12.1.1.16	Timeout	58
3.1.5.12.1.1.17	TrimDuplicates	58
3.1.5.12.1.1.18	ClientType	58
3.1.5.12.1.1.19	ProcessBestBets	58
3.1.5.12.1.1.20	TotalRowsExactMinimum	58
3.1.5.12.1.1.21	EnableQueryRules	59
3.1.5.12.1.1.22	ImpressionID	59
3.1.5.12.1.1.23	BlockDedupeMode	59
3.1.5.12.1.1.24	DesiredSnippetLength	59
3.1.5.12.1.1.25	EnableOrderingHitHighlightedProperty	59
3.1.5.12.1.1.26	GenerateBlockRankLog	59
3.1.5.12.1.1.27	HitHighlightedMultivaluedPropertyLimit	59
3.1.5.12.1.1.28	MaxSnippetLength	59
3.1.5.12.1.1.29	ProcessPersonalFavorites	60
3.1.5.12.1.1.30	QueryTemplate	60
3.1.5.12.1.1.31	QueryTemplateParameters	60
3.1.5.12.1.1.32	SummaryLength	60
3.1.5.12.1.1.33	UILanguage	60
3.1.5.12.1.1.34	IgnoreSafeQueryPropertiesTemplateUrl	60
3.1.5.12.1.1.35	SafeQueryPropertiesTemplateUrl	60
3.1.5.12.1.2	ObjectPath Properties	61
3.1.5.12.1.2.1	HitHighlightedProperties	61
3.1.5.12.1.2.2	PersonalizationData	61
3.1.5.12.2	Methods	61
3.1.5.12.2.1	Scalar Methods	61
3.1.5.12.2.1.1	GetQuerySuggestionsWithResults	61
3.1.5.12.2.1.2	GetQueryCompletions	61
3.1.5.12.2.1.3	ExportQueryLogs	62
3.1.5.12.2.1.4	GetZeroTermsQuerySuggestionsWithResults	62
3.1.5.12.2.2	ObjectPath Methods	62
3.1.5.13	Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData	62
3.1.5.13.1	Properties	63

3.1.5.13.1.1	Scalar Properties.....	63
3.1.5.13.1.2	ObjectPath Properties.....	63
3.1.5.13.2	Methods.....	63
3.1.5.13.2.1	Scalar Methods.....	63
3.1.5.13.2.2	ObjectPath Methods.....	63
3.1.5.13.2.2.1	CSOM Constructor.....	63
3.1.5.14	Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue.....	63
3.1.5.14.1	Properties.....	63
3.1.5.14.1.1	Scalar Properties.....	63
3.1.5.14.1.1.1	BoolVal.....	63
3.1.5.14.1.1.2	IntVal.....	63
3.1.5.14.1.1.3	QueryPropertyValueIndex.....	64
3.1.5.14.1.1.4	StrArray.....	64
3.1.5.14.1.1.5	StrVal.....	64
3.1.5.14.1.2	ObjectPath Properties.....	64
3.1.5.15	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults.....	64
3.1.5.15.1	Properties.....	64
3.1.5.15.1.1	Scalar Properties.....	64
3.1.5.15.1.1.1	PeopleNames.....	64
3.1.5.15.1.1.2	PersonalResults.....	65
3.1.5.15.1.1.3	Queries.....	65
3.1.5.15.1.2	ObjectPath Properties.....	65
3.1.5.16	Microsoft.SharePoint.Client.Search.Query.ResultTable.....	65
3.1.5.16.1	Properties.....	65
3.1.5.16.1.1	Scalar Properties.....	65
3.1.5.16.1.1.1	Properties.....	65
3.1.5.16.1.1.2	QueryId.....	65
3.1.5.16.1.1.3	ResultRows.....	65
3.1.5.16.1.1.4	RowCount.....	66
3.1.5.16.1.1.5	TableType.....	66
3.1.5.16.1.1.6	TotalRows.....	66
3.1.5.16.1.1.7	GroupTemplateId.....	66
3.1.5.16.1.1.8	ItemTemplateId.....	66
3.1.5.16.1.1.9	QueryRuleId.....	66
3.1.5.16.1.1.10	ResultTitle.....	66
3.1.5.16.1.1.11	ResultTitleUrl.....	66
3.1.5.16.1.1.12	TotalRowsIncludingDuplicates.....	67
3.1.5.16.1.2	ObjectPath Properties.....	67
3.1.5.17	Microsoft.SharePoint.Client.Search.Query.ResultTableCollection.....	67
3.1.5.17.1	Properties.....	67
3.1.5.17.1.1	Scalar Properties.....	67
3.1.5.17.1.1.1	ElapsedTime.....	67
3.1.5.17.1.1.2	Properties.....	67
3.1.5.17.1.1.3	QueryId.....	67
3.1.5.17.1.1.4	SpellingSuggestion.....	67
3.1.5.17.1.1.5	TriggeredRules.....	68
3.1.5.17.1.1.6	QueryErrors.....	68
3.1.5.17.1.2	ObjectPath Properties.....	68
3.1.5.18	Microsoft.SharePoint.Client.Search.Query.SearchExecutor.....	68
3.1.5.18.1	Properties.....	68
3.1.5.18.1.1	Scalar Properties.....	68
3.1.5.18.1.2	ObjectPath Properties.....	68
3.1.5.18.2	Methods.....	68
3.1.5.18.2.1	Scalar Methods.....	68
3.1.5.18.2.1.1	ExecuteQueries.....	68
3.1.5.18.2.1.2	ExecuteQuery.....	69
3.1.5.18.2.1.3	RecordPageClick.....	69
3.1.5.18.2.1.4	ExportPopularQueries.....	70

3.1.5.18.2.1.5	GetPromotedResults	70
3.1.5.18.2.1.6	GetQueryConfiguration	71
3.1.5.18.2.2	ObjectPath Methods	71
3.1.5.18.2.2.1	CSOM Constructor	71
3.1.5.19	Microsoft.SharePoint.Client.Search.Query.Sort	71
3.1.5.19.1	Properties	71
3.1.5.19.1.1	Scalar Properties	71
3.1.5.19.1.1.1	Direction	71
3.1.5.19.1.1.2	Property	71
3.1.5.19.1.2	ObjectPath Properties	72
3.1.5.20	Microsoft.SharePoint.Client.Search.Query.SortCollection	72
3.1.5.20.1	Properties	72
3.1.5.20.1.1	Scalar Properties	72
3.1.5.20.1.2	ObjectPath Properties	72
3.1.5.20.2	Methods	72
3.1.5.20.2.1	Scalar Methods	72
3.1.5.20.2.1.1	Add	72
3.1.5.20.2.1.2	Clear	72
3.1.5.20.2.2	ObjectPath Methods	72
3.1.5.21	Microsoft.SharePoint.Client.Search.Query.SortDirection	72
3.1.5.21.1	Field Values	73
3.1.5.21.1.1	Ascending	73
3.1.5.21.1.2	Descending	73
3.1.5.21.1.3	FQLFormula	73
3.1.5.22	Microsoft.SharePoint.Client.Search.Query.StringCollection	73
3.1.5.22.1	Properties	73
3.1.5.22.1.1	Scalar Properties	73
3.1.5.22.1.2	ObjectPath Properties	73
3.1.5.22.2	Methods	73
3.1.5.22.2.1	Scalar Methods	73
3.1.5.22.2.1.1	Add	73
3.1.5.22.2.1.2	Clear	74
3.1.5.22.2.2	ObjectPath Methods	74
3.1.5.22.2.2.1	CSOM Constructor	74
3.1.5.23	Microsoft.SharePoint.Client.Search.Query.RankingLabeling	74
3.1.5.23.1	Properties	74
3.1.5.23.1.1	Scalar Properties	74
3.1.5.23.1.2	ObjectPath Properties	74
3.1.5.23.2	Methods	74
3.1.5.23.2.1	Scalar Methods	74
3.1.5.23.2.1.1	AddJudgment	74
3.1.5.23.2.1.2	GetJudgementsForQuery	75
3.1.5.23.2.1.3	NormalizeResultUrl	75
3.1.5.23.2.2	ObjectPath Methods	75
3.1.5.23.2.2.1	CSOM Constructor	75
3.1.5.24	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery	75
3.1.5.24.1	Properties	75
3.1.5.24.1.1	Scalar Properties	75
3.1.5.24.1.1.1	IsPersonal	75
3.1.5.24.1.1.2	Query	75
3.1.5.24.1.2	ObjectPath Properties	76
3.1.5.25	Microsoft.Office.Server.Search.REST.SpecialTermResults	76
3.1.5.25.1	Properties	76
3.1.5.25.1.1	Scalar Properties	76
3.1.5.25.1.1.1	Properties	76
3.1.5.25.1.1.2	Results	76
3.1.5.25.1.1.3	GroupTemplateId	76
3.1.5.25.1.1.4	ItemTemplateId	76

3.1.5.25.1.1.5	ResultTitle	76
3.1.5.25.1.1.6	ResultTitleUrl	77
3.1.5.25.1.2	ObjectPath Properties	77
3.1.5.26	Microsoft.SharePoint.Client.Search.Query.ReorderingRule	77
3.1.5.26.1	Properties	77
3.1.5.26.1.1	Scalar Properties	77
3.1.5.26.1.1.1	Boost	77
3.1.5.26.1.1.2	MatchType	77
3.1.5.26.1.1.3	MatchValue	77
3.1.5.26.1.2	ObjectPath Properties	77
3.1.5.27	Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection	78
3.1.5.27.1	Properties	78
3.1.5.27.1.1	Scalar Properties	78
3.1.5.27.1.2	ObjectPath Properties	78
3.1.5.27.2	Methods	78
3.1.5.27.2.1	Scalar Methods	78
3.1.5.27.2.1.1	Add	78
3.1.5.27.2.1.2	Clear	78
3.1.5.27.2.2	ObjectPath Methods	78
3.1.5.28	Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType	78
3.1.5.28.1	Field Values	79
3.1.5.28.1.1	ResultContainsKeyword	79
3.1.5.28.1.2	TitleContainsKeyword	79
3.1.5.28.1.3	TitleMatchesKeyword	79
3.1.5.28.1.4	UrlStartsWith	79
3.1.5.28.1.5	UrlExactlyMatches	79
3.1.5.28.1.6	ContentTypeIs	79
3.1.5.28.1.7	FileExtensionMatches	79
3.1.5.28.1.8	ResultHasTag	79
3.1.5.28.1.9	ManualCondition	79
3.1.5.29	Microsoft.Office.Server.Search.REST.QueryProperty	80
3.1.5.29.1	Properties	80
3.1.5.29.1.1	Scalar Properties	80
3.1.5.29.1.1.1	Name	80
3.1.5.29.1.1.2	Value	80
3.1.5.29.1.2	ObjectPath Properties	80
3.1.5.30	Microsoft.Office.Server.Search.REST.Refiner	80
3.1.5.30.1	Properties	80
3.1.5.30.1.1	Scalar Properties	80
3.1.5.30.1.1.1	Entries	80
3.1.5.30.1.1.2	Name	81
3.1.5.30.1.2	ObjectPath Properties	81
3.1.5.31	Microsoft.Office.Server.Search.REST.RefinerEntry	81
3.1.5.31.1	Properties	81
3.1.5.31.1.1	Scalar Properties	81
3.1.5.31.1.1.1	RefinementCount	81
3.1.5.31.1.1.2	RefinementName	81
3.1.5.31.1.1.3	RefinementToken	81
3.1.5.31.1.1.4	RefinementValue	81
3.1.5.31.1.2	ObjectPath Properties	82
3.1.5.32	Microsoft.Office.Server.Search.WebControls.ControlMessage	82
3.1.5.32.1	Properties	82
3.1.5.32.1.1	Scalar Properties	82
3.1.5.32.1.1.1	code	82
3.1.5.32.1.1.2	correlationID	82
3.1.5.32.1.1.3	encodeDetails	82
3.1.5.32.1.1.4	header	82
3.1.5.32.1.1.5	level	82

3.1.5.32.1.1.6	messageDetails.....	82
3.1.5.32.1.1.7	messageDetailsForViewers.....	83
3.1.5.32.1.1.8	serverTypeId	83
3.1.5.32.1.1.9	showForViewerUsers	83
3.1.5.32.1.1.10	showInEditModeOnly.....	83
3.1.5.32.1.1.11	stackTrace.....	83
3.1.5.32.1.1.12	type.....	83
3.1.5.32.1.2	ObjectPath Properties.....	83
3.1.5.33	Microsoft.Office.Server.Search.WebControls.MessageLevel	84
3.1.5.33.1	Field Values	84
3.1.5.33.1.1	Information.....	84
3.1.5.33.1.2	Warning.....	84
3.1.5.33.1.3	Error	84
3.1.5.34	Microsoft.SharePoint.Client.Search.Administration.DocumentCrawlLog.....	84
3.1.5.34.1	Properties.....	84
3.1.5.34.1.1	Scalar Properties.....	84
3.1.5.34.1.2	ObjectPath Properties.....	84
3.1.5.34.2	Methods	84
3.1.5.34.2.1	Scalar Methods.....	84
3.1.5.34.2.1.1	GetCrawledUrls	84
3.1.5.34.2.2	ObjectPath Methods	85
3.1.5.34.2.2.1	CSOM Constructor	85
3.1.5.35	Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel.....	86
3.1.5.35.1	Field Values	86
3.1.5.35.1.1	SPWeb	86
3.1.5.35.1.2	SPSite	86
3.1.5.35.1.3	SPSiteSubscription	86
3.1.5.35.1.4	Ssa	86
3.1.5.36	Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner	86
3.1.5.36.1	Properties.....	86
3.1.5.36.1.1	Scalar Properties.....	86
3.1.5.36.1.2	ObjectPath Properties.....	87
3.1.5.36.2	Methods	87
3.1.5.36.2.1	Scalar Methods.....	87
3.1.5.36.2.2	ObjectPath Methods	87
3.1.5.36.2.2.1	CSOM Constructor	87
3.1.5.37	Microsoft.SharePoint.Client.Search.Portability.SearchConfigurationPortability	87
3.1.5.37.1	Properties.....	87
3.1.5.37.1.1	Scalar Properties.....	87
3.1.5.37.1.1.1	ImportWarnings	87
3.1.5.37.1.2	ObjectPath Properties.....	87
3.1.5.37.2	Methods	87
3.1.5.37.2.1	Scalar Methods.....	87
3.1.5.37.2.1.1	ExportSearchConfiguration	87
3.1.5.37.2.1.2	ImportSearchConfiguration	88
3.1.5.37.2.1.3	DeleteSearchConfiguration	88
3.1.5.37.2.2	ObjectPath Methods	88
3.1.5.37.2.2.1	CSOM Constructor	88
3.1.5.38	Microsoft.SharePoint.Client.Search.Query.PopularQuery.....	88
3.1.5.38.1	Properties.....	89
3.1.5.38.1.1	Scalar Properties.....	89
3.1.5.38.1.1.1	ClickCount	89
3.1.5.38.1.1.2	LCID	89
3.1.5.38.1.1.3	QueryCount	89
3.1.5.38.1.1.4	QueryText	89
3.1.5.38.1.2	ObjectPath Properties.....	89
3.1.5.39	Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletion	89
3.1.5.39.1	Properties.....	89

3.1.5.39.1.1	Scalar Properties.....	89
3.1.5.39.1.1.1	Matches	89
3.1.5.39.1.1.2	Query	90
3.1.5.39.1.1.3	Score.....	90
3.1.5.39.1.1.4	Source	90
3.1.5.39.1.2	ObjectPath Properties.....	90
3.1.5.40	Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionMatch	90
3.1.5.40.1	Properties.....	90
3.1.5.40.1.1	Scalar Properties.....	90
3.1.5.40.1.1.1	Alternation	90
3.1.5.40.1.1.2	Key.....	90
3.1.5.40.1.1.3	Length	90
3.1.5.40.1.1.4	MatchType.....	91
3.1.5.40.1.1.5	Score	91
3.1.5.40.1.1.6	SourceName	91
3.1.5.40.1.1.7	Start.....	91
3.1.5.40.1.1.8	Value	91
3.1.5.40.1.2	ObjectPath Properties.....	91
3.1.5.41	Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionResults	91
3.1.5.41.1	Properties.....	91
3.1.5.41.1.1	Scalar Properties.....	92
3.1.5.41.1.1.1	CoreExecutionTimeMs	92
3.1.5.41.1.1.2	CorrelationId	92
3.1.5.41.1.1.3	Queries	92
3.1.5.41.1.2	ObjectPath Properties.....	92
3.1.5.42	Microsoft.SharePoint.Client.Search.Query.QuerySuggestionRange	92
3.1.5.42.1	Properties.....	92
3.1.5.42.1.1	Scalar Properties.....	92
3.1.5.42.1.1.1	Length	92
3.1.5.42.1.1.2	Start.....	92
3.1.5.42.1.2	ObjectPath Properties.....	92
3.1.5.43	Microsoft.SharePoint.Client.Search.ContentPush.CertificateService	93
3.1.5.43.1	Properties.....	93
3.1.5.43.1.1	Scalar Properties.....	93
3.1.5.43.1.2	ObjectPath Properties.....	93
3.1.5.43.2	Methods.....	93
3.1.5.43.2.1	Scalar Methods.....	93
3.1.5.43.2.1.1	CertificateSettings	93
3.1.5.43.2.1.2	ValidContentEncryptionCertificates	93
3.1.5.43.2.2	ObjectPath Methods	93
3.1.5.43.2.2.1	CSOM Constructor	93
3.1.5.44	Microsoft.SharePoint.Client.Search.ContentPush.PushTenantManager	94
3.1.5.44.1	Properties.....	94
3.1.5.44.1.1	Scalar Properties.....	94
3.1.5.44.1.2	ObjectPath Properties.....	94
3.1.5.44.2	Methods.....	94
3.1.5.44.2.1	Scalar Methods.....	94
3.1.5.44.2.1.1	PreparePushTenant.....	94
3.1.5.44.2.1.2	DeleteAllCloudHybridSearchContent.....	94
3.1.5.44.2.2	ObjectPath Methods	94
3.1.5.44.2.2.1	CSOM Constructor	94
3.1.5.44.2.2.2	GetPushServiceInfo	94
3.1.5.44.2.2.3	GetTenantInfo.....	95
3.1.5.45	Microsoft.SharePoint.Client.Search.ContentPush.PushTenantServiceInfo	95
3.1.5.45.1	Properties.....	95
3.1.5.45.1.1	Scalar Properties.....	95
3.1.5.45.1.1.1	AuthenticationRealm.....	95
3.1.5.45.1.1.2	EndpointAddress	95

3.1.5.45.1.1.3	ServiceProperties	95
3.1.5.45.1.1.4	TenantId	95
3.1.5.45.1.1.5	ValidContentEncryptionCertificates	96
3.1.5.45.1.1.6	ValidUntil.....	96
3.1.5.45.1.2	ObjectPath Properties	96
3.1.5.45.2	Methods	96
3.1.5.45.2.1	Scalar Methods	96
3.1.5.45.2.2	ObjectPath Methods	96
3.1.5.46	Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.SearchTenantSettings	96
3.1.5.46.1	Properties.....	97
3.1.5.46.1.1	Scalar Properties.....	97
3.1.5.46.1.2	ObjectPath Properties	97
3.1.5.46.2	Methods	97
3.1.5.46.2.1	Scalar Methods	97
3.1.5.46.2.2	ObjectPath Methods	97
3.1.5.47	Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.TenantClassification	97
3.1.5.47.1	Properties.....	97
3.1.5.47.1.1	Scalar Properties.....	97
3.1.5.47.1.2	ObjectPath Properties	97
3.1.5.47.2	Methods	97
3.1.5.47.2.1	Scalar Methods	97
3.1.5.47.2.2	ObjectPath Methods	97
3.1.5.48	Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.TenantRoutingSettings	97
3.1.5.48.1	Properties.....	98
3.1.5.48.1.1	Scalar Properties.....	98
3.1.5.48.1.2	ObjectPath Properties	98
3.1.5.48.2	Methods	98
3.1.5.48.2.1	Scalar Methods	98
3.1.5.48.2.2	ObjectPath Methods	98
3.1.5.49	Microsoft.Office.Server.Search.REST.ContextCondition	98
3.1.5.49.1	Properties.....	98
3.1.5.49.1.1	Scalar Properties.....	98
3.1.5.49.1.1.1	ContextConditionType	98
3.1.5.49.1.1.2	SourceId	98
3.1.5.49.1.2	ObjectPath Properties	98
3.1.5.50	Microsoft.Office.Server.Search.REST.DrainingState	99
3.1.5.50.1	Field Values	99
3.1.5.50.1.1	None	99
3.1.5.50.1.2	PrivateOneDrive.....	99
3.1.5.50.1.3	PublicOneDrive	99
3.1.5.51	Microsoft.Office.Server.Search.REST.ExpandedQueryParameters	99
3.1.5.51.1	Properties.....	99
3.1.5.51.1.1	Scalar Properties.....	99
3.1.5.51.1.1.1	Properties.....	99
3.1.5.51.1.2	ObjectPath Properties	99
3.1.5.52	Microsoft.Office.Server.Search.REST.PromotedResultQueryRule	99
3.1.5.52.1	Properties.....	100
3.1.5.52.1.1	Scalar Properties.....	100
3.1.5.52.1.1.1	Contact	100
3.1.5.52.1.1.2	ContextConditions	100
3.1.5.52.1.1.3	CreationDate	100
3.1.5.52.1.1.4	DisplayName	100

3.1.5.52.1.1.5	EndDate	100
3.1.5.52.1.1.6	IsPromotedResultsOnly	100
3.1.5.52.1.1.7	LastModifiedDate	100
3.1.5.52.1.1.8	PromotedResults	101
3.1.5.52.1.1.9	QueryConditions	101
3.1.5.52.1.1.10	ReviewDate	101
3.1.5.52.1.1.11	StartDate	101
3.1.5.52.1.2	ObjectPath Properties	101
3.1.5.53	Microsoft.Office.Server.Search.REST.PromotedResults	101
3.1.5.53.1	Properties	101
3.1.5.53.1.1	Scalar Properties	101
3.1.5.53.1.1.1	Description	101
3.1.5.53.1.1.2	IsVisual	102
3.1.5.53.1.1.3	LastModifiedTime	102
3.1.5.53.1.1.4	Title	102
3.1.5.53.1.1.5	Url	102
3.1.5.53.1.2	ObjectPath Properties	102
3.1.5.54	Microsoft.Office.Server.Search.REST.PromotedResultsOperationsResult	102
3.1.5.54.1	Properties	102
3.1.5.54.1.1	Scalar Properties	102
3.1.5.54.1.1.1	Result	102
3.1.5.54.1.1.2	SearchObjectOwner	102
3.1.5.54.1.2	ObjectPath Properties	103
3.1.5.55	Microsoft.Office.Server.Search.REST.QueryCondition	103
3.1.5.55.1	Properties	103
3.1.5.55.1.1	Scalar Properties	103
3.1.5.55.1.1.1	LCID	103
3.1.5.55.1.1.2	MatchingOptions	103
3.1.5.55.1.1.3	QueryConditionType	103
3.1.5.55.1.1.4	SubjectTermsOrigin	103
3.1.5.55.1.1.5	Terms	103
3.1.5.55.1.2	ObjectPath Properties	104
3.1.5.56	Microsoft.Office.Server.Search.REST.QueryConfiguration	104
3.1.5.56.1	Properties	104
3.1.5.56.1.1	Scalar Properties	104
3.1.5.56.1.1.1	QueryContext	104
3.1.5.56.1.1.2	QueryParameters	104
3.1.5.56.1.1.3	QueryRoutingInfo	104
3.1.5.56.1.1.4	SearchEndpoints	104
3.1.5.56.1.2	ObjectPath Properties	104
3.1.5.57	Microsoft.Office.Server.Search.REST.QueryContext	105
3.1.5.57.1	Properties	105
3.1.5.57.1.1	Scalar Properties	105
3.1.5.57.1.1.1	PortalUrl	105
3.1.5.57.1.1.2	SpSiteId	105
3.1.5.57.1.1.3	SpWebId	105
3.1.5.57.1.2	ObjectPath Properties	105
3.1.5.58	Microsoft.Office.Server.Search.REST.QueryRoutingInfo	105
3.1.5.58.1	Properties	105
3.1.5.58.1.1	Scalar Properties	105
3.1.5.58.1.1.1	QueryState	105
3.1.5.58.1.1.2	SearchEndpoints	106
3.1.5.58.1.2	ObjectPath Properties	106
3.1.5.59	Microsoft.Office.Server.Search.REST.QueryState	106
3.1.5.59.1	Field Values	106
3.1.5.59.1.1	SharePointOnly	106
3.1.5.59.1.2	OneDriveWeb	106
3.1.5.60	Microsoft.Office.Server.Search.REST.SearchEndpoints	106

3.1.5.60.1	Properties.....	106
3.1.5.60.1.1	Scalar Properties.....	106
3.1.5.60.1.1.1	AdminEndpoint.....	106
3.1.5.60.1.1.2	AfdEndpoint.....	106
3.1.5.60.1.1.3	Geolocation.....	107
3.1.5.60.1.1.4	QueryContext.....	107
3.1.5.60.1.1.5	QueryEndpoint.....	107
3.1.5.60.1.2	ObjectPath Properties.....	107
3.1.5.61	Microsoft.Office.Server.Search.REST.SearchObjectOwnerResult.....	107
3.1.5.61.1	Properties.....	107
3.1.5.61.1.1	Scalar Properties.....	107
3.1.5.61.1.1.1	SiteCollectionId.....	107
3.1.5.61.1.1.2	SiteId.....	107
3.1.5.61.1.1.3	TenantId.....	108
3.1.5.61.1.2	ObjectPath Properties.....	108
3.1.5.62	Microsoft.Office.Server.Search.REST.SearchSetting.....	108
3.1.5.62.1	Properties.....	108
3.1.5.62.1.1	Scalar Properties.....	108
3.1.5.62.1.2	ObjectPath Properties.....	108
3.1.5.62.2	Methods.....	108
3.1.5.62.2.1	Scalar Methods.....	108
3.1.5.62.2.1.1	getpromotedresultqueryrules.....	108
3.1.5.62.2.1.2	getqueryconfiguration.....	108
3.1.5.62.2.2	ObjectPath Methods.....	109
3.1.5.62.2.2.1	CSOM Constructor.....	109
3.1.6	Timer Events.....	109
3.1.7	Other Local Events.....	109
4	Protocol Examples.....	110
4.1	Search for the keyword "home".....	110
5	Security.....	127
5.1	Security Considerations for Implementers.....	127
5.2	Index of Security Parameters.....	127
6	Appendix A: Product Behavior.....	128
7	Change Tracking.....	129
8	Index.....	134

1 Introduction

The Search Client Query Protocol provides types, methods, and properties to enable a protocol client to issue search queries against a protocol server hosting a search service application.

Sections 1.5, 1.8, 1.9, 2, and 3 of this specification are normative. All other sections and examples in this specification are informative.

1.1 Glossary

This document uses the following terms:

content source: A set of options for specifying the type of content to be crawled and the start addresses for the content to be indexed. A content source is defined by the protocol handler that is used to access specific systems, such as SharePoint sites, file systems, and external websites. A content source can contain up to 500 start addresses.

context: A collection of context properties that describe an execution environment.

crawled property: A type of metadata that can be discovered during a crawl and applied to one or more items. It can be promoted to a managed property. See also **managed property**.

CSOM array: An ordered collection of values that can be used in an XML request or **JSON** response text. The values are identified by their position and their position is determined by a zero-based integer index.

CSOM binary: An array of 8-bit, unsigned integers that can be used in an XML request or as a string in **JSON** response text.

CSOM Boolean: A Boolean value that can be used in an XML request or **JSON** response text. A CSOM Boolean value is either "true" or "false".

CSOM DateTime: An Int64 value that represents the number of 100-nanosecond time intervals that have elapsed since 12:00:00, January 1, 0001. It can be used in an XML request or as a string in **JSON** response text. The value can represent time intervals through 23:59:59.9999999, December 31, 9999. It can also specify whether a local, UTC, or no time zone applies.

CSOM dictionary: An object that contains an unordered collection of key/value pairs that can be used in an XML request or **JSON** response text. Each key in a CSOM dictionary has a unique name.

CSOM Double: A 64-bit, double-precision, floating-point value, which is the DOUBLE type described in [\[MS-DTYP\]](#), that can be used in an XML request or as a number in **JSON** response text. The range of CSOM Double values is from "-1.79769313486232e308" to "1.79769313486232e308".

CSOM GUID: A **GUID**, as described in [\[MS-DTYP\]](#), that can be used in an XML request or as a string in **JSON** response text.

CSOM Int16: A 16-bit, signed integer value, which is the INT16 type described in [\[MS-DTYP\]](#), that can be used in an XML request or as a number in **JSON** response text. The range of CSOM Int16 values is from "-32768" to "32767".

CSOM Int32: A 32-bit, signed integer value, which is the INT32 type described in [\[MS-DTYP\]](#), that can be used in an XML request or as a number in **JSON** response text. The range of CSOM Int32 values is from "-2147483648" to "2147483647".

CSOM Int64: A 64-bit, signed integer value, which is the INT64 type described in [MS-DTYP], that can be used in an XML request or as a number in **JSON** response text. The range of CSOM Int64 values is from "-9223372036854775808" to "9223372036854775807".

CSOM String: A representation of text as a series of Unicode characters. It can be used in an XML request or **JSON** response text.

endpoint: A communication port that is exposed by an application server for a specific shared service and to which messages can be addressed.

globally unique identifier (GUID): A term used interchangeably with universally unique identifier (UUID) in Microsoft protocol technical documents (TDs). Interchanging the usage of these terms does not imply or require a specific algorithm or mechanism to generate the value. Specifically, the use of this term does not imply or require that the algorithms described in [\[RFC4122\]](#) or [\[C706\]](#) must be used for generating the **GUID**. See also universally unique identifier (UUID).

Hypertext Markup Language (HTML): An application of the Standard Generalized Markup Language (SGML) that uses tags to mark elements in a document, as described in [\[HTML\]](#).

Hypertext Transfer Protocol (HTTP): An application-level protocol for distributed, collaborative, hypermedia information systems (text, graphic images, sound, video, and other multimedia files) on the World Wide Web.

Hypertext Transfer Protocol Secure (HTTPS): An extension of HTTP that securely encrypts and decrypts web page requests. In some older protocols, "Hypertext Transfer Protocol over Secure Sockets Layer" is still used (Secure Sockets Layer has been deprecated). For more information, see [\[SSL3\]](#) and [\[RFC5246\]](#).

JavaScript Object Notation (JSON): A text-based, data interchange format that is used to transmit structured data, typically in Asynchronous JavaScript + XML (AJAX) web applications, as described in [\[RFC7159\]](#). The JSON format is based on the structure of ECMAScript (Jscript, JavaScript) objects.

language code identifier (LCID): A 32-bit number that identifies the user interface human language dialect or variation that is supported by an application or a client computer.

managed property: A specific property that is part of a metadata schema. It can be exposed for use in search queries that are executed from the user interface.

permission: A rule that is associated with an object and that regulates which users can gain access to the object and in what manner. See also rights.

post-query suggestions: An alternative search query that is related to the search query that was executed.

pre-query suggestions: A search query that is related to the search query that the user is typing.

query: A formalized instruction to a data source to either extract data or perform a specified action. A query can be in the form of a query expression, a method-based query, or a combination of the two. The data source can be in different forms, such as a relational database, XML document, or in-memory object. See also **search query**.

query result: A result that is returned for a query. It contains the title and URL of the item, and can also contain other managed properties and a hit-highlighted summary.

query rule: A setting that consists of a keyword condition and an action performed to provide the most relevant search results.

ranking model: In a search query, a set of weights and numerical parameters that are used to compute a ranking score for each item. All items share the same ranking model for a specific set of search results. See also rank.

relevance judgment: A numeric evaluation of the applicability and correspondence of a search result to a search query that falls within the range of 1-5 inclusive with 5 being the most relevant and 1 being the least relevant.

result source: A local or remote search catalog, a remote Exchange search endpoint or an OpenSearch1.0/1.1-compliant search engine that may include a list of attributes that defines a set of search results for a search query.

search query: A complete set of conditions that are used to generate search results, including query text, sort order, and ranking parameters.

search service application: A shared service application that provides indexing and querying capabilities.

site: A group of related pages and data within a SharePoint site collection. The structure and content of a site is based on a site definition. Also referred to as SharePoint site and web site.

Uniform Resource Identifier (URI): A string that identifies a resource. The URI is an addressing mechanism defined in Internet Engineering Task Force (IETF) Uniform Resource Identifier (URI): Generic Syntax [\[RFC3986\]](#).

Uniform Resource Locator (URL): A string of characters in a standardized format that identifies a document or resource on the World Wide Web. The format is as specified in [\[RFC1738\]](#).

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the [Errata](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[MS-CSOMREST] Microsoft Corporation, "[SharePoint Client Query OData Protocol](#)".

[MS-CSOMSPT] Microsoft Corporation, "[SharePoint Client-Side Object Model Protocol](#)".

[MS-CSOM] Microsoft Corporation, "[SharePoint Client Query Protocol](#)".

[MS-QSSWS] Microsoft Corporation, "[Search Query Shared Services Protocol](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.rfc-editor.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.rfc-editor.org/rfc/rfc2818.txt>

[RFC3066] Alvestrand, H., "Tags for the Identification of Languages", BCP 47, RFC 3066, January 2001, <http://www.ietf.org/rfc/rfc3066.txt>

[RFC4627] Crockford, D., "The application/json Media Type for JavaScript Object Notation (JSON)", RFC 4627, July 2006, <http://www.rfc-editor.org/rfc/rfc4627.txt>

1.2.2 Informative References

None.

1.3 Overview

This protocol allows a protocol client to issue **search queries** against a protocol server hosting a **search service application**.

Typical scenarios for using this protocol include:

- A protocol client issues a search query to the protocol server, and the protocol server responds with **query results**.
- A protocol client issues a search query to the protocol server, and the protocol server responds with **pre-query suggestions** or **post-query suggestions**.
- A protocol client notifies the protocol server of errors encountered on the protocol client and timing of protocol client processing stages. The protocol server records these errors and time intervals for logging.

1.4 Relationship to Other Protocols

The Search Client Query Protocol is a set of types, properties, and methods that can be accessed by using the SharePoint Client Query protocol as specified in [MS-CSOM]. This protocol uses **JavaScript Object Notation (JSON)** as specified in [RFC4627] to format data returned to a protocol client. This protocol also uses **HTTP**, as specified in [RFC2616], and **HTTPS**, as specified in [RFC2818]. The dependencies for this protocol are shown in the following layering diagram.




Figure 1: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

This protocol operates against a protocol server that exposes one or more **endpoint Uniform Resource Identifiers (URIs)** that are known by protocol clients.

This protocol assumes that authentication has been performed by underlying protocols.

This protocol requires the protocol client to have appropriate **permission** to call the methods on the protocol server.

1.6 Applicability Statement

This protocol can be used by a protocol client to issue **search queries** against a protocol server hosting a **search service application**.

This protocol is optimized to enable a protocol client to specify the exact set of data and operations to perform in a single batch, making it suitable for situations where the connection speed between the protocol client and the protocol server can be slow.

This protocol is not suitable and is inefficient if both the protocol client and protocol server are on the same computer. In this case, the client ought to use an API that does not require communication over a network.

1.7 Versioning and Capability Negotiation

None.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

Messages are transported by using the SharePoint Client Query Protocol, as specified in [\[MS-CSOM\]](#).

2.2 Message Syntax

2.2.1 Namespaces

None.

2.2.2 Common Exceptions

A protocol server hosting the **search service application** MUST validate the request from the protocol client. When a protocol server processes a CSOM operation in the request, the following table lists common exceptions that could occur when accessing or updating a property or invoking a method.

Error Code	Error Type Name	Condition
- 2147024891	System.UnauthorizedAccessException	The user does not have permission to access a property, update a property or call a method.

Besides the preceding exceptions and the exceptions that are listed for the specific properties or methods, the protocol server can return other exceptions to the protocol client, for which the protocol client could use the error message for display purpose but could not use the error code or error type to determine the causes of the exception.

Unless specified, exceptions listed for the specific properties are thrown for both read and write operations.

3 Protocol Details

3.1 Server Details

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

This protocol deals with various objects associated with Search Service to execute a search query for storing verbose query monitoring data or to store query log data and other objects as specified in [\[MS-QSSWS\]](#).

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Higher-Layer Triggered Events

None.

3.1.5 Message Processing Events and Sequencing Rules

3.1.5.1 Microsoft.Office.Server.Search.REST.CustomResult

TypeId: {B3EB596A-C665-4B31-AFBE-BBF07EB1B70D}

ShortName: Microsoft.Office.Server.Search.REST.CustomResult

CustomResult is a ResultTable, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

The TableType property MUST be of any result table type as specified in [\[MS-QSSWS\]](#) section 2.2.5.5 except:

- RelevantResults
- RefinementResults
- SpecialTermResults

3.1.5.1.1 Properties

3.1.5.1.1.1 Scalar Properties

3.1.5.1.1.1.1 TableType

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.2 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.3 GroupTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.4 ItemTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.5 ResultTitle

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.6 ResultTitleUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.1.1.1.7 Table

Type: Microsoft.SharePoint.Client.SimpleDataTable

Accessibility: Read/Write

As specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3

Contains the list of query result hits.

3.1.5.1.1.2 ObjectPath Properties

None.

3.1.5.2 Microsoft.Office.Server.Search.REST.QueryResult

TypeId: {5DA4B313-CA4A-4BC7-B9DE-98EA5F4E727B}

ShortName: Microsoft.Office.Server.Search.REST.QueryResult

The **QueryResult** type is a grouping of result tables, where each contained result table is a **ResultTable** as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

All result tables contained in the same **QueryResult** MUST share the same **QueryId** (section [3.1.5.2.1.1.2](#)).

A **QueryResult** structure accessed by the **PrimaryQueryResult** property (section [3.1.5.6.1.1.2](#)) of a **SearchResult** structure (section [3.1.5.6](#)) MUST NOT be associated with a **query rule**, and MUST have the **QueryRuleId** (section [3.1.5.2.1.1.3](#)) populated with the value {00000000-0000-0000-0000-000000000000}.

Each **QueryResult** structure contained in the **SecondaryQueryResults** (section [3.1.5.6.1.1.3](#)) of the **SearchResult** (section 3.1.5.6) structure MUST be associated with an individual query rule, and MUST have the **QueryRuleId** (section 3.1.5.2.1.1.3) populated with a value other than {00000000-0000-0000-0000-000000000000}.

A valid QueryResult MUST have one or more result tables accessed through one or more of the following properties:

- CustomResults
- RefinementResults
- RelevantResults
- SpecialTermResults

CustomResults is a CSOM Array that contains zero or more CustomResult instances. A CustomResult instance is a ResultTable with ResultType of any kind (except RefinementResults, RelevantResults, and SpecialTermResults), as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

RefinementResult is a ResultTable with ResultType RefinementResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

RelevantResults is a ResultTable with ResultType RelevantResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

SpecialTermResults is a ResultTable with ResultType SpecialTermResults as specified in [\[MS-QSSWS\]](#) section 2.2.5.5.

3.1.5.2.1 Properties

3.1.5.2.1.1 Scalar Properties

3.1.5.2.1.1.1 CustomResults

Type: **CSOM array** of Microsoft.Office.Server.Search.REST.CustomResult

Accessibility: Read/Write

An array of CustomResult as specified in section [3.1.5.1](#).

3.1.5.2.1.1.2 QueryId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.2.1.1.3 QueryRuleId

Type: CSOM GUID

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.2.1.1.4 RefinementResults

Type: Microsoft.Office.Server.Search.REST.RefinementResults

Accessibility: Read/Write

As specified in section [3.1.5.3](#).

3.1.5.2.1.1.5 RelevantResults

Type: Microsoft.Office.Server.Search.REST.RelevantResults

Accessibility: Read/Write

As specified in section [3.1.5.4](#).

3.1.5.2.1.1.6 SpecialTermResults

Type: Microsoft.Office.Server.Search.REST.SpecialTermResults

Accessibility: Read/Write

As specified in section [3.1.5.25](#).

3.1.5.2.1.2 ObjectPath Properties

None.

3.1.5.3 Microsoft.Office.Server.Search.REST.RefinementResults

TypeId: {F3B3BFC2-9DD9-4F5E-BC53-0EF63E0709F6}

ShortName: Microsoft.Office.Server.Search.REST.RefinementResults

RefinementResults is a RefinementResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1 Properties

3.1.5.3.1.1 Scalar Properties

3.1.5.3.1.1.1 Refiners

Type: CSOM array of Microsoft.Office.Server.Search.REST.Refiner

Accessibility: Read/Write

Contains the list of refiners, as specified in section [3.1.5.30](#), for the search results.

3.1.5.3.1.1.2 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.3 GroupTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.4 ItemTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.5 ResultTitle

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.1.6 ResultTitleUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.3.1.2 ObjectPath Properties

None.

3.1.5.4 Microsoft.Office.Server.Search.REST.RelevantResults

TypeId: {755270DF-820C-430A-A609-1A6C415E88F1}

ShortName: Microsoft.Office.Server.Search.REST.RelevantResults

RelevantResults is a RelevantResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1 Properties

3.1.5.4.1.1 Scalar Properties

3.1.5.4.1.1.1 RowCount

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.2 TotalRows

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.3 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.4 GroupTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.5 ItemTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.6 ResultTitle

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.7 ResultTitleUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.1.8 Table

Type: Microsoft.SharePoint.Client.SimpleDataTable

Accessibility: Read/Write

As specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3

Contains the list of query result hits.

3.1.5.4.1.1.9 TotalRowsIncludingDuplicates

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.4.1.2 ObjectPath Properties

None.

3.1.5.5 Microsoft.Office.Server.Search.REST.SearchRequest

TypeId: {EFA6DBB5-FB02-41F8-B70F-E6C992FB86A9}

ShortName: Microsoft.Office.Server.Search.REST.SearchRequest

The **SearchRequest** structure defines the HTTP BODY of the HTTP POST postquery operation as specified in section [3.1.5.7.2.1.2](#). The postquery operation together with the **SearchRequest** structure is similar to the query operation as specified in section [3.1.5.7.2.1.3](#), and is provided as a means to overcome **Uniform Resource Locator (URL)** length limitations that some clients experience with HTTP GET operations.

3.1.5.5.1 Properties

3.1.5.5.1.1 Scalar Properties

3.1.5.5.1.1.1 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid **language code identifier (LCID)** of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.5.1.1.2 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.3 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.4 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.5 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.6 HiddenConstraints

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.7 Querytext

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.8 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.9 RefinementFilters

Type: CSOM array of CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.10 Refiners

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.11 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.12 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.13 SelectProperties

Type: CSOM array of CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.14 SourceId

Type: CSOM GUID

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.15 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.16 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.17 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.18 EnableFQL

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.19 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.20 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

3.1.5.5.1.1.21 HitHighlightedProperties

Type: CSOM array of CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.22 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.23 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.24 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.25 TrimDuplicatesIncludeId

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.26 BlockDedupeMode

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.27 CollapseSpecification

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.28 DesiredSnippetLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

3.1.5.5.1.1.29 EnableOrderingHitHighlightedProperty

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

3.1.5.5.1.1.30 EnableQueryRules

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether query rules are included when a **search query** is executed. If the value is true, query rules are applied to the search query. If the value is false, query rules MUST NOT be applied in the search query.

3.1.5.5.1.1.31 EnableSorting

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.32 GenerateBlockRankLog

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

3.1.5.5.1.1.33 HitHighlightedMultivaluePropertyLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

3.1.5.5.1.1.34 ImpressionId

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.5.1.1.35 MaxSnippetLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

3.1.5.5.1.1.36 PersonalizationData

Type: CSOM GUID

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.37 ProcessPersonalFavorites

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11

3.1.5.5.1.1.38 Properties

Type: CSOM array of Microsoft.Office.Server.Search.REST.QueryProperty

Accessibility: Read/Write

Used to transport additional and custom search query data, in a name-value structure, from the caller to the server.

As specified in section [3.1.5.29](#).

3.1.5.5.1.1.39 QueryTemplate

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.40 ReorderingRules

Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.ReorderingRule

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.41 SortList

Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.Sort

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.5.1.1.42 SummaryLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.43 TotalRowsExactMinimum

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.44 UILanguage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.45 QueryTemplatePropertiesUrl

Type: CSOM String

Accessibility: Read/Write

Specifies an identifier which the protocol server can use to modify the client-specified **Properties** property (section [3.1.5.9.1.2.3](#)).

3.1.5.5.1.1.46 TimeZoneId

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.5.1.1.47 OLSQuerySession

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.5.1.1.48 UseOLSQuery

Type: CSOM Int32

Accessibility: Read/Write

MUST NOT be used.

3.1.5.5.1.2 ObjectPath Properties

None.

3.1.5.6 Microsoft.Office.Server.Search.REST.SearchResult

TypeId: {C160DFA4-233A-4C58-88D4-9123B0A3D05B}

ShortName: Microsoft.Office.Server.Search.REST.SearchResult

The **SearchResult** structure resembles the **ResultTableCollection** structure (specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1). However, the individual result tables that share the same **QueryId** are grouped together in a **QueryResult** structure (specified in section [3.1.5.2](#)). The search result tables that have exactly the same **QueryId** value as specified by the protocol client are grouped in the same **QueryResult** structure accessed through the **PrimaryQueryResult** property. All other **QueryResult** buckets are organized in a CSOM array of **QueryResults** accessed through the **SecondaryQueryResults** property.

3.1.5.6.1 Properties

3.1.5.6.1.1 Scalar Properties

3.1.5.6.1.1.1 ElapsedTime

Type: **CSOM Int32**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.6.1.1.2 PrimaryQueryResult

Type: Microsoft.Office.Server.Search.REST.QueryResult

Accessibility: Read/Write

As specified in section [3.1.5.2](#).

3.1.5.6.1.1.3 SecondaryQueryResults

Type: **CSOM array** of Microsoft.Office.Server.Search.REST.QueryResult

Accessibility: Read/Write

Array of QueryResult as specified in section [3.1.5.2](#).

3.1.5.6.1.1.4 Properties

Type: **CSOM dictionary**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.6.1.1.5 SpellingSuggestion

Type: **CSOM String**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.6.1.1.6 TriggeredRules

Type: CSOM array of CSOM GUID

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.6.1.2 ObjectPath Properties

None.

3.1.5.7 Microsoft.Office.Server.Search.REST.SearchService

TypeId: {1DBA45DD-4E29-4975-82EB-51A4ABF22707}

ShortName: Microsoft.Office.Server.Search.REST.SearchService

SearchService exposes seven OData Service Operations.

- **postquery** supports HTTP POST and returns search results. The purpose of the **postquery** service operation is to overcome **URI** length restriction in the client or server, by transporting query parameters in the body section of the HTTP request.
- **query** supports HTTP GET and returns search results.
- **suggest** supports HTTP GET and returns search query suggestions.
- **autocompletions** supports HTTP GET and returns a list of auto completions for the query string.
- **RecordPageClick** supports HTTP GET and records page clicks.
- **resultspageaddress** supports HTTP GET and gets the URI address of the result page.
- **searchcenterurl** supports HTTP GET and gets the URI address of the search center.

3.1.5.7.1 Properties

3.1.5.7.1.1 Scalar Properties

None.

3.1.5.7.1.2 ObjectPath Properties

None.

3.1.5.7.2 Methods

3.1.5.7.2.1 Scalar Methods

3.1.5.7.2.1.1 autocompletions

Return Type: Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionResults

The operation is used to retrieve auto completion results by using the **HTTP** protocol with the GET method.

Parameters:

querytext: As specified in [\[MS-QSSWS\] section 2.2.4.11](#).

Type: **CSOM String**

The parameter *querytext* is specified in *QueryProperties* [MS-QSSWS].

sources: As specified in [MS-QSSWS] section [3.1.4.25.2.1](#).

Type: CSOM String

numberOfCompletions: As specified in [MS-QSSWS] section [3.1.4.25.2.1](#).

Type: **CSOM Int32**

cursorPosition: As specified in [MS-QSSWS] section [3.1.4.25.2.1](#).

Type: CSOM Int32

3.1.5.7.2.1.2 export

Return Type: CSOM String

The operation is used by the administrator to retrieve the query log entries, issued after a specified date, for a specified user.

Parameters:

userName: The name of the user that issued the queries.

Type: CSOM String

startTime: The timestamp of the oldest query log entry returned.

Type: **CSOM DateTime**

3.1.5.7.2.1.3 postquery

Return Type: Microsoft.Office.Server.Search.REST.SearchResult

The operation is used to retrieve search results through the use of the HTTP protocol with method type POST.

Parameters:

request: As specified in section [3.1.5.5](#).

Type: Microsoft.Office.Server.Search.REST.SearchRequest

3.1.5.7.2.1.4 query

Return Type: Microsoft.Office.Server.Search.REST.SearchResult

The operation is used to retrieve search results by using the **HTTP** protocol with the GET method.

Parameters:

querytext: As specified in [\[MS-QSSWS\] section 2.2.4.11](#).

Type: **CSOM String**

queryTemplate: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM String

enableInterleaving: As specified in [MS-QSSWS] section 2.2.4.11.

Type: **CSOM Boolean**

sourceId: As specified in [MS-QSSWS] section 2.2.4.11.

Type: **CSOM GUID**

rankingModelId: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM String

startRow: As specified in [MS-QSSWS] section 2.2.4.11.

Type: **CSOM Int32**

rowLimit: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

rowsPerPage: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

selectProperties: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM String

culture: Specifies the identifier of the language culture of the search query. If present, the value MUST be a valid **LCID** of a culture name, as specified in [\[RFC3066\]](#).

Type: CSOM Int32

refinementFilters: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM String

refiners: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM String

hiddenConstraints: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM String

sortList: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM String

enableStemming: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

trimDuplicates: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

timeout: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

enableNicknames: As specified [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

enablePhonetic: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

enableFQL: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM Boolean

hitHighlightedProperties: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM String

bypassResultTypes: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

processBestBets: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

clientType: Specifies the type of the query client. It MUST be of the **QueryLogClientType** data type as specified in [MS-QSSWS] section 3.1.4.11.4.1.

Type: CSOM String

personalizationData: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM GUID

resultsUrl: As specified in [MS-QSSWS] section 3.1.4.11.3.1.

Type: CSOM String

queryTag: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM String

trimDuplicatesIncludeId: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: **CSOM Int64**

totalRowsExactMinimum: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

impressionId: MUST NOT be used.

Type: CSOM String

properties: Allows transport of additional and custom properties structured as comma separated name-value pairs.

Type: CSOM String

See section [3.1.5.29](#)

enableQueryRules: Specifies whether **query rules** are included when a **search query** is executed. If the value is true, query rules are applied in the search query. If the value is false, query rules **MUST NOT** be applied in the search query.

Type: CSOM Boolean

summaryLength: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

maxSnippetLength: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

desiredSnippetLength: As specified in [MS-QSSWS] section 2.2.4.11 .

Type: CSOM Int32

uiLanguage: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

blockDedupeMode: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

generateBlockRankLog: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

enableSorting: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM Boolean

collapseSpecification: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM String

processPersonalFavorites: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

enableOrderingHitHighlightedProperty: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

hitHighlightedMultivaluePropertyLimit: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

queryTemplatePropertiesUrl: Specifies an identifier which the protocol server can use to modify the client-specified **Properties** property (section [3.1.5.9.1.2.3](#)).

Type: CSOM String

timeZoneId: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Int32

useOLSQuery: **MUST NOT** be used.

Type: CSOM Int32

OLSQuerySession: MUST NOT be used.

Type: CSOM String

3.1.5.7.2.1.5 RecordPageClick

Return Type: None

The operation is used to record page clicks by using the **HTTP** protocol with the GET method.

Parameters:

pageInfo: Specifies the information about the clicked page, the page impression. This parameter MUST NOT be empty.

Type: **CSOM String**

clickType: As specified in [\[MS-QSSWS\]](#) section [3.1.4.16.3.1](#). This parameter MUST NOT be empty.

Type: CSOM String

blockType: As specified in [\[MS-QSSWS\]](#) section [3.1.4.16.3.1](#).

Type: **CSOM Int32**

clickedResultId: Specifies the information about the clicked result. This parameter MUST NOT be empty.

Type: CSOM String

subResultIndex: Specifies the information about result index. Use 0 for ordinary results, and a value > 0 for deep links.

Type: CSOM Int32

immediacySourceId: As specified in [\[MS-QSSWS\]](#) section [3.1.4.16.3.2](#).

Type: CSOM String

The parameter *immediacySourceID* maps to the parameter *SourceID* in [\[MS-QSSWS\]](#). This parameter can be empty. If this parameter is empty or faulty, the local SharePoint source GUID is used as the *immediateSourceId*.

immediacyQueryString: As specified in [\[MS-QSSWS\]](#) section [3.1.4.16.3.2](#).

Type: CSOM String

The parameter *immediacyQueryString* maps to the parameter *QueryString* in [\[MS-QSSWS\]](#).

immediacyTitle: As specified in [\[MS-QSSWS\]](#) section [3.1.4.16.3.2](#).

Type: CSOM String

The parameter *immediacyTitle* maps to the parameter *Title* in [\[MS-QSSWS\]](#).

immediacyUrl: As specified in [\[MS-QSSWS\]](#) section [3.1.4.16.3.2](#).

Type: CSOM String

The parameter *immediacyUrl* maps to the parameter *Url* in [\[MS-QSSWS\]](#).

3.1.5.7.2.1.6 resultspageaddress

Return Type: CSOM String

The operation is used to get the **URI** address of the result page by using the **HTTP** protocol with the GET method. The operation returns the URI of the result page.

Parameters: None

3.1.5.7.2.1.7 searchcenterurl

Return Type: CSOM String

The operation is used to get the URI address of the search center by using the **HTTP** protocol with the GET method. The operation returns the URI of the of the search center.

Parameters: None

3.1.5.7.2.1.8 suggest

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

Parameters:

querytext: As specified in [MS-QSSWS] section 2.2.4.11.

Type: **CSOM String**

iNumberOfQuerySuggestions: As specified in [MS-QSSWS] section 3.1.4.18.2.1.

Type: **CSOM Int32**

iNumberOfResultSuggestions: As specified in [MS-QSSWS] section 3.1.4.18.2.1.

Type: CSOM Int32

fPreQuerySuggestions: As specified in [MS-QSSWS] section 3.1.4.18.2.1.

Type: **CSOM Boolean**

fHitHighlighting: As specified in [MS-QSSWS] section 3.1.4.18.2.1.

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [MS-QSSWS] section 3.1.4.18.2.1.

Type: CSOM Boolean

culture: Specifies the identifier of the language culture of the search suggestion. If present, the value MUST be a valid **LCID** of a culture name, as specified in [\[RFC3066\]](#).

Type: CSOM Int32

enableStemming: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

showPeopleNameSuggestions: As specified in [MS-QSSWS] section 3.1.4.7.3.1.

Type: CSOM Boolean

enableQueryRules: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

fPrefixMatchAllTerms: As specified in [MS-QSSWS] section 2.2.4.11.

Type: CSOM Boolean

sourceId:

Type: CSOM String

clientType:

Type: CSOM String

useOLSQuery:

Type: CSOM Int32

OLSQuerySession:

Type: CSOM String

zeroTermSuggestions:

Type: CSOM Boolean

3.1.5.7.2.2 ObjectPath Methods

3.1.5.7.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchService** object.

Parameters: None

3.1.5.8 Microsoft.Office.Server.Search.REST.SpecialTermResult

TypeId: {9D6EB278-1166-420E-8642-37887FEE2BDC}

ShortName: Microsoft.Office.Server.Search.REST.SpecialTermResult

SpecialTermResult is a row in the **Table** property of a **SpecialTermResults** Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

A row in a **SpecialTermResults** Table maps to one instance of **SpecialTermResults**.

A row in a **SpecialTermResults** Table MUST have the columns *Title*, *Url*, and *Description*, and it can have the column *IsVisualBestBet*. Each of these columns maps to corresponding property of the **SpecialTermResult** type.

3.1.5.8.1 Properties

3.1.5.8.1.1 Scalar Properties

3.1.5.8.1.1.1 Description

Type: CSOM String

Accessibility: Read/Write

As specified in the **SpecialTermResults** Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.8.1.1.2 IsVisualBestBet

Type: CSOM Boolean

Accessibility: Read/Write

A value indicating whether the best bet is rendered as an image.

3.1.5.8.1.1.3 Title

Type: CSOM String

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.8.1.1.4 Url

Type: CSOM String

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.8.1.1.5 PiSearchResultId

Type: CSOM String

Accessibility: Read/Write

As specified in the SpecialTermResults Table in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

3.1.5.8.1.1.6 RenderTemplateId

Type: CSOM String

Accessibility: Read/Write

An identifier indicating a suggested rendering template for the **SpecialTermResult** entity.

3.1.5.8.1.2 ObjectPath Properties

None.

3.1.5.9 Microsoft.SharePoint.Client.Search.Query.KeywordQuery

TypeId: {80173281-FFFD-47B6-9A49-312E06FF8428}

ShortName: Microsoft.SharePoint.Client.Search.Query.KeywordQuery

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1 Properties

3.1.5.9.1.1 Scalar Properties

3.1.5.9.1.1.1 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.2 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the **search query**. If present, the value MUST be a valid **LCID** of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.9.1.1.3 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.4 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.5 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.6 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.7 HiddenConstraints

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.8 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.9 QueryText

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.10 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.11 Refiners

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.12 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.13 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.14 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.15 ShowPeopleNameSuggestions

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.16 SourceId

Type: CSOM GUID

Accessibility: Read/Write

Unique identifier of the result source.

3.1.5.9.1.1.17 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.18 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.19 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.20 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

3.1.5.9.1.1.21 TrimDuplicatesIncludeId

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.22 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.23 TotalRowsExactMinimum

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.24 EnableQueryRules

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether **query rules** are included when a **search query** is executed. If the value is true, query rules can be included in the search query. If the value is false, query rules MUST NOT be included in the search query.

3.1.5.9.1.1.25 ImpressionID

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.9.1.1.26 BlockDedupeMode

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.27 CollapseSpecification

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

3.1.5.9.1.1.28 DesiredSnippetLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.29 EnableOrderingHitHighlightedProperty

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.30 EnableSorting

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.1.31 GenerateBlockRankLog

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.32 HitHighlightedMultivaluePropertyLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.33 MaxSnippetLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.34 ProcessPersonalFavorites

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.35 QueryTemplate

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.36 QueryTemplateParameters

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.37 SummaryLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.38 UILanguage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.1.39 IgnoreSafeQueryPropertiesTemplateUrl

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether the **SafeQueryPropertiesTemplateUrl** (section [3.1.5.9.1.1.40](#)) property can be ignored by the protocol server.

3.1.5.9.1.1.40 SafeQueryPropertiesTemplateUrl

Type: CSOM String

Accessibility: Read/Write

Specifies an identifier which the protocol server can use to modify the client-specified **Properties** property (section [3.1.5.9.1.2.3](#)).

3.1.5.9.1.1.41 TimeZoneId

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section [2.2.4.11](#)

3.1.5.9.1.1.42 OLSQuerySession

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.9.1.1.43 UseOLSQuery

Type: CSOM Int32

Accessibility: Read/Write

MUST NOT be used.

3.1.5.9.1.2 ObjectPath Properties

3.1.5.9.1.2.1 HitHighlightedProperties

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.2.2 PersonalizationData

Type: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.9.1.2.3 Properties

Type: Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.2.4 RefinementFilters

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.2.5 SelectProperties

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.2.6 SortList

Type: Microsoft.SharePoint.Client.Search.Query.SortCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.1.2.7 ReorderingRules

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.9.2 Methods

3.1.5.9.2.1 Scalar Methods

3.1.5.9.2.1.1 GetQuerySuggestionsWithResults

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

Parameters:

iNumberOfQuerySuggestions: As specified in [MS-QSSWS] section 3.1.4.18.2.1

Type: **CSOM Int32**

iNumberOfResultSuggestions: As specified in [MS-QSSWS] section 3.1.4.18.2.1

Type: CSOM Int32

fPreQuerySuggestions: As specified in [MS-QSSWS] section [3.1.4.18.2.1](#).

Type: **CSOM Boolean**

fHitHighlighting: As specified in [MS-QSSWS] section [3.1.4.18.2.1](#)

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [MS-QSSWS] section [3.1.4.18.2.1](#)

Type: CSOM Boolean

fPrefixMatchAllTerms: As specified in [MS-QSSWS] section [3.1.4.18.2.1](#)

Type: CSOM Boolean

3.1.5.9.2.1.2 GetQueryCompletions

Return Type: Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionResults

As specified in [\[MS-QSSWS\]](#) section [3.1.4.25](#).

Parameters:

numberOfCompletions: As specified in [MS-QSSWS] section [3.1.4.25.2.1](#).

Type: **CSOM Int32**

selectedSources: As specified in [MS-QSSWS] section [3.1.4.25.2.1](#). This parameter *selectedSources* is named *Sources* in [MS-QSSWS].

Type: **CSOM String**

cursorPosition: As specified in [MS-QSSWS] section [3.1.4.25.2.1](#).

Type: CSOM Int32

3.1.5.9.2.1.3 ExportQueryLogs

Return Type: **CSOM String**

The operation is called by the REST call export (section [3.1.5.7.2.1.2](#)).

Parameters:

userName: See section [3.1.5.7.2.1.2](#).

Type: CSOM String

startTime: See section [3.1.5.7.2.1.2](#).

Type: **CSOM DateTime**

3.1.5.9.2.1.4 GetZeroTermsQuerySuggestionsWithResults

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Parameters:

iNumberOfQuerySuggestions:

Type: **CSOM Int32**

iNumberOfResultSuggestions:

Type: CSOM Int32

fCapitalizeFirstLetters:

Type: **CSOM Boolean**

3.1.5.9.2.2 ObjectPath Methods

3.1.5.9.2.2.1 CSOM Constructor

Initializes a new instance of the **KeywordQuery** object.

Parameters: None

3.1.5.10 Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

TypeId: {8E0AB106-FBFE-43F1-9CB7-329130820F89}

ShortName: Microsoft.SharePoint.Client.Search.Query.KeywordQueryProperties

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1

3.1.5.10.1 Properties

3.1.5.10.1.1 Scalar Properties

None.

3.1.5.10.1.2 ObjectPath Properties

None.

3.1.5.10.2 Methods

3.1.5.10.2.1 Scalar Methods

3.1.5.10.2.1.1 GetQueryPropertyValue

Return Type: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

Retrieves the value of a property based on the specified name.

Parameters:

name: Name of a property in the KeywordQueryProperties complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1).

Type: **CSOM String**

3.1.5.10.2.1.2 SetQueryPropertyValue

Return Type: None

Sets the value of a property based on the specified name.

Parameters:

name: Name of a property in the **KeywordQueryProperties** complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1).

Type: **CSOM String**

val: Value of the property to be set in the **KeywordQueryProperties** complex type ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1). The value MUST conform to the specification in ([\[MS-QSSWS\]](#) section 3.1.4.7.3.1).

Type: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

3.1.5.10.2.2 ObjectPath Methods

None.

3.1.5.11 Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

TypeId: {AAFD94AF-525A-4759-8410-F571A26F04BC}

ShortName: Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3.

3.1.5.11.1 Properties

3.1.5.11.1.1 Scalar Properties

3.1.5.11.1.1.1 IsBestBet

Type: **CSOM Boolean**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3.

3.1.5.11.1.1.2 Title

Type: **CSOM String**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3.

3.1.5.11.1.1.3 Url

Type: **CSOM String**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3.

3.1.5.11.1.1.4 HighlightedTitle

Type: **CSOM String**

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.3.

3.1.5.11.1.2 ObjectPath Properties

None.

3.1.5.12 Microsoft.SharePoint.Client.Search.Query.Query

TypeId: {506FBB38-B10C-4CB3-80A0-9003A85B56ED}

ShortName: Microsoft.SharePoint.Client.Search.Query.Query

Specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1 Properties

3.1.5.12.1.1 Scalar Properties

3.1.5.12.1.1.1 BypassResultTypes

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.12.1.1.2 Culture

Type: CSOM Int32

Accessibility: Read/Write

Specifies the identifier of the language culture of the **search query**. If present, the value MUST be a valid **LCID** of a culture name, as specified in [\[RFC3066\]](#).

3.1.5.12.1.1.3 EnableInterleaving

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.12.1.1.4 EnableNicknames

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.5 EnablePhonetic

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.6 EnableStemming

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.7 QueryTag

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.12.1.1.8 QueryText

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.9 RankingModelId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.10 ResultsUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.12.1.1.11 RowLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.12 RowsPerPage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.13 ShowPeopleNameSuggestions

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.12.1.1.14 SourceId

Type: CSOM GUID

Accessibility: Read/Write

Unique identifier of the **result source**.

3.1.5.12.1.1.15 StartRow

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.16 Timeout

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.17 TrimDuplicates

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.18 ClientType

Type: CSOM String

Accessibility: Read/Write

Specifies the type of the query client. It MUST be of **QueryLogClientType** data type as specified in [\[MS-QSSWS\]](#) section 3.1.4.11.4.1.

3.1.5.12.1.1.19 ProcessBestBets

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.12.1.1.20 TotalRowsExactMinimum

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.21 EnableQueryRules

Type: CSOM Boolean

Accessibility: Read/Write

Specifies whether **query rules** are included when a **search query** is executed. If the value is true, query rules can be included in the search query. If the value is false, query rules MUST NOT be included in the search query.

3.1.5.12.1.1.22 ImpressionID

Type: CSOM String

Accessibility: Read/Write

MUST NOT be used.

3.1.5.12.1.1.23 BlockDedupeMode

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.24 DesiredSnippetLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.25 EnableOrderingHitHighlightedProperty

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.26 GenerateBlockRankLog

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.27 HitHighlightedMultivaluePropertyLimit

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.28 MaxSnippetLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.29 ProcessPersonalFavorites

Type: CSOM Boolean

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.30 QueryTemplate

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.31 QueryTemplateParameters

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.32 SummaryLength

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.33 UILanguage

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.1.34 IgnoreSafeQueryPropertiesTemplateUrl

Type: CSOM Boolean

Accessibility: Read/Write

The value of this property MUST be ignored by the protocol server.

3.1.5.12.1.1.35 SafeQueryPropertiesTemplateUrl

Type: CSOM String

Accessibility: Read/Write

The value of this property MUST be ignored by the protocol server.

3.1.5.12.1.2 ObjectPath Properties

3.1.5.12.1.2.1 HitHighlightedProperties

Type: Microsoft.SharePoint.Client.Search.Query.StringCollection

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.1.2.2 PersonalizationData

Type: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 2.2.4.11.

3.1.5.12.2 Methods

3.1.5.12.2.1 Scalar Methods

3.1.5.12.2.1.1 GetQuerySuggestionsWithResults

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.

Parameters:

iNumberOfQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: **CSOM Int32**

iNumberOfResultSuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Int32

fPreQuerySuggestions: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: **CSOM Boolean**

fHitHighlighting: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fCapitalizeFirstLetters: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

fPrefixMatchAllTerms: As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.2.1.

Type: CSOM Boolean

3.1.5.12.2.1.2 GetQueryCompletions

Return Type: Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionResults

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25](#)

Parameters:

numberOfCompletions: As specified in [\[MS-QSSWS\]](#) section [3.1.4.25.2.1](#).

Type: **CSOM Int32**

selectedSources: As specified in [\[MS-QSSWS\]](#) section [3.1.4.25.2.1](#). This parameter *selectedSources* is named *Sources* in [\[MS-QSSWS\]](#).

Type: **CSOM String**

cursorPosition: As specified in [\[MS-QSSWS\]](#) section [3.1.4.25.2.1](#).

Type: CSOM Int32

3.1.5.12.2.1.3 ExportQueryLogs

Return Type: **CSOM String**

The operation is called by the REST call export (section [3.1.5.7.2.1.2](#)).

Parameters:

userName: See section 3.1.5.7.2.1.2.

Type: CSOM String

startTime: See section 3.1.5.7.2.1.2.

Type: **CSOM DateTime**

3.1.5.12.2.1.4 GetZeroTermsQuerySuggestionsWithResults

Return Type: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

Parameters:

iNumberOfQuerySuggestions:

Type: **CSOM Int32**

iNumberOfResultSuggestions:

Type: CSOM Int32

fCapitalizeFirstLetters:

Type: **CSOM Boolean**

3.1.5.12.2.2 ObjectPath Methods

None.

3.1.5.13 Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

TypeId: {28D79F49-820A-4D51-BB2A-3309B3F4C54D}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryPersonalizationData

As specified in [\[MS-QSSWS\]](#) section 2.2.4.10.

3.1.5.13.1 Properties

3.1.5.13.1.1 Scalar Properties

None.

3.1.5.13.1.2 ObjectPath Properties

None.

3.1.5.13.2 Methods

3.1.5.13.2.1 Scalar Methods

None.

3.1.5.13.2.2 ObjectPath Methods

3.1.5.13.2.2.1 CSOM Constructor

Initializes a new instance of the **QueryPersonalizationData** object.

Parameters:

guidUserIdString: As specified by **UserId** in [\[MS-QSSWS\]](#) section 2.2.4.10.

Type: **CSOM String**

3.1.5.14 Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

TypeId: {B25BA502-71D7-4AE4-A701-4CA2FB1223BE}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

This object is used to store values of predefined types. The object MUST have a value set for only one of the property.

3.1.5.14.1 Properties

3.1.5.14.1.1 Scalar Properties

3.1.5.14.1.1.1 BoolVal

Type: **CSOM Boolean**

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM Boolean. This property MUST have a value only if **QueryPropertyValueTypeInfo** is set to 3.

3.1.5.14.1.1.2 IntVal

Type: **CSOM Int32**

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM Int32. This property MUST have a value only if **QueryPropertyValueTypeIndex** is set to 2.

3.1.5.14.1.1.3 QueryPropertyValueTypeIndex

Type: CSOM Int32

Accessibility: Read/Write

Specifies the type of data stored in this object. This MUST be set to one of the following values.

- 0: Specifies that no value is stored in this object.
- 1: Specifies that a **CSOM String** value is stored.
- 2: Specifies that a CSOM Int32 value is stored.
- 3: Specifies that a **CSOM Boolean** value is stored.
- 4: Specifies that a CSOM array of type CSOM String is stored.
- 5: Specifies that the value is an unsupported type.

3.1.5.14.1.1.4 StrArray

Type: CSOM array of CSOM String

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM array. This property MUST have a value only if **QueryPropertyValueTypeIndex** is set to 4.

3.1.5.14.1.1.5 StrVal

Type: CSOM String

Accessibility: Read/Write

Specifies any arbitrary value of type CSOM String. This property MUST have a value only if **QueryPropertyValueTypeIndex** is set to 1.

3.1.5.14.1.2 ObjectPath Properties

None.

3.1.5.15 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

TypeId: {EF071CB4-7FAB-4E8D-9480-F15D30DC696D}

ShortName: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionResults

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

3.1.5.15.1 Properties

3.1.5.15.1.1 Scalar Properties

3.1.5.15.1.1.1 PeopleNames

Type: CSOM array of CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

3.1.5.15.1.1.2 PersonalResults

Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.PersonalResultSuggestion

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

3.1.5.15.1.1.3 Queries

Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.1.

3.1.5.15.1.2 ObjectPath Properties

None.

3.1.5.16 Microsoft.SharePoint.Client.Search.Query.ResultTable

TypeId: {6780DF59-1036-4912-829B-432354F22656}

ShortName: Microsoft.SharePoint.Client.Search.Query.ResultTable

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1 Properties

3.1.5.16.1.1 Scalar Properties

3.1.5.16.1.1.1 Properties

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.2 QueryId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.3 ResultRows

Type: CSOM array of CSOM dictionary

Accessibility: Read Only

Contains the list of **query results**.

3.1.5.16.1.1.4 RowCount

Type: CSOM Int32

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.5 TableType

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.6 TotalRows

Type: CSOM Int32

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.7 GroupTemplateId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.8 ItemTemplateId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.9 QueryRuleId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.10 ResultTitle

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.11 ResultTitleUrl

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.1.12 TotalRowsIncludingDuplicates

Type: CSOM Int32

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.16.1.2 ObjectPath Properties

None.

3.1.5.17 Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

TypeId: {11F20D08-7F42-49C1-8C0C-8EE4C32B203E}

ShortName: Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1 Properties

3.1.5.17.1.1 Scalar Properties

3.1.5.17.1.1.1 ElapsedTime

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1.1.2 Properties

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1.1.3 QueryId

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1.1.4 SpellingSuggestion

Type: CSOM String

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1.1.5 TriggeredRules

Type: CSOM array of CSOM GUID

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1.1.6 QueryErrors

Type: CSOM dictionary

Accessibility: Read Only

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

3.1.5.17.1.2 ObjectPath Properties

None.

3.1.5.18 Microsoft.SharePoint.Client.Search.Query.SearchExecutor

TypeId: {8D2AC302-DB2F-46FE-9015-872B35F15098}

ShortName: Microsoft.SharePoint.Client.Search.Query.SearchExecutor

This object contains operations to execute a **search query** or a batch of search queries and retrieve a list of links to items and associated properties, crawled locally by the protocol server or by another search engine.

3.1.5.18.1 Properties

3.1.5.18.1.1 Scalar Properties

None.

3.1.5.18.1.2 ObjectPath Properties

None.

3.1.5.18.2 Methods

3.1.5.18.2.1 Scalar Methods

3.1.5.18.2.1.1 ExecuteQueries

Return Type: CSOM dictionary

This method is used to execute a batch of **search queries** and retrieve a list of links to items, crawled locally by the protocol server or by another search engine, that are relevant to the search query, together with associated properties, for all the search queries.

This method returns a dictionary where each row corresponds to a query object. Each row contains a *queryId* and **query results** that correspond to that *queryId*.

Parameters:

queryIds: Specifies a list of identifiers for the query objects in the *queries* parameter.

Type: **CSOM array of CSOM String**

queries: Specifies a list of query objects specified in section [3.1.5.12](#).

Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.Query

handleExceptions: Specifies how the protocol server SHOULD handle errors encountered while executing the list of search queries. If the value is "true", then the protocol server MUST execute all the search queries. For each search query that encounters an error, the protocol server MUST set the **QueryErrors** property specified in section [3.1.5.17.1.1.6](#) of the corresponding query result in the returned dictionary. If the value is "false", and any search query encounters an error, the protocol server MUST throw an exception that represents the error for any one of the search queries.

Type: **CSOM Boolean**

3.1.5.18.2.1.2 ExecuteQuery

Return Type: Microsoft.SharePoint.Client.Search.Query.ResultTableCollection

This method is used to execute a **search query** and retrieve a list of links to items, crawled locally by the protocol server or by another search engine, that are relevant to the search query, together with associated properties.

This method returns a **ResultTableCollection** object that contains the **query results** for the search query

Parameters:

query: Specified in section [3.1.5.12](#).

Type: Microsoft.SharePoint.Client.Search.Query.Query

3.1.5.18.2.1.3 RecordPageClick

Return Type: None

Specified in [\[MS-QSSWS\]](#) section 3.1.4.16.

Parameters:

pageInfo: MUST be set to the value of the **piPageImpression** property of the **ResultTableCollection**. If the **piPageImpression** property does not exist or is an empty string, then the client MUST NOT call this method. See **piPageImpression** in [\[MS-QSSWS\]](#) section 3.1.4.1.3.1.

Type: **CSOM String**

Microsoft.SharePoint.Client.Web is specified in [\[MS-CSOMSPT\]](#) section 3.2.5.143.

clickType: As specified in [\[MS-QSSWS\]](#) section 3.1.4.16.4.1

Type: CSOM String

blockType: MUST be set to the value of the **piPageImpressionBlockType** property of the **ResultTable**. If the **piPageImpressionBlockType** property does not exist or is an empty string then the client MUST NOT call this method. See **piPageImpressionBlockType** in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

Type: **CSOM Int32**

clickedResultId: MUST be set to the value of the **piSearchResultId** column of the **ResultTable**. If the **piSearchResultId** column does not exist or is an empty string, then the client MUST NOT call this method. See **piSearchResultId** in [MS-QSSWS] section 3.1.4.1.3.6.

Type: CSOM String

subResultIndex: The index of the document associated with a search result. MUST be 0 if the search result is clicked or MUST be a 1-based index of a document returned in the **deeplinks** column of a corresponding **ResultTable**. Documents in the **deeplinks** column are represented as encoded URLs separated by spaces.

Type: CSOM Int32

immediacySourceId: See **SourceId** in section [3.1.5.12.1.1.14](#).

Type: CSOM String

immediacyQueryString: See **QueryText** in section [3.1.5.12.1.1.8](#).

Type: CSOM String

immediacyTitle: See **ResultTitle** in section [3.1.5.16.1.1.10](#).

Type: CSOM String

immediacyUrl: See **ResultTitleUrl** in section [3.1.5.16.1.1.11](#).

Type: CSOM String

3.1.5.18.2.1.4 ExportPopularQueries

Return Type: CSOM array of Microsoft.SharePoint.Client.Search.Query.PopularQuery

This method is used to get a list of popular search queries executed on the specified **site**.

Parameters:

web: The site that is used by the protocol server to identify the **context** of the popular query export.

Type: Microsoft.SharePoint.Client.Web

sourceId: Specifies the unique identifier of the result source to use for exporting popular queries.

Type: CSOM GUID

3.1.5.18.2.1.5 GetPromotedResults

Return Type: Microsoft.Office.Server.Search.REST.PromotedResultsOperationsResult

The operation is called to retrieve the promoted results (also called Best Bets) for a tenant or a site collection.

Parameters:

siteCollectionLevel: This parameter is used by the protocol server to decide which promoted results to return to the client. If the parameter is true, the promoted results for the current site collection are returned. If the parameter is false, all promoted results for the tenant/Search Service Application are returned.

Type: CSOM Boolean

offset: This parameter is the offset into the collection of promoted results. Default value is zero. It is used to page through a large result set.

Type: **CSOM Int32**

numberOfRules: This parameter is the number of promoted results that are returned in the operation. Default value is 100. It is used together with the *offset* to page through a large result set.

Type: CSOM Int32

3.1.5.18.2.1.6 GetQueryConfiguration

Return Type: Microsoft.Office.Server.Search.REST.QueryConfiguration

This operation gets the query configuration from the server. This operation requires that the Search Service Application is partitioned. If the Search Service Application is not partitioned the operations returns HTTP code 400, not authorized.

Parameters:

callLocalSearchFarmsOnly: This parameter MUST always be set to True.

Type: **CSOM Boolean**

3.1.5.18.2.2 ObjectPath Methods

3.1.5.18.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchExecutor** object.

Parameters: None

3.1.5.19 Microsoft.SharePoint.Client.Search.Query.Sort

TypeId: {2CD54EF7-C2B3-4405-BCE3-EC521D35A7EB}

ShortName: Microsoft.SharePoint.Client.Search.Query.Sort

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

3.1.5.19.1 Properties

3.1.5.19.1.1 Scalar Properties

3.1.5.19.1.1.1 Direction

Type: Microsoft.SharePoint.Client.Search.Query.SortDirection

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

3.1.5.19.1.1.2 Property

Type: **CSOM String**

Accessibility: Read/Write

For details, see **strProperty**, as specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

3.1.5.19.1.2 ObjectPath Properties

None.

3.1.5.20 Microsoft.SharePoint.Client.Search.Query.SortCollection

TypeId: {F5A89F94-DB5D-4ABE-B9EC-DC6B306DF93E}

ShortName: Microsoft.SharePoint.Client.Search.Query.SortCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.4.

3.1.5.20.1 Properties

3.1.5.20.1.1 Scalar Properties

None.

3.1.5.20.1.2 ObjectPath Properties

None.

3.1.5.20.2 Methods

3.1.5.20.2.1 Scalar Methods

3.1.5.20.2.1.1 Add

Return Type: None

Adds a new element of type Microsoft.SharePoint.Client.Search.Query.Sort to the collection and returns a reference to the added Microsoft.SharePoint.Client.Search.Query.Sort.

Parameters:

strProperty: Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

Type: **CSOM String**

direction: Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.6.

Type: Microsoft.SharePoint.Client.Search.Query.SortDirection

3.1.5.20.2.1.2 Clear

Return Type: None

Deletes all the elements in the collection.

Parameters: None

3.1.5.20.2.2 ObjectPath Methods

None.

3.1.5.21 Microsoft.SharePoint.Client.Search.Query.SortDirection

ShortName: Microsoft.SharePoint.Client.Search.Query.SortDirection

Flag: false

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.21.1 Field Values

3.1.5.21.1.1 Ascending

Value: 0

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.21.1.2 Descending

Value: 1

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.21.1.3 FQLFormula

Value: 2

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.4.

3.1.5.22 Microsoft.SharePoint.Client.Search.Query.StringCollection

TypeId: {17C6C8BA-C570-4DB1-993A-FBACF4E4EF07}

ShortName: Microsoft.SharePoint.Client.Search.Query.StringCollection

Contains a collection of arbitrary string values.

3.1.5.22.1 Properties

3.1.5.22.1.1 Scalar Properties

None.

3.1.5.22.1.2 ObjectPath Properties

None.

3.1.5.22.2 Methods

3.1.5.22.2.1 Scalar Methods

3.1.5.22.2.1.1 Add

Return Type: None

Adds an arbitrary string value to the collections.

Parameters:

property: A single string value

Type: **CSOM String**

3.1.5.22.2.1.2 Clear

Return Type: None

Deletes all the string values in the collection.

Parameters: None

3.1.5.22.2.2 ObjectPath Methods

3.1.5.22.2.2.1 CSOM Constructor

Initializes a new instance of the **StringCollection** object.

Parameters: None

3.1.5.23 Microsoft.SharePoint.Client.Search.Query.RankingLabeling

TypeId: {E2533389-4387-4EBE-8DF7-11AF5568AED5}

ShortName: Microsoft.SharePoint.Client.Search.Query.RankingLabeling

Provides methods for getting and adding **relevance judgments**.

3.1.5.23.1 Properties

3.1.5.23.1.1 Scalar Properties

None.

3.1.5.23.1.2 ObjectPath Properties

None.

3.1.5.23.2 Methods

3.1.5.23.2.1 Scalar Methods

3.1.5.23.2.1.1 AddJudgment

Return Type: None

Adds a single **relevance judgment** for the specified **query** and **URL** pair.

Parameters:

userQuery: User query for which the relevance judgment is added.

Type: **CSOM String**

url: URL for which the relevance judgment is added.

Type: CSOM String

labelId: The judgment for this query-URL pair as represented by an **Int16**. This value MUST be between 1 and 5 inclusive.

Type: **CSOM Int16**

3.1.5.23.2.1.2 GetJudgementsForQuery

Return Type: CSOM dictionary

Retrieves all known **relevance judgments** for the specified query. The returned dictionary MUST map the **URL** of the document to the relevance judgment label. The label MUST be an integer value between 1 and 5 inclusive.

Parameters:

query: Query string for which relevance judgments are to be retrieved.

Type: CSOM String

3.1.5.23.2.1.3 NormalizeResultUrl

Return Type: CSOM String

A URL string after normalization. The input and output URL strings MUST resolve to the same document.

Parameters:

url: The URL for which the relevance judgment is added.

Type: CSOM String

3.1.5.23.2.2 ObjectPath Methods

3.1.5.23.2.2.1 CSOM Constructor

Initializes a new instance of the **RankingLabeling** object.

Parameters: None

3.1.5.24 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

TypeId: {44908C33-C578-4342-905A-EE284B67B415}

ShortName: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionQuery

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

3.1.5.24.1 Properties

3.1.5.24.1.1 Scalar Properties

3.1.5.24.1.1.1 IsPersonal

Type: CSOM Boolean

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

3.1.5.24.1.1.2 Query

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section 3.1.4.18.3.5.

3.1.5.24.1.2 ObjectPath Properties

None.

3.1.5.25 Microsoft.Office.Server.Search.REST.SpecialTermResults

TypeId: {185764A3-378A-4436-B87D-6B5CD50B8E6A}

ShortName: Microsoft.Office.Server.Search.REST.SpecialTermResults

SpecialTermResults is a SpecialTermResults Table, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6

Each entry in the Table property from the SpecialResults Table is mapped to a SpecialTermResult entry accessible through the **Results** property.

3.1.5.25.1 Properties

3.1.5.25.1.1 Scalar Properties

3.1.5.25.1.1.1 Properties

Type: CSOM dictionary

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.25.1.1.2 Results

Type: CSOM array of Microsoft.Office.Server.Search.REST.SpecialTermResult

Accessibility: Read/Write

As specified in section [3.1.5.8](#).

Contains the list of **SpecialTermResult** entries.

3.1.5.25.1.1.3 GroupTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.25.1.1.4 ItemTemplateId

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.25.1.1.5 ResultTitle

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.25.1.1.6 ResultTitleUrl

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6.

3.1.5.25.1.2 ObjectPath Properties

None.

3.1.5.26 Microsoft.SharePoint.Client.Search.Query.ReorderingRule

TypeId: {D8566F46-74B1-4D92-BA88-0EFD23B36F71}

ShortName: Microsoft.SharePoint.Client.Search.Query.ReorderingRule

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

3.1.5.26.1 Properties

3.1.5.26.1.1 Scalar Properties

3.1.5.26.1.1.1 Boost

Type: CSOM Int32

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

3.1.5.26.1.1.2 MatchType

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

3.1.5.26.1.1.3 MatchValue

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

3.1.5.26.1.2 ObjectPath Properties

None.

3.1.5.27 Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

TypeId: {B0522938-E1B7-4FC4-A6A8-BD3ED873E614}

ShortName: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleCollection

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.3.7.

3.1.5.27.1 Properties

3.1.5.27.1.1 Scalar Properties

None.

3.1.5.27.1.2 ObjectPath Properties

None.

3.1.5.27.2 Methods

3.1.5.27.2.1 Scalar Methods

3.1.5.27.2.1.1 Add

Return Type: None

Adds a new element of type **Microsoft.SharePoint.Client.Search.Query.ReorderingRule** as specified in section [3.1.5.26](#) to the collection and returns a reference to the added **Microsoft.SharePoint.Client.Search.Query.ReorderingRule** element.

Parameters:

matchType: See section [3.1.5.28](#).

Type: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

matchValue: [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

Type: **CSOM String**

boost: [\[MS-QSSWS\]](#) section 3.1.4.7.3.9.

Type: **CSOM Int32**

3.1.5.27.2.1.2 Clear

Return Type: None

Deletes all the elements from the collection.

Parameters: None

3.1.5.27.2.2 ObjectPath Methods

None.

3.1.5.28 Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

ShortName: Microsoft.SharePoint.Client.Search.Query.ReorderingRuleMatchType

Flag: false

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1 Field Values

3.1.5.28.1.1 ResultContainsKeyword

Value: 0

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.2 TitleContainsKeyword

Value: 1

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.3 TitleMatchesKeyword

Value: 2

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.4 UrlStartsWith

Value: 3

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.5 UriExactlyMatches

Value: 4

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.6 ContentTypeIs

Value: 5

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.7 FileExtensionMatches

Value: 6

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.8 ResultHasTag

Value: 7

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.28.1.9 ManualCondition

Value: 8

Specified in [\[MS-QSSWS\]](#) section 3.1.4.7.4.5.

3.1.5.29 Microsoft.Office.Server.Search.REST.QueryProperty

TypeId: {742338CA-8301-4574-9D77-BFF2AF39AD62}

ShortName: Microsoft.Office.Server.Search.REST.QueryProperty

This object stores additional or custom properties for a **search query**. A **QueryProperty** is structured as name-value pairs.

The value MUST conform to the specification in [\[MS-QSSWS\]](#) section 3.1.4.7.3.1.

3.1.5.29.1 Properties

3.1.5.29.1.1 Scalar Properties

3.1.5.29.1.1.1 Name

Type: **CSOM String**

Accessibility: Read/Write

Name of a property in **CSOM String** format.

This property stores the name part of the **QueryProperty** name-value pair.

3.1.5.29.1.1.2 Value

Type: Microsoft.SharePoint.Client.Search.Query.QueryPropertyValue

Accessibility: Read/Write

As specified in section [3.1.5.14](#).

This property stores the value part of the **QueryProperty** name-value pair.

3.1.5.29.1.2 ObjectPath Properties

None.

3.1.5.30 Microsoft.Office.Server.Search.REST.Refiner

TypeId: {63EEBA68-040C-4B26-8590-EB2E4153163F}

ShortName: Microsoft.Office.Server.Search.REST.Refiner

Refiner is an **ArrayOfRefinement** as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.9.

A refiner contains a **CSOM array**, with entries, of the types as specified in section [3.1.5.31](#). All entries in the array MUST share the same **RefinerName**, as specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.6), accessed through the **Name** property of the refiner containing these entries.

3.1.5.30.1 Properties

3.1.5.30.1.1 Scalar Properties

3.1.5.30.1.1.1 Entries

Type: **CSOM array** of Microsoft.Office.Server.Search.REST.RefinerEntry

Accessibility: Read/Write

An array of **RefinerEntry** as specified in section [3.1.5.31](#).

3.1.5.30.1.1.2 Name

Type: CSOM String

Accessibility: Read/Write

As specified as Refinement.RefinerName in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.30.1.2 ObjectPath Properties

None.

3.1.5.31 Microsoft.Office.Server.Search.REST.RefinerEntry

TypeId: {316905B6-359D-44A3-B728-25F2D292E1E8}

ShortName: Microsoft.Office.Server.Search.REST.RefinerEntry

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.31.1 Properties

3.1.5.31.1.1 Scalar Properties

3.1.5.31.1.1.1 RefinementCount

Type: CSOM Int64

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.31.1.1.2 RefinementName

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.31.1.1.3 RefinementToken

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.31.1.1.4 RefinementValue

Type: CSOM String

Accessibility: Read/Write

As specified in [\[MS-QSSWS\]](#) section 3.1.4.1.3.10.

3.1.5.31.1.2 ObjectPath Properties

None.

3.1.5.32 Microsoft.Office.Server.Search.WebControls.ControlMessage

TypeId: {D3DFEF63-4D44-497D-B936-047135645AD7}

ShortName: Microsoft.Office.Server.Search.WebControls.ControlMessage

This object stores information about a search query exception.

3.1.5.32.1 Properties

3.1.5.32.1.1 Scalar Properties

3.1.5.32.1.1.1 code

Type: CSOM Int32

Accessibility: Read Only

This property is not used and MUST be -1.

3.1.5.32.1.1.2 correlationID

Type: CSOM String

Accessibility: Read Only

The **GUID** used to log all the information for a search query in diagnostic logs.

3.1.5.32.1.1.3 encodeDetails

Type: CSOM Boolean

Accessibility: Read Only

If TRUE, the protocol client MUST interpret the **messageDetails** as **HTML**.

3.1.5.32.1.1.4 header

Type: CSOM String

Accessibility: Read Only

This property is not used and MUST be null.

3.1.5.32.1.1.5 level

Type: Microsoft.Office.Server.Search.WebControls.MessageLevel

Accessibility: Read Only

MUST be **MessageLevel.Error** as specified in section [3.1.5.33.1.3](#).

3.1.5.32.1.1.6 messageDetails

Type: CSOM String

Accessibility: Read Only

The detailed message of the search query exception.

3.1.5.32.1.1.7 messageDetailsForViewers

Type: CSOM String

Accessibility: Read Only

This property is not used and MUST be an empty string.

3.1.5.32.1.1.8 serverTypeId

Type: CSOM String

Accessibility: Read Only

A unique identifier of the **ControlMessage** (section [3.1.5.32](#)) object. MUST have the value of "{D3DFEF63-4D44-497D-B936-047135645AD7}"

3.1.5.32.1.1.9 showForViewerUsers

Type: CSOM Boolean

Accessibility: Read Only

This property is not used and MUST be true.

3.1.5.32.1.1.10 showInEditModeOnly

Type: CSOM Boolean

Accessibility: Read Only

This property is not used and MUST be false.

3.1.5.32.1.1.11 stackTrace

Type: CSOM String

Accessibility: Read Only

The stack trace of the search query exception.

3.1.5.32.1.1.12 type

Type: CSOM String

Accessibility: Read Only

The class name of the search query exception.

3.1.5.32.1.2 ObjectPath Properties

None.

3.1.5.33 Microsoft.Office.Server.Search.WebControls.MessageLevel

ShortName: Microsoft.Office.Server.Search.WebControls.MessageLevel

Flag: false

Severity level of the **ControlMessage** as specified in section [3.1.5.32](#).

3.1.5.33.1 Field Values

3.1.5.33.1.1 Information

Value: 0

Indicates that the **ControlMessage** (section [3.1.5.32](#)) is informational.

3.1.5.33.1.2 Warning

Value: 1

Indicates that the **ControlMessage** (section [3.1.5.32](#)) is a warning.

3.1.5.33.1.3 Error

Value: 2

Indicates that the **ControlMessage** (section [3.1.5.32](#)) is an error.

3.1.5.34 Microsoft.SharePoint.Client.Search.Administration.DocumentCrawlLog

TypeId: {5C5CFD42-0712-4C00-AE49-23B33BA34ECC}

ShortName: Microsoft.SharePoint.Client.Search.Administration.DocumentCrawlLog

This object contains methods that can be used by the protocol client to retrieve information about items that were crawled.

3.1.5.34.1 Properties

3.1.5.34.1.1 Scalar Properties

None.

3.1.5.34.1.2 ObjectPath Properties

None.

3.1.5.34.2 Methods

3.1.5.34.2.1 Scalar Methods

3.1.5.34.2.1.1 GetCrawledUrls

Return Type: Microsoft.SharePoint.Client.SimpleDataTable

This method is used to retrieve information about all the contents that were crawled. Microsoft.SharePoint.Client.SimpleDataTable is specified in [\[MS-CSOMREST\]](#) section 3.1.5.1.3.3.

Parameters:

getCountOnly: If true, only the count of the contents crawled MUST be returned. If false, all the information about the crawled contents MUST be returned.

Type: **CSOM Boolean**

maxRows: maximum number of rows to be returned. If 0 is specified, all the rows are returned. The protocol server MUST NOT return more rows than specified by the *maxRows* parameter, if it is not 0.

Type: **CSOM Int64**

queryString: Specifies the **URL** pattern for which crawled documents MUST be returned. The specified pattern MUST match all literal characters except for the character '*'. The '*' character MUST match any number of arbitrary characters.

Type: **CSOM String**

isLike: If true, the pattern specified in *queryString* MUST be used as the prefix while matching the URLs of the crawled content. If false, the pattern specified in *queryString* MUST be used to exactly match the URLs of the crawled content.

Type: CSOM Boolean

contentSourceID: Unique identifier of the **content source**. If specified, only the crawled contents that are associated with the content source MUST be returned.

Type: **CSOM Int32**

errorLevel: Specifies the type of crawled content that MUST be returned. MUST be set to one of the following values:

-1: All the crawled content MUST be returned.

0: Only contents that were successfully crawled MUST be returned.

1: Only contents that generated a warning during a crawl MUST be returned.

2: Only contents that generated an error during a crawl MUST be returned.

3: Only contents that were previously in the index but removed during the latest crawl MUST be returned.

Type: CSOM Int32

errorID: MUST be set to -1.

Type: CSOM Int32

startDateTime: If set to **DateTime.MinValue**, information about all the crawled contents MUST be returned. If not, only information about contents that were crawled after this datetime MUST be returned.

Type: **CSOM DateTime**

endDateTime: If set to **DateTime.MaxValue**, information about all the crawled contents MUST be returned. If not, only information about contents that were crawled before this datetime MUST be returned.

Type: CSOM DateTime

3.1.5.34.2.2 ObjectPath Methods

3.1.5.34.2.2.1 CSOM Constructor

Initializes a new instance of a **DocumentCrawlLog** object.

Parameters:

site: The **site** for which information about items that were crawled is retrieved.

Type: Microsoft.SharePoint.Client.Site

Microsoft.SharePoint.Client.Site is specified in [\[MS-CSOMSPT\]](#) section 3.2.5.119.

3.1.5.35 Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel

ShortName: Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel

Flag: false

This enumeration represents a **site** server level.

3.1.5.35.1 Field Values

3.1.5.35.1.1 SPWeb

Value: 0

Represents the level of a **site** server site.

3.1.5.35.1.2 SPSite

Value: 1

Represents the level of a **site** server site collection.

3.1.5.35.1.3 SPSiteSubscription

Value: 2

Represents the level of a **site** server tenant.

3.1.5.35.1.4 Ssa

Value: 3

Represents the level of a **site** server search service application.

3.1.5.36 Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

TypeId: {E6834C69-54C1-4BFC-9805-4B88406C28BB}

ShortName: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

This object represents a **site** server owner.

3.1.5.36.1 Properties

3.1.5.36.1.1 Scalar Properties

None.

3.1.5.36.1.2 ObjectPath Properties

None.

3.1.5.36.2 Methods

3.1.5.36.2.1 Scalar Methods

None.

3.1.5.36.2.2 ObjectPath Methods

3.1.5.36.2.2.1 CSOM Constructor

Initializes a new **SearchObjectOwner** object.

Parameters:

lowestCurrentLevelToUse: Specifies the **site** server level to use.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectLevel

3.1.5.37 Microsoft.SharePoint.Client.Search.Portability.SearchConfigurationPortability

TypeId: {F44B2C90-DDC4-49C8-8D4D-4FB56DCC3247}

ShortName: Microsoft.SharePoint.Client.Search.Portability.SearchConfigurationPortability

This object contains methods that can be used to import, export, or delete search settings, which includes **query rules**, result sources, **managed properties**, **crawled properties**, and **ranking models**, to a site, site collection, tenant level, or search service application.

3.1.5.37.1 Properties

3.1.5.37.1.1 Scalar Properties

3.1.5.37.1.1.1 ImportWarnings

Type: **CSOM String**

Accessibility: Read Only

Specifies the warning messages that were generated during the import.

3.1.5.37.1.2 ObjectPath Properties

None.

3.1.5.37.2 Methods

3.1.5.37.2.1 Scalar Methods

3.1.5.37.2.1.1 ExportSearchConfiguration

Return Type: **CSOM String**

This method exports the search settings at the specified **site** server level. This method MUST only export the search setting added by the user and MUST NOT export the out-of-box search settings.

Parameters:

owningScope: Specifies the site server level at which to export the search settings.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

3.1.5.37.2.1.2 ImportSearchConfiguration

Return Type: None

This method imports the search settings at the specified **site** server level.

Parameters:

owningScope: Specifies the site server level at which to import the search settings.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

searchConfiguration: Specifies the search settings to be imported at the specified site server level. This is obtained by exporting the search setting using the **ExportSearchConfiguration** (section [3.1.5.37.2.1.1](#)) method.

Type: **CSOM String**

3.1.5.37.2.1.3 DeleteSearchConfiguration

Return Type: None

This method deletes the search settings at the specified **site** server level.

Parameters:

owningScope: Specifies the site server level at which to delete the search settings.

Type: Microsoft.SharePoint.Client.Search.Administration.SearchObjectOwner

searchConfiguration: Specifies the search settings that MUST be deleted.

Type: **CSOM String**

3.1.5.37.2.2 ObjectPath Methods

3.1.5.37.2.2.1 CSOM Constructor

Initializes a new instance of the **SearchConfigurationPortability** object.

Parameters: None

3.1.5.38 Microsoft.SharePoint.Client.Search.Query.PopularQuery

TypeId: {CEA115D6-87EC-4E1C-AA4A-B8D44D6CD10D}

ShortName: Microsoft.SharePoint.Client.Search.Query.PopularQuery

This object is used by the **ExportPopularQuery** method (section [3.1.5.18.2.1.4](#)) and contains data about a popular query. Popular queries are used by **query rules** to trigger popular query conditions.

3.1.5.38.1 Properties

3.1.5.38.1.1 Scalar Properties

3.1.5.38.1.1.1 ClickCount

Type: **CSOM Int32**

Accessibility: Read/Write

Specifies the number of times a user clicked at least once on any of the search results returned by this query.

3.1.5.38.1.1.2 LCID

Type: **CSOM Int32**

Accessibility: Read/Write

Specifies the language of the query text as a **language code identifier (LCID)**.

3.1.5.38.1.1.3 QueryCount

Type: **CSOM Int32**

Accessibility: Read/Write

Specifies the number of times this query was issued.

3.1.5.38.1.1.4 QueryText

Type: **CSOM String**

Accessibility: Read/Write

Specifies the text of this search query.

3.1.5.38.1.2 ObjectPath Properties

None.

3.1.5.39 Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletion

TypeId: {A2967D9C-4DE2-4B3E-B803-DDE07ACEDE25}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletion

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25](#).

3.1.5.39.1 Properties

3.1.5.39.1.1 Scalar Properties

3.1.5.39.1.1.1 Matches

Type: **CSOM array** of Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionMatch

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.39.1.1.2 Query

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.3](#).

3.1.5.39.1.1.3 Score

Type: CSOM Double

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.3](#).

3.1.5.39.1.1.4 Source

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.3](#).

3.1.5.39.1.2 ObjectPath Properties

None.

3.1.5.40 Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionMatch

TypeId: {A2D57556-71DD-447A-8B8F-00EF0AE9AFD5}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionMatch

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1 Properties

3.1.5.40.1.1 Scalar Properties

3.1.5.40.1.1.1 Alternation

Type: CSOM Boolean

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.2 Key

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.3 Length

Type: CSOM Int64

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.4 MatchType

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.5 Score

Type: CSOM Double

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.6 SourceName

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.7 Start

Type: CSOM Int64

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.1.8 Value

Type: CSOM String

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.4](#).

3.1.5.40.1.2 ObjectPath Properties

None.

3.1.5.41 Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionResults

TypeId: {A18D0722-E006-476B-B783-8F64C2859507}

ShortName: Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletionResults

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.5](#).

3.1.5.41.1 Properties

3.1.5.41.1.1 Scalar Properties

3.1.5.41.1.1.1 CoreExecutionTimeMs

Type: **CSOM Int64**

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.5](#).

3.1.5.41.1.1.2 CorrelationId

Type: **CSOM String**

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.5](#).

3.1.5.41.1.1.3 Queries

Type: **CSOM array** of Microsoft.SharePoint.Client.Search.Query.QueryAutoCompletion

Accessibility: Read/Write

Specified in [\[MS-QSSWS\]](#) section [3.1.4.25.3.5](#).

3.1.5.41.1.2 ObjectPath Properties

None.

3.1.5.42 Microsoft.SharePoint.Client.Search.Query.QuerySuggestionRange

TypeId: {6B42D4EE-3341-42EB-84B8-9DAE18493482}

ShortName: Microsoft.SharePoint.Client.Search.Query.QuerySuggestionRange

This type is not used.

3.1.5.42.1 Properties

3.1.5.42.1.1 Scalar Properties

3.1.5.42.1.1.1 Length

Type: **CSOM Int32**

Accessibility: Read/Write

This property is not used.

3.1.5.42.1.1.2 Start

Type: **CSOM Int32**

Accessibility: Read/Write

This property is not used.

3.1.5.42.1.2 ObjectPath Properties

None.

3.1.5.43 Microsoft.SharePoint.Client.Search.ContentPush.CertificateService

TypeId: {B9E0DB1D-0B4C-4010-9EA5-43E1BC7041D0}

ShortName: Microsoft.SharePoint.Client.Search.ContentPush.CertificateService

This object contains methods to get the currently valid certificates for content encryption, and information about the certificates, for a farm and/or tenant in the search content service.

3.1.5.43.1 Properties

3.1.5.43.1.1 Scalar Properties

None.

3.1.5.43.1.2 ObjectPath Properties

None.

3.1.5.43.2 Methods

3.1.5.43.2.1 Scalar Methods

3.1.5.43.2.1.1 CertificateSettings

Return Type: CSOM dictionary

This method is called to get the settings for, and information about, certificates used with the search content service. The settings include:

- "CertificatePollIntervalInSeconds": The maximum number of seconds the certificates can be assumed to be valid.

Parameters: None

3.1.5.43.2.1.2 ValidContentEncryptionCertificates

Return Type: CSOM array of CSOM binary

This method is called to get the current list of valid content encryption certificates for the farm and/or tenant.

Content to be submitted to the search content service MUST be encrypted to all current encryption certificates. The client can assume the certificates are valid for the number of seconds in "CertificatePollIntervalInSeconds", but MUST then call this method again to refresh the list. Certificates not on the current list are no longer valid and MUST NOT be used.

Parameters: None

3.1.5.43.2.2 ObjectPath Methods

3.1.5.43.2.2.1 CSOM Constructor

Initializes a new instance of the **CertificateService** object.

Parameters: None

3.1.5.44 Microsoft.SharePoint.Client.Search.ContentPush.PushTenantManager

TypeId: {098AD99C-6F30-478B-9EA7-F8C3AB3F0083}

ShortName: Microsoft.SharePoint.Client.Search.ContentPush.PushTenantManager

This object contains methods that can be used to prepare and manage the destination search farm to receive the content for the current tenant via the search content service.

3.1.5.44.1 Properties

3.1.5.44.1.1 Scalar Properties

None.

3.1.5.44.1.2 ObjectPath Properties

None.

3.1.5.44.2 Methods

3.1.5.44.2.1 Scalar Methods

3.1.5.44.2.1.1 PreparePushTenant

Return Type: None

This method is called to prepare the destination search farm to receive content for the current tenant via the search content service.

Parameters: None

3.1.5.44.2.1.2 DeleteAllCloudHybridSearchContent

Return Type: CSOM Int64

This method is called to start deletion of all hybrid content for a tenant. It returns the task identification to the caller.

Parameters: None

3.1.5.44.2.2 ObjectPath Methods

3.1.5.44.2.2.1 CSOM Constructor

Initializes a new instance of the **PushTenantManager** object.

Parameters: None

3.1.5.44.2.2.2 GetPushServiceInfo

Return Type: Microsoft.SharePoint.Client.Search.ContentPush.PushTenantServiceInfo

This method is called to get the information about the search content service instance for this push tenant.

Parameters: None

3.1.5.44.2.2.3 GetTenantInfo

Return Type: Microsoft.SharePoint.Client.Search.ContentPush.PushTenantServiceInfo

This method is called to get the information for this tenant.

Parameters: None

3.1.5.45 Microsoft.SharePoint.Client.Search.ContentPush.PushTenantServiceInfo

TypeId: {E5BBC713-0FC0-4F7C-9322-AD09695FAABD}

ShortName: Microsoft.SharePoint.Client.Search.ContentPush.PushTenantServiceInfo

This object contains properties that describe how to connect to and use the search content service in order to push content for a given tenant.

3.1.5.45.1 Properties

3.1.5.45.1.1 Scalar Properties

3.1.5.45.1.1.1 AuthenticationRealm

Type: CSOM String

Accessibility: Read Only

This property contains the authentication realm to be used when authenticating to the search content service for this tenant.

3.1.5.45.1.1.2 EndpointAddress

Type: CSOM String

Accessibility: Read Only

This property contains the endpoint address (URI) of the search content service instance for this tenant.

3.1.5.45.1.1.3 ServiceProperties

Type: CSOM dictionary

Accessibility: Read Only

This property contains the service properties of the search content service instance for this tenant. The properties include:

- "CertificatePollIntervalInSeconds": The maximum number of seconds the certificates can be assumed to be valid. Same as the corresponding setting in **CertificateService.CertificateSettings** (section [3.1.5.43.2.1.1](#)).

3.1.5.45.1.1.4 TenantId

Type: CSOM String

Accessibility: Read Only

This property contains the tenant identifier used to identify the tenant's documents in the search content service and index. In order to submit documents with this tenant ID, the client MUST authenticate with an authentication realm that is authorized for this tenant, i.e. the realm returned in the **AuthenticationRealm** (section [3.1.5.45.1.1.1](#)) property.

3.1.5.45.1.1.5 ValidContentEncryptionCertificates

Type: CSOM array of CSOM binary

Accessibility: Read Only

This property contains the current list of valid content encryption certificates for the farm and/or tenant.

Content to be submitted to the search content service MUST be encrypted to all current encryption certificates. The client can assume the certificates are valid until the time returned in the **ValidUntil** (section [3.1.5.45.1.1.6](#)) property, but MUST then refresh the list by invoking **GetPushServiceInfo** (section [3.1.5.44.2.2.2](#)) again. Certificates not on the current list are no longer valid and MUST NOT be used.

GetPushServiceInfo will at most set **ValidUntil** to current time plus the number of seconds in **CertificatePollIntervalInSeconds**, so for a client using **GetPushServiceInfo** to get certificates, it can use either property to determine how frequently to poll for new certificates.

Getting the certificates through this property or through the **ValidContentEncryptionCertificates** method of the **CertificateService** object is equivalent.

3.1.5.45.1.1.6 ValidUntil

Type: CSOM DateTime

Accessibility: Read Only

This property contains a time indicating how long the information in this object can be considered valid. After this time has expired, the information MUST be refreshed by invoking **GetPushServiceInfo** (section [3.1.5.44.2.2.2](#)) again.

3.1.5.45.1.2 ObjectPath Properties

None.

3.1.5.45.2 Methods

3.1.5.45.2.1 Scalar Methods

None.

3.1.5.45.2.2 ObjectPath Methods

None.

3.1.5.46 Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.SearchTenantSettings

TypeId: {6925583D-B964-4799-94F7-8D569E0DEB9C}

ShortName: Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.SearchTenantSettings

This object contains properties that describe the search settings for a tenant.

3.1.5.46.1 Properties

3.1.5.46.1.1 Scalar Properties

None.

3.1.5.46.1.2 ObjectPath Properties

None.

3.1.5.46.2 Methods

3.1.5.46.2.1 Scalar Methods

None.

3.1.5.46.2.2 ObjectPath Methods

None.

3.1.5.47 Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.Tenant Classification

TypeId: {A98FC359-F2E1-4B0B-A1DB-A2ED09CD1983}

ShortName: Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.TenantClassification

This object contains properties that describe the classification of the tenant.

3.1.5.47.1 Properties

3.1.5.47.1.1 Scalar Properties

None.

3.1.5.47.1.2 ObjectPath Properties

None.

3.1.5.47.2 Methods

3.1.5.47.2.1 Scalar Methods

None.

3.1.5.47.2.2 ObjectPath Methods

None.

3.1.5.48 Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.Tenant RoutingSettings

TypeId: {55B7C36B-53A4-4549-AFF5-B83827CC7756}

ShortName: Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings.TenantRoutingSettings

This object contains properties that describe the routing settings for the tenant.

3.1.5.48.1 Properties

3.1.5.48.1.1 Scalar Properties

None.

3.1.5.48.1.2 ObjectPath Properties

None.

3.1.5.48.2 Methods

3.1.5.48.2.1 Scalar Methods

None.

3.1.5.48.2.2 ObjectPath Methods

None.

3.1.5.49 Microsoft.Office.Server.Search.REST.ContextCondition

TypeId: {D1D5434C-02E4-4E69-81CD-3F4E1A07937D}

ShortName: Microsoft.Office.Server.Search.REST.ContextCondition

This object contains properties that describe the context condition for the tenant.

3.1.5.49.1 Properties

3.1.5.49.1.1 Scalar Properties

3.1.5.49.1.1.1 ContextConditionType

Type: CSOM String

Accessibility: Read/Write

This property contains the context condition type for this context condition.

3.1.5.49.1.1.2 SourceId

Type: CSOM GUID

Accessibility: Read/Write

This property contains the source id for this context condition.

3.1.5.49.1.2 ObjectPath Properties

None.

3.1.5.50 Microsoft.Office.Server.Search.REST.DrainingState

ShortName: Microsoft.Office.Server.Search.REST.DrainingState

Flag: false

This property is not used for the enterprise solution of SharePoint. This property MUST be set to '0' by the protocol client.

3.1.5.50.1 Field Values

3.1.5.50.1.1 None

Value: 0

This property value is not used.

3.1.5.50.1.2 PrivateOneDrive

Value: 1

This property value is not used.

3.1.5.50.1.3 PublicOneDrive

Value: 2

This property value is not used.

3.1.5.51 Microsoft.Office.Server.Search.REST.ExpandedQueryParameters

TypeId: {22CCDE11-B3CE-403A-8C87-28EF2F5FD3E9}

ShortName: Microsoft.Office.Server.Search.REST.ExpandedQueryParameters

This object contains the dictionary of the expanded query parameters.

3.1.5.51.1 Properties

3.1.5.51.1.1 Scalar Properties

3.1.5.51.1.1.1 Properties

Type: CSOM dictionary

Accessibility: Read/Write

This property contains a dictionary of the query parameters.

3.1.5.51.1.2 ObjectPath Properties

None.

3.1.5.52 Microsoft.Office.Server.Search.REST.PromotedResultQueryRule

TypeId: {3D66DAC4-A5AD-4B67-812B-937C59223204}

ShortName: Microsoft.Office.Server.Search.REST.PromotedResultQueryRule

This object contains properties that describe one promoted result for the tenant/Search Service Application or site collection.

3.1.5.52.1 Properties

3.1.5.52.1.1 Scalar Properties

3.1.5.52.1.1.1 Contact

Type: CSOM String

Accessibility: Read/Write

This property contains the contact information for the promoted result.

3.1.5.52.1.1.2 ContextConditions

Type: CSOM array of Microsoft.Office.Server.Search.REST.ContextCondition

Accessibility: Read/Write

This property contains the context condition for the promoted result.

3.1.5.52.1.1.3 CreationDate

Type: CSOM DateTime

Accessibility: Read/Write

This property is the creation date for the promoted result.

3.1.5.52.1.1.4 DisplayName

Type: CSOM String

Accessibility: Read/Write

This property is the display name of the promoted result.

3.1.5.52.1.1.5 EndDate

Type: CSOM DateTime

Accessibility: Read/Write

This property is the last date when this promoted result is returned in the query result.

3.1.5.52.1.1.6 IsPromotedResultsOnly

Type: CSOM Boolean

Accessibility: Read/Write

This property describes if this promoted result only is a promoted result.

3.1.5.52.1.1.7 LastModifiedDate

Type: CSOM DateTime

Accessibility: Read/Write

This property is the date when this promoted result was modified by the administrator.

3.1.5.52.1.1.8 PromotedResults

Type: **CSOM array** of Microsoft.Office.Server.Search.REST.PromotedResults

Accessibility: Read/Write

This property is a collection of promoted results.

3.1.5.52.1.1.9 QueryConditions

Type: **CSOM array** of Microsoft.Office.Server.Search.REST.QueryCondition

Accessibility: Read/Write

This property is a collection of query conditions.

3.1.5.52.1.1.10 ReviewDate

Type: **CSOM DateTime**

Accessibility: Read/Write

This property is the date for the review of the promoted result.

3.1.5.52.1.1.11 StartDate

Type: **CSOM DateTime**

Accessibility: Read/Write

This property is the first date when this promoted result is returned in the query result.

3.1.5.52.1.2 ObjectPath Properties

None.

3.1.5.53 Microsoft.Office.Server.Search.REST.PromotedResults

TypeId: {EB8E9D33-5ADF-40DC-883A-E4E862070E71}

ShortName: Microsoft.Office.Server.Search.REST.PromotedResults

This object contains properties that describe the promoted result.

3.1.5.53.1 Properties

3.1.5.53.1.1 Scalar Properties

3.1.5.53.1.1.1 Description

Type: **CSOM String**

Accessibility: Read/Write

This property contains a description of the promoted result.

3.1.5.53.1.1.2 IsVisual

Type: CSOM Boolean

Accessibility: Read/Write

This property contains the is visual flag.

3.1.5.53.1.1.3 LastModifiedTime

Type: CSOM DateTime

Accessibility: Read/Write

This property contains the date for the last time this promoted result was modified.

3.1.5.53.1.1.4 Title

Type: CSOM String

Accessibility: Read/Write

This property contains the title of the promoted result.

3.1.5.53.1.1.5 Url

Type: CSOM String

Accessibility: Read/Write

This property contains the URL of the promoted result.

3.1.5.53.1.2 ObjectPath Properties

None.

3.1.5.54 Microsoft.Office.Server.Search.REST.PromotedResultsOperationsResult

TypeId: {79C14AEA-3C92-4181-932B-A4DB9D0FF597}

ShortName: Microsoft.Office.Server.Search.REST.PromotedResultsOperationsResult

This object contains properties that describes the result of the REST call get promoted results (section [3.1.5.18.2.1.5](#)).

3.1.5.54.1 Properties

3.1.5.54.1.1 Scalar Properties

3.1.5.54.1.1.1 Result

Type: CSOM array of Microsoft.Office.Server.Search.REST.PromotedResultQueryRule

Accessibility: Read/Write

This property contains the collection of the results of the promoted results.

3.1.5.54.1.1.2 SearchObjectOwner

Type: Microsoft.Office.Server.Search.REST.SearchObjectOwnerResult

Accessibility: Read/Write

This property contains the search object owner of the promoted result (section [3.1.5.36](#))

3.1.5.54.1.2 ObjectPath Properties

None.

3.1.5.55 Microsoft.Office.Server.Search.REST.QueryCondition

TypeId: {FF443AEC-C8EE-49EA-8E57-4678D78000A5}

ShortName: Microsoft.Office.Server.Search.REST.QueryCondition

This object contains the conditions for the promoted result (section [3.1.5.52.1.1.9](#)).

3.1.5.55.1 Properties

3.1.5.55.1.1 Scalar Properties

3.1.5.55.1.1.1 LCID

Type: CSOM Int32

Accessibility: Read/Write

This property contains language identification code (a locale identifier) of the promoted result, as specified in [\[RFC3066\]](#).

3.1.5.55.1.1.2 MatchingOptions

Type: CSOM String

Accessibility: Read/Write

This property contains matching options for the promoted result (Full Query, Proper Prefix, Proper Suffix).

3.1.5.55.1.1.3 QueryConditionType

Type: CSOM String

Accessibility: Read/Write

This property contains the query condition type that describes how to match the query text with the promoted result.

3.1.5.55.1.1.4 SubjectTermsOrigin

Type: CSOM String

Accessibility: Read/Write

This property contains the subject term condition that describes how query terms are matched against the promoted result.

3.1.5.55.1.1.5 Terms

Type: CSOM array of CSOM String

Accessibility: Read/Write

This property contains the terms that are matched with the query terms using the conditions in the promoted results.

3.1.5.55.1.2 ObjectPath Properties

None.

3.1.5.56 Microsoft.Office.Server.Search.REST.QueryConfiguration

TypeId: {146AF15D-376D-4E37-B8E5-0522F2B3FFF8}

ShortName: Microsoft.Office.Server.Search.REST.QueryConfiguration

This object contains the query configuration for the local farm and is the response to the REST call get query configuration (section [3.1.5.18.2.1.6](#)).

3.1.5.56.1 Properties

3.1.5.56.1.1 Scalar Properties

3.1.5.56.1.1.1 QueryContext

Type: Microsoft.Office.Server.Search.REST.QueryContext

Accessibility: Read/Write

This property contains the query context.

3.1.5.56.1.1.2 QueryParameters

Type: Microsoft.Office.Server.Search.REST.ExpandedQueryParameters

Accessibility: Read/Write

This property contains the expanded query parameters.

3.1.5.56.1.1.3 QueryRoutingInfo

Type: Microsoft.Office.Server.Search.REST.QueryRoutingInfo

Accessibility: Read/Write

This property contains the query routing info.

3.1.5.56.1.1.4 SearchEndpoints

Type: Microsoft.Office.Server.Search.REST.SearchEndpoints

Accessibility: Read/Write

This property contains the search endpoints.

3.1.5.56.1.2 ObjectPath Properties

None.

3.1.5.57 Microsoft.Office.Server.Search.REST.QueryContext

TypeId: {98AB242F-D338-4D4D-9578-A4D6851873B4}

ShortName: Microsoft.Office.Server.Search.REST.QueryContext

This object contains the query context properties.

3.1.5.57.1 Properties

3.1.5.57.1.1 Scalar Properties

3.1.5.57.1.1.1 PortalUrl

Type: CSOM String

Accessibility: Read/Write

This property contains the portal URL.

3.1.5.57.1.1.2 SpSiteId

Type: CSOM GUID

Accessibility: Read/Write

This property contains the site identification.

3.1.5.57.1.1.3 SpWebId

Type: CSOM GUID

Accessibility: Read/Write

This property contains the web identification.

3.1.5.57.1.2 ObjectPath Properties

None.

3.1.5.58 Microsoft.Office.Server.Search.REST.QueryRoutingInfo

TypeId: {113E5E32-0E6F-4298-AB9E-DF268086C2FD}

ShortName: Microsoft.Office.Server.Search.REST.QueryRoutingInfo

This object contains the query routing information.

3.1.5.58.1 Properties

3.1.5.58.1.1 Scalar Properties

3.1.5.58.1.1.1 QueryState

Type: Microsoft.Office.Server.Search.REST.QueryState

Accessibility: Read/Write

This property contains the query state. The query state defines how the query is routed. Query state MUST always be 0.

3.1.5.58.1.1.2 SearchEndpoints

Type: CSOM array of Microsoft.Office.Server.Search.REST.SearchEndpoints

Accessibility: Read/Write

This property contains the collection of search endpoints.

3.1.5.58.1.2 ObjectPath Properties

None.

3.1.5.59 Microsoft.Office.Server.Search.REST.QueryState

ShortName: Microsoft.Office.Server.Search.REST.QueryState

Flag: false

This object contains the query state. See section [3.1.5.58.1.1.1](#).

3.1.5.59.1 Field Values

3.1.5.59.1.1 SharePointOnly

Value: 0

This value indicates that the query is only forwarded to SharePoint. See section [3.1.5.58.1.1.1](#).

3.1.5.59.1.2 OneDriveWeb

Value: 1

MUST not be used. See section [3.1.5.58.1.1.1](#).

3.1.5.60 Microsoft.Office.Server.Search.REST.SearchEndpoints

TypeId: {06F786EF-6725-4225-9107-137C215291F0}

ShortName: Microsoft.Office.Server.Search.REST.SearchEndpoints

This object contains the properties for the search endpoints in this farm.

3.1.5.60.1 Properties

3.1.5.60.1.1 Scalar Properties

3.1.5.60.1.1.1 AdminEndpoint

Type: CSOM String

Accessibility: Read/Write

This property contains the admin endpoint for this farm.

3.1.5.60.1.1.2 AfdEndpoint

Type: CSOM String

Accessibility: Read/Write

This property contains endpoint the Azure front-door endpoints for this farm.

3.1.5.60.1.1.3 Geolocation

Type: CSOM String

Accessibility: Read/Write

This property contains the geo location endpoints for this farm.

3.1.5.60.1.1.4 QueryContext

Type: Microsoft.Office.Server.Search.REST.QueryContext

Accessibility: Read/Write

This property contains the query context for this query configuration. See section [3.1.5.56.1.1.1](#).

3.1.5.60.1.1.5 QueryEndpoint

Type: CSOM String

Accessibility: Read/Write

This property contains the query endpoints.

3.1.5.60.1.2 ObjectPath Properties

None.

3.1.5.61 Microsoft.Office.Server.Search.REST.SearchObjectOwnerResult

TypeId: {7F6DC0FC-C9BF-4835-9DB2-07803BFD6CB6}

ShortName: Microsoft.Office.Server.Search.REST.SearchObjectOwnerResult

This object contains the search object owner in the result. See section [3.1.5.54.1.1.2](#)

3.1.5.61.1 Properties

3.1.5.61.1.1 Scalar Properties

3.1.5.61.1.1.1 SiteCollectionId

Type: CSOM String

Accessibility: Read/Write

This object contains the site collection id that identifies the owner.

3.1.5.61.1.1.2 SiteId

Type: CSOM String

Accessibility: Read/Write

This object contains the site id that identifies the owner.

3.1.5.61.1.1.3 TenantId

Type: CSOM String

Accessibility: Read/Write

This object contains the tenant id that identifies the owner

3.1.5.61.1.2 ObjectPath Properties

None.

3.1.5.62 Microsoft.Office.Server.Search.REST.SearchSetting

TypeId: {D507F6FC-C678-436F-86B9-7EDD59788D66}

ShortName: Microsoft.Office.Server.Search.REST.SearchSetting

This object provides the REST operations defined under search settings.

3.1.5.62.1 Properties

3.1.5.62.1.1 Scalar Properties

None.

3.1.5.62.1.2 ObjectPath Properties

None.

3.1.5.62.2 Methods

3.1.5.62.2.1 Scalar Methods

3.1.5.62.2.1.1 getpromotedresultqueryrules

Return Type: Microsoft.Office.Server.Search.REST.PromotedResultsOperationsResult

This REST operation gets the promoted result query rules. See section [3.1.5.18.2.1.5](#).

Parameters:

siteCollectionLevel: See section 3.1.5.18.2.1.5.

Type: CSOM Boolean

offset: See section 3.1.5.18.2.1.5.

Type: CSOM Int32

numberOfRules: See section 3.1.5.18.2.1.5.

Type: CSOM Int32

3.1.5.62.2.1.2 getqueryconfiguration

Return Type: Microsoft.Office.Server.Search.REST.QueryConfiguration

This REST operation gets the query configuration. See section [3.1.5.18.2.1.6](#).

Parameters:

callLocalSearchFarmsOnly: This is a flag that indicates to only call the local search farm.

Type: **CSOM Boolean**

3.1.5.62.2.2 ObjectPath Methods

3.1.5.62.2.2.1 CSOM Constructor

This method is the constructor of the CSOM object.

Parameters: None

3.1.6 Timer Events

None.

3.1.7 Other Local Events

None.

Preliminary

4 Protocol Examples

4.1 Search for the keyword "home"

In this example a search is issued for the keyword "home".

Request

```
<Request xmlns="http://schemas.microsoft.com/sharepoint/clientquery/2009"
SchemaVersion="15.0.0.0" LibraryVersion="15.0.0.0" ApplicationName="Javascript Library">
  <Actions>
    <ObjectPath Id="191" ObjectPathId="190" />
    <SetProperty Id="192" ObjectPathId="190" Name="QueryText">
      <Parameter Type="String">home</Parameter>
    </SetProperty>
    <ObjectPath Id="194" ObjectPathId="193" />
    <Method Name="Clear" Id="195" ObjectPathId="193" />
    <SetProperty Id="196" ObjectPathId="190" Name="StartRow">
      <Parameter Type="Number">0</Parameter>
    </SetProperty>
    <ObjectPath Id="198" ObjectPathId="197" />
    <Method Name="Clear" Id="199" ObjectPathId="197" />
    <SetProperty Id="200" ObjectPathId="190" Name="HiddenConstraints">
      <Parameter Type="String"></Parameter>
    </SetProperty>
    <SetProperty Id="201" ObjectPathId="190" Name="Culture">
      <Parameter Type="Number">1033</Parameter>
    </SetProperty>
    <SetProperty Id="202" ObjectPathId="190" Name="RowsPerPage">
      <Parameter Type="Number">10</Parameter>
    </SetProperty>
    <SetProperty Id="203" ObjectPathId="190" Name="RowLimit">
      <Parameter Type="Number">10</Parameter>
    </SetProperty>
    <SetProperty Id="204" ObjectPathId="190" Name="TotalRowsExactMinimum">
      <Parameter Type="Number">31</Parameter>
    </SetProperty>
    <SetProperty Id="205" ObjectPathId="190" Name="SourceId">
      <Parameter Type="Guid">{8413cd39-2156-4e00-b54d-11efd9abdb89}</Parameter>
    </SetProperty>
    <SetProperty Id="206" ObjectPathId="190" Name="Refiners">
      <Parameter Type="String"></Parameter>
    </SetProperty>
    <SetProperty Id="207" ObjectPathId="190" Name="Refiners">
      <Parameter Type="String">Author(filter=7/0/*),LastModifiedTime(discretize>manual/2010-
11-17T08:00:00Z/2011-05-21T07:00:00Z/2011-10-18T07:00:00Z/2011-11-10T08:00:00Z/2011-11-
17T08:00:00Z),FormatId(filter=7/0/*),contentclass(filter=7/0/*)</Parameter>
    </SetProperty>
    <ObjectPath Id="209" ObjectPathId="208" />
    <Method Name="Clear" Id="210" ObjectPathId="208" />
    <Method Name="Add" Id="211" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">WorkId</Parameter>
      </Parameters>
    </Method>
    <Method Name="Add" Id="212" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">Rank</Parameter>
      </Parameters>
    </Method>
    <Method Name="Add" Id="213" ObjectPathId="208">
      <Parameters>
        <Parameter Type="String">Title</Parameter>
      </Parameters>
    </Method>
    <Method Name="Add" Id="214" ObjectPathId="208">
```

```
<Parameters>
  <Parameter Type="String">Author</Parameter>
</Parameters>
</Method>
<Method Name="Add" Id="215" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Size</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="216" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Path</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="217" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Description</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="218" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">Write</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="219" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteName</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="220" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">CollapsingStatus</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="221" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">HitHighlightedSummary</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="222" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">HitHighlightedProperties</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="223" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ContentClass</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="224" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">IsDocument</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="225" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">PictureThumbnailURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="226" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="227" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedEmbedURL</Parameter>
  </Parameters>
</Method>
```

```
<Method Name="Add" Id="228" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ServerRedirectedPreviewURL</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="229" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">FileExtension</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="230" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">DocumentSummarySize</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="231" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">DocumentSummary</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="232" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ContentTypeId</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="233" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ParentLink</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="234" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ViewsLifeTime</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="235" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">ViewsRecent</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="236" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SectionNames</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="237" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SectionIndexes</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="238" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteLogo</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="239" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">SiteDescription</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="240" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">deeplinks</Parameter>
  </Parameters>
</Method>
<Method Name="Add" Id="241" ObjectPathId="208">
  <Parameters>
    <Parameter Type="String">importance</Parameter>
  </Parameters>
</Method>
```

```

</Method>
<ObjectPath Id="243" ObjectPathId="242" />
<Method Name="Clear" Id="244" ObjectPathId="242" />
<SetProperty Id="245" ObjectPathId="190" Name="EnableStemming">
  <Parameter Type="Boolean">true</Parameter>
</SetProperty>
<SetProperty Id="246" ObjectPathId="190" Name="EnablePhonetic">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="247" ObjectPathId="190" Name="EnableNicknames">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="248" ObjectPathId="190" Name="TrimDuplicates">
  <Parameter Type="Boolean">true</Parameter>
</SetProperty>
<SetProperty Id="249" ObjectPathId="190" Name="ResultsUrl">
  <Parameter
Type="String">http://contoso/sites/search/_layouts/15/start.aspx#/sites/search/Pages/results.
aspx?k=page#p=%7B%22Default%22%3A%7B%22s%22%3A1%2C%22l%22%3A-1%2C%22d%22%3A-
1%2C%22k%22%3A%22home%22%2C%22o%22%3Anull%2C%22x%22%3Anull%2C%22r%22%3Anull%2C%22m%22%3A%22%2
2%7D%7D</Parameter>
</SetProperty>
<SetProperty Id="250" ObjectPathId="190" Name="BypassResultTypes">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<SetProperty Id="251" ObjectPathId="190" Name="ClientType">
  <Parameter Type="String">UI</Parameter>
</SetProperty>
<ObjectPath Id="253" ObjectPathId="252" />
<Method Name="Clear" Id="254" ObjectPathId="252" />
<SetProperty Id="255" ObjectPathId="190" Name="EnableInterleaving">
  <Parameter Type="Boolean">>false</Parameter>
</SetProperty>
<ObjectPath Id="257" ObjectPathId="256" />
<ExceptionHandlingScope Id="258">
  <TryScope Id="260">
    <Method Name="ExecuteQueries" Id="262" ObjectPathId="256">
      <Parameters>
        <Parameter Type="Array">
          <Object Type="String">Default</Object>
        </Parameter>
        <Parameter Type="Array">
          <Object ObjectPathId="190" />
        </Parameter>
      </Parameters>
    </Method>
  </TryScope>
  <CatchScope Id="264" />
</ExceptionHandlingScope>
</Actions>
<ObjectPaths>
  <Constructor Id="190" TypeId="{80173281-fffd-47b6-9a49-312e06ff8428}">
    <Parameters>
      <Parameter ObjectPathId="8" />
    </Parameters>
  </Constructor>
  <Property Id="193" ParentId="190" Name="SortList" />
  <Property Id="197" ParentId="190" Name="RefinementFilters" />
  <Property Id="208" ParentId="190" Name="SelectProperties" />
  <Property Id="242" ParentId="190" Name="HitHighlightedProperties" />
  <Property Id="252" ParentId="190" Name="ReorderingRules" />
  <Constructor Id="256" TypeId="{8d2ac302-db2f-46fe-9015-872b35f15098}" />
  <Property Id="8" ParentId="6" Name="Site" />
  <StaticProperty Id="6" TypeId="{3747adcd-a3c3-41b9-bfab-4a64dd2f1e0a}" Name="Current" />
</ObjectPaths>
</Request>

```

Response


```

}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_Web", "RefinementValue": "STS_Web", "RefinementToken": "equals(\\\"STS_Web\\\")", "RefinementCount": 2, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_331", "RefinementValue": "STS_List_331", "RefinementToken": "equals(\\\"STS_List_331\\\")", "RefinementCount": 1, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_332", "RefinementValue": "STS_List_332", "RefinementToken": "equals(\\\"STS_List_332\\\")", "RefinementCount": 1, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "contentclass", "DisplayName": "", "Type": "String", "Modifier": "contentclass", "Score": "1.81573295593262", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.8157329752657", "Sum": "0", "RefinementName": "STS_List_Contacts", "RefinementValue": "STS_List_Contacts", "RefinementToken": "equals(\\\"STS_List_Contacts\\\")", "RefinementCount": 1, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.21705436706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": "CONTOSO\\MICHAL", "RefinementValue": "CONTOSO\\MICHAL", "RefinementToken": "equals(\\\"CONTOSO\\MICHAL\\\")", "RefinementCount": 6, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.21705436706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": "Michal Piaseczny", "RefinementValue": "Michal Piaseczny", "RefinementToken": "equals(\\\"Michal Piaseczny\\\")", "RefinementCount": 5, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.21705436706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": " | Michal Piaseczny | CONTOSO\\Michal", "RefinementValue": " | Michal Piaseczny | CONTOSO\\Michal", "RefinementToken": "equals(\\\" | Michal Piaseczny | CONTOSO\\Michal\\\")", "RefinementCount": 2, "PartitionId": "\\/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path;recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplayTemplates\\u002fSearch\\u002fDefaultItem.js"
}, {
  "RefinerName": "Author", "DisplayName": "", "Type": "String", "Modifier": "Author", "Score": "1.21705436706543", "UniqueCount": 0, "HitCount": 12, "NonZeroCount": 12, "Ratio": "1", "Min": "0", "Max": "0", "Mean": "0", "Entropy": "1.21705436319777", "Sum": "0", "RefinementName": "Office Automation Limited Client", "RefinementValue": "Office Automation Limited

```

```
Client","RefinementToken":"equals(\Office Automation Limited
Client\)","RefinementCount":1,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"FormatId","DisplayName":"","Type":"String","Modifier":"FormatId","Score":0,"
UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":0,"Max":0,"Mean":0,"En
tropy":0,"Sum":0,"RefinementName":"html","RefinementValue":"html","RefinementToken":"equa
ls(\html\)","RefinementCount":12,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedT
ime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858
3320000000,"Max":9806698633080000000,"Mean":9806698602490000000,"Entropy":0,"Sum":117
6803832298800000000,"RefinementName":"Before 2010-11-17T08:00:00Z","RefinementValue":"Before
2010-11-17T08:00:00Z","RefinementCount":0,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedT
ime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858
3320000000,"Max":9806698633080000000,"Mean":9806698602490000000,"Entropy":0,"Sum":117
6803832298800000000,"RefinementName":"From 2010-11-17T08:00:00Z up to 2011-05-
21T07:00:00Z","RefinementValue":"From 2010-11-17T08:00:00Z up to 2011-05-
21T07:00:00Z","RefinementToken":"range(2010-11-17T08:00:00Z, 2011-05-
21T07:00:00Z)","RefinementCount":0,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedT
ime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858
3320000000,"Max":9806698633080000000,"Mean":9806698602490000000,"Entropy":0,"Sum":117
6803832298800000000,"RefinementName":"From 2011-05-21T07:00:00Z up to 2011-10-
18T07:00:00Z","RefinementValue":"From 2011-05-21T07:00:00Z up to 2011-10-
18T07:00:00Z","RefinementToken":"range(2011-05-21T07:00:00Z, 2011-10-
18T07:00:00Z)","RefinementCount":0,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedT
ime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858
3320000000,"Max":9806698633080000000,"Mean":9806698602490000000,"Entropy":0,"Sum":117
6803832298800000000,"RefinementName":"From 2011-10-18T07:00:00Z up to 2011-11-
10T08:00:00Z","RefinementValue":"From 2011-10-18T07:00:00Z up to 2011-11-
10T08:00:00Z","RefinementToken":"range(2011-10-18T07:00:00Z, 2011-11-
10T08:00:00Z)","RefinementCount":0,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedT
ime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858
3320000000,"Max":9806698633080000000,"Mean":9806698602490000000,"Entropy":0,"Sum":117
6803832298800000000,"RefinementName":"From 2011-11-10T08:00:00Z up to 2011-11-
17T08:00:00Z","RefinementValue":"From 2011-11-10T08:00:00Z up to 2011-11-
17T08:00:00Z","RefinementToken":"range(2011-11-10T08:00:00Z, 2011-11-
17T08:00:00Z)","RefinementCount":12,"PartitionId":"\Guid(0c37852b-34d0-418e-91c6-
2ac25af4be5b)\","UrlZone":0,"AAMEnabledManagedProperties":"Path;recommendedfor","RenderTempl
ateId":"~sitecollection\u002f_catalogs\u002fmasterpage\u002fDisplay
Templates\u002fSearch\u002fDefaultItem.js"
},{
"RefinerName":"LastModifiedTime","DisplayName":"","Type":"DateTime","Modifier":"LastModifiedT
ime","Score":0,"UniqueCount":0,"HitCount":12,"NonZeroCount":12,"Ratio":1,"Min":980669858
```

```
3320000000", "Max": "9806698633080000000", "Mean": "9806698602490000000", "Entropy": "0", "Sum": "117680383229880000000", "RefinementName": "2011-11-17T08:00:00Z or later", "RefinementValue": "2011-11-17T08:00:00Z or later", "RefinementToken": "range(2011-11-17T08:00:00Z, max, to=\\\"le\\\")", "RefinementCount": 0, "PartitionId": "\\\"/Guid(0c37852b-34d0-418e-91c6-2ac25af4be5b)\\\"/", "UrlZone": 0, "AAMEnabledManagedProperties": "Path; recommendedfor", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplay Templates\\u002fSearch\\u002fDefaultItem.js"
}
], "ResultTitle": null, "ResultTitleUrl": null, "RowCount": 18, "TableType": "RefinementResults", "TotalRows": 11
}, {
  "_ObjectType_": "Microsoft.SharePoint.Client.Search.Query.ResultTable", "GroupTemplateId": null, "ItemTemplateId": null, "Properties": {
    "QueryModification": "home", "RenderTemplateId": "~sitecollection\\u002f_catalogs\\u002fmasterpage\\u002fDisplay Templates\\u002fSearch\\u002fDefaultGroup.js"
  }, "QueryId": "PersonalFavorite Query", "QueryRuleId": "00000000-0000-0000-0000-000000000000", "ResultRows": [
    ], "ResultTitle": "PERSONAL FAVORITES", "ResultTitleUrl": null, "RowCount": 0, "TableType": "PersonalFavoriteResults", "TotalRows": 0
  }
]
}, 258, {
  "HasException": false, "ErrorInfo": null
}
]
```

Preliminary

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

Preliminary

6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include updates to those products.

- Microsoft SharePoint Foundation 2013
- Microsoft SharePoint Server 2013
- Microsoft SharePoint Server 2016
- Microsoft SharePoint Server 2019 Preview

Exceptions, if any, are noted in this section. If an update version, service pack or Knowledge Base (KB) number appears with a product name, the behavior changed in that update. The new behavior also applies to subsequent updates unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms "SHOULD" or "SHOULD NOT" implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term "MAY" implies that the product does not follow the prescription.

7 Change Tracking

This section identifies changes that were made to this document since the last release. Changes are classified as Major, Minor, or None.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements.
- A document revision that captures changes to protocol functionality.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **None** means that no new technical changes were introduced. Minor editorial and formatting changes may have been made, but the relevant technical content is identical to the last released version.

The changes made to this document are listed in the following table. For more information, please contact dochelp@microsoft.com.

Section	Description	Revision class
3.1.5.5.1.1.45 QueryTemplatePropertiesUrl	Updated description for QueryTemplatePropertiesUrl.	Minor
3.1.5.5.1.1.47 OLSQuerySession	Added new section for this property.	Major
3.1.5.5.1.1.48 UseOLSQuery	Added new section for this property.	Major
3.1.5.7.2.1.2 export	Added new section for this method.	Major
3.1.5.7.2.1.4 query	Updated description for parameter queryTemplatePropertiesUrl.	Minor
3.1.5.7.2.1.4 query	Added new parameters for this method.	Major
3.1.5.7.2.1.5 RecordPageClick	Updated description for immediacySourceId parameter.	Minor
3.1.5.9.1.1.24 EnableQueryRules	Updated description for query rules.	Minor
3.1.5.9.1.1.38 UILanguage	Added new section for this property.	Major
3.1.5.9.1.1.39 IgnoreSafeQueryPropertiesTemplateUrl	Updated description for IgnoreSafeQueryPropertiesTemplateUrl.	Minor
3.1.5.9.1.1.40 SafeQueryPropertiesTemplateUrl	Updated description for SafeQueryPropertiesTemplateUrl.	Minor

Section	Description	Revision class
3.1.5.9.1.1.42 OLSQuerySession	Added new section for this property.	Major
3.1.5.9.1.1.43 UseOLSQuery	Added new section for this property.	Major
3.1.5.9.2.1.3 ExportQueryLogs	Added new section for this method.	Major
3.1.5.12.1.1.21 EnableQueryRules	Updated description for query rules.	Minor
3.1.5.12.2.1.3 ExportQueryLogs	Added new section for this method.	Major
3.1.5.18.2.1.5 GetPromotedResults	Added new section for this method.	Major
3.1.5.18.2.1.6 GetQueryConfiguration	Added new section for this method.	Major
3.1.5.44.2.2.3 GetTenantInfo	Added new section for this method.	Major
3.1.5.46 Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings. SearchTenantSettings	Added new section for this object.	Major
3.1.5.47 Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings. TenantClassification	Added new section for this object.	Major
3.1.5.48 Microsoft.Office.Server.Search.lib.OM.SearchSubscriptionSettings. TenantRoutingSettings	Added new section for this object.	Major
3.1.5.49 Microsoft.Office.Server.Search.REST.ContextCondition	Added new section for this object.	Major
3.1.5.49.1.1.1 ContextConditionType	Added new section for this property.	Major
3.1.5.49.1.1.2 SourceId	Added new section for this property.	Major
3.1.5.50 Microsoft.Office.Server.Search.REST.DrainingState	Added new section for this property.	Major
3.1.5.50.1.1 None	Added new section for this field value.	Major
3.1.5.50.1.2 PrivateOneDrive	Added new section for this field value.	Major
3.1.5.50.1.3 PublicOneDrive	Added new section for this field value.	Major
3.1.5.51 Microsoft.Office.Server.Search.REST.ExpandedQueryParameters	Added new section for this object.	Major
3.1.5.51.1.1.1 Properties	Added new section for this	Major

Section	Description	Revision class
	property.	
3.1.5.52 Microsoft.Office.Server.Search.REST.PromotedResultQueryRule	Added new section for this object.	Major
3.1.5.52.1.1.1 Contact	Added new section for this property.	Major
3.1.5.52.1.1.2 ContextConditions	Added new section for this property.	Major
3.1.5.52.1.1.3 CreationDate	Added new section for this property.	Major
3.1.5.52.1.1.4 DisplayName	Added new section for this property.	Major
3.1.5.52.1.1.5 EndDate	Added new section for this property.	Major
3.1.5.52.1.1.6 IsPromotedResultsOnly	Added new section for this property.	Major
3.1.5.52.1.1.7 LastModifiedDate	Added new section for this property.	Major
3.1.5.52.1.1.8 PromotedResults	Added new section for this property.	Major
3.1.5.52.1.1.9 QueryConditions	Added new section for this property.	Major
3.1.5.52.1.1.10 ReviewDate	Added new section for this property.	Major
3.1.5.52.1.1.11 StartDate	Added new section for this property.	Major
3.1.5.53 Microsoft.Office.Server.Search.REST.PromotedResults	Added new section for this object.	Major
3.1.5.53.1.1.1 Description	Added new section for this property.	Major
3.1.5.53.1.1.2 IsVisual	Added new section for this property.	Major
3.1.5.53.1.1.3 LastModifiedTime	Added new section for this property.	Major
3.1.5.53.1.1.4 Title	Added new section for this property.	Major
3.1.5.53.1.1.5 Url	Added new section for this property.	Major
3.1.5.54 Microsoft.Office.Server.Search.REST.PromotedResultsOperationsResult	Added new section for this object.	Major
3.1.5.54.1.1.1 Result	Added new section for this	Major

Section	Description	Revision class
	property.	
3.1.5.54.1.1.2 SearchObjectOwner	Added new section for this property.	Major
3.1.5.55 Microsoft.Office.Server.Search.REST.QueryCondition	Added new section for this object.	Major
3.1.5.55.1.1.1 LCID	Added new section for this property.	Major
3.1.5.55.1.1.2 MatchingOptions	Added new section for this property.	Major
3.1.5.55.1.1.3 QueryConditionType	Added new section for this property.	Major
3.1.5.55.1.1.4 SubjectTermsOrigin	Added new section for this property.	Major
3.1.5.55.1.1.5 Terms	Added new section for this property.	Major
3.1.5.56 Microsoft.Office.Server.Search.REST.QueryConfiguration	Added new section for this object.	Major
3.1.5.56.1.1.1 QueryContext	Added new section for this property.	Major
3.1.5.56.1.1.2 QueryParameters	Added new section for this property.	Major
3.1.5.56.1.1.3 QueryRoutingInfo	Added new section for this property.	Major
3.1.5.56.1.1.4 SearchEndpoints	Added new section for this property.	Major
3.1.5.57 Microsoft.Office.Server.Search.REST.QueryContext	Added new section for this object.	Major
3.1.5.57.1.1.1 PortalUrl	Added new section for this property.	Major
3.1.5.57.1.1.2 SpSiteId	Added new section for this property.	Major
3.1.5.57.1.1.3 SpWebId	Added new section for this property.	Major
3.1.5.58 Microsoft.Office.Server.Search.REST.QueryRoutingInfo	Added new section for this object.	Major
3.1.5.58.1.1.1 QueryState	Added new section for this property.	Major
3.1.5.58.1.1.2 SearchEndpoints	Added new section for this property.	Major
3.1.5.59 Microsoft.Office.Server.Search.REST.QueryState	Added new section for this object.	Major

Section	Description	Revision class
3.1.5.59.1.1 SharePointOnly	Added new section for this property.	Major
3.1.5.59.1.2 OneDriveWeb	Added new section for this property.	Major
3.1.5.60 Microsoft.Office.Server.Search.REST.SearchEndpoints	Added new section for this object.	Major
3.1.5.60.1.1.1 AdminEndpoint	Added new section for this property.	Major
3.1.5.60.1.1.2 AfdEndpoint	Added new section for this property.	Major
3.1.5.60.1.1.3 Geolocation	Added new section for this property.	Major
3.1.5.60.1.1.4 QueryContext	Added new section for this property.	Major
3.1.5.60.1.1.5 QueryEndpoint	Added new section for this property.	Major
3.1.5.61 Microsoft.Office.Server.Search.REST.SearchObjectOwnerResult	Added new section for this object.	Major
3.1.5.61.1.1.1 SiteCollectionId	Added new section for this property.	Major
3.1.5.61.1.1.2 SiteId	Added new section for this property.	Major
3.1.5.61.1.1.3 TenantId	Added new section for this property.	Major
3.1.5.62 Microsoft.Office.Server.Search.REST.SearchSetting	Added new section for this object.	Major
3.1.5.62.2.1.1 getpromotedresultqueryrules	Added new section for this method.	Major
3.1.5.62.2.1.2 getqueryconfiguration	Added new section for this method.	Major
3.1.5.62.2.2.1 CSOM Constructor	Added new section for this method.	Major
6 Appendix A: Product Behavior	Updated list of supported products.	Major

8 Index

A

Abstract data model
[server](#) 23
[Applicability](#) 21

C

[Capability negotiation](#) 21
[Change tracking](#) 129
[Common Exceptions message](#) 22

D

Data model - abstract
[server](#) 23

E

Examples
[Search for the keyword 'home'](#) 110

F

[Fields - vendor-extensible](#) 21

G

[Glossary](#) 17

H

Higher-layer triggered events
[server](#) 23

I

[Implementer - security considerations](#) 127
[Index of security parameters](#) 127
[Informative references](#) 20
Initialization
[server](#) 23
[Introduction](#) 17

M

Messages
[Common Exceptions](#) 22
[Namespaces](#) 22
[transport](#) 22

N

[Namespaces message](#) 22
[Normative references](#) 19

O

Other local events
[server](#) 109

[Overview \(synopsis\)](#) 20

P

[Parameters - security index](#) 127
[Preconditions](#) 21
[Prerequisites](#) 21
[Product behavior](#) 128

R

[References](#) 19
[informative](#) 20
[normative](#) 19
[Relationship to other protocols](#) 20

S

[Search for the keyword 'home' example](#) 110
Security
[implementer considerations](#) 127
[parameter index](#) 127
Server
[abstract data model](#) 23
[higher-layer triggered events](#) 23
[initialization](#) 23
[other local events](#) 109
[timer events](#) 109
[timers](#) 23
[Standards assignments](#) 21

T

Timer events
[server](#) 109
Timers
[server](#) 23
[Tracking changes](#) 129
[Transport](#) 22
Triggered events - higher-layer
[server](#) 23

V

[Vendor-extensible fields](#) 21
[Versioning](#) 21