

[MS-UPSSCXPP]:

User Profile Synchronization (UPS): Schema Exchange Protocol Profile

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation (“this documentation”) for protocols, file formats, data portability, computer languages, and standards support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you can make copies of it in order to develop implementations of the technologies that are described in this documentation and can distribute portions of it in your implementations that use these technologies or in your documentation as necessary to properly document the implementation. You can also distribute in your implementation, with or without modification, any schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that might cover your implementations of the technologies described in the Open Specifications documentation. Neither this notice nor Microsoft's delivery of this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open Specifications document might be covered by the Microsoft [Open Specifications Promise](#) or the [Microsoft Community Promise](#). If you would prefer a written license, or if the technologies described in this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **License Programs.** To see all of the protocols in scope under a specific license program and the associated patents, visit the [Patent Map](#).
- **Trademarks.** The names of companies and products contained in this documentation might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events that are depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications documentation does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available standards specifications and network programming art and, as such, assume that the reader either is familiar with the aforementioned material or has immediate access to it.

Support. For questions and support, please contact dochelp@microsoft.com.

Preliminary Documentation. This particular Open Specifications document provides documentation for past and current releases and/or for the pre-release version of this technology. This document provides final documentation for past and current releases and preliminary documentation, as applicable and specifically noted in this document, for the pre-release version. Microsoft will release

final documentation in connection with the commercial release of the updated or new version of this technology. Because this documentation might change between the pre-release version and the final version of this technology, there are risks in relying on this preliminary documentation. To the extent that you incur additional development obligations or any other costs as a result of relying on this preliminary documentation, you do so at your own risk.

Preliminary

Revision Summary

Date	Revision History	Revision Class	Comments
8/14/2009	0.1	Major	First Release.
9/25/2009	0.2	Minor	Updated the technical content.
11/6/2009	0.2.1	Editorial	Revised and edited the technical content.
12/18/2009	0.2.2	Editorial	Revised and edited the technical content.
1/29/2010	0.2.3	Editorial	Revised and edited the technical content.
3/12/2010	0.2.4	Editorial	Revised and edited the technical content.
4/23/2010	0.2.5	Editorial	Revised and edited the technical content.
6/4/2010	0.2.6	Editorial	Revised and edited the technical content.
7/16/2010	0.2.6	None	No changes to the meaning, language, or formatting of the technical content.
8/27/2010	0.3	Minor	Clarified the meaning of the technical content.
10/8/2010	0.3	None	No changes to the meaning, language, or formatting of the technical content.
11/19/2010	0.3	None	No changes to the meaning, language, or formatting of the technical content.
1/7/2011	0.3	None	No changes to the meaning, language, or formatting of the technical content.
2/11/2011	0.3	None	No changes to the meaning, language, or formatting of the technical content.
3/25/2011	0.3	None	No changes to the meaning, language, or formatting of the technical content.
5/6/2011	0.4	Minor	Clarified the meaning of the technical content.
6/17/2011	0.5	Minor	Clarified the meaning of the technical content.
9/23/2011	0.5	None	No changes to the meaning, language, or formatting of the technical content.
12/16/2011	0.5	None	No changes to the meaning, language, or formatting of the technical content.
3/30/2012	0.5	None	No changes to the meaning, language, or formatting of the technical content.
7/12/2012	0.5	None	No changes to the meaning, language, or formatting of the technical content.
9/12/2012	1.0	None	No changes to the meaning, language, or formatting of the technical content.
10/8/2012	1.0	None	No changes to the meaning, language, or formatting of the technical content.
2/11/2013	1.0	None	No changes to the meaning, language, or formatting of the technical content.

Date	Revision History	Revision Class	Comments
7/30/2013	1.1	Minor	Clarified the meaning of the technical content.
11/18/2013	1.1	None	No changes to the meaning, language, or formatting of the technical content.
2/10/2014	1.1	None	No changes to the meaning, language, or formatting of the technical content.
4/30/2014	1.1	None	No changes to the meaning, language, or formatting of the technical content.
7/31/2014	1.1	None	No changes to the meaning, language, or formatting of the technical content.
10/30/2014	1.1	None	No changes to the meaning, language, or formatting of the technical content.
2/26/2016	2.0	Major	Significantly changed the technical content.
7/15/2016	2.0	None	No changes to the meaning, language, or formatting of the technical content.
9/14/2016	2.0	None	No changes to the meaning, language, or formatting of the technical content.
7/24/2018	3.0	Major	Significantly changed the technical content.
10/1/2018	4.0	Major	Significantly changed the technical content.
6/18/2019	4.0	None	No changes to the meaning, language, or formatting of the technical content.
7/20/2021	5.0	Major	Significantly changed the technical content.

Table of Contents

1	Introduction	7
1.1	Glossary	7
1.2	References	8
1.2.1	Normative References	8
1.2.2	Informative References	8
1.3	Overview	9
1.4	Relationship to Other Protocols	9
1.5	Prerequisites/Preconditions	10
1.6	Applicability Statement	10
1.7	Versioning and Capability Negotiation	10
1.8	Vendor-Extensible Fields	10
1.9	Standards Assignments	10
2	Messages	11
2.1	Transport	11
2.2	Common Message Syntax	11
2.2.1	Namespaces	11
2.2.2	Messages	11
2.2.2.1	GetMetadataMsg	11
2.2.2.2	GetMetadataResponseMsg	12
2.2.3	Elements	12
2.2.3.1	Data Type	12
2.2.3.2	Key	13
2.2.3.3	GetMetadata	13
2.2.3.4	Metadata	13
2.2.4	Complex Types	14
2.2.5	Simple Types	14
2.2.6	Attributes	14
2.2.7	Groups	14
2.2.8	Attribute Groups	14
2.3	Directory Service Schema Elements	15
3	Protocol Details	16
3.1	Server Details	16
3.1.1	Abstract Data Model	16
3.1.2	Timers	16
3.1.3	Initialization	16
3.1.4	Message Processing Events and Sequencing Rules	16
3.1.4.1	Get	16
3.1.4.1.1	Messages	17
3.1.4.1.2	Elements	17
3.1.4.1.3	Complex Types	17
3.1.4.1.4	Simple Types	17
3.1.4.1.5	Attributes	17
3.1.4.1.6	Groups	17
3.1.4.1.7	Attribute Groups	17
3.1.5	Timer Events	17
3.1.6	Other Local Events	17
3.2	Client Details	17
3.2.1	Abstract Data Model	17
3.2.2	Timers	17
3.2.3	Initialization	18
3.2.4	Message Processing Events and Sequencing Rules	18
3.2.5	Timer Events	18
3.2.6	Other Local Events	18

4	Protocol Examples	19
4.1	Example of Retrieving Metadata from the Server	19
4.1.1	SOAP GetMetadataMsg Message	19
4.1.2	SOAP GetMetadataResponseMsg Message	19
5	Security	21
5.1	Security Considerations for Implementers	21
5.2	Index of Security Parameters	21
6	Appendix A: Full WSDL	22
7	Appendix B: Product Behavior	23
8	Change Tracking	24
9	Index	25

Preliminary

1 Introduction

The User Profile Synchronization (UPS): Schema Exchange Protocol Profile profiles metadata exchange with a Web service, as described in [\[WS-MetaDataExchange\]](#), enabling protocol clients to discover metadata for a protocol server implementation of the User Profile Synchronization (UPS): Configuration Data Structure, as described in [\[MS-UPSCDS\]](#).

Sections 1.5, 1.8, 1.9, 2, and 3 of this specification are normative. All other sections and examples in this specification are informative.

1.1 Glossary

This document uses the following terms:

directory service (DS): A service that stores and organizes information about a computer network's users and network shares, and that allows network administrators to manage users' access to the shares. See also Active Directory.

endpoint: A communication port that is exposed by an application server for a specific shared service and to which messages can be addressed.

Hypertext Transfer Protocol (HTTP): An application-level protocol for distributed, collaborative, hypermedia information systems (text, graphic images, sound, video, and other multimedia files) on the World Wide Web.

policy: A set of rules that governs all interactions with an object such as a document or item.

SOAP action: The HTTP request header field used to indicate the intent of the SOAP request, using a URI value. See [\[SOAP1.1\]](#) section 6.1.1 for more information.

SOAP body: A container for the payload data being delivered by a **SOAP message** to its recipient. See [\[SOAP1.2-1/2007\]](#) section 5.3 for more information.

SOAP message: An XML document consisting of a mandatory SOAP envelope, an optional SOAP header, and a mandatory **SOAP body**. See [\[SOAP1.2-1/2007\]](#) section 5 for more information.

Transmission Control Protocol (TCP): A protocol used with the Internet Protocol (IP) to send data in the form of message units between computers over the Internet. TCP handles keeping track of the individual units of data (called packets) that a message is divided into for efficient routing through the Internet.

Uniform Resource Locator (URL): A string of characters in a standardized format that identifies a document or resource on the World Wide Web. The format is as specified in [\[RFC1738\]](#).

Web Services Description Language (WSDL): An XML format for describing network services as a set of endpoints that operate on messages that contain either document-oriented or procedure-oriented information. The operations and messages are described abstractly and are bound to a concrete network protocol and message format in order to define an endpoint. Related concrete endpoints are combined into abstract endpoints, which describe a network service. WSDL is extensible, which allows the description of endpoints and their messages regardless of the message formats or network protocols that are used.

XML attribute: A name/value pair, separated by an equal sign (=) and included in a tagged element, that modifies features of an element. All XML attribute values are stored as strings enclosed in quotation marks.

XML namespace: A collection of names that is used to identify elements, types, and attributes in XML documents identified in a URI reference [\[RFC3986\]](#). A combination of XML namespace and

local name allows XML documents to use elements, types, and attributes that have the same names but come from different sources. For more information, see [\[XMLNS-2ED\]](#).

XML schema: A description of a type of XML document that is typically expressed in terms of constraints on the structure and content of documents of that type, in addition to the basic syntax constraints that are imposed by XML itself. An XML schema provides a view of a document type at a relatively high level of abstraction.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the [Errata](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[MS-UPSCDS] Microsoft Corporation, "[User Profile Synchronization \(UPS\): Configuration Data Structure](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[SOAP1.2-1/2007] Gudgin, M., Hadley, M., Mendelsohn, N., et al., "SOAP Version 1.2 Part 1: Messaging Framework (Second Edition)", W3C Recommendation, April 2007, <http://www.w3.org/TR/2007/REC-soap12-part1-20070427/>

[WS-MetaDataExchange] Ballinger, K. et al., "Web Services Metadata Exchange (WS-MetadataExchange) Version 1.1", August 2006, <http://specs.xmlsoap.org/ws/2004/09/mex/WS-MetadataExchange.pdf>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[WXFR] Alexander, J., Box, D., Cabrera, L.F., et al., "Web Services Transfer (WS-Transfer)", September 2006, <http://www.w3.org/Submission/2006/SUBM-WS-Transfer-20060927/>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1/2] Thompson, H., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures Second Edition", W3C Recommendation, October 2004, <http://www.w3.org/TR/2004/REC-xmlschema-1-20041028/>

[XMLSCHEMA2/2] Biron, P., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes Second Edition", W3C Recommendation, October 2004, <http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/>

1.2.2 Informative References

[IANAPORT] IANA, "Service Name and Transport Protocol Port Number Registry", <http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xhtml>

[WSSE 1.0] Nadalin, A., Kaler, C., Hallam-Baker, P., and Monzillo, R., Eds., "Web Services Security: SOAP Message Security 1.0 (WS-Security 2004)", OASIS Standard 200401, March 2004, <http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf>

1.3 Overview

This protocol is a profile of [\[WS-MetaDataExchange\]](#) that enables a protocol client to retrieve metadata from a protocol server. Included in this metadata are [\[XMLSCHEMA1/2\]](#) elements, which describe the structures described in [\[MS-UPSCDS\]](#).

As an example of how the protocol server accepts a request message sent by a protocol client, as described in [\[WS-MetaDataExchange\]](#), and the protocol server then returns a response message see section 4. The following figure, Message Pattern of the User Profile Synchronization (UPS): Schema Exchange Protocol Profile, illustrates this behavior.



Figure 1: Message pattern of the User Profile Synchronization (UPS): Schema Exchange Protocol Profile

1.4 Relationship to Other Protocols

This protocol uses the SOAP protocol, as described in [\[SOAP1.2-1/2007\]](#), over **HTTP** as shown in the following figure.




Figure 2: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

The operations described by this profile operate between a protocol client and a protocol server. The protocol client is expected to have the **URL** of the resource **endpoint** of the protocol server.

The protocol server endpoint is formed by appending "/_vti_bin/OfficialFile.asmx " to the URL of the site, for example: http://www.example.com/Repository/_vti_bin/OfficialFile.asmx.

1.6 Applicability Statement

This profile is intended to return the **XML schema** elements, as described in [\[XMLSCHEMA1/2\]](#), of the User Profile Synchronization: Configuration Data Structure [\[MS-UPSCDS\]](#).

1.7 Versioning and Capability Negotiation

None.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

All request messages defined in this profile are transmitted over **Transmission Control Protocol (TCP)** to a protocol server listening on port 5725.

Parameter	Value	Reference
TCP Port	5725	[IANA PORT]

2 Messages

2.1 Transport

Messages MUST be transported using the SOAP protocol, as specified in [\[SOAP1.2-1/2007\]](#), over **HTTP**. The HTTP connection is made by a protocol client to a protocol server listening on **TCP** port 5725.

2.2 Common Message Syntax

This section contains common definitions used by this profile. The syntax of the definitions uses an **XML schema** as defined in [\[XMLSCHEMA1/2\]](#) and [\[XMLSCHEMA2/2\]](#), and the **Web Services Description Language (WSDL)** as defined in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various **XML namespaces** using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and is not significant for interoperability.

Prefix	Namespace URI	Reference
xs	http://www.w3.org/2001/XMLSchema	[XMLSCHEMA1/2]
wxf	http://schemas.xmlsoap.org/ws/2004/09/transfer	[WXFR]
rm	http://schemas.microsoft.com/2006/11/ResourceManagement	[MS-UPSCDS]
mex	http://schemas.xmlsoap.org/ws/2004/09/mex	[WS-MetaDataExchange]

2.2.2 Messages

Message	Description
GetMetadataMsg (section 2.2.2.1)	A message the protocol client sends to request metadata from the protocol server.
GetMetadataResponseMsg (section 2.2.2.2)	A message the protocol server sends in response to a GetMetadataMsg request.

2.2.2.1 GetMetadataMsg

The protocol client sends the message **GetMetadataMsg** to request metadata from the protocol server.

In contrast with section 5.2 of [\[WS-MetaDataExchange\]](#), the **SOAP action** value of the message MUST be:

```
http://schemas.xmlsoap.org/ws/2004/09/transfer/Get
```

The **SOAP body** MUST contain the element `<mex:GetMetadata>`. The element `<mex:GetMetadata>` is defined in section [2.2.3.3](#).

```
<wsdl:message name="GetMetadataMsg">
  <wsdl:part name="Body" element="mex:GetMetadata" />
</wsdl:message>
```

2.2.2.2 GetMetadataResponseMsg

The protocol server sends the message **GetMetadataResponseMsg** in response to a **GetMetadataMsg** request message (section [2.2.2.1](#)).

In contrast with section 5.2 of [\[WS-MetaDataExchange\]](#), the **SOAP action** value of the message MUST be:

```
http://schemas.xmlsoap.org/ws/2004/09/transfer/GetResponse
```

The **SOAP body** MUST contain the element `<mex:Metadata>`. This element is defined in section [2.2.3.4](#).

```
<wsdl:message name="GetMetadataResponseMsg">
  <wsdl:part name="Body" element="mex:Metadata" />
</wsdl:message>
```

2.2.3 Elements

Element	Description
Data Type (section 2.2.3.1)	An element that contains the string literal "String".
GetMetadata (section 2.2.3.3)	An element that contains a query for metadata information.
Key (section 2.2.3.2)	An element that contains an integer.
Metadata (section 2.2.3.4)	An element that contains metadata information.

2.2.3.1 Data Type

The element `<rm:Data>` is derived from `xs:string` and MUST be the string literal "String".

```
<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://schemas.microsoft.com/2006/11/ResourceManagement">
  <xs:element name="Key">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:enumeration value="String"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
</xs:schema>
```

2.2.3.2 Key

The element `<rm:Key>` is an `xs:integer`.

```
<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://schemas.microsoft.com/2006/11/ResourceManagement">
  <xs:element name="Key" type="xs:integer"/>
</xs:schema>
```

2.2.3.3 GetMetadata

The element `<mex:GetMetadata>` is defined in section 5.2 of [\[WS-MetaDataExchange\]](#).

As a profile of [\[WS-MetaDataExchange\]](#), the element `<mex:GetMetadata>` MUST contain the attribute `<mex:Dialect>`, and the value of `<mex:Dialect>` MUST be set to the literal string `"http://www.w3.org/2001/XMLSchema"`.

As a profile of [\[WS-MetaDataExchange\]](#), the element `<mex:GetMetadata>` MUST contain the attribute `<mex:Identifier>`, and the value of `<mex:Identifier>` MUST be set to the literal string `":"`.

2.2.3.4 Metadata

The element `<mex:Metadata>` is defined in section 4 of [\[WS-MetaDataExchange\]](#).

As a profile of [\[WS-MetaDataExchange\]](#), the first child of element `<mex:Metadata>` MUST be element `<mex:MetadataSection>`. This element `<mex:MetadataSection>` MUST have an **XML attribute @xmlns** with its value set to the empty string. The element `<mex:MetadataSection>` MUST have an XML attribute **@mex:Identifier** with a value set to the literal string `":"`. The element `<mex:MetadataSection>` MUST have an XML attribute **@mex:Dialect** with its value set to the literal string `"http://www.w3.org/2001/XMLSchema"`. See section [4.1.2](#) for an example of this element.

As a profile of [\[WS-MetaDataExchange\]](#), the first child of the element `<mex:MetadataSection>` MUST be element `<xs:schema>`. The element `<xs:schema>` is defined in [\[XMLSCHEMA1/2\]](#).

As a profile of [\[WS-MetaDataExchange\]](#), [\[XMLSCHEMA1/2\]](#) annotations are present in `<xs:element>` elements. Annotating elements is defined in section 3.13 of [\[XMLSCHEMA1/2\]](#). The manner in which a protocol client uses annotations is not defined.

```
//xs:element/xs:annotation
```

The element `<xs:annotation>`, defined in section 3.13 of [\[XMLSCHEMA1/2\]](#), MUST be present as a child of all `<xs:element>` elements.

```
//xs:element/xs:annotation/xs:appinfo
```

The element `<xs:appinfo>`, defined in section 3.13 of [\[XMLSCHEMA1/2\]](#), MUST be present as a child of all `<xs:annotation>` elements.

```
//xs:element/xs:annotation/xs:appinfo/rm:DisplayName
```

The element `<rm:DisplayName>`, defined in [\[MS-UPSCDS\]](#) section 2.1.3, MUST be present as a child of all `<xs:appinfo>` elements used to annotate `<xs:element>` elements.

```
//xs:element/xs:annotation/xs:appinfo/rm:Description
```

The element `<rm:Description>`, defined in [MS-UPSCDS] section 2.1.3, MUST be present as a child of all `<xs:appinfo>` elements used to annotate `<xs:element>` elements.

```
//xs:element/xs:annotation/xs:appinfo/rm:Key
```

The element `<rm:Key>`, defined in section 2.2.3.1 of this specification, MUST be present as a child of all `<xs:appinfo>` elements used to annotate `<xs:element>` elements.

```
//xs:simpleType[/xs:restriction/@xs:base="xs:string"  
/xs:pattern/@xs:value=".{0,448}"]/xs:annotation
```

The element `<xs:annotation>`, defined in section 3.13 of [XMLSCHEMA1/2], MUST be present as a child of all `<xs:simpleType>` elements that derive from `<xs:string>` with the pattern `".{0,448}"`.

```
//xs:simpleType[/xs:restriction/@xs:base="xs:string"  
/xs:pattern/@xs:value=".{0,448}"]/xs:annotation/xs:appinfo
```

The element `<xs:appinfo>`, defined in section 3.13 of [XMLSCHEMA1/2], MUST be present as a child of all `<xs:annotation>` elements that are children of `<xs:simpleType>` elements that derive from `xs:string` with pattern `".{0,448}"`.

```
//xs:simpleType[/xs:restriction/@xs:base="xs:string"/xs:pattern/@xs:value=".{0,448}"]/xs:anno  
tation/xs:appinfo/rm:DataType
```

The element `<rm:DataType>`, defined in section 2.2.3.1 of this specification, MUST be present as a child of all `<xs:appinfo>` elements that are used to annotate `<xs:simpleType>` elements that are derived from `xs:string` with the pattern `".{0,448}"`.

2.2.4 Complex Types

This specification does not define any common **XML schema** complex type definitions.

2.2.5 Simple Types

This specification does not define any common **XML schema** simple type definitions.

2.2.6 Attributes

This specification does not define any common **XML schema** attribute definitions.

2.2.7 Groups

This specification does not define any common **XML schema** group definitions.

2.2.8 Attribute Groups

This specification does not define any common **XML schema** attribute group definitions.

2.3 Directory Service Schema Elements

Implementations of this profile do not require access to any **directory service (DS)** schema classes or attributes.

Preliminary

3 Protocol Details

3.1 Server Details

As a profile of [\[WS-MetaDataExchange\]](#), the protocol server MUST provide the Resource **endpoint** defined by the Resource port type in [\[WXFR\]](#). The protocol server processes the following operation on the Resource endpoint (4):

- Get

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this profile. The described organization is provided to facilitate the explanation of how an implementation following this profile of [\[WS-MetaDataExchange\]](#) behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

No new abstract data model is required other than those specified in [\[WS-MetaDataExchange\]](#) and [\[MS-UPSCDS\]](#).

3.1.2 Timers

None.

3.1.3 Initialization

There is no initialization in this profile. All **policy**, schema, and operations MUST be pre-configured prior to the protocol client sending requests.

3.1.4 Message Processing Events and Sequencing Rules

Operation	Description
Get	An operation that accepts a GetMetadataMsg request (section 2.2.2.1) from the protocol client and returns a GetMetadataResponseMsg response (section 2.2.2.2).

3.1.4.1 Get

A protocol client sends a **GetMetadataMsg** message, defined in section [2.2.2.1](#) of this specification, to the Resource **endpoint** of the protocol server to request metadata from the protocol server. Upon successful processing of the **GetMetadataMsg** message, the protocol server responds with a **GetMetadataResponseMsg** message, defined in section [2.2.2.2](#) of this specification.

```
<wsdl:operation name="Get">
  <soap12:operation soapAction="http://schemas.xmlsoap.org/ws/2004/09/transfer/Get"
style="document" />
  <wsdl:input wsdl:message="mex:GetMetadataMsg"
wsa:Action="http://schemas.xmlsoap.org/ws/2004/09/transfer/Get">
    </wsdl:input>
  <wsdl:output wsdl:message="mex:GetMetadataResponseMsg"
wsa:Action="http://schemas.xmlsoap.org/ws/2004/09/transfer/GetResponse">
    </wsdl:output>
</wsdl:operation>
```


If the protocol server cannot successfully process the **GetMetadataMsg** message, the protocol server will ignore any internal error and MUST respond with a **GetMetadataResponseMsg** message.

3.1.4.1.1 Messages

This operation defines no messages beyond those present in [\[WS-MetaDataExchange\]](#) and section [2.2.2](#) of this specification.

3.1.4.1.2 Elements

This operation defines no elements beyond those present in [\[WS-MetaDataExchange\]](#).

3.1.4.1.3 Complex Types

This operation defines no complex types beyond those present in [\[WS-MetaDataExchange\]](#).

3.1.4.1.4 Simple Types

This operation defines no simple types beyond those present in [\[WS-MetaDataExchange\]](#).

3.1.4.1.5 Attributes

This operation defines no attributes beyond those present in [\[WS-MetaDataExchange\]](#).

3.1.4.1.6 Groups

This operation defines no groups beyond those present in [\[WS-MetaDataExchange\]](#).

3.1.4.1.7 Attribute Groups

This operation defines no attribute groups beyond those present in [\[WS-MetaDataExchange\]](#).

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

3.2 Client Details

None.

3.2.1 Abstract Data Model

None.

3.2.2 Timers

None.

3.2.3 Initialization

All metadata dialects and identifiers defined are expected to be configured on the protocol client prior to sending requests.

3.2.4 Message Processing Events and Sequencing Rules

None.

3.2.5 Timer Events

None.

3.2.6 Other Local Events

None.

Preliminary

4 Protocol Examples

This section provides an example of the **SOAP messages** specified in section 2.

4.1 Example of Retrieving Metadata from the Server

In this section, the protocol client requests metadata from the protocol server using a **GetMetadataMsg** message (section 2.2.2.1) that contains a `<mex:GetMetadata>` element. The protocol server responds to the protocol client with a **GetMetadataResponseMsg** message (section 2.2.2.2) that contains a `<mex:Metadata>` element.

4.1.1 SOAP GetMetadataMsg Message

```
<?xml version="1.0" encoding="utf-8"?>
<s:Envelope
  xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:mex="http://schemas.xmlsoap.org/ws/2004/09/mex">
  <s:Header>
    <a:Action
      s:mustUnderstand="1">http://schemas.xmlsoap.org/ws/2004/09/transfer/Get</a:Action>
    <a:MessageID>urn:uuid:6eb17746-64d0-42fb-8206-af9c2470819b</a:MessageID>
    <a:ReplyTo>
      <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
    </a:ReplyTo>
    <a:To s:mustUnderstand="1">http://localhost:5725/ResourceManagementService/MEX</a:To>
  </s:Header>
  <s:Body>
    <mex:GetMetadata>
      <mex:Dialect>http://www.w3.org/2001/XMLSchema</mex:Dialect>
      <mex:Identifier></mex:Identifier>
    </mex:GetMetadata>
  </s:Body>
</s:Envelope>
```

4.1.2 SOAP GetMetadataResponseMsg Message

```
<?xml version="1.0" encoding="utf-8"?>
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing">
  <s:Header>
    <a:Action
      s:mustUnderstand="1">http://schemas.xmlsoap.org/ws/2004/09/transfer/GetResponse</a:Action>
    <a:RelatesTo>urn:uuid:6eb17746-64d0-42fb-8206-af9c2470819b</a:RelatesTo>
  </s:Header>
  <s:Body>
    <Metadata xmlns="http://schemas.xmlsoap.org/ws/2004/09/mex"
      xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
    <wsx:MetadataSection Dialect="http://www.w3.org/2001/XMLSchema" Identifier=":" xmlns="">
      <xs:schema attributeFormDefault="unqualified" elementFormDefault="qualified"
        targetNamespace="http://schemas.microsoft.com/2006/11/ResourceManagement" version="1.0"
        xmlns:xs="http://www.w3.org/2001/XMLSchema"
        xmlns:rm="http://schemas.microsoft.com/2006/11/ResourceManagement">
        <xs:simpleType name="ReferenceType">
          <xs:restriction base="xs:string">
            <xs:pattern value="([0-9a-fA-F]){8}-([0-9a-fA-F]){4}-([0-9a-fA-F])
              F]){4}-([0-9a-fA-F]){4}-([0-9a-fA-F]){12}" />
          </xs:restriction>
        </xs:simpleType>
        <xs:complexType name="BinaryCollectionType">
          <xs:sequence>
```

```

        <xs:element minOccurs="1" maxOccurs="unbounded" name="Item"
type="xs:base64Binary" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="DateTimeCollectionType">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="unbounded" name="Item"
type="xs:dateTime" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="IntegerCollectionType">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="unbounded" name="Item"
type="xs:integer" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="ReferenceCollectionType">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="unbounded" name="Item"
type="rm:ReferenceType" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="StringCollectionType">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="unbounded" name="Item">
            <xs:simpleType>
                <xs:annotation>
                    <xs:appinfo>
                        <rm:DataType>String</rm:DataType>
                    </xs:appinfo>
                </xs:annotation>
                <xs:restriction base="xs:string">
                    <xs:pattern value=".{0,448}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:element minOccurs="1" name="CreatedTime" type="xs:dateTime">
    <xs:annotation>
        <xs:appinfo>
            <rm:DisplayName>Created Time</rm:DisplayName>
            <rm:Description>The time when the resource is created
in the FIM service database. This attribute is assigned its value by the FIM service. It
cannot be modified by any user.</rm:Description>
            <rm:Key>4</rm:Key>
        </xs:appinfo>
    </xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:element name="mv-dataInstance" type="rm:mv-data" />
</xs:schema>
</wsx:MetadataSection>
</Metadata>
</s:Body>
</s:Envelope>

```

5 Security

5.1 Security Considerations for Implementers

In contrast with section 8 of [\[WS-MetaDataExchange\]](#), the protocol server and protocol client do not use security features, as described in [\[WSSE 1.0\]](#).

5.2 Index of Security Parameters

None.

Preliminary

6 Appendix A: Full WSDL

For ease of implementation, the full WSDL is provided in this appendix.

```
<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:wsu="http://docs.oasis-
open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"
xmlns:tns="http://schemas.microsoft.com/2006/11/ResourceManagement"
xmlns:wsp="http://www.w3.org/ns/ws-policy"
xmlns:i0="http://schemas.xmlsoap.org/ws/2004/09/transfer"
xmlns:wsap="http://schemas.xmlsoap.org/ws/2004/08/addressing/policy"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:misc="http://schemas.microsoft.com/ws/2005/12/wsdl/contract"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"
xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:wsa10="http://www.w3.org/2005/08/addressing"
targetNamespace="http://schemas.microsoft.com/2006/11/ResourceManagement"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:mex="http://schemas.xmlsoap.org/ws/2004/09/mex"
>
  <wsdl:import namespace="http://schemas.xmlsoap.org/ws/2004/09/transfer"
location="http://schemas.xmlsoap.org/ws/2004/09/transfer/transfer.wsdl" />
  <wsdl:types>
    <xsd:schema targetNamespace="http://schemas.xmlsoap.org/ws/2004/09/mex">
      <xsd:include
schemaLocation="http://schemas.xmlsoap.org/ws/2004/09/mex/metadataexchange.xsd" />
    </xsd:schema>
  </wsdl:types>
  <wsdl:message name="GetMetadataMsg">
    <wsdl:part name="Body" element="mex:GetMetadata" />
  </wsdl:message>
  <wsdl:message name="GetMetadataResponseMsg">
    <wsdl:part name="Body" element="mex:Metadata" />
  </wsdl:message>
  <wsdl:binding name="ServiceMultipleTokenBinding_Resource" type="i0:Resource">
    <soap12:binding transport="http://schemas.xmlsoap.org/soap/http" />
    <wsdl:operation name="Get">
      <soap12:operation soapAction="http://schemas.xmlsoap.org/ws/2004/09/transfer/Get"
style="document" />
      <wsdl:input wsdl:message="mex:GetMetadataMsg"
wsa:Action="http://schemas.xmlsoap.org/ws/2004/09/transfer/Get">
        </wsdl:input>
      <wsdl:output wsdl:message="mex:GetMetadataResponseMsg"
wsa:Action="http://schemas.xmlsoap.org/ws/2004/09/transfer/GetResponse">
        </wsdl:output>
      <wsdl:input>
        <soap12:body use="literal" />
      </wsdl:input>
      <wsdl:output>
        <soap12:body use="literal" />
      </wsdl:output>
    </wsdl:operation>
  </wsdl:binding>
</wsdl:definitions>
```

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include updates to those products.

- Microsoft SharePoint Server 2010
- Microsoft SharePoint Server 2013
- Microsoft SharePoint Server 2016
- Microsoft SharePoint Server 2019
- Microsoft SharePoint Server Subscription Edition Preview

Exceptions, if any, are noted in this section. If an update version, service pack or Knowledge Base (KB) number appears with a product name, the behavior changed in that update. The new behavior also applies to subsequent updates unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms "SHOULD" or "SHOULD NOT" implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term "MAY" implies that the product does not follow the prescription.

Preliminary

8 Change Tracking

This section identifies changes that were made to this document since the last release. Changes are classified as Major, Minor, or None.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements.
- A document revision that captures changes to protocol functionality.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **None** means that no new technical changes were introduced. Minor editorial and formatting changes may have been made, but the relevant technical content is identical to the last released version.

The changes made to this document are listed in the following table. For more information, please contact dochelp@microsoft.com.

Section	Description	Revision class
Z Appendix B: Product Behavior	Updated list of supported products.	Major

9 Index

A

Abstract data model
 [client](#) 17
 [server](#) 16
[Applicability](#) 10
[Attribute groups](#) 14
[Attributes](#) 14

C

[Capability negotiation](#) 10
[Change tracking](#) 24
Client
 [abstract data model](#) 17
 [initialization](#) 18
 [local events](#) 18
 [message processing](#) 18
 [sequencing rules](#) 18
 [timer events](#) 18
 [timers](#) 17
[Complex types](#) 14

D

Data model - abstract
 [client](#) 17
 [server](#) 16
[DataType element](#) 12
[Directory service schema elements](#) 15

E

Elements
 [DataType](#) 12
 [GetMetadata](#) 13
 [Key](#) 13
 [Metadata](#) 13
[Elements - directory service schema](#) 15
Events
 [local - client](#) 18
 [local - server](#) 17
 [timer - client](#) 18
 [timer - server](#) 17
Examples
 [overview](#) 19
 [retrieving metadata from the server](#) 19

F

[Fields - vendor-extensible](#) 10
[Full WSDL](#) 22

G

[GetMetadata element](#) 13
[Glossary](#) 7
[Groups](#) 14

I

[Implementer - security considerations](#) 21
[Index of security parameters](#) 21
[Informative references](#) 8
Initialization
 [client](#) 18
 [server](#) 16
[Introduction](#) 7

K

[Key element](#) 13

L

Local events
 [client](#) 18
 [server](#) 17

M

Message processing
 [client](#) 18
 [server](#) 16
Messages
 [attribute groups](#) 14
 [attributes](#) 14
 [complex types](#) 14
 [DataType element](#) 12
 [elements](#) 12
 [enumerated](#) 11
 [GetMetadata element](#) 13
 [GetMetadataMsg](#) 11
 [GetMetadataMsg message](#) 11
 [GetMetadataResponseMsg](#) 12
 [GetMetadataResponseMsg message](#) 12
 [groups](#) 14
 [Key element](#) 13
 [Metadata element](#) 13
 [namespaces](#) 11
 [simple types](#) 14
 [syntax](#) 11
 [transport](#) 11
[Metadata element](#) 13

N

[Namespaces](#) 11
[Normative references](#) 8

O

Operations
 [Get](#) 16
[Overview \(synopsis\)](#) 9

P

[Parameters - security index](#) 21
[Preconditions](#) 10
[Prerequisites](#) 10
[Product behavior](#) 23

R

- [References](#) 8
 - [informative](#) 8
 - [normative](#) 8
- [Relationship to other protocols](#) 9
- [Retrieving metadata from the server example](#) 19

S

- [Schema elements - directory service](#) 15
- Security
 - [implementer considerations](#) 21
 - [parameter index](#) 21
- Sequencing rules
 - [client](#) 18
 - [server](#) 16
- Server
 - [abstract data model](#) 16
 - [details](#) 16
 - [Get operation](#) 16
 - [initialization](#) 16
 - [local events](#) 17
 - [message processing](#) 16
 - [sequencing rules](#) 16
 - [timer events](#) 17
 - [timers](#) 16
- [Simple types](#) 14
- [Standards assignments](#) 10
- Syntax
 - [messages - overview](#) 11

T

- Timer events
 - [client](#) 18
 - [server](#) 17
- Timers
 - [client](#) 17
 - [server](#) 16
- [Tracking changes](#) 24
- [Transport](#) 11
- Types
 - [complex](#) 14
 - [simple](#) 14

V

- [Vendor-extensible fields](#) 10
- [Versioning](#) 10

W

- [WSDL](#) 22