

# [MS-WEBDAVE]: Web Distributed Authoring and Versioning Error Extensions Protocol

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit [www.microsoft.com/trademarks](http://www.microsoft.com/trademarks).
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
04/04/2008	0.1		Initial Availability
06/27/2008	1.0	Major	Revised and edited the technical content
12/12/2008	1.01	Editorial	Revised and edited the technical content
07/13/2009	1.02	Major	Changes made for template compliance
08/28/2009	1.03	Editorial	Revised and edited the technical content
11/06/2009	1.04	Editorial	Revised and edited the technical content
02/19/2010	2.0	Editorial	Revised and edited the technical content
03/31/2010	2.01	Editorial	Revised and edited the technical content
04/30/2010	2.02	Editorial	Revised and edited the technical content
06/07/2010	2.03	Editorial	Revised and edited the technical content
06/29/2010	2.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	2.04	No change	No changes to the meaning, language, or formatting of the technical content.
09/27/2010	2.04	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	2.04	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	2.04	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	2.04	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	2.04	No change	No changes to the meaning, language, or formatting of the technical content.
01/20/2012	2.5	Minor	Clarified the meaning of the technical content.
04/11/2012	2.5	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	2.6	Minor	Clarified the meaning of the technical content.
09/12/2012	2.6	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	2.6	No change	No changes to the meaning, language, or formatting of the technical content.

<b>Date</b>	<b>Revision History</b>	<b>Revision Class</b>	<b>Comments</b>
02/11/2013	2.6	No change	No changes to the meaning, language, or formatting of the technical content.
07/30/2013	2.6	No change	No changes to the meaning, language, or formatting of the technical content.

# Table of Contents

<b>1 Introduction</b>	<b>6</b>
1.1 Glossary	6
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	7
1.3 Overview	7
1.4 Relationship to Other Protocols	7
1.5 Prerequisites/Preconditions	7
1.6 Applicability Statement	7
1.7 Versioning and Capability Negotiation	8
1.8 Vendor-Extensible Fields	8
1.9 Standards Assignments	8
<b>2 Messages</b>	<b>9</b>
2.1 Transport	9
2.2 Message Syntax	9
2.2.1 WebDAV Extension Header	9
2.2.2 Extended Error Handling	9
2.2.3 Currently Defined WebDAV Extended Errors	9
2.2.3.1 Error Codes	10
2.2.3.1.1 File Errors	10
2.2.3.1.2 Configuration Errors	12
2.2.3.1.3 Server Parsing Errors	13
2.2.3.1.4 Server Errors	13
2.2.3.1.5 HTML Errors	13
2.2.3.1.6 System Errors	13
2.2.3.1.7 Service Errors	14
2.2.3.1.8 HTTP Errors	16
2.2.3.1.9 Authentication Errors	17
2.2.3.1.10 Document-Related Errors	17
2.2.3.1.11 Disk-Based Website Errors	17
2.2.3.1.12 Socket Errors	17
2.2.3.1.13 DNS Errors	18
2.2.3.1.14 Internet Errors	18
2.2.3.1.15 Hosting Errors	20
2.2.3.1.16 Web Services Errors	20
2.2.3.1.17 Server Network Errors	21
2.2.3.1.18 Web Extender Client Errors	21
2.2.3.1.19 Virus Scan Errors	22
2.2.3.1.20 IRM Errors	22
<b>3 Protocol Details</b>	<b>23</b>
3.1 WebDAV Client Details	23
3.1.1 Abstract Data Model	23
3.1.2 Timers	23
3.1.3 Initialization	23
3.1.4 Higher-Layer Triggered Events	23
3.1.5 Message Processing Events and Sequencing Rules	23
3.1.6 Timer Events	23
3.1.7 Other Local Events	23

3.2	WebDAV Server Details .....	23
3.2.1	Abstract Data Model .....	23
3.2.2	Timers .....	24
3.2.3	Initialization .....	24
3.2.4	Higher-Layer Triggered Events .....	24
3.2.5	Message Processing Events and Sequencing Rules .....	24
3.2.6	Timer Events .....	24
3.2.7	Other Local Events .....	24
<b>4</b>	<b>Protocol Examples .....</b>	<b>25</b>
4.1	Client Attempts to Open a Checked-Out File .....	25
4.2	Client Attempts to Exceed the Storage Quota Limit for a Location .....	25
<b>5</b>	<b>Security .....</b>	<b>26</b>
5.1	Security Considerations for Implementers .....	26
5.2	Index of Security Parameters .....	26
<b>6</b>	<b>Appendix A: Product Behavior .....</b>	<b>27</b>
<b>7</b>	<b>Change Tracking .....</b>	<b>28</b>
<b>8</b>	<b>Index .....</b>	<b>29</b>

# 1 Introduction

The **Web Distributed Authoring and Versioning Protocol (WebDAV)**, as described in [\[RFC2518\]](#), extends the standard **Hypertext Transfer Protocol (HTTP)** mechanisms, as described in [\[RFC2616\]](#), to provide file access and content management over the Internet. WebDAV enables an Internet-based file system; however, it does not include the communication of detailed errors from server to client while performing file operations.

The Web Distributed Authoring and Versioning Error Extensions Protocol extends WebDAV with extended error codes and uses an extended error handling mechanism, as described in [\[MS-WDV\]](#) section 2.2.3, to enable compliant protocol servers to report error condition details about a protocol server response.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**Domain Name System (DNS)**  
**Hypertext Transfer Protocol (HTTP)**

The following terms are defined in [\[MS-OFCGLOS\]](#):

**Hypertext Transfer Protocol 1.1 (HTTP/1.1)**  
**Information Rights Management (IRM)**  
**Web Distributed Authoring and Versioning Protocol (WebDAV)**  
**web server**  
**WebDAV client**  
**WebDAV server**

The following terms are specific to this document:

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-WDV] Microsoft Corporation, "[Web Distributed Authoring and Versioning \(WebDAV\) Protocol: Client Extensions](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2518] Goland, Y., Whitehead, E., Faizi, A., et al., "HTTP Extensions for Distributed Authoring - WebDAV", RFC 2518, February 1999, <http://www.ietf.org/rfc/rfc2518.txt>

[RFC3986] Berners-Lee, T., Fielding, R., and Masinter, L., "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>

## 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

## 1.3 Overview

This protocol specifies the error ranges that are used when the protocol server reports extended errors to the protocol client. To do so, this protocol uses an extension to WebDAV, as described in [\[MS-WDV\]](#). The extension consists of a response header (X-MSDAVEXT\_ERROR), as described in [\[MS-WDV\]](#) section 2.2.3, indicating that the **WebDAV server** supports extended error reporting to the **WebDAV client**.

## 1.4 Relationship to Other Protocols

This protocol depends on the WebDAV Protocol: Client Extensions, as described in [\[MS-WDV\]](#), which in turn depends on WebDAV, as described in [\[RFC2518\]](#).

WebDAV is a set of methods, headers, and content types that extend **HTTP/1.1**, as described in [\[RFC2616\]](#). WebDAV allows data to be written to Internet servers and is an Internet standard for collaborative authoring, as described in [\[RFC2518\]](#).

WebDAV expands the basic support in HTTP/1.1 for content authoring by introducing additional methods and headers to provide support for resource properties and other base functions, such as resource locking. These new capabilities make the WebDAV protocol suitable for the basic use of remotely mounted file systems.

## 1.5 Prerequisites/Preconditions

This protocol requires a WebDAV server that supports client extensions, as described in [\[MS-WDV\]](#).

This protocol also requires that WebDAV clients have URLs that point to WebDAV servers.

## 1.6 Applicability Statement

This protocol is applicable in scenarios that require more robust error handling than is available in the existing HTTP/1.1 and WebDAV specifications.

This protocol does not specify a way for WebDAV clients to discover URLs for WebDAV servers.

## 1.7 Versioning and Capability Negotiation

This protocol introduces no new versioning mechanisms except those that already exist in WebDAV and HTTP/1.1.

The negotiation of WebDAV and of HTTP/1.1 options in general is as described in [\[RFC2518\]](#) and [\[RFC2616\]](#), respectively. The X-MSDAVEXT header, as described in [\[MS-WDV\]](#), is used as part of the HTTP/1.1 OPTIONS discovery mechanism to indicate WebDAV server support for this specification.

## 1.8 Vendor-Extensible Fields

None.

## 1.9 Standards Assignments

None.



## 2 Messages

### 2.1 Transport

No new transports are required except for those in the client extensions, as specified in [\[MS-WDV\]](#) section 2.1.

### 2.2 Message Syntax

No new message syntax is required except for that in the client extensions, as specified in [\[MS-WDV\]](#) section 2.2.

#### 2.2.1 WebDAV Extension Header

The WebDAV extension header is part of the client extensions, as specified in [\[MS-WDV\]](#) section 2.2.1.

#### 2.2.2 Extended Error Handling

Extended error handling is part of the client extensions, as specified in [\[MS-WDV\]](#) section 2.2.3.

In particular, as specified in [\[MS-WDV\]](#), section [2.2.3](#):

- An Extended-error is an implementation-specific number that provides additional information about the cause of the error.
- An Error-string is a percentage-encoded UTF-8 string, as specified in [\[RFC3986\]](#) section 2.1, that gives additional explanatory text about the cause of the error. This string is not significant to protocol operation and is intended only for display and logging purposes.

#### 2.2.3 Currently Defined WebDAV Extended Errors

A protocol server implementing this protocol includes the X-MSDAVEXT\_ERROR header in response buffers when an error occurs, as specified in [\[MS-WDV\]](#) section 2.2.3. Section [2.2.3.1](#) specifies a selection of common errors that require action from the protocol client. The protocol server MUST NOT expect a specific response from the protocol client to any specific error. However, no restrictions exist on the protocol server regarding which errors can be generated at what time nor what total set of errors can be used. Therefore, the protocol client MUST be prepared to handle any errors that are generated. If the protocol client encounters an error that it does not recognize or know how to interpret, the protocol client handles this condition preferably by outputting the error string to the user. Every error from the protocol server MUST be paired with a message string. The following table shows the error code ranges that have mapped module names.

Module name for error code range	Error code range, in hexadecimal	Error code range, in decimal
File	0x00020000-0x00020071	131072-131185
Configuration	0x00030000-0x00030070	196608-196720
Server Parsing	0x00040000-0x0004000C	262144-262156
Server	0x00050000-0x00050092	327680-327826
HTML	0x00060000-0x0006000C	393216-393228

Module name for error code range	Error code range, in hexadecimal	Error code range, in decimal
System	0x00080000-0x0008001C	524288-524316
Service	0x00090000-0x0009007F	589824-589951
HTTP	0x000D0000-0x000D0012	851968-851986
Authentication	0x000E0000-0x000E0098	917504-917656
Document Related	0x00100000-0x00100008	1048576-1048584
Disk-Based Website	0x00110000-0x00110007	1114112-1114119
Socket	0x00120000-0x00120037	1179648-1179703
<b>DNS</b>	0x00130000-0x00130004	1245184-1245188
Internet	0x00180000-0x0018003F	1572864-1572927
Hosting	0x001D0000-0x001D000A	1900544-1900554
Web Services	0x001E0000-0x001E00E8	1966080-1966312
Server Network	0x00210000-0x00210092	2162688-2162834
Web Extender Client	0x00640000-0x006400E9	6553600-6553833
Virus Scan	0x00960000-0x00960014	9830400-9830420
Rights Management	0x00970000-0x00970013	9895936-9895955

The tables in section [2.2.3.1](#) show the error code details for each range in the previous table.

## 2.2.3.1 Error Codes

### 2.2.3.1.1 File Errors

Error code	Error description
0x00020001 0x00020002 0x00020006 0x00020008 0x0002000B 0x0002000C 0x0002000D 0x00020010 0x00020011	Cannot access specified file on the server.
0x00020003 0x00020004	The folder cannot be created. The folder could already exist or the <b>Web server</b> is temporarily busy.
0x00020005	Cannot create specified file.
0x00020007	Cannot remove specified file.

<b>Error code</b>	<b>Error description</b>
0x00020009	This is not a valid directory.
0x0002000A 0x0002001D	Unable to connect to the server or to the specified file or folder on the server.
0x00020014 0x00020056	Cannot rename specified file.
0x00020015	The file does not exist.
0x00020016 0x00020017 0x00020018 0x0002001F 0x00020020 0x00020023 0x00020024 0x00020025 0x00020026 0x00020027 0x00020028 0x00020029 0x0002002A 0x0002002C 0x0002002D 0x0002002E 0x0002002F 0x00020030 0x00020031 0x00020032 0x00020033 0x00020034 0x00020036 0x00020037 0x00020038 0x00020039 0x0002003A 0x0002003B 0x0002003D 0x0002003E 0x00020050 0x00020051 0x00020052 0x00020053 0x00020054 0x00020071	There is a problem with the Web server.

<b>Error code</b>	<b>Error description</b>
0x0002001B	The specified item is not a folder.
0x0002001C	Cannot copy folder(s).
0x00020022	Cannot link file at specified location to file at specified location.
0x0002003F 0x00020040 0x00020041 0x00020042 0x00020044 0x00020045 0x00020046 0x00020047 0x00020048 0x00020049 0x0002004B 0x0002004C 0x0002005D	Insufficient permissions.
0x0002004D	There is not enough disk space.
0x00020055	Cannot copy file(s).
0x00020057 0x00020058 0x00020059	The size of files uploaded has exceeded, or could exceed, the limit set for the folder.
0x0002005A 0x0002005B	Anonymous upload is disabled.
0x0002005C	Specified file name is empty or does not exist.

### 2.2.3.1.2 Configuration Errors

<b>Error code</b>	<b>Error description</b>
0x0003004E 0x0003004F 0x00030050 0x00030051 0x00030052 0x00030057 0x00030058 0x0003005C 0x0003005D 0x0003005F 0x00030061 0x00030063	There is a problem with the Web server.

Error code	Error description
0x00030064 0x00030066 0x00030067 0x00030068 0x0003006B 0x0003006C 0x0003006D 0x0003006E 0x0003006F 0x00030070	

### 2.2.3.1.3 Server Parsing Errors

The error codes in the following table indicate parsing errors on the WebDAV server.

Error code	Error description
0x00040007 0x00040008 0x00040009 0x0004000A	An error occurred accessing the site.
0x0004000C	The server is a newer version than the client. Newer version of the client is needed.

### 2.2.3.1.4 Server Errors

Error code	Error description
0x00050086	Fill out all required properties before checking in this document.

### 2.2.3.1.5 HTML Errors

Error code	Error description
0x0006000A	The file being uploaded is too large.

### 2.2.3.1.6 System Errors

Error code	Error description
0x0008000A 0x0008000B 0x0008000C 0x0008000D 0x0008000E 0x0008000F 0x00080010 0x00080011	There is a problem with the Web server.

Error code	Error description
0x00080012	
0x00080013	
0x00080014	
0x00080015	
0x00080016	
0x00080017	
0x00080018	
0x00080019	
0x0008001A	

### 2.2.3.1.7 Service Errors

Error code	Error description
0x00090001	The lock is not valid on the server anymore.
0x00090005	Unable to connect to the server or to the specified file or folder on the server.
0x00090006	
0x00090007	
0x00090008	
0x0009000A	
0x0009000B	
0x00090015	
0x00090016	
0x00090017	
0x00090018	
0x00090019	
0x0009003B	
0x00090009	The Web server is busy.
0x0009000D	A directory already exists with that name.
0x0009000E	The file is either checked out or locked for editing by another user.
0x0009000F	The file is not checked out.
0x00090010	The file is already under source control.
0x00090011	The file is not under source control.
0x00090013	There is a problem with the Web server.
0x0009001C	Unable to recalculate links for specified file.
0x0009001D	Specified file has been automatically checked out from the source control repository.
0x0009001E	Some files have been checked out automatically.
0x0009001F	A file or folder already exists by that name.
0x00090022	The file in the Web server conflicts with the name of a file under source control.

<b>Error code</b>	<b>Error description</b>
0x00090023	The specified folder does not exist.
0x00090024	Project names are required to be absolute (required to start with "\$/") and have no other embedded "*", "\$", "\", or "?" characters.
0x00090025	Cannot copy the specified file or folder to itself.
0x00090026	Cannot add execute permissions to a folder on this server.
0x0009002B	Files cannot be saved to this folder.
0x0009002C	A theme already exists on the server.
0x0009002D 0x0009002E 0x0009002F 0x00090031 0x00090032 0x00090036 0x0009003F 0x0009004A	There is a problem with the Web server.
0x00090039	This is a browse only Web site. Authoring is disabled for this server.
0x0009003C	Cannot access specified file on server.
0x0009003D	The FrontPage Server Extensions on this Web site do not support getting previous versions.
0x0009003E	Only exclusive checkout for specified document is supported with Web site editor-based locking.
0x00090040	The file is currently in use. Please try again later.
0x00090041	Unable to rename Web location. Cannot change the parent URL when renaming a Web site.
0x00090042	Unable to rename Web location, because it is mapped to a virtual directory on the server.
0x00090043	Error renaming Web site. Unable to rename a site that has subsites.
0x00090044	Error deleting Web site. Unable to delete a site that has subsites.
0x00090045	Error renaming Web site. Unable to rename a site that has subsites.
0x00090046	Error copying folder. Unable to copy a folder that has subsites.
0x00090047	Error deleting folder. Unable to delete a folder that has subsites.
0x00090048	This folder containing supporting files. It cannot be moved, copied, renamed or deleted.
0x00090049	Operation interrupted because a subsite was created, renamed, or deleted during the operation. Refresh the view.
0x0009004B	Unable to convert the Web location into a directory because it does not use the same permissions as its parent Web.
0x0009004C	Unable to set Web to use the same permissions as its parent because the user and group

Error code	Error description
	ids for the two Webs are different.
0x0009004F	Unable to convert the Web location into a directory because it does not use the same permissions as its parent Web.
0x00090051	Anonymous upload is disabled.
0x00090052	Insufficient permission to delete the Web location or convert it to a folder.
0x00090063	Quota exceeded.
0x00090064	The following files have been blocked by the administrator.
0x00090068	The specified Web address is too long.
0x00090070	The file or folder name contains invalid characters. Please use a different name. Common invalid characters include the following: # % & * : < > ? / \ {
0x00090075	The specified file is not checked out. Check out this document first.
0x0009007B	The specified file cannot be locked for the specified timeout.
0x0009007C	Operation on the specified file cannot be completed due to invalid arguments.
0x0009007D	The specified file is not locked.
0x0009007E	The specified file is locked for shared use.
0x0009007F	A file with the same name exists.

### 2.2.3.1.8 HTTP Errors

Error code	Error description
0x000D0001 0x000D0010	The Web server is busy.
0x000D0002	Unable to connect to the server.
0x000D0003 0x000D0004 0x000D0005 0x000D0006 0x000D0007 0x000D0008 0x000D0009 0x000D000A 0x000D000E 0x000D000F 0x000D0011	There is a problem with the Web server.
0x000D000B 0x000D000C 0x000D000D	Unable to connect to the server or to the specified file or folder on the server.



Error code	Error description
0x000D0012	

### 2.2.3.1.9 Authentication Errors

Error code	Error description
0x000E0001	Insufficient permissions.
0x000E0004	An access setup description is required when creating the top-level Web site.
0x000E0005 0x000E0006 0x000E0007 0x000E0008	Error initializing access control.
0x000E001A	This is a browse-only Web site. Authoring is disabled for this server.
0x000E0098	Access denied. Before opening files in this location, browse to the Web site and select the option to authenticate automatically.

### 2.2.3.1.10 Document-Related Errors

Error code	Error description
0x00100001 0x00100006	Could not process the specified file as a known document type.

### 2.2.3.1.11 Disk-Based Website Errors

The following table shows error codes that are returned from Disk-Based Website modules on the WebDAV server.

Error code	Error description
0x00110001 0x00110002 0x00110003	A related Web is already configured.
0x00110005	Unable to connect to the server or to the specified file or folder on the server.

### 2.2.3.1.12 Socket Errors

Error Code	Error Description
0x00120002 0x00120003 0x00120004 0x00120005 0x00120006 0x00120008	There is a problem with the Web server.

<b>Error Code</b>	<b>Error Description</b>
0x0012000A 0x0012001B 0x0012001C 0x0012001D 0x0012001E 0x00120021 0x00120024 0x0012002E 0x0012002F 0x00120032 0x00120034 0x00120035 0x00120036 0x00120037	
0x00120016 0x00120017 0x0012002D 0x00120031 0x00120033	The specified Web address is too long.
0x00120020 0x00120025 0x00120030	Unable to connect to the server or to the specified file or folder on the server.

### 2.2.3.1.13 DNS Errors

The following table shows error codes that are returned from Domain Name System (DNS) modules on the WebDAV server.

<b>Error code</b>	<b>Error description</b>
0x00130002 0x00130004	Unable to connect to the server or to the specified file or folder on the server.

### 2.2.3.1.14 Internet Errors

<b>Error code</b>	<b>Error description</b>
0x00180001 0x00180003 0x00180004 0x00180005 0x00180006 0x00180008 0x00180009 0x0018000A	There is a problem with the Web server.

Error code	Error description
0x0018000B 0x0018000C 0x00180010 0x00180011 0x00180012 0x00180013 0x00180014 0x00180015 0x00180016 0x00180017 0x00180018 0x00180019 0x0018001A 0x0018001B 0x0018001C 0x00180020 0x00180021 0x0018000D 0x0018000E 0x0018000F	
0x00180022 0x00180023 0x00180024 0x00180025 0x00180026 0x00180027 0x00180028 0x00180029 0x0018002A 0x0018002B 0x0018002C 0x0018002D 0x0018002E 0x0018002F 0x00180030 0x00180031 0x00180032 0x00180033 0x00180034 0x00180035 0x00180036 0x00180037 0x00180038 0x00180039 0x0018003A	There is a problem with the Web server.

Error code	Error description
0x0018003B 0x0018003C 0x0018003D 0x0018003E 0x0018003F	
0x00180002 0x0018001E 0x0018001F	The Web server is busy.
0x00180007 0x0018001D	Unable to connect to the server or to the specified file or folder on the server.

### 2.2.3.1.15 Hosting Errors

Error code	Error description
0x001D0001 0x001D0002 0x001D0003 0x001D0004 0x001D0005 0x001D0006 0x001D0007 0x001D0008 0x001D0009 0x001D000A	There is a problem with the Web server.

### 2.2.3.1.16 Web Services Errors

Error code	Error description
0x001E0001 0x001E0004 0x001E0006 0x001E0007	There is a problem with the Web server.
0x001E0002 0x001E0008	Insufficient permissions.
0x001E0005 0x001E000B 0x001E0018 0x001E0019	The Web server is busy.
0x001E0009 0x001E001D	Unable to connect to the server or to the specified file or folder on the server.
0x001E0024	The specified Web address is too long.

### 2.2.3.1.17 Server Network Errors

Error code	Error description
0x00210055	Quota exceeded.
0x00210086	Error due to cancellation by event handler.
0x00210088	The file has too many minor versions.

### 2.2.3.1.18 Web Extender Client Errors

Error code	Error description
0x00640001 0x00640002 0x00640003 0x00640007 0x00640008 0x0064000B 0x00640015 0x00640016 0x00640017 0x0064001C 0x0064001D 0x00640037 0x00640038 0x00640039 0x0064003B 0x0064004C 0x0064004E 0x0064004F	There is a problem with the Web server.
0x00640004 0x00640005 0x0064000D 0x0064000E 0x00640013 0x0064002C 0x0064004B	Unable to connect to the server or to the specified file or folder on the server.
0x00640006 0x0064000C 0x00640036	The Web server is busy.
0x00640009 0x0064000A 0x00640019 0x0064001B	Insufficient permissions.
0x00640053	Cannot publish Web to a nested subsite on this server.

### 2.2.3.1.19 Virus Scan Errors

Error code	Error description
0x00960004	This upload is infected with a virus.
0x00960005	A virus has been removed from this upload.
0x00960006	This download is infected with a virus.
0x00960007	A virus has been cleaned from this download.
0x00960008	A virus caused the deletion of this download.
0x00960009	A virus blocked the download of this file.
0x00960014	A virus scanner has encountered an error while scanning the specified file.

### 2.2.3.1.20 IRM Errors

The following table shows error codes returned from **Information Rights Management (IRM)** modules on the WebDAV server.

Error code	Error description
0x00970002	The IRM component cannot be found.
0x00970003	The IRM component returned an unexpected error.
0x00970004	The IRM component successfully encrypted the content.
0x00970005	The IRM component successfully decrypted the content.
0x00970006	This content is already encrypted.
0x00970007	Cannot protect this file.
0x00970008	The content is already decrypted.
0x00970009	Cannot unprotect this file. Unprotect the file prior to uploading.
0x0097000A	Cannot unprotect this file. Unprotect the file prior to uploading.
0x0097000B	Cannot unprotect this file. Unprotect the file prior to uploading.
0x0097000C	The IRM component reports the protection is corrupted.
0x0097000D	The IRM configuration on Microsoft Windows SharePoint Services is invalid. Contact your administrator.
0x0097000E	The IRM installation on Microsoft Windows SharePoint Services is invalid. Contact your administrator.
0x0097000F	The IRM component timed out. Contact your administrator.
0x00970010	The IRM component stopped responding. Contact your administrator.
0x00970011	Cannot unprotect this file. Unprotect the file prior to uploading.

## 3 Protocol Details

### 3.1 WebDAV Client Details

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This specification does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this specification.

No new abstract data model is required, except for that as specified in [\[MS-WDV\]](#) section 3.1.1.

#### 3.1.2 Timers

No new timers are required, except for those in WebDAV, as specified in [\[RFC2518\]](#).

#### 3.1.3 Initialization

No new initialization is required, except for that as specified in [\[MS-WDV\]](#) section 3.1.3.

#### 3.1.4 Higher-Layer Triggered Events

No new events are triggered, except for those in WebDAV, as specified in [\[RFC2518\]](#).

#### 3.1.5 Message Processing Events and Sequencing Rules

No new message processing events or sequencing rules are required, except for those as specified in [\[MS-WDV\]](#) section 3.1.5.

#### 3.1.6 Timer Events

No new timer events are required, except for those in WebDAV, as specified in [\[RFC2518\]](#).

#### 3.1.7 Other Local Events

No new local events are required, except for those in WebDAV, as specified in [\[RFC2518\]](#).

### 3.2 WebDAV Server Details

#### 3.2.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This specification does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this specification.

No new abstract data model is required, except for that in WebDAV, as specified in [\[RFC2518\]](#).

### **3.2.2 Timers**

No new timers are required, except for those in WebDAV, as specified in [\[RFC2518\]](#).

### **3.2.3 Initialization**

No initialization is required, except for that in WebDAV protocol, as specified in [\[RFC2518\]](#).

### **3.2.4 Higher-Layer Triggered Events**

No new events are triggered, except for those in WebDAV, as specified in [\[RFC2518\]](#).

### **3.2.5 Message Processing Events and Sequencing Rules**

No new message processing events or sequencing rules are required, except for those as specified in [\[MS-WDV\]](#) section 3.2.5.

### **3.2.6 Timer Events**

No new timer events are required, except for those in WebDAV, as specified in [\[RFC2518\]](#).

### **3.2.7 Other Local Events**

No new local events are required, except for those in WebDAV protocol, as specified in [\[RFC2518\]](#).



## 4 Protocol Examples

The only differences between the examples in section [4.1](#) and section [4.2](#) are the X-MSDAVEXT\_ERROR header code and string.

### 4.1 Client Attempts to Open a Checked-Out File

The following is an example of an extended error that is returned by the protocol server when a protocol client attempts to open a file that is checked out to another user.

```
HTTP/1.1 401 Unauthorized
Content-Length: 1656
Content-Type: text/html
X-MSDAVEXT_ERROR: 589838; The%20file%20is%20checked%20out%20to%20%22domain%5cusername%22
Server: Microsoft-IIS/6.0
WWW-Authenticate: NTLM
X-Powered-By: ASP.NET
Date: Tue, 25 Jan 2005 03:11:51 GMT
```

### 4.2 Client Attempts to Exceed the Storage Quota Limit for a Location

The following is an example of an extended error that is returned by the protocol server when the protocol client attempts to save a file to a location that would exceed the storage quota limit for that location.

```
HTTP/1.1 409 Conflict
Date: Wed, 30 Jan 2008 18:56:33 GMT
Server: Microsoft-IIS/6.0
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 12.0.0.4518
ContentLength: 0
X-MSDAVEXT_Error: 589923;
Your%20changes%20could%20not%20be%20saved%20because%20this%20SharePoint%20Web%20site%20has%20
exceeded%20the%20storage%20quota%20limit%2e%0aYou%20must%20save%20your%20work%20to%20another%
20location%2e%20%20Contact%20your%20administrator
```

## **5 Security**

### **5.1 Security Considerations for Implementers**

None.

### **5.2 Index of Security Parameters**

None.

## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- The 2007 Microsoft Office system
- Microsoft Office 2010 suites
- Microsoft Office 2013
- Microsoft SharePoint Foundation 2010
- Microsoft SharePoint Foundation 2013
- Windows SharePoint Services 3.0

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

## 7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 8 Index

### A

Abstract data model  
  [client](#) 23  
  [server](#) 23  
[Applicability](#) 7  
[Authentication errors](#) 17

### C

[Capability negotiation](#) 8  
[Change tracking](#) 28  
Client  
  [abstract data model](#) 23  
  [higher-layer triggered events](#) 23  
  [initialization](#) 23  
  [message processing](#) 23  
  [other local events](#) 23  
  [sequencing rules](#) 23  
  [timer events](#) 23  
  [timers](#) 23  
[Client attempts to exceed the storage quota limit for a location example](#) 25  
[Client attempts to open a checked-out file example](#) 25  
[Configuration errors](#) 12  
[Currently Defined WebDAV Extended Errors message](#) 9

### D

Data model - abstract  
  [client](#) 23  
  [server](#) 23  
[DBW errors](#) 17  
[DNS errors](#) 18  
[Document-related errors](#) 17

### E

Errors  
  [authentication](#) 17  
  [configuration](#) 12  
  [DBW](#) 17  
  [DNS](#) 18  
  [document-related](#) 17  
  [file](#) 10  
  [hosting](#) 20  
  [HTML](#) 13  
  [HTTP](#) 16  
  [Internet](#) 18  
  [IRM](#) 22  
  [server](#) 13  
  [server network](#) 21  
  [server parsing](#) 13  
  [service](#) 14  
  [socket](#) 17  
  [system](#) 13  
  [virus scan](#) 22

[Web extender client](#) 21  
  [Web services](#) 20

Examples  
  [client attempts to exceed the storage quota limit for a location](#) 25  
  [client attempts to open a checked-out file](#) 25  
  [overview](#) 25  
[Extended Error Handling message](#) 9

### F

[Fields - vendor-extensible](#) 8  
[File errors](#) 10

### G

[Glossary](#) 6

### H

Higher-layer triggered events  
  [client](#) 23  
  [server](#) 24  
[Hosting errors](#) 20  
[HTML errors](#) 13  
[HTTP errors](#) 16

### I

[Implementer - security considerations](#) 26  
[Index of security parameters](#) 26  
[Informative references](#) 7  
Initialization  
  [client](#) 23  
  [server](#) 24  
[Internet errors](#) 18  
[Introduction](#) 6  
[IRM errors](#) 22

### M

Message processing  
  [client](#) 23  
  [server](#) 24  
Message syntax  
  [overview](#) 9  
Messages  
  [Currently Defined WebDAV Extended Errors](#) 9  
  [Extended Error Handling](#) 9  
  [syntax](#) 9  
  [transport](#) 9  
  [WebDAV Extension Header](#) 9

### N

[Normative references](#) 6

### O

Other local events  
[client](#) 23  
[server](#) 24  
[Overview \(synopsis\)](#) 7

## P

[Parameters - security index](#) 26  
[Preconditions](#) 7  
[Prerequisites](#) 7  
[Product behavior](#) 27

## R

[References](#) 6  
[informative](#) 7  
[normative](#) 6  
[Relationship to other protocols](#) 7

## S

Security  
[implementer considerations](#) 26  
[parameter index](#) 26  
Sequencing rules  
[client](#) 23  
[server](#) 24  
Server  
[abstract data model](#) 23  
[higher-layer triggered events](#) 24  
[initialization](#) 24  
[message processing](#) 24  
[other local events](#) 24  
[sequencing rules](#) 24  
[timer events](#) 24  
[timers](#) 24  
[Server errors](#) 13  
[Server network errors](#) 21  
[Server parsing errors](#) 13  
[Service errors](#) 14  
[Socket errors](#) 17  
[Standards assignments](#) 8  
[System errors](#) 13

## T

Timer events  
[client](#) 23  
[server](#) 24  
Timers  
[client](#) 23  
[server](#) 24  
[Tracking changes](#) 28  
[Transport](#) 9  
Triggered events - higher-layer  
[client](#) 23  
[server](#) 24

## V

[Vendor-extensible fields](#) 8  
[Versioning](#) 8

[Virus scan errors](#) 22

## W

[Web extender client errors](#) 21  
[Web services errors](#) 20  
[WebDAV Extension Header message](#) 9