

[MS-WSSREST]: ListData Data Service Protocol

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
07/13/2009	0.1	Major	Initial Availability
08/28/2009	0.2	Editorial	Revised and edited the technical content
11/06/2009	0.3	Editorial	Revised and edited the technical content
02/19/2010	1.0	Editorial	Revised and edited the technical content
03/31/2010	1.01	Editorial	Revised and edited the technical content
04/30/2010	1.02	Editorial	Revised and edited the technical content
06/07/2010	1.03	Editorial	Revised and edited the technical content
06/29/2010	1.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	1.05	Minor	Clarified the meaning of the technical content.
09/27/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
01/20/2012	2.0	Major	Significantly changed the technical content.
04/11/2012	2.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	2.0	No change	No changes to the meaning, language, or formatting of the technical content.
09/12/2012	2.0	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	2.1	Minor	Clarified the meaning of the technical content.
02/11/2013	2.1	No change	No changes to the meaning, language, or formatting of the technical content.
07/30/2013	2.1	No change	No changes to the meaning, language, or formatting of the technical content.

Date	Revision History	Revision Class	Comments
11/18/2013	2.1	No change	No changes to the meaning, language, or formatting of the technical content.
02/10/2014	2.1	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1 Introduction	6
1.1 Glossary	6
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	7
1.3 Overview	7
1.3.1 Roles	7
1.3.2 Protocol Server	7
1.3.3 Protocol Client	8
1.4 Relationship to Other Protocols	8
1.5 Prerequisites/Preconditions	8
1.6 Applicability Statement	8
1.7 Versioning and Capability Negotiation	8
1.8 Vendor-Extensible Fields	9
1.9 Standards Assignments	9
2 Messages	10
2.1 Transport	10
2.2 Common Message Syntax	10
2.2.1 Messages	10
2.2.2 Elements	10
2.2.2.1 List	10
2.2.2.2 List Item	10
2.2.3 Complex Types	12
2.2.4 Simple Types	12
2.2.5 Attributes	12
2.2.6 Groups	12
2.2.7 Attribute Groups	12
3 Protocol Details	13
3.1 Server Details	13
3.1.1 Abstract Data Model	13
3.1.2 Timers	13
3.1.3 Initialization	13
3.1.4 Message Processing Events and Sequencing Rules	13
3.1.4.1 Attachment	13
3.1.4.2 Choice or Multi-Choice Field	14
3.1.4.3 Document	14
3.1.5 Timer Events	15
3.1.6 Other Local Events	15
4 Protocol Examples	16
4.1 Retrieve a CSDL Document	16
4.2 Retrieve List Items	21
4.2.1 Retrieve a Collection of List Items	21
4.2.2 Retrieve the Count of a Collection of List Items	28
4.2.3 Retrieve a Collection of Entities with an Inline Count	28
4.2.4 Retrieve the First Two List Items in a List	34
4.2.5 Retrieve the Last Two List Items in a List	36
4.2.6 Retrieve the Middle Two List Items in a List	38

4.2.7	Retrieve a List Item by ID	40
4.2.8	Retrieve List Items That Satisfy Specified Criteria.....	41
4.2.9	Retrieve List Items in a Specified Order.....	43
4.3	Insert a New List Item.....	47
4.4	Update a List Item	49
4.4.1	Update a List Item Using Replace-based Semantics	49
4.4.2	Update a List Item Using Merge-based Semantics	51
4.5	Delete a List Item	52
4.6	Batch Requests	53
5	Security.....	55
5.1	Security Considerations for Implementers.....	55
5.2	Index of Security Parameters	55
6	Appendix A: Full WSDL.....	56
7	Appendix B: Sample Site Data	57
8	Appendix C: Product Behavior	58
9	Change Tracking.....	59
10	Index	60

1 Introduction

This document specifies the ListData Data Service Protocol, which specifies extensions to the Atom Publishing Protocol (AtomPub) [\[RFC5023\]](#) and the Open Data Protocol (ODATA) Specification [\[MS-ODATA\]](#).

The extensions specified in this document enable applications to expose list data, using common web technologies, as a data service that can be consumed by clients within corporate networks and across the Internet.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-OFCGLOS\]](#):

- attachment**
- content type identifier**
- document**
- document library**
- Entity**
- field**
- field definition**
- field type**
- hidden**
- list**
- list item**
- lookup field**
- site**
- Uniform Resource Locator (URL)**
- Web Services Description Language (WSDL)**
- WSDL message**
- XML schema**

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[MC-CSDL] Microsoft Corporation, "[Conceptual Schema Definition File Format](#)".

[MS-ODATA] Microsoft Corporation, "[Open Data Protocol \(OData\)](#)".

[MS-WSSTS] Microsoft Corporation, "[Windows SharePoint Services](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC5023] Gregorio, J. Ed., and de hOra, B., Ed., "The Atom Publishing Protocol", RFC 5023, October 2007, <http://www.ietf.org/rfc/rfc5023.txt>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-OFGLS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

1.3 Overview

This protocol enables protocol clients to manage **lists (1)** of data maintained by a protocol server. The protocol allows the client to control list (1) data stored within the lists (1). A typical scenario for using this protocol is a data tracking application that allows users to access data remotely. Such an application could use this protocol to provide users with a way to maintain data on a central protocol server and access it through multiple protocol clients at different locations.

1.3.1 Roles

Two roles are always being played whenever this protocol is used. There is always a protocol client issuing requests to a protocol server, and there is always a protocol server to receive, process, and respond to the requests of protocol clients.

1.3.2 Protocol Server

The protocol server implements the Web service described by this protocol. It also maintains lists of data that are manipulated through that Web service.

1.3.3 Protocol Client

Protocol clients issue commands to the protocol server via the Web service methods described in this protocol.

1.4 Relationship to Other Protocols

This protocol uses the AtomPub messaging protocol as described in [\[RFC5023\]](#) and the OData protocol as described in [\[MS-ODATA\]](#) for formatting requests and responses. It transmits these messages using the HTTP protocol as described in [\[RFC2616\]](#) or the HTTPS protocol as described in [\[RFC2818\]](#). The mapping relationship of abstract data model as specified in [\[MS-WSSTS\]](#) and the Entity Data Model as specified in [\[MC-CSDL\]](#) depends on this protocol **[MS-WSSREST]**.

The following diagram shows the underlying messaging and transport stack that the protocol uses:




Figure 1: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

This protocol operates against a **site (2)** that is identified by a **URL** that is known by protocol clients. It is a prerequisite that the client obtain a URL to the server before these extensions can be used.

1.6 Applicability Statement

AtomPub, as described in [\[RFC5023\]](#), and the OData, as described in [\[MS-ODATA\]](#), in combination with the extensions defined in this document, is appropriate for use in Web services that need a uniform, flexible, general purpose interface for exposing create, retrieve, update, delete operations on a data model to clients. It is less suited for Web services that are primarily method-oriented or in which data operations are constrained to certain prescribed patterns.

1.7 Versioning and Capability Negotiation

This document covers versioning issues in the following areas:

- **Supported Transports:** This document can be implemented on top of the Atom Publishing Protocol as described in section [2.1](#).

- **Protocol Versions:** Clients specify the protocol version as described in [\[MS-ODATA\]](#).
- **Capability Negotiation:** Capability negotiation is performed as described in [MS-ODATA].

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

No new transports are required except for those specified in [\[MS-ODATA\]](#) section 2.1.

2.2 Common Message Syntax

This section contains common definitions that are used by this protocol. The syntax of the definitions uses **XML schema**, as specified in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and **WSDL**, as specified in [\[WSDL\]](#).

2.2.1 Messages

This specification does not define any common **WSDL message** definitions.

2.2.2 Elements

The following table summarizes the set of common XML schema element definitions defined by this specification. XML schema element definitions that are specific to a particular operation are described with the operation.

Element	Description
List	A container within a site (2) that stores list items .
List item	An individual entry within a list (1).

2.2.2.1 List

Each list (1) is represented as an EntitySet as specified in [\[MC-CSDL\]](#) section 2.1.17, which contains **Entities** of a single EntityType as specified in [\[MC-CSDL\]](#) section 2.1.2. This EntityType contains properties for every non-**hidden field (2)** in the list (1) whose **field type** is supported as well as a subset of hidden fields (2). List of supported field types and their mappings to the Entity Data Model property types is specified in section [2.2.2.2](#).

The following table specifies minimum set of hidden fields, as specified in [\[MS-WSSTS\]](#) section 2.4.2, which are supported and **MUST** be provided by server:

Field internal name	Entity Data Model property name
owshiddenversion	Owshiddenversion
FileDirRef	Path

The **owshiddenversion** field (2) serves as the ETag property of the EntityType. The **FileDirRef** field (2) represents the list item's server-relative path.

2.2.2.2 List Item

Every list item is represented as an Entity of a particular EntityType as specified in [\[MC-CSDL\]](#) section 2.1.2. EntityTypes are created based on the list (1) to which the list item belongs. Properties on the EntityType correspond to fields (2) of the list (1), with the field (2)'s type determining the

type of the property, where these primitive and navigation property types are specified in [MC-CSDL] section 1.

The following table details the mapping between field types, as specified in [MS-WSSTS] section 2.3.1, and Entity Data Model property types:

Field type	Entity Data Model property type
AllDayEvent	Primitive (Boolean)
Attachments	Navigation
Boolean	Primitive (Boolean)
Choice	Navigation
ContentTypeId	Primitive (String)
Counter	Primitive (Int32)
CrossProjectLink	Primitive (Boolean)
Currency	Primitive (Double)
DateTime	Primitive (DateTime)
File	Primitive (String)
GridChoice	Primitive (String)
Integer	Primitive (Int32)
Lookup	Navigation
MaxItems	Primitive (Int32)
ModStat	Primitive (String)
MultiChoice	Navigation
Note	Primitive (String)
Number	Primitive (Double)
PageSeparator	Primitive (String)
Recurrence	Primitive (Boolean)
Text	Primitive (String)
ThreadIndex	Primitive (Int32)
URL	Primitive (String)
User	Navigation
WorkflowEventType	Primitive (String)
WorkflowStatus	Primitive (Int32)

2.2.3 Complex Types

This specification does not define any common XML schema complex type definitions.

2.2.4 Simple Types

This specification does not define any common XML schema simple type definitions.

2.2.5 Attributes

This specification does not define any common XML schema attribute definitions.

2.2.6 Groups

This specification does not define any common XML schema group definitions.

2.2.7 Attribute Groups

This specification does not define any common XML schema attribute group definitions.

3 Protocol Details

3.1 Server Details

3.1.1 Abstract Data Model

This section describes the relationship between the abstract data model as specified in [MS-WSSTS] section 2.1.2.7 and the Entity Data Model as specified in [MC-CSDL] section 1.0. The mapping between Entity Data Model concepts and those of the AtomPub specification is specified in [MS-ODATA] section 2.2.1. The described relationship is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model, as long as their external behavior is consistent with the behavior specified in [MS-ODATA] and [MC-CSDL].

Data structures as specified in [MS-WSSTS] map to Entity Data Model terms as shown in the following table:

Site and list data structure	Entity Data Model term
List	EntitySet
Lookup field	NavigationProperty
Choice Field	NavigationProperty
Attachments Field	NavigationProperty
ID Field	EntityKey

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

This protocol provides operations support as described in the following table.

Element	Operations support
Attachment	Support for create, retrieve, update, delete operations.
Choice or multi-choice field	Support for operations on choice and multi-choice fields.
Document	Support for inserting a new document into a document library .

3.1.4.1 Attachment

To facilitate create, retrieve, update, delete operations support for list item **attachments**, an additional EntitySet is created. This EntitySet does not correspond to any list (1). Attachments are represented as a multi-valued navigation property on an Entity.

The EntityType for this EntitySet contains three properties, "EntitySet", "ItemId" and "Name". All the three properties together serve as its EntityKey [\[MC-CSDL\]](#) section 2.1.5.

The protocol client MUST include a SLUG header (as specified in [\[RFC5023\]](#) section 9.7) whose value is the name of the EntitySet followed by the identifier of the entity the attachment belongs to as well as the name of the attachment. The Augmented BNF for SLUG header construction when inserting new attachments is as follows:

```
slug      = entityset "|" entityid "|" filename

entityset = *pchar          ; section 3.3 of [RFC3986]
          ; the name of an Entity Set in the EDM model in which the attachment belongs

entityid  = *pchar          ; section 3.3 of [RFC3986]
          ; the ID of the entity to which this attachment belongs

filename  = *pchar          ; section 3.3 of [RFC3986]
          ; desired name of attachment including its extension
```

Using the preceding Augmented BNF causes an attachment to be created on the protocol server. For more details, see [\[MS-ODATA\]](#) section 3.2.5.

3.1.4.2 Choice or Multi-Choice Field

An EntitySet is created for every choice or multi-choice field (2) belonging to a list (1). For a particular choice or multi-choice field (2), this EntitySet will contain Entities representing each option of the field (2) specified in the **field definition** of the field (2).

The EntityType for this EntitySet as specified in [\[MC-CSDL\]](#) section 2.1.17 contains a single property "Value", which also serves as its EntityKey as specified in [\[MC-CSDL\]](#) section 2.1.5.

Choice and multi-choice fields (2) are mapped as navigation properties between the EntityType corresponding to the list item and the EntityType mentioned earlier.

For more details, see [\[MS-ODATA\]](#) section 3.2.5.

3.1.4.3 Document

Document libraries are represented as EntityTypes that have an associated media resource, as specified in [\[RFC5023\]](#).

Inserting new documents to a document library involve sending a POST request containing the contents of the document to the EntitySet representing the document library. The protocol client MUST include the SLUG header (as specified in [\[RFC5023\]](#) section 9.7) whose value is the name of the file that is being created in their POST requests. The client MAY include the **content type identifier** of the document. If the content type identifier is omitted, the document will be assigned the default content type identifier of the document library. The Augmented BNF for SLUG header construction when inserting new documents is as follows:

```
slug      = path [ "|" contenttype ]

path      = serverpath
          "/"
          filename
```

```
serverpath    = *pchar                ; section 3.3 of [RFC3986]
              ; server-relative path of document

filename      = *pchar                ; section 3.3 of [RFC3986]
              ; desired name of the document including its extension

contenttype   = *pchar                ; section 3.3 of [RFC3986]
              ; content type identifier of the document
```

Using the preceding Augmented BNF causes a document to be created on the protocol server. For more details, see [\[MS-ODATA\]](#) section 3.2.5.

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

All examples in this section use the sample site data shown in Appendix A: Sample Site Data, section 6.

4.1 Retrieve a CSDL Document

The following example illustrates the exchange of messages required for a client to retrieve the conceptual schema definition language (CSDL) document of a data service using the AtomPub format.

HTTP Request:

```
GET /_vti_bin/ListData.svc/$metadata HTTP/1.1
Accept: application/xml
Host: www.contoso.com
```

HTTP Response:

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<edmx:Edmx Version="1.0" xmlns:edmx="http://schemas.microsoft.com/ado/2007/06/edmx">
  <edmx:DataServices>
    <Schema Namespace="Microsoft.SharePoint.DataService"
      xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
      xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
      xmlns:m2="http://schemas.microsoft.com/ado/2008/11/dataservices/metadata"
      xmlns="http://schemas.microsoft.com/ado/2007/05/edm">
      <EntityType Name="Attachments" m2:HasStream="$default">
        <Key>
          <PropertyRef Name="Url" />
        </Key>
        <Property Name="Url" Type="Edm.String" Nullable="false" />
      </EntityType>
      <EntityType Name="EmployeesItem">
        <Key>
          <PropertyRef Name="ID" />
        </Key>
        <Property Name="FullName" Type="Edm.String" Nullable="true" m2:EpmAtom="true"
          m2:EpmTargetPath="EpmSyndicationTitle" m2:EpmContentKind="EpmPlaintext"
          m2:EpmKeepContent="true" />
        <Property Name="HireDate" Type="Edm.DateTime" Nullable="true" />
        <Property Name="Salary" Type="Edm.Double" Nullable="true" />
        <NavigationProperty Name="Projects"
          Relationship="Microsoft.SharePoint.DataService.EmployeesItem_Projects"
          FromRole="EmployeesItem" ToRole="Projects" />
        <Property Name="ID" Type="Edm.Int32" Nullable="false" />
        <Property Name="Modified" Type="Edm.DateTime" Nullable="true" />
        <Property Name="Created" Type="Edm.DateTime" Nullable="true" />
        <NavigationProperty Name="CreatedBy"
          Relationship="Microsoft.SharePoint.DataService.EmployeesItem_CreatedBy"
          FromRole="EmployeesItem" ToRole="CreatedBy" />
        <NavigationProperty Name="ModifiedBy"
          Relationship="Microsoft.SharePoint.DataService.EmployeesItem_ModifiedBy"
          FromRole="EmployeesItem" ToRole="ModifiedBy" />
        <Property Name="Owshiddenversion" Type="Edm.Int32" Nullable="true"
          ConcurrencyMode="Fixed" />
      </EntityType>
    </Schema>
  </edmx:DataServices>
</edmx:Edmx>
```



```

    <Property Name="Version" Type="Edm.String" Nullable="true" />
    <NavigationProperty Name="Attachments"
      Relationship="Microsoft.SharePoint.DataService.EmployeesItem_Attachments"
      FromRole="EmployeesItem" ToRole="Attachments" />
    <Property Name="Path" Type="Edm.String" Nullable="true" />
  </EntityType>
<EntityType Name="LocationsItem">
  <Key>
    <PropertyRef Name="ID" />
  </Key>
  <Property Name="Name" Type="Edm.String" Nullable="true" m2:EpmAtom="true"
    m2:EpmTargetPath="EpmSyndicationTitle" m2:EpmContentKind="EpmPlaintext"
    m2:EpmKeepContent="true" />
  <Property Name="Address" Type="Edm.String" Nullable="true" />
  <Property Name="City" Type="Edm.String" Nullable="true" />
  <Property Name="State" Type="Edm.String" Nullable="true" />
  <Property Name="ZipCode" Type="Edm.String" Nullable="true" />
  <Property Name="ID" Type="Edm.Int32" Nullable="false" />
  <Property Name="Modified" Type="Edm.DateTime" Nullable="true" />
  <Property Name="Created" Type="Edm.DateTime" Nullable="true" />
  <NavigationProperty Name="CreatedBy"
    Relationship="Microsoft.SharePoint.DataService.LocationsItem_CreatedBy"
    FromRole="LocationsItem" ToRole="CreatedBy" />
  <NavigationProperty Name="ModifiedBy"
    Relationship="Microsoft.SharePoint.DataService.LocationsItem_ModifiedBy"
    FromRole="LocationsItem" ToRole="ModifiedBy" />
  <Property Name="Owshiddenversion" Type="Edm.Int32" Nullable="true"
    ConcurrencyMode="Fixed" />
  <Property Name="Version" Type="Edm.String" Nullable="true" />
  <Property Name="Path" Type="Edm.String" Nullable="true" />
</EntityType>
<EntityType Name="ProjectsItem">
  <Key>
    <PropertyRef Name="ID" />
  </Key>
  <Property Name="Title" Type="Edm.String" Nullable="true" m2:EpmAtom="true"
    m2:EpmTargetPath="EpmSyndicationTitle" m2:EpmContentKind="EpmPlaintext"
    m2:EpmKeepContent="true" />
  <Property Name="Description" Type="Edm.String" Nullable="true" />
  <Property Name="DueDate" Type="Edm.DateTime" Nullable="true" />
  <Property Name="OnTrack" Type="Edm.Boolean" Nullable="true" />
  <NavigationProperty Name="Location"
    Relationship="Microsoft.SharePoint.DataService.ProjectsItem_Location"
    FromRole="ProjectsItem" ToRole="Location" />
  <Property Name="ID" Type="Edm.Int32" Nullable="false" />
  <Property Name="Modified" Type="Edm.DateTime" Nullable="true" />
  <Property Name="Created" Type="Edm.DateTime" Nullable="true" />
  <NavigationProperty Name="CreatedBy"
    Relationship="Microsoft.SharePoint.DataService.ProjectsItem_CreatedBy"
    FromRole="ProjectsItem" ToRole="CreatedBy" />
  <NavigationProperty Name="ModifiedBy"
    Relationship="Microsoft.SharePoint.DataService.ProjectsItem_ModifiedBy"
    FromRole="ProjectsItem" ToRole="ModifiedBy" />
  <Property Name="Owshiddenversion" Type="Edm.Int32" Nullable="true"
    ConcurrencyMode="Fixed" />
  <Property Name="Version" Type="Edm.String" Nullable="true" />
  <NavigationProperty Name="Attachments"
    Relationship="Microsoft.SharePoint.DataService.ProjectsItem_Attachments"
    FromRole="ProjectsItem" ToRole="Attachments" />

```

```

    <Property Name="Path" Type="Edm.String" Nullable="true" />
</EntityType>
<EntityType Name="UserInformationListItem">
  <Key>
    <PropertyRef Name="ID" />
  </Key>
  <Property Name="ID" Type="Edm.Int32" Nullable="false" />
  <Property Name="Name" Type="Edm.String" Nullable="true" m2:EpmAtom="true"
    m2:EpmTargetPath="EpmSyndicationTitle" m2:EpmContentKind="EpmPlaintext"
    m2:EpmKeepContent="true" />
  <Property Name="Modified" Type="Edm.DateTime" Nullable="true" />
  <Property Name="Created" Type="Edm.DateTime" Nullable="true" />
  <NavigationProperty Name="CreatedBy"
    Relationship="Microsoft.SharePoint.DataService.UserInformationListItem_CreatedBy"
    FromRole="UserInformationListItem" ToRole="CreatedBy" />
  <NavigationProperty Name="ModifiedBy"
    Relationship="Microsoft.SharePoint.DataService.UserInformationListItem_ModifiedBy"
    FromRole="UserInformationListItem" ToRole="ModifiedBy" />
  <Property Name="Owshiddenversion" Type="Edm.Int32" Nullable="true"
    ConcurrencyMode="Fixed" />
  <Property Name="Version" Type="Edm.String" Nullable="true" />
  <NavigationProperty Name="Attachments"
    Relationship="Microsoft.SharePoint.DataService.UserInformationListItem_Attachments"
    FromRole="UserInformationListItem" ToRole="Attachments" />
  <Property Name="Path" Type="Edm.String" Nullable="true" />
  <Property Name="Account" Type="Edm.String" Nullable="true" />
  <Property Name="EMail" Type="Edm.String" Nullable="true" />
  <Property Name="MobileNumber" Type="Edm.String" Nullable="true" />
  <Property Name="AboutMe" Type="Edm.String" Nullable="true" />
  <Property Name="SIPAddress" Type="Edm.String" Nullable="true" />
  <Property Name="IsSiteAdmin" Type="Edm.Boolean" Nullable="true" />
  <Property Name="Deleted" Type="Edm.Boolean" Nullable="true" />
  <Property Name="Picture" Type="Edm.String" Nullable="true" />
  <Property Name="Department" Type="Edm.String" Nullable="true" />
  <Property Name="JobTitle" Type="Edm.String" Nullable="true" />
</EntityType>
<Association Name="EmployeesItem_Projects">
  <End Role="Projects" Type="Microsoft.SharePoint.DataService.ProjectsItem"
    Multiplicity="*" />
  <End Role="EmployeesItem" Type="Microsoft.SharePoint.DataService.EmployeesItem"
    Multiplicity="*" />
</Association>
<Association Name="EmployeesItem_CreatedBy">
  <End Role="CreatedBy" Type="Microsoft.SharePoint.DataService.UserInformationListItem"
    Multiplicity="0..1" />
  <End Role="EmployeesItem" Type="Microsoft.SharePoint.DataService.EmployeesItem"
    Multiplicity="*" />
</Association>
<Association Name="EmployeesItem_ModifiedBy">
  <End Role="ModifiedBy"
    Type="Microsoft.SharePoint.DataService.UserInformationListItem"
    Multiplicity="0..1" />
  <End Role="EmployeesItem" Type="Microsoft.SharePoint.DataService.EmployeesItem"
    Multiplicity="*" />
</Association>
<Association Name="EmployeesItem_Attachments">
  <End Role="Attachments" Type="Microsoft.SharePoint.DataService.Attachments"
    Multiplicity="*" />
  <End Role="EmployeesItem" Type="Microsoft.SharePoint.DataService.EmployeesItem"
    Multiplicity="*" />
</Association>

```

```

        Multiplicity="*" />
    </Association>
    <Association Name="LocationsItem_CreatedBy">
        <End Role="CreatedBy" Type="Microsoft.SharePoint.DataService.UserInformationListItem"
            Multiplicity="0..1" />
        <End Role="LocationsItem" Type="Microsoft.SharePoint.DataService.LocationsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="LocationsItem_ModifiedBy">
        <End Role="ModifiedBy"
            Type="Microsoft.SharePoint.DataService.UserInformationListItem"
            Multiplicity="0..1" />
        <End Role="LocationsItem" Type="Microsoft.SharePoint.DataService.LocationsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="LocationsItem_Attachments">
        <End Role="Attachments" Type="Microsoft.SharePoint.DataService.Attachments"
            Multiplicity="*" />
        <End Role="LocationsItem" Type="Microsoft.SharePoint.DataService.LocationsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="ProjectsItem_Location">
        <End Role="Location" Type="Microsoft.SharePoint.DataService.LocationsItem"
            Multiplicity="0..1" />
        <End Role="ProjectsItem" Type="Microsoft.SharePoint.DataService.ProjectsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="ProjectsItem_CreatedBy">
        <End Role="CreatedBy" Type="Microsoft.SharePoint.DataService.UserInformationListItem"
            Multiplicity="0..1" />
        <End Role="ProjectsItem" Type="Microsoft.SharePoint.DataService.ProjectsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="ProjectsItem_ModifiedBy">
        <End Role="ModifiedBy"
            Type="Microsoft.SharePoint.DataService.UserInformationListItem"
            Multiplicity="0..1" />
        <End Role="ProjectsItem" Type="Microsoft.SharePoint.DataService.ProjectsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="ProjectsItem_Attachments">
        <End Role="Attachments" Type="Microsoft.SharePoint.DataService.Attachments"
            Multiplicity="*" />
        <End Role="ProjectsItem" Type="Microsoft.SharePoint.DataService.ProjectsItem"
            Multiplicity="*" />
    </Association>
    <Association Name="UserInformationListItem_CreatedBy">
        <End Role="CreatedBy" Type="Microsoft.SharePoint.DataService.UserInformationListItem"
            Multiplicity="0..1" />
        <End Role="UserInformationListItem"
            Type="Microsoft.SharePoint.DataService.UserInformationListItem" Multiplicity="*" />
    </Association>
    <Association Name="UserInformationListItem_ModifiedBy">
        <End Role="ModifiedBy"
            Type="Microsoft.SharePoint.DataService.UserInformationListItem"
            Multiplicity="0..1" />
        <End Role="UserInformationListItem"
            Type="Microsoft.SharePoint.DataService.UserInformationListItem" Multiplicity="*" />
    </Association>

```

```

<Association Name="UserInformationListItem_Attachments">
  <End Role="Attachments" Type="Microsoft.SharePoint.DataService.Attachments"
    Multiplicity="*" />
  <End Role="UserInformationListItem"
    Type="Microsoft.SharePoint.DataService.UserInformationListItem" Multiplicity="*" />
</Association>
<EntityContainer Name="TeamSiteDataContext" m:IsDefaultEntityContainer="true">
  <EntitySet Name="Attachments"
    EntityType="Microsoft.SharePoint.DataService.Attachments" />
  <EntitySet Name="Employees"
    EntityType="Microsoft.SharePoint.DataService.EmployeesItem" />
  <EntitySet Name="Locations"
    EntityType="Microsoft.SharePoint.DataService.LocationsItem" />
  <EntitySet Name="Projects"
    EntityType="Microsoft.SharePoint.DataService.ProjectsItem" />
  <EntitySet Name="UserInformationList"
    EntityType="Microsoft.SharePoint.DataService.UserInformationListItem" />
  <AssociationSet Name="EmployeesItem_Projects"
    Association="Microsoft.SharePoint.DataService.EmployeesItem_Projects">
    <End Role="Projects" EntitySet="Projects" />
    <End Role="EmployeesItem" EntitySet="Employees" />
  </AssociationSet>
  <AssociationSet Name="EmployeesItem_CreatedBy"
    Association="Microsoft.SharePoint.DataService.EmployeesItem_CreatedBy">
    <End Role="CreatedBy" EntitySet="UserInformationList" />
    <End Role="EmployeesItem" EntitySet="Employees" />
  </AssociationSet>
  <AssociationSet Name="EmployeesItem_ModifiedBy"
    Association="Microsoft.SharePoint.DataService.EmployeesItem_ModifiedBy">
    <End Role="ModifiedBy" EntitySet="UserInformationList" />
    <End Role="EmployeesItem" EntitySet="Employees" />
  </AssociationSet>
  <AssociationSet Name="EmployeesItem_Attachments"
    Association="Microsoft.SharePoint.DataService.EmployeesItem_Attachments">
    <End Role="Attachments" EntitySet="Attachments" />
    <End Role="EmployeesItem" EntitySet="Employees" />
  </AssociationSet>
  <AssociationSet Name="LocationsItem_CreatedBy"
    Association="Microsoft.SharePoint.DataService.LocationsItem_CreatedBy">
    <End Role="CreatedBy" EntitySet="UserInformationList" />
    <End Role="LocationsItem" EntitySet="Locations" />
  </AssociationSet>
  <AssociationSet Name="LocationsItem_ModifiedBy"
    Association="Microsoft.SharePoint.DataService.LocationsItem_ModifiedBy">
    <End Role="ModifiedBy" EntitySet="UserInformationList" />
    <End Role="LocationsItem" EntitySet="Locations" />
  </AssociationSet>
  <AssociationSet Name="LocationsItem_Attachments"
    Association="Microsoft.SharePoint.DataService.LocationsItem_Attachments">
    <End Role="Attachments" EntitySet="Attachments" />
    <End Role="LocationsItem" EntitySet="Locations" />
  </AssociationSet>
  <AssociationSet Name="ProjectsItem_Location"
    Association="Microsoft.SharePoint.DataService.ProjectsItem_Location">
    <End Role="Location" EntitySet="Locations" />
    <End Role="ProjectsItem" EntitySet="Projects" />
  </AssociationSet>
  <AssociationSet Name="ProjectsItem_CreatedBy"
    Association="Microsoft.SharePoint.DataService.ProjectsItem_CreatedBy">

```

```

    <End Role="CreatedBy" EntitySet="UserInformationList" />
    <End Role="ProjectsItem" EntitySet="Projects" />
  </AssociationSet>
  <AssociationSet Name="ProjectsItem_ModifiedBy"
    Association="Microsoft.SharePoint.DataService.ProjectsItem_ModifiedBy">
    <End Role="ModifiedBy" EntitySet="UserInformationList" />
    <End Role="ProjectsItem" EntitySet="Projects" />
  </AssociationSet>
  <AssociationSet Name="ProjectsItem_Attachments"
    Association="Microsoft.SharePoint.DataService.ProjectsItem_Attachments">
    <End Role="Attachments" EntitySet="Attachments" />
    <End Role="ProjectsItem" EntitySet="Projects" />
  </AssociationSet>
  <AssociationSet Name="UserInformationListItem_CreatedBy"
    Association="Microsoft.SharePoint.DataService.UserInformationListItem_CreatedBy">
    <End Role="CreatedBy" EntitySet="UserInformationList" />
    <End Role="UserInformationListItem" EntitySet="UserInformationList" />
  </AssociationSet>
  <AssociationSet Name="UserInformationListItem_ModifiedBy"
    Association="Microsoft.SharePoint.DataService.UserInformationListItem_ModifiedBy">
    <End Role="ModifiedBy" EntitySet="UserInformationList" />
    <End Role="UserInformationListItem" EntitySet="UserInformationList" />
  </AssociationSet>
  <AssociationSet Name="UserInformationListItem_Attachments"
    Association="Microsoft.SharePoint.DataService.UserInformationListItem_Attachments">
    <End Role="Attachments" EntitySet="Attachments" />
    <End Role="UserInformationListItem" EntitySet="UserInformationList" />
  </AssociationSet>
</EntityContainer>
</Schema>
</edmx:DataServices>
</edmx:Edmx>

```

4.2 Retrieve List Items

4.2.1 Retrieve a Collection of List Items

The following example illustrates the exchange of messages required for a client to retrieve all Employee list items from a data service using the AtomPub format.

HTTP Request:

```

GET /_vti_bin/ListData.svc/Employees HTTP/1.1
Accept: application/atom+xml
DataServiceVersion: 1.0
MaxDataServiceVersion: 2.0
Host: www.contoso.com

```

HTTP Response:

```

HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml; charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: d08f639f-59f9-451d-b09a-f4d073914262

```

DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 12:36:35; expires=Fri, 01-May-2009 19:46:35 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 19:36:50 GMT
Content-Length: ###

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Employees</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees</id>
  <updated>2009-05-01T19:36:50Z</updated>
  <link rel="self" title="Employees" href="Employees" />
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(1)</id>
    <title type="text">Margeret Smith</title>
    <updated>2009-05-01T19:36:50Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(1)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees(1)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees(1)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Employees(1)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:FullName>Margeret Smith</d:FullName>
        <d:Salary m:type="Edm.Double">75000</d:Salary>
        <d:HireDate m:type="Edm.DateTime">1984-01-07T00:00:00</d:HireDate>
        <d:ID m:type="Edm.Int32">1</d:ID>
        <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
        <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
        <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
        <d:Version>1.0</d:Version>
        <d:Path>/Lists/Employees</d:Path>
      </m:properties>
    </content>
  </entry>
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(2)</id>
    <title type="text">Sean Jacobson</title>
    <updated>2009-05-01T19:36:50Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(2)" />
  </entry>
</feed>
```

```

<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
  type="application/atom+xml;type=feed" title="Projects"
  href="Employees(2)/Projects" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
  type="application/atom+xml;type=entry" title="CreatedBy"
  href="Employees(2)/CreatedBy" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
  type="application/atom+xml;type=entry" title="ModifiedBy"
  href="Employees(2)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
  scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Sean Jacobson</d:FullName>
    <d:Salary m:type="Edm.Double">92000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1974-06-20T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">2</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(3)</id>
  <title type="text">Alex Gurthner</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(3)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(3)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(3)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(3)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Alex Gurthner</d:FullName>
      <d:Salary m:type="Edm.Double">68000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1990-10-14T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">3</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;1&quot;">

```

```

<id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(4)</id>
<title type="text">Phyllis Allen</title>
<updated>2009-05-01T19:36:50Z</updated>
<author>
  <name />
</author>
<link rel="edit" title="EmployeesItem" href="Employees(4)" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
  type="application/atom+xml;type=feed" title="Projects"
  href="Employees(4)/Projects" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
  type="application/atom+xml;type=entry" title="CreatedBy"
  href="Employees(4)/CreatedBy" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
  type="application/atom+xml;type=entry" title="ModifiedBy"
  href="Employees(4)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
  scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Phyllis Allen</d:FullName>
    <d:Salary m:type="Edm.Double">108000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1975-03-28T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">4</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(5)</id>
  <title type="text">Carol Beck</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(5)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(5)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(5)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(5)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Carol Beck</d:FullName>
      <d:Salary m:type="Edm.Double">88000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-08-11T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">5</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    </m:properties>
  </content>
</entry>

```



```

        <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
        <d:Version>1.0</d:Version>
        <d:Path>/Lists/Employees</d:Path>
    </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;";>
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(6)</id>
    <title type="text">Willie Brooks</title>
    <updated>2009-05-01T19:36:50Z</updated>
    <author>
        <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(6)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
        type="application/atom+xml;type=feed" title="Projects"
        href="Employees(6)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
        type="application/atom+xml;type=entry" title="CreatedBy"
        href="Employees(6)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
        type="application/atom+xml;type=entry" title="ModifiedBy"
        href="Employees(6)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
        scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
        <m:properties>
            <d:FullName>Willie Brooks</d:FullName>
            <d:Salary m:type="Edm.Double">95000</d:Salary>
            <d:HireDate m:type="Edm.DateTime">1983-02-06T00:00:00</d:HireDate>
            <d:ID m:type="Edm.Int32">6</d:ID>
            <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
            <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
            <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
            <d:Version>1.0</d:Version>
            <d:Path>/Lists/Employees</d:Path>
        </m:properties>
    </content>
</entry>
<entry m:etag="W/&quot;1&quot;";>
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(7)</id>
    <title type="text">Isaiah Morgan</title>
    <updated>2009-05-01T19:36:50Z</updated>
    <author>
        <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(7)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
        type="application/atom+xml;type=feed" title="Projects"
        href="Employees(7)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
        type="application/atom+xml;type=entry" title="CreatedBy"
        href="Employees(7)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
        type="application/atom+xml;type=entry" title="ModifiedBy"
        href="Employees(7)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
        scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">

```

```

    <m:properties>
      <d:FullName>Isaiah Morgan</d:FullName>
      <d:Salary m:type="Edm.Double">74000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">2003-12-21T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">7</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(8)</id>
  <title type="text">Leslie Rubio</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(8)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(8)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(8)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(8)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Leslie Rubio</d:FullName>
      <d:Salary m:type="Edm.Double">82000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1976-01-23T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">8</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(9)</id>
  <title type="text">Zachary Martin</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(9)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(9)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"

```

```

    href="Employees(9)/CreatedBy" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(9)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Zachary Martin</d:FullName>
    <d:Salary m:type="Edm.Double">112000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1974-08-15T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">9</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(10)</id>
  <title type="text">Kathleen Gill</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(10)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(10)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(10)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(10)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Kathleen Gill</d:FullName>
      <d:Salary m:type="Edm.Double">102000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-03-22T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">10</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
</feed>

```

4.2.2 Retrieve the Count of a Collection of List Items

The following example illustrates the exchange of messages required for a client to retrieve the count of all Employee list items from a data service using the AtomPub format.

HTTP Request:

```
GET /_vti_bin/ListData.svc/Employees/$count HTTP/1.1
Accept: text/plain
Host: www.contoso.com
```

HTTP Response:

```
HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: text/plain;charset=utf-8
ETag: W/"1"
Server: Microsoft-IIS/7.0
SPRequestGuid: 33dfca5a-c05a-415e-ald3-1a3b9fdf923d
DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 12:52:33; expires=Fri, 01-May-2009 20:02:33 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 19:52:33 GMT
Content-Length: ###
```

10

4.2.3 Retrieve a Collection of Entities with an Inline Count

The following example illustrates the exchange of messages required for a client to retrieve all Employee list items from a data service and to instruct it to include the count of items retrieved in the response using the AtomPub format.

HTTP Request:

```
GET /_vti_bin/ListData.svc/Employees?$inlinecount=allpages HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com
```

HTTP Response:

```
HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml;charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: d08f639f-59f9-451d-b09a-f4d073914262
DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 12:36:35; expires=Fri, 01-May-2009 19:46:35 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
```

MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 19:36:50 GMT
Content-Length: ###

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Employees</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees</id>
  <updated>2009-05-01T19:36:50Z</updated>
  <link rel="self" title="Employees" href="Employees" />
  <m2:count xmlns:m2="http://schemas.microsoft.com/ado/2008/11/dataservices/metadata">
    10
  </m2:count>
  <entry m:etag="W/&quot;1&quot;";>
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(1)</id>
    <title type="text">Margeret Smith</title>
    <updated>2009-05-01T19:36:50Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(1)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees(1)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees(1)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Employees(1)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:FullName>Margeret Smith</d:FullName>
        <d:Salary m:type="Edm.Double">75000</d:Salary>
        <d:HireDate m:type="Edm.DateTime">1984-01-07T00:00:00</d:HireDate>
        <d:ID m:type="Edm.Int32">1</d:ID>
        <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
        <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
        <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
        <d:Version>1.0</d:Version>
        <d:Path>/Lists/Employees</d:Path>
      </m:properties>
    </content>
  </entry>
  <entry m:etag="W/&quot;1&quot;";>
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(2)</id>
    <title type="text">Sean Jacobson</title>
    <updated>2009-05-01T19:36:50Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(2)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees(2)/Projects" />
  </entry>
</feed>
```

```

    href="Employees (2) /Projects" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees (2) /CreatedBy" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees (2) /ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Sean Jacobson</d:FullName>
    <d:Salary m:type="Edm.Double">92000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1974-06-20T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">2</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (3)</id>
  <title type="text">Alex Gurthner</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees (3)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees (3) /Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees (3) /CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees (3) /ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Alex Gurthner</d:FullName>
      <d:Salary m:type="Edm.Double">68000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1990-10-14T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">3</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (4)</id>
  <title type="text">Phyllis Allen</title>

```

```

<updated>2009-05-01T19:36:50Z</updated>
<author>
  <name />
</author>
<link rel="edit" title="EmployeesItem" href="Employees(4)" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
  type="application/atom+xml;type=feed" title="Projects"
  href="Employees(4)/Projects" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
  type="application/atom+xml;type=entry" title="CreatedBy"
  href="Employees(4)/CreatedBy" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
  type="application/atom+xml;type=entry" title="ModifiedBy"
  href="Employees(4)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
  scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Phyllis Allen</d:FullName>
    <d:Salary m:type="Edm.Double">108000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1975-03-28T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">4</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;l&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(5)</id>
  <title type="text">Carol Beck</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(5)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(5)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(5)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(5)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Carol Beck</d:FullName>
      <d:Salary m:type="Edm.Double">88000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-08-11T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">5</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
    </m:properties>
  </content>
</entry>

```

```

    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;l&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(6)</id>
  <title type="text">Willie Brooks</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(6)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(6)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(6)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(6)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Willie Brooks</d:FullName>
      <d:Salary m:type="Edm.Double">95000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1983-02-06T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">6</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;l&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(7)</id>
  <title type="text">Isaiah Morgan</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(7)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(7)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(7)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(7)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Isaiah Morgan</d:FullName>

```



```

    <d:Salary m:type="Edm.Double">74000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">2003-12-21T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">7</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(8)</id>
  <title type="text">Leslie Rubio</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(8)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(8)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(8)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(8)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Leslie Rubio</d:FullName>
      <d:Salary m:type="Edm.Double">82000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1976-01-23T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">8</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(9)</id>
  <title type="text">Zachary Martin</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(9)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(9)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(9)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"

```

```

    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(9)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
  scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Zachary Martin</d:FullName>
    <d:Salary m:type="Edm.Double">112000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1974-08-15T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">9</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(10)</id>
  <title type="text">Kathleen Gill</title>
  <updated>2009-05-01T19:36:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(10)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(10)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(10)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(10)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Kathleen Gill</d:FullName>
      <d:Salary m:type="Edm.Double">102000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-03-22T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">10</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
</feed>

```

4.2.4 Retrieve the First Two List Items in a List

The following example illustrates the exchange of messages required for a client to retrieve the first two Employee list items from a data service using the AtomPub format.

HTTP Request:

```
GET /_vti_bin/ListData.svc/Employees?$stop=2 HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com
```

HTTP Response:

```
HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml;charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: 8c346d66-81f6-412d-a825-d6fale227001
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 13:06:46; expires=Fri, 01-May-2009 20:16:46 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 20:06:46 GMT
Content-Length: ###
```

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Employees</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees</id>
  <updated>2009-05-01T20:06:46Z</updated>
  <link rel="self" title="Employees" href="Employees" />
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(1)</id>
    <title type="text">Margeret Smith</title>
    <updated>2009-05-01T20:06:46Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(1)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees(1)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees(1)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Employees(1)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:FullName>Margeret Smith</d:FullName>
        <d:Salary m:type="Edm.Double">75000</d:Salary>
        <d:HireDate m:type="Edm.DateTime">1984-01-07T00:00:00</d:HireDate>
        <d:ID m:type="Edm.Int32">1</d:ID>
        <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
        <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      </m:properties>
    </content>
  </entry>
</feed>
```

```

    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;";>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(2)</id>
  <title type="text">Sean Jacobson</title>
  <updated>2009-05-01T20:06:46Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(2)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(2)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(2)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(2)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Sean Jacobson</d:FullName>
      <d:Salary m:type="Edm.Double">92000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1974-06-20T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">2</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
</feed>

```

4.2.5 Retrieve the Last Two List Items in a List

The following example illustrates the exchange of messages required for a client to retrieve the last two Employee list items from a data service using the AtomPub format.

HTTP Request:

```

GET /_vti_bin/ListData.svc/Employees?$skip=8 HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com

```

HTTP Response:

```

HTTP/1.1 200 OK
Cache-Control: no-cache

```

Content-Type: application/atom+xml; charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: f34dbe9d-c55d-4603-b935-bc089293a4f2
DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 13:10:36; expires=Fri, 01-May-2009 20:20:36 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 20:10:36 GMT
Content-Length: ###

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Employees</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees</id>
  <updated>2009-05-01T20:10:37Z</updated>
  <link rel="self" title="Employees" href="Employees" />
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(9)</id>
    <title type="text">Zachary Martin</title>
    <updated>2009-05-01T20:10:37Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees(9)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees(9)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees(9)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Employees(9)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:FullName>Zachary Martin</d:FullName>
        <d:Salary m:type="Edm.Double">112000</d:Salary>
        <d:HireDate m:type="Edm.DateTime">1974-08-15T00:00:00</d:HireDate>
        <d:ID m:type="Edm.Int32">9</d:ID>
        <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
        <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
        <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
        <d:Version>1.0</d:Version>
        <d:Path>/Lists/Employees</d:Path>
      </m:properties>
    </content>
  </entry>
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(10)</id>
    <title type="text">Kathleen Gill</title>
    <updated>2009-05-01T20:10:37Z</updated>
    <author>
```

```

    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(10)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(10)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(10)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(10)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Kathleen Gill</d:FullName>
      <d:Salary m:type="Edm.Double">102000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-03-22T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">10</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
</feed>

```

4.2.6 Retrieve the Middle Two List Items in a List

The following example illustrates the exchange of messages required for a client to retrieve the middle two Employee list items from a data service using the AtomPub format.

HTTP Request:

```

GET /_vti_bin/ListData.svc/Employees?$skip=4&$top=2 HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com

```

HTTP Response:

```

HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml; charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: 03ddcf69-cb4e-4e13-bb09-053a81719ffc
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 13:16:17; expires=Fri, 01-May-2009 20:26:17 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 20:16:18 GMT
Content-Length: ###

```

```

<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Employees</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees</id>
  <updated>2009-05-01T20:16:17Z</updated>
  <link rel="self" title="Employees" href="Employees" />
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (5)</id>
    <title type="text">Carol Beck</title>
    <updated>2009-05-01T20:16:17Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees (5)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees (5)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees (5)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Employees (5)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:FullName>Carol Beck</d:FullName>
        <d:Salary m:type="Edm.Double">88000</d:Salary>
        <d:HireDate m:type="Edm.DateTime">1989-08-11T00:00:00</d:HireDate>
        <d:ID m:type="Edm.Int32">5</d:ID>
        <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
        <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
        <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
        <d:Version>1.0</d:Version>
        <d:Path>/Lists/Employees</d:Path>
      </m:properties>
    </content>
  </entry>
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (6)</id>
    <title type="text">Willie Brooks</title>
    <updated>2009-05-01T20:16:17Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees (6)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees (6)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees (6)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"

```

```

    href="Employees(6)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
  scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Willie Brooks</d:FullName>
    <d:Salary m:type="Edm.Double">95000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1983-02-06T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">6</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
</feed>

```

4.2.7 Retrieve a List Item by ID

The following example illustrates the exchange of messages required for a client to retrieve an Employee list item with an ID value of "3" from a data service using the AtomPub format.

HTTP Request:

```

GET /_vti_bin/ListData.svc/Employees(3) HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com

```

HTTP Response:

```

HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml; charset=utf-8
ETag: W/"1"
Server: Microsoft-IIS/7.0
SPRequestGuid: 28608b24-0e18-4bf7-a30a-58c0e3ce7dfe
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 13:18:39; expires=Fri, 01-May-2009 20:28:39 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 20:18:39 GMT
Content-Length: ###

<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  m:etag="W/"&quot;1&quot;" xmlns="http://www.w3.org/2005/Atom">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(3)</id>
  <title type="text">Alex Gurthner</title>
  <updated>2009-05-01T20:18:40Z</updated>
  <author>

```



```

    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(3)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(3)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(3)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(3)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Alex Gurthner</d:FullName>
      <d:Salary m:type="Edm.Double">68000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1990-10-14T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">3</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T12:21:21</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T12:21:21</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>

```

4.2.8 Retrieve List Items That Satisfy Specified Criteria

The following example illustrates the exchange of messages required for a client to retrieve a collection of Employee list items whose **Salary** field value is greater than \$100,000 from a data service using the AtomPub format.

HTTP Request:

```

GET /_vti_bin/ListData.svc/Employees?$filter=Salary%20gt%20100000 HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com

```

HTTP Response:

```

HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml; charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: 6467cb6e-1043-4bc4-a971-f10bc94a5a48
DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 13:44:31; expires=Fri, 01-May-2009 20:54:31 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 20:44:31 GMT
Content-Length: ###

```

```

<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Employees</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees</id>
  <updated>2009-05-01T20:44:32Z</updated>
  <link rel="self" title="Employees" href="Employees" />
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (4)</id>
    <title type="text">Phyllis Allen</title>
    <updated>2009-05-01T20:44:32Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees (4)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees (4)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees (4)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Employees (4)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.EmployeesItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:FullName>Phyllis Allen</d:FullName>
        <d:Salary m:type="Edm.Double">108000</d:Salary>
        <d:HireDate m:type="Edm.DateTime">1975-03-28T00:00:00</d:HireDate>
        <d:ID m:type="Edm.Int32">4</d:ID>
        <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
        <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
        <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
        <d:Version>1.0</d:Version>
        <d:Path>/Lists/Employees</d:Path>
      </m:properties>
    </content>
  </entry>
  <entry m:etag="W/&quot;l&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (9)</id>
    <title type="text">Zachary Martin</title>
    <updated>2009-05-01T20:44:32Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="EmployeesItem" href="Employees (9)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
      type="application/atom+xml;type=feed" title="Projects"
      href="Employees (9)/Projects" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Employees (9)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"

```

```

    href="Employees (9)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.EmployeesItem"
  scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:FullName>Zachary Martin</d:FullName>
    <d:Salary m:type="Edm.Double">112000</d:Salary>
    <d:HireDate m:type="Edm.DateTime">1974-08-15T00:00:00</d:HireDate>
    <d:ID m:type="Edm.Int32">9</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Employees</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees (10)</id>
  <title type="text">Kathleen Gill</title>
  <updated>2009-05-01T20:44:32Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees (10)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees (10)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees (10)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees (10)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Kathleen Gill</d:FullName>
      <d:Salary m:type="Edm.Double">102000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-03-22T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">10</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
</feed>

```

4.2.9 Retrieve List Items in a Specified Order

The following example illustrates the exchange of messages required for a client to retrieve all Projects list items ordered by the value of their **Due Date** field from a data service using the AtomPub format.

HTTP Request:

```
GET /_vti_bin/ListData.svc/Projects?$orderby=DueDate HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com
```

HTTP Response:

```
HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml; charset=utf-8
Server: Microsoft-IIS/7.0
SPRequestGuid: 41cdd8a4-b41f-4b79-8ac5-52dcce4db4e6
DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 13:48:49; expires=Fri, 01-May-2009 20:58:49 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 20:48:49 GMT
Content-Length: ###
```

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<feed xmlns:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <title type="text">Projects</title>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Projects</id>
  <updated>2009-05-01T20:48:50Z</updated>
  <link rel="self" title="Projects" href="Projects" />
  <entry m:etag="W/&quot;1&quot;">
    <id>http://www.contoso.com/_vti_bin/ListData.svc/Projects(1)</id>
    <title type="text">Water/Sewer #812061</title>
    <updated>2009-05-01T20:48:50Z</updated>
    <author>
      <name />
    </author>
    <link rel="edit" title="ProjectsItem" href="Projects(1)" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Location"
      type="application/atom+xml;type=entry" title="Location"
      href="Projects(1)/Location" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
      type="application/atom+xml;type=entry" title="CreatedBy"
      href="Projects(1)/CreatedBy" />
    <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
      type="application/atom+xml;type=entry" title="ModifiedBy"
      href="Projects(1)/ModifiedBy" />
    <category term="Microsoft.SharePoint.DataService.ProjectsItem"
      scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
    <content type="application/xml">
      <m:properties>
        <d:ProjectTitle>Water/Sewer #812061</d:ProjectTitle>
        <d:Description>Sewer improvements in San Juan Capistrano. Plans call for
          improving the existing condition of a hydraulically deficient line through the
          construction of a parallel 27 inch PVC sewer.</d:Description>
        <d:DueDate m:type="Edm.DateTime">2009-05-11T00:00:00</d:DueDate>
        <d:OnTrack m:type="Edm.Boolean">true</d:OnTrack>
      </m:properties>
    </content>
  </entry>
</feed>
```

```

    <d:ID m:type="Edm.Int32">1</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Projects</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;";>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Projects(4)</id>
  <title type="text">Theatre/Auditoriums #429743</title>
  <updated>2009-05-01T20:48:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="ProjectsItem" href="Projects(4)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Location"
    type="application/atom+xml;type=entry" title="Location"
    href="Projects(4)/Location" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Projects(4)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Projects(4)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.ProjectsItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:ProjectTitle>Theatre/Auditoriums #429743</d:ProjectTitle>
      <d:Description>The work involves furnishing all labor, materials,
        equipment, services, and construction. The project consists of a general
        interior build-out of the fourth floor space within the existing Balboa Theatre
        and some minor additional miscellaneous work on floors 1, 2, 5 and basement.
        This contract includes general mechanical, plumbing, and electrical trades to
        complete the build-out as described by the construction documents; all other
        work and appurtenances in accordance with the plans and
        specifications.</d:Description>
      <d:DueDate m:type="Edm.DateTime">2010-06-15T00:00:00</d:DueDate>
      <d:OnTrack m:type="Edm.Boolean">true</d:OnTrack>
      <d:ID m:type="Edm.Int32">4</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Projects</d:Path>
    </m:properties>
  </content>
</entry>
<entry m:etag="W/&quot;1&quot;";>
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Projects(3)</id>
  <title type="text">Educational #623991</title>
  <updated>2009-05-01T20:48:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="ProjectsItem" href="Projects(3)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Location"

```

```

    type="application/atom+xml;type=entry" title="Location"
    href="Projects(3)/Location" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Projects(3)/CreatedBy" />
<link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Projects(3)/ModifiedBy" />
<category term="Microsoft.SharePoint.DataService.ProjectsItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
<content type="application/xml">
  <m:properties>
    <d:ProjectTitle>Educational #623991</d:ProjectTitle>
    <d:Description>Tenant improvements to an existing educational facility in
      Carlsbad. Completed plans are calling for electrical, mechanical and structural
      upgrades to an elementary school. The project will also include interior
      remodeling and optimizing existing space.</d:Description>
    <d:DueDate m:type="Edm.DateTime">2010-08-21T00:00:00</d:DueDate>
    <d:OnTrack m:type="Edm.Boolean">>false</d:OnTrack>
    <d:ID m:type="Edm.Int32">3</d:ID>
    <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
    <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Projects</d:Path>
  </m:properties>
</content>
</entry>
<entry m:etag="W/&quot;1&quot;">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Projects(2)</id>
  <title type="text">Roads/Highway #812523</title>
  <updated>2009-05-01T20:48:50Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="ProjectsItem" href="Projects(2)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Location"
    type="application/atom+xml;type=entry" title="Location"
    href="Projects(2)/Location" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Projects(2)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Projects(2)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.ProjectsItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:ProjectTitle>Roads/Highway #812523</d:ProjectTitle>
      <d:Description>Construct an additional through lane on the north side of Palomar
        Airport Road between Paseo Del Norte and Armada Drive and construct a
        deceleration lane, including install new curb &amp; gutter, sidewalk,
        landscaping, reclaimed water irrigation system, Caltrans truss sign structure,
        and relocate existing utilities.</d:Description>
      <d:DueDate m:type="Edm.DateTime">2012-12-01T00:00:00</d:DueDate>
      <d:OnTrack m:type="Edm.Boolean">>true</d:OnTrack>
      <d:ID m:type="Edm.Int32">2</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T13:40:08</d:Modified>
    </m:properties>
  </content>
</entry>

```

```

    <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
    <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
    <d:Version>1.0</d:Version>
    <d:Path>/Lists/Projects</d:Path>
  </m:properties>
</content>
</entry>
</feed>

```

4.3 Insert a New List Item

The following example illustrates the exchange of messages required for a client to insert a new Employees list item to the Employees list and associate it with Projects list item 2 and 3 using the AtomPub format.

HTTP Request:

```

POST /_vti_bin/ListData.svc/Employees HTTP/1.1
Accept: application/atom+xml
Content-Type: application/atom+xml
Host: www.contoso.com
Content-Length: ###
Expect: 100-continue

<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <category scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme"
    term="Microsoft.SharePoint.DataService.EmployeesItem" />
  <title />
  <author>
    <name />
  </author>
  <updated>2009-04-30T02:15:21.1353156Z</updated>
  <id />
  <link href="http://www.contoso.com/_vti_bin/ListData.svc/Projects(2)"
    rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" />
  <link href="http://www.contoso.com/_vti_bin/ListData.svc/Projects(3)"
    rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" />
  <content type="application/xml">
    <m:properties>
      <d:Created m:type="Edm.DateTime" m:null="true" />
      <d:FullName>James Earl Jones</d:FullName>
      <d:HireDate m:type="Edm.DateTime">1987-04-29T19:15:14.7861156-07:00</d:HireDate>
      <d:ID m:type="Edm.Int32">0</d:ID>
      <d:Modified m:type="Edm.DateTime" m:null="true" />
      <d:Path m:null="true" />
      <d:Salary m:type="Edm.Double">195000</d:Salary>
      <d:Version m:null="true" />
      <d:Owshiddenversion m:type="Edm.Int32" m:null="true" />
    </m:properties>
  </content>
</entry>

```

HTTP Response:

```
HTTP/1.1 201 Created
Cache-Control: no-cache
Content-Type: application/atom+xml;charset=utf-8
ETag: W/"1"
Location: http://www.contoso.com/_vti_bin/ListData.svc/Employees(11)
Server: Microsoft-IIS/7.0
SPRequestGuid: 49759c6a-7a76-44fc-bd4c-e6bfe3f97a3e
DataServiceVersion: 2.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 14:07:39; expires=Fri, 01-May-2009 21:17:39 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 21:07:41 GMT
Content-Length: ###
```

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  m:etag="W/1"
  xmlns="http://www.w3.org/2005/Atom">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(11)</id>
  <title type="text">James Earl Jones</title>
  <updated>2009-05-01T21:07:41Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(11)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(11)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(11)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(11)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>James Earl Jones</d:FullName>
      <d:Salary m:type="Edm.Double">195000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1987-04-29T19:15:14.7861156-07:00</d:HireDate>
      <d:ID m:type="Edm.Int32">11</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T14:07:41</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T14:07:41</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">1</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
```


4.4 Update a List Item

4.4.1 Update a List Item Using Replace-based Semantics

The following example illustrates the exchange of messages required for a client to update an existing Employee list item with replace semantics using the AtomPub format.

HTTP Request:

```
PUT /_vti_bin/ListData.svc/Employees(8) HTTP/1.1
If-Match: W/"1"
Accept: application/atom+xml
Content-Type: application/atom+xml
Host: www.contoso.com
Content-Length: ###
Expect: 100-continue

<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <content type="application/xml">
    <m:properties>
      <d:FullName>Leslie Rubio (modified)</d:FullName>
    </m:properties>
  </content>
</entry>
```

HTTP Response:

```
HTTP/1.1 204 No Content
Cache-Control: no-cache
ETag: W/"2"
Server: Microsoft-IIS/7.0
SPRequestGuid: 45daab9b-031e-48c7-bed9-60d96516614e
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 14:32:41; expires=Fri, 01-May-2009 21:42:41 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 21:32:42 GMT
```

The following retrieve request is not required to update the list item but is included to show the value of the Employee list item after the update finished. Because replace-based semantics were used, non-system properties that were not specified in the update request have been set to their default values (nulls, in this case). Certain properties that are designated as read-only by the protocol server (for example, **Modified**, **Created**, **Version**, **ID**, and so on) are not affected by updates, regardless of whether a user modifies them, and will always retain their values as found on the protocol server.

HTTP Request:

```
GET /_vti_bin/ListData.svc/Employees(8) HTTP/1.1
Accept: application/atom+xml
```

Host: www.contoso.com

HTTP Response:

```
HTTP/1.1 200 OK
Cache-Control: no-cache
Content-Type: application/atom+xml; charset=utf-8
ETag: W/"2"
Server: Microsoft-IIS/7.0
SPRequestGuid: f3f18a87-af3a-41c8-922b-206fb16b8f5f
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 14:33:12; expires=Fri, 01-May-2009 21:43:12 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 21:33:13 GMT
Content-Length: 1839
```

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  m:etag="W/\"&quot;2&quot;";
  xmlns="http://www.w3.org/2005/Atom">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(8)</id>
  <title type="text">Leslie Rubio (modified)</title>
  <updated>2009-05-01T21:33:13Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(8)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(8)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(8)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(8)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Leslie Rubio (modified)</d:FullName>
      <d:Salary m:type="Edm.Double" m:null="true" />
      <d:HireDate m:type="Edm.DateTime" m:null="true" />
      <d:ID m:type="Edm.Int32">8</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T14:32:43</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">2</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
```

4.4.2 Update a List Item Using Merge-based Semantics

The following example illustrates the exchange of messages required for a client to update an existing Employee list item with merge semantics using the AtomPub format.

HTTP Request:

```
MERGE /_vti_bin/ListData.svc/Employees(10) HTTP/1.1
If-Match: W/"1"
Accept: application/atom+xml
Content-Type: application/atom+xml
Host: www.contoso.com
Content-Length: ###
Expect: 100-continue

<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns="http://www.w3.org/2005/Atom">
  <content type="application/xml">
    <m:properties>
      <d:FullName>Kathleen Gill (modified)</d:FullName>
    </m:properties>
  </content>
</entry>
```

HTTP Response:

```
HTTP/1.1 204 No Content
Cache-Control: no-cache
ETag: W/"2"
Server: Microsoft-IIS/7.0
SPRequestGuid: e1a0ead5-8b76-42ed-816c-95184e007013
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 14:25:12; expires=Fri, 01-May-2009 21:35:12 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 21:25:13 GMT
```

The following retrieve request is not required to update the list item but is included to show the value of the Employee list item after the update finished. Because merge-based semantics were used, properties that were not specified in the update request have not been altered.

HTTP Request:

```
GET /_vti_bin/ListData.svc/Employees(10) HTTP/1.1
Accept: application/atom+xml
Host: www.contoso.com
```

HTTP Response:

```
HTTP/1.1 200 OK
Cache-Control: no-cache
```

```
Content-Type: application/atom+xml;charset=utf-8
ETag: W/"2"
Server: Microsoft-IIS/7.0
SPRequestGuid: a0a014f1-28db-4381-ac5d-1e7f4f71d6b8
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 14:26:14; expires=Fri, 01-May-2009 21:36:14 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 21:26:14 GMT
Content-Length: ###
```

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<entry xml:base="http://www.contoso.com/_vti_bin/ListData.svc/"
  xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
  xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  m:etag="W/"&quot;2&quot;"
  xmlns="http://www.w3.org/2005/Atom">
  <id>http://www.contoso.com/_vti_bin/ListData.svc/Employees(10)</id>
  <title type="text">Kathleen Gill (modified)</title>
  <updated>2009-05-01T21:26:14Z</updated>
  <author>
    <name />
  </author>
  <link rel="edit" title="EmployeesItem" href="Employees(10)" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/Projects"
    type="application/atom+xml;type=feed" title="Projects"
    href="Employees(10)/Projects" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/CreatedBy"
    type="application/atom+xml;type=entry" title="CreatedBy"
    href="Employees(10)/CreatedBy" />
  <link rel="http://schemas.microsoft.com/ado/2007/08/dataservices/related/ModifiedBy"
    type="application/atom+xml;type=entry" title="ModifiedBy"
    href="Employees(10)/ModifiedBy" />
  <category term="Microsoft.SharePoint.DataService.EmployeesItem"
    scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" />
  <content type="application/xml">
    <m:properties>
      <d:FullName>Kathleen Gill (modified)</d:FullName>
      <d:Salary m:type="Edm.Double">102000</d:Salary>
      <d:HireDate m:type="Edm.DateTime">1989-03-22T00:00:00</d:HireDate>
      <d:ID m:type="Edm.Int32">10</d:ID>
      <d:Modified m:type="Edm.DateTime">2009-05-01T14:25:14</d:Modified>
      <d:Created m:type="Edm.DateTime">2009-05-01T13:40:08</d:Created>
      <d:Owshiddenversion m:type="Edm.Int32">2</d:Owshiddenversion>
      <d:Version>1.0</d:Version>
      <d:Path>/Lists/Employees</d:Path>
    </m:properties>
  </content>
</entry>
```

4.5 Delete a List Item

The following example illustrates the exchange of messages required for a client to delete an existing Employee list item with **ID** value of "1" from a data service using the AtomPub format.

HTTP Request:

```
DELETE /_vti_bin/ListData.svc/Employees(1) HTTP/1.1
If-Match: W/"1"
Accept: application/atom+xml
Host: www.contoso.com
```

HTTP Response:

```
HTTP/1.1 204 No Content
Cache-Control: no-cache
Server: Microsoft-IIS/7.0
SPRequestGuid: 7477c1ef-2e93-4c80-9de1-86d1e4095696
DataServiceVersion: 1.0;
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=05/01/2009 14:38:41; expires=Fri, 01-May-2009 21:48:41 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Fri, 01 May 2009 21:38:42 GMT
```

4.6 Batch Requests

The following example illustrates the exchange of messages required for a client to insert a new Employee list item followed by an update of **Project** list item 1. Request bodies have been replaced with descriptions enclosed by brackets for clarity.

HTTP Request:

```
POST /_vti_bin/ListData.svc/$batch HTTP/1.1
Accept: application/atom+xml,application/xml
Content-Type: multipart/mixed; boundary=batch_2634d583-80b6-4272-904b-f241d72722e4
Host: www.contoso.com
Content-Length: ###
Expect: 100-continue

--batch_2634d583-80b6-4272-904b-f241d72722e4
Content-Type: multipart/mixed; boundary=changeset_20f18de9-b0ba-4c7d-87dd-07ce4836cc5a

--changeset_20f18de9-b0ba-4c7d-87dd-07ce4836cc5a
Content-Type: application/http
Content-Transfer-Encoding: binary

POST /_vti_bin/ListData.svc/Employees HTTP/1.1
Host: www.contoso.com
Content-ID: 1
Content-Type: application/atom+xml;type=entry
Content-Length: ###

<AtomPub representation of a new Employee list item>

--changeset_20f18de9-b0ba-4c7d-87dd-07ce4836cc5a
Content-Type: application/http
Content-Transfer-Encoding: binary

MERGE /_vti_bin/ListData.svc/Projects(1) HTTP/1.1
Host: www.contoso.com
Content-ID: 3
```

Content-Type: application/atom+xml;type=entry
If-Match: W/"2"
Content-Length: ###

<AtomPub representation of Project list item 1>

--changeset_20f18de9-b0ba-4c7d-87dd-07ce4836cc5a--
--batch_2634d583-80b6-4272-904b-f241d72722e4--

HTTP Response:

HTTP/1.1 202 Accepted
Cache-Control: no-cache
Content-Type: multipart/mixed; boundary=batchresponse_c111d175-b384-44e2-a3af-bf24994b7cb7
Server: Microsoft-IIS/7.0
SPRequestGuid: 240dffffd-bf75-40a4-a804-20924faa2e8d
X-AspNet-Version: 2.0.50727
Set-Cookie: SDA_Callback=04/30/2009 16:33:03; expires=Thu, 30-Apr-2009 23:43:03 GMT; path=/
Set-Cookie: WSS_KeepSessionAuthenticated={afbe7ca4-c701-4f7d-9021-25cab947ae3f}; path=/
X-Powered-By: ASP.NET
MicrosoftSharePointTeamServices: 14.0.0.4006
Date: Thu, 30 Apr 2009 23:33:04 GMT
Content-Length: ###

--batchresponse_c111d175-b384-44e2-a3af-bf24994b7cb7
Content-Type: multipart/mixed; boundary=changesetresponse_1be3f588-2f05-4166-a76d-7be8935bcbf5

--changesetresponse_1be3f588-2f05-4166-a76d-7be8935bcbf5
Content-Type: application/http
Content-Transfer-Encoding: binary

HTTP/1.1 201 Created
Content-ID: 1
Cache-Control: no-cache
DataServiceVersion: 2.0;
Content-Type: application/atom+xml; charset=utf-8
Location: http://www.contoso.com/_vti_bin/ListData.svc/Employees(11)
ETag: W/"1"

<AtomPub representation of the newly created Employee list item>

--changesetresponse_1be3f588-2f05-4166-a76d-7be8935bcbf5
Content-Type: application/http
Content-Transfer-Encoding: binary

HTTP/1.1 204 No Content
Content-ID: 3
Cache-Control: no-cache
DataServiceVersion: 1.0;
ETag: W/"2"

--changesetresponse_1be3f588-2f05-4166-a76d-7be8935bcbf5--
--batchresponse_c111d175-b384-44e2-a3af-bf24994b7cb7--

5 Security

5.1 Security Considerations for Implementers

None.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

None.

7 Appendix B: Sample Site Data

All examples in this document use the following sample site data and conceptual schema definition language (CSDL).

Sample Data:

- A site at <http://www.contoso.com> exists.
- A custom list with title Employees exist on the site. The Employees list contains the following fields:
 - Name
 - Salary
 - Hire Date
 - Projects
- A total of 10 list items exist in the Employees list.
- Employees list items with ID values 1, 8, and 10 exist.
- A custom list with title Projects exist on the site. The Projects list contains the following fields:
 - Title
 - Description
 - Due Date
 - On Track
 - Location
- Two Projects list items, one with ID value 2 and the other with ID value 3, exist. Projects list item 2 and 3 are associated with Employees list item 1.

8 Appendix C: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft Office 2010 suites
- Microsoft Office 2013
- Microsoft SharePoint Foundation 2010
- Microsoft SharePoint Foundation 2013

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

9 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

10 Index

A

Abstract data model
 [server](#) 13
[Applicability](#) 8
[Attribute groups](#) 12
[Attributes](#) 12

B

[Batch requests example](#) 53

C

[Capability negotiation](#) 8
[Change tracking](#) 59
[Client role](#) 8
[Complex types](#) 12

D

Data model - abstract
 [server](#) 13
[Delete a list item example](#) 52

E

Elements
 [List](#) 10
 [List Item](#) 10
Events
 [local - server](#) 15
 [timer - server](#) 15
Examples
 [batch requests](#) 53
 [delete a list item](#) 52
 [insert a new list item](#) 47
 [overview](#) 16
 [retrieve a collection of entities with an inline count](#) 28
 [retrieve a collection of list items](#) 21
 [retrieve a CSDL document](#) 16
 [retrieve a list item by ID](#) 40
 [retrieve list items in a specified order](#) 43
 [retrieve list items that satisfy specified criteria](#) 41
 [retrieve the count of a collection of list items](#) 28
 [retrieve the last two items in a list](#) 36
 [update a list item using merge-based semantics](#) 51
 [update a list item using replace-based semantics](#) 49

F

[Fields - vendor-extensible](#) 9
[Full WSDL](#) 56

G

[Glossary](#) 6
[Groups](#) 12

I

[Implementer - security considerations](#) 55
[Index of security parameters](#) 55
[Informative references](#) 7
Initialization
 [server](#) 13
[Insert a new list item example](#) 47
[Introduction](#) 6

L

[List Itemelement](#) 10
[Listelement](#) 10
Local events
 [server](#) 15

M

Message processing
 [server](#) 13
Messages
 [attribute groups](#) 12
 [attributes](#) 12
 [complex types](#) 12
 [elements](#) 10
 [enumerated](#) 10
 [groups](#) 12
 [List Itemelement](#) 10
 [Listelement](#) 10
 [simple types](#) 12
 [syntax](#) 10
 [transport](#) 10

N

[Normative references](#) 6

O

Operations
 [Attachment](#) 13
 [Choice or Multi-Choice Field](#) 14
 [Document](#) 14
[Overview \(synopsis\)](#) 7
 [client](#) 8
 [roles](#) 7
 [server](#) 7

P

[Parameters - security index](#) 55
[Preconditions](#) 8
[Prerequisites](#) 8
[Product behavior](#) 58

R

[References](#) 6
 [informative](#) 7
 [normative](#) 6
[Relationship to other protocols](#) 8
[Retrieve a collection of entities with an inline count example](#) 28
[Retrieve a collection of list items example](#) 21
[Retrieve a CSDL document example](#) 16
[Retrieve a list item by ID example](#) 40
[Retrieve list items in a specified order example](#) 43
[Retrieve list items that satisfy specified criteria example](#) 41
[Retrieve the count of a collection of list items example](#) 28
[Retrieve the First Two List Items in a List example](#) 34
[Retrieve the last two items in a list example](#) 36
[Retrieve the middle two list items in a list example](#) 38
[Roles](#) 7

S

[Sample site data](#) 57
Security
 [implementer considerations](#) 55
 [parameter index](#) 55
Sequencing rules
 [server](#) 13
Server
 [abstract data model](#) 13
 [Attachment operation](#) 13
 [Choice or Multi-Choice Field operation](#) 14
 [Document operation](#) 14
 [initialization](#) 13
 [local events](#) 15
 [message processing](#) 13
 [sequencing rules](#) 13
 [timer events](#) 15
 [timers](#) 13
[Server role](#) 7
[Simple types](#) 12
[Standards assignments](#) 9
Syntax
 [messages - overview](#) 10

T

Timer events
 [server](#) 15
Timers
 [server](#) 13
[Tracking changes](#) 59
[Transport](#) 10
Types
 [complex](#) 12
 [simple](#) 12

U

[Update a list item using merge-based semantics example](#) 51
[Update a list item using replace-based semantics example](#) 49

V

[Vendor-extensible fields](#) 9
[Versioning](#) 8

W

[WSDL](#) 56