

# [MS-XOAUTH]: OAuth 2.0 Authorization Protocol Extensions

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
04/27/2012	0.1	New	Released new document.
07/16/2012	0.1	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	1.0	Major	Significantly changed the technical content.

# Table of Contents

<b>1</b>	<b>Introduction .....</b>	<b>5</b>
1.1	Glossary .....	5
1.2	References.....	5
1.2.1	Normative References.....	5
1.2.2	Informative References .....	6
1.3	Overview .....	6
1.4	Relationship to Other Protocols.....	6
1.5	Prerequisites/Preconditions .....	7
1.6	Applicability Statement.....	7
1.7	Versioning and Capability Negotiation.....	7
1.8	Vendor-Extensible Fields.....	7
1.9	Standards Assignments .....	7
<b>2</b>	<b>Messages.....</b>	<b>8</b>
2.1	Transport.....	8
2.2	Message Syntax .....	8
2.2.1	Namespaces .....	8
2.2.2	Custom HTTP Methods .....	8
2.2.3	Custom HTTP Headers .....	8
2.2.4	Common URI Parameters .....	8
2.2.5	Elements.....	8
2.2.6	Complex Types .....	8
2.2.7	Simple Types .....	8
2.2.8	Attributes.....	8
2.2.9	Groups.....	9
2.2.10	Attribute Groups.....	9
2.2.11	Common Data Structures .....	9
2.3	Directory Service Schema Elements .....	9
<b>3</b>	<b>Protocol Details.....</b>	<b>10</b>
3.1	Common Details .....	10
3.1.1	Abstract Data Model .....	10
3.1.2	Timers .....	11
3.1.3	Initialization .....	11
3.1.4	Higher-Layer Triggered Events.....	11
3.1.5	Message Processing Events and Sequencing Rules.....	11
3.1.6	Timer Events .....	11
3.1.7	Other Local Events .....	11
3.2	Server Details .....	11
3.2.1	Abstract Data Model .....	11
3.2.2	Timers .....	12
3.2.3	Initialization .....	12
3.2.4	Higher-Layer Triggered Events.....	12
3.2.5	Message Processing Events and Sequencing Rules.....	12
3.2.5.1	Authentication Within a Single Organization .....	12
3.2.5.2	Authentication with User Information Within a Single Organization .....	13
3.2.5.3	Authentication with Third-Party Application .....	14
3.2.5.4	Realm Autodiscovery Through HTTP 401 Challenge .....	14
3.2.5.5	Server-to-Server Security Token Contents .....	14
3.2.5.6	Server-to-Server Validation Criteria .....	15

3.2.6	Timer Events .....	15
3.2.7	Other Local Events .....	15
<b>4</b>	<b>Protocol Examples .....</b>	<b>16</b>
4.1	Security Token Issued by STS .....	16
4.2	Security Token Self-Issued by Client Application .....	16
4.3	Security Token Issued by STS with User Information Added by Client.....	17
4.4	Security Token Self-Issued By Client Application with User Information .....	18
4.5	Security Token for Accessing a Third-Party Service with Extensions .....	19
4.6	Realm Autodiscovery Through HTTP 401 Challenge .....	20
<b>5</b>	<b>Security.....</b>	<b>22</b>
5.1	Security Considerations for Implementers.....	22
5.2	Index of Security Parameters .....	22
<b>6</b>	<b>Appendix A: Product Behavior .....</b>	<b>23</b>
<b>7</b>	<b>Change Tracking.....</b>	<b>24</b>
<b>8</b>	<b>Index .....</b>	<b>27</b>

# 1 Introduction

The OAuth 2.0 Authorization Protocol Extensions extend the OAuth 2.0 Authentication Protocol: SharePoint Profile and the JSON Web Token (JWT) to enable server-to-server authentication.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**base64**  
**GUID**  
**Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)**  
**public key**  
**realm**  
**security token**  
**Transmission Control Protocol (TCP)**  
**user principal name (UPN)**  
**X.509**

The following terms are defined in [\[MS-OXGLOS\]](#):

**security principal**  
**security principal identifier**  
**security token service (STS)**  
**Uniform Resource Identifier (URI)**

The following terms are specific to this document:

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the technical documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[IETF DRAFT-JWT] Goland, Y., and Jones, M., "JSON Web Token (JWT) Specification Draft", September 2010, <http://www.ietf.org/mail-archive/web/oauth/current/msg04407.html>

[MS-DTYP] Microsoft Corporation, "[Windows Data Types](#)".

[MS-ODATA] Microsoft Corporation, "[Open Data Protocol \(OData\) Specification](#)".

[MS-SPS2SAUTH] Microsoft Corporation, "[OAuth 2.0 Authentication Protocol: SharePoint Profile](#)".

[MS-SPSTWS] Microsoft Corporation, "[SharePoint Security Token Service Web Service Protocol Specification](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[RFC2617] Franks, J., Hallam-Baker, P., Hostetler, J., et al., "HTTP Authentication: Basic and Digest Access Authentication", RFC 2617, June 1999, <http://www.ietf.org/rfc/rfc2617.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[RFC793] Postel, J., "Transmission Control Protocol", STD 7, RFC 793, September 1981, <http://www.ietf.org/rfc/rfc0793.txt>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Ed., Beech, D., Ed., Maloney, M., Ed., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

## 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)".

[MS-OXPROTO] Microsoft Corporation, "[Exchange Server Protocols System Overview](#)".

## 1.3 Overview

These extensions specify how applications can perform server-to-server authentication using a **security token service (STS)**. For example, an e-mail service might use these extensions to authenticate itself when it makes a call to an instant messaging service. For an example of a server-to-server **security token** that a client application might send to authenticate itself, see section [4.2](#).

## 1.4 Relationship to Other Protocols

These extensions extend the OAuth 2.0 Authentication Protocol: SharePoint Profile, as described in [\[MS-SPS2SAUTH\]](#), and JSON Web Token (JWT), as described in [\[IETFDRAFT-JWT\]](#).

For information on how to implement an STS, see [\[MS-SPSTWS\]](#).

For conceptual background information and overviews of the relationships and interactions between this and other protocols, see [\[MS-OXPROTO\]](#).

## **1.5 Prerequisites/Preconditions**

The client application is required to reside in the same realm as the STS to request a server-to-server security token from it.

## **1.6 Applicability Statement**

These extensions apply only when a service call is made to or from an application that supports server-to-server authentication.

## **1.7 Versioning and Capability Negotiation**

None.

## **1.8 Vendor-Extensible Fields**

None.

## **1.9 Standards Assignments**

None.

## 2 Messages

### 2.1 Transport

These extensions transport messages over **TCP**, as specified in [\[RFC793\]](#), and do not pass any specific parameters to the transport. Transport-layer security **MUST** be used to secure the security tokens. These extensions use **HTTPS**, as specified in [\[RFC2818\]](#), to do so.

Messages sent using these extensions are not encoded by Open-Data, as specified in [\[MS-ODATA\]](#), and use the default character set defined by the client or the server.

Security tokens are JWTs and are sent using HTTP Authorization headers, as specified in [\[IETFdraft-jwt\]](#). HTTP Authorization headers are specified in [\[RFC2617\]](#).

### 2.2 Message Syntax

A **security principal (1)** is represented as a **security principal identifier** in the messages sent by applications. A security principal identifier is a **GUID**.

For more details about the messages typically exchanged between a client and an STS, see [\[MS-SPSTWS\]](#).

#### 2.2.1 Namespaces

None.

#### 2.2.2 Custom HTTP Methods

None.

#### 2.2.3 Custom HTTP Headers

None.

#### 2.2.4 Common URI Parameters

None.

#### 2.2.5 Elements

None.

#### 2.2.6 Complex Types

None.

#### 2.2.7 Simple Types

None.

#### 2.2.8 Attributes

None.



## **2.2.9 Groups**

None.

## **2.2.10 Attribute Groups**

None.

## **2.2.11 Common Data Structures**

None.

## **2.3 Directory Service Schema Elements**

None.

## 3 Protocol Details

### 3.1 Common Details

#### 3.1.1 Abstract Data Model

For clarity, this document uses different names to refer to the server-to-server security tokens that are exchanged in various scenarios. An actor token is a signed security token that is issued by an STS, or by the client itself if the server trusts it to do so. An outer token is an unsigned security token that is constructed by the client and contains user information in addition to an actor token. In this scenario, the actor token is referred to as the inner token. All of these security tokens are formatted in the same way, as specified in [\[IETF DRAFT-JWT\]](#), and contain the claims and header fields specified in this section.

The following table describes claims that are exchanged in server-to-server security tokens. The claim values are all of data type **STRING**, as specified in [\[MS-DTYP\]](#).

Claim type	Claim value description	Example claim values
<b>aud</b>	The targeted service for which the client issued the server-to-server security token.	<security principal identifier>/<hostname>@<realm>
<b>iss</b>	The security principal identifier of the server-to-server security token issuer.	<security principal identifier>@<realm>
<b>nameid</b>	The logged on user's <b>user principal name (UPN)</b> value for the security principal (1) that made the request.	user@contoso.com
<b>nbf</b>	The time at which the server-to-server security token was created.	129592882368666656
<b>exp</b>	The time at which the server-to-server security token expires.	129592882368666656
<b>trustedfordelegation</b>	"true" if the client is trusted to delegate a user identity; otherwise, "false".	true false
<b>identityprovider</b>	The identity provider that authenticated the caller.	windows forms trusted
<b>actort</b>	The security token issued and signed by the STS. An actor token has the same format as any other security token.	See section <a href="#">4.3</a> and section <a href="#">4.4</a> .
<b>smtp</b>	The logged on user's email address.	user@contoso.com
<b>sip</b>	The logged on user's sip address.	<a href="#">user@contoso.com</a>
<b>msexchuid</b>	A unique identifier that the STS can give the user.  This is an additional claim that the STS adds and is not required by the OAuth 2.0 Authentication Protocol:	objectGUID@contoso.com

Claim type	Claim value description	Example claim values
	SharePoint Profile specified in <a href="#">[MS-SPS2SAUTH]</a> .	
<b>appctx</b>	The application context. This claim contains a subset of claims that is specific to the service accessed by the client.	See section <a href="#">4.5</a> .

The following list describes the header fields in a server-to-server security token. The field values are all of data type **STRING**, as specified in [MS-DTYP].

- **typ**. The token type. The value MUST always be "JWT".
- **alg**. The algorithm used to encrypt the contents of the token. The value of this field MUST be either "none" or "rs256". Actor tokens are always signed and have **alg** fields that contain the value "rs256". Outer tokens that contain inner signed tokens, as described in section [4.3](#) and section [4.4](#), are not signed and have **alg** fields that contain the value "none".
- **x5t**. The **base64** encoded thumbprint of the certificate used to sign the security token. This field is optional.

The header fields are contained in a separate part of the security token, as specified in [\[IETF DRAFT-JWT\]](#).

### 3.1.2 Timers

None.

### 3.1.3 Initialization

None.

### 3.1.4 Higher-Layer Triggered Events

None.

### 3.1.5 Message Processing Events and Sequencing Rules

None.

### 3.1.6 Timer Events

None.

### 3.1.7 Other Local Events

None.

## 3.2 Server Details

### 3.2.1 Abstract Data Model

None.

### 3.2.2 Timers

None.

### 3.2.3 Initialization

None.

### 3.2.4 Higher-Layer Triggered Events

None.

### 3.2.5 Message Processing Events and Sequencing Rules

#### 3.2.5.1 Authentication Within a Single Organization

The following procedure shows the authentication that takes place when a client application makes a call to a server application in the same organization using the server-to-server authentication protocol specified in [\[MS-SPS2SAUTH\]](#). Note that the client and server applications are in fact both server applications, but we use the terms "client application" and "server application" here to distinguish them based on their roles with respect to each other.

1. The organization's IT administrator sets up an STS and configures it with the security principal identifiers for the client and server applications. The client and server applications each exchange public keys, carried in **X.509** certificates, with the STS. The administrator also configures the client and server applications to trust security tokens issued by the STS.
2. The client application makes an anonymous request to the server application.
3. The server application responds with an HTTP 401 challenge. HTTP 401 is specified in [\[RFC2616\]](#) and [\[RFC2617\]](#).
4. The client application requests a security token from the STS. It does this by sending a self-issued security token that is signed with its **public key**. The security token contains the **aud**, **iss**, **nameid**, **nbfi**, **exp**, and **trustedfordelegation** claims as specified in section [3.1.1](#). The client request also includes a *resource* parameter, a *realm* parameter, and an optional *state* parameter. The value of the *resource* parameter is the **Uniform Resource Identifier (URI)** of the server application. For an example of a self-issued security token, see section [4.2](#).
5. The STS validates the public key of the security token provided by the client application, verifies that the client application is authorized to access the requested resource, and responds to the client with a server-to-server security token that is signed with a public key that the server application trusts. The security token contains the **aud**, **iss**, **nameid**, **nbfi**, **exp**, and **identityprovider** claims, as specified in section [3.1.1](#). The response also includes an optional *state* parameter. For an example of a server-to-server security token issued by an STS, see section [4.1](#).
6. The client application sends the server-to-server security token to the server application.
7. The server application validates the server-to-server security token by checking the values of the **aud**, **iss**, and **exp** claims and the public key provided by the STS. It performs additional validation checks to ensure that the client application is authorized to access the requested resource. It then responds to the client application with the requested resource.

### 3.2.5.2 Authentication with User Information Within a Single Organization

The following procedure shows the authentication that takes place when a client application makes a call to a server application in the same organization using the server-to-server authentication protocol specified in [\[MS-SPS2SAUTH\]](#). In this case, the client application also sends user information to the server application, and the server application uses the information to determine whether to return the requested resource. Note that the client and server applications are in fact both server applications, but we use the terms "client application" and "server application" here to distinguish them based on their roles with respect to each other.

1. The organization's IT administrator sets up an STS and configures it with the security principal identifiers for the client and server applications. The client and server applications each exchange public keys, carried in X.509 certificates, with the STS. The administrator also configures the client and server applications to trust security tokens issued by the STS.
2. The client application makes an anonymous request to the server application.
3. The server application responds with an HTTP 401 challenge, as specified in [\[RFC2616\]](#) and [\[RFC2617\]](#).
4. The client application requests a security token from the STS. It does this by sending a self-issued security token that is signed with its public key. The security token contains the **aud**, **iss**, **nameid**, **trustedfordelegation**, **nbf**, and **exp** claims, as specified in section [3.1.1](#). The client request also includes a *resource* parameter, a *realm* parameter, and an optional *state* parameter. The value of the *resource* parameter is the URI of the server application. For an example of a self-issued security token, see section [4.2](#).
5. The STS validates the public key of the security token provided by the client application, verifies that the client application is authorized to access the requested resource, and responds to the client with a server-to-server security token that is signed with a public key that the server application trusts. The security token contains the **aud**, **iss**, **nameid**, **nbf**, and **exp** claims. The response also includes an optional *state* parameter. For an example of a server-to-server security token issued by an STS that contains user information, see section [4.3](#).
6. The client application sends a self-issued security token to the server application that includes the server-to-server security token it received from the STS, as well as additional claims that contain the user information. The additional claims are the **aud**, **iss**, **nameid**, **nbf**, **exp**, **smtpt**, **sip**, **msexchuid**, and **actort** claims, as specified in section [3.1.1](#). The **actort** claim contains the server-to-server security token provided by the STS. Note that the server-to-server security token is signed, but the user information is not. For an example of a self-issued server-to-server security token that contains user information, see section [4.4](#).
7. The server application validates the request by checking the user information contained in the **aud**, **iss**, and **exp** claims and the public key used to sign the security token provided by the STS. Because the user information is not signed, the server application validates the user information by checking that the values of the **aud** and **iss** claims in the user information match the values of the **aud** and **iss** claims in the server-to-server security token contained in the **actort** claim. For security considerations regarding the unsigned user information, see section [5.1](#).
8. The server application performs additional validation checks to ensure that the client application is authorized to access the requested resource. It then responds to the client application with the requested resource.

### 3.2.5.3 Authentication with Third-Party Application

The following procedure shows the authentication that takes place when a client application makes a call to a third-party application using these extensions. In this example, the client and third-party applications are in the same organization.

1. The organization's IT administrator sets up an STS and configures it with the security principal identifiers for the client and third-party applications. The client and third-party applications each exchange public keys, carried in X.509 certificates, with the STS. The administrator also configures the client and third-party applications to trust security tokens issued by the STS.
2. The client application makes an anonymous request to the third-party application.
3. The third-party application responds with an HTTP 401 challenge, as specified in [\[RFC2616\]](#) and [\[RFC2617\]](#).
4. The client application requests a security token from the STS. It does this by sending a self-issued security token that is signed with its public key. The security token contains the **aud**, **iss**, **nameid**, **nbfi**, and **exp** claims, as specified in section [3.1.1](#).
5. The STS validates the public key of the security token provided by the client application, verifies that the client application is authorized to access the requested resource, and returns a server-to-server security token that is signed with a public key that the third-party application trusts. The security token contains the **aud**, **iss**, **nameid**, **nbfi**, **exp**, and **appctx** claims, as specified in section [3.1.1](#). The **appctx** claim contains information that is implementation-specific to the third-party application. For an example of a server-to-server security token that is used to access a third-party application, see section [4.5](#).
6. The client application sends the server-to-server security token to the third-party application.
7. The third-party application validates the server-to-server security token by checking the values of the **aud**, **iss**, and **exp** claims and the public key provided by the STS. It performs additional validation checks to ensure that the client application is authorized to access the requested resource. It then responds to the client application with the requested resource.

### 3.2.5.4 Realm Autodiscovery Through HTTP 401 Challenge

A client application can use realm autodiscovery by sending a request that contains an empty **Bearer** HTTP authorization header to the server application. The HTTP authorization header is specified in [\[RFC2617\]](#). The server application responds with an HTTP 401 challenge, as specified in [\[RFC2616\]](#) and [\[RFC2617\]](#). The **Bearer** WWW-Authenticate header of the HTTP 401 challenge contains the following fields.

- **client\_id**. The client application's security principal identifier.
- **realm**. The server application MAY [<1>](#) return this field. This is the source **realm** of the client application.
- **trusted\_issuers**. A comma-separated list of all security token issuers the server application trusts. The client can then select a security token issuer to request a security token.

For an example of realm autodiscovery through HTTP 401 challenge, see section [4.6](#).

### 3.2.5.5 Server-to-Server Security Token Contents

The server-to-server security token sent by the client application MUST be compatible with the JWT format specified in [\[IETF-DRAFT-JWT\]](#) and [\[MS-SPS2SAUTH\]](#).

The server application can accept server-to-server security tokens with the claim types specified in section [3.1.1](#).

### 3.2.5.6 Server-to-Server Validation Criteria

The server application accepts a server-to-server security token that meets the following criteria:

- The server-to-server security token is signed with a trusted signing certificate from an STS that the server application trusts.
- The server-to-server security token contains an **iss** claim whose value shows that the security token is issued by an STS that the server application trusts.
- The server-to-server security token contains a **nameid** claim with the UPN value of the logged-on user.
- If the client constructs an unsigned outer security token to contain user information as well as a signed actor token (that is, an inner token), as described in section [4.3](#) and section [4.4](#), the value of the **iss** claim in the outer token matches the value of the **nameid** claim in the inner token. The server application performs a case-sensitive comparison.
- The server-to-server security token contains an **aud** claim whose value meets the following criteria:
  - The **aud** claim value MUST contain three parts: **client\_id**, **hostname**, and **realm**.
  - The value of the **client\_id** part is the security principal identifier of a security principal (1) that the server application trusts. The server application performs a case-sensitive comparison.
  - The value of the **hostname** part is the host name of the server application. The server application performs a case-insensitive comparison to verify that it is the target of the request.
  - The value of the **realm** part is the source realm. The server application performs a case-sensitive comparison.

The STS uses the claims in the server-to-server security token to authenticate the caller.

### 3.2.6 Timer Events

None.

### 3.2.7 Other Local Events

None.

## 4 Protocol Examples

### 4.1 Security Token Issued by STS

In this example, a client attempts to access a resource on the server. The server responds with an HTTP 401 challenge that lists the security token issuers it trusts in the **trusted\_issuers** field. An example of such a challenge is as follows.

```
HTTP/1.1 401 Unauthorized
Server: Fabrikam/7.5
request-id: 443ce338-377a-4c16-b6bc-c169a75f7b00
X-FEServer: DUXYI01CA101
WWW-Authenticate: Bearer client_id="00000002-0000-0ff1-ce00-000000000000",
trusted_issuers="00000001-0001-0000-c000-000000000000@"
WWW-Authenticate: Basic Realm=""
X-Powered-By: ASP.NET
Date: Thu, 19 Apr 2012 17:04:16 GMT
Content-Length: 0
```

1. The client sends its credentials to the indicated token issuer, which is an STS.
2. The STS authenticates the client and issues an actor token to the client.
3. The client uses the actor token to access the resource it requested on the server.

The following is an example of an actor token issued by an STS. For more information about the claim values contained in this security token, see section [3.1.1](#).

```
actor:
{
  "typ": "JWT",
  "alg": "RS256",
  "x5t": "XqrnFEfsS55_vMBpHvF0pTnqeaM"
}.{
  "aud": "00000003-0000-0ff1-ce00-000000000000/contoso.com@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8",
  "iss": "00000001-0000-0000-c000-000000000000@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8",
  "nbf": "1323380070",
  "exp": "1323383670",
  "nameid": "00000002-0000-0ff1-ce00-000000000000@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8",
  "identityprovider": "00000001-0000-0000-c000-000000000000@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8"
}
```

### 4.2 Security Token Self-Issued by Client Application

In this example, the client tries to access a resource on the server. The server responds with an HTTP 401 challenge that indicates the security token issuers it trusts in the **trusted\_issuers** field. An example of such a challenge is as follows.

```
HTTP/1.1 401 Unauthorized
Server: Fabrikam/7.5
request-id: 443ce338-377a-4c16-b6bc-c169a75f7b00
X-FEServer: DUXYI01CA101
```



```

WWW-Authenticate: Bearer client_id="00000002-0000-0ff1-ce00-000000000000",
trusted_issuers="00000001-0001-0000-c000-000000000000@"
WWW-Authenticate: Basic Realm=""
X-Powered-By: ASP.NET
Date: Thu, 19 Apr 2012 17:04:16 GMT
Content-Length: 0

```

1. The client is one of the token issuers trusted by the server, so it creates an actor token and signs it with its credentials.
2. The client uses the actor token to access the resource it requested on the server.

The following is an example of an actor token that is self-issued by a client application. For more information about the claim values contained in this security token, see section [3.1.1](#).

```

actor:
{
  "typ": "JWT",
  "alg": "RS256",
  "x5t": "mH-TTlt-HAXC9-vjKVftX6bAsR0"
}. {
  "aud": "00000003-0000-0ff1-ce00-000000000000/contoso.com@EXHB-88371dom.extest.contoso.com",
  "iss": "00000002-0000-0ff1-ce00-000000000000@EXHB-88371dom.extest.contoso.com",
  "nbf": "1323380605",
  "exp": "1323409405",
  "nameid": "00000002-0000-0ff1-ce00-000000000000@EXHB-88371dom.extest.contoso.com",
  "trustedfordelegation": "true"
}

```

### 4.3 Security Token Issued by STS with User Information Added by Client

In this example, the client tries to access a resource on the server. The server responds with an HTTP 401 challenge that lists the security token issuers it trusts in the **trusted\_issuers** field. An example of such a challenge is as follows.

```

HTTP/1.1 401 Unauthorized
Server: Fabrikam/7.5
request-id: 443ce338-377a-4c16-b6bc-c169a75f7b00
X-FEServer: DUXYI01CA101
WWW-Authenticate: Bearer client_id="00000002-0000-0ff1-ce00-000000000000",
trusted_issuers="00000001-0001-0000-c000-000000000000@"
WWW-Authenticate: Basic Realm=""
X-Powered-By: ASP.NET
Date: Thu, 19 Apr 2012 17:04:16 GMT
Content-Length: 0

```

1. The client sends its credentials to the indicated security token issuer, which is an STS.
2. The STS authenticates the client and issues an actor token to the client.
3. The client constructs an unsigned outer token that contains additional user information to provide to the server. The outer token also contains the signed actor token issued by the STS.
4. The client uses the outer token to access the resource it requested on the server.

The following is an example of an outer token that is constructed by the client and contains user information, as well as an actor token issued by an STS. For more information about the claim values contained in this security token, see section [3.1.1](#).

```
{
  "typ": "JWT",
  "alg": "none"
}. {
  "aud": "00000003-0000-0ff1-ce00-000000000000/fabrikam.com@fabrikam-oauth-929.extest.fabrikam.com",
  "iss": "00000001-0000-0ff1-ce00-000000000000@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8",
  "nbf": "1323380069",
  "exp": "1323408869",
  "nameid": "00000002-0000-0ff1-ce00-000000000000@BLID-EXHB-90232dom.extest.contoso.com",
  "actort": "..actor token.."
}
```

The following is an example of an actor token, as mentioned in the previous listing.

```
{
  "typ": "JWT",
  "alg": "RS256",
  "x5t": "hEAW-SXzTNaDBUwfAh2YScnBOxA"
}. {
  "aud": "00000002-0000-0ff1-ce00-000000000000/contoso.com@EXHB-88371dom.extest.contoso.com",
  "iss": "00000003-0000-0ff1-ce00-000000000000@e54c2f60-0ad3-4ef8-8ba2-b3ae01b35494",
  "nbf": "1346674665",
  "exp": "1346804265",
  "nameid": "00000003-0000-0ff1-ce00-000000000000@e54c2f60-0ad3-4ef8-8ba2-b3ae01b35494"
}
```

#### 4.4 Security Token Self-Issued By Client Application with User Information

In this example, the client tries to access a resource on the server. The server responds with an HTTP 401 challenge that indicates the security token issuers it trusts in the **trusted\_issuers** field. An example of such a challenge is as follows.

```
HTTP/1.1 401 Unauthorized
Server: Fabrikam/7.5
request-id: 443ce338-377a-4c16-b6bc-c169a75f7b00
X-FEServer: DUXYI01CA101
WWW-Authenticate: Bearer client_id="00000002-0000-0ff1-ce00-000000000000",
trusted_issuers="00000001-0001-0000-c000-000000000000@"
WWW-Authenticate: Basic Realm=""
X-Powered-By: ASP.NET
Date: Thu, 19 Apr 2012 17:04:16 GMT
Content-Length: 0
```

1. The client is one of the token issuers trusted by the server, so it creates an actor token and signs it with its credentials.
2. The client constructs an unsigned outer token that contains additional user information to provide to the server. The outer token also contains the signed actor token issued by the client.

3. The client uses the outer token to access the resource it requested on the server.

The following is an example of an outer token that is constructed by the client and contains user information, as well as a security token that is self-issued by the client. For more information about the claim values contained in this security token, see section [3.1.1](#).

```
{
  "typ": "JWT",
  "alg": "none"
}. {
  "aud": "00000003-0000-0ff1-ce00-000000000000/contoso.com@EXHB-88371dom.extest.contoso.com",
  "iss": "00000002-0000-0ff1-ce00-000000000000@EXHB-88371dom.extest.contoso.com",
  "nbf": "1323380605",
  "exp": "1323409405",
  "nameid": "ewsuser-55a83300@EXHB-88371dom.extest.contoso.com",
  "smtp": "ewsuser-55a83300@exhb-88371dom.extest.contoso.com",
  "sip": "ewsuser-55a83300@exhb-88371dom.extest.contoso.com",
  "msexchuid": "842e4c3a-0879-4973-83f9-495bb9863e18@exhb-88371dom.extest.contoso.com",
  "actort": "..actor token.."
}
```

The following is an example of an actor token, as mentioned in the previous listing.

```
{
  "typ": "JWT",
  "alg": "RS256",
  "x5t": "hEAW-SXzTNaDBUwfAh2YScnBOxA"
}. {
  "aud": "00000002-0000-0ff1-ce00-000000000000/contoso.com@EXHB-88371dom.extest.contoso.com",
  "iss": "00000003-0000-0ff1-ce00-000000000000@e54c2f60-0ad3-4ef8-8ba2-b3ae01b35494",
  "nbf": "1346674665",
  "exp": "1346804265",
  "nameid": "00000003-0000-0ff1-ce00-000000000000@e54c2f60-0ad3-4ef8-8ba2-b3ae01b35494"
}
```

## 4.5 Security Token for Accessing a Third-Party Service with Extensions

In this example, the client tries to access a resource on a third-party service. The service responds with an HTTP 401 challenge that lists the security token issuers it trusts in the **trusted\_issuers** field. An example of such a challenge is as follows.

```
HTTP/1.1 401 Unauthorized
Server: Fabrikam/7.5
request-id: 443ce338-377a-4c16-b6bc-c169a75f7b00
X-FEServer: DUXYI01CA101
WWW-Authenticate: Bearer client_id="00000002-0000-0ff1-ce00-000000000000",
trusted_issuers="00000001-0001-0000-c000-000000000000@"
WWW-Authenticate: Basic Realm=""
X-Powered-By: ASP.NET
Date: Thu, 19 Apr 2012 17:04:16 GMT
Content-Length: 0
```

1. The client sends its credentials to the indicated security token issuer, which is an STS. The credentials include an **appctx** claim that contains additional user information to be provided to the service. The STS does not examine or modify the user information in the **appctx** claim.
2. The STS authenticates the client and issues an actor token to the client that includes the **appctx** claim provided by the client.
3. The client uses the actor token to access the resource it requested on the service. The actor token includes the **appctx** claim that was previously supplied by the client and contains additional user information to be provided to the service. This scenario is analogous to the use of outer and inner tokens to convey additional user information to a server beyond what is required to authenticate to an STS, as described in section [4.3](#) and section [4.4](#).

The following is an example of a security token that is used to access a third-party service and contains user information. For more information about the claim values contained in this security token, see section [3.1.1](#).

```
{
  "aud": "00000002-0000-0ff1-ce00-000000000000/exhb-42702.exhb-42702dom.extest.contoso.com@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8",
  "iss": "00000002-0000-0ff1-ce00-000000000000@b84c5afe-7ced-4ce8-aa0b-df0e2869d3c8",
  "nbf": "1323197012",
  "exp": "1323225812",
  "nameid": "https://www.fabrikam.com/weprintem",
  "appctx": "{
    \"nameid\": \"ewsuser-cff3d495@BLID-EXHB-42702dom.extest.contoso.com\",
    \"smtp\": \"ewsuser-cff3d495@BLID-EXHB-42702dom.extest.contoso.com\",
    \"msexchuid\": \"842e4c3a-0879-4973-83f9-495bb9863e18@exhb-88371dom.extest.contoso.com\"
  }"
}
```

## 4.6 Realm Autodiscovery Through HTTP 401 Challenge

In this example, the client tries to access a resource on a server. It also tries to use realm autodiscovery by including an empty **Bearer** authorization header in its request. An example of such a request is as follows.

```
POST https://contoso.com/autodiscover/autodiscover.svc HTTP/1.1
Content-Type: text/xml; charset=utf-8
Accept: text/xml
User-Agent: Test/1.0 (ContosoServicesClient/15.00.0424.000)
client-request-id: 00000000-0000-0000-0000-000000000000
Authorization: Bearer
Host: contoso.com
Content-Length: 1368
Expect: 100-continue
```

The server application responds with an HTTP 401 challenge that lists the security token issuers it trusts in the **trusted\_issuers** field. An example of such a challenge is as follows.

```
HTTP/1.1 401 Unauthorized
Server: Fabrikam/7.5
request-id: 443ce338-377a-4c16-b6bc-c169a75f7b00
X-FEServer: XJSUI01CA101
```

```
WWW-Authenticate: Bearer client_id="00000002-0000-0ff1-ce00-000000000000",  
trusted_issuers="00000001-0001-0000-c000-000000000000@*"  
WWW-Authenticate: Basic Realm=""  
X-Powered-By: ASP.NET  
Date: Thu, 19 Apr 2012 17:04:16 GMT  
Content-Length: 0
```

In this example, the server determines that the value in the **trusted\_issuers** field contains sufficient information for the client to locate the STS, so the server does not include a **realm** field.

## 5 Security

### 5.1 Security Considerations for Implementers

The security considerations described in [\[MS-SPS2SAUTH\]](#) apply when implementing these extensions.

### 5.2 Index of Security Parameters

None.

## 6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® Exchange Server 2013
- Microsoft® SharePoint® Server 2013
- Microsoft® SharePoint® Foundation 2013

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

[<1> Section 3.2.5.4:](#) SharePoint Server 2013 and SharePoint Foundation 2013 return this parameter.

## 7 Change Tracking

This section identifies changes that were made to the [MS-XOAUTH] protocol document between the July 2012 and October 2012 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- The removal of a document from the documentation set.
- Changes made for template compliance.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.



- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type **Editorially updated**.

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact [protocol@microsoft.com](mailto:protocol@microsoft.com).

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
<a href="#">1.2.1 Normative References</a>	Added the reference [MS-SPSTWS].	Y	Content updated.
<a href="#">1.2.1 Normative References</a>	Removed the reference [WSDL].	Y	Content removed.
<a href="#">1.2.2 Informative References</a>	Added the reference [MS-OXPROTO].	N	Content updated.
<a href="#">1.4 Relationship to Other Protocols</a>	Added informative reference information for overview of relationships between this and other protocols.	N	Content updated.
<a href="#">2.1 Transport</a>	Revised specification of transport requirements.	N	Content updated.
<a href="#">2.2 Message Syntax</a>	Added normative reference information.	Y	Content updated.
<a href="#">3.1.1 Abstract Data Model</a>	Specified the format of an actor token, revised specification of token header fields, and revised specification of appctx claim.	Y	New content added.
<a href="#">3.2.5.4 Realm Autodiscovery Through HTTP 401 Challenge</a>	Added examples of request containing empty bearer authorization header and HTTP 401 response.	N	Content updated.
<a href="#">3.2.5.6 Server-to-Server Validation Criteria</a>	Clarified specification of inner and outer security tokens.	N	Content updated.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
<a href="#">4.1 Security Token Issued by STS</a>	Added scenario description and HTTP 401 challenge example.	N	Content updated.
<a href="#">4.2 Security Token Self-Issued by Client Application</a>	Added scenario description.	N	Content updated.
<a href="#">4.3 Security Token Issued by STS with User Information Added by Client</a>	Added scenario description and example of an actor token.	N	Content updated.
<a href="#">4.4 Security Token Self-Issued By Client Application with User Information</a>	Added scenario description and example of an actor token.	N	New content added.
<a href="#">4.5 Security Token for Accessing a Third-Party Service with Extensions</a>	Added scenario description.	N	Content updated.
<a href="#">4.6 Realm Autodiscovery Through HTTP 401 Challenge</a>	Added section.	Y	Content updated.

## 8 Index

### A

Abstract data model  
    [server](#) 11  
[Applicability](#) 7  
[attribute groups](#) 9  
[Attributes](#) 8  
[Authentication third-party application](#) 14  
[Authentication with user information within a single organization](#) 13  
[Authentication within a single organization](#) 12

### C

[Capability negotiation](#) 7  
[Change tracking](#) 24  
[Common data structures](#) 9  
[Common URI parameters](#) 8  
[Complex types](#) 8  
[Custom HTTP headers](#) 8  
[Custom HTTP methods](#) 8

### D

Data model - abstract  
    [server](#) 11  
[Directory service schema elements](#) 9

### E

Examples  
    [security token for accessing a third-party service with extensions](#) 19  
    [security token issued by STS](#) 16  
    [security token issued by STS with user information added by client](#) 17  
    [security token self-issued by client application](#) 16  
    [security token self-issued by client application with user information](#) 18

### F

[Fields - vendor-extensible](#) 7

### G

[Glossary](#) 5  
[Groups](#) 9

### H

[Headers - custom http](#) 8  
Higher-layer triggered events  
    [server](#) 12

### I

[Implementer - security considerations](#) 22

[Index of security parameters](#) 22

[Informative references](#) 6

Initialization  
    [server](#) 12  
[Introduction](#) 5

### M

Message processing - server  
    [authentication with third-party application](#) 14  
    [authentication with user information within a single organization](#) 13  
    [authentication within a single organization](#) 12  
    [autodiscovery through 401 challenge](#) 14  
    [server-to-server token contents](#) 14  
    [server-to-server validation criteria](#) 15

Messages  
    [attribute groups](#) 9  
    [attributes](#) 8  
    [common data structures](#) 9  
    [complex types](#) 8  
    [elements](#) 8  
    [groups](#) 9  
    [namespaces](#) 8  
    [simple types](#) 8  
    [syntax](#) 8  
[Methods - custom http](#) 8

### N

[Namespaces](#) 8  
[Normative references](#) 5

### O

Other local events  
    [server](#) 15  
[Overview \(synopsis\)](#) 6

### P

[Parameters - common URI](#) 8  
[Parameters - security index](#) 22  
[Preconditions](#) 7  
[Prerequisites](#) 7  
[Product behavior](#) 23

### R

Realm autodiscovery through 401 challenge  
    [server](#) 14  
References  
    [informative](#) 6  
    [normative](#) 5  
[Relationship to other protocols](#) 6

### S

- [Schema elements - directory service](#) 9
- Security
  - [implementer considerations](#) 22
  - [parameter index](#) 22
  - [Security token for accessing a third-party service with extensions example](#) 19
  - [Security token issued by STS example](#) 16
  - [Security token issued by STS with user information added by client example](#) 17
  - [Security token self-issued by client application example](#) 16
  - [Security token self-issued by client application with user information example](#) 18
- Sequencing rules - server
  - [authentication with third-party application](#) 14
  - [authentication with user information within a single organization](#) 13
  - [authentication within a single organization](#) 12
  - [autodiscovery through 401 challenge](#) 14
  - [server-to-server token contents](#) 14
  - [server-to-server validation criteria](#) 15
- Server
  - [abstract data model](#) 11
  - [higher-layer triggered events](#) 12
  - [initialization](#) 12
  - [other local events](#) 15
  - [timer events](#) 15
  - [timers](#) 12
- Server-to-server token contents
  - [server](#) 14
  - [Server-to-server validation criteria](#) 15
  - [Simple types](#) 8
  - [Standards assignments](#) 7
  - [Syntax - messages](#) 8

## T

- Timer events
  - [server](#) 15
- Timers
  - [server](#) 12
- [Tracking changes](#) 24

## V

- [Vendor-extensible fields](#) 7
- [Versioning](#) 7